FORMER BORDENS FARM PRODUCTS
35-18 STEINWAY STREET
ASTORIA, QUEENS, NEW YORK

Remedial Investigation Report

New York State Department of Environmental Conservation
Brownfield Cleanup Program (BCP) Site Number: C241294

Prepared for:
LMXD INNOQ B1 LLC and STEINWAY 1 OWNER LLC [pending]
1865 Palmer Avenue, Floor 2
Larchmont, NY 10538

Prepared by:
Roux Environmental Engineering and Geology, D.P.C.
209 Shafter Street
Islandia, New York 11749
631.232.2600

JANUARY 2026

Certifications

I, Noelle Clarke, P.E., certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Remedial Investigation Report was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).



Noelle Clarke, P.E.	01/22/2026	
Qualified Environmental Professional	Date	Signature

Table of Contents

Certifications i

Table of Contents ii

Acronyms v

Executive Summary vii

Site Description/Physical Setting viii

Summary of Remedial Investigation viii

Conceptual Site Model x

Qualitative Human Health Exposure Assessment xi

1. Introduction 1

1.1 RIR Organization 2

1.2 Site Location and Description 2

1.3 Contemplated Redevelopment Plan 2

1.4 Description of Surrounding Property 3

2. Site Background 4

2.1 Historic Land Uses 4

2.2 Topography 4

2.3 Wetland Areas and Surface Water Bodies 4

2.4 Soil 4

2.5 Hydrogeology 4

2.6 Historic Environmental Reports 4

2.6.1 ASTM Phase I ESA by EBI Consulting, Dated September 22, 2017 5

2.6.2 NYSDEC BCP Eligibility Soil Sampling, performed by Roux, November 2024 and February 2025 5

2.6.2.1 Previous Soil Results 5

2.6.2.2 Historical Groundwater Sampling Results 5

2.6.3 Report of Geotechnical Investigation, JZN Engineering, PC., March 2025 6

3. Remedial Investigation Field Activities 7

3.1 Site Reconnaissance 8

3.3 Utility Clearance 8

3.4 Soil Borings and Soil Sampling Activities 8

3.5 Monitoring Well Installation 10

3.6 Groundwater Gauging and Sampling 11

3.7 Soil Vapor Point Installation and Sampling 11

3.8 Surveying Activities 12

3.9 Community Air Monitoring Program 12

3.10 Summary of Deviations from the Remedial Investigation Work Plan 12

3.11 Investigation Derived Waste and In Situ Waste Characterization Sampling 12

3.12 Green and Sustainable Remediation Initiative 13

4. Remedial Investigation Results 14

4.1 Geological and Hydrogeological Conditions 14

4.1.1 Local Geology and Stratigraphy 14
4.1.2 Site Hydrogeologic Setting 14
4.2 Remedial Investigation Sample Results 14
4.2.1 Soil Quality 14
4.2.1.1 Volatile Organic Compounds in Soil 15
4.2.1.2 Semivolatile Organic Compounds in Soil 15
4.2.1.3 Metals in Soil 16
4.2.1.4 Polychlorinated Biphenyls in Soil 16
4.2.1.5 Pesticides and Herbicides in Soil 16
4.2.1.6 PFAS in Soil 17
4.2.2 Groundwater Sampling Results 17
4.2.2.1 Volatile Organic Compounds in Groundwater 18
4.2.2.2 Semivolatile Organic Compounds in Groundwater 18
4.2.2.3 Metals in Groundwater 18
4.2.2.4 Polychlorinated Biphenyls in Groundwater 18
4.2.2.5 Pesticides and Herbicides in Groundwater 18
4.2.2.6 PFAS in Groundwater 18
4.2.3 Soil Vapor Sampling Results 19
4.2.4 Data Usability Summary and Field Duplicate Results 21
5. Conceptual Site Model 22
6. Qualitative Exposure Assessment 23
6.1 Soil Exposure 23
6.2 Groundwater Exposure 23
6.3 Soil Vapor Exposure 23
6.4 Exposure Assessment Summary 24
7. Conclusions 25

Tables

1. Groundwater Gauging Data
2. Summary of VOCs in Soil Samples
3. Summary of SVOCs in Soil Samples
4. Summary of Metals in Soil Samples
5. Summary of PCBs in Soil Samples
6. Summary of Pesticides and Herbicides in Soil Samples
7. Summary of PFAS in Soil Samples
8. Summary of VOCs in Groundwater Samples
9. Summary of SVOCs in Groundwater Samples
10. Summary of Metals in Groundwater Samples
11. Summary of PCBs in Groundwater Samples
12. Summary of Pesticides and Herbicides in Groundwater Samples
13. Summary of Emerging Contaminants in Groundwater Samples
14. Summary of VOCs in Soil Vapor Samples

Figures

1. Site Location Map
2. Existing Site Plan with Sampling Locations
3. Groundwater Contour Map, December 18, 2025
4. Summary of Exceedances in Soil
5. Summary of Exceedances in Groundwater
6. Summary of Detections in Soil Vapor

Appendices *(Provided on USB in Bound Copy)*

A. Proposed Redevelopment Plans
B. Previous Environmental Reports
C. Soil Boring and Well Construction Logs
D. Remedial Investigation Analytical Data
E. Data Usability Summary Reports for Remedial Investigation Data
F. Groundwater Sampling Forms
G. Soil Vapor Sampling Forms
H. Remedial Investigation CAMP Data Logs and Daily Reports
I. Waste Characterization Sample Data for Investigation Derived Waste

Acronyms

µg/kg ..... Micrograms per Kilogram
µg/L ..... Micrograms per Liter
µg/m^3 ..... Micrograms per Cubic Meter
mg/kg..... Milligrams per Kilogram
4,4'-DDD..... 4,4-Dichlorodiphenyldichloroethane
4,4'-DDE..... 4,4'-Dichlorodiphenyldichloroethylene
4,4'-DDT 4,4-Dichlorodiphenyltrichloroethane
AOCs..... Areas of Concern
ASP ..... Analytical Services Protocol
AWQSGVs ..... Ambient Water Quality Standards and Guidance Values
BCA..... Brownfield Cleanup Agreement
BCP ..... Brownfield Cleanup Program
BEEI ..... Bureau of Environmental Exposure Investigation
bg ..... Below Grade
BOA..... Brownfield Opportunity Areas
CAMP..... Community Air Monitoring Plan
C/D ..... Construction and Demolition
CEH..... Center for Environmental Health
CFR..... Code of Federal Regulations
COC ..... Certificate of Completion
CP-51 ..... Commissioner Policy-51
CPP ..... Citizen Participation Plan
CQAP ..... Construction Quality Assurance Plan
CSM ..... Conceptual Site Model
CVOCs ..... Chlorinated Volatile Organic Compounds
cy..... Cubic Yards
DAR..... Division of Air Resources
DCE..... cis-1,2-dichloroethene
DEC..... Department of Environmental Conservation
DER-10..... NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation
DMM..... Division of Materials Management
DO ..... Dissolved Oxygen
DUSR ..... Data Usability Summary Report
EC ..... Engineering Control
ECL ..... Environmental Conservation Law
EDD..... Electronic Data Deliverable
EJ ..... Environmental Justice
ELAP ..... Environmental Laboratory Approval Program
ESA ..... Environmental Site Assessment
FER ..... Final Engineering Report
Ft ..... Feet/Foot
HASP..... Health and Safety Plan
HAZWOPER ..... Hazardous Waste Operations and Emergency Response
Hp..... Horsepower
HVAC ..... Heating, Ventilation, and Air Conditioning

IC ..... Institutional Control
MEK..... Methyl Ethyl Ketone; 2-butanone
MS/MSD ..... Matrix Spike/Matrix Spike Duplicate
MW ..... Monitoring Well
NG/L ..... Nanograms per Liter
NYCDEP ..... New York City Department of Environmental Protection
NYCDOT ..... New York City Department of Traffic
NYCRR..... New York Codes, Rules, and Regulations
NYSDEC ..... New York State Department of Environmental Conservation
NYSDOH..... New York State Department of Health
NYSDOT ..... New York State Department of Transportation
O&M ..... Operation and Maintenance
ORP..... Oxidation-Reduction Potential
OSHA ..... Occupational Safety and Health Administration
PAHs ..... Polycyclic Aromatic Hydrocarbons
PCBs ..... Polychlorinated Biphenyls
PCE ..... Tetrachloroethylene (Perchloroethylene)
PDF ..... Portable Document Format
PEJA ..... Potential Environmental Justice Area
PID ..... Photo Ionization Detector
PPE ..... Personal Protective Equipment
PVC ..... Polyvinyl Chloride
QAPP ..... Quality Assurance Project Plan
QA/QC..... Quality Assurance/Quality Control
RAOs..... Remedial Action Objectives
RAWP..... Remedial Action Work Plan
RI..... Remedial Investigation
RIR ..... Remedial Investigation Report
RIR/RAWP ..... Remedial Investigation Report/Remedial Action Work Plan
SCG..... Standards, Criteria, and Guidance
SCOs..... Soil Cleanup Objectives
SEQRA..... State Environmental Quality Review Act
SMP..... Site Management Plan
SOE..... Support of Excavation
SoMP..... Soil Management Plan
SOP..... Site Operations Plan
SSO..... Site Safety Officer
SVOC ..... Semivolatile Organic Compounds
SWPPP ..... Stormwater Pollution Prevention Plan
TAGM..... Technical and Administrative Memorandum
TAL..... Target Analyte List
TCE ..... Trichloroethene
TCL..... Target Compound List
TCLP ..... Toxicity Characteristics Leaching Procedure
TOGS ..... Technical and Operational Guidance Series
USEPA ..... United States Environmental Protection Agency
USGS ..... United States Geological Survey
VOC..... Volatile Organic Compounds

Executive Summary

Roux Environmental Engineering and Geology, D.P.C. (Roux), on behalf of LMXD INNOQ B1 LLC and STEINWAY 1 OWNER LLC [pending] (collectively referred to as the Volunteer), has prepared this Remedial Investigation Report (RIR) for the property located at 35-18 Steinway Street, Astoria, Queens, New York (Site), identified as a portion of New York City Tax Block 668, Lot 5. An application to subdivide Lot 5 into two lots has been filed with the City of New York and the tentative lot assigned to the Site is Lot 6. A Change of Use notification will be filed with NYSDEC regarding this tax lot change.

On November 25, 2025, the Volunteer executed a Brownfield Cleanup Agreement (BCA) with the New York State Department of Environmental Conservation (NYSDEC) to investigate and remediate the Site under the NYSDEC Brownfield Cleanup Program (BCP). The Site is identified under the NYSDEC BCP as Former Bordens Farm Products site control No. C241294. Application of Unrestricted Use Soil Cleanup Objectives (UUSCOs), Restricted Residential Soil Cleanup Objectives (RRSCOs), and Protection of Groundwater Soil Cleanup Objectives (PGWSCOs) as defined in 6 New York Codes, Rules, and Regulations (6 NYCRR) Part 375-6-8(b) Environmental Remediation Programs (including revisions adopted on December 31, 2025) are proposed for the Site.

Currently, the Site consists of an asphalt-paved parking lot associated with an adjacent existing commercial building. The Site is located in an area zoned as M1-4/R9 and M1-4/R7-3. The site and the surrounding area are within the special purpose district MX-24, which permits side-by-side residential and non-residential uses. The Site is bounded by the intersection of 35th Avenue and 38th Street to the north, beyond which are commercial establishments including Uno Pizzeria, Applebee's Grill & Bar, Panera Bread, The Yoga Room, Riviera Gentleman's Club, and Metropolitan Lumber. To the south, the Site is bordered by a P.C. Richard & Son appliance store, with multi-family residential buildings beyond. Steinway Street lies to the east, across which are New York City (NYC), Playground 35, a vacant commercial building, and the Luxury of Queens car dealership. The NYC Transit Authority (NYCTA) M/R Subway runs beneath Steinway Street. To the west, the Site is bounded by 38th Street, beyond which are the UA Kaufman Astoria Cinemas and a film and TV production studio (**Figure 1**).

The purpose of this remedial investigation (RI) was to determine the nature and extent of contamination at the Site, characterize environmental media, and qualitatively assess the potential exposure of receptors to Site contaminants to effectively design and develop remedial actions (RA) that will be protective of health and the environment. These proposed RA will be included in the Remedial Action Work Plan (RAWP).

All work summarized in the document was completed in accordance with the NYSDEC -approved Remedial Investigation Work Plan (RIWP) for the Site dated April 28, 2025 and approved on November 17, 2025, the NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation (DER-10, May 2010), the Sampling, Analysis, and Assessment of PFAS under NYSDEC's Part 375 Remedial Programs guidance document dated April 2023 (NYSDEC April 2023 PFAS Guidance), and/or the New York State Department of Health's (NYSDOH's) Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York, October 2006 and Revised February 2024 (NYSDOH Guidance). The RI for this Site did not identify fish and wildlife resources.

Significant Threat

The NYSDEC and NYSDOH have not yet determined if the Site poses a significant threat to human health and the environment.

Site Description/Physical Setting

A Site location map is included as **Figure 1**.

Property Location	
Property Name:	Former Bordens Farm Products
Property Tax Identification and associated address:	35-18 Steinway Street
Property Neighborhood, City, County, State:	Astoria, Queens, Queens County, New York
Property Topographic Quadrangle:	USGS; 2019, Central Park, NY 7.5 Minute Topographic Quadrangle
Nearest Intersections:	Steinway Street and 35th Avenue; and 38th Street and 35th Avenue

Property Information	
Property Acreage:	0.739 acres (32,172 square feet)
Property Shape:	Polygon
Property Use:	An asphalt-paved parking lot associated with an adjacent existing commercial building
Improvements:	The Site has been a parking lot since 1984, and no buildings are currently present

Summary of Remedial Investigation

During December 2025, Roux conducted the RI fieldwork which included the installation of soil borings, groundwater monitoring wells, and soil vapor installation points throughout the Site, from which Roux collected soil, groundwater, and soil vapor samples.

Field activities completed during the RI included the following:

- Advancement of nine soil borings between 20 and 30 ft bls;
- Laboratory analysis of 42 soil samples along with two quality assurance/quality control (QA/QC) samples;
- Installation of five permanent groundwater monitoring wells with the collection and laboratory analysis of five groundwater samples along with one QA/QC sample;
- Installation of nine soil vapor points and the collection and laboratory analysis of nine soil vapor samples along with one QA/QC sample;
- A survey of the groundwater monitoring wells;
- Collection of a comprehensive water level gauging round from the new permanent monitoring wells; and
- Implementation of CAMP.

In general, the data generated indicated the following Site-wide conditions:

- The Site is underlain by historical fill (consisting of sand, gravel, brick, asphalt, concrete, and glass) to depths ranging from 2 to 18 feet below land surface (ft bls). The historic fill layer was observed to be thicker in the south/central portion of the Site where there appeared to be a former cellar that had been filled in with fill/demolition debris. Historical fill materials overlie native fine to coarse sands and gravel with varying amounts of sand, silt, and clay.
- According to water-level data collected from the permanent wells on December 18, 2025, the elevation of the water table surface at the Site ranged from 19.96 feet North American Vertical Datum of 1988 (ft NAVD 88) at the monitoring well in the western portion of the Site to 20.32 ft NAVD 88 at the monitoring well in the eastern portion of the Site. Groundwater was measured at depths from 18.23 ft bls to 21.22 ft bls throughout the Site. Groundwater flow is generally to the west.
- The only volatile organic compound (VOC) detected in soil exceeding NYSDEC UUSCO and PGWSCOs was acetone. No VOCs exceeded RRSCOs. In groundwater, no VOCs were detected at concentrations exceeding 6 NYCRR Part 703 Ambient Water Quality Standards and Guidance Values (AWQSGVs).
- Semivolatile organic compounds (SVOCs), mostly polycyclic aromatic hydrocarbons (PAHs), were detected at concentrations above NYSDEC UUSCOs, RRSCOs and PGWSCOs in historical fill present across the Site. SVOCs were not detected at concentrations exceeding AWQSGVs. This data indicates that SVOCs in soil are not a source of groundwater contamination at the Site.
- Metals were detected in soil at concentrations above NYSDEC SCOs across the Site. Cadmium, trivalent and total chromium, copper, lead, mercury, nickel, and zinc were detected at concentrations above NYSDEC UUSCOs, RRSCOs, and/or PGWSCOs. Metals contamination is related to the presence of urban fill at the Site. Some metals were detected at concentrations above NYSDEC PGWSCOs in soil but were not detected in exceedance of AWQSGVs indicating that metals in soil are not a source of groundwater contamination at the Site. All of the metals detected above AWQSGVs are naturally occurring.
- Polychlorinated biphenyls (PCBs) were detected in two soil samples at concentrations exceeding NYSDEC UUSCOs, but none in exceedance of their RRSCOs or PGWSCOs and they were not detected in groundwater. Therefore, PCBs in soil are not a source of groundwater contamination at the Site.
- One pesticide was detected in one soil sample at concentrations exceeding NYSDEC UUSCOs, but not in exceedance of the RRSCOs or PGWSCOs and they were not detected in groundwater. Therefore, pesticides in soil are not a source of groundwater contamination at the Site.
- PFAS compounds were detected in soil (in one sample) and groundwater. The one exceedance of PFAS in shallow soils did not exceed the PGWSCO, so PFAS in soil is not considered a source for the PFAS impact in groundwater and PFAS are not considered contaminants of concern in groundwater for the Site.
- Petroleum-related and chlorinated VOCs were detected in soil vapor samples at relatively low levels across the Site. Petroleum-related and chlorinated VOC concentrations are likely due to background levels of these compounds present in urban areas and are not considered contaminants of concern for the Site. Although a direct comparison cannot be made to the NYSDOH Matrices without indoor air samples, only ethylbenzene and m,p-xylene could fall in the monitor or mitigate sections of the matrices. The remaining analyte concentrations would fall in the no further action of the matrices. The relatively low-level concentrations of petroleum-related and chlorinated VOCs, combined with the

absence of these compounds in groundwater and soil, indicate it is unlikely there is an onsite source of soil vapor impacts.

In addition, in situ waste characterization sampling was performed concurrently with the RI in order to inform decisions related to remedial and redevelopment excavation and waste disposal. The waste characterization sampling will be described in more detail and will be included in an appendix to the RAWP.

Conceptual Site Model

The following section explains the occurrence of contaminants and their fate and transport at the Site in the context of the local Site stratigraphy and hydrogeology.

Based on the soil, groundwater, and soil vapor results discussed in Section 4.2, soil is impacted at the Site, but groundwater and soil vapor are not significantly impacted. The spatial distribution of contaminants of potential concern in various media is shown in **Figures 4 through 6**.

The historical fill at the Site consists of sand and various amounts of gravel, brick, asphalt, glass, and concrete, which is typical of historical fill material found in urban environment. The depth to the bottom of the historical fill layer ranged to depths of 2 to 18 ft bls across the Site. This historical fill material overlies deeper native deposits consisting of mostly fine to coarse sands and gravel with varying amounts of sand, silt, and clay.

Based on the Site-wide detections and exceedances of NYSDEC SCOs (and/or guidance values for PFOS and PFOA), shallow soil throughout the Site is primarily impacted with SVOCs and metals likely due to historical fill materials. At most soil boring locations, a sample interval was found within six feet beneath the historical fill and native soil interface to have no exceedances of NYSDEC SCOs. As such, the impacted historical fill material is not a source of contamination in deeper native soils.

Groundwater concentrations of metals and PFAS exceeded the NYSDEC AWQSGVs. The metals detected exceeding the AWQSGVs (iron, magnesium, manganese, and sodium) are considered naturally occurring and are not considered contaminants of concern at the Site. There is no documented use of PFAS at the Site and known historical Site uses do not indicate the past use of these compounds. The one exceedance of PFAS in shallow soils did not exceed the PGWSCO, so PFAS in soil is not considered a source for the PFAS impact in groundwater and PFAS are not considered contaminants of concern in groundwater for the Site.

Based on the Site-wide detections, petroleum-related and chlorinated VOCs were detected in soil vapor at the Site at relatively low levels. Petroleum-related and chlorinated VOC concentrations are likely due to background levels of these compounds present in urban areas and are not considered contaminants of concern for the Site. Although a direct comparison cannot be made to the NYSDOH Matrices without indoor air samples, only ethylbenzene and m,p-xylene could fall in the monitor or mitigate sections of the matrices. The remaining analyte concentrations would fall in the no further action of the matrices.

Qualitative Human Health Exposure Assessment

The following table summarizes the exposure assessment:

Environmental Media and Exposure Route	Human Exposure Assessment
Direct contact with subsurface soils (and incidental ingestion)	• Construction and remedial contractors can come into contact with soil if they complete ground intrusive work at the Site. • During remediation, remedial workers, trespassers, passersby, and utility workers could come into contact with contaminated soil contained in dust through inhalation, incidental ingestion and dermal contact. Implementation of the HASP, CAMP, and dust controls during the remedial action and any future ground intrusive activities will mitigate potential exposures. • It is expected, based on the RI soil quality results, that an unrestricted use cleanup can be achieved for the site. However, if necessary, future exposure to remaining contamination following remediation, if any, will be addressed for through the installation of a site cover system.
Ingestion of groundwater	• Groundwater is not and will not be used for drinking water, as any future buildings proposed on the Site will be connected to the public water supply.
Direct contact with groundwater (and incidental ingestion)	• Remedial workers, trespassers, and utility workers could come into contact with groundwater through dermal contact and incidental ingestion during ground intrusive work. • Proper PPE and personal hygiene measures, as defined in the HASP, will be required to prevent dermal contact and the potential for incidental ingestion impacted groundwater during construction. • Future exposure to Site groundwater will be eliminated by the presence of the buildings from the redevelopment that will cover the entire Site.
Inhalation of air (exposures related to soil vapor intrusion)	• Remedial workers, trespassers, and utility workers may be exposed to soil vapor during ground intrusive activities beneath all buildings. • Exposures to workers and passersby during the remedial action and future ground intrusive activities will be reduced or eliminated through implementation of the HASP, CAMP, and odor/vapor controls during construction.

1. Introduction

Roux Environmental Engineering and Geology, D.P.C. (Roux), on behalf of LMXD INNOQ B1 LLC and STEINWAY 1 OWNER LLC [pending] (collectively referred to as the Volunteer), has prepared this Remedial Investigation Report (RIR) for the property located at 35-18 Steinway Street, Astoria, Queens, New York (Site), identified as a portion of New York City Tax Block 668, Lot 5. An application to subdivide Lot 5 into two lots has been filed with the City of New York and the tentative lot assigned to the Site is Lot 6. A Change of Use notification will be filed with NYSDEC regarding this tax lot change.

On November 25, 2025, the Volunteer executed a Brownfield Cleanup Agreement (BCA) with the New York State Department of Environmental Conservation (NYSDEC) to investigate and remediate the Site under the NYSDEC Brownfield Cleanup Program (BCP). The Site is identified under the NYSDEC BCP as Former Bordens Farm Products site control No. C241294. Application of Unrestricted Use Soil Cleanup Objectives (UUSCOs), Restricted Residential Soil Cleanup Objectives (RRSCOs), and Protection of Groundwater Soil Cleanup Objectives (PGWSCOs) as defined in 6 New York Codes, Rules, and Regulations (6 NYCRR) Part 375-6-8(b) Environmental Remediation Programs (including revisions adopted on December 31, 2025) are proposed for the Site.

Currently, the Site consists of an asphalt-paved parking lot associated with an adjacent existing commercial building. The Site is located in an area zoned as M1-4/R9 and M1-4/R7-3. The site and the surrounding area are within the special purpose district MX-24, which permits side-by-side residential and non-residential uses. The Site is bounded by the intersection of 35th Avenue and 38th Street to the north, beyond which are commercial establishments including Uno Pizzeria, Applebee's Grill & Bar, Panera Bread, The Yoga Room, Riviera Gentleman's Club, and Metropolitan Lumber. To the south, the Site is bordered by a P.C. Richard & Son appliance store, with multi-family residential buildings beyond. Steinway Street lies to the east, across which are New York City (NYC), Playground 35, a vacant commercial building, and the Luxury of Queens car dealership. The NYC Transit Authority (NYCTA) M/R Subway runs beneath Steinway Street. To the west, the Site is bounded by 38th Street, beyond which are the UA Kaufman Astoria Cinemas and a film and TV production studio (**Figure 1**).

The purpose of this remedial investigation (RI) was to determine the nature and extent of contamination at the Site, characterize environmental media, and qualitatively assess the potential exposure of receptors to Site contaminants to effectively design and develop remedial actions (RA) that will be protective of health and the environment. These proposed RA will be included in the Remedial Action Work Plan (RAWP).

All work summarized in the document was completed in accordance with the NYSDEC -approved Remedial Investigation Work Plan (RIWP) for the Site dated April 28, 2025 and approved on November 17, 2025, the NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation (DER-10, May 2010), the Sampling, Analysis, and Assessment of PFAS under NYSDEC's Part 375 Remedial Programs guidance document dated April 2023 (NYSDEC April 2023 PFAS Guidance), and/or the New York State Department of Health's (NYSDOH's) Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York, October 2006 and Revised February 2024 (NYSDOH Guidance). The RI for this Site did not identify fish and wildlife resources.

1.1 RIR Organization

This RIR contains the following sections:

- Section 2 – Describes the Site, its history, and results of previous environmental investigations;
- Section 3 – Describes the completed RI field work activities;
- Section 4 – Summarizes the RI laboratory analytical results;
- Section 5 – Provides a Conceptual Site Model (CSM) explaining the occurrence of contaminant sources and their fate and transport at the Site in the context of the local Site stratigraphy and hydrogeology;
- Section 6 – Provides a qualitative exposure assessment that evaluates exposures to contaminated media including soil, groundwater, and soil vapor.
- Section 7 -- Conclusions

Tables, figures, plates, and appendices are provided, which summarize all RI investigation locations, analytical data, and results of sampling efforts as well as the proposed remedial areas.

1.2 Site Location and Description

The Site address is 35-18 Steinway Street, Astoria, Queens, New York (**Figure 1**).

Additional information regarding the Site is provided in the tables below:

Property Location	
Property Name:	Former Bordens Farm Products
Property Tax Identification and associated address:	35-18 Steinway Street
Property Neighborhood, City, County, State:	Astoria, Queens, Queens County, New York
Property Topographic Quadrangle:	USGS; 2019, Central Park, NY 7.5 Minute Topographic Quadrangle
Nearest Intersections:	Steinway Street and 35th Avenue; and 38th Street and 35th Avenue

Property Information	
Property Acreage:	0.739 acres (32,172 square feet)
Property Shape:	Polygon
Property Use:	An asphalt-paved parking lot associated with an adjacent existing commercial building
Improvements:	The Site has been a parking lot since 1984, and no buildings are currently present

1.3 Contemplated Redevelopment Plan

The anticipated redevelopment for the Site consists of an approximately 25% affordable housing mixed residential and commercial building with 27 floors and a cellar. The cellar of the building, which will be present across the entire Site, will include a parking garage, retail storage space and mechanical space. The first floor of the building will include retail space and the residential lobby. The second floor will include residences,

amenity space, and a terrace. The third floor through the 27th floor will consist of residences. Additional amenity spaces are planned for the 10th floor and roof. The proposed redevelopment plans, including floor plans for all levels of the proposed buildings, are included as **Appendix A**.

1.4 Description of Surrounding Property

The Site is located in the county of Queens, city and state of New York. The areas surrounding the Site are developed with commercial and residential properties. The Site is bounded by the intersection of 35th Avenue and 38th Street to the north, beyond which are commercial establishments including Uno Pizzeria, Applebee's Grill & Bar, Panera Bread, The Yoga Room, Riviera Gentleman's Club, and Metropolitan Lumber. To the south, the Site is bordered by a P.C. Richard & Son appliance store, with multi-family residential buildings beyond. Steinway Street lies to the east, across which are NYC Playground 35, a vacant commercial building, and the Luxury of Queens car dealership. The NYCTA M/R-train Subway runs beneath Steinway Street. To the west, the Site is bounded by 38th Street, beyond which are the UA Kaufman Astoria Cinemas and a film and TV production studio.

2. Site Background

The following sections provide pertinent background information, including the documented history of the Site, and the results of previous environmental investigation work conducted at the Site.

2.1 Historic Land Uses

Based on review of historical topographic maps, the Site was historically vacant land and was first developed between 1898 and 1915. From 1915 to 1930, residential dwellings and a milk pasteurizing facility operated by Bordens Farm Products Co. Inc. occupied some of the previously vacant lots. Over time Bordens Farm Products Co. Inc. included wagon areas, pasteurizing plants, bottle washing area, garages and offices. The Site remained in this configuration until the 1970s, when the buildings were demolished and the Site became vacant. The current parking lot was constructed in 1984.

2.2 Topography

The average elevation of the Site is approximately +39 feet above mean sea level (ft amsl) as shown in the United States Geological Survey (USGS) 7.2 Minute Series Topographic Map. The surface topography at the Site slopes gently to the northwest.

2.3 Wetland Areas and Surface Water Bodies

According to the National Wetlands Inventory, the Site is not located in or adjoining a wetland. According to Federal Emergency Management Agency (FEMA) Flood Maps, the Site is not located within the 100-year or 500-year flood zones.

2.4 Soil

Based on the previous investigations completed at the Site, historical fill material was encountered to depths of 4.5 to 7 feet below land surface (ft bls) throughout the Site. The historical fill material was comprised of soils with demolition debris (i.e., brick/concrete). Beneath the historical fill lies mostly fine to coarse sand with little to trace amounts of gravel. During the RI, the historical fill layer was encountered at depths ranging from 2 to 18 ft bls throughout the Site. The historic fill layer was observed to be thicker in the south/central portion of the Site where there appeared to be a former cellar that had been filled in with fill/demolition debris.

2.5 Hydrogeology

Based on the findings documented in the previous investigations, groundwater was encountered approximately 18.5 to 25 ft bls, but groundwater flow direction was not confirmed. Based on data collected during the RI, depth to groundwater ranged from 18.23 ft bls to 21.22 ft bls throughout the Site and flow was to the west.

2.6 Historic Environmental Reports

This section provides an overview of previous environmental-related activities completed at the Site, based on a review of readily available information and the following environmental reports (provided in **Appendix B).** The following environmental reports were available for review:

- **ASTM Phase I ESA**, prepared by EBI Consulting, dated September 22, 2017; and

- **BCP Eligibility Sampling**, completed by Roux Environmental Engineering and Geology, D.P.C., November 4, 2024, and February 7, 2025.
- **Report of Geotechnical Investigation**, JZN Engineering, PC., March 2025

2.6.1 ASTM Phase I ESA by EBI Consulting, Dated September 22, 2017

A Phase I ESA was completed for the entire Block 668, Lot 5 in accordance with ASTM E1527-13. No recognized environmental conditions (RECs) were identified for the Site. A former gas station operated in the 1930s on the southeastern portion of Lot 5. No records of UST removal or subsurface investigation were found, but the area has since been redeveloped and is fully capped.

2.6.2 NYSDEC BCP Eligibility Soil Sampling, performed by Roux, November 2024 and February 2025

Roux performed a subsurface soil investigation in November 2024. Five soil borings (SB-1 through SB-5) were advanced during the investigation of the Site. Roux returned to collect additional soil samples and groundwater grab samples from temporary wells MW-2 and MW-5 (at the same locations as SB-2 and SB-5) in February 2025.

A total of 11 soil samples and two grab groundwater samples were collected in laboratory-supplied containers and submitted for analysis of volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), metals, pesticides, and polychlorinated biphenyls (PCBs). Results for soil and groundwater are summarized below.

2.6.2.1 Previous Soil Results

Soil samples were compared to NYCRR Part 375 RRSCOs and PGWSCOs.

No VOCs, PCBs, or pesticides were detected above then-applicable RRSCOs or PGWSCOs in any of the 11 soil samples. Several SVOCs were detected above then-applicable RRSCOs and/or PGWSCOs in soil samples collected from the historical fill layer including benzo(a)anthracene (maximum of 5.2 milligrams per kilogram [mg/kg]), benzo(a)pyrene (maximum of 5.8 mg/kg), benzo(b)fluoranthene (maximum of 7.7 mg/kg), benzo(k)fluoranthene (maximum of 3 mg/kg), chrysene (maximum of 5 mg/kg), dibenz(a,h)anthracene (maximum of 0.78 mg/kg), and indeno(1,2,3 cd)pyrene (maximum of 3 mg/kg). One metal, cadmium (maximum of 5 mg/kg) was detected above the then-applicable RRSCO within one soil sample collected from the historical fill layer.

2.6.2.2 Historical Groundwater Sampling Results

Data from the two groundwater samples were compared to 6 NYCRR Part 703 Groundwater Quality Standards (AWQSGVs). No VOCs were detected above the AWQSGVs in either sample. One SVOC, benzo(a)pyrene (at 0.53 micrograms per liter [µg/L]), was detected above the AWQSGV within one groundwater sample. Metals were detected in total concentrations above the AWQSGVs in both groundwater samples including arsenic (maximum of 64.1 µg/L), barium (maximum of 3,330 µg/L), beryllium (maximum of 10.4 µg/L), cadmium (maximum of 25.2 µg/L), chromium (maximum of 982 µg/L), copper (maximum of 1,100 µg/L), iron (maximum of 730,000 µg/L), lead (maximum of 578 µg/L), magnesium (maximum of 668,000 µg/L), manganese (maximum of 21,000 µg/L), nickel (maximum of 854 µg/L), sodium (maximum of 183,000 µg/L), and thallium (maximum of 2.3 µg/L). Groundwater was not analyzed for dissolved metals.

2.6.3 Report of Geotechnical Investigation, JZN Engineering, PC., March 2025

JZN Engineering, PC., (JZN) performed a geotechnical subsurface soil investigation in February 2024. The geotechnical investigation included a total of 11 soil borings, two monitoring wells, and two in-situ infiltration tests. Geotechnical borings were drilled to depths ranging from approximately 53 to 101.2 ft bls. Historical fill materials were encountered and extended to depths ranging from approximately 5 to 11 ft bls. Native alluvial deposits consisting of sand with varying amounts of silt and gravel were encountered and extended to the boring termination depths. Groundwater was encountered at depths ranging from 20 to 25 ft bls. Bedrock was not encountered during the geotechnical investigation.

3. Remedial Investigation Field Activities

The following sections summarize the work completed by Roux and its subcontractors during the RI, which occurred between December 1, 2025, and December 22, 2025. The RI Scope of Work (SOW) was completed in accordance with the RIWP prepared by Roux, dated April 28, 2025 and approved by NYSDEC/NYSDOH on November 17, 2025 and associated project plans including the Health and Safety Plan (HASP), Community Air Monitoring Plan (CAMP), and Quality Assurance Project Plan (QAPP)/Field Sampling Plan (FSP). Deviations from the RIWP, including scope modifications, are noted in Section 3.10. All work was performed in accordance with NYSDEC DER-10 and the NYSDOH Guidance.

Based on the existing data for the Site, the following RI objectives were identified in the RIWP:

- Further delineate the nature and extent of potential impacts to soil;
- Further delineate the nature and extent of impacts to groundwater within the Site and the potential for migration onto or off the Site;
- Further evaluate the nature and extent of soil vapor quality within the Site and the potential for migration onto or off the Site; and
- Collect sufficient data to perform a qualitative human health exposure assessment (QHHEA) for on-Site and off-Site receptors.

The scope of the RI included the collection of characterization data so that, together with the historical data, the entire Site would be sufficiently characterized to support the development of the RAWP.

To accomplish this, the RI included the following scope of work:

- Advancement of nine soil borings between 20 and 30 ft bls;
- Laboratory analysis of 42 soil samples along with two quality assurance/quality control (QA/QC) samples;
- Installation of five permanent groundwater monitoring wells with the collection and laboratory analysis of five groundwater samples along with one QA/QC sample;
- Installation of nine soil vapor points and the collection and laboratory analysis of nine soil vapor samples along with one QA/QC sample;
- A survey of the groundwater monitoring wells;
- Collection of a comprehensive water level gauging round from the new permanent monitoring wells; and
- Implementation of CAMP.

All investigation activity was conducted in accordance with the applicable requirements of the NYSDEC DER-10. All samples collected from the soil and groundwater investigation described in detail below were analyzed for the Target Compound List (TCL)/Part 375 plus 30/ Target Analyte List (TAL) (TCL + 30/TAL) list of parameters including:

- TCL/Part 375 VOCs + 10 Tentatively identified compounds (TICs);
- TCL/Part 375 Base neutral acids (BNA)/SVOCs + 20 TICs;
- TCL/Part 375 Pesticides and Herbicides;
- TCL/Part 375 PCBs;

- TAL/Part 375 Metals (including trivalent chromium, hexavalent chromium);
- Total Cyanide; and
- Emerging Contaminants*

*The Emerging Contaminants list includes 1,4-Dioxane and the 40 Per- and Polyfluoroalkyl Substances (PFAS), which include the 40 PFAS compounds listed in the NYSDEC April 2023 PFAS Guidance.

Soil samples were also collected for geological logging in accordance with the United Soil Classification System (USCS) and for visual inspection (for evidence of contamination including staining, elevated PID detections, and/or odors).

All soil vapor air samples were analyzed using United States Environmental Protection Agency (USEPA) Method TO-15 for VOCs.

All investigation data was produced in accordance with NYSDEC Analytical Services Protocol (ASP) Category B deliverables and was reviewed and validated by an independent party in a Data Usability Summary Report (DUSR), prepared by Judy Harry of Data Validation Services, before being incorporated into the RIR for the Site. All data was submitted to NYSDEC in electronic format, in accordance with DER-10, and is detailed in Section 4.

The field activities completed during the RI are discussed in detail in the following subsections. **Figure 2** presents the locations of soil borings, permanent monitoring wells, and soil vapor points at the Site.

In addition, in situ waste characterization sampling was performed concurrently with the RI in order to inform decisions related to remedial and redevelopment excavation and waste disposal. The waste characterization sampling will be described in more detail and will be included in an appendix to the RAWP.

3.1 Site Reconnaissance

An inspection of the existing Site conditions was conducted in December 2025 to determine the final locations of soil borings and monitoring wells based on actual field conditions.

3.3 Utility Clearance

Utility clearance was completed using hand tools to soft dig to a depth of 5 ft bls to confirm that no subsurface utilities were present at these locations. All locations were determined to be clear of utilities.

3.4 Soil Borings and Soil Sampling Activities

Eastern Environmental Solutions Inc. (Eastern), under Roux oversight, completed the advancement of nine soil borings as part of the RI. Soil boring locations discussed below are presented on **Figure 2**.

During the RI scope of work detailed in the RIWP, nine soil borings (RSB-1 through RSB-9) were completed. Soil samples were collected by hand in all locations for utility clearance from 0 to 5 ft bls as discussed above. The remaining soil samples were collected utilizing a GeoProbe® Direct-Push Drill Rig.

Soil samples were collected continuously from land surface to a minimum of 20 ft bls at all boring locations. During installation of the soil borings, lithology was recorded, and soil was inspected for evidence (visual or olfactory) of contamination and field screened continuously for VOCs using a PID with a 10.6 electron Volt (eV) lamp. Soil boring lithology logs are provided in **Appendix C**.

The table below describes all sampling locations and final sample depths.

Boring Designation	Total Boring Depth (ft bls)	Actual Sample Depths (ft bls)	Rationale/Description
RSB-1	25	0-2	Shallow soil sample
		2-4	Deepest 2 ft fill interval
		4-6	2 ft interval below fill/native soil interface
		20-22	2 ft interval beneath planned excavation depth
RSB-2	25	0-2	Shallow soil sample
		1-3	Deepest 2 ft fill interval
		3-5	2 ft interval below fill/native soil interface
		20-22	2 ft interval beneath planned excavation depth
RSB-3	25	0-2	Shallow soil sample
		2-4	Deepest 2 ft fill interval
		4-6	2 ft interval below fill/native soil interface
		20-22	2 ft interval beneath planned excavation depth
RSB-4	25	0-2	Shallow soil sample
		2-4	Deepest 2 ft fill interval
		4-6	2 ft interval below fill/native soil interface
		20-22	2 ft interval beneath planned excavation depth
RSB-5	25	0-2	Shallow soil sample
		2-4	Deepest 2 ft fill interval
		4-6	2 ft interval below fill/native soil interface
		6-8	Additional sample to delineate observed impacts[1]
		8-10	Additional sample to delineate observed impacts[1]
		20-22	2 ft interval beneath planned excavation depth
RSB-6	25	0-2	Shallow soil sample/Deepest 2 ft fill interval
		2-4	2 ft interval below fill/native soil interface
		4-6	Additional sample to delineate observed impacts[1]
		6-8	Additional sample to delineate observed impacts[1]
		20-22	2 ft interval beneath planned excavation depth
RSB-7	30	0-2	Shallow soil sample
		2-4	Deepest 2 ft fill interval
		4-6	2 ft interval below fill/native soil interface
		6-8	Additional sample to delineate observed impacts[1]

[1] In addition to the samples outlined in the RIWP, soil samples were collected and held at the laboratory from two additional intervals below the soil sample collected below the fill/native soil interface. The depth of these samples varied depending on the depth of fill at each location. The samples were held at the laboratory pending the results of the sample above. If an exceedance of UUSCOs, RRSCOs or PGWSCOs was observed, the next additional sample was run. This deviation from the RIWP is described in section 3.10.

Boring Designation	Total Boring Depth (ft bls)	Actual Sample Depths (ft bls)	Rationale/Description
		8-10	Additional sample to delineate observed impacts[1]
		25-27	2 ft interval beneath planned excavation depth
RSB-8	30	0-2	Shallow soil sample
		1-3	Deepest 2 ft fill interval
		3-5	2 ft interval below fill/native soil interface
		5-7	Additional sample to delineate observed impacts[1]
		25-27	2 ft interval beneath planned excavation depth
RSB-9	25	0-2	Shallow soil sample
		16-18	Deepest 2 ft fill interval
		18-20	2 ft interval below fill/native soil interface
		22-24	2 ft interval beneath planned excavation depth

All soil samples were analyzed by Eurofins TestAmerica of Edison, NJ (NYSDOH National Environmental Laboratory Approval Program [NELAP] and ELAP #11452) for each of the parameters noted above. Analytical data were reported using Category B data deliverables (**Appendix D**). A summary of data usability is described in Section 4.2.4 and the DUSR is included in **Appendix E.**

3.5 Monitoring Well Installation

To characterize Site groundwater flow and quality conditions and to evaluate for potential off-Site migration, Eastern installed five permanent groundwater monitoring wells at selected soil boring locations as shown on **Figure 2**.

The permanent monitoring wells were constructed of 2-inch diameter Schedule 40 polyvinyl chloride (PVC) casing with 2-inch diameter, 20-slot (0.020 inches) Schedule 40 PVC screen flush-threaded onto the PVC casing.

At all permanent monitoring well locations, the casing was placed down the open hole and a sand filter pack of #2 Morie sand was placed around the screen to approximately 2 ft above the top of screen. The annulus above the filter pack was sealed with a two-foot hydrated bentonite seal. Surface completion of each monitoring well consisted of a PVC stickup secured with a locking J-plug protected by a flush mount manhole. All newly constructed permanent monitoring wells were developed using a submersible pump to equilibrate monitoring well water levels with the surrounding formation. A submersible pump was lowered into the well and groundwater was withdrawn until the well was dry or the water ran visibly clear.

All permanent monitoring wells were surveyed by Mega Engineering and Land Surveying, P.C. (Mega), a New York State licensed surveyor, on December 22, 2025, to obtain horizontal and vertical survey coordinates. The depth to groundwater in each monitoring well was measured using an electronic water level meter and a groundwater contour map was developed using the survey data (**Figure 3**).

3.6 Groundwater Gauging and Sampling

Roux conducted a water-level gauging round on December 18, 2025, to evaluate Site-wide groundwater elevations and groundwater flow. A summary of the water-level gauging data is provided as **Table 1**. Groundwater levels from newly installed monitoring wells were collected with an electronic oil/water interface probe capable of measuring fluid elevation with an accuracy of 0.01 ft. All groundwater level measurements were collected on the same day to provide a snapshot of the Site-wide conditions. A figure presenting monitoring well locations is provided as **Figure 2**.

Groundwater from permanent monitoring wells was sampled on December 18 and December 22, 2025. Groundwater samples were collected using the low-flow methods described in the USEPA guidance document titled "Ground Water Sampling Procedure, Low Stress (Low Flow) Purging and Sampling" (USEPA, 2010). During purging, a water quality meter was used to monitor water quality indicator parameters such as pH, dissolved oxygen, conductivity, temperature, turbidity, and oxidation reduction potential (ORP). The field parameters were recorded on monitoring well sampling field data sheets which are included as **Appendix F.** All NYSDEC protocols for sampling Emerging Contaminants, as described in the approved QAPP/FSP, were followed. No anomalies were noted and the field parameters measured during purging appear to be consistent with values expected to occur in the natural environment.

One round of groundwater samples was collected from the monitoring wells and analyzed for:

- TCL + 30/TAL/Part 375 (filtered and unfiltered metals [including trivalent chromium, hexavalent chromium], VOCs, SVOCs, PCBs, pesticides, herbicides, total cyanide) and Emerging Contaminants.

All groundwater samples were analyzed by Eurofins TestAmerica of Edison, NJ and were reported using Category B data deliverables. A DUSR was prepared by Judy Harry of Data Validation Services, an independent data validator. A summary of data usability is described in Section 4.2.4 and the DUSR is presented in **Appendix E**.

3.7 Soil Vapor Point Installation and Sampling

Nine soil vapor points were installed by Eastern using a Geoprobe®. At each location, a six-inch long, stainless steel, sample screen was attached to Teflon-lined polyethylene sample tubing and installed at approximately 6 ft bls. A sand pack of #2 Morie sand was added to 6-inches above the top of the screen. An approximately one-foot-thick layer of bentonite was added to the top of the sand, and the remainder of the boring annulus was filled with clean sand. The borehole was sealed off from ambient air using a bentonite seal at the surface. Boring logs for the soil vapor points are included as **Appendix C**.

All soil vapor samples were collected on December 18 and December 22, 2025, using pre-cleaned (batch certified) 6-liter summa canisters with regulators calibrated to collect samples over an 8-hour period and analyzed using USEPA Method TO15 for VOCs. A helium tracer gas test was performed on each vapor point prior to sampling in accordance with the procedures outlined in the NYSDOH Guidance. Soil vapor field sampling forms are included as **Appendix G**.

All soil vapor samples were analyzed by Eurofins TestAmerica of Burlington, VT (NYDOH NELAP and ELAP #10391) for VOCs using USEPA Method TO-15. Samples were reported using Category B data deliverables. A DUSR was prepared, and a summary of data usability is described in Section 4.2.4 and the DUSR is presented in **Appendix E**. Soil vapor point locations are shown on **Figure 2**.

3.8 Surveying Activities

All RI permanent monitoring wells, soil borings and soil vapor sample locations were surveyed to obtain horizontal and vertical coordinates, as shown on **Figure 2**. All RI survey activities were conducted by Roux's subcontractor, Mega, a NYS-licensed surveying firm, on December 22, 2025. Horizontal coordinates were based upon New York State Plane Coordinate System North American Datum of 1983 (NAD 83) in US Survey Feet. Vertical elevations were measured for top-of-casing (measuring point) and grade elevations at permanent monitoring well locations referenced to North American Vertical Datum of 1988 (NAVD 88). Grade elevations were surveyed for soil borings and soil vapor sampling locations. Monitoring well survey data was used to calculate water-level elevations for each monitoring well.

3.9 Community Air Monitoring Program

Roux implemented a CAMP during the entire subsurface investigation to monitor the potential for off-site migration of VOCs and particulates from the Site and protect potential off-Site receptors. CAMP was conducted from December 1 through 18, 2025, when weather permitted during intrusive activities. The CAMP included the use of two air monitoring stations (one [1] upwind and one [1] downwind), each equipped with one PID and one particulate meter. No exceedances of VOCs or particulates were observed, and there were no required actions taken to mitigate dust or VOC levels at the Site. CAMP and Daily reports sent to NYSDEC during implementation of the RI are provided in **Appendix H**.

3.10 Summary of Deviations from the Remedial Investigation Work Plan

The following section discusses deviations from the RIWP.

Environmental Sampling Locations and Depths

Final locations of soil borings, monitoring wells, and soil vapor points were based on the locations proposed in the RIWP; however, the final locations were adjusted based on conditions encountered during the subsurface investigation and are shown on **Figure 2**.

Additional Vertical Delineation Samples

As described in Section 3.4, in addition to the samples outlined in the RIWP, soil samples were collected and held at the laboratory from two additional intervals below the soil sample collected below the fill/native soil interface. The depth of these samples varied depending on the depth of fill at each location. The samples were held at the laboratory pending the results of the sample above. If an exceedance of UUSCOs, RRSCOs or PGWSCOs was observed, the next additional sample was run. At some locations, none of these additional samples were run since all SCOs were met at the original sample depth, at some locations one sample was run and at some locations two samples were run. The results of all samples run are described in Section 4. Due to running several of these additional vertical delineation samples, the total number of RI samples increased to 42. Collection of a third duplicate sample was inadvertently omitted, however, there was no impact to data quality according to the DUSR.

3.11 Investigation Derived Waste and In Situ Waste Characterization Sampling

All soil and water generated during well installation, development, and sampling activities was containerized in 55-gallon drums, labelled and staged in a drum storage area at the Site for disposal at an approved facility. Twelve drums of soil and three drums of groundwater were generated. One composite waste characterization

sample for soil (grab sample for VOCs) and one composite waste characterization sample for water (grab sample for VOCs) were collected and analyzed for parameters required by the proposed waste disposal facility. Analytical results for these samples are provided in **Appendix I.** A DUSR is not required for these samples. Drums are secured within the Site awaiting disposal as soon as practical.

In situ waste characterization sampling was performed concurrently with the RI in order to inform decisions related to remedial and redevelopment excavation and waste disposal. The waste characterization sampling will be described in more detail and will be included in an appendix to the RAWP.

3.12 Green and Sustainable Remediation Initiative

Green remediation principles and techniques were implemented to the extent feasible in the implementation of the RI according to DER-31 and revised Part 375 that was adopted on December 31, 2025. The major Green and Sustainable Remediation (GSR) components were as follows:

- Reducing direct and indirect greenhouse gases, and other emissions;
- Increasing energy efficiency and minimizing use of non-renewable energy;
- Conserving and efficiently managing resources and materials; and
- Reducing waste, increasing recycling, and increasing reuse of materials that would otherwise be considered a waste.

To reduce emissions, drilling staff carpooled when traveling to and from the Site. Also, submission of this RIR to the NYSDEC will occur electronically to eliminate the use of paper and printer ink. Green and sustainable practices per DER-31 will continue to be tracked throughout all parts of the remediation process.

4. Remedial Investigation Results

The following section provides a summary of the geological and hydrogeological findings, and the soil, groundwater, and soil vapor quality data that were generated by Roux during the RI. Tables with all the RI data generated by Roux are provided in **Tables 2 through 14**.

4.1 Geological and Hydrogeological Conditions

The following sections provide a description of the geological and hydrogeological findings of the Site as determined by performance of the RI and previous investigations at the Site. A hydrogeologic investigation was conducted to evaluate the subsurface conditions that could influence the nature and extent, possible migration, and remediation of contamination at the Site.

4.1.1 Local Geology and Stratigraphy

The grade at the Site slopes downward to the south to the Site boundary. The elevation of the Site ranged from approximately 38 to 42 ft NAVD 88 based on available survey data.

Based on the investigations completed on-Site to date, the historical fill at the Site consists of fine- to coarse-grained sand and various amounts of fine- to coarse- gravel, brick, asphalt, glass, and concrete, which is typical of historical fill material found in urban environment. The depth to the bottom of the historical fill layer ranged to depths of 2 to 18 ft bls across the Site. The historic fill layer was observed to be thicker in the south/central portion of the Site where there appeared to be a former cellar that had been filled in with fill/demolition debris. It should be noted that refusal was encountered at several of the waste characterization borings in this portion of the Site between 12 and 17 feet below grade, with fill material extending to those refusal depths across this area. This historical fill material overlies deeper native deposits consisting of mostly fine to coarse sands with varying amounts of gravel, silt, and clay. Bedrock was not encountered during the RI but is anticipated to be greater than 100 ft bls based on measurements from nearby sites.

4.1.2 Site Hydrogeologic Setting

According to water-level data collected on December 18, 2025 **(Table 1),** the elevation of the water table surface at the Site ranged from 19.96 ft NAVD 88 at monitoring well RMW-3 in the western portion of the Site to 20.32 ft NAVD 88 at monitoring well RMW-2 in the eastern portion of the Site. Groundwater was measured at depths from 18.23 ft bls to 21.22 ft bls throughout the Site. A groundwater flow map for December 18, 2025, is provided in **Figure 3** and it shows that the flow is generally to the west.

4.2 Remedial Investigation Sample Results

The following sections summarize soil, groundwater, and soil vapor quality data that was generated by Roux during the RI sampling event. Data tables showing the sample data generated during this event are provided in **Tables 2 through 14**.

4.2.1 Soil Quality

A total of 42 soil samples and two field duplicate soil samples were collected from nine soil boring locations and submitted for laboratory analysis. Site-wide analytical soil data was compared to the following NYSDEC

Subpart 375-6.8(a-b) SCOs (in effect as of December 31, 2025) as noted in the RIWP to evaluate soil quality and to determine contamination in soil, if present:

- NYSDEC UUSCOs;
- NYSDEC RRSCOs; and
- NYSDEC PGWSCOs.

Laboratory analytical data generated for soil is summarized in **Tables 2 through 7**. Soil boring locations with soil sample exceedances of the NYSDEC Subpart 375-6.8(a-b) SCOs are shown on **Figure 4**.

A summary of soil quality results is provided in the sections below.

4.2.1.1 Volatile Organic Compounds in Soil

A summary of the VOC exceedances in the soil samples analyzed is provided below:

VOC Exceedances of SCOs in Soil

Analyte	NYSDEC UUSCO (mg/kg)	Detections above NYSDEC UUSCOs	NYSDEC RRSCOs (mg/kg)	Detections above NYSDEC RRSCOs	NYSDEC PGW SCOs (mg/kg)	Detections above NYSDEC PGWSCOs	Range in Concentration Above NYSDEC SCOs (mg/kg)	Soil Sample with Maximum Detection
Acetone	0.03	3	100	0	0.03	3	0.033J+ - 0.049J+	RSB-3 (4-6)

J+ – Estimated value, high bias

Acetone was the only VOC in exceedance of the UUSCOs and PGWSOCs in soil.

4.2.1.2 Semivolatile Organic Compounds in Soil

A summary of the SVOC exceedances in the soil samples analyzed is provided below:

SVOC Exceedances of SCOs in Soil

Analyte	NYSDEC UUSCO (mg/kg)	Detections above NYSDEC UUSCOs	NYSDEC RRSCOs (mg/kg)	Detections above NYSDEC RRSCOs	NYSDEC PGW SCOs (mg/kg)	Detections above NYSDEC PGWSCOs	Range in Concentration Above NYSDEC SCOs (mg/kg)	Soil Sample with Maximum Detection
Benzo[a]anthracene	1	2	1.4	2	1	2	10 - 17	RSB-4 (0-2)
Benzo[a]pyrene	1	2	1	2	22	0	8.8 – 14	RSB-4 (0-2)
Benzo[b]fluoranthene	1	3	1.4	2	2.1	2	1.1 – 19	RSB-4 (0-2)
Benzo[g,h,i]perylene	0.64	2	4.9	1	1000	0	4.6 - 5.5J-	RSB-4 (0-2)
Benzo[k]fluoranthene	0.8	2	4.9	0	2	2	3.6 – 4.6J-	RSB-4 (0-2)
Chrysene	1	2	4.9	2	1	2	9.5 – 16	RSB-4 (0-2)
Dibenz[a,h]anthracene	0.33	2	0.33	2	1000	0	1.4 – 1.7J-	RSB-4 (0-2)
Indeno[1,2,3-cd]pyrene	0.5	3	1.4	2	6.6	0	0.53 – 6.3J-	RSB-4 (0-2)
Phenanthrene	1.1	2	4.9	2	1000	0	15 - 22	RSB-4 (0-2)

J- – Estimated Value, low bias

The SVOCs, mostly polycyclic aromatic hydrocarbons (PAHs), detected in shallow soils throughout the Site are indicative of historical fill.

4.2.1.3 Metals in Soil

A summary of the Metals exceedances in the soil samples analyzed is provided below:

Metal Exceedances of SCOs in Soil

Analyte	NYSDEC Unrestricted Use SCO (mg/kg)	Detections above NYSDEC Unrestricted Use SCOs	NYSDEC Restricted Residential SCOs (mg/kg)	Detections above NYSDEC Restricted Residential SCOs	NYSDEC Protection of Groundwater SCOs (mg/kg)	Detections above NYSDEC Protection of Groundwater SCOs	Range in Concentration Above NYSDEC SCOs (mg/kg)	Soil Sample with Maximum Detection
Cadmium	2.5	1	2.5	1	7.5	0	2.9	RSB-9 (20-22)
Trivalent Chromium	30	1	180	1	--	--	549	RSB-9 (0-2)
Total Chromium	30	1	180	1	--	--	549	RSB-9 (0-2)
Copper	50	4	280	1	1,720	1	60.9 – 9,320	RSB-9 (0-2)
Lead	63	15	400	1	450	1	70.4J – 1,290	RSB-7 (2-4)
Mercury	0.18	2	0.3	1	0.73	1	0.19 – 0.79	RSB-1 (2-4)
Nickel	30	1	320	0	130	1	302	RSB-9 (0-2)
Zinc	109	10	6,600	0	2,480	0	117 – 813	RXSB-9 (20-22)

-- No SCO available

The metals detected in soil throughout the Site are indicative of historical fill.

4.2.1.4 Polychlorinated Biphenyls in Soil

A summary of the PCB exceedances in the soil samples analyzed is provided below:

PCB Exceedances of SCOs in Soil

Analyte	NYSDEC UUSCO (mg/kg)	Detections above NYSDEC UUSCOs	NYSDEC RRSCOs (mg/kg)	Detections above NYSDEC RRSCOs	NYSDEC PGW SCOs (mg/kg)	Detections above NYSDEC PGWSCOs	Range in Concentration Above NYSDEC SCOs (mg/kg)	Soil Sample with Maximum Detection
Total PCBs	0.1	2	1	0	3.2	0	0.14 - 0.25J	RSB-4 (2-4)

J – Estimated value

Total PCBs were only detected above the UUSCO at one boring location (RSB-4) within shallow fill intervals.

4.2.1.5 Pesticides and Herbicides in Soil

A summary of the Pesticide exceedances in the soil samples analyzed is provided below:

Pesticide Exceedance of SCOs in Soil

Analyte	NYSDEC UUSCO (mg/kg)	Detections above NYSDEC UUSCOs	NYSDEC RRSCOs (mg/kg)	Detections above NYSDEC RRSCOs	NYSDEC PGW SCOs (mg/kg)	Detections above NYSDEC PGWSCOs	Range in Concentration Above NYSDEC SCOs (mg/kg)	Soil Sample with Maximum Detection
P,P'-DDE	0.0033	1	3.4	0	9.3	0	0.0055JT	RSB-8 (0-2)

J – Estimated value
T- Indicates that a quality control parameter has exceeded laboratory limits

P,P'-DDE was only detected above the UUSCO at one boring location, RSB-8, within the shallowest fill interval. There were no herbicides detected above the relevant SCOs.

4.2.1.6 PFAS in Soil

A summary of the PFAS exceedances of the soil cleanup guidance in the soil samples analyzed is provided below.

PFAS Exceedances in Soil

Analyte	NYSDEC Unrestricted Use Soil Guidance Value (µg/kg)	Detections above NYSDEC Unrestricted Use Soil Guidance Values	NYSDEC Restricted Residential Soil Guidance Value (µg/kg)	Detections above NYSDEC Restricted Residential Soil Guidance Values	NYSDEC Protection of Groundwater Soil Guidance Value (µg/kg)	Detections above NYSDEC Protection of Groundwater Soil Guidance Values	Range in Concentration Above NYSDEC Soil Guidance Values (µg/kg)*	Soil Sample with Maximum Detection
Perfluorooctanesulfonic Acid (PFOS)	0.88	1	44	0	1	0	0.9	RSB-6 (2-4)

* NYSDEC has published soil guidance values (not SCOs) for two PFAS compounds Perfluorooctanoic acid (PFOA) and Perfluorooctanesulfonic acid (PFOS). These guidance values will be used to evaluate concentrations of these two compounds. The other PFAS compounds do not have SCOs or guidance values.

PFOS was only detected above the guidance values at one boring location (RSB-6) within a shallow fill interval.

4.2.2 Groundwater Sampling Results

A total of five groundwater samples and one field duplicate sample were collected from five permanent groundwater monitoring wells during the RI. The analytical groundwater data was compared to NYSDEC AWQSGVs for Class GA groundwater as noted in the RIWP to evaluate groundwater quality and to determine the contamination in groundwater, if present. However, it should be noted that the groundwater beneath the Site is not currently used as a drinking water source and will not be used in the future.

Field parameters measured during groundwater sampling purging activities are provided on field datasheets included in **Appendix G** and discussed in Section 3.6. The field parameter data were reviewed to evaluate any potential anomalies in general groundwater chemistry that could potentially be influencing the groundwater sampling results. No anomalies were noted and the field parameters measured during purging appear to be consistent with values expected to occur in an urban setting.

Analytes that exceeded NYSDEC PGWSCOs in Site-wide soil were compared to analyte detections in Site-wide groundwater to assess whether, and to what extent, constituents detected in soil are impacting groundwater quality. As discussed in Section 4.2.1, several VOCs, SVOCs, and metals were detected in soil at concentrations exceeding NYSDEC PGWSCOs, however, none of the same constituents were detected in groundwater above AWQSGVs therefore they are not considered sources of contamination to groundwater.

Laboratory analytical data generated for groundwater is summarized in **Tables 8 through 13**. Monitoring well locations with groundwater sample exceedances of AWQSGVs are shown on **Figure 5**.

A summary of groundwater quality results is provided in the below sections.

4.2.2.1 Volatile Organic Compounds in Groundwater

VOCs were not detected above the AWQSGVs in any groundwater samples.

4.2.2.2 Semivolatile Organic Compounds in Groundwater

SVOCs were not detected above the AWQSGVs in any groundwater samples.

4.2.2.3 Metals in Groundwater

A summary of the metals exceedances in the groundwater samples analyzed is provided below:

Metals Exceedances of AWQSGVs in Groundwater

Analyte	NYSDEC AWQSGVs (µg/L)	Total Detections above NYSDEC AWQSGVs	Total Range in Concentration Above NYSDEC AWQSGVs (µg/L)	Dissolved Detections above NYSDEC AWQSGVs	Dissolved Range in Concentration Above NYSDEC AWQSGVs (µg/L)	Sample with Maximum Detection
Iron	300	1	634	0	--	RMW-1
Magnesium	35,000	1	37,500	1	36,400	RMW-1
Manganese	300	1	1,160	1	1,080	RMW-1
Sodium	20,000	6	78,700 – 146,000	6	75,100 – 140,000	RMW-5

The four metals detected exceeding the AWQSGVs (iron, magnesium, manganese, and sodium) are considered naturally occurring.

4.2.2.4 Polychlorinated Biphenyls in Groundwater

PCBs were not detected in any groundwater samples.

4.2.2.5 Pesticides and Herbicides in Groundwater

Pesticides and herbicides were not detected in any groundwater samples.

4.2.2.6 PFAS in Groundwater

A summary of the PFOS and PFOA exceedances are provided in the below table:

PFAS Detections in Groundwater (in nanograms per liter [ng/L]

Analyte	NYSDEC AWQSGVs (ng/L)	Detections Above NYSDEC MCLs	Detection Range (ng/L)	Groundwater Sample with Maximum Detection
Perfluorooctanesulfonic Acid (PFOS)	2.7	6	9.88 – 86.7	RMW-1
Perfluorooctanoic Acid (PFOA)	6.7	6	17.4 – 34.4	RMW-1

There is no documented use of PFAS at the Site or known historical Site use that would indicate the past use of these compounds, and there are no exceedances of PGWSCOs of PFAS in soil. The levels of PFAS are consistent with background concentrations throughout the New York City area.

4.2.3 Soil Vapor Sampling Results

A total of nine soil vapor samples and one field duplicate soil vapor sample were collected during the RI and submitted for laboratory analysis. Laboratory analytical data generated for soil vapor is summarized in **Table 14**. Soil vapor point locations with soil vapor detections are shown on **Figure 6**. A summary of soil vapor quality results is provided in the below sections.

Analytical data for VOCs indicates there were detections of 31 different VOCs across the Site, including petroleum related and chlorinated VOCs.

Analyte	Detections	Range in Concentrations (µg/m^3)	Sample with Maximum Detection
1,1,2-Trichlo-1,2,2-trifluoroethane	7	0.49J – 0.64J	RSV-6
1,2,4-Trimethylbenzene	2	0.7J – 2.2J	RSV-4
1,2-Dichlorotetrafluoroethane	2	1.6 – 2.6J	RSV-7
1,4-Dioxane	3	0.31J – 1.7J	RSV-9
2,2,4-Trimethylpentane	8	0.68J – 110D	RSV-1
2-Hexanone	2	0.62J – 3.7J	RSV-4
4-Ethyltoluene	3	0.65J – 2.4J	RSV-4
Acetone	10	32 – 210D	RSV-9
Benzene	9	0.54J – 2.8	RSV-8
Butane	5	2.2J – 25	RSV-9
Carbon Disulfide	7	0.51J – 2.9J	RSV-5
Carbon Tetrachloride	1	0.56	RSV-9
Chloroform	10	0.4J – 9.3J	RSV-4
Cyclohexane	7	0.32J – 7.3	RSV-9
Dichlorodifluoromethane	10	2.4J – 5.2J	RSV-7
Ethylbenzene	7	3.3J – 69	RSV-8
Isopropanol	5	3.9J – 10J	RSV-8
Isopropylbenzene (Cumene)	1	0.64J	RSV-4
m,p-Xylene	9	2.2J – 200	RSV-8
Methyl Ethyl Ketone (2-Butanone)	8	1.6 - 13	RSV-9
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	2	0.61J – 0.86J	RSV-4
Methylene Chloride	1	4.1	RSV-8
n-Heptane	7	1.1 – 3.7	RSV-9
n-Hexane	9	0.95J – 38	RSV-2
n-Propylbenzene	1	0.62J	RSV-4
o-Xylene (1,2,-Dimethylbenzene)	8	2 - 38	RSV-8
Tert-Butyl Alcohol	8	7.8J – 42	RSV-9
Tetrachloroethylene (PCE)	4	1.2 – 20	RSV-9

Analyte	Detections	Range in Concentrations ($\mu g/m^3$)	Sample with Maximum Detection
Toluene	10	1.9 – 19	RSV-1
Trichloroethylene (TCE)	3	0.95 – 4.1J	RSV-3
Trichlorofluoromethane	9	1.4 – 2.5	RSV-2

-- No SCO available
J – Estimated Value
D – Concentration of analyte was quantified from diluted analysis.

The following compounds are discussed because of their presence in the NYSDOH Guidance. Matrix A provides guidance relative to TCE, cis-1,2-dichloroethene (cis-1,2-DCE), 1,1-dichloroethene (1,1-DCE) and carbon tetrachloride. Matrix B provides guidance relative to PCE, 1,1,1-trichloroethane (TCA), and methylene chloride. Matrix C provides guidance to vinyl chloride. Matrix D provides guidance to benzene, ethylbenzene, naphthalene, cyclohexane, isooctane (2,2,4-trimethylpentane), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and o-xylene. Matrix E provides guidance to m,p-xylene, heptane, and hexane. Matrix F provides guidance to toluene. Indoor air samples were not collected as part of the RI. Although a direct comparison cannot be made to the NYSDOH Matrices without indoor air samples, only m,p-xylene and ethylbenzene fall in the monitor or mitigate sections of the matrices. A summary of the detections is provided below.

Matrix A Compounds

- TCE was detected in three soil vapor samples, ranging in concentration from 0.95 to 4.1J µg/m3, with a maximum detection in soil vapor sample RSV-3;
- cis-1,2-DCE was not detected in any soil vapor samples;
- 1,1-DCE was not detected in any soil vapor samples; and,
- Carbon tetrachloride was detected in one soil vapor sample, RSV-9, at a concentration of 0.56 µg/m3.

Matrix B Compounds

- PCE was detected in four soil vapor samples, ranging in concentration from 1.2 to 20 $\mu g/m^3$, with a maximum detection in soil vapor sample RSV-9;
- TCA was not detected in any soil vapor samples; and,
- Methylene chloride was detected in one soil vapor sample, RSV-8, at a concentration of 4.1 µg/m3.

Matrix C Compound

- Vinyl chloride was not detected in any soil vapor samples.

Matrix D Compound

- Benzene was detected in nine soil vapor samples, ranging in concentration from 0.54J to 2.8 $\mu g/m^3$, with a maximum detection in soil vapor sample RSV-8;
- Ethylbenzene was detected in seven soil vapor samples, ranging in concentration from 3.3J to 69 µg/m3, with a maximum detection in soil vapor sample RSV-8;
- Naphthalene was not detected in any soil vapor samples;
- Cyclohexane was detected in seven soil vapor samples, ranging in concentration from 0.32J to 7.3 µg/m3, with a maximum detection in soil vapor sample RSV-9;

- Isooctane was not detected in any soil vapor samples;
- 1,2,4-trimethylbenzene was detected in two soil vapor samples, ranging in concentration from 0.7J to 2.2J µg/m3, with a maximum detection in soil vapor sample RSV-4;
- 1,3,5-trimethylbenzene was not detected in any soil vapor samples; and,
- o-xylene was detected in eight soil vapor samples, ranging in concentration from 2 to 38 µg/m3, with a maximum detection in soil vapor sample RSV-8.

Matrix E Compound

- m,p-xylene was detected in nine soil vapor samples, ranging in concentration from 2.2J to 200 µg/m3, with a maximum detection in soil vapor sample RSV-8;
- Heptane was detected in seven soil vapor samples, ranging in concentration from 1.1 to 3.7 µg/m3, with a maximum detection in soil vapor sample RSV-9; and
- Hexane was detected in nine soil vapor samples, ranging in concentration from 0.95J to 38 µg/m3, with a maximum detection in soil vapor sample RSV-2.

Matrix F Compound

- Toluene was detected in ten soil vapor samples, ranging in concentration from 1.9 to 19 µg/m^3, with a maximum detection in soil vapor sample RSV-1.

4.2.4 Data Usability Summary and Field Duplicate Results

Data validation was performed on all data collected during the RI to determine whether the data, as presented, meets the Site-specific criteria for data quality and data use. Data qualifiers are included on the data tables. The laboratory reported the results for data in ASP Category B deliverable packages, which are provided as **Appendix E**. An electronic data deliverable (EDD) in the required NYSDEC format was provided by the laboratory and has been uploaded to the NYSDEC Equis database. All DUSRs prepared in accordance with Appendix 2B of DER-10 are provided in **Appendix F**.

5. Conceptual Site Model

The following section explains the occurrence of contaminants and their fate and transport at the Site in the context of the local Site stratigraphy and hydrogeology.

Based on the soil, groundwater, and soil vapor results discussed in Section 4.2, soil is impacted at the Site, but groundwater and soil vapor are not significantly impacted. The spatial distribution of contaminants of potential concern in various media is shown in **Figures 4 through 6**.

The historical fill at the Site consists of sand and various amounts of gravel, brick, asphalt, glass, and concrete, which is typical of historical fill material found in urban environment. The depth to the bottom of the historical fill layer ranged to depths of 2 to 18 ft bls across the Site. This historical fill material overlies deeper native deposits consisting of mostly fine to coarse sands and gravel with varying amounts of sand, silt, and clay.

As discussed in Section 4.2.1 and based on the Site-wide detections and exceedances of NYSDEC SCOs (and/or guidance values for PFOS and PFOA), shallow soil throughout the Site is primarily impacted with SVOCs and metals likely due to historical fill materials. At most soil boring locations, a sample interval was found within six feet beneath the historical fill and native soil interface to have no exceedances of NYSDEC SCOs. As such, the impacted historical fill material is not a source of contamination in deeper native soils.

As discussed in Section 4.2.2, groundwater concentrations of metals and PFAS exceeded the NYSDEC AWQSGVs. The metals detected exceeding the AWQSGVs (iron, magnesium, manganese, and sodium) are considered naturally occurring and are not considered contaminants of concern at the Site. There is no documented use of PFAS at the Site and known historical Site uses do not indicate the past use of these compounds. The one exceedance of PFAS in shallow soils did not exceed the PGWSCO, so PFAS in soil is not considered a source for the PFAS impact in groundwater and PFAS are not considered contaminants of concern in groundwater for the Site.

As discussed in Section 4.2.3, and based on the Site-wide detections, petroleum-related and chlorinated VOCs were detected in soil vapor at the Site at relatively low levels. Petroleum-related and chlorinated VOC concentrations are likely due to background levels of these compounds present in urban areas and are not considered contaminants of concern for the Site. Although a direct comparison cannot be made to the NYSDOH Matrices without indoor air samples, only ethylbenzene and m,p-xylene could fall in the monitor or mitigate sections of the matrices. The remaining analyte concentrations would fall in the no further action of the matrices.

6. Qualitative Exposure Assessment

As described in Appendix 3B of DER-10, "*The overall purpose of the Qualitative Human Health Exposure Assessment (or the exposure assessment) is to evaluate and document how people might be exposed to site related contaminants, and to identify and characterize the potentially exposed population(s) now and under the reasonably anticipated future use of the site.*" The following section details the Qualitative Human Health Exposure Assessment based on data collected during the RI and discussed in earlier sections.

6.1 Soil Exposure

As described above in Section 4.2.1, soil samples collected during the RI indicated the presence of VOCs, metals, SVOCs, PCBs, and pesticides at concentrations above the NYSDEC Subpart 375-6.8 (a-b) SCOs for unrestricted and/or restricted residential use and PFAS at concentrations above the NYSDEC Soil Guidance Values. An individual could be exposed to these contaminants through direct contact with Site soil during ground intrusive work at the Site. Direct contact without the use of proper personal protective equipment (PPE) and personal hygiene measures could lead to dermal contact and incidental ingestion of these compounds. The Site will be fully fenced during construction activities, and access will be controlled. Potential contact with Site soil is restricted to remedial and construction contract workers at the Site performing ground intrusive activities in addition to trespassers and passersby (through potential particulate matter in the air). The general public will not be exposed to direct contact with Site soil. A CAMP and dust control measures (as needed) will be implemented during intrusive activities to minimize the potential for offsite exposures from soil/dust/vapor leaving the Site.

6.2 Groundwater Exposure

As described above in Section 4.2.2, groundwater samples collected during the RI indicated that naturally occurring metals and PFOS/PFOA are present at concentrations above the NYSDEC AWQSGVs. Groundwater is not used for drinking or other potable purposes (the area is connected to the public water supply), and there is no direct contact with or ingestion of groundwater by the general public. Furthermore, no public water supply wells are located in the area surrounding the Site.

Individuals who perform intrusive work (i.e., utility construction and/or repair), perform groundwater sampling or remedial activities such as dewatering during excavation may come into contact with groundwater. Proper PPE and personal hygiene measures will be required to prevent dermal contact and the potential for incidental ingestion of these compounds.

6.3 Soil Vapor Exposure

As described above in Section 4.2.3, soil vapor samples collected during the RI indicate the presence of petroleum-related and chlorinated VOCs throughout the Site at relatively low levels. Individuals who perform ground intrusive work and passersby during the remedial action may be exposed to soil vapor. A CAMP and odor/vapor control measures (as needed) will be implemented during intrusive activities to minimize the potential for offsite exposures from vapors leaving the Site during the remedial action.

6.4 Exposure Assessment Summary

The following table summarizes the exposure assessment.

Environmental Media and Exposure Route	Human Exposure Assessment
Direct contact with subsurface soils (and incidental ingestion)	• Construction and remedial contractors can come into contact with soil if they complete ground intrusive work at the Site. • During remediation, remedial workers, trespassers, passersby, and utility workers could come into contact with contaminated soil contained in dust through inhalation, incidental ingestion and dermal contact. Implementation of the HASP, CAMP, and dust controls during the remedial action and any future ground intrusive activities will mitigate potential exposures. • It is expected, based on the RI soil quality results, that an unrestricted use cleanup can be achieved for the site. However, if necessary, future exposure to remaining contamination following remediation, if any, will be addressed for through the installation of a site cover system.
Ingestion of groundwater	• Groundwater is not and will not be used for drinking water, as any future buildings proposed on the Site will be connected to the public water supply.
Direct contact with groundwater (and incidental ingestion)	• Remedial workers, trespassers, and utility workers could come into contact with groundwater through dermal contact and incidental ingestion during ground intrusive work. • Proper PPE and personal hygiene measures, as defined in the HASP, will be required to prevent dermal contact and the potential for incidental ingestion impacted groundwater during construction. • Future exposure to Site groundwater will be eliminated by the presence of the buildings from the redevelopment that will cover the entire Site.
Inhalation of air (exposures related to soil vapor intrusion)	• Remedial workers, trespassers, and utility workers may be exposed to soil vapor during ground intrusive activities beneath all buildings. • Exposures to workers and passersby during the remedial action and future ground intrusive activities will be reduced or eliminated through implementation of the HASP, CAMP, and odor/vapor controls during construction.

7. Conclusions

In summary, the data generated during the RI indicate the following about Site-wide conditions:

- The Site is underlain by historical fill (consisting of sand, gravel, brick, asphalt, concrete, and glass) to depths ranging from 2 to 18 feet below land surface (ft bls). Historical fill materials overlie native fine to coarse sands and gravel with varying amounts of sand, silt, and clay. The historic fill layer was observed to be thicker in the south/central portion of the Site where there appeared to be a former cellar that had been filled in with fill/demolition debris.
- According to water-level data collected from the permanent wells on December 18, 2025, the elevation of the water table surface at the Site ranged from 19.96 ft NAVD 88 at the monitoring well in the western portion of the Site to 20.32 ft NAVD 88 at the monitoring well in the eastern portion of the Site. Groundwater was measured at depths from 18.23 ft bls to 21.22 ft bls throughout the Site. Groundwater flow is generally to the west.
- The only VOC detected in soil exceeding NYSDEC UUSCO and PGWSCOs was acetone. No VOCs exceeded RRSCOs. In groundwater, no VOCs were detected at concentrations exceeding AWQSGVs.
- SVOCs, mostly PAHs, were detected at concentrations above NYSDEC UUSCOs, RRSCOs and PGWSCOs in historical fill present across the Site. SVOCs were not detected at concentrations exceeding AWQSGVs. This data indicates that SVOCs in soil are not a source of groundwater contamination at the Site.
- Metals were detected in soil at concentrations above NYSDEC SCOs across the Site. Cadmium, trivalent and total chromium, copper, lead, mercury, nickel, and zinc were detected at concentrations above NYSDEC UUSCOs, RRSCOs, and/or PGWSCOs. Metals contamination is related to the presence of urban fill at the Site. Some metals were detected at concentrations above NYSDEC PGWSCOs in soil but were not detected in exceedance of AWQSGVs indicating that metals in soil are not a source of groundwater contamination at the Site. All of the metals detected above AWQSGVs are naturally occurring.
- PCBs were detected in two soil samples at concentrations exceeding NYSDEC UUSCOs, but none in exceedance of their RRSCOs or PGWSCOs and they were not detected in groundwater. Therefore, PCBs in soil are not a source of groundwater contamination at the Site.
- One pesticide was detected in one soil sample at concentrations exceeding NYSDEC UUSCOs, but not in exceedance of the RRSCOs or PGWSCOs and they were not detected in groundwater. Therefore, pesticides in soil are not a source of groundwater contamination at the Site.
- PFAS compounds were detected in soil (in one sample) and groundwater. The one exceedance of PFAS in shallow soils did not exceed the PGWSCO, so PFAS in soil is not considered a source for the PFAS impact in groundwater and PFAS are not considered contaminants of concern in groundwater for the Site.
- Petroleum-related and chlorinated VOCs were detected in soil vapor samples at relatively low levels across the Site. Petroleum-related and chlorinated VOC concentrations are likely due to background levels of these compounds present in urban areas and are not considered contaminants of concern for the Site. Although a direct comparison cannot be made to the NYSDOH Matrices without indoor air samples, only ethylbenzene and m,p-xylene could fall in the monitor or mitigate sections of the matrices. The remaining analyte concentrations would fall in the no further action of the matrices. The relatively low-level concentrations of petroleum-related and chlorinated VOCs, combined with the absence of these compounds in groundwater and soil, indicate it is unlikely there is an onsite source of soil vapor impacts.

TABLES

1. Groundwater Gauging Data
2. Summary of VOCs in Soil Samples
3. Summary of SVOCs in Soil Samples
4. Summary of Metals in Soil Samples
5. Summary of PCBs in Soil Samples
6. Summary of Pesticides and Herbicides in Soil Samples
7. Summary of PFAS in Soil Samples
8. Summary of VOCs in Groundwater Samples
9. Summary of SVOCs in Groundwater Samples
10. Summary of Metals in Groundwater Samples
11. Summary of PCBs in Groundwater Samples
12. Summary of Pesticides and Herbicides in Groundwater Samples
13. Summary of Emerging Contaminants in Groundwater Samples
14. Summary of VOCs in Soil Vapor Samples

Notes Utilized Throughout Tables	
Soil Tables	
J -	Estimated value
U -	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit
B -	The analyte was found in an associated blank as well as in the sample
H -	Sample was prepped or analyzed beyond the specified holding time
T -	Indicates that a quality control parameter has exceeded laboratory limits
P -	Concentration difference between the primary and confirmation column >40%. The lower result is reported
ft bls -	Feet below land surface
FD -	Duplicate sample
mg/kg -	Milligrams per kilogram
µg/kg -	Micrograms per kilogram
NYSDEC -	New York State Department of Environmental Conservation
SCO -	Soil Cleanup Objectives
--	No SCO available
Bold data indicates that parameter was detected above the NYSDEC Part 375 Unrestricted Use SCO	
Shaded data indicates that parameter was detected above the NYSDEC Part 375 Residential SCO	
Red data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential SCO	
Groundwater Tables	
J -	Estimated Value
U -	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit
EMPC -	The results do not meet all criteria for a confirmed identification. The quantitative value represents the Estimated Maximum Possible Concentration of the analyte in the sample
FD -	Duplicate
µg/L -	Micrograms per liter
NYSDEC -	New York State Department of Environmental Conservation
AWQSGVs -	Ambient Water-Quality Standards and Guidance Values
--	No NYSDEC AWQSGV available
Bold data indicates that parameter was detected above the NYSDEC AWQSGVs	
Soil Vapor/Ambient Air	
J -	Estimated value
U -	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit
D -	Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte
FD -	Duplicate sample
ug/m3 -	Micrograms per cubic meter
Bold data indicates that parameter was detected	

Table 1. Summary of Groundwater Gauging Data, Former Bordens Farm Products

Monitoring Well Identification	Gauging Date	Land Surface Elevation (ft NAVD 88)	Top of PVC Riser Elevation (ft NAVD 88)	Depth to Water (ft btoc)	Water Table Elevation (ft NAVD 88)
RMW-1	12/18/2025	38.70	38.47	18.23	20.24
RMW-2	12/18/2025	40.74	39.79	19.47	20.32
RMW-3	12/18/2025	39.28	38.96	19.00	19.96
RMW-4	12/18/2025	41.5	41.3	21.22	20.08
RMW-5	12/18/2025	40.64	39.72	19.47	20.25

Notes:
All monitoring well casings installed within flush-mount manways.
ft= feet
NAVD 88= North American Vertical Datum of 1988
btoc= below top of casing

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00027 U	0.00032 U	0.00022 U	0.00024 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00061 U	0.00072 U	0.0005 U	0.00053 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00035 UT	0.00042 UT	0.00029 UT	0.00031 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00071 U	0.00083 U	0.00057 U	0.00061 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.0007 U	0.00082 U	0.00057 U	0.00061 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00026 U	0.00031 U	0.00021 U	0.00023 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00087 U	0.001 U	0.0007 U	0.00075 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00042 U	0.00049 U	0.00034 U	0.00036 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00029 U	0.00034 U	0.00023 U	0.00025 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00054 U	0.00064 U	0.00044 U	0.00047 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00059 U	0.0007 U	0.00048 U	0.00051 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00042 U	0.0005 U	0.00034 U	0.00037 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00035 U	0.00041 U	0.00028 U	0.0003 U
1,2-Dichloropropane	--	--	--	MG/KG	0.0005 U	0.00058 U	0.0004 U	0.00043 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00037 U	0.00043 U	0.0003 U	0.00032 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00043 U	0.0005 U	0.00035 U	0.00037 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00061 U	0.00072 U	0.00049 U	0.00053 U
2-Hexanone	--	--	--	MG/KG	0.002 U	0.0024 U	0.0016 U	0.0017 U
Acetone	**0.03**	100	0.03	MG/KG	0.014 J+	0.022 J+	0.014 J+	0.012 J+
Benzene	0.06	3.7	0.06	MG/KG	0.00067 U	0.00078 U	0.00054 U	0.00058 U
Bromochloromethane	--	--	--	MG/KG	0.0007 U	0.00082 U	0.00057 U	0.00061 U
Bromodichloromethane	--	--	--	MG/KG	0.0003 U	0.00035 U	0.00024 U	0.00026 U
Bromoform	--	--	--	MG/KG	0.0005 U	0.00059 U	0.00041 U	0.00043 U
Bromomethane	--	--	--	MG/KG	0.0012 U	0.0014 U	0.00095 U	0.001 U
Carbon Disulfide	--	--	--	MG/KG	0.00031 U	0.00037 U	0.00025 U	0.00027 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00045 U	0.00053 U	0.00037 U	0.00039 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.0006 U	0.0007 U	0.00048 U	0.00052 U
Chloroethane	--	--	--	MG/KG	0.00061 U	0.00072 U	0.0005 U	0.00053 U
Chloroform	0.37	24	0.37	MG/KG	0.0011 U	0.0013 U	0.00093 U	0.00099 U
Chloromethane	--	--	--	MG/KG	0.00051 U	0.0006 U	0.00041 U	0.00044 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00042 U	0.00049 U	0.00034 U	0.00036 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00032 U	0.00038 U	0.00026 U	0.00028 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00026 U	0.00031 U	0.00021 U	0.00023 U
Dibromochloromethane	--	--	--	MG/KG	0.00063 U	0.00074 U	0.00051 U	0.00055 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.0004 U	0.00047 U	0.00032 U	0.00034 U
Ethylbenzene	1	76	1	MG/KG	0.00055 U	0.00065 U	0.00045 U	0.00048 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00033 U	0.00039 U	0.00027 U	0.00029 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.0005 U	0.00058 U	0.0004 U	0.00043 U
Methyl Acetate	--	--	--	MG/KG	0.0051 U	0.0059 U	0.0041 U	0.0044 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00043 U	0.00051 U	0.00035 U	0.0029 J
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0018 U	0.0021 U	0.0015 U	0.0016 U
Methylcyclohexane	--	--	--	MG/KG	0.00059 U	0.00069 U	0.00048 U	0.00051 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0013 U	0.0016 U	0.0011 U	0.0012 U
N-Butylbenzene	18	100	18	MG/KG	0.00035 U	0.00041 U	0.00028 U	0.0003 U
N-Propylbenzene	5	100	5	MG/KG	0.00053 U	0.00062 U	0.00043 U	0.00046 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00054 U	0.00064 U	0.00044 U	0.00047 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00034 U	0.0004 U	0.00027 U	0.00029 U
Styrene	--	--	--	MG/KG	0.00033 U	0.00038 U	0.00026 U	0.00028 U
T-Butylbenzene	11	100	11	MG/KG	0.00032 U	0.00038 U	0.00026 U	0.00028 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.0006 U	0.00071 U	0.00049 U	0.00052 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00036 U	0.00042 U	0.00029 U	0.00031 U
Toluene	0.7	100	0.7	MG/KG	0.00028 U	0.00032 U	0.00022 U	0.00024 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00029 U	0.00034 U	0.00023 U	0.00025 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00031 U	0.00037 U	0.00025 U	0.00027 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00038 U	0.00044 U	0.00031 U	0.00033 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00048 U	0.00056 U	0.00039 U	0.00041 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00064 U	0.00075 U	0.00052 U	0.00056 U
Xylenes	0.26	100	1.2	MG/KG	0.0002 U	0.00024 U	0.00017 U	0.00018 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-2	RSB-2	RSB-2	RSB-2
			Sample Date:		12/01/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		0 - 2	1 - 3	1 - 3	3 - 5
			Normal Sample or Field Duplicate:		N	N	FD	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00027 U	0.00024 U	0.00023 U	0.00023 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00061 U	0.00053 U	0.00051 U	0.00051 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00035 UT	0.00031 UT	0.0003 UT	0.0003 UT
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00071 U	0.00061 U	0.00059 U	0.00059 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.0007 U	0.00061 U	0.00059 U	0.00059 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00026 U	0.00023 U	0.00022 U	0.00022 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00087 U	0.00075 U	0.00073 U	0.00073 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00042 U	0.00036 U	0.00035 U	0.00035 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00029 U	0.00025 U	0.00024 U	0.00024 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00054 U	0.00047 U	0.00045 U	0.00045 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00059 U	0.00051 U	0.0005 U	0.0005 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00042 U	0.00037 U	0.00035 U	0.00036 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00035 U	0.0003 U	0.00029 U	0.00029 U
1,2-Dichloropropane	--	--	--	MG/KG	0.0005 U	0.00043 U	0.00042 U	0.00042 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00037 U	0.00032 U	0.00031 U	0.00031 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00043 U	0.00037 U	0.00036 U	0.00036 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00061 U	0.00053 U	0.00051 U	0.00051 U
2-Hexanone	--	--	--	MG/KG	0.002 U	0.0017 U	0.0017 U	0.0017 U
Acetone	**0.03**	100	0.03	MG/KG	0.026 J+	0.011 J+	0.024 J+	**0.042 J+**
Benzene	0.06	3.7	0.06	MG/KG	0.00067 U	0.00058 U	0.00056 U	0.00056 U
Bromochloromethane	--	--	--	MG/KG	0.0007 U	0.00061 U	0.00059 U	0.00059 U
Bromodichloromethane	--	--	--	MG/KG	0.0003 U	0.00026 U	0.00025 U	0.00025 U
Bromoform	--	--	--	MG/KG	0.0005 U	0.00043 U	0.00042 U	0.00042 U
Bromomethane	--	--	--	MG/KG	0.0012 U	0.001 U	0.00098 U	0.00099 U
Carbon Disulfide	--	--	--	MG/KG	0.00031 U	0.00027 U	0.00026 U	0.00026 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00045 U	0.00039 U	0.00038 U	0.00038 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.0006 U	0.00052 U	0.0005 U	0.0005 U
Chloroethane	--	--	--	MG/KG	0.00061 U	0.00053 U	0.00051 U	0.00051 U
Chloroform	0.37	24	0.37	MG/KG	0.0011 U	0.00099 U	0.00095 U	0.00096 U
Chloromethane	--	--	--	MG/KG	0.00051 U	0.00044 U	0.00043 U	0.00043 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00042 U	0.00036 U	0.00035 U	0.00035 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00032 U	0.00028 U	0.00027 U	0.00027 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-2	RSB-2	RSB-2	RSB-2
Sample Designation:					RSB-2	RSB-2	RSB-2	RSB-2
Sample Date:					12/01/2025	12/01/2025	12/01/2025	12/01/2025
Sample Depth (ft bls):					0 - 2	1 - 3	1 - 3	3 - 5
Normal Sample or Field Duplicate:					N	N	FD	N
Cyclohexane	--	--	--	MG/KG	0.00026 U	0.00022 U	0.00022 U	0.00022 U
Dibromochloromethane	--	--	--	MG/KG	0.00063 U	0.00055 U	0.00053 U	0.00053 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.0004 U	0.00034 U	0.00033 U	0.00033 U
Ethylbenzene	1	76	1	MG/KG	0.00055 U	0.00048 U	0.00046 U	0.00046 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00033 U	0.00029 U	0.00028 U	0.00028 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.0005 U	0.00043 U	0.00042 U	0.00042 U
Methyl Acetate	--	--	--	MG/KG	0.005 U	0.0044 U	0.0042 U	0.0042 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00043 U	0.00037 U	0.00036 U	0.00036 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0018 U	0.0016 U	0.0015 U	0.0015 U
Methylcyclohexane	--	--	--	MG/KG	0.00059 U	0.00051 U	0.00049 U	0.00049 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0013 U	0.0012 U	0.0011 U	0.0011 U
N-Butylbenzene	18	100	18	MG/KG	0.00035 U	0.0003 U	0.00029 U	0.00029 U
N-Propylbenzene	5	100	5	MG/KG	0.00053 U	0.00046 U	0.00044 U	0.00044 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00054 U	0.00047 U	0.00045 U	0.00045 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00034 U	0.00029 U	0.00028 U	0.00028 U
Styrene	--	--	--	MG/KG	0.00033 U	0.00028 U	0.00027 U	0.00027 U
T-Butylbenzene	11	100	11	MG/KG	0.00032 U	0.00028 U	0.00027 U	0.00027 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.0006 U	0.00052 U	0.0005 U	0.0005 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00036 U	0.00031 U	0.0003 U	0.0003 U
Toluene	0.7	100	0.7	MG/KG	0.00027 U	0.00024 U	0.00023 U	0.00023 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00029 U	0.00025 U	0.00024 U	0.00024 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00031 U	0.00027 U	0.00026 U	0.00026 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00038 U	0.00033 U	0.00032 U	0.00032 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00048 U	0.00041 U	0.0004 U	0.0004 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00064 U	0.00055 U	0.00054 U	0.00054 U
Xylenes	0.26	100	1.2	MG/KG	0.0002 U	0.00018 U	0.00017 U	0.00017 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-2	RSB-3	RSB-3	RSB-3
			Sample Date:		12/02/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		20 - 22	0 - 2	2 - 4	4 - 6
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00027 U	0.00024 U	0.00024 U	0.00021 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00061 U	0.00053 U	0.00054 U	0.00047 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00035 U	0.00031 UT	0.00031 UT	0.00027 UT
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00071 U	0.00061 U	0.00062 U	0.00055 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.0007 U	0.00061 U	0.00061 U	0.00054 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00026 U	0.00023 U	0.00023 U	0.0002 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00087 U	0.00075 U	0.00076 U	0.00067 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00042 U	0.00036 U	0.00037 U	0.00032 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00029 U	0.00025 U	0.00025 U	0.00022 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00054 U	0.00047 U	0.00047 U	0.00042 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00059 U	0.00051 U	0.00052 U	0.00046 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00042 U	0.00037 U	0.00037 U	0.00033 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00035 U	0.0003 U	0.0003 U	0.00027 U
1,2-Dichloropropane	--	--	--	MG/KG	0.0005 U	0.00043 U	0.00043 U	0.00038 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00037 U	0.00032 U	0.00032 U	0.00029 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00043 U	0.00037 U	0.00038 U	0.00033 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00061 U	0.00053 U	0.00053 U	0.00047 U
2-Hexanone	--	--	--	MG/KG	0.002 U	0.0017 U	0.0018 U	0.0016 U
Acetone	**0.03**	100	0.03	MG/KG	0.0083 J+	0.026 J+	**0.033 J+**	**0.049 J+**
Benzene	0.06	3.7	0.06	MG/KG	0.00067 U	0.00058 U	0.00058 U	0.00051 U
Bromochloromethane	--	--	--	MG/KG	0.0007 U	0.00061 U	0.00061 U	0.00054 U
Bromodichloromethane	--	--	--	MG/KG	0.0003 U	0.00026 U	0.00026 U	0.00023 U
Bromoform	--	--	--	MG/KG	0.0005 U	0.00043 U	0.00044 U	0.00039 U
Bromomethane	--	--	--	MG/KG	0.0012 U	0.001 U	0.001 U	0.00091 U
Carbon Disulfide	--	--	--	MG/KG	0.00031 U	0.00027 U	0.00027 U	0.00024 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00046 U	0.00039 U	0.0004 U	0.00035 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.0006 U	0.00052 U	0.00052 U	0.00046 U
Chloroethane	--	--	--	MG/KG	0.00061 U	0.00053 U	0.00054 U	0.00047 U
Chloroform	0.37	24	0.37	MG/KG	0.0011 U	0.00099 U	0.001 U	0.00088 U
Chloromethane	--	--	--	MG/KG	0.00051 U	0.00044 U	0.00045 U	0.00039 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00042 U	0.00036 U	0.00037 U	0.00032 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00032 U	0.00028 U	0.00028 U	0.00025 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-3	RSB-3	RSB-3
				Sample Date:	12/02/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00026 U	0.00023 U	0.00023 U	0.0002 U
Dibromochloromethane	--	--	--	MG/KG	0.00063 U	0.00055 U	0.00055 U	0.00049 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.0004 U	0.00034 U	0.00035 U	0.00031 U
Ethylbenzene	1	76	1	MG/KG	0.00055 U	0.00048 U	0.00048 U	0.00042 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00034 U	0.00029 U	0.00029 U	0.00026 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.0005 U	0.00043 U	0.00043 U	0.00038 U
Methyl Acetate	--	--	--	MG/KG	0.0051 U	0.0044 U	0.0044 U	0.0039 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00043 U	0.00037 U	0.00038 U	0.00033 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0018 U	0.0016 U	0.0016 U	0.0014 U
Methylcyclohexane	--	--	--	MG/KG	0.00059 U	0.00051 U	0.00051 U	0.00045 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0013 U	0.0012 U	0.0012 U	0.001 U
N-Butylbenzene	18	100	18	MG/KG	0.00035 U	0.0003 U	0.0003 U	0.00027 U
N-Propylbenzene	5	100	5	MG/KG	0.00053 U	0.00046 U	0.00046 U	0.00041 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00054 U	0.00047 U	0.00047 U	0.00042 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00034 U	0.00029 U	0.0003 U	0.00026 U
Styrene	--	--	--	MG/KG	0.00033 U	0.00028 U	0.00029 U	0.00025 U
T-Butylbenzene	11	100	11	MG/KG	0.00032 U	0.00028 U	0.00028 U	0.00025 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.0006 U	0.00052 U	0.00053 U	0.00046 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00036 U	0.00031 U	0.00031 U	0.00028 U
Toluene	0.7	100	0.7	MG/KG	0.00028 U	0.00024 U	0.00024 U	0.00021 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00029 U	0.00025 U	0.00025 U	0.00022 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00031 U	0.00027 U	0.00027 U	0.00024 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00038 U	0.00033 U	0.00033 U	0.00029 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00048 U	0.00041 U	0.00042 U	0.00037 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00064 U	0.00056 U	0.00056 U	0.0005 U
Xylenes	0.26	100	1.2	MG/KG	0.0002 U	0.00018 U	0.00018 U	0.00016 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-3	RSB-4	RSB-4	RSB-4
			Sample Date:		12/02/2025	12/03/2025	12/03/2025	12/03/2025
			Sample Depth (ft bls):		20 - 22	0 - 2	2 - 4	4 - 6
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00023 U	0.00028 U	0.00029 U	0.00024 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00052 U	0.00064 UJ	0.00065 U	0.00054 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.0003 U	0.00037 U	0.00038 U	0.00031 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00059 U	0.00073 UJ	0.00075 U	0.00062 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00059 U	0.00073 U	0.00074 U	0.00062 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00022 U	0.00027 U	0.00028 U	0.00023 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00073 U	0.0009 UJ	0.00092 U	0.00076 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00035 U	0.00044 UJ	0.00045 U	0.00037 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00024 U	0.0003 UJ	0.00031 U	0.00025 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00046 U	0.00056 UJ	0.00057 U	0.00048 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.0005 U	0.00061 UJ	0.00063 U	0.00052 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00036 U	0.00044 UJ	0.00045 U	0.00037 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00029 U	0.00036 U	0.00037 U	0.00031 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00042 U	0.00051 U	0.00053 U	0.00044 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00031 U	0.00038 UJ	0.00039 U	0.00032 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00036 U	0.00044 UJ	0.00046 U	0.00038 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00051 U	0.00063 UJ	0.00065 U	0.00054 U
2-Hexanone	--	--	--	MG/KG	0.0017 U	0.0021 U	0.0021 U	0.0018 U
Acetone	**0.03**	100	0.03	MG/KG	0.015 J+	0.016 J+	0.024 J+	0.0059 U
Benzene	0.06	3.7	0.06	MG/KG	0.00056 U	0.00069 U	0.00071 U	0.00059 U
Bromochloromethane	--	--	--	MG/KG	0.00059 U	0.00073 U	0.00074 U	0.00062 U
Bromodichloromethane	--	--	--	MG/KG	0.00025 U	0.00031 U	0.00032 U	0.00027 U
Bromoform	--	--	--	MG/KG	0.00042 U	0.00052 U	0.00053 U	0.00044 U
Bromomethane	--	--	--	MG/KG	0.00099 U	0.0012 U	0.0012 U	0.001 U
Carbon Disulfide	--	--	--	MG/KG	0.00026 U	0.00032 U	0.00033 U	0.00027 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00038 U	0.00047 U	0.00048 U	0.0004 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.0005 U	0.00062 U	0.00063 U	0.00052 U
Chloroethane	--	--	--	MG/KG	0.00052 U	0.00064 U	0.00065 U	0.00054 U
Chloroform	0.37	24	0.37	MG/KG	0.00096 U	0.0012 U	0.0012 U	0.001 U
Chloromethane	--	--	--	MG/KG	0.00043 U	0.00053 UT	0.00054 U	0.00045 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00035 U	0.00044 U	0.00045 U	0.00037 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00027 U	0.00033 U	0.00034 U	0.00028 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-3	RSB-4	RSB-4	RSB-4
					Sample Date: 12/02/2025	12/03/2025	12/03/2025	12/03/2025
					Sample Depth (ft bls): 20 - 22	0 - 2	2 - 4	4 - 6
					Normal Sample or Field Duplicate: N	N	N	N
Cyclohexane	--	--	--	MG/KG	0.00022 U	0.00027 U	0.00028 U	0.00023 U
Dibromochloromethane	--	--	--	MG/KG	0.00053 U	0.00065 U	0.00067 U	0.00055 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00033 U	0.00041 U	0.00042 U	0.00035 U
Ethylbenzene	1	76	1	MG/KG	0.00046 U	0.00057 U	0.00058 U	0.00048 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00028 U	0.00035 U	0.00036 U	0.00029 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00042 U	0.00051 U	0.00053 U	0.00044 U
Methyl Acetate	--	--	--	MG/KG	0.0043 U	0.0052 U	0.0054 U	0.0044 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00036 U	0.00045 U	0.00046 U	0.00038 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0015 U	0.0019 U	0.0019 U	0.0016 U
Methylcyclohexane	--	--	--	MG/KG	0.00049 U	0.00061 U	0.00062 U	0.00052 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0011 U	0.0014 U	0.0014 U	0.0012 U
N-Butylbenzene	18	100	18	MG/KG	0.00029 U	0.00036 UJ	0.00037 U	0.0003 U
N-Propylbenzene	5	100	5	MG/KG	0.00044 U	0.00055 UJ	0.00056 U	0.00046 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00046 U	0.00056 U	0.00057 U	0.00048 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00028 U	0.00035 UJ	0.00036 U	0.0003 U
Styrene	--	--	--	MG/KG	0.00027 U	0.00034 U	0.00035 U	0.00029 U
T-Butylbenzene	11	100	11	MG/KG	0.00027 U	0.00034 UJ	0.00034 U	0.00029 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00051 U	0.00062 U	0.00064 U	0.00053 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.0003 U	0.00037 U	0.00038 U	0.00031 U
Toluene	0.7	100	0.7	MG/KG	0.00023 U	0.00028 U	0.00056 J	0.00024 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00024 U	0.0003 U	0.00031 U	0.00025 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00026 U	0.00032 U	0.00033 U	0.00027 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00032 U	0.00039 U	0.0004 U	0.00033 U
Trichlorofluoromethane	--	--	--	MG/KG	0.0004 U	0.00049 U	0.00051 U	0.00042 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00054 U	0.00066 U	0.00068 U	0.00056 U
Xylenes	0.26	100	1.2	MG/KG	0.00017 U	0.00021 U	0.00022 U	0.00018 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-5	RSB-5	RSB-5
				Sample Date:	12/03/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00021 U	0.00024 U	0.00022 U	0.00022 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00048 U	0.00054 U	0.0005 U	0.00049 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00028 U	0.00031 UT	0.00029 UT	0.00029 UT
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00055 U	0.00062 U	0.00057 U	0.00057 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00055 U	0.00061 U	0.00057 U	0.00057 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00021 U	0.00023 U	0.00021 U	0.00021 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00068 U	0.00076 U	0.0007 U	0.0007 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00033 U	0.00037 U	0.00034 U	0.00034 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00023 U	0.00025 U	0.00023 U	0.00023 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00042 U	0.00047 U	0.00044 U	0.00044 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00046 U	0.00052 U	0.00048 U	0.00048 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00033 U	0.00037 U	0.00034 U	0.00034 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00027 U	0.0003 U	0.00028 U	0.00028 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00039 U	0.00044 U	0.0004 U	0.0004 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00029 U	0.00032 U	0.0003 U	0.0003 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00033 U	0.00038 U	0.00035 U	0.00035 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00048 U	0.00053 U	0.0005 U	0.00049 U
2-Hexanone	--	--	--	MG/KG	0.0016 U	0.0018 U	0.0016 U	0.0016 U
Acetone	**0.03**	100	0.03	MG/KG	0.013 J+	0.021 J+	0.029 J+	0.016 J+
Benzene	0.06	3.7	0.06	MG/KG	0.00052 U	0.00058 U	0.00054 U	0.00054 U
Bromochloromethane	--	--	--	MG/KG	0.00055 U	0.00061 U	0.00057 U	0.00056 U
Bromodichloromethane	--	--	--	MG/KG	0.00024 U	0.00026 U	0.00025 U	0.00024 U
Bromoform	--	--	--	MG/KG	0.00039 U	0.00044 U	0.00041 U	0.0004 U
Bromomethane	--	--	--	MG/KG	0.00092 U	0.001 U	0.00095 U	0.00095 U
Carbon Disulfide	--	--	--	MG/KG	0.00024 U	0.00027 U	0.00025 U	0.00025 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00035 U	0.0004 U	0.00037 U	0.00037 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.00046 U	0.00052 U	0.00048 U	0.00048 U
Chloroethane	--	--	--	MG/KG	0.00048 U	0.00054 U	0.0005 U	0.00049 U
Chloroform	0.37	24	0.37	MG/KG	0.00089 U	0.001 U	0.00093 U	0.00092 U
Chloromethane	--	--	--	MG/KG	0.0004 U	0.00045 U	0.00041 U	0.00041 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00033 U	0.00037 U	0.00034 U	0.00034 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00025 U	0.00028 U	0.00026 U	0.00026 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-5	RSB-5	RSB-5
				Sample Date:	12/03/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.0002 U	0.00023 U	0.00021 U	0.00021 U
Dibromochloromethane	--	--	--	MG/KG	0.00049 U	0.00055 U	0.00051 U	0.00051 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00031 U	0.00035 U	0.00032 U	0.00032 U
Ethylbenzene	1	76	1	MG/KG	0.00043 U	0.00048 U	0.00045 U	0.00044 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00026 U	0.00029 U	0.00027 U	0.00027 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00039 U	0.00044 U	0.0004 U	0.0004 U
Methyl Acetate	--	--	--	MG/KG	0.0039 U	0.0044 U	0.0041 U	0.0041 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.0031 J	0.00038 U	0.00035 U	0.00035 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0014 U	0.0016 U	0.0015 U	0.0015 U
Methylcyclohexane	--	--	--	MG/KG	0.00046 U	0.00051 U	0.00048 U	0.00047 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.001 U	0.0012 U	0.0011 U	0.0011 U
N-Butylbenzene	18	100	18	MG/KG	0.00027 U	0.0003 U	0.00028 U	0.00028 U
N-Propylbenzene	5	100	5	MG/KG	0.00041 U	0.00046 U	0.00043 U	0.00043 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00042 U	0.00047 U	0.00044 U	0.00044 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00026 U	0.0003 U	0.00027 U	0.00027 U
Styrene	--	--	--	MG/KG	0.00025 U	0.00029 U	0.00027 U	0.00026 U
T-Butylbenzene	11	100	11	MG/KG	0.00025 U	0.00028 U	0.00026 U	0.00026 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00047 U	0.00053 U	0.00049 U	0.00049 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00028 U	0.00099 J	0.00029 U	0.00029 U
Toluene	0.7	100	0.7	MG/KG	0.00021 U	0.00024 U	0.00022 U	0.00022 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00023 U	0.00025 U	0.00023 U	0.00023 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00024 U	0.00027 U	0.00025 U	0.00025 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00029 U	0.00033 U	0.00031 U	0.0003 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00037 U	0.00042 U	0.00039 U	0.00038 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.0005 U	0.00056 U	0.00052 U	0.00052 U
Xylenes	0.26	100	1.2	MG/KG	0.00016 U	0.00018 U	0.00017 U	0.00016 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-5	RSB-5	RSB-5	RSB-6
			Sample Date:		12/02/2025	12/02/2025	12/15/2025	12/12/2025
			Sample Depth (ft bls):		6 - 8	20 - 22	8 - 10	0 - 2
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00031 UJ	0.0002 U	0.00022 U	0.00025 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.0007 UJ	0.00045 U	0.0005 U	0.00055 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.0004 UJ	0.00026 U	0.00029 U	0.00032 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.0008 UJ	0.00052 U	0.00058 U	0.00064 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.0008 UJ	0.00051 U	0.00057 U	0.00063 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.0003 UJ	0.00019 U	0.00022 U	0.00024 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00099 UJ	0.00063 U	0.00071 U	0.00078 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00048 UJ	0.00031 U	0.00034 U	0.00038 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00033 UJ	0.00021 U	0.00024 U	0.00026 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00061 UJ	0.00039 U	0.00044 U	0.00049 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00067 UJ	0.00043 U	0.00048 U	0.00053 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00048 UJ	0.00031 U	0.00035 U	0.00038 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.0004 UJ	0.00025 U	0.00028 U	0.00031 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00057 UJ	0.00036 U	0.00041 U	0.00045 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00042 UJ	0.00027 U	0.0003 U	0.00033 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00049 UJ	0.00031 U	0.00035 U	0.00039 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00069 UJ	0.00044 U	0.0005 U	0.00055 U
2-Hexanone	--	--	--	MG/KG	0.0023 UJ	0.0015 U	0.0016 U	0.0018 U
Acetone	**0.03**	100	0.03	MG/KG	0.0076 UJ	0.014 J+	0.0055 U	0.0079 J+
Benzene	0.06	3.7	0.06	MG/KG	0.00076 UJ	0.00049 U	0.00054 U	0.0006 U
Bromochloromethane	--	--	--	MG/KG	0.0008 UJ	0.00051 U	0.00057 U	0.00063 U
Bromodichloromethane	--	--	--	MG/KG	0.00034 UJ	0.00022 U	0.00025 U	0.00027 U
Bromoform	--	--	--	MG/KG	0.00057 UJ	0.00036 U	0.00041 U	0.00045 U
Bromomethane	--	--	--	MG/KG	0.0013 UJ	0.00086 U	0.00096 U	0.0011 U
Carbon Disulfide	--	--	--	MG/KG	0.00036 UJ	0.00023 U	0.00025 U	0.00028 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00052 UJ	0.00033 U	0.00037 U	0.00041 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.00068 UJ	0.00043 U	0.00049 U	0.00054 U
Chloroethane	--	--	--	MG/KG	0.0007 UJ	0.00045 U	0.0005 U	0.00055 U
Chloroform	0.37	24	0.37	MG/KG	0.0013 UJ	0.00083 U	0.00093 U	0.001 U
Chloromethane	--	--	--	MG/KG	0.00058 UJ	0.00037 U	0.00042 U	0.00046 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00048 UJ	0.00031 U	0.00034 U	0.00038 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00036 UJ	0.00023 U	0.00026 U	0.00029 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-5	RSB-6
				Sample Date:	12/02/2025	12/02/2025	12/15/2025	12/12/2025
				Sample Depth (ft bls):	6 - 8	20 - 22	8 - 10	0 - 2
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.0003 UJ	0.00019 U	0.00021 U	0.00023 U
Dibromochloromethane	--	--	--	MG/KG	0.00072 UJ	0.00046 U	0.00051 U	0.00057 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00045 UJ	0.00029 U	0.00032 U	0.00036 U
Ethylbenzene	1	76	1	MG/KG	0.00063 UJ	0.0004 U	0.00045 U	0.0005 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00038 UJ	0.00024 U	0.00027 U	0.0003 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00057 UJ	0.00036 U	0.00041 U	0.00045 U
Methyl Acetate	--	--	--	MG/KG	0.0057 UJ	0.0037 U	0.0041 U	0.0046 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00049 UJ	0.0026 J	0.00035 U	0.00039 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0021 UJ	0.0013 U	0.0015 U	0.0016 U
Methylcyclohexane	--	--	--	MG/KG	0.00067 UJ	0.00043 U	0.00048 U	0.00053 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0015 UJ	0.00098 U	0.0011 U	0.0012 U
N-Butylbenzene	18	100	18	MG/KG	0.00039 UJ	0.00025 U	0.00028 U	0.00031 U
N-Propylbenzene	5	100	5	MG/KG	0.0006 UJ	0.00038 U	0.00043 U	0.00048 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00062 UJ	0.0004 U	0.00044 U	0.00049 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00038 UJ	0.00025 U	0.00028 U	0.00031 U
Styrene	--	--	--	MG/KG	0.00037 UJ	0.00024 U	0.00027 U	0.00029 U
T-Butylbenzene	11	100	11	MG/KG	0.00037 UJ	0.00024 U	0.00026 U	0.00029 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00068 UJ	0.00044 U	0.00049 U	0.00054 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00041 UJ	0.00026 U	0.00029 U	0.00032 U
Toluene	0.7	100	0.7	MG/KG	0.00031 UJ	0.0002 U	0.00022 U	0.00025 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00033 UJ	0.00021 U	0.00024 U	0.00026 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00036 UJ	0.00023 U	0.00025 U	0.00028 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00043 UJ	0.00028 U	0.00031 U	0.00034 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00054 UJ	0.00035 U	0.00039 U	0.00043 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00073 UJ	0.00047 U	0.00052 U	0.00058 U
Xylenes	0.26	100	1.2	MG/KG	0.00035 J-	0.00015 U	0.00017 U	0.00018 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00021 U	0.00026 U	0.00025 U	0.00025 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00048 U	0.00057 U	0.00057 U	0.00057 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00027 U	0.00033 U	0.00033 U	0.00033 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00055 U	0.00066 U	0.00065 U	0.00065 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00054 U	0.00066 U	0.00065 U	0.00065 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.0002 U	0.00025 U	0.00025 U	0.00024 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00067 U	0.00081 U	0.0008 U	0.0008 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00033 U	0.00039 U	0.00039 U	0.00039 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00022 U	0.00027 U	0.00027 U	0.00027 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00042 U	0.00051 U	0.0005 U	0.0005 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00046 U	0.00055 U	0.00055 U	0.00055 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00033 U	0.0004 U	0.00039 U	0.00039 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00027 U	0.00032 U	0.00032 U	0.00032 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00038 U	0.00046 U	0.00046 U	0.00046 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00029 U	0.00034 U	0.00034 U	0.00034 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00033 U	0.0004 U	0.0004 U	0.0004 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00047 U	0.00057 U	0.00057 U	0.00057 U
2-Hexanone	--	--	--	MG/KG	0.0016 U	0.0019 U	0.0019 U	0.0019 U
Acetone	**0.03**	100	0.03	MG/KG	0.0071 J+	0.0063 U	0.0062 U	0.0062 U
Benzene	0.06	3.7	0.06	MG/KG	0.00052 U	0.00062 U	0.00062 U	0.00062 U
Bromochloromethane	--	--	--	MG/KG	0.00054 U	0.00065 U	0.00065 U	0.00065 U
Bromodichloromethane	--	--	--	MG/KG	0.00023 U	0.00028 U	0.00028 U	0.00028 U
Bromoform	--	--	--	MG/KG	0.00039 U	0.00047 U	0.00046 U	0.00046 U
Bromomethane	--	--	--	MG/KG	0.00091 U	0.0011 U	0.0011 U	0.0011 U
Carbon Disulfide	--	--	--	MG/KG	0.00024 U	0.00029 U	0.00029 U	0.00029 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00035 U	0.00042 U	0.00042 U	0.00042 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.00046 U	0.00056 U	0.00055 U	0.00055 U
Chloroethane	--	--	--	MG/KG	0.00048 U	0.00057 U	0.00057 U	0.00057 U
Chloroform	0.37	24	0.37	MG/KG	0.00088 U	0.0011 U	0.0011 U	0.0011 U
Chloromethane	--	--	--	MG/KG	0.0004 U	0.00048 U	0.00047 U	0.00047 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00033 U	0.00039 U	0.00039 U	0.00039 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00025 U	0.0003 U	0.0003 U	0.0003 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.0002 U	0.00024 U	0.00024 U	0.00024 U
Dibromochloromethane	--	--	--	MG/KG	0.00049 U	0.00059 U	0.00059 U	0.00058 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00031 U	0.00037 U	0.00037 UT	0.00037 U
Ethylbenzene	1	76	1	MG/KG	0.00043 U	0.00051 U	0.00051 U	0.00051 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00026 U	0.00031 U	0.00031 U	0.00031 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00038 U	0.00046 U	0.00046 U	0.00046 U
Methyl Acetate	--	--	--	MG/KG	0.0039 U	0.0047 U	0.0047 U	0.0047 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00033 U	0.0004 U	0.0004 U	0.0004 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0014 U	0.0017 U	0.0017 U	0.0017 U
Methylcyclohexane	--	--	--	MG/KG	0.00045 U	0.00055 U	0.00054 U	0.00054 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.001 U	0.0013 U	0.0012 U	0.0012 U
N-Butylbenzene	18	100	18	MG/KG	0.00027 U	0.00032 U	0.00032 U	0.00032 U
N-Propylbenzene	5	100	5	MG/KG	0.00041 U	0.00049 U	0.00049 U	0.00049 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00042 U	0.00051 U	0.0005 U	0.0005 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00026 U	0.00032 U	0.00031 U	0.00031 U
Styrene	--	--	--	MG/KG	0.00025 U	0.00031 U	0.0003 U	0.0003 U
T-Butylbenzene	11	100	11	MG/KG	0.00025 U	0.0003 U	0.0003 U	0.0003 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00047 U	0.00056 U	0.00056 U	0.00056 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00028 U	0.00033 U	0.00033 U	0.00033 U
Toluene	0.7	100	0.7	MG/KG	0.00021 U	0.00026 U	0.00025 U	0.00025 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00022 U	0.00027 U	0.00027 U	0.00027 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00024 U	0.00029 U	0.00029 U	0.00029 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00029 U	0.00035 U	0.00035 U	0.00035 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00037 U	0.00045 U	0.00044 U	0.00044 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.0005 U	0.0006 U	0.00059 U	0.00059 U
Xylenes	0.26	100	1.2	MG/KG	0.00016 U	0.00019 U	0.00019 U	0.00019 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-7	RSB-7	RSB-7	RSB-7
			Sample Date:		12/08/2025	12/08/2025	12/08/2025	12/16/2025
			Sample Depth (ft bls):		0 - 2	2 - 4	4 - 6	6 - 8
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00028 U	0.00025 U	0.00025 U	0.00024 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00063 U	0.00056 U	0.00055 U	0.00054 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00036 UT	0.00032 UT	0.00032 UT	0.00031 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00072 U	0.00064 U	0.00064 U	0.00062 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00072 U	0.00064 U	0.00063 U	0.00062 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00027 UT	0.00024 UT	0.00024 UT	0.00023 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00089 U	0.00079 U	0.00078 U	0.00076 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00043 U	0.00038 U	0.00038 U	0.00037 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.0003 U	0.00026 U	0.00026 U	0.00025 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00055 U	0.00049 U	0.00049 U	0.00048 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00061 U	0.00054 U	0.00054 U	0.00052 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00044 U	0.00039 U	0.00038 U	0.00037 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00036 U	0.00032 U	0.00031 U	0.00031 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00051 U	0.00045 U	0.00045 U	0.00044 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00038 U	0.00034 U	0.00033 U	0.00032 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00044 U	0.00039 U	0.00039 U	0.00038 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00063 U	0.00056 U	0.00055 U	0.00054 U
2-Hexanone	--	--	--	MG/KG	0.0021 U	0.0018 U	0.0018 U	0.0018 U
Acetone	**0.03**	100	0.03	MG/KG	0.007 J	0.02	0.0075	0.0059 U
Benzene	0.06	3.7	0.06	MG/KG	0.00068 U	0.00061 U	0.0006 U	0.00059 U
Bromochloromethane	--	--	--	MG/KG	0.00072 U	0.00064 U	0.00063 U	0.00062 U
Bromodichloromethane	--	--	--	MG/KG	0.00031 U	0.00028 U	0.00027 U	0.00027 U
Bromoform	--	--	--	MG/KG	0.00051 UT	0.00046 UT	0.00045 UT	0.00044 U
Bromomethane	--	--	--	MG/KG	0.0012 U	0.0011 U	0.0011 U	0.001 U
Carbon Disulfide	--	--	--	MG/KG	0.00032 U	0.00029 U	0.00028 U	0.00027 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00047 U	0.00041 U	0.00041 U	0.0004 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.00061 U	0.00054 U	0.00054 U	0.00052 U
Chloroethane	--	--	--	MG/KG	0.00063 U	0.00056 U	0.00055 U	0.00054 U
Chloroform	0.37	24	0.37	MG/KG	0.0012 U	0.001 U	0.001 U	0.001 U
Chloromethane	--	--	--	MG/KG	0.00052 U	0.00047 U	0.00046 U	0.00045 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00043 U	0.00038 U	0.00038 U	0.00037 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00033 U	0.00029 U	0.00029 U	0.00028 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-7	RSB-7
				Sample Date:	12/08/2025	12/08/2025	12/08/2025	12/16/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	6 - 8
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00027 U	0.00024 U	0.00023 U	0.00023 U
Dibromochloromethane	--	--	--	MG/KG	0.00065 U	0.00058 U	0.00057 U	0.00055 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00041 U	0.00036 U	0.00036 U	0.00035 UT
Ethylbenzene	1	76	1	MG/KG	0.00056 U	0.0005 U	0.0005 U	0.00048 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00034 U	0.00031 U	0.0003 U	0.00029 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00051 U	0.00045 U	0.00045 U	0.00044 U
Methyl Acetate	--	--	--	MG/KG	0.0052 U	0.0046 U	0.0046 U	0.0044 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00044 U	0.00039 U	0.00039 U	0.00038 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0019 U	0.0017 U	0.0017 U	0.0016 U
Methylcyclohexane	--	--	--	MG/KG	0.0006 U	0.00053 U	0.00053 U	0.00052 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0014 U	0.0012 U	0.0012 U	0.0012 U
N-Butylbenzene	18	100	18	MG/KG	0.00035 U	0.00032 U	0.00031 U	0.0003 U
N-Propylbenzene	5	100	5	MG/KG	0.00054 U	0.00048 U	0.00048 U	0.00046 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00056 U	0.00049 U	0.00049 U	0.00048 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00035 U	0.00031 U	0.00031 U	0.0003 U
Styrene	--	--	--	MG/KG	0.00034 U	0.0003 U	0.0003 U	0.00029 U
T-Butylbenzene	11	100	11	MG/KG	0.00033 U	0.0003 U	0.00029 U	0.00029 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00062 U	0.00055 U	0.00054 U	0.00053 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00037 U	0.00033 U	0.00032 U	0.00032 U
Toluene	0.7	100	0.7	MG/KG	0.00028 U	0.00025 U	0.00025 U	0.00024 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.0003 U	0.00026 U	0.00026 U	0.00025 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00032 U	0.00029 U	0.00028 U	0.00027 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00039 U	0.00034 U	0.00034 U	0.00033 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00049 U	0.00044 U	0.00043 U	0.00042 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00066 U	0.00059 U	0.00058 U	0.00056 U
Xylenes	0.26	100	1.2	MG/KG	0.00021 U	0.00019 U	0.00018 U	0.00018 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-7	RSB-7	RSB-8	RSB-8
Sample Designation:					RSB-7	RSB-7	RSB-8	RSB-8
Sample Date:					12/16/2025	12/16/2025	12/11/2025	12/11/2025
Sample Depth (ft bls):					8 - 10	25 - 27	0 - 2	1 - 3
Normal Sample or Field Duplicate:					N	N	N	N
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.0003 UJ	0.00024 U	0.00025 U	0.00021 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00066 UJ	0.00053 U	0.00056 U	0.00046 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00038 UJ	0.00031 U	0.00033 U	0.00026 U
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00076 UJ	0.00061 U	0.00065 U	0.00053 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00076 UJ	0.00061 U	0.00065 U	0.00053 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00029 UJ	0.00023 U	0.00024 U	0.0002 U
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00094 UJ	0.00075 U	0.0008 UJ	0.00065 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00045 UJ	0.00036 U	0.00039 UJ	0.00032 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00031 UJ	0.00025 U	0.00035 J	0.00022 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00058 UJ	0.00047 U	0.0005 U	0.0004 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00064 UJ	0.00051 U	0.00054 U	0.00044 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00046 UJ	0.00037 U	0.00039 U	0.00032 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00038 UJ	0.0003 U	0.00032 U	0.00026 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00054 UJ	0.00043 U	0.00046 U	0.00037 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.0004 UJ	0.00032 U	0.00034 U	0.00028 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00046 UJ	0.00037 U	0.00039 U	0.00032 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00066 UJ	0.00053 U	0.00056 U	0.00046 U
2-Hexanone	--	--	--	MG/KG	0.0022 UJ	0.0017 U	0.0019 U	0.0015 U
Acetone	**0.03**	100	0.03	MG/KG	**0.11 J**	0.0058 U	0.016 J+	0.016 J+
Benzene	0.06	3.7	0.06	MG/KG	0.00072 UJ	0.00057 U	0.00061 U	0.0005 U
Bromochloromethane	--	--	--	MG/KG	0.00076 UJ	0.0006 U	0.00064 U	0.00052 U
Bromodichloromethane	--	--	--	MG/KG	0.00033 UJ	0.00026 U	0.00028 U	0.00023 U
Bromoform	--	--	--	MG/KG	0.00054 UJ	0.00043 U	0.00046 U	0.00037 U
Bromomethane	--	--	--	MG/KG	0.0013 UJ	0.001 U	0.0011 U	0.00088 U
Carbon Disulfide	--	--	--	MG/KG	0.00034 UJ	0.00027 U	0.00029 U	0.00023 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00049 UJ	0.00039 U	0.00042 U	0.00034 U
Chlorobenzene	4.5	100	4.5	MG/KG	0.00064 UJ	0.00051 U	0.00055 U	0.00045 U
Chloroethane	--	--	--	MG/KG	0.00066 UJ	0.00053 U	0.00056 U	0.00046 U
Chloroform	0.37	24	0.37	MG/KG	0.0012 UJ	0.00098 U	0.001 U	0.00085 U
Chloromethane	--	--	--	MG/KG	0.00055 UJ	0.00044 U	0.00047 U	0.00038 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00045 UJ	0.00036 U	0.00039 U	0.00032 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00035 UJ	0.00028 U	0.0003 U	0.00024 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-8	RSB-8
				Sample Date:	12/16/2025	12/16/2025	12/11/2025	12/11/2025
				Sample Depth (ft bls):	8 - 10	25 - 27	0 - 2	1 - 3
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00028 UJ	0.00022 U	0.00024 U	0.00019 U
Dibromochloromethane	--	--	--	MG/KG	0.00068 UJ	0.00054 U	0.00058 U	0.00047 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00043 UJ	0.00034 U	0.00037 UT	0.0003 UT
Ethylbenzene	1	76	1	MG/KG	0.00059 UJ	0.00047 U	0.00051 U	0.00041 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00036 UJ	0.00029 U	0.00031 U	0.00025 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00054 UJ	0.00043 U	0.00046 U	0.00037 U
Methyl Acetate	--	--	--	MG/KG	0.0055 UJ	0.0044 U	0.0046 U	0.0038 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00047 UJ	0.00037 U	0.0004 U	0.00032 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.002 UJ	0.0016 U	0.0017 U	0.0014 U
Methylcyclohexane	--	--	--	MG/KG	0.00063 UJ	0.00051 U	0.00054 U	0.00044 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0015 UJ	0.0012 U	0.0012 U	0.001 U
N-Butylbenzene	18	100	18	MG/KG	0.00037 UJ	0.0003 U	0.00032 UJ	0.00026 U
N-Propylbenzene	5	100	5	MG/KG	0.00057 UJ	0.00046 U	0.00049 U	0.0004 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00058 UJ	0.00047 U	0.0005 U	0.00041 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00037 UJ	0.00029 U	0.00031 UJ	0.00025 U
Styrene	--	--	--	MG/KG	0.00035 UJ	0.00028 U	0.0003 U	0.00024 U
T-Butylbenzene	11	100	11	MG/KG	0.00035 UJ	0.00028 U	0.0003 U	0.00024 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00065 UJ	0.00052 U	0.00055 U	0.00045 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00039 UJ	0.00031 U	0.00033 U	0.00027 U
Toluene	0.7	100	0.7	MG/KG	0.0003 UJ	0.00024 U	0.00039 J	0.00021 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00031 UJ	0.00025 U	0.00027 U	0.00022 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00034 UJ	0.00027 U	0.00029 U	0.00023 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00041 UJ	0.00033 U	0.00035 U	0.00028 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00051 UJ	0.00041 U	0.00044 U	0.00036 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00069 UJ	0.00055 U	0.00059 U	0.00048 U
Xylenes	0.26	100	1.2	MG/KG	0.00022 UJ	0.00018 U	0.00019 U	0.00015 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7	25 - 27
				Normal Sample or Field Duplicate:	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00023 U	0.00022 U	0.00026 U	0.00022 UT
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00051 U	0.00049 U	0.00058 U	0.00049 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00029 U	0.00028 U	0.00034 U	0.00028 UT
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00058 U	0.00057 U	0.00067 U	0.00057 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00058 U	0.00056 U	0.00067 U	0.00056 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00022 U	0.00021 U	0.00025 U	0.00021 UT
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.00072 U	0.0007 U	0.00083 U	0.0007 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00035 U	0.00034 U	0.0004 U	0.00034 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00024 U	0.00023 U	0.00028 U	0.00023 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.00045 U	0.00043 U	0.00051 U	0.00043 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00049 U	0.00048 U	0.00056 U	0.00047 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00035 U	0.00034 U	0.0004 U	0.00034 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00029 U	0.00028 U	0.00033 U	0.00028 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00041 U	0.0004 U	0.00047 U	0.0004 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.0003 U	0.0003 U	0.00035 U	0.0003 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.00035 U	0.00034 U	0.00041 U	0.00034 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.0005 U	0.00049 U	0.00058 U	0.00049 U
2-Hexanone	--	--	--	MG/KG	0.0017 U	0.0016 U	0.0019 U	0.0016 U
Acetone	**0.03**	100	0.03	MG/KG	0.014 J+	0.0064 J+	0.0064 U	0.017 J+
Benzene	0.06	3.7	0.06	MG/KG	0.00055 U	0.00054 U	0.00063 U	0.00053 U
Bromochloromethane	--	--	--	MG/KG	0.00058 U	0.00056 U	0.00067 U	0.00056 U
Bromodichloromethane	--	--	--	MG/KG	0.00025 U	0.00024 U	0.00029 U	0.00024 U
Bromoform	--	--	--	MG/KG	0.00041 U	0.0004 U	0.00048 U	0.0004 UT
Bromomethane	--	--	--	MG/KG	0.00097 U	0.00094 U	0.0011 U	0.00094 U
Carbon Disulfide	--	--	--	MG/KG	0.00026 U	0.00025 U	0.0003 U	0.00025 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00038 U	0.00037 U	0.00043 U	0.00036 UT
Chlorobenzene	4.5	100	4.5	MG/KG	0.00049 U	0.00048 U	0.00057 U	0.00048 U
Chloroethane	--	--	--	MG/KG	0.00051 U	0.00049 U	0.00058 U	0.00049 U
Chloroform	0.37	24	0.37	MG/KG	0.00094 U	0.00092 U	0.0011 U	0.00091 U
Chloromethane	--	--	--	MG/KG	0.00042 U	0.00041 U	0.00049 U	0.00041 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00035 U	0.00034 U	0.0004 U	0.00034 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.00026 U	0.00026 U	0.00031 U	0.00026 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7	25 - 27
				Normal Sample or Field Duplicate:	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00021 U	0.00021 U	0.00025 U	0.00021 U
Dibromochloromethane	--	--	--	MG/KG	0.00052 U	0.00051 U	0.0006 U	0.00051 UT
Dichlorodifluoromethane	--	--	--	MG/KG	0.00033 UT	0.00032 UT	0.00038 UT	0.00032 U
Ethylbenzene	1	76	1	MG/KG	0.00045 U	0.00044 U	0.00052 U	0.00044 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00028 U	0.00027 U	0.00032 U	0.00027 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00041 U	0.0004 U	0.00047 U	0.0004 U
Methyl Acetate	--	--	--	MG/KG	0.0042 U	0.0041 U	0.0048 U	0.0041 U
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.00036 U	0.00035 U	0.00041 U	0.00035 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0015 U	0.0015 U	0.0017 U	0.0015 U
Methylcyclohexane	--	--	--	MG/KG	0.00048 U	0.00047 U	0.00056 U	0.00047 UT
Methylene Chloride	0.05	81	0.05	MG/KG	0.0011 U	0.0011 U	0.0013 U	0.0011 U
N-Butylbenzene	18	100	18	MG/KG	0.00029 U	0.00028 U	0.00033 U	0.00028 U
N-Propylbenzene	5	100	5	MG/KG	0.00044 U	0.00042 U	0.0005 U	0.00042 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.00045 U	0.00044 U	0.00052 U	0.00043 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00028 U	0.00027 U	0.00032 U	0.00027 U
Styrene	--	--	--	MG/KG	0.00027 U	0.00026 U	0.00031 U	0.00026 U
T-Butylbenzene	11	100	11	MG/KG	0.00027 U	0.00026 U	0.00031 U	0.00026 U
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.0005 U	0.00048 U	0.00057 U	0.00048 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.0003 U	0.00029 U	0.00034 U	0.00029 U
Toluene	0.7	100	0.7	MG/KG	0.00023 U	0.00022 U	0.00026 U	0.00022 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00024 U	0.00023 U	0.00028 U	0.00023 UT
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00026 U	0.00025 U	0.0003 U	0.00025 U
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00031 U	0.0003 U	0.00036 U	0.0003 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00039 U	0.00038 U	0.00045 U	0.00038 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00053 U	0.00052 U	0.00061 U	0.00051 U
Xylenes	0.26	100	1.2	MG/KG	0.00017 U	0.00016 U	0.00019 U	0.00016 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-9	RSB-9	RSB-9	RSB-9
					Sample Date: 12/15/2025	12/17/2025	12/17/2025	12/17/2025
					Sample Depth (ft bls): 0 - 2	16 - 18	20 - 22	22 - 24
					Normal Sample or Field Duplicate: N	N	N	N
1,1,1-Trichloroethane (TCA)	0.68	100	0.68	MG/KG	0.00025 UT	0.00028 UT	0.00029 UT	0.00034 U
1,1,2,2-Tetrachloroethane	--	--	--	MG/KG	0.00057 U	0.00063 U	0.00065 U	0.00077 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	--	MG/KG	0.00033 UT	0.00036 UT	0.00037 UT	0.00045 UT
1,1,2-Trichloroethane	--	--	--	MG/KG	0.00065 U	0.00073 U	0.00075 U	0.00089 U
1,1-Dichloroethane	0.27	47	0.27	MG/KG	0.00065 U	0.00072 UT	0.00074 UT	0.00088 U
1,1-Dichloroethene	0.24	0.98	0.33	MG/KG	0.00024 UT	0.00027 UT	0.00028 UT	0.00033 UT
1,2,3-Trichlorobenzene	--	--	--	MG/KG	0.0008 U	0.00089 U	0.00092 U	0.0011 U
1,2,4-Trichlorobenzene	--	--	--	MG/KG	0.00039 U	0.00043 U	0.00045 U	0.00053 U
1,2,4-Trimethylbenzene	5.9	100	5.9	MG/KG	0.00027 U	0.0003 U	0.00031 U	0.00036 U
1,2-Dibromo-3-Chloropropane	--	--	--	MG/KG	0.0005 U	0.00056 UT	0.00057 UT	0.00068 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	--	MG/KG	0.00055 U	0.00061 U	0.00063 U	0.00075 U
1,2-Dichlorobenzene	1.1	100	1.1	MG/KG	0.00039 U	0.00044 U	0.00045 U	0.00053 U
1,2-Dichloroethane	0.02	5.8	0.02	MG/KG	0.00032 U	0.00036 U	0.00037 U	0.00044 U
1,2-Dichloropropane	--	--	--	MG/KG	0.00046 U	0.00051 U	0.00053 U	0.00063 U
1,3,5-Trimethylbenzene (Mesitylene)	3.1	100	3.1	MG/KG	0.00034 U	0.00038 U	0.00039 U	0.00046 U
1,3-Dichlorobenzene	2.6	38	2.6	MG/KG	0.0004 U	0.00044 U	0.00045 U	0.00054 U
1,4-Dichlorobenzene	1.8	24	1.8	MG/KG	0.00056 U	0.00063 U	0.00065 U	0.00077 U
2-Hexanone	--	--	--	MG/KG	0.0019 U	0.0021 U	0.0021 U	0.0025 U
Acetone	**0.03**	100	0.03	MG/KG	0.0062 U	0.017 J+	0.013 J+	0.0085 U
Benzene	0.06	3.7	0.06	MG/KG	0.00062 U	0.00069 U	0.00071 U	0.00084 U
Bromochloromethane	--	--	--	MG/KG	0.00065 U	0.00072 UT	0.00074 UT	0.00088 U
Bromodichloromethane	--	--	--	MG/KG	0.00028 U	0.00031 U	0.00032 U	0.00038 U
Bromoform	--	--	--	MG/KG	0.00046 UT	0.00052 UT	0.00053 UT	0.00063 UT
Bromomethane	--	--	--	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0015 U
Carbon Disulfide	--	--	--	MG/KG	0.00029 U	0.00032 UT	0.00033 UT	0.00039 U
Carbon Tetrachloride	0.76	7.1	0.76	MG/KG	0.00042 UT	0.00047 UT	0.00048 UT	0.00057 UT
Chlorobenzene	4.5	100	4.5	MG/KG	0.00055 U	0.00061 U	0.00063 U	0.00075 U
Chloroethane	--	--	--	MG/KG	0.00057 U	0.00063 U	0.00065 U	0.00077 U
Chloroform	0.37	24	0.37	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0014 U
Chloromethane	--	--	--	MG/KG	0.00047 U	0.00053 U	0.00054 U	0.00064 U
Cis-1,2-Dichloroethylene	0.19	41	0.19	MG/KG	0.00039 U	0.00043 UT	0.00045 UT	0.00053 U
Cis-1,3-Dichloropropene	--	--	--	MG/KG	0.0003 U	0.00033 U	0.00034 U	0.0004 U

Table 2. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9	RSB-9	RSB-9
				Sample Date:	12/15/2025	12/17/2025	12/17/2025	12/17/2025
				Sample Depth (ft bls):	0 - 2	16 - 18	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Cyclohexane	--	--	--	MG/KG	0.00024 U	0.00027 UT	0.00028 UT	0.00033 U
Dibromochloromethane	--	--	--	MG/KG	0.00058 UT	0.00065 UT	0.00067 UT	0.00079 U
Dichlorodifluoromethane	--	--	--	MG/KG	0.00037 U	0.00041 U	0.00042 U	0.0005 U
Ethylbenzene	1	76	1	MG/KG	0.00051 U	0.00057 U	0.00058 U	0.00069 U
Isopropylbenzene (Cumene)	--	--	--	MG/KG	0.00031 U	0.00035 U	0.00035 U	0.00042 U
m,p-Xylene	0.26	100	1.2	MG/KG	0.00046 U	0.00051 U	0.00053 U	0.00063 U
Methyl Acetate	--	--	--	MG/KG	0.0047 U	0.0052 UT	0.0054 UT	0.0064 UT
Methyl Ethyl Ketone (2-Butanone)	0.1	100	0.1	MG/KG	0.0004 U	0.00045 U	0.00046 U	0.00054 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	--	MG/KG	0.0017 U	0.0019 U	0.0019 U	0.0023 U
Methylcyclohexane	--	--	--	MG/KG	0.00054 UT	0.0006 UT	0.00062 UT	0.00074 U
Methylene Chloride	0.05	81	0.05	MG/KG	0.0012 U	0.0014 UT	0.0014 UT	0.0017 U
N-Butylbenzene	18	100	18	MG/KG	0.00032 U	0.00036 U	0.00037 U	0.00044 U
N-Propylbenzene	5	100	5	MG/KG	0.00049 U	0.00054 U	0.00056 U	0.00066 U
O-Xylene (1,2-Dimethylbenzene)	0.26	100	1.2	MG/KG	0.0005 U	0.00056 U	0.00057 U	0.00068 U
Sec-Butylbenzene	25	100	25	MG/KG	0.00031 U	0.00035 U	0.00036 U	0.00043 U
Styrene	--	--	--	MG/KG	0.0003 U	0.00034 U	0.00035 U	0.00041 U
T-Butylbenzene	11	100	11	MG/KG	0.0003 U	0.00033 U	0.00034 U	0.00041 UJ
Tert-Butyl Methyl Ether	0.1	100	0.1	MG/KG	0.00056 U	0.00062 U	0.00064 U	0.00076 U
Tetrachloroethylene (PCE)	1.3	18	1.3	MG/KG	0.00033 U	0.00037 UT	0.00038 UT	0.00045 U
Toluene	0.7	100	0.7	MG/KG	0.00025 U	0.00028 U	0.00029 U	0.00035 U
Trans-1,2-Dichloroethene	0.19	100	0.19	MG/KG	0.00027 UT	0.0003 UT	0.00031 UT	0.00036 U
Trans-1,3-Dichloropropene	--	--	--	MG/KG	0.00029 U	0.00032 U	0.00033 U	0.00039 UJ
Trichloroethylene (TCE)	0.47	6.4	0.47	MG/KG	0.00035 U	0.00039 UT	0.0004 UT	0.00048 U
Trichlorofluoromethane	--	--	--	MG/KG	0.00044 U	0.00049 U	0.00051 U	0.0006 U
Vinyl Chloride	0.03	0.48	0.03	MG/KG	0.00059 U	0.00066 U	0.00068 U	0.00081 U
Xylenes	0.26	100	1.2	MG/KG	0.00019 U	0.00021 U	0.00022 U	0.00026 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-1	RSB-1	RSB-1	RSB-1
					Sample Date: 12/01/2025	12/01/2025	12/01/2025	12/02/2025
					Sample Depth (ft bls): 0 - 2	2 - 4	4 - 6	20 - 22
					Normal Sample or Field Duplicate: N	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.012 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.03 U	0.031 U	0.032 U	0.033 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.023 U	0.024 U	0.025 U	0.025 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.035 U	0.037 U	0.037 U	0.038 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.044 U	0.046 U	0.047 U	0.048 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.022 U	0.023 U	0.023 U	0.024 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.041 U	0.043 U	0.044 U	0.045 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 U	0.18 U	0.18 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.037 U	0.039 U	0.039 U	0.04 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.025 U	0.026 U	0.026 U	0.027 U
2-Chloronaphthalene	--	--	--	MG/KG	0.044 U	0.046 U	0.047 U	0.048 U
2-Chlorophenol	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0096 U	0.01 U	0.01 U	0.01 UT
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.014 U	0.014 U
2-Nitroaniline	--	--	--	MG/KG	0.026 U	0.027 U	0.028 U	0.029 U
2-Nitrophenol	--	--	--	MG/KG	0.034 U	0.036 U	0.037 U	0.038 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.052 U	0.054 U	0.055 U	0.057 U
3-Nitroaniline	--	--	--	MG/KG	0.081 U	0.085 U	0.087 U	0.089 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.15 U	0.15 U	0.15 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.014 U	0.015 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.021 U
4-Chloroaniline	--	--	--	MG/KG	0.061 U	0.064 U	0.065 U	0.067 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.021 U	0.022 U	0.023 U	0.023 U
4-Nitroaniline	--	--	--	MG/KG	0.087 U	0.091 U	0.093 U	0.095 U
4-Nitrophenol	--	--	--	MG/KG	0.056 U	0.059 U	0.06 U	0.061 U
Acenaphthene	20	100	98	MG/KG	0.0098 U	0.01 U	0.01 U	0.011 U
Acenaphthylene	100	100	365	MG/KG	0.0098 U	0.024 J	0.01 U	0.011 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
Anthracene	100	100	1000	MG/KG	0.019 J	0.043 J	0.011 U	0.011 U
Atrazine	--	--	--	MG/KG	0.02 U	0.021 U	0.022 U	0.022 UT
Benzaldehyde	--	--	--	MG/KG	0.057 UJ	0.059 UJ	0.06 UJ	0.062 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.13	0.16	0.028 U	0.028 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.16	0.21	0.014 J	0.01 U
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.18	0.24	0.016 J	0.0097 U
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.12 J	0.19 J	0.011 U	0.011 U
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.066	0.1	0.0072 U	0.0074 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 U	0.017 U	0.017 U	0.018 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.063 U	0.066 U	0.068 U	0.069 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.02 U	0.022 U	0.022 U	0.022 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.018 U	0.035 J	0.019 U	0.02 U
Caprolactam	--	--	--	MG/KG	0.053 U	0.056 U	0.057 U	0.058 UT
Carbazole	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Chrysene	**1**	4.9	1	MG/KG	0.14 J	0.19 J	0.015 U	0.016 U
Cresols, M & P	0.33	100	0.33	MG/KG	0.021 U	0.022 U	0.023 U	0.023 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.026 J	0.093	0.016 U	0.016 U
Dibenzofuran	2.1	18	110	MG/KG	0.011 U	0.012 U	0.012 U	0.013 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 U	0.012 U	0.012 U
Dimethyl Phthalate	--	--	--	MG/KG	0.078 U	0.082 U	0.083 U	0.085 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.018 U	0.024 J	0.019 U	0.02 U
Fluoranthene	85	100	1000	MG/KG	0.16 J	0.22 J	0.018 J	0.013 U
Fluorene	30	100	386	MG/KG	0.01 U	0.011 U	0.011 U	0.011 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.016 U	0.017 U	0.017 U	0.018 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0073 U	0.0077 U	0.0078 U	0.008 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.03 U	0.032 U	0.032 U	0.033 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.013 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.11	0.19	0.014 U	0.015 U
Isophorone	--	--	--	MG/KG	0.099 U	0.1 U	0.11 U	0.11 U
Naphthalene	12	100	12	MG/KG	0.0059 U	0.0062 U	0.0063 U	0.0065 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.019 U	0.02 U	0.02 U	0.021 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.025 U	0.026 U	0.027 U	0.027 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.028 U	0.03 U	0.03 U	0.031 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.07 U	0.074 U	0.075 U	0.077 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.066 J	0.13 J	0.015 U	0.015 U
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.014 U
Pyrene	64	100	1000	MG/KG	0.23 J	0.24 J	0.02 J	0.0093 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-2	RSB-2	RSB-2	RSB-2
					Sample Date: 12/01/2025	12/01/2025	12/01/2025	12/01/2025
					Sample Depth (ft bls): 0 - 2	1 - 3	1 - 3	3 - 5
					Normal Sample or Field Duplicate: N	N	FD	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.031 U	0.031 U	0.031 U	0.03 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.023 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.036 U	0.037 U	0.037 U	0.035 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.045 U	0.046 U	0.046 U	0.044 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.023 U	0.023 U	0.023 U	0.022 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.043 U	0.043 U	0.041 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 U	0.18 U	0.17 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.038 U	0.039 U	0.039 U	0.037 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.025 U
2-Chloronaphthalene	--	--	--	MG/KG	0.045 U	0.046 U	0.046 U	0.044 U
2-Chlorophenol	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.012 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0099 U	0.01 U	0.01 U	0.0096 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.027 U	0.027 U	0.026 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.036 U	0.036 U	0.034 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.053 U	0.054 U	0.054 U	0.052 U
3-Nitroaniline	--	--	--	MG/KG	0.084 U	0.085 U	0.085 U	0.082 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.15 U	0.15 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.014 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U
4-Chloroaniline	--	--	--	MG/KG	0.063 U	0.064 U	0.064 U	0.061 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.022 U	0.021 U
4-Nitroaniline	--	--	--	MG/KG	0.09 U	0.091 U	0.091 U	0.087 U
4-Nitrophenol	--	--	--	MG/KG	0.058 U	0.059 U	0.059 U	0.056 U
Acenaphthene	20	100	98	MG/KG	0.01 U	0.01 U	0.015 J	0.0098 U
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.01 U	0.01 U	0.0098 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.017 U
Anthracene	100	100	1000	MG/KG	0.012 J	0.011 U	0.042 J	0.01 U
Atrazine	--	--	--	MG/KG	0.021 U	0.021 U	0.021 U	0.02 U
Benzaldehyde	--	--	--	MG/KG	0.058 UJ	0.059 UJ	0.06 UJ	0.057 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-2	RSB-2	RSB-2	RSB-2
			Sample Date:		12/01/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		0 - 2	1 - 3	1 - 3	3 - 5
			Normal Sample or Field Duplicate:		N	N	FD	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.096	0.042	0.13	0.026 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.098	0.039	0.1	0.0092 U
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.13	0.047	0.14	0.0089 U
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.071 J	0.028 J	0.066 J	0.01 U
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.043	0.019 J	0.055	0.0067 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.017 U	0.017 U	0.017 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.065 U	0.066 U	0.066 U	0.064 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.021 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.018 U
Caprolactam	--	--	--	MG/KG	0.055 U	0.056 U	0.056 U	0.054 U
Carbazole	--	--	--	MG/KG	0.013 U	0.014 U	0.02 J	0.013 U
Chrysene	**1**	4.9	1	MG/KG	0.091 J	0.035 J	0.12 J	0.014 U
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.022 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.016 J	0.016 U	0.016 U	0.015 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.012 U	0.012 U	0.011 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 U	0.012 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.08 U	0.082 U	0.082 U	0.078 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.018 U
Fluoranthene	85	100	1000	MG/KG	0.14 J	0.059 J	0.27 J	0.012 U
Fluorene	30	100	386	MG/KG	0.01 U	0.011 U	0.011 J	0.01 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 U	0.017 U	0.016 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0075 U	0.0076 U	0.0077 U	0.0073 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.031 U	0.032 U	0.03 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.073	0.029 J	0.066	0.013 U
Isophorone	--	--	--	MG/KG	0.1 U	0.1 U	0.1 U	0.099 U
Naphthalene	12	100	12	MG/KG	0.0061 U	0.0062 U	0.0062 U	0.0059 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.025 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-2	RSB-2	RSB-2
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	0 - 2	1 - 3	1 - 3	3 - 5
				Normal Sample or Field Duplicate:	N	N	FD	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.03 U	0.03 U	0.028 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.072 U	0.074 U	0.074 U	0.07 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.057 J	0.022 J	0.21 J	0.014 U
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.14 J	0.065 J	0.24 J	0.0086 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-3	RSB-3	RSB-3
				Sample Date:	12/02/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.03 U	0.031 U	0.031 U	0.03 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.023 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.035 U	0.036 U	0.036 U	0.035 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.045 U	0.046 U	0.046 U	0.044 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.022 U	0.023 U	0.023 U	0.022 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.043 U	0.042 U	0.041 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 U	0.17 U	0.17 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.037 U	0.038 U	0.038 U	0.037 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.025 U	0.026 U	0.026 U	0.025 U
2-Chloronaphthalene	--	--	--	MG/KG	0.045 U	0.046 U	0.046 U	0.044 U
2-Chlorophenol	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.012 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0097 U	0.01 U	0.0099 U	0.0095 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.027 U	0.027 U	0.026 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.036 U	0.036 U	0.034 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.053 U	0.054 U	0.054 U	0.051 U
3-Nitroaniline	--	--	--	MG/KG	0.083 U	0.085 U	0.084 U	0.081 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.15 U	0.14 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.014 U	0.013 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U
4-Chloroaniline	--	--	--	MG/KG	0.062 U	0.063 U	0.063 U	0.06 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.022 U	0.021 U
4-Nitroaniline	--	--	--	MG/KG	0.088 U	0.091 U	0.09 U	0.086 U
4-Nitrophenol	--	--	--	MG/KG	0.057 U	0.058 U	0.058 U	0.055 U
Acenaphthene	20	100	98	MG/KG	0.0099 U	0.019 J	0.043 J	0.016 J
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.01 U	0.01 U	0.0097 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 U	0.017 U	0.017 U
Anthracene	100	100	1000	MG/KG	0.011 U	0.05 J	0.13 J	0.027 J
Atrazine	--	--	--	MG/KG	0.02 U	0.021 U	0.021 U	0.02 U
Benzaldehyde	--	--	--	MG/KG	0.058 UJ	0.059 UJ	0.059 UJ	0.056 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-2	RSB-3	RSB-3	RSB-3
			Sample Date:		12/02/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		20 - 22	0 - 2	2 - 4	4 - 6
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.026 U	0.27	0.32	0.068
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0093 U	0.25	0.23	0.054
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.009 U	0.32	0.31	0.078
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.01 U	0.15 J	0.12 J	0.032 J
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.0068 U	0.12	0.13	0.031 J
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 U	0.017 U	0.017 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.064 U	0.066 U	0.065 U	0.063 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.021 U	0.021 U	0.02 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.018 U
Caprolactam	--	--	--	MG/KG	0.054 U	0.056 U	0.055 U	0.053 U
Carbazole	--	--	--	MG/KG	0.013 U	0.014 U	0.043 J	0.014 J
Chrysene	**1**	4.9	1	MG/KG	0.015 U	0.24 J	0.3 J	0.06 J
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.022 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.015 U	0.039	0.036	0.015 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.012 U	0.026 J	0.011 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 U	0.011 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.079 U	0.081 U	0.081 U	0.077 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.018 U
Fluoranthene	85	100	1000	MG/KG	0.012 U	0.45	0.72	0.12 J
Fluorene	30	100	386	MG/KG	0.01 U	0.014 J	0.04 J	0.015 J
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 U	0.017 U	0.016 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0074 U	0.0076 U	0.0075 U	0.0072 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.031 U	0.031 U	0.03 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.014 U	0.16	0.13	0.039
Isophorone	--	--	--	MG/KG	0.1 U	0.1 U	0.1 U	0.098 U
Naphthalene	12	100	12	MG/KG	0.006 U	0.0062 U	0.0061 U	0.024 J
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.019 U	0.02 U	0.02 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.025 U	0.026 U	0.026 U	0.025 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-3	RSB-3	RSB-3
				Sample Date:	12/02/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.029 U	0.029 U	0.028 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.071 U	0.073 U	0.073 U	0.07 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 U	0.2 J	0.65	0.11 J
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.0087 U	0.46	0.64	0.12 J

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-3	RSB-4	RSB-4	RSB-4
				Sample Date:	12/02/2025	12/03/2025	12/03/2025	12/03/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 UJ	0.01 U	0.01 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.031 U	0.032 UJ	0.029 U	0.029 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.025 UJ	0.022 U	0.023 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.036 U	0.037 UJ	0.034 U	0.034 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.045 U	0.047 UJ	0.042 U	0.043 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.023 U	0.024 UJ	0.021 U	0.021 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.044 UJ	0.039 U	0.04 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 UJ	0.16 U	0.16 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.038 U	0.039 UJ	0.035 U	0.036 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.025 U	0.027 UJ	0.024 U	0.024 U
2-Chloronaphthalene	--	--	--	MG/KG	0.045 U	0.047 UJ	0.042 U	0.043 U
2-Chlorophenol	--	--	--	MG/KG	0.013 U	0.013 UJ	0.012 U	0.012 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0098 U	0.49 J-	1.1	0.0093 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.014 UJ	0.012 U	0.012 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.028 UJ	0.025 U	0.025 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.037 UJ	0.033 U	0.033 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.053 U	0.055 UJ	0.05 U	0.05 U
3-Nitroaniline	--	--	--	MG/KG	0.083 U	0.087 UJ	0.078 U	0.079 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.15 UJ	0.13 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.015 UJ	0.013 U	0.013 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.021 UJ	0.018 U	0.019 U
4-Chloroaniline	--	--	--	MG/KG	0.062 U	0.065 UJ	0.058 U	0.059 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 UJ	0.012 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.023 UJ	0.021 U	0.021 U
4-Nitroaniline	--	--	--	MG/KG	0.089 U	0.093 UJ	0.083 U	0.085 U
4-Nitrophenol	--	--	--	MG/KG	0.057 U	0.06 UJ	0.054 U	0.054 U
Acenaphthene	20	100	98	MG/KG	0.01 U	1.8 J-	2	0.0095 U
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.17 J-	0.25 J	0.0095 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 UJ	0.016 U	0.016 U
Anthracene	100	100	1000	MG/KG	0.011 U	3.8 J-	3.6	0.01 U
Atrazine	--	--	--	MG/KG	0.021 U	0.022 UJ	0.019 U	0.02 U
Benzaldehyde	--	--	--	MG/KG	0.058 UJ	0.061 UJ	0.054 UJ	0.055 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-3	RSB-4	RSB-4	RSB-4
					Sample Date: 12/02/2025	12/03/2025	12/03/2025	12/03/2025
					Sample Depth (ft bls): 20 - 22	0 - 2	2 - 4	4 - 6
					Normal Sample or Field Duplicate: N	N	N	N
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.026 U	**17**	**10**	0.025 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0094 U	**14**	**8.8**	0.015 J
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.0091 U	**19**	**13**	0.017 J
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.01 U	**5.5 J-**	**4.6**	0.01 J
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.0069 U	**4.6 J-**	**3.6**	0.0065 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 U	0.017 UJ	0.015 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.13 J-	0.2 J	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.065 U	0.068 UJ	0.061 U	0.062 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.013 UJ	0.011 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.022 UJ	0.02 U	0.02 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.019 U	0.019 UJ	0.031 J	0.018 U
Caprolactam	--	--	--	MG/KG	0.055 U	0.057 UJ	0.051 U	0.052 U
Carbazole	--	--	--	MG/KG	0.013 U	1.4 J-	1.3	0.013 U
Chrysene	**1**	4.9	1	MG/KG	0.015 U	**16**	**9.5**	0.02 J
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.023 UJ	0.021 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.015 U	**1.7 J-**	**1.4**	0.014 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.95 J-	1.2	0.011 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 UJ	0.011 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.08 U	0.083 UJ	0.075 U	0.076 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.014 UJ	0.012 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.019 U	0.019 UJ	0.017 U	0.018 U
Fluoranthene	85	100	1000	MG/KG	0.012 U	34	20	0.032 J
Fluorene	30	100	386	MG/KG	0.01 U	1.6 J-	1.9	0.0097 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 UJ	0.016 U	0.016 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0075 U	0.0078 UJ	0.007 U	0.0071 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.032 UJ	0.029 U	0.029 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.013 UJ	0.011 U	0.011 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.014 U	**6.3 J-**	**5.3**	0.013 U
Isophorone	--	--	--	MG/KG	0.1 U	0.11 UJ	0.095 U	0.096 U
Naphthalene	12	100	12	MG/KG	0.0061 U	0.9 J-	2.1	0.0058 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.02 U	0.02 UJ	0.018 U	0.018 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.026 U	0.027 UJ	0.024 U	0.024 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-3	RSB-4	RSB-4	RSB-4
				Sample Date:	12/02/2025	12/03/2025	12/03/2025	12/03/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.03 UJ	0.027 U	0.027 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.072 U	0.075 UJ	0.067 U	0.068 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 U	**22**	**15**	0.014 J
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 UJ	0.012 U	0.012 U
Pyrene	64	100	1000	MG/KG	0.0087 U	28	19	0.03 J

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-5	RSB-5	RSB-5
				Sample Date:	12/03/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.031 U	0.031 U	0.032 U	0.031 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.024 U	0.025 U	0.024 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.036 U	0.036 U	0.037 U	0.037 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.046 U	0.046 U	0.047 U	0.046 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.023 U	0.023 U	0.023 U	0.023 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.042 U	0.044 U	0.043 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.17 U	0.18 U	0.18 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.038 U	0.038 U	0.039 U	0.039 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.026 U
2-Chloronaphthalene	--	--	--	MG/KG	0.046 U	0.046 U	0.047 U	0.046 U
2-Chlorophenol	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0099 U	0.0099 U	0.01 U	0.01 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.014 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.027 U	0.028 U	0.027 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.036 U	0.037 U	0.036 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.054 U	0.054 U	0.055 U	0.054 U
3-Nitroaniline	--	--	--	MG/KG	0.084 U	0.084 U	0.087 U	0.086 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.14 U	0.15 U	0.15 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.015 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.02 U	0.021 U	0.02 U
4-Chloroaniline	--	--	--	MG/KG	0.063 U	0.063 U	0.065 U	0.064 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.023 U	0.023 U
4-Nitroaniline	--	--	--	MG/KG	0.09 U	0.09 U	0.093 U	0.091 U
4-Nitrophenol	--	--	--	MG/KG	0.058 U	0.058 U	0.06 U	0.059 U
Acenaphthene	20	100	98	MG/KG	0.01 U	0.012 J	0.01 U	0.01 U
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.01 U	0.01 U	0.01 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.017 U	0.018 U	0.018 U
Anthracene	100	100	1000	MG/KG	0.011 U	0.033 J	0.018 J	0.011 U
Atrazine	--	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.021 U
Benzaldehyde	--	--	--	MG/KG	0.059 UJ	0.059 UJ	0.061 UJ	0.06 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-4	RSB-5	RSB-5	RSB-5
			Sample Date:		12/03/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		20 - 22	0 - 2	2 - 4	4 - 6
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.027 U	0.21	0.088	0.027 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0094 U	0.2	0.093	0.015 J
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.0092 U	0.26	0.12	0.019 J
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.01 U	0.13 J	0.06 J	0.012 J
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.007 U	0.1	0.035 J	0.0071 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.017 U	0.017 U	0.017 U	0.017 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.013 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.065 U	0.066 U	0.068 U	0.067 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.013 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.022 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.019 U	0.15 J	0.019 U	0.019 U
Caprolactam	--	--	--	MG/KG	0.055 U	0.055 U	0.057 U	0.056 U
Carbazole	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Chrysene	**1**	4.9	1	MG/KG	0.015 U	0.22 J	0.092 J	0.015 U
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.023 U	0.022 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.015 U	0.034 J	0.019 J	0.016 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.011 U	0.012 U	0.012 U
Dimethyl Phthalate	--	--	--	MG/KG	0.081 U	0.081 U	0.083 U	0.082 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.013 U	0.014 U	0.014 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U
Fluoranthene	85	100	1000	MG/KG	0.012 U	0.29 J	0.17 J	0.021 J
Fluorene	30	100	386	MG/KG	0.01 U	0.01 U	0.011 U	0.011 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 U	0.017 U	0.017 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0075 U	0.0076 U	0.0078 U	0.0077 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.031 U	0.032 U	0.032 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.014 U	0.13	0.064	0.014 U
Isophorone	--	--	--	MG/KG	0.1 U	0.1 U	0.11 U	0.1 U
Naphthalene	12	100	12	MG/KG	0.0061 U	0.0061 U	0.0063 U	0.0062 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.026 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-5	RSB-5	RSB-5
				Sample Date:	12/03/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.029 U	0.03 U	0.03 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.073 U	0.073 U	0.075 U	0.074 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 U	0.1 J	0.055 J	0.015 U
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.0088 U	0.39	0.18 J	0.018 J

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-5	RSB-6
				Sample Date:	12/02/2025	12/02/2025	12/15/2025	12/12/2025
				Sample Depth (ft bls):	6 - 8	20 - 22	8 - 10	0 - 2
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.012 UJ	0.01 U	0.01 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.034 UJ	0.029 U	0.029 U	0.031 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.026 UJ	0.023 U	0.023 U	0.024 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.04 UJ	0.034 U	0.034 U	0.036 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.05 UJ	0.043 U	0.043 U	0.046 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.025 UJ	0.022 U	0.022 U	0.023 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.047 UJ	0.04 U	0.04 U	0.042 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.19 UJ	0.16 U	0.16 U	0.17 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.042 UJ	0.036 U	0.036 U	0.038 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.028 UJ	0.024 U	0.024 U	0.026 U
2-Chloronaphthalene	--	--	--	MG/KG	0.05 UJ	0.043 U	0.043 U	0.046 U
2-Chlorophenol	--	--	--	MG/KG	0.014 UJ	0.012 U	0.012 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.011 UJ	0.0094 U	0.0094 U	0.011 J
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.015 UJ	0.013 U	0.013 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.03 UJ	0.026 U	0.026 U	0.027 U
2-Nitrophenol	--	--	--	MG/KG	0.039 UJ	0.034 U	0.034 U	0.036 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.059 UJ	0.051 U	0.051 U	0.054 U
3-Nitroaniline	--	--	--	MG/KG	0.093 UJ	0.08 U	0.08 U	0.084 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.16 UJ	0.14 U	0.14 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.015 UJ	0.013 U	0.013 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.022 UJ	0.019 U	0.019 U	0.02 U
4-Chloroaniline	--	--	--	MG/KG	0.069 UJ	0.06 U	0.06 U	0.063 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.014 UJ	0.012 U	0.012 U	0.013 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.024 UJ	0.021 U	0.021 U	0.022 U
4-Nitroaniline	--	--	--	MG/KG	0.099 UJ	0.085 U	0.085 U	0.09 U
4-Nitrophenol	--	--	--	MG/KG	0.064 UJ	0.055 U	0.055 U	0.058 U
Acenaphthene	20	100	98	MG/KG	0.011 UJ	0.0096 U	0.0096 U	0.053 J
Acenaphthylene	100	100	365	MG/KG	0.011 UJ	0.0096 U	0.0096 U	0.035 J
Acetophenone	--	--	--	MG/KG	0.019 UJ	0.016 U	0.016 U	0.017 U
Anthracene	100	100	1000	MG/KG	0.012 UJ	0.01 U	0.01 U	0.13 J
Atrazine	--	--	--	MG/KG	0.023 UJ	0.02 U	0.02 U	0.021 U
Benzaldehyde	--	--	--	MG/KG	0.065 UJ	0.055 UJ	0.055 UJ	0.059 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-5	RSB-6
				Sample Date:	12/02/2025	12/02/2025	12/15/2025	12/12/2025
				Sample Depth (ft bls):	6 - 8	20 - 22	8 - 10	0 - 2
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.029 UJ	0.025 U	0.025 U	0.79
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.01 UJ	0.0095 J	0.0089 U	0.87
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.01 UJ	0.013 J	0.0087 U	**1.1**
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.012 UJ	0.0099 U	0.0099 U	0.47
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.0077 UJ	0.0069 J	0.0066 U	0.42
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.018 UJ	0.016 U	0.016 U	0.025 J
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.014 UJ	0.012 U	0.012 U	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.072 UJ	0.062 U	0.062 U	0.065 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.014 UJ	0.012 U	0.012 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.023 UJ	0.02 U	0.02 U	0.021 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.075 J
Caprolactam	--	--	--	MG/KG	0.061 UJ	0.052 U	0.052 U	0.055 U
Carbazole	--	--	--	MG/KG	0.015 UJ	0.013 U	0.013 U	0.047 J
Chrysene	**1**	4.9	1	MG/KG	0.016 UJ	0.014 U	0.014 U	0.84
Cresols, M & P	0.33	100	0.33	MG/KG	0.024 UJ	0.021 U	0.021 U	0.022 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.017 UJ	0.015 U	0.015 U	0.13
Dibenzofuran	2.1	18	110	MG/KG	0.013 UJ	0.011 U	0.011 U	0.017 J
Diethyl Phthalate	--	--	--	MG/KG	0.013 UJ	0.011 U	0.011 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.089 UJ	0.076 U	0.076 U	0.081 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.015 UJ	0.013 U	0.013 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U
Fluoranthene	85	100	1000	MG/KG	0.014 UJ	0.024 J	0.012 U	1.3
Fluorene	30	100	386	MG/KG	0.011 UJ	0.0098 U	0.0098 U	0.028 J
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.019 UJ	0.016 U	0.016 U	0.017 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0083 UJ	0.0071 U	0.0071 U	0.0075 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.034 UJ	0.029 U	0.029 U	0.031 U
Hexachloroethane	--	--	--	MG/KG	0.013 UJ	0.012 U	0.012 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.015 UJ	0.029 J	0.013 U	**0.53**
Isophorone	--	--	--	MG/KG	0.11 UJ	0.097 U	0.097 U	0.1 U
Naphthalene	12	100	12	MG/KG	0.0067 UJ	0.0058 U	0.0058 U	0.014 J
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.022 UJ	0.019 U	0.019 U	0.02 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.028 UJ	0.024 U	0.024 U	0.026 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-5	RSB-6
				Sample Date:	12/02/2025	12/02/2025	12/15/2025	12/12/2025
				Sample Depth (ft bls):	6 - 8	20 - 22	8 - 10	0 - 2
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.032 UJ	0.028 U	0.028 U	0.029 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.08 UJ	0.069 U	0.069 U	0.073 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.016 UJ	0.02 J	0.014 U	0.55
Phenol	0.33	100	0.33	MG/KG	0.014 UJ	0.012 U	0.012 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.0097 UJ	0.022 J	0.0083 U	1.2

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-6	RSB-6	RSB-6	RSB-6
					Sample Date: 12/12/2025	12/12/2025	12/16/2025	12/16/2025
					Sample Depth (ft bls): 2 - 4	4 - 6	6 - 8	20 - 22
					Normal Sample or Field Duplicate: N	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.012 U	0.011 U	0.012 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.031 U	0.033 U	0.032 U	0.033 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.025 U	0.025 U	0.025 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.036 U	0.038 U	0.037 U	0.038 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.045 U	0.048 U	0.047 U	0.048 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.023 U	0.024 U	0.024 U	0.024 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.045 U	0.044 U	0.045 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 UJ	0.18 U	0.18 U	0.18 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.038 U	0.04 U	0.04 U	0.04 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.025 U	0.027 U	0.027 U	0.027 U
2-Chloronaphthalene	--	--	--	MG/KG	0.045 U	0.048 U	0.047 U	0.048 U
2-Chlorophenol	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0099 U	0.01 U	0.01 U	0.01 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.028 U	0.028 U	0.029 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.037 U	0.037 U	0.038 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.053 U	0.056 U	0.056 U	0.057 U
3-Nitroaniline	--	--	--	MG/KG	0.084 U	0.089 U	0.087 U	0.089 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 UJ	0.15 U	0.15 U	0.15 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.015 U	0.015 U	0.015 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.021 U	0.021 U	0.021 U
4-Chloroaniline	--	--	--	MG/KG	0.063 U	0.066 U	0.065 U	0.066 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.023 U	0.023 U	0.023 U
4-Nitroaniline	--	--	--	MG/KG	0.089 U	0.095 U	0.093 U	0.095 U
4-Nitrophenol	--	--	--	MG/KG	0.057 U	0.061 U	0.06 U	0.061 U
Acenaphthene	20	100	98	MG/KG	0.01 U	0.011 U	0.01 U	0.011 U
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.011 U	0.011 U	0.011 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
Anthracene	100	100	1000	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
Atrazine	--	--	--	MG/KG	0.021 U	0.022 U	0.022 U	0.022 U
Benzaldehyde	--	--	--	MG/KG	0.058 UJ	0.062 UJ	0.061 UJ	0.062 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.027 U	0.028 U	0.028 U	0.028 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0094 U	0.012 J	0.0098 U	0.01 U
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.013 J	0.02 J	0.0095 U	0.0097 U
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.01 U	0.011 U	0.011 U	0.011 U
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.008 J	0.011 J	0.0072 U	0.0073 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.017 U	0.018 U	0.021 J	0.018 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.065 U	0.069 U	0.068 U	0.069 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.022 U	0.022 U	0.022 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.02 U
Caprolactam	--	--	--	MG/KG	0.055 U	0.058 U	0.057 U	0.058 U
Carbazole	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Chrysene	**1**	4.9	1	MG/KG	0.015 U	0.016 U	0.015 U	0.016 U
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.023 U	0.023 U	0.023 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.015 U	0.016 U	0.016 U	0.016 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 U	0.012 U	0.012 U
Dimethyl Phthalate	--	--	--	MG/KG	0.08 U	0.085 U	0.084 U	0.085 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.02 U
Fluoranthene	85	100	1000	MG/KG	0.012 U	0.014 J	0.013 U	0.013 U
Fluorene	30	100	386	MG/KG	0.01 U	0.011 U	0.011 U	0.011 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.018 U	0.017 U	0.018 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0075 U	0.008 U	0.0078 U	0.008 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.033 U	0.032 U	0.033 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.014 U	0.015 U	0.014 U	0.015 U
Isophorone	--	--	--	MG/KG	0.1 U	0.11 U	0.11 U	0.11 U
Naphthalene	12	100	12	MG/KG	0.0061 U	0.0065 U	0.0064 U	0.0065 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.02 U	0.021 U	0.02 U	0.021 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.026 U	0.027 U	0.027 U	0.027 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.031 U	0.03 U	0.031 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.072 U	0.077 U	0.075 U	0.077 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 U	0.015 U	0.015 U	0.015 U
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Pyrene	64	100	1000	MG/KG	0.0088 U	0.015 J	0.0091 U	0.0093 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-7	RSB-7	RSB-7	RSB-7
					Sample Date: 12/08/2025	12/08/2025	12/08/2025	12/16/2025
					Sample Depth (ft bls): 0 - 2	2 - 4	4 - 6	6 - 8
					Normal Sample or Field Duplicate: N	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.031 U	0.031 U	0.032 U	0.031 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.024 U	0.025 U	0.024 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.036 U	0.036 U	0.038 U	0.036 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.046 U	0.046 U	0.047 U	0.045 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.023 U	0.023 U	0.024 U	0.023 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.043 U	0.044 U	0.042 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 U	0.18 U	0.17 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.038 U	0.038 U	0.04 U	0.038 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.025 U
2-Chloronaphthalene	--	--	--	MG/KG	0.046 U	0.046 U	0.047 U	0.045 U
2-Chlorophenol	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0099 U	0.01 U	0.01 U	0.0098 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.014 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.027 U	0.028 U	0.027 U
2-Nitrophenol	--	--	--	MG/KG	0.036 U	0.036 U	0.037 U	0.035 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.054 U	0.054 U	0.056 U	0.053 U
3-Nitroaniline	--	--	--	MG/KG	0.084 U	0.085 U	0.087 U	0.083 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.15 U	0.15 U	0.15 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.015 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.02 U	0.021 U	0.02 U
4-Chloroaniline	--	--	--	MG/KG	0.063 U	0.063 U	0.065 U	0.062 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.023 U	0.022 U
4-Nitroaniline	--	--	--	MG/KG	0.09 U	0.09 U	0.093 U	0.089 U
4-Nitrophenol	--	--	--	MG/KG	0.058 U	0.058 U	0.06 U	0.057 U
Acenaphthene	20	100	98	MG/KG	0.01 U	0.01 U	0.01 U	0.01 U
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.01 U	0.011 U	0.012 J
Acetophenone	--	--	--	MG/KG	0.017 U	0.017 U	0.018 U	0.017 U
Anthracene	100	100	1000	MG/KG	0.016 J	0.017 J	0.011 U	0.03 J
Atrazine	--	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.021 U
Benzaldehyde	--	--	--	MG/KG	0.059 UJ	0.059 UJ	0.061 UJ	0.058 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-7	RSB-7
				Sample Date:	12/08/2025	12/08/2025	12/08/2025	12/16/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	6 - 8
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.14	0.1	0.046	0.18
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.13	0.091	0.043	0.22
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.18	0.13	0.058	0.24
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.081 J	0.066 J	0.03 J	0.15 J
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.07	0.05	0.02 J	0.13
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.017 U	0.017 U	0.017 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.066 U	0.066 U	0.068 U	0.065 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.021 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U
Caprolactam	--	--	--	MG/KG	0.055 U	0.055 U	0.057 U	0.055 U
Carbazole	--	--	--	MG/KG	0.014 U	0.014 U	0.014 U	0.013 U
Chrysene	**1**	4.9	1	MG/KG	0.13 J	0.088 J	0.041 J	0.22 J
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.022 U	0.023 U	0.022 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.021 J	0.018 J	0.016 U	0.028 J
Dibenzofuran	2.1	18	110	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.011 U	0.012 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.081 U	0.081 U	0.084 U	0.08 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.013 U	0.014 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U
Fluoranthene	85	100	1000	MG/KG	0.22 J	0.16 J	0.066 J	0.27 J
Fluorene	30	100	386	MG/KG	0.01 U	0.01 U	0.011 U	0.01 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 U	0.017 U	0.017 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0076 U	0.0076 U	0.0078 U	0.0075 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.031 U	0.032 U	0.031 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.013 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.089	0.064	0.031 J	0.15
Isophorone	--	--	--	MG/KG	0.1 U	0.1 U	0.11 U	0.1 U
Naphthalene	12	100	12	MG/KG	0.0061 U	0.0062 U	0.0064 U	0.0061 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.026 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-7	RSB-7
				Sample Date:	12/08/2025	12/08/2025	12/08/2025	12/16/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	6 - 8
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.029 U	0.03 U	0.029 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.073 U	0.073 U	0.075 U	0.072 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.079 J	0.064 J	0.021 J	0.1 J
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.014 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.0088 U	0.16 J	0.067 J	0.25 J

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-7	RSB-7	RSB-8	RSB-8
					Sample Date: 12/16/2025	12/16/2025	12/11/2025	12/11/2025
					Sample Depth (ft bls): 8 - 10	25 - 27	0 - 2	1 - 3
					Normal Sample or Field Duplicate: N	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.01 UJ	0.011 U	0.011 U	0.01 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.029 UJ	0.032 U	0.031 U	0.029 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.023 UJ	0.025 U	0.024 U	0.023 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.034 UJ	0.037 U	0.036 U	0.034 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.043 UJ	0.047 U	0.045 U	0.043 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.021 UJ	0.023 U	0.023 U	0.021 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.04 UJ	0.044 U	0.042 U	0.04 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.16 UJ	0.18 U	0.17 U	0.16 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.036 UJ	0.039 U	0.038 U	0.036 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.024 UJ	0.026 U	0.025 U	0.024 U
2-Chloronaphthalene	--	--	--	MG/KG	0.043 UJ	0.047 U	0.045 U	0.043 U
2-Chlorophenol	--	--	--	MG/KG	0.012 UJ	0.013 U	0.013 U	0.012 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0094 UJ	0.01 U	0.055 J+	0.0093 UT
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.012 UJ	0.014 U	0.013 U	0.012 U
2-Nitroaniline	--	--	--	MG/KG	0.026 UJ	0.028 U	0.027 U	0.025 U
2-Nitrophenol	--	--	--	MG/KG	0.034 UJ	0.037 U	0.035 U	0.033 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.051 UJ	0.055 U	0.053 U	0.05 U
3-Nitroaniline	--	--	--	MG/KG	0.079 UJ	0.087 U	0.083 U	0.079 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 UJ	0.15 U	0.14 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.013 UJ	0.014 U	0.014 U	0.013 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.019 UJ	0.02 U	0.02 U	0.019 U
4-Chloroaniline	--	--	--	MG/KG	0.059 UJ	0.065 U	0.062 U	0.059 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 UJ	0.013 U	0.012 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.021 UJ	0.023 U	0.022 U	0.021 U
4-Nitroaniline	--	--	--	MG/KG	0.085 UJ	0.093 U	0.089 U	0.085 U
4-Nitrophenol	--	--	--	MG/KG	0.055 UJ	0.059 U	0.057 U	0.054 U
Acenaphthene	20	100	98	MG/KG	0.0095 UJ	0.01 U	0.017 J	0.0095 U
Acenaphthylene	100	100	365	MG/KG	0.0096 UJ	0.01 U	0.05 J	0.0095 U
Acetophenone	--	--	--	MG/KG	0.016 UJ	0.018 U	0.017 U	0.016 U
Anthracene	100	100	1000	MG/KG	0.01 UJ	0.011 U	0.074 J	0.013 J
Atrazine	--	--	--	MG/KG	0.02 UJ	0.021 U	0.021 UT	0.02 UT
Benzaldehyde	--	--	--	MG/KG	0.055 UJ	0.06 UJ	0.058 UJ	0.055 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-8	RSB-8
				Sample Date:	12/16/2025	12/16/2025	12/11/2025	12/11/2025
				Sample Depth (ft bls):	8 - 10	25 - 27	0 - 2	1 - 3
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.025 UJ	0.027 U	0.27	0.048
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0089 UJ	0.0097 U	0.37	0.041
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.0087 UJ	0.0094 U	0.48	0.057
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.0099 UJ	0.011 U	0.23 J	0.029 J
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.0066 UJ	0.0072 U	0.15	0.019 J
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 UJ	0.017 U	0.016 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 UJ	0.013 U	0.014 J	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.062 UJ	0.067 U	0.065 U	0.062 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 UJ	0.013 U	0.012 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.02 UJ	0.022 U	0.021 U	0.02 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.018 UJ	0.019 U	0.08 J	0.053 J
Caprolactam	--	--	--	MG/KG	0.052 UJ	0.057 U	0.055 U	0.052 U
Carbazole	--	--	--	MG/KG	0.013 UJ	0.014 U	0.02 J	0.013 U
Chrysene	**1**	4.9	1	MG/KG	0.014 UJ	0.015 U	0.3 J	0.055 J
Cresols, M & P	0.33	100	0.33	MG/KG	0.021 UJ	0.023 U	0.022 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.014 UJ	0.016 U	0.051	0.014 U
Dibenzofuran	2.1	18	110	MG/KG	0.011 UJ	0.012 U	0.031 J	0.011 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 UJ	0.012 U	0.011 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.076 UJ	0.083 U	0.08 U	0.076 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 UJ	0.014 U	0.013 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.018 UJ	0.019 U	0.019 UT	0.018 UT
Fluoranthene	85	100	1000	MG/KG	0.012 UJ	0.013 U	0.38	0.088 J
Fluorene	30	100	386	MG/KG	0.0098 UJ	0.011 U	0.028 J	0.0098 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.016 UJ	0.017 U	0.017 U	0.016 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0071 UJ	0.0078 U	0.0075 U	0.0071 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.029 UJ	0.032 U	0.031 U	0.029 U
Hexachloroethane	--	--	--	MG/KG	0.011 UJ	0.013 U	0.012 U	0.011 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.013 UJ	0.014 U	0.26	0.044
Isophorone	--	--	--	MG/KG	0.097 UJ	0.11 U	0.1 U	0.096 U
Naphthalene	12	100	12	MG/KG	0.0058 UJ	0.0063 U	0.081 J	0.0058 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.019 UJ	0.02 U	0.019 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.024 UJ	0.027 U	0.026 U	0.024 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-8	RSB-8
				Sample Date:	12/16/2025	12/16/2025	12/11/2025	12/11/2025
				Sample Depth (ft bls):	8 - 10	25 - 27	0 - 2	1 - 3
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.028 UJ	0.03 U	0.029 U	0.027 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.069 UJ	0.075 U	0.072 U	0.068 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 UJ	0.015 U	0.14 J	0.052 J
Phenol	0.33	100	0.33	MG/KG	0.012 UJ	0.013 U	0.013 U	0.012 U
Pyrene	64	100	1000	MG/KG	0.0083 UJ	0.0091 U	0.61	0.11 J

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-8 12/11/2025 1 - 3 FD	RSB-8 12/11/2025 3 - 5 N	RSB-8 12/15/2025 5 - 7 N	RSB-8 12/15/2025 25 - 27 N
Sample Designation:					RSB-8	RSB-8	RSB-8	RSB-8
Sample Date:					12/11/2025	12/11/2025	12/15/2025	12/15/2025
Sample Depth (ft bls):					1 - 3	3 - 5	5 - 7	25 - 27
Normal Sample or Field Duplicate:					FD	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.01 U	0.01 U	0.01 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.029 U	0.029 U	0.029 U	0.03 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.023 U	0.023 U	0.023 U	0.023 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.034 U	0.034 U	0.034 U	0.035 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.043 U	0.043 U	0.043 U	0.044 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.022 U	0.022 U	0.022 U	0.022 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.04 U	0.04 U	0.04 U	0.041 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.16 U	0.16 U	0.17 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.036 U	0.036 U	0.036 U	0.037 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.025 U
2-Chloronaphthalene	--	--	--	MG/KG	0.043 U	0.043 U	0.043 U	0.044 U
2-Chlorophenol	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0094 UT	0.0094 UT	0.0094 U	0.0097 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
2-Nitroaniline	--	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.026 U
2-Nitrophenol	--	--	--	MG/KG	0.034 U	0.034 U	0.034 U	0.035 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.051 U	0.051 U	0.051 U	0.052 U
3-Nitroaniline	--	--	--	MG/KG	0.08 U	0.08 U	0.08 U	0.082 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.14 U	0.14 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U
4-Chloroaniline	--	--	--	MG/KG	0.06 U	0.06 U	0.06 U	0.061 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.022 U
4-Nitroaniline	--	--	--	MG/KG	0.085 U	0.085 U	0.085 U	0.088 U
4-Nitrophenol	--	--	--	MG/KG	0.055 U	0.055 U	0.055 U	0.056 U
Acenaphthene	20	100	98	MG/KG	0.0096 U	0.0096 U	0.0096 U	0.0098 U
Acenaphthylene	100	100	365	MG/KG	0.0096 U	0.0096 U	0.0096 U	0.0099 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.016 U	0.016 U	0.017 U
Anthracene	100	100	1000	MG/KG	0.01 U	0.01 U	0.01 U	0.011 U
Atrazine	--	--	--	MG/KG	0.02 UT	0.02 UT	0.02 U	0.02 U
Benzaldehyde	--	--	--	MG/KG	0.056 UJ	0.055 UJ	0.055 UJ	0.057 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7	25 - 27
				Normal Sample or Field Duplicate:	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.025 U	0.025 U	0.025 U	0.026 U
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.0095 J	0.0089 U	0.0089 U	0.0092 U
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.019 J	0.0089 J	0.0087 U	0.0089 U
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.0099 U	0.0099 U	0.0099 U	0.01 U
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.0066 U	0.0066 U	0.0066 U	0.0068 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.062 U	0.062 U	0.062 U	0.064 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.021 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U
Caprolactam	--	--	--	MG/KG	0.052 U	0.052 U	0.052 U	0.054 U
Carbazole	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Chrysene	**1**	4.9	1	MG/KG	0.014 U	0.014 U	0.014 U	0.014 U
Cresols, M & P	0.33	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.022 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.015 U	0.015 U	0.015 U	0.015 U
Dibenzofuran	2.1	18	110	MG/KG	0.011 U	0.011 U	0.011 U	0.012 U
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
Dimethyl Phthalate	--	--	--	MG/KG	0.076 U	0.076 U	0.076 U	0.078 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.018 UT	0.018 UT	0.018 U	0.018 U
Fluoranthene	85	100	1000	MG/KG	0.021 J	0.012 U	0.012 U	0.012 U
Fluorene	30	100	386	MG/KG	0.0098 U	0.0098 U	0.0098 U	0.01 U
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0072 U	0.0071 U	0.0071 U	0.0073 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.03 U	0.029 U	0.029 U	0.03 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.022 J	0.013 U	0.013 U	0.013 U
Isophorone	--	--	--	MG/KG	0.097 U	0.097 U	0.097 U	0.1 U
Naphthalene	12	100	12	MG/KG	0.0058 U	0.0058 U	0.0058 U	0.006 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.025 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7	25 - 27
				Normal Sample or Field Duplicate:	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.028 U	0.028 U	0.028 U	0.028 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.069 U	0.069 U	0.069 U	0.071 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.014 U	0.014 U	0.014 U	0.014 U
Phenol	0.33	100	0.33	MG/KG	0.012 U	0.012 U	0.012 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.025 J	0.014 J	0.0083 U	0.0086 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: RSB-9	RSB-9	RSB-9	RSB-9
					Sample Date: 12/15/2025	12/17/2025	12/17/2025	12/17/2025
					Sample Depth (ft bls): 0 - 2	16 - 18	20 - 22	22 - 24
					Normal Sample or Field Duplicate: N	N	N	N
1,2,4,5-Tetrachlorobenzene	--	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
1,4-Dioxane (P-Dioxane)	0.1	5.7	0.1	MG/KG	0.03 U	0.032 U	0.032 U	0.032 U
2,3,4,6-Tetrachlorophenol	--	--	--	MG/KG	0.024 U	0.025 U	0.025 U	0.025 U
2,4,5-Trichlorophenol	--	--	--	MG/KG	0.035 U	0.037 U	0.037 U	0.037 U
2,4,6-Trichlorophenol	--	--	--	MG/KG	0.045 U	0.047 U	0.047 U	0.047 U
2,4-Dichlorophenol	--	--	--	MG/KG	0.022 U	0.023 U	0.023 U	0.023 U
2,4-Dimethylphenol	--	--	--	MG/KG	0.042 U	0.044 U	0.044 U	0.043 U
2,4-Dinitrophenol	--	--	--	MG/KG	0.17 U	0.18 U	0.18 U	0.18 U
2,4-Dinitrotoluene	--	--	--	MG/KG	0.037 U	0.039 U	0.039 U	0.039 U
2,6-Dinitrotoluene	--	--	--	MG/KG	0.025 U	0.026 U	0.026 U	0.026 U
2-Chloronaphthalene	--	--	--	MG/KG	0.045 U	0.047 U	0.047 U	0.047 U
2-Chlorophenol	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
2-Methylnaphthalene	--	--	--	MG/KG	0.0097 U	0.01 U	0.01 U	0.01 U
2-Methylphenol (O-Cresol)	0.33	100	0.33	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
2-Nitroaniline	--	--	--	MG/KG	0.027 U	0.028 U	0.028 U	0.028 U
2-Nitrophenol	--	--	--	MG/KG	0.035 U	0.037 U	0.037 U	0.036 U
3,3'-Dichlorobenzidine	--	--	--	MG/KG	0.053 U	0.055 U	0.055 U	0.055 U
3-Nitroaniline	--	--	--	MG/KG	0.083 U	0.087 U	0.087 U	0.086 U
4,6-Dinitro-2-Methylphenol	--	--	--	MG/KG	0.14 U	0.15 U	0.15 U	0.15 U
4-Bromophenyl Phenyl Ether	--	--	--	MG/KG	0.014 U	0.014 U	0.015 U	0.014 U
4-Chloro-3-Methylphenol	--	--	--	MG/KG	0.02 U	0.02 U	0.021 U	0.02 U
4-Chloroaniline	--	--	--	MG/KG	0.062 U	0.065 U	0.065 U	0.065 U
4-Chlorophenyl Phenyl Ether	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
4-Methylphenol (P-Cresol)	0.33	100	0.33	MG/KG	0.022 U	0.023 U	0.023 U	0.023 U
4-Nitroaniline	--	--	--	MG/KG	0.088 U	0.093 U	0.093 U	0.092 U
4-Nitrophenol	--	--	--	MG/KG	0.057 U	0.06 U	0.06 U	0.059 U
Acenaphthene	20	100	98	MG/KG	0.032 J	0.01 U	0.01 U	0.013 J
Acenaphthylene	100	100	365	MG/KG	0.01 U	0.011 J	0.01 U	0.01 U
Acetophenone	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
Anthracene	100	100	1000	MG/KG	0.077 J	0.016 J	0.033 J	0.052 J
Atrazine	--	--	--	MG/KG	0.02 U	0.022 U	0.022 U	0.021 U
Benzaldehyde	--	--	--	MG/KG	0.058 UJ	0.06 UJ	0.061 UJ	0.06 UJ

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9	RSB-9	RSB-9
				Sample Date:	12/15/2025	12/17/2025	12/17/2025	12/17/2025
				Sample Depth (ft bls):	0 - 2	16 - 18	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Benzo(A)Anthracene	**1**	1.4	1	MG/KG	0.54	0.1	0.12	0.1
Benzo(A)Pyrene	**1**	1	22	MG/KG	0.54	0.11	0.11	0.078
Benzo(B)Fluoranthene	**1**	1.4	2.1	MG/KG	0.63	0.19	0.14	0.11
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	MG/KG	0.33 J	0.059 J	0.08 J	0.011 U
Benzo(K)Fluoranthene	**0.8**	4.9	2	MG/KG	0.33	0.0072 U	0.05	0.0071 U
Benzyl Butyl Phthalate	--	--	--	MG/KG	0.016 U	0.017 U	0.017 U	0.017 U
Biphenyl (Diphenyl)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroethoxy) Methane	--	--	--	MG/KG	0.064 U	0.067 U	0.068 U	0.067 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Bis(2-Chloroisopropyl) Ether	--	--	--	MG/KG	0.021 U	0.022 U	0.022 U	0.022 U
Bis(2-Ethylhexyl) Phthalate	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.019 U
Caprolactam	--	--	--	MG/KG	0.054 U	0.057 U	0.057 U	0.057 U
Carbazole	--	--	--	MG/KG	0.029 J	0.014 U	0.014 U	0.014 U
Chrysene	**1**	4.9	1	MG/KG	0.51	0.12 J	0.12 J	0.1 J
Cresols, M & P	0.33	100	0.33	MG/KG	0.022 U	0.023 U	0.023 U	0.023 U
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	MG/KG	0.093	0.016 U	0.022 J	0.016 U
Dibenzofuran	2.1	18	110	MG/KG	0.012 J	0.012 U	0.012 U	0.013 J
Diethyl Phthalate	--	--	--	MG/KG	0.011 U	0.012 U	0.012 U	0.012 U
Dimethyl Phthalate	--	--	--	MG/KG	0.079 U	0.083 U	0.083 U	0.083 U
Di-N-Butyl Phthalate	--	--	--	MG/KG	0.013 U	0.014 U	0.014 U	0.014 U
Di-N-Octylphthalate	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.019 U
Fluoranthene	85	100	1000	MG/KG	0.97	0.17 J	0.23 J	0.26 J
Fluorene	30	100	386	MG/KG	0.021 J	0.011 U	0.011 U	0.012 J
Hexachlorobenzene	0.33	0.33	3.2	MG/KG	0.017 U	0.017 U	0.017 U	0.017 U
Hexachlorobutadiene	--	--	--	MG/KG	0.0074 U	0.0078 U	0.0078 U	0.0078 U
Hexachlorocyclopentadiene	--	--	--	MG/KG	0.031 U	0.032 U	0.032 U	0.032 U
Hexachloroethane	--	--	--	MG/KG	0.012 U	0.013 U	0.013 U	0.013 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	MG/KG	0.35	0.056	0.084	0.041
Isophorone	--	--	--	MG/KG	0.1 U	0.11 U	0.11 U	0.11 U
Naphthalene	12	100	12	MG/KG	0.0061 J	0.0063 U	0.0063 U	0.0063 U
Nitrobenzene	0.08	1.8	0.08	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
N-Nitrosodi-N-Propylamine	--	--	--	MG/KG	0.025 U	0.027 U	0.027 U	0.026 U

Table 3. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9	RSB-9	RSB-9
				Sample Date:	12/15/2025	12/17/2025	12/17/2025	12/17/2025
				Sample Depth (ft bls):	0 - 2	16 - 18	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	--	MG/KG	0.029 U	0.03 U	0.03 U	0.03 U
Pentachlorophenol	0.8	1.3	0.8	MG/KG	0.071 U	0.075 U	0.075 U	0.075 U
Phenanthrene	**1.1**	4.9	1000	MG/KG	0.37	0.051 J	0.16 J	0.25 J
Phenol	0.33	100	0.33	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Pyrene	64	100	1000	MG/KG	0.87	0.16 J	0.18 J	0.18 J

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-1	RSB-1	RSB-1	RSB-1	RSB-2
			Sample Date:		12/01/2025	12/01/2025	12/01/2025	12/02/2025	12/01/2025
			Sample Depth (ft bls):		0 - 2	2 - 4	4 - 6	20 - 22	0 - 2
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
Aluminum	--	--	--	MG/KG	5030	5270	12400	2730	5850
Antimony	--	--	--	MG/KG	0.59 J	1.2	0.21 J	0.12 U	0.41 J
Arsenic	13	16	16	MG/KG	2.8	5	3.9	0.63 J	2.5
Barium	410	410	820	MG/KG	55	91.2	29.7	18.6	76.1
Beryllium	4.4	43	47	MG/KG	0.22 J	0.25 J	0.33 J	0.13 J	0.26 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.24 J	0.32 J	0.1 U	0.097 U	0.26 J
Calcium	--	--	--	MG/KG	21100	21000	978	25200	27900
Chromium III	**30**	110	--	MG/KG	11.8	13.6	23.1	7.4	15.7
Chromium, Hexavalent	1	1	19	MG/KG	0.38 U	0.4 U	0.41 U	0.42 U	0.38 U
Chromium, Total	**30**	110	--	MG/KG	11.8	13.6	23.1	7.4	15.7
Cobalt	--	--	--	MG/KG	3.8	4.3	7.2	3.1	4.6
Copper	**50**	280	1720	MG/KG	21.2	37.3	11.3	6.8	21.1
Cyanide	2.3	13	40	MG/KG	0.14 U	0.14 U	0.13 U	0.15 U	0.14 U
Iron	--	--	--	MG/KG	10400	11600	17200	7450	10700
Lead	**63**	400	450	MG/KG	**77.7**	**185**	11.4	2.2	**105**
Magnesium	--	--	--	MG/KG	5920	3580	2070	13400	2890
Manganese	1600	2000	2000	MG/KG	163	160	198	142	221
Mercury	**0.18**	0.3	0.73	MG/KG	0.14	**0.79**	0.04	0.0083 U	0.1
Nickel	**30**	320	130	MG/KG	9.2	10.6	12.3	7	15.1
Potassium	--	--	--	MG/KG	952	1190	795	547	1020
Selenium	3.9	110	4	MG/KG	0.21 J	0.47 J	0.35 J	0.11 U	0.22 J
Silver	2	110	8.3	MG/KG	0.072 U	0.11 J	0.079 U	0.076 U	0.072 U
Sodium	--	--	--	MG/KG	238	310	207	126	336
Thallium	--	--	--	MG/KG	0.076 J	0.16 J	0.099 J	0.047 J	0.078 J
Vanadium	--	--	--	MG/KG	22.1	20.9	31.3	14	18.1
Zinc	**109**	6600	2480	MG/KG	89.4	**117**	30.4	16.4	99.3

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-2	RSB-2	RSB-2	RSB-2	RSB-3
Sample Designation:					RSB-2	RSB-2	RSB-2	RSB-2	RSB-3
Sample Date:					12/01/2025	12/01/2025	12/01/2025	12/02/2025	12/01/2025
Sample Depth (ft bls):					1 - 3	1 - 3	3 - 5	20 - 22	0 - 2
Normal Sample or Field Duplicate:					N	FD	N	N	N
Aluminum	--	--	--	MG/KG	8360	8610	7680	4020	6660
Antimony	--	--	--	MG/KG	0.21 J	0.2 J	0.12 U	0.12 U	0.54 J
Arsenic	13	16	16	MG/KG	3.2	3.1	1.7	0.66 J	4.1
Barium	410	410	820	MG/KG	40.4	41.9	37.6	22.3	92.3
Beryllium	4.4	43	47	MG/KG	0.33	0.36	0.32	0.17 J	0.29 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.17 J	0.14 J	0.091 U	0.091 U	0.41
Calcium	--	--	--	MG/KG	7990	8310	2220	23400	15400
Chromium III	**30**	110	--	MG/KG	15.9	17.7	19.3	9.7	16.1
Chromium, Hexavalent	1	1	19	MG/KG	0.4 U	0.41 U	0.38 U	0.39 U	0.4 U
Chromium, Total	**30**	110	--	MG/KG	15.9	17.7	19.3	9.7	16.1
Cobalt	--	--	--	MG/KG	5.6	5.9	7.2	3.8	5
Copper	**50**	280	1720	MG/KG	15.1	21.1	28.4	8.7	28
Cyanide	2.3	13	40	MG/KG	0.13 U	0.12 U	0.12 U	0.12 U	0.14 U
Iron	--	--	--	MG/KG	14900	14700	16100	8940	13500
Lead	**63**	400	450	MG/KG	31.1	37.5	7.5	2.4	**97.9**
Magnesium	--	--	--	MG/KG	2710	2570	4010	14400	3620
Manganese	1600	2000	2000	MG/KG	236	242	324	150	266
Mercury	**0.18**	0.3	0.73	MG/KG	0.034	0.031	0.0095 J	0.0078 U	0.12
Nickel	**30**	320	130	MG/KG	10.9	12.1	14.5	8	12.5
Potassium	--	--	--	MG/KG	833	874	1690	762	1020 J
Selenium	3.9	110	4	MG/KG	0.19 J	0.28 J	0.11 J	0.1 U	0.19 J
Silver	2	110	8.3	MG/KG	0.074 U	0.075 U	0.072 U	0.072 U	0.082 J
Sodium	--	--	--	MG/KG	219	234	215	153	372
Thallium	--	--	--	MG/KG	0.084 J	0.083 J	0.1 J	0.068 J	0.11 J
Vanadium	--	--	--	MG/KG	23.7	22.8	38.6	14.5	30.4 J
Zinc	**109**	6600	2480	MG/KG	51.3 J	105 J	32.9	20.9	**136**

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-3	RSB-3	RSB-3	RSB-4	RSB-4
Sample Designation:					RSB-3	RSB-3	RSB-3	RSB-4	RSB-4
Sample Date:					12/01/2025	12/01/2025	12/02/2025	12/03/2025	12/03/2025
Sample Depth (ft bls):					2 - 4	4 - 6	20 - 22	0 - 2	2 - 4
Normal Sample or Field Duplicate:					N	N	N	N	N
Aluminum	--	--	--	MG/KG	5750	6300	3330	5920	6020
Antimony	--	--	--	MG/KG	0.63 J	0.33 J	0.12 U	1.7 J	1.4
Arsenic	13	16	16	MG/KG	2.8	2.6	0.98	4.7	3.3
Barium	410	410	820	MG/KG	88.8	40.3	25.9	249 J	283
Beryllium	4.4	43	47	MG/KG	0.26 J	0.27 J	0.23 J	0.25 J	0.31 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.48	0.12 J	0.094 U	1.5	1.4
Calcium	--	--	--	MG/KG	17700	4900	15800	35400	33200
Chromium III	**30**	110	--	MG/KG	13.2	15.3	8.3	15.6	12.9
Chromium, Hexavalent	1	1	19	MG/KG	0.4 U	0.37 U	0.39 U	0.41 U	0.72 J
Chromium, Total	**30**	110	--	MG/KG	13.2	15.3	8.3	15.6	13.6
Cobalt	--	--	--	MG/KG	4	4.8	4.1	4.5 J	3.8
Copper	**50**	280	1720	MG/KG	23.8	19.7	12.3	30 J	28.7
Cyanide	2.3	13	40	MG/KG	0.13 U	0.13 U	0.13 U	0.35	0.37
Iron	--	--	--	MG/KG	9830	12300	8790	14800	10400
Lead	**63**	400	450	MG/KG	**82.7**	34.3	10.1	**290**	**242**
Magnesium	--	--	--	MG/KG	3150	3640	10500	4160	4060
Manganese	1600	2000	2000	MG/KG	207	250	203	191 J	192
Mercury	**0.18**	0.3	0.73	MG/KG	0.078	0.046	0.0083 U	0.15	**0.19**
Nickel	**30**	320	130	MG/KG	9.3	10.6	7.8	10.7	9
Potassium	--	--	--	MG/KG	810	848	638	1200	1030
Selenium	3.9	110	4	MG/KG	0.13 J	0.19 J	0.11 U	0.14 U	0.12 U
Silver	2	110	8.3	MG/KG	0.076 U	0.069 U	0.074 U	0.099 U	0.081 U
Sodium	--	--	--	MG/KG	304	155	133	692	720
Thallium	--	--	--	MG/KG	0.079 J	0.096 J	0.1 J	0.079 J	0.076 J
Vanadium	--	--	--	MG/KG	16.8	19	13.3	17.9	17.5
Zinc	**109**	6600	2480	MG/KG	**159**	52.7	34.5	**601**	**485**

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-4	RSB-4	RSB-5	RSB-5	RSB-5
Sample Designation:					RSB-4	RSB-4	RSB-5	RSB-5	RSB-5
Sample Date:					12/03/2025	12/03/2025	12/01/2025	12/01/2025	12/01/2025
Sample Depth (ft bls):					4 - 6	20 - 22	0 - 2	2 - 4	4 - 6
Normal Sample or Field Duplicate:					N	N	N	N	N
Aluminum	--	--	--	MG/KG	6100	6610	6940	9700	9480
Antimony	--	--	--	MG/KG	0.13 U	0.14 U	0.43 J	0.72 J	0.41 J
Arsenic	13	16	16	MG/KG	2	0.66 J	2.6	4.4	3.5
Barium	410	410	820	MG/KG	29.5	46.1	73.4	53.2	39.4
Beryllium	4.4	43	47	MG/KG	0.25 J	0.27 J	0.29 J	0.4	0.38
Cadmium	**2.5**	2.5	7.5	MG/KG	0.1 U	0.1 U	0.27 J	0.16 J	0.1 J
Calcium	--	--	--	MG/KG	3020	20200	20100	4310	1210
Chromium III	**30**	110	--	MG/KG	12.1	17.6	15.1	17.3	16.6
Chromium, Hexavalent	1	1	19	MG/KG	0.37 U	0.4 U	0.39 U	0.41 U	0.4 U
Chromium, Total	**30**	110	--	MG/KG	12.1	17.6	15.1	17.3	16.6
Cobalt	--	--	--	MG/KG	4.7	6.1	4.9	5.9	5.3
Copper	**50**	280	1720	MG/KG	23.1	15.2	24.3	31.9	**63.2**
Cyanide	2.3	13	40	MG/KG	0.11 U	0.14 U	0.13 U	0.13 U	0.14 U
Iron	--	--	--	MG/KG	10100	12500	11900	15900	15700
Lead	**63**	400	450	MG/KG	17.9	3.2	**71.8**	**76**	38
Magnesium	--	--	--	MG/KG	3010	12200	3620	2370	2240
Manganese	1600	2000	2000	MG/KG	236	198	212	281	313
Mercury	**0.18**	0.3	0.73	MG/KG	0.024	0.013 J	0.11	0.086	0.046
Nickel	**30**	320	130	MG/KG	10.1	13	11.9	12.9	11.4
Potassium	--	--	--	MG/KG	1100	1980	1220	827	632
Selenium	3.9	110	4	MG/KG	0.12 U	0.12 U	0.1 U	0.11 U	0.11 U
Silver	2	110	8.3	MG/KG	0.082 U	0.083 U	0.073 U	0.089 J	0.075 U
Sodium	--	--	--	MG/KG	267	381	441	282	230
Thallium	--	--	--	MG/KG	0.091 J	0.14 J	0.086 J	0.1 J	0.1 J
Vanadium	--	--	--	MG/KG	15.5	22.2	20.5	23.3	21.6
Zinc	**109**	6600	2480	MG/KG	32.1	38.4	88.4	97.8	48.1

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-5	RSB-5	RSB-5	RSB-6	RSB-6
			Sample Date:		12/02/2025	12/02/2025	12/15/2025	12/12/2025	12/12/2025
			Sample Depth (ft bls):		6 - 8	20 - 22	8 - 10	0 - 2	2 - 4
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
Aluminum	--	--	--	MG/KG	7140 J-	2520	3570	7190	7830
Antimony	--	--	--	MG/KG	0.16 UJ	0.12 U	0.14 U	0.2 J	0.16 UJ
Arsenic	13	16	16	MG/KG	2.7 J-	0.44 J	0.75 J	3.3	2.6
Barium	410	410	820	MG/KG	36.5 J-	15.1	17.1	81.5	25.8
Beryllium	4.4	43	47	MG/KG	0.29 J-	0.12 J	0.17 J	0.36 J	0.29 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.12 UJ	0.09 U	0.11 U	0.64	0.12 U
Calcium	--	--	--	MG/KG	821 J-	18500	851	19100	868
Chromium III	**30**	110	--	MG/KG	12.6 J-	10.3	8.9	15.5	16.5
Chromium, Hexavalent	1	1	19	MG/KG	0.42 UJ	0.37 U	0.38 U	0.4 U	0.39 U
Chromium, Total	**30**	110	--	MG/KG	12.6 J-	10.3	8.9	15.5	16.5 J
Cobalt	--	--	--	MG/KG	4.2 J-	2.2	3.2	5.7	4.6
Copper	**50**	280	1720	MG/KG	**131 J-**	6.6	10	45	10.9
Cyanide	2.3	13	40	MG/KG	0.13 UJ	0.11 U	0.11 U	0.14 U	0.12 U
Iron	--	--	--	MG/KG	10700 J-	5330	7220	11900	12200
Lead	**63**	400	450	MG/KG	**83.9 J-**	2.6	2.5	**126**	7.7 J
Magnesium	--	--	--	MG/KG	1910 J-	10100	1870	3170	2180
Manganese	1600	2000	2000	MG/KG	238 J-	132	226	210	214
Mercury	**0.18**	0.3	0.73	MG/KG	0.061 J-	0.0078 U	0.0077 U	0.12	0.013 J
Nickel	**30**	320	130	MG/KG	9.1 J-	5.5	8.6	14.9	11
Potassium	--	--	--	MG/KG	560 J-	407	662	1140	647
Selenium	3.9	110	4	MG/KG	0.17 J-	0.1 U	0.12 U	0.14 J	0.16 J
Silver	2	110	8.3	MG/KG	0.096 UJ	0.071 U	0.085 U	0.086 U	0.095 U
Sodium	--	--	--	MG/KG	156 J-	134	187	606	231
Thallium	--	--	--	MG/KG	0.068 J-	0.039 J	0.046 J	0.096 J	0.07 J
Vanadium	--	--	--	MG/KG	16.4 J-	8.4	11.2	21.3	19.2
Zinc	**109**	6600	2480	MG/KG	56.4 J-	13.5	17.8	**243**	24.4

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-6	RSB-6	RSB-6	RSB-7	RSB-7
Sample Designation:					RSB-6	RSB-6	RSB-6	RSB-7	RSB-7
Sample Date:					12/12/2025	12/16/2025	12/16/2025	12/08/2025	12/08/2025
Sample Depth (ft bls):					4 - 6	6 - 8	20 - 22	0 - 2	2 - 4
Normal Sample or Field Duplicate:					N	N	N	N	N
Aluminum	--	--	--	MG/KG	10400	9170	2870	6680	6200
Antimony	--	--	--	MG/KG	0.15 U	0.16 U	0.15 U	0.51 J	1.6
Arsenic	13	16	16	MG/KG	3.2	2.8	0.58 J	3.9	5.3
Barium	410	410	820	MG/KG	33.1	30.2	17.8	52.5	77.1
Beryllium	4.4	43	47	MG/KG	0.4 J	0.33 J	0.13 J	0.29 J	0.27 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.12 U	0.12 U	0.12 U	0.25 J	0.36 J
Calcium	--	--	--	MG/KG	2000	3220	27700	12000	12500
Chromium III	**30**	110	--	MG/KG	17.2	15.5	7.9	14	13.7
Chromium, Hexavalent	1	1	19	MG/KG	0.42 U	0.41 U	0.42 U	0.4 U	0.4 U
Chromium, Total	**30**	110	--	MG/KG	17.2	15.5	7.9	14	13.7
Cobalt	--	--	--	MG/KG	6.7	5.4	3.1	5.2	6.3
Copper	**50**	280	1720	MG/KG	11.8	11.8	7.9	32.8	**60.9**
Cyanide	2.3	13	40	MG/KG	0.12 U	0.14 U	0.15 U	0.14 U	0.14 U
Iron	--	--	--	MG/KG	15000	13600	7510	13700	12300
Lead	**63**	400	450	MG/KG	7.7	6	1.9	57.6	**1290**
Magnesium	--	--	--	MG/KG	2230	2320	14500	3690	4370
Manganese	1600	2000	2000	MG/KG	302	263	128	227	434
Mercury	**0.18**	0.3	0.73	MG/KG	0.018	0.016 J	0.0081 U	0.073	0.08
Nickel	**30**	320	130	MG/KG	12.5	11.8	6.7	14.6	14.1
Potassium	--	--	--	MG/KG	783	833	625	813	856
Selenium	3.9	110	4	MG/KG	0.25 J	0.17 J	0.14 U	0.27 J	0.38 J
Silver	2	110	8.3	MG/KG	0.094 U	0.095 U	0.094 U	0.075 U	0.41
Sodium	--	--	--	MG/KG	300	333	167	377	335
Thallium	--	--	--	MG/KG	0.093 J	0.083 J	0.044 J	0.095 J	0.19 J
Vanadium	--	--	--	MG/KG	21.6	20.2	12.7	21.2	23.4
Zinc	**109**	6600	2480	MG/KG	30.8	23.1	16.2	87.6	**117**

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-7	RSB-7	RSB-7	RSB-7	RSB-8
Sample Designation:					RSB-7	RSB-7	RSB-7	RSB-7	RSB-8
Sample Date:					12/08/2025	12/16/2025	12/16/2025	12/16/2025	12/11/2025
Sample Depth (ft bls):					4 - 6	6 - 8	8 - 10	25 - 27	0 - 2
Normal Sample or Field Duplicate:					N	N	N	N	N
Aluminum	--	--	--	MG/KG	11100	7870	3250 J-	3220	6160
Antimony	--	--	--	MG/KG	0.65 J	0.2 J	0.15 UJ	0.15 U	0.21 J
Arsenic	13	16	16	MG/KG	4.5	4	0.69 J-	0.41 J	3.8
Barium	410	410	820	MG/KG	50.9	56.7	26.8 J	21.8	56.7
Beryllium	4.4	43	47	MG/KG	0.42	0.37 J	0.14 J-	0.12 J	0.31 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.095 U	0.35 J	0.11 UJ	0.11 U	0.51 J
Calcium	--	--	--	MG/KG	1940	1890	848 J-	21300	24700 J
Chromium III	**30**	110	--	MG/KG	18.6	13.8	8.3 J-	7.6	15
Chromium, Hexavalent	1	1	19	MG/KG	0.41 U	0.39 U	0.38 UJ	0.4 U	0.39 U
Chromium, Total	**30**	110	--	MG/KG	18.6	13.8	8.3 J-	7.6	15 J
Cobalt	--	--	--	MG/KG	6.4	6.4	3.4 J-	3.1	5.4 J
Copper	**50**	280	1720	MG/KG	32.1 J	32.1	9.8 J-	8.5	33.5 J
Cyanide	2.3	13	40	MG/KG	0.13 U	0.17 J	0.13 UJ	0.15 U	0.13 U
Iron	--	--	--	MG/KG	17300	13300	7440 J-	6850	11600
Lead	**63**	400	450	MG/KG	**116**	57.3	2.3 J-	1.6	**70.4 J**
Magnesium	--	--	--	MG/KG	2620	2410	1480 J-	11300	8870 J
Manganese	1600	2000	2000	MG/KG	307	574	209 J-	135	181
Mercury	**0.18**	0.3	0.73	MG/KG	0.15	0.066	0.0076 J-	0.0089 U	0.16 J-
Nickel	**30**	320	130	MG/KG	13.4	10.8	7.2 J-	6.4	13.4 J
Potassium	--	--	--	MG/KG	808	863	538 J-	834	1310
Selenium	3.9	110	4	MG/KG	0.36 J	0.27 J	0.13 UJ	0.13 U	0.27 J
Silver	2	110	8.3	MG/KG	0.1 J	0.095 U	0.09 UJ	0.09 U	0.095 U
Sodium	--	--	--	MG/KG	385	262	142 J-	184	322
Thallium	--	--	--	MG/KG	0.11 J	0.13 J	0.061 J-	0.066 J	0.1 J
Vanadium	--	--	--	MG/KG	26.7	20.3	10.3 J-	11.5	25.1
Zinc	**109**	6600	2480	MG/KG	66.6	**177**	16.1 J-	15.7	105 J

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-8	RSB-8	RSB-8	RSB-8	RSB-8
Sample Designation:					RSB-8	RSB-8	RSB-8	RSB-8	RSB-8
Sample Date:					12/11/2025	12/11/2025	12/11/2025	12/15/2025	12/15/2025
Sample Depth (ft bls):					1 - 3	1 - 3	3 - 5	5 - 7	25 - 27
Normal Sample or Field Duplicate:					N	FD	N	N	N
Aluminum	--	--	--	MG/KG	6380	7900	7230	3980	4100
Antimony	--	--	--	MG/KG	0.15 J	0.13 U	0.14 U	0.14 U	0.14 U
Arsenic	13	16	16	MG/KG	2.6	1.8	1.8	0.75 J	0.68 J
Barium	410	410	820	MG/KG	26 J	48.4	37.4	28.9	27.5
Beryllium	4.4	43	47	MG/KG	0.25 J	0.3 J	0.28 J	0.18 J	0.19 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.1 U	0.12 J	0.11 U	0.11 U	0.11 U
Calcium	--	--	--	MG/KG	9280 J	3090	3310	795	2490
Chromium III	**30**	110	--	MG/KG	12	17.1	14.9	10	12.4
Chromium, Hexavalent	1	1	19	MG/KG	0.37 U	0.37 U	0.38 U	0.37 U	0.66 J
Chromium, Total	**30**	110	--	MG/KG	12	17.1	14.9	10	13
Cobalt	--	--	--	MG/KG	3.9 J	7.4	6.3	3.8	4.4
Copper	**50**	280	1720	MG/KG	22.6	28.8	23.5	12.2	10.2
Cyanide	2.3	13	40	MG/KG	0.12 U	0.12 U	0.13 U	0.13 U	0.12 U
Iron	--	--	--	MG/KG	10000 J	14500	13000	8440	8990
Lead	**63**	400	450	MG/KG	18.7 J	10.4	8.9	2.6	2.5
Magnesium	--	--	--	MG/KG	2940	3550	3270	2070	3150
Manganese	1600	2000	2000	MG/KG	183 J	338	344	227	226
Mercury	**0.18**	0.3	0.73	MG/KG	0.032	0.022	0.02	0.0078 U	0.0084 U
Nickel	**30**	320	130	MG/KG	8.4 J	13	12.2	8.2	9.1
Potassium	--	--	--	MG/KG	688 J	1630	1410	1040	818
Selenium	3.9	110	4	MG/KG	0.2 J	0.19 J	0.16 J	0.12 U	0.12 U
Silver	2	110	8.3	MG/KG	0.08 U	0.081 U	0.084 U	0.083 U	0.087 U
Sodium	--	--	--	MG/KG	220	302	277	167	203
Thallium	--	--	--	MG/KG	0.08 J	0.12 J	0.13 J	0.072 J	0.064 J
Vanadium	--	--	--	MG/KG	19.9	27.9	25.6	15.2	15.8
Zinc	**109**	6600	2480	MG/KG	22.3	32.3	29.7	23.5	22.4

Table 4. Summary of Metals in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-9	RSB-9	RSB-9	RSB-9
			Sample Date:		12/15/2025	12/17/2025	12/17/2025	12/17/2025
			Sample Depth (ft bls):		0 - 2	16 - 18	20 - 22	22 - 24
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Aluminum	--	--	--	MG/KG	6220	7740	8490	7960
Antimony	--	--	--	MG/KG	0.33 J	0.52 J	0.61 J	0.47 J
Arsenic	13	16	16	MG/KG	3.4	4	3.5	2.6
Barium	410	410	820	MG/KG	90.1	42.4	52.8	41.5
Beryllium	4.4	43	47	MG/KG	0.56	0.34	0.33 J	0.32 J
Cadmium	**2.5**	2.5	7.5	MG/KG	0.53	0.097 J	**2.9**	0.14 J
Calcium	--	--	--	MG/KG	30300	17400	21300	10300
Chromium III	**30**	110	--	MG/KG	**549**	14.4	15.3	15.5
Chromium, Hexavalent	1	1	19	MG/KG	0.39 U	0.4 U	0.4 U	0.4 U
Chromium, Total	**30**	110	--	MG/KG	**549**	14.4	15.3	15.5
Cobalt	--	--	--	MG/KG	12.7	5.4	5.3	5.6
Copper	**50**	280	1720	MG/KG	**9320**	16.9	21.9	19.1 J
Cyanide	2.3	13	40	MG/KG	0.26	0.14 U	0.14 U	0.15 U
Iron	--	--	--	MG/KG	14600	18000	15600	14400
Lead	**63**	400	450	MG/KG	**159**	32.2	53.1	46.6
Magnesium	--	--	--	MG/KG	4450	5370	6410	6340
Manganese	1600	2000	2000	MG/KG	255	247	237	259
Mercury	**0.18**	0.3	0.73	MG/KG	0.14 J-	0.022	0.039	0.043
Nickel	**30**	320	130	MG/KG	**302**	11.4	11.3	12.2 J
Potassium	--	--	--	MG/KG	1210	1190	1160	1360
Selenium	3.9	110	4	MG/KG	0.18 J	0.18 J	0.19 J	0.12 J
Silver	2	110	8.3	MG/KG	0.21 J	0.073 U	0.076 U	0.074 U
Sodium	--	--	--	MG/KG	718	365	415	265
Thallium	--	--	--	MG/KG	0.095 J	0.13 J	0.11 J	0.11 J
Vanadium	--	--	--	MG/KG	19.5	22.4	23.2	21.9
Zinc	**109**	6600	2480	MG/KG	**696**	64.4	**813**	62.6 J

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-1	RSB-1	RSB-1	RSB-1	RSB-2
			Sample Date:		12/01/2025	12/01/2025	12/01/2025	12/02/2025	12/01/2025
			Sample Depth (ft bls):		0 - 2	2 - 4	4 - 6	20 - 22	0 - 2
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.018 U	0.019 U	0.02 U	0.02 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-2	RSB-2	RSB-2	RSB-2	RSB-3
			Sample Date:		12/01/2025	12/01/2025	12/01/2025	12/02/2025	12/01/2025
			Sample Depth (ft bls):		1 - 3	1 - 3	3 - 5	20 - 22	0 - 2
			Normal Sample or Field Duplicate:		N	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.019 U	0.02 U	0.019 U	0.019 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-3	RSB-3	RSB-3	RSB-4	RSB-4
			Sample Date:		12/01/2025	12/01/2025	12/02/2025	12/03/2025	12/03/2025
			Sample Depth (ft bls):		2 - 4	4 - 6	20 - 22	0 - 2	2 - 4
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.14	0.25 J
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.019 U	0.018 U	0.019 U	0.02 U	0.018 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.019 U	0.018 U	0.019 U	**0.14**	**0.25 J**

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-4	RSB-4	RSB-5	RSB-5	RSB-5
			Sample Date:		12/03/2025	12/03/2025	12/01/2025	12/01/2025	12/01/2025
			Sample Depth (ft bls):		4 - 6	20 - 22	0 - 2	2 - 4	4 - 6
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.018 U	0.019 U	0.019 U	0.02 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-5	RSB-5	RSB-5	RSB-6	RSB-6
			Sample Date:		12/02/2025	12/02/2025	12/15/2025	12/12/2025	12/12/2025
			Sample Depth (ft bls):		6 - 8	20 - 22	8 - 10	0 - 2	2 - 4
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.021 UJ	0.018 U	0.018 U	0.019 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-6	RSB-6	RSB-6	RSB-7	RSB-7
			Sample Date:		12/12/2025	12/16/2025	12/16/2025	12/08/2025	12/08/2025
			Sample Depth (ft bls):		4 - 6	6 - 8	20 - 22	0 - 2	2 - 4
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.02 U	0.02 U	0.02 U	0.019 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-7	RSB-7	RSB-7	RSB-7	RSB-8
			Sample Date:		12/08/2025	12/16/2025	12/16/2025	12/16/2025	12/11/2025
			Sample Depth (ft bls):		4 - 6	6 - 8	8 - 10	25 - 27	0 - 2
			Normal Sample or Field Duplicate:		N	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.02 U	0.019 U	0.018 UJ	0.02 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-8	RSB-8	RSB-8	RSB-8	RSB-8
			Sample Date:		12/11/2025	12/11/2025	12/11/2025	12/15/2025	12/15/2025
			Sample Depth (ft bls):		1 - 3	1 - 3	3 - 5	5 - 7	25 - 27
			Normal Sample or Field Duplicate:		N	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.019 U

Table 5. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-9	RSB-9	RSB-9	RSB-9
			Sample Date:		12/15/2025	12/17/2025	12/17/2025	12/17/2025
			Sample Depth (ft bls):		0 - 2	16 - 18	20 - 22	22 - 24
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
PCB-1016 (Aroclor 1016)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1221 (Aroclor 1221)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1232 (Aroclor 1232)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1242 (Aroclor 1242)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1248 (Aroclor 1248)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1254 (Aroclor 1254)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1260 (Aroclor 1260)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1262 (Aroclor 1262)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
PCB-1268 (Aroclor 1268)	--	--	--	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	MG/KG	0.019 U	0.02 U	0.02 U	0.02 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.014 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0074 U	0.0077 U	0.0078 U	0.008 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.001 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.0007 U	0.00074 U	0.00075 U	0.00077 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0012 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00078 U	0.00081 U	0.00083 U	0.00085 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0019 U	0.002 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0012 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00042 U	0.00045 U	0.00045 U	0.00047 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.0009 U	0.00095 U	0.00096 U	0.00099 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00087 U	0.00091 U	0.00093 U	0.00095 U
Endrin	0.014	5.3	0.06	MG/KG	0.00099 U	0.001 U	0.0011 U	0.0011 U
Endrin Aldehyde	--	--	--	MG/KG	0.0016 U	0.0017 U	0.0017 U	0.0018 U
Endrin Ketone	--	--	--	MG/KG	0.0013 U	0.0014 U	0.0014 U	0.0015 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00064 U	0.00067 U	0.00068 U	0.0007 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00082 U	0.00086 U	0.00087 U	0.0009 U
Heptachlor Epoxide	--	--	--	MG/KG	0.001 U	0.0011 U	0.0011 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0017 U	0.0017 U	0.0017 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0012 U	0.0013 U	0.0013 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00082 U	0.00086 U	0.00087 U	0.0009 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0013 U	0.0014 U	0.0014 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0036 U	0.0038 U	0.0038 U	0.0039 U
Toxaphene	--	--	--	MG/KG	0.025 U	0.026 U	0.027 U	0.027 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-2	RSB-2	RSB-2
				Sample Date:	12/01/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	0 - 2	1 - 3	1 - 3	3 - 5
				Normal Sample or Field Duplicate:	N	N	FD	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0076 U	0.0077 U	0.0078 U	0.0074 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00073 U	0.00074 U	0.00075 U	0.00071 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00081 U	0.00081 U	0.00082 U	0.00079 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0019 U	0.0018 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.017 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00044 U	0.00044 U	0.00045 U	0.00043 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00093 U	0.00094 U	0.00095 U	0.00091 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.0009 U	0.00091 U	0.00092 U	0.00088 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.001 U	0.0011 U	0.001 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0017 U	0.0017 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00067 U	0.00067 U	0.00068 U	0.00065 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00085 U	0.00086 U	0.00087 U	0.00083 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.001 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0017 U	0.0017 U	0.0016 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0012 U	0.0013 U	0.0012 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00085 U	0.00086 U	0.00087 U	0.00083 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0013 U	0.0013 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0038 U	0.0038 U	0.0036 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.025 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-3	RSB-3	RSB-3
				Sample Date:	12/02/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0075 U	0.0077 U	0.0076 U	0.0073 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.001 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00072 U	0.00073 U	0.00073 U	0.0007 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00079 U	0.00081 U	0.00081 U	0.00077 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0018 U	0.0018 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.017 U	0.017 U	0.017 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0042 J	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00043 U	0.00044 U	0.00044 U	0.00042 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00092 U	0.00094 U	0.00094 U	0.0009 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00089 U	0.0009 U	0.0009 U	0.00087 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.001 U	0.001 U	0.00099 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0017 U	0.0017 U	0.0016 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0013 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00066 U	0.00067 U	0.00067 U	0.00064 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00084 U	0.00085 U	0.00085 U	0.00081 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.001 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0016 U	0.0016 U	0.0016 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0012 U	0.0012 U	0.0012 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00084 U	0.00085 U	0.00085 U	0.00081 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0013 U	0.0013 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0038 U	0.0037 U	0.0036 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.025 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-3	RSB-4	RSB-4	RSB-4
				Sample Date:	12/02/2025	12/03/2025	12/03/2025	12/03/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.012 U	0.012 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0075 U	0.0079 U	0.0071 U	0.0071 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.001 U	0.001 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00072 U	0.00076 UT	0.00068 UT	0.00068 UT
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.001 U	0.001 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.0008 U	0.00083 U	0.00075 U	0.00075 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0017 U	0.0017 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.018 U	0.016 U	0.016 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0012 U	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00044 U	0.00046 UT	0.00041 UT	0.00041 UT
Dieldrin	0.005	0.075	0.1	MG/KG	0.00093 U	0.00097 U	0.00087 U	0.00087 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00089 U	0.00093 U	0.00084 U	0.00084 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.0011 U	0.00096 U	0.00096 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0018 U	0.0016 U	0.0016 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0013 U	0.0013 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00066 U	0.00069 U	0.00062 U	0.00062 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00084 U	0.00088 U	0.00079 U	0.00079 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.001 U	0.001 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0017 U	0.0015 U	0.0015 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0013 U	0.0011 U	0.0011 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00084 U	0.00088 U	0.00079 U	0.00079 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0014 U	0.0012 U	0.0012 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0039 U	0.0035 U	0.0035 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.027 U	0.024 U	0.024 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-5	RSB-5	RSB-5
				Sample Date:	12/03/2025	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0076 U	0.0076 U	0.0079 U	0.0077 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00073 UT	0.00073 U	0.00076 U	0.00074 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.0008 U	0.0008 U	0.00083 U	0.00082 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0018 U	0.0019 U	0.0019 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.017 U	0.018 U	0.018 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0011 U	0.0012 U	0.0012 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00044 UT	0.00044 U	0.00046 U	0.00045 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00093 U	0.00093 U	0.00097 U	0.00095 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.0009 U	0.0009 U	0.00093 U	0.00092 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.001 U	0.0011 U	0.001 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0017 U	0.0018 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00067 U	0.00066 U	0.00069 U	0.00068 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00085 U	0.00084 U	0.00088 U	0.00086 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0016 U	0.0017 U	0.0017 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0012 U	0.0013 U	0.0012 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00085 U	0.0027 J	0.00088 U	0.00086 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0013 U	0.0014 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0037 U	0.0039 U	0.0038 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.026 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-5	RSB-5	RSB-5	RSB-6
			Sample Date:		12/02/2025	12/02/2025	12/15/2025	12/12/2025
			Sample Depth (ft bls):		6 - 8	20 - 22	8 - 10	0 - 2
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.014 UJ	0.012 U	0.012 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0084 UJ	0.0073 U	0.0073 U	0.0076 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0012 UJ	0.001 U	0.001 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.0008 UJ	0.00069 U	0.00069 U	0.00073 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0012 UJ	0.001 U	0.001 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00088 UJ	0.00076 U	0.00077 U	0.00081 U
Beta Endosulfan	4.3	35	44	MG/KG	0.002 UJ	0.0018 U	0.0018 U	0.0018 U
Chlordane (Technical)	--	--	--	MG/KG	0.019 UJ	0.017 U	0.017 U	0.017 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0012 UJ	0.0011 U	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00048 UJ	0.00042 U	0.00042 U	0.00044 UT
Dieldrin	0.005	0.075	0.1	MG/KG	0.001 UJ	0.00089 U	0.00089 U	0.00094 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00099 UJ	0.00086 U	0.00086 U	0.0009 U
Endrin	0.014	5.3	0.06	MG/KG	0.0011 UJ	0.00098 U	0.00098 U	0.001 U
Endrin Aldehyde	--	--	--	MG/KG	0.0019 UJ	0.0016 U	0.0016 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0015 UJ	0.0013 U	0.0013 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00073 UJ	0.00063 U	0.00063 U	0.00067 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00093 UJ	0.00081 U	0.00081 U	0.00085 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0012 UJ	0.001 U	0.001 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0018 UJ	0.0016 U	0.0016 UJ	0.0016 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0013 UJ	0.0012 U	0.0012 U	0.0012 UT
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00093 UJ	0.00081 U	0.00081 U	0.00085 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0014 UJ	0.0013 U	0.0013 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0041 UJ	0.0036 U	0.0036 U	0.0037 U
Toxaphene	--	--	--	MG/KG	0.028 UJ	0.025 U	0.025 U	0.026 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8	20 - 22
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.014 U	0.013 U	0.014 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0076 U	0.008 U	0.0079 U	0.0081 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00073 U	0.00077 U	0.00075 U	0.00077 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0012 U	0.0011 U	0.0012 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.0008 U	0.00085 U	0.00083 U	0.00085 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0019 U	0.002 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0012 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00044 UT	0.00046 UT	0.00045 U	0.00047 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00093 U	0.00098 U	0.00096 U	0.00099 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.0009 U	0.00095 U	0.00092 U	0.00095 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.0011 U	0.0011 U	0.0011 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0018 U	0.0017 U	0.0018 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0015 U	0.0014 U	0.0015 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00066 U	0.0007 U	0.00068 U	0.0007 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00084 U	0.00089 U	0.00087 U	0.0009 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0016 U	0.0017 U	0.0017 U	0.0017 UJ
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 UT	0.0013 UT	0.0013 U	0.0013 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00084 U	0.00089 U	0.00087 U	0.0009 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0014 U	0.0014 U	0.0014 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0039 U	0.0039 U	0.004 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.027 U	0.027 U	0.027 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-7	RSB-7	RSB-7	RSB-7
			Sample Date:		12/08/2025	12/08/2025	12/08/2025	12/16/2025
			Sample Depth (ft bls):		0 - 2	2 - 4	4 - 6	6 - 8
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0077 U	0.0077 U	0.0079 U	0.0076 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00074 U	0.00073 U	0.00076 U	0.00073 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00081 U	0.00081 U	0.00083 U	0.0008 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0019 U	0.0018 U	0.0019 U	0.0018 U
Chlordane (Technical)	--	--	--	MG/KG	0.018 U	0.017 U	0.018 U	0.017 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0011 U	0.0012 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00044 UT	0.00044 UT	0.00046 UT	0.00044 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00094 U	0.00093 U	0.00097 U	0.00093 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00091 U	0.0009 U	0.00093 U	0.0009 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.001 U	0.0011 U	0.001 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0017 U	0.0018 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00067 U	0.00067 U	0.00069 U	0.00066 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00085 U	0.00085 U	0.00088 U	0.00084 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0017 U	0.0016 U	0.0017 U	0.0016 U
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0012 U	0.0013 U	0.0012 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00085 U	0.00085 U	0.00088 U	0.00084 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0013 U	0.0014 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0038 U	0.0038 U	0.0039 U	0.0037 U
Toxaphene	--	--	--	MG/KG	0.026 U	0.026 U	0.027 U	0.026 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

			Sample Designation:		RSB-7	RSB-7	RSB-8	RSB-8
			Sample Date:		12/16/2025	12/16/2025	12/11/2025	12/11/2025
			Sample Depth (ft bls):		8 - 10	25 - 27	0 - 2	1 - 3
			Normal Sample or Field Duplicate:		N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.012 UJ	0.013 U	0.013 U	0.012 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0072 UJ	0.0078 U	0.0075 U	0.0071 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.001 UJ	0.0011 U	0.0011 UT	0.001 UT
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00069 UJ	0.00075 U	0.00072 UT	0.00068 UT
Alpha Endosulfan	4.3	35	65	MG/KG	0.001 UJ	0.0011 U	0.0011 UT	0.001 UT
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00076 UJ	0.00083 U	0.0008 UT	0.00075 UT
Beta Endosulfan	4.3	35	44	MG/KG	0.0017 UJ	0.0019 U	0.0018 UT	0.0017 UT
Chlordane (Technical)	--	--	--	MG/KG	0.016 UJ	0.018 U	0.063 J	0.016 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 UJ	0.0012 U	0.0072 J	0.0011 UT
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00041 UJ	0.00045 U	0.00044 UT	0.00041 UT
Dieldrin	0.005	0.075	0.1	MG/KG	0.00088 UJ	0.00097 U	0.00092 UT	0.00087 UT
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00085 UJ	0.00093 U	0.00089 UT	0.00084 UT
Endrin	0.014	5.3	0.06	MG/KG	0.00097 UJ	0.0011 U	0.001 UT	0.00096 UT
Endrin Aldehyde	--	--	--	MG/KG	0.0016 UJ	0.0018 U	0.0017 UT	0.0016 UT
Endrin Ketone	--	--	--	MG/KG	0.0013 UJ	0.0014 U	0.0014 UT	0.0013 UT
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00062 UJ	0.00069 U	0.00066 UT	0.00062 UT
Heptachlor	0.013	0.53	0.38	MG/KG	0.0008 UJ	0.00088 U	0.00084 UT	0.00079 UT
Heptachlor Epoxide	--	--	--	MG/KG	0.001 UJ	0.0011 U	0.0011 UT	0.001 UT
Methoxychlor	--	--	--	MG/KG	0.0015 UJ	0.0017 UJ	0.0016 UT	0.0015 UT
P,P'-DDD	0.0033	5	14	MG/KG	0.0011 UJ	0.0013 U	0.0012 UT	0.0011 UT
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.0008 UJ	0.00088 U	**0.0055 JT**	0.00079 UT
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0012 UJ	0.0014 U	0.0013 UT	0.0012 UT
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0035 UJ	0.0038 U	0.0037 U	0.0035 U
Toxaphene	--	--	--	MG/KG	0.024 UJ	0.027 U	0.026 U	0.024 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7	25 - 27
				Normal Sample or Field Duplicate:	FD	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0072 U	0.0072 U	0.0072 U	0.0074 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.001 UT	0.001 UT	0.001 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00069 UT	0.00069 UT	0.00069 U	0.00072 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.001 UT	0.001 UT	0.001 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00076 UT	0.00076 UT	0.00076 U	0.00079 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0017 UT	0.0017 UT	0.0017 U	0.0018 U
Chlordane (Technical)	--	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.017 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 UT	0.0011 UT	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00042 UT	0.00042 UT	0.00041 U	0.00043 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00088 UT	0.00088 UT	0.00088 U	0.00091 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00085 UT	0.00085 UT	0.00085 U	0.00088 U
Endrin	0.014	5.3	0.06	MG/KG	0.00097 UT	0.00097 UT	0.00097 U	0.001 U
Endrin Aldehyde	--	--	--	MG/KG	0.0016 UT	0.0016 UT	0.0016 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0013 UT	0.0013 UT	0.0013 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00063 UT	0.00063 UT	0.00063 U	0.00065 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.0008 UT	0.0008 UT	0.0008 U	0.00083 U
Heptachlor Epoxide	--	--	--	MG/KG	0.001 UT	0.001 UT	0.001 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0015 UT	0.0016 UT	0.0015 U	0.0016 UJ
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 UT	0.0012 UT	0.0012 U	0.0012 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.0008 UT	0.0008 UT	0.0008 U	0.00083 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0012 UT	0.0012 UT	0.0012 U	0.0013 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0035 U	0.0035 U	0.0035 U	0.0036 U
Toxaphene	--	--	--	MG/KG	0.025 U	0.025 U	0.024 U	0.025 U

Table 6. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9	RSB-9	RSB-9
				Sample Date:	12/15/2025	12/17/2025	12/17/2025	12/17/2025
				Sample Depth (ft bls):	0 - 2	16 - 18	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
2,4-D (Dichlorophenoxyacetic Acid)	--	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
Acetic acid, (2,4,5-trichlorophenoxy)-	--	--	--	MG/KG	0.0075 U	0.0078 U	0.0079 U	0.0079 U
Aldrin	0.0048	0.044	0.19	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.02	0.18	0.02	MG/KG	0.00071 U	0.00075 U	0.00075 U	0.00075 U
Alpha Endosulfan	4.3	35	65	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.021	0.18	0.09	MG/KG	0.00079 U	0.00083 U	0.00083 U	0.00083 U
Beta Endosulfan	4.3	35	44	MG/KG	0.0018 U	0.0019 U	0.0019 U	0.0019 U
Chlordane (Technical)	--	--	--	MG/KG	0.017 U	0.018 U	0.018 U	0.018 U
cis-Chlordane	0.014	0.65	4.5	MG/KG	0.0011 U	0.0012 U	0.0012 U	0.0012 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	100	0.1	MG/KG	0.00043 U	0.00045 U	0.00046 U	0.00045 U
Dieldrin	0.005	0.075	0.1	MG/KG	0.00091 U	0.00096 U	0.00097 U	0.00096 U
Endosulfan Sulfate	4.3	35	47	MG/KG	0.00088 U	0.00092 U	0.00093 U	0.00093 U
Endrin	0.014	5.3	0.06	MG/KG	0.001 U	0.0011 U	0.0011 U	0.0011 U
Endrin Aldehyde	--	--	--	MG/KG	0.0017 U	0.0017 U	0.0018 U	0.0017 U
Endrin Ketone	--	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0014 U
Gamma Bhc (Lindane)	0.025	0.21	0.05	MG/KG	0.00065 U	0.00068 U	0.00069 U	0.00069 U
Heptachlor	0.013	0.53	0.38	MG/KG	0.00083 U	0.00087 U	0.00088 U	0.00087 U
Heptachlor Epoxide	--	--	--	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Methoxychlor	--	--	--	MG/KG	0.0016 UJ	0.0017 UJ	0.0017 UJ	0.0017 UJ
P,P'-DDD	0.0033	5	14	MG/KG	0.0012 U	0.0013 U	0.0013 U	0.0013 U
P,P'-DDE	**0.0033**	3.4	9.3	MG/KG	0.00083 U	0.00087 U	0.00088 U	0.00087 U
P,P'-DDT	0.0033	3.8	135	MG/KG	0.0013 U	0.0014 U	0.0014 U	0.0014 U
Silvex (2,4,5-TP)	--	--	--	MG/KG	0.0037 U	0.0038 U	0.0039 U	0.0039 U
Toxaphene	--	--	--	MG/KG	0.025 U	0.027 U	0.027 U	0.027 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-1	RSB-1	RSB-1
Sample Designation:					RSB-1	RSB-1	RSB-1
Sample Date:					12/01/2025	12/01/2025	12/01/2025
Sample Depth (ft bls):					0 - 2	2 - 4	4 - 6
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.059 U	0.059 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.3	0.22	0.098 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.12 U	0.13 J	0.059 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-1	RSB-1
				Sample Date:	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.099 U	0.099 U	0.098 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-1	RSB-2	RSB-2
Sample Designation:					RSB-1	RSB-2	RSB-2
Sample Date:					12/02/2025	12/01/2025	12/01/2025
Sample Depth (ft bls):					20 - 22	0 - 2	1 - 3
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.56 U	0.5 R	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.56 U	0.5 UJ	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.56 U	0.5 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.56 U	0.5 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.22 U	0.2 U	0.19 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.067 U	0.06 U	0.058 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.19 J	0.49	0.41
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.067 U	0.072 J	0.067 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-1	RSB-2	RSB-2
				Sample Date:	12/02/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	1 - 3
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.11 U	0.1 U	0.097 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.22 U	0.2 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.22 U	0.2 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.22 U	0.2 U	0.19 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-2	RSB-2	RSB-2
Sample Designation:					RSB-2	RSB-2	RSB-2
Sample Date:					12/01/2025	12/01/2025	12/02/2025
Sample Depth (ft bls):					1 - 3	3 - 5	20 - 22
Normal Sample or Field Duplicate:					FD	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.2 U	0.19 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.059 U	0.059 U	0.058 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.35	0.24	0.097 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.059 U	0.066 J	0.1 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-2	RSB-2	RSB-2
				Sample Date:	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	20 - 22
				Normal Sample or Field Duplicate:	FD	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.098 U	0.098 U	0.097 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.19 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-3 12/01/2025 0 - 2 N	RSB-3 12/01/2025 2 - 4 N	RSB-3 12/01/2025 4 - 6 N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.5 U	0.95 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.5 U	0.95 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.5 U	0.5 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.5 U	0.5 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.059 U	0.059 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 UJ
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.25	0.35	0.66
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.059 U	0.059 U	0.061 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-3	RSB-3	RSB-3
				Sample Date:	12/01/2025	12/01/2025	12/01/2025
				Sample Depth (ft bls):	0 - 2	2 - 4	4 - 6
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 UJ
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.099 U	0.099 U	0.099 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-3	RSB-4	RSB-4
Sample Designation:					RSB-3	RSB-4	RSB-4
Sample Date:					12/02/2025	12/03/2025	12/03/2025
Sample Depth (ft bls):					20 - 22	0 - 2	2 - 4
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.5 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.5 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.48 U	0.5 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.48 U	0.5 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.058 U	0.059 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.096 U	0.7	0.55
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.058 U	0.092 J	0.14 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-3	RSB-4	RSB-4
				Sample Date:	12/02/2025	12/03/2025	12/03/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.096 U	0.099 U	0.099 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-4	RSB-4	RSB-5
Sample Designation:					RSB-4	RSB-4	RSB-5
Sample Date:					12/03/2025	12/03/2025	12/01/2025
Sample Depth (ft bls):					4 - 6	20 - 22	0 - 2
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.5 U	0.49 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.5 U	0.49 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.5 U	0.49 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.5 U	0.49 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.06 U	0.058 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.12 J	0.097 U	0.098 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.29	0.058 U	0.059 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-4	RSB-4	RSB-5
				Sample Date:	12/03/2025	12/03/2025	12/01/2025
				Sample Depth (ft bls):	4 - 6	20 - 22	0 - 2
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.1 U	0.097 U	0.098 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-5	RSB-5	RSB-5
Sample Designation:					RSB-5	RSB-5	RSB-5
Sample Date:					12/01/2025	12/01/2025	12/02/2025
Sample Depth (ft bls):					2 - 4	4 - 6	6 - 8
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.5 UJ
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.5 UJ
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.5 UJ
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.5 UJ
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 UJ
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorobutanoic Acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.058 U	0.059 U	0.06 UJ
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.42	0.098 U	0.1 UJ
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.12 J	0.37	0.065 J-

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-5
				Sample Date:	12/01/2025	12/01/2025	12/02/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.097 U	0.098 U	0.1 UJ
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 UJ
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 UJ
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 UJ

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-5	RSB-5	RSB-6
Sample Designation:					RSB-5	RSB-5	RSB-6
Sample Date:					12/02/2025	12/15/2025	12/12/2025
Sample Depth (ft bls):					20 - 22	8 - 10	0 - 2
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.48 U	0.48 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.48 U	0.48 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.48 U	0.48 U	0.48 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.48 U	0.48 U	0.48 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.057 U	0.058 U	0.058 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.096 U	0.097 U	0.41
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.087 J	0.058 U	0.058 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-5	RSB-5	RSB-6
				Sample Date:	12/02/2025	12/15/2025	12/12/2025
				Sample Depth (ft bls):	20 - 22	8 - 10	0 - 2
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.096 U	0.097 U	0.097 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-6	RSB-6	RSB-6
Sample Designation:					RSB-6	RSB-6	RSB-6
Sample Date:					12/12/2025	12/12/2025	12/16/2025
Sample Depth (ft bls):					2 - 4	4 - 6	6 - 8
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.059 U	0.058 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	**0.9**	0.098 J	0.098 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.059 U	0.069 J	0.12 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-6	RSB-6
				Sample Date:	12/12/2025	12/12/2025	12/16/2025
				Sample Depth (ft bls):	2 - 4	4 - 6	6 - 8
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.098 U	0.097 U	0.098 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.37 J	0.19 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-6	RSB-7	RSB-7
Sample Designation:					RSB-6	RSB-7	RSB-7
Sample Date:					12/16/2025	12/08/2025	12/08/2025
Sample Depth (ft bls):					20 - 22	0 - 2	2 - 4
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.48 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.48 U	0.48 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.48 U	0.48 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.48 U	0.48 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.058 U	0.057 U	0.058 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.097 U	0.65	0.58
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.058 U	0.079 J	0.099 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-6	RSB-7	RSB-7
				Sample Date:	12/16/2025	12/08/2025	12/08/2025
				Sample Depth (ft bls):	20 - 22	0 - 2	2 - 4
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.097 U	0.096 U	0.097 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-7	RSB-7	RSB-7
Sample Designation:					RSB-7	RSB-7	RSB-7
Sample Date:					12/08/2025	12/16/2025	12/16/2025
Sample Depth (ft bls):					4 - 6	6 - 8	8 - 10
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 UT
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.49 U	0.49 UT
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.49 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.098 U	0.097 U	0.099 UT
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.059 U	0.058 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 UT
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.19 J	0.45	0.12 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-7	RSB-7
				Sample Date:	12/08/2025	12/16/2025	12/16/2025
				Sample Depth (ft bls):	4 - 6	6 - 8	8 - 10
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.098 U	0.097 U	0.099 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.19 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-7	RSB-8	RSB-8
Sample Designation:					RSB-7	RSB-8	RSB-8
Sample Date:					12/16/2025	12/11/2025	12/11/2025
Sample Depth (ft bls):					25 - 27	0 - 2	1 - 3
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.5 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.5 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.5 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.5 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.058 U	0.059 U	0.059 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.097 U	0.38	0.31
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.058 U	0.059 U	0.15 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-7	RSB-8	RSB-8
				Sample Date:	12/16/2025	12/11/2025	12/11/2025
				Sample Depth (ft bls):	25 - 27	0 - 2	1 - 3
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.097 U	0.099 U	0.098 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.2 U	0.2 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7
				Normal Sample or Field Duplicate:	FD	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.5 U	0.49 U	0.44 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.5 U	0.49 U	0.44 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.5 U	0.49 U	0.44 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.5 U	0.49 U	0.44 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.2 U	0.2 U	0.17 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.06 U	0.059 U	0.052 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.1 J	0.1 J	0.052 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-8	RSB-8
				Sample Date:	12/11/2025	12/11/2025	12/15/2025
				Sample Depth (ft bls):	1 - 3	3 - 5	5 - 7
				Normal Sample or Field Duplicate:	FD	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.1 U	0.099 U	0.087 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.17 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.17 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.2 U	0.2 U	0.17 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	RSB-8	RSB-9	RSB-9
Sample Designation:					RSB-8	RSB-9	RSB-9
Sample Date:					12/15/2025	12/15/2025	12/17/2025
Sample Depth (ft bls):					25 - 27	0 - 2	16 - 18
Normal Sample or Field Duplicate:					N	N	N
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.48 U	0.49 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.49 U	0.48 U	0.49 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.49 U	0.48 U	0.49 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.49 U	0.48 U	0.49 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.058 U	0.058 U	0.058 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.097 U	0.24	0.097 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.11 J	0.058 U	0.15 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-8	RSB-9	RSB-9
				Sample Date:	12/15/2025	12/15/2025	12/17/2025
				Sample Depth (ft bls):	25 - 27	0 - 2	16 - 18
				Normal Sample or Field Duplicate:	N	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units			
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.097 U	0.097 U	0.097 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.19 U	0.19 U	0.19 U

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9
				Sample Date:	12/17/2025	12/17/2025
				Sample Depth (ft bls):	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units		
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	--	--	UG/KG	0.084 U	0.1 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.42 U	0.5 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	--	--	UG/KG	0.42 U	0.5 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	--	--	UG/KG	0.084 U	0.1 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	--	--	UG/KG	0.42 U	0.5 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	--	--	UG/KG	0.42 U	0.5 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	--	--	UG/KG	0.17 U	0.2 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	--	--	UG/KG	0.084 U	0.1 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	--	--	UG/KG	0.084 U	0.1 U
N-ethyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.084 U	0.1 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	--	--	UG/KG	0.084 U	0.1 U
N-methyl perfluoro-1-octanesulfonamide	--	--	--	UG/KG	0.084 U	0.1 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoro(2-Propoxypropanoic) Acid	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorobutanesulfonic acid (PFBS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorobutanoic Acid	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorodecane Sulfonic Acid	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorodecanoic acid (PFDA)	--	--	--	UG/KG	0.051 U	0.06 U
Perfluorododecane sulfonate (PFDoDS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorododecanoic acid (PFDoA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoroheptane Sulfonate (PFHPS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoroheptanoic acid (PFHpA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorohexanesulfonic acid (PFHxS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorohexanoic acid (PFHxA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorononanesulfonic Acid (PFNS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorononanoic acid (PFNA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorooctane Sulfonamide (FOSA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	UG/KG	0.084 U	0.1 U
Perfluorooctanoic acid (PFOA)	0.66	33	0.8	UG/KG	0.12 J	0.17 J

Table 7. Summary of Per- and Polyfluoroalkyl Substances in Soil, 35-18 Steinway Street, Astoria, Queens, New York

				Sample Designation:	RSB-9	RSB-9
				Sample Date:	12/17/2025	12/17/2025
				Sample Depth (ft bls):	20 - 22	22 - 24
				Normal Sample or Field Duplicate:	N	N
Parameter	NYSDEC Part 375 Unrestricted Use SCO	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units		
Perfluoropentanesulfonic Acid (PFPeS)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoropentanoic Acid (PFPeA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorotetradecanoic acid (PFTA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluorotridecanoic Acid (PFTriA)	--	--	--	UG/KG	0.084 U	0.1 U
Perfluoroundecanoic Acid (PFUnA)	--	--	--	UG/KG	0.084 U	0.1 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	--	--	UG/KG	0.17 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	--	--	UG/KG	0.17 U	0.2 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	--	--	UG/KG	0.17 U	0.2 U

Table 8. Summary of Volatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
		Sample Date:	12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	N	N	N	FD	N
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units						
1,1,1-Trichloroethane (TCA)	5	UG/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	5	UG/L	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U	0.085 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	5	UG/L	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,1,2-Trichloroethane	1	UG/L	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
1,1-Dichloroethane	5	UG/L	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,1-Dichloroethene	5	UG/L	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
1,2,3-Trichlorobenzene	5	UG/L	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
1,2,4-Trichlorobenzene	5	UG/L	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,2,4-Trimethylbenzene	5	UG/L	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
1,2-Dibromo-3-Chloropropane	0.04	UG/L	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
1,2-Dibromoethane (Ethylene Dibromide)	0.0006	UG/L	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichlorobenzene	3	UG/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
1,2-Dichloroethane	0.6	UG/L	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U	0.087 U
1,2-Dichloropropane	1	UG/L	0.074 U	0.074 U	0.074 U	0.074 U	0.074 U	0.074 U
1,3,5-Trimethylbenzene (Mesitylene)	5	UG/L	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
1,3-Dichlorobenzene	3	UG/L	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
1,4-Dichlorobenzene	3	UG/L	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U	0.33 U
2-Hexanone	50	UG/L	1.1 UJ	1.1 U	1.1 UJ	1.1 UJ	1.1 UJ	1.1 U
Acetone	50	UG/L	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U	4.4 U
Benzene	1	UG/L	0.07 U	0.07 U	0.07 U	0.07 U	0.07 U	0.07 U
Bromochloromethane	5	UG/L	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Bromodichloromethane	50	UG/L	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
Bromoform	50	UG/L	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
Bromomethane	5	UG/L	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U	0.55 U
Carbon Disulfide	60	UG/L	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U
Carbon Tetrachloride	5	UG/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
Chlorobenzene	5	UG/L	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
Chloroethane	5	UG/L	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Chloroform	7	UG/L	0.33 U	0.33 U	0.33 U	1.5	1.6	0.33 U
Chloromethane	5	UG/L	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Cis-1,2-Dichloroethylene	5	UG/L	0.48 U	0.48 U	0.48 U	1.4	1.5	0.48 U
Cis-1,3-Dichloropropene	--	UG/L	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U	0.069 U

Table 8. Summary of Volatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
Sample Designation:			RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
Sample Date:			12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
Normal Sample or Field Duplicate:			N	N	N	N	FD	N
Cyclohexane	--	UG/L	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Dibromochloromethane	50	UG/L	0.086 U	0.086 U	0.086 U	0.086 U	0.086 U	0.086 U
Dichlorodifluoromethane	5	UG/L	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Ethylbenzene	5	UG/L	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U
Isopropylbenzene (Cumene)	5	UG/L	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
m,p-Xylene	5	UG/L	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U	0.3 U
Methyl Acetate	--	UG/L	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U	0.79 U
Methyl Ethyl Ketone (2-Butanone)	50	UG/L	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U	3.9 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Methylcyclohexane	--	UG/L	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U	0.71 U
Methylene Chloride	5	UG/L	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
N-Butylbenzene	5	UG/L	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
N-Propylbenzene	5	UG/L	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
O-Xylene (1,2-Dimethylbenzene)	5	UG/L	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
Sec-Butylbenzene	5	UG/L	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U
Styrene	5	UG/L	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
T-Butylbenzene	5	UG/L	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Tert-Butyl Methyl Ether	10	UG/L	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U	0.22 U
Tetrachloroethylene (PCE)	5	UG/L	0.35 J	0.28 U	0.5	1.9	2.3	0.28 U
Toluene	5	UG/L	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U
Trans-1,2-Dichloroethene	5	UG/L	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U	0.24 U
Trans-1,3-Dichloropropene	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
Trichloroethylene (TCE)	5	UG/L	0.074 U	0.074 U	0.074 U	0.46	0.56	0.074 U
Trichlorofluoromethane	5	UG/L	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U
Vinyl Chloride	2	UG/L	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Xylenes	5	UG/L	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-1	RMW-2	RMW-2	RMW-3	RMW-3	RMW-4
		Sample Date:	12/18/2025	12/18/2025	12/22/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025
		Normal Sample or Field Duplicate:	N	N	N	N	N	N	N
		Total or Dissolved:	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units							
1,2,4,5-Tetrachlorobenzene	5	UG/L	1.2 U	1.2 UJ	1.2 U	1.2 U	1.2 U	1.2 UJ	1.2 U
1,4-Dioxane (P-Dioxane)	0.35	UG/L	0.072 U	NA	0.072 U	NA	0.072 U	NA	0.072 U
2,3,4,6-Tetrachlorophenol	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
2,4,5-Trichlorophenol	--	UG/L	0.88 U	0.88 U	0.88 U	0.88 U	0.88 U	0.88 U	0.88 U
2,4,6-Trichlorophenol	--	UG/L	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U
2,4-Dichlorophenol	5	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
2,4-Dimethylphenol	50	UG/L	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U
2,4-Dinitrophenol	10	UG/L	11 U	11 U	11 U	11 U	11 U	11 U	11 U
2,4-Dinitrotoluene	5	UG/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2,6-Dinitrotoluene	5	UG/L	0.83 U	0.83 U	0.83 U	0.83 U	0.83 U	0.83 U	0.83 U
2-Chloronaphthalene	10	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
2-Chlorophenol	--	UG/L	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U
2-Methylnaphthalene	--	UG/L	0.53 U	0.53 U	0.96 J	0.53 U	0.53 U	0.53 U	0.53 U
2-Methylphenol (O-Cresol)	--	UG/L	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
2-Nitroaniline	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
2-Nitrophenol	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
3,3'-Dichlorobenzidine	5	UG/L	1.4 UJ	1.4 U	1.4 U	1.4 U	1.4 UJ	1.4 U	1.4 UJ
3-Nitroaniline	5	UG/L	1.9 UJ	1.9 U	1.9 U	1.9 U	1.9 UJ	1.9 U	1.9 UJ
4,6-Dinitro-2-Methylphenol	--	UG/L	8.6 U	8.6 U	8.6 U	8.6 U	8.6 U	8.6 U	8.6 U
4-Bromophenyl Phenyl Ether	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
4-Chloro-3-Methylphenol	--	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
4-Chloroaniline	5	UG/L	1.9 UJ	1.9 U	1.9 U	1.9 U	1.9 UJ	1.9 U	1.9 UJ
4-Chlorophenyl Phenyl Ether	--	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
4-Methylphenol (P-Cresol)	--	UG/L	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
4-Nitroaniline	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
4-Nitrophenol	--	UG/L	4 U	4 U	4 U	4 U	4 U	4 U	4 U
Acenaphthene	20	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
Acenaphthylene	20	UG/L	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U
Acetophenone	--	UG/L	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U
Anthracene	50	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Atrazine	7.5	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-1	RMW-2	RMW-2	RMW-3	RMW-3	RMW-4
		Sample Date:	12/18/2025	12/18/2025	12/22/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025
		Normal Sample or Field Duplicate:	N	N	N	N	N	N	N
		Total or Dissolved:	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units							
Benzaldehyde	--	UG/L	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ
Benzo(A)Anthracene	0.002	UG/L	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
Benzo(A)Pyrene	0	UG/L	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Benzo(B)Fluoranthene	0.002	UG/L	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
Benzo(G,H,I)Perylene	--	UG/L	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U
Benzo(K)Fluoranthene	0.002	UG/L	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
Benzyl Butyl Phthalate	50	UG/L	0.85 U	0.85 U	0.85 U	0.85 U	0.85 U	0.85 U	0.85 U
Biphenyl (Diphenyl)	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
Bis(2-Chloroethoxy) Methane	5	UG/L	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	1	UG/L	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Bis(2-Chloroisopropyl) Ether	5	UG/L	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Bis(2-Ethylhexyl) Phthalate	5	UG/L	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U
Caprolactam	--	UG/L	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U
Carbazole	--	UG/L	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
Chrysene	0.002	UG/L	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U
Cresols, M & P	--	UG/L	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U
Dibenz(A,H)Anthracene	--	UG/L	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U
Dibenzofuran	--	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
Diethyl Phthalate	50	UG/L	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U
Dimethyl Phthalate	50	UG/L	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
Di-N-Butyl Phthalate	50	UG/L	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Di-N-Octylphthalate	--	UG/L	4 U	4 U	4 U	4 U	4 U	4 U	4 U
Fluoranthene	50	UG/L	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Fluorene	50	UG/L	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U
Hexachlorobenzene	0.04	UG/L	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Hexachlorobutadiene	0.5	UG/L	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U
Hexachlorocyclopentadiene	5	UG/L	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U
Hexachloroethane	5	UG/L	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Indeno(1,2,3-C,D)Pyrene	0.002	UG/L	0.94 U	0.94 U	0.94 U	0.94 U	0.94 U	0.94 U	0.94 U
Isophorone	50	UG/L	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U
Naphthalene	10	UG/L	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-1	RMW-2	RMW-2	RMW-3	RMW-3	RMW-4
		Sample Date:	12/18/2025	12/18/2025	12/22/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025
		Normal Sample or Field Duplicate:	N	N	N	N	N	N	N
		Total or Dissolved:	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units							
Nitrobenzene	0.4	UG/L	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
N-Nitrosodi-N-Propylamine	--	UG/L	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
N-Nitrosodiphenylamine	50	UG/L	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U
Pentachlorophenol	1	UG/L	6.6 U	6.6 U	6.6 U	6.6 U	6.6 U	6.6 U	6.6 U
Phenanthrene	50	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Phenol	1	UG/L	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U
Pyrene	50	UG/L	1.6 U	1.6 U	1.6 U	1.6 U	1.6 U	1.6 U	1.6 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units	RMW-4	RMW-4	RMW-4	RMW-5	RMW-5
Sample Date:			12/18/2025	12/18/2025	12/18/2025	12/22/2025	12/22/2025
Normal Sample or Field Duplicate:			N	FD	FD	N	N
Total or Dissolved:			Dissolved	Total	Dissolved	Total	Dissolved
1,2,4,5-Tetrachlorobenzene	5	UG/L	1.2 UJ	1.2 U	1.2 UJ	1.2 U	1.2 U
1,4-Dioxane (P-Dioxane)	0.35	UG/L	NA	0.072 U	NA	0.072 U	NA
2,3,4,6-Tetrachlorophenol	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
2,4,5-Trichlorophenol	--	UG/L	0.88 U	0.88 U	0.88 U	0.88 U	0.88 U
2,4,6-Trichlorophenol	--	UG/L	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U
2,4-Dichlorophenol	5	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
2,4-Dimethylphenol	50	UG/L	0.62 U	0.62 U	0.62 U	0.62 U	0.62 U
2,4-Dinitrophenol	10	UG/L	11 U	11 U	11 U	11 U	11 U
2,4-Dinitrotoluene	5	UG/L	1 U	1 U	1 U	1 U	1 U
2,6-Dinitrotoluene	5	UG/L	0.83 U	0.83 U	0.83 U	0.83 U	0.83 U
2-Chloronaphthalene	10	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
2-Chlorophenol	--	UG/L	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U
2-Methylnaphthalene	--	UG/L	0.53 U	0.53 U	0.53 U	0.53 U	0.53 U
2-Methylphenol (O-Cresol)	--	UG/L	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
2-Nitroaniline	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
2-Nitrophenol	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
3,3'-Dichlorobenzidine	5	UG/L	1.4 U	1.4 UJ	1.4 U	1.4 U	1.4 U
3-Nitroaniline	5	UG/L	1.9 U	1.9 UJ	1.9 U	1.9 U	1.9 U
4,6-Dinitro-2-Methylphenol	--	UG/L	8.6 U	8.6 U	8.6 U	8.6 U	8.6 U
4-Bromophenyl Phenyl Ether	--	UG/L	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
4-Chloro-3-Methylphenol	--	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
4-Chloroaniline	5	UG/L	1.9 U	1.9 UJ	1.9 U	1.9 U	1.9 U
4-Chlorophenyl Phenyl Ether	--	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
4-Methylphenol (P-Cresol)	--	UG/L	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
4-Nitroaniline	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
4-Nitrophenol	--	UG/L	4 U	4 U	4 U	4 U	4 U
Acenaphthene	20	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
Acenaphthylene	20	UG/L	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U
Acetophenone	--	UG/L	2.3 U	2.3 U	2.3 U	2.3 U	2.3 U
Anthracene	50	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Atrazine	7.5	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-4	RMW-4	RMW-4	RMW-5	RMW-5
		Sample Date:	12/18/2025	12/18/2025	12/18/2025	12/22/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	FD	FD	N	N
		Total or Dissolved:	Dissolved	Total	Dissolved	Total	Dissolved
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units					
Benzaldehyde	--	UG/L	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ	2.1 UJ
Benzo(A)Anthracene	0.002	UG/L	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
Benzo(A)Pyrene	0	UG/L	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Benzo(B)Fluoranthene	0.002	UG/L	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
Benzo(G,H,I)Perylene	--	UG/L	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U
Benzo(K)Fluoranthene	0.002	UG/L	0.67 U	0.67 U	0.67 U	0.67 U	0.67 U
Benzyl Butyl Phthalate	50	UG/L	0.85 U	0.85 U	0.85 U	0.85 U	0.85 U
Biphenyl (Diphenyl)	5	UG/L	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U
Bis(2-Chloroethoxy) Methane	5	UG/L	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	1	UG/L	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Bis(2-Chloroisopropyl) Ether	5	UG/L	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Bis(2-Ethylhexyl) Phthalate	5	UG/L	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U
Caprolactam	--	UG/L	2.2 U	2.2 U	2.2 U	2.2 U	2.2 U
Carbazole	--	UG/L	0.68 U	0.68 U	0.68 U	0.68 U	0.68 U
Chrysene	0.002	UG/L	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U
Cresols, M & P	--	UG/L	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U
Dibenz(A,H)Anthracene	--	UG/L	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U
Dibenzofuran	--	UG/L	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
Diethyl Phthalate	50	UG/L	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U
Dimethyl Phthalate	50	UG/L	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
Di-N-Butyl Phthalate	50	UG/L	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Di-N-Octylphthalate	--	UG/L	4 U	4 U	4 U	4 U	4 U
Fluoranthene	50	UG/L	0.84 U	0.84 U	0.84 U	0.84 U	0.84 U
Fluorene	50	UG/L	0.91 U	0.91 U	0.91 U	0.91 U	0.91 U
Hexachlorobenzene	0.04	UG/L	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Hexachlorobutadiene	0.5	UG/L	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U
Hexachlorocyclopentadiene	5	UG/L	3.6 U	3.6 U	3.6 U	3.6 U	3.6 U
Hexachloroethane	5	UG/L	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
Indeno(1,2,3-C,D)Pyrene	0.002	UG/L	0.94 U	0.94 U	0.94 U	0.94 U	0.94 U
Isophorone	50	UG/L	0.8 U	0.8 U	0.8 U	0.8 U	0.8 U
Naphthalene	10	UG/L	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U

Table 9. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-4	RMW-4	RMW-4	RMW-5	RMW-5
		Sample Date:	12/18/2025	12/18/2025	12/18/2025	12/22/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	FD	FD	N	N
		Total or Dissolved:	Dissolved	Total	Dissolved	Total	Dissolved
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units					
Nitrobenzene	0.4	UG/L	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
N-Nitrosodi-N-Propylamine	--	UG/L	0.43 U	0.43 U	0.43 U	0.43 U	0.43 U
N-Nitrosodiphenylamine	50	UG/L	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U
Pentachlorophenol	1	UG/L	6.6 U	6.6 U	6.6 U	6.6 U	6.6 U
Phenanthrene	50	UG/L	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U
Phenol	1	UG/L	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U
Pyrene	50	UG/L	1.6 U	1.6 U	1.6 U	1.6 U	1.6 U

Table 10. Summary of Metals in Groundwater, 35-18 Steinway Street,Astoria, Queens, New York

Sample Designation:			RMW-1	RMW-1	RMW-2	RMW-2	RMW-3	RMW-3	RMW-4	RMW-4	RMW-4
Sample Date:			12/18/2025	12/18/2025	12/22/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/18/2025	12/18/2025
Normal Sample or Field Duplicate:			N	N	N	N	N	N	N	N	FD
Total or Dissolved:			Total	Dissolved	Total	Dissolved	Total	Dissolved	Total	Dissolved	Total
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units									
Aluminum	--	UG/L	341	11.7 U	59.3	11.7 U	19 J	11.7 U	23 J	11.7 U	22.5 J
Antimony	3	UG/L	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U
Arsenic	25	UG/L	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U	0.48 U
Barium	1000	UG/L	143	136	184	185	73.1	73.8	73.6	81.9	75.1
Beryllium	3	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
Cadmium	5	UG/L	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U
Calcium	--	UG/L	113000	119000	128000	128000	84900	83600	91900 J	118000 J	99300
Chromium III	--	UG/L	10 U	NA	10 U	NA	10 U	NA	10 U	NA	10 U
Chromium, Hexavalent	50	UG/L	2.9 U	2.9 U	3.9 J	3.9 J	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U
Chromium, Total	50	UG/L	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U	1.7 U
Cobalt	--	UG/L	0.88 J	0.48 J	1.2 J	1.3 J	0.23 J	0.21 J	0.54 J	0.49 J	0.55 J
Copper	200	UG/L	3 J	2 U	2.3 J	2.8 J	2 U	2 U	2 U	2 U	2 U
Cyanide	200	UG/L	3 J	NA	5.5	NA	1.5 J	NA	2 J	NA	1.7 J
Iron	**300**	UG/L	**634**	33.7 U	59.4 J	33.7 U	33.7 U	33.7 U	39.6 J	33.7 U	40.2 J
Lead	25	UG/L	0.76 J	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U	0.44 J	0.42 U	0.42 U
Magnesium	**35000**	UG/L	**37500**	**36400**	28400	29100	21000	19900	26600 J	31600 J	27700
Manganese	**300**	UG/L	**1160**	**1080**	195	196	5.8 J	5.2 J	93.6	107	89
Mercury	0.7	UG/L	0.091 U	0.091 U	0.091 U	0.091 U	0.091 U	0.091 U	0.091 U	0.091 U	0.091 U
Nickel	100	UG/L	2.5 J	1.4 U	1.6 J	1.6 J	1.4 U	1.4 U	1.5 J	1.4 U	1.5 J
Potassium	--	UG/L	3700	3580	5330	5400	2500	2310	3910	3950	3930
Selenium	10	UG/L	2.7	3	0.43 U	0.43 U	1.9 J	1.8 J	1.3 J	1.8 J	1.5 J
Silver	50	UG/L	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U
Sodium	**20000**	UG/L	**93700**	**92600**	**111000**	**111000**	**130000**	**120000**	**79400**	**75100**	**78700**
Thallium	0.5	UG/L	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U	0.16 U
Vanadium	--	UG/L	1.2 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Zinc	2000	UG/L	13 J	10.6 J	5.1 J	4.2 U	4.2 U	16.1	4.2 U	6.8 J	4.2 U

Table 10. Summary of Metals in Groundwater, 35-18 Steinway Street,Astoria, Queens, New York

	Sample Designation:		RMW-4	RMW-5	RMW-5
	Sample Date:		12/18/2025	12/22/2025	12/22/2025
	Normal Sample or Field Duplicate:		FD	N	N
	Total or Dissolved:		Dissolved	Total	Dissolved
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units			
Aluminum	--	UG/L	11.7 U	80.6	11.7 U
Antimony	3	UG/L	0.48 U	0.48 U	0.48 U
Arsenic	25	UG/L	0.48 U	0.48 U	0.48 U
Barium	1000	UG/L	73	83.3	84.3
Beryllium	3	UG/L	0.12 U	0.12 U	0.12 U
Cadmium	5	UG/L	0.26 U	0.26 U	0.26 U
Calcium	--	UG/L	97800	85500	86500
Chromium III	--	UG/L	NA	10 U	NA
Chromium, Hexavalent	50	UG/L	2.9 U	3.9 J	3.9 J
Chromium, Total	50	UG/L	1.7 U	1.7 U	1.7 U
Cobalt	--	UG/L	0.48 J	0.45 J	0.36 J
Copper	200	UG/L	2 U	2 U	2 U
Cyanide	200	UG/L	NA	4.8 J	NA
Iron	**300**	UG/L	33.7 U	99.5 J	33.7 U
Lead	25	UG/L	0.42 U	0.44 J	0.42 U
Magnesium	**35000**	UG/L	26700	19300	19800
Manganese	**300**	UG/L	89.3	27.1	28.3
Mercury	0.7	UG/L	0.091 U	0.091 U	0.091 U
Nickel	100	UG/L	1.4 U	1.4 U	1.4 U
Potassium	--	UG/L	3800	2960	2950
Selenium	10	UG/L	1.7 J	1.5 J	1.9 J
Silver	50	UG/L	0.21 U	0.21 U	0.21 U
Sodium	**20000**	UG/L	**79600**	**146000**	**140000**
Thallium	0.5	UG/L	0.16 U	0.16 U	0.16 U
Vanadium	--	UG/L	1 U	1 U	1 U
Zinc	2000	UG/L	7.5 J	4.2 U	4.2 U

Table 11. Summary of Polychlorinated Biphenyls in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
		Sample Date:	12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	N	N	N	FD	N
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units						
PCB-1016 (Aroclor 1016)	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
PCB-1221 (Aroclor 1221)	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
PCB-1232 (Aroclor 1232)	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
PCB-1242 (Aroclor 1242)	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
PCB-1248 (Aroclor 1248)	--	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
PCB-1254 (Aroclor 1254)	--	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U
PCB-1260 (Aroclor 1260)	--	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U
PCB-1262 (Aroclor 1262)	--	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U
PCB-1268 (Aroclor 1268)	--	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U
Polychlorinated Biphenyl (PCBs)	0.09	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U

Table 12. Summary of Pesticides and Herbicides in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
Sample Designation:			RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
Sample Date:			12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
Normal Sample or Field Duplicate:			N	N	N	N	FD	N
2,4-D (Dichlorophenoxyacetic Acid)	50	UG/L	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U	0.13 U
Acetic acid, (2,4,5-trichlorophenoxy)-	35	UG/L	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
Aldrin	0	UG/L	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.01	UG/L	0.007 U	0.007 U	0.007 U	0.007 U	0.007 U	0.007 U
Alpha Endosulfan	--	UG/L	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U
Beta Bhc (Beta Hexachlorocyclohexane)	0.04	UG/L	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U	0.015 U
Beta Endosulfan	--	UG/L	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U
Chlordane (Technical)	--	UG/L	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U	0.055 U
cis-Chlordane	--	UG/L	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U
Delta BHC (Delta Hexachlorocyclohexane)	0.04	UG/L	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Dieldrin	0.004	UG/L	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U
Endosulfan Sulfate	--	UG/L	0.006 U	0.006 U	0.006 U	0.006 U	0.006 U	0.006 U
Endrin	0	UG/L	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U
Endrin Aldehyde	5	UG/L	0.008 U	0.008 U	0.008 U	0.008 U	0.008 U	0.008 U
Endrin Ketone	5	UG/L	0.008 U	0.008 U	0.008 U	0.008 U	0.008 U	0.008 U
Gamma Bhc (Lindane)	0.05	UG/L	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U	0.012 U
Heptachlor	0.04	UG/L	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U	0.003 U
Heptachlor Epoxide	0.03	UG/L	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
Methoxychlor	35	UG/L	0.004 U	0.004 U	0.004 UJ	0.004 U	0.004 U	0.004 U
P,P'-DDD	0.3	UG/L	0.006 U	0.006 U	0.006 U	0.006 U	0.006 U	0.006 U
P,P'-DDE	0.2	UG/L	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U	0.002 U
P,P'-DDT	0.2	UG/L	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U
Silvex (2,4,5-TP)	0.26	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U
Toxaphene	0.06	UG/L	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U	0.11 U

Table 13. Summary of Per- and Polyfluoroalkyl Substances in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
		Sample Date:	12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	N	N	N	FD	N
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units						
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	--	UG/L	0.00332 U	0.00359 U	0.00345 U	0.0028 U	0.0028 U	0.00381 U
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	--	UG/L	0.00207 U	0.00224 U	0.00216 U	0.00175 U	0.00175 U	0.00238 U
2-(N-methyl perfluorooctanesulfonamido) acetic acid	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	--	UG/L	0.00232 U	0.00251 U	0.00242 U	0.00196 U	0.00196 U	0.00266 U
3-Perfluoroheptyl propanoic acid (7:3FTCA)	--	UG/L	0.00207 U	0.00224 U	0.00216 U	0.00175 U	0.00175 U	0.00238 U
3-Perfluoropropyl propanoic acid (3:3 FTCA)	--	UG/L	0.00083 U	0.0009 U	0.00086 U	0.0007 U	0.0007 U	0.00095 U
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
9-Chlorohexadecafluoro-3-Oxanonane-1-Sulfonic Acid	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
N-ethyl perfluoro-1-octanesulfonamide	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
N-ethyl perfluorooctanesulfonamidoacetic acid	--	UG/L	0.00041 U	0.00117 J	0.00043 U	0.00035 U	0.00035 U	0.00048 U
N-methyl perfluoro-1-octanesulfonamide	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	--	UG/L	0.00041 U	0.00045 R	0.00043 U	0.00035 U	0.00035 U	0.00048 R
Perfluoro(2-ethoxyethane)sulfonic acid (PFEESA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluoro(2-Propoxypropanoic) Acid	--	UG/L	0.00116 U	0.00126 U	0.00121 U	0.00098 U	0.00098 U	0.00133 U
Perfluoro-3-methoxypropanoic acid (PFMPA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluoro-4-methoxybutanoic acid (PFMBA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluorobutanesulfonic acid (PFBS)	--	UG/L	0.00617	0.00827	0.0139	0.013	0.0129	0.0182
Perfluorobutanoic Acid	--	UG/L	0.0122	0.0173	0.0102	0.0111	0.011	0.0119
Perfluorodecane Sulfonic Acid	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluorodecanoic acid (PFDA)	--	UG/L	0.00041 U	0.00204	0.00081 J	0.00045 J	0.00041 J	0.00176 J
Perfluorododecane sulfonate (PFDoDS)	--	UG/L	0.0005 U	0.00054 U	0.00052 U	0.00042 U	0.00042 U	0.00057 U
Perfluorododecanoic acid (PFDoA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluoroheptane Sulfonate (PFHPS)	--	UG/L	0.0005 J	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluoroheptanoic acid (PFHpA)	--	UG/L	0.00818	0.00593	0.00503	0.00554	0.00594	0.00356
Perfluorohexanesulfonic acid (PFHxS)	--	UG/L	0.00555	0.00286	0.00341	0.00397	0.00372	0.00165 J
Perfluorohexanoic acid (PFHxA)	--	UG/L	0.0123	0.0208	0.00984	0.00972	0.0103	0.00875
Perfluorononanesulfonic Acid (PFNS)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluorononanoic acid (PFNA)	--	UG/L	0.00313	0.00265	0.00211 EMPC	0.00102 J	0.0009 J	0.00215
Perfluorooctane Sulfonamide (FOSA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluorooctanesulfonic acid (PFOS)	**0.0027**	UG/L	**0.0867**	**0.0107**	**0.0212**	**0.0111**	**0.0108**	**0.00988**
Perfluorooctanoic acid (PFOA)	**0.0067**	UG/L	**0.0344**	**0.0196**	**0.024**	**0.0187**	**0.0174**	**0.0179**

Table 13. Summary of Per- and Polyfluoroalkyl Substances in Groundwater, 35-18 Steinway Street, Astoria, Queens, New York

		Sample Designation:	RMW-1	RMW-2	RMW-3	RMW-4	RMW-4	RMW-5
		Sample Date:	12/18/2025	12/22/2025	12/18/2025	12/18/2025	12/18/2025	12/22/2025
		Normal Sample or Field Duplicate:	N	N	N	N	FD	N
Parameter	NYSDEC Ambient Water Quality Standards and Guidance Values	Units						
Perfluoropentanesulfonic Acid (PFPeS)	--	UG/L	0.00048 J	0.00045 U	0.00043 U	0.0005 J	0.00043 J	0.00048 U
Perfluoropentanoic Acid (PFPeA)	--	UG/L	0.0147	0.0297	0.0125	0.0116	0.0116	0.012
Perfluorotetradecanoic acid (PFTA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluorotridecanoic Acid (PFTriA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Perfluoroundecanoic Acid (PFUnA)	--	UG/L	0.00041 U	0.00045 U	0.00043 U	0.00035 U	0.00035 U	0.00048 U
Sodium 1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	--	UG/L	0.00083 U	0.0009 U	0.00086 U	0.0007 U	0.0007 U	0.00095 U
Sodium 1H,1H,2H,2H-Perfluorohexane Sulfonate (4:2)	--	UG/L	0.00083 U	0.0009 U	0.00086 U	0.0007 U	0.0007 U	0.00095 U
Sodium 1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	--	UG/L	0.00083 U	0.0009 U	0.00086 U	0.0007 U	0.0007 U	0.00095 U

Table 14. Summary of Volatile Organic Compounds in Soil Vapor not Associated with Soil Vapor Intrusion, 35-18 Steinway Street, Astoria, Queens, New York

Sample Designation:		RSV-1	RSV-2	RSV-3	RSV-3	RSV-4	RSV-5	RSV-6	RSV-7
Sample Date:		12/19/2025	12/22/2025	12/19/2025	12/19/2025	12/19/2025	12/22/2025	12/19/2025	12/22/2025
Normal Sample or Field Duplicate:		N	N	N	FD	N	N	N	N
Parameter	Units								
1,1,1-Trichloroethane (TCA)	UG/M3	0.24 U	0.48 U	0.24 UJ	0.24 U	0.24 UJ	0.48 U	0.24 U	0.96 U
1,1,2,2-Tetrachloroethane	UG/M3	0.3 U	0.59 U	0.3 UJ	0.3 U	0.3 UJ	0.59 U	0.3 U	1.2 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	UG/M3	**0.54 J**	0.81 U	**0.55 J**	**0.49 J**	**0.53 J**	0.81 U	**0.64 J**	1.6 U
1,1,2-Trichloroethane	UG/M3	0.4 U	0.81 U	0.4 UJ	0.4 U	0.4 UJ	0.81 U	0.4 U	1.6 U
1,1-Dichloroethane	UG/M3	0.1 U	0.2 U	0.1 UJ	0.1 U	0.1 UJ	0.2 U	0.1 U	0.4 U
1,1-Dichloroethene	UG/M3	0.1 U	0.21 U	0.1 UJ	0.1 U	0.1 UJ	0.21 U	0.1 U	0.41 U
1,2,4-Trichlorobenzene	UG/M3	0.38 U	0.76 U	0.38 UJ	0.38 U	0.38 UJ	0.76 U	0.38 U	1.5 U
1,2,4-Trimethylbenzene	UG/M3	0.39 U	0.79 U	0.39 UJ	0.39 U	**2.2 J**	0.79 U	**0.7 J**	1.6 U
1,2-Dibromoethane (Ethylene Dibromide)	UG/M3	0.32 U	0.65 U	0.32 UJ	0.32 U	0.32 UJ	0.65 U	0.32 U	1.3 U
1,2-Dichlorobenzene	UG/M3	0.4 U	0.79 U	0.4 UJ	0.4 U	0.4 UJ	0.79 U	0.4 U	1.6 U
1,2-Dichloroethane	UG/M3	0.38 U	0.75 U	0.38 UJ	0.38 U	0.38 UJ	0.75 U	0.38 U	1.5 U
1,2-Dichloropropane	UG/M3	0.43 U	0.87 U	0.43 UJ	0.43 U	0.43 UJ	0.87 U	0.43 U	1.7 U
1,2-Dichlorotetrafluoroethane	UG/M3	**1.6**	0.67 U	0.34 UJ	0.34 U	0.34 UJ	0.67 U	0.34 U	**2.6 J**
1,3,5-Trimethylbenzene (Mesitylene)	UG/M3	0.23 U	0.46 U	0.23 UJ	0.23 U	0.23 UJ	0.46 U	0.23 U	0.92 U
1,3-Butadiene	UG/M3	0.086 U	0.17 U	0.086 UJ	0.086 U	0.086 UJ	0.17 U	0.086 U	0.35 U
1,3-Dichlorobenzene	UG/M3	0.45 U	0.89 U	0.45 UJ	0.45 U	0.45 UJ	0.89 U	0.45 U	1.8 U
1,4-Dichlorobenzene	UG/M3	0.54 U	1.1 U	0.54 UJ	0.54 U	0.54 UJ	1.1 U	0.54 U	2.1 U
1,4-Dioxane (P-Dioxane)	UG/M3	0.17 U	0.34 U	**0.31 J**	0.17 U	0.17 UJ	0.34 U	**0.45 J**	0.68 U
2,2,4-Trimethylpentane	UG/M3	**110 D**	0.36 U	**0.69 J**	**0.68 J**	**25 J**	**0.85 J**	**1.9**	0.71 U
2-Chlorotoluene	UG/M3	0.24 U	0.48 U	0.24 UJ	0.24 U	0.24 UJ	0.48 U	0.24 U	0.95 U
2-Hexanone	UG/M3	**0.62 J**	1.2 U	0.62 UJ	0.62 U	**3.7 J**	1.2 U	0.62 U	2.5 U
4-Ethyltoluene	UG/M3	0.24 U	0.48 U	0.24 UJ	**0.65 J**	**2.4 J**	0.48 U	0.24 U	0.96 U
Acetone	UG/M3	**52**	**56**	**32 J**	**32**	**99 J**	**51**	**37**	**130**
Allyl Chloride (3-Chloropropene)	UG/M3	0.38 U	0.75 U	0.38 UJ	0.38 U	0.38 UJ	0.75 U	0.38 U	1.5 U
Benzene	UG/M3	**1.4**	**0.77 J**	**0.54 J**	**0.66**	**0.88 J**	**0.86 J**	**0.68**	0.56 U
Benzyl Chloride	UG/M3	0.46 U	0.91 U	0.46 UJ	0.46 U	0.46 UJ	0.91 U	0.46 U	1.8 U
Bromodichloromethane	UG/M3	0.34 U	0.67 U	0.34 UJ	0.34 U	0.34 UJ	0.67 U	0.34 U	1.3 U
Bromoform	UG/M3	1.2 U	2.5 U	1.2 UJ	1.2 U	1.2 UJ	2.5 U	1.2 U	5 U
Bromomethane	UG/M3	0.28 U	0.55 U	0.28 UJ	0.28 U	0.28 UJ	0.55 U	0.28 U	1.1 U
Butane	UG/M3	**4.8**	**5.4**	0.48 UJ	0.48 U	0.48 UJ	0.95 U	0.48 U	**2.2 J**
Carbon Disulfide	UG/M3	**0.72 J**	**1.2 J**	0.41 UJ	0.41 U	**2.8 J**	**2.9 J**	**0.51 J**	1.6 U
Carbon Tetrachloride	UG/M3	0.14 U	0.28 U	0.14 UJ	0.14 U	0.14 UJ	0.28 U	0.14 U	0.55 U
Chlorobenzene	UG/M3	0.2 U	0.41 U	0.2 UJ	0.2 U	0.2 UJ	0.41 U	0.2 U	0.81 U
Chlorodifluoromethane	UG/M3	0.42 U	0.85 U	0.42 UJ	0.42 U	0.42 UJ	0.85 U	0.42 U	1.7 U
Chloroethane	UG/M3	0.48 U	0.95 U	0.48 UJ	0.48 U	0.48 UJ	0.95 U	0.48 U	1.9 U
Chloroform	UG/M3	**0.84 J**	**1.4 J**	**0.44 J**	**0.4 J**	**9.3 J**	**0.86 J**	**0.59 J**	**1.1 J**

Table 14. Summary of Volatile Organic Compounds in Soil Vapor not Associated with Soil Vapor Intrusion, 35-18 Steinway Street, Astoria, Queens, New York

Sample Designation:		RSV-1	RSV-2	RSV-3	RSV-3	RSV-4	RSV-5	RSV-6	RSV-7
Sample Date:		12/19/2025	12/22/2025	12/19/2025	12/19/2025	12/19/2025	12/22/2025	12/19/2025	12/22/2025
Normal Sample or Field Duplicate:		N	N	N	FD	N	N	N	N
Parameter	Units								
Chloromethane	UG/M3	0.31 U	0.62 U	0.31 UJ	0.31 U	0.31 UJ	0.62 U	0.31 U	1.2 U
Cis-1,2-Dichloroethylene	UG/M3	0.083 U	0.17 U	0.083 UJ	0.083 U	0.083 UJ	0.17 U	0.083 U	0.33 U
Cis-1,3-Dichloropropene	UG/M3	0.2 U	0.41 U	0.2 UJ	0.2 U	0.2 UJ	0.41 U	0.2 U	0.82 U
Cyclohexane	UG/M3	**5.3**	0.22 U	**0.32 J**	**0.43 J**	**3.9 J**	0.22 U	**1**	0.44 U
Cymene	UG/M3	0.34 U	0.67 U	0.34 UJ	0.34 U	0.34 UJ	0.67 U	0.34 U	1.3 U
Dibromochloromethane	UG/M3	0.13 U	0.26 U	0.13 UJ	0.13 U	0.13 UJ	0.26 U	0.13 U	0.52 U
Dichlorodifluoromethane	UG/M3	**3.1**	**3.4 J**	**2.9 J**	**2.4 J**	**4.3 J**	**3.3 J**	**2.8**	**5.2 J**
Ethylbenzene	UG/M3	**3.5**	0.45 U	**3.3 J**	**3.5**	**6.9 J**	0.45 U	**4**	0.9 U
Hexachlorobutadiene	UG/M3	1.2 U	2.3 U	1.2 UJ	1.2 U	1.2 UJ	2.3 U	1.2 U	4.7 U
Isopropanol	UG/M3	**4 J**	7.9 U	3.9 UJ	**5 J**	**3.9 J**	7.9 U	3.9 U	16 U
Isopropylbenzene (Cumene)	UG/M3	0.2 U	0.4 U	0.2 UJ	0.2 U	**0.64 J**	0.4 U	0.2 U	0.81 U
m,p-Xylene	UG/M3	**9.8**	**2.2 J**	**12 J**	**14**	**28 J**	**2.7 J**	**17**	1.7 U
Methyl Ethyl Ketone (2-Butanone)	UG/M3	**4**	2.9 U	**1.8 J**	**1.6**	**10 J**	**4.1**	**1.8**	5.8 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	UG/M3	0.53 U	1.1 U	0.53 UJ	0.53 U	**0.86 J**	1.1 U	0.53 U	2.1 U
Methyl Methacrylate	UG/M3	0.57 U	1.1 U	0.57 UJ	0.57 U	0.57 UJ	1.1 U	0.57 U	2.3 U
Methylene Chloride	UG/M3	0.63 U	1.3 U	0.63 UJ	0.63 U	0.63 UJ	1.3 U	0.63 U	2.5 U
Naphthalene	UG/M3	1.6 U	3.1 U	1.6 UJ	1.6 U	1.6 UJ	3.1 U	1.6 U	6.3 U
N-Butylbenzene	UG/M3	0.6 U	1.2 U	0.6 UJ	0.6 U	0.6 UJ	1.2 U	0.6 U	2.4 U
N-Heptane	UG/M3	0.23 U	**1.6**	**1.6 J**	**2.6 J**	**2.4 J**	0.45 U	**1.1**	0.9 U
N-Hexane	UG/M3	**2**	**38**	**0.95 J**	**1.1 J**	**2.3 J**	**1.4 J**	**1.6 J**	1.6 U
N-Propylbenzene	UG/M3	0.23 U	0.46 U	0.23 UJ	0.23 U	**0.62 J**	0.46 U	0.23 U	0.92 U
O-Xylene (1,2-Dimethylbenzene)	UG/M3	**2**	0.45 U	**3.3 J**	**3.8**	**8 J**	**0.94 J**	**4.5**	0.9 U
Sec-Butylbenzene	UG/M3	0.25 U	0.49 U	0.25 UJ	0.25 U	0.25 UJ	0.49 U	0.25 U	0.99 U
Styrene	UG/M3	0.25 U	0.5 U	0.25 UJ	0.25 U	0.25 UJ	0.5 U	0.25 U	1 U
T-Butylbenzene	UG/M3	0.26 U	0.52 U	0.26 UJ	0.26 U	0.26 UJ	0.52 U	0.26 U	1 U
Tert-Butyl Alcohol	UG/M3	**18**	7.3 U	**16 J**	**19**	**18 J**	**8.9 J**	**13 J**	15 U
Tert-Butyl Methyl Ether	UG/M3	0.13 U	0.26 U	0.13 UJ	0.13 U	0.13 UJ	0.26 U	0.13 U	0.52 U
Tetrachloroethylene (PCE)	UG/M3	**1.2 J**	0.28 U	**9.8 J**	**1.7 R**	**2 R**	0.28 U	**1.5**	0.57 U
Tetrahydrofuran	UG/M3	3.8 U	7.7 U	3.8 UJ	3.8 U	3.8 UJ	7.7 U	3.8 U	15 U
Toluene	UG/M3	**19**	**1.9**	**2.6 J**	**2.8**	**3.9 J**	**2.3**	**3.8**	**2 J**
Trans-1,2-Dichloroethene	UG/M3	0.091 U	0.18 U	0.091 UJ	0.091 U	0.091 UJ	0.18 U	0.091 U	0.36 U
Trans-1,3-Dichloropropene	UG/M3	0.25 U	0.49 U	0.25 UJ	0.25 U	0.25 UJ	0.49 U	0.25 U	0.98 U
Trichloroethylene (TCE)	UG/M3	0.13 U	0.27 U	**4.1 J**	**3.5**	0.13 UJ	0.27 U	0.13 U	0.54 U
Trichlorofluoromethane	UG/M3	**1.4**	**2.5**	**1.5 J**	**1.4**	**2.3 J**	**2.2**	**1.6**	1.1 U
Vinyl Bromide	UG/M3	0.22 U	0.44 U	0.22 UJ	0.22 U	0.22 UJ	0.44 U	0.22 U	0.88 U
Vinyl Chloride	UG/M3	0.054 U	0.11 U	0.054 UJ	0.054 U	0.054 UJ	0.11 U	0.054 U	0.21 U

Table 14. Summary of Volatile Organic Compounds in Soil Vapor not Associated with Soil Vapor Intrusion, 35-18 Steinway Street, Astoria, Queens, New York


Sample Designation:		RSV-8	RSV-9
Sample Date:		12/19/2025	12/19/2025
Normal Sample or Field Duplicate:		N	N
Parameter	Units		
1,1,1-Trichloroethane (TCA)	UG/M3	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	UG/M3	0.3 U	0.3 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	UG/M3	**0.54 J**	**0.59 J**
1,1,2-Trichloroethane	UG/M3	0.4 U	0.4 U
1,1-Dichloroethane	UG/M3	0.1 U	0.1 U
1,1-Dichloroethene	UG/M3	0.1 U	0.1 U
1,2,4-Trichlorobenzene	UG/M3	0.38 U	0.38 U
1,2,4-Trimethylbenzene	UG/M3	0.39 U	0.39 U
1,2-Dibromoethane (Ethylene Dibromide)	UG/M3	0.32 U	0.32 U
1,2-Dichlorobenzene	UG/M3	0.4 U	0.4 U
1,2-Dichloroethane	UG/M3	0.38 U	0.38 U
1,2-Dichloropropane	UG/M3	0.43 U	0.43 U
1,2-Dichlorotetrafluoroethane	UG/M3	0.34 U	0.34 U
1,3,5-Trimethylbenzene (Mesitylene)	UG/M3	0.23 U	0.23 U
1,3-Butadiene	UG/M3	0.086 U	0.086 U
1,3-Dichlorobenzene	UG/M3	0.45 U	0.45 U
1,4-Dichlorobenzene	UG/M3	0.54 U	0.54 U
1,4-Dioxane (P-Dioxane)	UG/M3	0.17 U	**1.7 J**
2,2,4-Trimethylpentane	UG/M3	**2.4**	**8.3**
2-Chlorotoluene	UG/M3	0.24 U	0.24 U
2-Hexanone	UG/M3	0.62 U	0.62 U
4-Ethyltoluene	UG/M3	**1.5**	0.24 U
Acetone	UG/M3	**81 D**	**210 D**
Allyl Chloride (3-Chloropropene)	UG/M3	0.38 U	0.38 U
Benzene	UG/M3	**2.8**	**1.4**
Benzyl Chloride	UG/M3	0.46 U	0.46 U
Bromodichloromethane	UG/M3	0.34 U	0.34 U
Bromoform	UG/M3	1.2 U	1.2 U
Bromomethane	UG/M3	0.28 U	0.28 U
Butane	UG/M3	**12**	**25**
Carbon Disulfide	UG/M3	**0.85 J**	**2**
Carbon Tetrachloride	UG/M3	0.14 U	**0.56**
Chlorobenzene	UG/M3	0.2 U	0.2 U
Chlorodifluoromethane	UG/M3	0.42 U	0.42 U
Chloroethane	UG/M3	0.48 U	0.48 U
Chloroform	UG/M3	**0.68 J**	**3.2**

Table 14. Summary of Volatile Organic Compounds in Soil Vapor not Associated with Soil Vapor Intrusion, 35-18 Steinway Street, Astoria, Queens, New York

Sample Designation:		RSV-8	RSV-9
Sample Date:		12/19/2025	12/19/2025
Normal Sample or Field Duplicate:		N	N
Parameter	Units		
Chloromethane	UG/M3	0.31 U	0.31 U
Cis-1,2-Dichloroethylene	UG/M3	0.083 U	0.083 U
Cis-1,3-Dichloropropene	UG/M3	0.2 U	0.2 U
Cyclohexane	UG/M3	**1.7**	**7.3**
Cymene	UG/M3	0.34 U	0.34 U
Dibromochloromethane	UG/M3	0.13 U	0.13 U
Dichlorodifluoromethane	UG/M3	**2.4 J**	**2.6**
Ethylbenzene	UG/M3	**69**	**6.3**
Hexachlorobutadiene	UG/M3	1.2 U	1.2 U
Isopropanol	UG/M3	**10 J**	**8.9 J**
Isopropylbenzene (Cumene)	UG/M3	0.2 U	0.2 U
m,p-Xylene	UG/M3	**200**	**24**
Methyl Ethyl Ketone (2-Butanone)	UG/M3	**4.6**	**13**
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	UG/M3	**0.61 J**	0.53 U
Methyl Methacrylate	UG/M3	0.57 U	0.57 U
Methylene Chloride	UG/M3	**4.1**	0.63 U
Naphthalene	UG/M3	1.6 U	1.6 U
N-Butylbenzene	UG/M3	0.6 U	0.6 U
N-Heptane	UG/M3	**1.7**	**3.7**
N-Hexane	UG/M3	**5**	**10**
N-Propylbenzene	UG/M3	0.23 U	0.23 U
O-Xylene (1,2-Dimethylbenzene)	UG/M3	**38**	**5.4**
Sec-Butylbenzene	UG/M3	0.25 U	0.25 U
Styrene	UG/M3	0.25 U	0.25 U
T-Butylbenzene	UG/M3	0.26 U	0.26 U
Tert-Butyl Alcohol	UG/M3	**7.8 J**	**42**
Tert-Butyl Methyl Ether	UG/M3	0.13 U	0.13 U
Tetrachloroethylene (PCE)	UG/M3	**2.1**	**20**
Tetrahydrofuran	UG/M3	3.8 U	3.8 U
Toluene	UG/M3	**15**	**3.5**
Trans-1,2-Dichloroethene	UG/M3	0.091 U	0.091 U
Trans-1,3-Dichloropropene	UG/M3	0.25 U	0.25 U
Trichloroethylene (TCE)	UG/M3	0.13 U	**0.95**
Trichlorofluoromethane	UG/M3	**1.8**	**1.8**
Vinyl Bromide	UG/M3	0.22 U	0.22 U
Vinyl Chloride	UG/M3	0.054 U	0.054 U

FIGURES


1. Site Location Map
2. Existing Site Plan with Sampling Locations
3. Groundwater Contour Map, December 18, 2025
4. Summary of Exceedances in Soil
5. Summary of Exceedances in Groundwater
6. Summary of Detections in Soil Vapor



QUADRANGLE LOCATION



SOURCE:
USGS, 2013, Brooklyn, NY
USGS, 2013, Central Park, NY
7.5 Minute Topographic Quadrangle



Title:

SITE LOCATION MAP


35-18 STEINWAY STREET
ASTORIA, NEW YORK

Prepared for:

LMXD INNOQ B1 LLC

ROUX	Compiled by: J.R.	Date: 08JAN26	FIGURE 1
	Prepared by: G.M.	Scale: AS SHOWN	
	Project Mgr: J.R.	Project: 4806.0001Y000	
	File: 4806.0001Y109.01.DWG		

V:\CAD\PROJECTS\4806Y\0001Y\109\4806.0001Y109.01.DWG



LEGEND

SITE BOUNDARY

BCP REMEDIAL INVESTIGATION SAMPLING LOCATIONS

RSB–1/ RSV–1 — SOIL BORING/SOIL VAPOR SAMPLING LOCATION AND DESIGNATION

RMW–1 — MONITORING WELL SAMPLING LOCATION AND DESIGNATION

N

30' 0 30'

Title:

SITE PLAN WITH SAMPLING LOCATIONS

35-18 STEINWAY STREET
ASTORIA, NEW YORK


Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: J.R.	Date: 1/13/2026	FIGURE 2
Prepared by: G.M.	Scale: AS SHOWN	
Project Mgr: N.C.	Project: 4806.0001Y000	
File: 4806.0001Y109.02.DWG		

V:\CAD\PROJECTS\4806Y\0001Y\1094806.0001Y109.02.DWG GMILTON



V:\CAD\PROJECTS\4806Y\0001Y\109\4806.0001Y109.02.DWG GMILTON

LEGEND

SITE BOUNDARY

BCP REMEDIAL INVESTIGATION SAMPLING LOCATIONS

RMW-1 — MONITORING WELL SAMPLING LOCATION AND DESIGNATION

20.24 — GROUNDWATER ELEVATION IN FEET (NAVD 88)

20.0 — LINE OF EQUAL GROUNDWATER ELEVATION IN FEET (NAVD 88)

INFERRED GROUNDWATER FLOW DIRECTION

NOTE

NAVD 88 – NORTH AMERICAN VERTICAL DATUM 1988.

N

30' 0 30'

Title:

GROUNDWATER CONTOUR MAP DECEMBER 18, 2025

35-18 STEINWAY STREET
ASTORIA, NEW YORK

Prepared for:

KAUFMAN BEDROCK ASTORIA LLC

ROUX

Compiled by: J.R.	Date: 1/13/2026	FIGURE 3
Prepared by: G.M.	Scale: AS SHOWN	
Project Mgr: N.C.	Project: 4806.0001Y000	
File: 4806.0001Y109.02.DWG		

RSB-7	12/08/2025	12/08/2025	12/08/2025	12/16/2025	12/16/2025	12/16/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	6 - 8	8 - 10	25 - 27
VOCs						
Acetone	NE	NE	NE	ND	**0.11 J**	ND
Metals						
Copper	NE	**60.9**	NE	NE	NE	NE
Lead	NE	**1290**	**116**	NE	NE	NE
Zinc	NE	**117**	NE	**177**	NE	NE

RSB-5	12/01/2025	12/01/2025	12/01/2025	12/02/2025	12/15/2025	12/02/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	6 - 8	8 - 10	20 - 22
Metals						
Copper	NE	NE	**63.2**	**131 J-**	NE	NE
Lead	**71.8**	**76**	NE	**83.9 J-**	NE	NE

RSB-1	12/01/2025	12/01/2025	12/01/2025	12/02/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	20 - 22
Metals				
Lead	**77.7**	**185**	NE	NE
Mercury	NE	**0.79**	NE	ND
Zinc	NE	**117**	NE	NE

RSB-6	12/12/2025	12/12/2025	12/12/2025	12/16/2025	12/16/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	6 - 8	20 - 22
SVOCs					
Benzo(B)Fluoranthene	**1.1**	NE	NE	ND	ND
Indeno(1,2,3-C,D)Pyrene	**0.53**	ND	ND	ND	ND
Metals					
Lead	**126**	NE	NE	NE	NE
Zinc	**243**	NE	NE	NE	NE
PFAS					
Perfluorooctanesulfonic acid (PFOS)	NE	**0.9**	NE	ND	ND


RSB-3	12/01/2025	12/01/2025	12/01/2025	12/02/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	20 - 22
VOCs				
Acetone	NE	**0.033 J+**	**0.049 J+**	NE
Metals				
Lead	**97.9**	**82.7**	NE	NE
Zinc	**136**	**159**	NE	NE

RSB-2	12/01/2025	12/01/2025	12/01/2025	12/01/2025	12/02/2025
Depth (ft bls)	0 - 2	1 - 3	1 - 3 DUP	3 - 5	20 - 22
VOCs					
Acetone	NE	NE	NE	**0.042 J+**	NE
Metals					
Lead	**105**	NE	NE	NE	NE

RSB-8	12/11/2025	12/11/2025	12/11/2025	12/11/2025	12/15/2025	12/15/2025
Depth (ft bls)	0 - 2	1 - 3	1 - 3	3 - 5	5 - 7	25 - 27
Metals						
Lead	**70.4 J**	NE	NE	NE	NE	NE
Pesticides/Herbicides						
P,P'-DDE	**0.0055 JT**	ND	ND	ND	ND	ND

RSB-9	12/15/2025	12/17/2025	12/17/2025	12/17/2025
Depth (ft bls)	0 - 2	16 - 18	20 - 22	22 - 24
Metals				
Cadmium	NE	NE	**2.9**	NE
Chromium III	**549**	NE	NE	NE
Chromium, Total	**549**	NE	NE	NE
Copper	**9320**	NE	NE	NE
Lead	**159**	NE	NE	NE
Nickel	**302**	NE	NE	NE
Zinc	**696**	NE	**813**	NE

RSB-4	12/03/2025	12/03/2025	12/03/2025	12/03/2025
Depth (ft bls)	0 - 2	2 - 4	4 - 6	20 - 22
SVOCs				
Benzo(A)Anthracene	**17**	**10**	ND	ND
Benzo(A)Pyrene	**14**	**8.8**	NE	ND
Benzo(B)Fluoranthene	**19**	**13**	NE	ND
Benzo(G,H,I)Perylene	**5.5 J-**	**4.6**	NE	ND
Benzo(K)Fluoranthene	**4.6 J-**	**3.6**	ND	ND
Chrysene	**16**	**9.5**	NE	ND
Dibenz(A,H)Anthracene	**1.7 J-**	**1.4**	ND	ND
Indeno(1,2,3-C,D)Pyrene	**6.3 J-**	**5.3**	ND	ND
Phenanthrene	**22**	**15**	NE	ND
Metals				
Lead	**290**	**242**	NE	NE
Mercury	NE	**0.19**	NE	NE
Zinc	**601**	**485**	NE	NE
PCBs				
Polychlorinated Biphenyl (PCBs)	**0.14**	**0.25 J**	ND	ND



Parameter	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Residential Soil Cleanup Objectives	NYSDEC Part 375 Protection of Groundwater Soil Cleanup Objectives	Units
VOCs				
Acetone	**0.03**	100	0.03	mg/kg
SVOCs				
Benzo(A)Anthracene	**1**	1.4	1	mg/kg
Benzo(A)Pyrene	**1**	1	22	mg/kg
Benzo(B)Fluoranthene	**1**	1.4	2.1	mg/kg
Benzo(G,H,I)Perylene	**0.64**	4.9	1000	mg/kg
Benzo(K)Fluoranthene	**0.8**	4.9	2	mg/kg
Chrysene	**1**	4.9	1	mg/kg
Dibenz(A,H)Anthracene	**0.33**	0.33	1000	mg/kg
Indeno(1,2,3-C,D)Pyrene	**0.5**	1.4	6.6	mg/kg
Phenanthrene	**1.1**	4.9	1000	mg/kg
Metals				
Cadmium	**2.5**	2.5	7.5	mg/kg
Chromium III	**30**	110	--	mg/kg
Chromium, Total	**30**	110	--	mg/kg
Copper	**50**	280	1720	mg/kg
Lead	**63**	400	450	mg/kg
Mercury	**0.18**	0.3	0.73	mg/kg
Nickel	**30**	320	130	mg/kg
Zinc	**109**	6600	2480	mg/kg
PCBs				
Polychlorinated Biphenyl (PCBs)	**0.1**	1	3.2	mg/kg
Pesticides/Herbicides				
P,P'-DDE	**0.0033**	3.4	9.3	mg/kg
PFAS				
Perfluorooctanesulfonic acid (PFOS)	**0.88**	44	1	µg/kg

mg/kg – MILLIGRAMS PER KILOGRAM

µg/kg – MICROGRAMS PER KILOGRAM

NYSDEC – NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

– – NO NYSDEC PART 375 SOIL CLEANUP OBJECTIVES AVAILABLE

J – ESTIMATED VALUE

T – INDICATES THAT A QUALITY CONTROL PARAMETER HAS EXCEEDED LABORATORY LIMITS

J+ – ESTIMATED VALUE, HIGH BIAS

J– – ESTIMATED VALUE, LOW BIAS

DUP – DUPLICATE SAMPLE

VOCS – VOLATILE ORGANIC COMPOUNDS

SVOCS – SEMIVOLATILE ORGANIC COMPOUNDS

PCBS – POLYCHLORINATED BIPHENYLS

PFAS – PER– AND POLYFLUOROALKYL SUBSTANCES

NE – NO EXCEEDANCE

ND – NO DETECTION

FT BLS – FEET BELOW LAND SURFACE

LEGEND

SITE BOUNDARY

BCP REMEDIAL INVESTIGATION SAMPLING LOCATIONS

RSB–1/ RSV–1 SOIL BORING/SOIL VAPOR SAMPLING LOCATION AND DESIGNATION

N

30' 0 30'

Title:

SUMMARY OF EXCEEDANCES IN SOIL

35-18 STEINWAY STREET ASTORIA, NEW YORK

Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: J.R.	Date: 1/15/2026	FIGURE 4
Prepared by: G.M.	Scale: AS SHOWN	
Project Mgr: N.C.	Project: 4806.0001Y000	
File: 4806.0001Y109.02.DWG		

V:\CAD\PROJECTS\4806\Y0001Y109\4806.0001Y109.02.DWG GMILTON

RMW-1	12/18/2025
Metals, Total	
Iron	**634**
Magnesium	**37500**
Manganese	**1160**
Sodium	**93700**
Metals, Dissolved	
Magnesium	**36400**
Manganese	**1080**
Sodium	**92600**
PFAS	
Perfluorooctanesulfonic acid (PFOS)	**0.0867**
Perfluorooctanoic acid (PFOA)	**0.0344**

RMW-5	12/22/2025
Metals, Total	
Sodium	**146000**
Metals, Dissolved	
Sodium	**140000**
PFAS	
Perfluorooctanesulfonic acid (PFOS)	**0.00988**
Perfluorooctanoic acid (PFOA)	**0.0179**

RMW-2	12/22/2025
Metals, Total	
Sodium	**111000**
Metals, Dissolved	
Sodium	**111000**
PFAS	
Perfluorooctanesulfonic acid (PFOS)	**0.0107**
Perfluorooctanoic acid (PFOA)	**0.0196**

RMW-3	12/18/2025
Metals, Total	
Sodium	**130000**
Metals, Dissolved	
Sodium	**120000**
PFAS	
Perfluorooctanesulfonic acid (PFOS)	**0.0212**
Perfluorooctanoic acid (PFOA)	**0.024**

RMW-4	12/18/2025	12/18/2025 DUP
Metals, Total		
Sodium	**79400**	**78700**
Metals, Dissolved		
Sodium	**75100**	**79600**
PFAS		
Perfluorooctanesulfonic acid (PFOS)	**0.0111**	**0.0108**
Perfluorooctanoic acid (PFOA)	**0.0187**	**0.0174**



Parameter	NYSDEC AWQSGV	Units
VOCs	NE	µg/L
SVOCs	NE	µg/L
Metals, Total		
Iron	**300**	µg/L
Magnesium	**35000**	µg/L
Manganese	**300**	µg/L
Sodium	**20000**	µg/L
Metals, Dissolved		
Magnesium	**35000**	µg/L
Manganese	**300**	µg/L
Sodium	**20000**	µg/L
PCBs	ND	µg/L
Pesticides	ND	µg/L
PFAS		
Perfluorooctanesulfonic acid (PFOS)	**0.0027**	µg/L
Perfluorooctanoic acid (PFOA)	**0.0067**	µg/L

CONCENTRATIONS IN µg/L

µg/L – MICROGRAMS PER LITER

NYSDEC – NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

AWQSGVS – AMBIENT WATER–QUALITY STANDARDS AND GUIDANCE VALUES

– – NO NYSDEC AWQSGV AVAILABLE

DUP – DUPLICATE SAMPLE

VOCS – VOLATILE ORGANIC COMPOUNDS

SVOCS – SEMIVOLATILE ORGANIC COMPOUNDS

PCBS – POLYCHLORINATED BIPHENYLS

PFAS – PER– AND POLYFLUOROALKYL SUBSTANCES

NE – NO EXCEEDANCES

ND – NO DETECTION

LEGEND

SITE BOUNDARY

BCP REMEDIAL INVESTIGATION SAMPLING LOCATIONS

RMW–1 MONITORING WELL SAMPLING LOCATION AND DESIGNATION

N

30' 0 30'

Title:

SUMMARY OF EXCEEDANCES IN GROUNDWATER

35-18 STEINWAY STREET
ASTORIA, NEW YORK

Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: J.R.	Date: 1/15/2026	FIGURE
Prepared by: G.M.	Scale: AS SHOWN	5
Project Mgr: N.C.	Project: 4806.0001Y000	
File: 4806.0001Y109.02.DWG		

V:\CAD\PROJECTS\4806\Y0001\Y1\09\4806.0001Y109.02.DWG GMILTON

RSV-1	12/19/2025
VOCs	
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.54 J**
1,2-Dichlorotetrafluoroethane	**1.6**
2,2,4-Trimethylpentane	**110 D**
2-Hexanone	**0.62 J**
Acetone	**52**
Benzene	**1.4**
Butane	**4.8**
Carbon Disulfide	**0.72 J**
Chloroform	**0.84 J**
Cyclohexane	**5.3**
Dichlorodifluoromethane	**3.1**
Ethylbenzene	**3.5**
Isopropanol	**4 J**
m,p-Xylene	**9.8**
Methyl Ethyl Ketone (2-Butanone)	**4**
N-Hexane	**2**
O-Xylene (1,2-Dimethylbenzene)	**2**
Tert-Butyl Alcohol	**18**
Tetrachloroethylene (PCE)	**1.2 J**
Toluene	**19**
Trichlorofluoromethane	**1.4**

RSV-5	12/22/2025
VOCs	
2,2,4-Trimethylpentane	**0.85 J**
Acetone	**51**
Benzene	**0.86 J**
Carbon Disulfide	**2.9 J**
Chloroform	**0.86 J**
Dichlorodifluoromethane	**3.3 J**
m,p-Xylene	**2.7 J**
Methyl Ethyl Ketone (2-Butanone)	**4.1**
N-Hexane	**1.4 J**
O-Xylene (1,2-Dimethylbenzene)	**0.94 J**
Tert-Butyl Alcohol	**8.9 J**
Toluene	**2.3**
Trichlorofluoromethane	**2.2**

RSV-6	12/19/2025
VOCs	
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.64 J**
1,2,4-Trimethylbenzene	**0.7 J**
1,4-Dioxane (P-Dioxane)	**0.45 J**
2,2,4-Trimethylpentane	**1.9**
Acetone	**37**
Benzene	**0.68**
Carbon Disulfide	**0.51 J**
Chloroform	**0.59 J**
Cyclohexane	**1**
Dichlorodifluoromethane	**2.8**
Ethylbenzene	**4**
m,p-Xylene	**17**
Methyl Ethyl Ketone (2-Butanone)	**1.8**
N-Heptane	**1.1**
N-Hexane	**1.6 J**
O-Xylene (1,2-Dimethylbenzene)	**4.5**
Tert-Butyl Alcohol	**13 J**
Tetrachloroethylene (PCE)	**1.5**
Toluene	**3.8**
Trichlorofluoromethane	**1.6**

RSV-7	12/22/2025
VOCs	
1,2-Dichlorotetrafluoroethane	**2.6 J**
Acetone	**130**
Butane	**2.2 J**
Chloroform	**1.1 J**
Dichlorodifluoromethane	**5.2 J**
Toluene	**2 J**


RSV-2	12/22/2025
VOCs	
Acetone	**56**
Benzene	**0.77 J**
Butane	**5.4**
Carbon Disulfide	**1.2 J**
Chloroform	**1.4 J**
Dichlorodifluoromethane	**3.4 J**
m,p-Xylene	**2.2 J**
N-Heptane	**1.6**
N-Hexane	**38**
Toluene	**1.9**
Trichlorofluoromethane	**2.5**

RSV-3	12/19/2025	12/19/2025
VOCs		DUP
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.55 J**	**0.49 J**
1,4-Dioxane (P-Dioxane)	**0.31 J**	ND
2,2,4-Trimethylpentane	**0.69 J**	**0.68 J**
4-Ethyltoluene	ND	**0.65 J**
Acetone	**32 J**	**32**
Benzene	**0.54 J**	**0.66**
Chloroform	**0.44 J**	**0.4 J**
Cyclohexane	**0.32 J**	**0.43 J**
Dichlorodifluoromethane	**2.9 J**	**2.4 J**
Ethylbenzene	**3.3 J**	**3.5**
Isopropanol	ND	**5 J**
m,p-Xylene	**12 J**	**14**
Methyl Ethyl Ketone (2-Butanone)	**1.8 J**	**1.6**
N-Heptane	**1.6 J**	**2.6 J**
N-Hexane	**0.95 J**	**1.1 J**
O-Xylene (1,2-Dimethylbenzene)	**3.3 J**	**3.8**
Tert-Butyl Alcohol	**16 J**	**19**
Tetrachloroethylene (PCE)	**9.8 J**	**1.7 R**
Toluene	**2.6 J**	**2.8**
Trichloroethylene (TCE)	**4.1 J**	**3.5**
Trichlorofluoromethane	**1.5 J**	**1.4**

RSV-8	12/19/2025
VOCs	
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.54 J**
2,2,4-Trimethylpentane	**2.4**
4-Ethyltoluene	**1.5**
Acetone	**81 D**
Benzene	**2.8**
Butane	**12**
Carbon Disulfide	**0.85 J**
Chloroform	**0.68 J**
Cyclohexane	**1.7**
Dichlorodifluoromethane	**2.4 J**
Ethylbenzene	**69**
Isopropanol	**10 J**
m,p-Xylene	**200**
Methyl Ethyl Ketone (2-Butanone)	**4.6**
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	**0.61 J**
Methylene Chloride	**4.1**
N-Heptane	**1.7**
N-Hexane	**5**
O-Xylene (1,2-Dimethylbenzene)	**38**
Tert-Butyl Alcohol	**7.8 J**
Tetrachloroethylene (PCE)	**2.1**
Toluene	**15**
Trichlorofluoromethane	**1.8**

RSV-9	12/19/2025
VOCs	
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.59 J**
1,4-Dioxane (P-Dioxane)	**1.7 J**
2,2,4-Trimethylpentane	**8.3**
Acetone	**210 D**
Benzene	**1.4**
Butane	**25**
Carbon Disulfide	**2**
Carbon Tetrachloride	**0.56**
Chloroform	**3.2**
Cyclohexane	**7.3**
Dichlorodifluoromethane	**2.6**
Ethylbenzene	**6.3**
Isopropanol	**8.9 J**
m,p-Xylene	**24**
Methyl Ethyl Ketone (2-Butanone)	**13**
N-Heptane	**3.7**
N-Hexane	**10**
O-Xylene (1,2-Dimethylbenzene)	**5.4**
Tert-Butyl Alcohol	**42**
Tetrachloroethylene (PCE)	**20**
Toluene	**3.5**
Trichloroethylene (TCE)	**0.95**
Trichlorofluoromethane	**1.8**

RSV-4	12/19/2025
VOCs	
1,1,2-Trichloro-1,2,2-Trifluoroethane	**0.53 J**
1,2,4-Trimethylbenzene	**2.2 J**
2,2,4-Trimethylpentane	**25 J**
2-Hexanone	**3.7 J**
4-Ethyltoluene	**2.4 J**
Acetone	**99 J**
Benzene	**0.88 J**
Carbon Disulfide	**2.8 J**
Chloroform	**9.3 J**
Cyclohexane	**3.9 J**
Dichlorodifluoromethane	**4.3 J**
Ethylbenzene	**6.9 J**
Isopropanol	**3.9 J**
Isopropylbenzene (Cumene)	**0.64 J**
m,p-Xylene	**28 J**
Methyl Ethyl Ketone (2-Butanone)	**10 J**
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	**0.86 J**
N-Heptane	**2.4 J**
N-Hexane	**2.3 J**
N-Propylbenzene	**0.62 J**
O-Xylene (1,2-Dimethylbenzene)	**8 J**
Tert-Butyl Alcohol	**18 J**
Tetrachloroethylene (PCE)	**2 R**
Toluene	**3.9 J**
Trichlorofluoromethane	**2.3 J**



30' 0 30'

LEGEND

SITE BOUNDARY

BCP REMEDIAL INVESTIGATION SAMPLING LOCATIONS

RSB–1/RSV–1 SOIL BORING/SOIL VAPOR SAMPLING LOCATION AND DESIGNATION

CONCENTRATIONS IN $\mu g/m^3$

$\mu g/m^3$ – MICROGRAMS PER CUBIC METER

VOCS – VOLATILE ORGANIC COMPOUNDS

ND – COMPOUND WAS ANALYZED FOR BUT NOT DETECTED

J – ESTIMATED VALUE

D – A SECONDARY ANALYSIS AFTER DILUTION DUE TO EXCEEDANCE OF THE CALIBRATION RANGE IN THE ORIGINAL SAMPLE

R – SAMPLE RESULTS REJECTED BY VALIDATOR

Title:

SUMMARY OF DETECTIONS IN SOIL VAPOR

35-18 STEINWAY STREET
ASTORIA, NEW YORK

Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: J.R.	Date: 1/15/2026	FIGURE
Prepared by: G.M.	Scale: AS SHOWN	6
Project Mgr: N.C.	Project: 4806.0001Y000	
File: 4806.0001Y109.02.DWG		

V:\CAD\PROJECTS\4806\Y000\Y109\4806.000Y109.02.DWG GMILLION

APPENDICES

A. Proposed Redevelopment Plans

B. Previous Environmental Reports

C. Soil Boring and Well Construction Logs

D. Remedial Investigation Analytical Data

E. Data Usability Summary Reports for Remedial Investigation Data

F. Groundwater Sampling Forms


G. Soil Vapor Sampling Forms

H. Remedial Investigation CAMP Data Logs and Daily Reports

I. Waste Characterization Sample Data for Investigation Derived Waste


APPENDIX A

Proposed Redevelopment Plans



CELLAR / FOUNDATION LAYOUT PLAN

SCALE: 1/8" = 1'-0"



3D ISO - CELLAR / FOUNDATION PLAN

FOUNDATION WALL SCHEDULE

WALL TYPE	THICKNESS	HORIZONTAL REINF.	VERTICAL REINF.	REMARKS
TYPE A	16"	#5@12" O.C.	#6@12" O.C.	PROVIDE 3#6 HORIZONTAL BARS AT THE BOTTOM OF THE WALL
TYPE B	14"	#5@12" O.C.	#6@12" O.C.	PROVIDE 3#5 HORIZONTAL BARS AT THE BOTTOM OF THE WALL

FOUNDATION NOTES:

1. FOR GENERAL NOTES SEE DRAWING S-001.
2. ALL ELEVATIONS NOTED "EL" ON THE PLANS ARE NAVD 88 ELEVATIONS.
3. OUTER MOST SLAB REINFORCING RUNS IN EAST-WEST DIRECTION.
4. TOP OF PILE CAP TO MATCH BOTTOM OF LOWEST SLAB WITHIN THE PILE CAP, U.O.N. THUS ['-"].
5. TOP OF GRADE BEAM = TOP OF CAP U.O.N. THUS ['-"].
6. FOR FOUNDATION DETAILS SEE S-100 SERIES.
7. FOR COLUMN AND SHEAR WALL DETAILS SEE S-400 SERIES.
8. REFER TO ARCHITECTURAL DRAWINGS FOR FINISHED FLOOR SLOPES.
9. FOR CMU TYPICAL DETAILS SEE S-400 SERIES.
10. INTERIOR NON-LOAD BEARING CMU WALLS NOT SHOWN ON PLAN, REFER TO TYPICAL CMU DETAILS FOR REINFORCING.
11. SEE ARCHITECTURAL DRAWINGS FOR LOCATION OF CMU WALLS.
12. SEE M.E.P. DRAWINGS FOR ALL SLAB PENETRATIONS NOT SHOWN ON STRUCTURAL DRAWINGS.
13. NO CORE DRILLING FOR PIPE PENETRATIONS OR INSTALLATION OF METAL STRUCTURES IS PERMITTED. PLACEMENT OF ALL PIPE SLEEVES, SLOTS AND ANCHORS SHALL BE DIMENSIONED AND COORDINATED W/ ALL TRADES AND APPROVED BY ARCHITECT, MECHANICAL AND STRUCTURAL ENGINEERS PRIOR TO POURING CONCRETE.
14. FOUNDATION WALL IS TYPE A U.O.N. SEE FO-106 FOR FOUNDATION WALL SCHEDULE

TOP OF SLAB ELEVATION U.O.N.:	**EL= +27' - 4"**
SLAB THICKNESS U.O.N.:	**SEE PLAN**
SLAB CONCRETE STRENGTH:	**6 KSI**
SLAB CONT. TOP AND BOTTOM BARS U.O.N.:	**10" / 14" SLAB: #5 @ 12" O.C.**



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE

120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMJS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004

ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018

LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
80 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017

KEY PLAN



STAMP

NO	DATE	DESCRIPTION
4	10/13/2025	50% CD
3	08/22/2025	DOB/HPD SUBMISSION
2	06/01/2025	100% DD
1	04/18/2025	100% SD

REVISIONS

SUBMITTAL

DESIGN DEVELOPMENT

DRAWING TITLE
CELLAR / FOUNDATION LAYOUT PLAN


SCALE	1/8" = 1'-0"
DATE	04/15/25
PROJECT NUMBER	3053.00
DRAWING NUMBER	

FO-101


OF

DOB NOW JOB #


10/13/2025 4:01:07 PM




5 TYPICAL PILE CAP DETAIL AT COLUMN




4 TYPICAL REINFORCING DETAIL AT FOUNDATION WALL CORNERS




3 TYPICAL STRUCTURAL SLAB DROP DETAIL



2 TYPICAL REINFORCING DETAIL AT FOUNDATION WALL OPENING



1 TYPICAL SLAB ON GROUND DETAIL




10 SECTION AT DETENTION TANK
SCALE: 1/2" = 1'-0"

FOUNDATION WALL SCHEDULE

WALL TYPE	THICKNESS	HORIZONTAL REINF.	VERTICAL REINF.	REMARKS
TYPE A	16"	#5@12" O.C.	#6@12" O.C.	PROVIDE 3#8 HORIZONTAL BARS AT THE BOTTOM OF THE WALL
TYPE B	14"	#5@12" O.C.	#6@12" O.C.	PROVIDE 3#8 HORIZONTAL BARS AT THE BOTTOM OF THE WALL

8 TYPICAL BUTTRESS DETAIL



7 TYPICAL MAT REINFORCING DETAIL

6 TYPICAL SHEAR WALL PILE CAP DETAIL



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE
120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMUS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004

ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018


LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
80 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017


KEY PLAN




STAMP




15 ADDED BOTTOM BAR REPLACEMENT



13 TYPICAL STRUCTURAL SLAB ON GROUND CONSTRUCTION JOINT DETAIL



12 ADDED TOP BARS PLACEMENT



11 SUMP PIT SECTION - SINGLE (SOIL)

NO	DATE	DESCRIPTION
4	10/13/2025	50% CD
3	09/22/2025	DOB/HPD SUBMISSION
2	08/01/2025	100% DD
1	04/18/2025	100% SD

REVISIONS
SUBMITTAL

DESIGN DEVELOPMENT

DRAWING
TITLE

FOUNDATION DETAILS


SCALE	As indicated
DATE	12/08/09
PROJECT NUMBER	3053.00
DRAWING NUMBER	

FO-102


OF

DOB NOW JOB #


10/13/2025 5:52:54 PM




PC-7




PC-6




PC-5




PC-4




PC-3




PC-2




PC-1




PC-1A




PC-2A




PC-11




PC-10




PC-9




PC-8




PC-3A




PC-4A




PC-14




PC-12



PC-13



PC-5A



PC-6A

PILE CAP SCHEDULE

TYPE	WIDTH	LENGTH	THICKNESS	BOTTOM REINFORCEMENT		COMMENTS
				LONG BARS	SHORT BARS	
PC-1	4' - 6"	4' - 6"	36"	4#8	4#8	-
PC-1A	1' - 6"	4' - 6"	36"	4#8	4#8	-
PC-2	4' - 6"	8' - 0"	48"	12#8	9#8	-
PC-2A	2' - 0"	8' - 0"	48"	12#8	9#8	PROVIDE #6@12" TOP MAT E.W.
PC-3	8' - 0"	8' - 0"	48"	13#8	13#8	PROVIDE BARS IN THREE WAYS.
PC-3A	6' - 6"	9' - 6"	48"	18#8	12#8	PROVIDE #6@12" TOP MAT E.W.
PC-4	8' - 0"	8' - 0"	50"	14#8	14#8	-
PC-4A	7' - 0"	11' - 6"	50"	18#8	20#8	PROVIDE #6@12" TOP MAT E.W.
PC-5	9' - 6"	9' - 6"	60"	14#9	14#9	-
PC-5A	6' - 6"	14' - 6"	60"	26#9	24#9	PROVIDE #6@12" TOP MAT E.W.
PC-6	8' - 0"	11' - 6"	60"	14#10	14#10	-
PC-6A	8' - 0"	15' - 0"	60"	27#10	20#10	PROVIDE #6@12" TOP MAT E.W.
PC-7	9' - 6"	14' - 6"	66"	14#10	14#10	-
PC-8	9' - 6"	14' - 6"	54"	15#10	15#10	-
PC-9	11' - 6"	11' - 6"	78"	27#11	27#11	PROVIDE BARS IN 2 LAYERS
PC-10	15' - 0"	11' - 6"	78"	33#11	24#11	PROVIDE BARS IN 2 LAYERS
PC-11	11' - 6"	15' - 0"	78"	50#11	39#11	PROVIDE BARS IN 2 LAYERS
PC-12	11' - 6"	15' - 0"	78"	33#11	33#11	PROVIDE BARS IN 2 LAYERS
PC-13	14' - 6"	14' - 6"	78"	52#11	52#11	PROVIDE BARS IN 2 LAYERS
PC-14	15' - 0"	15' - 0"	78"	53#11	52#11	PROVIDE BARS IN 2 LAYERS

DRAWING NOTES:

COLUMN PILE CAP CONCRETE STRENGTH:

1. PILE CAP CONCRETE STRENGTH (F'c): 8 KSI
2. PILE CAP THICKNESS = AS NOTED

200 T PILE STRUCTURAL REQUIREMENTS:

1.	14 DIA.	DRILLED CFA PILE.
2.	400 KIPS (200 TONS)	COMPRESSION CAPACITY
3.	0 KIPS (0 TONS)	NO TENSION CAPACITY REQUIRED AT THESE CAP U.O.N
4.	7 KIPS (3.5 TONS)	LATERAL CAPACITY
5.	160 KIPS (80 TONS)	TENSION CAPACITY

REINFORCEMENT NOTES:

1. PROVIDE CONTINUOUS TOP REINFORCEMENT:
   1 LAYER, #5@12" E.W. (IN ADDITION TO BARS SHOWN HEREIN U.O.N)
2. PROVIDE CONTINUOUS BOTTOM REINFORCEMENT:
   AS INDICATED
3. PROVIDE #5@12" O.C SIDE FACE BARS FOR PILES >36".

GENERAL NOTES:

1. TOP OF CFA PILE TO BE EMBEDDED 6" INTO BOTTOM OF MAT.
2. CFA PILES TO BE INSTALLED PER GEOTECHNICAL ENGINEER RECOMMENDATIONS.
3. CFA PILES ARE NOT DESIGNED BY DESIMONE.
4. SEE S-400 SERIES FOR COLUMN SCHEDULE.
5. SEE S-410 SERIES FOR SHEAR WALL REINFORCEMENT.



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE
120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMJS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004

ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018

LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
80 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017

KEY PLAN



STAMP

NO	DATE	DESCRIPTION
3	08/22/2025	DOB/HPD SUBMISSION
2	08/01/2025	100% DD

REVISIONS

SUBMITTAL

DESIGN DEVELOPMENT

DRAWING TITLE

COLUMN PILE CAP LAYOUT AND SCHEDULE


SCALE	As indicated
DATE	07/29/25
PROJECT NUMBER	3053.00
DRAWING NUMBER	

FO-103


OF

DOB NOW JOB #


10/13/2025 3:35:12 PM




2 SHEARWALL 3 MAT LAYOUT PLAN
SCALE: 1/4" = 1'-0"



1 SHEARWALL 2 MAT LAYOUT PLAN
SCALE: 1/4" = 1'-0"





DRAWING NOTES:

PILE CAP CONCRETE STRENGTH:

1. PILE CAP CONCRETE STRENGTH (F'c): 8 KSI

MICRO-CAISSON STRUCTURAL REQUIREMENTS:

1. 14" DIA. — DRILLED MICRO-CAISSON WITH STEEL CASING DOWN TO BEDROCK
2. 400 KIPS (200 TONS) — COMPRESSION CAPACITY
3. 160 KIPS (80 TONS) — TENSION CAPACITY
4. 7 KIPS (3.5 TONS) — LATERAL CAPACITY

REINFORCEMENT NOTES:

1. PROVIDE CONTINUOUS TOP REINFORCEMENT:
   1 LAYER, #10@8"O.C EACH WAY (IN ADDITION TO BARS SHOWN HEREIN).
2. PROVIDE CONTINUOUS BOTTOM REINFORCEMENT:
   1 LAYER, #11@8"O.C EACH WAY (IN ADDITION TO BARS SHOWN HEREIN).

GENERAL NOTES:

1. TOP OF MICRO-CAISSON TO BE EMBEDDED 6" INTO BOTTOM OF MAT.
2. PILES TO BE INSTALLED PER GEOTECHNICAL ENGINEER RECOMMENDATIONS.
3. MICRO-CAISSON PILES ARE NOT DESIGNED BY DESIMONE.
4. SEE S-410 SERIES FOR SHEAR WALL REINFORCEMENT.
5. PROVIDE 5XXL SHEAR REINFORCEMENT IN THE HATCHED REGION AROUND THE PILES.
   - NUMBER OF #5LEGS, PLACED PARALLEL TO COLUMN FACE
   - NUMBER OF ROWS SPACED @12" AWAY FROM THE COLUMN
6. "T" DENOTES PILES REQUIRING MINIMUM OF 170 TONS TENSION CAPACITY AND REBAR AND COUPLERS PER DETAIL 4/S-110

4 SHEARWALL 3 MAT REINFORCING PLAN
SCALE: 1/4" = 1'-0"

DRAWING NOTES:

PILE CAP CONCRETE STRENGTH:

1. PILE CAP CONCRETE STRENGTH (F'c): 8 KSI

MICRO-CAISSON STRUCTURAL REQUIREMENTS:

1. 14" DIA. — DRILLED MICRO-CAISSON WITH STEEL CASING DOWN TO BEDROCK
2. 400 KIPS (200 TONS) — COMPRESSION CAPACITY
3. 160 KIPS (80 TONS) — TENSION CAPACITY
4. 7 KIPS (3.5 TONS) — LATERAL CAPACITY

REINFORCEMENT NOTES:

1. PROVIDE CONTINUOUS TOP REINFORCEMENT:
   2 LAYERS, #11@8"O.C EACH WAY (IN ADDITION TO BARS SHOWN HEREIN).
2. PROVIDE CONTINUOUS BOTTOM REINFORCEMENT:
   2 LAYERS, #11@8"O.C EACH WAY (IN ADDITION TO BARS SHOWN HEREIN).

GENERAL NOTES:

1. TOP OF MICRO-CAISSON TO BE EMBEDDED 6" INTO BOTTOM OF MAT.
2. PILES TO BE INSTALLED PER GEOTECHNICAL ENGINEER RECOMMENDATIONS.
3. MICRO-CAISSON PILES ARE NOT DESIGNED BY DESIMONE.
4. SEE S-410 SERIES FOR SHEAR WALL REINFORCEMENT.
5. PROVIDE 5XL SHEAR REINFORCEMENT IN THE HATCHED REGION AROUND THE PILES.
   - NUMBER OF #5LEGS, PLACED PARALLEL TO COLUMN FACE
   - NUMBER OF ROWS SPACED @12" AWAY FROM THE COLUMN
6. "T" DENOTES PILES REQUIRING MINIMUM OF 170 TONS TENSION CAPACITY AND REBAR AND COUPLERS PER DETAIL 4/S-110

3 SHEARWALL 2 MAT REINFORCING PLAN
SCALE: 1/4" = 1'-0"

10/13/2025 4:01:08 PM



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE
120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMJS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004

ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018

LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
80 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017

KEY PLAN



STAMP

NO	DATE	DESCRIPTION
3	08/22/2025	DOB/HPD SUBMISSION
2	08/01/2025	100% DD

REVISIONS

SUBMITTAL

DESIGN DEVELOPMENT


DRAWING TITLE

SHEAR WALL PILE CAP LAYOUT


SCALE	As indicated
DATE	07/29/25
PROJECT NUMBER	3053.00
DRAWING NUMBER	FO-104

OF


DOB NOW JOB #



1 SW-02 MAT SECTION 1
SCALE: 1/2" = 1'-0"



2 SW-02 MAT SECTION 2
SCALE: 1/2" = 1'-0"



3 SW-03 MAT SECTION
SCALE: 1/2" = 1'-0"

10/13/2025 3:55:14 PM



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE
120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMUS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004


ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018

LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
60 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017

KEY PLAN



STAMP

NO	DATE	DESCRIPTION
4	10/13/2025	50% CD
3	08/22/2025	DOB/HPD SUBMISSION
2	08/01/2025	100% DD

REVISIONS
SUBMITTAL

DESIGN DEVELOPMENT


DRAWING TITLE
SHEAR WALL PILE CAP SECTIONS

SCALE	1/2" = 1'-0"
DATE	07/29/25
PROJECT NUMBER	3053.00
DRAWING NUMBER	


FO-105

OF


DOB NOW JOB #




4 SECTION AT RAMP
SCALE: 1/2" = 1'-0"



3 TYPICAL LOWERED PILE CAP DETAIL AT COLUMN



2 SECTION AT FOUNDATION WALL TYPE-A
SCALE: 1/2" = 1'-0"



1 SECTION AT WEST FOUNDATION WALL
SCALE: 1/2" = 1'-0"

1 FULL DISPLACEMENT PILE (FDP) - COMPRESSION ONLY DETAILS
NOT TO SCALE

2 SECTION A-A
NOT TO SCALE

FULL DISPLACEMENT PILE (FDP) - COMPRESSION ONLY NOTES:

1. REFERENCE PLANS & DOCUMENTS:
   1.1. AN MARCH 24, 2025 REPORT OF GEOTECHNICAL ENGINEERING PREPARED BY JZN ENGINEERING, PC.
   1.2. A LAST REVISED AUGUST 1, 2025 STRUCTURAL PLAN SET PREPARED BY DESIMONE CONSULTING ENGINEERS.
2. THE DESIGN AND INSTALLATION OF FDP'S, AND RELATED CONSTRUCTION IS TO CONFORM TO THE REQUIREMENTS SET FORTH IN THE NEW YORK CITY BUILDING CODE (NYCBC-2022)
3. REFER TO LATEST STRUCTURAL PLAN SET FOR PILE LOCATIONS & CUT-OFF ELEVATIONS.
4. REFER TO STRUCTURAL PLANS OR OTHER CONTRACT DOCUMENTS FOR INFORMATION REGARDING WATERPROOFING, REBAR INSTALLATION, AND OTHER DETAILING FOR FOUNDATION CONSTRUCTION.
5. FDP'S SHALL HAVE THE FOLLOWING DESIGN CAPACITIES:
   5.1. DESIGN AXIAL COMPRESSIVE CAPACITY: 200-TONS
   5.2. DESIGN AXIAL UPLIFT CAPACITY: 0-TONS
   5.3. DESIGN LATERAL CAPACITY: 0-TONS
6. FDP INSTALLATION TO BE SUPERVISED BY A QUALIFIED GEOTECHNICAL ENGINEER.
7. A PLAN SHOWING THE IDENTIFICATION OF ALL FDP'S AND A FDP NUMBERING PLAN IS TO BE SUBMITTED TO THE ENGINEER OF RECORD PRIOR TO COMMENCEMENT OF DRILLING OPERATIONS.
8. PER SECTION 1808.4.1 OF THE NYCBC-2014, A MINIMUM OF THREE (3) AXIAL COMPRESSIVE LOAD TESTS WILL BE REQUIRED FOR SUCH CAPACITY PILES. AXIAL COMPRESSIVE LOAD TESTS SHALL BE PERFORMED IN ACCORDANCE WITH SECTION 1810.4.1.3 OF THE NYCBC-2022 AND ASTM D1143. 200% HOLD SHALL REMAIN FOR A MINIMUM OF 24-HRS PER NYCBC REQUIREMENTS AND STRAIN GAUGES SHALL BE INSTALLED IN THE PILE TO DETERMINE LOAD SHEDDING PROPERTIES. PLEASE NOTE THAT THE TOTAL OF THREE (3) AXIAL COMPRESSIVE LOAD TESTS MAY BE PERFORMED ON EITHER THE ALL LOADS FULL DISPLACEMENT PILE OR THE COMPRESSION ONLY FULL DISPLACEMENT PILE.
9. AN "AS-INSTALLED" FDP LOCATION PLAN AND FDP LOGS SHALL BE SUBMITTED TO THE ENGINEER OF RECORD FOR APPROVAL. NO PILE CAPS ARE TO BE PLACED BEFORE THIS IS DONE.
12. DURING TESTING PHASE AND PRODUCTION PHASE, THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER AN ONBOARD RIG COMPUTER PILE DRILL LOG FOR EACH PILE INSTALLED WITHIN 24 HOURS OF INSTALLATION.

FDP INSTALLATION PROCEDURE:

1. ALL FDP'S SHALL BE INSTALLED IN LOCATIONS AS SHOWN ON CONTRACT DRAWINGS.
2. DIAMETER OF THE FDP BORE HOLE SHALL BE A MINIMUM OF 14.0 INCHES.
3. FDP'S MATERIALS SHALL BE AS SPECIFIED IN THIS PLAN SET.
4. GROUT SHALL CONSIST OF PORTLAND CEMENT TYPE I/II AND SHALL HAVE SAND CONTENT (LEAN GROUT NOT PERMITTED).
5. PROCEDURE FOR FDP INSTALLATION:
   5.1. MOBILIZE TO SITE.
   5.2. RIG SHALL BE SET UP AT PROPER LOCATION AND SHALL HAVE A PLUMB MAST.
   5.3. EXCAVATE SITE TO REQUIRED DEPTH.
   5.4. DRILL THE DISPLACEMENT DRILL STRING TO THE SPECIFIED TERMINAL DEPTH.
   5.5. CONTINUOUSLY GROUT THE PILE AS THE DRILL STRING IS WITHDRAWN FROM THE GROUND ENSURING PRESSURE IS MAINTAINED.
   5.6. INSERT THE THREADED BAR INTO THE FRESH GROUT TO SPECIFIED DESIGN DEPTH.
   5.7. CUT CENTER BAR AND GROUT (IF NECESSARY) TO PILE TIP ELEVATION.
   5.8. EQUIPMENT SPECIFIC FDP INSTALLATION MEANS AND METHODS SHALL BE SUBMITTED BY THE CONTRACTOR TO THE ENGINEER OF RECORD FOR APPROVAL PRIOR TO MOBILIZATION TO SITE.

ITEMS UNDER SPECIAL INSPECTION:

- DEEP FOUNDATION ELEMENTS	BC 1705.7
- CONCRETE- CAST-IN-PLACE	BC 1705.3
- CONCRETE DESIGN MIX	BC 1905.3
- CONCRETE SAMPLING AND TESTING	BC 1905.6

SPECIAL INSPECTION QUALITY CONTROL:

1. MAINTAIN A LOG FOR EACH INDIVIDUAL PILE
2. RECORD DRILL ADVANCEMENT SPEED AND ANY EQUIPMENT SPECIFIC READOUTS
3. RECORD TOP OF ROCK ELEVATION ENCOUNTERED AND DEPTH OF BOTTOM OF HOLE
4. RECORD SIZE OF THREADED BAR
5. RECORD VOLUME OF GROUT AND COMPARE TO THEORETICAL VOLUME
6. OBTAIN GROUT SAMPLES
7. RECORD TIME AND DATE OF INSTALLATION.

REQUIRED CONTRACTOR SUBMITTALS:

1. PILE MATERIAL SPECIFICATIONS
2. STATEMENT OF PROPOSED INSTALLATION PROCEDURE
3. PILE ID PLAN
4. GROUT MIX DESIGN WITH SAMPLE GROUT BREAKS

7 FULL DISPLACEMENT PILE-COMPRESSION ONLY
SCALE: 1 1/2" = 1'-0"

1 FULL DISPLACEMENT PILE (FDP) DETAILS
NOT TO SCALE

2 SECTION A-A
NOT TO SCALE

3 SECTION B-B
NOT TO SCALE

FULL DISPLACEMENT PILE (FDP) NOTES:

1. REFERENCE PLANS & DOCUMENTS:
   1.1. AN MARCH 24, 2025 REPORT OF GEOTECHNICAL ENGINEERING PREPARED BY JZN ENGINEERING, PC.
   1.2. A LAST REVISED AUGUST 1, 2025 STRUCTURAL PLAN SET PREPARED BY DESIMONE CONSULTING ENGINEERS.
2. THE DESIGN AND INSTALLATION OF FDP'S, AND RELATED CONSTRUCTION IS TO CONFORM TO THE REQUIREMENTS SET FORTH IN THE NEW YORK CITY BUILDING CODE (NYCBC-2022)
3. REFER TO LATEST STRUCTURAL PLAN SET FOR PILE LOCATIONS & CUT-OFF ELEVATIONS.
4. REFER TO STRUCTURAL PLANS OR OTHER CONTRACT DOCUMENTS FOR INFORMATION REGARDING WATERPROOFING, REBAR INSTALLATION, AND OTHER DETAILING FOR FOUNDATION CONSTRUCTION.
5. FDP'S SHALL HAVE THE FOLLOWING DESIGN CAPACITIES:
   5.1. DESIGN AXIAL COMPRESSIVE CAPACITY: 200-TONS
   5.2. DESIGN AXIAL UPLIFT CAPACITY: 80-TONS
   5.3. DESIGN LATERAL CAPACITY: 3.5-TONS (FREE-HEAD)
6. FDP INSTALLATION TO BE SUPERVISED BY A QUALIFIED GEOTECHNICAL ENGINEER.
7. A PLAN SHOWING THE IDENTIFICATION OF ALL FDP'S AND A FDP NUMBERING PLAN IS TO BE SUBMITTED TO THE ENGINEER OF RECORD PRIOR TO COMMENCEMENT OF DRILLING OPERATIONS.
8. PER SECTION 1808.4.1 OF THE NYCBC-2014, A MINIMUM OF THREE (3) AXIAL COMPRESSIVE LOAD TESTS WILL BE REQUIRED FOR SUCH CAPACITY PILES. AXIAL COMPRESSIVE LOAD TESTS SHALL BE PERFORMED IN ACCORDANCE WITH SECTION 1810.4.1.3 OF THE NYCBC-2022 AND ASTM D1143. 200% HOLD SHALL REMAIN FOR A MINIMUM OF 24-HRS PER NYCBC REQUIREMENTS AND STRAIN GAUGES SHALL BE INSTALLED IN THE PILE TO DETERMINE LOAD SHEDDING PROPERTIES. PLEASE NOTE THAT THE TOTAL OF THREE (3) AXIAL COMPRESSIVE LOAD TESTS MAY BE PERFORMED ON EITHER THE ALL LOADS FULL DISPLACEMENT PILE OR THE COMPRESSION ONLY FULL DISPLACEMENT PILE.
9. PER SECTION 1810.3.4 OF THE NYCBC-2022, AN AXIAL UPLIFT LOAD TEST WILL NOT BE REQUIRED, AS A FACTOR OF SAFETY OF THREE WAS USED FOR DESIGN.
10. PER SECTION 1810.3.5 OF THE NYCBC-22, A MINIMUM OF TWO (2) LATERAL LOAD TESTS WILL BE REQUIRED FOR SUCH CAPACITY PILES. LATERAL LOAD TESTS SHALL BE PERFORMED IN ACCORDANCE WITH SECTION 1808.4.3.3 OF THE NYCBC-2014 AND ASTM D3966.
11. AN "AS-INSTALLED" FDP LOCATION PLAN AND FDP LOGS SHALL BE SUBMITTED TO THE ENGINEER OF RECORD FOR APPROVAL. NO PILE CAPS ARE TO BE PLACED BEFORE THIS IS DONE.
12. DURING TESTING PHASE AND PRODUCTION PHASE, THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER AN ONBOARD RIG COMPUTER PILE DRILL LOG FOR EACH PILE INSTALLED WITHIN 24 HOURS OF INSTALLATION.

FDP INSTALLATION PROCEDURE:

1. ALL FDP'S SHALL BE INSTALLED IN LOCATIONS AS SHOWN ON CONTRACT DRAWINGS.
2. DIAMETER OF THE FDP BORE HOLE SHALL BE A MINIMUM OF 14.0 INCHES.
3. FDP'S MATERIALS SHALL BE AS SPECIFIED IN THIS PLAN SET.
4. GROUT SHALL CONSIST OF PORTLAND CEMENT TYPE I/II AND SHALL HAVE SAND CONTENT (LEAN GROUT NOT PERMITTED).
5. PROCEDURE FOR FDP INSTALLATION:
   5.1. MOBILIZE TO SITE.
   5.2. RIG SHALL BE SET UP AT PROPER LOCATION AND SHALL HAVE A PLUMB MAST.
   5.3. EXCAVATE SITE TO REQUIRED DEPTH.
   5.4. DRILL THE DISPLACEMENT DRILL STRING TO THE SPECIFIED TERMINAL DEPTH.
   5.5. CONTINUOUSLY GROUT THE PILE AS THE DRILL STRING IS WITHDRAWN FROM THE GROUND ENSURING PRESSURE IS MAINTAINED.
   5.6. INSERT THE REINFORCEMENT CAGE INTO THE FRESH GROUT TO SPECIFIED DESIGN DEPTH.
   5.7. CUT CENTER BAR AND GROUT (IF NECESSARY) TO PILE TIP ELEVATION.
   5.8. EQUIPMENT SPECIFIC FDP INSTALLATION MEANS AND METHODS SHALL BE SUBMITTED BY THE CONTRACTOR TO THE ENGINEER OF RECORD FOR APPROVAL PRIOR TO MOBILIZATION TO SITE.

ITEMS UNDER SPECIAL INSPECTION:

- DEEP FOUNDATION ELEMENTS	BC 1705.7
- CONCRETE- CAST-IN-PLACE	BC 1705.3
- CONCRETE DESIGN MIX	BC 1905.3
- CONCRETE SAMPLING AND TESTING	BC 1905.6

SPECIAL INSPECTION QUALITY CONTROL:

1. MAINTAIN A LOG FOR EACH INDIVIDUAL PILE
2. RECORD DRILL ADVANCEMENT SPEED AND ANY EQUIPMENT SPECIFIC READOUTS
3. RECORD TOP OF ROCK ELEVATION ENCOUNTERED AND DEPTH OF BOTTOM OF HOLE
4. RECORD SIZE OF REBAR CAGE ELEMENTS
5. RECORD VOLUME OF GROUT AND COMPARE TO THEORETICAL VOLUME
6. OBTAIN GROUT SAMPLES
7. RECORD TIME AND DATE OF INSTALLATION.

REQUIRED CONTRACTOR SUBMITTALS:

1. PILE MATERIAL SPECIFICATIONS
2. STATEMENT OF PROPOSED INSTALLATION PROCEDURE
3. PILE ID PLAN
4. GROUT MIX DESIGN WITH SAMPLE GROUT BREAKS

6 FULL DISPLACMENT TENSION PILE
SCALE: 1 1/2" = 1'-0"



35-10 STEINWAY STREET, ASTORIA, NY 11101

BEYER BLINDER BELLE
120 Broadway, 20th Fl, New York, NY 10271

CLIENT
STEINWAY 1 OWNER LLC
2 Park Avenue, 23rd Floor
New York, NY 10016

STRUCTURAL ENGINEER
DeSimone Consulting Engineers
140 Broadway, 25th Floor
New York NY 10005

MEPFP ENGINEER
EP Engineering
100 William Street, Suite 1205
New York, NY 10038

CIVIL ENGINEER
Key Civil Engineering
(631) 961-0506

VERTICAL CIRCULATION
Fortune Shepler Saling, Inc.
(862) 400-6382

GEOTECH ENGINEER
JNZ Engineering
959 S. Springfield Avenue
Springfield, NJ 07081

ACOUSTIC CONSULTANT
WSP
One Penn Plaza
New York, New York, 10119

ENVELOPE CONSULTANT
RWMJS Consulting Group, Inc
229 West 28th Street
New York, New York 10001

SUSTAINABILITY CONSULTANT
Bright Power
80 Broad Street
New York, NY 10004


ACCESSIBILITY CONSULTANT
Accessibility Services
(718) 803-3782

LOW VOLTAGE CONSULTANT
Younity Inc.
18 West 18th Street, 2nd Floor
New York, NY, 10018

LANDSCAPE CONSULTANT
Starr Whitehouse Landscape Architects
80 Broad Street, Suite 1700
New York, NY 10004

LIGHTING CONSULTANT
Light Vs. Light
12 East 49th Street - Suite 1623
New York, NY 10017

KEY PLAN



STAMP

NO	DATE	DESCRIPTION
4	10/13/2025	50% CD

REVISIONS
SUBMITTAL

DESIGN DEVELOPMENT

DRAWING TITLE
FOUNDATION SECTIONS

SCALE	As indicated
DATE	10/08/25
PROJECT NUMBER	3053.00
DRAWING NUMBER	

FO-106

OF

DOB NOW JOB #

10/13/2025 4:13:05 PM

APPENDIX B

Previous Environmental Reports

REPORT OF GEOTECHNICAL INVESTIGATION

PROPOSED INNOVATION QNS - BUILDING B1
35-18 STEINWAY STREET
ASTORIA, BOROUGH OF QUEENS
CITY & STATE OF NEW YORK

BY

JZN ENGINEERING, PC.
SPRINGFIELD, NEW JERSEY

PREPARED FOR

KEY CIVIL ENGINEERING, P.C.
HOLTSVILLE, NEW YOR

File No. 24190-000 **March 2025**

Corporate Office
959 S. Springfield Avenue
Suite 100
Springfield, NJ 07081

(O) 973.218.6561
JZNengineering.com

March 24, 2025
File No. 24190-900

KEY CIVIL ENGINEERING, P.C.
664 Blue Point Rd. Unit B
Holtsville, New York 11742

Attention: Ms. Jaclyn Peranteau, PE
President

REGARDING: REPORT OF GEOTECHNICAL INVESTIGATION
Innovation QNS
Building B1
35-18 Steinway Street
Astoria, Borough of Queens, City & State of New York

Dear Ms. Peranteau:

The enclosed report summarizes the results of our geotechnical investigation and recommendations conducted on behalf of Key Civil Engineering, P.C.in support of the Proposed Innovation QNS - Building B1 to be located at the above-referenced site. Our services were undertaken in accordance with our proposal dated December 16, 2024 and your subsequent authorization on February 6, 2025.

We appreciate the opportunity to assist you with this project. Please contact us if you wish to discuss this report or any aspect of the project.

Sincerely,
JZN ENGINEERING, PC.

Nejm E. Jundi, P.E.
President

Enclosures

REM
Z:\Projects\2024\24190_KeyCivlEngineering_Queens_NY\000\GI Folder\Report\2025_0324_GIR_Queens_NY.docx

EXECUTIVE SUMMARY

This report summarizes our geotechnical study and provides our geotechnical engineering recommendations for the Proposed Innovation QNS - Building B1 to be located at 35-18 Steinway Street Astoria, Borough of Queens, City & State of New York.

The field investigation for this project included a total of 11 exploration borings identified as (B-1 through B-12), two (2) infiltration testing locations (identified as I-1, & I-2), and two (2) groundwater monitoring wells (identified as MW-1, & MW-2). The exploration borings were drilled within the footprint of the proposed development. The exploration borings were drilled to depths that ranged approximately between 52 feet and 101.2 feet below the existing ground surface. Analyses were performed to evaluate foundation system for the structure and to develop recommendations for foundation design and construction, utility support and earthwork. Inferred subsurface sections based on the borings are presented in Section 2. A description of site conditions and our evaluation is presented in the following report. The principal conclusions are described below:

- The exploration borings were drilled within the existing paved parking lot and revealed the presence of up to approximately four (4) inches of asphalt pavement at the surface. Underlying the surface cover, existing fill materials were encountered and extended to depths that ranged between approximately five (5) feet and 11 feet below the existing ground surface. These materials generally consisted of medium to fine sand with varying amounts of silt, gravel, and debris (brick, and concrete fragments). The existing fill materials were followed by natural sand deposits that extended to the soil exploration termination depths of between approximately 52 feet and 101.2 feet below the existing ground surface. The natural sands generally consisted of medium dense to very dense, medium to fine sand with varying amounts of silt and gravel. Sporadic loose pockets of sand were encountered within the natural sands and extended to depths up to approximately 15 feet below the existing ground surface. These naturally deposited soils generally increased in relative densities as depth increased. Groundwater conditions were encountered at depths that ranged approximately between 18 feet and 25 feet below the existing ground surface; corresponding to elevations of approximately between +/-Elev. 21.6 ft. and +/-Elev. 16.3 ft. Further groundwater discussion is provided in Section 2.2.2.

- Based on the subsurface conditions encountered at the site and our understanding of the proposed development, we recommend that the proposed development may be supported on a shallow foundation system bearing in the medium dense to dense natural alluvial deposits (Stratum II) or compacted granular fill (CGF) provided that our subgrade preparation recommendations of Section 3 are implemented. Building foundations should be designed and constructed in accordance with the New

York City Building Code of 2022 (NYCBC 2022) and the applicable ACI-318 guidelines. The use of a shallow foundation system should only be utilized provided that analysis to confirm new foundations do not bear within the NYCT influence zone. If such analysis determines the use of a shallow foundation to bear within the NYCT structures influence zone, the proposed development should be supported on deep foundation elements as to surpass such influence line. If deep foundation elements are ultimately proposed, we should be contacted to provide such recommendations accordingly.

- If the proposed development's anticipated superimposed loads are too excessive for the allowable bearing pressures provided with the utilization of shallow foundation, the proposed development may also be supported on deep foundation elements consisted of drilled full displacement piles (FDP), or continuous flight auger (CFA) piles. If deep foundation systems are ultimately elected in support of the proposed development, we should be notified to provide such recommendations accordingly.

- We understand that a single below-grade basement level is proposed within the footprint of the building. As such, a support of excavation system (SOE) may be required to allow for the construction of such below-grade cellar level. The SOE contractor should demonstrate to the owner the completion of five recent successful similar SOE projects and have comprehensive experience with SOE and underpinning construction. The SOE design is outside the scope of this report, and it should be designed by a professional licensed engineer in the state of New York.

- The site of the proposed development is located on a well-developed area, which consists of existing residential and commercial multi-story buildings, utilities, public roads, and in proximity with NYCT subway lines run directly adjacent to the site under Steinway Street. As such, due to the proximity of neighboring structures, every effort to protect these structures during and after construction should be taken. A geotechnical instrumentation and monitoring program should be implemented prior to and during construction due to the excavation proximity to surrounding properties and anticipated vibrations caused by the installation of SOE elements. The program should include at minimum: monitoring settlement of adjacent structures; and monitoring of vibrations caused by SOE elements installation operations.

Detailed recommendations are presented in the following report.

TABLE OF CONTENTS

		Page
1.	**INTRODUCTION**	**1**
1.1	General	1
1.2	Scope of Services	1
1.3	Existing Site Conditions	1
1.4	Report Datum	2
1.5	Proposed Development	2
2.	**GEOTECHNICAL INVESTIGATION**	**3**
2.1	Regional Geology Review	3
2.2	Field Exploration	3
2.2.1	Subsurface Conditions	4
2.2.2	Groundwater Conditions	5
2.2.3	In Situ Permeability Test Results	5
3.	**SITE PREPARATION, EARTHWORK, AND CONSTRUCTION CONSIDERATION**	**7**
3.1	General	7
3.2	Earthwork	8
3.3	Earthwork During Freezing Weather	9
3.4	Bearing Surfaces Preparation	9
3.4.1	General	9
3.4.2	Shallow Foundations Subgrade	9
3.5	Backfilling	10
3.6	Backfill Materials	11
3.6.1	Compacted Granular Fill (CGF)	11
3.6.2	Common Fill	12
3.6.3	Onsite Soil	12
3.6.4	Geotextile Fabric	12
3.6.5	Geogrid	13
3.6.6	Submerged Fill Material	13
3.6.7	Crushed Stone Fill	13
3.7	Fill and Backfill Testing	13
3.8	Groundwater Control/ Dewatering	14
3.9	Excavation and Shoring	14
3.10	Excavated Soil Management	15
3.11	Vibrations Induced During SOE Elements Installation	16
3.12	Adjacent Structures	16
4.	**GEOTECHNICAL DESIGN RECOMMENDATIONS**	**18**
4.1	General	18
4.2	Suggested Soil Parameters for Analysis and Design	18
4.3	Suggested Soil Parameters for Seismic Load Evaluation	19
4.4	Design Groundwater Level	20
4.5	Hydrostatic Pressure	20
4.6	Foundations	20
4.6.1	General Discussion	20

Page

4.6.2 Shallow Foundations 20
4.6.3 Mat Foundation System 21
4.6.4 Deep Foundations 23
4.7 NYCT Influence Lines 23
4.8 Lowest Building Slab 24
4.8.1 Slab-on-Grade For Shallow foundations Utilization 24
4.8.2 Structural Slab – For Deep Foundation Elements 24
4.9 Foundation Drainage and Waterproofing 25
4.10 Lateral Earth Pressures 25
4.11 Utilities 26

5. ADDITIONAL CONSIDERATIONS 27

5.1 Specification and Plan Review 27
5.2 NYCT Influence Lines 27
5.3 Pre and Post Construction Conditions Surveys 27
5.4 Construction Testing and Monitoring 27

6. LIMITATION 28

TABLES

Table 1: Water Logger Summary Table
Table 2: Field Infiltration Test Results
Table 3: Minimum Recommended Compaction Requirements
Table 4: Compacted Granular Fill Gradation
Table 5: Compaction Frequency Testing
Table 6: Suggested Density and Strength Parameters for Design
Table 7: Seismic Response Criteria for Site Class "D" Based on the NYCBC-2022
Table 8: Recommended Modulus of Subgrade Reaction (k_s) Values
Table 9: Lateral Earth Pressure Parameters

FIGURES

Figure 1: Project Site Locus
Figure 2: Exploration Location Plan
Figure 3: NYCT Subway Influence Line Plan
Figure 4: Liquefaction Assessment

APPENDICES

Appendix A – Boring Exploration Records
Appendix B – Infiltration Testing Results Logs & Graphs
Appendix C – Monitoring Well Installation Log
Appendix D – Monitoring Well Groundwater Elevation Graphs and Data Tables

1. INTRODUCTION

1.1 General

This report summarizes our geotechnical study and provides our geotechnical engineering recommendations for the Proposed Innovation QNS - Building B1 to be located at 35-18 Steinway Street Astoria, Borough of Queens, City & State of New York. This report was prepared based on the limited information provided to us by your office, including the following documents:

- An April 23, 2024 *Innovation QNS – Project Update* document set;
- A July 14, 2023 B1 Conceptual Plan prepared by Dattner Architects;
- A January 27, 2025 Topographical Survey Plan prepared by Montrose Surveying Co., LLP.; and
- A September 18, 2017 ALTA/NSPS Land Title Surveys plan prepared by N.Y. Surveyor, P.C.

1.2 Scope of Services

This geotechnical investigation was undertaken to obtain information on subsurface soil and groundwater conditions, and to provide recommendations for the Proposed Innovation QNS - Building B1 foundation and related earthwork. The scope of this geotechnical engineering services included:

- Explore the subsurface conditions at the site by means of drilling 11 exploration borings;
- Installation of two (2) monitoring wells;
- Perform two in-situ (2) infiltration tests;
- Estimate the engineering characteristics of the subsurface soils;
- Provide geotechnical criteria for use by the design engineers in preparing the foundation design; and,
- Provide recommendations for earthwork and construction.

1.3 Existing Site Conditions

The site of the proposed development is currently an existing paved parking lot with sporadic light piles and underground utilities. The paved parking lot is part of a one-story brick and concrete block & stucco building. The site is bordered by 35th Avenue by paved parking areas and in vicinity with a one-story commercial building to the south; by Steinway Street to the east; and by 38th Street to the west. The location of the project site is shown on the *Project Locus Map* included as Figure 1 in this report.

1.4 Report Datum

Topographic information presented in this report is approximate and the elevations are based off information given to us on the above referenced January 27, 2025 Topographical Survey Plan prepared by Montrose Surveying Co., LLP. The elevations on the drawing are from the North American Vertical Datum of 1988 (NAVD 88). All depths in the report are referenced from top of the existing ground surface at the time of the field investigation

1.5 Proposed Development

We understand that the proposed development will include the construction of a high-rise tower in the range of 17 to 22 stories. The building will have a footprint of approximately 22,000 square feet with one below grade cellar level.

2. GEOTECHNICAL INVESTIGATION

2.1 Regional Geology Review

The subject site is situated within the New England Physiographic Province of New York. Specifically, the site is found in the Quaternary geologic age. The primary formation consists of alluvium and glacial drift.

The information presented above was based on the review of published geological data as reported in the Bedrock Geologic Map of New York prepared by United States Geological Survey (USGS).

2.2 Field Exploration

The field investigation for this project included a total of 11 exploration borings identified as (B-1 through B-11), two (2) monitoring wells (identified as MW-1, & MW-2), and two (2) in-situ infiltration tests (identified as I-1, & I-2). The exploration borings were drilled within the site of the proposed development to depths ranging between approximately 52 feet and 101.2 feet below the existing ground surface at the time of exploration. The locations of the exploration borings are shown on the accompanying *Exploration Location Plan* included as Figure 2. Records of the exploration boring logs are provided in Appendix A.

The field exploration borings were drilled with a truck-mounted drill rig utilizing mud-rotary drilling techniques and four-inch diameter flush jointed casing in general accordance with ASTM D5783. Soil samples were obtained by the Standard Penetration Test (SPT) method in general accordance with ASTM D1586 with a 1-3/8-inch inside diameter (I.D.) split spoon sampler driven by a 140-pound hammer free-falling 30 inches. Blows for each six-inches of penetration were recorded on the boring exploration boring logs. Depth to groundwater was estimated from visual observation of moisture content of split spoon soil samples. The soil matrix was classified in accordance with Unified Soil Classification System (USCS).

Upon drilling refusal encountering within boring location B-1, the boring was further advanced using a double wall core barrel of NQ-size diamond bit, recovering a nominal 1.87-inch diameter core (ASTM D2113). No substantial recovery amounts pertaining to bedrock were encountered, instead, continuous stacked boulders were obtained during retrieval of the core barrel.

The field exploration program was monitored, planned, and logged by a JZN Engineer. The boring exploration locations were determined in the field by a JZN Engineer using normal taping procedures and estimated right angles from existing site features and are presumed to be accurate within a few feet.

Boring explorations were drilled by Diamond Drilling of Port Jervis, New York in the presence of a JZN Engineer between February 20, 2025 and March 6, 2025.

The boring exploration logs, and related information depict subsurface conditions only at the specific exploration locations and at the particular time designated on the logs. Subsurface conditions at other locations may differ from conditions occurring at the boring exploration locations. Also, the passage of time may result in a change in the subsurface conditions at these boring exploration locations.

2.2.1 Subsurface Conditions

Details of the subsurface materials encountered are presented on the Boring Exploration Records presented in Appendix A of this report. The stratification lines designating the interface between soil types on the boring log represent approximate boundaries. The transition between materials may be gradual, and one or more strata may be absent at specific locations. In general, the subsurface soils conditions are consistent with the regional geology of the area. The boring exploration borings revealed the following generalized strata in order of increasing depth below ground surface:

Surface Cover: The exploration borings encountered asphalt pavement at the surface with thickness of approximately between three (3) inches and four (4) inches.

Stratum I – Existing Fill Materials (NYC Class 7): Underlying the surface cover, existing fill materials were encountered and extended to depths that ranged between approximately five (5) feet and 11 feet below the existing ground surface. The existing fill materials generally consisted of medium to fine sand with varying amounts of gravel, silt, and debris (brick, and concrete fragments). We anticipate that deeper fill materials may be present within locations not explored as part of this investigation, especially near underground utilities and neighboring public structures due to the site's proximity to the NYCT subway lines.

Stratum II – Natural Alluvial Deposits (NYC Class 6, 3b & 3a): Underlying the existing fill materials, generally medium dense to very dense natural alluvial deposits were encountered and extended to the boring termination depths that ranged approximately between 52 feet and 101.2 feet below the existing ground surface. These deposits generally consisted of sand with varying amounts of silt and gravel. Loose pockets of sand were encountered within the upper portions of the alluvial deposits and were encountered to depths up to approximately 15 feet below the existing ground surface. In addition, the natural alluvial deposits generally increased in relative densities as depth increased. No bedrock was encountered within the upper 100 foot of our deeper boring locations; however, the presence of sporadic boulders and very dense gravely deposits were encountered within the Stratum II deposits.

2.2.2 Groundwater Conditions

Groundwater conditions were encountered at depths that ranged approximately between 20 feet and 25 feet below the existing ground surface; corresponding to elevations of approximately between +/-Elev. 21.6 ft. and +/-Elev. 16.3 ft.

Two (2) groundwater monitoring wells (identified as MW-1 and MW-2) were installed on site to depths of ranging between approximately 30 feet below the existing ground surface. A piezometer was mounted inside each groundwater monitoring well to measure the groundwater depth at the well locations. Two (2) Onset HOBO U20 piezometers were installed by JZN Engineering, PC on March 6, 2025 in monitoring wells MW-1 MW-2 and continuously recorded water level data between March 6, 2025 and March 12, 2025 as follows:

Table 1: Water Logger Summary Table

Well Location	Logger Serial No.	Highest Groundwater Elevation Recorded	Lowest Groundwater Elevation Recorded
MW-1	20715060	+20.6 ft.	+19.8 ft.
MW-2	20715059	+21.3 ft	+20.4 ft

It should be noted that fluctuations in the level of groundwater may occur due to variations in season, rainfall, snow melt, surface infiltration, temperature, construction activities, pumping of dewatering systems, leakage from utilities and other factors not evident at the time measurements were made and reported herein. As a result, water levels observed during and after construction may vary from those observed in the test borings during drilling.

Please refer to Appendix C for Monitoring Well Installation Logs and Appendix D for Monitoring Well Groundwater Elevation Graphs and Data Tables.

2.2.3 In Situ Permeability Test Results

A total of two (2) in-situ permeability tests were performed within the proposed development at locations IB-1 and IB-2 at depths of approximately 10 feet and 15 feet below the existing ground surface as specified by the project's civil engineer Key Civil Engineering. The field Infiltration tests were performed in accordance to the procedures outlined in Appendix B of the New York State Stormwater Management Design Manual. The results of the field infiltration tests are included in Table 2.

Table 2: Field Infiltration Test Results				
Infiltration Test	**Test Depth (ft)**	**Test Elevation (ft)**	**Percolation Test**	
			Stratum	**Average Field infiltration Test (in/hr.)**
IB-1	± 10	± 31.25	Stratum II	22 in/hr.
IB-1	± 10	± 31.25	Stratum II	21 in/hr.
IB-1	± 15	± 26.25	Stratum II	21 in/hr.
IB-2	± 10	± 28.5	Stratum II	11.5 in/hr.
IB-2	±15	± 23.5	Stratum II	67 in/hr.

3. SITE PREPARATION, EARTHWORK, AND CONSTRUCTION CONSIDERATION

3.1 General

The following sections of the report include comments on items related to excavation, dewatering, earthwork, and related geotechnical engineering aspects of the proposed construction. This section is written primarily for the engineer responsible for preparation of plans and specifications. Since this section identifies potential construction problems related to foundations and earthwork, it will also aid personnel who monitor the construction activity and contractors performing the earthwork.

The exploration borings were drilled within the existing paved parking lot and revealed the presence of up to approximately four (4) inches of asphalt pavement at the surface. Underlying the surface cover, existing fill materials were encountered and extended to depths that ranged between approximately five (5) feet and 11 feet below the existing ground surface. These materials generally consisted of medium to fine sand with varying amounts of silt, gravel, and debris (brick, and concrete fragments). The existing fill materials were followed by natural sand deposits that extended to the soil exploration termination depths of between approximately 52 feet and 101.2 feet below the existing ground surface. The natural sands generally consisted of medium dense to very dense, medium to fine sand with varying amounts of silt and gravel. Sporadic loose pockets of sand were encountered within the natural sands and extended to depths up to approximately 15 feet below the existing ground surface. These naturally deposited soils generally increased in relative densities as depth increased. Groundwater conditions were encountered at depths that ranged approximately between 18 feet and 25 feet below the existing ground surface; corresponding to elevations of approximately between +/-Elev. 21.6 ft. and +/-Elev. 16.3 ft. Further groundwater discussion is provided in Section 2.2.2.

Based on the subsurface conditions encountered at the site and our understanding of the proposed development, we recommend that the proposed development may be supported on a shallow foundation system bearing in the medium dense to dense natural alluvial deposits (Stratum II) or compacted granular fill (CGF) provided that our subgrade preparation recommendations of Section 3 are implemented. Building foundations should be designed and constructed in accordance with the New York City Building Code of 2022 (NYCBC 2022) and the applicable ACI-318 guidelines. The use of a shallow foundation system should only be utilized provided that analysis to confirm new foundations do not bear within the NYCT influence zone. If such analysis determines the use of a shallow foundation to bear within the NYCT structures influence zone, the proposed development should be supported on deep foundation elements as to surpass such influence line. If deep foundation elements are ultimately proposed, we should be contacted to provide such recommendations accordingly.

If the proposed development's anticipated superimposed loads are too excessive for the allowable bearing pressures provided with the utilization of shallow foundation, the proposed development may also be supported on deep foundation elements consisted of drilled full displacement piles (FDP), or continuous flight auger (CFA) piles. If deep foundation systems are ultimately elected in support of the proposed development, we should be notified to provide such recommendations accordingly.

We understand that a single below-grade basement level is proposed within the footprint of the building. As such, a support of excavation system (SOE) may be required to allow for the construction of such below-grade cellar level. The SOE contractor should demonstrate to the owner the completion of five recent successful similar SOE projects and have comprehensive experience with SOE and underpinning construction. The SOE design is outside the scope of this report, and it should be designed by a professional licensed engineer in the state of New York.

The site of the proposed development is located on a well-developed area, which consists of existing residential and commercial multi-story buildings, utilities, public roads, and in proximity with NYCT subway lines run directly adjacent to the site under Steinway Street. As such, due to the proximity of neighboring structures, every effort to protect these structures during and after construction should be taken. A geotechnical instrumentation and monitoring program should be implemented prior to and during construction due to the excavation proximity to surrounding properties and anticipated vibrations caused by the installation of SOE elements. The program should include at minimum: monitoring settlement of adjacent structures; and monitoring of vibrations caused by SOE elements installation operations.

3.2 Earthwork

The subsurface materials that will be encountered during construction will include: surficial cover materials, fill materials, and natural alluvial deposits. As such, we anticipate that soil excavation can be accomplished using conventional earth-moving equipment. Remnant foundation elements may be encountered during earthwork operations. If encountered, these concrete elements may require crushing prior to off-site disposal. Temporary excavation slopes should be constructed to comply with all OSHA and other applicable regulations.

Care must be exercised during excavations within 15 feet next to adjacent existing structures (roads, and utilities) and neighboring buildings foundations zone of influence (ZOI). These excavations must be conducted in such a manner not to undermine these existing buildings foundation elements and disturb the bearing services and under the direction and system design of a professional engineer licensed in the State of New York.

The site should be sealed on a daily basis using a smooth drum roller at the completion of each workday or if rainfall is imminent, work areas should be graded & smooth-wheel rolled to permit runoff of rainfall.

3.3 Earthwork During Freezing Weather

The moisture within the soil matrix may freeze when temperatures fall below freezing. Frozen soil or soil containing snow or ice should not be used for fill. Placement of fills should not be conducted when air temperatures are low enough to cause freezing of the moisture in the fill during or before placement.

Fill materials should not be placed on water, snow, ice or frozen soil. No fill should be allowed to freeze prior to compaction. At the end of each workday, the last lift of fill, after compaction, should be rolled by a smooth-wheeled roller to eliminate ridges of un-compacted soil. Soils with high fine content with high moisture content are susceptible to disturbance by freezing, especially in the presence of water and construction traffic.

Soil bearing surfaces below completed foundations and slab and behind walls must be protected against freezing before and after foundation construction. Placement and compaction of fill materials should be conducted only when ambient air temperatures are above 30 degrees Fahrenheit.

3.4 Bearing Surfaces Preparation

3.4.1 General

Prior to placing any fill materials to raise or restore grades, all existing remnant structures should be removed and replaced with Compacted Granular Fill (CGF). The exposed soils should be compacted to a firm and unyielding surface with several passes with a minimum 10-ton vibratory drum roller. In confined areas, hand-guided equipment such as a trench roller or jumping jack imparting a dynamic force of at least 5,000 lbs. should be used. If the exposed surface has high fines content, the equipment should be operated in static mode. The surface should be proofrolled in the presence of the Geotechnical Engineer to help identify soft or loose pockets, which may require removal and replacement.

3.4.2 Shallow Foundations Subgrade

All unsuitable materials (all existing fill materials of Stratum I, remnant foundation elements, loose pockets of sand encountered to depths up to 15 feet below grades, and any encountered site utilities, and any disturbed natural sand deposits) should be removed from within the entire proposed building footprint and its foundations zone of influence (ZOI) defined in Section 4 of this report. It should be noted that the existing fill materials may be encountered to greater depths in isolated locations. The contractor

should be prepared to overexcavate these areas and replace them with compacted granular fill in a controlled manner if encountered.

The exposed subgrade should be observed in the field by the Geotechnical Engineer's representative to confirm the assumed foundation bearing conditions. Use of the allowable bearing pressures recommended in this report is contingent upon such observation and documentation that the field conditions are consistent with the assumptions made within this report.

As noted, it may be necessary to overexcavate and replace disturbed or otherwise unacceptable foundation bearing materials. Following overexcavation to a suitable subgrade material, the exposed surfaces should be re-compacted prior to placing Compacted Granular Fill (CGF) or constructing foundations with a minimum of two passes with a heavy vibratory plate compactor or vibratory roller. If weaving or other disturbance is noticed during re-compaction, vibratory re-compaction should be discontinued, and compaction equipment shall be operated in static mode.

Care should be taken to prevent surface water from collecting on exposed soil bearing surfaces. Worker and equipment traffic over bearing surfaces should be minimized. When exposed, it may be difficult to prepare soil subgrades in cold and wet weather.

Soil bearing surfaces below completed foundations must be protected against freezing before and after foundation construction. If construction is performed during freezing weather, foundations should be backfilled to a sufficient depth (up to three feet) as soon as possible after they are constructed. Alternatively, insulating blankets, heating or other means may be used for protection against freezing.

3.5 Backfilling

Compacted Granular Fill (CGF) should be used for filling within the building and all structural areas. Fill materials should be placed in lifts not to exceed 12-inches in loose thickness. Compaction equipment in open areas should consist of self-propelled minimum 10-tons vibratory drum rollers. As an alternative a minimum 2.5 tons walk behind vibratory roller with increased number of passes can be used. In confined areas, hand-guided equipment such as a jumping jack or trench compactor should be used and the loose lift thickness should not exceed six inches.

A minimum of four perpendicular passes of the compaction equipment should be used to compact each lift. Cobbles or boulders having a size exceeding three inches in size should be removed prior to compaction. The minimum recommended compaction requirements are summarized in Table 3.

Table 3: Minimum Recommended Compaction Requirements	
Location	Compaction Requirement[1]
Building Footprint/ Other Structural Elements	95%
Landscape and Non-Structural Areas	90%

Notes:
1 As determined in accordance with ASTM D1557

Prior to earthwork operations, existing fill materials and remnant concrete foundations and slabs should be removed from within the limits of the proposed structural areas, as well as any other areas supporting structural elements.

Prior to placing any fill materials to raise or restore grades, the exposed soils should be compacted to a firm and unyielding surface with several passes with a minimum 10-ton drum roller. The surface should be proofrolled in the presence of the Geotechnical Engineer to help identify soft or loose pockets, which may require removal and replacement.

A sample of any material scheduled for use as backfill, Compacted Granular Fill (CGF) should be submitted to the geotechnical laboratory for testing and analysis and approval prior to its use as specified in Section 3.7 of this report. The placement of all fill and backfill should be monitored by a qualified Geotechnical Engineer to ensure that the specified material compaction effort and procedures, and lift thicknesses are properly implemented.

3.6 Backfill Materials

3.6.1 Compacted Granular Fill (CGF)

Compacted Granular Fill (CGF) should consist of clean, well-graded sand and gravel, free of organic material, clay clumps, snow, ice, or other deleterious materials and should meet the criteria in Table 4.

Table 4: Compacted Granular Fill Gradation	
Sieve Size	Percent Finer by Weight
3-in.	100
No. 4	30 – 90
No. 40	10 – 50
No. 200	0 – 5

3.6.2 Common Fill

Common Fill may be used to raise grades in sidewalk and landscape areas, subject to design and drainage requirements and is suitable for general landscape grading. Common Fill should be granular soil free from organic material, clay clumps, snow, ice, or other deleterious materials. Common Fill should not contain stones larger than 3-in and have a maximum of 80 percent passing the No. 40 sieve and a maximum of five percent passing the No. 200 sieve.

Additionally, inorganic soil including soils with higher percentages of fine material may be considered during favorable weather periods subject to the Geotechnical Engineer's approval, provided that the required moisture content and compaction controls are met.

3.6.3 Onsite Soil

The existing on-site materials may be considered for use as CGF and/or Common Fill subject to environmental constraints. Final determination of suitability of onsite soils for reuse as CGF/Common Fill will have to be made during construction when the materials are exposed during excavation. Reuse of onsite materials should be observed and documented in the field by the Geotechnical Engineer.

Similar soils have been successfully reused as CGF/Common Fill at other construction sites contingent on strict monitoring of placement, moisture content, and compaction controls. Moisture conditioning (drying), particularly during periods of wet weather, and removal of any oversized and deleterious materials may be required to permit placement in lifts to the required compaction.

Rainfall or melting snow can readily saturate stockpiled soils. Providing drainage from or covering a stockpile can help limit this potential problem. However, it has been our experience that these soils will probably require considerable drying if left in an unprotected stockpile for an extended period of time, especially over winter and spring seasons.

3.6.4 Geotextile Fabric

A filtration-type geotextile is recommended between submerged fill/crushed clean stone and surrounding soil. It should consist of Mirafi RS280i, or equivalent in structural areas and Mirafi 140N or equivalent in non-structural areas. The filtration fabric should be placed on all sides (top, bottom, and side) of all excavations, or any fill areas being backfilled with submerged fill and/or where ever groundwater is present to help reduce the amount of fines infiltrating into the crushed clean stone due to groundwater fluctuation/ movement.

3.6.5 Geogrid

If the soil softens due to weather conditions or construction traffic, a reinforcing geogrid (such as Tensar TX130s, or engineering equivalent) may be used to distribute loads and reinforce the soil/backfill matrix subject to further design and construction considerations. If the contractor elects to use geogrid to stabilize disturbed site soils, we request notifications to provide further recommendations.

3.6.6 Submerged Fill Material

If any excavation at the site extends below the groundwater table, submerged fill will be required. The initial 15 inches to 24 inches of backfill in excavations may be filled with an open graded, crushed stone placed in the wet to assist with dewatering (if required) and to establish a firm base on which to place subsequent lifts of backfill. Prior to placing the stone, free water and disturbed materials should be removed from the excavation to the extent directed by the Geotechnical Engineer. A fines barrier geotextile fabric (as specified in Section 3.6.6) should be placed at the base of the excavation and between submerged fill and surrounding soils (i.e. all sides).

3.6.7 Crushed Stone Fill

Crushed stone is recommended within the building slab and foundation drainage systems. It should consist of 3/4-inch size crushed stone in accordance with AASHTO No. 57.

3.7 Fill and Backfill Testing

A sample of any material scheduled for use as backfill should be submitted to the geotechnical laboratory for testing and analysis and approval prior to its use. The placement of all backfill should be monitored by a qualified Geotechnical Engineer to ensure that the specified material and lift thicknesses are properly installed.

The samples should be tested to determine the maximum dry density and optimum moisture content (ASTM D1557), natural moisture content (ASTM D2216), gradation (ASTM D422), organic content (ASTM D2974), and plasticity of the soil (ASTM D4318) prior to construction in order to avoid construction delays. These tests are needed for quality control during compaction and also to determine if the fill material is acceptable as CGF. The minimum frequency of in-place density tests indicated in Table 5 should be performed to ensure that the specified compaction is achieved throughout the height of the fill or backfill:

Table 5: Compaction Frequency Testing	
Structural Elements	One test per 500 square feet per lift (minimum five tests per lift)
Non-Structural Areas	One test per each 2,500 square feet per lift (minimum five tests per lift)

3.8 Groundwater Control/ Dewatering

Groundwater conditions were encountered at depths that ranged approximately between 18 feet and 25 feet below the existing ground surface; corresponding to elevations of approximately between +/-Elev. 21.6 ft. and +/-Elev. 16.3 ft.

Based on our understanding that the proposed development will include a one below-grade cellar level, we anticipate that construction dewatering requirements are anticipated to be low, consisting primarily of control of surface water runoff and water seepage into excavations. It is anticipated that dewatering can typically be accomplished by open pumping from sumps, temporary ditches, and trenches within and around excavations. However, depending on proposed final elevations in relation to the groundwater table, more proactive dewatering systems may be required.

Surface water runoff during construction should be controlled and directed away from excavations, as on-site soils are highly erodible and susceptible to disturbance due to water and frost action. When exposed, it may be difficult to prepare and maintain soil subgrades in cold and wet weather.

Regardless, dewatering systems should be designed and operated as not to undermine the existing and neighboring structures (i.e. drawdown the water table below adjacent structures and wash soil fines out). The design of such system is beyond the scope of our services and should be designed by a professional engineer licensed in the State of New York.

3.9 Excavation and Shoring

We understand that the proposed development will include the construction of one below grade cellar level. As such, based on the above, and considering the existing site conditions and neighboring structures, a support of excavation (SOE) support system is anticipated to be required to allow for the construction of the proposed cellar level. All excavation, excavation support, and backfilling must be performed in accordance with OSHA and all other applicable local, state, and federal regulatory requirements.

The SOE contractor should demonstrate to the owner the completion of five recent successful similar SOE projects and have comprehensive experience with SOE and underpinning construction (if required). All

excavation, excavation support, and backfilling must be performed in accordance with OSHA and all other applicable local, state, and federal regulatory requirements.

Generally, the site near surface soils encountered during the investigation (fill materials, natural sand deposits) are consistent with Type C Soil Conditions as defined by 29 CFR Part 1926 (OSHA) which require a maximum unbraced excavation angle of 1.5H:1V for soil above the groundwater table. However, if this safe angle requires slopes that extend beyond the property line, considerations for temporary shoring system should be implemented. In addition, it should be noted that this safe excavation angle assumes that there is no surcharge load on top of the excavation slope (existing and neighboring buildings, construction materials & equipment, utilities, etc.). If such conditions exist, the safe excavation angle should be evaluated by a professional engineer licensed in the State of New York considering these conditions prior to commencement of excavation. There is no safe excavation angle for soils below the groundwater table. If excavations extends below the groundwater table, the use of temporary shoring system that acts as water cutoff system would be needed. Actual conditions encountered during construction should be evaluated by a competent person (as defined by OSHA) to ensure that safe excavation methods and/or shoring and bracing requirements are implemented.

Deep excavations adjacent to public street/sidewalks, existing buildings, and public utilities may require temporary excavation support. Any excavation support installed will need to be designed and constructed to accomplish the following:

- Retain the excavation & minimize the effects of excavation movements beyond the limits of the site;
- Allow for the excavation at the site; and,
- Permit foundation construction to proceed in the “dry”, given the groundwater table may fall near the proposed bottom of excavation.

Care must be exercised during excavations within 15 feet next to adjacent existing developments (roads, building, and utilities), neighboring buildings foundations zone of influence (ZOI), and NYCT Subway lines in proximity to the subject site. These excavations must be conducted in such a manner not to undermine these existing buildings foundation elements and disturb the bearing services and under the direction and system design of a professional engineer licensed in the State of New York.

3.10 Excavated Soil Management

We expect excavations during construction will generate excess soils requiring handling and possible off-site disposal by the Contractor. Off-site disposal of soils may require testing in accordance with applicable New York Department of Environmental Conservation (NYDEC) Regulations and disposal facility

acceptance criteria. Balancing the amount of cuts and fills required for the project could preclude the need for such testing. We recommend that this issue be addressed prior to construction or preparation of contract documents.

3.11 Vibrations Induced During SOE Elements Installation

The subject site is situated in a well-developed mixed-use area. The surrounding developments include commercial structures, public roads, below ground utilities, and NYCT subway lines that run directly adjacent to the site under Steinway Street. As such, care should be maintained during SOE system installation, and general foundation operations.

During SOE elements installation, the construction equipment may induce vibrations which will be transmitted to varying distances from the point of impact. When such construction operations are conducted within the interior of a large site, the offsite effects of the ground vibrations are usually negligible. However, when such construction operations are carried out near the edges of the property in a developed area, ground vibrations can be transmitted into the adjacent facilities and in some instances may cause annoyance or structural damage.

Based on the site layout in relation to the adjacent structures, and our understanding of the proposed construction, we anticipate that vibrations can be properly controlled to prevent structural damage to the adjacent structures. However, due to the proximity of the adjacent structures, we recommend monitoring vibrations during construction, especially during SOE elements installation, and excavation operations, to demonstrate that vibrations do not affect the adjacent sensitive structures.

We recommend that a vibration monitoring plan should be formulated prior to construction to protect the neighboring structures. The vibration monitoring plan should also include an optical survey monitoring plan.

3.12 Adjacent Structures

Due to the proximity of structures such as surrounding developments include structures such as commercial developments, public roads, below ground utilities, and NYCT subway lines that run directly adjacent to the site under Steinway Street, every effort to protect these structures during and after construction should be taken. As previously discussed, the use of a shallow foundation system is contingent upon further analysis to determine the proposed building loads will not bear within the NYCT influence lines and vice-versa.

We have provided a NYCT Subway structures influence line estimation in regards to the existing subject site along Steinway Street, in Figure 3. When final design elevations become available, a more robust analysis should be carried out so that the new foundation elements loads do not fall within the existing NYCT Subway influence line and vice-versa.

We recommend that a pre/post construction conditions surveys, vibration-monitoring program, and optical monitoring programs be undertaken to document possible effects of the construction. These monitoring program shall be designed by a qualified professional engineer licensed in the State of New York. Optical monitoring shall be undertaken by a licensed professional surveyor in the State of New York. The design of such protection systems is beyond the scope of this report.

4. GEOTECHNICAL DESIGN RECOMMENDATIONS

4.1 General

This section of the report provides recommendations for design of the building foundations and lowest building slab. Based on the subsurface conditions encountered at the site and our understanding of the proposed development, we recommend that the proposed development may be supported on shallow foundations and a slab-on grade bearing on the natural medium dense to dense alluvial deposits of Stratum II or CGF following the removal of all unsuitable foundation bearing materials, and the subgrade preparation recommendations provided in Section 3 of this report.

If the provided allowable pressures with the utilization of a shallow foundation system are not suitable for the proposed development superimposed loads, the proposed development may additionally be supported on deep foundation elements. Such deep foundations may consist of drilled full displacement piles (FDP), or continuous flight auger (CFA) piles. If deep foundation systems are ultimately elected in support of the proposed development, we should be notified to provide such recommendations accordingly.

Building foundations should be designed and constructed in accordance with applicable NYCBC-2022, applicable ACI-318 code, and the recommendations provided herein.

This geotechnical investigation has been prepared for the Proposed Innovation QNS - Building B1 taking into consideration the property limits, assumed site grading, and assumed column loadings as understood at the time this report was prepared. When further information is developed by the project team concerning final design column loadings, building configuration, etc., for the structure, the recommendations and design criteria presented herein should be reviewed by JZN. If any changes to our recommendations should result from this review, we will confirm these changes in writing.

4.2 Suggested Soil Parameters for Analysis and Design

Soil properties for engineering evaluation have been developed based on visual soil classification, penetration test data, published data, laboratory test results, and our experience with similar formations in the area of the project. The suggested soil properties are provided in Table 6. These properties have been used to develop the analysis and recommendations contained in this report.

Table 6: Suggested Density and Strength Parameters for Design						
Soil Stratum	Unit Weight (pcf[1])		Strength Parameters			
	Total	Submerged	Drained Strength		Undrained Strength	
			c (psf)[2]	ϕ^o	S_u (psf)	ϕ^o
Compacted Granular Fill (CGF)[3]	125	63	0	34	0	34
Controlled Existing Fill Materials	115	53	0	29	0	29
Loose Pockets of Alluvial Soils	118	56	0	30	0	30
Med. Dense Alluvial Deposits	125	63	0	34	0	34

Notes:
1- Pounds per cubic feet (pcf)
2- Pounds per square foot (psf)
3- Based on attaining the minimum required compaction as recommended requirements recommended in Section 3.5

4.3 Suggested Soil Parameters for Seismic Load Evaluation

The subject site area is considered to be an area of low to moderate seismic risk. The applicable design standard selected for seismic load evaluation is based on the NYCBC-2022.

Published data for the USGS Seismic Hazard Website provides seismic acceleration criteria for Site Class "B" or soft rock with shear wave velocity of 2,500 feet per second. The seismic site characteristics are based on average blow counts and undrained shear strength in the upper 100 feet of the profile and under. In our opinion, the conditions at the site subsurface profile indicate that the site characteristics correspond to Site Class "D" as indicated in Table 7 below. The parameters have been modified for Site Class "D" characteristics which are representative of the appropriate design class using procedures contained in the NYCBC-2022. Code loadings are generally based on the two percent probability of exceedance event with modifying factors.

Table 7: Seismic Response Criteria for Site Class "D" Based on the NYCBC-2022	
Spectral Response Acceleration at 0.2 Sec. Period	Spectral Response Acceleration at 1.0 Sec. Period
S_s= 0.296g	S_1= 0.061g
F_a= 1.57	F_v= 2.40

Due to the presence of groundwater, we have conducted a liquefaction assessment analysis which concluded that no further liquefaction evaluation is required. The results of our liquefaction assessment, per the NYCBC 2022 is provided in Figure 4.

A value of maximum considered earthquake mean (MCEG) peak ground accelerations adjusted for site class effects, PGAM of 0.26 can be used for design purposes.

4.4 Design Groundwater Level

Groundwater conditions were encountered at depths that ranged approximately between 18 feet and 25 feet below the existing ground surface; corresponding to elevations of approximately between +/-Elev. 21.6 ft. and +/-Elev. 16.3 ft. As such, for the purposes of design and construction, we recommend that the design groundwater table be considered as +/-Elev. 23.0 ft. The design should also be based on the flood elevation if the site is located within the flood zone.

4.5 Hydrostatic Pressure

Depending on the final design elevation of the proposed cellar in relationship to the Groundwater Elevation of Elev. 23 feet, the building foundations, cellar slab, ejector pits, elevator pits, etc., may have to be designed to resist hydrostatic pressure. A value of 63 pounds per square feet per foot (psf/ft) below the groundwater table and a factor of 1.2 should be applied to the final acting uplift force. For evaluating flood conditions, use the Base Flood Elevation (BFE) for the project area.

4.6 Foundations

4.6.1 General Discussion

As previously discussed, based on our understanding of the proposed development and the results of our subsurface investigation, we recommend that the proposed development should be supported on shallow foundations bearing in the medium dense to dense alluvial deposits of stratum II, or on CGF, provided that our subgrade preparation recommendations outlined in Section 3.4 are implemented.

Alternatively, the proposed building may be supported on deep foundation elements to consist of drilled full displacement piles (FDP), or continuous flight auger (CFA) piles.

4.6.2 Shallow Foundations

The existing subsurface conditions indicate the presence of fill materials followed by medium dense to dense natural alluvial deposits with sporadic pockets of loose sand encountered to depths up to approximately 15 feet below the existing ground surface. As such, we recommend that the Proposed Innovation QNS - Building B1 be supported on a shallow foundation system bearing on the medium dense to dense natural alluvial deposits of Stratum II or CGF following the removal of all unsuitable

foundation bearing materials (existing fill materials of Stratum I, loose pockets of sand encountered up to approximately 15 feet below the existing ground surface, remnant foundations, other identified unsuitable materials), within the building's and the subgrade preparation recommendations provided in Section 3.4.

The ZOI is defined as the area below the footings and below imaginary lines that extend two (2) feet laterally beyond the footing outer bottom edges and down on a one (1) horizontal to one (1) vertical (1H:1V) slope to the naturally deposited bearing soils.

We recommend that foundations be designed using an allowable bearing pressure of six (6) kips per square foot (ksf) for axial loading conditions. A maximum footing contact pressure of eight (8) ksf is acceptable for eccentric loading conditions as long as the maximum contact pressure acts over less than 33 percent of the footing contact area and the average contact pressure over the entire footing does not exceed six (6) ksf. We recommend that the continuous wall footings should be sized no less than minimum dimensions of 24 inches and isolated foundations be sized no less than 36 inches.

Footings subject to frost action (i.e. adjacent to exterior grades) should be embedded a minimum of 48 inches below the lowest adjacent exterior grade, while interior footings not subject to frost action should be embedded a minimum of 24 inches below the lowest adjacent grade.

Lateral loads can be resisted by a combination of friction along the base of the footings and passive pressure on the vertical faces of footings. Frictional resistance should be computed using an ultimate base friction coefficient (tan δ) between the footing concrete and 50 psi soil mix equal to 0.4.

The passive resistance provided by the fill surrounding footings from the top of the footing to the bottom should be ignored unless it is confined by a slab or bituminous concrete. If the horizontal distance between adjacent footings or walls is less than twice the height of the subject structural element (measured from bottom of element to bottom of slab/ground surface), the passive pressure must be discounted proportionately to the distance (full pressure at twice the height away) to accommodate for interaction of the elements.

4.6.3 Mat Foundation System

The existing subsurface conditions indicate the presence of fill materials followed by medium dense to dense natural alluvial deposits with sporadic pockets of loose sand encountered to depths up to approximately 15 feet below the existing ground surface. As such, we recommend that the Proposed Innovation QNS - Building B1 may be supported by a mat foundation system bearing on the medium dense to dense natural alluvial deposits of Stratum II or CGF following the removal of all unsuitable

foundation bearing materials (existing fill materials of Stratum I, loose pockets of sand encountered up to approximately 15 feet below the existing ground surface, remnant foundations, other identified unsuitable materials), and the subgrade preparation recommendations provided in Section 3.4.

The mat foundation should be designed as a soil-supported, concrete structural mat. The design of the mat foundation should be based on distributing the structural element loads evenly across the footprint of the mat foundation. Typically, this is achieved by thickening the mat and providing adequate layers reinforcement. The reinforcement should be designed to distribute the concentrated column loads evenly across the mat footprint. Bottoms of the mat foundation should be found a minimum of four feet (48 inches) below the lowest adjacent ground surface for frost protection purposes.

A mat foundation bearing on the medium dense to dense alluvial deposits of Stratum II constructed in accordance with the recommendations of this report may be designed using an allowable bearing pressure of three (3) tons per square foot (tsf) for axial loading conditions. Allowable bearing capacities recommended in this paragraph are maximum allowable capacities and tolerable deflections/settlements should be considered by the structural engineer utilizing the below recommended modulus of subgrade reaction.

It is recommended that the mat foundation be placed on a minimum nine (9) inches thick layer of compacted crushed stone. The resulting excavations below mat foundation, such as those for utilities, should be backfilled with CGF below the crushed stone as per Section 3.6.1.

For mat foundation design typically requires a modulus of subgrade reaction (Winkler spring) or a similar elastic analysis method to determine thickness and reinforcing requirements for the concrete. For purposes of this report, JZN has created a preliminary loading model utilizing an applied average load of two (2) tsf for the mat foundation in order to determine the most suitable subgrade reaction modulus to be utilized for design purposes. The provided subgrade modulus is anticipated for short- and long-term load conditions as we do not expect significantly variable moduli due to the non-presence of cohesive deposits. As such, we recommend that a modulus of subgrade reaction (ks) value as indicated in Table 8 be used for the mat foundation following the implementation of the subgrade preparation per Section 3.4.

Table 8: Recommended Modulus of Subgrade Reaction (k_s) Values	
Subgrade Layer	ks (pounds per square inch per inch (psi/in)
Natural Medium dense to Dense Alluvial Deposits (Stratum II) (NYC 3b or better)	40 psi/in

Modulus of Subgrade Reaction is not fundamentally a soil property and is dependent on a number of parameters including: geometry of loading area, load magnitude, soil stiffness, loading duration, and structural mat/slab stiffness. As such, the recommended values above should be utilized carefully with consideration for what specific input an analysis method is requesting.

Lateral loads can be resisted by the friction along the base of the mat. Frictional resistance should be computed using an ultimate base friction coefficient (tan δ) between the mat concrete and the naturally deposited soils and/or CGF equal to 0.35.

Post-construction settlements of mat foundation designed and constructed in accordance with the recommendations outlined in this report are estimated to be on the order of up to one (1)-inch under static loading conditions. We anticipate that the total settlement will be observed shortly after structure dead loads are placed on the mat foundations and during initial loading of the proposed tower.

This settlement estimate is based on an assumed applied average load of three (3) tsf. If a lower or higher applied load for the proposed building is ultimately utilized, JZN requests notification in order to provide further recommendations regarding the modulus of subgrade reaction and estimated settlement values.

4.6.4 Deep Foundations

If the proposed development's anticipated superimposed loads are in excess of the allowable bearing capacity of shallow footings, the proposed development may also be supported on deep foundation elements consisted of drilled full displacement piles (FDP), or continuous flight auger (CFA) piles. If deep foundation systems are ultimately elected in support of the proposed development, we should be notified to provide such recommendations accordingly.

We preliminarily estimate that the use of FDP or CFA piles consisting of drilled pile with diameters of between approximately 13 inches and 18 inches may provide allowable compressive capacities in the range of approximately 100 tons and 150 tons.

4.7 NYCT Influence Lines

Due to the site's vicinity to the NYCT subway lines that run directly adjacent to the site under Steinway Street, we recommend that when final design elevations are available, further analysis should be carried out to ensure that the proposed development loads will not bear within the existing NYCT structure influence line and vice-versa. Shallow foundations should be designed to bear a minimum of five feet below the NYCT Line of influence as shown Figure 3. The use of a shallow foundation system is contingent upon

such analysis. Otherwise, the proposed development shall be supported utilizing deep foundation elements to bypass such influence lines.

4.8 Lowest Building Slab

Depending on the type of foundation elected in support of the proposed development, we recommend that the lowest building slab should consist of either a slab-on grade, or a deep foundation element supported structural slab, as recommended herein:

4.8.1 Slab-on-Grade For Shallow foundations Utilization

Following the preparation of the slab subgrade as recommended in Section 3, the proposed lowest building slab should be designed as concrete slab-on-grade designed in accordance with the following:

The lowest floor slab should be designed as a soil (Stratum II) supported, concrete slab-on-grade. It is recommended that the lowest building slab be placed on a minimum nine (9) inches thick layer of compacted crushed stone. The resulting excavations below slab-on-grade, such as those for foundations and utilities, should be backfilled with CGF below the crushed stone.

Designs of slabs typically require a modulus of subgrade reaction (Winkler Spring) or a similar elastic analysis method to determine thickness and reinforcing requirements for the concrete slab-on-grade. We recommend that a modulus of subgrade reaction (ks) of 200 pounds per square inch per inch (psi/in) be used for slab-on-grade constructed on soil mix and 6-inches of gravel. The recommended modulus value provided is for a one-foot square plate and must be corrected for slab size. Post-construction settlements of slab-on-grade designed and installed in accordance with the recommendations outlined in this report are estimated to be on the order of 1/2-inch.

4.8.2 Structural Slab – For Deep Foundation Elements

If deep foundation elements are ultimately utilized in support of the proposed development, the lowest building floor slab can be designed and constructed to be supported on a deep foundation system. Typically, this can be achieved either directly by thickening and structurally reinforcing the slab at deep foundation element locations, or indirectly by supporting a structurally reinforced slab on a network of deep foundation element supported grade beams.

We recommend that the lowest building slab be placed on a minimum 6 in. thick layer of compacted crushed stone underlain by geotextile fabric confirming to Sections 3.6.7 and 3.6.5. The resulting

excavations below the slab, such as those for foundations and utilities, should be backfilled with CGF below the crushed stone.

4.9 Foundation Drainage and Waterproofing

At this time, we do not anticipate that the proposed building will extend below the recommended design groundwater table elevation of +23.0 feet. However, based on our understanding, the proposed lowest building slab may be placed within a few feet of the groundwater table elevation. A such, we recommend that regardless of final design elevations, any below grade spaces should be water-proofed. Waterproofing design is beyond the scope of the report; however, a membrane-type waterproofing system is typically recommended for this type of development.

Additionally, we a recommend that a drainage board and foundation drain system be installed along the foundation walls and foundation system. If the proposed building ultimately extends below or within the design groundwater table elevation, hydrostatic pressures would need to be considered and a pressure slab and/or underslab drainage system would be required.

Waterproofing and damp proofing should be designed and constructed in accordance with NYCBC-2022 Section 1805.3 requirements.

4.10 Lateral Earth Pressures

Design below grade walls, temporary retaining/shoring walls, loading docks walls and/or any wall that will act as a retaining wall using recommendations for restrained or unrestrained walls as appropriate. Earth pressures for restrained walls should be computed considering at rest conditions, and unrestrained walls should be designed considering active conditions. Typically, restrained walls are braced at the top, and unrestrained below-grade walls are not braced at the top. The following recommendations assume grades are level to a distance equal to the wall height behind the wall, the walls are backfilled with Compacted Granular Fill. The parameter values presented in Table 9 below can be used to calculate earth pressures.

The effect of surcharge pressure should be included in earth pressure calculations, including the loads imposed by adjacent foundations, structures, and traffic. Hydrostatic pressures are not considered if the walls will be drained. If the drainage system is not installed, hydrostatic pressures should be included in the design with a design groundwater depth at existing ground surface elevation. Hydrostatic pressures should be finalized when the final design elevations are available. Retaining structures should be designed for a minimum factor of safety against sliding and overturning of 1.5.

For seismic loading conditions, walls should be designed to resist static plus seismic earth pressures. Surcharge loading does not need to be considered for seismic design unless the surcharge will be applied over an extended time. It is recommended that the lateral loads and base shear forces developed by the structure during a seismic event be resisted by earth pressures against foundation walls. During an earthquake occurrence, additional transient pressures will develop against the exterior retaining structures such below ground walls of the structure due to the inertia effect of the surrounding soil strata. Since the basement walls are braced with the floor slabs, they are relatively rigid and non-yielding. This condition should be considered in determining the seismically induced component of the lateral earth pressure.

Table 9: Lateral Earth Pressure Parameters

Material	Internal Friction Angle (deg)	Undrained Shear Strength (psf)	Moist Unit Weight (pcf)	Active Earth Pressure Coefficient K_a	Passive Earth Pressure Coefficient K_p	At-Rest Earth Pressure Coefficient K_o	Earthquake Induced Active Pressure K_{ae}
Compacted Granular Fill (CGF)[3]	34	0	125	0.283	3.537	0.441	0.441
Existing Fill Materials	29	0	115	0.347	2.882	0.515	0.491
Loose Pockets of Alluvial Soils	30	0	118	0.333	3.000	0.500	0.480
Med. Dense Alluvial Deposits	34	0	125	0.283	3.537	0.441	0.441

Notes:
1- Lateral Earth Pressure Parameters are Based on Coulomb Theory
2- Based on attaining the minimum required compaction as recommended requirements recommended in Section 3.5

4.11 Utilities

Generally, site utilities should be founded on bedding materials and should be constructed after the deep foundation installation operation if utilized. Utilities should be located above foundation bearing levels or the foundation influence zones.

Buried site utilities may be soil-supported (with suitable bedding), bearing existing site fill soils that are stable under proof-compaction, or on compacted Common Fill placed following the removal of exposed unsuitable bearing materials. Flexible and mechanical utility connections should be used with utilities outside the building area.

5. ADDITIONAL CONSIDERATIONS

5.1 Specification and Plan Review

It is recommended that JZN be provided the opportunity for a general review of final plans and specifications in order that earthwork and foundation recommendations may be properly interpreted and implemented in the design and specifications. The recommendations presented herein are contingent on the assumed grading and foundation layouts. We request notification upon completion of a final grading plan.

5.2 NYCT Influence Lines

Due to the site's vicinity to the NYCT subway lines that run directly adjacent to the site under Steinway Street, we recommend that when final design elevations are available, further analysis should be carried out to ensure that the proposed development loads will not bear within the existing NYCT structure influence line and vice-versa. The use of a shallow foundation system is contingent upon such analysis. Otherwise, the proposed development shall be supported utilizing deep foundation elements to bypass such influence lines.

5.3 Pre and Post Construction Conditions Surveys

Due to the proximity of the adjacent structures (existing buildings, utilities, public roadways, and the NYCT subway lines that run directly adjacent to the site under Steinway Street), we recommend that a pre-construction and post construction survey of adjacent structures and right-of ways be conducted to document conditions relevant to potential damage claims prior to commencement of construction.

5.4 Construction Testing and Monitoring

The recommendations contained in this report are based on known and reasonably predictable behavior of properly engineered and constructed foundations and other facilities. A Geotechnical Engineer should perform quality control, testing, and consultation during construction as described in previous sections of this report. Monitoring and testing should also be performed to verify that the recommendations contained in this report are implemented. Geotechnical construction monitoring should include:


- preparation of shallow foundations subgrades prior to concrete placement;
- installation of temporary excavation support systems;
- adjacent structure monitoring program, and,
- suitability and placement of backfill materials as Controlled Fill.

6. LIMITATION

The recommendations contained in this report represent our best professional judgment based on preliminary soils conditions encountered in the limited number of test borings performed for this study, and the structural and grading design criteria described in the report. Variations in the types of structures and design grading may change from the criteria assumed in preparation of the report. JZN should be advised of changes in the design criteria so that an evaluation can be made to determine if design recommendations should be revised. The nature and extent of variations in subsurface conditions between explorations may not become evident until construction. If variations appear, it may be necessary to reevaluate the information presented in this report. Conditions may be encountered during construction beyond and between borings that vary from the conditions reported herein. We recommend that foundation construction, earthwork and subgrade preparation be observed by a qualified Geotechnical Engineer familiar with the anticipated conditions and the basis of the foundation design recommendations. Any variations encountered should be brought to our attention so that their effect on the recommendations presented herein can be reevaluated and modified if necessary. Our services have been performed in accordance with current standards of practice for geotechnical engineering for buildings based on the conditions encountered in the explorations. No other warranty is made, either expressed or implied.

FIGURES

FIGURE 1: PROJECT SITE LOCUS
FIGURE 2: EXPLORATION LOCATION PLAN
FIGURE 3: NYCT SUBWAY INFLUENCE LINE PLAN
FIGURE 4: LIQUEFACTION ASSESSMENT



N
W E
S


GOOGLE MAPS 2025

JZN ENGINEERING
959 S. Springfield Avenue
Suite 100
Springfield, NJ 07081
(P) 973.218.6561
JZNengineering.com

PROPOSED INNOVATION QNS-BUILDING B1
35-18 STEINWAY STREET
ASTORIA, BOROUGH OF QUEENS, CITY & STATE OF NY
24190-000

PROJECT SITE LOCUS

FIGURE 1



1 EXPLORATION LOCATION PLAN
SCALE: 1":20'

LEGEND:

	B-1:	APPROXIMATE LOCATION OF EXPLORATION BORING
	I-1:	APPEOXIMATE LOCATION OF SOIL INFILTRATION TEST
	MW-1	APPROXIMATE LOCATION OF MONITORING WELL

NOTES:

BASE PLAN OBTAINED FROM A JANUARY 27, 2025 TOPOGRAPHIC SURVEY PREPARED BY MONTROSE SURVEYING CO., LLP.

SOIL EXPLORATIONS WERE LOCATED IN THE FIELD BY A REPRESENTATIVE OF JZN ENGINEERING, PC. USING NORMAL TAPING PROCEDURES AND ESTIMATED RIGHT ANGLES FROM EXISTING SITE FEATURES AND ARE PRESUMED ACCURATE WITHIN FEW FEET.

THE EXPLORATION BORINGS, MONITORING WELLS, AND INFILTRATION TESTS WERE DRILLED BY DIAMOND DRILLING, INC. OF PORT JERVIS, NEW YORK IN THE PRESENCE OF A JZN ENGINEER BETWEEN FEBRUARY 20, 2025 AND MARCH 7, 2025

PREPARED BY:
JZN ENGINEERING
959 S. SPRINGFIELD AVENUE, SUITE 100
SPRINGFIELD P: (973) 218-6561
NEW JERSEY 07081

NO.	DATE	BY	DESCRIPTION	APPROVED

REVISIONS

PROJECT NAME:
INNOVATION QNS BUILDING 1
35-18 STEINWAY STREET
ASTORIA, BOROUGH OF QUEENS,
CITY AND STATE OF NEW YORK

DRAWING TITLE:
EXPLORATION LOCATION PLAN

SEAL & SIGNATURE

NOT VALID UNTIL SEALED

NEJM E. JUNDI DATE
NEW YORK STATE PROFESSIONAL ENGINEER #083095

ALTERATION OR ADDITION TO THIS DOCUMENT EXCEPT BY A LICENSED PROFESSIONAL ENGINEER IS A VIOLATION OF SECTION 7209, SUB-DIVISION 2, OF THE NEW YORK STATE EDUCATION LAW.

DATE:	03/17/25
SCALE:	1":20'
PROJECT No:	24190-000
DRAWING BY:	GR
CHK BY:	GR
APPROVED BY:	NEJ
DWG No:	BLP-001.00
CAD FILE No:	24190000
PAGE No:	1 of 1




FIGURE 3 – APPROXIMATE NYCT SUBWAY INFLUENCE LINE (VARIES)

1 SCALE: 1":10'

PREPARED BY:
JZN ENGINEERING
959 S. SPRINGFIELD AVENUE, SUITE 100
SPRINGFIELD P: (973) 218-6561
NEW JERSEY 07081

NO.	DATE	BY	DESCRIPTION	APPROVED

REVISIONS

PROJECT NAME:

INNOVATION QNS BUILDING 1
35-18 STEINWAY STREET
ASTORIA, BOROUGH OF QUEENS,
CITY AND STATE OF NEW YORK

DRAWING TITLE:

FIGURE 3 – NYCT SUBWAY INFLUENCE LINE

SEAL & SIGNATURE


NOT VALID UNTIL SEALED

NEJM E. JUNDI DATE
NEW YORK STATE PROFESSIONAL ENGINEER #083095

ALTERATION OR ADDITION TO THIS DOCUMENT EXCEPT BY A LICENSED PROFESSIONAL ENGINEER IS A VIOLATION OF SECTION 7209, SUB-DIVISION 2, OF THE NEW YORK STATE EDUCATION LAW.

DATE:	09/17/25
SCALE:	1":10'
PROJECT No:	24190-000
DRAWING BY:	GR
CHK BY:	GR
APPROVED BY:	NEJ
DWG No:	FIGURE 3
CAD FILE No:	24190000
PAGE No:	2 of 1

Figure4: Liquefaction Assessment
NYCBC 2022



APPENDIX A

BORING EXPLORATION RECORDS
B-1 THROUGH B-11

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-1 **Page** 1 of 3

Project Name	Innovation QNS Building - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/20/2025
Ground Surface Elev.	41.0 Feet **Datum** NAVD 88	**Date Finished**	02/21/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb.)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/20/25	11:48 AM	--	22.0	20.0	

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 4-inch of Asphalt Pavement +/-0.3'	
	S-1 10 in.	1- 3 ft	25 27 24 30	Fill NYC Class 7	Fill: Brown medium to fine sand, little gravel, little silt, moist	
	S-2 6 in.	3- 5 ft	15 30 10 8	Fill NYC Class 7	Fill: Brown medium to fine sand, some gravel, little silt, wet	
5	S-3 3 in.	5- 7 ft	5 2 5 4	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, some gravel, little silt, wet	
	S-4 2 in.	7- 9 ft	3 2 2 4	Fill NYC Class 7	Fill: Gray medium to fine sand, some gravel, trace of silt, wet +/-9.0'	
10	S-5 8 in.	9- 11 ft	17 19 9 10	SP NYC Class 3b	Yellowish brown SAND, little Gravel, medium dense, wet	-Added 15 feet of casing after sampling S-5
15	S-6 4 in.	15- 17 ft	9 8 7 9	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense, wet	
20	S-7 8 in.	20- 22 ft	7 7 9 10	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense, wet	
25						

Summary	Overburden (Linear ft) 80	Rock Cored (Linear ft) --	No. of Samples 17

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-1
		Page 2 of 3
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 8 in.	25- 27 ft	10 8 12 11	SP NYC Class 3b	Browm medium to fine SAND, medium dense, wet	
30						
	S-9 18 in.	30- 32 ft	5 8 12 20	SM NYC Class 3b	Brown medium to fine (varved) SAND, some Silt, little Clay, trace gravel, medium dense, wet	
35						
	S-10 14 in.	35- 37 ft	10 10 13 17	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
40						
	S-11 10 in.	40- 42 ft	18 17 17 19	SP NYC Class 3a	Brown medium to fine SAND, some Gravel, trace of Silt, dense, wet	
45						
	S-12 6 in.	45- 47ft	9 11 14 14	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
50						
	S-13 8 in.	50- 52 ft	6 8 7 6	SP NYC Class 3b	Brown medium to fine SAND, some Gravel, medium dense, wet	
55						

Summary	Overburden (Linear ft) 80	Rock Cored (Linear ft) --	No. of Samples 17

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-1 Page 3 of 4
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
55						
	S-14 8 in.	55- 57 ft	11 15 17 26	SP NYC Class 3a	Brown medium to fine SAND, some Gravel, dense, wet	
60						
	S-15 12 in.	60- 62 ft	15 14 19 23	SM NYC Class 3a	Brown medium to fine SAND, some Silt, little Clay, dense, wet	
65						-Hard drilling from 65 to 67 feet
70						
	S-16 12 in.	70- 72 ft	21 31 26 25	SM NYC Class 3a	Brown medium to fine SAND, some Gravel, trace of Silt, very dense, wet	
					+/-73.0'	
			7.87 min/ft			
			3.2 min/ft			
75		73-78 ft	4.07 min/ft		Advanced through stacked boulders, rock fragments, cobbles, intermixed with sand utilizing a rock core barrel due to drilling refusal conditions encountered	
			1.72 min/ft			
			3.2 min/ft			
					+/-78.0'	
	S-17 16 in.	78- 80 ft	45 58 70 79	SM NYC Class 3a	Grayish brown medium to fine SAND, little Silt, trace of Gravel, very dense, wet	
80					+/-80.0'	
					Exploration Boring B-1 Terminated Approximately 80 Feet Below Existing Ground Surface Due to Repeated Collapsing of Borehole	
85						

Summary	Overburden (Linear ft) 80	Rock Cored (Linear ft) --	No. of Samples 17

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-2 **Page** 1 of 2

Project Name	Innovation QNS- Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/27/2025
Ground Surface Elev.	41.3 Feet **Datum** NAVD 88	**Date Finished**	02/28/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/27/25	2:39 PM	4.0	27.0	25.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 6 in.	1- 1.83 ft	18 50/4"	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, little gravel, trace silt, moist Debris: Brick	
					+/-3.0'	
	S-2 6 in.	3- 5 ft	7 4 4 7	SP NYC Class 6	Yellowish brown medium to fine SAND, trace Gravel, loose, moist	
5	S-3 8 in.	5- 7 ft	9 9 7 4	SP NYC Class 3b	Yellowish brown medium to fine SAND, trace Gravel, medium dense, moist	
	S-4 6 in.	7- 9 ft	7 7 6 5	SP NYC Class 3b	Yellowish brown medium to fine SAND, trace Gravel, medium dense, moist	-Added 5 ft of casing after sampling S-4
10	S-5 10 in.	9- 11 ft	4 4 5 4	SP NYC Class 6	Yellowish brown medium to fine SAND, little Silt, loose, moist	
15	S-6 6 in.	15- 17 ft	5 7 6 6	SP NYC Class 3b	Light brown fine SAND, medium dense, moist	
20	S-7 6 in.	20- 22 ft	6 6 8 6	SP NYC Class 3b	Brown medium to fine SAND, trace of Silt, medium dense, moist	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples 11

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-2 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 10 in.	25- 27 ft	8 9 10 11	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
30	S-9 14 in.	30- 32 ft	7 8 9 12	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
35						
40	S-10 10 in.	40- 42 ft	6 16 15 16	SM NYC Class 3a	Brown medium to fine SAND, some Silt, dense, wet	
45						
50	S-11 12 in.	50- 52 ft	15 23 38 30	SP NYC Class 3a	Light brown medium to fine SAND, very dense, wet +/-52.0'	
					Exploration Boring B-2 Terminated Approximately 52 Feet Below Existing Ground Surface	
55						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 11

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-3 **Page** 1 of 2

Project Name	Innovation QNS- Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/24/2025
Ground Surface Elev.	41.6 Feet **Datum** NAVD 88	**Date Finished**	02/24/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/24/25	8:30 AM	4.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3.5-inches of Asphalt Pavement +/-0.4'	
	S-1 14 in.	1- 3 ft	25 28 19 15	Fill NYC Class 7	Fill: Brown medium to fine sand, some gravel, trace of silt, moist	
	S-2 8 in.	3- 5 ft	13 14 7 5	Fill NYC Class 7	Fil: Yellowish brown medium to fine sand, trace of fine gravel, moist	
5	S-3 16 in.	5- 7 ft	5 5 4 3	Fill NYC Class 7	Fill: Brown medium to fine sand, moist	
	S-4 16 in.	7- 9 ft	3 3 4 4	Fill NYC Class 7	Fill: Brown medium to fine sand, moist +/-9.0'	
10	S-5 14 in.	9- 11 ft	3 2 2 2	SP NYC Class 6	Brown medium to fine SAND, loose, moist	-Added 5 feet of casing after sampling sample S-5
15	S-6 10 in.	15- 17 ft	6 7 11 12	SM NYC Class 3b	Brown medium to fine (varved) SAND, trace of Silt, medium dense, moist	
20	S-7 12 in.	20- 22 ft	9 9 12 13	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples 13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-3
		Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 10 in.	25- 27 ft	8 9 10 9	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
30						
	S-9 12 in.	30- 32 ft	7 8 11 12	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
35						
	S-10 6 in.	35- 37 ft	9 11 10 14	SP NYC Class 3b	Brown medium to fine SAND, medium dense, wet	
40						
	S-11 8 in.	40- 42 ft	10 9 11 15	SP NYC Class 3b	Brown medium to fine SAND, trace of Silt, medium dense, wet	
45						
	S-12 8 in.	45- 47 ft	12 11 14 12	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
50						
	S-13 6 in.	50- 52 ft	13 14 15 18	SP NYC Class 3b	Brown medium to fine SAND, medium dense, wet +/-52.0'	
					Exploration Boring B-3 Terminated Approximately 52 Feet Below Existing Ground Surface	
55						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-4 **Page** 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/27/2025
Ground Surface Elev.	39.4 Feet **Datum** NAVD 88	**Date Finished**	02/27/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/27/25	9:50 AM	9.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P	Approx. 4-inch of Asphalt Pavement +/-0.3'	
	S-1 4 in.	1-2.1 ft	40 42 50/1"	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, some gravel, little debris, moist Debris: Brick	
	S-2 3 in.	3-5 ft	12 13 7 3	Fill NYC Class 7	Fill: Brown coarse to medium sand, some gravel, moist	
5	S-3 3 in.	5-7 ft	13 18 6 5	Fill NYC Class 7	Fill: Brown medium to fine sand, some gravel, moist	
	S-4 4 in.	7-9 ft	5 5 8 8	Fill NYC Class 7	Fill: Brown medium to fine sand, little gravel, moist +/-9.0'	
10	S-5 8 in.	9-11 ft	13 9 9 6	SP NYC Class 3b	Yellowish brown medium to fine SAND, little Gravel, medium dense, moist	
15	S-6 6 in.	15-17 ft	5 6 7 8	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense, moist	
20	S-7 12 in.	20-22 ft	8 8 11 10	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
25						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-4 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 14 in.	25-27 ft	9 14 14 19	SP NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
30	S-9 16 in.	30-32 ft	9 13 13 17	SP NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
35	S-10 8 in.	35-37 ft	11 8 11 17	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
40	S-11 12 in.	40-42 ft	6 9 12 13	SM NYC Class 3b	Brown medium to fine SAND, some Silt, medium dense, wet	
45	S-12 8 in.	45-47 ft	17 23 18 15	SP NYC Class 3a	Brown medium to fine SAND, little Silt, little Gravel, dense, wet	
50	S-13 12 in.	50-52 ft	14 17 17 19	SP NYC Class 3a	Brown medium to fine SAND, little Gravel, medium dense, wet +/-52.0'	
55					Exploration Boring B-4 Terminated Approximately 52 Feet Below Existing Ground Surface	

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-5 **Page** 1 of 4

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/28/2025
Ground Surface Elev.	40.5 Feet **Datum** NAVD 88	**Date Finished**	03/03/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/28/25	10:35 AM	4.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 10 in.	1-3 ft	10 8 4 3	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, trace of silt, moist	
	S-2 6 in.	3-5 ft	3 3 3 5	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, trace of silt, moist	
5	S-3 12 in.	5-7 ft	4 4 5 5	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, trace of silt, moist	
	S-4 16 in.	7-9 ft	3 2 3 4	Fill NYC Class 7	Fill: Light brown fine sand, little silt, moist +/-9'	
10	S-5 12 in.	9-11 ft	4 5 5 6	SP NYC Class 3b	Light brown fine SAND, trace of Silt, medium dense, moist	-Added 5 feet of casing after S-6
15	S-6 12 in.	15-17 ft	6 12 13 13	SP NYC Class 3b	Light brown fine SAND, trace of Silt, medium dense, moist	
20	S-7 10 in.	20-22 ft	7 11 13 12	SM NYC Class 3b	Brown fine SAND, some Silt, medium dense, wet	
25						

Summary	Overburden (Linear ft) 101.2	Rock Cored (Linear ft) --	No. of Samples 19

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-5
		Page 2 of 4
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 16 in.	25-27 ft	10 10 8 11	SP NYC Class 3b	Light brown fine SAND, medium dense, wet	
30						
	S-9 8 in.	30-32 ft	15 14 16 17	SP NYC Class 3a	Light brown medium to fine SAND, trace of Silt, medium dense, wet	
35						
	S-10 10 in.	35-37 ft	8 9 11 15	SP NYC Class 3b	Light brown medium to fine SAND, trace of Silt, medium dense, wet	
40						
	S-11 16 in.	40-42 ft	8 10 13 12	SP NYC Class 3b	Light brown medium to fine SAND, trace of Silt, medium dense, wet	
45						
	S-12 12 in.	45-47 ft	15 18 20 20	SP NYC Class 3a	Brown medium to fine SAND, little Gravel, dense, wet	
						-Hard drilling at approximately 48 feet
50						
	S-13 12 in.	50-52 ft	11 13 16 14	SP NYC Class 3b	Brown medium to fine SAND, trace of Silt, trace of Gravel, medium dense wet	
55						

Summary	Overburden (Linear ft) 101.2	Rock Cored (Linear ft) --	No. of Samples 19

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-5 Page 3 of 4
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
55						
	S-14 8 in.	55-57 ft	14 20 18 14	SP NYC Class 3a	Brown medium to fine SAND, little Gravel, trace of Silt, dense, wet	
						-Hard drilling at approximately 59 feet
60						
	S-15 10 in.	60-62 ft	54 40 36 18	SP NYC Class 3a	Brown medium to fine SAND, some Gravel, trace of Silt, dense, wet	
65						
70						
	S-16 8 in.	70-72 ft	71 68 58 67	SP NYC Class 3a	Brown medium to fine SAND, some Gravel, trace of Silt, dense, moist	
75						-Hard drilling at approximately 75 feet
80						
	S-17 12 in.	80-81.3 ft	19 33 50/3"	SM NYC Class 3b	Gray medium to fine SAND, some Silt, trace of Gravel, very dense, wet	
85						

Summary	Overburden (Linear ft) 101.2	Rock Cored (Linear ft) --	No. of Samples 19

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-5 Page 4 of 4
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
85						
90	S-18 12 in.	90-92 ft	30 55 54 70	SP NYC Class 3a	Light gray medium to fine SAND, trace of Gravel, very dense, wet	
95						
100	S-19 8 in.	100-101.7 ft	40 55 70/2"	SM NYC Class 3a	Gray medium to fine SAND, some Silt, very dense, wet +/-101.2'	
105					Exploration Boring B-5 Terminated Approximately 101.2 Feet Below Existing Ground Surface	
110						
115						

Summary	Overburden (Linear ft) 101.2	Rock Cored (Linear ft) --	No. of Samples 19

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-6 **Page** 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/24/2025
Ground Surface Elev.	40.8 Feet **Datum** NAVD 88	**Date Finished**	02/24/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/24/25	12:45 PM	4.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 10 in.	1-3 ft	73 12 8 5	Fill NYC Class 7	Fill: Brown medium to fine sand, little gravel, little debris, trace of silt, moist Debris: Concrete	
	S-2 6 in.	3-5 ft	8 9 8 5	Fill NYC Class 7	Fill: Brown medium to fine sand, trace of silt, trace of gravel, moist +/-5.0'	
5	S-3 18 in.	5-7 ft	4 3 2 2	SP NYC Class 6	Yellowish brown medium to fine SAND, loose, moist	
	S-4 14 in.	7-9 ft	4 2 2 3	SP NYC Class 6	Yellowish brown medium to fine SAND, loose, moist	
10	S-5 10 in.	9-11 ft	4 3 4 7	SP NYC Class 6	Yellowish brown medium to fine SAND, loose, moist	-Added 5 feet of casing after S-5
15	S-6 6 in.	15-17 ft	7 10 12 14	SP NYC Class 3b	Pale brown medium to fine SAND, medium dense, moist	
20	S-7 8 in.	20-22 ft	10 10 9 20	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples	13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-6 Page 2 of 4
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 6 in.	25-27 ft	14 15 13 12	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
30	S-9 6 in.	30-32 ft	9 8 7 8	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
35	S-10 8 in.	35-37 ft	12 10 12 14	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, little Silt, medium dense, wet	
40	S-11 2 in.	40-42 ft	14 24 16 14	SP NYC Class 3a	Brown medium to fine SAND, trace of Gravel, dense, wet	
45	S-12 4 in.	45-47 ft	13 12 15 11	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense wet	
50	S-13 3 in.	50-52 ft	14 21 30 28	SP NYC Class 3a	Brown medium fine SAND, trace of Gravel, very dense, wet +/-52.0'	
55					Exploration Boring B-6 Terminated Approximately 52 Feet Below Existing Ground Surface	

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-7 Page 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/26/2025
Ground Surface Elev.	38.1 Feet **Datum** NAVD 88	**Date Finished**	02/26/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data					
Date	**Time**	**Bottom of Casing (ft)**	**Bottom of Boring (ft)**	**Water (ft)**	**Cave In (ft)**
02/26/25	9:30 AM	9.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 10 in.	1-3 ft	42 25 13 9	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, little gravel, moist	
	S-2 8 in.	3-5 ft	9 8 7 4	Fill NYC Class 7	Fill: Yellowish brown medium to fine SAND, trace of Gravel, moist	
5	S-3 4 in.	5-7 ft	5 6 2 1	Fill NYC Class 7	Fill: Yellowish brown medium to fine SAND, trace of Gravel, moist +/-7.0'	
	S-4 16 in.	7-9 ft	4 5 5 5	SP NYC Class 3b	Yellowish brown fine SAND, trace of Gravel, medium dense, moist	
10	S-5 12 in.	9-11 ft	5 6 5 6	SP NYC Class 3b	Yellowish brown fine SAND, medium dense, moist	-Added 5 feet of casing after S-5
15	S-6 14 in.	15-17 ft	10 16 19 17	SP NYC Class 3a	Pale brown fine SAND, dense, moist	
20	S-7 8 in.	20-22 ft	7 10 11 11	SP NYC Class 3b	Light brown fine SAND, medium dense, wet	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples	13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-7 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 2 in.	25-27 ft	17 12 8 9	SP NYC Class 3b	Light brown medium to fine SAND, trace of Gravel, medium dense, wet	
30	S-9 6 in.	30-32 ft	13 17 13 13	SP NYC Class 3a	Light brown medium to fine SAND, little Gravel, dense, wet	
35	S-10 5 in.	35-37 ft	21 27 16 18	SP NYC Class 3a	Light brown coarse to medium SAND, some Gravel, dense, wet	-Hard drilling from approximately 35 to 37 feet
40	S-11 6 in.	40-42 ft	11 9 10 9	SP NYC Class 3b	Light brown coarse to medium SAND, some Gravel, medium dense, wet	
45	S-12 8 in.	45-47 ft	13 10 10 13	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
50	S-13 10 in.	50-52 ft	8 9 11 12	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet +/-52.0'	
					Exploration Boring B-7 Terminated Approximately 52 Feet Below Existing Ground Surface	
55						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-8 **Page** 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/25/2025
Ground Surface Elev.	38.8 Feet **Datum** NAVD 88	**Date Finished**	02/25/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/25/25	9:15 AM	9.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 8 in.	1-3 ft	49 18 12 10	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, some gravel, trace of silt, trace of debris, moist Debris: Concrete	
	S-2 4 in.	3-5 ft	22 10 6 6	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, some gravel, trace of silt, trace of debris, moist Debris: Concrete	
5	S-3 4 in.	5-7 ft	5 3 4 4	Fill NYC Class 7	Fill: Yellowish brown medium to fine SAND, little Silt, little fine gravel, moist +/-7.0'	
	S-4 8 in.	7-9 ft	6 5 7 6	SP NYC Class 3b	Yellowish brown medium to fine SAND, medium dense, moist	
10	S-5 12 in.	9-11 ft	8 8 8 4	SP NYC Class 3b	Yellowish brown medium to fine SAND, medium dense, moist	-Added 10 feet of casing after S-5
15	S-6 4 in.	15-17 ft	7 8 7 5	SP NYC Class 3b	Yellowish brown medium to fine SAND, some Gravel, medium dense, moist	
20	S-7 2 in.	20-22 ft	6 9 13 12	SP NYC Class 3b	Yellowish brown medium to fine SAND, little Gravel, medium dense, moist	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples 13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-8 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 8 in.	25-27 ft	15 10 12 12	SM NYC Class 3b	Brown medium to fine SAND, little Silt, trace of Gravel, medium dense, wet	
30	S-9 6 in.	30-32 ft	11 12 12 9	SM NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
35	S-10 8 in.	35-37 ft	13 14 9 11	SM NYC Class 3b	Brown medium to fine SAND, some Gravel, medium dense, wet	
40	S-11 12 in.	40-42 ft	14 11 10 9	SM NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
45	S-12 8 in.	45-47 ft	10 8 9 7	SM NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
50	S-13 2 in.	50-52 ft	16 20 16 26	SM NYC Class 3a	Brown medium to fine SAND, little Gravel, dense, wet +/-52.0'	
55					Exploration Boring B-8 Terminated Approximately 52 Feet Below Existing Ground Surface	

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-9 **Page** 1 of 3

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	03/03/2025
Ground Surface Elev.	39.2 Feet **Datum** NAVD 88	**Date Finished**	03/04/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb.)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
03/03/25	2:40 PM	15.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 6 in.	1-3 ft	19 11 6 5	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, little gravel, trace of silt, trace of debris, moist Debris: Brick	
	S-2 3 in.	3-5 ft	5 6 10 3	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, little gravel, trace of silt, trace of debris, moist Debris: Brick	
5	S-3 2 in.	5-7 ft	3 4 9 5	Fill NYC Class 7	Fill: Grayish brown medium to fine sand, little gravel, trace of silt, trace of debris, moist Debris: Brick	
	S-4 3 in.	7-9 ft	7 21 15 4	Fill NYC Class 7	Fill: Light grayish brown medium to fine sand, some gravel, trace of silt, moist	
10	S-5 0 in.	9-11 ft	11 3 20 37	N.R.	No Recovery +/-11'	-Added 10 feet of casing after S-5
15	S-6 0 in.	15-17 ft	4 7 8 9	SP NYC Class 3b	Brown medium to fine SAND, little fine gravel, trace of silt, medium dense, moist	-Added 10 feet of casing after S-5
20	S-7 3 in.	20-22 ft	13 6 9 12	SP NYC Class 3b	Gray medium to fine SAND, little fine gravel, trace of silt, medium dense, wet	
25						

Summary	Overburden (Linear ft)	65	Rock Cored (Linear ft)	--	No. of Samples 14

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-9 Page 2 of 3
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25	S-8 0 in.	25-27 ft	6 26 8 5	N.R.	No Recovery (likely pushing through gravely materials)	-Added 5 feet of casing after S-7
30	S-9 10 in.	30-32 ft	28 18 9 10	SP NYC Class 3b	Light brown medium to fine SAND, medium dense, wet	
35	S-10 3 in.	35-37 ft	14 7 8 8	SP NYC Class 3b	Light brown coarse SAND, trace of Gravel, medium dense, wet	
40	S-11 0 in.	40-42 ft	8 8 8 11	N.R.	No Recovery	
45	S-12 6 in.	45-47 ft	6 6 6 6	SP NYC Class 3b	Light brown medium to fine SAND, trace of Gravel, medium dense, wet	-Added 15 feet of casing, totaling 40 feet of casing, due to loss of water
50	S-13 6 in.	50-52 ft	8 15 10 11	SP NYC Class 6	Brown medium to fine SAND, medium dense, wet	-Hard drilling at 52 feet
55						

Summary	Overburden (Linear ft) 65	Rock Cored (Linear ft) --	No. of Samples 14

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-9 Page 3 of 3
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
55						-Added 5 feet of casing
60	S-14 3 in.	30-61.2 ft	73 73 75/2"	SP NYC Class 3a	Grayish brown medium to fine SAND, some Gravel, wet	
					+/-65.0'	
65					Exploration Boring B-9 Terminated Approximately 65 Feet Below Existing Ground Surface	

Summary	Overburden (Linear ft) 65	Rock Cored (Linear ft) --	No. of Samples 14

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-10 **Page** 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/25/2025
Ground Surface Elev.	38.8 Feet **Datum** NAVD 88	**Date Finished**	02/25/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb.)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
02/25/25	1:00 PM	9.0	22.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 12 in.	1-3 ft	31 12 10 6	Fill NYC Class 7	Fill: Grayish yellow medium to fine sand, little gravel, trace of silt, moist	
	S-2 1 in.	3-5 ft	6 4 3 3	Fill NYC Class 7	Fill: Grayish yellow medium to fine sand, little gravel, moist	
5	S-3 6 in.	5-7 ft	5 6 4 2	Fill NYC Class 7	Fill: Yellowish brown medium to fine sand, little fine gravel, moist +/-5.0'	
	S-4 12 in.	7-9 ft	4 5 5 4	SP NYC Class 3b	Yellowish brown medium to fine SAND, trace of Gravel, medium dense, moist	
10	S-5 18 in.	9-11 ft	7 6 5 4	SP NYC Class 3b	Yellowish brown medium to fine SAND, trace of silt, medium dense, moist	-Added 10 feet of casing after S-5
15	S-6 8 in.	15-17 ft	5 6 6 6	SP NYC Class 3b	Brown medium to fine SAND, medium dense, moist	
20	S-7 10 in.	20-22 ft	9 11 14 11	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
25						

Summary	Overburden (Linear ft)	52	Rock Cored (Linear ft)	--	No. of Samples	13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-10 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 8 in.	25-27 ft	9 13 12 12	SM NYC Class 3b	Brown medium to fine SAND, little Silt, medium dense, wet	
30						
	S-9 10 in.	30-32 ft	11 16 18 11	SM NYC Class 3a	Brown medium to fine SAND, little Silt, little Gravel, dense, wet	
						-Hard drilling at 34 feet
35						
	S-10 8 in.	35-37 ft	28 14 10 12	SP NYC Class 3b	Brown medium SAND, little Gravel, medium dense, wet	
40						
	S-11 0 in.	40-42 ft	12 12 15 15	N.R.	No Recovery	
45						
	S-12 0 in.	45-47 ft	18 15 12 12	N.R.	No Recovery	
50						
	S-13 1 in.	50-52 ft	13 13 13 21	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense, wet +/-52.0'	
					Exploration Boring B-10 Terminated Approximately 52 Feet Below Existing Ground Surface	
55						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.

TEST BORING LOG

Boring No. B-11 **Page** 1 of 2

Project Name	Innovation QNS - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	02/26/2025
Ground Surface Elev.	40.5 Feet **Datum** NAVD 88	**Date Finished**	02/26/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F.J.	S.S.	--	Truck-Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb.)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data					
Date	**Time**	**Bottom of Casing (ft)**	**Bottom of Boring (ft)**	**Water (ft)**	**Cave In (ft)**
02/26/25	1:37 PM	--	9.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
0				A.P.	Approx. 3-inches of Asphalt Pavement +/-0.3'	
	S-1 6 in.	1-3 ft	14 9 8 6	SP NYC Class 6	Yellowish brown medium to fine SAND, trace of Gravel, medium dense, moist	
	S-2 4 in.	3-5 ft	11 10 9 8	SP NYC Class 3b	Grayish yellow medium to fine SAND, little Gravel, medium dense, moist	
5	S-3 8 in.	5-7 ft	6 7 6 3	SP NYC Class 3b	Yellowish brown medium to fine SAND, trace of Gravel, medium dense, moist	
	S-4 8 in.	7-9 ft	7 4 4 4	SP NYC Class 6	Yellowish brown fine SAND, loose, wet	
10	S-5 14 in.	9-11 ft	3 4 4 4	SP NYC Class 6	Yellowish brown fine SAND, loose, wet	-Added 10 feet of casing after S-5
15	S-6 6 in.	15-17 ft	5 7 10 11	SP NYC Class 3b	Yellowish brown fine SAND, medium dense, wet	
20	S-7 8 in.	20-22 ft	9 12 14 13	SP NYC Class 3b	Yellowish brown fine SAND, medium dense, wet	
25						

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

JZN Engineering, PC.	TEST BORING LOG	Boring No. B-11 Page 2 of 2
Project Name Innovation QNS Building - Building B1		Project No. 24190-000

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Remarks
25						
	S-8 8 in.	25-27 ft	9 9 13 17	SP NYC Class 3b	Light brown medium to fine SAND, medium dense, wet	
30	S-9 16 in.	30-32 ft	15 15 13 14	SP NYC Class 3b	Brown medium to fine SAND, medium dense, wet	
35	S-10 12 in.	35-37 ft	9 9 9 7	SP NYC Class 3b	Brown medium to fine SAND, trace of Gravel, medium dense, wet	
40	S-11 12 in.	40-42 ft	10 12 11 14	SP NYC Class 3b	Brown medium to fine SAND, little Gravel, medium dense, wet	
45	S-12 16 in.	45-47 ft	12 11 12 13	SP NYC Class 3b	Brown medium to fine SAND, medium dense, wet	
50	S-13 10 in.	50-52 ft	14 18 20 23	SP NYC Class 3a	Brown medium to fine SAND, dense, wet +/-52.0'	
55					Exploration Boring B-11 Terminated Approximately 52 Feet Below Existing Ground Surface	

Summary	Overburden (Linear ft) 52	Rock Cored (Linear ft) --	No. of Samples 13

APPENDIX B

INFILTRATION TESTING RESULTS LOGS & GRAPHS

JZN Engineering, PC.	Permeability Field Test Log	Test No. I-1
		Page 1 of 1


Project Name	Innovation QNS, Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Test Location	See Plan	**Date Started**	03/06/25
Ground Surface Elev.	+/- 41.25 Feet **Datum** NAVD 88	**Date Finished**	03/06/25

Test Information

Depth to Bottom of Casing from GS (Test Depth), L1:	126	inches
Casing Diameter (Inside), D:	4	inches
Depth to Groundwater (If Encountered):	20	feet
Casing Stickup from GS, L2:	6	inches

Saturation Period

Depth to Water from Top of Casing at Start of Saturation Period, d:	0	inches
Depth to Water from Top of Casing at End of Saturation Period, d:	24	inches
Duration of Saturation Period:	1440	minutes



Test Data

Test #1	
Water Temp., T (ºF):	Depth to Water from Top of Casing at Start, d
10	0
Time, t (min)	Depth to Water from Top of Casing, d (in.)
0	0
1	1
2	1.5
3	2
4	2.5
5	2.9
10	5.5
15	7.5
30	13
45	18
60	22

Test #2	
Water Temp., T (ºF):	Depth to Water from Top of Casing at Start, d
10	0
Time, t (min)	Depth to Water from Top of Casing, d (in.)
0	0
1	0.5
2	1
3	1.25
4	1.5
5	2
10	4
15	6
30	11
45	17
60	21

Remarks:

JZN Engineering, PC.	Permeability Field Test Log	Test No.	I-1
		Page	1 of 1


Project Name	Innovation QNS, Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Test Location	See Plan	**Date Started**	03/06/25
Ground Surface Elev.	+/- 41.25 Feet **Datum** NAVD 88	**Date Finished**	03/06/25

Test Information

Depth to Bottom of Casing from GS (Test Depth), L1:	192	inches
Casing Diameter (Inside), D:	4	inches
Depth to Groundwater (If Encountered):	20	feet
Casing Stickup from GS, L2:	6	inches

Saturation Period

Depth to Water from Top of Casing at Start of Saturation Period, d:	0	inches
Depth to Water from Top of Casing at End of Saturation Period, d:	24	inches
Duration of Saturation Period:	60	minutes



Test Data

Test #1	
Water Temp., T (ºF):	Depth to Water from Top of Casing at Start, d
10	0
Time, t (min)	Depth to Water from Top of Casing, d (in.)
0	0
1	1
2	1.5
3	2
4	2.5
5	3
10	4
15	5.5
30	11.5
45	14
60	17

Remarks:

JZN Engineering, PC.	Permeability Field Test Log	Test No.	I-2
		Page	1 of 1


Project Name	Innovation QNS, Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Test Location	See Plan	**Date Started**	03/06/25
Ground Surface Elev.	+/- 38.5 Feet **Datum** NAVD 88	**Date Finished**	03/06/25

Test Information

Depth to Bottom of Casing from GS (Test Depth), L1:	126	inches
Casing Diameter (Inside), D:	4	inches
Depth to Groundwater (If Encountered):	20	feet
Casing Stickup from GS, L2:	6	inches

Saturation Period

Depth to Water from Top of Casing at Start of Saturation Period, d:	0	inches
Depth to Water from Top of Casing at End of Saturation Period, d:	24	inches
Duration of Saturation Period:	1440	minutes



Test Data

Test #1	
Water Temp., T (ºF):	Depth to Water from Top of Casing at Start, d
10	0
Time, t (min)	Depth to Water from Top of Casing, d (in.)
0	0
1	1.5
2	2.5
3	3.5
4	4
5	4.5
10	6
15	7
30	9
45	10.5
60	11.5

Remarks:

JZN Engineering, PC.	Permeability Field Test Log	Test No.	I-2
		Page	1 of 1


Project Name	Innovation QNS, Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Test Location	See Plan	**Date Started**	03/06/25
Ground Surface Elev.	+/- 38.5 Feet **Datum** NAVD 88	**Date Finished**	03/06/25

Test Information

Depth to Bottom of Casing from GS (Test Depth), L1:	180	inches
Casing Diameter (Inside), D:	4	inches
Depth to Groundwater (If Encountered):	20	feet
Casing Stickup from GS, L2:	6	inches

Saturation Period

Depth to Water from Top of Casing at Start of Saturation Period, d:	0	inches
Depth to Water from Top of Casing at End of Saturation Period, d:	0	inches
Duration of Saturation Period:	60	minutes



Test Data

Test #1	
Water Temp., T (ºF):	Depth to Water from Top of Casing at Start, d
10	0
Time, t (min)	Depth to Water from Top of Casing, d (in.)
0	0
1	3.5
2	7.5
3	10.5
4	13.5
5	16.5
10	26.5
15	33
30	48
45	53
60	67

Remarks:

JZN Engineering, PC.

PT ID No. 24190-000 I-1
Sheet 1 of 4

Prepared for:
Key Civil Engineering, PC.

PROJECT: Innovation QNS - Building B1
LOCATION / BOROUGH : 35-18 Steinway Street
Astoria, Borough of Queens, City & State of New York

INSPECTOR: A. More
DRILL CO.: Diamond Drilling, Inc.
P.E./REP.: N. Jundi

DRILLER: V. Albanez
HELPER: --

Start Date: 3/6/25
Start Time: 8:45 AM

48°, Clear

Depth of PT: 3.0 ft
Rig Type: CME 75

Drill Bit Type: Tricone Roller
Casing Internal Diameter: 4.0 in
Casing Length: 120 in

Weight of Hammer for casing: 140 lbs.
Type of Hammer: Donut

ASTM D-6391-11

PERMEABILITY COEFFICIENT (Km) FORMULA:

General Formula:

$$K_m = \pi R_t \times \frac{[D\{\ln(\frac{h_1}{h_2})\}]}{11 \times (t_2 - t_1)}$$

$$R_t = 2.2902(0.9842^T)/T^{0.1702}$$

I-1

TEST 1 FINAL RESULTS **Depth:** 120 in **H_o:** 120.0 in


Water temperature (°C), T: 20 Rt= 1.00

FIELD DATA		CALCULATED DATA			
Time (min)	Depth (in)	Height (in)	Ln (H/Ho)	(t_1-t_2)	*Km (in/hr.)
1	1.00	119.0	0.0084	0.017	0.574
2	1.50	118.5	0.0126	0.033	0.431
3	2.00	118.0	0.0168	0.050	0.384
4	2.50	117.5	0.0211	0.067	0.361
5	2.90	117.1	0.0245	0.083	0.335
10	5.50	114.5	0.0469	0.167	0.322
15	7.50	112.5	0.0645	0.250	0.295
30	13.00	107.0	0.1147	0.500	0.262
45	18.00	102.0	0.1625	0.750	0.248
60	22.00	98.0	0.2025	1.000	0.231

TEST 2 FINAL RESULTS **Depth:** 120 in **H_o:** 120.0 in

Water temperature (°C), T: 20 Rt= 1.00

FIELD DATA		CALCULATED DATA			
Time (min)	Depth (in)	Height (in)	Ln (H/Ho)	(t_1-t_2)	*Km (in/hr.)
1	0.30	119.7	0.0025	0.017	0.172
2	1.00	119.0	0.0084	0.033	0.287
3	1.25	118.8	0.0105	0.050	0.239
4	1.50	118.5	0.0126	0.067	0.216
5	2.00	118.0	0.0168	0.083	0.230
10	4.00	116.0	0.0339	0.167	0.232
15	6.00	114.0	0.0513	0.250	0.234
30	11.00	109.0	0.0961	0.500	0.220
45	17.00	103.0	0.1528	0.750	0.233
60	21.00	99.0	0.1924	1.000	0.220



TEST 1 FINAL RESULTS

Permeability Coefficient Km= 0.231 in/hr

TEST 2 FINAL RESULTS

Permeability Coefficient Km= 0.220 in/hr

AVERAGE I-1 @ 10 FT

Average Permeability Coefficient Km= 0.226 in/hr

DEFINITION OF VARIABLES

*Km= Mean permeability
T = Temperature of permeant (water), in °C Ln = Natural Logarithmic
t1 = Time at the start of the test in the same units selected for Km
t2= Time at the end of the test in the units selected for Km
h1= Height of the water above the bottom of the casing at the start of the test in the same units selected for Km
h2= Height of the water above the bottom of the casing at the end of the test in the same units selected for Km

Rt = Ratio of viscosity of water at test temperature to the viscosity of water at 20°C

JZN Engineering, PC.

PT ID No. 24190-000 I-1
Sheet 2 of 4

Prepared for: Key Civil Engineering, PC.			PROJECT: Innovation QNS - Building B1 LOCATION / BOROUGH : 35-18 Steinway Street Astoria, Borough of Queens, City & State of New York		
INSPECTOR:	A.More	DRILLER: V. Albanez	Start Date: 3/6/25		48°, Clear
DRILL CO.:	Diamond Drilling, Inc.	HELPER: --	Start Time: 11:35 AM		
P.E./REP.:	N. Jundi				
Depth of PT:	3.0 ft	Drill Bit Type: Tricone Roller		Weight of Hammer for casing:	140 lbs.
Rig Type:	CME 75	Casing Internal Diameter:	4.0 in	Type of Hammer:	Donut
		Casing Length:	180 in		

ASTM D-6391-11 General Formula:


PERMEABILITY COEFFICIENT (Km) FORMULA:

$$K_m = \pi R_t \times \frac{[D\{\ln(\frac{h_1}{h_2})\}]}{11 \times (t_2 - t_1)}$$

$$R_t = 2.2902(0.9842^T)/T^{0.1702}$$

I-1

TEST 1 FINAL RESULTS	**Depth:**	**180 in**	**H_o:**		**180.0 in**
Water temperature (°C), T:	20		Rt=	1.00	
FIELD DATA	CALCULATED DATA				
Time (min)	Depth (in)	Height (in)	Ln (H/Ho)	(t_1-t_2)	*Km (in/hr.)
1	1.00	179.0	0.0056	0.017	0.382
2	1.50	178.5	0.0084	0.033	0.287
3	2.00	178.0	0.0112	0.050	0.255
4	2.50	177.5	0.0140	0.067	0.240
5	3.00	177.0	0.0168	0.083	0.230
10	4.00	176.0	0.0225	0.167	0.154
15	5.50	174.5	0.0310	0.250	0.142
30	11.50	168.5	0.0660	0.500	0.151
45	14.00	166.0	0.0810	0.750	0.123
60	17.00	163.0	0.0992	1.000	0.113



AVERAGE I-1 @ 15 FT

Average Permeability Coefficient Km= 0.113 in/hr

DEFINITION OF VARIABLES

*Km= Mean permeability
T = Temperature of permeant (water), in °C Ln = Natural Logarithmic
t1 = Time at the start of the test in the same units selected for Km
t2= Time at the end of the test in the units selected for Km
h1= Height of the water above the bottom of the casing at the start of the test in the same units selected for Km
h2= Height of the water above the bottom of the casing at the end of the test in the same units selected for Km

Rt = Ratio of viscosity of water at test temperature to the viscosity of water at 20°C

JZN Engineering, PC.

PT ID No. 24190-000 I-2
Sheet 3 of 4

Prepared for:
Key Civil Engineering, PC.

PROJECT: Innovation QNS - Building B1
LOCATION / BOROUGH : 35-18 Steinway Street
Astoria, Borough of Queens, City & State of New York

INSPECTOR:	A.More	DRILLER:	V. Albanez	Start Date: 3/6/25	48°, Clear
DRILL CO.:	Diamond Drilling, Inc.	HELPER:	--	Start Time: 9:45 AM	
P.E./REP.:	N. Jundi				

Depth of PT:	3.0 ft	Drill Bit Type:	Tricone Roller	Weight of Hammer for casing:	140 lbs.
Rig Type:	CME 75	Casing Internal Diameter:	4.0 in	Type of Hammer:	Donut
		Casing Length:	120 in		

ASTM D-6391-11 General Formula:

PERMEABILITY COEFFICIENT (Km) FORMULA:

$$K_m = \pi R_t \times \frac{[D\{\ln(\frac{h_1}{h_2})\}]}{11 \times (t_2 - t_1)}$$


$$R_t = 2.2902(0.9842^T)/T^{0.1702}$$

I-2

TEST 1 FINAL RESULTS **Depth: 120 in** **H_o: 120.0 in**

Water temperature (°C), T: 20 Rt= 1.00

FIELD DATA		CALCULATED DATA			
Time (min)	Depth (in)	Height (in)	Ln (H/Ho)	(t_1-t_2)	*Km (in/hr.)
1	1.50	118.5	0.0126	0.017	0.862
2	2.50	117.5	0.0211	0.033	0.722
3	3.50	116.5	0.0296	0.050	0.676
4	4.00	116.0	0.0339	0.067	0.581
5	4.50	115.5	0.0382	0.083	0.524
10	6.00	114.0	0.0513	0.167	0.352
15	7.00	113.0	0.0601	0.250	0.275
30	9.00	111.0	0.0780	0.500	0.178
45	10.50	109.5	0.0916	0.750	0.140
60	11.50	108.5	0.1007	1.000	0.115



AVERAGE I-2 @ 10 FT

Average Permeability Coefficient Km= 0.115 in/hr

DEFINITION OF VARIABLES

*Km= Mean permeability
T = Temperature of permeant (water), in °C Ln = Natural Logarithmic
t1 = Time at the start of the test in the same units selected for Km
t2= Time at the end of the test in the units selected for Km
h1= Height of the water above the bottom of the casing at the start of the test in the same units selected for Km
h2= Height of the water above the bottom of the casing at the end of the test in the same units selected for Km

Rt = Ratio of viscosity of water at test temperature to the viscosity of water at 20°C

JZN Engineering, PC.

PT ID No. 24190-000 I-2
Sheet 4 of 4

Prepared for: Key Civil Engineering, PC.			PROJECT: Innovation QNS - Building B1 LOCATION / BOROUGH : 35-18 Steinway Street Astoria, Borough of Queens, City & State of New York		
INSPECTOR:	A. More	DRILLER: V. Albanez	Start Date:	3/6/25	48°, Clear
DRILL CO.:	Diamond Drilling, Inc.	HELPER: --	Start Time:	1:15 PM	
P.E./REP.:	N. Jundi				
Depth of PT:	3 ft	Drill Bit Type: Tricone Roller	Weight of Hammer for casing:	140 lbs.	
Rig Type:	CME 75	Casing Internal Diameter: 4.0 in Casing Length: 180 in	Type of Hammer:	Donut	

ASTM D-6391-11 General Formula:

PERMEABILITY COEFFICIENT (Km) FORMULA:

$$K_m = \pi R_t \times \frac{[D\{\ln(\frac{h_1}{h_2})\}]}{11 \times (t_2 - t_1)}$$


$$R_t = 2.2902(0.9842^T)/T^{0.1702}$$

I-2

TEST 1 FINAL RESULTS **Depth: 180 in** **H_o: 180.0 in**

Water temperature (°C), T: 20 Rt= 1.00

FIELD DATA		CALCULATED DATA			
Time (min)	Depth (in)	Height (in)	Ln (H/Ho)	(t_1-t_2)	*Km (in/hr.)
1	3.50	176.5	0.0196	0.017	1.346
2	7.50	172.5	0.0426	0.033	1.459
3	10.50	169.5	0.0601	0.050	1.374
4	13.50	166.5	0.0780	0.067	1.336
5	16.50	163.5	0.0961	0.083	1.318
10	26.50	153.5	0.1593	0.167	1.092
15	33.00	147.0	0.2025	0.250	0.926
30	48.00	132.0	0.3102	0.500	0.709
45	53.00	127.0	0.3488	0.750	0.531
60	67.00	113.0	0.4656	1.000	0.532



AVERAGE I-2 @ 15 FT

Average Permeability Coefficient Km= 0.532 in/hr

DEFINITION OF VARIABLES

*Km= Mean permeability

T = Temperature of permeant (water), in °C Ln = Natural Logarithmic

t1 = Time at the start of the test in the same units selected for Km

t2= Time at the end of the test in the units selected for Km

h1= Height of the water above the bottom of the casing at the start of the test in the same units selected for Km

h2= Height of the water above the bottom of the casing at the end of the test in the same units selected for Km

Rt = Ratio of viscosity of water at test temperature to the viscosity of water at 20°C

APPENDIX C

MONITORING WELL INSTALLATION LOGS

JZN Engineering, PC.

MONITORING WELL LOG

Well No. MW-1


Page 1 of 1

Project Name	Innovation QNS Building - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	03/06/2025
Ground Surface Elev.	± 41.2 feet **Datum** NAVD 88	**Date Finished**	03/06/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F. J.	SS	--	Truck Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
03/13/25	7:30 AM	--	30.0	18.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Well Diagram	Remarks
0					+/- 4.5 inch Concrete Pavement +/- 6 inch Bentonite Samples Not Obtained During the Installation of Monitoring Well Continuously Drilled to 30.0 Feet Below Existing Ground Surface		
10							
20					Water observed at 18'-0" on 3/13/25		
30							

Well Diagram

Riser Pipe
Screen
Filter Sand
Cuttings
Grout
Concrete
Bentonite Seal

Summary	Overburden (Linear ft)	30	Rock Cored (Linear ft)	--	No. of Samples 0

JZN Engineering, PC.

MONITORING WELL LOG


Well No. MW-2

Project Name	Innovation QNS Building - Building B1	**Project No.**	24190-000
Client	Key Civil Engineering, P.C.	**Representative**	A. More
Project Location	35-18 Steinway Street	**Contractor**	Diamond Drilling, Inc.
	Astoria, Borough of Queens, City & State of New York	**Driller**	V. Albanez
Boring Location	See Plan	**Date Started**	03/06/2025
Ground Surface Elev.	± 38.6 feet **Datum** NAVD 88	**Date Finished**	03/06/2025

Item	Casing	Sampler	Core Barrel	Rig Type
Type	F. J.	SS	--	Truck Mounted
Inside Diameter (in)	4.00	1.4	--	CME 75
Hammer Weight (lb)	--	140		**Drill Mud**
Hammer Fall (in)	--	30		Water
Hammer Type	--	Donut		EZ-Mud

Water Level Data

Date	Time	Bottom of Casing (ft)	Bottom of Boring (ft)	Water (ft)	Cave In (ft)
03/13/25	8:00 AM	--	30.0	20.0	--

Depth (ft)	Sample No. & Rec. (in)	Sample Depth (ft)	Sampler Blows per 6 inches	USCS Symbol	Visual Classification	Well Diagram	Remarks
0					+/- 4.5 inch Concrete Pavement +/- 6 inch Bentonite Samples Not Obtained During the Installation of Monitoring Well Continuously Drilled to 30 Feet Below Existing Ground Surface		
10							
20					Water observed at 20'-0" on 3/13/25		
30							


Well Diagram

- Riser Pipe
- Screen
- Filter Sand
- Cuttings
- Grout
- Concrete
- Bentonite Seal

Summary	Overburden (Linear ft)	30	Rock Cored (Linear ft)	--	No. of Samples 0

APPENDIX D

MONITORING WELL GROUNDWATER ELEVATION GRAPHS AND DATA TABLES


Monitoring Well Groundwater Elevations - MW-1 & MW-2
Loggers Installed on 03/06/2025
Loggers Removed: 03/13/2025
MW-1 Groundwater Elevation
MW-2 Groundwater Elevation
GROUNDWATER ELEVATION (FT)
23.0
22.0
21.0
20.0
19.0
18.0
17.0
16.0
15.0
3/5/2025
3/6/2025
3/7/2025
3/8/2025
3/9/2025
3/10/2025
3/11/2025
3/12/2025
3/13/2025
3/14/2025
DATE

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

MW-1 - Logger Serial No. 20715060

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/6/2025 7:30	14.3187	70.3	-1.2665	-2.9	16.0	Logger Started Logging
3/6/2025 7:44	14.3187	70.3	-1.2665	-2.9	16.0	
3/6/2025 7:59	16.0051	66.5	0.4199	1.0	19.9	
3/6/2025 8:14	16.0081	65.9	0.4229	1.0	19.9	
3/6/2025 8:29	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 8:44	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 8:59	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 9:14	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 9:29	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 9:44	16.0123	65.7	0.4271	1.0	19.9	
3/6/2025 9:59	16.0123	65.7	0.4271	1.0	19.9	
3/6/2025 10:14	16.0123	65.7	0.4271	1.0	19.9	
3/6/2025 10:29	16.0078	65.7	0.4226	1.0	19.9	
3/6/2025 10:44	15.9987	65.7	0.4135	1.0	19.9	
3/6/2025 10:59	15.9987	65.7	0.4135	1.0	19.9	
3/6/2025 11:14	15.9942	65.7	0.4090	0.9	19.9	
3/6/2025 11:29	16.0032	65.7	0.4180	1.0	19.9	
3/6/2025 11:44	15.9942	65.7	0.4090	0.9	19.9	
3/6/2025 11:59	15.9897	65.7	0.4045	0.9	19.9	
3/6/2025 12:14	15.9942	65.7	0.4090	0.9	19.9	
3/6/2025 12:29	15.9897	65.7	0.4045	0.9	19.9	
3/6/2025 12:44	15.9897	65.7	0.4045	0.9	19.9	
3/6/2025 12:59	15.9852	65.7	0.4000	0.9	19.8	
3/6/2025 13:14	15.9852	65.7	0.4000	0.9	19.8	
3/6/2025 13:29	15.9807	65.7	0.3955	0.9	19.8	
3/6/2025 13:44	15.9897	65.7	0.4045	0.9	19.9	
3/6/2025 13:59	15.9807	65.7	0.3955	0.9	19.8	
3/6/2025 14:14	15.9807	65.7	0.3955	0.9	19.8	
3/6/2025 14:29	15.9716	65.7	0.3864	0.9	19.8	
3/6/2025 14:44	15.9810	65.9	0.3958	0.9	19.8	
3/6/2025 14:59	15.9762	65.7	0.3910	0.9	19.8	
3/6/2025 15:14	15.9807	65.7	0.3955	0.9	19.8	
3/6/2025 15:29	15.9807	65.7	0.3955	0.9	19.8	
3/6/2025 15:44	15.9852	65.7	0.4000	0.9	19.8	
3/6/2025 15:59	15.9852	65.7	0.4000	0.9	19.8	
3/6/2025 16:14	15.9810	65.9	0.3958	0.9	19.8	
3/6/2025 16:29	15.9901	65.9	0.4049	0.9	19.9	
3/6/2025 16:44	15.9855	65.9	0.4003	0.9	19.8	
3/6/2025 16:59	15.9901	65.9	0.4049	0.9	19.9	
3/6/2025 17:14	15.9946	65.9	0.4094	0.9	19.9	
3/6/2025 17:29	15.9942	65.7	0.4090	0.9	19.9	
3/6/2025 17:44	15.9946	65.9	0.4094	0.9	19.9	
3/6/2025 17:59	16.0036	65.9	0.4184	1.0	19.9	
3/6/2025 18:14	16.0081	65.9	0.4229	1.0	19.9	
3/6/2025 18:29	16.0126	65.9	0.4274	1.0	19.9	
3/6/2025 18:44	16.0126	65.9	0.4274	1.0	19.9	
3/6/2025 18:59	16.0171	65.9	0.4319	1.0	19.9	
3/6/2025 19:14	16.0217	65.9	0.4365	1.0	19.9	
3/6/2025 19:29	16.0217	65.9	0.4365	1.0	19.9	
3/6/2025 19:44	16.0217	65.9	0.4365	1.0	19.9	
3/6/2025 19:59	16.0262	65.9	0.4410	1.0	19.9	
3/6/2025 20:14	16.0307	65.9	0.4455	1.0	19.9	
3/6/2025 20:29	16.0397	65.9	0.4545	1.0	20.0	
3/6/2025 20:44	16.0442	65.9	0.4590	1.1	20.0	

MW-2 - Logger Serial No. 20715059

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/6/2025 7:25	14.3458	70.1	-1.5473	-3.6	16.0	Logger Started Logging
3/6/2025 7:37	14.3458	70.1	-1.5473	-3.6	16.0	
3/6/2025 7:52	14.3458	68.2	-1.5473	-3.6	16.0	
3/6/2025 8:07	14.3534	65.9	-1.5397	-3.6	16.0	
3/6/2025 8:22	17.1398	64.8	1.2467	2.9	22.5	
3/6/2025 8:37	17.1313	64.8	1.2382	2.9	22.4	
3/6/2025 8:52	17.1269	64.8	1.2338	2.8	22.4	
3/6/2025 9:07	17.1269	64.8	1.2338	2.8	22.4	
3/6/2025 9:22	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 9:37	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 9:52	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 10:07	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 10:22	17.1269	64.8	1.2338	2.8	22.4	
3/6/2025 10:37	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 10:52	17.1182	64.8	1.2251	2.8	22.4	
3/6/2025 11:07	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 11:22	17.1226	64.8	1.2295	2.8	22.4	
3/6/2025 11:37	17.1182	64.8	1.2251	2.8	22.4	
3/6/2025 11:52	17.1140	64.8	1.2209	2.8	22.4	
3/6/2025 12:07	16.2544	64.7	0.3613	0.8	20.4	
3/6/2025 12:22	16.2544	64.7	0.3613	0.8	20.4	
3/6/2025 12:37	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 12:52	16.2548	64.8	0.3617	0.8	20.4	
3/6/2025 13:07	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 13:22	16.2548	64.8	0.3617	0.8	20.4	
3/6/2025 13:37	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 13:52	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 14:07	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 14:22	16.2548	64.8	0.3617	0.8	20.4	
3/6/2025 14:37	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 14:52	16.2635	64.8	0.3704	0.9	20.4	
3/6/2025 15:07	16.2592	64.8	0.3661	0.8	20.4	
3/6/2025 15:22	16.2679	64.8	0.3748	0.9	20.4	
3/6/2025 15:37	16.2635	64.8	0.3704	0.9	20.4	
3/6/2025 15:52	16.2679	64.8	0.3748	0.9	20.4	
3/6/2025 16:07	16.2679	64.8	0.3748	0.9	20.4	
3/6/2025 16:22	16.2679	64.8	0.3748	0.9	20.4	
3/6/2025 16:37	16.2721	64.8	0.3790	0.9	20.5	
3/6/2025 16:52	16.2721	64.8	0.3790	0.9	20.5	
3/6/2025 17:07	16.2808	64.8	0.3877	0.9	20.5	
3/6/2025 17:22	16.2808	64.8	0.3877	0.9	20.5	
3/6/2025 17:37	16.2851	64.8	0.3920	0.9	20.5	
3/6/2025 17:52	16.2847	64.7	0.3916	0.9	20.5	
3/6/2025 18:07	16.2937	64.8	0.4006	0.9	20.5	
3/6/2025 18:22	16.2980	64.8	0.4049	0.9	20.5	
3/6/2025 18:37	16.3024	64.8	0.4093	0.9	20.5	
3/6/2025 18:52	16.3066	64.8	0.4135	1.0	20.5	
3/6/2025 19:07	16.3066	64.8	0.4135	1.0	20.5	
3/6/2025 19:22	16.3066	64.8	0.4135	1.0	20.5	
3/6/2025 19:37	16.3109	64.8	0.4178	1.0	20.5	
3/6/2025 19:52	16.3153	64.8	0.4222	1.0	20.6	
3/6/2025 20:07	16.3153	64.8	0.4222	1.0	20.6	
3/6/2025 20:22	16.3282	64.8	0.4351	1.0	20.6	
3/6/2025 20:37	16.3326	64.8	0.4395	1.0	20.6	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/6/2025 20:59	16.0442	65.9	0.4590	1.1	20.0		3/6/2025 20:52	16.3369	64.8	0.4438	1.0	20.6	
3/6/2025 21:14	16.0487	65.9	0.4635	1.1	20.0		3/6/2025 21:07	16.3413	64.8	0.4482	1.0	20.6	
3/6/2025 21:29	16.0442	65.9	0.4590	1.1	20.0		3/6/2025 21:22	16.3455	64.8	0.4524	1.0	20.6	
3/6/2025 21:44	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 21:37	16.3498	64.8	0.4567	1.1	20.6	
3/6/2025 21:59	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 21:52	16.3498	64.8	0.4567	1.1	20.6	
3/6/2025 22:14	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 22:07	16.3498	64.8	0.4567	1.1	20.6	
3/6/2025 22:29	16.0534	65.9	0.4682	1.1	20.0		3/6/2025 22:22	16.3542	64.8	0.4611	1.1	20.6	
3/6/2025 22:44	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 22:37	16.3585	64.8	0.4654	1.1	20.7	
3/6/2025 22:59	16.0623	65.9	0.4771	1.1	20.0		3/6/2025 22:52	16.3585	64.8	0.4654	1.1	20.7	
3/6/2025 23:14	16.0623	65.9	0.4771	1.1	20.0		3/6/2025 23:07	16.3542	64.8	0.4611	1.1	20.6	
3/6/2025 23:29	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 23:22	16.3542	64.8	0.4611	1.1	20.6	
3/6/2025 23:44	16.0623	65.9	0.4771	1.1	20.0		3/6/2025 23:37	16.3542	64.8	0.4611	1.1	20.6	
3/6/2025 23:59	16.0579	65.9	0.4727	1.1	20.0		3/6/2025 23:52	16.3542	64.8	0.4611	1.1	20.6	
3/7/2025 0:14	16.0623	65.9	0.4771	1.1	20.0		3/7/2025 0:07	16.3585	64.8	0.4654	1.1	20.7	
3/7/2025 0:29	16.0623	65.9	0.4771	1.1	20.0		3/7/2025 0:22	16.3542	64.8	0.4611	1.1	20.6	
3/7/2025 0:44	16.0668	65.9	0.4816	1.1	20.0		3/7/2025 0:37	16.3585	64.8	0.4654	1.1	20.7	
3/7/2025 0:59	16.0713	65.9	0.4861	1.1	20.0		3/7/2025 0:52	16.3585	64.8	0.4654	1.1	20.7	
3/7/2025 1:14	16.0623	65.9	0.4771	1.1	20.0		3/7/2025 1:07	16.3627	64.8	0.4696	1.1	20.7	
3/7/2025 1:29	16.0623	65.9	0.4771	1.1	20.0		3/7/2025 1:22	16.3671	64.8	0.4740	1.1	20.7	
3/7/2025 1:44	16.0713	65.9	0.4861	1.1	20.0		3/7/2025 1:37	16.3671	64.8	0.4740	1.1	20.7	
3/7/2025 1:59	16.0668	65.9	0.4816	1.1	20.0		3/7/2025 1:52	16.3714	64.8	0.4783	1.1	20.7	
3/7/2025 2:14	16.0713	65.9	0.4861	1.1	20.0		3/7/2025 2:07	16.3714	64.8	0.4783	1.1	20.7	
3/7/2025 2:29	16.0668	65.9	0.4816	1.1	20.0		3/7/2025 2:22	16.3714	64.8	0.4783	1.1	20.7	
3/7/2025 2:44	16.0668	65.9	0.4816	1.1	20.0		3/7/2025 2:37	16.3758	64.8	0.4827	1.1	20.7	
3/7/2025 2:59	16.0713	65.9	0.4861	1.1	20.0		3/7/2025 2:52	16.3758	64.8	0.4827	1.1	20.7	
3/7/2025 3:14	16.0713	65.9	0.4861	1.1	20.0		3/7/2025 3:07	16.3714	64.8	0.4783	1.1	20.7	
3/7/2025 3:29	16.0803	65.9	0.4951	1.1	20.1		3/7/2025 3:22	16.3758	64.8	0.4827	1.1	20.7	
3/7/2025 3:44	16.0850	65.9	0.4998	1.2	20.1		3/7/2025 3:37	16.3843	64.8	0.4912	1.1	20.7	
3/7/2025 3:59	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 3:52	16.3887	64.8	0.4956	1.1	20.7	
3/7/2025 4:14	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 4:07	16.3930	64.8	0.4999	1.2	20.7	
3/7/2025 4:29	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 4:22	16.3974	64.8	0.5043	1.2	20.7	
3/7/2025 4:44	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 4:37	16.3974	64.8	0.5043	1.2	20.7	
3/7/2025 4:59	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 4:52	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 5:14	16.1075	65.9	0.5223	1.2	20.1		3/7/2025 5:07	16.4103	64.8	0.5172	1.2	20.8	
3/7/2025 5:29	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 5:22	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 5:44	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 5:37	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 5:59	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 5:52	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 6:14	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 6:07	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 6:29	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 6:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 6:44	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 6:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 6:59	16.1301	65.9	0.5449	1.3	20.2		3/7/2025 6:52	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 7:14	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 7:07	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 7:29	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 7:22	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 7:44	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 7:37	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 7:59	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 7:52	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 8:14	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 8:07	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 8:29	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 8:22	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 8:44	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 8:37	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 8:59	16.1301	65.9	0.5449	1.3	20.2		3/7/2025 8:52	16.4361	64.8	0.5430	1.3	20.8	
3/7/2025 9:14	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 9:07	16.4361	64.8	0.5430	1.3	20.8	
3/7/2025 9:29	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 9:22	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 9:44	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 9:37	16.4361	64.8	0.5430	1.3	20.8	
3/7/2025 9:59	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 9:52	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 10:14	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 10:07	16.4319	64.8	0.5388	1.2	20.8	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/7/2025 10:29	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 10:22	16.4232	64.8	0.5301	1.2	20.8	
3/7/2025 10:44	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 10:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 10:59	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 10:52	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 11:14	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 11:07	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 11:29	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 11:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 11:44	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 11:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 11:59	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 11:52	16.4232	64.8	0.5301	1.2	20.8	
3/7/2025 12:14	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 12:07	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 12:29	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 12:22	16.4146	64.8	0.5215	1.2	20.8	
3/7/2025 12:44	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 12:37	16.4146	64.8	0.5215	1.2	20.8	
3/7/2025 12:59	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 12:52	16.4146	64.8	0.5215	1.2	20.8	
3/7/2025 13:14	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 13:07	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 13:29	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 13:22	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 13:44	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 13:37	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 13:59	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 13:52	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 14:14	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 14:07	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 14:29	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 14:22	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 14:44	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 14:37	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 14:59	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 14:52	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 15:14	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 15:07	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 15:29	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 15:22	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 15:44	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 15:37	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 15:59	16.0940	65.9	0.5088	1.2	20.1		3/7/2025 15:52	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 16:14	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 16:07	16.3974	64.8	0.5043	1.2	20.7	
3/7/2025 16:29	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 16:22	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 16:44	16.0895	65.9	0.5043	1.2	20.1		3/7/2025 16:37	16.4059	64.8	0.5128	1.2	20.8	
3/7/2025 16:59	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 16:52	16.4016	64.8	0.5085	1.2	20.8	
3/7/2025 17:14	16.0985	65.9	0.5133	1.2	20.1		3/7/2025 17:07	16.4103	64.8	0.5172	1.2	20.8	
3/7/2025 17:29	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 17:22	16.4103	64.8	0.5172	1.2	20.8	
3/7/2025 17:44	16.1075	65.9	0.5223	1.2	20.1		3/7/2025 17:37	16.4146	64.8	0.5215	1.2	20.8	
3/7/2025 17:59	16.1030	65.9	0.5178	1.2	20.1		3/7/2025 17:52	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 18:14	16.1075	65.9	0.5223	1.2	20.1		3/7/2025 18:07	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 18:29	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 18:22	16.4189	64.8	0.5258	1.2	20.8	
3/7/2025 18:44	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 18:37	16.4232	64.8	0.5301	1.2	20.8	
3/7/2025 18:59	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 18:52	16.4232	64.8	0.5301	1.2	20.8	
3/7/2025 19:14	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 19:07	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 19:29	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 19:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 19:44	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 19:37	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 19:59	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 19:52	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 20:14	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 20:07	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 20:29	16.1256	65.9	0.5404	1.2	20.2		3/7/2025 20:22	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 20:44	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 20:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 20:59	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 20:52	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 21:14	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 21:07	16.4319	64.8	0.5388	1.2	20.8	
3/7/2025 21:29	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 21:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 21:44	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 21:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 21:59	16.1211	65.9	0.5359	1.2	20.2		3/7/2025 21:52	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 22:14	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 22:07	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 22:29	16.1164	65.9	0.5312	1.2	20.1		3/7/2025 22:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 22:44	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 22:37	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 22:59	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 22:52	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 23:14	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 23:07	16.4232	64.8	0.5301	1.2	20.8	
3/7/2025 23:29	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 23:22	16.4276	64.8	0.5345	1.2	20.8	
3/7/2025 23:44	16.1075	65.9	0.5223	1.2	20.1		3/7/2025 23:37	16.4276	64.8	0.5345	1.2	20.8	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/7/2025 23:59	16.1120	65.9	0.5268	1.2	20.1		3/7/2025 23:52	16.4276	64.8	0.5345	1.2	20.8	
3/8/2025 0:14	16.1120	65.9	0.5268	1.2	20.1		3/8/2025 0:07	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 0:29	16.1075	65.9	0.5223	1.2	20.1		3/8/2025 0:22	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 0:44	16.1075	65.9	0.5223	1.2	20.1		3/8/2025 0:37	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 0:59	16.1075	65.9	0.5223	1.2	20.1		3/8/2025 0:52	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 1:14	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 1:07	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 1:29	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 1:22	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 1:44	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 1:37	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 1:59	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 1:52	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 2:14	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 2:07	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 2:29	16.0895	65.9	0.5043	1.2	20.1		3/8/2025 2:22	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 2:44	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 2:37	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 2:59	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 2:52	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 3:14	16.0803	65.9	0.4951	1.1	20.1		3/8/2025 3:07	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 3:29	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 3:22	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 3:44	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 3:37	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 3:59	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 3:52	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 4:14	16.0803	65.9	0.4951	1.1	20.1		3/8/2025 4:07	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 4:29	16.0803	65.9	0.4951	1.1	20.1		3/8/2025 4:22	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 4:44	16.0803	65.9	0.4951	1.1	20.1		3/8/2025 4:37	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 4:59	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 4:52	16.3930	64.8	0.4999	1.2	20.7	
3/8/2025 5:14	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 5:07	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 5:29	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 5:22	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 5:44	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 5:37	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 5:59	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 5:52	16.3974	64.8	0.5043	1.2	20.7	
3/8/2025 6:14	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 6:07	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 6:29	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 6:22	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 6:44	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 6:37	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 6:59	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 6:52	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 7:14	16.0850	65.9	0.4998	1.2	20.1		3/8/2025 7:07	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 7:29	16.0895	65.9	0.5043	1.2	20.1		3/8/2025 7:22	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 7:44	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 7:37	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 7:59	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 7:52	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 8:14	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 8:07	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 8:29	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 8:22	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 8:44	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 8:37	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 8:59	16.0895	65.9	0.5043	1.2	20.1		3/8/2025 8:52	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 9:14	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 9:07	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 9:29	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 9:22	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 9:44	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 9:37	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 9:59	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 9:52	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 10:14	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 10:07	16.4016	64.8	0.5085	1.2	20.8	
3/8/2025 10:29	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 10:22	16.4059	64.8	0.5128	1.2	20.8	
3/8/2025 10:44	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 10:37	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 10:59	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 10:52	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 11:14	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 11:07	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 11:29	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 11:22	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 11:44	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 11:37	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 11:59	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 11:52	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 12:14	16.0940	65.9	0.5088	1.2	20.1		3/8/2025 12:07	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 12:29	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 12:22	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 12:44	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 12:37	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 12:59	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 12:52	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 13:14	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 13:07	16.4146	64.8	0.5215	1.2	20.8	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/8/2025 13:29	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 13:22	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 13:44	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 13:37	16.4103	64.8	0.5172	1.2	20.8	
3/8/2025 13:59	16.0985	65.9	0.5133	1.2	20.1		3/8/2025 13:52	16.4146	64.8	0.5215	1.2	20.8	
3/8/2025 14:14	16.1030	65.9	0.5178	1.2	20.1		3/8/2025 14:07	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 14:29	16.1075	65.9	0.5223	1.2	20.1		3/8/2025 14:22	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 14:44	16.1075	65.9	0.5223	1.2	20.1		3/8/2025 14:37	16.4189	64.8	0.5258	1.2	20.8	
3/8/2025 14:59	16.1120	65.9	0.5268	1.2	20.1		3/8/2025 14:52	16.4232	64.8	0.5301	1.2	20.8	
3/8/2025 15:14	16.1211	65.9	0.5359	1.2	20.2		3/8/2025 15:07	16.4276	64.8	0.5345	1.2	20.8	
3/8/2025 15:29	16.1164	65.9	0.5312	1.2	20.1		3/8/2025 15:22	16.4319	64.8	0.5388	1.2	20.8	
3/8/2025 15:44	16.1256	65.9	0.5404	1.2	20.2		3/8/2025 15:37	16.4319	64.8	0.5388	1.2	20.8	
3/8/2025 15:59	16.1256	65.9	0.5404	1.2	20.2		3/8/2025 15:52	16.4361	64.8	0.5430	1.3	20.8	
3/8/2025 16:14	16.1301	65.9	0.5449	1.3	20.2		3/8/2025 16:07	16.4405	64.8	0.5474	1.3	20.8	
3/8/2025 16:29	16.1301	65.9	0.5449	1.3	20.2		3/8/2025 16:22	16.4448	64.8	0.5517	1.3	20.9	
3/8/2025 16:44	16.1301	65.9	0.5449	1.3	20.2		3/8/2025 16:37	16.4448	64.8	0.5517	1.3	20.9	
3/8/2025 16:59	16.1391	65.9	0.5539	1.3	20.2		3/8/2025 16:52	16.4492	64.8	0.5561	1.3	20.9	
3/8/2025 17:14	16.1391	65.9	0.5539	1.3	20.2		3/8/2025 17:07	16.4577	64.8	0.5646	1.3	20.9	
3/8/2025 17:29	16.1481	65.9	0.5629	1.3	20.2		3/8/2025 17:22	16.4621	64.8	0.5690	1.3	20.9	
3/8/2025 17:44	16.1527	65.9	0.5675	1.3	20.2		3/8/2025 17:37	16.4664	64.8	0.5733	1.3	20.9	
3/8/2025 17:59	16.1527	65.9	0.5675	1.3	20.2		3/8/2025 17:52	16.4664	64.8	0.5733	1.3	20.9	
3/8/2025 18:14	16.1572	65.9	0.5720	1.3	20.2		3/8/2025 18:07	16.4708	64.8	0.5777	1.3	20.9	
3/8/2025 18:29	16.1572	65.9	0.5720	1.3	20.2		3/8/2025 18:22	16.4793	64.8	0.5862	1.4	20.9	
3/8/2025 18:44	16.1617	65.9	0.5765	1.3	20.3		3/8/2025 18:37	16.4837	64.8	0.5906	1.4	20.9	
3/8/2025 18:59	16.1707	65.9	0.5855	1.4	20.3		3/8/2025 18:52	16.4837	64.8	0.5906	1.4	20.9	
3/8/2025 19:14	16.1662	65.9	0.5810	1.3	20.3		3/8/2025 19:07	16.4837	64.8	0.5906	1.4	20.9	
3/8/2025 19:29	16.1752	65.9	0.5900	1.4	20.3		3/8/2025 19:22	16.4922	64.8	0.5991	1.4	21.0	
3/8/2025 19:44	16.1707	65.9	0.5855	1.4	20.3		3/8/2025 19:37	16.4966	64.8	0.6035	1.4	21.0	
3/8/2025 19:59	16.1752	65.9	0.5900	1.4	20.3		3/8/2025 19:52	16.4966	64.8	0.6035	1.4	21.0	
3/8/2025 20:14	16.1843	65.9	0.5991	1.4	20.3		3/8/2025 20:07	16.5009	64.8	0.6078	1.4	21.0	
3/8/2025 20:29	16.1843	65.9	0.5991	1.4	20.3		3/8/2025 20:22	16.5053	64.8	0.6122	1.4	21.0	
3/8/2025 20:44	16.1888	65.9	0.6036	1.4	20.3		3/8/2025 20:37	16.5095	64.8	0.6164	1.4	21.0	
3/8/2025 20:59	16.1888	65.9	0.6036	1.4	20.3		3/8/2025 20:52	16.5095	64.8	0.6164	1.4	21.0	
3/8/2025 21:14	16.1978	65.9	0.6126	1.4	20.3		3/8/2025 21:07	16.5182	64.8	0.6251	1.4	21.0	
3/8/2025 21:29	16.2023	65.9	0.6171	1.4	20.3		3/8/2025 21:22	16.5139	64.8	0.6208	1.4	21.0	
3/8/2025 21:44	16.2023	65.9	0.6171	1.4	20.3		3/8/2025 21:37	16.5139	64.8	0.6208	1.4	21.0	
3/8/2025 21:59	16.2023	65.9	0.6171	1.4	20.3		3/8/2025 21:52	16.5226	64.8	0.6295	1.5	21.0	
3/8/2025 22:14	16.2068	65.9	0.6216	1.4	20.4		3/8/2025 22:07	16.5182	64.8	0.6251	1.4	21.0	
3/8/2025 22:29	16.2023	65.9	0.6171	1.4	20.3		3/8/2025 22:22	16.5226	64.8	0.6295	1.5	21.0	
3/8/2025 22:44	16.2023	65.9	0.6171	1.4	20.3		3/8/2025 22:37	16.5226	64.8	0.6295	1.5	21.0	
3/8/2025 22:59	16.2068	65.9	0.6216	1.4	20.4		3/8/2025 22:52	16.5268	64.8	0.6337	1.5	21.0	
3/8/2025 23:14	16.2068	65.9	0.6216	1.4	20.4		3/8/2025 23:07	16.5311	64.8	0.6380	1.5	21.1	
3/8/2025 23:29	16.2113	65.9	0.6261	1.4	20.4		3/8/2025 23:22	16.5268	64.8	0.6337	1.5	21.0	
3/8/2025 23:44	16.2068	65.9	0.6216	1.4	20.4		3/8/2025 23:37	16.5311	64.8	0.6380	1.5	21.1	
3/8/2025 23:59	16.2158	65.9	0.6306	1.5	20.4		3/8/2025 23:52	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 0:14	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 0:07	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 0:29	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 0:22	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 0:44	16.2158	65.9	0.6306	1.5	20.4		3/9/2025 0:37	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 0:59	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 0:52	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 1:14	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 1:07	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 1:29	16.2158	65.9	0.6306	1.5	20.4		3/9/2025 1:22	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 1:44	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 1:37	16.5355	64.8	0.6424	1.5	21.1	
3/9/2025 1:59	16.2158	65.9	0.6306	1.5	20.4		3/9/2025 1:52	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 2:14	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 2:07	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 2:29	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 2:22	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 2:44	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 2:37	16.5398	64.8	0.6467	1.5	21.1	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/9/2025 2:59	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 2:52	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 3:14	16.2294	65.9	0.6442	1.5	20.4		3/9/2025 3:07	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 3:29	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 3:22	16.5484	64.8	0.6553	1.5	21.1	
3/9/2025 3:44	16.2294	65.9	0.6442	1.5	20.4		3/9/2025 3:37	16.5527	64.8	0.6596	1.5	21.1	
3/9/2025 3:59	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 3:52	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 4:14	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 4:07	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 4:29	16.2294	65.9	0.6442	1.5	20.4		3/9/2025 4:22	16.5484	64.8	0.6553	1.5	21.1	
3/9/2025 4:44	16.2384	65.9	0.6532	1.5	20.4		3/9/2025 4:37	16.5527	64.8	0.6596	1.5	21.1	
3/9/2025 4:59	16.2384	65.9	0.6532	1.5	20.4		3/9/2025 4:52	16.5571	64.8	0.6640	1.5	21.1	
3/9/2025 5:14	16.2339	65.9	0.6487	1.5	20.4		3/9/2025 5:07	16.5571	64.8	0.6640	1.5	21.1	
3/9/2025 5:29	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 5:22	16.5571	64.8	0.6640	1.5	21.1	
3/9/2025 5:44	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 5:37	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 5:59	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 5:52	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 6:14	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 6:07	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 6:29	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 6:22	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 6:44	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 6:37	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 6:59	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 6:52	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 7:14	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 7:07	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 7:29	16.2521	65.9	0.6669	1.5	20.5		3/9/2025 7:22	16.5700	64.8	0.6769	1.6	21.1	
3/9/2025 7:44	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 7:37	16.5700	64.8	0.6769	1.6	21.1	
3/9/2025 7:59	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 7:52	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 8:14	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 8:07	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 8:29	16.2474	65.9	0.6622	1.5	20.4		3/9/2025 8:22	16.5700	64.8	0.6769	1.6	21.1	
3/9/2025 8:44	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 8:37	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 8:59	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 8:52	16.5656	64.8	0.6725	1.6	21.1	
3/9/2025 9:14	16.2429	65.9	0.6577	1.5	20.4		3/9/2025 9:07	16.5614	64.8	0.6683	1.5	21.1	
3/9/2025 9:29	16.2384	65.9	0.6532	1.5	20.4		3/9/2025 9:22	16.5571	64.8	0.6640	1.5	21.1	
3/9/2025 9:44	16.2339	65.9	0.6487	1.5	20.4		3/9/2025 9:37	16.5527	64.8	0.6596	1.5	21.1	
3/9/2025 9:59	16.2294	65.9	0.6442	1.5	20.4		3/9/2025 9:52	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 10:14	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 10:07	16.5484	64.8	0.6553	1.5	21.1	
3/9/2025 10:29	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 10:22	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 10:44	16.2249	65.9	0.6397	1.5	20.4		3/9/2025 10:37	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 10:59	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 10:52	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 11:14	16.2158	65.9	0.6306	1.5	20.4		3/9/2025 11:07	16.5442	64.8	0.6511	1.5	21.1	
3/9/2025 11:29	16.2204	65.9	0.6352	1.5	20.4		3/9/2025 11:22	16.5398	64.8	0.6467	1.5	21.1	
3/9/2025 11:44	16.2068	65.9	0.6216	1.4	20.4		3/9/2025 11:37	16.5311	64.8	0.6380	1.5	21.1	
3/9/2025 11:59	16.2068	65.9	0.6216	1.4	20.4		3/9/2025 11:52	16.5311	64.8	0.6380	1.5	21.1	
3/9/2025 12:14	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 12:07	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 12:29	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 12:22	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 12:44	16.1933	65.9	0.6081	1.4	20.3		3/9/2025 12:37	16.5182	64.8	0.6251	1.4	21.0	
3/9/2025 12:59	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 12:52	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 13:14	16.1888	65.9	0.6036	1.4	20.3		3/9/2025 13:07	16.5095	64.8	0.6164	1.4	21.0	
3/9/2025 13:29	16.1843	65.9	0.5991	1.4	20.3		3/9/2025 13:22	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 13:44	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 13:37	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 13:59	16.1843	65.9	0.5991	1.4	20.3		3/9/2025 13:52	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 14:14	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 14:07	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 14:29	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 14:22	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 14:44	16.1752	65.9	0.5900	1.4	20.3		3/9/2025 14:37	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 14:59	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 14:52	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 15:14	16.1752	65.9	0.5900	1.4	20.3		3/9/2025 15:07	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 15:29	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 15:22	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 15:44	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 15:37	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 15:59	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 15:52	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 16:14	16.1752	65.9	0.5900	1.4	20.3		3/9/2025 16:07	16.4966	64.8	0.6035	1.4	21.0	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/9/2025 16:29	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 16:22	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 16:44	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 16:37	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 16:59	16.1752	65.9	0.5900	1.4	20.3		3/9/2025 16:52	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 17:14	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 17:07	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 17:29	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 17:22	16.4966	64.8	0.6035	1.4	21.0	
3/9/2025 17:44	16.1797	65.9	0.5945	1.4	20.3		3/9/2025 17:37	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 17:59	16.1843	65.9	0.5991	1.4	20.3		3/9/2025 17:52	16.5053	64.8	0.6122	1.4	21.0	
3/9/2025 18:14	16.1843	65.9	0.5991	1.4	20.3		3/9/2025 18:07	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 18:29	16.1888	65.9	0.6036	1.4	20.3		3/9/2025 18:22	16.5009	64.8	0.6078	1.4	21.0	
3/9/2025 18:44	16.1933	65.9	0.6081	1.4	20.3		3/9/2025 18:37	16.5095	64.8	0.6164	1.4	21.0	
3/9/2025 18:59	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 18:52	16.5095	64.8	0.6164	1.4	21.0	
3/9/2025 19:14	16.1933	65.9	0.6081	1.4	20.3		3/9/2025 19:07	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 19:29	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 19:22	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 19:44	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 19:37	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 19:59	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 19:52	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 20:14	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 20:07	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 20:29	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 20:22	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 20:44	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 20:37	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 20:59	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 20:52	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 21:14	16.2068	65.9	0.6216	1.4	20.4		3/9/2025 21:07	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 21:29	16.2113	65.9	0.6261	1.4	20.4		3/9/2025 21:22	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 21:44	16.2113	65.9	0.6261	1.4	20.4		3/9/2025 21:37	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 21:59	16.2068	65.9	0.6216	1.4	20.4		3/9/2025 21:52	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 22:14	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 22:07	16.5268	64.8	0.6337	1.5	21.0	
3/9/2025 22:29	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 22:22	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 22:44	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 22:37	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 22:59	16.2023	65.9	0.6171	1.4	20.3		3/9/2025 22:52	16.5182	64.8	0.6251	1.4	21.0	
3/9/2025 23:14	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 23:07	16.5226	64.8	0.6295	1.5	21.0	
3/9/2025 23:29	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 23:22	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 23:44	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 23:37	16.5139	64.8	0.6208	1.4	21.0	
3/9/2025 23:59	16.1978	65.9	0.6126	1.4	20.3		3/9/2025 23:52	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 0:14	16.1978	65.9	0.6126	1.4	20.3		3/10/2025 0:07	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 0:29	16.1933	65.9	0.6081	1.4	20.3		3/10/2025 0:22	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 0:44	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 0:37	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 0:59	16.1978	65.9	0.6126	1.4	20.3		3/10/2025 0:52	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 1:14	16.1933	65.9	0.6081	1.4	20.3		3/10/2025 1:07	16.5182	64.8	0.6251	1.4	21.0	
3/10/2025 1:29	16.1933	65.9	0.6081	1.4	20.3		3/10/2025 1:22	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 1:44	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 1:37	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 1:59	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 1:52	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 2:14	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 2:07	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 2:29	16.1843	65.9	0.5991	1.4	20.3		3/10/2025 2:22	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 2:44	16.1843	65.9	0.5991	1.4	20.3		3/10/2025 2:37	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 2:59	16.1843	65.9	0.5991	1.4	20.3		3/10/2025 2:52	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 3:14	16.1797	65.9	0.5945	1.4	20.3		3/10/2025 3:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 3:29	16.1797	65.9	0.5945	1.4	20.3		3/10/2025 3:22	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 3:44	16.1797	65.9	0.5945	1.4	20.3		3/10/2025 3:37	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 3:59	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 3:52	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 4:14	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 4:07	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 4:29	16.1843	65.9	0.5991	1.4	20.3		3/10/2025 4:22	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 4:44	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 4:37	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 4:59	16.1843	65.9	0.5991	1.4	20.3		3/10/2025 4:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 5:14	16.1797	65.9	0.5945	1.4	20.3		3/10/2025 5:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 5:29	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 5:22	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 5:44	16.1888	65.9	0.6036	1.4	20.3		3/10/2025 5:37	16.5053	64.8	0.6122	1.4	21.0	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

MW-1 - Logger Serial No. 20715060

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/10/2025 5:59	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 6:14	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 6:29	16.1933	65.9	0.6081	1.4	20.3	
3/10/2025 6:44	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 6:59	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 7:14	16.1933	65.9	0.6081	1.4	20.3	
3/10/2025 7:29	16.2023	65.9	0.6171	1.4	20.3	
3/10/2025 7:44	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 7:59	16.2023	65.9	0.6171	1.4	20.3	
3/10/2025 8:14	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 8:29	16.2023	65.9	0.6171	1.4	20.3	
3/10/2025 8:44	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 8:59	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 9:14	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 9:29	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 9:44	16.2158	65.9	0.6306	1.5	20.4	
3/10/2025 9:59	16.2113	65.9	0.6261	1.4	20.4	
3/10/2025 10:14	16.2113	65.9	0.6261	1.4	20.4	
3/10/2025 10:29	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 10:44	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 10:59	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 11:14	16.2068	65.9	0.6216	1.4	20.4	
3/10/2025 11:29	16.2023	65.9	0.6171	1.4	20.3	
3/10/2025 11:44	16.2023	65.9	0.6171	1.4	20.3	
3/10/2025 11:59	16.1978	65.9	0.6126	1.4	20.3	
3/10/2025 12:14	16.1933	65.9	0.6081	1.4	20.3	
3/10/2025 12:29	16.1933	65.9	0.6081	1.4	20.3	
3/10/2025 12:44	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 12:59	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 13:14	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 13:29	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 13:44	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 13:59	16.1707	65.9	0.5855	1.4	20.3	
3/10/2025 14:14	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 14:29	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 14:44	16.1707	65.9	0.5855	1.4	20.3	
3/10/2025 14:59	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 15:14	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 15:29	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 15:44	16.1707	65.9	0.5855	1.4	20.3	
3/10/2025 15:59	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 16:14	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 16:29	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 16:44	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 16:59	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 17:14	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 17:29	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 17:44	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 17:59	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 18:14	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 18:29	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 18:44	16.1797	65.9	0.5945	1.4	20.3	
3/10/2025 18:59	16.1752	65.9	0.5900	1.4	20.3	
3/10/2025 19:14	16.1843	65.9	0.5991	1.4	20.3	

MW-2 - Logger Serial No. 20715059

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/10/2025 5:52	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 6:07	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 6:22	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 6:37	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 6:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 7:07	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 7:22	16.5182	64.8	0.6251	1.4	21.0	
3/10/2025 7:37	16.5226	64.8	0.6295	1.5	21.0	
3/10/2025 7:52	16.5226	64.8	0.6295	1.5	21.0	
3/10/2025 8:07	16.5268	64.8	0.6337	1.5	21.0	
3/10/2025 8:22	16.5268	64.8	0.6337	1.5	21.0	
3/10/2025 8:37	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 8:52	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 9:07	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 9:22	16.5355	64.8	0.6424	1.5	21.1	
3/10/2025 9:37	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 9:52	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 10:07	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 10:22	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 10:37	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 10:52	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 11:07	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 11:22	16.5311	64.8	0.6380	1.5	21.1	
3/10/2025 11:37	16.5268	64.8	0.6337	1.5	21.0	
3/10/2025 11:52	16.5226	64.8	0.6295	1.5	21.0	
3/10/2025 12:07	16.5182	64.8	0.6251	1.4	21.0	
3/10/2025 12:22	16.5182	64.8	0.6251	1.4	21.0	
3/10/2025 12:37	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 12:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 13:07	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 13:22	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 13:37	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 13:52	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 14:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 14:22	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 14:37	16.4922	64.8	0.5991	1.4	21.0	
3/10/2025 14:52	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 15:07	16.4922	64.8	0.5991	1.4	21.0	
3/10/2025 15:22	16.4922	64.8	0.5991	1.4	21.0	
3/10/2025 15:37	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 15:52	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 16:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 16:22	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 16:37	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 16:52	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 17:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 17:22	16.4966	64.8	0.6035	1.4	21.0	
3/10/2025 17:37	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 17:52	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 18:07	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 18:22	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 18:37	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 18:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 19:07	16.5053	64.8	0.6122	1.4	21.0	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

MW-1 - Logger Serial No. 20715060

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/10/2025 19:29	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 19:44	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 19:59	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 20:14	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 20:29	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 20:44	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 20:59	16.1884	65.7	0.6032	1.4	20.3	
3/10/2025 21:14	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 21:29	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 21:44	16.1929	65.7	0.6077	1.4	20.3	
3/10/2025 21:59	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 22:14	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 22:29	16.1933	65.9	0.6081	1.4	20.3	
3/10/2025 22:44	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 22:59	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 23:14	16.1839	65.7	0.5987	1.4	20.3	
3/10/2025 23:29	16.1888	65.9	0.6036	1.4	20.3	
3/10/2025 23:44	16.1843	65.9	0.5991	1.4	20.3	
3/10/2025 23:59	16.1797	65.9	0.5945	1.4	20.3	
3/11/2025 0:14	16.1797	65.9	0.5945	1.4	20.3	
3/11/2025 0:29	16.1797	65.9	0.5945	1.4	20.3	
3/11/2025 0:44	16.1752	65.9	0.5900	1.4	20.3	
3/11/2025 0:59	16.1843	65.9	0.5991	1.4	20.3	
3/11/2025 1:14	16.1749	65.7	0.5897	1.4	20.3	
3/11/2025 1:29	16.1797	65.9	0.5945	1.4	20.3	
3/11/2025 1:44	16.1749	65.7	0.5897	1.4	20.3	
3/11/2025 1:59	16.1794	65.7	0.5942	1.4	20.3	
3/11/2025 2:14	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 2:29	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 2:44	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 2:59	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 3:14	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 3:29	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 3:44	16.1662	65.9	0.5810	1.3	20.3	
3/11/2025 3:59	16.1658	65.7	0.5806	1.3	20.3	
3/11/2025 4:14	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 4:29	16.1707	65.9	0.5855	1.4	20.3	
3/11/2025 4:44	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 4:59	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 5:14	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 5:29	16.1703	65.7	0.5851	1.4	20.3	
3/11/2025 5:44	16.1752	65.9	0.5900	1.4	20.3	
3/11/2025 5:59	16.1794	65.7	0.5942	1.4	20.3	
3/11/2025 6:14	16.1884	65.7	0.6032	1.4	20.3	
3/11/2025 6:29	16.1884	65.7	0.6032	1.4	20.3	
3/11/2025 6:44	16.1839	65.7	0.5987	1.4	20.3	
3/11/2025 6:59	16.1839	65.7	0.5987	1.4	20.3	
3/11/2025 7:14	16.1839	65.7	0.5987	1.4	20.3	
3/11/2025 7:29	16.1839	65.7	0.5987	1.4	20.3	
3/11/2025 7:44	16.1884	65.7	0.6032	1.4	20.3	
3/11/2025 7:59	16.1884	65.7	0.6032	1.4	20.3	
3/11/2025 8:14	16.1839	65.7	0.5987	1.4	20.3	
3/11/2025 8:29	16.1884	65.7	0.6032	1.4	20.3	
3/11/2025 8:44	16.1884	65.7	0.6032	1.4	20.3	

MW-2 - Logger Serial No. 20715059

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/10/2025 19:22	16.5009	64.8	0.6078	1.4	21.0	
3/10/2025 19:37	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 19:52	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 20:07	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 20:22	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 20:37	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 20:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 21:07	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 21:22	16.5053	64.8	0.6122	1.4	21.0	
3/10/2025 21:37	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 21:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 22:07	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 22:22	16.5139	64.8	0.6208	1.4	21.0	
3/10/2025 22:37	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 22:52	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 23:07	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 23:22	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 23:37	16.5095	64.8	0.6164	1.4	21.0	
3/10/2025 23:52	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 0:07	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 0:22	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 0:37	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 0:52	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 1:07	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 1:22	16.4966	64.8	0.6035	1.4	21.0	
3/11/2025 1:37	16.4966	64.8	0.6035	1.4	21.0	
3/11/2025 1:52	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 2:07	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 2:22	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 2:37	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 2:52	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 3:07	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 3:22	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 3:37	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 3:52	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 4:07	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 4:22	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 4:37	16.4837	64.8	0.5906	1.4	20.9	
3/11/2025 4:52	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 5:07	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 5:22	16.4966	64.8	0.6035	1.4	21.0	
3/11/2025 5:37	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 5:52	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 6:07	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 6:22	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 6:37	16.5095	64.8	0.6164	1.4	21.0	
3/11/2025 6:52	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 7:07	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 7:22	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 7:37	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 7:52	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 8:07	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 8:22	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 8:37	16.5053	64.8	0.6122	1.4	21.0	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/11/2025 8:59	16.1884	65.7	0.6032	1.4	20.3		3/11/2025 8:52	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 9:14	16.1839	65.7	0.5987	1.4	20.3		3/11/2025 9:07	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 9:29	16.1884	65.7	0.6032	1.4	20.3		3/11/2025 9:22	16.5053	64.8	0.6122	1.4	21.0	
3/11/2025 9:44	16.1839	65.7	0.5987	1.4	20.3		3/11/2025 9:37	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 9:59	16.1794	65.7	0.5942	1.4	20.3		3/11/2025 9:52	16.4966	64.8	0.6035	1.4	21.0	
3/11/2025 10:14	16.1794	65.7	0.5942	1.4	20.3		3/11/2025 10:07	16.5009	64.8	0.6078	1.4	21.0	
3/11/2025 10:29	16.1749	65.7	0.5897	1.4	20.3		3/11/2025 10:22	16.4966	64.8	0.6035	1.4	21.0	
3/11/2025 10:44	16.1703	65.7	0.5851	1.4	20.3		3/11/2025 10:37	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 10:59	16.1703	65.7	0.5851	1.4	20.3		3/11/2025 10:52	16.4922	64.8	0.5991	1.4	21.0	
3/11/2025 11:14	16.1703	65.7	0.5851	1.4	20.3		3/11/2025 11:07	16.4880	64.8	0.5949	1.4	21.0	
3/11/2025 11:29	16.1703	65.7	0.5851	1.4	20.3		3/11/2025 11:22	16.4837	64.8	0.5906	1.4	20.9	
3/11/2025 11:44	16.1658	65.7	0.5806	1.3	20.3		3/11/2025 11:37	16.4837	64.8	0.5906	1.4	20.9	
3/11/2025 11:59	16.1613	65.7	0.5761	1.3	20.2		3/11/2025 11:52	16.4793	64.8	0.5862	1.4	20.9	
3/11/2025 12:14	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 12:07	16.4793	64.8	0.5862	1.4	20.9	
3/11/2025 12:29	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 12:22	16.4750	64.8	0.5819	1.3	20.9	
3/11/2025 12:44	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 12:37	16.4708	64.8	0.5777	1.3	20.9	
3/11/2025 12:59	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 12:52	16.4664	64.8	0.5733	1.3	20.9	
3/11/2025 13:14	16.1523	65.7	0.5671	1.3	20.2		3/11/2025 13:07	16.4664	64.8	0.5733	1.3	20.9	
3/11/2025 13:29	16.1478	65.7	0.5626	1.3	20.2		3/11/2025 13:22	16.4621	64.8	0.5690	1.3	20.9	
3/11/2025 13:44	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 13:37	16.4577	64.8	0.5646	1.3	20.9	
3/11/2025 13:59	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 13:52	16.4534	64.8	0.5603	1.3	20.9	
3/11/2025 14:14	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 14:07	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 14:29	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 14:22	16.4534	64.8	0.5603	1.3	20.9	
3/11/2025 14:44	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 14:37	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 14:59	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 14:52	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 15:14	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 15:07	16.4448	64.8	0.5517	1.3	20.9	
3/11/2025 15:29	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 15:22	16.4405	64.8	0.5474	1.3	20.8	
3/11/2025 15:44	16.1252	65.7	0.5400	1.2	20.2		3/11/2025 15:37	16.4405	64.8	0.5474	1.3	20.8	
3/11/2025 15:59	16.1162	65.7	0.5310	1.2	20.1		3/11/2025 15:52	16.4361	64.8	0.5430	1.3	20.8	
3/11/2025 16:14	16.1207	65.7	0.5355	1.2	20.2		3/11/2025 16:07	16.4319	64.8	0.5388	1.2	20.8	
3/11/2025 16:29	16.1207	65.7	0.5355	1.2	20.2		3/11/2025 16:22	16.4319	64.8	0.5388	1.2	20.8	
3/11/2025 16:44	16.1207	65.7	0.5355	1.2	20.2		3/11/2025 16:37	16.4276	64.8	0.5345	1.2	20.8	
3/11/2025 16:59	16.1162	65.7	0.5310	1.2	20.1		3/11/2025 16:52	16.4361	64.8	0.5430	1.3	20.8	
3/11/2025 17:14	16.1162	65.7	0.5310	1.2	20.1		3/11/2025 17:07	16.4361	64.8	0.5430	1.3	20.8	
3/11/2025 17:29	16.1207	65.7	0.5355	1.2	20.2		3/11/2025 17:22	16.4405	64.8	0.5474	1.3	20.8	
3/11/2025 17:44	16.1252	65.7	0.5400	1.2	20.2		3/11/2025 17:37	16.4448	64.8	0.5517	1.3	20.9	
3/11/2025 17:59	16.1252	65.7	0.5400	1.2	20.2		3/11/2025 17:52	16.4405	64.8	0.5474	1.3	20.8	
3/11/2025 18:14	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 18:07	16.4405	64.8	0.5474	1.3	20.8	
3/11/2025 18:29	16.1252	65.7	0.5400	1.2	20.2		3/11/2025 18:22	16.4448	64.8	0.5517	1.3	20.9	
3/11/2025 18:44	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 18:37	16.4448	64.8	0.5517	1.3	20.9	
3/11/2025 18:59	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 18:52	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 19:14	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 19:07	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 19:29	16.1296	65.7	0.5444	1.3	20.2		3/11/2025 19:22	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 19:44	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 19:37	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 19:59	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 19:52	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 20:14	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 20:07	16.4492	64.8	0.5561	1.3	20.9	
3/11/2025 20:29	16.1341	65.7	0.5489	1.3	20.2		3/11/2025 20:22	16.4534	64.8	0.5603	1.3	20.9	
3/11/2025 20:44	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 20:37	16.4577	64.8	0.5646	1.3	20.9	
3/11/2025 20:59	16.1433	65.7	0.5581	1.3	20.2		3/11/2025 20:52	16.4621	64.8	0.5690	1.3	20.9	
3/11/2025 21:14	16.1433	65.7	0.5581	1.3	20.2		3/11/2025 21:07	16.4621	64.8	0.5690	1.3	20.9	
3/11/2025 21:29	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 21:22	16.4577	64.8	0.5646	1.3	20.9	
3/11/2025 21:44	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 21:37	16.4577	64.8	0.5646	1.3	20.9	
3/11/2025 21:59	16.1388	65.7	0.5536	1.3	20.2		3/11/2025 21:52	16.4621	64.8	0.5690	1.3	20.9	
3/11/2025 22:14	16.1523	65.7	0.5671	1.3	20.2		3/11/2025 22:07	16.4621	64.8	0.5690	1.3	20.9	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

JZN ENGINEERING

MW-1 - Logger Serial No. 20715060							MW-2 - Logger Serial No. 20715059						
Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks	Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/11/2025 22:29	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 22:22	16.4750	64.8	0.5819	1.3	20.9	
3/11/2025 22:44	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 22:37	16.4750	64.8	0.5819	1.3	20.9	
3/11/2025 22:59	16.1568	65.7	0.5716	1.3	20.2		3/11/2025 22:52	16.4750	64.8	0.5819	1.3	20.9	
3/11/2025 23:14	16.1613	65.7	0.5761	1.3	20.2		3/11/2025 23:07	16.4793	64.8	0.5862	1.4	20.9	
3/11/2025 23:29	16.1658	65.7	0.5806	1.3	20.3		3/11/2025 23:22	16.4793	64.8	0.5862	1.4	20.9	
3/11/2025 23:44	16.1613	65.7	0.5761	1.3	20.2		3/11/2025 23:37	16.4837	64.8	0.5906	1.4	20.9	
3/11/2025 23:59	16.1658	65.7	0.5806	1.3	20.3		3/11/2025 23:52	16.4880	64.8	0.5949	1.4	21.0	
3/12/2025 0:14	16.1703	65.7	0.5851	1.4	20.3		3/12/2025 0:07	16.4880	64.8	0.5949	1.4	21.0	
3/12/2025 0:29	16.1703	65.7	0.5851	1.4	20.3		3/12/2025 0:22	16.4880	64.8	0.5949	1.4	21.0	
3/12/2025 0:44	16.1703	65.7	0.5851	1.4	20.3		3/12/2025 0:37	16.4880	64.8	0.5949	1.4	21.0	
3/12/2025 0:59	16.1749	65.7	0.5897	1.4	20.3		3/12/2025 0:52	16.4880	64.8	0.5949	1.4	21.0	
3/12/2025 1:14	16.1749	65.7	0.5897	1.4	20.3		3/12/2025 1:07	16.5009	64.8	0.6078	1.4	21.0	
3/12/2025 1:29	16.1749	65.7	0.5897	1.4	20.3		3/12/2025 1:22	16.4966	64.8	0.6035	1.4	21.0	
3/12/2025 1:44	16.1794	65.7	0.5942	1.4	20.3		3/12/2025 1:37	16.4966	64.8	0.6035	1.4	21.0	
3/12/2025 1:59	16.1794	65.7	0.5942	1.4	20.3		3/12/2025 1:52	16.5009	64.8	0.6078	1.4	21.0	
3/12/2025 2:14	16.1839	65.7	0.5987	1.4	20.3		3/12/2025 2:07	16.5049	64.7	0.6118	1.4	21.0	
3/12/2025 2:29	16.1884	65.7	0.6032	1.4	20.3		3/12/2025 2:22	16.5049	64.7	0.6118	1.4	21.0	
3/12/2025 2:44	16.1884	65.7	0.6032	1.4	20.3		3/12/2025 2:37	16.5049	64.7	0.6118	1.4	21.0	
3/12/2025 2:59	16.1884	65.7	0.6032	1.4	20.3		3/12/2025 2:52	16.5095	64.8	0.6164	1.4	21.0	
3/12/2025 3:14	16.1884	65.7	0.6032	1.4	20.3		3/12/2025 3:07	16.5095	64.8	0.6164	1.4	21.0	
3/12/2025 3:29	16.1929	65.7	0.6077	1.4	20.3		3/12/2025 3:22	16.5095	64.8	0.6164	1.4	21.0	
3/12/2025 3:44	16.1929	65.7	0.6077	1.4	20.3		3/12/2025 3:37	16.5134	64.7	0.6203	1.4	21.0	
3/12/2025 3:59	16.1929	65.7	0.6077	1.4	20.3		3/12/2025 3:52	16.5139	64.8	0.6208	1.4	21.0	
3/12/2025 4:14	16.2065	65.7	0.6213	1.4	20.4		3/12/2025 4:07	16.5182	64.8	0.6251	1.4	21.0	
3/12/2025 4:29	16.2110	65.7	0.6258	1.4	20.4		3/12/2025 4:22	16.5268	64.8	0.6337	1.5	21.0	
3/12/2025 4:44	16.2065	65.7	0.6213	1.4	20.4		3/12/2025 4:37	16.5268	64.8	0.6337	1.5	21.0	
3/12/2025 4:59	16.2110	65.7	0.6258	1.4	20.4		3/12/2025 4:52	16.5311	64.8	0.6380	1.5	21.1	
3/12/2025 5:14	16.2110	65.7	0.6258	1.4	20.4		3/12/2025 5:07	16.5355	64.8	0.6424	1.5	21.1	
3/12/2025 5:29	16.2155	65.7	0.6303	1.5	20.4		3/12/2025 5:22	16.5398	64.8	0.6467	1.5	21.1	
3/12/2025 5:44	16.2200	65.7	0.6348	1.5	20.4		3/12/2025 5:37	16.5355	64.8	0.6424	1.5	21.1	
3/12/2025 5:59	16.2200	65.7	0.6348	1.5	20.4		3/12/2025 5:52	16.5442	64.8	0.6511	1.5	21.1	
3/12/2025 6:14	16.2245	65.7	0.6393	1.5	20.4		3/12/2025 6:07	16.5437	64.7	0.6506	1.5	21.1	
3/12/2025 6:29	16.2290	65.7	0.6438	1.5	20.4		3/12/2025 6:22	16.5527	64.8	0.6596	1.5	21.1	
3/12/2025 6:44	16.2335	65.7	0.6483	1.5	20.4		3/12/2025 6:37	16.5571	64.8	0.6640	1.5	21.1	
3/12/2025 6:59	16.2426	65.7	0.6574	1.5	20.4		3/12/2025 6:52	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 7:14	16.2426	65.7	0.6574	1.5	20.4		3/12/2025 7:07	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 7:29	16.2471	65.7	0.6619	1.5	20.4		3/12/2025 7:22	16.5700	64.8	0.6769	1.6	21.1	
3/12/2025 7:44	16.2426	65.7	0.6574	1.5	20.4		3/12/2025 7:37	16.5700	64.8	0.6769	1.6	21.1	
3/12/2025 7:59	16.2471	65.7	0.6619	1.5	20.4		3/12/2025 7:52	16.5695	64.7	0.6764	1.6	21.1	
3/12/2025 8:14	16.2471	65.7	0.6619	1.5	20.4		3/12/2025 8:07	16.5739	64.7	0.6808	1.6	21.2	
3/12/2025 8:29	16.2516	65.7	0.6664	1.5	20.5		3/12/2025 8:22	16.5739	64.7	0.6808	1.6	21.2	
3/12/2025 8:44	16.2516	65.7	0.6664	1.5	20.5		3/12/2025 8:37	16.5782	64.7	0.6851	1.6	21.2	
3/12/2025 8:59	16.2561	65.7	0.6709	1.5	20.5		3/12/2025 8:52	16.5743	64.8	0.6812	1.6	21.2	
3/12/2025 9:14	16.2561	65.7	0.6709	1.5	20.5		3/12/2025 9:07	16.5787	64.8	0.6856	1.6	21.2	
3/12/2025 9:29	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 9:22	16.5829	64.8	0.6898	1.6	21.2	
3/12/2025 9:44	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 9:37	16.5829	64.8	0.6898	1.6	21.2	
3/12/2025 9:59	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 9:52	16.5872	64.8	0.6941	1.6	21.2	
3/12/2025 10:14	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 10:07	16.5829	64.8	0.6898	1.6	21.2	
3/12/2025 10:29	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 10:22	16.5829	64.8	0.6898	1.6	21.2	
3/12/2025 10:44	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 10:37	16.5829	64.8	0.6898	1.6	21.2	
3/12/2025 10:59	16.2651	65.7	0.6799	1.6	20.5		3/12/2025 10:52	16.5872	64.8	0.6941	1.6	21.2	
3/12/2025 11:14	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 11:07	16.5826	64.7	0.6895	1.6	21.2	
3/12/2025 11:29	16.2651	65.7	0.6799	1.6	20.5		3/12/2025 11:22	16.5872	64.8	0.6941	1.6	21.2	
3/12/2025 11:44	16.2606	65.7	0.6754	1.6	20.5		3/12/2025 11:37	16.5868	64.7	0.6937	1.6	21.2	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

MW-1 - Logger Serial No. 20715060

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/12/2025 11:59	16.2651	65.7	0.6799	1.6	20.5	
3/12/2025 12:14	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 12:29	16.2606	65.7	0.6754	1.6	20.5	
3/12/2025 12:44	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 12:59	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 13:14	16.2516	65.7	0.6664	1.5	20.5	
3/12/2025 13:29	16.2426	65.7	0.6574	1.5	20.4	
3/12/2025 13:44	16.2516	65.7	0.6664	1.5	20.5	
3/12/2025 13:59	16.2471	65.7	0.6619	1.5	20.4	
3/12/2025 14:14	16.2471	65.7	0.6619	1.5	20.4	
3/12/2025 14:29	16.2426	65.7	0.6574	1.5	20.4	
3/12/2025 14:44	16.2426	65.7	0.6574	1.5	20.4	
3/12/2025 14:59	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 15:14	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 15:29	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 15:44	16.2426	65.7	0.6574	1.5	20.4	
3/12/2025 15:59	16.2426	65.7	0.6574	1.5	20.4	
3/12/2025 16:14	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 16:29	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 16:44	16.2381	65.7	0.6529	1.5	20.4	
3/12/2025 16:59	16.2471	65.7	0.6619	1.5	20.4	
3/12/2025 17:14	16.2471	65.7	0.6619	1.5	20.4	
3/12/2025 17:29	16.2516	65.7	0.6664	1.5	20.5	
3/12/2025 17:44	16.2516	65.7	0.6664	1.5	20.5	
3/12/2025 17:59	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 18:14	16.2516	65.7	0.6664	1.5	20.5	
3/12/2025 18:29	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 18:44	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 18:59	16.2561	65.7	0.6709	1.5	20.5	
3/12/2025 19:14	16.2606	65.7	0.6754	1.6	20.5	
3/12/2025 19:29	16.2651	65.7	0.6799	1.6	20.5	
3/12/2025 19:44	16.2698	65.7	0.6846	1.6	20.5	
3/12/2025 19:59	16.2698	65.7	0.6846	1.6	20.5	
3/12/2025 20:14	16.2698	65.7	0.6846	1.6	20.5	
3/12/2025 20:29	16.2742	65.7	0.6890	1.6	20.5	
3/12/2025 20:44	16.2742	65.7	0.6890	1.6	20.5	
3/12/2025 20:59	16.2787	65.7	0.6935	1.6	20.5	
3/12/2025 21:14	16.2787	65.7	0.6935	1.6	20.5	
3/12/2025 21:29	16.2832	65.7	0.6980	1.6	20.5	
3/12/2025 21:44	16.2832	65.7	0.6980	1.6	20.5	
3/12/2025 21:59	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 22:14	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 22:29	16.2922	65.7	0.7070	1.6	20.6	
3/12/2025 22:44	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 22:59	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 23:14	16.2922	65.7	0.7070	1.6	20.6	
3/12/2025 23:29	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 23:44	16.2877	65.7	0.7025	1.6	20.5	
3/12/2025 23:59	16.2877	65.7	0.7025	1.6	20.5	
3/13/2025 0:14	16.2877	65.7	0.7025	1.6	20.5	
3/13/2025 0:29	16.2877	65.7	0.7025	1.6	20.5	
3/13/2025 0:44	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 0:59	16.2877	65.7	0.7025	1.6	20.5	
3/13/2025 1:14	16.2877	65.7	0.7025	1.6	20.5	

MW-2 - Logger Serial No. 20715059

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/12/2025 11:52	16.5826	64.7	0.6895	1.6	21.2	
3/12/2025 12:07	16.5826	64.7	0.6895	1.6	21.2	
3/12/2025 12:22	16.5782	64.7	0.6851	1.6	21.2	
3/12/2025 12:37	16.5787	64.8	0.6856	1.6	21.2	
3/12/2025 12:52	16.5743	64.8	0.6812	1.6	21.2	
3/12/2025 13:07	16.5700	64.8	0.6769	1.6	21.1	
3/12/2025 13:22	16.5739	64.7	0.6808	1.6	21.2	
3/12/2025 13:37	16.5739	64.7	0.6808	1.6	21.2	
3/12/2025 13:52	16.5700	64.8	0.6769	1.6	21.1	
3/12/2025 14:07	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 14:22	16.5652	64.7	0.6721	1.6	21.1	
3/12/2025 14:37	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 14:52	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 15:07	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 15:22	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 15:37	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 15:52	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 16:07	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 16:22	16.5610	64.7	0.6679	1.5	21.1	
3/12/2025 16:37	16.5652	64.7	0.6721	1.6	21.1	
3/12/2025 16:52	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 17:07	16.5614	64.8	0.6683	1.5	21.1	
3/12/2025 17:22	16.5656	64.8	0.6725	1.6	21.1	
3/12/2025 17:37	16.5743	64.8	0.6812	1.6	21.2	
3/12/2025 17:52	16.5700	64.8	0.6769	1.6	21.1	
3/12/2025 18:07	16.5743	64.8	0.6812	1.6	21.2	
3/12/2025 18:22	16.5743	64.8	0.6812	1.6	21.2	
3/12/2025 18:37	16.5782	64.7	0.6851	1.6	21.2	
3/12/2025 18:52	16.5826	64.7	0.6895	1.6	21.2	
3/12/2025 19:07	16.5826	64.7	0.6895	1.6	21.2	
3/12/2025 19:22	16.5868	64.7	0.6937	1.6	21.2	
3/12/2025 19:37	16.5872	64.8	0.6941	1.6	21.2	
3/12/2025 19:52	16.5916	64.8	0.6985	1.6	21.2	
3/12/2025 20:07	16.5959	64.8	0.7028	1.6	21.2	
3/12/2025 20:22	16.5955	64.7	0.7024	1.6	21.2	
3/12/2025 20:37	16.5955	64.7	0.7024	1.6	21.2	
3/12/2025 20:52	16.5999	64.7	0.7068	1.6	21.2	
3/12/2025 21:07	16.6045	64.8	0.7114	1.6	21.2	
3/12/2025 21:22	16.6089	64.8	0.7158	1.7	21.2	
3/12/2025 21:37	16.6041	64.7	0.7110	1.6	21.2	
3/12/2025 21:52	16.6084	64.7	0.7153	1.7	21.2	
3/12/2025 22:07	16.6089	64.8	0.7158	1.7	21.2	
3/12/2025 22:22	16.6128	64.7	0.7197	1.7	21.2	
3/12/2025 22:37	16.6128	64.7	0.7197	1.7	21.2	
3/12/2025 22:52	16.6084	64.7	0.7153	1.7	21.2	
3/12/2025 23:07	16.6128	64.7	0.7197	1.7	21.2	
3/12/2025 23:22	16.6084	64.7	0.7153	1.7	21.2	
3/12/2025 23:37	16.6128	64.7	0.7197	1.7	21.2	
3/12/2025 23:52	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 0:07	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 0:22	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 0:37	16.6089	64.8	0.7158	1.7	21.2	
3/13/2025 0:52	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 1:07	16.6084	64.7	0.7153	1.7	21.2	

JZN Project No.: 24190-000
Project: Innovation QNS - Buillding B1
Location: 35-18 Steinway St., Queens, NY
JZN Rep: A. More
Client: Key Civil Engineering, P.C
Contractor: Diamond Drilling, Inc.
Installation Date 3/6/2025
Removal Date: 03/13/2025

Monitoring Well Data Tables

Monitoring Well	Logger Serial Number	Logger Elevation (ft)	Zero Reading (psi)
MW-1	20715060	18.92	15.5852
MW-2	20715059	19.58	15.8931

MW-1 - Logger Serial No. 20715060

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/13/2025 1:29	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 1:44	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 1:59	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 2:14	16.2787	65.7	0.6935	1.6	20.5	
3/13/2025 2:29	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 2:44	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 2:59	16.2698	65.7	0.6846	1.6	20.5	
3/13/2025 3:14	16.2698	65.7	0.6846	1.6	20.5	
3/13/2025 3:29	16.2698	65.7	0.6846	1.6	20.5	
3/13/2025 3:44	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 3:59	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 4:14	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 4:29	16.2742	65.7	0.6890	1.6	20.5	
3/13/2025 4:44	16.2787	65.7	0.6935	1.6	20.5	
3/13/2025 4:59	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 5:14	16.2787	65.7	0.6935	1.6	20.5	
3/13/2025 5:29	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 5:44	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 5:59	16.2832	65.7	0.6980	1.6	20.5	
3/13/2025 6:14	16.2877	65.7	0.7025	1.6	20.5	
3/13/2025 6:29	16.2922	65.7	0.7070	1.6	20.6	
3/13/2025 6:44	16.2922	65.7	0.7070	1.6	20.6	
3/13/2025 6:59	16.2922	65.7	0.7070	1.6	20.6	
3/13/2025 7:14	16.2922	65.7	0.7070	1.6	20.6	
3/13/2025 7:29	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 7:44	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 7:59	16.2922	65.7	0.7070	1.6	20.6	
3/13/2025 8:14	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 8:29	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 8:44	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 8:59	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 9:14	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 9:29	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 9:44	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 9:59	16.3012	65.7	0.7160	1.7	20.6	
3/13/2025 10:14	16.3012	65.7	0.7160	1.7	20.6	
3/13/2025 10:29	16.2967	65.7	0.7115	1.6	20.6	
3/13/2025 10:44	16.3012	65.7	0.7160	1.7	20.6	
3/13/2025 10:59	16.3012	65.7	0.7160	1.7	20.6	
3/13/2025 11:14	16.3059	65.7	0.7207	1.7	20.6	

MW-2 - Logger Serial No. 20715059

Date & Time	Absolute Pressure (psi)	Temperature (°F)	Gauge Pressure (psi)	Depth Below Water (ft)	Groundwater Elevation (ft)	Remarks
3/13/2025 1:22	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 1:37	16.6041	64.7	0.7110	1.6	21.2	
3/13/2025 1:52	16.6041	64.7	0.7110	1.6	21.2	
3/13/2025 2:07	16.5955	64.7	0.7024	1.6	21.2	
3/13/2025 2:22	16.5955	64.7	0.7024	1.6	21.2	
3/13/2025 2:37	16.5955	64.7	0.7024	1.6	21.2	
3/13/2025 2:52	16.5999	64.7	0.7068	1.6	21.2	
3/13/2025 3:07	16.5955	64.7	0.7024	1.6	21.2	
3/13/2025 3:22	16.5955	64.7	0.7024	1.6	21.2	
3/13/2025 3:37	16.5999	64.7	0.7068	1.6	21.2	
3/13/2025 3:52	16.6041	64.7	0.7110	1.6	21.2	
3/13/2025 4:07	16.5999	64.7	0.7068	1.6	21.2	
3/13/2025 4:22	16.6041	64.7	0.7110	1.6	21.2	
3/13/2025 4:37	16.6041	64.7	0.7110	1.6	21.2	
3/13/2025 4:52	16.6045	64.8	0.7114	1.6	21.2	
3/13/2025 5:07	16.6045	64.8	0.7114	1.6	21.2	
3/13/2025 5:22	16.6045	64.8	0.7114	1.6	21.2	
3/13/2025 5:37	16.6045	64.8	0.7114	1.6	21.2	
3/13/2025 5:52	16.6045	64.8	0.7114	1.6	21.2	
3/13/2025 6:07	16.6084	64.7	0.7153	1.7	21.2	
3/13/2025 6:22	16.6128	64.7	0.7197	1.7	21.2	
3/13/2025 6:37	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 6:52	16.6128	64.7	0.7197	1.7	21.2	
3/13/2025 7:07	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 7:22	16.6132	64.8	0.7201	1.7	21.2	
3/13/2025 7:37	16.6176	64.8	0.7245	1.7	21.3	
3/13/2025 7:52	16.6213	64.7	0.7282	1.7	21.3	
3/13/2025 8:07	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 8:22	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 8:37	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 8:52	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 9:07	16.6171	64.7	0.7240	1.7	21.3	
3/13/2025 9:22	16.6213	64.7	0.7282	1.7	21.3	
3/13/2025 9:37	16.6213	64.7	0.7282	1.7	21.3	
3/13/2025 9:52	16.6213	64.7	0.7282	1.7	21.3	
3/13/2025 10:07	16.6213	64.7	0.7282	1.7	21.3	
3/13/2025 10:22	16.6218	64.8	0.7287	1.7	21.3	
3/13/2025 10:37	16.3839	64.7	0.4908	1.1	20.7	
3/13/2025 10:52	14.7519	52.8	-1.1412	-2.6	16.9	

Phase I Environmental Site Assessment

P.C. Richard & Son Store

35-30 Steinway Street
Queens, New York

EBI Project No. 1117005083

September 22, 2017



Prepared for:

Kaufman Bedrock Astoria I LLC
3412 36th Street, Suite 2
Astoria, NY 11106-1232

Prepared by:

EBI Consulting
environmental | engineering | due diligence

EBI Consulting
environmental | engineering | due diligence

21 B Street
Burlington, MA 01803
Tel: (781) 273-2500
Fax: (781) 273-3311
www.ebiconsulting.com

September 22, 2017

Mr. Sol Levitin
Kaufman Bedrock Astoria I LLC
3412 36th Street, Suite 2
Astoria, NY 11106-1232

Subject: Phase I Environmental Site Assessment
P.C. Richard & Son Store
35-30 Steinway Street, Queens, New York
EBI Project No. 1117005083

Dear Mr. Levitin:

Attached please find our *Phase I Environmental Site Assessment* (the report) for the above-mentioned asset (the Subject Property). During the survey and research, our surveyor met with agents representing the Subject Property, or agents of the owner, and reviewed the Subject Property and its history. The report was completed according to the terms and conditions authorized by you. This report has been completed in general conformance with the ASTM Standard E 1527-13.

The purpose of this report is to acquire environmental information, observe the general condition and maintenance status of the Subject Property, to suggest remediation and/or maintenance practices considered customary for the Subject Property to continue in its current operation, compared to properties of similar age and condition, and to identify recognized environmental conditions in connection with the Subject Property described in this report.

This report was performed utilizing methods and procedures consistent with established commercial practices and in conformance with industry standards. The suggestions represent EBI's opinion based on written, graphic or verbal information, the property condition and data available to us at the time of the survey. Factual information regarding operations, conditions or data provided by the Client, occupants, owner or their representative has been assumed to be correct and complete.

There are no intended or unintended third party beneficiaries to this report, except as expressly stated herein.

EBI is an independent contractor, not an employee of either the issuer or the borrower, and its compensation was not based on the findings or recommendations made in the report or on the closing of any business transaction.

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312 and we have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Subject Property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Thank you very much for the opportunity to provide environmental consulting services to *Kaufman Bedrock Astoria I LLC*. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Respectfully submitted,
EBI CONSULTING



Scott Barta
Author / Staff Scientist



Jon Hickey
Reviewer / Program Manager
jhickey@ebiconsulting.com
917.804.5470

TABLE OF CONTENTS

EXECUTIVE SUMMARY **1**
1.0 INTRODUCTION **3**
1.1 Purpose 3
1.2 Scope-of-Services 3
1.3 Assumptions, Limitations and Exceptions 4
1.4 Special Terms and Conditions 5
1.5 Data Gaps 6
2.0 SUBJECT PROPERTY DESCRIPTION **7**
2.1 Ownership and Location 7
2.2 Subject Property Improvements 7
2.3 Current Use of the Subject Property 7
2.4 Municipal Services & Utilities 7
2.5 Adjoining Properties 8
3.0 USER PROVIDED INFORMATION **9**
3.1 Title Records 9
3.2 Environmental Liens and Activity and Use Limitations 9
3.3 Specialized Knowledge 9
3.4 Commonly Known or Reasonably Ascertainable Information 9
3.5 Valuation Reduction for Environmental Issues 9
3.6 Owner, Property Manager, and Occupant Information 9
3.7 Reason for Performing Phase I ESA 9
4.0 RECORDS REVIEW **10**
4.1 Standard Environmental Records 10
4.1.1 Federal Agency Database Records 11
4.1.2 State and Tribal Agency Database Records 12
4.1.3 Local Regulatory Agency Records 16
4.1.4 Vapor Migration 17
4.2 Physical Setting 17
4.2.1 Topography 17
4.2.2 Geology and Soils 17
4.2.3 Hydrogeology and Hydrology 17
4.3 Historical Use of the Subject Property and Adjoining Properties 18
4.3.1 Aerial Photographs 19
4.3.2 Fire Insurance Maps 20
4.3.3 Topographic Maps 22
4.3.4 Street Directories 22
4.3.5 Recorded Land Title Records 22
4.3.6 Property Tax Records 23
4.3.7 Environmental Liens and Activity and Use Limitations 23
4.3.8 Previous Environmental Reports 23
4.3.9 Other Historical Records and Interviews 23
5.0 SUBJECT PROPERTY RECONNAISSANCE **24**
5.1 Methodology and Limiting Conditions 24
5.2 Hazardous Substances and Petroleum Products 24
5.2.1 Hazardous Substances and Petroleum Products (Identified Uses) 24
5.2.2 Hazardous Substances and Petroleum Products (Unidentified Uses) 24
5.2.3 Unidentified Substances Containers 24

5.3 Waste Generation, Storage, and Disposal 24
5.4 Underground Storage Tanks (USTs) & Aboveground Storage Tanks (ASTs) 25
5.4.1 Existing Storage Tanks 25
5.4.2 Former Storage Tanks 25
5.5 Oil-Containing Equipment and Polychlorinated Biphenyls (PCBs) 25
5.6 Additional Site Conditions 26
6.0 INTERVIEWS 27
7.0 CONSIDERATIONS OUTSIDE THE SCOPE OF ASTM PRACTICE E 1527-13 28
7.1 Asbestos-Containing Material (ACM) 28
7.2 Radon 28
7.3 Lead-Based Paint (LBP) 29
7.4 Lead in Drinking Water 29
8.0 FINDINGS AND OPINIONS 30
9.0 RECOMMENDATIONS 32
10.0 REFERENCES 33

APPENDIX A PHOTOGRAPHS
APPENDIX B FIGURES
APPENDIX C PRE-SURVEY QUESTIONNAIRE AND OTHER RELEVANT DOCUMENTATION
APPENDIX D PROFESSIONAL QUALIFICATIONS
APPENDIX E REGULATORY DATABASE REPORT
APPENDIX F HISTORICAL DOCUMENTATION
APPENDIX G TERMINOLOGY

EXECUTIVE SUMMARY

At the request of Kaufman Bedrock Astoria I LLC, EBI has performed a Phase I Environmental Site Assessment (ESA) of the property located at 35-30 Steinway Street in Queens, New York, herein referred to as the Subject Property. The main objective of this ESA was to identify *recognized environmental conditions* in connection with the Subject Property, defined in ASTM Practice E 1527-13 as the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: 1) due to any release to the environment, 2) under conditions indicative of a release to the environment, or 3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions. This ESA also includes a preliminary evaluation of certain potential environmental conditions that are outside the scope of ASTM Practice E 1527-13.

The Subject Property includes one rectangular-shaped parcel, totaling approximately 1.73 acres. The Subject Property is currently improved with a single-story, commercial retail building, with a gross area of approximately 32,736± square feet. There is a partial basement present beneath the southern edge and southeastern corners of the property. The existing improvements were reportedly constructed in 1984. At the time of assessment, the Subject Property was occupied by a P.C. Richard & Son commercial retail store. There are currently no manufacturing or industrial operations conducted at the Subject Property.

Below is the Assessment Summary Table presenting our recommended actions for the Subject Property. EBI's Findings and Opinions are presented in Section 8.0, and recommendations for further action or investigation are presented in Section 9.0.

ASSESSMENT SUMMARY TABLE P.C. RICHARD & SON STORE 35-30 STEINWAY STREET, QUEENS, NEW YORK								
ASSESSMENT COMPONENT	**SECTION**	**NO FURTHER ACTION**	**REC**	**HREC**	**CREC**	**OTHER**	**RECOMMENDED ACTION**	**ESTIMATED COST**
Current Occupants/ Operations	**2.3, 5.0**	☒	☐	☐	☐	☐	No Further Action	
Historical Review	**4.3**	☒	☐	☐	☐	☐	No Further Action	
Regulatory Review	**4.1**	☒	☐	☐	☐	☐	No Further Action	
Potential Off-site Sources	**2.5, 4.1**	☒	☐	☐	☐	☐	No Further Action	
Vapor Migration	**4.1.4**	☒	☐	☐	☐	☐	No Further Action	
Hazardous Substances/ Petroleum Products	**5.2**	☒	☐	☐	☐	☐	No Further Action	
Other Suspect Containers	**5.2**	☒	☐	☐	☐	☐	No Further Action	
Waste Generation	**5.3**	☒	☐	☐	☐	☐	No Further Action	
USTs	**5.4**	☐	☒	☐	☐	☐	See above recommendation	
ASTs	**5.4**	☒	☐	☐	☐	☐	No Further Action	
PCBs	**5.5**	☒	☐	☐	☐	☐	No Further Action	
Additional Site Conditions	**5.6**	☒	☐	☐	☐	☐	No Further Action	
Asbestos Containing Materials	**7.1**	☐	☐	☐	☐	☒	Develop and implement Asbestos Operations and Maintenance (O&M) Plan.	$500
Radon	**7.2**	☒	☐	☐	☐	☐	No Further Action	
Lead-based Paint	**7.3**	☒	☐	☐	☐	☐	No Further Action	
Lead in Drinking Water	**7.4**	☒	☐	☐	☐	☐	No Further Action	

1.0 INTRODUCTION

This report documents the findings, opinions, and conclusions of a Phase I Environmental Site Assessment (ESA) of the property located at 35-30 Steinway Street in Queens, New York.

1.1 PURPOSE

The purpose of this ESA was to identify *recognized environmental conditions* and certain environmental conditions outside the scope of ASTM Practice E 1527-13 in connection with the property at the time of the property reconnaissance.

1.2 SCOPE-OF-SERVICES

This ESA was conducted utilizing a standard of good commercial and customary practice that was consistent with the ASTM Practice E 1527-13. Any significant scope-of-work additions, deletions or deviations to ASTM Practice E 1527-13 are noted below or in the corresponding sections of this report. The scope-of-work for this assessment included an evaluation of the following:

- Physical characteristics of the Subject Property through a review of referenced sources for topographic, geologic, soils and hydrologic data.
- Subject Property history through a review of referenced sources such as land deeds, fire insurance maps, city directories, aerial photographs, prior reports, and interviews.
- Current Subject Property conditions, including observations and interviews regarding the following: the presence or absence of hazardous substances or petroleum products; generation, treatment, storage, or disposal of hazardous, regulated, or biomedical waste; equipment that utilizes oils which potentially contain PCBs; and storage tanks (aboveground and underground).
- Usage of surrounding area properties and the likelihood for releases of hazardous substances and petroleum products (if known and/or suspected) to migrate onto the Subject Property.
- Information in referenced environmental agency databases and local environmental records, within specified minimum search distances.
- Past ownership through a review of available prior reports and local municipal file review.

The scope-of-work also included consideration of the following potential environmental conditions that are outside the scope of ASTM Practice E 1527-13: asbestos-containing materials (ACM), lead-based paint (LBP), lead in drinking water, and radon.

1.3 ASSUMPTIONS, LIMITATIONS AND EXCEPTIONS

This Phase I Environmental Site Assessment (the report) has been prepared for the use of Kaufman Bedrock Astoria I LLC, in accordance with our Standard Conditions for Engagement and Authorization Letter and Agreement for Environmental Services approved and signed by Kaufman Bedrock Astoria I LLC (the Agreement), and with the limitations described below, all of which are integral parts of this report. A copy of the signed Standard Conditions For Engagement and Authorization Letter and Agreement for Environmental Services is maintained at the EBI Consulting office in Burlington, Massachusetts. To the extent any provisions of this report conflict with the terms of the Agreement, the Agreement will control.

EBI has performed this Phase I Environmental Site Assessment in conformance with the scope and limitations of *ASTM Standard E 1527-13, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*. This report was prepared with no exceptions or deletions from ASTM Standard E 1527-13.

This Phase I Environmental Site Assessment has been prepared to assess a parcel of commercial real estate with respect to the range of contaminants within the scope of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) and petroleum products. As such, this practice is intended to permit Kaufman Bedrock Astoria I LLC to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on CERCLA liability: that is, the practices that constitute "all appropriate inquiry into the previous ownership and uses of the Subject Property consistent with good commercial or customary practice" as defined in 42 U.S.C. § 9601(35)(B).

In defining a standard of good commercial and customary practice for conducting an environmental site assessment of a parcel of property, the goal of the processes established by this practice is to identify *recognized environmental conditions*. The term recognized environmental conditions means the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property (1) due to a release to the environment, (2) under conditions that indicate an existing release or a past release, or (3) under conditions that pose a material threat of a future release of any hazardous substances or petroleum products into structures on the property or into the ground, ground water, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term does not include *de minimis conditions* that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

The information reported was obtained through sources deemed reasonably ascertainable, as defined in ASTM Standard E 1527-13; a visual site survey of areas readily observable, easily accessible or made accessible by the Subject Property contact and interviews with owners, agents, occupants, or other appropriate persons involved with the Subject Property and a review of standard federal, state, and tribal environmental record sources. Municipal information was obtained through review of reasonably ascertainable standard government record sources and interviews with the authorities having jurisdiction over the Subject Property. Findings, conclusions, and recommendations included in the report are based on our visual observations in the field, the standard environmental record sources and municipal information reasonably obtained, information provided by the Client, and/or a review of readily available and supplied documents and drawings. EBI relies completely on the information, whether written, graphic, or verbal, provided by the Subject Property contact or as shown on any documents reviewed or received from the Subject Property contact, owner or agent, or municipal source, and assumes that information to be true and correct unless the information is known to be

inaccurate or if it is obvious, based on other information obtained as part of the assessment, that the information is not accurate. Although there may have been some degree of overlap in the information provided by these various sources, EBI did not attempt to verify independently the accuracy or completeness of all information reviewed or received during the course of these environmental services.

The information reported, as well as EBI's findings, conclusions, and recommendations are based upon sources deemed reasonably ascertainable, as defined in ASTM Standard E 1527-13; a visual site survey of areas readily observable, easily accessible or made accessible by the Subject Property contact and interviews with owners, agents, occupants, or other appropriate persons involved with the Subject Property and a review of standard federal, state, and tribal environmental record sources. Municipal information was obtained through review of reasonably ascertainable standard government record sources and interviews with authorities having jurisdiction over the Subject Property. Kaufman Bedrock Astoria I LLC agrees that EBI has no obligation to independently verify the accuracy or completeness of the information reviewed or received during the course of these environmental services.

EBI renders no opinion as to the presence of hazardous substances or petroleum products in, on or under un-surveyed and/or inaccessible portions of the Subject Property. Unsurveyed and inaccessible portions of the Subject Property are described below. In addition, EBI renders no opinion as to the presence of hazardous substances or petroleum products in, on or under the Subject Property where direct observation of the interior walls, floor, or ceiling of a structure was obstructed by objects or coverings on or over these surfaces.

EBI Services and opinions are based on the scientific or technical tests or procedures specifically set forth in the scope of the Services described in this report. The ASTM Standard E 1527-13 does not encompass analytical testing to evaluate asbestos containing materials, radon, lead-based paint, drinking water quality, indoor air quality, stored chemicals, debris, fill materials, surface water, or subsurface samples (soil and groundwater) as part of a Phase I ESA. Because geologic and soil formations are inherently random, variable, and indeterminate in nature, the Services and opinions provided under this Agreement are not guaranteed to be a representation of actual conditions on the Subject Property, which are also subject to change with time as a result of natural or man-made processes, including water permeation. In performing the Services, EBI used that degree of care and skill ordinarily exercised by environmental consultants or engineers performing similar services in the same or similar locality at the same time and under similar circumstances. No other representation, expressed or implied, and no warranty or guarantee is included or intended. The report speaks only as of its date, in the absence of a specific written update of the report, signed and delivered by EBI. Additional information that becomes available after our survey and draft submission concerning the Subject Property should be provided to EBI so that our conclusions may be revised and modified if necessary, at additional cost.

Client and EBI agree that to the fullest extent permitted by law, EBI shall not be liable to Client for any special, indirect, consequential, punitive, exemplary, incidental or indirect damages or losses whatsoever, whether caused by EBI's negligence, errors, omissions, strict liability, breach of contract, breach of warranty or other cause or causes whatsoever.

The assessment was conducted in a manner consistent with the level of care and skill ordinarily exercised by members of the profession, and in accordance with generally accepted practices of other consultants currently practicing in the same locality under similar conditions.

1.4 SPECIAL TERMS AND CONDITIONS

This Phase I Environmental Site Assessment (the report) has been prepared to assist a lender to be selected by Kaufman Bedrock Astoria I LLC in determining whether to make a loan evidenced by a note

secured by the Subject Property. Reliance upon this report does not extend to entities or individuals interested in purchasing the Subject Property. Amendments to EBI's limitations as stated herein that may occur after issuance of the report are considered to be included in this report. EBI's liability to a purchaser wishing to use this report is limited to the cost of the report. Payment for the report is made by, and EBI's contract and report extends to Kaufman Bedrock Astoria I LLC only, in accordance with our Standard Conditions For Engagement and, Authorization Letter and Agreement for Environmental Services.

1.5 DATA GAPS

Any data gaps identified herein, as defined by ASTM Practice E 1527-13 § 3.2.20, are not considered to have significantly affected the ability to identify recognized environmental conditions in connection with the Subject Property and do not alter the conclusions of this report.

2.0 SUBJECT PROPERTY DESCRIPTION

2.1 OWNERSHIP AND LOCATION

According to the City of New York Assessor's Office, the Subject Property is currently owned by King Kullen Grocery Co Inc.

The Subject Property is located at 35-30 Steinway Street in Long Island City, Queens, New York. The Subject Property includes one rectangular parcel, identified by the City of New York Assessor's Office as Block 668, Lot 5, totaling approximately 1.73 acres. The Subject Property is located in the southeast quadrant of the intersection of 38th Street and 35th Avenue. Figure 1 - Location Map depicts the location of the Subject Property on a street map of Queens, New York. Figure 2 - Locus Map depicts the location of the Subject Property on the Brooklyn United States Geological Survey (USGS) 7.5 Minute Topographic Quadrangle. Figure 3 - Site Plan depicts the configuration of the Subject Property and adjoining properties.

2.2 SUBJECT PROPERTY IMPROVEMENTS

The Subject Property is currently improved with a single-story, commercial retail building, with a gross area of approximately 32,736± square feet. There is a partial basement present beneath the southern edge and southeastern corners of the property. The existing improvements were reportedly constructed in 1984. The existing building is located on the southern half of the property. Areas of the Subject Property surrounding the existing building include the following: asphalt-paved surface parking, located along the north and central portions of the property; and concrete walkways, located throughout the Subject Property.

2.3 CURRENT USE OF THE SUBJECT PROPERTY

At the time of assessment, the Subject Property was occupied by a P.C. Richard & Son commercial retail store. There are currently no manufacturing or industrial operations conducted at the Subject Property.

Please refer to Section 5.2 for further discussion regarding hazardous substances and petroleum products at the Subject Property.

2.4 MUNICIPAL SERVICES & UTILITIES

The Subject Property is serviced by the following municipal services and utilities:

MUNICIPAL SERVICES AND UTILITIES	
Utility	**Provider/Source**
Potable Water Supply	City of New York
Sewage Disposal System	City of New York
Electrical Service	Consolidated Edison
Natural Gas Service	Consolidated Edison
Oil Service	Not provided
Heating/Cooling Systems	Rooftop-mounted electric / natural gas HVAC units
Emergency Power	Not provided

2.5 ADJOINING PROPERTIES

Property use in the vicinity of the Subject Property is primarily characterized by residential and retail/commercial development.

ADJOINING PROPERTIES	
North	The Subject Property is bound to the north by the intersection of 35th Avenue and 38th Street, beyond which is located Uno Pizzeria (37-11 35th Avenue) and 35th Avenue, beyond which are located Panera Bread (38-01 35th Avenue), Riviera (34-48 Steinway Street), and Metropolitan Lumber (34-35 Steinway Street).
South	The Subject Property is bound to the south by multi-family residential properties along Steinway Street and 38th Street.
East	The Subject Property is bound to the east by Steinway Street, beyond which are located Playground 35, Steinway Café (35-25 Steinway Street), MEGA Mechanical Inc. (35-28 41st Street), and R&R Collision (35-35 Steinway Street).
West	The Subject Property is bound to the west by 38th Street, beyond which is located UA Kaufman Astoria Cinemas (35-30 38th Street).

No visual evidence of adverse environmental conditions was observed during the survey of the adjoining properties. However, several adjoining properties were identified on regulatory databases, and are further discussed in Section 4.1 below.

3.0 USER PROVIDED INFORMATION

The following section summarizes information provided by Kaufman Bedrock Astoria I LLC with regard to this Phase I Environmental Site Assessment. Additionally, a User Questionnaire was forwarded to the designated Client contact. The User Questionnaire has not been completed and returned to our offices. The information requested in the User Questionnaire is intended to assist in gathering information that may be material to identifying recognized environmental conditions in connection with the Subject Property. Relevant documentation referenced below is presented in Appendix C.

3.1 TITLE RECORDS

Title record information associated with the Subject Property has not been provided to EBI by Kaufman Bedrock Astoria I LLC. A detailed discussion regarding review of information obtained from other sources is presented in Section 4.3.5 of this report.

3.2 ENVIRONMENTAL LIENS AND ACTIVITY AND USE LIMITATIONS

Kaufman Bedrock Astoria I LLC has provided no information regarding environmental liens or activity and use limitations in connection with the Subject Property. A discussion regarding environmental liens is presented in Section 4.3.7 of this report. A detailed discussion regarding activity and use limitations is presented in Sections 4.1.1 and 4.1.2 of this report.

3.3 SPECIALIZED KNOWLEDGE

Kaufman Bedrock Astoria I LLC provided no specialized knowledge that is material to recognized environmental conditions in connection with the Subject Property. EBI was not provided with or made aware of previous environmental assessments or other documentation that is material to recognized environmental conditions in connection with the Subject Property, except as presented in Section 4.3.8 of this report.

3.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION

Kaufman Bedrock Astoria I LLC has provided no commonly known or reasonably ascertainable information within the local community about the Subject Property that is material to recognized environmental conditions in connection with the Subject Property.

3.5 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES

Kaufman Bedrock Astoria I LLC has provided no information regarding valuation reduction for environmental issues in connection with the Subject Property.

3.6 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION

Kaufman Bedrock Astoria I LLC provided contact information for the Subject Property owner, manager and/or occupants.

3.7 REASON FOR PERFORMING PHASE I ESA

Kaufman Bedrock Astoria I LLC retained EBI to complete this Phase I Environmental Site Assessment in connection with a real estate transaction.

4.0 RECORDS REVIEW

4.1 STANDARD ENVIRONMENTAL RECORDS

A review of standard environmental databases maintained by Federal, state, and tribal offices was completed through Environmental Data Resources, Inc. (EDR) of Shelton, Connecticut. The databases were searched for properties with reported environmental conditions located within approximate minimum search distances as specified by ASTM Standard E 1527-13, by using geocoding information that identified the coordinates of the properties in the databases or by checking the street addresses of practically reviewable non-geocoded "orphan" properties within the same zip code. The database report is presented in Appendix E.

The database report identified six "orphan sites". Orphan sites are those sites that could not be accurately mapped or geocoded due to inadequate location information. EBI attempted to locate these sites via vehicular reconnaissance and interviews with personnel familiar with the area. Based on this research, EBI did not identify listed orphan sites within the approximate minimum search distances that may be considered likely to have impacted conditions at the Subject Property.

It should be noted that plotted locations of listed sites are not always accurate. With regard to listings that are determined or suspected to be inaccurate, based on information from other sources such as direct observation or consultation with individuals familiar with the property, EBI uses the best available data when evaluating the location of listed sites discussed below.

The following table provides a summary of the findings of the environmental database report. Specific properties identified within the database report are further discussed below.

SUMMARY OF FEDERAL, STATE, AND TRIBAL AGENCY DATABASE FINDINGS			
Regulatory Database	**Approximate Minimum Search Distance**	**Subject Property Listed**	**Off-site Listings Within Search Distance**
Federal NPL Sites	1.0 mile	No	0
Federal Delisted NPL Sites	0.5 mile	No	0
Federal SEMS Sites	0.5 mile	No	0
Federal SEMS-ARCHIVE Sites	0.5 mile	No	0
Federal RCRA CORRACTS Sites	1.0 mile	No	0
Federal RCRA non-CORRACTS TSD Sites	0.5 mile	No	0
Federal RCRA Generators Sites	Property & Adjoining	No	0
Federal Engineering / Institutional Control Sites	0.5 mile	No	0
Federal ERNS Sites	Property	No	NA
State and Tribal equivalent NPL / CERCLIS Sites	1.0 / 0.5 mile	No	**10**
State and Tribal Spills Sites	Property	No	NA
State and Tribal Landfill or Solid Waste Disposal Sites	0.5 mile	No	0
State and Tribal Leaking Storage Tank Sites	0.5 mile	No	**41**
State and Tribal Registered Storage Tank Sites	Property & Adjoining	No	**1**
State and Tribal Engineering / Institutional Control Sites	0.5 mile	No	**1**
State and Tribal Voluntary Cleanup Sites	0.5 mile	No	**2**
State and Tribal Brownfield Sites	0.5 mile	No	**4**

4.1.1 Federal Agency Database Records

National Priority List (NPL)
The NPL database, also known as the Superfund List, is a subset of CERCLIS and identifies sites that are ranked as high priority for remedial action under the Federal Superfund Act. Neither the Subject Property nor any sites located within 1.0 mile of the Subject Property were identified on the NPL.

Delisted National Priority List (NPL)
The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the Delisted NPL database.

Superfund Enterprise Management System (SEMS)
SEMS tracks federal hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of the USEPA's Superfund Program. The list was formerly known as CERCLIS and was renamed at the end of 2015. The list contains data regarding potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies, and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). SEMS also contains sites that are either proposed to or on the National Priority List (NPL), as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the SEMS database.

SEMS – ARCHIVE
SEMS-ARCHIVE tracks sites that have been removed from the SEMS list. This list was formerly known as the CERCLIS- NFRAP list and was renamed SEMS-Archive at the end of 2015. SEMS-ARCHIVE sites may be sites where, following an initial investigation, no contamination was found, contamination was removed without the need for the site to be placed on the NPL, or the contamination was not considered sufficient to warrant Federal Superfund action or NPL consideration. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the SEMS-ARCHIVE database.

Resource Conservation and Recovery Act (RCRA) – Corrective Action Tracking System (CORRACTS)
RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information regarding sites that generate, transport, store, treat, and/or dispose of hazardous waste as defined by RCRA. The RCRA-CORRACTS database identifies TSD facilities that have conducted, or are currently conducting, corrective action(s) as regulated under RCRA. Neither the Subject Property nor any sites located within 1.0 mile of the Subject Property were identified on the RCRA CORRACTS database.

RCRA non-CORRACTS Treatment, Storage and/or Disposal (TSD) Facilities
RCRA non-CORRACTS Treatment, Storage and/or Disposal (TSD) facilities are required to register hazardous waste activity under the Resource Conservation and Recovery Act (RCRA). Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the RCRA non-CORRACTS TSD database.

RCRA Hazardous Waste Generators

Hazardous waste generators tracked under the Resource Conservation and Recovery Act (RCRA) are classified as either Large Quantity Generators (LQGs), Small Quantity Generators (SQGs), or Conditionally Exempt Small Quantity Generators (CESQG). A RCRA-LQG is defined as a facility that generates over 1,000 kilograms (Kg) of hazardous waste, or over 1 Kg of acutely hazardous waste per month. A RCRA-SQG is defined as a facility that generates between 100 Kg and 1,000 Kg of hazardous waste per month. A RCRA-CESQG is defined as a facility that generates less than 100 Kg of hazardous waste, or less than 1 Kg of acutely hazardous waste per month. Neither the Subject Property nor any adjoining properties were identified on the RCRA Generator database.

Federal Engineering Control / Institutional Control Registries

The completion of site cleanup activities may include the implementation of engineering controls or institutional controls as part of the response action. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on Federal Engineering Control or Institutional Control Registries.

Emergency Response Notification System (ERNS)

ERNS is a national database used to collect information regarding reported releases of petroleum products and/or hazardous substances. The database contains information from spill reports submitted to Federal agencies, including the EPA, the U.S. Coast Guard, the National Response Center, and the U.S. Department of Transportation. A review of this database was conducted in order to determine whether any spills or incidents involving releases of hazardous substances or petroleum products have occurred at the Subject Property. The Subject Property was not identified on the ERNS database.

4.1.2 State and Tribal Agency Database Records

State and Tribal equivalent NPL Sites and CERCLIS Sites

State and tribal equivalent NPL and CERCLIS databases were searched for sites located within 1.0 mile and 0.5 mile of the Subject Property, respectively. The Subject Property was not identified on state and/or tribal databases. According to the State Hazardous Waste Site (SHWS) database, 10 SHWS sites are located within 1.0 mile of the Subject Property. Of the listed sites, six sites are located greater than 0.25 miles from the Subject Property. Based upon the distance from the Subject Property, these six sites are considered unlikely to represent an existing release, past release, or material threat of release of hazardous substances or petroleum products on the Subject Property. Information regarding the four SHWS sites located within 0.25 miles of the Subject Property is presented in the following table:

STATE AND TRIBAL EQUIVALENT NPL SITES AND CERCLIS SITES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Levco Metals Property 34-11 36th Street Long Island City, NY	450 feet / West-northwest / Crossgradient	58675	Notification Date: 11/18/1999 Contaminants: SVOCs Media Impacted: Soil & GW Status: SHWS Date of Closure: NA

STATE AND TRIBAL EQUIVALENT NPL SITES AND CERCLIS SITES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Former LUFT Co 34-12 36th Street Long Island City, NY	600 feet / Northwest / Crossgradient	460318	Notification Date: 01/25/2012 Contaminants: TCE, PCE Media Impacted: Soil & GW Status: SHWS Date of Closure: NA
Teitelbaum Cleaners 35-45 35th Street Long Island City, NY	700 feet / West / Downgradient	481508	Notification Date: 05/03/2013 Contaminants: TCE, PCE Media Impacted: Soil & GW Status: SHWS Date of Closure: NA
Standard Motor Products Inc. 37-18 Northern Boulevard Long Island City, NY	900 feet / South / Downgradient	58682	Notification Date: 11/18/1999 Contaminants: SVOCs Media Impacted: Soil & GW Status: SHWS Date of Closure: NA

* Presumed hydrogeologic gradient based upon regional topography

A chlorinated solvent groundwater plume has been identified at a distance of approximately 450 feet west of the Subject Property. Regional groundwater flow appears to trend in a northeast to southwest direction. The Subject Property appears to be located on the southwest edge of a small hill. The Subject Property is located at an elevation of approximately 39 feet above sea level. The impacted properties to the west appear to be located at an elevation of approximately 37 feet above mean sea level. Based upon the separating distance relative to the Subject Property, the presumed groundwater flow direction (southwest), and the slightly greater elevation of the Subject Property relative to the groundwater plume, it is considered unlikely that conditions associated with the plume represent a current environmental concern to the Subject Property.

Based upon the separating distance and/or presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that conditions associated with the remaining identified sites represent an environmental concern to the Subject Property.

State and Tribal Spills Sites (Spills)

A review of available Spills databases was conducted in order to determine whether any spills or incidents involving releases of hazardous substances or petroleum products have occurred at the Subject Property. The Subject Property north adjoining properties were identified on the Spills database.

State and Tribal Landfill Sites and Solid Waste Disposal Sites

The state and tribal landfill and solid waste disposal site databases identify active or inactive landfill and transfer station facilities, as well as open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on state or tribal landfill and solid waste disposal site databases.

State and Tribal Leaking Storage Tank Sites

Leaking Storage Tank Sites are properties where releases of hazardous substances or petroleum products from underground storage tanks (USTs) and/or aboveground storage tanks (ASTs) have been identified and reported to state, tribal, or local agencies. The Subject Property was not identified on state or tribal Leaking Storage Tank databases. However, according to the Leaking Storage Tank

(LTANKS) database, 41 LTANKS sites are located within 0.5 mile of the Subject Property. Of the listed sites, 31 sites are located greater than 0.25 mile from the Subject Property. Based upon the distance from the Subject Property, these 31 sites are considered unlikely to represent an existing release, past release, or material threat of release of hazardous substances or petroleum products on the Subject Property. All ten (10) of the remaining LTANKS sites located within 0.25 mile of the Subject Property have been granted a Closed status by the New York State Department of Environmental Conservation (NYSDEC) and are not located on adjacent or adjoining properties. Based upon the current regulatory status, separating distance, and/or presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that the ten (10) LTANKS sites located within 0.25 miles of the Subject Property represent an environmental concern to the Subject Property.

State and Tribal Registered Storage Tanks

The Subject Property was not identified on state or tribal Registered Storage Tank databases. However, one adjoining property was identified on state or tribal Registered Storage Tank databases. Information regarding the listed sites is presented in the following table:

STATE AND TRIBAL REGISTERED STORAGE TANKS				
Location	**Distance / Direction / Gradient***	**Capacity / Contents**	**Year Installed**	**Status**
38-01 35th Avenue Long Island City, NY	Adjacent / Northeast / Upgradient	(1) 2,500-gallon UST / Fuel Oil	1935	Removed (1993)

* Presumed hydrogeologic gradient based upon regional topography

Based upon the absence of reported releases and/or distance/presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that conditions associated with the identified state or tribal Registered Storage Tank site represent an environmental concern to the Subject Property.

State and Tribal Engineering Control / Institutional Control Registries

The completion of site cleanup activities may include the implementation of engineering controls or institutional controls as part of the response action. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls. The Subject Property was not identified on state or tribal Engineering Control or Institutional Control Registries. However, one site located within 0.5 mile of the Subject Property was identified on state or tribal Engineering Control or Institutional Control Registries. Information regarding the listed site is presented in the following table:

STATE AND TRIBAL ENGINEERING CONTROL / INSTITUTIONAL CONTROL REGISTRIES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Silver Star Auto Parts 37-14 36th Street Long Island City, NY	1,500 feet / Southwest / Downgradient	490213	Notification Date: 12/02/2015 Contaminants: CVOCs, Petroleum Media Impacted: Soil & GW Status: Easement Date of Easement: 03/10/2017

* Presumed hydrogeologic gradient based upon regional topography

Based upon the separating distance and presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that conditions associated with the identified site represent an environmental concern to the Subject Property.

State and Tribal Voluntary Cleanup Sites

The Subject Property was not identified on state or tribal Voluntary Cleanup Site databases. However, two sites located within 0.5 mile of the Subject Property were identified on state or tribal Voluntary Cleanup Site databases. Information regarding the listed sites is presented in the following table:

STATE AND TRIBAL VOLUNTARY CLEANUP SITES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Levco Metals Property 34-11 36th Street Long Island City, NY	450 feet / West-northwest / Crossgradient	57131	Notification Date: 11/18/1999 Contaminants: SVOCs Media Impacted: Soil & GW Status: SHWS Date of Closure: NA
Standard Motor Products Inc. 37-18 Northern Boulevard Long Island City, NY	900 feet / South / Downgradient	58683	Notification Date: 11/18/1999 Contaminants: SVOCs Media Impacted: Soil & GW Status: SHWS Date of Closure: NA

* Presumed hydrogeologic gradient based upon regional topography

Based upon the separating distance and presumed hydrogeologic gradient relative to the Subject Property, as discussed in detail in Section 4.1.2 State and Tribal Equivalent NPL Sites and CERCLIS Sites, it is considered unlikely that conditions associated with the identified Voluntary Cleanup Sites represent an environmental concern to the Subject Property.

State and Tribal Brownfield Sites

The Subject Property was not identified on state or tribal Brownfield Sites databases. However, four sites located within 0.5 mile of the Subject Property were identified on state or tribal Brownfield Sites databases. Information regarding the listed sites is presented in the following table:

STATE AND TRIBAL BROWNFIELD SITES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Teitelbaum Cleaners 35-45 35th Street Long Island City, NY	700 feet / West / Downgradient	481508	Notification Date: 05/03/2013 Contaminants: TCE, PCE Media Impacted: Soil & GW Status: SHWS Date of Closure: NA
Northern Boulevard and Steinway Street Long Island City, NY	900 feet / South / Downgradient	536051	Notification Date: 11/29/2016 Contaminants: Not reported Media Impacted: Not reported Status: Brownfield Date of Closure: NA

STATE AND TRIBAL BROWNFIELD SITES			
Site	**Distance / Direction / Gradient***	**ID No.**	**Regulatory Status**
Silver Star Auto Parts 37-14 36th Street Long Island City, NY	1,500 feet / Southwest / Downgradient	490213	Notification Date: 12/02/2015 Contaminants: CVOCs, Petroleum Media Impacted: Soil & GW Status: Easement Date of Easement: 03/10/2017
31/32 LIC LLC 37-29 31st Street Long Island City, NY	2,200 feet / West / Downgradient	520356	Notification Date: 12/28/2015 Contaminants: CVOCs Media Impacted: Soil & GW Status: Brownfield Date of Closure: NA

* Presumed hydrogeologic gradient based upon regional topography

Based upon the separating distance and presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that conditions associated with the identified Brownfield Sites represent an environmental concern to the Subject Property.

Additional Regulatory Sites

Several other supplemental regulatory databases contained listings for sites within 1.0 mile of the Subject Property. However, the Subject Property was not listed on any of the databases, and the listed sites are not anticipated to have adversely impacted the environmental integrity of the Property based on factors such as the nature of their database listing, distance from the Property, topographic elevation relative to the Property, anticipated groundwater flow direction, and/or regulatory status. The supplemental databases are not ASTM Standard E 1527-13 required regulatory databases.

4.1.3 Local Regulatory Agency Records

Local municipal offices consulted during the completion of this assessment included the following:

City of New York Building Department

EBI reviewed available files regarding the Subject Property at the City of New York Building Department for information regarding past uses of the Subject Property. The original certificates of occupancy for the existing building that the building was first occupied in 1985. The review of Building Department records did not identify past uses of the Subject Property that would constitute a recognized environmental condition.

City of New York Board of Health

EBI has submitted a written request to New York Board of Health for information regarding the generation, transportation, storage, treatment, disposal, and/or spills or releases of hazardous substances or petroleum products at the Subject Property, in accordance with the Freedom of Information Act (FOIA). As of the date of this report, EBI has not received a response to this inquiry. Upon receipt of the agency response, if the provided information has a material effect on the findings of this report, EBI will forward this information as an addendum to this report. If no response is received, or no material information is identified, our report will not be modified.

City of New York Fire Department

EBI has submitted a written request to New York Fire Department for information regarding the generation, transportation, storage, treatment, disposal, and/or spills or releases of hazardous substances or petroleum products at the Subject Property, in accordance with the Freedom of

Information Act (FOIA). As of the date of this report, EBI has not received a response to this inquiry. Upon receipt of the agency response, if the provided information has a material effect on the findings of this report, EBI will forward this information as an addendum to this report. If no response is received, or no material information is identified, our report will not be modified.

4.1.4 Vapor Migration

EBI conducted a vapor migration screening survey of the Subject Property. EBI's site observations and review of the environmental database report (cited in Section 4.1) did not identify any conditions on the Subject Property or on adjoining properties that would indicate a REC relative to vapor migration at the Subject Property.

This vapor migration screening was conducted in accordance with ASTM E1527-13 and is not intended to satisfy the requirements of ASTM E2600-15. The scope of this screening was limited to visual observations and review of the environmental database report and did not include the collection and laboratory analysis of air samples to confirm or refute the presence of airborne contaminants by vapor intrusion.

4.2 PHYSICAL SETTING

4.2.1 Topography

The Subject Property is located at an elevation of approximately 39 feet above mean sea level (msl). The topography of the Subject Property is relatively flat and slopes gently to the southwest. The Subject Property is located in a relatively flat area, and the general slope of the surrounding region is to the southwest (see Figure 2 - Locus Map, which depicts the location of the Subject Property on the Brooklyn USGS 7.5 Minute Topographic Quadrangle).

4.2.2 Geology and Soils

No bedrock outcroppings were observed at the Subject Property. Near-surface geology in heavily developed areas such as the Subject Property and vicinity is considered "urban land" and is characterized by a non-homogeneous distribution of soil and fill types. Excavation and backfilling for building foundations, utility conduits, subway systems and other construction results in a varied subsurface profile. In this setting, estimation of local subsurface parameters such as permeability, moisture content, and organic fraction is not feasible without site-specific testing data.

4.2.3 Hydrogeology and Hydrology

No natural surface water bodies were identified on or adjacent to the Subject Property. The nearest downgradient surface water body is the Dutch Kills/Newton Creek, located approximately 6,000 feet southwest of the Subject Property.

Local groundwater gradient is expected to follow surface topography; therefore, groundwater flow near the Subject Property is expected to flow to the southwest. Groundwater depths and flow gradients are best evaluated by a subsurface investigation involving the installation of at least three groundwater monitoring wells and precise measurements of hydrostatic pressure. Monitoring wells were not observed on the Subject Property.

4.3 HISTORICAL USE OF THE SUBJECT PROPERTY AND ADJOINING PROPERTIES

EBI attempted to determine the history of the Subject Property dating back to 1940 or first developed use. The following table summarizes the historical use of the Subject Property and surrounding area.

HISTORICAL USE SUMMARY			
Period	**Historical Uses**		**Source(s)**
	Subject Property	**Surrounding Area**	
At least 1898-1915	Vacant parcels of land.	Vacant parcels of land.	Fire Insurance Maps Topographic Maps
1915-1930s	Residential dwellings, vacant lots, and a milk pasteurizing facility occupied by Bordens Farm Products Co. Inc.	Residential dwellings and vacant lots.	Aerial Photographs Fire Insurance Maps
1930s-1940s	Residential dwellings, milk pasteurizing facility, and a gasoline filling station. Four gasoline storage tanks are depicted at the filling station on the southeastern portion of the Subject Property.	Garages and commercial facilities.	Aerial Photographs Fire Insurance Maps Topographic Maps
1940s to Early 1970s	Residential dwellings, milk pasteurizing facility, and a truck parking lot. The gasoline filling station is no longer present.	Garages, two gasoline filling stations, commercial, and light industrial facilities.	Aerial Photographs Fire Insurance Maps Topographic Maps
1970s-1983	Vacant dirt lot	Commercial retail and automotive repair.	Aerial Photographs Fire Insurance Maps Topographic Maps Personal Interviews
1984 to Present	Redeveloped into the existing commercial retail structure and parking lot.	Commercial retail and automotive repair.	

No environmentally significant conditions were identified on the Subject Property or surrounding properties during the historical review, except for the following:

- Based upon review of historical resources (aerial photographs, fire insurance maps, and municipal records), the Subject Property was historically improved with a gasoline filling station located on the southeastern portion of the Subject Property in the 1930s. A historical fire insurance map, dated 1936, labeled the filling station with an address of 3540 Steinway Street. Historical street directories indicated that this facility was occupied by Moore's Service Station in 1934 and 1939. Four (4) gasoline tanks were depicted at the filling station on the 1936 fire insurance map. Subsequent fire insurance maps and aerial photographs suggest that the filling station was removed by the 1940s. The area of the former filling station was subsequently used as a truck parking lot from the 1940s to 1970s, and remained vacant until the existing commercial building was constructed in 1984. The southern portion of the existing building is located above the location of the former filling station. A basement is present beneath this portion of the building. No documentation was identified during this assessment regarding removal of the USTs or subsurface soil and/or groundwater characterization at this location. As such, EBI cannot completely dismiss potential subsurface impacts from the former filling station operations and USTs. However, it is EBI's opinion that conditions associated with the former UST systems and historical use of the Subject Property do not represent a current environmental concern to the Subject Property based on the following factors:

  1) The Subject Property was not identified on any regulatory databases that report known or suspected contamination, releases, spills, or violations such as the NPL, SHWS, RCRA, LTANKS, Spills, or SEMS Listings (Section 4.1);

2) The former filling station occupied the southeastern portion of the Subject Property for only approximately 10 years, and associated operations have not occurred on-site for over 75 years.
3) The Subject Property was fully redeveloped in 1984 with the existing retail building, prior to which the property was vacant for approximately 10 years. The historical operations and UST systems therefore predated construction of the existing building and associated excavation and re-grading of soils beneath the entire Subject Property to depths allowable for construction of the existing partial basement and foundation.
4) There is minimal risk of direct contact with soil or groundwater at the Subject Property because the entire site is capped with relatively impermeable surfaces (paving, building foundation, etc.).
5) Groundwater at the site is not used as a source of potable water, and the Subject Property is connected to the public sewer system.
6) The Subject Property is currently occupied by commercial tenants only and does not include any sensitive receptors such as residential tenants, day care facilities, or school classrooms.

If a positive determination of current subsurface conditions from historical operations and former USTs is necessary, then a Phase II investigation could be conducted. However, if a positive determination of current subsurface conditions is not necessary, then a Phase II investigation is not warranted.

4.3.1 Aerial Photographs

Historical aerial photographs may be used to evaluate changes in land use and to identify visible areas of potential environmental concern. A search for historical aerial photographs depicting the Subject Property and vicinity was conducted by Environmental Data Resources, Inc. (EDR). It should be noted that the scale of the available aerial photographs precludes the distinct identification of structures and/or land uses on or in the vicinity of the Subject Property. Aerial photographs depicting the Subject Property were reviewed and are summarized in the following table. Copies of the aerial photographs are presented in Appendix F.

AERIAL PHOTOGRAPH SUMMARY		
Year	**Issues Noted**	**Observations**
1924	No	**Subject Property:** The Subject Property appears to consist of a large industrial facility, vacant land, and residential dwellings.
		Surrounding Area: Properties to the north appear to be improved with large industrial buildings. Adjoining properties to the south appear to be improved with a residential multifamily building and a residential dwelling. The east and west adjacent properties consist of vacant land.
1941	No	**Subject Property:** Conditions on the Subject Property appear to be similar to those depicted on the 1924 photograph, with the exception of additional industrial structures depicted in the formerly vacant land.
		Surrounding Area: Conditions on the surrounding properties appear to be similar to those depicted on the1924 photograph. Additionally, commercial structures are depicted on the southern portions of the east and west adjacent properties.
1954 1966	No	**Subject Property:** Conditions on the Subject Property appear to be similar to those depicted on the 1941 photograph, with the exception of the residential structures no longer being depicted. The southern portion of the Subject Property appears to consist of a truck yard.
		Surrounding Area: Conditions on the surrounding properties appear to be similar to those depicted on 1941 photograph.
1974	No	**Subject Property:** The Subject Property is depicted as a vacant dirt lot. No structures were identified at the Subject Property.
		Surrounding Area: Conditions on the surrounding properties appear to be similar to

AERIAL PHOTOGRAPH SUMMARY		
Year	**Issues Noted**	**Observations**
		those depicted on 1966 photograph.
1980	No	**Subject Property:** Conditions on the Subject Property appear to be similar to those depicted on the 1974 photograph, with the exception of the southern portion of the property being depicted as a parking lot.
		Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted on 1974 photograph.
1984	No	**Subject Property:** The Subject Property is depicted as a vacant dirt lot. No structures were identified at the Subject Property.
		Surrounding Area: Conditions on the surrounding properties appear to be similar to those depicted on 1980 photograph.
1994	No	**Subject Property:** The Subject Property is depicted as it exists in present day. The Subject Property is developed with the existing commercial retail structure and parking lot.
		Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted on 1984 photograph.
2011	No	**Subject Property:** Conditions on the Subject Property appear to be similar to those depicted on the 1984 photograph.
		Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted on 1994 photograph, with the exception of the west adjacent property being redeveloped into the existing structure.

4.3.2 Fire Insurance Maps

A search for historical fire insurance maps depicting the Subject Property and vicinity was conducted by Environmental Data Resources, Inc. (EDR). Historical fire insurance maps depicting the Subject Property were reviewed and are summarized in the following table. Copies of the fire insurance maps are presented in Appendix F.

FIRE INSURANCE MAP SUMMARY		
Year	**Issues Noted**	**Observations**
1898	No	**Subject Property:** The Subject Property is depicted as vacant parcels of land.
		Surrounding Properties: Surrounding properties are depicted as vacant parcels of land.
1915	No	**Subject Property:** The Subject Property is depicted as a mixture of vacant lots, residential dwellings, as well as the Bordens Milk Depot pasteurizing facility. The Milk Depot, consisting of three connected structures, is located on the northeastern corner of the Subject Property. The residential dwellings are located on the southwestern portion of the Subject Property.
		Surrounding Properties: Surrounding properties to the north, east, and west are depicted as vacant lots. Residential dwellings and residential multifamily buildings are depicted on the south adjoining properties.
1936	**Yes**	**Subject Property:** The Subject Property is improved with residential dwellings on the southwestern portion of the property, the Bordens Farm Products Co. Inc. facility on the northeast corner of the Subject Property, and a gasoline filling station on the southeast corner of the Subject Property. The Bordens Farm Products Co. Inc. facility consists of several structures. One structure, identified as the pasteurizing plant, is serviced by a 2,600-gallon tank, with unknown contents. However, this tank is located on the roof, and likely contains water associated with a fire suppression system. The gasoline filling station is addressed as 3540 Steinway Street, and is depicted with two single-story structures and four gasoline storage tanks, located adjacent to the southeastern edge of the Subject Property.

FIRE INSURANCE MAP SUMMARY		
Year	**Issues Noted**	**Observations**
		Surrounding Properties: The north adjacent properties are improved with a loft, a garage (serviced with a gasoline storage tank), and a whole produce warehouse. The south adjoining properties consist of residential dwellings and multifamily buildings. The east adjacent properties are depicted as vacant lots and a garage, which is serviced by two gasoline storage tanks. The west adjacent properties are depicted as a vacant lot and the Kasmir Refinishing Co. Rug Finishing Company.
1947	No	**Subject Property:** Conditions at the Subject Property are similar to those depicted on the 1936 map. However, the gasoline filling station is no longer depicted on the southeastern portion of the Subject Property. The two single-story structures and four gasoline tanks are no longer shown. This portion of the property is now labeled as a truck yard with a single-story storage building. Also to note, the former 2,600-gallon tank within the pasteurizing building has been upgraded to a 35,000-gallon water tank.
		Surrounding Properties: The north adjacent properties are improved with a paper tube manufacturer, a shoe manufacturer, a truck servicing facility, and a gasoline service station containing four gasoline tanks. The south adjoining properties are improved with residential dwellings and multi-family buildings. The east adjacent properties are improved with a gasoline filling station, a playground, truck parking, and The White Motor Co automotive repair facility. The west adjacent properties are improved with a Coca-Cola bottling facility and parking lot.
1950	No	**Subject Property:** Conditions at the Subject Property are similar to those depicted on the 1947 map, with the exception of a two-structure addition to the southern edge of the Bordens Farm Products Co. Inc. facility.
		Surrounding Properties: Conditions on the surrounding properties are similar to those depicted on the 1947 map.
1970	No	**Subject Property:** Conditions at the Subject Property are similar to those depicted on the 1950 map. However, the former residential dwellings on the southwestern portion of the property appear to have been removed. The southern portion of the Subject Property is labeled as a truck parking lot.
		Surrounding Properties: Conditions on the surrounding properties are similar to those depicted on the 1950 map, with the exception of the paper tube manufacturer being depicted as a loft.
1977	No	**Subject Property:** The entire Subject Property is depicted as a vacant lot. All former improvements appear to have been demolished.
		Surrounding Properties: Conditions on the surrounding properties are similar to those depicted on the 1970 map, with the exception of the west adjacent bottling plant being depicted as an automotive sales and service center.
1985, 1986, 1996	No	**Subject Property:** The Subject Property is depicted as it exists in present day. The Subject Property is improved with a large commercial building on its southern half. The building is labeled as built in 1984. A large parking lot is depicted on the northern half of the property.
		Surrounding Properties: Conditions on the surrounding properties are similar to those depicted on the 1977 map, with the exception of the north and east adjacent gasoline filling stations no longer depicted.
2001, 2006	No	**Subject Property:** Conditions at the Subject Property are similar to those depicted on the 1996 map.
		Surrounding Properties: Conditions on the surrounding properties are similar to those depicted on the 1996 map, with the exception of the west adjacent property being redeveloped into a large movie theater.

4.3.3 Topographic Maps

Historical topographic maps provide information related to physical land configuration such as elevation, ground slope, surface water and other features. While most buildings in densely developed urban centers are not depicted, topographic maps typically show structures equal to or larger than the size of a single-family residence in rural areas. Other notable features such as woods, pipelines, municipal boundaries, and areas of filled land are often marked on topographic maps.

A search for historical topographic maps depicting the Subject Property and vicinity was conducted by Environmental Data Resources, Inc. (EDR). Historical topographic maps depicting the Subject Property were reviewed and are summarized in the following table. Copies of the topographic maps are presented in Appendix F.

TOPOGRAPHIC MAP SUMMARY		
Year	**Issues Noted**	**Observations**
1897	No	**Subject Property:** No structures or other notable features are depicted on the Subject Property.
		Surrounding Properties: The surrounding properties are shaded to represent urban development; no distinct structures or other notable features are depicted.
1947 1966 1995 2013	No	**Subject Property:** The Subject Property is shaded to represent urban development; no distinct structures or other notable features are depicted.
		Surrounding Properties: The surrounding properties are shaded to represent urban development; no distinct structures or other notable features are depicted.

4.3.4 Street Directories

Street directories are commercial publications containing names and addresses, and in many cases, occupations of the occupants of a particular community. The directories may also contain information pertaining to business processes conducted within a community. A search for historical street directories was conducted by Environmental Data Resources, Inc. (EDR). Historical street directories were reviewed and are summarized in the following table. Copies of the street directories are presented in Appendix F.

STREET DIRECTORY SUMMARY		
Year	**Issues Noted**	**Occupants**
1934	**Yes**	Frank Teasdal Borden Farm Products (3510 Steinway) Moore's Service Station (3540 Steinway)
1939	**Yes**	Moore's Service Station (3540 Steinway)
1967	No	Borden Co Milk Products (3510 Steinway).
1991	No	Seafood, Bakery, Delicatessen (3518 Steinway).
2000, 2005, 2010, 2014	No	P.C. Richard & Son (3510 Steinway, 3518 Steinway).

4.3.5 Recorded Land Title Records

Land title records provide information on previous ownership of a property. Typically, deeds signifying transfer of a land parcel are recorded in county files and can be researched to determine the identity of

past owners. A "chain of title" is a continuous record of ownership for a specific parcel. A 50-year chain of title search was not included in the scope of work for this assessment.

4.3.6 Property Tax Records

The property card for the Subject Property was obtained at the City of New York Assessor's Office. The property card identifies the current owner as King Kullen Grocery Co Inc., which acquired the property from Steinway Street Associates in 1982. Assessor's Office records indicate that the existing building was constructed in 1984.

4.3.7 Environmental Liens and Activity and Use Limitations

A search for Environmental Liens and Activity and Use Limitations was not included in the scope of this assessment.

4.3.8 Previous Environmental Reports

EBI was not provided with or made aware of previous environmental assessments or other documentation regarding environmental investigations performed for the Subject Property. EBI did not identify previous environmental reports for the Subject Property at local agencies or other sources contacted during this assessment.

4.3.9 Other Historical Records and Interviews

Mr. John Bogdanos, Store Manager, was interviewed to obtain information regarding the history of the Subject Property. According to Mr. Bogdanos, he has been familiar with the Subject Property for approximately 16 years and that P.C. Richard & Son first occupied the Subject Property in 1995. Mr. Bogdanos stated that he was unaware of the use or occupants of the Subject Property prior to 1995.

5.0 SUBJECT PROPERTY RECONNAISSANCE

The Subject Property reconnaissance was conducted by Mr. Scott Barta, EBI Field Assessor, on September 20, 2017. Mr. Barta was accompanied by and interviewed Mr. John Bogdanos, P.C. Richard & Son Store Manager.

5.1 METHODOLOGY AND LIMITING CONDITIONS

The Subject Property reconnaissance consisted of visual and/or physical observations of the Subject Property and improvements, adjoining properties as viewed from the Subject Property boundaries, and the surrounding area based on visual observations made from adjacent public thoroughfares. Building exteriors were observed along the perimeter from the ground, unless described otherwise. Building interiors were observed as they were made safely accessible, unless described otherwise.

At the time of the survey, the weather was overcast and approximately 65° Fahrenheit. During the survey, representative tenant spaces, mechanical spaces, and/or equipment components were observed. There were no significant portions of the Subject Property that were inaccessible or excluded from this survey.

5.2 HAZARDOUS SUBSTANCES AND PETROLEUM PRODUCTS

5.2.1 Hazardous Substances and Petroleum Products (Identified Uses)

Notable hazardous substances or petroleum products in connection with identified uses observed at the Subject Property are described below.

HAZARDOUS SUBSTANCES AND PETROLEUM PRODUCTS			
General Type of Material	**Approximate Quantity / Container / Material**	**Location**	**Storage Condition**
Cleaning Compounds and Janitorial Supplies	Various sized containers, ranging from aerosol cans to one-gallon pails	Janitorial Closet	Good: No leaks or spills

EBI did not identify evidence of significant leaks, spills, or the improper handling of petroleum or hazardous substances that might impact the environmental condition of the Subject Property.

5.2.2 Hazardous Substances and Petroleum Products (Unidentified Uses)

EBI did not observe evidence of hazardous substance or petroleum products containers at the Subject Property that were not in connection with identified uses.

5.2.3 Unidentified Substances Containers

EBI did not observe evidence of unidentified substances containers at the Subject Property.

5.3 WASTE GENERATION, STORAGE, AND DISPOSAL

EBI identified the following waste streams generated at the Subject Property:

WASTE GENERATION, STORAGE, AND DISPOSAL			
Classification	**Type of Waste / Generation Process**	**Type of Storage / Location**	**Disposal Method / Contractor**
Non-regulated Solid Waste	Cardboard Recyclables / Routine Site Operations	1 Hydraulic Compactor/Baler (Receiving Dock)	Corporate
Non-regulated Liquid Waste	Sanitary Sewage / Routine Site Operations	NA (Municipal Sanitary Sewer)	City of New York
Regulated Solid or Liquid Waste	None identified	NA	NA
Biomedical Waste	None identified	NA	NA

No evidence of improper solid waste management or the improper disposal of hazardous substances or petroleum products was observed at the time of reconnaissance.

5.4 UNDERGROUND STORAGE TANKS (USTS) & ABOVEGROUND STORAGE TANKS (ASTS)

5.4.1 Existing Storage Tanks

Based upon site reconnaissance, interviews, and a review of state and local records, EBI identified no evidence of existing USTs or ASTs located at the Subject Property.

5.4.2 Former Storage Tanks

Based upon a review of historical records and previous environmental reports, EBI identified evidence of former USTs located at the Subject Property. These former tanks are further discussed in Section 4.3 of this report.

5.5 OIL-CONTAINING EQUIPMENT AND POLYCHLORINATED BIPHENYLS (PCBS)

Polychlorinated biphenyls (PCBs) are a chemical component of many dielectric fluids, heat transfer fluids, hydraulic fluids, lubricating oils, paints, or coatings manufactured prior to July 2, 1979. Equipment that may potentially contain PCBs includes electrical equipment such as transformers or capacitors or hydraulically operated equipment, such as elevators, compaction equipment, or manufacturing equipment. The manufacture and distribution in commerce of PCBs was banned for use in 1979 by the United States Congress, which enacted the Toxic Substance and Control Act (TSCA). In accordance with *US Code of Federal Regulations Title 40 - Protection of Environment, Chapter I - Environmental Protection Agency, Subchapter R - Toxic Substance Control Act (TSCA), Part 761 - Polychlorinated Biphenyls (PCBs) Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions*, the owner of a transformer or other PCB-containing equipment is responsible for equipment maintenance and remediation in the event of a leak or release.

Based upon the date of construction, no potential PCB-containing equipment was identified at the Subject Property. However, the following oil-containing equipment was identified at the Subject Property:

OIL-CONTAINING EQUIPMENT			
Classification	**Type of Equipment**	**Year Installed / Location**	**Staining / Releases Identified**
Transformers and Fluid-Containing Electrical Equipment	None identified	NA	NA

OIL-CONTAINING EQUIPMENT			
Classification	**Type of Equipment**	**Year Installed / Location**	**Staining / Releases Identified**
Hydraulic Equipment	(1) Cardboard Compactor/Baler	1985 / Receiving Dock	No
Other Oil-containing Equipment	None identified	NA	NA

Oil-containing equipment observed at the Subject Property included one hydraulically-powered cardboard compactor/baler. No staining or other evidence of a release of hydraulic fluid or oil was observed in the vicinity of this equipment.

5.6 ADDITIONAL SITE CONDITIONS

The following is a summary of visual and/or physical observations of the Subject Property on the day of the site visit. Photographs of pertinent Subject Property features are presented in Appendix A.

ADDITIONAL SITE CONDITIONS	
Condition	**Identified**
Interior Drains, Trenches, or Sumps	**Yes**
Interior Stains or Corrosion	No
Unusual Odors	No
Interior Pools of Liquid	No
Stained Soil or Pavement	No
Stressed Vegetation	No
Indications of Solid Waste Disposal	No
Exterior Pits, Ponds, or Lagoons	No
Wastewater or Stormwater Discharge/Disposal	No
Oil-Water Separators or Clarifiers	No
Septic Systems or Cesspools	No
Wells (Drinking Water Wells, Monitoring Wells, Agricultural/Irrigation Wells, or Process Water Wells)	No
Petroleum or Natural Gas Pipelines/Easements	No

A floor drain was observed in the basement mechanical room. The floor drain reportedly discharges to the municipal sewer system. No staining or other evidence of a release of hazardous substances or petroleum products was observed in the vicinity of the floor drain.

6.0 INTERVIEWS

The site contact or Key Site Manager was contacted to be interviewed to obtain information regarding recognized environmental conditions in connection with the property. Additionally, a Pre-Survey Questionnaire was forwarded to the designated Subject Property contact. The Pre-Survey Questionnaire has not been completed and returned to our offices. It should be noted that the Subject Property contact has declined to complete the Pre-Survey Questionnaire. The information requested in the Pre-Survey Questionnaire is intended to assist in gathering information that may be material to identifying recognized environmental conditions in connection with the Subject Property.

KEY SITE MANAGER INTERVIEW			
Contact / Affiliation	**Date of Communication**	**Years Associated with Subject Property**	**Telephone No.**
Mr. John Bogdanos Store Manager P.C. Richard & Son	9/20/2017	16	(718) 433-1000

The following additional persons were interviewed to obtain information regarding recognized environmental conditions in connection with the property.

ADDITIONAL INTERVIEWS			
Contact / Affiliation	**Date of Communication**	**Years Associated with Subject Property**	**Telephone No.**
Mr. Tom Pohmer PC Richards & Son	9/18/2017	NA	(516) 924-9063
New York Department of Inspectional Services On-line Database	09/19/2017	NA	http://a810-bisweb.nyc.gov

Pertinent information from the interviews is presented in applicable sections of this report.

7.0 CONSIDERATIONS OUTSIDE THE SCOPE OF ASTM PRACTICE E 1527-13

The following sections address environmental issues or considerations at the Subject Property that parties may wish to assess in connection with commercial real estate that are outside the scope of ASTM Practice E 1527-13 (non-scope considerations).

7.1 ASBESTOS-CONTAINING MATERIAL (ACM)

Asbestos is a term used to describe a group of six naturally occurring crystalline fiber minerals. Asbestos has excellent thermal stability, a high degree of tensile strength, and has been used extensively in the textile, insulation, and building industries, particularly as a component in fireproofing, decorative coatings, insulation materials, and as reinforcement for plaster binders in building products. Asbestos-containing building materials are generally classified as friable or non-friable. Friable materials are those that can be crumbled, pulverized, or reduced to powder by hand pressure, or by normal use or maintenance can be expected to emit asbestos fibers into the air. Non-friable ACM is a potential concern if it is damaged by maintenance work, demolition, or other activities, at which time it may be considered friable.

EBI conducted a limited visual screening survey for the presence of ACM at the Subject Property. EBI identified friable suspect ACM in the form of sheetrock/joint compound composite material, 2'x4' white perforated acoustical ceiling tile and non-friable suspect ACM in the form of vinyl floor tile and associated mastic, various construction mastics and caulking. These materials were observed to be undamaged and in good condition at the time of assessment. Please note that this survey was limited to visual observations of accessible areas and that the scope of work for this assessment did not include the collection and laboratory analysis of bulk samples of suspect ACM. Additional suspect ACM may be present in inaccessible areas, including, but not limited to, roofs, pipe chases behind solid walls and ceilings, concealed floor coverings, the interior of machinery or equipment, or water and sewer systems.

It should be noted that the limited visual screening survey conducted under the scope of work for this assessment does not constitute a full asbestos inspection, in which all areas of the building would have been thoroughly surveyed and sampled. The possibility exists for ACM to be present in areas of the building not accessed or sampled by EBI personnel. Based on the limited scope of this assessment, additional suspect ACM may also present in areas of the building that were accessed as part of this assessment.

Due to the continued distribution of a wide variety of asbestos-containing building materials, asbestos may be present in some of the roofing, flooring, wall and ceiling materials, caulking/putties, adhesives, spackling compounds, and insulation materials, as well as other building materials that may be used at the Subject Property. Sampling many of these materials requires techniques that may be destructive to subject facilities, and in the case of roofing material, may void warranties. It is recommended that an asbestos inspection be performed in accordance with all applicable federal, state, and local regulatory requirements prior to renovation, demolition, or other activities that could cause a material disturbance. Any removal or disturbance of ACM or suspect ACM should be performed by properly trained personnel and in compliance with federal, state, and local regulations.

7.2 RADON

Radon is a naturally-occurring, colorless and odorless radioactive gas that is generated primarily in granitic rocks. The United States Surgeon General has published information that radon is a cause of lung cancer. Radon usually enters a building through openings in the foundation, and therefore is a potential health concern to residents of the lowest level of a building with inadequate ventilation.

The EPA Map of Radon Zones indicates that Queens County is located within a Zone 3 radon area. Zone 3 is defined as an area that has a low potential for radon gas, with a predicted average indoor radon screening level less than 2.0 picoCuries per liter (pCi/L). The EPA recommended Action Level for radon is 4.0 pCi/L.

Based upon the non-residential nature of the Subject Property and in accordance with the scope of work for this assessment, EBI did not conduct a limited short-term radon screening at the Subject Property.

7.3 LEAD-BASED PAINT (LBP)

Use of lead in household paint was banned by the U.S. Environmental Protection Agency (EPA) effective January 1, 1978. The EPA and the U.S. Department of Housing and Urban Development (HUD) consider lead-based paint as containing a lead concentration equal to or greater than 1.0 milligram per square centimeter (mg/cm^2) or 0.5% lead by weight, as defined by Title X of the 1992 Housing and Community Development Act.

Based on the non-residential use of the existing building and in accordance with the scope of work of this assessment, a lead-based paint (LBP) survey was not conducted at the Subject Property.

7.4 LEAD IN DRINKING WATER

Lead has historically been used in pipes, solder, and brass fixtures used in water distribution systems and building plumbing systems. In 1986, EPA banned the use of lead at concentrations exceeding 0.2% lead in solder and 8% lead in other plumbing materials. Lead in drinking water results primarily from corrosion of lead containing materials in service lines or from corrosion of lead containing materials in building plumbing systems such as lead solder, brass, bronze, and other lead containing alloys. The EPA Action Level for lead in public drinking water supplies is 0.015 parts per million (ppm) or 0.015 milligrams per liter (mg/L).

Municipal water service is anticipated to be provided to the Subject Property by the NYCDEP. Potable water for the City of New York is reportedly obtained from surface water supplied from a network of 19 reservoirs and three controlled lakes in a nearly 2,000 square-mile watershed, and a groundwater supply system in southeastern Queens. Based upon review of the New York City 2016 Drinking Water Supply and Quality Report, the municipal water supply meets all current criteria established by the Safe Drinking Water Act (SDWA) and local municipal drinking water standards, including those for lead. Based upon the existing municipal water service and in accordance with the scope of work for this assessment, EBI did not conduct lead-in-drinking water sampling at the Subject Property.

8.0 FINDINGS AND OPINIONS

EBI has performed this Phase I Environmental Site Assessment of the Subject Property in conformance with the scope and limitations of ASTM Standard E 1527-13. Any exceptions to, or deletions from, this practice are described in Section 1.0 of this report. This assessment has identified no evidence of *recognized environmental conditions (RECs)* in connection with the Subject Property, except for the following:

- Based upon review of historical resources (aerial photographs, fire insurance maps, and municipal records), the Subject Property was historically improved with a gasoline filling station located on the southeastern portion of the Subject Property in the 1930s. A historical fire insurance map, dated 1936, labeled the filling station with an address of 3540 Steinway Street. Historical street directories indicated that this facility was occupied by Moore's Service Station in 1934 and 1939. Four (4) gasoline tanks were depicted at the filling station on the 1936 fire insurance map. Subsequent fire insurance maps and aerial photographs suggest that the filling station was removed by the 1940s. The area of the former filling station was subsequently used as a truck parking lot from the 1940s to 1970s, and remained vacant until the existing commercial building was constructed in 1984. The southern portion of the existing building is located above the location of the former filling station. A basement is present beneath this portion of the building. No documentation was identified during this assessment regarding removal of the USTs or subsurface soil and/or groundwater characterization at this location. As such, EBI cannot completely dismiss potential subsurface impacts from the former filling station operations and USTs. However, it is EBI's opinion that conditions associated with the former UST systems and historical use of the Subject Property do not represent a current environmental concern to the Subject Property based on the following factors:

  7) The Subject Property was not identified on any regulatory databases that report known or suspected contamination, releases, spills, or violations such as the NPL, SHWS, RCRA, LTANKS, Spills, or SEMS Listings (Section 4.1);
  8) The former filling station occupied the southeastern portion of the Subject Property for only approximately 10 years, and associated operations have not occurred on-site for over 75 years.
  9) The Subject Property was fully redeveloped in 1984 with the existing retail building, prior to which the property was vacant for approximately 10 years. The historical operations and UST systems therefore predated construction of the existing building and associated excavation and re-grading of soils beneath the entire Subject Property to depths allowable for construction of the existing partial basement and foundation.
  10) There is minimal risk of direct contact with soil or groundwater at the Subject Property because the entire site is capped with relatively impermeable surfaces (paving, building foundation, etc.).
  11) Groundwater at the site is not used as a source of potable water, and the Subject Property is connected to the public sewer system.
  12) The Subject Property is currently occupied by commercial tenants only and does not include any sensitive receptors such as residential tenants, day care facilities, or school classrooms.

  If a positive determination of current subsurface conditions from historical operations and former USTs is necessary, then a Phase II investigation could be conducted. However, if a positive determination of current subsurface conditions is not necessary, then a Phase II investigation is not warranted.

In addition, the following *consideration outside the scope of ASTM Practice E 1527-13* was identified:

- EBI conducted a limited visual screening survey for the presence of ACM at the Subject Property. EBI identified friable suspect ACM in the form of sheetrock/joint compound composite material, 2'x4' white perforated acoustical ceiling tile and non-friable suspect ACM in the form of vinyl floor tile and associated mastic, various construction mastics and caulking. These materials were observed to be undamaged and in good condition at the time of assessment. Please note that this survey was limited to visual observations of accessible areas and that the scope of work for this assessment did not include the collection and laboratory analysis of bulk samples of suspect ACM. Additional suspect ACM may be present in inaccessible areas, including, but not limited to, roofs, pipe chases behind solid walls and ceilings, concealed floor coverings, the interior of machinery or equipment, or water and sewer systems. Based on the condition of suspect ACM, these materials do not currently pose a significant environmental threat to the occupants of the Subject Property. Suspect ACM do not present a problem when maintained in good condition. However, additional sampling, removal, and disposal arrangements may be necessary should building construction or renovation activities be conducted. Asbestos is a condition outside the scope of ASTM E 1527-13 and is not considered a recognized environmental condition (REC).

9.0 RECOMMENDATIONS

Based upon the findings of this investigation, EBI offers the following recommendations:

- EBI recommends the development and implementation of an Asbestos Operations and Maintenance (O&M) Plan for the Subject Property. This O&M Plan provides the procedures and guidelines that, when used during facility cleaning, maintenance, and general operations, will minimize human exposure to asbestos fibers and minimize release of asbestos fibers to the environment. This O&M Plan is a long term management approach. Estimated cost: $500. EBI additionally recommends that a comprehensive asbestos inspection be conducted prior to significant renovation or demolition of the building.

10.0 REFERENCES

PHASE I ENVIRONMENTAL SITE ASSESSMENT REFERENCES

ASTM Designation E 1527-13 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

Environmental Data Resources, Inc., EDR Aerial Photo Decade Package; Inquiry Number 5036685.9, dated August 30, 2017.

Environmental Data Resources, Inc., EDR Certified Sanborn Map report; Inquiry Number 5036685.3, dated August 30, 2017.

Environmental Data Resources, Inc., EDR Historical Topographic Map report; Inquiry Number 5036685.4, dated August 30, 2017.


Environmental Data Resources, Inc., The EDR Radius Report with GeoCheck®; Inquiry Number 05036685.2r, dated August 30, 2017.

Environmental Data Resources, Inc., The EDR-City Directory Abstract; Inquiry Number 5036685.5, dated August 30, 2017.

USGS Topographic Map, Brooklyn, New York Quadrangle, 7.5-Minute Series.

APPENDIX A

PHOTOGRAPHS



1.	Subject Property.



2.	Subject Property parking lot.



3.	North edge of Subject Property.



4.	Loading dock area at southwest corner of Subject Property.



5.	East edge of Subject Property.



6.	West edge of Subject Property.



7.	North adjacent property.



10.	South adjacent property along Steinway.



8.	North adjacent property.



11.	South adjacent property along 38th Street.



9.	North adjacent property.



12.	East adjacent park.



13. East adjacent automotive repair facilities.



14. West adjacent cinema.




15. Interior showcase floor.



16. Interior showcase floor.



17. Interior loading dock.



18. Basement storage.



19.	Basement electrical.



22.	Hydraulic bailer.



20.	Basement natural gas meter.



23.	Loading dock.




21.	Floor drain.



24.	Loading dock.

APPENDIX B

FIGURES



Legend

★ Project Site

Site Radius at ¼ and ½ mile

Source: Selected data from EBI, ESRI, US Census Bureau, USGS & USFWS

Date: 9/21/2017

Figure 1: Site Location Map

PC RICHARDS STORE
35-30 STEINWAY STREET, BLOCK 668 LOT 5
QUEENS, NY

PN: 1117005083

EBI Consulting
environmental | engineering | due diligence



Legend

- ★ Project Site
- Site Radius at ¼ and ½ mile

Source: Selected data from ESRI, EBI & USGS

USGS 24K Quad: Central Park, NY 1986, Brooklyn, NY 1986

Date: 9/21/2017

Figure 2 - Topographic Map

PC RICHARDS STORE
35-30 STEINWAY STREET, BLOCK 668 LOT 5
QUEENS, NY

PN: 1117005083

EBI Consulting
environmental | engineering | due diligence



FIGURE 3 – SITE PLAN

Not to scale




FIGURE 4 – TAX MAP

Not to scale

APPENDIX C

PRE-SURVEY QUESTIONNAIRE AND OTHER RELEVANT DOCUMENTATION

FINAL ASSESSMENT ROLL 2017-2018 | City of New York

Taxable Status Date: January 5, 2017

EXPLANATION OF ASSESSMENT ROLL

View May 25, 2017 - Market Value History
View 2017 TENTATIVE ASSESSMENT ROLL
View January 15, 2017 - Market Value History
View 2016 FINAL ASSESSMENT ROLL
View May 25, 2016 - Market Value History
View January 15, 2016 - Market Value History
View 2016 TENTATIVE ASSESSMENT ROLL
View 2015 FINAL ASSESSMENT ROLL
View May 25, 2015 - Market Value History
View January 15, 2015 - Market Value History
View 2015 TENTATIVE ASSESSMENT ROLL
View 2014 FINAL ASSESSMENT ROLL
View May 25, 2014 - Market Value History
View January 15, 2014 - Market Value History
View 2014 TENTATIVE ASSESSMENT ROLL
View May 25, 2013 - Market Value History
View 2013 FINAL ASSESSMENT ROLL
View 2013 TENTATIVE ASSESSMENT ROLL
View January 15, 2013 - Market Value History
View May 25, 2012 - Market Value History
View 2012 FINAL ASSESSMENT ROLL
View 2012 TENTATIVE ASSESSMENT ROLL
View May 25, 2011 - Market Value History
View 2011 FINAL ASSESSMENT ROLL
View 2011 TENTATIVE ASSESSMENT ROLL
View January 15, 2011 - Market Value History
View May 25, 2010 - Market Value History
View 2010 FINAL ASSESSMENT ROLL
View 2010 TENTATIVE ASSESSMENT ROLL
View 2009 FINAL ASSESSMENT ROLL
View 2008 FINAL ASSESSMENT ROLL
View 2007 FINAL ASSESSMENT ROLL
View 2006 FINAL ASSESSMENT ROLL

Parcel Information

Previous BBL Next BBL

Owner Name:
KING KULLEN GROC.CO,INC

Property Address and Zip Code:
35-30 STEINWAY STREET 11101

Real Estate Billing Name and Address:
KING KULLEN GROC CO INC
185 CENTRAL AVE
BETHPAGE NY 11714

Borough: QUEENS
Block: 668
Lot: 5

Tax Class: 4
Building Class: K1 Codes

Land Information

Lot Size	Irregular	Corner
408.06FT X 185.96FT	IRREG	SW

Building Information

Number of Buildings	Building Size	Extension	Stories
1	186.00FT X 176.00FT		1

Assessment Information

Description	Land	Total
ESTIMATED MARKET VALUE		9,174,000
ACTUAL AV	2,643,300	4,128,300
ACTUAL EX AV	0	0
TRANS AV	2,643,300	3,695,580
TRANS EX AV	0	0

Taxable/Billable Assessed Value

	Assessed Value
SUBJECT TO ADJUSTMENTS, YOUR 2017/18 TAXES WILL BE BASED ON	3,695,580

Property is assessed at the following uniform percentages of full market value, unless limited to a lesser amount by law:

Class 1 - 6% **Class 2 - 45%** **Class 3 - 45%** **Class 4 - 45%**

Statements List | Select a BBL | Logon to NYCProperty

B Form 54 (Rev 8/82)

THE CITY OF NEW YORK

600,000

DEPARTMENT OF BUILDINGS
CERTIFICATE OF OCCUPANCY

BOROUGH QUEENS DATE: 6/28/85 NO. Q. 302502 TEMPORARY.

This certificate supersedes C.O. No ZONING DISTRICT M1-1

THIS CERTIFIES that the new building premises located at

35-30 STEINWAY ST. Block 668 Lot 569

CONFORMS SUBSTANTIALLY TO THE APPROVED PLANS AND SPECIFICATIONS AND TO THE REQUIREMENTS OF ALL APPLICABLE LAWS, RULES, AND REGULATIONS FOR THE USES AND OCCUPANCIES SPECIFIED HEREIN

PERMISSIBLE USE AND OCCUPANCY MB. 127/82

STORY	LIVE LOAD LBS PER SQ FT	MAXIMUM NO OF PERSONS PERMITTED	ZONING DWELLING OR ROOMING UNITS	BUILDING CODE HABITABLE ROOMS	ZONING USE GROUP	BUILDING CODE OCCUPANCY GROUP	DESCRIPTION OF USE
Cellar	O.G.				6		MECHANICAL SPACE, TOILETS
1st.	100				6	C.	SUPERMARKET WITH ACCESSORY SERVICE ROOMS.
							(3) ACCESSORY OFF-STREET LOADING AND UNLOADING BERTHS
							(107) ACCESSORY OFF-STREET PARKING SPACES (UNATTENDED)
							7200 sq. ft. FOR (36) ATTENDED PARKING SPACES.

THIS CERTIFICATE MUST BE POSTED IN A CONSPICUOUS PLACE IN COMPLIANCE WITH THE RULES OF THE DEPARTMENT, 1967.

NOTE: THE ABOVE USE FOR A TEMPORARY PERIOD OF (60) DAYS ONLY. SAME TO EXPIRE: 8/28/85.

NOTE: 1-FIRE DEPARTMENT APPROVAL FOR ANSUL SYSTEM REQUIRED.
2-HIGHWAY APPROVAL REQUIRED.
3-SPRINKLER APPLICATION TO BE COMPLETED.

NOTE: SIDEWALKS AND CURBS ARE ALL NEW AND ACCESS IS PROVIDED FOR FIRE DEPARTMENT AS PER CONSTRUCTION INSPECTOR.

NOTE: TWO FIRE WATCHES WITH FIRE DEPARTMENT CERTIFICATE ARE TO BE IN ATTENDANCE DURING OPERATION OF SUPERMARKET.

NOTE: THIS IS A TERMINAL TEMPORARY CERTIFICATE OF OCCUPANCY - NO FURTHER RENEWALS WILL BE GRANTED.

OPEN SPACE USES
(SPECIFY - PARKING SPACES, LOADING BERTHS, OTHER USES, NONE)

NO CHANGES OF USE OR OCCUPANCY SHALL BE MADE UNLESS A NEW AMENDED CERTIFICATE OF OCCUPANCY IS OBTAINED

THIS CERTIFICATE OF OCCUPANCY IS ISSUED SUBJECT TO FURTHER LIMITATIONS, CONDITIONS AND SPECIFICATIONS NOTED ON THE REVERSE SIDE.

BOROUGH SUPERINTENDENT COMMISSIONER

☐ ORIGINAL ☑ OFFICE COPY - DEPARTMENT OF BUILDINGS ☐ COPY

B Form 54 (Back) (Rev. 8/82)

THAT THE ZONING LOT ON WHICH THE PREMISES IS LOCATED IS BOUNDED AS FOLLOWS:

BEGINNING at a point on the SOUTHWEST corner formed by the intersection of 35th AVENUE and STEINWAY ST.

running thence ..... feet, thence ..... feet,
thence S. 408.05 feet; thence W. 185.50 feet,
thence N. 402.32 feet; thence E. 185.96 feet,
thence ..... feet; thence ..... feet,
to the point or place of beginning.

N.B. No. 127/82 DATE OF COMPLETION 6/20/85 CONSTRUCTION CLASSIFICATION ID
BUILDING OCCUPANCY GROUP CLASSIFICATION C. HEIGHT 1 STORIES, 22'-4" FEET

THE FOLLOWING FIRE DETECTION AND EXTINGUISHING SYSTEMS ARE REQUIRED AND WERE INSTALLED IN COMPLIANCE WITH APPLICABLE LAWS.

NONE

	YES	NO		YES	NO
STANDPIPE SYSTEM			AUTOMATIC SPRINKLER SYSTEM		
YARD HYDRANT SYSTEM					
STANDPIPE FIRE TELEPHONE AND SIGNALLING SYSTEM					
SMOKE DETECTOR					
FIRE ALARM AND SIGNAL SYSTEM					

STORM DRAINAGE DISCHARGES INTO:
A) STORM SEWER [ ] B) COMBINED SEWER [X] C) PRIVATE SEWAGE DISPOSAL SYSTEM [ ]

SANITARY DRAINAGE DISCHARGES INTO:
A) SANITARY SEWER [ ] B) COMBINED SEWER [X] C) PRIVATE SEWAGE DISPOSAL SYSTEM [ ]

LIMITATIONS OR RESTRICTIONS:
BOARD OF STANDARDS AND APPEALS CAL. NO.
CITY PLANNING COMMISSION CAL. NO. C810326BSQ
OTHERS: BD. OF ESTIMATE CAL NO. 63.

Kim Holland

From: Kim Holland
Sent: Friday, September 1, 2017 3:41 PM
To: 'pete@kaufmanastoria.com'
Subject: 1117005083 Queens NY ESA Questionnaire
Attachments: 1117005083 Queens NY ESA Questionnaire.doc

Dear Mr. Romano,

Attached is the questionnaire for PC Richards Store located in Queens, NY (EBI Project No. 1117005083). Our company has been hired to complete an Environmental Site Assessment Report for this property. Your name has been provided as the site contact. If you would, please fill out the attached document and return at your earliest convenience, or forward to the appropriate contact. Completion of this document will assist our scientist in the accuracy of his/her report of the Environmental Survey he/she is performing.

The scientist assigned to this project will be contacting you to make an appointment for the site visit. Please save all site plans, surveys and maps for the scientist to view on-site during the visit. Thank you in advance for your assistance.

Sincerely,

Kim Holland
RE Research Manager
P: 717.428.0401 x 1212| F: 781.425.3623
6876 Susquehanna Trail S | York, PA 17403
kholland@ebiconsulting.com

EBI Consulting
environmental | engineering | due diligence

APPENDIX D

PROFESSIONAL QUALIFICATIONS

EBI Consulting
environmental | engineering | due diligence

Scott Barta
Staff Scientist
21 B Street
Burlington, MA 01803
Office: 781.425.5126 Mobile: 978.857.0167

SUMMARY OF EXPERIENCE

Mr. Barta is a staff scientist specializing in Phase I Environmental Site Assessments (ESAs) within the commercial real estate industry. Since November 2014, Mr. Barta has completed over 100 Phase I Environmental Site Assessments, which have been used to evaluate current and historic environmental conditions for real estate transactions. Mr. Barta has developed a detailed understanding of environmental issues for commercial and residential properties. Additionally, Mr. Barta has participated in the oversight of remedial activities, primarily dust monitoring and soil removal for Massachusetts Hazardous Waste Sites.

RELEVANT PROJECT EXPERIENCE

Phase I Environmental Site Assessments: Mr. Barta has conducted ASTM Phase I Environmental Site Assessments for several commercial and residential properties in the northeast United States. Assessments have adhered to the ASTM E 1527-13 standard. Additional services provided, as conditions outside of the ASTM standard, have included asbestos inspections, lead paint sampling, and radon sampling.

Remediation: Mr. Barta has conducted dust monitoring and soil removal oversight activities to maintain a safe work zone and ensure proper disposal of contaminated soils. Projects include the 26 Howley Street bridge construction project, the Mishawum Road Dave and Busters construction, and the Jet Aviation parking lot construction.

Subsurface Investigations: Mr. Barta has conducted groundwater gauging and sampling activities in support of due diligence Phase 2 subsurface investigations. Sites include Hanscom Air force Base and Beacon Street in Somerville Massachusetts.

EDUCATION

B.S. Environmental Science and Policy, Plymouth State University, Plymouth, NH, 2012

PROFESSIONAL REGISTRATIONS

Asbestos Inspector Accreditation, 2015
ASTM E 1527 Phase I Environmental Site Assessment Training, 2014
U.S. Department of Housing and Urban Development (HUD) Lead Based Paint Visual Assessment Training Course, 2014

EBI Consulting
environmental | engineering | due diligence

Jon Hickey
Program Manager
200 East 78th Street, 2B
New York, NY 10075
Mobile: 917.804.5470
Fax: 617.715.6572

SUMMARY OF EXPERIENCE

Mr. Hickey is a Program Manager with over 10 years of experience specializing in environmental site assessments and property condition assessments for the real estate and telecommunications industries. Mr. Hickey has successfully completed hundreds of project assignments pertaining to property transaction due diligence site assessments including: Transaction Screens; Phase I Environmental Site Assessments; peer report reviews, and Property Condition Assessments. In addition, Mr. Hickey has extensive experience overseeing subsurface investigations, remediation projects, and asbestos and lead-based paint surveys. At EBI, Mr. Hickey currently performs technical reviews of Phase I Environmental Site Assessment reports and peer reports, and provides project coordination and portfolio management. Mr. Hickey works closely with lending institutions, corporate environmental officers, legal counsel, and real estate brokers to develop strategies for managing properties with environmental concern.

RELEVANT PROJECT EXPERIENCE

Mr. Hickey has over 10 years of experience conducting environmental assessments for commercial, industrial, and multi-family residential properties located nationwide and in Canada. Mr. Hickey has extensive experience conducting environmental assessments for real estate and telecommunications sites located throughout the New York metropolitan area. These assessments were performed to evaluate current and historic site conditions, potential off-site liabilities, environmental control systems, and site remediation costs in order to advise prospective buyers, operators and owners of potential and existing environmental concerns.

In addition to environmental assessments, Mr. Hickey has performed hundreds of property condition assessments for various property owners and financial institutions for portfolios and individual projects in the Northeast and Canada. Projects completed ranged in size and complexity from small single-family residences and individual businesses, to multi-story apartment buildings and multi-building shopping centers.

Mr. Hickey has also conducted various stages of technical investigations including subsurface investigations, remediation projects, environmental compliance audits, and hazardous materials surveys. These investigations have included the management, installation, and oversight of soil borings, soil vapor points, and groundwater monitoring wells utilizing various sampling techniques such as direct-push, auger, and air rotary, and the sampling of environmental media. Property types have ranged from heavily industrialized to residential properties.

EDUCATION

B.A.Sc. Environmental Engineering, University of Toronto, Toronto, Ontario, Canada

PROFESSIONAL REGISTRATIONS

Registered Intern Engineer in the State of New York
Registered Professional Engineer, Ontario, Canada (License No. 100125988)
New York State Department of Labor Certified Asbestos Inspector
U.S. EPA Certified Lead-Based Paint Inspector in the State of New York
OSHA 40-Hour Hazardous Waste Operations Certification

APPENDIX E

REGULATORY DATABASE REPORT

PC Richards Store
35-30 Steinway Street, Block 668 Lot 5
Long Island City, NY 11101

Inquiry Number: 05036685.2r
August 30, 2017

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	617
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

COORDINATES

Latitude (North):	40.7545890 - 40° 45' 16.52''
Longitude (West):	73.9231430 - 73° 55' 23.31''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	590903.6
UTM Y (Meters):	4511861.0
Elevation:	39 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5940599 CENTRAL PARK, NY
Version Date:	2013
South Map:	5940597 BROOKLYN, NY
Version Date:	2013

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20150729, 20150522
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
1	CAB SERVICE & PARTS	35-30 38TH ST	EDR Hist Auto	Lower	169, 0.032, WNW
A2	M T I AUTO CENTER IN	35-25 STEINWAY ST	EDR Hist Auto	Higher	207, 0.039, ESE
B3	QPII-35-48 STEINWAY	35-48 STEINWAY STREE	NY AST	Higher	211, 0.040, SSW
A4	MILLER INC BRIAN JAN	3535 STEINWAY ST	EDR Hist Auto	Higher	212, 0.040, SSE
B5	35-52 STEINWAY STREE	35-52 STEINWAY STREE	NY AST	Lower	265, 0.050, SSW
6	SATURN OF LONG ISLAN	3549 STEINWAY ST	EDR Hist Auto	Higher	291, 0.055, SSE
7	TAZ MOTORS	3543 37TH ST	EDR Hist Auto	Lower	333, 0.063, WNW
C8	CONSOLIDATED EDISON	38 ST & 35 AVE MH174	NY MANIFEST	Lower	342, 0.065, North
D9	NYCDEP - SHAFT 11A	35TH AVE & STEINWAY	RCRA NonGen / NLR	Higher	347, 0.066, NE
D10	NYCDEP - SHAFT 11A	35TH AVE & STEINWAY	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	347, 0.066, NE
E11	BACCHUS RES	3715 36TH AVE	NY Spills	Lower	348, 0.066, WSW
F12	RICHIES AUTO	3526 41ST ST	EDR Hist Auto	Higher	348, 0.066, ESE
E13	CONSOLIDATED EDISON	36 AVE & 38 ST MH174	NY MANIFEST	Lower	360, 0.068, SW
G14	CON ED - TM 1000	N/S 36 AVE 30 W/O ST	RCRA NonGen / NLR, NY MANIFEST	Lower	368, 0.070, South
C15	38-01 35TH AV	38-01 35 AVE	NY UST	Lower	387, 0.073, NNE
16	JET SERVICE STATION	36-01 38TH ST	EDR Hist Auto	Lower	397, 0.075, SW
E17	JEWEL SHEEN COATING	37-07 36TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	400, 0.076, WSW
G18	G & C LINCOLN AUTO S	3602 STEINWAY ST	EDR Hist Auto	Lower	413, 0.078, SSW
G19	RICHELLE R M INC	36-04 STEINWAY ST	EDR Hist Auto	Lower	426, 0.081, SSW
G20	E & Y AUTO	3606 STEINWAY ST	EDR Hist Auto	Lower	435, 0.082, SSW
F21	CLOSED-LACKOF RECENT	35-13 41ST STREET	NY LTANKS	Higher	437, 0.083, ESE
22	KASSABIAN ASSOC LLC	35-18 37TH ST	NY AST	Higher	438, 0.083, NNW
E23	HACHMANN REALTY CORP	36-02 38 STREET	NY UST	Lower	439, 0.083, SW
G24	36-11 STEINWAY ST	36-11 STEINWAY STREE	NY AST	Lower	444, 0.084, SSW
E25	SILVER STAR AUTO RES	37-14 36TH STREET	NY UST, NY AST, NY INST CONTROL, NY BROWNFIELDS,...	Lower	457, 0.087, WSW
G26	KT & T LLC	40-04 36TH AVE	NY AST	Lower	469, 0.089, South
H27	JOHN & PETER AT TRAN	34-48 STEINWAY ST	EDR Hist Auto	Higher	476, 0.090, NE
I28	EQUITABLE BAG CO INC	37-11 35TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	478, 0.091, North
J29	TM #2244	35 AVENUE & WEST 37	NY Spills	Lower	492, 0.093, NNW
J30	CON EDISON	59-35 58 AVE	NY MANIFEST	Lower	500, 0.095, NNW
J31	CON EDISON	F/O 30-07 35TH AVE	NY MANIFEST	Lower	500, 0.095, NNW
K32	CONSOLIDATED EDISON	41ST & 35 AVE V8552	NY MANIFEST	Higher	509, 0.096, East
H33	ALEX SERVICE STATION	34-49 STEINWAY ST	EDR Hist Auto	Higher	523, 0.099, NE
L34	36-12 38TH STREET	36-12 38TH STREET	NY AST	Lower	525, 0.099, SW
35	FIRST NATIONAL AUTOL	34-35 38TH ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	544, 0.103, NNE
M36	EMIL PUSWALD	36-13 36 AVE	NY UST	Lower	545, 0.103, West
I37	CON EDISON	34-79 37TH ST	NY MANIFEST	Lower	550, 0.104, North
I38	CON EDISON	34-79 37TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	550, 0.104, North
I39	CON EDISON	34-79 37TH ST	NJ MANIFEST	Lower	550, 0.104, North

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
40	CHRISMAR EQUITIES CO	34-50 41ST STREET	NY AST	Higher	556, 0.105, ENE
L41	NICHOLAS YAVALDAKIS	36-16 38TH ST	NY AST	Lower	560, 0.106, SW
N42	40-15 NORTHERN BLVD	40-15 NORTHERN BLVD	NY UST	Lower	577, 0.109, South
N43	KAY LINCOLN MERCURY	40-15 NORTHERN BLVD	EDR Hist Auto	Lower	577, 0.109, South
K44	A & S GLASS CO	40-21 35TH AVE	EDR Hist Auto	Higher	583, 0.110, East
45	NORTHERN BOULEVARD A	36-20 STEINWAY STREE	NY BROWNFIELDS	Lower	583, 0.110, SSW
O46	KRABAR REALTY CORP	35-37 36TH STREET	NY UST	Lower	590, 0.112, WNW
O47	KRABAR REALTY CORP	35-37 36TH STREET	NY AST	Lower	590, 0.112, WNW
O48	FEDERAL LABEL SYSTEM	35-37 36TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	590, 0.112, WNW
P49	THREE BROTHERS AUTO	3534 42ND ST	EDR Hist Auto	Higher	591, 0.112, SE
P50	TOLIMAS AUTO CENTER	3542 42ND ST	EDR Hist Auto	Higher	598, 0.113, SE
Q51	T M & T SERVICE STAT	41-15 NORTHERN BLVD	EDR Hist Auto	Lower	608, 0.115, SE
Q52	TOM PRUNELL #3336	41-15 NORTHERN BLVD	NY UST	Lower	608, 0.115, SE
M53	DOUBLE CHECK AUTO EL	36-20 36TH AVE	EDR Hist Auto	Lower	610, 0.116, West
P54	NORTHERN AUTO REPAIR	3540 42ND ST	EDR Hist Auto	Higher	612, 0.116, SE
P55	TOLIMA'S AUTO CENTER	35-40 42ND STREET	NY AST	Higher	612, 0.116, SE
L56	MARIO BEDESCU	36-20 38TH STREET	NY AST	Lower	624, 0.118, SW
57	FAIRWAY LUMBER & SUP	34-35 STEINWAY ST	NY LTANKS, NY UST	Higher	625, 0.118, NE
M58	DYNAMIC GROUP AUTOMO	3601 36TH AVE	EDR Hist Auto	Lower	636, 0.120, West
59	AMERICAN MUSEUM OF T	36-01 35TH AVENUE	NY LTANKS, NY UST	Lower	640, 0.121, NNW
R60	TERRY & ANGELA MASTO	34-26 STEINWAY STREE	NY AST	Higher	679, 0.129, NE
S61	QUEENS PLATING CO	36-16 37TH STREET	NY AST	Lower	690, 0.131, WSW
S62	QUEENS PLATING	36-16 37TH STREET	NY MANIFEST	Lower	690, 0.131, WSW
S63	QUEENS PLATING COMPA	36-16 37 STREET	RCRA-LQG, RI MANIFEST	Lower	690, 0.131, WSW
64	A & J WIRE DISPLAY C	34-29 37TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	696, 0.132, North
65	CON EDISON	35-30 36TH ST	NY MANIFEST	Lower	708, 0.134, WNW
66	CON EDISON	34-26 38TH ST	NY MANIFEST	Lower	712, 0.135, NNE
T67	CON EDISON	34-56 42ND ST	NJ MANIFEST	Higher	714, 0.135, East
T68	CON EDISON	34-56 42ND ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	714, 0.135, East
T69	CON EDISON	34-56 42ND ST	NY MANIFEST	Higher	714, 0.135, East
U70	SUNOCO SERVICE STATI	36-02 21ST ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	737, 0.140, West
U71	GLOBAL MONTELLO GROU	36-02 21ST STREET	NY UST	Lower	737, 0.140, West
T72	CON EDISON	34-50 42ND ST	RCRA NonGen / NLR	Higher	747, 0.141, East
T73	CON EDISON	34-50 42ND ST	NY MANIFEST	Higher	747, 0.141, East
T74	CON EDISON	34-50 42ND ST	NJ MANIFEST	Higher	747, 0.141, East
V75	34-26 41ST STREET	34-26 41ST STREET	NY AST	Higher	762, 0.144, ENE
R76	MAJOR CHEVROLET	34-14 STEINWAY ST	NY UST, RCRA NonGen / NLR, FINDS, ECHO, NY...	Higher	765, 0.145, NE
S77	CON EDISON	36-30 37TH ST	NJ MANIFEST	Lower	796, 0.151, WSW
S78	CON EDISON	36-30 37TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	796, 0.151, WSW

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
S79	CON EDISON	36-30 37TH ST	NY MANIFEST	Lower	796, 0.151, WSW
W80	UNIVERSAL FORD	40-40 NORTHERN BLVD	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	806, 0.153, SSW
X81	CONSTRUCTION SITE	35-12 35TH AV	NY LTANKS, NY Spills	Lower	811, 0.154, NW
X82	NYC SCHOOL CONSTRUCT	35-12 35TH AVE	RCRA-SQG, NY MANIFEST	Lower	811, 0.154, NW
Y83	CON EDISON	F/O 36-21 36 ST	NY MANIFEST	Lower	819, 0.155, WSW
84	TRI-US AUTO BODY SER	36-46 38TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	825, 0.156, SW
85	MARZOCCO DUN-RITE AU	34-11 38TH ST	RCRA-CESQG, NY MANIFEST	Higher	827, 0.157, NNE
U86	CON EDISON	35-51 36TH AVE	RCRA NonGen / NLR	Lower	832, 0.158, West
U87	CON EDISON	35-51 36TH AVE	NY MANIFEST	Lower	832, 0.158, West
Z88	TELEBAM PLAZA	36-40 37TH ST	NY LTANKS	Lower	848, 0.161, WSW
V89	PAGE TWO REALTY LLC	34-16 41ST ST	NY AST	Higher	849, 0.161, NE
AA90	TOM V	35-35 35TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	854, 0.162, NW
AA91	MGM REALTY CORP	35-35 35TH STREET	NY AST	Lower	854, 0.162, NW
AB92	CON EDISON SERVICE B	42-33 NORTHERN BLVD	RCRA NonGen / NLR	Lower	859, 0.163, ESE
AB93	CON EDISON	42-33 NORTHERN BLVD	NY MANIFEST	Lower	859, 0.163, ESE
AC94	TEITLEBAUM, INC	35-45 35 ST	NY AST	Lower	862, 0.163, WNW
AC95	TEITELBAUM/MR R WHOL	35-45 35TH STREET	NY DRYCLEANERS	Lower	862, 0.163, WNW
AC96	TEITELBAUM CLEANERS	35-45 35TH ST	RCRA-SQG, NY SHWS, NY BROWNFIELDS, ICIS, US AIRS,...	Lower	862, 0.163, WNW
Y97	EAGLE METAL MFG CORP	36-27 36TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	863, 0.163, WSW
AD98	MASTER TRANSMISSIONS	35-06 43RD STREET	NY UST	Higher	882, 0.167, ESE
AD99	M V J ASSOCIATES	35-02 43RD ST	NY LTANKS	Higher	893, 0.169, ESE
AE100	KAUFMAN ASTORIA STUD	34-12 36TH ST	US AIRS, FINDS, ECHO, PA MANIFEST	Higher	899, 0.170, NNW
AB101	CON EDISON	35-50 43RD ST	NJ MANIFEST	Lower	901, 0.171, ESE
AB102	CON EDISON	35-50 43RD ST	RCRA NonGen / NLR	Lower	901, 0.171, ESE
AB103	CON EDISON	35-50 43RD ST	NY MANIFEST	Lower	901, 0.171, ESE
AE104	LEVCO METAL-34-11 36	34-11 36TH STREET	RCRA NonGen / NLR, US AIRS, FINDS, NY MANIFEST	Higher	902, 0.171, North
AE105	LEVCO METAL FINISHER	34-11 36 ST	NY UST	Higher	902, 0.171, North
106	PLAZA HUNTER REALTY	41-38 39TH ST	NY UST	Lower	903, 0.171, SSW
107	NYPD EMERGENCY MEDIC	38-13 NORTHERN BOULE	RCRA-LQG, NY MANIFEST	Lower	905, 0.171, SSW
Z108	WALTER SIGN CORP	36-35 36TH ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	920, 0.174, WSW
W109	SPEEDWAY # 7830	39-04 NORTHERN BOULE	NY UST, NY Spills	Lower	920, 0.174, SSW
W110	SPEEDWAY 7830	3904 NORTHERN BLVD	RCRA-CESQG, FINDS, ECHO, NY MANIFEST, NJ MANIFEST	Lower	920, 0.174, SSW
W111	MERRITT GAS STATION	3904 NORTHERN BLVD	NY LTANKS, NY Spills	Lower	920, 0.174, SSW
AB112	CONSOLIDATED EDISON	V3517-144 E 43RD ST	NY MANIFEST	Lower	924, 0.175, ESE
AF113	RZR 36TH AVE LLC SKY	35-10 36TH AVENUE	NY UST	Lower	940, 0.178, West
AA114	NYCDP&R - ARROW RECR	35-30 35TH ST	RCRA-CESQG, NJ MANIFEST, NY MANIFEST	Higher	950, 0.180, WNW
AG115	CON EDISON	35TH AVE & 35TH ST 5	RCRA NonGen / NLR, ECHO	Lower	953, 0.180, NW
AG116	CON EDISON	35TH AVE & 35TH ST 5	NY MANIFEST	Lower	955, 0.181, NW
AA117	ASTORIA STUDIOS - PA	35-12 35TH STREET	NY UST	Higher	958, 0.181, NW

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AE118	KAUFMAN ASTORIA STUD	34-12 36TH ST	RCRA-CESQG, NY Spills, NY MANIFEST	Higher	960, 0.182, NNW
AE119	KAUFMAN ASTORIA STUD	34-12 36 STREET	NY AST	Higher	960, 0.182, NNW
AE120	KAUFMAN ASTORIA STUD	34-12 36 STREET	NY UST	Higher	960, 0.182, NNW
121	35-10 35TH STREET	35-10 35TH STREET	NY AST	Higher	961, 0.182, NW
AA122	35-20 35TH ST	35-20 35TH ST	NY AST	Higher	968, 0.183, NW
AD123	COLORA PRINTING INKS	42 12 35TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	968, 0.183, ESE
AC124	3548 35TH ST	35-48 35TH STREET	NY AST	Higher	986, 0.187, WNW
125	CON ED	OPPOSITE 34-05 37 ST	NY MANIFEST	Lower	1003, 0.190, North
126	SAVE WITH SOLL CORP	42-36 NORTHERN BLVD	NY UST, RCRA NonGen / NLR, FINDS, ECHO	Lower	1006, 0.191, SE
AF127	KAUFMAN ASTORIA STUD	34 12 36TH ST	NY MANIFEST	Lower	1020, 0.193, West
AH128	PRIVATE RESIDENCE	50-51 41ST ST	NY LTANKS	Higher	1033, 0.196, NE
129	PRIMO ENTERPRISES IN	36-25 35TH ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1034, 0.196, West
AH130	TRAICHE SIMONOUSKI	41-06 34TH AVENUE	NY UST	Higher	1043, 0.198, ENE
AG131	EXCAVATORS LOCAL 731	34-11 35TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1058, 0.200, NW
AF132	SHARIF DESIGNS LTD	34-12 36TH AVE	NY AST	Lower	1060, 0.201, West
AF133	FORMER LUFT CO. INC.	34-12 36TH AVENUE	NY SHWS, NY Spills	Lower	1060, 0.201, West
AI134	34-54 35TH REALTY CO	34-54 35TH ST	NY AST	Higher	1066, 0.202, NNW
AJ135	CON EDISON	34-17 42ND ST	NJ MANIFEST	Higher	1070, 0.203, ENE
AJ136	CON ED	34-17 42ND ST	NY MANIFEST	Higher	1070, 0.203, ENE
AJ137	CON EDISON	34-17 42ND ST	RCRA NonGen / NLR	Higher	1070, 0.203, ENE
AK138	CON EDISON	34-30 43RD ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1072, 0.203, East
AK139	CON EDISON	34-30 43RD ST	NJ MANIFEST	Higher	1072, 0.203, East
AL140	35-25 34TH ST	35-25 34TH ST	NY AST	Higher	1095, 0.207, NW
141	MTA NYCT - PUMP ROOM	38TH ST & NORTHERN B	RCRA NonGen / NLR, NY MANIFEST, NJ MANIFEST	Lower	1102, 0.209, SW
AI142	CON EDISON	34-42 35 ST OPP	NY MANIFEST	Higher	1106, 0.209, NNW
AM143	AJV 36-14 REALTY ASS	36-14 35TH STREET	NY AST	Lower	1111, 0.210, West
AM144	CRAFT BILLFOLD CORP	36-14 35TH ST	RCRA-CESQG, FINDS, ECHO	Lower	1111, 0.210, West
AN145	PEKAY REALTY CO LLC	35-47 34TH STREET	NY AST	Higher	1111, 0.210, WNW
AN146	LEVCO METALS PROPERT	34-11 36TH STREET	NY SHWS, NY AST, NY VCP, NY Spills	Higher	1112, 0.211, WNW
AO147	HELLENIC SERVICE STA	36-06 34TH AVENUE	NY UST	Higher	1113, 0.211, North
AN148	PALD ENTERPRISES	34-07 36 AVE	NY AST	Higher	1113, 0.211, WNW
AP149	ALBATROSS USA INC	36-59 36TH STREET	NY UST, NY CBS	Lower	1115, 0.211, WSW
AO150	LEVCO METALS PROPERT	34-11 36TH STREET	NY VAPOR REOPENED	Higher	1118, 0.212, North
AI151	CON EDISON	34-32 35 ST	NY MANIFEST	Higher	1138, 0.216, NNW
AQ152	HEER METAL WORKS INC	36-52 36TH ST	RCRA-CESQG, NY MANIFEST	Lower	1138, 0.216, WSW
AQ153	ROCKWELL REALTY	36-52 36TH STREET	NY AST	Lower	1138, 0.216, WSW
AQ154	HEER METAL WORKS INC	36-52 36TH ST	RCRA NonGen / NLR	Lower	1138, 0.216, WSW
AP155	ALBATROSS USA INC.	36-59 36TH STREET	NY CBS AST	Lower	1139, 0.216, WSW
AR156	32-78 STEINWAY STREE	32-78 STEINWAY STREE	NY AST	Higher	1139, 0.216, NE

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AR157	RITE AID #4865	32-87 STEINWAY STREE	RCRA-CESQG, NY MANIFEST	Higher	1143, 0.216, NE
AR158	RITE AID # 4865	32-87 STEINWAY ST	PA MANIFEST	Higher	1143, 0.216, NE
AH159	JIMMYS STEINWAY COLL	41-05 34TH AVE	RCRA-CESQG, NY MANIFEST	Higher	1148, 0.217, NE
AM160	STAR SERVICE AUTO RE	36-26 35TH ST	RCRA-SQG, NY MANIFEST	Lower	1170, 0.222, West
161	31-74 42ND STREET	31-74 42ND STREET	NY LTANKS	Higher	1174, 0.222, ENE
AS162	35-15 34TH STREET	35-15 34TH STREET	NY AST	Higher	1174, 0.222, NW
163	BERTA HUTA TESTAMENT	36-52 35 ST	NY AST	Lower	1192, 0.226, West
AT164	36-01 37TH AVENUE	36-01 37TH AVENUE	NY AST	Lower	1199, 0.227, WSW
AT165	RUG RENOVATING CO IN	36-01 37TH AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1199, 0.227, WSW
AR166	ASTORIA PROPERTIES C	32-75 STEINWAY STREE	NY UST	Higher	1202, 0.228, NE
167	CON ED	34-22 35 ST FRNT	NY MANIFEST	Higher	1209, 0.229, NNW
AU168	CON EDISON	OPP 37-02 37 AVE	NY MANIFEST	Lower	1218, 0.231, SW
169	ALVAZ CONSTRUCTION C	35-30 34TH STREET	NY AST	Higher	1224, 0.232, WNW
AL170	ALVAZ CONSTRUCTION C	35-28 34TH STREET	NY AST	Higher	1225, 0.232, WNW
AS171	DRY CLEANER PLUS	35-04 34TH STREET	NY DRYCLEANERS	Higher	1232, 0.233, NW
AN172	35-48 34 ST	35-48 34TH STREET	NY AST	Higher	1240, 0.235, WNW
173	35-16 34TH STREET, L	35-16 34TH STREET	NY UST	Higher	1245, 0.236, NW
AV174	CON ED	32-76 37TH ST	NY MANIFEST	Lower	1246, 0.236, North
AV175	CON EDISON	32-76 37TH ST FRONT	NY MANIFEST	Lower	1246, 0.236, North
AV176	CON EDISON	32-76 37TH ST FRONT	RCRA NonGen / NLR	Lower	1246, 0.236, North
AV177	CON EDISON	32-76 37TH ST	RCRA NonGen / NLR	Lower	1246, 0.236, North
178	APT HOUSE	35-44 34 ST	NY AST	Higher	1249, 0.237, WNW
179	CON EDISON	34-17 43RD ST	NY MANIFEST	Higher	1251, 0.237, East
AU180	STANDARD MOTOR PRODU	37-18 NORTHERN BLVD	RCRA-SQG, NY SHWS, NY LTANKS, NY CBS, NY VCP, NY...	Lower	1286, 0.244, SW
AU181	PURVI ENTERPRISES IN	37-18 NORTHERN BLVD	RCRA NonGen / NLR, NY MANIFEST	Lower	1286, 0.244, SW
AU182	STANDARD MOTOR PRODU	37-18 NORTHERN BOULE	NY VAPOR REOPENED, NY CBS AST	Lower	1286, 0.244, SW
AU183	STANDARD MOTOR PRODU	37-18 NORTHERN BLVD	NJ MANIFEST	Lower	1286, 0.244, SW
184	ESAM REALTY LLC	32-68 41ST STREET	NY AST	Higher	1289, 0.244, NE
AU185	RXR SMP OWNER LLC	37-18 NORTHERN BLVD	NY AST	Lower	1292, 0.245, SW
AT186	CON EDISON SERVICE B	3615 36TH ST	RCRA NonGen / NLR, NY MANIFEST	Lower	1302, 0.247, WSW
AW187	SILVER STAR MOTORS-M	35-15 37TH AVE	NJ MANIFEST	Lower	1312, 0.248, WSW
AW188	CON EDISON	3515 37TH AVE	NY MANIFEST	Lower	1312, 0.248, WSW
AW189	SILVER STAR MOTORS-M	35-15 37TH AVE	RCRA-SQG, NY MANIFEST	Lower	1312, 0.248, WSW
AW190	SIVER STAR AUTO	35-15 37TH AVE	NY AST	Lower	1312, 0.248, WSW
AW191	CON EDISON	3515 37TH AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	1312, 0.248, WSW
AW192	CON EDISON	3515 37TH AVE	NJ MANIFEST	Lower	1312, 0.248, WSW
193	COMMERCIAL BUILDING	36-52 36TH ST	NY LTANKS	Lower	1321, 0.250, WSW
194	SPILL NUMBER 9908697	32-57 36TH ST	NY LTANKS, NY Spills	Higher	1479, 0.280, North
195	ALGUS REALTY	34-56 33RD ST	NY LTANKS	Higher	1538, 0.291, NW

MAPPED SITES SUMMARY

Target Property Address:
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
196	CHURCH	32 -52 37TH STREET	NY LTANKS	Higher	1591, 0.301, NNE
197	35-37 32ND ST.	35-37 32ND ST	NY LTANKS	Higher	1616, 0.306, WNW
198	37-18 34TH STREET	37-18 34TH STREET	NY LTANKS	Lower	1786, 0.338, WSW
199	32-51 34TH ST	32-51 34TH ST	NY LTANKS	Higher	1789, 0.339, North
200	CLOSED-LACKOF RECENT	35-02 NORTHERN BLVD	NY LTANKS	Lower	1800, 0.341, SW
201	UNK APT BLD	34-20 32ND ST	NY LTANKS	Higher	1913, 0.362, NW
AX202	32-10 37TH AV	32-10 37TH AVE	NY LTANKS	Lower	1929, 0.365, West
AX203	32-15 37TH AVE	32-15 37TH AVE	NY LTANKS	Higher	1955, 0.370, West
204	21-69 46TH STREET	21-69 46TH STREET	NY LTANKS	Higher	1974, 0.374, East
AX205	CLOSED-LACKOF RECENT	37-14 33RD STREET	NY LTANKS	Lower	1998, 0.378, West
206	BROADWAY & 41ST STRE	BROADWAY & 41ST STRE	NY LTANKS	Higher	2000, 0.379, NE
207	APARTMENT BUILDING T	34-20 32ND ST	NY LTANKS	Higher	2010, 0.381, West
208	AMOCO SERVICE STATIO	34-17 NORTHERN BLVD	NY LTANKS, NY Spills	Lower	2078, 0.394, WSW
209	RESIDENCE	32-85 33RD ST	NY LTANKS, NY Spills	Higher	2084, 0.395, North
210	PRIVATE HOME	3251 38TH STREET	NY LTANKS	Lower	2110, 0.400, WSW
211	CLOSED-LACKOF RECENT	4301 39TH STREET	NY LTANKS	Higher	2124, 0.402, SSW
212	COMMERCIAL	49-15 MASPETH AV	NY LTANKS, NY Spills	Higher	2132, 0.404, North
213	34-02 31ST ST/QUNS/G	34-02 31ST STREET	NY LTANKS	Higher	2152, 0.408, NNW
214	34-14 31ST STREET	34-14 31ST STREET	NY SHWS	Higher	2165, 0.410, NW
215	CITY CADILLAC	39-10 43RD ST	NY LTANKS	Higher	2185, 0.414, South
216	DEMOLISHED BUILDING	45-41 38TH STREET	NY LTANKS	Higher	2303, 0.436, SE
217	31/32 LIC LLC	37-29 31ST STREET	NY BROWNFIELDS	Higher	2311, 0.438, West
218	MARTINEZ HOME	32-16 33RD STREET	NY LTANKS	Higher	2321, 0.440, North
219	3238 32ND ST	3238 32ND ST	NY LTANKS	Higher	2343, 0.444, NNW
220	2912 36TH AVE	2912 36TH AVE	NY LTANKS	Higher	2373, 0.449, WNW
221	107 WEST 38TH REALTY	3328 NORTHERN BLVD	NY LTANKS	Lower	2383, 0.451, WSW
222	48-18 NORTHERN BLVD/	48-18 NORTHERN BLVD	NY LTANKS	Higher	2557, 0.484, East
223	AMTRAK SUNNYSIDE YAR	39-29 HONEYWELL STRE	NY SHWS, NY LTANKS, NY Spills	Lower	2615, 0.495, WSW
224	40-05 SKILLMAN AVE/Q	40-05 SKILLMAN AVENU	NY LTANKS	Higher	2616, 0.495, South
225	SPILL NUMBER 0206025	33-05 29TH ST	NY LTANKS	Higher	2639, 0.500, West
226	FRESH CLEANERS & LAU	39-26 30TH ST	RCRA-SQG, NY SHWS, NY BROWNFIELDS, NY MANIFEST	Lower	3263, 0.618, WSW
227	JUNG SUN LAUNDRY SIT	37-10 24TH STREET	NY SHWS, NY DRYCLEANERS	Lower	3589, 0.680, WNW
228	CLEANERS PRODUCTS SU	50-45 BARNETT AVENUE	NY SHWS, NY CBS, NY CBS AST	Higher	3608, 0.683, ESE
229	BEST-DDK CLEANERS	38-68 13TH STREET	NY SHWS	Lower	5163, 0.978, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE ---------- Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROL ---------- Sites with Institutional Controls

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF ---------- Facility Register

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land
NY HIST LTANKS ---- Listing of Leaking Storage Tanks

State and tribal registered storage tank lists

FEMA UST ---- Underground Storage Tank Listing
NY CBS UST ---- Chemical Bulk Storage Database
NY MOSF UST ---- Major Oil Storage Facilities Database
NY MOSF ---- Major Oil Storage Facility Site Listing
NY MOSF AST ---- Major Oil Storage Facilities Database
INDIAN UST ---- Underground Storage Tanks on Indian Land
NY TANKS ---- Storage Tank Faciliy Listing

State and tribal institutional control / engineering control registries

NY RES DECL ---- Restrictive Declarations Listing
NY ENG CONTROLS ---- Registry of Engineering Controls

State and tribal voluntary cleanup sites

INDIAN VCP ---- Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

NY ERP ---- Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWRCY ---- Registered Recycling Facility List
NY SWTIRE ---- Registered Waste Tire Storage & Facility List
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands
ODI ---- Open Dump Inventory
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---- Delisted National Clandestine Laboratory Register
NY DEL SHWS ---- Delisted Registry Sites
US CDL ---- National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

NY HIST UST ---- Historical Petroleum Bulk Storage Database
NY HIST AST ---- Historical Petroleum Bulk Storage Database

EXECUTIVE SUMMARY

Local Land Records

NY LIENS ---- Spill Liens Information
LIENS 2 ---- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
NY Hist Spills ---- SPILLS Database
NY SPILLS 90 ---- SPILLS 90 data from FirstSearch
NY SPILLS 80 ---- SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---- Financial Assurance Information
EPA WATCH LIST ---- EPA WATCH LIST
2020 COR ACTION ---- 2020 Corrective Action Program List
TSCA ---- Toxic Substances Control Act
TRIS ---- Toxic Chemical Release Inventory System
SSTS ---- Section 7 Tracking Systems
ROD ---- Records Of Decision
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
PRP ---- Potentially Responsible Parties
PADS ---- PCB Activity Database System
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---- PCB Transformer Registration Database
RADINFO ---- Radiation Information Database
HIST FTTS ---- FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS ---- Incident and Accident Data
CONSENT ---- Superfund (CERCLA) Consent Decrees
INDIAN RESERV ---- Indian Reservations
FUSRAP ---- Formerly Utilized Sites Remedial Action Program
UMTRA ---- Uranium Mill Tailings Sites
LEAD SMELTERS ---- Lead Smelter Sites
US MINES ---- Mines Master Index File
ABANDONED MINES ---- Abandoned Mines
UXO ---- Unexploded Ordnance Sites
DOCKET HWC ---- Hazardous Waste Compliance Docket Listing
FUELS PROGRAM ---- EPA Fuels Program Registered Listing
NY AIRS ---- Air Emissions Data
NY COAL ASH ---- Coal Ash Disposal Site Listing
NY E DESIGNATION ---- E DESIGNATION SITE LISTING
NY Financial Assurance ---- Financial Assurance Information Listing
NY HSWDS ---- Hazardous Substance Waste Disposal Site Inventory
NY SPDES ---- State Pollutant Discharge Elimination System
NY UIC ---- Underground Injection Control Wells

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP---------- EDR Proprietary Manufactured Gas Plants
EDR Hist Cleaner---------- EDR Exclusive Historic Dry Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS---------- Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF---------- Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 12/12/2016 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
QUEENS PLATING COMPA	***36-16 37 STREET***	***WSW 1/8 - 1/4 (0.131 mi.)***	***S63***	***132***
NYPD EMERGENCY MEDIC	***38-13 NORTHERN BOULE***	***SSW 1/8 - 1/4 (0.171 mi.)***	***107***	***255***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/12/2016 has revealed that there are 5 RCRA-SQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NYC SCHOOL CONSTRUCT	*35-12 35TH AVE*	*NW 1/8 - 1/4 (0.154 mi.)*	*X82*	*191*
TEITELBAUM CLEANERS	*35-45 35TH ST*	*WNW 1/8 - 1/4 (0.163 mi.)*	*AC96*	*218*
STAR SERVICE AUTO RE	*36-26 35TH ST*	*W 1/8 - 1/4 (0.222 mi.)*	*AM160*	*438*
STANDARD MOTOR PRODU	*37-18 NORTHERN BLVD*	*SW 1/8 - 1/4 (0.244 mi.)*	*AU180*	*473*
SILVER STAR MOTORS-M	*35-15 37TH AVE*	*WSW 1/8 - 1/4 (0.248 mi.)*	*AW189*	*514*

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 12/12/2016 has revealed that there are 8 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
MARZOCCO DUN-RITE AU	*34-11 38TH ST*	*NNE 1/8 - 1/4 (0.157 mi.)*	*85*	*198*
NYCDP&R - ARROW RECR	*35-30 35TH ST*	*WNW 1/8 - 1/4 (0.180 mi.)*	*AA114*	*314*
KAUFMAN ASTORIA STUD	*34-12 36TH ST*	*NNW 1/8 - 1/4 (0.182 mi.)*	*AE118*	*323*
RITE AID #4865	*32-87 STEINWAY STREE*	*NE 1/8 - 1/4 (0.216 mi.)*	*AR157*	*427*
JIMMYS STEINWAY COLL	*41-05 34TH AVE*	*NE 1/8 - 1/4 (0.217 mi.)*	*AH159*	*435*

Lower Elevation	Address	Direction / Distance	Map ID	Page
SPEEDWAY 7830	*3904 NORTHERN BLVD*	*SSW 1/8 - 1/4 (0.174 mi.)*	*W110*	*301*
CRAFT BILLFOLD CORP	*36-14 35TH ST*	*W 1/8 - 1/4 (0.210 mi.)*	*AM144*	*384*
HEER METAL WORKS INC	*36-52 36TH ST*	*WSW 1/8 - 1/4 (0.216 mi.)*	*AQ152*	*415*

State- and tribal - equivalent CERCLIS

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 05/16/2017 has revealed that there are 10 NY SHWS sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LEVCO METALS PROPERT	*34-11 36TH STREET*	*WNW 1/8 - 1/4 (0.211 mi.)*	*AN146*	*388*

Site Code: 58675

34-14 31ST STREET Site Code: 514253	34-14 31ST STREET	NW 1/4 - 1/2 (0.410 mi.)	214	560
CLEANERS PRODUCTS SU Site Code: 435055 Class Code: Significant threat to the public health or environment - action required.	***50-45 BARNETT AVENUE***	***ESE 1/2 - 1 (0.683 mi.)***	***228***	***609***

Lower Elevation	Address	Direction / Distance	Map ID	Page
TEITELBAUM CLEANERS	***35-45 35TH ST***	***WNW 1/8 - 1/4 (0.163 mi.)***	***AC96***	***218***
FORMER LUFT CO. INC. Site Code: 460318	***34-12 36TH AVENUE***	***W 1/8 - 1/4 (0.201 mi.)***	***AF133***	***363***
STANDARD MOTOR PRODU Site Code: 58682 Class Code: Significant threat to the public health or environment - action required.	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***
AMTRAK SUNNYSIDE YAR Site Code: 57794 Class Code: Significant threat to the public health or environment - action required.	***39-29 HONEYWELL STRE***	***WSW 1/4 - 1/2 (0.495 mi.)***	***223***	***575***
FRESH CLEANERS & LAU Site Code: 440982 Class Code: Significant threat to the public health or environment - action required.	***39-26 30TH ST***	***WSW 1/2 - 1 (0.618 mi.)***	***226***	***596***
JUNG SUN LAUNDRY SIT Site Code: 374812 Class Code: Significant threat to the public health or environment - action required.	***37-10 24TH STREET***	***WNW 1/2 - 1 (0.680 mi.)***	***227***	***607***
BEST-DDK CLEANERS Site Code: 439625	38-68 13TH STREET	W 1/2 - 1 (0.978 mi.)	229	615

NY VAPOR REOPENED: "Vapor intrusion" refers to the process by which volatile chemicals move from a subsurface source into the indoor air of overlying or adjacent buildings. The subsurface source can either be contaminated groundwater or contaminated soil which releases vapors into the pore spaces in the soil. Improvements in analytical techniques and knowledge gained from site investigations in New York and other states has led to an increased awareness of soil vapor as a medium of concern and of the potential for exposures from the soil vapor intrusion pathway. Based on this additional information, New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

A review of the NY VAPOR REOPENED list, as provided by EDR, and dated 06/01/2016 has revealed that there are 2 NY VAPOR REOPENED sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LEVCO METALS PROPERT Facility Status: Complete (No Further Action) Site Code: 241009	34-11 36TH STREET	N 1/8 - 1/4 (0.212 mi.)	AO150	414

Lower Elevation	Address	Direction / Distance	Map ID	Page
STANDARD MOTOR PRODU Facility Status: Complete Site Code: 241016	***37-18 NORTHERN BOULE***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU182***	***495***

State and tribal leaking storage tank lists

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 05/16/2017 has revealed that there are 41 NY LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CLOSED-LACKOF RECENT Spill Number/Closed Date: 8906276 / 2003-03-04 Site ID: 146153 Program Number: 8906276	35-13 41ST STREET	ESE 0 - 1/8 (0.083 mi.)	F21	32
FAIRWAY LUMBER & SUP Spill Number/Closed Date: 9302361 / 1993-09-21 Site ID: 258271 Program Number: 9302361	***34-35 STEINWAY ST***	***NE 0 - 1/8 (0.118 mi.)***	***57***	***119***
M V J ASSOCIATES Spill Number/Closed Date: 0306651 / 2003-12-17 Site ID: 236854 Program Number: 0306651	35-02 43RD ST	ESE 1/8 - 1/4 (0.169 mi.)	AD99	236
PRIVATE RESIDENCE Spill Number/Closed Date: 9613141 / 1997-02-06 Site ID: 207757 Program Number: 9613141	50-51 41ST ST	NE 1/8 - 1/4 (0.196 mi.)	AH128	353
31-74 42ND STREET Spill Number/Closed Date: 9413438 / 1995-01-09 Site ID: 145627 Program Number: 9413438	31-74 42ND STREET	ENE 1/8 - 1/4 (0.222 mi.)	161	441
SPILL NUMBER 9908697 Spill Number/Closed Date: 9908697 / 1999-11-26 Site ID: 105377 Program Number: 9908697	***32-57 36TH ST***	***N 1/4 - 1/2 (0.280 mi.)***	***194***	***527***
ALGUS REALTY Spill Number/Closed Date: 0112167 / 2007-01-04 Site ID: 177425 Program Number: 0112167	34-56 33RD ST	NW 1/4 - 1/2 (0.291 mi.)	195	529
CHURCH Spill Number/Closed Date: 0705034 / 2007-11-01 Site ID: 385297 Program Number: 0705034	32 -52 37TH STREET	NNE 1/4 - 1/2 (0.301 mi.)	196	531
35-37 32ND ST. Spill Number/Closed Date: 9311605 / 1993-12-28 Site ID: 78169 Program Number: 9311605	35-37 32ND ST	WNW 1/4 - 1/2 (0.306 mi.)	197	533
32-51 34TH ST Spill Number/Closed Date: 0500764 / 2005-12-16 Site ID: 343822 Program Number: 0500764	32-51 34TH ST	N 1/4 - 1/2 (0.339 mi.)	199	535
UNK APT BLD	34-20 32ND ST	NW 1/4 - 1/2 (0.362 mi.)	201	537

Spill Number/Closed Date: 1113642 / Not Reported
Site ID: 461649
Program Number: 1113642

32-15 37TH AVE	32-15 37TH AVE	W 1/4 - 1/2 (0.370 mi.)	AX203	540
Spill Number/Closed Date: 9212707 / 1993-03-10 Site ID: 220254 Program Number: 9212707				
21-69 46TH STREET	21-69 46TH STREET	E 1/4 - 1/2 (0.374 mi.)	204	541
Spill Number/Closed Date: 9505038 / 1995-07-25 Site ID: 103864 Program Number: 9505038				
BROADWAY & 41ST STRE	BROADWAY & 41ST STRE	NE 1/4 - 1/2 (0.379 mi.)	206	543
Spill Number/Closed Date: 9212170 / 2003-02-11 Site ID: 324931 Program Number: 9212170				
APARTMENT BUILDING T	34-20 32ND ST	W 1/4 - 1/2 (0.381 mi.)	207	544
Spill Number/Closed Date: 1006024 / 2014-04-02 Site ID: 439361 Program Number: 1006024				
RESIDENCE	***32-85 33RD ST***	***N 1/4 - 1/2 (0.395 mi.)***	***209***	***549***
Spill Number/Closed Date: 9612406 / 1997-01-17 Site ID: 80249 Program Number: 9612406				
CLOSED-LACKOF RECENT	4301 39TH STREET	SSW 1/4 - 1/2 (0.402 mi.)	211	552
Spill Number/Closed Date: 9200200 / 2003-03-06 Site ID: 289971 Program Number: 9200200				
COMMERCIAL	***49-15 MASPETH AV***	***N 1/4 - 1/2 (0.404 mi.)***	***212***	***554***
Spill Number/Closed Date: 0009572 / 2006-03-06 Spill Number/Closed Date: 0002215 / 2011-02-28 Spill Number/Closed Date: 9612083 / 2003-07-28 Site ID: 66893 Site ID: 159846 Site ID: 289220 Program Number: 0009572 Program Number: 0002215 Program Number: 9612083				
34-02 31ST ST/QUNS/G	34-02 31ST STREET	NNW 1/4 - 1/2 (0.408 mi.)	213	559
Spill Number/Closed Date: 9012133 / 1992-07-16 Site ID: 184300 Program Number: 9012133				
CITY CADILLAC	39-10 43RD ST	S 1/4 - 1/2 (0.414 mi.)	215	562
Spill Number/Closed Date: 9708239 / 1997-10-14 Site ID: 265886 Program Number: 9708239				
DEMOLISHED BUILDING	45-41 38TH STREET	SE 1/4 - 1/2 (0.436 mi.)	216	563
Spill Number/Closed Date: 0509982 / 2006-01-17 Site ID: 355859 Program Number: 0509982				
MARTINEZ HOME	32-16 33RD STREET	N 1/4 - 1/2 (0.440 mi.)	218	568
Spill Number/Closed Date: 0512053 / 2006-08-29				

Site ID: 358316
Program Number: 0512053

3238 32ND ST Spill Number/Closed Date: 9607776 / 1997-12-31 Site ID: 200365 Program Number: 9607776	3238 32ND ST	NNW 1/4 - 1/2 (0.444 mi.)	219	570
2912 36TH AVE Spill Number/Closed Date: 9511910 / 1995-12-20 Site ID: 273864 Program Number: 9511910	2912 36TH AVE	WNW 1/4 - 1/2 (0.449 mi.)	220	571
48-18 NORTHERN BLVD/ Spill Number/Closed Date: 9100703 / 1991-04-17 Site ID: 153048 Program Number: 9100703	48-18 NORTHERN BLVD	E 1/4 - 1/2 (0.484 mi.)	222	574
40-05 SKILLMAN AVE/Q Spill Number/Closed Date: 9101607 / 1991-07-25 Site ID: 166160 Program Number: 9101607	40-05 SKILLMAN AVENU	S 1/4 - 1/2 (0.495 mi.)	224	593
SPILL NUMBER 0206025 Spill Number/Closed Date: 0206025 / 2004-02-13 Site ID: 215040 Program Number: 0206025	33-05 29TH ST	W 1/4 - 1/2 (0.500 mi.)	225	595

Lower Elevation	Address	Direction / Distance	Map ID	Page
AMERICAN MUSEUM OF T Spill Number/Closed Date: 9508511 / 1996-09-16 Site ID: 297601 Program Number: 9508511	***36-01 35TH AVENUE***	***NNW 0 - 1/8 (0.121 mi.)***	***59***	***123***
CONSTRUCTION SITE Spill Number/Closed Date: 0104171 / 2004-08-23 Site ID: 168260 Program Number: 0104171	***35-12 35TH AV***	***NW 1/8 - 1/4 (0.154 mi.)***	***X81***	***186***
TELEBAM PLAZA Spill Number/Closed Date: 0002370 / 2000-08-05 Site ID: 123790 Program Number: 0002370	36-40 37TH ST	WSW 1/8 - 1/4 (0.161 mi.)	Z88	203
MERRITT GAS STATION Spill Number/Closed Date: 9706579 / 2005-05-13 Site ID: 151018 Program Number: 9706579	***3904 NORTHERN BLVD***	***SSW 1/8 - 1/4 (0.174 mi.)***	***W111***	***308***
STANDARD MOTOR PRODU Spill Number/Closed Date: 9509528 / 2004-03-23 Site ID: 153383 Program Number: 9509528	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***
COMMERCIAL BUILDING Spill Number/Closed Date: 0909061 / 2009-12-31 Site ID: 421728 Program Number: 0909061	36-52 36TH ST	WSW 1/4 - 1/2 (0.250 mi.)	193	526
37-18 34TH STREET Spill Number/Closed Date: 9212419 / 1994-03-08	37-18 34TH STREET	WSW 1/4 - 1/2 (0.338 mi.)	198	534

Site ID: 238012
Program Number: 9212419

CLOSED-LACKOF RECENT Spill Number/Closed Date: 8904880 / 2003-03-05 Site ID: 173190 Program Number: 8904880	35-02 NORTHERN BLVD	SW 1/4 - 1/2 (0.341 mi.)	200	536
32-10 37TH AV Spill Number/Closed Date: 0200301 / 2005-06-16 Site ID: 147177 Program Number: 0200301	32-10 37TH AVE	W 1/4 - 1/2 (0.365 mi.)	AX202	538
CLOSED-LACKOF RECENT Spill Number/Closed Date: 8905637 / 2003-03-06 Site ID: 221353 Program Number: 8905637	37-14 33RD STREET	W 1/4 - 1/2 (0.378 mi.)	AX205	542
AMOCO SERVICE STATIO Spill Number/Closed Date: 0400123 / 2004-10-21 Site ID: 212091 Program Number: 0400123	***34-17 NORTHERN BLVD***	***WSW 1/4 - 1/2 (0.394 mi.)***	***208***	***546***
PRIVATE HOME Spill Number/Closed Date: 0612000 / 2007-03-28 Site ID: 376761 Program Number: 0612000	3251 38TH STREET	WSW 1/4 - 1/2 (0.400 mi.)	210	551
107 WEST 38TH REALTY Spill Number/Closed Date: 1103545 / 2011-10-12 Site ID: 451112 Program Number: 1103545	3328 NORTHERN BLVD	WSW 1/4 - 1/2 (0.451 mi.)	221	572
AMTRAK SUNNYSIDE YAR Spill Number/Closed Date: 9013163 / 2003-03-14 Spill Number/Closed Date: 9207333 / 2003-11-24 Site ID: 97453 Site ID: 97456 Program Number: 9013163 Program Number: 9207333	***39-29 HONEYWELL STRE***	***WSW 1/4 - 1/2 (0.495 mi.)***	***223***	***575***

State and tribal registered storage tank lists

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 24 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
FAIRWAY LUMBER & SUP Database: UST, Date of Government Version: 12/28/2016	***34-35 STEINWAY ST***	***NE 0 - 1/8 (0.118 mi.)***	***57***	***119***
MAJOR CHEVROLET Database: UST, Date of Government Version: 12/28/2016	***34-14 STEINWAY ST***	***NE 1/8 - 1/4 (0.145 mi.)***	***R76***	***173***
MASTER TRANSMISSIONS Database: UST, Date of Government Version: 12/28/2016	35-06 43RD STREET	ESE 1/8 - 1/4 (0.167 mi.)	AD98	234

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LEVCO METAL FINISHER Database: UST, Date of Government Version: 12/28/2016	34-11 36 ST	N 1/8 - 1/4 (0.171 mi.)	AE105	251
ASTORIA STUDIOS - PA Database: UST, Date of Government Version: 12/28/2016	35-12 35TH STREET	NW 1/8 - 1/4 (0.181 mi.)	AA117	320
KAUFMAN ASTORIA STUD Database: UST, Date of Government Version: 12/28/2016	34-12 36 STREET	NNW 1/8 - 1/4 (0.182 mi.)	AE120	331
TRAICHE SIMONOUSKI Database: UST, Date of Government Version: 12/28/2016	41-06 34TH AVENUE	ENE 1/8 - 1/4 (0.198 mi.)	AH130	356
HELLENIC SERVICE STA Database: UST, Date of Government Version: 12/28/2016	36-06 34TH AVENUE	N 1/8 - 1/4 (0.211 mi.)	AO147	396
ASTORIA PROPERTIES C Database: UST, Date of Government Version: 12/28/2016	32-75 STEINWAY STREE	NE 1/8 - 1/4 (0.228 mi.)	AR166	452
35-16 34TH STREET, L Database: UST, Date of Government Version: 12/28/2016	35-16 34TH STREET	NW 1/8 - 1/4 (0.236 mi.)	173	463

Lower Elevation	Address	Direction / Distance	Map ID	Page
38-01 35TH AV Database: UST, Date of Government Version: 12/28/2016	38-01 35 AVE	NNE 0 - 1/8 (0.073 mi.)	C15	24
HACHMANN REALTY CORP Database: UST, Date of Government Version: 12/28/2016	36-02 38 STREET	SW 0 - 1/8 (0.083 mi.)	E23	36
SILVER STAR AUTO RES Database: UST, Date of Government Version: 12/28/2016	***37-14 36TH STREET***	***WSW 0 - 1/8 (0.087 mi.)***	***E25***	***40***
EMIL PUSWALD Database: UST, Date of Government Version: 12/28/2016	36-13 36 AVE	W 0 - 1/8 (0.103 mi.)	M36	81
40-15 NORTHERN BLVD Database: UST, Date of Government Version: 12/28/2016	40-15 NORTHERN BLVD	S 0 - 1/8 (0.109 mi.)	N42	91
KRABAR REALTY CORP Database: UST, Date of Government Version: 12/28/2016	35-37 36TH STREET	WNW 0 - 1/8 (0.112 mi.)	O46	97
TOM PRUNELL #3336 Database: UST, Date of Government Version: 12/28/2016	41-15 NORTHERN BLVD	SE 0 - 1/8 (0.115 mi.)	Q52	106
AMERICAN MUSEUM OF T Database: UST, Date of Government Version: 12/28/2016	***36-01 35TH AVENUE***	***NNW 0 - 1/8 (0.121 mi.)***	***59***	***123***
GLOBAL MONTELLO GROU Database: UST, Date of Government Version: 12/28/2016	36-02 21ST STREET	W 1/8 - 1/4 (0.140 mi.)	U71	156
PLAZA HUNTER REALTY Database: UST, Date of Government Version: 12/28/2016	41-38 39TH ST	SSW 1/8 - 1/4 (0.171 mi.)	106	253
SPEEDWAY # 7830 Database: UST, Date of Government Version: 12/28/2016	***39-04 NORTHERN BOULE***	***SSW 1/8 - 1/4 (0.174 mi.)***	***W109***	***262***
RZR 36TH AVE LLC SKY Database: UST, Date of Government Version: 12/28/2016	35-10 36TH AVENUE	W 1/8 - 1/4 (0.178 mi.)	AF113	312
SAVE WITH SOLL CORP Database: UST, Date of Government Version: 12/28/2016	***42-36 NORTHERN BLVD***	***SE 1/8 - 1/4 (0.191 mi.)***	***126***	***342***
ALBATROSS USA INC Database: UST, Date of Government Version: 12/28/2016	***36-59 36TH STREET***	***WSW 1/8 - 1/4 (0.211 mi.)***	***AP149***	***407***

EXECUTIVE SUMMARY

NY CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the NY CBS list, as provided by EDR, and dated 12/28/2016 has revealed that there are 2 NY CBS sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALBATROSS USA INC	***36-59 36TH STREET***	***WSW 1/8 - 1/4 (0.211 mi.)***	***AP149***	***407***
Facility Status: Unregulated/Closed CBS Number: 2-000127				
STANDARD MOTOR PRODU	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***
Facility Status: Unregulated/Closed CBS Number: 2-000153				

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 41 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
QPII-35-48 STEINWAY	35-48 STEINWAY STREE	SSW 0 - 1/8 (0.040 mi.)	B3	8
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-609529				
KASSABIAN ASSOC LLC	35-18 37TH ST	NNW 0 - 1/8 (0.083 mi.)	22	33
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-117498				
CHRISMAR EQUITIES CO	34-50 41ST STREET	ENE 0 - 1/8 (0.105 mi.)	40	87
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-333778				
TOLIMA'S AUTO CENTER	35-40 42ND STREET	SE 0 - 1/8 (0.116 mi.)	P55	115
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-610167				
TERRY & ANGELA MASTO	34-26 STEINWAY STREE	NE 1/8 - 1/4 (0.129 mi.)	R60	127
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-270326				
34-26 41ST STREET	34-26 41ST STREET	ENE 1/8 - 1/4 (0.144 mi.)	V75	171
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-062545				
PAGE TWO REALTY LLC	34-16 41ST ST	NE 1/8 - 1/4 (0.161 mi.)	V89	205
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-206849				
KAUFMAN ASTORIA STUD	34-12 36 STREET	NNW 1/8 - 1/4 (0.182 mi.)	AE119	329
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-337072				
35-10 35TH STREET	35-10 35TH STREET	NW 1/8 - 1/4 (0.182 mi.)	121	333
Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-046094				
35-20 35TH ST	35-20 35TH ST	NW 1/8 - 1/4 (0.183 mi.)	AA122	335
Database: AST, Date of Government Version: 12/28/2016				

Facility Id: 2-045624

3548 35TH ST | 35-48 35TH STREET | WNW 1/8 - 1/4 (0.187 mi.) | AC124 | 339
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-333972

34-54 35TH REALTY CO | 34-54 35TH ST | NNW 1/8 - 1/4 (0.202 mi.) | AI134 | 367
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-145548

35-25 34TH ST | 35-25 34TH ST | NW 1/8 - 1/4 (0.207 mi.) | AL140 | 375
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-045632

PEKAY REALTY CO LLC | 35-47 34TH STREET | WNW 1/8 - 1/4 (0.210 mi.) | AN145 | 386
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-603030

LEVCO METALS PROPERT | 34-11 36TH STREET | WNW 1/8 - 1/4 (0.211 mi.) | AN146 | 388
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-334979

PALD ENTERPRISES | 34-07 36 AVE | WNW 1/8 - 1/4 (0.211 mi.) | AN148 | 405
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-158836

32-78 STEINWAY STREE | 32-78 STEINWAY STREE | NE 1/8 - 1/4 (0.216 mi.) | AR156 | 425
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-608735

35-15 34TH STREET | 35-15 34TH STREET | NW 1/8 - 1/4 (0.222 mi.) | AS162 | 442
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-607703

ALVAZ CONSTRUCTION C | 35-30 34TH STREET | WNW 1/8 - 1/4 (0.232 mi.) | 169 | 457
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-481971

ALVAZ CONSTRUCTION C | 35-28 34TH STREET | WNW 1/8 - 1/4 (0.232 mi.) | AL170 | 459
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-481998

35-48 34 ST | 35-48 34TH STREET | WNW 1/8 - 1/4 (0.235 mi.) | AN172 | 461
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-212199

APT HOUSE | 35-44 34 ST | WNW 1/8 - 1/4 (0.237 mi.) | 178 | 470
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-246069

ESAM REALTY LLC | 32-68 41ST STREET | NE 1/8 - 1/4 (0.244 mi.) | 184 | 501
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-611995

Lower Elevation	Address	Direction / Distance	Map ID	Page

35-52 STEINWAY STREE | 35-52 STEINWAY STREE | SSW 0 - 1/8 (0.050 mi.) | B5 | 11
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-607541

36-11 STEINWAY ST | 36-11 STEINWAY STREE | SSW 0 - 1/8 (0.084 mi.) | G24 | 38
Database: AST, Date of Government Version: 12/28/2016
Facility Id: 2-202061

SILVER STAR AUTO RES | 37-14 36TH STREET | WSW 0 - 1/8 (0.087 mi.) | E25 | 40
Database: AST, Date of Government Version: 12/28/2016

Facility Id: 2-349798				
KT & T LLC Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-609134	40-04 36TH AVE	S 0 - 1/8 (0.089 mi.)	G26	66
36-12 38TH STREET Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-333786	36-12 38TH STREET	SW 0 - 1/8 (0.099 mi.)	L34	77
NICHOLAS YAVALDAKIS Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-332747	36-16 38TH ST	SW 0 - 1/8 (0.106 mi.)	L41	89
KRABAR REALTY CORP Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-096350	35-37 36TH STREET	WNW 0 - 1/8 (0.112 mi.)	O47	99
MARIO BEDESCU Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-238422	36-20 38TH STREET	SW 0 - 1/8 (0.118 mi.)	L56	117
QUEENS PLATING CO Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-003662	36-16 37TH STREET	WSW 1/8 - 1/4 (0.131 mi.)	S61	129
MGM REALTY CORP Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-607609	35-35 35TH STREET	NW 1/8 - 1/4 (0.162 mi.)	AA91	211
TEITLEBAUM, INC Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-349879	35-45 35 ST	WNW 1/8 - 1/4 (0.163 mi.)	AC94	215
SHARIF DESIGNS LTD Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-062359	34-12 36TH AVE	W 1/8 - 1/4 (0.201 mi.)	AF132	361
AJV 36-14 REALTY ASS Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-046701	36-14 35TH STREET	W 1/8 - 1/4 (0.210 mi.)	AM143	382
ROCKWELL REALTY Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-204854	36-52 36TH STREET	WSW 1/8 - 1/4 (0.216 mi.)	AQ153	418
BERTA HUTA TESTAMENT Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-332259	36-52 35 ST	W 1/8 - 1/4 (0.226 mi.)	163	444
36-01 37TH AVENUE Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-612417	36-01 37TH AVENUE	WSW 1/8 - 1/4 (0.227 mi.)	AT164	446
RXR SMP OWNER LLC Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-612359	37-18 NORTHERN BLVD	SW 1/8 - 1/4 (0.245 mi.)	AU185	503
SIVER STAR AUTO Database: AST, Date of Government Version: 12/28/2016 Facility Id: 2-610334	35-15 37TH AVE	WSW 1/8 - 1/4 (0.248 mi.)	AW190	517

NY CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the NY CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 2 NY CBS AST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALBATROSS USA INC. Facility Status: 2 Facility Status: 1 CBS Number: 2-000127	36-59 36TH STREET	WSW 1/8 - 1/4 (0.216 mi.)	AP155	422
STANDARD MOTOR PRODU Facility Status: 2 Facility Status: 2 CBS Number: 2-000153	***37-18 NORTHERN BOULE***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU182***	***495***

State and tribal institutional control / engineering control registries

Environmental Remediation sites that have institutional controls in place.

A review of the NY INST CONTROL list, as provided by EDR, and dated 05/16/2017 has revealed that there is 1 NY INST CONTROL site within approximately 0.5 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
SILVER STAR AUTO RES Site Code: 490213	***37-14 36TH STREET***	***WSW 0 - 1/8 (0.087 mi.)***	***E25***	***40***

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the NY VCP list, as provided by EDR, has revealed that there are 2 NY VCP sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LEVCO METALS PROPERT Database: VCP, Date of Government Version: 05/16/2017 Site Code: 57131	***34-11 36TH STREET***	***WNW 1/8 - 1/4 (0.211 mi.)***	***AN146***	***388***

Lower Elevation	Address	Direction / Distance	Map ID	Page
STANDARD MOTOR PRODU Database: VCP, Date of Government Version: 05/16/2017 Site Code: 58683	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***

State and tribal Brownfields sites

NY BROWNFIELDS: Brownfields Site List

A review of the NY BROWNFIELDS list, as provided by EDR, and dated 05/16/2017 has revealed that there are 4 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
31/32 LIC LLC Site Code: 520356	37-29 31ST STREET	W 1/4 - 1/2 (0.438 mi.)	217	564

Lower Elevation	Address	Direction / Distance	Map ID	Page
SILVER STAR AUTO RES Site Code: 490213	***37-14 36TH STREET***	***WSW 0 - 1/8 (0.087 mi.)***	***E25***	***40***
NORTHERN BOULEVARD A Site Code: 536051	36-20 STEINWAY STREE	SSW 0 - 1/8 (0.110 mi.)	45	95
TEITELBAUM CLEANERS	***35-45 35TH ST***	***WNW 1/8 - 1/4 (0.163 mi.)***	***AC96***	***218***

ADDITIONAL ENVIRONMENTAL RECORDS

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 05/16/2017 has revealed that there are 3 NY Spills sites within approximately 0.125 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BACCHUS RES Spill Number/Closed Date: 0708745 / 2008-01-29 spillno: 0708745 Site ID: 389696	3715 36TH AVE	WSW 0 - 1/8 (0.066 mi.)	E11	19
SILVER STAR AUTO RES Spill Number/Closed Date: 9708090 / 1998-03-23 spillno: 9708090 Site ID: 125958	***37-14 36TH STREET***	***WSW 0 - 1/8 (0.087 mi.)***	***E25***	***40***
TM #2244 Spill Number/Closed Date: 0603972 / 2006-10-05 spillno: 0603972 Site ID: 366831	35 AVENUE & WEST 37	NNW 0 - 1/8 (0.093 mi.)	J29	72

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 12/12/2016 has revealed that there are 38 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYCDEP - SHAFT 11A	35TH AVE & STEINWAY	NE 0 - 1/8 (0.066 mi.)	D9	15
NYCDEP - SHAFT 11A	***35TH AVE & STEINWAY***	***NE 0 - 1/8 (0.066 mi.)***	***D10***	***17***
FIRST NATIONAL AUTOL	***34-35 38TH ST***	***NNE 0 - 1/8 (0.103 mi.)***	***35***	***79***
CON EDISON	***34-56 42ND ST***	***E 1/8 - 1/4 (0.135 mi.)***	***T68***	***152***
CON EDISON	34-50 42ND ST	E 1/8 - 1/4 (0.141 mi.)	T72	168
MAJOR CHEVROLET	***34-14 STEINWAY ST***	***NE 1/8 - 1/4 (0.145 mi.)***	***R76***	***173***
LEVCO METAL-34-11 36	***34-11 36TH STREET***	***N 1/8 - 1/4 (0.171 mi.)***	***AE104***	***244***
COLORA PRINTING INKS	***42 12 35TH AVE***	***ESE 1/8 - 1/4 (0.183 mi.)***	***AD123***	***337***
EXCAVATORS LOCAL 731	***34-11 35TH AVE***	***NW 1/8 - 1/4 (0.200 mi.)***	***AG131***	***358***
CON EDISON	34-17 42ND ST	ENE 1/8 - 1/4 (0.203 mi.)	AJ137	371
CON EDISON	***34-30 43RD ST***	***E 1/8 - 1/4 (0.203 mi.)***	***AK138***	***372***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON ED - TM 1000	***N/S 36 AVE 30 W/O ST***	***S 0 - 1/8 (0.070 mi.)***	***G14***	***22***
JEWEL SHEEN COATING	***37-07 36TH AVE***	***WSW 0 - 1/8 (0.076 mi.)***	***E17***	***27***
EQUITABLE BAG CO INC	***37-11 35TH AVE***	***N 0 - 1/8 (0.091 mi.)***	***I28***	***68***
CON EDISON	***34-79 37TH ST***	***N 0 - 1/8 (0.104 mi.)***	***I38***	***85***
FEDERAL LABEL SYSTEM	***35-37 36TH ST***	***WNW 0 - 1/8 (0.112 mi.)***	***O48***	***101***
A & J WIRE DISPLAY C	***34-29 37TH ST***	***N 1/8 - 1/4 (0.132 mi.)***	***64***	***146***
SUNOCO SERVICE STATI	***36-02 21ST ST***	***W 1/8 - 1/4 (0.140 mi.)***	***U70***	***155***
CON EDISON	***36-30 37TH ST***	***WSW 1/8 - 1/4 (0.151 mi.)***	***S78***	***180***
UNIVERSAL FORD	***40-40 NORTHERN BLVD***	***SSW 1/8 - 1/4 (0.153 mi.)***	***W80***	***183***
TRI-US AUTO BODY SER	***36-46 38TH ST***	***SW 1/8 - 1/4 (0.156 mi.)***	***84***	***195***
CON EDISON	35-51 36TH AVE	W 1/8 - 1/4 (0.158 mi.)	U86	201
TOM V	***35-35 35TH ST***	***NW 1/8 - 1/4 (0.162 mi.)***	***AA90***	***207***
CON EDISON SERVICE B	42-33 NORTHERN BLVD	ESE 1/8 - 1/4 (0.163 mi.)	AB92	213
EAGLE METAL MFG CORP	***36-27 36TH ST***	***WSW 1/8 - 1/4 (0.163 mi.)***	***Y97***	***231***
CON EDISON	35-50 43RD ST	ESE 1/8 - 1/4 (0.171 mi.)	AB102	242
WALTER SIGN CORP	***36-35 36TH ST***	***WSW 1/8 - 1/4 (0.174 mi.)***	***Z108***	***259***
CON EDISON	***35TH AVE & 35TH ST 5***	***NW 1/8 - 1/4 (0.180 mi.)***	***AG115***	***318***
SAVE WITH SOLL CORP	***42-36 NORTHERN BLVD***	***SE 1/8 - 1/4 (0.191 mi.)***	***126***	***342***
PRIMO ENTERPRISES IN	***36-25 35TH ST***	***W 1/8 - 1/4 (0.196 mi.)***	***129***	***354***
MTA NYCT - PUMP ROOM	***38TH ST & NORTHERN B***	***SW 1/8 - 1/4 (0.209 mi.)***	***141***	***377***
HEER METAL WORKS INC	36-52 36TH ST	WSW 1/8 - 1/4 (0.216 mi.)	AQ154	421
RUG RENOVATING CO IN	***36-01 37TH AVE***	***WSW 1/8 - 1/4 (0.227 mi.)***	***AT165***	***448***
CON EDISON	32-76 37TH ST FRONT	N 1/8 - 1/4 (0.236 mi.)	AV176	468
CON EDISON	32-76 37TH ST	N 1/8 - 1/4 (0.236 mi.)	AV177	469
PURVI ENTERPRISES IN	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU181***	***492***
CON EDISON SERVICE B	***3615 36TH ST***	***WSW 1/8 - 1/4 (0.247 mi.)***	***AT186***	***507***
CON EDISON	***3515 37TH AVE***	***WSW 1/8 - 1/4 (0.248 mi.)***	***AW191***	***524***

NY DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 10/27/2016 has revealed that there are 2 NY DRYCLEANERS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DRY CLEANER PLUS Facility Id: 2-6304-01417	35-04 34TH STREET	NW 1/8 - 1/4 (0.233 mi.)	AS171	461

Lower Elevation	Address	Direction / Distance	Map ID	Page
TEITELBAUM/MR R WHOL Facility Id: 2-6304-00397	35-45 35TH STREET	WNW 1/8 - 1/4 (0.163 mi.)	AC95	217

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 01/30/2017 has revealed that there are 59 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYCDEP - SHAFT 11A EPA ID: NYP000908053	***35TH AVE & STEINWAY***	***NE 0 - 1/8 (0.066 mi.)***	***D10***	***17***
CONSOLIDATED EDISON EPA ID: NYP004094223	41ST & 35 AVE V8552	E 0 - 1/8 (0.096 mi.)	K32	76
CON EDISON EPA ID: NYP004728473	34-56 42ND ST	E 1/8 - 1/4 (0.135 mi.)	T69	153
CON EDISON EPA ID: NYP004780102	34-50 42ND ST	E 1/8 - 1/4 (0.141 mi.)	T73	169
MAJOR CHEVROLET EPA ID: NYD012397170	***34-14 STEINWAY ST***	***NE 1/8 - 1/4 (0.145 mi.)***	***R76***	***173***
MARZOCCO DUN-RITE AU EPA ID: NYD981134695	***34-11 38TH ST***	***NNE 1/8 - 1/4 (0.157 mi.)***	***85***	***198***
LEVCO METAL-34-11 36 EPA ID: NYD001316777	***34-11 36TH STREET***	***N 1/8 - 1/4 (0.171 mi.)***	***AE104***	***244***
NYCDP&R - ARROW RECR EPA ID: NYR000179853	***35-30 35TH ST***	***WNW 1/8 - 1/4 (0.180 mi.)***	***AA114***	***314***
KAUFMAN ASTORIA STUD EPA ID: NY0000009092	***34-12 36TH ST***	***NNW 1/8 - 1/4 (0.182 mi.)***	***AE118***	***323***
EXCAVATORS LOCAL 731 EPA ID: NYR000104620	***34-11 35TH AVE***	***NW 1/8 - 1/4 (0.200 mi.)***	***AG131***	***358***
CON ED EPA ID: NYP004776159	34-17 42ND ST	ENE 1/8 - 1/4 (0.203 mi.)	AJ136	370
CON EDISON EPA ID: NYP004676797	34-42 35 ST OPP	NNW 1/8 - 1/4 (0.209 mi.)	AI142	381
CON EDISON EPA ID: NYP004683892	34-32 35 ST	NNW 1/8 - 1/4 (0.216 mi.)	AI151	414
RITE AID #4865	***32-87 STEINWAY STREE***	***NE 1/8 - 1/4 (0.216 mi.)***	***AR157***	***427***

EPA ID: NYR000186783				
JIMMYS STEINWAY COLL EPA ID: NYD144135415	***41-05 34TH AVE***	***NE 1/8 - 1/4 (0.217 mi.)***	***AH159***	***435***
CON ED EPA ID: NYP004676789	34-22 35 ST FRNT	NNW 1/8 - 1/4 (0.229 mi.)	167	454
CON EDISON EPA ID: NYP004636551	34-17 43RD ST	E 1/8 - 1/4 (0.237 mi.)	179	472

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED EDISON EPA ID: NYP004113296	38 ST & 35 AVE MH174	N 0 - 1/8 (0.065 mi.)	C8	14
CONSOLIDATED EDISON EPA ID: NYP004106316	36 AVE & 38 ST MH174	SW 0 - 1/8 (0.068 mi.)	E13	21
CON ED - TM 1000 EPA ID: NYP004003034	***N/S 36 AVE 30 W/O ST***	***S 0 - 1/8 (0.070 mi.)***	***G14***	***22***
JEWEL SHEEN COATING EPA ID: NYD001490440	***37-07 36TH AVE***	***WSW 0 - 1/8 (0.076 mi.)***	***E17***	***27***
EQUITABLE BAG CO INC EPA ID: NY0000094664	***37-11 35TH AVE***	***N 0 - 1/8 (0.091 mi.)***	***I28***	***68***
CON EDISON EPA ID: NYP004607172	59-35 58 AVE	NNW 0 - 1/8 (0.095 mi.)	J30	73
CON EDISON EPA ID: NYP004633905	F/O 30-07 35TH AVE	NNW 0 - 1/8 (0.095 mi.)	J31	74
CON EDISON EPA ID: NYP004734612	34-79 37TH ST	N 0 - 1/8 (0.104 mi.)	I37	83
FEDERAL LABEL SYSTEM EPA ID: NYD030747869	***35-37 36TH ST***	***WNW 0 - 1/8 (0.112 mi.)***	***O48***	***101***
QUEENS PLATING EPA ID: NYD001273242	36-16 37TH STREET	WSW 1/8 - 1/4 (0.131 mi.)	S62	131
CON EDISON EPA ID: NYP004680419	35-30 36TH ST	WNW 1/8 - 1/4 (0.134 mi.)	65	148
CON EDISON EPA ID: NYP004680393	34-26 38TH ST	NNE 1/8 - 1/4 (0.135 mi.)	66	149
CON EDISON EPA ID: NYP004813206	36-30 37TH ST	WSW 1/8 - 1/4 (0.151 mi.)	S79	181
UNIVERSAL FORD EPA ID: NYD012447678	***40-40 NORTHERN BLVD***	***SSW 1/8 - 1/4 (0.153 mi.)***	***W80***	***183***
NYC SCHOOL CONSTRUCT EPA ID: NYR000139006	***35-12 35TH AVE***	***NW 1/8 - 1/4 (0.154 mi.)***	***X82***	***191***
CON EDISON EPA ID: NYP004503769	F/O 36-21 36 ST	WSW 1/8 - 1/4 (0.155 mi.)	Y83	193
TRI-US AUTO BODY SER EPA ID: NYD981134737	***36-46 38TH ST***	***SW 1/8 - 1/4 (0.156 mi.)***	***84***	***195***
CON EDISON EPA ID: NYP004796710	35-51 36TH AVE	W 1/8 - 1/4 (0.158 mi.)	U87	202
TOM V	***35-35 35TH ST***	***NW 1/8 - 1/4 (0.162 mi.)***	***AA90***	***207***

EPA ID: NYR000044222				
CON EDISON EPA ID: NYP004549473	42-33 NORTHERN BLVD	ESE 1/8 - 1/4 (0.163 mi.)	AB93	214
TEITELBAUM CLEANERS EPA Id: NYD981132459 Manifest Document Number: 003785194FLE	***35-45 35TH ST***	***WNW 1/8 - 1/4 (0.163 mi.)***	***AC96***	***218***
EAGLE METAL MFG CORP EPA ID: NYD001310390	***36-27 36TH ST***	***WSW 1/8 - 1/4 (0.163 mi.)***	***Y97***	***231***
CON EDISON EPA ID: NYP004777611	35-50 43RD ST	ESE 1/8 - 1/4 (0.171 mi.)	AB103	243
NYPD EMERGENCY MEDIC EPA ID: NYR000168807	***38-13 NORTHERN BOULE***	***SSW 1/8 - 1/4 (0.171 mi.)***	***107***	***255***
WALTER SIGN CORP EPA ID: NYD001330489	***36-35 36TH ST***	***WSW 1/8 - 1/4 (0.174 mi.)***	***Z108***	***259***
SPEEDWAY 7830 EPA Id: NYD982185480	***3904 NORTHERN BLVD***	***SSW 1/8 - 1/4 (0.174 mi.)***	***W110***	***301***
CONSOLIDATED EDISON EPA ID: NYP004016804	V3517-144 E 43RD ST	ESE 1/8 - 1/4 (0.175 mi.)	AB112	311
CON EDISON EPA ID: NYP004733416	35TH AVE & 35TH ST 5	NW 1/8 - 1/4 (0.181 mi.)	AG116	319
CON ED EPA ID: NYP004677159	OPPOSITE 34-05 37 ST	N 1/8 - 1/4 (0.190 mi.)	125	341
KAUFMAN ASTORIA STUD EPA ID: NYD000009092	34 12 36TH ST	W 1/8 - 1/4 (0.193 mi.)	AF127	351
MTA NYCT - PUMP ROOM EPA Id: NYR000143602	***38TH ST & NORTHERN B***	***SW 1/8 - 1/4 (0.209 mi.)***	***141***	***377***
HEER METAL WORKS INC EPA ID: NYR000110205	***36-52 36TH ST***	***WSW 1/8 - 1/4 (0.216 mi.)***	***AQ152***	***415***
STAR SERVICE AUTO RE EPA ID: NYR000211193	***36-26 35TH ST***	***W 1/8 - 1/4 (0.222 mi.)***	***AM160***	***438***
RUG RENOVATING CO IN EPA ID: NYD049175326	***36-01 37TH AVE***	***WSW 1/8 - 1/4 (0.227 mi.)***	***AT165***	***448***
CON EDISON EPA ID: NYP004619540	OPP 37-02 37 AVE	SW 1/8 - 1/4 (0.231 mi.)	AU168	455
CON ED EPA ID: NYP004766853	32-76 37TH ST	N 1/8 - 1/4 (0.236 mi.)	AV174	465
CON EDISON EPA ID: NYP004773362	32-76 37TH ST FRONT	N 1/8 - 1/4 (0.236 mi.)	AV175	467
STANDARD MOTOR PRODU EPA ID: NYD001315266	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***
PURVI ENTERPRISES IN EPA ID: NYR000065540	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU181***	***492***
CON EDISON SERVICE B EPA ID: NYP004466892	***3615 36TH ST***	***WSW 1/8 - 1/4 (0.247 mi.)***	***AT186***	***507***
CON EDISON EPA ID: NYP004792792	3515 37TH AVE	WSW 1/8 - 1/4 (0.248 mi.)	AW188	512
SILVER STAR MOTORS-M	***35-15 37TH AVE***	***WSW 1/8 - 1/4 (0.248 mi.)***	***AW189***	***514***

EPA ID: NYR000157081

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 12/31/2015 has revealed that there are 3 PA MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
KAUFMAN ASTORIA STUD Generator EPA Id: NY0000009092	***34-12 36TH ST***	***NNW 1/8 - 1/4 (0.170 mi.)***	***AE100***	***238***
RITE AID # 4865 Generator EPA Id: NYR000186783	32-87 STEINWAY ST	NE 1/8 - 1/4 (0.216 mi.)	AR158	433

Lower Elevation	Address	Direction / Distance	Map ID	Page
STANDARD MOTOR PRODU EPA ID: NYD001315266	***37-18 NORTHERN BLVD***	***SW 1/8 - 1/4 (0.244 mi.)***	***AU180***	***473***

RI MANIFEST: Hazardous waste manifest information

A review of the RI MANIFEST list, as provided by EDR, and dated 12/31/2013 has revealed that there are 2 RI MANIFEST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
QUEENS PLATING COMPA EPA Id: NYD001273242 Manifest Document Number: RIB0006402	***36-16 37 STREET***	***WSW 1/8 - 1/4 (0.131 mi.)***	***S63***	***132***
TEITELBAUM CLEANERS EPA Id: NYD981132459 Manifest Document Number: 003785194FLE	***35-45 35TH ST***	***WNW 1/8 - 1/4 (0.163 mi.)***	***AC96***	***218***

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2016 has revealed that there are 13 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004728473	34-56 42ND ST	E 1/8 - 1/4 (0.135 mi.)	T67	151
CON EDISON EPA Id: NYP004780102	34-50 42ND ST	E 1/8 - 1/4 (0.141 mi.)	T74	170
NYCDP&R - ARROW RECR EPA ID: NYR000179853	***35-30 35TH ST***	***WNW 1/8 - 1/4 (0.180 mi.)***	***AA114***	***314***
CON EDISON EPA Id: NYP004776159	34-17 42ND ST	ENE 1/8 - 1/4 (0.203 mi.)	AJ135	369
CON EDISON	34-30 43RD ST	E 1/8 - 1/4 (0.203 mi.)	AK139	373

EPA Id: NYP004749420

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004734612	34-79 37TH ST	N 0 - 1/8 (0.104 mi.)	I39	86
CON EDISON EPA Id: NYP004813206	36-30 37TH ST	WSW 1/8 - 1/4 (0.151 mi.)	S77	179
CON EDISON EPA Id: NYP004777611	35-50 43RD ST	ESE 1/8 - 1/4 (0.171 mi.)	AB101	241
SPEEDWAY 7830 EPA Id: NYD982185480	***3904 NORTHERN BLVD***	***SSW 1/8 - 1/4 (0.174 mi.)***	***W110***	***301***
MTA NYCT - PUMP ROOM EPA Id: NYR000143602	***38TH ST & NORTHERN B***	***SW 1/8 - 1/4 (0.209 mi.)***	***141***	***377***
STANDARD MOTOR PRODU EPA Id: NYD001315266	37-18 NORTHERN BLVD	SW 1/8 - 1/4 (0.244 mi.)	AU183	497
SILVER STAR MOTORS-M EPA Id: NYR000157081	35-15 37TH AVE	WSW 1/8 - 1/4 (0.248 mi.)	AW187	509
CON EDISON EPA Id: NYP004792792	3515 37TH AVE	WSW 1/8 - 1/4 (0.248 mi.)	AW192	525

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 20 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
M T I AUTO CENTER IN	35-25 STEINWAY ST	ESE 0 - 1/8 (0.039 mi.)	A2	8
MILLER INC BRIAN JAN	3535 STEINWAY ST	SSE 0 - 1/8 (0.040 mi.)	A4	10
SATURN OF LONG ISLAN	3549 STEINWAY ST	SSE 0 - 1/8 (0.055 mi.)	6	13
RICHIES AUTO	3526 41ST ST	ESE 0 - 1/8 (0.066 mi.)	F12	20
JOHN & PETER AT TRAN	34-48 STEINWAY ST	NE 0 - 1/8 (0.090 mi.)	H27	68
ALEX SERVICE STATION	34-49 STEINWAY ST	NE 0 - 1/8 (0.099 mi.)	H33	77
A & S GLASS CO	40-21 35TH AVE	E 0 - 1/8 (0.110 mi.)	K44	94
THREE BROTHERS AUTO	3534 42ND ST	SE 0 - 1/8 (0.112 mi.)	P49	104
TOLIMAS AUTO CENTER	3542 42ND ST	SE 0 - 1/8 (0.113 mi.)	P50	105
NORTHERN AUTO REPAIR	3540 42ND ST	SE 0 - 1/8 (0.116 mi.)	P54	114

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAB SERVICE & PARTS	35-30 38TH ST	WNW 0 - 1/8 (0.032 mi.)	1	8

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
TAZ MOTORS	3543 37TH ST	WNW 0 - 1/8 (0.063 mi.)	7	13
JET SERVICE STATION	36-01 38TH ST	SW 0 - 1/8 (0.075 mi.)	16	26
G & C LINCOLN AUTO S	3602 STEINWAY ST	SSW 0 - 1/8 (0.078 mi.)	G18	31
RICHELLE R M INC	36-04 STEINWAY ST	SSW 0 - 1/8 (0.081 mi.)	G19	31
E & Y AUTO	3606 STEINWAY ST	SSW 0 - 1/8 (0.082 mi.)	G20	31
KAY LINCOLN MERCURY	40-15 NORTHERN BLVD	S 0 - 1/8 (0.109 mi.)	N43	94
T M & T SERVICE STAT	41-15 NORTHERN BLVD	SE 0 - 1/8 (0.115 mi.)	Q51	105
DOUBLE CHECK AUTO EL	36-20 36TH AVE	W 0 - 1/8 (0.116 mi.)	M53	114
DYNAMIC GROUP AUTOMO	3601 36TH AVE	W 0 - 1/8 (0.120 mi.)	M58	123

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 6 records.

Site Name	Database(s)
FLEMM LEAD CO.	SEMS-ARCHIVE, LEAD SMELTERS
34TH AVE. & 62ND ST. PLUME	NY SHWS
QUEENS WEST - SOUTH	NY SHWS
OUTLET CITY	NY SHWS
QUEENS BLVD AND 52ND ST GW	NY SHWS
CON ED ASTORIA	NY LTANKS

OVERVIEW MAP - 05036685.2R



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites

0 1/4 1/2 1 Miles

- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Upgradient Area

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	PC Richards Store	CLIENT:	EBI Consulting
ADDRESS:	35-30 Steinway Street, Block 668 Lot 5 Long Island City NY 11101	CONTACT:	Evan Hersch
LAT/LONG:	40.754589 / -73.923143	INQUIRY #:	05036685.2r
		DATE:	August 30, 2017 9:16 am

Copyright © 2017 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 05036685.2R



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	PC Richards Store	CLIENT:	EBI Consulting
ADDRESS:	35-30 Steinway Street, Block 668 Lot 5 Long Island City NY 11101	CONTACT:	Evan Hersch
LAT/LONG:	40.754589 / -73.923143	INQUIRY #:	05036685.2r
		DATE:	August 30, 2017 9:21 am

Copyright © 2017 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	2	NR	NR	NR	2
RCRA-SQG	0.250		0	5	NR	NR	NR	5
RCRA-CESQG	0.250		0	8	NR	NR	NR	8
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
State- and tribal - equivalent CERCLIS								
NY SHWS	1.000		0	4	2	4	NR	10
NY VAPOR REOPENED	1.000		0	2	0	0	NR	2
State and tribal landfill and/or solid waste disposal site lists								
NY SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
INDIAN LUST	0.500		0	0	0	NR	NR	0
NY LTANKS	0.500		3	7	31	NR	NR	41
NY HIST LTANKS	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
NY UST	0.250		9	15	NR	NR	NR	24
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	2	NR	NR	NR	2
NY MOSF	0.500		0	0	0	NR	NR	0
NY AST	0.250		12	29	NR	NR	NR	41
NY CBS AST	0.250		0	2	NR	NR	NR	2
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	0	0	NR	NR	0
NY INST CONTROL	0.500		1	0	0	NR	NR	1
State and tribal voluntary cleanup sites								
NY VCP	0.500		0	2	0	NR	NR	2
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
NY BROWNFIELDS	0.500		2	1	1	NR	NR	4
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWRCY	0.500		0	0	0	NR	NR	0
NY SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
NY DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		3	NR	NR	NR	NR	3
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		8	30	NR	NR	NR	38
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		0	2	NR	NR	NR	2
NY E DESIGNATION	0.125		0	NR	NR	NR	NR	0
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY MANIFEST	0.250		11	48	NR	NR	NR	59
PA MANIFEST	0.250		0	3	NR	NR	NR	3
RI MANIFEST	0.250		0	2	NR	NR	NR	2
NJ MANIFEST	0.250		1	12	NR	NR	NR	13
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		20	NR	NR	NR	NR	20
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0
NY RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals --		0	70	176	34	4	0	284

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

1
WNW
< 1/8
0.032 mi.
169 ft.

CAB SERVICE & PARTS CORP — **EDR Hist Auto** — **1020322231**
35-30 38TH ST — **N/A**
LONG IS CY, NY 11101

Relative: Lower

Actual: 38 ft.

EDR Hist Auto

Year:	Name:	Type:
1972	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1973	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1974	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1975	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1976	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1977	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1978	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1979	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1980	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1982	CAB SERVICE & PARTS CORP	General Automotive Repair Shops
1983	CAB SERVICE & PARTS CORP	General Automotive Repair Shops

---

A2
ESE
< 1/8
0.039 mi.
207 ft.

M T I AUTO CENTER INC — **EDR Hist Auto** — **1020573778**
35-25 STEINWAY ST — **N/A**
LONG IS CY, NY 11101
Site 1 of 2 in cluster A

Relative: Higher

Actual: 39 ft.

EDR Hist Auto

Year:	Name:	Type:
1985	ASTORIA TIRES INC	Auto And Home Supply Stores
1985	M T I AUTO CENTER INC	General Automotive Repair Shops
1986	MTI AUTO CENTER INC	Auto And Home Supply Stores
1986	M T I AUTO CENTER INC	General Automotive Repair Shops
1987	M T I AUTO CENTER INC	General Automotive Repair Shops
1987	MTI AUTO CENTER INC	Auto And Home Supply Stores
1988	M T I AUTO CENTER INC	General Automotive Repair Shops
1988	MTI AUTO CENTER INC	Auto And Home Supply Stores
1989	M T I AUTO CENTER INC	Auto And Home Supply Stores, NEC

B3
SSW
< 1/8
0.040 mi.
211 ft.

QPII-35-48 STEINWAY STREET LLC — **NY AST** — **A100295896**
35-48 STEINWAY STREET — **N/A**
LONG ISLAND CITY, NY 11101
Site 1 of 2 in cluster B

Relative: Higher

Actual: 39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-609529
Program Type:	PBS
UTM X:	590932.17812
UTM Y:	4512052.78478
Expiration Date:	01/31/2018
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	55558

QPII-35-48 STEINWAY STREET LLC (Continued) **A100295896**

Affiliation Type:	On-Site Operator
Company Name:	QPII-35-48 STEINWAY STREET LLC
Contact Type:	Not reported
Contact Name:	JIMMY ESPINOZA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 932-2080
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KAKYER
Date Last Modified:	2013-01-18

Site Id:	55558
Affiliation Type:	Emergency Contact
Company Name:	QPII-35-48 STEINWAY STREET LLC
Contact Type:	Not reported
Contact Name:	TONY NEZAJ
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 634-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KAKYER
Date Last Modified:	2013-01-18

Site Id:	55558
Affiliation Type:	Facility Owner
Company Name:	QPII-35-48 STEINWAY STREET LLC
Contact Type:	PROPERTY MGR
Contact Name:	TONY NEZAJ
Address1:	622 THIRD AVE, 14TH FL
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 634-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KAKYER
Date Last Modified:	2013-01-18

Site Id:	55558
Affiliation Type:	Mail Contact
Company Name:	COOPER SQUARE REALTY
Contact Type:	Not reported
Contact Name:	COMPLIANCE DEPARTMENT
Address1:	622 THIRD AVENUE
Address2:	14TH FLOOR

QPII-35-48 STEINWAY STREET LLC (Continued) **A100295896**

City:	NEW YORK
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 634-8900
EMail:	LOUIS.GIANO@COOPERSQUARE.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-06-14

Tank Info:

Tank Number:	001
Tank Id:	178545
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
I03 - Overfill - Automatic Shut-Off
L00 - Piping Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
J00 - Dispenser - None
A01 - Tank Internal Protection - Epoxy Liner
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	03/01/1988
Capacity Gallons:	3000
Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	dxliving
Last Modified:	04/25/2008
Material Name:	Not reported

A4 **MILLER INC BRIAN JAN** **EDR Hist Auto** **1020400776**
SSE **3535 STEINWAY ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.040 mi.
212 ft. **Site 2 of 2 in cluster A**

Relative:
Higher

EDR Hist Auto

Actual:
40 ft.

Year:	Name:	Type:
1980	G B S INC	General Automotive Repair Shops
1982	G B S AUTO CENTER INC	General Automotive Repair Shops
1983	G B S AUTO CENTER INC	General Automotive Repair Shops

MILLER INC BRIAN JAN (Continued) **1020400776**

1985	G B S AUTO CENTER INC	General Automotive Repair Shops
1986	G B S AUTO CENTER INC	General Automotive Repair Shops
1987	MILLER INC BRIAN JAN	General Automotive Repair Shops
1988	MILLER INC BRIAN JAN	General Automotive Repair Shops
1989	MILLER INC BRIAN JAN	General Automotive Repair Shops
1990	MILLER INC BRIAN JAN	General Automotive Repair Shops
1991	MILLER INC BRIAN JAN	General Automotive Repair Shops
1992	MILLER INC BRIAN JAN	General Automotive Repair Shops
1993	MILLER INC BRIAN JAN	General Automotive Repair Shops
1994	MILLER INC BRIAN JAN	General Automotive Repair Shops
1995	MILLER INC BRIAN JAN	General Automotive Repair Shops
1996	STEINWAY TRANSMISSIONS(INC)	Automotive Transmission Repair Shops
1997	FOREIGN & DOMESTIC AUTO REPAIR	General Automotive Repair Shops

---

B5 **35-52 STEINWAY STREET** **NY AST** **A100292212**
SSW **35-52 STEINWAY STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.050 mi.
265 ft. **Site 2 of 2 in cluster B**

Relative:
Lower

Actual:
38 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-607541
Program Type:	PBS
UTM X:	590928.20522
UTM Y:	4512046.29660
Expiration Date:	03/28/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	29393
Affiliation Type:	Facility Owner
Company Name:	DIMITRIOS PISTIKOS
Contact Type:	OWNER
Contact Name:	DIMITRIOS PISTIKOS
Address1:	23-67 36TH STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11105
Country Code:	001
Phone:	(718) 204-2837
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2007-01-02

Site Id:	29393
Affiliation Type:	Mail Contact
Company Name:	Not reported
Contact Type:	Not reported
Contact Name:	DIMITRIOS PISTIKOS
Address1:	23-67 36TH STREET
Address2:	Not reported
City:	ASTORIA
State:	NY

35-52 STEINWAY STREET (Continued) **A100292212**

Zip Code:	11105
Country Code:	001
Phone:	(718) 204-2837
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29393
Affiliation Type:	On-Site Operator
Company Name:	35-52 STEINWAY STREET
Contact Type:	Not reported
Contact Name:	GLADYS VENDERSOTTO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 361-6271
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29393
Affiliation Type:	Emergency Contact
Company Name:	DIMITRIOS PISTIKOS
Contact Type:	Not reported
Contact Name:	DIMITRIOS PISTIKOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 204-2837
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	63165
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None

35-52 STEINWAY STREET (Continued) **A100292212**

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1949
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	12/23/2011
Material Name:	Not reported

---

6 **SATURN OF LONG ISLAND CITY** **EDR Hist Auto** **1021429936**
SSE **3549 STEINWAY ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.055 mi.
291 ft.

Relative: **Higher**

Actual: **39 ft.**

EDR Hist Auto

Year:	Name:	Type:
1997	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2002	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2003	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2004	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2005	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2006	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2007	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops
2008	SATURN OF LONG ISLAND CITY	General Automotive Repair Shops

---

7 **TAZ MOTORS** **EDR Hist Auto** **1022104390**
WNW **3543 37TH ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.063 mi.
333 ft.

Relative: **Lower**

Actual: **38 ft.**

EDR Hist Auto

Year:	Name:	Type:
1995	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
1996	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
1997	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
1998	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
1999	TAZ MOTORS	General Automotive Repair Shops
1999	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
2000	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
2000	TAZ MOTORS	General Automotive Repair Shops

TAZ MOTORS (Continued) **1022104390**

2001	G & H PAPPAS AUTO REPAIRS INC	General Automotive Repair Shops
2001	TAZ MOTORS	General Automotive Repair Shops
2002	TAZ MOTORS	General Automotive Repair Shops
2003	TAZ MOTORS	General Automotive Repair Shops
2004	TAZ MOTORS	General Automotive Repair Shops
2005	TAZ MOTORS	General Automotive Repair Shops
2006	TAZ MOTORS	General Automotive Repair Shops
2007	TAZ MOTORS	General Automotive Repair Shops
2008	TAZ MOTORS	General Automotive Repair Shops
2009	TAZ MOTORS	General Automotive Repair Shops
2010	TAZ MOTORS	General Automotive Repair Shops

C8 **CONSOLIDATED EDISON** **NY MANIFEST** **1009242382**
North **38 ST & 35 AVE MH17478** **N/A**
< 1/8 **QUEENS, NY**
0.065 mi.
342 ft. **Site 1 of 2 in cluster C**

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004113296
Facility Status:	Not reported
Location Address 1:	38 ST & 35 AVE MH17478
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004113296
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE1303452
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	96589JE
Trans2 State ID:	Not reported
Generator Ship Date:	07/22/2003
Trans1 Recv Date:	07/22/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/23/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004113296

CONSOLIDATED EDISON (Continued) **1009242382**

Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00075
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

D9 **NYCDEP - SHAFT 11A** **RCRA NonGen / NLR** **1004761992**
NE **35TH AVE & STEINWAY ST** **NYR000092452**
< 1/8 **QUEENS, NY 11101**
0.066 mi.
347 ft. **Site 1 of 2 in cluster D**

Relative:
Higher

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	NYCDEP - SHAFT 11A
Facility address:	35TH AVE & STEINWAY ST QUEENS, NY 11101
EPA ID:	NYR000092452
Mailing address:	JUNCTION BLVD CORONA, NY 11368
Contact:	EILEEN MURPHY
Contact address:	JUNCTION BLVD CORONA, NY 11368
Contact country:	US
Contact telephone:	(718) 595-7439
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

NYCDEP - SHAFT 11A (Continued) **1004761992**

Owner/Operator Summary:
Owner/operator name: NYCDEP
Owner/operator address: 59-17 JUNCTION BLVD
CORONA, NY 11368
Owner/operator country: US
Owner/operator telephone: (718) 595-3518
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: NYCDEP
Owner/operator address: 59-17 JUNCTION BLVD
CORONA, NY 11368
Owner/operator country: US
Owner/operator telephone: (718) 595-3518
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: NYCDEP - SHAFT 11A
Classification: Not a generator, verified

Date form received by agency: 11/02/2000
Site name: NYCDEP - SHAFT 11A
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D009
. Waste name: MERCURY

Violation Status: No violations found

D10 **NYCDEP - SHAFT 11A** **RCRA NonGen / NLR** **1007205062**
NE **35TH AVE & STEINWAY ST** **FINDS** **NYP000908053**
< 1/8 **QUEENS, NY 11101** **ECHO**
0.066 mi. **NY MANIFEST**
347 ft. **Site 2 of 2 in cluster D**

Relative:
Higher

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	03/27/1994
Facility name:	NEW YORK TELEPHONE
Facility address:	35 AVE & STEINWAY QUEENS, NY 111010000
EPA ID:	NYP000908053
Mailing address:	1095 AVENUE OF THE AMERICAS ROOM 3025 NEW YORK, NY 100360000
Contact:	JOHN QUATRALE
Contact address:	1095 AVENUE OF THE AMERICAS NEW YORK, NY 100360000
Contact country:	US
Contact telephone:	(212) 395-2436
Telephone ext.:	9999
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	03/26/1994
Site name:	NEW YORK TELEPHONE
Classification:	Not a generator, verified
Date form received by agency:	03/25/1994
Site name:	NEW YORK TELEPHONE
Classification:	Large Quantity Generator
Violation Status:	No violations found

FINDS:

Registry ID: 110008113825

Environmental Interest/Information System

NYCDEP - SHAFT 11A (Continued) **1007205062**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1007205062
Registry ID:	110008113825
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110008113825

NY MANIFEST:

Country:	USA
EPA ID:	NYP000908053
Facility Status:	Not reported
Location Address 1:	35TH AVE & STEINWAY ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP000908053
Mailing Name:	NYNEX
Mailing Contact:	JOSEPH KONDRACKI
Mailing Address 1:	1095 AVE OF AMER-RM 1509
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10036
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2123956040

NY MANIFEST:

Document ID:	NJA1688143
Manifest Status:	C
seq:	Not reported
Year:	1993
Trans1 State ID:	NJDEPES50
Trans2 State ID:	Not reported
Generator Ship Date:	06/09/1993
Trans1 Recv Date:	06/09/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	06/09/1993
Part A Recv Date:	/ /
Part B Recv Date:	06/23/1993
Generator EPA ID:	NYP000908053

NYCDEP - SHAFT 11A (Continued) **1007205062**

Trans1 EPA ID:	NYD980761191
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00275
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	005
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

E11 **BACCHUS RES** **NY Spills** **S108956607**
WSW **3715 36TH AVE** **N/A**
< 1/8 **ASTORIA, NY**
0.066 mi.
348 ft. **Site 1 of 5 in cluster E**

Relative:
Lower

Actual:
35 ft.

SPILLS:

Facility ID:	0708745
Facility Type:	ER
DER Facility ID:	339284
Site ID:	389696
DEC Region:	2
Spill Date:	2007-11-11
Spill Number/Closed Date:	0708745 / 2008-01-29
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	RMPIPER
Referred To:	Not reported
Reported to Dept:	2007-11-11
CID:	27
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Citizen

BACCHUS RES (Continued) **S108956607**

Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-11-12
Spill Record Last Update:	2008-01-29
Spiller Name:	SULTAN BACCUS
Spiller Company:	BACCHUS RES
Spiller Address:	3715 36TH AVE
Spiller City,St,Zip:	ASTORIA, NY 11101
Spiller Company:	001
Contact Name:	SULTAN BACCUS
Contact Phone:	(718) 729-5823
DEC Memo:	"Petro performed clean up. closed."
Remarks:	"Spill onto concrete floor from oil filter. Petro Oil on scene doing the cleanup."

Material:

Site ID:	389696
Operable Unit ID:	1146829
Operable Unit:	01
Material ID:	2137216
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

F12 **RICHIES AUTO** **EDR Hist Auto** **1021130879**
ESE **3526 41ST ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.066 mi.
348 ft. **Site 1 of 2 in cluster F**

Relative:
Higher

Actual:
41 ft.

EDR Hist Auto

Year:	Name:	Type:
1999	ENA SERVICE CENTER LTD	General Automotive Repair Shops
2001	ENA SERVICE CENTER LTD	General Automotive Repair Shops
2002	ENA SERVICE CENTER LTD	General Automotive Repair Shops
2005	RICHIES AUTO	General Automotive Repair Shops
2005	RRBNJ INC	General Automotive Repair Shops
2006	RICHIES AUTO	General Automotive Repair Shops
2006	RRBNJ INC	General Automotive Repair Shops
2007	RRBNJ INC	General Automotive Repair Shops
2007	RICHIES AUTO	General Automotive Repair Shops
2008	RRBNJ INC	General Automotive Repair Shops
2008	RICHIES AUTO	General Automotive Repair Shops
2009	RICHIES AUTO	General Automotive Repair Shops

RICHIES AUTO (Continued) **1021130879**

2010	RICHIES AUTO	General Automotive Repair Shops
2011	RICHIES AUTO	General Automotive Repair Shops

E13
SW
< 1/8
0.068 mi.
360 ft.

CONSOLIDATED EDISON
36 AVE & 38 ST MH17490
QUEENS, NY

Site 2 of 5 in cluster E

NY MANIFEST **1009242042**
N/A

Relative:
Lower

Actual:
35 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004106316
Facility Status:	Not reported
Location Address 1:	36 AVE & 38 ST MH17490
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004106316
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE1323504
Manifest Status:	Not reported
seq:	01
Year:	2003
Trans1 State ID:	96590JE
Trans2 State ID:	Not reported
Generator Ship Date:	02/03/2003
Trans1 Recv Date:	02/03/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/03/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004106316
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

CONSOLIDATED EDISON (Continued) **1009242042**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D006 - CADMIUM 1.0 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00050
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

G14 **CON ED - TM 1000** **RCRA NonGen / NLR** **1007206072**
South **N/S 36 AVE 30 W/O STEINWAY ST** **NY MANIFEST** **NYP004003034**
< 1/8 **ASTORIA, NY 11104**
0.070 mi.
368 ft. **Site 1 of 6 in cluster G**

Relative:
Lower

Actual:
37 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/28/1998
Facility name:	CON ED - TM 1000
Facility address:	N/S 36 AVE 30 W/O STEINWAY ST ASTORIA, NY 111040000
EPA ID:	NYP004003034
Mailing address:	CONSOLIDATED EDISON INC 4 IRVING PL RM 310 NEW YORK, NY 100030000
Contact:	ANTHONY DRUMMINGS
Contact address:	CONSOLIDATED EDISON INC NEW YORK, NY 100030000
Contact country:	US
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No

CON ED - TM 1000 (Continued) **1007206072**

Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 02/27/1998
Site name: CON ED - TM 1000
Classification: Not a generator, verified

Date form received by agency: 02/26/1998
Site name: CON ED - TM 1000
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYP004003034
Facility Status: Not reported
Location Address 1: STEINWAY AND 36TH AVE 1Q18
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: Not reported
Location State: NY
Location Zip: Not reported
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004003034
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

NY MANIFEST:
Document ID: NYB8416179
Manifest Status: C
seq: Not reported
Year: 1997
Trans1 State ID: 20856AD
Trans2 State ID: Not reported
Generator Ship Date: 01/10/1997
Trans1 Recv Date: 01/10/1997
Trans2 Recv Date: / /
TSD Site Recv Date: 01/14/1997

CON ED - TM 1000 (Continued) **1007206072**

Part A Recv Date:	01/29/1997
Part B Recv Date:	01/28/1997
Generator EPA ID:	NYP004003034
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01036
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

C15 **38-01 35TH AV** **NY UST** **U000399948**
NNE **38-01 35 AVE** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.073 mi.
387 ft. **Site 2 of 2 in cluster C**

Relative:
Lower

Actual:
38 ft.

UST:

Id/Status:	2-316350 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590927.90173
UTM Y:	4512174.19298
Site Type:	Unknown

Affiliation Records:

Site Id:	14502
Affiliation Type:	Facility Owner
Company Name:	RICHWEL CO C/O WERWASS LO CRR
Contact Type:	Not reported
Contact Name:	Not reported

38-01 35TH AV (Continued) **U000399948**

Address1:	509 MADISON
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 935-0200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	14502
Affiliation Type:	Mail Contact
Company Name:	RICHWEL CO C/O WERWASS LO CRR
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	509 MADISON
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 935-0200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	14502
Affiliation Type:	On-Site Operator
Company Name:	38-01 35TH AV
Contact Type:	Not reported
Contact Name:	TINBOX CO IF AMERICA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 935-0200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	14502
Affiliation Type:	Emergency Contact
Company Name:	RICHWEL CO C/O WERWASS LO CRR
Contact Type:	Not reported
Contact Name:	A-1 FUEL CO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001

38-01 35TH AV (Continued) **U000399948**

Phone:	(212) 935-0200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	12957
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2500
Install Date:	12/01/1935
Date Tank Closed:	05/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

---

16 **JET SERVICE STATION** **EDR Hist Auto** **1021834110**
SW **36-01 38TH ST** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.075 mi.
397 ft.

Relative:
Lower

Actual:
34 ft.

EDR Hist Auto

Year:	Name:	Type:
1975	JET SERVICE STATION	Gasoline Service Stations
1976	JET SERVICE STATION	Gasoline Service Stations
1977	JET SERVICE STATION	Gasoline Service Stations
1978	JET SERVICE STATION	Gasoline Service Stations
1979	JET SERVICE STATION	Gasoline Service Stations
1979	JET SERVICE STATION	Gasoline Service Stations
1980	JET SERVICE STATION	Gasoline Service Stations
1982	JET SERVICE STATION	Gasoline Service Stations
1983	JET SERVICE STATION	Gasoline Service Stations

E17 **JEWEL SHEEN COATING INC** **RCRA NonGen / NLR** **1000203740**
WSW **37-07 36TH AVE** **FINDS** **NYD001490440**
< 1/8 **LONG ISLAND CITY, NY 11101** **ECHO**
0.076 mi. **NY MANIFEST**
400 ft. **Site 3 of 5 in cluster E**

Relative:
Lower

Actual:
35 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	JEWEL SHEEN COATING INC
Facility address:	37-07 36TH AVE LONG ISLAND CITY, NY 111011619
EPA ID:	NYD001490440
Mailing address:	36TH AVE LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	36TH AVE LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	JEWEL-SHEEN COATING INC
Owner/operator address:	37-07 36 AVE LONG ISLAND CITY, NY 11101
Owner/operator country:	US
Owner/operator telephone:	(212) 729-0888
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	JEWEL-SHEEN COATING INC
Owner/operator address:	37-07 36 AVE OPERCITY, NY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 729-0888
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

JEWEL SHEEN COATING INC (Continued) **1000203740**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: JEWEL SHEEN COATING INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: JEWEL SHEEN COATING INC
Classification: Not a generator, verified

Date form received by agency: 11/19/1980
Site name: JEWEL SHEEN COATING INC
Classification: Not a generator, verified

. Waste code: K078
. Waste name: K078

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

Date form received by agency: 07/22/1980
Site name: JEWEL SHEEN COATING INC
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: K078
. Waste name: K078

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U107
. Waste name: 1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER (OR) DI-N-OCTYL PHTHALATE

. Waste code: U159
. Waste name: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

. Waste code: U220
. Waste name: BENZENE, METHYL- (OR) TOLUENE

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/13/1985
Date achieved compliance: 05/09/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/26/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

JEWEL SHEEN COATING INC (Continued) **1000203740**

Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 05/09/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/13/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/09/1985
Evaluation lead agency: State

FINDS:

Registry ID: 110001580398

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000203740
Registry ID: 110001580398
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110001580398

NY MANIFEST:
Country: USA
EPA ID: NYD001490440
Facility Status: Not reported
Location Address 1: 37-07 36TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG IS CY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

JEWEL SHEEN COATING INC (Continued) **1000203740**

NY MANIFEST:

EPAID:	NYD001490440
Mailing Name:	JEWEL SHEEN COATING INC
Mailing Contact:	SELWYN COOPER VP
Mailing Address 1:	37-07 36TH AVE
Mailing Address 2:	Not reported
Mailing City:	LONG IS CY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2127290888

NY MANIFEST:

Document ID:	NYA3846418
Manifest Status:	C
seq:	Not reported
Year:	1986
Trans1 State ID:	PLATE#
Trans2 State ID:	57745GB
Generator Ship Date:	12/16/1986
Trans1 Recv Date:	12/16/1986
Trans2 Recv Date:	/ /
TSD Site Recv Date:	12/16/1986
Part A Recv Date:	01/09/1987
Part B Recv Date:	01/06/1987
Generator EPA ID:	NYD001490440
Trans1 EPA ID:	NYD000824334
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000824334
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F003 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00275
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	005
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

JEWEL SHEEN COATING INC (Continued) **1000203740**

Click this hyperlink while viewing on your computer to access
12 additional NY_MANIFEST: record(s) in the EDR Site Report.

G18 **G & C LINCOLN AUTO SHOP INC** **EDR Hist Auto** **1020150982**
SSW **3602 STEINWAY ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.078 mi.
413 ft. **Site 2 of 6 in cluster G**

Relative: EDR Hist Auto
Lower

Actual: **35 ft.**

Year:	Name:	Type:
2007	G & C LINCOLN AUTO SHOP INC	General Automotive Repair Shops
2008	G & C LINCOLN AUTO SHOP INC	General Automotive Repair Shops
2010	G & C LINCOLN AUTO SHOP INC	General Automotive Repair Shops
2011	G & C LINCOLN AUTO SHOP INC	General Automotive Repair Shops

---

G19 **RICHELLE R M INC** **EDR Hist Auto** **1020739428**
SSW **36-04 STEINWAY ST** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.081 mi.
426 ft. **Site 3 of 6 in cluster G**

Relative: EDR Hist Auto
Lower

Actual: **35 ft.**

Year:	Name:	Type:
1982	R M RICHELLE INC	Automotive Repair Shops, NEC
1983	R M RICHELLE INC	Automotive Repair Shops, NEC
1983	RICHELLE R M INC	Automotive Repair Shops, NEC
1985	R M RICHELLE INC	Automotive Repair Shops, NEC
1986	R M RICHELLE INC	Automotive Repair Shops, NEC
1987	R M RICHELLE INC	Automotive Repair Shops, NEC
1988	R M RICHELLE INC	Automotive Repair Shops, NEC

G20 **E & Y AUTO** **EDR Hist Auto** **1020746474**
SSW **3606 STEINWAY ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.082 mi.
435 ft. **Site 4 of 6 in cluster G**

Relative: EDR Hist Auto
Lower

Actual: **35 ft.**

Year:	Name:	Type:
2002	E & Y AUTO	General Automotive Repair Shops
2003	E & Y AUTO	General Automotive Repair Shops
2004	E & Y AUTO	General Automotive Repair Shops

F21
ESE
< 1/8
0.083 mi.
437 ft.

CLOSED-LACKOF RECENT INFO
35-13 41ST STREET
NEW YORK CITY, NY

Site 2 of 2 in cluster F

NY LTANKS **S100145606**
N/A

Relative:
Higher

Actual:
41 ft.

LTANKS:

Site ID:	146153
Spill Number/Closed Date:	8906276 / 2003-03-04
Spill Date:	1989-09-25
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1989-09-26
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-10-12
Spill Record Last Update:	2003-10-30
Spiller Name:	Not reported
Spiller Company:	QUEENSBORO FARMS
Spiller Address:	35-13 41ST STREET
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	124478
DEC Memo:	""
Remarks:	"4K TANK FAILED PETRO TITE WITH A LEAK RATE OF -.124GPH, WILL EXCAVATE,ISOLATE & RETEST. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS. "

Material:

Site ID:	146153
Operable Unit ID:	931367
Operable Unit:	01
Material ID:	446679
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

CLOSED-LACKOF RECENT INFO (Continued) **S100145606**

Tank Test:
- Site ID: 146153
- Spill Tank Test: 1536087
- Tank Number: Not reported
- Tank Size: 0
- Test Method: 00
- Leak Rate: .00
- Gross Fail: Not reported
- Modified By: Spills
- Last Modified: Not reported
- Test Method: Unknown

22
NNW
< 1/8
0.083 mi.
438 ft.

KASSABIAN ASSOC LLC **NY AST** **U003385798**
35-18 37TH ST **N/A**
LONG ISLAND CITY, NY 11101

Relative:
Higher

Actual:
39 ft.

AST:
- Region: STATE
- DEC Region: 2
- Site Status: Active
- Facility Id: 2-117498
- Program Type: PBS
- UTM X: 590825.16203
- UTM Y: 4512180.48222
- Expiration Date: 06/18/2017
- Site Type: Manufacturing (Other than Chemical)/Processing

Affiliation Records:
- Site Id: 4008
- Affiliation Type: Facility Owner
- Company Name: KASSABIAN ASSOCIATES LLC
- Contact Type: Not reported
- Contact Name: LEON KASSABIN
- Address1: 43-10 23 ST
- Address2: Not reported
- City: LONG ISLAND CITY
- State: NY
- Zip Code: 11101
- Country Code: 001
- Phone: (718) 784-7800
- EMail: Not reported
- Fax Number: Not reported
- Modified By: KXTANG
- Date Last Modified: 2007-04-03

- Site Id: 4008
- Affiliation Type: Mail Contact
- Company Name: KASSABIAN ASSOCIATES LLC
- Contact Type: Not reported
- Contact Name: LEON KASSABIAN
- Address1: 43-10 23RD STREET
- Address2: Not reported
- City: LONG ISLAND CITY
- State: NY
- Zip Code: 11101

KASSABIAN ASSOC LLC (Continued) **U003385798**

Country Code: 001
Phone: (718) 784-7800
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-04-03

Site Id: 4008
Affiliation Type: On-Site Operator
Company Name: KASSABIAN ASSOC LLC
Contact Type: Not reported
Contact Name: LEON KASSABIAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 784-7800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 4008
Affiliation Type: Emergency Contact
Company Name: KASSABIAN ASSOCIATES LLC
Contact Type: Not reported
Contact Name: LEON KASSABIAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 784-7800
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 8582
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

KASSABIAN ASSOC LLC (Continued) **U003385798**

G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	06/01/2005
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	04/03/2007
Material Name:	Not reported

Tank Number:	002
Tank Id:	216614
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None
B05 - Tank External Protection - Jacketed
C01 - Pipe Location - Aboveground
I05 - Overfill - Vent Whistle

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	07/27/2005
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	04/03/2007
Material Name:	Not reported

E23 **HACHMANN REALTY CORP** **NY UST** **U000394332**
SW **36-02 38 STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.083 mi.
439 ft. **Site 4 of 5 in cluster E**

Relative:
Lower

Actual:
33 ft.

UST:

Id/Status:	2-070351 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590803.48541
UTM Y:	4511992.80735
Site Type:	Other

Affiliation Records:

Site Id:	1554
Affiliation Type:	On-Site Operator
Company Name:	HACHMANN REALTY CORP
Contact Type:	Not reported
Contact Name:	DARRIN GLITZMAN/STEVE HOTTZMON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 784-6200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-04-11

Site Id:	1554
Affiliation Type:	Emergency Contact
Company Name:	HACHMANN REALTY
Contact Type:	Not reported
Contact Name:	MARIE RAMPINO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 898-4330
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-04-11

Site Id:	1554
Affiliation Type:	Facility Owner
Company Name:	HACHMANN REALTY
Contact Type:	SECRETARY
Contact Name:	MARIE RAMPINO
Address1:	5315 64TH ST
Address2:	Not reported
City:	MASPETH
State:	NY

HACHMANN REALTY CORP (Continued) **U000394332**

Zip Code:	11378
Country Code:	001
Phone:	(718) 478-3960
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-04-11

Site Id:	1554
Affiliation Type:	Mail Contact
Company Name:	HACHMANN REALTY
Contact Type:	SECRETARY
Contact Name:	MARIE RAMPINO
Address1:	5315 64TH ST
Address2:	Not reported
City:	MASPETH
State:	NY
Zip Code:	11378
Country Code:	001
Phone:	(718) 478-3960
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-04-11

Tank Info:

Tank Number:	001
Tank ID:	2631
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1500
Install Date:	Not reported
Date Tank Closed:	11/06/2002
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	01
Date Test:	11/01/1987
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	KXTANG
Last Modified:	04/11/2005

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A99 - Tank Internal Protection - Other
B00 - Tank External Protection - None

HACHMANN REALTY CORP (Continued) **U000394332**

F00 - Pipe External Protection - None

G24 **36-11 STEINWAY ST** **NY AST** **U003389569**
SSW **36-11 STEINWAY STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.084 mi.
444 ft. **Site 5 of 6 in cluster G**

Relative:
Lower

Actual:
35 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-202061
Program Type:	PBS
UTM X:	590873.82974
UTM Y:	4511936.49238
Expiration Date:	11/26/2018
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	6899
Affiliation Type:	Facility Owner
Company Name:	BESI PROPERTIES LLC
Contact Type:	OWNER
Contact Name:	BESI PROPERTIES LLC
Address1:	BROADWAY STATION P.O. BOX 6064
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 721-6181
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-10-25

Site Id:	6899
Affiliation Type:	Mail Contact
Company Name:	MUSA DRAFEROVIC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	BROADWAY STATION
Address2:	P.O. BOX 6064
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 721-6181
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-10-25

Site Id:	6899
Affiliation Type:	On-Site Operator
Company Name:	36-11 STEINWAY ST
Contact Type:	Not reported

36-11 STEINWAY ST (Continued) **U003389569**

Contact Name:	MUSA DRAFEROVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 721-6181
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	6899
Affiliation Type:	Emergency Contact
Company Name:	MUSA DRAFEROVIC
Contact Type:	Not reported
Contact Name:	MUSA DRAFEROVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-5134
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	16921
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
H03 - Tank Leak Detection - Vapor Well
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1924
Capacity Gallons:	2000

36-11 STEINWAY ST (Continued) **U003389569**

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	10/28/2013
Material Name:	Not reported

E25 **SILVER STAR AUTO RESOURCES LLC** **NY UST** **U000409049**
WSW **37-14 36TH STREET** **NY AST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101** **NY INST CONTROL**
0.087 mi. **NY BROWNFIELDS**
457 ft. **Site 5 of 5 in cluster E** **NY Spills**

Relative:
Lower

Actual:
33 ft.

UST:

Id/Status:	2-349798 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	07/01/2012
UTM X:	590763.61312
UTM Y:	4512035.95128
Site Type:	Other

Affiliation Records:

Site Id:	17234
Affiliation Type:	Mail Contact
Company Name:	SILVER STAR AUTO RESOURCES LLC
Contact Type:	Not reported
Contact Name:	IRAD HARDY
Address1:	DBA SILVER STAR MOTORS
Address2:	36-11 NORTHERN BOULEVARD
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101-1613
Country Code:	001
Phone:	(718) 361-2332
EMail:	IRADHARDY3@MSN.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-06-11

Site Id:	17234
Affiliation Type:	On-Site Operator
Company Name:	SILVER STAR AUTO RESOURCES LLC
Contact Type:	Not reported
Contact Name:	JAMES MCGRORY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 361-2332
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Date Last Modified:	2012-06-11

Site Id:	17234
Affiliation Type:	Emergency Contact
Company Name:	SILVER STAR AUTO RESOURCES LLC
Contact Type:	Not reported
Contact Name:	KLINT PAPADELIAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 682-2413
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-06-11

Site Id:	17234
Affiliation Type:	Facility Owner
Company Name:	SILVER STAR AUTO RESOURCES LLC
Contact Type:	MANAGING MEMBER
Contact Name:	MICHAEL COHEN
Address1:	36-11 NORTHERN BLVD
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101-1613
Country Code:	001
Phone:	(718) 361-2332
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-06-19

Tank Info:

Tank Number:	001
Tank ID:	33613
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	06/01/1981
Date Tank Closed:	02/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	03
Date Test:	12/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	33614
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	06/01/1981
Date Tank Closed:	02/01/2000
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	03
Date Test:	12/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	003
Tank ID:	33615
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	550
Install Date:	01/01/1966
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Tightness Test Method: 03
Date Test: 12/01/1993
Next Test Date: 10/11/2016
Pipe Model: Not reported
Modified By: MSBAPTIS
Last Modified: 06/11/2012

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-349798
Program Type: PBS
UTM X: 590763.61312
UTM Y: 4512035.95128
Expiration Date: 07/01/2012
Site Type: Other

Affiliation Records:

Site Id: 17234
Affiliation Type: Mail Contact
Company Name: SILVER STAR AUTO RESOURCES LLC
Contact Type: Not reported
Contact Name: IRAD HARDY
Address1: DBA SILVER STAR MOTORS
Address2: 36-11 NORTHERN BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101-1613
Country Code: 001
Phone: (718) 361-2332
EMail: IRADHARDY3@MSN.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-06-11

Site Id: 17234
Affiliation Type: On-Site Operator
Company Name: SILVER STAR AUTO RESOURCES LLC
Contact Type: Not reported
Contact Name: JAMES MCGRORY
Address1: Not reported
Address2: Not reported
City: Not reported

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 361-2332
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-06-11

Site Id: 17234
Affiliation Type: Emergency Contact
Company Name: SILVER STAR AUTO RESOURCES LLC
Contact Type: Not reported
Contact Name: KLINT PAPADELIAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 682-2413
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-06-11

Site Id: 17234
Affiliation Type: Facility Owner
Company Name: SILVER STAR AUTO RESOURCES LLC
Contact Type: MANAGING MEMBER
Contact Name: MICHAEL COHEN
Address1: 36-11 NORTHERN BLVD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101-1613
Country Code: 001
Phone: (718) 361-2332
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2009-06-19

Tank Info:

Tank Number: 004
Tank Id: 33616
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1966
Capacity Gallons:	550
Tightness Test Method:	03
Date Test:	12/01/1993
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	06/11/2012
Material Name:	Not reported

Tank Number:	005
Tank Id:	33617
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1966
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	06/11/2012
Material Name:	Not reported

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

INST CONTROL:

Site Code:	490213
Control Name:	Environmental Easement
HW Code:	C241156
Control Code:	J
Control Type:	INST
Dt record added:	12/02/2015
Dt rec updated:	03/10/2017
Updated By:	JEBROWN
Site Code:	490213
Site Description:	Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	12/30/2013 10:13:00 AM
Record Upd:	12/9/2015 1:14:00 PM
Updated By:	CHPOST

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Own Op: Owner
Sub Type: E
Owner Name: Michael Cohen
Owner Company: Jans Realty, L.P.
Owner Address: 49 Rolling Hill Lane
Owner Addr2: Not reported
Owner City,St,Zip: Old Westbury, NY 11568
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Library, Court Square Branch
Owner Address: 25-01 Jackson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P02
Owner Name: Michael Cohen
Owner Company: 36 Street QDP LLC
Owner Address: 111 Great Neck Road, Suite 408
Owner Addr2: Not reported
Owner City,St,Zip: Great Neck, NY 11021
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: Silver Star Auto Resources, LLC
Owner Address: 36-11 Northern Boulevard
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
HW Code: C241156
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ACETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: trans-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Type: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: cis-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: Isopropylbenzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: indeno(1,2,3-cd)pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 0210546
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:43:00 AM
Record Updated: 1/17/2014 9:43:00 AM
Updated By: BRWOLOSE
Crossref ID: 0000726
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:44:00 AM
Record Updated: 1/17/2014 9:44:00 AM
Updated By: BRWOLOSE
Crossref ID: C241156-03-14
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 12/1/2015 3:45:00 PM
Record Updated: 12/1/2015 3:45:00 PM
Updated By: RJCOZZY

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Crossref ID: 2015000414404
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 12/1/2015 3:46:00 PM
Record Updated: 12/1/2015 3:46:00 PM
Updated By: RJCOZZY
Crossref ID: 2016000042299
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/16/2016 11:02:00 AM
Record Updated: 2/16/2016 11:02:00 AM
Updated By: JEBROWN

Site Code: 490213
Control Name: IC/EC Plan
HW Code: C241156
Control Code: 34
Control Type: INST
Dt record added: 12/02/2015
Dt rec updated: 03/10/2017
Updated By: JEBROWN
Site Code: 490213
Site Description: Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 12/30/2013 10:13:00 AM
Record Upd: 12/9/2015 1:14:00 PM
Updated By: CHPOST
Own Op: Owner
Sub Type: E
Owner Name: Michael Cohen
Owner Company: Jans Realty, L.P.
Owner Address: 49 Rolling Hill Lane
Owner Addr2: Not reported
Owner City,St,Zip: Old Westbury, NY 11568
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Library, Court Square Branch
Owner Address: 25-01 Jackson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P02
Owner Name: Michael Cohen
Owner Company: 36 Street QDP LLC
Owner Address: 111 Great Neck Road, Suite 408
Owner Addr2: Not reported
Owner City,St,Zip: Great Neck, NY 11021
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: Silver Star Auto Resources, LLC
Owner Address: 36-11 Northern Boulevard
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
HW Code: C241156
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ACETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Type: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: trans-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: cis-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: Isopropylbenzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: indeno(1,2,3-cd)pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 0210546
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:43:00 AM
Record Updated: 1/17/2014 9:43:00 AM
Updated By: BRWOLOSE

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Crossref ID: 0000726
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:44:00 AM
Record Updated: 1/17/2014 9:44:00 AM
Updated By: BRWOLOSE
Crossref ID: C241156-03-14
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 12/1/2015 3:45:00 PM
Record Updated: 12/1/2015 3:45:00 PM
Updated By: RJCOZZY
Crossref ID: 2015000414404
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 12/1/2015 3:46:00 PM
Record Updated: 12/1/2015 3:46:00 PM
Updated By: RJCOZZY
Crossref ID: 2016000042299
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/16/2016 11:02:00 AM
Record Updated: 2/16/2016 11:02:00 AM
Updated By: JEBROWN

Site Code: 490213
Control Name: Site Management Plan
HW Code: C241156
Control Code: 32
Control Type: INST
Dt record added: 12/02/2015
Dt rec updated: 03/10/2017
Updated By: JEBROWN
Site Code: 490213
Site Description: Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 12/30/2013 10:13:00 AM
Record Upd: 12/9/2015 1:14:00 PM
Updated By: CHPOST
Own Op: Owner
Sub Type: E
Owner Name: Michael Cohen
Owner Company: Jans Realty, L.P.
Owner Address: 49 Rolling Hill Lane
Owner Addr2: Not reported
Owner City,St,Zip: Old Westbury, NY 11568
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Library, Court Square Branch
Owner Address: 25-01 Jackson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P02
Owner Name: Michael Cohen
Owner Company: 36 Street QDP LLC
Owner Address: 111 Great Neck Road, Suite 408
Owner Addr2: Not reported
Owner City,St,Zip: Great Neck, NY 11021
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: Silver Star Auto Resources, LLC
Owner Address: 36-11 Northern Boulevard
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
HW Code: C241156

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ACETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: trans-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: cis-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: Isopropylbenzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: indeno(1,2,3-cd)pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ETHYLBENZENE

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 0210546
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:43:00 AM
Record Updated: 1/17/2014 9:43:00 AM
Updated By: BRWOLOSE
Crossref ID: 0000726
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:44:00 AM
Record Updated: 1/17/2014 9:44:00 AM
Updated By: BRWOLOSE
Crossref ID: C241156-03-14
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 12/1/2015 3:45:00 PM
Record Updated: 12/1/2015 3:45:00 PM
Updated By: RJCOZZY
Crossref ID: 2015000414404
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 12/1/2015 3:46:00 PM
Record Updated: 12/1/2015 3:46:00 PM
Updated By: RJCOZZY
Crossref ID: 2016000042299
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/16/2016 11:02:00 AM
Record Updated: 2/16/2016 11:02:00 AM
Updated By: JEBROWN

Site Code: 490213
Control Name: Monitoring Plan
HW Code: C241156
Control Code: 31
Control Type: INST
Dt record added: 12/02/2015
Dt rec updated: 03/10/2017
Updated By: JEBROWN
Site Code: 490213
Site Description: Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.

Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 12/30/2013 10:13:00 AM
Record Upd: 12/9/2015 1:14:00 PM
Updated By: CHPOST
Own Op: Owner
Sub Type: E
Owner Name: Michael Cohen
Owner Company: Jans Realty, L.P.
Owner Address: 49 Rolling Hill Lane
Owner Addr2: Not reported
Owner City,St,Zip: Old Westbury, NY 11568
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Library, Court Square Branch
Owner Address: 25-01 Jackson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P02
Owner Name: Michael Cohen
Owner Company: 36 Street QDP LLC
Owner Address: 111 Great Neck Road, Suite 408

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Owner Addr2: Not reported
Owner City,St,Zip: Great Neck, NY 11021
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: Silver Star Auto Resources, LLC
Owner Address: 36-11 Northern Boulevard
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
HW Code: C241156
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ACETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: trans-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: cis-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: Isopropylbenzene

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: indeno(1,2,3-cd)pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 0210546
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:43:00 AM
Record Updated: 1/17/2014 9:43:00 AM
Updated By: BRWOLOSE
Crossref ID: 0000726
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:44:00 AM
Record Updated: 1/17/2014 9:44:00 AM
Updated By: BRWOLOSE
Crossref ID: C241156-03-14
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 12/1/2015 3:45:00 PM
Record Updated: 12/1/2015 3:45:00 PM
Updated By: RJCOZZY
Crossref ID: 2015000414404
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 12/1/2015 3:46:00 PM
Record Updated: 12/1/2015 3:46:00 PM
Updated By: RJCOZZY
Crossref ID: 2016000042299
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2/16/2016 11:02:00 AM
Record Updated: 2/16/2016 11:02:00 AM
Updated By: JEBROWN

Site Code: 490213
Control Name: Ground Water Use Restriction
HW Code: C241156
Control Code: 08
Control Type: INST
Dt record added: 12/02/2015
Dt rec updated: 03/10/2017
Updated By: JEBROWN

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Site Code: 490213
Site Description: Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.
Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 12/30/2013 10:13:00 AM
Record Upd: 12/9/2015 1:14:00 PM
Updated By: CHPOST
Own Op: Owner
Sub Type: E
Owner Name: Michael Cohen
Owner Company: Jans Realty, L.P.
Owner Address: 49 Rolling Hill Lane
Owner Addr2: Not reported
Owner City,St,Zip: Old Westbury, NY 11568
Owner Country: United States of America
Own Op: Document Repository

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Library, Court Square Branch
Owner Address: 25-01 Jackson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Applicant/Requestor
Sub Type: P02
Owner Name: Michael Cohen
Owner Company: 36 Street QDP LLC
Owner Address: 111 Great Neck Road, Suite 408
Owner Addr2: Not reported
Owner City,St,Zip: Great Neck, NY 11021
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: Not reported
Owner Company: Silver Star Auto Resources, LLC
Owner Address: 36-11 Northern Boulevard
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
HW Code: C241156
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ACETONE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: trans-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TOLUENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(B)FLUORANTHENE

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: cis-1,2-Dichloroethene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: Isopropylbenzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: indeno(1,2,3-cd)pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: ETHYLBENZENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C241156
Waste Type: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 0210546
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:43:00 AM
Record Updated: 1/17/2014 9:43:00 AM
Updated By: BRWOLOSE
Crossref ID: 0000726
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 1/17/2014 9:44:00 AM
Record Updated: 1/17/2014 9:44:00 AM
Updated By: BRWOLOSE
Crossref ID: C241156-03-14
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 12/1/2015 3:45:00 PM
Record Updated: 12/1/2015 3:45:00 PM
Updated By: RJCOZZY
Crossref ID: 2015000414404
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 12/1/2015 3:46:00 PM
Record Updated: 12/1/2015 3:46:00 PM
Updated By: RJCOZZY
Crossref ID: 2016000042299
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Record Added Date: 2/16/2016 11:02:00 AM
Record Updated: 2/16/2016 11:02:00 AM
Updated By: JEBROWN

BROWNFIELDS:

Program:	BCP
Site Code:	490213
Acres:	0.47
HW Code:	C241156
SWIS:	4101
Town:	New York City
Record Added Date:	12/24/2013
Record Updated Date:	02/08/2017
Update By:	JEBROWN
Site Description:	Location: The site is located at 37-14 36th Street on the corner of 36th Street and Northern Boulevard in Long Island City, NY and is identified as Block 377 and Lot 23 on the New York City Department of Finance map. The site is 0.47 acres in size. Site Features: Prior to remediation, the site was an automobile dealership parking lot and maintenance facility. A mixed-use building was being constructed on-site. The basement will be used for car parking; the first floor will be a retail automobile showroom and the remaining floors will be used as residences. Current Zoning and Land Use: The site is zoned M1-3/R7X which is a Special Long Island City Mixed Use district that allows a combination of commercial and residential uses at the same site. Past Use of Site: The site had been used by several companies, including a gasoline service station, an automotive repair shop, carwash and an automobile dealership. Site Geology and Hydrogeology: The underlying geology that was encountered consisted of poorly-sorted fine to course sands and gravel. The site elevation is approximately 23-feet above mean sea level. The nearest water body is the East River which is located 1.18 miles to the west of the site. Groundwater was encountered between 10 and 14 feet below ground surface flows toward the southwest.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were low-level concentrations of volatile organic compounds (VOCs) including benzene, toluene and ethylbenzene (collectively referred to as BTEX) in the soil and groundwater. Additionally, tetrachloroethene (PCE) and trichloroethene (TCE) were identified in the groundwater from an off-site source located upgradient of the site. Remedial actions have successfully achieved soil cleanup objectives for unrestricted use. Post-remediation groundwater sampling demonstrated that the groundwater was also successfully remediated. The environmental easement will be extinguished and the site now meets Track 1 objectives.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Dell:	Not reported
Record Add:	12/30/2013 10:13:00 AM
Record Upd:	12/9/2015 1:14:00 PM
Updated By:	CHPOST
Own Op:	Owner
Sub Type:	E
Owner Name:	Michael Cohen
Owner Company:	Jans Realty, L.P.
Owner Address:	49 Rolling Hill Lane
Owner Addr2:	Not reported
Owner City,St,Zip:	Old Westbury, NY 11568
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library, Court Square Branch
Owner Address:	25-01 Jackson Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P02
Owner Name:	Michael Cohen
Owner Company:	36 Street QDP LLC
Owner Address:	111 Great Neck Road, Suite 408
Owner Addr2:	Not reported
Owner City,St,Zip:	Great Neck, NY 11021
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	E
Owner Name:	Not reported
Owner Company:	Silver Star Auto Resources, LLC
Owner Address:	36-11 Northern Boulevard
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
HW Code:	C241156
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	ACETONE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	trans-1,2-Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	BENZO(B)FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	cis-1,2-Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	Isopropylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	indeno(1,2,3-cd)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241156
Waste Type:	BENZ(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	0210546
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	1/17/2014 9:43:00 AM
Record Updated:	1/17/2014 9:43:00 AM
Updated By:	BRWOLOSE
Crossref ID:	0000726
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	1/17/2014 9:44:00 AM
Record Updated:	1/17/2014 9:44:00 AM
Updated By:	BRWOLOSE
Crossref ID:	C241156-03-14
Cross Ref Type Code:	23

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	12/1/2015 3:45:00 PM
Record Updated:	12/1/2015 3:45:00 PM
Updated By:	RJCOZZY
Crossref ID:	2015000414404
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	12/1/2015 3:46:00 PM
Record Updated:	12/1/2015 3:46:00 PM
Updated By:	RJCOZZY
Crossref ID:	2016000042299
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2/16/2016 11:02:00 AM
Record Updated:	2/16/2016 11:02:00 AM
Updated By:	JEBROWN

SPILLS:

Facility ID:	9708090
Facility Type:	ER
DER Facility ID:	108930
Site ID:	125958
DEC Region:	2
Spill Date:	1997-10-08
Spill Number/Closed Date:	9708090 / 1998-03-23
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	LUCE
Referred To:	Not reported
Reported to Dept:	1997-10-09
CID:	999
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	DEC
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-10-09
Spill Record Last Update:	1998-03-23
Spiller Name:	SAME
Spiller Company:	SILVER STAR MOTORS
Spiller Address:	36-11 NORTHERN BLVD
Spiller City,St,Zip:	LIC, NY 11101-
Spiller Company:	001
Contact Name:	MIKE CRUZ
Contact Phone:	(718) 392-1551
DEC Memo:	""
Remarks:	"WASTE OIL PRESENT IN SUMP IN BASEMENT OF BUILDING. SORBANT PADS LEFT WITH PRP."

Material:

Site ID:	125958

SILVER STAR AUTO RESOURCES LLC (Continued) **U000409049**

Operable Unit ID:	1054590
Operable Unit:	01
Material ID:	558165
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

G26 **KT & T LLC** **NY AST** **A100320113**
South **40-04 36TH AVE** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.089 mi.
469 ft. **Site 6 of 6 in cluster G**

Relative:
Lower

Actual:
35 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-609134
Program Type:	PBS
UTM X:	590890.37532
UTM Y:	4511950.46241
Expiration Date:	02/01/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	30980
Affiliation Type:	Facility Owner
Company Name:	KT &T LLC
Contact Type:	MEMBER
Contact Name:	TOM THOMAS
Address1:	40-04 36TH AVE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 675-9081
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-12

Site Id:	30980
Affiliation Type:	Mail Contact
Company Name:	KT &T LLC
Contact Type:	MEMBER
Contact Name:	TOM THOMAS
Address1:	40-04 36TH AVE
Address2:	Not reported

KT & T LLC (Continued) **A100320113**

City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 675-9081
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-12

Site Id:	30980
Affiliation Type:	On-Site Operator
Company Name:	YANI REALTY, LLC
Contact Type:	Not reported
Contact Name:	GUSTAVO TEJADA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 937-6404
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30980
Affiliation Type:	Emergency Contact
Company Name:	KT &T LLC
Contact Type:	Not reported
Contact Name:	TOM THOMAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 675-9081
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2008-06-12

Tank Info:

Tank Number:	001
Tank Id:	66533
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

L99 - Piping Leak Detection - Other
A00 - Tank Internal Protection - None
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None

KT & T LLC (Continued) **A100320113**

G03 - Tank Secondary Containment - Vault (w/o access)
D02 - Pipe Type - Galvanized Steel
H99 - Tank Leak Detection - Other
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1975
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	01/17/2012
Material Name:	Not reported

H27 **JOHN & PETER AT TRANSMISSIONS*** **EDR Hist Auto** **1021598253**
NE **34-48 STEINWAY ST** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.090 mi.
476 ft. **Site 1 of 2 in cluster H**

Relative: **Higher**

Actual: **39 ft.**

EDR Hist Auto

Year:	Name:	Type:
1986	JOHN & PETER AT TRANSMISSIONS*	Automotive Repair Shops, NEC
1987	JOHN & PETER AT TRANSMISSIONS*	Automotive Repair Shops, NEC
1988	JOHN & PETER AT TRANSMISSIONS	Automotive Repair Shops, NEC

I28 **EQUITABLE BAG CO INC** **RCRA NonGen / NLR** **1000871742**
North **37-11 35TH AVE** **FINDS** **NY0000094664**
< 1/8 **LONG ISLAND CITY, NY 11101** **ECHO**
0.091 mi. **NY MANIFEST**
478 ft. **Site 1 of 4 in cluster I**

Relative: **Lower**

Actual: **37 ft.**

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	EQUITABLE BAG CO INC
Facility address:	37-11 35TH AVE LONG ISLAND CITY, NY 111011403
EPA ID:	NY0000094664
Mailing address:	35TH AVE LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	35TH AVE LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02

EQUITABLE BAG CO INC (Continued) **1000871742**

Land type: Private
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: EQUITABLE BAG CO INC
Owner/operator address: 37-11 35TH AVE
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 472-7300
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: EQUITABLE BAG CO INC
Owner/operator address: 37-11 35TH AVE
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 472-7300
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: EQUITABLE BAG CO INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: EQUITABLE BAG CO INC
Classification: Not a generator, verified

Date form received by agency: 01/07/1994
Site name: EQUITABLE BAG CO INC
Classification: Small Quantity Generator

. Waste code: D001

EQUITABLE BAG CO INC (Continued) **1000871742**

. Waste name: IGNITABLE WASTE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 06/29/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004311021

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000871742
Registry ID: 110004311021
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004311021

NY MANIFEST:
Country: USA
EPA ID: NY0000094664
Facility Status: Not reported
Location Address 1: 37-11 35TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NY0000094664

EQUITABLE BAG CO INC (Continued) **1000871742**

Mailing Name:	EQUITABLE BAG
Mailing Contact:	EQUITABLE BAG
Mailing Address 1:	37-11 35TH AVE
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7184727345

NY MANIFEST:

Document ID:	NJA1740697
Manifest Status:	C
seq:	Not reported
Year:	1994
Trans1 State ID:	NJDEPS869
Trans2 State ID:	Not reported
Generator Ship Date:	01/14/1994
Trans1 Recv Date:	01/14/1994
Trans2 Recv Date:	/ /
TSD Site Recv Date:	01/21/1994
Part A Recv Date:	/ /
Part B Recv Date:	02/07/1994
Generator EPA ID:	NY0000094664
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F001 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01430
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

J29 **TM #2244** **NY Spills** **S108058326**
NNW **35 AVENUE & WEST 37 STREET** **N/A**
< 1/8 **QUEENS, NY**
0.093 mi.
492 ft. **Site 1 of 3 in cluster J**

Relative:
Lower

Actual:
37 ft.

SPILLS:

Facility ID:	0603972
Facility Type:	ER
DER Facility ID:	316869
Site ID:	366831
DEC Region:	2
Spill Date:	2006-07-11
Spill Number/Closed Date:	0603972 / 2006-10-05
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	GDBREEN
Referred To:	Not reported
Reported to Dept:	2006-07-11
CID:	4 4
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-07-11
Spill Record Last Update:	2006-10-05
Spiller Name:	ERTS
Spiller Company:	CON EDISON TM 2244
Spiller Address:	35TH AVE/WEST 37TH STREET
Spiller City,St,Zip:	QUEENS, NY
Spiller Company:	999
Contact Name:	ERTS
Contact Phone:	(212) 580-8383
DEC Memo:	"10/05/06 - See e-docs for Con Ed report detailing cleanup and closure. 201046. see eDocs"
Remarks:	"OIL MIXED WITH DIRT: APPEARS TO HAVE A SEWER PUMP AND UNSURE WHETHER IT MADE INTO SEWER STILL INVESTIGATING: CALLED THE NRC #803702. 201046"

Material:

Site ID:	366831
Operable Unit ID:	1124762
Operable Unit:	01
Material ID:	2114264
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

TM #2244 (Continued) **S108058326**

Tank Test:

J30 **CON EDISON** **NY MANIFEST** **S117313773**
NNW **59-35 58 AVE** **N/A**
< 1/8 **QUEENS, NY 11101**
0.095 mi.
500 ft. **Site 2 of 3 in cluster J**

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004607172
Facility Status:	Not reported
Location Address 1:	59-35 58 AVE
Code:	BP
Location Address 2:	STRUCTURE # 41314
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004607172
Mailing Name:	CON EDISON
Mailing Contact:	TOM TELLING
Mailing Address 1:	4 IRVING PLACE-15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	07/24/2014
Trans1 Recv Date:	07/24/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004607172
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002615391GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N

CON EDISON (Continued) **S117313773**

Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

J31 **CON EDISON** **NY MANIFEST** **S117316152**
NNW **F/O 30-07 35TH AVE** **N/A**
< 1/8 **QUEENS, NY 11101**
0.095 mi.
500 ft. **Site 3 of 3 in cluster J**

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004633905
Facility Status:	Not reported
Location Address 1:	F/O 30-07 35TH AVE
Code:	BP
Location Address 2:	SB 8588
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004633905
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

CON EDISON (Continued) **S117316152**

Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/20/2014
Trans1 Recv Date:	08/20/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/21/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004633905
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002616582GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	95
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

K32 **CONSOLIDATED EDISON** **NY MANIFEST** **1009241074**
East **41ST & 35 AVE V8552** **N/A**
< 1/8 **QUEENS, NY**
0.096 mi.
509 ft. **Site 1 of 2 in cluster K**

Relative:
Higher

Actual:
41 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004094223
Facility Status:	Not reported
Location Address 1:	41ST & 35 AVE V8552
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004094223
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0705906
Manifest Status:	Not reported
seq:	01
Year:	2001
Trans1 State ID:	GX3216
Trans2 State ID:	Not reported
Generator Ship Date:	12/21/2001
Trans1 Recv Date:	12/21/2001
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/22/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004094223
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

CONSOLIDATED EDISON (Continued) **1009241074**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00778
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

H33 **ALEX SERVICE STATION** **EDR Hist Auto** **1021430115**
NE **34-49 STEINWAY ST** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.099 mi.
523 ft. **Site 2 of 2 in cluster H**

Relative: **Higher**

Actual: **39 ft.**

EDR Hist Auto

Year:	Name:	Type:
1969	RAINBOW SERVICE STATION	Gasoline Service Stations
1970	RAINBOW SERVICE STATION	Gasoline Service Stations
1977	ALEX SERVICE STATION	Gasoline Service Stations
1978	ALEX SERVICE STATION	Gasoline Service Stations
1979	ALEX SERVICE STATION	Gasoline Service Stations
1980	ALEX SERVICE STATION	Gasoline Service Stations
1982	ALEX SERVICE STATION	Gasoline Service Stations
1983	ALEX SERVICE STATION	Gasoline Service Stations

L34 **36-12 38TH STREET** **NY AST** **U003396274**
SW **36-12 38TH STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.099 mi.
525 ft. **Site 1 of 3 in cluster L**

Relative: **Lower**

Actual: **31 ft.**

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-333786
Program Type:	PBS
UTM X:	590791.64795
UTM Y:	4511973.56607
Expiration Date:	12/06/2020
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	15850

36-12 38TH STREET (Continued) **U003396274**

Affiliation Type:	On-Site Operator
Company Name:	36-12 38TH STREET
Contact Type:	Not reported
Contact Name:	ASTOR MEJIA - SUPER.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-8821
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15850
Affiliation Type:	Emergency Contact
Company Name:	PEDENA 3612, LLC
Contact Type:	Not reported
Contact Name:	JENNY FLORICIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(516) 626-4113
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-12-06

Site Id:	15850
Affiliation Type:	Facility Owner
Company Name:	PEDENA 3612, LLC
Contact Type:	PARTNER
Contact Name:	JENNY FLORICIC
Address1:	23-23 48TH STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11103
Country Code:	001
Phone:	(516) 626-4113
EMail:	FLORICIC4@AOL.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-19

Site Id:	15850
Affiliation Type:	Mail Contact
Company Name:	PEDENA 3612, LLC
Contact Type:	PARTNER
Contact Name:	JENNY FLORICIC
Address1:	23-23 48TH STREET
Address2:	Not reported

36-12 38TH STREET (Continued) **U003396274**

City:	ASTORIA
State:	NY
Zip Code:	11103
Country Code:	001
Phone:	(516) 626-4113
EMail:	FLORICIC4@AOL.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-10-19

Tank Info:

Tank Number:	001
Tank Id:	47549
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
K99 - Spill Prevention - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
L04 - Piping Leak Detection - Groundwater Well

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	11/24/2000
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	10/19/2015
Material Name:	Not reported

---

35 **FIRST NATIONAL AUTOLINE** **RCRA NonGen / NLR** **1000387326**
NNE **34-35 38TH ST** **FINDS** **NYD982741357**
< 1/8 **LONG ISLAND CITY, NY 11101** **ECHO**
0.103 mi.
544 ft.

Relative:
Higher

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	FIRST NATIONAL AUTOLINE
Facility address:	34-35 38TH ST LONG ISLAND CITY, NY 111011353
EPA ID:	NYD982741357

FIRST NATIONAL AUTOLINE (Continued) **1000387326**

Mailing address: 38TH ST
LONG ISLAND CITY, NY 11101
Contact: Not reported
Contact address: 38TH ST
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: FIRST NATIONAL AUTOLINE
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FIRST NATIONAL AUTOLINE
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: FIRST NATIONAL AUTOLINE
Classification: Not a generator, verified

Date form received by agency: 07/08/1999

FIRST NATIONAL AUTOLINE (Continued) **1000387326**

Site name: FIRST NATIONAL AUTOLINE
Classification: Not a generator, verified

Date form received by agency: 05/24/1989
Site name: FIRST NATIONAL AUTOLINE
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110004431936

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000387326
Registry ID: 110004431936
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004431936

M36 **EMIL PUSWALD** **NY UST** **U000395126**
West **36-13 36 AVE** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11106**
0.103 mi.
545 ft. **Site 1 of 3 in cluster M**

Relative:
Lower

Actual:
34 ft.

UST:
Id/Status: 2-092703 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 590694.38260
UTM Y: 4512077.29261
Site Type: Manufacturing (Other than Chemical)/Processing

Affiliation Records:
Site Id: 2406
Affiliation Type: Facility Owner
Company Name: EMIL PUSWALD
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-13 36 AVE
Address2: Not reported
City: LONG ISLAND CITY

EMIL PUSWALD (Continued) **U000395126**

State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 392-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2406
Affiliation Type:	Mail Contact
Company Name:	EMIL PUSWALD
Contact Type:	Not reported
Contact Name:	EMIL PUSWALD
Address1:	36-13 36 AVE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 392-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2406
Affiliation Type:	On-Site Operator
Company Name:	EMIL PUSWALD
Contact Type:	Not reported
Contact Name:	EMIL PUSWALD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2406
Affiliation Type:	Emergency Contact
Company Name:	EMIL PUSWALD
Contact Type:	Not reported
Contact Name:	EMIL PUSWALD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-1100
EMail:	Not reported
Fax Number:	Not reported

EMIL PUSWALD (Continued) **U000395126**

Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 4246
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 3000
Install Date: Not reported
Date Tank Closed: 02/01/2002
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

I37 **CON EDISON** **NY MANIFEST** **S118708261**
North **34-79 37TH ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.104 mi.
550 ft. **Site 2 of 4 in cluster I**

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004734612
Facility Status: Not reported
Location Address 1: 34-79 37 ST
Code: BP
Location Address 2: SB1057
Total Tanks: Not reported
Location City: QUEENS
Location State: NY
Location Zip: 11432
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004734612
Mailing Name: CON EDISON

CON EDISON (Continued) **S118708261**

Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	02/20/2015
Trans1 Recv Date:	02/20/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/23/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004734612
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014088736JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	200
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported

CON EDISON (Continued) **S118708261**

Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

I38 **CON EDISON** **RCRA NonGen / NLR** **1018278680**
North **34-79 37TH ST** **FINDS** **NYP004734612**
< 1/8 **LONG ISLAND CITY, NY 11101** **ECHO**
0.104 mi.
550 ft. **Site 3 of 4 in cluster I**

Relative:
Lower

Actual:
37 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/20/2015
Facility name:	CON EDISON
Facility address:	34-79 37TH ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004734612
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	02/20/2015
Site name:	CON EDISON
Classification:	Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110067709625

CON EDISON (Continued) **1018278680**

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018278680
Registry ID:	110067709625
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067709625

I39 **CON EDISON** **NJ MANIFEST** **S120667537**
North **34-79 37TH ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.104 mi.
550 ft. **Site 4 of 4 in cluster I**

Relative:
Lower

Actual:
37 ft.

NJ MANIFEST:

EPA Id:	NYP004734612
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014088736JJK
EPA ID:	NYP004734612
Date Shipped:	2/20/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported

CON EDISON (Continued) **S120667537**

Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

---

40 **CHRISMAR EQUITIES CORP** **NY AST** **U003391114**
ENE **34-50 41ST STREET** **N/A**
< 1/8 **ASTORIA, NY 11101**
0.105 mi.
556 ft.

Relative:
Higher

Actual:
41 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-333778
Program Type:	PBS
UTM X:	591100.41346
UTM Y:	4512178.75511
Expiration Date:	12/14/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	15849
Affiliation Type:	Facility Owner
Company Name:	CHRISMAR EQUITIES CORP
Contact Type:	MANAGING AGENT
Contact Name:	JAMES DEMETRIOU
Address1:	34-03 BROADWAY
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 726-4792
EMail:	Not reported

CHRISMAR EQUITIES CORP (Continued) **U003391114**

Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-12-27

Site Id:	15849
Affiliation Type:	Mail Contact
Company Name:	CHRISMAR EQUITIES CORP
Contact Type:	Not reported
Contact Name:	CHRISMAR EQUITIES CORP
Address1:	C/O FIRST MANAGEMENT CORP
Address2:	34-03 BROADWAY
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 726-4792
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15849
Affiliation Type:	On-Site Operator
Company Name:	CHRISMAR EQUITIES CORP
Contact Type:	Not reported
Contact Name:	CESAR FLORES
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 726-4792
EMail:	Not reported
Fax Number:	Not reported
Modified By:	kakyer
Date Last Modified:	2007-10-10

Site Id:	15849
Affiliation Type:	Emergency Contact
Company Name:	CHRISMAR EQUITIES CORP
Contact Type:	Not reported
Contact Name:	JAMES DEMETRIOU
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 726-4792
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-12-27

Tank Info:

CHRISMAR EQUITIES CORP (Continued) **U003391114**

Tank Number: 001
Tank Id: 20814
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 08/06/1983
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 12/27/2012
Material Name: Not reported

L41 **NICHOLAS YAVALDAKIS** **NY AST** **U003390910**
SW **36-16 38TH ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11011**
0.106 mi.
560 ft. **Site 2 of 3 in cluster L**

Relative:
Lower

Actual:
30 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-332747
Program Type: PBS
UTM X: 590786.92874
UTM Y: 4511965.95858
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 15762
Affiliation Type: Facility Owner
Company Name: NICHOLAS YAVALDAKIS
Contact Type: Not reported
Contact Name: Not reported
Address1: 30-43 14 STREET
Address2: Not reported

NICHOLAS YAVALDAKIS (Continued) **U003390910**

City:	ASTORIA
State:	NY
Zip Code:	11102
Country Code:	001
Phone:	(718) 726-6926
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15762
Affiliation Type:	Mail Contact
Company Name:	Not reported
Contact Type:	Not reported
Contact Name:	NICHOLAS YAVALDAKIS
Address1:	30-43 14 STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11102
Country Code:	001
Phone:	(718) 726-6926
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15762
Affiliation Type:	On-Site Operator
Company Name:	NICHOLAS YAVALDAKIS
Contact Type:	Not reported
Contact Name:	NYCO PLUMBING & HTG.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 726-6926
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	15762
Affiliation Type:	Emergency Contact
Company Name:	NICHOLAS YAVALDAKIS
Contact Type:	Not reported
Contact Name:	N. YAVALDAKIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 726-6926
EMail:	Not reported

NICHOLAS YAVALDAKIS (Continued) **U003390910**

Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	20360
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	12/01/1997
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	12/01/1997
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Not reported

N42 **40-15 NORTHERN BLVD** **NY UST** **U001839592**
South **40-15 NORTHERN BLVD** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.109 mi.
577 ft. **Site 1 of 2 in cluster N**

Relative:
Lower

Actual:
32 ft.

UST:

Id/Status:	2-347426 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	08/29/2017
UTM X:	590848.96211
UTM Y:	4511857.58214
Site Type:	Other Wholesale/Retail Sales

Affiliation Records:

Site Id:	17023
Affiliation Type:	On-Site Operator
Company Name:	KAY LINCOLN-MERCURY INC
Contact Type:	Not reported
Contact Name:	KAY LINCOLN-MERCURY INC

40-15 NORTHERN BLVD (Continued) **U001839592**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-3300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2010-06-01

Site Id:	17023
Affiliation Type:	Emergency Contact
Company Name:	40 NORTHERN BLVD
Contact Type:	Not reported
Contact Name:	TONY ARGENTO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 349-9093
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2010-06-01

Site Id:	17023
Affiliation Type:	Mail Contact
Company Name:	40 NORTHERN BLVD LLC
Contact Type:	Not reported
Contact Name:	TONY ARGENTO
Address1:	203 MERSEROLE AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11222
Country Code:	001
Phone:	(718) 349-9093
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-08-27

Site Id:	17023
Affiliation Type:	Facility Owner
Company Name:	40 NORTHERN BLVD
Contact Type:	OWNER
Contact Name:	ANTHONY ARGENTO
Address1:	40-15 NORTHERN BLVD
Address2:	Not reported
City:	LI CITY
State:	NY
Zip Code:	11101
Country Code:	001

40-15 NORTHERN BLVD (Continued) **U001839592**

Phone:	(718) 349-9146
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2012-08-27

Tank Info:

Tank Number:	001
Tank ID:	33132
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1080
Install Date:	12/01/1967
Date Tank Closed:	03/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

J02 - Dispenser - Suction Dispenser
D00 - Pipe Type - No Piping
I00 - Overfill - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	33133
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	550
Install Date:	08/01/1966
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

40-15 NORTHERN BLVD (Continued) **U001839592**

Modified By: MSBAPTIS
Last Modified: 02/02/2010

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

N43 **KAY LINCOLN MERCURY INC** **EDR Hist Auto** **1020775168**
South **40-15 NORTHERN BLVD** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.109 mi.
577 ft. **Site 2 of 2 in cluster N**

Relative: **Lower**

EDR Hist Auto

Actual: **32 ft.**

Year:	Name:	Type:
1971	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1972	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1973	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1974	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1975	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1976	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1977	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1978	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1979	KAY LINCOLN MERCURY INC	New And Used Car Dealers
1980	KAY LINCOLN MERCURY INC	New And Used Car Dealers

K44 **A & S GLASS CO** **EDR Hist Auto** **1021449724**
East **40-21 35TH AVE** **N/A**
< 1/8 **LONG IS CY, NY 11101**
0.110 mi.
583 ft. **Site 2 of 2 in cluster K**

Relative: **Higher**

EDR Hist Auto

Actual: **43 ft.**

Year:	Name:	Type:
1979	A & S GLASS CO	Automotive Repair Shops, NEC
1980	A & S GLASS CO	Automotive Repair Shops, NEC
1982	A & S GLASS CO	Automotive Repair Shops, NEC
1983	A & S GLASS CO	Automotive Repair Shops, NEC
1985	A & S GLASS CO	Automotive Repair Shops, NEC
1986	A & S GLASS CO	Automotive Repair Shops, NEC
1987	A & S GLASS CO	Automotive Repair Shops, NEC

45 SSW < 1/8 0.110 mi. 583 ft. | **NORTHERN BOULEVARD AND STEINWAY STREET**
36-20 STEINWAY STREET
QUEENS, NY 11101 | **NY BROWNFIELDS** | **S120706192**
N/A

Relative: Lower

Actual: 32 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	536051
Acres:	1.134
HW Code:	C241198
SWIS:	4101
Town:	New York City
Record Added Date:	11/29/2016
Record Updated Date:	01/11/2017
Update By:	BXANDERS
Site Description:	Location: The site is located in an urban area and denoted on New York City tax maps as Block 665, Lot 34 (formerly Lots 5, 7, 31, 34, and 38). The site is located on the city block bordered by 38th Street to the north, 36th Avenue to the east, Steinway Street to the south, and Northern Boulevard to the west. Site Features: The site encompasses an area of approximately 49,412 square feet (1.134 acres). There is a two-story commercial use building with three 275-gallon and two 550-gallon fuel oil aboveground storage tanks (ASTs) and one 550-gallon waste oil AST in the southern portion of the lot; the south-central portion has an asphalt-paved parking lot; a one-story parking garage is located in the northern portion; there is a one-story supermarket in the central portion; and the north-central portion features a one-story storage building for the supermarket. Current Zoning and Land Use: The Site is zoned for commercial and manufacturing use. The northernmost portion of the lot is located in a M1-1 manufacturing district. The remainder of the lot is located in a C4-2A commercial district. The surrounding area consists of commercial, industrial, residential, and transportation and utility uses. An underground New York City Transit Authority (NYCTA) structure (M, R, E and F subway lines) adjoins the site to the south. Past Use of the Site: The site has been occupied by manufacturing and industrial facilities since the early 1900s. Historic site uses include gas station, garage, auto repair, auto laundry facility, factory, used car sales, warehouse, machine shop, clothing manufacturer, and glass grinding facility. Historic gasoline tanks are associated with the auto repair on former Lots 5 and 34 and a garage on former Lot 31. Site Geology and Hydrogeology: Bedrock underlying the site consists of gray and gray-weathering, thinly laminated muscovite-biotite-quartz schist with minor garnet. Beneath the Site, surface material was observed to be urban fill predominately comprised of light brown fine to coarse sand, with varying amounts of gravel, clay, coarse stone, ash, coal, burnt wood, brick, and debris. The urban fill layer extends to approximately 2 to 6.5 feet below grade surface (bgs). Beneath the fill is a brown to black fine sand to coarse sand with gravel. The inferred regional groundwater flow direction for the area surrounding the site is to the northwest. Groundwater underlying the site ranges from approximately 20 to 25 feet below grade surface (bgs).
Env Problem:	Information submitted with the BCP application regarding the environmental condition at the site are currently under review and will be revised as additional information becomes available.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised

NORTHERN BOULEVARD AND STEINWAY STREET (Continued) **S120706192**

	as additional information becomes available.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library at Broadway
Owner Address:	40-20 Broadway
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11103
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Laura Garcia
Owner Company:	Steinway Street LIC, LLC
Owner Address:	184 Kent Avenue, Apt C 706
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11249
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Not reported
Owner Company:	Western Beef Properties, Inc.
Owner Address:	47-05 Metropolitan Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Ridgewood, NY 11385
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Community Board 1
Owner Address:	45-02 Ditmars Boulevard
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11105
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

O46 **KRABAR REALTY CORP** **NY UST** **U004076262**
WNW **35-37 36TH STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11106**
0.112 mi.
590 ft. **Site 1 of 3 in cluster O**

Relative:
Lower

Actual:
35 ft.

UST:

Id/Status:	2-096350 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590748.18093
UTM Y:	4512186.08918
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	2724
Affiliation Type:	Facility Owner
Company Name:	EIB STUDIO SQUARE LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	420 LEXINGTON AVE, STE 900
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10170
Country Code:	001
Phone:	(212) 293-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	Mail Contact
Company Name:	GEORGE KARNOUPAKIS ASSOC
Contact Type:	Not reported
Contact Name:	CHRIS PLATH, PROP MGR
Address1:	EMMES REALTY/ASSET MGT
Address2:	420 LEXINGTON AVENUE, SUITE 900
City:	NEW YORK
State:	NY
Zip Code:	10170
Country Code:	001
Phone:	(212) 293-8898
EMail:	CP@EAMC.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	On-Site Operator
Company Name:	KRABAR REALTY CORP
Contact Type:	Not reported
Contact Name:	CHRIS PLATH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

KRABAR REALTY CORP (Continued) **U004076262**

Zip Code:	Not reported
Country Code:	001
Phone:	(212) 293-8898
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	Emergency Contact
Company Name:	EIB STUDIO SQUARE LLC
Contact Type:	Not reported
Contact Name:	CHRIS PLATH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 293-8898
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Tank Info:

Tank Number:	1
Tank ID:	5087
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2500
Install Date:	11/01/1970
Date Tank Closed:	10/20/2004
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	21
Date Test:	05/27/2004
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	11/30/2005

Equipment Records:

A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

KRABAR REALTY CORP (Continued) **U004076262**

F00 - Pipe External Protection - None

O47 **KRABAR REALTY CORP** **NY AST** **A100294711**
WNW **35-37 36TH STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11106**
0.112 mi.
590 ft. **Site 2 of 3 in cluster O**

Relative:
Lower

Actual:
35 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-096350
Program Type:	PBS
UTM X:	590748.18093
UTM Y:	4512186.08918
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	2724
Affiliation Type:	Facility Owner
Company Name:	EIB STUDIO SQUARE LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	420 LEXINGTON AVE, STE 900
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10170
Country Code:	001
Phone:	(212) 293-8900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	Mail Contact
Company Name:	GEORGE KARNOUPAKIS ASSOC
Contact Type:	Not reported
Contact Name:	CHRIS PLATH, PROP MGR
Address1:	EMMES REALTY/ASSET MGT
Address2:	420 LEXINGTON AVENUE, SUITE 900
City:	NEW YORK
State:	NY
Zip Code:	10170
Country Code:	001
Phone:	(212) 293-8898
EMail:	CP@EAMC.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	On-Site Operator
Company Name:	KRABAR REALTY CORP
Contact Type:	Not reported

KRABAR REALTY CORP (Continued) **A100294711**

Contact Name:	CHRIS PLATH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 293-8898
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Site Id:	2724
Affiliation Type:	Emergency Contact
Company Name:	EIB STUDIO SQUARE LLC
Contact Type:	Not reported
Contact Name:	CHRIS PLATH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 293-8898
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2014-07-14

Tank Info:

Tank Number:	2
Tank Id:	209109
Material Code:	0002
Common Name of Substance:	#4 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	10/20/2004
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	08/12/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	07/14/2014

KRABAR REALTY CORP (Continued) **A100294711**

Material Name: Not reported

O48 **FEDERAL LABEL SYSTEM** **RCRA NonGen / NLR** **1000212454**
WNW **35-37 36TH ST** **FINDS** **NYD030747869**
< 1/8 **LONG ISLAND CITY, NY 11106** **ECHO**
0.112 mi. **NY MANIFEST**
590 ft. **Site 3 of 3 in cluster O**

Relative: Lower

Actual: 35 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	FEDERAL LABEL SYSTEM
Facility address:	35-37 36TH ST LONG ISLAND CITY, NY 11106
EPA ID:	NYD030747869
Mailing address:	36TH ST LONG ISLAND CITY, NY 11106
Contact:	PAUL ROTHCHILD
Contact address:	36TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	(718) 899-2233
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	KRABAR REALTY CORP
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	KRABAR REALTY CORP
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No

FEDERAL LABEL SYSTEM (Continued) **1000212454**

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: FEDERAL LABEL SYSTEM
Classification: Not a generator, verified

Date form received by agency: 06/09/1989
Site name: FEDERAL LABEL SYSTEM
Classification: Not a generator, verified

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 11/21/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004352600

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110009470045

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

FEDERAL LABEL SYSTEM (Continued) **1000212454**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000212454
Registry ID:	110009470045
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110009470045

Envid:	1000212454
Registry ID:	110004352600
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004352600

NY MANIFEST:

Country:	USA
EPA ID:	NYD030747869
Facility Status:	Not reported
Location Address 1:	35-37 36TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY QUEENS
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD030747869
Mailing Name:	FEDERAL LABEL
Mailing Contact:	FEDERAL LABEL
Mailing Address 1:	35-37 36TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY QUEENS
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7188992233

NY MANIFEST:

Document ID:	NJA0788542
Manifest Status:	K
seq:	Not reported
Year:	1990
Trans1 State ID:	NJSWAS300
Trans2 State ID:	Not reported
Generator Ship Date:	02/27/1990
Trans1 Recv Date:	02/27/1990
Trans2 Recv Date:	/ /
TSD Site Recv Date:	02/27/1990
Part A Recv Date:	04/24/1990
Part B Recv Date:	04/24/1990
Generator EPA ID:	NYD030747869
Trans1 EPA ID:	NJD991291105
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105

FEDERAL LABEL SYSTEM (Continued) **1000212454**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00110
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

P49 **THREE BROTHERS AUTO REPAIR** **EDR Hist Auto** **1020290810**
SE **3534 42ND ST** **N/A**
< 1/8 **ASTORIA, NY 11101**
0.112 mi.
591 ft. **Site 1 of 4 in cluster P**

Relative: EDR Hist Auto
Higher

Actual:
40 ft.

Year:	Name:	Type:
1996	THREE BROTHERS AUTO REPAIR	General Automotive Repair Shops
1997	THREE BROTHERS AUTO REPAIR	General Automotive Repair Shops
1998	RONTECK INC	General Automotive Repair Shops
1999	THREE BROTHER AUTOREPAIR	General Automotive Repair Shops
2000	THREE BROTHER AUTOREPAIR	General Automotive Repair Shops
2001	THREE BROTHERS AUTO REPAIR	Engine Repair
2002	THREE BROTHERS AUTO REPAIR	Engine Repair
2002	RICHIES AUTO	General Automotive Repair Shops
2003	RICHIES AUTO	General Automotive Repair Shops
2003	THREE BROTHERS AUTO REPAIR	Engine Repair
2004	RICHIES AUTO	General Automotive Repair Shops
2004	THREE BROTHERS AUTO REPAIR	Engine Repair
2005	THREE BROTHERS AUTO REPAIR	Engine Repair
2006	THREE BROTHERS AUTO REPAIR	Engine Repair
2007	THREE BROTHERS AUTO REPAIR	Engine Repair
2008	THREE BROTHERS AUTO REPAIR	Engine Repair
2009	THREE BROTHERS AUTO REPAIR	Engine Repair
2010	THREE BROTHERS AUTO REPAIR	Engine Repair
2011	THREE BROTHERS AUTO REPAIR	Engine Repair

THREE BROTHERS AUTO REPAIR (Continued) **1020290810**

2012	THREE BROTHERS AUTO REPAIR	Engine Repair
2013	THREE BROTHERS AUTO REPAIR	Engine Repair
2014	THREE BROTHERS AUTO REPAIR	Engine Repair

P50 **TOLIMAS AUTO CENTER** **EDR Hist Auto** **1021127978**
SE **3542 42ND ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.113 mi.
598 ft. **Site 2 of 4 in cluster P**

Relative:
Higher

EDR Hist Auto

Actual:
39 ft.

Year:	Name:	Type:
2013	TOLIMAS AUTO CENTER	General Automotive Repair Shops
2014	TOLIMAS AUTO CENTER	General Automotive Repair Shops

Q51 **T M & T SERVICE STATION INC** **EDR Hist Auto** **1020285489**
SE **41-15 NORTHERN BLVD** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.115 mi.
608 ft. **Site 1 of 2 in cluster Q**

Relative:
Lower

EDR Hist Auto

Actual:
38 ft.

Year:	Name:	Type:
1969	T & M SERVICE STATION	Gasoline Service Stations
1970	T & M SERVICE STATION	Gasoline Service Stations
1971	T & M SERVICE STATION	Gasoline Service Stations
1972	T & M SERVICE STATION	Gasoline Service Stations
1973	T & M SERVICE STATION	Gasoline Service Stations
1974	T & M SERVICE STATION	Gasoline Service Stations
1975	T & M SERVICE STATION	Gasoline Service Stations
1976	T & M SERVICE STATION	Gasoline Service Stations
1977	T M & T SERVICE STATION INC	Gasoline Service Stations
1978	T M & T SERVICE STATION INC	Gasoline Service Stations
1979	T M & T SERVICE STATION INC	Gasoline Service Stations
1980	T M & T SERVICE STATION INC	Gasoline Service Stations
1982	T M & T SERVICE STATION INC	Gasoline Service Stations
1983	T M & T SERVICE STATION INC	Gasoline Service Stations
1985	T M & T SERVICE STATION INC	Gasoline Service Stations
1986	T M & T SERVICE STATION INC	Gasoline Service Stations
1987	T M & T SERVICE STATION INC	Gasoline Service Stations
1988	T M & T SERVICE STATION INC	Gasoline Service Stations
1989	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1990	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1991	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1992	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1993	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1994	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1995	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1996	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1997	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1998	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
1999	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
2000	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
2001	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC

T M & T SERVICE STATION INC (Continued) **1020285489**

2002	T M & T SERVICE STATION INC	Automotive Repair Shops, NEC
2003	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2004	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2005	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2006	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2007	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2008	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2009	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2010	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC
2011	TM & T SERVICE STATION INC	Automotive Repair Shops, NEC

Q52 **TOM PRUNELL #3336** **NY UST** **U001832917**
SE **41-15 NORTHERN BLVD** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.115 mi.
608 ft. **Site 2 of 2 in cluster Q**

Relative:
Lower

Actual:
38 ft.

UST:

Id/Status:	2-188387 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590944.10292
UTM Y:	4511886.06147
Site Type:	Unknown

Affiliation Records:

Site Id:	5697
Affiliation Type:	Facility Owner
Company Name:	EXXON COMPANY USA
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	4550 DACOMA STREET
Address2:	Not reported
City:	HOUSTON
State:	TX
Zip Code:	77092
Country Code:	001
Phone:	(800) 992-3647
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2007-04-25

Site Id:	5697
Affiliation Type:	Mail Contact
Company Name:	EXXON COMPANY USA
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	4550 DACOMA STREET
Address2:	Not reported
City:	HOUSTON
State:	TX
Zip Code:	77092
Country Code:	001
Phone:	(800) 992-3647
EMail:	Not reported

TOM PRUNELL #3336 (Continued) **U001832917**

Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2007-04-25

Site Id:	5697
Affiliation Type:	Emergency Contact
Company Name:	EXXON COMPANY, USA
Contact Type:	Not reported
Contact Name:	EXXON COMPANY USA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(800) 992-3647
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BKFALVEY
Date Last Modified:	2007-04-25

Site Id:	5697
Affiliation Type:	On-Site Operator
Company Name:	TOM PRUNELL #3336
Contact Type:	Not reported
Contact Name:	THOMAS PRUNELLA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(000) 729-3500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	40192
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	4000
Install Date:	12/01/1979
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

TOM PRUNELL #3336 (Continued) **U001832917**

Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 002
Tank ID: 40193
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 4000
Install Date: 12/01/1979
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 40194
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009

TOM PRUNELL #3336 (Continued) **U001832917**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 004
Tank ID: 40195
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 550
Install Date: 12/01/1969
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 005
Tank ID: 40196
Tank Status: Closed Prior to Micro Conversion, 03/91
Material Name: Closed Prior to Micro Conversion, 03/91
Capacity Gallons: 550

TOM PRUNELL #3336 (Continued) **U001832917**

Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	006
Tank ID:	40197
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

TOM PRUNELL #3336 (Continued) **U001832917**

Tank Number:	007
Tank ID:	40198
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	008
Tank ID:	40199
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel

TOM PRUNELL #3336 (Continued) **U001832917**

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	009
Tank ID:	40200
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	010
Tank ID:	40201
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

TOM PRUNELL #3336 (Continued) **U001832917**

Equipment Records:
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	011
Tank ID:	40202
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	012
Tank ID:	40203
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	550
Install Date:	12/01/1969
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other

TOM PRUNELL #3336 (Continued) **U001832917**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

M53 **DOUBLE CHECK AUTO ELECTRIC** **EDR Hist Auto** **1020400401**
West **36-20 36TH AVE** **N/A**
< 1/8 **LONG IS CY, NY 11106**
0.116 mi.
610 ft. **Site 2 of 3 in cluster M**

Relative: EDR Hist Auto
Lower

Actual:
33 ft.

Year:	Name:	Type:
1972	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1973	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1974	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1975	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1976	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1977	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC
1980	DOUBLE CHECK AUTO ELECTRIC	Automotive Repair Shops, NEC

P54 **NORTHERN AUTO REPAIR CENTER** **EDR Hist Auto** **1020725616**
SE **3540 42ND ST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.116 mi.
612 ft. **Site 3 of 4 in cluster P**

Relative: EDR Hist Auto
Higher

Actual:
39 ft.

Year:	Name:	Type:
1991	ALPHA AUTO REPAIR	General Automotive Repair Shops
1992	ALPHA AUTO REPAIR	General Automotive Repair Shops
1993	ALPHA AUTO REPAIR	General Automotive Repair Shops
2000	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2001	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2002	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2003	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2004	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2005	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2006	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2007	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2008	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2009	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops

NORTHERN AUTO REPAIR CENTER (Continued) **1020725616**

2010	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops
2011	NORTHERN AUTO REPAIR CENTER	General Automotive Repair Shops

---

P55 **TOLIMA'S AUTO CENTER** **NY AST** **A100296390**
SE **35-40 42ND STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.116 mi.
612 ft. **Site 4 of 4 in cluster P**

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-610167
Program Type:	PBS
UTM X:	591082.48790
UTM Y:	4511995.56636
Expiration Date:	03/27/2021
Site Type:	Other Wholesale/Retail Sales

Affiliation Records:

Site Id:	361641
Affiliation Type:	Mail Contact
Company Name:	TOLIMAS AUTO CENTER
Contact Type:	Not reported
Contact Name:	LILIANA REYES
Address1:	35-40 42ND STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-1950
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-03-27

Site Id:	361641
Affiliation Type:	On-Site Operator
Company Name:	TOLIMAS AUTO CENTER
Contact Type:	Not reported
Contact Name:	TOLIMA'S AUTO CENTER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 361-1950
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-03-27

Site Id:	361641
Affiliation Type:	Emergency Contact
Company Name:	MELVIN LORENZANA

TOLIMA'S AUTO CENTER (Continued) **A100296390**

Contact Type:	Not reported
Contact Name:	MELVIN LORENZANA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 371-7446
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-03-27

Site Id:	361641
Affiliation Type:	Facility Owner
Company Name:	MELVIN LORENZANA
Contact Type:	PRESIDENT
Contact Name:	MELVIN LORENZANA
Address1:	35-40 42ND STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-1950
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2016-02-25

Tank Info:

Tank Number:	001
Tank Id:	210697
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
E00 - Piping Secondary Containment - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
I00 - Overfill - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	2
Tank Type:	Stainless Steel Alloy
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	08/01/2000

TOLIMA'S AUTO CENTER (Continued) **A100296390**

Capacity Gallons:	200
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	02/25/2016
Material Name:	Not reported

L56 **MARIO BEDESCU** **NY AST** **S107781611**
SW **36-20 38TH STREET** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.118 mi.
624 ft. **Site 3 of 3 in cluster L**

Relative:
Lower

Actual:
29 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-238422
Program Type:	PBS
UTM X:	590782.29531
UTM Y:	4511958.24112
Expiration Date:	N/A
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	8928
Affiliation Type:	Facility Owner
Company Name:	HMW REALTY CORP.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	823 PARK AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10021
Country Code:	001
Phone:	(212) 564-1992
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8928
Affiliation Type:	Mail Contact
Company Name:	HMW REALTY CORP.
Contact Type:	Not reported
Contact Name:	MARSHALL WENDELL
Address1:	823 PARK AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10021
Country Code:	001
Phone:	(212) 744-4940
EMail:	Not reported

MARIO BEDESCU (Continued) **S107781611**

Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8928
Affiliation Type:	On-Site Operator
Company Name:	MARIO BEDESCU
Contact Type:	Not reported
Contact Name:	MARIO BEDESCU
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 223-3728
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8928
Affiliation Type:	Emergency Contact
Company Name:	HMW REALTY CORP.
Contact Type:	Not reported
Contact Name:	MARIO BEDESCU
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 223-3728
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	1
Tank Id:	12722
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Location: 3

MARIO BEDESCU (Continued) **S107781611**

Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	08/01/1956
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	04/25/2001
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Not reported

---

57 **FAIRWAY LUMBER & SUPPLY CO INC** **NY LTANKS U001833867**
NE **34-35 STEINWAY ST** **NY UST N/A**
< 1/8 **LONG ISLAND CITY, NY 11101**
0.118 mi.
625 ft.

Relative:
Higher

Actual:
41 ft.

LTANKS:

Site ID:	258271
Spill Number/Closed Date:	9302361 / 1993-09-21
Spill Date:	1993-05-10
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1993-09-21
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1993-05-20
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1993-05-26
Spill Record Last Update:	1993-09-27
Spiller Name:	Not reported
Spiller Company:	FAIR WAY LUMBER
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	211399
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE 10/10/95: This is additional information about material spilled from the translation of the old spill file: CONTAM. SOIL."
Remarks:	"EXCAVATED TANK TOP-FOUND LEAK IN FILL BOX -REPAIRED-NYC FD TO WITNESS RE-TEST ON 6/3/93. CROMPED IS TESTER - 215 646-3161. CHUCK.

FAIRWAY LUMBER & SUPPLY CO INC (Continued) **U001833867**

NO CONTAMINATION FORWARD."

Material:

Site ID:	258271
Operable Unit ID:	980774
Operable Unit:	01
Material ID:	399484
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	258271
Spill Tank Test:	1541563
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Unknown

UST:

Id/Status:	2-239356 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	591056.80123
UTM Y:	4512237.61699
Site Type:	Other

Affiliation Records:

Site Id:	9013
Affiliation Type:	Facility Owner
Company Name:	EUGENE WOLFF
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	P.O. BOX 86
Address2:	Not reported
City:	ROSLYN HEIGHTS
State:	NY
Zip Code:	11577-0086
Country Code:	001
Phone:	(516) 621-3149
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT

FAIRWAY LUMBER & SUPPLY CO INC (Continued) **U001833867**

Date Last Modified: 2004-03-04

Site Id: 9013
Affiliation Type: Mail Contact
Company Name: EUGENE WOLFF
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 86
Address2: Not reported
City: ROSLYN HEIGHTS
State: NY
Zip Code: 11577-0086
Country Code: 001
Phone: (516) 621-3149
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 9013
Affiliation Type: On-Site Operator
Company Name: FAIRWAY LUMBER & SUPPLY CO INC
Contact Type: Not reported
Contact Name: LEONARD STUCHINER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 392-4440
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 9013
Affiliation Type: Emergency Contact
Company Name: EUGENE WOLFF
Contact Type: Not reported
Contact Name: LEONARD STUCHINER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 621-3149
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 10157

FAIRWAY LUMBER & SUPPLY CO INC (Continued) **U001833867**

Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 4000
Install Date: 09/01/1982
Date Tank Closed: 11/01/1994
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
I00 - Overfill - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Number: 002
Tank ID: 10158
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 2000
Install Date: 09/01/1982
Date Tank Closed: 11/01/1994
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None

FAIRWAY LUMBER & SUPPLY CO INC (Continued) **U001833867**

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping

M58 **DYNAMIC GROUP AUTOMOBILE PARTS** **EDR Hist Auto** **1021222621**
West **3601 36TH AVE** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11106**
0.120 mi.
636 ft. **Site 3 of 3 in cluster M**

Relative: EDR Hist Auto
Lower

Year:	Name:	Type:
Actual: 2012	DYNAMIC GROUP AUTOMOBILE PARTS	General Automotive Repair Shops

34 ft.

---

59 **AMERICAN MUSEUM OF THE MOVING IMAGE** **NY LTANKS** **U002259628**
NNW **36-01 35TH AVENUE** **NY UST** **N/A**
< 1/8 **LONG ISLAND CITY, NY 11103**
0.121 mi.
640 ft.

Relative: LTANKS:
Lower

Site ID:	297601
Spill Number/Closed Date:	9508511 / 1996-09-16
Actual: Spill Date:	1995-10-11
37 ft. Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1995-10-11
CID:	349
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-10-11
Spill Record Last Update:	2003-11-19
Spiller Name:	MR VANSHIELDS
Spiller Company:	AMERICAN MUSUEM OF MOVING
Spiller Address:	36-01 35TH AVE
Spiller City,St,Zip:	ASTORIA, NY
Spiller County:	001
Spiller Contact:	MR VANSHIELDS
Spiller Phone:	(718) 784-4520
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	240783
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN CONTAMINATED SOILS EXCAVATED AND REMOVEC FROM SITE BY PAPITTO CONSTRUCTION (914) 793-5200. UST CLOSURE REPORT BOTTOM

AMERICAN MUSEUM OF THE MOVING IMAGE (Continued) **U002259628**

SAMPLES HAVE MINOR PAH'S BUT CANNOT DIG OUT BECUASE OF BUILDING. EXPECT NATURAL ATTENUATION TO CONTAIN PAH'S. NO FURTHER ACTION NECESSARY. 7/16/98 mmm:FILE TRANSFERED TO NYS RECORD CENTER BOX # 306858."

Remarks: "FOUND CONTAMINATED SOIL DURING TANK EXCAVATION - CALLER REQUESTING CALL AT 718-784-4520"

Material:

Site ID:	297601
Operable Unit ID:	1022943
Operable Unit:	01
Material ID:	363029
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

UST:

Id/Status:	2-602476 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590791.79339
UTM Y:	4512257.90124
Site Type:	Other

Affiliation Records:

Site Id:	24433
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY ECONOMIC DEVELOPMENT
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	110 WILLIAMS STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10038
Country Code:	001
Phone:	(212) 312-3731
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	24433
Affiliation Type:	Mail Contact
Company Name:	NEW YORK CITY ECONOMIC DEVELOPMENT

AMERICAN MUSEUM OF THE MOVING IMAGE (Continued) **U002259628**

Contact Type:	Not reported
Contact Name:	MR. MELVIN A. GLICKMAN
Address1:	110 WILLIAMS STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10038
Country Code:	001
Phone:	(212) 312-3731
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	24433
Affiliation Type:	On-Site Operator
Company Name:	AMERICAN MUSEUM OF THE MOVING IMAGE
Contact Type:	Not reported
Contact Name:	MR. VAN SHIELDS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 784-4520
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	24433
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY ECONOMIC DEVELOPMENT
Contact Type:	Not reported
Contact Name:	MR. IAN JOHNSON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 784-4520
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	1
Tank ID:	50216
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	10000
Install Date:	Not reported
Date Tank Closed:	Not reported

AMERICAN MUSEUM OF THE MOVING IMAGE (Continued) **U002259628**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
I00 - Overfill - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 2
Tank ID: 50217
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 6000
Install Date: Not reported
Date Tank Closed: 10/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

R60
NE
1/8-1/4
0.129 mi.
679 ft.

TERRY & ANGELA MASTORAS
34-26 STEINWAY STREET
LONG ISLAND CITY, NY 11101

Site 1 of 2 in cluster R

NY AST **A100075697**
N/A

Relative:
Higher

Actual:
41 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-270326
Program Type:	PBS
UTM X:	591055.11512
UTM Y:	4512258.02477
Expiration Date:	12/08/2020
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	11354
Affiliation Type:	On-Site Operator
Company Name:	TERRY & ANGELA MASTORAS
Contact Type:	Not reported
Contact Name:	T. ANGELA MASTORAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 267-0300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2008-09-23

Site Id:	11354
Affiliation Type:	Emergency Contact
Company Name:	34-26 STEINWAY ST. ASSOC., LLC
Contact Type:	Not reported
Contact Name:	SOCRATIS FORADOULAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 267-0300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-12-14

Site Id:	11354
Affiliation Type:	Facility Owner
Company Name:	34-26 STEINWAY ST. ASSOC., LLC
Contact Type:	MANAGING AGENT
Contact Name:	NICK CONWAY
Address1:	31-10 37TH AVE., SUITE 500
Address2:	Not reported
City:	LONG ISLAND CITY

TERRY & ANGELA MASTORAS (Continued) **A100075697**

State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 267-0300
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-12-14

Site Id: 11354
Affiliation Type: Mail Contact
Company Name: ALMA REALTY CORP
Contact Type: Not reported
Contact Name: ANGELO ZOUMAS
Address1: 31-10 37TH AVE.
Address2: SUITE 500
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 267-0300
EMail: Not reported
Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-12-14

Tank Info:

Tank Number: 001
Tank Id: 13791
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1920
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

TERRY & ANGELA MASTORAS (Continued) **A100075697**

Register: True
Modified By: NTFREEMA
Last Modified: 12/14/2015
Material Name: Not reported

S61 **QUEENS PLATING CO** **NY AST** **1007122153**
WSW **36-16 37TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.131 mi.
690 ft. **Site 1 of 6 in cluster S**

Relative:
Lower

Actual:
31 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-003662
Program Type: PBS
UTM X: 590718.58783
UTM Y: 4512003.53578
Expiration Date: N/A
Site Type: Other

Affiliation Records:
Site Id: 35
Affiliation Type: Facility Owner
Company Name: QUEENS PLATING CO INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-16 37 ST
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (631) 329-4913
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 35
Affiliation Type: Mail Contact
Company Name: QUEENS PLATING CO.
Contact Type: Not reported
Contact Name: ALBERT B. SZABO
Address1: 36-16 37TH STREET
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 729-1500
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 35

QUEENS PLATING CO (Continued) **1007122153**

Affiliation Type:	On-Site Operator
Company Name:	QUEENS PLATING CO
Contact Type:	Not reported
Contact Name:	HECTOR
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 729-1500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	35
Affiliation Type:	Emergency Contact
Company Name:	QUEENS PLATING CO INC
Contact Type:	Not reported
Contact Name:	ALBERT B SZABO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(631) 329-4913
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	26761
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/01/1946

QUEENS PLATING CO (Continued) **1007122153**

Capacity Gallons:	1080
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Not reported

S62 **QUEENS PLATING** **NY MANIFEST** **S119070890**
WSW **36-16 37TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.131 mi.
690 ft. **Site 2 of 6 in cluster S**

Relative:
Lower

Actual:
31 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYD001273242
Facility Status:	Not reported
Location Address 1:	36-16 37 STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001273242
Mailing Name:	QUEENS PLATING
Mailing Contact:	QUEENS PLATING
Mailing Address 1:	36-16 37TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7187291500

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2008
Trans1 State ID:	NYD082785429
Trans2 State ID:	Not reported
Generator Ship Date:	10/10/2008
Trans1 Recv Date:	10/10/2008
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/10/2008
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001273242
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

QUEENS PLATING (Continued) **S119070890**

TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	002446335FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	165.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	3.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	D007
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
215 additional NY_MANIFEST: record(s) in the EDR Site Report.

S63 **QUEENS PLATING COMPANY, INC** **RCRA-LQG** **1000208267**
WSW **36-16 37 STREET** **RI MANIFEST** **NYD001273242**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.131 mi.
690 ft. **Site 3 of 6 in cluster S**

Relative:
Lower

Actual:
31 ft.

RCRA-LQG:

Date form received by agency:	03/01/2008
Facility name:	QUEENS PLATING COMPANY, INC
Facility address:	36-16 37 STREET LONG ISLAND CITY, NY 11101
EPA ID:	NYD001273242
Mailing address:	37 STREET LONG ISLAND CITY, NY 11101
Contact:	ALBERT SZABO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(718) 729-1500
Contact email:	Not reported
EPA Region:	02

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Land type: Private
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: ALBERT SZABO
Owner/operator address: 37 STREET
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Owner/operator name: QUEENS PLATING
Owner/operator address: 37 STREET
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D002
. Waste name: CORROSIVE WASTE

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: F006
. Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

. Waste code: F009
. Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

Historical Generators:
Date form received by agency: 01/01/2007
Site name: QUEENS PLATING CO INC
Classification: Small Quantity Generator

Date form received by agency: 01/01/2006
Site name: QUEENS PLATING CO INC
Classification: Small Quantity Generator

Date form received by agency: 01/01/2001
Site name: QUEENS PLATING INC
Classification: Large Quantity Generator

Date form received by agency: 03/31/1994
Site name: QUEENS PLATING COMPANY INC
Classification: Large Quantity Generator

Date form received by agency: 02/26/1992
Site name: QUEENS PLATING CO
Classification: Large Quantity Generator

Date form received by agency: 03/01/1990
Site name: QUEENS PLATING
Classification: Large Quantity Generator

Date form received by agency: 12/31/1979
Site name: QUEENS PLATING CO INC
Classification: Not a generator, verified

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: TSD IS-Container Use and Management
Date violation determined: 04/23/2008
Date achieved compliance: 09/24/2010

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/14/2008
Enf. disposition status: Dropped
Enf. disp. status date: 09/24/2010
Enforcement lead agency: State
Proposed penalty amount: 86000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: State Statute or Regulation
Date violation determined: 04/23/2008
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/14/2008
Enf. disposition status: Dropped
Enf. disp. status date: 09/24/2010
Enforcement lead agency: State
Proposed penalty amount: 86000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD IS-General Facility Standards
Date violation determined: 04/23/2008
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/14/2008
Enf. disposition status: Dropped
Enf. disp. status date: 09/24/2010
Enforcement lead agency: State
Proposed penalty amount: 86000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD IS-Preparedness and Prevention
Date violation determined: 04/23/2008
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/14/2008
Enf. disposition status: Dropped
Enf. disp. status date: 09/24/2010
Enforcement lead agency: State
Proposed penalty amount: 86000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-1.1(d)(iii)(c)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-1.1(d)(iii)(c)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(b)(2)(i)&(ii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 373-3.9(d)(1)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(b)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 373-3.9(d)(3)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.3(g)(1)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(a)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(d)(1)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 373-1.1(d)(1)(iv)&(d)(1)(iii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.3(g)(1)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.3(b)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(b)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(d)(3)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(a)(8)(ii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(d)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.3(b)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(a)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 373-1.1(d)(1)(iv)&(d)(1)(iii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 373-3.9(d)(2)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 09/24/2010
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(a)(8)(ii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/11/2008
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: SR - 372.2(b)(2)(i)&(ii)
Area of violation: Generators - General
Date violation determined: 11/03/2005
Date achieved compliance: 04/28/2008
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/17/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 73000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 05/17/1994
Date achieved compliance: 07/11/1994
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/17/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 12/24/1992
Date achieved compliance: 02/10/1993
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/24/1992
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 07/27/1990
Date achieved compliance: 02/10/1993
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 11/30/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Final penalty amount: 2500
Paid penalty amount: 2500

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 07/27/1990
Date achieved compliance: 02/10/1993
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 09/02/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 3250
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 05/02/1990
Date achieved compliance: 07/19/1990
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 05/16/1989
Date achieved compliance: 05/18/1989
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/16/1989
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 09/24/2010
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/17/2008
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: TSD IS-Preparedness and Prevention
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Evaluation date: 09/17/2008
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Generators - General
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 09/17/2008
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: TSD IS-General Facility Standards
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 09/17/2008
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: TSD IS-Container Use and Management
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 09/17/2008
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: State Statute or Regulation
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 04/23/2008
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-General Facility Standards
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 04/23/2008
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-Preparedness and Prevention
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 04/23/2008
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: State Statute or Regulation
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 04/23/2008
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD IS-Container Use and Management
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 03/11/2008
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/09/2006
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/03/2005
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 04/28/2008
Evaluation lead agency: State

Evaluation date: 11/03/2005
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 09/24/2010
Evaluation lead agency: State

Evaluation date: 05/04/2000
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 04/10/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 03/04/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/11/1994
Evaluation lead agency: State

Evaluation date: 10/05/1992
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 02/10/1993
Evaluation lead agency: State

Evaluation date: 05/02/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 02/10/1993
Evaluation lead agency: State

Evaluation date: 05/02/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 07/19/1990
Evaluation lead agency: State

Evaluation date: 05/16/1989
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 05/18/1989
Evaluation lead agency: State

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

RI MANIFEST:

EPA Id:	NYD001273242
Manifest Document Number:	RIB0006402
GEN Cert Date:	8/14/1989
TSDF Id:	RID059735761
TSDF Name:	ADV CHEM
TSDF Date:	Not reported
Transporter 2 Id:	Not reported
Transporter 2 Name:	Not reported
Transporter Receipt Date:	Not reported
Number Of Containers:	0
Container Type:	Not reported
Waste Code1:	F007
Waste Code2:	Not reported
Waste Code3:	Not reported
Fee Exempt Code:	Not reported
Comment:	Not reported

Details:

EPA ID:	NYD001273242
Manifest Docket Number:	RIB0006402
Waste Description:	CYANIDE
Quantity:	110
WT/Vol Units:	G
Item Number:	1
Transporter Name:	ST JOSEPH MOTOR
Transporter EPA ID:	GAD042097261
GEN Cert Date:	8/14/1989
Transporter Receipt Date:	Not reported
Transporter 2 Receipt Date:	Not reported
TSDF Receipt Date:	Not reported
Transporter 2 ID:	Not reported

EPA ID:	NYD001273242
Manifest Docket Number:	RIB0006403
Waste Description:	ACID
Quantity:	21
WT/Vol Units:	G
Item Number:	1
Transporter Name:	ST JOSEPH
Transporter EPA ID:	GAD042097261
GEN Cert Date:	8/14/1989
Transporter Receipt Date:	Not reported
Transporter 2 Receipt Date:	Not reported
TSDF Receipt Date:	Not reported
Transporter 2 ID:	Not reported

EPA ID:	NYD001273242
Manifest Docket Number:	RIB0006402
Waste Description:	CYANIDE
Quantity:	110
WT/Vol Units:	G
Item Number:	1
Transporter Name:	ST JOSEPH MOTOR
Transporter EPA ID:	GAD042097261
GEN Cert Date:	8/14/1989
Transporter Receipt Date:	Not reported

QUEENS PLATING COMPANY, INC (Continued) **1000208267**

Transporter 2 Receipt Date:	Not reported
TSDF Receipt Date:	Not reported
Transporter 2 ID:	Not reported
EPA ID:	NYD001273242
Manifest Docket Number:	RIB0006403
Waste Description:	ACID
Quantity:	21
WT/Vol Units:	G
Item Number:	1
Transporter Name:	ST JOSEPH
Transporter EPA ID:	GAD042097261
GEN Cert Date:	8/14/1989
Transporter Receipt Date:	Not reported
Transporter 2 Receipt Date:	Not reported
TSDF Receipt Date:	Not reported
Transporter 2 ID:	Not reported

---

64 **A & J WIRE DISPLAY CORP** **RCRA NonGen / NLR** **1000120541**
North **34-29 37TH ST** **FINDS** **NYD001267855**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.132 mi.
696 ft.

Relative:
Lower

Actual:
37 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	A & J WIRE DISPLAY CORP
Facility address:	34-29 37TH ST LONG ISLAND CITY, NY 11101
EPA ID:	NYD001267855
Mailing address:	37TH ST LONG ISLAND CITY, NY 11101
Contact:	STEPHEN KUBANIK
Contact address:	37TH ST LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	(718) 729-1616
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED

A & J WIRE DISPLAY CORP (Continued) **1000120541**

NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: A & J WIRE DISPLAY CORP
Classification: Not a generator, verified

Date form received by agency: 08/04/1980
Site name: A & J WIRE DISPLAY CORP
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 01/26/1989
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004333132

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

A & J WIRE DISPLAY CORP (Continued) **1000120541**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000120541
Registry ID:	110004333132
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004333132

65
WNW
1/8-1/4
0.134 mi.
708 ft.

Relative:
Lower

Actual:
36 ft.

CON EDISON **NY MANIFEST** **S117319789**
35-30 36TH ST **N/A**
QUEENS, NY 11106

NY MANIFEST:

Country:	USA
EPA ID:	NYP004680419
Facility Status:	Not reported
Location Address 1:	35-30 36TH ST
Code:	BP
Location Address 2:	SB 6003
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004680419
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/20/2014
Trans1 Recv Date:	10/20/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/21/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004680419
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

CON EDISON (Continued) **S117319789**

TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002618082GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

66
NNE
1/8-1/4
0.135 mi.
712 ft.

Relative:
Lower

Actual:
38 ft.

CON EDISON **NY MANIFEST** **S117319787**
34-26 38TH ST **N/A**
QUEENS, NY 11101

NY MANIFEST:

Country:	USA
EPA ID:	NYP004680393
Facility Status:	Not reported
Location Address 1:	34-26 38TH ST
Code:	BP
Location Address 2:	SB 22025
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004680393

CON EDISON (Continued) **S117319787**

Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/20/2014
Trans1 Recv Date:	10/20/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/21/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004680393
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002618083GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	80
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported

CON EDISON (Continued) **S117319787**

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

T67 **CON EDISON** **NJ MANIFEST** **S120666989**
East **34-56 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.135 mi.
714 ft. **Site 1 of 6 in cluster T**

Relative:
Higher

Actual:
46 ft.

NJ MANIFEST:

EPA Id:	NYP004728473
Mail Address:	IRVING PL, 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002621044GBF
EPA ID:	NYP004728473
Date Shipped:	2/8/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported

CON EDISON (Continued) **S120666989**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

T68 **CON EDISON** **RCRA NonGen / NLR** **1018278095**
East **34-56 42ND ST** **FINDS** **NYP004728473**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.135 mi.
714 ft. **Site 2 of 6 in cluster T**

Relative:
Higher

Actual:
46 ft.

RCRA NonGen / NLR:

Date form received by agency:	02/08/2015
Facility name:	CON EDISON
Facility address:	34-56 42ND ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004728473
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

CON EDISON (Continued) **1018278095**

Historical Generators:
Date form received by agency: 02/08/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110067698913

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1018278095
Registry ID: 110067698913
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110067698913

T69 **CON EDISON** **NY MANIFEST** **S118708214**
East **34-56 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.135 mi.
714 ft. **Site 3 of 6 in cluster T**

Relative:
Higher

Actual:
46 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004728473
Facility Status: Not reported
Location Address 1: 34-56 42 ST
Code: BP
Location Address 2: SB8852
Total Tanks: Not reported
Location City: QUEENS
Location State: NY
Location Zip: 11432
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004728473
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA

CON EDISON (Continued) **S118708214**

Mailing Phone: Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	02/08/2015
Trans1 Recv Date:	02/08/2015
Trans2 Recv Date:	02/13/2015
TSD Site Recv Date:	02/13/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004728473
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002621044GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

U70 **SUNOCO SERVICE STATION** **RCRA NonGen / NLR** **1000328878**
West **36-02 21ST ST** **FINDS** **NYD000707547**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.140 mi.
737 ft. **Site 1 of 4 in cluster U**

Relative:
Lower

Actual:
33 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	SUNOCO SERVICE STATION
Facility address:	36-02 21ST ST LONG ISLAND CITY, NY 11101
EPA ID:	NYD000707547
Mailing address:	21ST ST LONG ISLAND CITY, NY 11101
Contact:	HOWARD ALGEO
Contact address:	21ST ST LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	(215) 688-8200
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	SUN OIL COMPANY OF PENNSYLVANIA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	SUN OIL COMPANY OF PENNSYLVANIA
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

SUNOCO SERVICE STATION (Continued) **1000328878**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: SUNOCO SERVICE STATION
Classification: Not a generator, verified

Date form received by agency: 08/18/1980
Site name: SUNOCO SERVICE STATION
Classification: Not a generator, verified

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110009463570

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000328878
Registry ID: 110009463570
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110009463570

U71 **GLOBAL MONTELLO GROUP CORP. #5432** **NY UST** **U004062913**
West **36-02 21ST STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.140 mi.
737 ft. **Site 2 of 4 in cluster U**

Relative:
Lower

Actual:
33 ft.

UST:
Id/Status: 2-146048 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 04/08/2019
UTM X: 589703.11462
UTM Y: 4512637.37478
Site Type: Retail Gasoline Sales

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Affiliation Records:

Site Id:	4215
Affiliation Type:	On-Site Operator
Company Name:	GLOBAL MONTELLO GROUP CORP. #5432
Contact Type:	Not reported
Contact Name:	TEJINDER SINGH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-0250
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-04

Site Id:	4215
Affiliation Type:	Facility Owner
Company Name:	LEEMILTS PETROLEUM
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	125 JERICHO TURNPIKE
Address2:	Not reported
City:	JERICHO
State:	NY
Zip Code:	11753
Country Code:	001
Phone:	(516) 478-5400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MXLAY
Date Last Modified:	2016-05-03

Site Id:	4215
Affiliation Type:	Emergency Contact
Company Name:	LEEMILTS.
Contact Type:	Not reported
Contact Name:	CALL CENTER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(888) 674-7601
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-05-09

Site Id:	4215
Affiliation Type:	Mail Contact
Company Name:	GLOBAL MONTELLO GROUP CORP.
Contact Type:	Not reported
Contact Name:	STEVEN CHARRON

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Address1:	P.O. BOX 549290
Address2:	800 SOUTH STREET, SUITE 500
City:	WALTHAM
State:	MA
Zip Code:	02454
Country Code:	001
Phone:	(781) 786-6320
EMail:	SCHARRON@GLOBALP.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2014-09-24

Tank Info:

Tank Number:	001
Tank ID:	28226
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	28227
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 28228
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 07/01/1961
Date Tank Closed: 10/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 004
Tank ID: 28229
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel

Tank Number:	005
Tank ID:	28230
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Tank Number: 006
Tank ID: 28231
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 07/01/1961
Date Tank Closed: 10/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping

Tank Number: 007
Tank ID: 28232
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 07/01/1961
Date Tank Closed: 10/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	008
Tank ID:	28233
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	009
Tank ID:	28234
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	010
Tank ID:	28235
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	011
Tank ID:	28236
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	07/01/1961
Date Tank Closed:	10/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping

Tank Number: 012
Tank ID: 28237
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 07/01/1961
Date Tank Closed: 10/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 14
Date Test: 08/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 013
Tank ID: 28238
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 07/01/1961
Date Tank Closed: 10/01/1998

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	14
Date Test:	08/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	014
Tank ID:	54318
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	01/19/1999
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	20
Date Test:	07/26/1999
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	05/09/2013

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
B05 - Tank External Protection - Jacketed
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

F05 - Pipe External Protection - Jacketed
G04 - Tank Secondary Containment - Double-Walled (Underground)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Number:	015
Tank ID:	54319
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	01/01/1999
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	20
Date Test:	07/26/1999
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	05/09/2013

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
E04 - Piping Secondary Containment - Double walled UG
F05 - Pipe External Protection - Jacketed
G04 - Tank Secondary Containment - Double-Walled (Underground)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B05 - Tank External Protection - Jacketed
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser

Tank Number:	016
Tank ID:	54320
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	01/01/1999
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 20
Date Test: 07/26/1999
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSBAPTIS
Last Modified: 05/09/2013

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
F05 - Pipe External Protection - Jacketed
G04 - Tank Secondary Containment - Double-Walled (Underground)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
B05 - Tank External Protection - Jacketed
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 017
Tank ID: 54321
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 4000
Install Date: 01/01/1999
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: 20
Date Test: 07/26/1999
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSBAPTIS
Last Modified: 05/09/2013

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

GLOBAL MONTELLO GROUP CORP. #5432 (Continued) **U004062913**

E04 - Piping Secondary Containment - Double walled UG
F05 - Pipe External Protection - Jacketed
G04 - Tank Secondary Containment - Double-Walled (Underground)
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B05 - Tank External Protection - Jacketed
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser

T72 **CON EDISON** **RCRA NonGen / NLR** **1019902980**
East **34-50 42ND ST** **NYP004780102**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.141 mi.
747 ft. **Site 4 of 6 in cluster T**

Relative:
Higher

Actual:
47 ft.

RCRA NonGen / NLR:

Date form received by agency:	05/07/2015
Facility name:	CON EDISON
Facility address:	34-50 42ND ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004780102
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	05/07/2015
Site name:	CON EDISON
Classification:	Small Quantity Generator

Violation Status: No violations found

T73 **CON EDISON** **NY MANIFEST** **S119075167**
East **34-50 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.141 mi.
747 ft. **Site 5 of 6 in cluster T**

Relative:
Higher

Actual:
47 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004780102
Facility Status:	Not reported
Location Address 1:	34-50 42ND ST
Code:	BP
Location Address 2:	SB 8852
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004780102
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	05/07/2015
Trans1 Recv Date:	05/07/2015
Trans2 Recv Date:	05/07/2015
TSD Site Recv Date:	05/15/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004780102
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002612001GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S119075167**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

T74 **CON EDISON** **NJ MANIFEST** **S120671558**
East **34-50 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.141 mi.
747 ft. **Site 6 of 6 in cluster T**

Relative:
Higher

Actual:
47 ft.

NJ MANIFEST:

EPA Id:	NYP004780102
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002612001GBF
EPA ID:	NYP004780102
Date Shipped:	5/7/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported

CON EDISON (Continued) **S120671558**

Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

V75 **34-26 41ST STREET** **NY AST** **U003383774**
ENE **34-26 41ST STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.144 mi.
762 ft. **Site 1 of 2 in cluster V**

Relative:
Higher

Actual:
45 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-062545
Program Type:	PBS
UTM X:	591123.99206
UTM Y:	4512218.01473
Expiration Date:	01/14/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	1185
Affiliation Type:	Facility Owner
Company Name:	HACHMANN LLC
Contact Type:	PARTNER

34-26 41ST STREET (Continued) **U003383774**

Contact Name:	JOHN HACHMAN
Address1:	DBA H&H REALTY CO. P.O. BOX 1215
Address2:	Not reported
City:	MANHASSET
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(516) 365-4928
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2006-11-10

Site Id:	1185
Affiliation Type:	Mail Contact
Company Name:	HACHMANN LLC
Contact Type:	Not reported
Contact Name:	JOHN F. HACHMANN
Address1:	77 CHASE ROAD
Address2:	Not reported
City:	MANHASSET,
State:	NY
Zip Code:	11030
Country Code:	001
Phone:	(516) 365-4928
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1185
Affiliation Type:	On-Site Operator
Company Name:	34-26 41ST STREET
Contact Type:	Not reported
Contact Name:	JOHN HACHMANN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 452-1450
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1185
Affiliation Type:	Emergency Contact
Company Name:	HACHMANN LLC
Contact Type:	Not reported
Contact Name:	JOHN HACHMANN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported

34-26 41ST STREET (Continued) **U003383774**

Country Code: 001
Phone: (516) 365-4935
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 2215
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B05 - Tank External Protection - Jacketed
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/24/1947
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: BVCAMPBE
Last Modified: 10/26/2011
Material Name: Not reported

R76 **MAJOR CHEVROLET** **NY UST** **1000340311**
NE **34-14 STEINWAY ST** **RCRA NonGen / NLR** **NYD012397170**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **FINDS**
0.145 mi. **ECHO**
765 ft. **Site 2 of 2 in cluster R** **NY MANIFEST**

Relative: Higher

Actual: 41 ft.

UST:
Id/Status: 2-256757 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 591066.95142
UTM Y: 4512277.26649

MAJOR CHEVROLET (Continued) **1000340311**

Site Type: Unknown

Affiliation Records:

Site Id: 10555
Affiliation Type: Facility Owner
Company Name: SCHUNIAN STEINWAY CO INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-04 SKILLMAN AVE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 729-7100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 10555
Affiliation Type: Mail Contact
Company Name: SCHUNIAN STEINWAY CO INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-04 SKILLMAN AVE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 729-7100
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 10555
Affiliation Type: On-Site Operator
Company Name: MAJOR CHEVROLET INC
Contact Type: Not reported
Contact Name: MAJOR CHEVROLET INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 937-3700
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 10555
Affiliation Type: Emergency Contact
Company Name: SCHUNIAN STEINWAY CO INC
Contact Type: Not reported

MAJOR CHEVROLET (Continued) **1000340311**

Contact Name:	MAJOR CHEVROLET INC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 937-3700
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	40478
Tank Status:	Closed Prior to Micro Conversion, 03/91
Material Name:	Closed Prior to Micro Conversion, 03/91
Capacity Gallons:	3000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	MAJOR CHEVROLET
Facility address:	34-14 STEINWAY ST LONG ISLAND CITY, NY 111011306
EPA ID:	NYD012397170
Mailing address:	STEINWAY ST LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	STEINWAY ST LONG ISLAND CITY, NY 11101

MAJOR CHEVROLET (Continued) **1000340311**

Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: MAJOR CHEVROLET
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: MAJOR CHEVROLET
Classification: Not a generator, verified

Date form received by agency: 11/12/1986
Site name: MAJOR CHEVROLET

MAJOR CHEVROLET (Continued) **1000340311**

Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110004344308

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000340311
Registry ID: 110004344308
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004344308

NY MANIFEST:
Country: USA
EPA ID: NYD012397170
Facility Status: Not reported
Location Address 1: 34-14 STEINWAY STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: QUEENS
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

MAJOR CHEVROLET (Continued) **1000340311**

NY MANIFEST:

EPAID:	NYD012397170
Mailing Name:	MAJOR CHEVROLET INCORPORATED
Mailing Contact:	MAJOR CHEVROLET INCORPORATED
Mailing Address 1:	34-14 STEINWAY STREET
Mailing Address 2:	Not reported
Mailing City:	QUEENS
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2129373700

NY MANIFEST:

Document ID:	NYA6471441
Manifest Status:	K
seq:	Not reported
Year:	1987
Trans1 State ID:	Not reported
Trans2 State ID:	Not reported
Generator Ship Date:	02/09/1987
Trans1 Recv Date:	02/09/1987
Trans2 Recv Date:	/ /
TSD Site Recv Date:	02/09/1987
Part A Recv Date:	03/26/1987
Part B Recv Date:	02/18/1987
Generator EPA ID:	NYD012397170
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00160
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

MAJOR CHEVROLET (Continued) **1000340311**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00035
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

S77 **CON EDISON** **NJ MANIFEST** **S120674489**
WSW **36-30 37TH ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.151 mi.
796 ft. **Site 4 of 6 in cluster S**

Relative:
Lower

Actual:
29 ft.

NJ MANIFEST:

EPA Id:	NYP004813206
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	014473321JJK
EPA ID:	NYP004813206
Date Shipped:	7/27/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

CON EDISON (Continued) **S120674489**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

S78 **CON EDISON** **RCRA NonGen / NLR** **1019905756**
WSW **36-30 37TH ST** **FINDS** **NYP004813206**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.151 mi.
796 ft. **Site 5 of 6 in cluster S**

Relative:
Lower

Actual:
29 ft.

RCRA NonGen / NLR:

Date form received by agency:	07/27/2015
Facility name:	CON EDISON
Facility address:	36-30 37TH ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004813206
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No

CON EDISON (Continued) **1019905756**

Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	07/27/2015
Site name:	CON EDISON
Classification:	Large Quantity Generator
Violation Status:	No violations found

FINDS:

Registry ID: 110069692577

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019905756
Registry ID:	110069692577
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069692577

S79 **CON EDISON** **NY MANIFEST** **S119076776**
WSW **36-30 37TH ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.151 mi.
796 ft. **Site 6 of 6 in cluster S**

Relative:
Lower

Actual:
29 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004813206
Facility Status:	Not reported
Location Address 1:	36-30 37TH ST
Code:	BP
Location Address 2:	SB 5780
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004813206

CON EDISON (Continued) **S119076776**

Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	07/27/2015
Trans1 Recv Date:	07/27/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/28/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004813206
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014473321JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported

CON EDISON (Continued) **S119076776**

Waste Code 1_5: Not reported
Waste Code 1_6: Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

W80 **UNIVERSAL FORD** **RCRA NonGen / NLR** **1000431063**
SSW **40-40 NORTHERN BLVD** **FINDS** **NYD012447678**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.153 mi. **NY MANIFEST**
806 ft. **Site 1 of 4 in cluster W**

Relative:
Lower

Actual:
30 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: UNIVERSAL FORD
Facility address: 40-40 NORTHERN BLVD
LONG ISLAND CITY, NY 11101
EPA ID: NYD012447678
Mailing address: NORTHERN BLVD
LONG ISLAND CITY, NY 11101
Contact: Not reported
Contact address: NORTHERN BLVD
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: MICHAEL OSHRY
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MICHAEL OSHRY
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No

UNIVERSAL FORD (Continued) **1000431063**

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: UNIVERSAL FORD
Classification: Not a generator, verified

Date form received by agency: 07/14/1999
Site name: UNIVERSAL FORD
Classification: Small Quantity Generator

Date form received by agency: 10/01/1986
Site name: UNIVERSAL FORD
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

FINDS:

Registry ID: 110004344362

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also

UNIVERSAL FORD (Continued) **1000431063**

has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000431063
Registry ID:	110004344362
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004344362

NY MANIFEST:

Country:	USA
EPA ID:	NYD012447678
Facility Status:	Not reported
Location Address 1:	40-40 NORTHERN BLVD
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD012447678
Mailing Name:	UNIVERSAL FORD INCORPORATED
Mailing Contact:	UNIVERSAL FORD INCORPORATED
Mailing Address 1:	40-40 NORTHERN BLVD
Mailing Address 2:	Not reported
Mailing City:	QUEENS
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2127861598

NY MANIFEST:

Document ID:	NYC6902076
Manifest Status:	Not reported
seq:	01
Year:	2002
Trans1 State ID:	NYAT8011
Trans2 State ID:	Not reported
Generator Ship Date:	12/17/2002
Trans1 Recv Date:	12/17/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/23/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012447678
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198

UNIVERSAL FORD (Continued) **1000431063**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00132
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	010
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Waste Code:	D039 - TETRACHLOROETHYLENE 0.73 MG/L TCLP
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00015
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
72 additional NY_MANIFEST: record(s) in the EDR Site Report.

X81 **CONSTRUCTION SITE** **NY LTANKS** **S108129775**
NW **35-12 35TH AV** **NY Spills** **N/A**
1/8-1/4 **ASTORIA, NY**
0.154 mi.
811 ft. **Site 1 of 2 in cluster X**

Relative:
Lower

Actual:
38 ft.

LTANKS:

Site ID:	168260
Spill Number/Closed Date:	0104171 / 2004-08-23
Spill Date:	2001-07-19
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101

CONSTRUCTION SITE (Continued) **S108129775**

Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2001-07-19
CID:	207
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-07-19
Spill Record Last Update:	2006-08-09
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	CARMINE GIODANNO
Spiller Phone:	(718) 630-2422
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	209377
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 6/15/04 Received call from Mike Sherwood of Shaw Envmtl 845-492-3100 who is working for NYCSCA who recently obtained property. 4K gallon fuel oil tank removed 2002, endpoint soil samples - SVOC above TAGM. Never delineated. NYCSCA planning to do additional investigation. Rommel 7/20/04 - AUSTIN - REASSIGNED FROM ROMMEL TO AUSTIN, AS PER HER E-MAIL TODAY - END 8/23/04 TJD Multiple open spills on single address. Demeo actively working on spill #0101345. Spill 0104171 is closed and cross-referenced to 0101345."
Remarks:	""

Material:

Site ID:	168260
Operable Unit ID:	840802
Operable Unit:	01
Material ID:	532670
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	168260
Spill Tank Test:	1526470
Tank Number:	1
Tank Size:	5000
Test Method:	03
Leak Rate:	.00
Gross Fail:	F

CONSTRUCTION SITE (Continued) **S108129775**

Modified By: Spills
Last Modified: Not reported
Test Method: Horner EZ Check I or II

SPILLS:
Facility ID: 0605332
Facility Type: ER
DER Facility ID: 209377
Site ID: 368471
DEC Region: 2
Spill Date: 2006-08-07
Spill Number/Closed Date: 0605332 / 2006-08-09
Spill Cause: Unknown
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS: 4101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 2006-08-07
CID: 409
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2006-08-07
Spill Record Last Update: 2006-08-09
Spiller Name: FRANCIS SCHULTZ
Spiller Company: CONSTRUCTION SITE
Spiller Address: 3502 35TH AVE
Spiller City,St,Zip: ASTORIA, NY
Spiller Company: 001
Contact Name: FRANCIS SCHULTZ
Contact Phone: (973) 256-7800
DEC Memo: "08/09/06 Rahman- Mutiple spill cases at this site.Cross referenced to Spill # 0101345. I spoke with Francis Schultz of GZA,(973)256-7800, she indicated that tanks have been removed and contaminated soil was excavated followed by end point sampling. A report will be sent to DEC. This spill case is closed referencing the old one(0101345)."
Remarks: "TANK WAS FOUND THERE IS A PREVIOUS SPILL # FOR THIS SITE. fOUND MATERIAL BELOW THE TANK. CLEAN UP IS IN PROCESS."

Material:
Site ID: 368471
Operable Unit ID: 1126345
Operable Unit: 01
Material ID: 2115877
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other

CONSTRUCTION SITE (Continued) **S108129775**

Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0101345
Facility Type:	ER
DER Facility ID:	209377
Site ID:	255639
DEC Region:	2
Spill Date:	2001-04-26
Spill Number/Closed Date:	0101345 / 2007-03-14
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	kkchanda
Referred To:	Not reported
Reported to Dept:	2001-05-04
CID:	323
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-05-04
Spill Record Last Update:	2007-03-14
Spiller Name:	Not reported
Spiller Company:	DDC
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	JORGE ALVEAR
Contact Phone:	(212) 839-1137
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO 4/21/03 TJD UST Closure Report prepared by The Shaw Group Inc reviewed. One 4,000 gallon UST containing #2 Fuel Oil removed. Samples collected, SVOC Exceedances noted. Shaw stated suplemental investigation will be performed to further delinate petroleum impacted soils and groundwater impacts. 8/23/04 TJD Shaw submitted (8/19/04) a work plan for supplemental investigation. Site is being developed for the construction of a new public school. As part of the project a new underground parking garage is to be built, which will involve excavating soils to a depth of 15 feet. Additional soil borings are planned in the area of previously identified contamination. Work plan was verbally approved on this date with requirement that SHAW notify DEC a minimum of 48 hours prior to scheduling sampling event. 8/23/04 TJD Multiple spills on single address. Spill 0104171 closed and cross referenced to 0101345.

CONSTRUCTION SITE (Continued) **S108129775**

11/17/05 - L. Alden - Called Mike Sherwood, Shaw Group, at (845) 492-3182. Left message. 12/19/05 - L.Alden - Called Sherwood back. Shaw is not doing the additional investigation on this site. Called his client, Lee Guterman, at the NYC School Construction Authority, (718) 472-8502. This property will be the site of the Frank Sinatra School. Anna Ciecierska, (718) 752-5028, returned my call. She didn't know the specifics of the project but would look into the file to determine where they were with the investigation/cleanup effort. 12/20/05 - L. Alden - Anna Ciecierska called back today. She had a report from February 2005 where the consultant had delineated the contaminated soil. She indicated that removal of contaminated soil was to commence within a week or two. She would wait to get the report before submitting a request to close the spill. 5/01/06 - L. Alden - Mark Hudok, GZA Geoenvironmental, (973)256-7800, called. He was preparing a remediation plan and called to discuss post-excavation sampling that would be necessary after removal of contaminated soil. Recommended action: Review excavation plan and post-excavation results. 8/15/2006 Sangesland received a call from Jennifer Kahn of SCA requesting guidance on who the DEC case manager was for this site. Apparently in 2005 the project was sent up to DEC Albany for work and was then transferred back to DEC Region 2. Because the site is already into the remediation phase, the case is being transferred to the Region 2 Remediation Group (Koon Tang). 08/15/06: Transferred to Yau. (Yau) 08/16/06: Visited the school site with Joe. Met with the representatives from SCA. Told them additional groundwater samples will be required at the soil/ groundwater interface. Will send in report as soon as results come back. (Yau) 08/24/06: Received report along with lab analytical results from SCA. Both soil and groundwater results are good except for N-2, N-3, and W-2. 1. The benzo(a)anthracene and benzo(a)pyrene exceeded TAGM slightly for the soil samples. 2. The o-xylene and dibenz(a,h)anthracene exceeded the TOGS standard slightly. DEC will approve the construction of a school building on top the this site. (Yau) 10/16/06 Re-assigned from Yau to Chanda (Chanda) 12/20/06:DEC received a phone call from Mr.Drew Pardus, School construction Authority,Ph:(718)752-5036.He said that last week soil exavated from the construction site and soil samples were sent to lab analysis. He will send in report as soon as possible as result come back. (Chanda) 2/27/07:DEC received Endpoint Soil and Groundwater Sampling Results prepared by Shaw Environmental and Infrastructure, Inc., dated 2/26/07. 3/14/07:DEC reviwed all report and documents regarding this spill. Based on the information presented to the Department DEC closed this spill.(Chanda) 3/15/07: A NFA letter was issued to Ms. Lee Guterman, Manager, IEH Department, SCA, and copy to Mr. Bob Kanaparthi, SCA and Michael R. Sherwood Shaw Environmental & Infrastructure, Inc."

Remarks: "WHILE EXCAVATING A SITE, CONTAMINATED SOIL WAS DISCOVERED. SOIL IS BEING STOCKPILED."

Material:

Site ID:	255639
Operable Unit ID:	838232
Operable Unit:	01
Material ID:	537046
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum

CONSTRUCTION SITE (Continued) **S108129775**

Quantity: .00
Units: Gallons
Recovered: .00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

X82 **NYC SCHOOL CONSTRUCTION AUTH** **RCRA-SQG** **1009399936**
NW **35-12 35TH AVE** **NY MANIFEST** **NYR000139006**
1/8-1/4 **ASTORIA, NY 11106**
0.154 mi.
811 ft. **Site 2 of 2 in cluster X**

Relative:
Lower

Actual:
38 ft.

RCRA-SQG:
Date form received by agency: 01/01/2007
Facility name: NYC SCHOOL CONSTRUCTION AUTH
Facility address: 35-12 35TH AVE
ASTORIA, NY 11106
EPA ID: NYR000139006
Mailing address: 35TH AVE
ASTORIA, NY 11106
Contact: ANTONY H WALKER
Contact address: 35TH AVE
ASTORIA, NY 11106
Contact country: US
Contact telephone: (516) 315-0209
Contact email: Not reported
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: NYC SCHOOL CONSTRUCTION AUTHORITY
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 03/31/2006
Owner/Op end date: Not reported

Owner/operator name: ANTONY WALKER
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 03/31/2006
Owner/Op end date: Not reported

NYC SCHOOL CONSTRUCTION AUTH (Continued) **1009399936**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 04/10/2006
Site name: NYC SCHOOL CONSTRUCTION AUTH
Classification: Small Quantity Generator

Date form received by agency: 04/09/2006
Site name: NYC SCHOOL CONSTRUCTION AUTH
Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000139006
Facility Status: Not reported
Location Address 1: 35-12 35TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11106
Location Zip 4: ‘

NY MANIFEST:
EPAID: NYR000139006
Mailing Name: NYC SCHOOL CONSTRUCTION
Mailing Contact: N/S
Mailing Address 1: 35-12 35TH ST
Mailing Address 2: Not reported
Mailing City: ASTORIA
Mailing State: NY
Mailing Zip: 11106
Mailing Zip 4: ‘
Mailing Country: USA
Mailing Phone: 6318727773

NY MANIFEST:
Document ID: NYC7760856
Manifest Status: Not reported

NYC SCHOOL CONSTRUCTION AUTH (Continued) **1009399936**

seq:	01
Year:	2006
Trans1 State ID:	TXR000050930
Trans2 State ID:	MOD095038998
Generator Ship Date:	04/11/2006
Trans1 Recv Date:	04/11/2006
Trans2 Recv Date:	04/25/2006
TSD Site Recv Date:	05/03/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000139006
Trans1 EPA ID:	NY55817JL
Trans2 EPA ID:	M0013
TSDF ID 1:	MNR000000588
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B007 - OTHER MISCELLANEOUS PCB WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00800
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Y83 **CON EDISON** **NY MANIFEST** **S117058318**
WSW **F/O 36-21 36 ST** **N/A**
1/8-1/4 **QUEENS, NY 11106**
0.155 mi.
819 ft. **Site 1 of 2 in cluster Y**

Relative:
Lower

Actual:
31 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004503769
Facility Status:	Not reported
Location Address 1:	F/O 36-21 36 ST
Code:	BP
Location Address 2:	SB 11957
Total Tanks:	Not reported

CON EDISON (Continued) **S117058318**

Location City:	QUEENS
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004503769
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	04/17/2014
Trans1 Recv Date:	04/17/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/22/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004503769
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002417766GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	30
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1

CON EDISON (Continued) **S117058318**

Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

84
SW
1/8-1/4
0.156 mi.
825 ft.

TRI-US AUTO BODY SERVICE INC
36-46 38TH ST
LONG ISLAND CITY, NY 11101

RCRA NonGen / NLR **1000139975**
FINDS **NYD981134737**
ECHO
NY MANIFEST

Relative:
Lower

Actual:
27 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	TRI-US AUTO BODY SERVICE INC
Facility address:	36-46 38TH ST LONG ISLAND CITY, NY 11101
EPA ID:	NYD981134737
Mailing address:	38TH ST LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	38TH ST LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported

TRI-US AUTO BODY SERVICE INC (Continued) **1000139975**

Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: TRI-US AUTO BODY SERVICE INC
Classification: Not a generator, verified

Date form received by agency: 07/14/1999
Site name: TRI-US AUTO BODY SERVICE INC
Classification: Small Quantity Generator

Date form received by agency: 09/12/1985
Site name: TRI-US AUTO BODY SERVICE INC
Classification: Large Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110004399829

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000139975
Registry ID: 110004399829

TRI-US AUTO BODY SERVICE INC (Continued) **1000139975**

DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004399829

NY MANIFEST:

Country:	USA
EPA ID:	NYD981134737
Facility Status:	Not reported
Location Address 1:	36-46 38TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD981134737
Mailing Name:	TRI US BODY SERVICE INCORPORATED
Mailing Contact:	TRI US BODY SERVICE INCORPORATED
Mailing Address 1:	36-46 38TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7187293414

NY MANIFEST:

Document ID:	NJA3038895
Manifest Status:	Not reported
seq:	01
Year:	1999
Trans1 State ID:	10339
Trans2 State ID:	Not reported
Generator Ship Date:	04/13/1999
Trans1 Recv Date:	04/13/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/15/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981134737
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported

TRI-US AUTO BODY SERVICE INC (Continued) **1000139975**

MGMT Method Type Code:	Not reported
Waste Code:	F005 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00070
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
37 additional NY_MANIFEST: record(s) in the EDR Site Report.

85
NNE
1/8-1/4
0.157 mi.
827 ft.

MARZOCCO DUN-RITE AUTO BODY INC **RCRA-CESQG** **1000443445**
34-11 38TH ST **NY MANIFEST** **NYD981134695**
LONG ISLAND CITY, NY 11101

Relative:
Higher

Actual:
39 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	MARZOCCO DUN-RITE AUTO BODY INC
Facility address:	34-11 38TH ST LONG ISLAND CITY, NY 111011353
EPA ID:	NYD981134695
Mailing address:	38TH ST LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	38TH ST LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	Not reported

MARZOCCO DUN-RITE AUTO BODY INC (Continued) **1000443445**

Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: MARZOCCO DUN-RITE AUTO BODY INC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Site name: MARZOCCO DUN-RITE AUTO BODY INC
Classification: Not a generator, verified

Date form received by agency: 09/12/1985
Site name: MARZOCCO DUN-RITE AUTO BODY INC
Classification: Large Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYD981134695

MARZOCCO DUN-RITE AUTO BODY INC (Continued) **1000443445**

Facility Status:	Not reported
Location Address 1:	34-11 38TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD981134695
Mailing Name:	MARZOCCO DUN RITE AUTO BODY INCORPORATED
Mailing Contact:	MARZOCCO DUN RITE AUTO BODY INCORPORATED
Mailing Address 1:	34-11 38TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7189376767

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2012
Trans1 State ID:	TXR000081205
Trans2 State ID:	NJD071629976
Generator Ship Date:	09/20/2012
Trans1 Recv Date:	09/20/2012
Trans2 Recv Date:	09/27/2012
TSD Site Recv Date:	09/28/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981134695
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	KYD053348108
TSDF ID 2:	Not reported
Manifest Tracking Number:	003309359SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H061
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported

MARZOCCO DUN-RITE AUTO BODY INC (Continued) **1000443445**

Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Waste Code:	F005
Waste Code 1_2:	F003
Waste Code 1_3:	D001
Waste Code 1_4:	D018
Waste Code 1_5:	D035
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
19 additional NY_MANIFEST: record(s) in the EDR Site Report.

U86 **CON EDISON** **RCRA NonGen / NLR** **1019904336**
West **35-51 36TH AVE** **NYP004796710**
1/8-1/4 **ASTORIA, NY 11106**
0.158 mi.
832 ft. **Site 3 of 4 in cluster U**

Relative:
Lower

Actual:
35 ft.

RCRA NonGen / NLR:

Date form received by agency:	06/19/2015
Facility name:	CON EDISON
Facility address:	35-51 36TH AVE ASTORIA, NY 11106
EPA ID:	NYP004796710
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No

CON EDISON (Continued) **1019904336**

Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/19/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Violation Status: No violations found

U87 **CON EDISON** **NY MANIFEST** **S119075999**
West **35-51 36TH AVE** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.158 mi.
832 ft. **Site 4 of 4 in cluster U**

Relative:
Lower

Actual:
35 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004796710
Facility Status: Not reported
Location Address 1: NW COR 12TH ST & 36TH AVE
Code: BP
Location Address 2: SB 53255
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004796710
Mailing Name: CON EDISON
Mailing Contact: DENNIS HUACON
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2015
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 06/19/2015
Trans1 Recv Date: 06/19/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/26/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004796710
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

CON EDISON (Continued) **S119075999**

TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624555GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

Z88 **TELEBAM PLAZA** **NY LTANKS** **S104621673**
WSW **36-40 37TH ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY**
0.161 mi.
848 ft. **Site 1 of 2 in cluster Z**

Relative:
Lower

Actual:
29 ft.

LTANKS:

Site ID:	123790
Spill Number/Closed Date:	0002370 / 2000-08-05
Spill Date:	2000-05-25
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SJMILLER
Referred To:	Not reported
Reported to Dept:	2000-05-25
CID:	323

TELEBAM PLAZA (Continued) **S104621673**

Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2000-05-25
Spill Record Last Update:	2000-09-05
Spiller Name:	ROBERT FRANCE
Spiller Company:	TELEBAM PLAZA
Spiller Address:	36-40 37TH ST
Spiller City,St,Zip:	LONG ISLAND CITY, ZZ
Spiller County:	001
Spiller Contact:	MARYANNA VALSTAMATIS
Spiller Phone:	(718) 726-2226
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	107295
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MILLER 9/05/2000, SPILL REPORT NO.0002370 REASSIGNED FROM TOMASELLO TO MILLER. 9/05/2000, SPILL REPORT NO.0002370 IS CLOSED OUT. 9/06/2000, COPY OF CLOSED SPILL REPORT NO.0002370 WITH CLOSURE LETTER MAILED TO TELEBEAM. CLOSURE BASED ON 6/26/2000 SITE ASSESSMENT SUMMARY REPORT: SOIL RESULTS SHOWED NON-DETECT STARS FOLLOWING EARLIER OVEREXCAVATION OF 8-TONS OF PETROLEUM CONTAMINATED SOIL (COPY OF DISPOSAL MANIFEST FORWARDED TO DEPARTMENT IN LETTER DATED 8/24/2000). ADDITIONAL SUPPORTING DOCUMENTATION ALSO FORWARDED TO DEPARTMENT IN 8/24/2000 LETTER: NON-DETECT PID READINGS REPORTED FOR SOIL SAMPLES COLLECTED ADJACENT TO BACKFILLED AND REGRADED/REPAVED FORMER UST CAVITY. MILLER WAS ON SITE AND OBSERVED LATTER ACTIVITY."
Remarks:	""

Material:

Site ID:	123790
Operable Unit ID:	823883
Operable Unit:	01
Material ID:	550732
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	123790
Spill Tank Test:	1525635
Tank Number:	1
Tank Size:	1080
Test Method:	03
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills

TELEBAM PLAZA (Continued) **S104621673**

Last Modified: Not reported
Test Method: Horner EZ Check I or II

V89 **PAGE TWO REALTY LLC** **NY AST** **U003386263**
NE **34-16 41ST ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11103**
0.161 mi.
849 ft. **Site 2 of 2 in cluster V**

Relative:
Higher

Actual:
44 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-206849
Program Type: PBS
UTM X: 591133.83785
UTM Y: 4512234.34544
Expiration Date: 04/18/2017
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 7311
Affiliation Type: Facility Owner
Company Name: PAGE TWO REALTY LLC
Contact Type: AGENT
Contact Name: ANTHONY PAGANO
Address1: 35-20 30TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 721-0103
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-01-31

Site Id: 7311
Affiliation Type: Mail Contact
Company Name: PAGE REALTY
Contact Type: Not reported
Contact Name: ANTHONY PAGANO
Address1: 35-20 30TH AVE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 721-0103
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 7311
Affiliation Type: On-Site Operator

PAGE TWO REALTY LLC (Continued) **U003386263**

Company Name:	PAGE TWO REALTY LLC
Contact Type:	Not reported
Contact Name:	GREG GRECH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 617-9041
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-01-31

Site Id:	7311
Affiliation Type:	Emergency Contact
Company Name:	PAGE TWO REALTY LLC
Contact Type:	Not reported
Contact Name:	ANTHONY PAGANO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 721-0103
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	9578
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
J01 - Dispenser - Pressurized Dispenser
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported

PAGE TWO REALTY LLC (Continued) **U003386263**

Install Date:	06/01/1983
Capacity Gallons:	4500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	01/27/2012
Material Name:	Not reported

AA90 **TOM V** **RCRA NonGen / NLR** **1001203088**
NW **35-35 35TH ST** **FINDS** **NYR000044222**
1/8-1/4 **ASTORIA, NY 11106** **ECHO**
0.162 mi. **NY MANIFEST**
854 ft. **Site 1 of 5 in cluster AA**

Relative:
Lower

Actual:
37 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	TOM V
Facility address:	35-35 35TH ST ASTORIA, NY 11106
EPA ID:	NYR000044222
Mailing address:	35TH ST ASTORIA, NY 11106
Contact:	Not reported
Contact address:	35TH ST ASTORIA, NY 11106
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	NGM REALTY INC
Owner/operator address:	33 E MERRICK RD VALLEY STREAM, NY 11580
Owner/operator country:	US
Owner/operator telephone:	(516) 872-0947
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	NGM REALTY INC
Owner/operator address:	33 E MERRICK RD VALLEY STREAM, NY 11580
Owner/operator country:	US
Owner/operator telephone:	(516) 872-0947
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

TOM V (Continued) **1001203088**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: TOM V
Classification: Not a generator, verified

Date form received by agency: 07/14/1999
Site name: TOM V
Classification: Small Quantity Generator

Date form received by agency: 08/27/1997
Site name: TOM V
Classification: Large Quantity Generator

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: P029
. Waste name: COPPER CYANIDE (OR) COPPER CYANIDE CU(CN)

. Waste code: P030
. Waste name: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

. Waste code: P096
. Waste name: HYDROGEN PHOSPHIDE (OR) PHOSPHINE

Violation Status: No violations found

FINDS:

Registry ID: 110004536921

TOM V (Continued) **1001203088**

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1001203088
Registry ID:	110004536921
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004536921

NY MANIFEST:

Country:	USA
EPA ID:	NYR000044222
Facility Status:	Not reported
Location Address 1:	35-35 35TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	ASTORIA
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000044222
Mailing Name:	MGM REALTY
Mailing Contact:	MARK KATSIGEORG
Mailing Address 1:	35-35 35TH ST
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5168720947

NY MANIFEST:

Document ID:	NYG0879318
Manifest Status:	C
seq:	Not reported
Year:	1997
Trans1 State ID:	PX3640
Trans2 State ID:	Not reported
Generator Ship Date:	09/08/1997
Trans1 Recv Date:	09/08/1997
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/08/1997
Part A Recv Date:	/ /
Part B Recv Date:	09/22/1997

TOM V (Continued) **1001203088**

Generator EPA ID:	NYR000044222
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	P106 - SODIUM CYANIDE
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00300
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00105
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	004
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	110
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00001
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AA91 **MGM REALTY CORP** **NY AST** **A100295041**
NW **35-35 35TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.162 mi.
854 ft. **Site 2 of 5 in cluster AA**

Relative:
Lower

Actual:
37 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-607609
Program Type:	PBS
UTM X:	590683.12632
UTM Y:	4512231.25659
Expiration Date:	04/11/2017
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	29461
Affiliation Type:	Facility Owner
Company Name:	MGM REALTY CORP
Contact Type:	PRES.
Contact Name:	SERGIOS DESPOTIS
Address1:	33 EAST MERRICK ROAD
Address2:	Not reported
City:	VALLEY STREAM
State:	NY
Zip Code:	11580
Country Code:	001
Phone:	(516) 872-0947
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-02-28

Site Id:	29461
Affiliation Type:	Mail Contact
Company Name:	NGM REALTY CORP
Contact Type:	Not reported
Contact Name:	SERGIOS DESPOTIS
Address1:	33 EAST MERRICK ROAD
Address2:	Not reported
City:	VALLEY STREAM
State:	NY
Zip Code:	11580
Country Code:	001
Phone:	(516) 872-0947
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-02-28

Site Id:	29461
Affiliation Type:	On-Site Operator
Company Name:	MGM REALTY CORP
Contact Type:	Not reported
Contact Name:	SANTIAGO MENTOSA
Address1:	Not reported
Address2:	Not reported
City:	Not reported

MGM REALTY CORP (Continued) **A100295041**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 448-0840
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-02-28

Site Id: 29461
Affiliation Type: Emergency Contact
Company Name: MGM REALTY CORP
Contact Type: Not reported
Contact Name: MARK KATSIGEORGIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 872-0947
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 1
Tank Id: 63254
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1982
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

MGM REALTY CORP (Continued) **A100295041**

Register: True
Modified By: MSBAPTIS
Last Modified: 02/01/2012
Material Name: Not reported

AB92
ESE
1/8-1/4
0.163 mi.
859 ft.

CON EDISON SERVICE BOX: 10911 **RCRA NonGen / NLR** **1017777062**
42-33 NORTHERN BLVD **NYP004549473**
LONG ISLAND CITY, NY 11101

Site 1 of 6 in cluster AB

Relative:
Lower

Actual:
36 ft.

RCRA NonGen / NLR:
Date form received by agency: 07/01/2014
Facility name: CON EDISON SERVICE BOX: 10911
Facility address: 42-33 NORTHERN BLVD
LONG ISLAND CITY, NY 11101
EPA ID: NYP004549473
Mailing address: IRVING PL, 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/01/2014
Site name: CON EDISON
Classification: Small Quantity Generator

Date form received by agency: 06/01/2014
Site name: CON EDISON
Classification: Not a generator, verified

Violation Status: No violations found

AB93 **CON EDISON** **NY MANIFEST** **S117062586**
ESE **42-33 NORTHERN BLVD** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.163 mi.
859 ft. **Site 2 of 6 in cluster AB**

Relative:
Lower

Actual:
36 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004549473
Facility Status:	Not reported
Location Address 1:	42-33 NORTHERN BLVD
Code:	BP
Location Address 2:	SB 10911
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004549473
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	06/01/2014
Trans1 Recv Date:	06/01/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004549473
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002423705GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117062586**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AC94 **TEITLEBAUM, INC** **NY AST** **A100300727**
WNW **35-45 35 ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.163 mi.
862 ft. **Site 1 of 4 in cluster AC**

Relative:
Lower

Actual:
37 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-349879
Program Type:	PBS
UTM X:	590671.37881
UTM Y:	4512211.57248
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	17241
Affiliation Type:	Facility Owner
Company Name:	TEITLEBAUM, INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	35-45 35TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 937-0091
EMail:	Not reported
Fax Number:	Not reported

TEITLEBAUM, INC (Continued) **A100300727**

Modified By: CGFREEDM
Date Last Modified: 2004-12-14

Site Id: 17241
Affiliation Type: Mail Contact
Company Name: TEITLEBAUM, INC
Contact Type: Not reported
Contact Name: ROBERT RATHFIA
Address1: 35-45 35TH STREET
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11106
Country Code: 001
Phone: (718) 937-0915
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 17241
Affiliation Type: On-Site Operator
Company Name: TEITLEBAUM, INC
Contact Type: Not reported
Contact Name: TEITLEBAUM, INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 937-0091
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 17241
Affiliation Type: Emergency Contact
Company Name: TEITLEBAUM, INC
Contact Type: Not reported
Contact Name: BOB RATHFIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 937-0915
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001

TEITLEBAUM, INC (Continued) **A100300727**

Tank Id: 33662
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 06/01/1998
Register: True
Modified By: TRANSLAT
Last Modified: 03/04/2004
Material Name: Not reported

AC95 **TEITELBAUM/MR R WHOLESALE CLEANERS** **NY DRYCLEANERS** **S110248087**
WNW **35-45 35TH STREET** **N/A**
1/8-1/4 **LI CITY, NY 11106**
0.163 mi.
862 ft. **Site 2 of 4 in cluster AC**

Relative:
Lower

Actual:
37 ft.

DRYCLEANERS:
Facility ID: 2-6304-00397
Phone Number: 718-937-0091
Region: Not reported
Registration Effective Date: 3/21/2002 15:07:29:8
Inspection Date: 08JAN15
Install Date: 94,97&98
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: Not reported

AC96 **TEITELBAUM CLEANERS** **RCRA-SQG** **1000400106**
WNW **35-45 35TH ST** **NY SHWS** **NYD981132459**
1/8-1/4 **LONG ISLAND CITY, NY 11106** **NY BROWNFIELDS**
0.163 mi. **ICIS**
862 ft. **Site 3 of 4 in cluster AC** **US AIRS**
FINDS
Relative: **ECHO**
Lower **NY MANIFEST**
RI MANIFEST
Actual:
37 ft.

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	TEITELBAUM CLEANERS INC
Facility address:	35-45 35TH ST LONG ISLAND CITY, NY 11106
EPA ID:	NYD981132459
Mailing address:	35TH ST LONG ISLAND CITY, NY 11106
Contact:	Not reported
Contact address:	35TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	Not reported
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No

TEITELBAUM CLEANERS (Continued) **1000400106**

Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: TEITELBAUM CLEANERS INC
Classification: Small Quantity Generator

Date form received by agency: 07/14/1999
Site name: TEITELBAUM CLEANERS INC
Classification: Small Quantity Generator

Date form received by agency: 09/04/1985
Site name: TEITELBAUM CLEANERS INC
Classification: Large Quantity Generator

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:
Regulation violated: FR - 6nycrr372.2(o);372.2(b)
Area of violation: Generators - General
Date violation determined: 06/23/1998
Date achieved compliance: 09/10/1998
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/21/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 06/23/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General

TEITELBAUM CLEANERS (Continued) **1000400106**

Date achieved compliance: 09/10/1998
Evaluation lead agency: EPA

SHWS:
Program: HW
Site Code: 481508
Classification: N
Region: 2
Acres: 0.26
HW Code: 241149
Record Add: 05/03/2013
Record Upd: 01/31/2014
Updated By: JHOCONNE
Site Description: Location: The 11,200 square foot (0.26 acre) site is located at 3545 35th Street, Long Island City, NY in an urban area. The site is bordered by 35th Street and residential buildings to the west, by a 2 story commercial/industrial building to the north, by a parking lot to the east, by an Islamic center to the southeast, and by a 2 story commercial/industrial building to the south. Site Features: The site is occupied by a 1 to 2 story commercial dry cleaner. Current Zoning/Use(s): The site is zoned as M1-5, and is surrounded by industrial, commercial and residential uses. Historical Use(s): The Site is an industrial building conducting dry cleaning operations since 1975. The site is a RCRA large quantity generator (EPA ID # NYD981132459) of spent solvent, waste code F002. Site Topography, Geology and Hydrogeology: The Site is generally level and the surrounding area slopes downward from north to south. The geology of Queens County consists of unconsolidated glacial deposits overlying crystalline bedrock at about 80 feet below ground surface (bgs). Soil cores collected during investigation on a nearby site (site no. 241139) generally consisted of fill material containing brown sandy silt with some gravel, to a depth of 8 feet bgs. The Site is located 1.1 miles east of the East River and approximately 1.5 miles northeast of Newtown Creek. Groundwater in the vicinity of the site was encountered at approximately 17 to 20 feet bgs and flows towards the southwest.
Env Problem: Nature and Extent of Contamination: Information is based on the results of a site characterization investigation performed at the nearby Former Luft Co. Inc. Cosmetics Manufacturer site (241139). That investigation was triggered by the discovery of elevated levels of cVOCs in the indoor air and sub-slab vapor of the school building on that site. The subsequent Supplemental Site Investigation (SSI) indicated that elevated concentrations of cVOCs (namely PCE) existed along the adjacent sidewalk on the western side of 35th Street and the south-eastern section of the school building. The addendum to the SSI ascertained that the Former Luft Cosmetics site was not a source of the contamination. Seven groundwater wells were installed upgradient and cross gradient of the school and samples taken at the groundwater interface. One well was installed adjacent to and another just downgradient of the Teitelbaum site. Groundwater Several cVOCs associated with chlorinated solvents, namely, tetra-chloroethylene (PCE) and its breakdown products tri-chloroethylene (TCE) and cis-1,2-dichloroethylene (cis-DCE), were detected at elevated levels from groundwater samples taken at the groundwater interface at locations along the adjacent sidewalk and downgradient of the Site. PCE, cis-DCE and TCE concentrations were at orders of magnitude of the TOGS SCG of 5 g/l; trans-DCE and 1,1-DCE were also detected at levels above the SCG. Concentrations of cVOCs decreased in the

TEITELBAUM CLEANERS (Continued) **1000400106**

downgradient direction consistent with the inferred contaminant plume. The groundwater flow direction was identified as southwesterly by the Addendum to the Supplemental Site Investigation Report (ASSIR) of the nearby Former Luft Co. Inc. Cosmetics Manufacturer site. Significant Threat: Evaluation of significant threat will be made following completion of the Site Characterization. This Site has entered the Brownfield Cleanup Program (BCP). Executed Brownfiled Cleanup Agreement signed on 01/09/2014. See site no. C224149 for further updates.

Health Problem:	As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	On-Site Operator
Sub Type:	03
Owner Name:	Robert Ratafia
Owner Company:	Teitelbaum Dry Cleaning Inc./F. Gusenberger & Sons Inc.
Owner Address:	35-45 35th St.
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11106
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Andrea Pampillonio
Owner Company:	S & C Properties, LLC
Owner Address:	2 Bay Club Drive Apt. 10G
Owner Addr2:	Not reported
Owner City,St,Zip:	Bayside, NY 11360
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

BROWNFIELDS:

Program:	BCP
Site Code:	487391
Acres:	0.23
HW Code:	C241149
SWIS:	4101

TEITELBAUM CLEANERS (Continued) **1000400106**

Town:	New York City
Record Added Date:	09/27/2013
Record Updated Date:	05/04/2017
Update By:	JHOCONNE
Site Description:	Location: The 11,200 square foot (0.26 acre) site is located in an urban area in the Astoria section of the Borough of Queens. The Site is bordered by 35th Street and residential buildings to the west, by a 2 story commercial/industrial building to the north, by a parking lot to the east, by an Islamic center to the southeast, and by a 2 story commercial/industrial building to the south. Site Features: The Site is currently improved with one 100 ft by 100 ft (approximately 10,000 square feet) commercial/manufacturing building. The ground floor is crrently utilized for dry cleaning operations and a portion of the building contains a second floor for office space and storage. Current Zoning and Land Use: The site is zoned M1-5 (manufacturing and light industrial) and is surrounded by industrial, commercial and residential uses. Past Use of the Site: The site has been a commercial dry cleaner operating under various names and ownership since 1952. Site Geology/Hydrogeology: The Site is generally level and the surrounding area slopes downward from north to south. The geology of Queens County consists of unconsolidated glacial deposits overlying crystalline bedrock at about 80 feet below ground surface (bgs). Soil cores collected during investigation on a nearby site generally consisted of fill material containing brown sandy silt with some gravel, to a depth of 8 feet bgs. Groundwater in the vicinity of the site was encountered at 17-20 feet bgs and flows towards the southwest.
Env Problem:	Nature and Extent of Contamination: No environmental investigations or sampling have occurred at the Site. However, information was obtained from environmental investigations performed at the nearby former Luft Co. Inc. Cosmetics Manufacture site (241139). The analytical results from that investigation revealed that elevated concentrations of chlorinated solvents (specifically tetrachloroethylene or PCE and its breakdown products) are present in the underlying and upgradient groundwater. Groundwater samples taken adjacent to, and downgradient from the Site revealed concentrations of PCE at 2,200 ppb, TCE at 550 ppb, and DCE at 12,000 ppb. A Remedial Investigation of the site is underway.
Health Problem:	Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	10/2/2013 10:32:00 AM
Record Upd:	10/2/2013 1:59:00 PM
Updated By:	snboller
Own Op:	Owner
Sub Type:	E
Owner Name:	Andrea Pampillonio
Owner Company:	S & C Properties, LLC

TEITELBAUM CLEANERS (Continued) **1000400106**

Owner Address:	2 Bay Club Drive
Owner Addr2:	Apt. 10G
Owner City,St,Zip:	Bayside, NY 11360
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Red Cap Valet (lessee), d/b/a Teitelbaum Dry Cleaning Inc.
Owner Address:	35-45 35th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11106
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P02
Owner Name:	Andrea Pampillonio
Owner Company:	S & C Properties, LLC
Owner Address:	2 Bay Club Drive Apt. 10G
Owner Addr2:	Not reported
Owner City,St,Zip:	Bayside, NY 11360
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Logan Ragsdale
Owner Company:	Queens Library - Broadway Branch
Owner Address:	4020 Broadway
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11103
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Florence Koulouris
Owner Company:	Queens Community Board 1
Owner Address:	45-02 Ditmars Boulevard
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11105
Owner Country:	United States of America
HW Code:	C241149
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241149
Waste Type:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241149
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241149
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241149
Waste Type:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported

TEITELBAUM CLEANERS (Continued) **1000400106**

Cross Ref Type Code: Not reported
Cross Ref Type: Not reported
Record Added Date: Not reported
Record Updated: Not reported
Updated By: Not reported

ICIS:
Enforcement Action ID: NY000A0000263040039700308
FRS ID: 110001594310
Action Name: TEITELBAUM CLEANERS 360811000100308
Facility Name: TEITELBAUM CLEANERS
Facility Address: 35-45 35TH ST
LONG ISLAND CITY, NY 111061608
Enforcement Action Type: Notice of Violation
Facility County: QUEENS
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 7216
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.755728
Longitude in Decimal Degrees: -73.92572
Permit Type Desc: Not reported
Program System Acronym: NY0000002630400397
Facility NAICS Code: 812320
Tribal Land Code: Not reported

US AIRS MINOR:
Envid: 1000400106
Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
D and B Number: Not reported
Primary SIC Code: 7216
NAICS Code: 812320
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 1998-03-26 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310

TEITELBAUM CLEANERS (Continued) **1000400106**

Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 1998-11-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 1999-02-16 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2013-04-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2005-07-28 00:00:00
Activity Status Date: 2005-07-28 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 02
Programmatic ID: AIR NY0000002630400397
Facility Registry ID: 110001594310
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2013-04-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

TEITELBAUM CLEANERS (Continued) **1000400106**

FINDS:

Registry ID: 110001594310

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AIR MINOR

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000400106
Registry ID:	110001594310
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110001594310

NY MANIFEST:

Country:	USA
EPA ID:	NYD981132459
Facility Status:	Not reported
Location Address 1:	35-45 35TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD981132459
Mailing Name:	TEITELBAUM CLEANERS
Mailing Contact:	MINDY PETERS

TEITELBAUM CLEANERS (Continued) **1000400106**

Mailing Address 1:	35-45 35TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7183929522

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2016
Trans1 State ID:	TXR000081205
Trans2 State ID:	MAD039322250
Generator Ship Date:	10/14/2016
Trans1 Recv Date:	10/14/2016
Trans2 Recv Date:	10/19/2016
TSD Site Recv Date:	11/07/2016
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981132459
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	TXD055141378
TSDF ID 2:	Not reported
Manifest Tracking Number:	005474049SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	600
Units:	P - Pounds
Number of Containers:	4
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	F002
Waste Code 1_2:	D002
Waste Code 1_3:	D030
Waste Code 1_4:	D033
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

TEITELBAUM CLEANERS (Continued) **1000400106**

Click this hyperlink while viewing on your computer to access
401 additional NY_MANIFEST: record(s) in the EDR Site Report.

RI MANIFEST:

EPA Id:	NYD981132459
Manifest Document Number:	003785194FLE
GEN Cert Date:	2/18/2011
TSDF Id:	RID084802842
TSDF Name:	SAFETY KLEEN
TSDF Date:	2/24/2011
Transporter 2 Id:	NJD071629976
Transporter 2 Name:	2/24/2011
Transporter Receipt Date:	2/18/2011
Number Of Containers:	4
Container Type:	DF
Waste Code1:	D007
Waste Code2:	D029
Waste Code3:	D039
Fee Exempt Code:	Not reported
Comment:	Not reported

Details:

EPA ID:	NYD981132459
Manifest Docket Number:	003207007SKS
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	440
WT/Vol Units:	P
Item Number:	1
Transporter Name:	SAFETY KLEEN
Transporter EPA ID:	TXR000050930
GEN Cert Date:	4/16/2012
Transporter Receipt Date:	4/16/2012
Transporter 2 Receipt Date:	4/19/2012
TSDF Receipt Date:	4/19/2012
Transporter 2 ID:	NJD071629976

EPA ID:	NYD981132459
Manifest Docket Number:	002592497SKS
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	440
WT/Vol Units:	P
Item Number:	1
Transporter Name:	SAFETY KLEEN
Transporter EPA ID:	TXR000050930
GEN Cert Date:	12/28/2011
Transporter Receipt Date:	12/28/2011
Transporter 2 Receipt Date:	1/4/2012
TSDF Receipt Date:	1/4/2012
Transporter 2 ID:	NJD071629976

EPA ID:	NYD981132459
Manifest Docket Number:	002592497SKS
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	400
WT/Vol Units:	P
Item Number:	2

TEITELBAUM CLEANERS (Continued) **1000400106**

Transporter Name: SAFETY KLEEN
Transporter EPA ID: TXR000050930
GEN Cert Date: 12/28/2011
Transporter Receipt Date: 12/28/2011
Transporter 2 Receipt Date: 1/4/2012
TSDF Receipt Date: 1/4/2012
Transporter 2 ID: NJD071629976

EPA ID: NYD981132459
Manifest Docket Number: 002593829SKS
Waste Description: TOXIC LIQUIDS ORGANIC NOS
Quantity: 550
WT/Vol Units: P
Item Number: 1
Transporter Name: SAFETY KLEEN
Transporter EPA ID: TXR000050930
GEN Cert Date: 4/21/2011
Transporter Receipt Date: 4/21/2011
Transporter 2 Receipt Date: 4/29/2011
TSDF Receipt Date: 4/29/2011
Transporter 2 ID: NJD071629976

EPA ID: NYD981132459
Manifest Docket Number: 002593829SKS
Waste Description: TOXIC LIQUIDS ORGANIC NOS
Quantity: 550
WT/Vol Units: P
Item Number: 1
Transporter Name: SAFETY KLEEN
Transporter EPA ID: TXR000050930
GEN Cert Date: 4/21/2011
Transporter Receipt Date: 4/21/2011
Transporter 2 Receipt Date: 4/29/2011
TSDF Receipt Date: 4/29/2011
Transporter 2 ID: NJD071629976

EPA ID: NYD981132459
Manifest Docket Number: 003785194FLE
Waste Description: TOXIC LIQUIDS ORGANIC NOS
Quantity: 240
WT/Vol Units: P
Item Number: 2
Transporter Name: SAFETY KLEEN
Transporter EPA ID: TXR000050930
GEN Cert Date: 2/18/2011
Transporter Receipt Date: 2/18/2011
Transporter 2 Receipt Date: 2/24/2011
TSDF Receipt Date: 2/24/2011
Transporter 2 ID: NJD071629976

EPA ID: NYD981132459
Manifest Docket Number: 003785194FLE
Waste Description: TOXIC LIQUIDS ORGANIC NOS
Quantity: 440
WT/Vol Units: P
Item Number: 1
Transporter Name: SAFETY KLEEN

TEITELBAUM CLEANERS (Continued) **1000400106**

Transporter EPA ID:	TXR000050930
GEN Cert Date:	2/18/2011
Transporter Receipt Date:	2/18/2011
Transporter 2 Receipt Date:	2/24/2011
TSDF Receipt Date:	2/24/2011
Transporter 2 ID:	NJD071629976
EPA ID:	NYD981132459
Manifest Docket Number:	003785194FLE
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	440
WT/Vol Units:	P
Item Number:	1
Transporter Name:	SAFETY KLEEN
Transporter EPA ID:	TXR000050930
GEN Cert Date:	2/18/2011
Transporter Receipt Date:	2/18/2011
Transporter 2 Receipt Date:	2/24/2011
TSDF Receipt Date:	2/24/2011
Transporter 2 ID:	NJD071629976
EPA ID:	NYD981132459
Manifest Docket Number:	003785194FLE
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	240
WT/Vol Units:	P
Item Number:	2
Transporter Name:	SAFETY KLEEN
Transporter EPA ID:	TXR000050930
GEN Cert Date:	2/18/2011
Transporter Receipt Date:	2/18/2011
Transporter 2 Receipt Date:	2/24/2011
TSDF Receipt Date:	2/24/2011
Transporter 2 ID:	NJD071629976
EPA ID:	NYD981132459
Manifest Docket Number:	003785074FLE
Waste Description:	TOXIC LIQUIDS ORGANIC NOS
Quantity:	300
WT/Vol Units:	P
Item Number:	1
Transporter Name:	SAFETY KLEEN
Transporter EPA ID:	TXR000050930
GEN Cert Date:	12/21/2010
Transporter Receipt Date:	12/21/2010
Transporter 2 Receipt Date:	1/13/2011
TSDF Receipt Date:	1/13/2011
Transporter 2 ID:	NJD071629976

Click this hyperlink while viewing on your computer to access
3 additional RI MANIFEST: record(s) in the EDR Site Report.

Y97 **EAGLE METAL MFG CORP** **RCRA NonGen / NLR** **1000279282**
WSW **36-27 36TH ST** **FINDS** **NYD001310390**
1/8-1/4 **LONG ISLAND CITY, NY 11106** **ECHO**
0.163 mi. **NY MANIFEST**
863 ft. **Site 2 of 2 in cluster Y**

Relative:
Lower

Actual:
30 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	EAGLE METAL MFG CORP
Facility address:	36-27 36TH ST LONG ISLAND CITY, NY 111061303
EPA ID:	NYD001310390
Mailing address:	36TH ST LONG ISLAND CITY, NY 11106
Contact:	Not reported
Contact address:	36TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	CHARLES HIRSCH DOMENICK ROMANO
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	CHARLES HIRSCH DOMENICK ROMANO
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

EAGLE METAL MFG CORP (Continued) **1000279282**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: EAGLE METAL MFG CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: EAGLE METAL MFG CORP
Classification: Not a generator, verified

Date form received by agency: 09/19/1980
Site name: EAGLE METAL MFG CORP
Classification: Large Quantity Generator

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 06/02/1986
Date achieved compliance: 11/24/1986
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/15/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 12/01/1986
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/02/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 11/24/1986
Evaluation lead agency: State

FINDS:

Registry ID: 110004333597

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

EAGLE METAL MFG CORP (Continued) **1000279282**

corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000279282
Registry ID:	110004333597
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004333597

NY MANIFEST:

Country:	USA
EPA ID:	NYD001310390
Facility Status:	Not reported
Location Address 1:	36-27 36TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG IS CY
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001310390
Mailing Name:	EAGLE METAL MFG CORP
Mailing Contact:	ROMANO DOMENICK MANAGER
Mailing Address 1:	36-27 36TH ST
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2127843057

NY MANIFEST:

Document ID:	NJA0540733
Manifest Status:	K
seq:	Not reported
Year:	1988
Trans1 State ID:	NJDEPS063
Trans2 State ID:	Not reported
Generator Ship Date:	11/15/1988
Trans1 Recv Date:	11/15/1988
Trans2 Recv Date:	/ /
TSD Site Recv Date:	11/16/1988
Part A Recv Date:	12/28/1988
Part B Recv Date:	11/25/1988
Generator EPA ID:	NYD001310390
Trans1 EPA ID:	NJD982528168
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported

EAGLE METAL MFG CORP (Continued) **1000279282**

Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F001 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00060
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
7 additional NY_MANIFEST: record(s) in the EDR Site Report.

AD98 **MASTER TRANSMISSIONS INC** **NY UST** **U004047539**
ESE **35-06 43RD STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.167 mi.
882 ft. **Site 1 of 3 in cluster AD**

Relative:
Higher

Actual:
40 ft.

UST:

Id/Status:	2-607578 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	04/08/2017
UTM X:	591177.83906
UTM Y:	4511979.30849
Site Type:	Other

Affiliation Records:

Site Id:	29430
Affiliation Type:	Facility Owner
Company Name:	MVJ ASSOCIATES
Contact Type:	PRESIDENT
Contact Name:	GEORGE ARNITSIS
Address1:	42-19 11TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 786-0221
EMail:	Not reported

MASTER TRANSMISSIONS INC (Continued) **U004047539**

Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 2007-02-07

Site Id: 29430
Affiliation Type: Mail Contact
Company Name: MASTER TRANSMISSIONS
Contact Type: Not reported
Contact Name: GEORGE ARNITSIS
Address1: 35-06 43RD STREET
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 937-0700
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 29430
Affiliation Type: On-Site Operator
Company Name: MASTER TRANSMISSIONS INC
Contact Type: Not reported
Contact Name: GEORGE ARNITSIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 937-0700
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 29430
Affiliation Type: Emergency Contact
Company Name: MVJ ASSOCIATES
Contact Type: Not reported
Contact Name: GEORGE ARNITSIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 726-5941
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

MASTER TRANSMISSIONS INC (Continued) **U004047539**

Tank Number:	001
Tank ID:	63210
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1500
Install Date:	12/15/1951
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	21
Date Test:	04/16/2012
Next Test Date:	10/11/2016
Pipe Model:	Not reported
Modified By:	BKFALVEY
Last Modified:	07/12/2012

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

AD99 **M V J ASSOCIATES** **NY LTANKS** **S105999993**
ESE **35-02 43RD ST** **N/A**
1/8-1/4 **ASTORIA, NY**
0.169 mi.
893 ft. **Site 2 of 3 in cluster AD**

Relative:
Higher

Actual:
40 ft.

LTANKS:

Site ID:	236854
Spill Number/Closed Date:	0306651 / 2003-12-17
Spill Date:	2003-09-23
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	JXZHAO
Referred To:	Not reported
Reported to Dept:	2003-09-23
CID:	252
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False

M V J ASSOCIATES (Continued) **S105999993**

Remediation Phase:	0
Date Entered In Computer:	2003-09-23
Spill Record Last Update:	2003-12-17
Spiller Name:	MARIE SCHERALDI
Spiller Company:	M V J ASSOCIATES
Spiller Address:	35-02 43RD ST
Spiller City,St,Zip:	ASTORIA, ZZ
Spiller County:	001
Spiller Contact:	MARIE SCHERALDI
Spiller Phone:	(718) 786-4160
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	195122
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHAO 9/24/03 DDO Sawyer sent tank test failure letter to: George Arnitsis Master Transmissions 35-06 43rd Street LIC, NY 11101 12/17/2003 - It has found that pipeline broke. Line has been replaced. Pro Test John Leddy filed Affidavit dated December 3, 2003 stating that in the course of excavating and replacing the lines on the subject tank, there was no contaminated soil discovered. A 2020 IS MSDS PID meter was used to aid in the determination."
Remarks:	"RECOMMEND TO EXCAVATE-ISOLATE AND RE-TEST"

Material:

Site ID:	236854
Operable Unit ID:	873088
Operable Unit:	01
Material ID:	503847
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	236854
Spill Tank Test:	1528700
Tank Number:	Not reported
Tank Size:	1500
Test Method:	03
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

AE100 **KAUFMAN ASTORIA STUDIOS** **US AIRS** **1005639711**
NNW **34-12 36TH ST** **FINDS** **N/A**
1/8-1/4 **ASTORIA, NY 11106** **ECHO**
0.170 mi. **PA MANIFEST**
899 ft. **Site 1 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

US AIRS (AFS):

Envid:	1005639711
Region Code:	02
County Code:	NY081
Programmatic ID:	AIR NY0000002630400830
Facility Registry ID:	110007155657
D and B Number:	Not reported
Facility Site Name:	KAUFMAN ASTORIA STUDIOS
Primary SIC Code:	7819
NAICS Code:	999999
Default Air Classification Code:	SMI
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

US AIRS (AFS):

Region Code:	02
Programmatic ID:	AIR NY0000002630400830
Facility Registry ID:	110007155657
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1999-07-23 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	02
Programmatic ID:	AIR NY0000002630400830
Facility Registry ID:	110007155657
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	2006-03-03 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

FINDS:

Registry ID: 110007155657

Environmental Interest/Information System
AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans

KAUFMAN ASTORIA STUDIOS (Continued) **1005639711**

to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

AIR SYNTHETIC MINOR

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1005639711
Registry ID:	110007155657
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110007155657

Manifest Details:

Year:	2007
Manifest Number:	001649462JJK
Manifest Type:	Not reported
Generator EPA Id:	NY0000009092
Generator Date:	03/13/2007
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-392-5600
TSD EPA Id:	PAD085690592
TSD Date:	Not reported
TSD Facility Name:	REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address:	2869 SANDSTONE DRIVE
TSD Facility City:	HATFIELD
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	F003
Container Number:	2
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	110
Unit:	Gallons (liquids only)
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year: 2007

KAUFMAN ASTORIA STUDIOS (Continued) **1005639711**

Manifest Number: 001649462JJK
Manifest Type: Not reported
Generator EPA Id: NY0000009092
Generator Date: 03/13/2007
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 718-392-5600
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: D001
Container Number: 2
Container Type: Metal drums, barrels, kegs
Waste Quantity: 110
Unit: Gallons (liquids only)
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

Year: 2007
Manifest Number: 001649462JJK
Manifest Type: Not reported
Generator EPA Id: NY0000009092
Generator Date: 03/13/2007
Mailing Address: Not reported
Mailing City,St,Zip: Not reported
Contact Name: Not reported
Contact Phone: 718-392-5600
TSD EPA Id: PAD085690592
TSD Date: Not reported
TSD Facility Name: REPUBLIC ENVIRONMENTAL SYSTEMS OF PA INC
TSD Facility Address: 2869 SANDSTONE DRIVE
TSD Facility City: HATFIELD
TSD Facility State: PA
Facility Telephone: Not reported
Page Number: 1
Line Number: 1
Waste Number: F005
Container Number: 2
Container Type: Metal drums, barrels, kegs
Waste Quantity: 110
Unit: Gallons (liquids only)
Handling Code: Not reported
TSP EPA Id: Not reported
Date TSP Sig: Not reported

AB101 **CON EDISON** **NJ MANIFEST** **S120671331**
ESE **35-50 43RD ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.171 mi.
901 ft. **Site 3 of 6 in cluster AB**

Relative:
Lower

Actual:
37 ft.

NJ MANIFEST:

EPA Id:	NYP004777611
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002624130GBF
EPA ID:	NYP004777611
Date Shipped:	5/1/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported

CON EDISON (Continued) **S120671331**

Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AB102 **CON EDISON** **RCRA NonGen / NLR** **1019902767**
ESE **35-50 43RD ST** **NYP004777611**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.171 mi.
901 ft. **Site 4 of 6 in cluster AB**

Relative:
Lower

Actual:
37 ft.

RCRA NonGen / NLR:

Date form received by agency:	05/01/2015
Facility name:	CON EDISON
Facility address:	35-50 43RD ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004777611
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	05/01/2015
Site name:	CON EDISON
Classification:	Large Quantity Generator

Violation Status: No violations found

AB103 **CON EDISON** **NY MANIFEST** **S119075019**
ESE **35-50 43RD ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.171 mi.
901 ft. **Site 5 of 6 in cluster AB**

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004777611
Facility Status:	Not reported
Location Address 1:	34-50 43RD ST
Code:	BP
Location Address 2:	SB 65209
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004777611
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	05/01/2015
Trans1 Recv Date:	05/01/2015
Trans2 Recv Date:	05/08/2015
TSD Site Recv Date:	05/08/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004777611
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624130GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S119075019**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AE104 **LEVCO METAL-34-11 36TH ST** **RCRA NonGen / NLR** **1000176946**
North **34-11 36TH STREET** **US AIRS** **NYD001316777**
1/8-1/4 **NEW YORK, NY 11101** **FINDS**
0.171 mi. **NY MANIFEST**
902 ft. **Site 2 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	LEVCO METAL FINISHERS
Facility address:	34-11 36TH ST ASTORIA, NY 111061228
EPA ID:	NYD001316777
Mailing address:	SEVENTH AVE PENTHOUSE NEW YORK, NY 10123
Contact:	Not reported
Contact address:	SEVENTH AVE PENTHOUSE NEW YORK, NY 10123
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	LEVCO ASSOC
Owner/operator address:	34-12 36TH ST ASTORIA, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) 392-5600

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: LEVCO ASSOCIATES
Owner/operator address: 34-12 36TH ST
ASTORIA, NY 11106
Owner/operator country: US
Owner/operator telephone: (718) 392-5600
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: LEVCO METAL FINISHERS
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: LEVCO METAL FINISHERS
Classification: Not a generator, verified

Date form received by agency: 03/01/1990
Site name: LEVCO METAL FINISHES
Classification: Large Quantity Generator

Date form received by agency: 04/17/1987
Site name: LEVCO METAL FINISHERS
Classification: Large Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D011
. Waste name: SILVER

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F006
. Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

. Waste code: F007
. Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.

. Waste code: F008
. Waste name: PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

. Waste code: F009
. Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

. Waste code: F019
. Waste name: WASTEWATER TREATMENT SLUDGES FROM THE CHEMICAL CONVERSION COATING OF ALUMINUM, EXCEPT FROM ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING WHEN SUCH PHOSPHATING IS AN EXCLUSIVE CONVERSION COATING PROCESS.

. Waste code: P030
. Waste name: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P106
. Waste name: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U032
. Waste name: CALCIUM CHROMATE (OR) CHROMIC ACID H2CRO4, CALCIUM SALT

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U134
. Waste name: HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - Records/Reporting
Date violation determined: 10/07/1996
Date achieved compliance: 11/01/1996
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/07/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 01/01/1996
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Records/Reporting
Date achieved compliance: 11/01/1996
Evaluation lead agency: State

Evaluation date: 06/15/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

US AIRS MINOR:
Envid: 1000176946
Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
D and B Number: Not reported
Primary SIC Code: 3479
NAICS Code: 332813
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1984-10-22 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1986-03-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1987-04-24 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1989-04-27 00:00:00

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 02
Programmatic ID: AIR NY0000002630400188
Facility Registry ID: 110019305759
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1990-06-12 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

FINDS:

Registry ID: 110019305759

Environmental Interest/Information System
FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AIR MINOR

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

NY MANIFEST:
Country: USA
EPA ID: NYD001316777
Facility Status: Not reported
Location Address 1: 34-11 36TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD001316777
Mailing Name: LEVCO METAL FINISHES
Mailing Contact: N/S
Mailing Address 1: 450 7TH AVE PENTHOUSE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10123
Mailing Zip 4: Not reported
Mailing Country: USA

LEVCO METAL-34-11 36TH ST (Continued) **1000176946**

Mailing Phone:	7187295200

NY MANIFEST:

Document ID:	MIA4218561
Manifest Status:	K
seq:	Not reported
Year:	1995
Trans1 State ID:	10359P
Trans2 State ID:	Not reported
Generator Ship Date:	01/13/1995
Trans1 Recv Date:	01/13/1995
Trans2 Recv Date:	/ /
TSD Site Recv Date:	01/16/1995
Part A Recv Date:	/ /
Part B Recv Date:	02/10/1995
Generator EPA ID:	NYD001316777
Trans1 EPA ID:	NYD980769947
Trans2 EPA ID:	Not reported
TSDF ID 1:	MID000724831
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F001 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	26850
Units:	P - Pounds
Number of Containers:	999
Container Type:	CM - Metal boxes, cases, roll-offs
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
40 additional NY_MANIFEST: record(s) in the EDR Site Report.

AE105 **LEVCO METAL FINISHERS INC** **NY UST** **U001832106**
North **34-11 36 ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.171 mi.
902 ft. **Site 3 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

UST:

Id/Status:	2-090360 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	03/24/1997
UTM X:	590876.49971
UTM Y:	4512400.16305
Site Type:	Unknown

Affiliation Records:

Site Id:	2197
Affiliation Type:	Facility Owner
Company Name:	LEVCO WOODWORK JOINT VENTURE
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	34-12 36TH STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(719) 392-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2197
Affiliation Type:	Mail Contact
Company Name:	KAUFMAN REALTY CORP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	450 7TH AVE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10123
Country Code:	001
Phone:	(212) 563-6252
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2197
Affiliation Type:	On-Site Operator
Company Name:	LEVCO METAL FINISHERS INC
Contact Type:	Not reported
Contact Name:	MR CHARLES LEVA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

LEVCO METAL FINISHERS INC (Continued) **U001832106**

Zip Code:	Not reported
Country Code:	001
Phone:	(718) 729-5200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	2197
Affiliation Type:	Emergency Contact
Company Name:	LEVCO WOODWORK JOINT VENTURE
Contact Type:	Not reported
Contact Name:	MR CHARLES LEVA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 549-4966
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	3479
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	5000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	01
Date Test:	11/01/1987
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None

LEVCO METAL FINISHERS INC (Continued) **U001832106**

F00 - Pipe External Protection - None

106
SSW
1/8-1/4
0.171 mi.
903 ft.

PLAZA HUNTER REALTY CO **NY UST** **U000416446**
41-38 39TH ST **N/A**
LONG ISLAND CITY, NY 11101

Relative:
Lower

Actual:
29 ft.

UST:

Id/Status:	2-046736 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590700.33840
UTM Y:	4511232.13800
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	683
Affiliation Type:	Facility Owner
Company Name:	J OFFENBERG ET AL
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	38-01 QUEENS BLVD
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-8383
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	683
Affiliation Type:	Mail Contact
Company Name:	J OFFENBERG ET AL
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	38-01 QUEENS BLVD
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-8383
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	683
Affiliation Type:	On-Site Operator
Company Name:	PLAZA HUNTER REALTY CO
Contact Type:	Not reported
Contact Name:	PLAZA HUNTER REALTY CO

PLAZA HUNTER REALTY CO (Continued) **U000416446**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 361-8383
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	683
Affiliation Type:	Emergency Contact
Company Name:	J OFFENBERG ET AL
Contact Type:	Not reported
Contact Name:	PLAZA HUNTER REALTY CO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 361-8383
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	1595
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	1500
Install Date:	Not reported
Date Tank Closed:	10/01/1992
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	01
Date Test:	01/01/1988
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping

PLAZA HUNTER REALTY CO (Continued) **U000416446**

I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	44251
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	3000
Install Date:	09/01/1977
Date Tank Closed:	10/01/1992
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

107
SSW
1/8-1/4
0.171 mi.
905 ft.

NYPD EMERGENCY MEDICAL UNIT **RCRA-LQG** **1012187016**
38-13 NORTHERN BOULEVARD **NY MANIFEST** **NYR000168807**
LONG ISLAND CITY, NY 11101

Relative:
Lower

Actual:
27 ft.

RCRA-LQG:

Date form received by agency:	05/12/2010
Facility name:	NYPD EMERGENCY MEDICAL UNIT
Facility address:	38-13 NORTHERN BOULEVARD LONG ISLAND CITY, NY 11101
EPA ID:	NYR000168807
Mailing address:	85TH RD 1A BRIARWOOD, NY 11435
Contact:	TARIO M KHAN
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(718) 200-5228
Contact email:	Not reported
EPA Region:	02

NYPD EMERGENCY MEDICAL UNIT (Continued) **1012187016**

Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: NYPD
Owner/operator address: NORTHERN BOULEVARD
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 12/31/1979
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CITY POLICE DEPARTMENT
Owner/operator address: POLICE PLAZA
NEW YORK, NY 10039
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Other
Owner/Operator Type: Owner
Owner/Op start date: 09/05/2000
Owner/Op end date: Not reported

Owner/operator name: SKY RISE INC.
Owner/operator address: NORTHERN BOULEVARD
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 06/02/2009
Owner/Op end date: Not reported

Owner/operator name: SGT GERARD COOKE
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Other
Owner/Operator Type: Operator
Owner/Op start date: 09/05/2000
Owner/Op end date: Not reported

Handler Activities Summary:

NYPD EMERGENCY MEDICAL UNIT (Continued) **1012187016**

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D008
. Waste name: LEAD

Historical Generators:
Date form received by agency: 09/16/2009
Site name: NYPD EMERGENCY MEDICAL SQUAD
Classification: Large Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000168807
Facility Status: Not reported
Location Address 1: 38-13 NORTHERN BOULEVARD
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000168807
Mailing Name: SKY RISE INC
Mailing Contact: TARIO KHAN
Mailing Address 1: 147-70 85 RD -1A
Mailing Address 2: Not reported
Mailing City: JAMAICA
Mailing State: NY
Mailing Zip: 11435
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 3473869381

NY MANIFEST:
Document ID: Not reported

NYPD EMERGENCY MEDICAL UNIT (Continued) **1012187016**

Manifest Status:	Not reported
seq:	Not reported
Year:	2009
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	09/18/2009
Trans1 Recv Date:	09/18/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/21/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000168807
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	004716648JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	7800.0
Units:	P - Pounds
Number of Containers:	26.0
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

Z108 **WALTER SIGN CORP** **RCRA NonGen / NLR** **1000400662**
WSW **36-35 36TH ST** **FINDS** **NYD001330489**
1/8-1/4 **LONG ISLAND CITY, NY 11106** **ECHO**
0.174 mi. **NY MANIFEST**
920 ft. **Site 2 of 2 in cluster Z**

Relative:
Lower

Actual:
29 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	WALTER SIGN CORP
Facility address:	36-35 36TH ST LONG ISLAND CITY, NY 111061385
EPA ID:	NYD001330489
Mailing address:	36TH ST LONG ISLAND CITY, NY 11106
Contact:	Not reported
Contact address:	36TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	WALTER NOEL
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	WALTER NOEL
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

WALTER SIGN CORP (Continued) **1000400662**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: WALTER SIGN CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: WALTER SIGN CORP
Classification: Not a generator, verified

Date form received by agency: 01/03/1986
Site name: WALTER SIGN CORP
Classification: Large Quantity Generator

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/18/1991
Date achieved compliance: 05/28/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/12/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/18/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/28/1991
Evaluation lead agency: State

FINDS:

Registry ID: 110004333819

WALTER SIGN CORP (Continued) **1000400662**

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000400662
Registry ID:	110004333819
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004333819

NY MANIFEST:

Country:	USA
EPA ID:	NYD001330489
Facility Status:	Not reported
Location Address 1:	36-35 36TH STREET
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001330489
Mailing Name:	WALTER SIGN CORPORATION
Mailing Contact:	DOROTHY VALLERUGO
Mailing Address 1:	36-35 36TH STREET
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7187847777

NY MANIFEST:

Document ID:	NYB2153304
Manifest Status:	C
seq:	Not reported
Year:	1991
Trans1 State ID:	PD1011
Trans2 State ID:	Not reported
Generator Ship Date:	04/30/1991
Trans1 Recv Date:	04/30/1991

WALTER SIGN CORP (Continued) **1000400662**

Trans2 Recv Date:	/ /
TSD Site Recv Date:	04/30/1991
Part A Recv Date:	05/09/1991
Part B Recv Date:	05/20/1991
Generator EPA ID:	NYD001330489
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00005
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

W109 **SPEEDWAY # 7830** **NY UST** **U001835729**
SSW **39-04 NORTHERN BOULEVARD** **NY Spills** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.174 mi.
920 ft. **Site 2 of 4 in cluster W**

Relative:
Lower

Actual:
28 ft.

UST:

Id/Status:	2-297313 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	09/30/2019
UTM X:	590835.59236
UTM Y:	4511799.47155
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	13725
Affiliation Type:	On-Site Operator
Company Name:	SPEEDWAY # 7830

SPEEDWAY # 7830 (Continued) **U001835729**

Contact Type:	Not reported
Contact Name:	SITE MANAGER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 349-1379
EMail:	Not reported
Fax Number:	Not reported
Modified By:	SJVANDEU
Date Last Modified:	2015-06-08

Site Id:	13725
Affiliation Type:	Emergency Contact
Company Name:	HESS RETAIL STORES LLC
Contact Type:	Not reported
Contact Name:	SCOTT FLEMING
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(937) 207-1832
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSALI
Date Last Modified:	2015-12-09

Site Id:	13725
Affiliation Type:	Mail Contact
Company Name:	SPEEDWAY LLC
Contact Type:	Not reported
Contact Name:	SCOTT FLEMING
Address1:	500 SPEEDWAY DRIVE
Address2:	Not reported
City:	ENON
State:	OH
Zip Code:	45323
Country Code:	001
Phone:	(937) 863-6624
EMail:	SJFLEMING@SPEEDWAY.COM
Fax Number:	Not reported
Modified By:	JAAVERSA
Date Last Modified:	2015-12-11

Site Id:	13725
Affiliation Type:	Facility Owner
Company Name:	SPEEDWAY LLC
Contact Type:	COMPLIANCE MANAGER
Contact Name:	SCOTT FLEMING
Address1:	500 SPEEDWAY DR
Address2:	Not reported
City:	ENON
State:	OH

SPEEDWAY # 7830 (Continued) **U001835729**

Zip Code:	45323
Country Code:	001
Phone:	(937) 863-6624
EMail:	SJFLEMING@SPEEDWAY.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-10-29

Tank Info:

Tank Number:	004
Tank ID:	49437
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	10/31/2011
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	ntfreema
Last Modified:	12/23/2015

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B04 - Tank External Protection - Fiberglass

Tank Number:	006
Tank ID:	62743
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	600
Install Date:	Not reported
Date Tank Closed:	02/01/2002
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	9999

SPEEDWAY # 7830 (Continued) **U001835729**

Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
I00 - Overfill - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
J00 - Dispenser - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 008
Tank ID: 49434
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 4000
Install Date: 05/01/1995
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 10/31/2011
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: ntfreema
Last Modified: 12/23/2015

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
K01 - Spill Prevention - Catch Basin
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B04 - Tank External Protection - Fiberglass
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
E04 - Piping Secondary Containment - Double walled UG

SPEEDWAY # 7830 (Continued) **U001835729**

Tank Number:	009
Tank ID:	49435
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	10/31/2011
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	ntfreema
Last Modified:	12/23/2015

Equipment Records:

B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin

Tank Number:	010
Tank ID:	49436
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	10/31/2011
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	ntfreema
Last Modified:	12/23/2015

Equipment Records:

B04 - Tank External Protection - Fiberglass

SPEEDWAY # 7830 (Continued) **U001835729**

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
J01 - Dispenser - Pressurized Dispenser
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin

Tank Number:	012
Tank ID:	49438
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	21
Date Test:	10/31/2011
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	ntfreema
Last Modified:	12/23/2015

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
J01 - Dispenser - Pressurized Dispenser

Tank Number:	013
Tank ID:	49439
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	600
Install Date:	Not reported

SPEEDWAY # 7830 (Continued) **U001835729**

Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	20
Date Test:	09/01/1997
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	KXTANG
Last Modified:	03/29/2005

Equipment Records:

I01 - Overfill - Float Vent Valve
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
K01 - Spill Prevention - Catch Basin
D00 - Pipe Type - No Piping
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
B04 - Tank External Protection - Fiberglass
C00 - Pipe Location - No Piping
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
F00 - Pipe External Protection - None

Tank Number:	41
Tank ID:	15539
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	10/01/1976
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	01
Date Test:	04/01/1994
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
H99 - Tank Leak Detection - Other

SPEEDWAY # 7830 (Continued) **U001835729**

J01 - Dispenser - Pressurized Dispenser

Tank Number: 42
Tank ID: 15540
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1976
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 01
Date Test: 04/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
D02 - Pipe Type - Galvanized Steel

Tank Number: 43
Tank ID: 15541
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1976
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 01
Date Test: 04/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground

SPEEDWAY # 7830 (Continued) **U001835729**

G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 44
Tank ID: 15542
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1976
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 01
Date Test: 04/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
H99 - Tank Leak Detection - Other
J01 - Dispenser - Pressurized Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 45
Tank ID: 15543
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1976
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: 01
Date Test: 04/01/1994
Next Test Date: Not reported
Pipe Model: Not reported

SPEEDWAY # 7830 (Continued) **U001835729**

Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser
D02 - Pipe Type - Galvanized Steel
H99 - Tank Leak Detection - Other

Tank Number: 46
Tank ID: 15544
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2000
Install Date: 02/01/1991
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
H99 - Tank Leak Detection - Other
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 47
Tank ID: 15545
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

SPEEDWAY # 7830 (Continued) **U001835729**

Tightness Test Method: 01
Date Test: 04/01/1994
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G99 - Tank Secondary Containment - Other
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel

Tank Number: A1
Tank ID: 15546
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A10
Tank ID: 15585
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground

SPEEDWAY # 7830 (Continued) **U001835729**

Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping

Tank Number: A11
Tank ID: 15547
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A12
Tank ID: 15548
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550

SPEEDWAY # 7830 (Continued) **U001835729**

Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A13
Tank ID:	15549
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A14

SPEEDWAY # 7830 (Continued) **U001835729**

Tank ID:	15550
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A15
Tank ID:	15551
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

SPEEDWAY # 7830 (Continued) **U001835729**

F00 - Pipe External Protection - None

Tank Number: A16
Tank ID: 15552
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A17
Tank ID: 15553
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

SPEEDWAY # 7830 (Continued) **U001835729**

I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A18
Tank ID:	15554
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	A19
Tank ID:	15555
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

SPEEDWAY # 7830 (Continued) **U001835729**

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A2
Tank ID:	15578
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

Tank Number:	A20
Tank ID:	15556
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported

SPEEDWAY # 7830 (Continued) **U001835729**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A21
Tank ID: 15557
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: A22
Tank ID: 15558
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999

SPEEDWAY # 7830 (Continued) **U001835729**

Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A23
Tank ID: 15559
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A24
Tank ID: 15560
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995

SPEEDWAY # 7830 (Continued) **U001835729**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: A25
Tank ID: 15561
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A26
Tank ID: 15562
Tank Status: Closed - Removed

SPEEDWAY # 7830 (Continued) **U001835729**

Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A27
Tank ID:	15563
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
I00 - Overfill - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

SPEEDWAY # 7830 (Continued) **U001835729**

Tank Number:	A28
Tank ID:	15564
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A29
Tank ID:	15565
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None

SPEEDWAY # 7830 (Continued) **U001835729**

B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A3
Tank ID:	15579
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A30
Tank ID:	15566
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping

SPEEDWAY # 7830 (Continued) **U001835729**

F00 - Pipe External Protection - None
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

Tank Number: A31
Tank ID: 15567
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A32
Tank ID: 15568
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

SPEEDWAY # 7830 (Continued) **U001835729**

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	A33
Tank ID:	15569
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A34
Tank ID:	15570
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported

SPEEDWAY # 7830 (Continued) **U001835729**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A35
Tank ID: 15571
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping

Tank Number: A36
Tank ID: 15572
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999

SPEEDWAY # 7830 (Continued) **U001835729**

Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Number: A37
Tank ID: 15573
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A38
Tank ID: 15575
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995

SPEEDWAY # 7830 (Continued) **U001835729**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A39
Tank ID: 15576
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A4
Tank ID: 15574
Tank Status: Closed - Removed

SPEEDWAY # 7830 (Continued) **U001835729**

Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Number: A40
Tank ID: 15577
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

SPEEDWAY # 7830 (Continued) **U001835729**

Tank Number:	A5
Tank ID:	15580
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number:	A50
Tank ID:	15586
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

I00 - Overfill - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

SPEEDWAY # 7830 (Continued) **U001835729**

B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A6
Tank ID: 15581
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: A7
Tank ID: 15582
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 10/01/1966
Date Tank Closed: 04/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

SPEEDWAY # 7830 (Continued) **U001835729**

I00 - Overfill - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	A8
Tank ID:	15583
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping

Tank Number:	A9
Tank ID:	15584
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	10/01/1966
Date Tank Closed:	04/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

SPEEDWAY # 7830 (Continued) **U001835729**

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

SPILLS:

Facility ID:	9500846
Facility Type:	ER
DER Facility ID:	319083
Site ID:	151017
DEC Region:	2
Spill Date:	1995-04-20
Spill Number/Closed Date:	9500846 / Not Reported
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	RVKETANI
Referred To:	022817 REVWD 4TH QRTR 2016 MONIT RPT
Reported to Dept:	1995-04-20
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	4
Date Entered In Computer:	1995-05-12
Spill Record Last Update:	2017-04-28
Spiller Name:	Not reported
Spiller Company:	MERIT GASOLINE STATION
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SUN Also refer to Spill # 9706579 for the same location. 10/31/05: Project reassigned from Sun to Andersen. Last SVE/AS measurement (June,9,2005) showed PID of effluent to be larger than PID of influent, activated carbon may be spent. On November 1st, 2005 I sent an email to Hess and GSC suggesting they investigate this issue. 11/21/05: An email from Hess indicated that Hess upgraded spill bucket equipment and found petroleum impact. Soil was removed. GSC will prepare a report summarizing the equipment upgrade report, include the laboratory results of soil samples. 1/4/06: Reveiwed the quarterly monitoring report dated 12/9/05. SVE/AS in operation and working fine. Max BTEX 582ppb (MW3) and max MTBE 201 ppb (MW2),

SPEEDWAY # 7830 (Continued) **U001835729**

measured on October 10, 2005. 1/10/06: Reviewed spill bucket replacement report dated 1/5/06. Endpoint samples came out clean. 1/26/06: 1/25/06 meeting with Quantum, NYSDEC, and GSC/Kleinfelder: turn off SVE system and monitor concentrations, increase sampling frequency to monitor progress more quickly. 6/19/06: Received quarterly report dated 6/7/06. SVE/AS shut down 2/10/06. Groundwater sampling occurred 2/20/06. MW3 showed a BTEX spike, BTEX present at 3,742 ppb. System may need to be turned back on. Wait for results of May 2006 sampling. 6/30/06: Meeting on 6/28/06 with Hess, NYSDEC, Quantum, EnviroTrac and GSC. Monitoring for rebounding. 8/4/06: Reviewed the site status update report dated 7/28/06. Groundwater sampled collected on 5/8/06. Max BTEX 4,050 ppb (MW3), max MTBE 33ppb (MW2). ORC proposed and approved, injection into six boreholes spaced at 10-foot intervals around MW-3. 8/23/06: Received email from Al Tonn: The proposed Oxygen Release Compound (ORC) Monitoring Plan has been developed to evaluate the effectiveness of the approved ORC injection around monitoring well MW-3. Prior to the ORC injection, baseline groundwater samples will be collected at the site. In addition to the routine benzene, toluene, ethylbenzene and xylene (BTEX) and methyl tert butyl ether (MTBE) analysis, samples will be collected from monitoring wells MW-3 and MW-4 (background sample) and analyzed for dissolved oxygen, pH, redox potential, dissolved ferrous iron, dissolved manganese and alkalinity. The additional analysis will also be conducted during two (2) quarterly groundwater sampling events following the ORC injection. The baseline groundwater monitoring event is scheduled for Agust 29, 2006. The sampling data will be used to evaluate the effectiveness of the ORC injection. 10/16/06: Received email from Gail Helfrick. ORC injections were conducted on 10/9-10/10. 10/31/06: Reviewed the quarterly report dated 10/25/06. Wells sampled on 8/30/06. Max BTEX 478 ppb (MW2), max MTBE 13 ppb (MW2). Downward trend in contaminant concentrations. 1/17/07: Meeting on 1/16/07 with Hess, Delta, and NYSDEC. 3/2/07: Reviewed report dated 2/28/07. ORC was injected from 14-18 ft around MW3. Wells sampled on 12/29/07. Relatively high benzene in MW2. Max BTEX 735 ppb (MW2), MTBE ND. Boreholes around MW3 installed for ORC injection indicate residual contamination. Approved semi-annual sampling plan for MW-1 and MW-4. 4/18/07: Reviewed site status report. Wells sampled on 2/22/07. Max BTEX 835 ppb (MW2), max MTBE 53 ppb (MW1). MNA. 7/17/07: Reviewed update report. Max BTEX 649 ppb (MW2). MTBE ND. 2/13/08: Reviewed November 2007 - January 2008 site status report. Wells sampled on December 21, 2007. Max BTEX 509 ppb (MW2), max MTBE 1 ppb (MW1). 5/5/08 - Carlson: Reviewed first quarterly 2008 update report dated April 28, 2008. Wells sampled on March 24, 2008. Maximum BTEX concentration 131 ppb in MW-2. Meeting scheduled for 5/7/08. 9/16/08 - Carlson: Sent letter requiring delineation workplan submittal by 10/22/08. Portfolio meeting scheduled for 10/22/08. Xylenes plume discovered across the street on Superfund site managed by DEC O'Connell. 9/24/08 - Carlson: Reviewed August 2008 Update Report. Wells sampled on 6/30/08. General increase in contamination. Maximum BTEX concentration 2,605 ppb (MW3). Maximum MTBE concentration 105 ppb (MW3). Delineation workplan due 10/22/08. Downgradient site: Standard Motor Product, 37-18 Northern Boulevard, ID No. 241016. 10/22/08 - Carlson: Meeting with Hess and Envirotrac. Delineation workplan due by 12/31/08. 12/1/08 - Carlson: Reviewed November 2008 Update Report. Wells sampled on 9/10/08. Two wells not sampled. Fluctuating groundwater concentrations. Delineation workplan due by 12/31/08. 3/18/09 - Carlson: Meeting with Hess and Envirotrac.

SPEEDWAY # 7830 (Continued) **U001835729**

IP deadline extended to August 2009. Hess will FOIL BCP site across the street. Quarterly gauging requested. 6/5/09 - Carlson: Reviewed May 2009 Update Report. Wells sampled on 3/23/09. Maximum BTEX concentration 641 ppb (MW2). Off-site delineation workplan will be submitted in August 2009. 8/10/09 - Carlson: Received off-site delineation workplan. 8/12/09 - Carlson: Reviewed update report. 8/19/09 - Carlson: Meeting held with Hess. Need to review workplan. 9/9/09 - Carlson: Issued email requiring additional soil borings and monitoring wells be added to the work plan. Revised work plan due in 30 days. 10/30/09 - Carlson: Approved revised delineation work plan. 12/18/19 - Carlson: Reviewed update report. Workplan has not been implemented yet. 1/20/2010 - Carlson: Received email from Joseph Rennie - delineation next to Standard Motor Products not possible because of scaffolding and underground utilities. Replied to email - how long will scaffolding remain in place, did they get access to sample SMP well MW10? 1/27/2010 - Carlson: Meeting with Hess. Need to get SMP contact info to give to Hess. Off-site well locations at SMP are not accessible due to scaffolding. 3/11/2010 - Carlson: Received cc of access request to sample SMP well MW10. Reviewed February 2010 quarterly report. 3/24/2010 - Carlson: Received cc of revised access agreement to sample SMP well MW10. 3/30/2010 - Carlson: Received notification - on-site drilling to commence 4/5/2010. 6/11/2010 - Carlson: Reviewed update report. Three monitoring wells, one air sparge well, and one soil boring installed. Access still pending to sample SMP well MW10. STRE conducted on 3/26/2010. 10/1/2010 - Carlson: Reviewed update report. MW7,8,9 and AS1 installed in April 2010. Soil impact in MW7,8,9. High dissolved concentrations in MW8,MW9. 2/8/2012 - Carlson: Reviewed November 2011 update report. High off-site impact in MW-10. Property next to MW-10 is Standard Motor Projects - a BCP handled by Jane O-Connell. Issued RAWP required letter. RAWP due 3/9/2012. 4/4/2012 - case reviewed of the site history in response to the inquiries regarding the delineation requirement and the RAWP submittal. Comments to Hess: 1) dimension of the excavation and the endpoint data for the USTs removal during April 1995 to May 1995; 2) correct the PBS registration and record; 3) location and dimension of the excavation and endpoint samples for the station upgrade in 2002; 4) explain the targeting areas of concern that the RAP October 2001 intended to address, the reason why the middle portion of the site was not included in the coverage of the SVE/AS system, and the plan to address the impacts in these areas and also provide the SVE/AS wells screen interval information; 5) explain the reasons why no further vertical delineation had been conducted and any plan to delineate the vertical extent of the soil contamination; 6) show all the former USTs in the map; 7) delineation of the contamination plume by 5/4/2012. 6/21/2012 - Reviewed the response letter from Hess/EnviroTrac. Comments to Hess/EnviroTrac. 8/29/2012 - 1Q2012, 5/31/2012, by EnviroTrac. Groundwater was sampled on 3/27/2012. DTW 17.14 to 20.31. Flows to west northwest. The next sampling will be 6/2012. MW-6, 18.24 BTEX. MW-2, 359.6 BTEX, 4.5 MTBE. MW-9, 8,906 BTEX. MW-3, 20.68 BTEX. MW-8, 1,327 BTEX. MW-10, 254 BTEX. MW-7, 8.3 BTEX. 9/19/2012 - Reviewed email from Joe Rennie of EnviroTrac with wells/soil borings location site plan. They will go down to the clean soil for vertical delineation, evaluate the possibility to put a well south of former MW-5, add one more well in the MW-1 area, the AS well will be 10-12 beneath the water table. 9/20/2012 - email to Joe Rennie I have no problem with the proposed wells/borings location in the new site plan. But I do have some

SPEEDWAY # 7830 (Continued) **U001835729**

concerns regarding the cluster wells, i.e. AS/SVE/MW installation. From what I understand that a bigger diameter boring will be advanced, then the AS pipe will be installed and then it will be sealed before the MW/SVE were installed. The bigger the boring makes the sealing of the boring more difficult. The sealing of the AS part needs to be really well in order to prevent short circuiting of the air, i.e. the air might go up rather than going laterally as designed ROI and may acts like a mini air stripper. In that case, then the groundwater collected from the monitoring well clustered in with the AS may not be representative. The groundwater sample might just reflect the groundwater in that well annular, but not the plume. Could you tell me how you install those wells to prevent the short circuiting of air sparge and to make sure the samples collected from monitoring well is representative? 11/14/2012 - 2Q2012, 8/31/2012, by EnviroTrac. Groundwater was sampled on 6/27/2012. DTW 17.14 to 20.31 feet. Flows to west north west. NO LNAPL. MW-6, 13.41 BTEX, MTBE ND. MW-3, 23.35J BTEX, MTBE ND. MW-2, 173.6 BTEX, 0.89J MTBE. MW-9, 8,153 BTEX, MTBE ND. MW-8, 1,183.2J BTEX, 3.7J MTBE. Hess proposes to abandon MW-4. MW-4 has never indicated significant impacts since it was installed in 1996. Since this well is upgradient of site features, Hess proposes abandonment of this well at this time. The next sampling will be in September 2012. 1/25/2013 - 3Q2012, 11/30/2012, by EnviroTrac. Groundwater was sampled on 9/27/2012. NO LNAPL. DTW 16.95 to 20.23 feet. Flows to west-northwest. MW-6, 94.18J BTEX, MTBE ND. MW-3, 60.55J BTEX, MTBE ND. MW-9, 8,512 BTEX, MTBE ND. MW-7, 225.61J BTEX, MTBE ND. MW-2, 404.4 BTEX, 2.2J MTBE. MW-8, 928.8 BTEX, 1.1 MTBE. MW-10, 49.55J BTEX, MTBE ND. The next sampling will be in 12/2012. Hess to conduct delienation in 1Q2013. 9/24/2013 - 1Q2013, 5/31/2013, by EnviroTrac. Groundwater was sampled on 3/25/2013. DTW 16.90 to 20.09 feet. Flows to west-northwest. MW-9, 8,943 BTEX, MTBE ND. MW-2, 314.4 BTEX, 1.0 MTBE. MW-8, 418.9 BTEX, 1.1 MTBE. MW-10, 12.4 BTEX, MTBE ND. MW-7, 18.5 BTEX, MTBE ND. 9/15/2014 - 2Q2014, 9/4/2014, by EnviroTrac. Groundwater was sampled on 6/17/2014. DTW 16.42 to 17.93 feet. Flows to west-northwest. MW-2, 163.3 BTEX. MW-8, 114.1 BTEX. MW-6, 161 BTEX. MW-9, 5,477 BTEX. AS/SVE pilot test to be conducted in 2014. in DecDocs. 2/13/2015 - 3Q2014, 11/17/2014. 9/30/2014, gauged and sampled 9 monitoring wells. DTW 17.02 to 20.30 feet. Flows to west-northwest. SVE/AS pilot test was conducted in 2014. MW-2, 212.7 BTEX. MW-8, 52.5 BTEX. MW-9, 7,200 BTEX. CW-3, 193.81 J BTEX. 4Q2014, 2/13/2015. 12/18/2014, gauged and sampled 10 monitoring wells. DTW 16.53 to 19.73 feet. Flows to west-northwest. MW-1, 428.6 BTEX. MW-8, 116.8 BTEX. MW-10, 32 BTEX. MW-9, 7,081 BTEX. CW-3, 15.1 BTEX. 10/29/2015 - 1Q2015, 5/8/2015. 3/17/2015, a survey was conducted for onsite monitoring wells and one offsite well by John Minto L.S. 3/18/2015, gauged and sampled 10 monitoring wells. DTW 16.62 to 19.73 feet. Flows to west-northwest. MW-2, 257.4 BTEX. MW-9, 16 BTEX. MW-10, 117.4 BTEX. 2Q2015, 8/12/2015. 7/18/2015, gauged and sampled 10 monitoring wells. DTW 16.48 to 19.85 feet. Flows to west-northwest. MW-2, 312.4 BTEX. MW-8, 42.8 BTEX. MW-9, 6,926 BTEX. 11/20/2015 - 3Q2015, 11/20/2014. 9/24/2015, gauged and sampled 9 monitoring wells. DTW 18.08 to 21.26 feet. Flows to west-northwest. MW-1, 315.4 BTEX, 19.6 MTBE. MW-, 396.9 BTEX. MW-8, 66.1 BTEX. MW-9, 8,677 BTEX. CW-3, 18.9 BTEX. MW-3, 84 BTEX. 2/29/2016 - 4Q2015, 2/24/2016. 12/16/2015, gauged and sampled 8 monitoring wells. DTW 17.74 to 20.98 feet. Flows to west-northwest. MW-6, 48.4 BTEX. MW-2, 168.9 BTEX. MW-8, 48.6 BTEX. MW-3, 304.2 BTEX. MW-9, 6,819.4 BTEX. 3/30/2016 Feng This spill is

SPEEDWAY # 7830 (Continued) **U001835729**

transferred from J. Feng to V. Brevdo as per J. Vought. 3/30/16 - Raphael Ketani. The spill case has been assigned to me effective today. According to ACRIS, the block and lot are 183 and 12. The latest deed is dated 4/24/14 and indicates that HESS Retail Stores, LLC at 1 HESS Plaza in Woodbridge, NJ is the owner. The PBS record is #2-297313. Speedway #7830 had 50 USTs closed and removed from 4/1/95 to 5/1/95. Most of these were 550 gallon USTs with some other product inside. At the present time, five 4000 gallon USTs (4 gasoline and 1 diesel) are active at the site. They were installed on 5/1/95. The contacts are as follows: Speedway/Hess contact: Matthew Butler, (732) 738-2924, MButler1@Speedway.com Consultants: Edward Russo (EnviroTrac), (631) 924-3001, EDR@EnviroTrac.com Joseph Rennie (EnviroTrac), (631) 924-3001, JoeR@EnviroTrac.com 5/24/16 - Raphael Ketani. I reviewed the EnviroTrac 5/20/16 First Quarter Monitoring Report for the period January to March 2016. On 3/1/16, 9 wells were gauged and sampled. The set of wells included MW-1 to 4, 6 to 9 and CW-3. Product was not seen in any of the wells. Groundwater was determined to be 17' to 20.09' below grade and flowing west-southwest. The future plans for the site consist of continued quarterly monitoring and groundwater sampling during June 2016. The analytical results varied from non-detect to low in concentration for groundwater samples which had been taken from MW-1, 3, 4, 6 to 8 and CW-3 (MW-10 wasn't sampled). The sample from MW-2 (downgradient to the southwest of the new USTs and the old USTs) had 103 ppb of total xylenes and 125 ppb of benzene. The sample from MW-9 (about midway along the southern tank mat which used to contain the old USTs) had 2480 ppb of ethylbenzene and 4060 ppb of total xylenes. I sent an email to Mr. Rennie approving the report, but requesting that the very high groundwater contamination at MW-9 be remediated. Later, Mr. Russo ((631) 924-3001, EDR@EnviroTrac.com) sent me the Proposed Remedial Pilot Test Plan dated 5/24/16 for addressing the contamination at MW-9. An SVE/AS system was operated from 2002 to 2006 and removed or reduced the contamination in the northwest part of the site. The remaining contamination was isolated in the vicinity of MW-9. This area has a high volume of vehicle and pedestrian traffic as it is situated between the store and the pump islands. Due to this situation, trenching for the installation of the SVE/AS system is not feasible. In light of this, EnviroTrac proposes to conduct an SVE and AS pilot test using a mobile system. MW-9 would be used for soil vapor extraction and AS-3 would be used for air sparging. The data resulting from this test would be used to calculate the radius of influence and the amount of product that may be extracted. If the results are favorable, then EnviroTrac will submit a Remedial Action Plan.
---------- DEC case manager's comments: While conducting SVE and AS using the existing wells (MW-9 and AS-3) was the simplest and would interfere the least with the vehicle and pedestrian traffic, it was also the most limited in area of treatment as only stationary equipment was being used (the wells). The possibility existed that the contamination may extend further east and west from MW-9. In light of this, I sent a response email to Mr. Russo stating that while the Department believes that this remedial method may be successful, we do not understand why solution injection and confirmatory soil sampling is not also being considered as a means of remediation. Staff at the Department believe that the contamination may extend much further laterally east and west from MW-9. In such a case, SVE/AS would have limited

SPEEDWAY # 7830 (Continued) **U001835729**

effectiveness. However, a solution injection program would have more flexibility and could be adjusted to cover a larger area. We ask that Speedway consider the solution injection method before proceeding. Ultimately, however, the choice regarding which remediation method to use is Speedway s and EnviroTrac s. 5/25/16 - Raphael Ketani. Mr. Russo responded by email and stated that due to the historical effectiveness of the SVE/AS method in the northeastern part of the site, they will go ahead with this plan. However, they will confirm the effectiveness of the procedure during the testing. 8/30/16 - Raphael Ketani. I reviewed the EnviroTrac 8/31/16 Second Quarter Monitoring Report for the period April to June 2016. On 6/10/16, 9 wells were gauged and sampled. The set of wells included MW-1 to 4, 6 to 9 and CW-3. Product was not seen in any of the wells. Groundwater was determined to be 17.23' to 20.40' below grade and flowing west-southwest. The future plans for the site consist of continued quarterly monitoring and groundwater sampling during September 2016. The analytical results varied from non-detect to low in concentration for groundwater samples which had been taken from MW-1, 3, 4, 6, 7 to 8 and CW-3 (MW-10 wasn't sampled). The sample from MW-2 (downgradient to the southwest of the new USTs and the old USTs) had 119 ppb of benzene, 72.6 ppb of total xylenes and 236.7 ppb of total BTEX. The sample from MW-9 (about midway along the southern tank mat which used to contain the old USTs) had 0 ppb of benzene, 2870 ppb of ethylbenzene, 5060 ppb of total xylenes and 7991.1 ppb of total BTEX. 9/22/2016 - Colton McPartland. Scanned paper file for DEC Raphael Ketani and placed on computer desktop for future bulk upload once naming convention is received from DEC Jane Obrecht. 11/29/16 - Raphael Ketani. I reviewed the EnviroTrac 11/29/16 Third Quarter Monitoring Report for the period July to September 2016. On 9/19/16, 9 wells were gauged and sampled. The set of wells included MW-1 to 4, 6 to 9 and CW-3. Product was not seen in any of the wells. Groundwater was determined to be 17.40' to 27.00' below grade and flowing west-southwest. The future plans for the site consist of continued quarterly monitoring and groundwater sampling during December 2016. On 9/20/16, the SVE/AS remedial pilot test was conducted on wells MW-9 and CW-3. The analytical results varied from non-detect to low in concentration for groundwater samples which had been taken from MW-1, 3, 4, 6, 7, 8 and CW-3 (MW-10 wasn't sampled). The sample from MW-2 (downgradient to the southwest of the new USTs and the old USTs) had 84.9 ppb of benzene and 137.3 ppb of total BTEX. The sample from MW-9 (about midway along the southern tank mat which used to contain the old USTs) had 0 ppb of benzene and 6501.6 ppb of total BTEX. 12/13/16 - Raphael Ketani. I reviewed the EnviroTrac December 2016 Remedial Action Plan dated 12/12/16. Groundwater is at 16 to 20 feet bgs. Flow is to the west. Layers of cobbles and boulders are present from 10 to 40 feet below grade. The analytical results from the 9/19/16 round of groundwater samples were non-detect for BTEX for wells MW-1, 3, 4 and 6. The sample from well MW-9 had 6501.6 ppb of total BTEX. MTBE was not detected in any of the samples. Free phase product was never detected in the wells. EnviroTrac conducted AS/SVE pilot tests on 9/20/16 at wells MW-9, CW-3 and AS-3 in order to determine the feasibility of continuing to use SVE and AS technologies as a means of soil and groundwater remediation. SVE step tests were conducted on MW-9 and CW-3. The vacuum conditions were monitored at the extraction wells and neighboring wells in order to determine the radius of influence (ROI). Following the SVE testing, AS was conducted and monitored at

SPEEDWAY # 7830 (Continued) **U001835729**

AS-3 and CW-3AS. Pressure and flow rates were measured at the AS wells. Positive pressure and head space readings were monitored at nearby wells. SVE effluent samples were collected for analysis from MW-9 and CW-3. The SVE data indicated that the maximum PID concentrations ranged from 0 ppm (CW-3) to 8.3 ppm (MW-9). The ROI for MW-9 varied from 15 feet to 37 feet at the well head with vacuums of 13 inches to 32 inches of water, respectively, and flow rates of 31 to 88 scfm, respectively. The ROI was estimated to be 30 feet. At AS-3, a breaking pressure of 11 psi, running pressure of 6 psi and a flow rate of 123 cfm were determined. Head space PID readings increased in the wells surrounding AS-3 from 0 ppm before sparging to 1330 ppm during sparging. BTEX values increased from 0 ppm to 1.9 ppm in the air from MW-9 while sparging was not taking place. The BTEX concentrations varied from 386.7 ppm to 1400 ppm while sparging was taking place at AS-3. At CW-3AS, a breaking pressure of 15 psi, running pressure of 8 psi and a flow rate of 10 cfm were noted. Head space PID concentrations increased in well CW-3 from 0 ppm before sparging to 910 ppm while sparging at CW-3AS. The air sampled at CW-3 did not have BTEX when sparging was not taking place. However, the BTEX concentrations varied from 105.1 ppm to 330 ppm when sparging was occurring at CW-3AS. An ROI of 15 feet was selected for system design purposes. Based upon the SVE and AS data, EnviroTrac determined that SVE and AS would be an effective means of remediating the soil and groundwater contamination. EnviroTrac will conduct short term remediation events (STREs) using SVE and AS. STREs will be conducted once a month for 6 months. With each event, AS will take place at AS-3 and SVE will take place at MW-9. Each event will last for 8 hours. The average air extraction rate will be 80 cfm with a well head of 30 inches. During AS, air will be injected into the subsurface at a flow rate of 15 to 20 cfm at depths from 10 to 12 feet below the water table. The system will operate with a 15 foot ROI. During each STRE, vacuum, flow, pressure will be recorded and the SVE effluent air will be analyzed for VOCs using a PID. Pressure and vacuum measurements will be collected from the surrounding wells. Near the conclusion of the first scheduled event, an air sample will be collected for analysis from MW-9 and analyzed for BTEX and MTBE using method TO-3. Quarterly update reports containing the effluent air data and groundwater analytical data will be submitted to the DEC. I approved the plan with one comment. As the worst soil contamination at MW-9 is at the 19 to 21 foot level and as AS will take place 10 to 12 feet below the water table, I asked Mr. Rennie whether the AS depth would be effective for remediating the contamination, or would it be too deep? 12/15/16 - Raphael Ketani. Mr. Russo (edr@envirotrac.com) responded to my question by email. He stated: Screening the air sparge wells at least 10 feet below the water table is needed to prevent the injected air from going straight up to the unsaturated zone. When this happens, we are unable to produce the desired radius of influence to effectively remediate the area. The AS test confirmed that vapors were volatilized from MW-9 while sparging AS-3. I accepted his explanation. 2/28/17 - Raphael Ketani. I reviewed the EnviroTrac 2/28/17 Fourth Quarter Monitoring Report for the period October to December 2016. On 12/8/16, 9 wells were gauged and sampled. The set of wells included MW-1 to 4, 6 to 9 and CW-3. Product was not seen in any of the wells. Groundwater was determined to be 17.20’ to 20.46’ below grade and flowing west-southwest. The future plans for the site consist of continued quarterly monitoring and groundwater sampling during March 2017. On

SPEEDWAY # 7830 (Continued) **U001835729**

12/21/16, a short term remediation event (STRE) was conducted at MW-9 with AS-3. The STRE at MW-9 took place for 8 hours with a vacuum of 32 of water, 90 cfm flow, 8 psi pressure, 15 cfm AS-3 flow and 3192 ppm of total volatiles. The analytical results varied from non-detect to low in concentration for groundwater samples which had been taken from MW-1 to 4, 6, 8 and CW-3 (MW-10 wasn't sampled). The sample from MW-7 (downgradient to the building on site and near a former fuel oil tank and a former waste water UST) had 283.3 ppb of total BTEX and 1.3 ppb of benzene. The sample from MW-9 (about midway along the southern tank mat which used to contain the old USTs) had 6583.2 ppb of total BTEX and no benzene. 4/28/17 - Raphael Ketani. Today I received an email from Mr. Butler that he is leaving Speedway. He stated that John Engdahl [jjengdahl@speedway.com (732) 738-2923] will take over his duties."

Remarks: "GOING TO BE REMOVING UNDERGROUND TANK. PULLED UP CONCRETE & HAVE NOT FOUND ANY LEAKAGE AS OF YET BUT ASSUME THEY WILL. AT 17:20, DEC REP. HUNG UP WHEN AN EMERGENCY CALL HAD TO BE HANDLED."

Material:

Site ID:	151017
Operable Unit ID:	1014969
Operable Unit:	01
Material ID:	369459
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

W110 **SPEEDWAY 7830** **RCRA-CESQG** **1000263755**
SSW **3904 NORTHERN BLVD** **FINDS** **NYD982185480**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.174 mi. **NY MANIFEST**
920 ft. **Site 3 of 4 in cluster W** **NJ MANIFEST**

Relative:
Lower

Actual:
28 ft.

RCRA-CESQG:

Date form received by agency:	07/26/2016
Facility name:	SPEEDWAY 7830
Facility address:	3904 NORTHERN BLVD LONG ISLAND CITY, NY 111011618
EPA ID:	NYD982185480
Mailing address:	PO BOX 1500 SPRINGFIELD, OH 455011500
Contact:	CHARLES A BESSE
Contact address:	PO BOX 1500 SPRINGFIELD, OH 455011500
Contact country:	US
Contact telephone:	(937) 863-6272
Contact email:	CABESSE@SPEEDWAY.COM
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator

SPEEDWAY 7830 (Continued) **1000263755**

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	SPEEDWAY LLC
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	10/01/2014
Owner/Op end date:	Not reported

Owner/operator name:	SPEEDWAY LLC
Owner/operator address:	PO BOX 1500
	SPRINGFIELD, OH 45501
Owner/operator country:	US
Owner/operator telephone:	(937) 864-3000
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	10/01/2014
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D001
. Waste name:	IGNITABLE WASTE

SPEEDWAY 7830 (Continued) **1000263755**

. Waste code: D018
. Waste name: BENZENE

Historical Generators:
Date form received by agency: 01/01/2007
Site name: HESS CORPORATION
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 08/01/2006
Site name: HESS CORPORATION
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Date form received by agency: 07/31/2006
Site name: HESS CORPORATION
Classification: Small Quantity Generator

Date form received by agency: 05/16/2006
Site name: HESS STATION 32525
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

Date form received by agency: 07/08/1999
Site name: MERIT OIL CORP
Classification: Not a generator, verified

Date form received by agency: 05/11/1987
Site name: MERIT OIL CORP
Classification: Large Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110004415801

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

SPEEDWAY 7830 (Continued) **1000263755**

Registry ID: 110019399051

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AIR MINOR

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000263755
Registry ID:	110019399051
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110019399051

Envid:	1000263755
Registry ID:	110004415801
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004415801

NY MANIFEST:

Country:	USA
EPA ID:	NYD982185480
Facility Status:	Not reported
Location Address 1:	3904 NORTHERN BLVD
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD982185480
Mailing Name:	HESS STATION 32525
Mailing Contact:	JOHN GEITNER
Mailing Address 1:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City:	WOODBRIDGE
Mailing State:	NJ
Mailing Zip:	07095
Mailing Zip 4:	Not reported

SPEEDWAY 7830 (Continued) **1000263755**

Mailing Country:	USA
Mailing Phone:	7327506000

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	08/08/2014
Trans1 Recv Date:	08/08/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/08/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982185480
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	000959291GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	400
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D018
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

SPEEDWAY 7830 (Continued) **1000263755**

NJ MANIFEST:

EPA Id:	NYD982185480
Mail Address:	ONE HESS PLAZA
Mail City/State/Zip:	WOODBRIDGE 07095
Facility Phone:	7327506000
Emergency Phone:	Not reported
Contact:	FREDRICK WHITE
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	NJA5288204
EPA ID:	NYD982185480
Date Shipped:	04/22/2006
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/22/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/25/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	07110625

SPEEDWAY 7830 (Continued) **1000263755**

Was Load Rejected:	WOODBRIDGE 07095
Reason Load Was Rejected:	Not reported
Manifest Number:	000962010GBF
EPA ID:	NYD982185480
Date Shipped:	08/27/2009
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/27/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/27/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	WOODBRIDGE 07095
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	55 P

W111
SSW
1/8-1/4
0.174 mi.
920 ft.

MERRITT GAS STATION
3904 NORTHERN BLVD
LONG ISLAND CITY, NY

Site 4 of 4 in cluster W

NY LTANKS
NY Spills

S104787670
N/A

Relative:
Lower

Actual:
28 ft.

LTANKS:

Site ID:	151018
Spill Number/Closed Date:	9706579 / 2005-05-13
Spill Date:	1997-09-02
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	WXSUN
Referred To:	Not reported
Reported to Dept:	1997-09-02
CID:	312
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-09-02
Spill Record Last Update:	2005-05-13
Spiller Name:	ANDREW FORD
Spiller Company:	MERIT GAS
Spiller Address:	551 LANCASTER AV
Spiller City,St,Zip:	HAVERFORD, PA 19041-
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	128348
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SUN PRIMARY SPILL NUMBER FOR THIS SITE IS 9500846. 05/13/2005-Sun-This Spill is closed and referred to open spill #9500846 at same location.(Sun)"
Remarks:	"WASTE WATER STORAGE TANK FAILED THE TEST"

Material:

Tank Test:

Site ID:	151018
Spill Tank Test:	1545293
Tank Number:	001
Tank Size:	600
Test Method:	20
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	USTest 2000/P/LL plus USTest 2000/U

MERRITT GAS STATION (Continued) **S104787670**

SPILLS:

Facility ID:	0012523
Facility Type:	ER
DER Facility ID:	128348
Site ID:	151016
DEC Region:	2
Spill Date:	2001-02-22
Spill Number/Closed Date:	0012523 / 2003-06-04
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2001-02-22
CID:	282
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	2001-02-22
Spill Record Last Update:	2003-06-13
Spiller Name:	JIM HOWARD
Spiller Company:	AMERADA HESS
Spiller Address:	1 HESS PLAZA
Spiller City,St,Zip:	WOODBRIDGE, NJ 07095-
Spiller Company:	001
Contact Name:	JIM HOWARD
Contact Phone:	(732) 750-6220
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEMEO PRIMARY SPILL NUMBER FOR THIS SITE IS 9500846 No spill. Flex hose failure. Repair and Retest"
Remarks:	"LINE FAILED AT THRE GAS PUMP. "

Material:

Site ID:	151016
Operable Unit ID:	834415
Operable Unit:	01
Material ID:	542787
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

MERRITT GAS STATION (Continued) **S104787670**

Facility ID:	0004994
Facility Type:	ER
DER Facility ID:	128348
Site ID:	151015
DEC Region:	2
Spill Date:	2000-07-26
Spill Number/Closed Date:	0004994 / 2003-02-13
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2000-07-26
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Tank Tester
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-07-26
Spill Record Last Update:	2003-02-13
Spiller Name:	ANDY FORD
Spiller Company:	MERRITT GAS STATION
Spiller Address:	3904 NORTHERN BLVD
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller Company:	001
Contact Name:	ANDY FORD
Contact Phone:	(610) 527-7900
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND PRIMARY SPILL NUMBER FOR THIS SITE 9500846"
Remarks:	"TANK FAILED THE TEST PBS NUMBER IS 2-297313"

Material:

Site ID:	151015
Operable Unit ID:	827428
Operable Unit:	01
Material ID:	549728
Material Code:	0060A
Material Name:	wastewater
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

AB112
ESE
1/8-1/4
0.175 mi.
924 ft.

CONSOLIDATED EDISON
V3517-144 E 43RD ST
QUEENS, NY 11428

Site 6 of 6 in cluster AB

NY MANIFEST **1009236521**
N/A

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004016804
Facility Status:	Not reported
Location Address 1:	V3517-144 E 43RD ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11428
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004016804
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

NY MANIFEST:

Document ID:	NYE0052661
Manifest Status:	Not reported
seq:	01
Year:	1998
Trans1 State ID:	GX3216
Trans2 State ID:	Not reported
Generator Ship Date:	01/28/1998
Trans1 Recv Date:	01/28/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/28/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004016804
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

CONSOLIDATED EDISON (Continued) **1009236521**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01360
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AF113 **RZR 36TH AVE LLC SKY** **NY UST** **U000397307**
West **35-10 36TH AVENUE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.178 mi.
940 ft. **Site 1 of 4 in cluster AF**

Relative:
Lower

Actual:
36 ft.

UST:

Id/Status:	2-270601 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590623.79001
UTM Y:	4512119.61712
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	11380
Affiliation Type:	Facility Owner
Company Name:	RZR 36TH AVE LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	60 E 56TH ST
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 751-4625
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	11380
Affiliation Type:	Mail Contact
Company Name:	MID-COUNTY MECHANICAL INC.
Contact Type:	Not reported

RZR 36TH AVE LLC SKY (Continued) **U000397307**

Contact Name:	KENNETH J. KASPER
Address1:	121-06 89TH AVENUE
Address2:	Not reported
City:	RICHMOND HILL
State:	NY
Zip Code:	11418
Country Code:	001
Phone:	(718) 847-1800
EMail:	MIDCOUNTYMECHANICAL@VERIZON.NET
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-04

Site Id:	11380
Affiliation Type:	On-Site Operator
Company Name:	RZR 36TH AVE LLC SKY
Contact Type:	Not reported
Contact Name:	RZR 36TH AVE LLC SKY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 751-4625
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-04

Site Id:	11380
Affiliation Type:	Emergency Contact
Company Name:	RZR 36TH AVE LLC
Contact Type:	Not reported
Contact Name:	ROBERT ZIRINSKY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 751-4625
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-04

Tank Info:

Tank Number:	001
Tank ID:	9034
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	5000
Install Date:	Not reported
Date Tank Closed:	04/17/2007
Registered:	True

RZR 36TH AVE LLC SKY (Continued) **U000397307**

Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0002
Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21
Date Test: 03/25/2004
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 12/04/2009

Equipment Records:

J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
B02 - Tank External Protection - Original Sacrificial Anode
I05 - Overfill - Vent Whistle

AA114 **NYCDP&R - ARROW RECREATION CENTER** **RCRA-CESQG** **1014399895**
WNW **35-30 35TH ST** **NJ MANIFEST** **NYR000179853**
1/8-1/4 **ASTORIA, NY 11106** **NY MANIFEST**
0.180 mi.
950 ft. **Site 3 of 5 in cluster AA**

Relative:
Higher

Actual:
39 ft.

RCRA-CESQG:
Date form received by agency: 01/14/2011
Facility name: NYCDP&R - ARROW RECREATION CENTER
Facility address: 35-30 35TH ST
ASTORIA, NY 11106
EPA ID: NYR000179853
Mailing address: W 61ST ST
NEW YORK, NY 10023
Contact: ERIKA VALDEZ
Contact address: W 61ST ST
NEW YORK, NY 10023
Contact country: US
Contact telephone: (212) 830-7978
Contact email: ERIKA.VALDEZ@PARKS.NYC.GOV
EPA Region: 02
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any

NYCDP&R - ARROW RECREATION CENTER (Continued) **1014399895**

time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	NYC PARKS & RECREATION
Owner/operator address:	5TH AVE
	NEW YORK, NY 10021
Owner/operator country:	US
Owner/operator telephone:	(212) 830-7978
Legal status:	Municipal
Owner/Operator Type:	Owner
Owner/Op start date:	01/07/1970
Owner/Op end date:	Not reported

Owner/operator name:	NYC PARKS & RECREATION
Owner/operator address:	Not reported
	Not reported
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Municipal
Owner/Operator Type:	Operator
Owner/Op start date:	01/07/1970
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

. Waste code:	D001
. Waste name:	IGNITABLE WASTE

Violation Status: No violations found

NJ MANIFEST:

EPA Id:	NYR000179853
Mail Address:	W 61ST ST
Mail City/State/Zip:	NEW YORK, NY 10023
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	ERIKA VALDEZ
Comments:	Not reported
SIC Code:	Not reported

NYCDP&R - ARROW RECREATION CENTER (Continued) **1014399895**

County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	007660379JJK
EPA ID:	NYR000179853
Date Shipped:	1/26/2011
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10023
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	55.00 gallons

NYCDP&R - ARROW RECREATION CENTER (Continued) **1014399895**

NY MANIFEST:

Country:	USA
EPA ID:	NYR000179853
Facility Status:	Not reported
Location Address 1:	35-30 35TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	ASTORIA
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000179853
Mailing Name:	NYCDP&R - ARROW RECREATION CENTER
Mailing Contact:	CITY OF NEW YORK PARKS & RECREATION
Mailing Address 1:	THE ARSENAL CENTRAL PARK
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10021
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2123608208

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2011
Trans1 State ID:	NJ000027193
Trans2 State ID:	Not reported
Generator Ship Date:	01/26/2011
Trans1 Recv Date:	01/26/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/26/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000179853
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	007660379JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H061
Waste Code:	Not reported

NYCDP&R - ARROW RECREATION CENTER (Continued) **1014399895**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	55.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AG115 **CON EDISON** **RCRA NonGen / NLR** **1018278564**
NW **35TH AVE & 35TH ST 50 FEET E** **ECHO** **NYP004733416**
1/8-1/4 **ASTORIA, NY 11106**
0.180 mi.
953 ft. **Site 1 of 3 in cluster AG**

Relative:
Lower

Actual:
38 ft.

RCRA NonGen / NLR:

Date form received by agency:	12/29/2015
Facility name:	CON EDISON
Facility address:	35TH AVE & 35TH ST 50 FEET E OF ASTORIA, NY 11106
EPA ID:	NYP004733416
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No

CON EDISON (Continued) **1018278564**

Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 12/29/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

ECHO:
Envid: 1018278564
Registry ID: 110067707690
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110067707690

AG116 **CON EDISON** **NY MANIFEST** **S117740182**
NW **35TH AVE & 35TH ST 50 FEET E** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.181 mi.
955 ft. **Site 2 of 3 in cluster AG**

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:
Country: USA
EPA ID: NYP004733416
Facility Status: Not reported
Location Address 1: 35TH AVE & 35TH ST
Code: BP
Location Address 2: V 3825
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004733416
Mailing Name: CON EDISON
Mailing Contact: TOM TEELING
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2015
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported

CON EDISON (Continued) **S117740182**

Generator Ship Date:	02/18/2015
Trans1 Recv Date:	02/18/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/20/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004733416
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014088695JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AA117 **ASTORIA STUDIOS - PARKING LOT NO. 2** **NY UST** **U003790830**
NW **35-12 35TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.181 mi.
958 ft. **Site 4 of 5 in cluster AA**

Relative:
Higher

Actual:
39 ft.

UST:

Id/Status:	2-605870 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	05/14/2006

ASTORIA STUDIOS - PARKING LOT NO. 2 (Continued) **U003790830**

UTM X: 590703.90213
UTM Y: 4512265.15131
Site Type: Other

Affiliation Records:

Site Id: 27736
Affiliation Type: Facility Owner
Company Name: NYC ECONOMIC DEVELOPMENT CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 110 WILLIAM STREET, 6TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 312-3509
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 27736
Affiliation Type: Mail Contact
Company Name: NYC ECONOMIC DEVELOPMENT CORPORATION
Contact Type: Not reported
Contact Name: JACK POWERS
Address1: 110 WILLIAM STREET
Address2: 6TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 312-3509
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 27736
Affiliation Type: On-Site Operator
Company Name: ASTORIA STUDIOS - PARKING LOT NO. 2
Contact Type: Not reported
Contact Name: N/A
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 27736
Affiliation Type: Emergency Contact

ASTORIA STUDIOS - PARKING LOT NO. 2 (Continued) **U003790830**

Company Name:	NYC ECONOMIC DEVELOPMENT CORPORATION
Contact Type:	Not reported
Contact Name:	JACK POWERS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 312-3616
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	0001
Tank ID:	60619
Tank Status:	Temporarily Out of Service
Material Name:	Temporarily Out of Service
Capacity Gallons:	5000
Install Date:	04/01/2001
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	CGFREEDM
Last Modified:	08/04/2011

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

AE118 **KAUFMAN ASTORIA STUDIOS** **RCRA-CESQG** **1000871235**
NNW **34-12 36TH ST** **NY Spills** **NY0000009092**
1/8-1/4 **ASTORIA, NY 11106** **NY MANIFEST**
0.182 mi.
960 ft. **Site 4 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	KAUFMAN ASTORIA STUDIOS
Facility address:	34-12 36TH ST ASTORIA, NY 111061229
EPA ID:	NY0000009092
Mailing address:	36TH ST ASTORIA, NY 11106
Contact:	Not reported
Contact address:	36TH ST ASTORIA, NY 11106
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	GEORGE KAUFMAN
Owner/operator address:	34-12 36TH ST ASTORIA, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) 392-5600
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	GEORGE KAUFMAN
Owner/operator address:	34-12 36TH ST ASTORIA, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) 392-5600
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

KAUFMAN ASTORIA STUDIOS (Continued) **1000871235**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: KAUFMAN ASTORIA STUDIOS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Site name: KAUFMAN ASTORIA STUDIOS
Classification: Not a generator, verified

Date form received by agency: 09/28/1993
Site name: KAUFMAN ASTORIA STUDIOS
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Facility Has Received Notices of Violations:
Regulation violated: Not reported

KAUFMAN ASTORIA STUDIOS (Continued) **1000871235**

Area of violation: Universal Waste - Small Quantity Handlers
Date violation determined: 12/30/2009
Date achieved compliance: 12/23/2009
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/10/2009
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 12/30/2009
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Universal Waste - Small Quantity Handlers
Date achieved compliance: 12/23/2009
Evaluation lead agency: State

SPILLS:
Facility ID: 1112019
Facility Type: ER
DER Facility ID: 339061
Site ID: 459943
DEC Region: 2
Spill Date: 2012-01-14
Spill Number/Closed Date: 1112019 / 2012-01-17
Spill Cause: Human Error
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS: 4101
Investigator: RMPIPER
Referred To: Not reported
Reported to Dept: 2012-01-14
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2012-01-14
Spill Record Last Update: 2012-01-17
Spiller Name: Not reported
Spiller Company: KAUFMAN STUDIO
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: NICK
Contact Phone: (718) 344-0223
DEC Memo: "DEC Piper spoke with Roger Romance. As per him, small spill out vent to sodwalk. No drains , soil affected. Cleanup under way by Rapid

KAUFMAN ASTORIA STUDIOS (Continued) **1000871235**

Waste. Spill cleaned, closed."

Remarks: "Caller advised 20 gallons of oil spilled onto side of building and sidewalk no sewer of soil was affected. Caller advised that the owner advised they only ordered 5k gallons when they actually ordered 6k. Clean up is in progress by rapid waste."

Material:

Site ID:	459943
Operable Unit ID:	1210034
Operable Unit:	01
Material ID:	2207616
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0708563
Facility Type:	ER
DER Facility ID:	339061
Site ID:	389481
DEC Region:	2
Spill Date:	2007-11-06
Spill Number/Closed Date:	0708563 / 2007-11-07
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	jbvought
Referred To:	Not reported
Reported to Dept:	2007-11-06
CID:	408
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-11-06
Spill Record Last Update:	2007-11-07
Spiller Name:	ISSAC
Spiller Company:	COMMERCIAL
Spiller Address:	34-12 36TH ST
Spiller City,St,Zip:	ASTORIA, NY 11106
Spiller Company:	001
Contact Name:	ISSAC
Contact Phone:	(646) 879-6703

KAUFMAN ASTORIA STUDIOS (Continued) **1000871235**

DEC Memo: "DEC Piper spoke W. Isaac at Eastmond. There was an overfill of 6 oil out the vent. unsure if spill was to soil or concrete. Piper left message for Roger Romance requesting call back. Vought to follow up in am. 11/7/07-Vought-Performed site visit and spill out of vent. Vought spoke with AL Eastmond Issac Mungra and site was initially cleaned by Metro Fuel (spiller) and then Eastmond followed up with powerwash. Minor amounts of non impacted speedy dry on sidewalk with no odors or stainging and no spill in basement as per Mungra. Clean speedy dry dam spill visible down curb showing that spill did not reach sewer or drains. Spill on ashpalt and closed by Vought."
Remarks: "failure of the gadge; EASTMEN CREW ON SITE TO CLEAN UP ;"

Material:
Site ID: 389481
Operable Unit ID: 1146622
Operable Unit: 01
Material ID: 2136994
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 8.00
Units: Gallons
Recovered: .00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

NY MANIFEST:
Country: USA
EPA ID: NY0000009092
Facility Status: Not reported
Location Address 1: 34-12 36TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NY0000009092
Mailing Name: KAUFMAN ASTORIA STUDIOS
Mailing Contact: TOM ADDIVINOLA
Mailing Address 1: 34-12 36TH ST
Mailing Address 2: Not reported
Mailing City: ASTORIA
Mailing State: NY
Mailing Zip: 11106
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7183925600

KAUFMAN ASTORIA STUDIOS (Continued) **1000871235**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2016
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	05/26/2016
Trans1 Recv Date:	05/26/2016
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/07/2016
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NY0000009092
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD083377010
TSDF ID 2:	Not reported
Manifest Tracking Number:	015338420JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H061
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	350
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
38 additional NY_MANIFEST: record(s) in the EDR Site Report.

AE119 **KAUFMAN ASTORIA STUDIOS** **NY AST** **U003393508**
NNW **34-12 36 STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.182 mi.
960 ft. **Site 5 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-337072
Program Type:	PBS
UTM X:	590864.96396
UTM Y:	4512404.57353
Expiration Date:	10/29/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	16143
Affiliation Type:	Facility Owner
Company Name:	ASTORIA STUDIOS LIM. PARTNERS
Contact Type:	BUILDING ENGINEER
Contact Name:	NICK ZOUVELOS
Address1:	34-12 36 ST
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 392-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2007-09-06

Site Id:	16143
Affiliation Type:	Mail Contact
Company Name:	ASTORIA STUDIOS LIM. PARTNERS
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	34-12 36TH STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 392-5600
EMail:	NICK@KAUFMANASTORIA.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-11-26

Site Id:	16143
Affiliation Type:	On-Site Operator
Company Name:	KAUFMAN ASTORIA STUDIOS
Contact Type:	Not reported
Contact Name:	ASTORIA STUDIOS LIM.
Address1:	Not reported
Address2:	Not reported
City:	Not reported

KAUFMAN ASTORIA STUDIOS (Continued) **U003393508**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	16143
Affiliation Type:	Emergency Contact
Company Name:	ASTORIA STUDIOS LIM. PARTNERS
Contact Type:	Not reported
Contact Name:	NICK MANOLAKIS, CHIEF ENG.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 746-1205
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	28580
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D00 - Pipe Type - No Piping
E00 - Piping Secondary Containment - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	04/11/1991
Capacity Gallons:	20000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported

KAUFMAN ASTORIA STUDIOS (Continued) **U003393508**

Register: True
Modified By: MSBAPTIS
Last Modified: 11/26/2012
Material Name: Not reported

AE120 **KAUFMAN ASTORIA STUDIOS** **NY UST** **U004078210**
NNW **34-12 36 STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.182 mi.
960 ft. **Site 6 of 6 in cluster AE**

Relative:
Higher

Actual:
39 ft.

UST:
Id/Status: 2-337072 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 10/29/2017
UTM X: 590864.96396
UTM Y: 4512404.57353
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 16143
Affiliation Type: Facility Owner
Company Name: ASTORIA STUDIOS LIM. PARTNERS
Contact Type: BUILDING ENGINEER
Contact Name: NICK ZOUVELOS
Address1: 34-12 36 ST
Address2: Not reported
City: ASTORIA
State: NY
Zip Code: 11106
Country Code: 001
Phone: (718) 392-5600
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-09-06

Site Id: 16143
Affiliation Type: Mail Contact
Company Name: ASTORIA STUDIOS LIM. PARTNERS
Contact Type: Not reported
Contact Name: Not reported
Address1: 34-12 36TH STREET
Address2: Not reported
City: ASTORIA
State: NY
Zip Code: 11106
Country Code: 001
Phone: (718) 392-5600
EMail: NICK@KAUFMANASTORIA.COM
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-11-26

Site Id: 16143
Affiliation Type: On-Site Operator

KAUFMAN ASTORIA STUDIOS (Continued) **U004078210**

Company Name:	KAUFMAN ASTORIA STUDIOS
Contact Type:	Not reported
Contact Name:	ASTORIA STUDIOS LIM.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-5600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	16143
Affiliation Type:	Emergency Contact
Company Name:	ASTORIA STUDIOS LIM. PARTNERS
Contact Type:	Not reported
Contact Name:	NICK MANOLAKIS, CHIEF ENG.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 746-1205
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	UNKNOWN
Tank ID:	64859
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	4000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser

KAUFMAN ASTORIA STUDIOS (Continued) **U004078210**

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

---

121 **35-10 35TH STREET** **NY AST** **U003383483**
NW **35-10 35TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.182 mi.
961 ft.

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-046094
Program Type:	PBS
UTM X:	590695.26228
UTM Y:	4512274.37157
Expiration Date:	12/02/2016
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	626
Affiliation Type:	Mail Contact
Company Name:	ABILENE INC
Contact Type:	Not reported
Contact Name:	SABI BONOMOLO
Address1:	2402 NEPTUNE AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11224
Country Code:	001
Phone:	(718) 372-4210
EMail:	SABI@ABILENEINC.COM
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2006-11-03

Site Id:	626
Affiliation Type:	Facility Owner
Company Name:	263 REALTY CO
Contact Type:	PRESIDENT
Contact Name:	ORI ALPERT
Address1:	271 MADISON AVENUE-22ND FL
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10016
Country Code:	001
Phone:	(212) 532-6414
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE

35-10 35TH STREET (Continued) **U003383483**

Date Last Modified: 2011-12-09

Site Id: 626
Affiliation Type: On-Site Operator
Company Name: 35-10 35TH STREET
Contact Type: Not reported
Contact Name: WALTER ARENAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 706-6976
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 626
Affiliation Type: Emergency Contact
Company Name: 263 REALTY CO
Contact Type: Not reported
Contact Name: WALTER ARENAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 706-6976
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 038
Tank Id: 1559
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

35-10 35TH STREET (Continued) **U003383483**

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	06/01/1980
Capacity Gallons:	4000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	BVCAMPBE
Last Modified:	12/09/2011
Material Name:	Not reported

AA122 **35-20 35TH ST** **NY AST** **U003383426**
NW **35-20 35TH ST** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.183 mi.
968 ft. **Site 5 of 5 in cluster AA**

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-045624
Program Type:	PBS
UTM X:	590685.49865
UTM Y:	4512258.15350
Expiration Date:	12/02/2016
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	584
Affiliation Type:	Mail Contact
Company Name:	ABILENE INC.
Contact Type:	Not reported
Contact Name:	SABI BONOMOLO
Address1:	2402 NEPTUNE AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11224
Country Code:	001
Phone:	(718) 372-4210
EMail:	SABI@ABILENEINC.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-08-21

Site Id:	584
Affiliation Type:	On-Site Operator
Company Name:	35-20 35TH ST
Contact Type:	Not reported
Contact Name:	WALTER ARENAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported

35-20 35TH ST (Continued) **U003383426**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 706-6976
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	584
Affiliation Type:	Emergency Contact
Company Name:	ASTORIA 35 INC
Contact Type:	Not reported
Contact Name:	WALTER ARENAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 706-6976
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	584
Affiliation Type:	Facility Owner
Company Name:	ASTORIA 35 INC
Contact Type:	PRESIDENT
Contact Name:	ORI ALPERT
Address1:	271 MADISON AVE-22ND FL
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10016
Country Code:	001
Phone:	(212) 532-6414
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE
Date Last Modified:	2011-12-09

Tank Info:

Tank Number:	039
Tank Id:	1441
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser

35-20 35TH ST (Continued) **U003383426**

K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1928
Capacity Gallons:	5000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	BVCAMPBE
Last Modified:	12/09/2011
Material Name:	Not reported

AD123 **COLORA PRINTING INKS INC** **RCRA NonGen / NLR** **1000340765**
ESE **42 12 35TH AVE** **FINDS** **NYD001217413**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.183 mi.
968 ft. **Site 3 of 3 in cluster AD**

Relative:
Higher

Actual:
40 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	COLORA PRINTING INKS INC
Facility address:	42 12 35TH AVE LONG ISLAND CITY, NY 11101
EPA ID:	NYD001217413
Mailing address:	35TH AVE LONG ISLAND CITY, NY 11101
Contact:	Not reported
Contact address:	35TH AVE LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	Not reported
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	SALZMAN AHM SCHNELLING
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

COLORA PRINTING INKS INC (Continued) **1000340765**

Owner/operator name: SALZMAN AHM SCHNELLING
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: COLORA PRINTING INKS INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: COLORA PRINTING INKS INC
Classification: Not a generator, verified

Date form received by agency: 08/18/1980
Site name: COLORA PRINTING INKS INC
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 07/08/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004332614

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

COLORA PRINTING INKS INC (Continued) **1000340765**

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000340765
Registry ID: 110004332614
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004332614

AC124 **3548 35TH ST** **NY AST** **U003391122**
WNW **35-48 35TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.187 mi.
986 ft. **Site 4 of 4 in cluster AC**

Relative: Higher

Actual: 39 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-333972
Program Type: PBS
UTM X: 590657.94215
UTM Y: 4512212.62928
Expiration Date: 11/19/2017
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 15866
Affiliation Type: On-Site Operator
Company Name: 3548 35TH ST
Contact Type: Not reported
Contact Name: DIMITRIOS TSAKONAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 249-1400
EMail: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 2007-10-11

Site Id: 15866
Affiliation Type: Facility Owner
Company Name: DIMITRIOS TSAKONAS
Contact Type: MANAGING AGENT
Contact Name: ANNIE ASSOULINE
Address1: 415 EAST 75TH ST. APT 1FW
Address2: Not reported
City: NEW YORK
State: NY

3548 35TH ST (Continued) **U003391122**

Zip Code:	10021
Country Code:	001
Phone:	(212) 249-1400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	kakyer
Date Last Modified:	2007-10-11

Site Id:	15866
Affiliation Type:	Mail Contact
Company Name:	DIMITRIOS TSAKONAS
Contact Type:	Not reported
Contact Name:	ANNIE ASSOULINE
Address1:	415 E. 75TH ST.
Address2:	APT 1FW
City:	NEW YORK
State:	NY
Zip Code:	10021
Country Code:	001
Phone:	(212) 249-1400
EMail:	ASAPROP@AOL.COM
Fax Number:	Not reported
Modified By:	kakyer
Date Last Modified:	2007-10-11

Site Id:	15866
Affiliation Type:	Emergency Contact
Company Name:	DIMITRIOS TSAKONAS
Contact Type:	Not reported
Contact Name:	AGRON KOLNDREKHA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 606-7237
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-01-03

Tank Info:

Tank Number:	001
Tank Id:	20830
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron

3548 35TH ST (Continued) **U003391122**

J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1983
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Not reported

---

125 North 1/8-1/4 0.190 mi. 1003 ft.

CON ED
OPPOSITE 34-05 37 ST
QUEENS, NY 11101

NY MANIFEST **S117319616**
N/A

Relative: Lower

Actual: 38 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004677159
Facility Status:	Not reported
Location Address 1:	OPPOSITE 34-05 37 ST
Code:	BP
Location Address 2:	SB 5572
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004677159
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported

CON ED (Continued) **S117319616**

Generator Ship Date:	10/14/2014
Trans1 Recv Date:	10/14/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/16/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004677159
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002617899GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

126
SE
1/8-1/4
0.191 mi.
1006 ft.

SAVE WITH SOLL CORP
42-36 NORTHERN BLVD
LONG ISLAND CITY, NY 11101

NY UST **1001029190**
RCRA NonGen / NLR **NYU005000161**
FINDS
ECHO

Relative:
Lower

Actual:
38 ft.

UST:

Id/Status:	2-188115 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A

SAVE WITH SOLL CORP (Continued) **1001029190**

UTM X: 591068.73625
UTM Y: 4511898.58395
Site Type: Unknown

Affiliation Records:

Site Id: 5673
Affiliation Type: Facility Owner
Company Name: LOUHAL PROPERTIES INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 1144 ATLANTIC AVE
Address2: Not reported
City: BALDWIN
State: NY
Zip Code: 11510
Country Code: 001
Phone: (516) 546-8414
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2016-11-01

Site Id: 5673
Affiliation Type: Mail Contact
Company Name: LOUHAL PROPERTIES INC
Contact Type: Not reported
Contact Name: STEPHEN M HALPERIN
Address1: 1144 ATLANTIC AVE
Address2: Not reported
City: BALDWIN
State: NY
Zip Code: 11510
Country Code: 001
Phone: (516) 546-8414
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 5673
Affiliation Type: On-Site Operator
Company Name: SAVE WITH SOLL CORP
Contact Type: Not reported
Contact Name: FRED GARCIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 392-5252
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 5673
Affiliation Type: Emergency Contact

SAVE WITH SOLL CORP (Continued) **1001029190**

Company Name:	LOU HAL PROPERTIES, INC.
Contact Type:	Not reported
Contact Name:	FRED GARCIA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(201) 838-4292
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	5752
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1997
Date Tank Closed:	11/01/1997
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	04/01/1996
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	002
Tank ID:	5753
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1997
Date Tank Closed:	11/01/1997
Registered:	True

SAVE WITH SOLL CORP (Continued) **1001029190**

Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 5754
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 004
Tank ID: 5755

SAVE WITH SOLL CORP (Continued) **1001029190**

Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 005
Tank ID: 5756
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None

SAVE WITH SOLL CORP (Continued) **1001029190**

F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 006
Tank ID: 5757
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel

Tank Number: 007
Tank ID: 5758
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None

SAVE WITH SOLL CORP (Continued) **1001029190**

J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 008
Tank ID: 5759
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 009
Tank ID: 5760
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported

SAVE WITH SOLL CORP (Continued) **1001029190**

Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 010
Tank ID: 5761
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1997
Date Tank Closed: 11/01/1997
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 04/01/1996
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: SAVE WITH SOLL CORP
Facility address: 42-36 NORTHERN BLVD
LONG ISLAND CITY, NY 11101
EPA ID: NYU005000161
Mailing address: ATLANTIC AVE
LOU HAL PROPERTIES
BALDWIN, NY 11510
Contact: JONATHAN HALPERIN
Contact address: ATLANTIC AVE LOU HAL PROPERTIES

SAVE WITH SOLL CORP (Continued) **1001029190**

BALDWIN, NY 11510
Contact country: US
Contact telephone: (516) 546-8414
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (516) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (516) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: SAVE WITH SOLL CORP
Classification: Not a generator, verified

Date form received by agency: 06/08/1995
Site name: SAVE WITH SOLL CORP
Classification: Unverified

SAVE WITH SOLL CORP (Continued) **1001029190**

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 01/29/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 06/12/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004568307

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001029190
Registry ID: 110004568307
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004568307

AF127 **KAUFMAN ASTORIA STUDIOS** **NY MANIFEST** **1009225511**
West **34 12 36TH ST** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.193 mi.
1020 ft. **Site 2 of 4 in cluster AF**

Relative:
Lower

Actual:
37 ft.

NY MANIFEST:
Country: USA
EPA ID: NYD000009092
Facility Status: Not reported
Location Address 1: 34 12 36TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

KAUFMAN ASTORIA STUDIOS (Continued) **1009225511**

NY MANIFEST:

EPAID:	NYD000009092
Mailing Name:	KAUFMAN ASTORIA STUDIOS
Mailing Contact:	FRED MILLS
Mailing Address 1:	34 12 36TH ST
Mailing Address 2:	Not reported
Mailing City:	ASTORIA
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7187065333

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NYD064748304
Trans2 State ID:	NJD080631369
Generator Ship Date:	12/18/2014
Trans1 Recv Date:	12/18/2014
Trans2 Recv Date:	12/19/2014
TSD Site Recv Date:	12/23/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD000009092
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD980536593
TSDF ID 2:	Not reported
Manifest Tracking Number:	011643057JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	400
Units:	P - Pounds
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Waste Code:	D001

KAUFMAN ASTORIA STUDIOS (Continued) **1009225511**

Waste Code 1_2:	F003
Waste Code 1_3:	Not reported
Waste Code 1_4:	D035
Waste Code 1_5:	D008
Waste Code 1_6:	F005

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AH128 **PRIVATE RESIDENCE** **NY LTANKS** **S104514500**
NE **50-51 41ST ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY**
0.196 mi.
1033 ft. **Site 1 of 3 in cluster AH**

Relative:
Higher

Actual:
44 ft.

LTANKS:

Site ID:	207757
Spill Number/Closed Date:	9613141 / 1997-02-06
Spill Date:	1997-02-05
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	ADZHITOM
Referred To:	Not reported
Reported to Dept:	1997-02-05
CID:	252
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-02-05
Spill Record Last Update:	1997-02-11
Spiller Name:	VENTURA PASION
Spiller Company:	PETRO ASTORIA
Spiller Address:	36-16 19AV
Spiller City,St,Zip:	ASTORIA, NY 11105-
Spiller County:	001
Spiller Contact:	STELLIO KOLIVAS
Spiller Phone:	(718) 746-7771
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	172396
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY MILRO EXCAVATED ABOUT 1 CU YARD OF CONTAMINATED SOIL NEAR THE VENT. - UPDATED 2/12/97."
Remarks:	"SPILL IN PROCESS OF BEING CLEANED UP"

Material:

Site ID:	207757
Operable Unit ID:	1040769

PRIVATE RESIDENCE (Continued) **S104514500**

Operable Unit: 01
Material ID: 341788
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: Gallons
Recovered: .00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

---

129 West 1/8-1/4 0.196 mi. 1034 ft.

PRIMO ENTERPRISES INC
36-25 35TH ST
LONG ISLAND CITY, NY 11106

RCRA NonGen / NLR 1000300972
FINDS NYD066964925
ECHO

Relative: Lower

Actual: 30 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: PRIMO ENTERPRISES INC
Facility address: 36-25 35TH ST
LONG ISLAND CITY, NY 111061301
EPA ID: NYD066964925
Mailing address: 35TH ST
LONG ISLAND CITY, NY 11106
Contact: Not reported
Contact address: 35TH ST
LONG ISLAND CITY, NY 11106
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: RICK ROTHBERG
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: RICK ROTHBERG
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator

PRIMO ENTERPRISES INC (Continued) **1000300972**

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: PRIMO ENTERPRISES INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Site name: PRIMO ENTERPRISES INC
Classification: Not a generator, verified

Date form received by agency: 10/30/1986
Site name: PRIMO ENTERPRISES INC
Classification: Large Quantity Generator

. Waste code: NONE
. Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110004365204

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

PRIMO ENTERPRISES INC (Continued) **1000300972**

ECHO:
Envid: 1000300972
Registry ID: 110004365204
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004365204

AH130 **TRAICHE SIMONOUSKI** **NY UST** **U004192358**
ENE **41-06 34TH AVENUE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.198 mi.
1043 ft. **Site 2 of 3 in cluster AH**

Relative:
Higher

Actual:
48 ft.

UST:
Id/Status: 2-401692 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 10/06/2017
UTM X: 591165.53698
UTM Y: 4512251.72226
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 19212
Affiliation Type: Mail Contact
Company Name: TRAICHE SIMONOUSKI
Contact Type: Not reported
Contact Name: TRAICHE SIMONOUSKI
Address1: 41-06 34TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 786-0856
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2012-09-21

Site Id: 19212
Affiliation Type: On-Site Operator
Company Name: TRAICHE SIMONOUSKI
Contact Type: Not reported
Contact Name: TRAICHE SIMONOUSKI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 786-0856
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 19212
Affiliation Type: Emergency Contact

TRAICHE SIMONOUSKI (Continued) **U004192358**

Company Name:	TRAICHE SIMONOUSKI
Contact Type:	Not reported
Contact Name:	TRAICHE SIMONOUSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-0856
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	19212
Affiliation Type:	Facility Owner
Company Name:	TRAICHE SIMONOUSKI
Contact Type:	OWNER
Contact Name:	TRAICHE SIMONOUSKI
Address1:	41-06 34TH AVE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11105
Country Code:	001
Phone:	(718) 786-0856
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-11-07

Tank Info:

Tank Number:	001
Tank ID:	21851
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	1500
Install Date:	12/01/1965
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	21
Date Test:	10/02/2012
Next Test Date:	10/11/2016
Pipe Model:	Not reported
Modified By:	LXZIELIN
Last Modified:	11/26/2012

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron

TRAICHE SIMONOUSKI (Continued) **U004192358**

E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

AG131 **EXCAVATORS LOCAL 731** **RCRA NonGen / NLR** **1005417336**
NW **34-11 35TH AVE** **FINDS** **NYR000104620**
1/8-1/4 **ASTORIA, NY 11106** **ECHO**
0.200 mi. **NY MANIFEST**
1058 ft. **Site 3 of 3 in cluster AG**

Relative:
Higher

Actual:
39 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	EXCAVATORS LOCAL 731
Facility address:	34-11 35TH AVE ASTORIA, NY 111061222
EPA ID:	NYR000104620
Mailing address:	35TH AVE ASTORIA, NY 111061222
Contact:	FRANK OMBRES
Contact address:	35TH AVE ASTORIA, NY 111061222
Contact country:	US
Contact telephone:	(212) 755-2405
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	EXCAVATORS LOCAL 731
Owner/operator address:	34-11 35TH AVE ASTORIA, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(212) 755-2405
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Owner/operator name:	EXCAVATORS LOCAL 731
Owner/operator address:	34-11 35TH AVE ASTORIA, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(212) 755-2405
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

EXCAVATORS LOCAL 731 (Continued) **1005417336**

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: EXCAVATORS LOCAL 731
Classification: Not a generator, verified

Date form received by agency: 03/15/2002
Site name: EXCAVATORS LOCAL 731
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110012262942

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1005417336
Registry ID: 110012262942
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110012262942

EXCAVATORS LOCAL 731 (Continued) **1005417336**

NY MANIFEST:

Country:	USA
EPA ID:	NYR000104620
Facility Status:	Not reported
Location Address 1:	3511 35TH AVE
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	ASTORIA
Location State:	NY
Location Zip:	11106
Location Zip 4:	1206

NY MANIFEST:

EPAID:	NYR000104620
Mailing Name:	EXCAVATORS LOCAL #731
Mailing Contact:	N/S
Mailing Address 1:	3511 35TH AVE
Mailing Address 2:	Not reported
Mailing City:	ASTORIA
Mailing State:	NY
Mailing Zip:	11106
Mailing Zip 4:	1206
Mailing Country:	USA
Mailing Phone:	N/S

NY MANIFEST:

Document ID:	NYB9508032
Manifest Status:	Not reported
seq:	01
Year:	2002
Trans1 State ID:	1A375
Trans2 State ID:	Not reported
Generator Ship Date:	04/08/2002
Trans1 Recv Date:	04/09/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/11/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000104620
Trans1 EPA ID:	NY0000291823
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D008 - LEAD 5.0 MG/L TCLP

EXCAVATORS LOCAL 731 (Continued) **1005417336**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00600
Units:	P - Pounds
Number of Containers:	012
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AF132 **SHARIF DESIGNS LTD** **NY AST** **U004081542**
West **34-12 36TH AVE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.201 mi.
1060 ft. **Site 3 of 4 in cluster AF**

Relative:
Lower

Actual:
37 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-062359
Program Type:	PBS
UTM X:	590553.61161
UTM Y:	4512148.84648
Expiration Date:	01/14/2002
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	1168
Affiliation Type:	Facility Owner
Company Name:	SHARIF DESIGNS, LTD
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	34 12 36TH AVE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 472-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1168
Affiliation Type:	Mail Contact
Company Name:	SHARIF DESIGNS LTD
Contact Type:	Not reported
Contact Name:	SHARIF EL FOULY
Address1:	34 12 36TH AVE
Address2:	Not reported

SHARIF DESIGNS LTD (Continued) **U004081542**

City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 472-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1168
Affiliation Type:	On-Site Operator
Company Name:	SHARIF DESIGNS LTD
Contact Type:	Not reported
Contact Name:	FARZAN ALI KHAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 472-1100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1168
Affiliation Type:	Emergency Contact
Company Name:	SHARIF DESIGNS, LTD
Contact Type:	Not reported
Contact Name:	FARZAN ALI KHAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 721-6255
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	2201
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping

SHARIF DESIGNS LTD (Continued) **U004081542**

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	6
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1950
Capacity Gallons:	4500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Not reported

AF133 **FORMER LUFT CO. INC. COSMETICS MANUFACTURER** **NY SHWS** **U001831683**
West **34-12 36TH AVENUE** **NY Spills** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.201 mi.
1060 ft. **Site 4 of 4 in cluster AF**

Relative:
Lower

Actual:
37 ft.

SHWS:

Program:	HW
Site Code:	460318
Classification:	N
Region:	2
Acres:	0.92
HW Code:	241139
Record Add:	01/25/2012
Record Upd:	12/17/2012
Updated By:	KALEWAND

Site Description: Location: The Site is located at 34-12 36th Avenue, Long Island City, NY in an urban area. It consists of a four-story public school building with a partial basement and a total floor area of approximately 40,000 square feet. The school occupies the first 3 floors and the owner occupies the top floor. Site Features: The Site is bounded by 36th Avenue to the north followed by two four-story residential buildings, 35th Street to the east followed by two-story commercial buildings, two-story commercial and residential properties to the south, and three- and four-story residential with first floor commercial spaces to the west. Current Zoning/Use(s): The site is zoned as M1-1, and is surrounded by industrial, commercial and residential uses. Historic Use(s): The Site was a commercial building occupied by various manufacturing and warehousing entities including a cosmetic manufacturing firm from at least 1934 to approximately 1967. The Site was renovated for use as a public school in 2002. Site Topography, Geology and Hydrogeology: The Site is generally level and the surrounding area slopes downward from north to south. The geology of Queens County consists of unconsolidated glacial deposits overlying crystalline bedrock at about 80 feet below ground surface (bgs). Soil cores collected during prior investigations generally consisted of fill material containing brown sandy silt with some

FORMER LUFT CO. INC. COSMETICS MANUFACTURER (Continued) **U001831683**

gravel, to a depth of 8 feet bgs. The Site is located 1.1 miles east of the East River and approximately 1.5 miles northeast of Newtown Creek. Groundwater is at 18 to 21 feet bgs. The hydraulic gradient direction is towards the southwest. The site did not qualify for addition to the Registry of Inactive Hazardous Waste Disposal Sites.

Env Problem: Nature and Extent of Contamination: The Supplemental Site Investigation (SSI) dated April 2012 indicated that the presence of tetra-chloroethylene (PCE) and its breakdown products at elevated concentrations in the underlying groundwater. The subsequent Addendum to the SSI performed in June 2012 revealed the presence of these chlorinated volatile organic compounds (CVOCs) at even higher concentrations in nearby upgradient locations. Soil ? There were no volatile organic compounds detected in soil samples at concentrations at or above the Unrestricted Use Soil Cleanup Objectives (UUSCOs). Twelve of sixty-five semi-volatile organic compounds (SVOCs) were detected in one or more soil samples. However, none were detected above the UUSCOs. Seven of the eight metals analyzed for were detected, but only lead and silver were detected at concentrations exceeding the UUSCOs. These were attributed to the characteristics of the fill material. PCBs were not detected in any of the soil samples. Groundwater ? On-site: Three VOCs, namely PCE (450 ppb), tri-chloroethylene (TCE-15 ppb), and cis-1,2-dichloroethylene (DCE-24 ppb)were detected in groundwater samples at levels exceeding groundwater standards. Off-site: PCE and one or more of its breakdown products were detected above Class GA Standards in all of the groundwater samples save one. The highest concentrations of these CVOCs were detected in samples from monitoring wells located directly in front of the dry cleaning concern at 35-45 35th Street (13,600 ppb) and at the intersection of 35th Street and 36th Avenue (5,500 ppb -50 feet southwest of the dry cleaning concern) northeast of and directly upgradient of the Site. Sub-slab soil vapor ? Sixteen petroleum and chlorinated solvent related VOCs were detected in one or more of the four sub-slab soil vapor samples. Concentrations of 1,1-Dichloroethane (DCA), 1,2,4-Trimethylbenzene (TMB), 1,3,5-Trimethylbenzene, cis-1,2-Dichloroethene (DCE), PCE and TCE were detected at concentrations greater than the range of published background concentrations. PCE and TCE were detected at concentrations exceeding the NYSDOH Air Guideline Values (AGVs) in all four samples. Indoor Air ? Fifteen petroleum and chlorinated solvent related VOCs were detected in at least one of the two indoor air samples. The concentrations of 1,2,4-TMB, 1,3,5-TMB and PCE exceeded the range of corresponding background indoor air concentrations. However, the concentration of PCE was below the corresponding NYSDOH AGV. A subsequent indoor air sampling event confirmed these findings. Outdoor Air ? PCE was detected in the outdoor air sample at a concentration well below the concentrations found in indoor air and TCE was not detected in the outdoor air sample, indicating that the presence of these compounds in indoor air did not originate from ambient conditions. Significant Threat: The results of the SSI groundwater analysis revealed that PCE, TCE and cis-1,2-DCE were detected at concentrations above the NYSDEC groundwater standard on-site. The presence of these VOCs in groundwater did not appear to be attributable to an on-site source as there was no corresponding detections at high concentrations in soil samples. However, as the Addendum to the SSI revealed there are greater levels of CVOC contamination in nearby off-site upgradient locations and this is most likely the source of on-site CVOC

FORMER LUFT CO. INC. COSMETICS MANUFACTURER (Continued) **U001831683**

contamination. CVOCs detected at elevated concentrations in sub-slab soil vapor and indoor air are attributable to the the contamination in groundwater. Comparisons of the sub-slab soil vapor concentrations of PCE and TCE to indoor air concentrations indicate that the vapor intrusion pathway is complete and, as per the NYSDOH decision matrices, mitigation is the recommended action. Therefore, a Sub-Slab Depressurization System is scheduled to be installed during the summer break.

Health Problem: Not reported
Dump: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Not reported
Pond: Not reported
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: Not reported
Record Upd: Not reported
Updated By: Not reported
Own Op: On-Site Operator
Sub Type: NNN
Owner Name: Lee Guterman
Owner Company: NYSCA
Owner Address: 30-30 Thomson Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Owner
Sub Type: NNN
Owner Name: Sharif El Fouly
Owner Company: Sharif Designs Ltd.
Owner Address: 34-12 36th Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11106
Owner Country: United States of America
HW Code: Not reported
Waste Type: Not reported
Waste Quantity: Not reported
Waste Code: Not reported
Crossref ID: Not reported
Cross Ref Type Code: Not reported
Cross Ref Type: Not reported
Record Added Date: Not reported
Record Updated: Not reported
Updated By: Not reported

SPILLS:
Facility ID: 1010245
Facility Type: ER
DER Facility ID: 398753
Site ID: 443842
DEC Region: 2
Spill Date: 2010-12-31
Spill Number/Closed Date: 1010245 / 2010-12-31
Spill Cause: Human Error

FORMER LUFT CO. INC. COSMETICS MANUFACTURER (Continued) **U001831683**

Spill Class:	Not reported
SWIS:	4101
Investigator:	HRAHMED
Referred To:	Not reported
Reported to Dept:	2010-12-31
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-12-31
Spill Record Last Update:	2010-12-31
Spiller Name:	Not reported
Spiller Company:	METRO FUEL
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Contact Name:	RENEE LEWIS
Contact Phone:	Not reported
DEC Memo:	"12/31/10-HRAHMED-Spoke to Rene Lewis (917 420 8330) of Alliance Mechanical. As per him, 5-7 gal of #6 oil spill from the vent line due to overfill. Noticed oil stain on the wall and side walk. PTC powewashed the wall and the sidewalk. There was no spill in the tankroom. Uploaded closure report and some picture in eDocs. This case is closed. "
Remarks:	"Caller advised overfill of tank. Clean up is in process."

Material:

Site ID:	443842
Operable Unit ID:	1194289
Operable Unit:	01
Material ID:	2190050
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

AI134 **34-54 35TH REALTY CORP** **NY AST** **U003385351**
NNW **34-54 35TH ST** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.202 mi.
1066 ft. **Site 1 of 3 in cluster AI**

Relative:
Higher

Actual:
41 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-145548
Program Type:	PBS
UTM X:	590755.47694
UTM Y:	4512376.14127
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	4171
Affiliation Type:	Facility Owner
Company Name:	GREAT GIRL INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1410 BROADWAY
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10018
Country Code:	001
Phone:	(212) 354-9900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2016-11-07

Site Id:	4171
Affiliation Type:	Mail Contact
Company Name:	GREAT GIRL INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1410 BROADWAY
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10018
Country Code:	001
Phone:	(212) 354-9900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2016-11-07

Site Id:	4171
Affiliation Type:	On-Site Operator
Company Name:	34-54 35TH REALTY CORP
Contact Type:	Not reported
Contact Name:	ALAN PUTZER
Address1:	Not reported
Address2:	Not reported
City:	Not reported

34-54 35TH REALTY CORP (Continued) **U003385351**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-1188
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	4171
Affiliation Type:	Emergency Contact
Company Name:	GREAT GIRL INC
Contact Type:	Not reported
Contact Name:	ALAN PUTZER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 225-2697
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	5630
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	5000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/29/2001
Register:	True
Modified By:	LXZIELIN

34-54 35TH REALTY CORP (Continued) **U003385351**

Last Modified: 11/07/2016
Material Name: Not reported

AJ135 **CON EDISON** **NJ MANIFEST** **S120671198**
ENE **34-17 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.203 mi.
1070 ft. **Site 1 of 3 in cluster AJ**

Relative:
Higher

Actual:
49 ft.

NJ MANIFEST:

EPA Id:	NYP004776159
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002623967GBF
EPA ID:	NYP004776159
Date Shipped:	4/29/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported

CON EDISON (Continued) **S120671198**

Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AJ136 **CON ED** **NY MANIFEST** **S119074924**
ENE **34-17 42ND ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.203 mi.
1070 ft. **Site 2 of 3 in cluster AJ**

Relative:
Higher

Actual:
49 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004776159
Facility Status:	Not reported
Location Address 1:	34-17 42 STREET
Code:	BP
Location Address 2:	SB 13656
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004776159
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	04/29/2015
Trans1 Recv Date:	04/29/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/04/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CON ED (Continued) **S119074924**

Generator EPA ID:	NYP004776159
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002623967GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AJ137 **CON EDISON** **RCRA NonGen / NLR** **1019902641**
ENE **34-17 42ND ST** **NYP004776159**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.203 mi.
1070 ft. **Site 3 of 3 in cluster AJ**

Relative:
Higher

Actual:
49 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/29/2015
Facility name:	CON EDISON
Facility address:	34-17 42ND ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004776159
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported

CON EDISON (Continued) **1019902641**

Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 04/29/2015
Site name: CON EDISON
Classification: Small Quantity Generator

Violation Status: No violations found

AK138 **CON EDISON** **RCRA NonGen / NLR** **1018280081**
East **34-30 43RD ST** **FINDS** **NYP004749420**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.203 mi.
1072 ft. **Site 1 of 2 in cluster AK**

Relative:
Higher

Actual:
47 ft.

RCRA NonGen / NLR:
Date form received by agency: 12/17/2015
Facility name: CON EDISON
Facility address: 34-30 43RD ST
LONG ISLAND CITY, NY 11101
EPA ID: NYP004749420
Mailing address: IRVING PL 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No

CON EDISON (Continued) **1018280081**

Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	12/17/2015
Site name:	CON EDISON
Classification:	Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110067701419

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1018280081
Registry ID:	110067701419
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110067701419

AK139 **CON EDISON** **NJ MANIFEST** **S120668848**
East **34-30 43RD ST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.203 mi.
1072 ft. **Site 2 of 2 in cluster AK**

Relative:
Higher

Actual:
47 ft.

NJ MANIFEST:

EPA Id:	NYP004749420
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported

CON EDISON (Continued) **S120668848**

County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	015320360JJK
EPA ID:	NYP004749420
Date Shipped:	12/17/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

AL140 **35-25 34TH ST** **NY AST** **U003383427**
NW **35-25 34TH ST** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.207 mi.
1095 ft. **Site 1 of 2 in cluster AL**

Relative:
Higher

Actual:
40 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-045632
Program Type:	PBS
UTM X:	590624.12462
UTM Y:	4512285.49152
Expiration Date:	12/02/2016
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	585
Affiliation Type:	Mail Contact
Company Name:	ABILENE INC
Contact Type:	Not reported
Contact Name:	SABI BONOMOLO
Address1:	2402 NEPTUNE AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11224
Country Code:	001
Phone:	(718) 372-4210
EMail:	SABI@ABILENEINC.COM
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2006-11-03

Site Id:	585
Affiliation Type:	Facility Owner
Company Name:	ASTORIA 34 INC
Contact Type:	PRESIDENT
Contact Name:	ORI ALPERT
Address1:	271 MADISON AVE-22ND FL
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10016
Country Code:	001
Phone:	(212) 532-6414
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE
Date Last Modified:	2011-12-09

Site Id:	585
Affiliation Type:	On-Site Operator
Company Name:	35-25 34TH ST
Contact Type:	Not reported
Contact Name:	WALTER ARENAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported

35-25 34TH ST (Continued) **U003383427**

State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 706-6976
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2006-11-03

Site Id:	585
Affiliation Type:	Emergency Contact
Company Name:	ASTORIA 34 INC
Contact Type:	Not reported
Contact Name:	WALTER ARENAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 706-6976
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2006-11-03

Tank Info:

Tank Number:	022
Tank Id:	1442
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	04/27/1942
Capacity Gallons:	5000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported

35-25 34TH ST (Continued) **U003383427**

Register: True
Modified By: BVCAMPBE
Last Modified: 12/09/2011
Material Name: Not reported

141
SW
1/8-1/4
0.209 mi.
1102 ft.

MTA NYCT - PUMP ROOM #2147
38TH ST & NORTHERN BLVD
LONG ISLAND CITY, NY 11101

RCRA NonGen / NLR **1010328523**
NY MANIFEST **NYR000143602**
NJ MANIFEST

Relative:
Lower

Actual:
25 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: MTA NYCT - PUMP ROOM #2147
Facility address: 38TH ST & NORTHERN BLVD
LONG ISLAND CITY, NY 11101
EPA ID: NYR000143602
Mailing address: BROADWAY 5TH FLOOR
NEW YORK, NY 10004
Contact: LUMINITA MARINESCU
Contact address: BROADWAY 5TH FLOOR
NEW YORK, NY 10004
Contact country: US
Contact telephone: (646) 252-3506
Contact email: LUMINITA.MARINESCU@NYCT.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: MTA NYCT
Owner/operator address: BROADWAY 5TH FLOOR
NEW YORK, NY 10004
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: State
Owner/Operator Type: Owner
Owner/Op start date: 03/01/1968
Owner/Op end date: Not reported

Owner/operator name: NO NAME FOUND
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: State
Owner/Operator Type: Operator
Owner/Op start date: 03/01/1968
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No

MTA NYCT - PUMP ROOM #2147 (Continued) **1010328523**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 10/30/2006
Site name: MTA NYCT - PUMP ROOM #2147
Classification: Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

Date form received by agency: 10/29/2006
Site name: MTA NYCT - PUMP ROOM #2147
Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000143602
Facility Status: Not reported
Location Address 1: 38TH ST & NORTHERN BLVD
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000143602
Mailing Name: MTA NYCT - PUMP ROOM #2147
Mailing Contact: MTA NYCT - PUMP ROOM #2147
Mailing Address 1: 38TH ST & NORTHERN BLVD
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2007
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported

MTA NYCT - PUMP ROOM #2147 (Continued) **1010328523**

Generator Ship Date:	05/03/2007
Trans1 Recv Date:	05/03/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/03/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000143602
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000067837WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100
Units:	P - Pounds
Number of Containers:	3
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

NJ MANIFEST:

EPA Id:	NYR000143602
Mail Address:	BROADWAY 5TH FLOOR
Mail City/State/Zip:	NEW YORK, NY 10004
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	LUMINITA MARINESCU
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported

MTA NYCT - PUMP ROOM #2147 (Continued) **1010328523**

Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	000067837WAS
EPA ID:	NYR000143602
Date Shipped:	05/03/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	05/03/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	05/03/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10004
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H11
Quantity:	100 P

AI142 **CON EDISON** **NY MANIFEST** **S117737765**
NNW **34-42 35 ST OPP** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.209 mi.
1106 ft. **Site 2 of 3 in cluster AI**

Relative:
Higher

Actual:
41 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004676797
Facility Status:	Not reported
Location Address 1:	34-42 35 ST OPP
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	ASTORIA
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004676797
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/13/2014
Trans1 Recv Date:	10/13/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/14/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004676797
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002617947GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117737765**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	400
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AM143 **AJV 36-14 REALTY ASSOC. LLC** **NY AST** **U003383511**
West **36-14 35TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.210 mi.
1111 ft. **Site 1 of 3 in cluster AM**

Relative:
Lower

Actual:
32 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-046701
Program Type:	PBS
UTM X:	590584.70516
UTM Y:	4512091.60505
Expiration Date:	06/03/2007
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	681
Affiliation Type:	Facility Owner
Company Name:	AJV 36-14 REALTY ASSOC. LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	36-14 35TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 786-9000
EMail:	Not reported
Fax Number:	Not reported

AJV 36-14 REALTY ASSOC. LLC (Continued) **U003383511**

Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	681
Affiliation Type:	Mail Contact
Company Name:	AJV 36-14 REALTY ASSOC. LLC
Contact Type:	Not reported
Contact Name:	FAC MGR
Address1:	36-14 35TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 786-9000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	681
Affiliation Type:	On-Site Operator
Company Name:	AJV 36-14 REALTY ASSOC. LLC
Contact Type:	Not reported
Contact Name:	AJV 36-14 REALTY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-9000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	681
Affiliation Type:	Emergency Contact
Company Name:	AJV 36-14 REALTY ASSOC. LLC
Contact Type:	Not reported
Contact Name:	AJV 36-14 REALTY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-9000
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001

AJV 36-14 REALTY ASSOC. LLC (Continued) **U003383511**

Tank Id: 1593
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 03/04/2004
Material Name: Not reported

AM144 **CRAFT BILLFOLD CORP** **RCRA-CESQG** **1001028738**
West **36-14 35TH ST** **FINDS** **NYR000009704**
1/8-1/4 **LONG ISLAND CITY, NY 11106** **ECHO**
0.210 mi.
1111 ft. **Site 2 of 3 in cluster AM**

Relative:
Lower

Actual:
32 ft.

RCRA-CESQG:
Date form received by agency: 01/01/2007
Facility name: CRAFT BILLFOLD CORP
Facility address: 36-14 35TH ST
LONG ISLAND CITY, NY 111061302
EPA ID: NYR000009704
Mailing address: 35TH ST
LONG ISLAND CITY, NY 11106
Contact: Not reported
Contact address: 35TH ST
LONG ISLAND CITY, NY 11106
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or

CRAFT BILLFOLD CORP (Continued) **1001028738**

other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: IVAN BLUESTEIN
Owner/operator address: 36-14 35TH ST
LONG ISLAND CITY, NY 11106
Owner/operator country: US
Owner/operator telephone: (718) 786-1996
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: IVAN BLUESTEIN
Owner/operator address: 36-14 35TH ST
LONG ISLAND CITY, NY 11106
Owner/operator country: US
Owner/operator telephone: (718) 786-1996
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: CRAFT BILLFOLD CORP
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Site name: CRAFT BILLFOLD CORP
Classification: Not a generator, verified

CRAFT BILLFOLD CORP (Continued) **1001028738**

Date form received by agency: 07/28/1995
Site name: CRAFT BILLFOLD CORP
Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110004516248

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001028738
Registry ID: 110004516248
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004516248

AN145 **PEKAY REALTY CO LLC** **NY AST** **U003396962**
WNW **35-47 34TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.210 mi.
1111 ft. **Site 1 of 4 in cluster AN**

Relative:
Higher

Actual:
40 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-603030
Program Type: PBS
UTM X: 590602.69628
UTM Y: 4512249.70161
Expiration Date: 06/03/2017
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 24985
Affiliation Type: Facility Owner
Company Name: PEKAY REALTY CO. LLC C/O PETER KAZEROS
Contact Type: PRES
Contact Name: PETER KAZEROS
Address1: 78-20 21ST STREET
Address2: Not reported

PEKAY REALTY CO LLC (Continued) **U003396962**

City:	JACKSON HEIGHTS
State:	NY
Zip Code:	11370
Country Code:	001
Phone:	(646) 823-7570
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-08-07

Site Id:	24985
Affiliation Type:	Mail Contact
Company Name:	PEKAY REALTY CO LLC
Contact Type:	Not reported
Contact Name:	PETER KAZEROS
Address1:	78-20 21ST AVENUE.
Address2:	Not reported
City:	JACKSON HEIGHTS
State:	NY
Zip Code:	11370
Country Code:	001
Phone:	(718) 626-2826
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-08-07

Site Id:	24985
Affiliation Type:	On-Site Operator
Company Name:	PEKAY REALTY CO LLC
Contact Type:	Not reported
Contact Name:	PETER KAZEROS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 626-2826
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	24985
Affiliation Type:	Emergency Contact
Company Name:	PETER KAZEROS
Contact Type:	Not reported
Contact Name:	OLYMPIC FLAME
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 435-2200
EMail:	Not reported

PEKAY REALTY CO LLC (Continued) **U003396962**

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank Id: 52732
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1945
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 08/07/2014
Material Name: Not reported

AN146 **LEVCO METALS PROPERTY** **NY SHWS** **U003391190**
WNW **34-11 36TH STREET** **NY AST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **NY VCP**
0.211 mi. **NY Spills**
1112 ft. **Site 2 of 4 in cluster AN**

Relative:
Higher

Actual:
39 ft.

SHWS:
Program: HW
Site Code: 58675
Classification: C
Region: 2
Acres: 0.5
HW Code: 241009
Record Add: 11/18/1999
Record Upd: 05/16/2012
Updated By: JHOCONNE
Site Description: See also Site no. V00600 Location: The Levco Metals Finishers property is located in an urban area of New York City in an industrial part of Long Island City, Queens County. The address is 34-11 36th Street. Site Features: The entire site is occupied by a

LEVCO METALS PROPERTY (Continued) **U003391190**

	one story building which covers approximately 21,900 sq.ft. Historical Use: Levco was a metal finishing facility which conducted metal stripping, etching, and plating processes for over 30 years. Industrial operations ceased in November 1990. In March 1996, the Record of Decision (ROD) was executed, which recommended delisting of the site from the Registry. The site has been delisted from the Registry in May 1996. The ROD also recommended additional groundwater monitoring on a semi-annual basis.
Env Problem:	Nature and Extent of Contamination: Interim Remedial Measures (IRMs) consisting of excavation and off-site disposal of soil achieved the main remedial goals of the removal of hazardous waste in the former sump area and the cleanup of on-site soil to levels protective of the public health and the environment. Additional remedial action commenced in 2005 under the Voluntary Cleanup Program (see site no. V00600) which is intended to address residual contaminants in the groundwater. An off-site vapor investigation was completed in 2010 which concluded that there were no off-site vapor issues. Soil: Prior to IRM: elevated concentrations of volatile organic compounds (e.g., 2 ppm trichloroethane; 3.5 ppm trichloroethene) and metals (e.g. 21.2 ppm cadmium; 12 ppm chromium) were detected in the soil beneath the sump area. Contaminated soil from this area was excavated and disposed off site in October 1994. Groundwater : On-Site groundwater is contaminated as a result of disposal activities. Predominant contaminants above Class GA groundwater standards are trichloroethene, 1,1,1-trichloroethane, and cis-1,2-dichloroethene. The ROD recommended additional groundwater monitoring on a semi-annual basis. From 1996 to 2001, several rounds of groundwater monitoring have been conducted and showed that the contaminant levels in the groundwater beneath the site have not declined to acceptable levels. Further remediation of groundwater is being addressed under site no. V00600. Soil gas: An off-site vapor investigation was completed in 2010 which concluded that there were no off-site vapor issues.
Health Problem:	Soil and groundwater are contaminated with volatile organic compounds (VOCs). Exposure to contaminated groundwater is not expected since the area is served by public water. Contaminated soil is subsurface, therefore exposure is unlikely. A soil vapor extraction system is in place on-site to remediate VOCs in soil and soil vapor. Therefore, inhalation exposure via soil vapor exposure has been minimized. Additional data is needed to evaluate the potential for off-site exposure due to soil vapor intrusion.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	unknown
Disp Term:	1990
Lat/Long:	40:45:32:0 / 73:55:20:0
Dell:	False
Record Add:	11/18/1999 12:00:00 PM
Record Upd:	11/18/1999 12:00:00 PM
Updated By:	INITIAL
Own Op:	Disp. Owner
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	KAUFMAN ASTORIA STUDIOS

LEVCO METALS PROPERTY (Continued) **U003391190**

Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	GEORGE S. KAUFMAN
Owner Company:	KAUFMAN ASTORIA STUDIOS
Owner Address:	34-12 36TH ST.
Owner Addr2:	Not reported
Owner City,St,Zip:	LONG ISLAND CITY, NY 11101
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Kaufman Astoria Studios
Owner Address:	34-12 36th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
HW Code:	241009
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-334979
Program Type:	PBS
UTM X:	590557.77423
UTM Y:	4512160.55492
Expiration Date:	11/16/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	15954
Affiliation Type:	On-Site Operator
Company Name:	3411 36TH AVENUE
Contact Type:	Not reported
Contact Name:	DIMITRIOS TSAKONAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 249-1400
EMail:	Not reported
Fax Number:	Not reported

LEVCO METALS PROPERTY (Continued) **U003391190**

Modified By:	dxliving
Date Last Modified:	2007-10-11
Site Id:	15954
Affiliation Type:	Facility Owner
Company Name:	DIMITRIOS TSAKONAS
Contact Type:	MANAGING AGENT
Contact Name:	ANNIE ASSOULINE
Address1:	415 EAST 75TH ST. APT 1FW
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10021
Country Code:	001
Phone:	(212) 249-1400
EMail:	ASAPROP@AOL.COM
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2007-10-11
Site Id:	15954
Affiliation Type:	Mail Contact
Company Name:	DIMITRIOS TSAKONAS
Contact Type:	MANAGING AGENT
Contact Name:	ANNIE ASSOULINE
Address1:	415 EAST 75TH ST. APT 1FW
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10021
Country Code:	001
Phone:	(212) 249-1400
EMail:	ASAPROP@AOL.COM
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	2007-10-11
Site Id:	15954
Affiliation Type:	Emergency Contact
Company Name:	DIMITRIOS TSAKONAS
Contact Type:	Not reported
Contact Name:	AGRON KOLNDREKHA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 606-7237
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-01-03

Tank Info:

Tank Number:	001

LEVCO METALS PROPERTY (Continued) **U003391190**

Tank Id: 20924
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 01/01/1940
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 10/11/2007
Material Name: Not reported

VCP:

Program Type: VCP
Site Code: 57131
HW Code: V00600
Site Class: A
SWIS: 4101
Region: 2
Town: New York City
Acres: 0.5
Date Record Added: 07/23/2002
Date Record Updated: 01/08/2016
Updated By: JHOCONNE
Site Description: See also Site no. 241009 Location: The Levco Metals Finishers property is located in an urban area in New York City in an industrial/residential part of Long Island City, Queens County. The address is 34-11 36th Street. Site Features: The site is a paved parking lot. Current Zoning and Land Use: The site is used as a parking lot. The zoning is commercial. Past Use of the Site: Levco was a metal finishing facility which conducted metal stripping, etching, and plating processes for over 30 years. Industrial operations ceased in November 1990. The entire site was occupied by a one story building which covered approximately 21,900 sq.ft and was demolished. Site Geology and Hydrogeology: Site soils removed from the sump area were described as silty, clayey sands and clay in the upper part of the aquifer with coarser sand and gravel deposits to a till layer above the bedrock. The groundwater table is at 11 feet

LEVCO METALS PROPERTY (Continued) **U003391190**

below grade and the bedrock is 30 feet below that. Groundwater flows to the west, and the East River lies 1.5 miles west of the site.

Env Problem: Nature and Extent of Contamination: Interim Remedial Measures (IRMs) consisting of excavation and off-site disposal of soil achieved the main remedial goals of the removal of hazardous waste in the former sump area and the cleanup of on-site soil to levels protective of the public health and the environment. These actions were completed under the State Superfund (SSF) Program. Additional remedial action commenced in 2005 under the Voluntary Cleanup Program (see site no. V00600) which is intended to address residual contaminants in the groundwater. An off-site vapor investigation was completed in 2010 under the SSF Program which concluded that there were no off-site vapor issues. Soil - Prior to IRM: elevated concentrations of volatile organic compounds (e.g., 2 ppm trichloroethane; 3.5 ppm trichloroethene) and metals (e.g. 21.2 ppm cadmium; 12 ppm chromium) were detected in the soil beneath the sump area. Contaminated soil from this area was excavated and disposed off site in October 1994 under the SSF Program. Groundwater - On-Site groundwater is contaminated as a result of disposal activities. Predominant contaminants above Class GA groundwater standards are trichloroethene, 1,1,1-trichloroethane, and cis-1,2-dichloroethene. The SSF Record of Decision (ROD) recommended additional groundwater monitoring on a semi-annual basis. From 1996 to 2001, several rounds of groundwater monitoring have been conducted and showed that the contaminant levels in the groundwater beneath the site have not declined to acceptable levels. Further remediation of groundwater was addressed under site no. V00600 with an air sparge/soil vapor extraction system operating from 2005-2007. Groundwater quality is being monitored semi-annually. Soil gas - An off-site vapor investigation was completed in 2010 which concluded that there were no off-site vapor issues.

Health Problem: Soil and groundwater are contaminated with volatile organic compounds (VOCs). Exposure to contaminated groundwater is not expected since the area is served by public water. Contaminated soil is subsurface and will be removed as part of a site-wide redevelopment. A sub-slab depressurization system will be incorporated into the new building to prevent soil vapor intrusion from site related contaminants of concern.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 9/19/2013 3:01:00 PM
Record Upd: 9/19/2013 3:01:00 PM
Updated By: kbdilige
Own Op: On-Site Operator
Sub Type: 03
Owner Name: Tracy Capune
Owner Company: Kaufman Astoria Studios
Owner Address: 34-12 36TH STREET
Owner Addr2: 2nd Floor Executive Offices
Owner City,St,Zip: ASTORIA, NY 11106

LEVCO METALS PROPERTY (Continued) **U003391190**

Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library at Broadway
Owner Address:	4020 Broadway
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11103
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	01
Owner Name:	Tracy Capune
Owner Company:	LEVCO WOODWORK JOINT VENTURE
Owner Address:	C/O KAUFMAN REALTY, 450 SEVENTH AVE
Owner Addr2:	Not reported
Owner City,St,Zip:	NEW YORK, NY 10123
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	P03
Owner Name:	Tracy Capune
Owner Company:	Kaufman Astoria Studios
Owner Address:	34-12 36th Street
Owner Addr2:	Executive Offices, 2nd floor
Owner City,St,Zip:	Astoria, NY 11106
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Community Board No. 1
Owner Address:	45-02 Ditmars Boulevard
Owner Addr2:	LL Suite 1025
Owner City,St,Zip:	Astoria, NY 11105
Owner Country:	United States of America
HW Code:	V00600
Waste Type:	1,1,1-TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00600
Waste Type:	1,1,1-TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00600
Waste Type:	1,1,1 TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00600
Waste Type:	1,1,1 TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00600
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	V00600
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported

LEVCO METALS PROPERTY (Continued) **U003391190**

Crossref ID: 241009
Cross Ref Type Code: 02
Cross Ref Type: HW Site ID
Record Added Date: 7/23/2002 8:57:00 AM
Record Updated: 8/19/2002 2:01:00 PM
Updated By: brhumphr

SPILLS:
Facility ID: 8607571
Facility Type: ER
DER Facility ID: 143329
Site ID: 170332
DEC Region: 2
Spill Date: 1987-02-28
Spill Number/Closed Date: 8607571 / 1987-03-30
Spill Cause: Housekeeping
Spill Class: Not reported
SWIS: 4101
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 1987-03-12
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: 1987-03-30
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1987-03-13
Spill Record Last Update: 2004-02-18
Spiller Name: Not reported
Spiller Company: LEVCO
Spiller Address: 34-11 36 ST.
Spiller City,St,Zip: QUEENS, NY
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was / / : PAUL DECKER (CERT. ENG. TEST. CO.) WILL SEND LAB RESULTS TO AUSTIN; MEETING WILL BE ARRANGED TO DEVELOP FURTHER STRAGETY. / / : PAUL DECKER (CERT. ENG. TEST. CO.) WILL SEND LAB RESULTS TO AUSTIN; MEETING WILL BE ARRANGED TO DEVELOP FURTHER STRATEGY. 10/10/95: This is additional information about material spilled from the translation of the old spill file: TRICHLORETHYLENE."
Remarks: "NOTIFIED OF CONTAMINATION BY CONSULTANT FOR PROPERTY OWNER."

Material:

Tank Test:

AO147 **HELLENIC SERVICE STA INC** **NY UST** **U000395219**
North **36-06 34TH AVENUE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.211 mi.
1113 ft. **Site 1 of 2 in cluster AO**

Relative:
Higher

Actual:
39 ft.

UST:

Id/Status:	2-094056 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590892.69704
UTM Y:	4512414.90600
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	2526
Affiliation Type:	Mail Contact
Company Name:	HELLENIC SERVICE STATION INC.
Contact Type:	Not reported
Contact Name:	HELEN VLACHOS
Address1:	36-06 34TH AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 786-5122
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-14

Site Id:	2526
Affiliation Type:	On-Site Operator
Company Name:	HELLENIC SERVICE STA INC
Contact Type:	Not reported
Contact Name:	HELLENIC SERV. STA.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 786-5122
EMail:	Not reported
Fax Number:	Not reported
Modified By:	bkfalvey
Date Last Modified:	2007-11-08

Site Id:	2526
Affiliation Type:	Emergency Contact
Company Name:	HELEN VLACHOS
Contact Type:	Not reported
Contact Name:	HELEN VLACHOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

HELLENIC SERVICE STA INC (Continued) **U000395219**

Zip Code:	Not reported
Country Code:	999
Phone:	(718) 545-8138
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-14

Site Id:	2526
Affiliation Type:	Facility Owner
Company Name:	HELEN VLACHOS
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	25-12 18TH ST
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11102
Country Code:	001
Phone:	(718) 545-8138
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2009-12-14

Tank Info:

Tank Number:	001
Tank ID:	4401
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	12/01/1960
Date Tank Closed:	11/19/2009
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	ZZ
Date Test:	06/01/1991
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	01/26/2010

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None

HELLENIC SERVICE STA INC (Continued) **U000395219**

Tank Number: 002
Tank ID: 4402
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None

Tank Number: 003
Tank ID: 4403
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping

HELLENIC SERVICE STA INC (Continued) **U000395219**

J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number:	004
Tank ID:	4404
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	12/01/1960
Date Tank Closed:	11/19/2009
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number:	005
Tank ID:	4405
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	12/01/1960
Date Tank Closed:	11/19/2009
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	01/26/2010

HELLENIC SERVICE STA INC (Continued) **U000395219**

Equipment Records:
J02 - Dispenser - Suction Dispenser
D00 - Pipe Type - No Piping
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None

Tank Number: 006
Tank ID: 4406
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number: 007
Tank ID: 4407
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

HELLENIC SERVICE STA INC (Continued) **U000395219**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number: 008
Tank ID: 4408
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None

Tank Number: 009
Tank ID: 4409
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009

HELLENIC SERVICE STA INC (Continued) **U000395219**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number: 010
Tank ID: 4410
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number: 011

HELLENIC SERVICE STA INC (Continued) **U000395219**

Tank ID: 4411
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None

Tank Number: 012
Tank ID: 4412
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 12/01/1960
Date Tank Closed: 11/19/2009
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: NRLOMBAR
Last Modified: 01/26/2010

Equipment Records:

A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None

HELLENIC SERVICE STA INC (Continued) **U000395219**

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Number:	013
Tank ID:	4413
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1960
Date Tank Closed:	11/01/2009
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	12/14/2009

Equipment Records:

J02 - Dispenser - Suction Dispenser
D00 - Pipe Type - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None

Tank Number:	014
Tank ID:	4414
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	12/01/1960
Date Tank Closed:	11/01/2009
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	NRLOMBAR
Last Modified:	12/14/2009

HELLENIC SERVICE STA INC (Continued) **U000395219**

Equipment Records:

H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

AN148 **PALD ENTERPRISES** **NY AST** **U003385783**
WNW **34-07 36 AVE** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.211 mi.
1113 ft. **Site 3 of 4 in cluster AN**

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-158836
Program Type:	PBS
UTM X:	590555.56318
UTM Y:	4512161.86018
Expiration Date:	06/05/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	5337
Affiliation Type:	Facility Owner
Company Name:	MR DIMITRIOS AGGELATOS
Contact Type:	PRESIDENT
Contact Name:	DIMITRIOS AGGELATOS
Address1:	32-44 76 STREET
Address2:	Not reported
City:	JACKSON HGTS
State:	NY
Zip Code:	11370
Country Code:	001
Phone:	(718) 424-0750
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2007-05-30

Site Id:	5337
Affiliation Type:	Mail Contact
Company Name:	PALD ENTERPRISES
Contact Type:	Not reported
Contact Name:	MR DIMITRIOS AGGELATOS
Address1:	32-44N 76TH STREET
Address2:	Not reported
City:	JACKSON HEIGHTS
State:	NY
Zip Code:	11370
Country Code:	001

PALD ENTERPRISES (Continued) **U003385783**

Phone:	(718) 424-0750
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2007-05-30

Site Id:	5337
Affiliation Type:	On-Site Operator
Company Name:	PALD ENTERPRISES
Contact Type:	Not reported
Contact Name:	MR DIMITRIOS AGGELATOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 424-0750
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2007-05-30

Site Id:	5337
Affiliation Type:	Emergency Contact
Company Name:	MR DIMITRIOS AGGELATOS
Contact Type:	Not reported
Contact Name:	MR DIMITRIOS AGGELATOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 424-0750
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DXLIVING
Date Last Modified:	2007-05-30

Tank Info:

Tank Number:	001
Tank Id:	8548
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

H99 - Tank Leak Detection - Other
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping

PALD ENTERPRISES (Continued) **U003385783**

B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1954
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DXLIVING
Last Modified:	05/30/2007
Material Name:	Not reported

AP149 **ALBATROSS USA INC** **NY UST U001838275**
WSW **36-59 36TH STREET** **NY CBS N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.211 mi.
1115 ft. **Site 1 of 2 in cluster AP**

Relative:
Lower

Actual:
27 ft.

UST:

Id/Status:	2-200166 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	590598.31574
UTM Y:	4511958.98648
Site Type:	Other

Affiliation Records:

Site Id:	6728
Affiliation Type:	Mail Contact
Company Name:	ALBATROSS USA INC
Contact Type:	Not reported
Contact Name:	LARRY M. FIELDS
Address1:	36-59 36TH ST
Address2:	P.O. BOX 6204
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 392-6272
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	6728
Affiliation Type:	On-Site Operator
Company Name:	ALBATROSS USA INC
Contact Type:	Not reported
Contact Name:	ALBATROSS USA INC
Address1:	Not reported
Address2:	Not reported

ALBATROSS USA INC (Continued) **U001838275**

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 392-6272
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 6728
Affiliation Type: Emergency Contact
Company Name: ALBATROSS USA INC
Contact Type: Not reported
Contact Name: R G J CONTRACTING CO INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 721-3400
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 6728
Affiliation Type: Facility Owner
Company Name: ALBATROSS USA INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 36-59 36TH STREET
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11106
Country Code: 001
Phone: (718) 392-6272
EMail: Not reported
Fax Number: Not reported
Modified By: CBSInit
Date Last Modified: 2005-03-21

Tank Info:

Tank Number: 001
Tank ID: 24858
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 09/01/1988
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000

ALBATROSS USA INC (Continued) **U001838275**

Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 002
Tank ID: 24859
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 09/01/1988
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000
Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 24860
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550

ALBATROSS USA INC (Continued) **U001838275**

Install Date: Not reported
Date Tank Closed: 09/01/1988
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000
Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 004
Tank ID: 24861
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 02/01/1985
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000
Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

ALBATROSS USA INC (Continued) **U001838275**

Tank Number:	005
Tank ID:	24856
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	09/01/1988
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0000
Common Name of Substance:	Empty
Tightness Test Method:	ZZ
Date Test:	02/01/1985
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	006
Tank ID:	24862
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	02/01/1985
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0000
Common Name of Substance:	Empty
Tightness Test Method:	ZZ
Date Test:	02/01/1985
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser

ALBATROSS USA INC (Continued) **U001838275**

C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 007
Tank ID: 24863
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 09/01/1988
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000
Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 008
Tank ID: 24864
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 09/01/1988
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0000
Common Name of Substance: Empty

Tightness Test Method: ZZ
Date Test: 02/01/1985
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: TRANSLAT
Last Modified: 03/04/2004

ALBATROSS USA INC (Continued) **U001838275**

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	009
Tank ID:	24857
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	02/01/1985
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0000
Common Name of Substance:	Empty
Tightness Test Method:	ZZ
Date Test:	02/01/1985
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

CBS:

CBS Number:	2-000127
Program Type:	CBS
Facility Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	2
UTMX:	590878.95019
UTMY:	4512427.81679

AO150 **LEVCO METALS PROPERTY** **NY VAPOR REOPENED** **S105973023**
North **34-11 36TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY**
0.212 mi.
1118 ft. **Site 2 of 2 in cluster AO**

Relative:
Higher

Actual:
39 ft.

VAPOR REOPENED:
Site Code: 241009
Facility Status: Complete (No Further Action)

AI151 **CON EDISON** **NY MANIFEST** **S117535954**
NNW **34-32 35 ST** **N/A**
1/8-1/4 **QUEENS, NY 11106**
0.216 mi.
1138 ft. **Site 3 of 3 in cluster AI**

Relative:
Higher

Actual:
42 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004683892
Facility Status:	Not reported
Location Address 1:	34-32 35 ST
Code:	BP
Location Address 2:	SB5992
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004683892
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/24/2014
Trans1 Recv Date:	10/24/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/27/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004683892
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported

CON EDISON (Continued) **S117535954**

Manifest Tracking Number:	002618095GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	80
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AQ152 **HEER METAL WORKS INC** **RCRA-CESQG** **1006810348**
WSW **36-52 36TH ST** **NY MANIFEST** **NYR000110205**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.216 mi.
1138 ft. **Site 1 of 3 in cluster AQ**

Relative:
Lower

Actual:
27 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	HEER METAL WORKS INC
Facility address:	36-52 36TH ST LONG ISLAND CITY, NY 11106
EPA ID:	NYR000110205
Mailing address:	36TH ST LONG ISLAND CITY, NY 11106
Contact:	FRED EVANS JR
Contact address:	36TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	(718) 784-7110
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar

HEER METAL WORKS INC (Continued) **1006810348**

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	FRED & WILLIAM EVANS
Owner/operator address:	36TH ST LONG ISLAND CITY, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) 784-7110
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	11/19/2002
Owner/Op end date:	Not reported

Owner/operator name:	FRED & WILLIAM EVANS
Owner/operator address:	36TH ST LONG ISLAND CITY, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) 784-7110
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	11/19/2002
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	01/01/2006
Site name:	HEER METAL WORKS INC
Classification:	Conditionally Exempt Small Quantity Generator

HEER METAL WORKS INC (Continued) **1006810348**

Date form received by agency: 11/19/2002
Site name: HEER METAL WORKS INC
Classification: Small Quantity Generator

. Waste code: D007
. Waste name: CHROMIUM

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000110205
Facility Status: Not reported
Location Address 1: 36 52 36TH STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000110205
Mailing Name: HEER METAL WORKS
Mailing Contact: FRED EVANS
Mailing Address 1: 3733 31ST ST
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: 2615
Mailing Country: USA
Mailing Phone: 7187847110

NY MANIFEST:
Document ID: NYG2805822
Manifest Status: Not reported
seq: 01
Year: 2003
Trans1 State ID: MAJ68855
Trans2 State ID: Not reported
Generator Ship Date: 08/19/2003
Trans1 Recv Date: 08/19/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000110205
Trans1 EPA ID: MAD985286988
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported

HEER METAL WORKS INC (Continued) **1006810348**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00060
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	F003 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00045
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00008
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AQ153 **ROCKWELL REALTY** **NY AST** **U003393407**
WSW **36-52 36TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.216 mi.
1138 ft. **Site 2 of 3 in cluster AQ**

Relative:
Lower

Actual:
27 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-204854
Program Type:	PBS

ROCKWELL REALTY (Continued) **U003393407**

UTM X:	590606.75647
UTM Y:	4511972.96774
Expiration Date:	08/07/2018
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	7141
Affiliation Type:	On-Site Operator
Company Name:	ROCKWELL REALTY
Contact Type:	Not reported
Contact Name:	JOHN DOMAGALA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 433-2600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2007-09-04

Site Id:	7141
Affiliation Type:	Emergency Contact
Company Name:	ELSI DOMAGALA
Contact Type:	Not reported
Contact Name:	JOHN DOMAGALA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 433-2600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	2007-09-04

Site Id:	7141
Affiliation Type:	Facility Owner
Company Name:	ROCKWELL REALTY
Contact Type:	PRES
Contact Name:	ELSIE DOMAGALA
Address1:	36-52 36TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 433-2600
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-06-20

Site Id: 7141

ROCKWELL REALTY (Continued) **U003393407**

Affiliation Type:	Mail Contact
Company Name:	ROCKWELL REALTY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	36-52 36TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11106
Country Code:	001
Phone:	(718) 433-2600
EMail:	JOHNTHEPUMPMAN@VERIZON.NET
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-06-20

Tank Info:

Tank Number:	001
Tank Id:	28040
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/2002
Capacity Gallons:	2000
Tightness Test Method:	21
Date Test:	04/13/2010
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	06/20/2013
Material Name:	Not reported

AQ154 **HEER METAL WORKS INC** **RCRA NonGen / NLR** **1004759166**
WSW **36-52 36TH ST** **NYN008009193**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.216 mi.
1138 ft. **Site 3 of 3 in cluster AQ**

Relative:
Lower

Actual:
27 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	HEER METAL WORKS INC
Facility address:	36-52 36TH ST LONG ISLAND CITY, NY 11106
EPA ID:	NYN008009193
Mailing address:	36TH ST LONG ISLAND CITY, NY 11106
Contact:	FRED EVANS
Contact address:	36TH ST LONG ISLAND CITY, NY 11106
Contact country:	US
Contact telephone:	(718) -78-4-71
Contact email:	Not reported
EPA Region:	02
Land type:	Private
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name:	HEER METAL WORKS INC
Owner/operator address:	36-52 36TH ST LONG ISLAND CITY, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) -78-4-71
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Owner/operator name:	HEER METAL WORKS INC
Owner/operator address:	36-52 36TH ST LONG ISLAND CITY, NY 11106
Owner/operator country:	US
Owner/operator telephone:	(718) -78-4-71
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	01/01/2001
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No

HEER METAL WORKS INC (Continued) **1004759166**

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: HEER METAL WORKS INC
Classification: Not a generator, verified

Date form received by agency: 02/14/2001
Site name: HEER METAL WORKS INC
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 01/11/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

AP155 **ALBATROSS USA INC.** **NY CBS AST** **S104073318**
WSW **36-59 36TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.216 mi.
1139 ft. **Site 2 of 2 in cluster AP**

Relative:
Lower

Actual:
27 ft.

CBS AST:
CBS Number: 2-000127
ICS Number: 2-125727
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: Not reported
Facility Status: IN SERVICE
Facility Type: A
Telephone: (718) 392-6272
Facility Town: NEW YORK CITY
Region: STATE
Expiration Date: 07/18/1993
Total Capacity of All Active Tanks(gal): 0
Operator: ALBATROSS INC.
Emergency Contact: LARRY M. FIELDS
Emergency Phone: (718) 392-6272
Owner Name: ALBATROSS USA INC.
Owner Address: 36-59 36TH STREET
Owner City,St,Zip: LONG ISLAND CITY, NY 11106
Owner Telephone: (718) 392-6272
Owner Type: Corporate/Commercial
Owner Sub Type: Not reported
Mail Name: ALBATROSS USA INC.
Mail Contact Addr: 36-59 36TH STREET
Mail Contact Addr2: PO BOX 6204
Mail Contact Contact: LARRY M. FIELDS
Mail Contact City,St,Zip: LONG ISLAND CITY, NY 11106
Mail Phone: (718) 392-6272

ALBATROSS USA INC. (Continued) **S104073318**

Tank Id:	002
CAS Number:	71556
Federal ID:	Not reported
Tank Status:	0
Install Date:	12/80
Tank Closed:	00/00
Capacity (Gal):	4000
Chemical:	1,1,1-Trichloroethane
Tank Location:	Indoors, Aboveground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	07/18/1989
Certified Date:	05/14/1991
Substance:	More than one Hazardous Substance on DEC List
Internal Protection:	None
External Protection:	Painted/Asphalt Coating
Pipe Location:	Aboveground
Pipe Type:	Steel/Iron
Pipe Internal:	None
Pipe External:	Painted/Asphalt Coating
Pipe Flag:	Painted/Asphalt Coating
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	100
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	04/01/93
Is It There:	False
Delinquent:	False
Date Expired:	07/18/93
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	04/01/1993

Tank Id:	001
CAS Number:	75092
Federal ID:	Not reported
Tank Status:	0
Install Date:	12/72
Tank Closed:	00/00
Capacity (Gal):	2000
Chemical:	Methylene chloride
Tank Location:	Indoors, Aboveground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	Cut-off Walls
Tank Error Status:	No Missing Data

ALBATROSS USA INC. (Continued) **S104073318**

Date Entered:	07/18/1989
Certified Date:	05/14/1991
Substance:	More than one Hazardous Substance on DEC List
Internal Protection:	None
External Protection:	Painted/Asphalt Coating
Pipe Location:	Aboveground
Pipe Type:	Steel/Iron
Pipe Internal:	None
Pipe External:	Painted/Asphalt Coating
Pipe Flag:	Painted/Asphalt Coating
Leak Detection:	Interstitial Monitoring
Overfill Protection:	None
Haz Percent:	100
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	04/01/93
Is It There:	False
Delinquent:	False
Date Expired:	07/18/93
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	04/01/1993

Tank Id:	003
CAS Number:	71556
Federal ID:	Not reported
Tank Status:	0
Install Date:	09/88
Tank Closed:	00/00
Capacity (Gal):	2000
Chemical:	1,1,1-Trichloroethane
Tank Location:	Indoors, Aboveground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	07/18/1989
Certified Date:	05/14/1991
Substance:	More than one Hazardous Substance on DEC List
Internal Protection:	None
External Protection:	Painted/Asphalt Coating
Pipe Location:	Aboveground
Pipe Type:	Steel/Iron
Pipe Internal:	None
Pipe External:	Painted/Asphalt Coating
Pipe Flag:	Painted/Asphalt Coating
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	100
Last Test:	Not reported

ALBATROSS USA INC. (Continued) **S104073318**

Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	04/01/93
Is It There:	False
Delinquent:	False
Date Expired:	07/18/93
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	04/01/1993

AR156 **32-78 STEINWAY STREET** **NY AST** **A100292121**
NE **32-78 STEINWAY STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11103**
0.216 mi.
1139 ft. **Site 1 of 4 in cluster AR**

Relative:
Higher

Actual:
41 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-608735
Program Type:	PBS
UTM X:	591178.79117
UTM Y:	4512464.38645
Expiration Date:	04/01/2018
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	30587
Affiliation Type:	Facility Owner
Company Name:	32-78 & 80 STEINWAY STREET REALTY CORP
Contact Type:	SECRETARY
Contact Name:	MARIA PECULIC
Address1:	58-30 LAWRENCE STREET
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11355
Country Code:	001
Phone:	(718) 961-5165
EMail:	MPECULIC@YAHOO.COM
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2013-04-04

Site Id:	30587
Affiliation Type:	Mail Contact
Company Name:	32-78 & 80 STEINWAY STREET REALTY CORP
Contact Type:	SECRETARY
Contact Name:	MARIA PECULIC
Address1:	58-30 LAWRENCE STREET
Address2:	Not reported
City:	FLUSHING
State:	NY

32-78 STEINWAY STREET (Continued) **A100292121**

Zip Code:	11355
Country Code:	001
Phone:	(718) 961-5165
EMail:	MPECULIC@YAHOO.COM
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2013-04-04

Site Id:	30587
Affiliation Type:	On-Site Operator
Company Name:	32-78 STEINWAY STREET
Contact Type:	Not reported
Contact Name:	SEHAD BALIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 932-3183
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2013-04-04

Site Id:	30587
Affiliation Type:	Emergency Contact
Company Name:	32-78 & 80 STEINWAY STREET REALTY CORP
Contact Type:	Not reported
Contact Name:	IVAN PECULIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 961-5165
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	2013-04-04

Tank Info:

Tank Number:	001
Tank Id:	65581
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

J00 - Dispenser - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

32-78 STEINWAY STREET (Continued) **A100292121**

I00 - Overfill - None
C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1908
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	DMMOLOUG
Last Modified:	04/04/2013
Material Name:	Not reported

AR157 **RITE AID #4865** **RCRA-CESQG 1014926890**
NE **32-87 STEINWAY STREET** **NY MANIFEST NYR000186783**
1/8-1/4 **ASTORIA, NY 11103**
0.216 mi.
1143 ft. **Site 2 of 4 in cluster AR**

Relative:
Higher

Actual:
41 ft.

RCRA-CESQG:

Date form received by agency:	02/12/2016
Facility name:	RITE AID #4865
Facility address:	32-87 STEINWAY STREET ASTORIA, NY 11103
EPA ID:	NYR000186783
Mailing address:	HUNTER LANE CAMP HILL, PA 17011
Contact:	DAVID W CROZIER
Contact address:	HUNTER LANE CAMP HILL, PA 17011
Contact country:	US
Contact telephone:	(717) 975-8643
Contact email:	EHS@RITEAID.COM
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	RITE AID OF NEW YORK, INC.

RITE AID #4865 (Continued) **1014926890**

Owner/operator address: HUNTER LANE
CAMP HILL, PA 17011
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/07/2008
Owner/Op end date: Not reported

Owner/operator name: RITE AID CORP
Owner/operator address: HUNTER LANE
CAMP HILL, PA 17011
Owner/operator country: US
Owner/operator telephone: (717) 761-2633
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/25/1995
Owner/Op end date: Not reported

Owner/operator name: RITE AID CORP
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/25/1995
Owner/Op end date: Not reported

Owner/operator name: ASTORIA PROPERTIES CO., LLC
Owner/operator address: STEINWAY STREET
ASTORIA, NY 11103
Owner/operator country: US
Owner/operator telephone: (718) 932-7290
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/02/2008
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001

RITE AID #4865 (Continued) **1014926890**

. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Historical Generators:
Date form received by agency: 11/25/2015
Site name: RITE AID #4865
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D026
. Waste name: CRESOL

RITE AID #4865 (Continued) **1014926890**

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U188
. Waste name: PHENOL

. Waste code: U201
. Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

. Waste code: U279
. Waste name: CARBARYL (OR) 1-NAPHTHALENOL, METHYLCARBAMATE

Date form received by agency: 08/19/2014
Site name: RITE AID #4865
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D026
. Waste name: CRESOL

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

RITE AID #4865 (Continued) **1014926890**

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Date form received by agency: 11/04/2011
Site name: RITE AID #4865
Classification: Conditionally Exempt Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000186783
Facility Status: Not reported
Location Address 1: 32-87 STEINWAY STREET
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: ASTORIA
Location State: NY
Location Zip: 11103
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000186783
Mailing Name: RITE AID #4865
Mailing Contact: RITE AID #4865
Mailing Address 1: 32-87 STEINWAY ST
Mailing Address 2: Not reported
Mailing City: ASTORIA
Mailing State: NY

RITE AID #4865 (Continued) **1014926890**

Mailing Zip:	11103
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2016
Trans1 State ID:	MAD084814136
Trans2 State ID:	MAD084814136
Generator Ship Date:	03/02/2016
Trans1 Recv Date:	03/02/2016
Trans2 Recv Date:	03/02/2016
TSD Site Recv Date:	03/09/2016
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000186783
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	MID980991566
TSDF ID 2:	Not reported
Manifest Tracking Number:	015350297JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	17
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D002
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
73 additional NY_MANIFEST: record(s) in the EDR Site Report.

AR158 **RITE AID # 4865** **PA MANIFEST** **S118891134**
NE **32-87 STEINWAY ST** **N/A**
1/8-1/4 **ASTORIA, NY 11103**
0.216 mi.
1143 ft. **Site 3 of 4 in cluster AR**

Relative:
Higher

Actual:
41 ft.

Manifest Details:

Year:	2015
Manifest Number:	007394943FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000186783
Generator Date:	01/18/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	2
Waste Number:	D002
Container Number:	2
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	13
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

Year:	2015
Manifest Number:	007394943FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000186783
Generator Date:	01/18/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	4
Waste Number:	P001
Container Number:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	1
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592

RITE AID # 4865 (Continued) **S118891134**

Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007394943FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000186783
Generator Date:	01/18/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D010
Container Number:	4
Container Type:	Burlap, cloth, paper or plastic bags
Waste Quantity:	27
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015
Manifest Number:	007394943FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000186783
Generator Date:	01/18/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D011
Container Number:	4
Container Type:	Burlap, cloth, paper or plastic bags
Waste Quantity:	27
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported
Year:	2015

RITE AID # 4865 (Continued) **S118891134**

Manifest Number:	007394943FLE
Manifest Type:	TSD Copy
Generator EPA Id:	NYR000186783
Generator Date:	01/18/2015
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	3
Waste Number:	D001
Container Number:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	7
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	PAD085690592
Date TSP Sig:	Not reported

AH159 **JIMMYS STEINWAY COLLISION CORP** **RCRA-CESQG** **1000303776**
NE **41-05 34TH AVE** **NY MANIFEST** **NYD144135415**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.217 mi.
1148 ft. **Site 3 of 3 in cluster AH**

Relative:
Higher

Actual:
49 ft.

RCRA-CESQG:

Date form received by agency:	01/01/2007
Facility name:	JIMMYS STEINWAY COLLISION CORP
Facility address:	41-05 34TH AVE LONG ISLAND CITY, NY 11101
EPA ID:	NYD144135415
Mailing address:	34TH AVE LONG ISLAND CITY, NY 11101
Contact:	IMRE MAJOR
Contact address:	34TH AVE LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	(718) 274-2338
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

JIMMYS STEINWAY COLLISION CORP (Continued) **1000303776**

hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name:	IMRE MAJOR
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	IMRE MAJOR
Owner/operator address:	NOT REQUIRED NOT REQUIRED, WY 99999
Owner/operator country:	US
Owner/operator telephone:	(212) 555-1212
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	01/01/2006
Site name:	JIMMYS STEINWAY COLLISION CORP
Classification:	Conditionally Exempt Small Quantity Generator

Date form received by agency:	03/04/1987
Site name:	JIMMYS STEINWAY COLLISION CORP
Classification:	Small Quantity Generator

. Waste code:	F005
. Waste name:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE,

JIMMYS STEINWAY COLLISION CORP (Continued) **1000303776**

2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 02/27/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

NY MANIFEST:
Country: USA
EPA ID: NYD144135415
Facility Status: Not reported
Location Address 1: 41-05 34TH AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD144135415
Mailing Name: JIMMYS STEINWAY COLLISION CORPORATION
Mailing Contact: JIMMYS STEINWAY COLLISION CORPORATION
Mailing Address 1: 41-05 34TH AVENUE
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7182742338

NY MANIFEST:
Document ID: ILA2067206
Manifest Status: Not reported
seq: 01
Year: 2006
Trans1 State ID: TXR000050930
Trans2 State ID: MOD095038998
Generator Ship Date: 06/19/2006
Trans1 Recv Date: 06/19/2006
Trans2 Recv Date: 07/05/2006
TSD Site Recv Date: 07/10/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD144135415
Trans1 EPA ID: UPW151288
Trans2 EPA ID: UPW006415

JIMMYS STEINWAY COLLISION CORP (Continued) **1000303776**

TSDF ID 1:	ILD980613913
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	F005 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00035
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	F005 - UNKNOWN
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	00112
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
180 additional NY_MANIFEST: record(s) in the EDR Site Report.

AM160 **STAR SERVICE AUTO REPAIR** **RCRA-SQG** **1016974660**
West **36-26 35TH ST** **NY MANIFEST** **NYR000211193**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.222 mi.
1170 ft. **Site 3 of 3 in cluster AM**

Relative:
Lower

Actual:
29 ft.

RCRA-SQG:

Date form received by agency:	07/18/2014
Facility name:	STAR SERVICE AUTO REPAIR
Facility address:	36-26 35TH ST LONG ISLAND CITY, NY 11106
EPA ID:	NYR000211193
Mailing address:	35TH ST LONG ISLAND CITY, NY 11106
Contact:	ROMAN DIAKIWSKI
Contact address:	35TH ST

STAR SERVICE AUTO REPAIR (Continued) **1016974660**

LONG ISLAND CITY, NY 11106
Contact country: US
Contact telephone: (718) 784-4403
Contact email: ROMAN@STARSERVICENYC.COM
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: ROMAN DIAKIWSKI
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 11/01/1996
Owner/Op end date: Not reported

Owner/operator name: ROMAN DIAKIWSKI
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 11/01/1996
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D018
. Waste name: BENZENE

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

STAR SERVICE AUTO REPAIR (Continued) **1016974660**

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000211193
Facility Status: Not reported
Location Address 1: 36-26 35TH ST
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11106
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000211193
Mailing Name: STAR SERVICE AUTO REPAIR
Mailing Contact: STAR SERVICE AUTO REPAIR
Mailing Address 1: 36-26 35TH ST
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11106
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2016
Trans1 State ID: TXR000081205
Trans2 State ID: MAD039322250
Generator Ship Date: 10/06/2016
Trans1 Recv Date: 10/06/2016
Trans2 Recv Date: 10/14/2016
TSD Site Recv Date: 10/18/2016
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000211193
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: ILD980613913
TSDF ID 2: Not reported
Manifest Tracking Number: 005601498SKS
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H020

STAR SERVICE AUTO REPAIR (Continued) **1016974660**

Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	200
Units:	P - Pounds
Number of Containers:	2
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1
Waste Code:	F003
Waste Code 1_2:	F005
Waste Code 1_3:	D001
Waste Code 1_4:	D018
Waste Code 1_5:	D022
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
65 additional NY_MANIFEST: record(s) in the EDR Site Report.

---

161 **31-74 42ND STREET** **NY LTANKS** **S101508978**
ENE **31-74 42ND STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY**
0.222 mi.
1174 ft.

Relative:
Higher

Actual:
50 ft.

LTANKS:

Site ID:	145627
Spill Number/Closed Date:	9413438 / 1995-01-09
Spill Date:	1995-01-09
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1995-01-09
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1995-01-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-03-22
Spill Record Last Update:	2004-02-18
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported

31-74 42ND STREET (Continued) **S101508978**

Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	124076
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"TANK LEAK"

Material:

Site ID:	145627
Operable Unit ID:	1010996
Operable Unit:	01
Material ID:	372184
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	Gallons
Recovered:	1.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

AS162 **35-15 34TH STREET** **NY AST** **U004078763**
NW **35-15 34TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.222 mi.
1174 ft. **Site 1 of 2 in cluster AS**

Relative:
Higher

Actual:
39 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-607703
Program Type:	PBS
UTM X:	590635.54941
UTM Y:	4512303.95035
Expiration Date:	04/29/2017
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	29555
Affiliation Type:	Facility Owner
Company Name:	G. POLISE REALTY CORP
Contact Type:	PRESIDENT
Contact Name:	GENNARO POLISE
Address1:	22-53 CRESCENT STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11105
Country Code:	001
Phone:	(718) 278-6722
EMail:	Not reported

35-15 34TH STREET (Continued) **U004078763**

Fax Number:	Not reported
Modified By:	BVCAMPBE
Date Last Modified:	2010-09-14

Site Id:	29555
Affiliation Type:	Mail Contact
Company Name:	G. POLISE REALTY CORP
Contact Type:	Not reported
Contact Name:	G. POLISE
Address1:	22-53 CRESCENT STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11105
Country Code:	001
Phone:	(718) 278-6722
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29555
Affiliation Type:	On-Site Operator
Company Name:	35-15 34TH STREET
Contact Type:	Not reported
Contact Name:	GENNARO POLISE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 392-9692
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	29555
Affiliation Type:	Emergency Contact
Company Name:	G. POLISE REALTY CORP
Contact Type:	Not reported
Contact Name:	GENNARO POLISE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 278-6722
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

35-15 34TH STREET (Continued) **U004078763**

Tank Number: 001
Tank Id: 63395
Material Code: 0003
Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

D08 - Pipe Type - Equivalent Technology
E02 - Piping Secondary Containment - Vault (with Access)
I04 - Overfill - Product Level Gauge (A/G)
B99 - Tank External Protection - Other
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
G99 - Tank Secondary Containment - Other
L09 - Piping Leak Detection - Exempt Suction Piping
A99 - Tank Internal Protection - Other
F99 - Pipe External Protection - Other
H99 - Tank Leak Detection - Other

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/29/1955
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: BVCAMPBE
Last Modified: 09/14/2010
Material Name: Not reported

---

163 West 1/8-1/4 0.226 mi. 1192 ft.

BERTA HUTA TESTAMENTARY TRUST **NY AST** **U003390882**
36-52 35 ST **N/A**
ASTORIA, NY 11106

Relative: Lower

Actual: 28 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-332259
Program Type: PBS
UTM X: 590540.93035
UTM Y: 4512019.01515
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 15720
Affiliation Type: Emergency Contact
Company Name: Z & R REALTY LLC
Contact Type: Not reported
Contact Name: ZIO MUSIC
Address1: Not reported
Address2: Not reported

BERTA HUTA TESTAMENTARY TRUST (Continued) **U003390882**

City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 209-9550
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-09-08

Site Id:	15720
Affiliation Type:	On-Site Operator
Company Name:	BERTA HUTA TESTAMENTARY TRUST
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-09-08

Site Id:	15720
Affiliation Type:	Facility Owner
Company Name:	Z & R REALTY LLC
Contact Type:	GENERAL PARTNER
Contact Name:	ZIO MUSIC
Address1:	79-18 JUNIPER VALLEY ROAD
Address2:	Not reported
City:	MIDDLE VILLAGE
State:	NY
Zip Code:	11379
Country Code:	001
Phone:	(646) 209-9550
EMail:	ZIO_MEITOTMAIL.COM
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-09-08

Site Id:	15720
Affiliation Type:	Mail Contact
Company Name:	Z & R REALTY LLC
Contact Type:	GENERAL PARTNER
Contact Name:	ZIO MUSIC
Address1:	79-18 JUNIPER VALLEY ROAD
Address2:	Not reported
City:	MIDDLE VILLAGE
State:	NY
Zip Code:	11379
Country Code:	001
Phone:	(646) 209-9550
EMail:	ZIO_MEITOTMAIL.COM

BERTA HUTA TESTAMENTARY TRUST (Continued) **U003390882**

Fax Number: Not reported
Modified By: NTFREEMA
Date Last Modified: 2015-09-08

Tank Info:

Tank Number: 001
Tank Id: 20312
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 01/01/1950
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 09/17/2014
Register: True
Modified By: NTFREEMA
Last Modified: 09/08/2015
Material Name: Not reported

AT164 **36-01 37TH AVENUE** **NY AST** **A100410472**
WSW **36-01 37TH AVENUE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.227 mi.
1199 ft. **Site 1 of 3 in cluster AT**

Relative:
Lower

Actual:
25 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-612417
Program Type: PBS
UTM X: Not reported
UTM Y: Not reported
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 507464
Affiliation Type: Facility Owner
Company Name: ELITE R.E. CORP.
Contact Type: PRINCIPAL

36-01 37TH AVENUE (Continued) **A100410472**

Contact Name:	JAMES CRESSY, CIDER ENVIRONMENTAL
Address1:	36-01 37TH AVE.
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 472-2300
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NTFREEMA
Date Last Modified:	2015-06-02

Site Id:	507464
Affiliation Type:	Mail Contact
Company Name:	Not reported
Contact Type:	Not reported
Contact Name:	MR. QUAZI
Address1:	36-01 37TH AVENUE
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(917) 731-2161
EMail:	KHAWARSHAMSHAD@ELITENY.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-05-05

Site Id:	507464
Affiliation Type:	On-Site Operator
Company Name:	36-01 37TH AVENUE
Contact Type:	Not reported
Contact Name:	MR. QUAZI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 731-2161
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-05-05

Site Id:	507464
Affiliation Type:	Emergency Contact
Company Name:	ELITE R.E. CORP.
Contact Type:	Not reported
Contact Name:	MR. KHAWAR SHAMSHAD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported

36-01 37TH AVENUE (Continued) **A100410472**

Country Code: 001
Phone: (718) 472-2300
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2015-05-05

Tank Info:

Tank Number: 1
Tank Id: 255380

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
J05 - Dispenser - On Site Heating System (Supply/Return)
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: 6
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 05/01/2015
Register: True
Modified By: NTFREEMA
Last Modified: 06/02/2015
Material Name: Not reported

AT165 **RUG RENOVATING CO INC** **RCRA NonGen / NLR** **1000129733**
WSW **36-01 37TH AVE** **FINDS** **NYD049175326**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.227 mi. **NY MANIFEST**
1199 ft. **Site 2 of 3 in cluster AT**

Relative:
Lower

Actual:
25 ft.

RCRA NonGen / NLR:
Date form received by agency: 01/01/2007
Facility name: RUG RENOVATING CO INC
Facility address: 36-01 37TH AVE
LONG ISLAND CITY, NY 111011609
EPA ID: NYD049175326
Mailing address: 37TH AVE
LONG ISLAND CITY, NY 11101
Contact: Not reported
Contact address: 37TH AVE
LONG ISLAND CITY, NY 11101
Contact country: US

RUG RENOVATING CO INC (Continued) **1000129733**

Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: JOHN ISKYAN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: JOHN ISKYAN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: RUG RENOVATING CO INC
Classification: Not a generator, verified

Date form received by agency: 07/16/1999
Site name: RUG RENOVATING CO INC
Classification: Not a generator, verified

Date form received by agency: 08/30/1988
Site name: RUG RENOVATING CO INC

RUG RENOVATING CO INC (Continued) **1000129733**

Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 07/28/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004357400

Environmental Interest/Information System
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000129733
Registry ID: 110004357400
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004357400

NY MANIFEST:
Country: USA
EPA ID: NYD049175326
Facility Status: Not reported
Location Address 1: 36-01 37TH AVENUE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYD049175326
Mailing Name: RUG RENOVATING CO INC
Mailing Contact: RUG RENOVATING CO INC
Mailing Address 1: 36-01 37TH AVENUE
Mailing Address 2: Not reported
Mailing City: LONG ISLAND
Mailing State: NY
Mailing Zip: 11101

RUG RENOVATING CO INC (Continued) **1000129733**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7183617900

NY MANIFEST:

Document ID:	NYA7044759
Manifest Status:	K
seq:	Not reported
Year:	1988
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	09/06/1988
Trans1 Recv Date:	09/06/1988
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/06/1988
Part A Recv Date:	10/14/1988
Part B Recv Date:	09/14/1988
Generator EPA ID:	NYD049175326
Trans1 EPA ID:	NYD000691949
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000691949
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	18000
Units:	P - Pounds
Number of Containers:	044
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	L Landfill.
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
1 additional NY_MANIFEST: record(s) in the EDR Site Report.

AR166 **ASTORIA PROPERTIES COMPANY** **NY UST** **U000405545**
NE **32-75 STEINWAY STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11103**
0.228 mi.
1202 ft. **Site 4 of 4 in cluster AR**

Relative:
Higher

Actual:
43 ft.

UST:

Id/Status:	2-404713 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	12/14/2017
UTM X:	591189.06634
UTM Y:	4512459.51681
Site Type:	Other

Affiliation Records:

Site Id:	19480
Affiliation Type:	Facility Owner
Company Name:	ASTORIA PROPERTIES COMPANY
Contact Type:	MGR
Contact Name:	THOMAS THEOFILATOS
Address1:	32-79 STEINWAY STREET
Address2:	Not reported
City:	ASTORIA
State:	NY
Zip Code:	11103
Country Code:	001
Phone:	(718) 932-7290
EMail:	Not reported
Fax Number:	Not reported
Modified By:	bkfalvey
Date Last Modified:	2008-12-16

Site Id:	19480
Affiliation Type:	Mail Contact
Company Name:	ASTORIA PROPERTIES COMPANY
Contact Type:	Not reported
Contact Name:	THOMAS THEOFILATOS
Address1:	32-75 STEINWAY STREET
Address2:	SUITE 202
City:	ASTORIA
State:	NY
Zip Code:	11103
Country Code:	001
Phone:	(718) 932-7290
EMail:	THOMAS@ASTORIAPROPERTIESCO.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2008-02-21

Site Id:	19480
Affiliation Type:	Emergency Contact
Company Name:	ASTORIA PROPERTIES COMPANY
Contact Type:	Not reported
Contact Name:	CHRIS THEOFILATOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

ASTORIA PROPERTIES COMPANY (Continued) **U000405545**

Zip Code:	Not reported
Country Code:	999
Phone:	(718) 932-7290
EMail:	Not reported
Fax Number:	Not reported
Modified By:	bkfalvey
Date Last Modified:	2008-12-16

Site Id:	19480
Affiliation Type:	On-Site Operator
Company Name:	ASTORIA PROPERTIES COMPANY
Contact Type:	Not reported
Contact Name:	THOMAS THEOFILATOS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 932-7290
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-01-09

Tank Info:

Tank Number:	294
Tank ID:	23008
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	5000
Install Date:	06/01/1951
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0002
Common Name of Substance:	#4 Fuel Oil (On-Site Consumption)

Tightness Test Method:	21
Date Test:	04/12/2013
Next Test Date:	10/11/2016
Pipe Model:	Not reported
Modified By:	BKFALVEY
Last Modified:	05/06/2013

Equipment Records:

K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

ASTORIA PROPERTIES COMPANY (Continued) **U000405545**

H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

167
NNW
1/8-1/4
0.229 mi.
1209 ft.

CON ED
34-22 35 ST FRNT
ASTORIA, NY 11106

NY MANIFEST **S117737764**
N/A

Relative:
Higher

Actual:
41 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004676789
Facility Status:	Not reported
Location Address 1:	34-22 35 ST FRNT
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	ASTORIA
Location State:	NY
Location Zip:	11106
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004676789
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	10/13/2014
Trans1 Recv Date:	10/13/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/14/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004676789
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002617946GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N

CON ED (Continued) **S117737764**

Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	400
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AU168 **CON EDISON** **NY MANIFEST** **S117314866**
SW **OPP 37-02 37 AVE** **N/A**
1/8-1/4 **QUEENS, NY 11101**
0.231 mi.
1218 ft. **Site 1 of 6 in cluster AU**

Relative:
Lower

Actual:
24 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004619540
Facility Status:	Not reported
Location Address 1:	OPP 37-02 37 AVE
Code:	BP
Location Address 2:	SB 63609
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004619540
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY

CON EDISON (Continued) **S117314866**

Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/06/2014
Trans1 Recv Date:	08/06/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/11/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004619540
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002615756GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	100
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

169 WNW 1/8-1/4 0.232 mi. 1224 ft. **ALVAZ CONSTRUCTION CORP.** **NY AST** **A100182974**
35-30 34TH STREET **N/A**
LONG ISLAND CITY, NY 11106

Relative: Higher

Actual: 42 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-481971
Program Type:	PBS
UTM X:	590608.70294
UTM Y:	4512283.19340
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	21577
Affiliation Type:	Mail Contact
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	VINKA KOLICH
Address1:	33-04 MURRAY LANE
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11354
Country Code:	001
Phone:	(718) 445-5220
EMail:	JELA20@AOL.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-18

Site Id:	21577
Affiliation Type:	Facility Owner
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	P.O. BOX 58336 STATION A
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11358
Country Code:	001
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-18

Site Id:	21577
Affiliation Type:	Emergency Contact
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	VINKA KOLICH
Address1:	Not reported
Address2:	Not reported
City:	Not reported

ALVAZ CONSTRUCTION CORP. (Continued) **A100182974**

State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-18

Site Id:	21577
Affiliation Type:	On-Site Operator
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	BASRIJA DJEKOVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-18

Tank Info:

Tank Number:	001
Tank Id:	39236
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1974
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/20/2011
Register:	True
Modified By:	NRLOMBAR
Last Modified:	06/18/2015
Material Name:	Not reported

AL170 **ALVAZ CONSTRUCTION CORP** **NY AST** **A100182975**
WNW **35-28 34TH STREET** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11106**
0.232 mi.
1225 ft. **Site 2 of 2 in cluster AL**

Relative:
Higher

Actual:
42 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-481998
Program Type:	PBS
UTM X:	590610.60369
UTM Y:	4512286.54738
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	21578
Affiliation Type:	Mail Contact
Company Name:	ALVAZ CONSTRUCTION CORP
Contact Type:	Not reported
Contact Name:	VINKA KOLICH
Address1:	33-04 MURRAY LANE
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11354
Country Code:	001
Phone:	(718) 445-5220
EMail:	JELA20@AOL.COM
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-17

Site Id:	21578
Affiliation Type:	On-Site Operator
Company Name:	ALVAZ CONSTRUCTION CORP
Contact Type:	Not reported
Contact Name:	BASRIJA DJEKOVIC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-17

Site Id:	21578
Affiliation Type:	Emergency Contact
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	VINKA KOLICH
Address1:	Not reported
Address2:	Not reported
City:	Not reported

ALVAZ CONSTRUCTION CORP (Continued) **A100182975**

State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-18

Site Id:	21578
Affiliation Type:	Facility Owner
Company Name:	ALVAZ CONSTRUCTION CORP.
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	P.O. BOX 58366 STATION A
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11358
Country Code:	001
Phone:	(718) 445-5220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2015-06-17

Tank Info:

Tank Number:	001
Tank Id:	39237
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
G01 - Tank Secondary Containment - Diking (Aboveground)
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1974
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	11/26/2010
Register:	True
Modified By:	NRLOMBAR
Last Modified:	06/17/2015
Material Name:	Not reported

AS171 **DRY CLEANER PLUS** **NY DRYCLEANERS** **S110246423**
NW **35-04 34TH STREET** **N/A**
1/8-1/4 **LI CITY, NY 11106**
0.233 mi.
1232 ft. **Site 2 of 2 in cluster AS**

Relative:
Higher

Actual:
39 ft.

DRYCLEANERS:

Facility ID:	2-6304-01417
Phone Number:	NOT LISTED
Region:	Not reported
Registration Effective Date:	N/A
Inspection Date:	03NOV20
Install Date:	94
Drop Shop:	Not reported
Shutdown:	Y
Alternate Solvent:	Not reported
Current Business:	Not reported

AN172 **35-48 34 ST** **NY AST** **A100304577**
WNW **35-48 34TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.235 mi.
1240 ft. **Site 4 of 4 in cluster AN**

Relative:
Higher

Actual:
41 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-212199
Program Type:	PBS
UTM X:	590591.16183
UTM Y:	4512254.00151
Expiration Date:	01/30/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	7771
Affiliation Type:	Mail Contact
Company Name:	AS 34HOLDINGS LLC,
Contact Type:	Not reported
Contact Name:	SYLVIA KOWALCZUK
Address1:	PO BOX 541182
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11354
Country Code:	001
Phone:	(718) 359-0220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-18

Site Id:	7771
Affiliation Type:	On-Site Operator
Company Name:	35-48 34 ST
Contact Type:	Not reported
Contact Name:	M. HAMIELEC
Address1:	Not reported
Address2:	Not reported

35-48 34 ST (Continued) **A100304577**

City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(646) 554-1058
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-18

Site Id:	7771
Affiliation Type:	Emergency Contact
Company Name:	AS 34HOLDINGS LLC, SYVLVIA KOWALCZUK
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(646) 554-1058
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-18

Site Id:	7771
Affiliation Type:	Facility Owner
Company Name:	AS 34HOLDINGS LLC, SYVLVIA KOWALCZUK
Contact Type:	OWNER
Contact Name:	SYLVIA KOWALCZUK
Address1:	PO BOX 541182
Address2:	Not reported
City:	FLUSHING
State:	NY
Zip Code:	11354
Country Code:	001
Phone:	(718) 359-0220
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-18

Tank Info:

Tank Number:	001
Tank Id:	18732
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None

35-48 34 ST (Continued) **A100304577**

I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1980
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	03/18/2014
Material Name:	Not reported

---

173 **35-16 34TH STREET, LLC** **NY UST** **U001836237**
NW **35-16 34TH STREET** **N/A**
1/8-1/4 **ASTORIA, NY 11106**
0.236 mi.
1245 ft.

Relative:
Higher

Actual:
41 ft.

UST:

Id/Status:	2-317535 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	12/05/2018
UTM X:	590622.35394
UTM Y:	4512306.00936
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	14606
Affiliation Type:	On-Site Operator
Company Name:	35-16 34TH STREET, LLC
Contact Type:	Not reported
Contact Name:	RAFAEL ROSA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 672-8726
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-02

Site Id: 14606

35-16 34TH STREET, LLC (Continued) **U001836237**

Affiliation Type:	Emergency Contact
Company Name:	35-16 34TH STREET, LLC
Contact Type:	Not reported
Contact Name:	BRIAN GARLAND
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 721-5500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-02

Site Id:	14606
Affiliation Type:	Mail Contact
Company Name:	A&E REAL ESTATE
Contact Type:	Not reported
Contact Name:	DONALD HASTINGS
Address1:	1065 AVENUE OF THE AMERICAS, 31ST FLOOR
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10018
Country Code:	001
Phone:	(212) 721-5500
EMail:	DONALD.HASTINGS@AE-RE.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-02

Site Id:	14606
Affiliation Type:	Facility Owner
Company Name:	35-16 34TH STREET, LLC
Contact Type:	ASSET MGR
Contact Name:	DONALD HASTINGS
Address1:	1065 AVENUE OF THE AMERICAS, 31ST FLOOR
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10018
Country Code:	001
Phone:	(212) 721-5500
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-09-02

Tank Info:

Tank Number:	001
Tank ID:	17829
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	5000

35-16 34TH STREET, LLC (Continued) **U001836237**

Install Date:	07/01/1980
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MSBAPTIS
Last Modified:	09/02/2014

Equipment Records:

B99 - Tank External Protection - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
C02 - Pipe Location - Underground/On-ground
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)
A99 - Tank Internal Protection - Other
F99 - Pipe External Protection - Other

AV174 **CON ED** **NY MANIFEST** **S119074379**
North **32-76 37TH ST** **N/A**
1/8-1/4 **ASTORIA, NY 11103**
0.236 mi.
1246 ft. **Site 1 of 4 in cluster AV**

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004766853
Facility Status:	Not reported
Location Address 1:	32-76 37 ST
Code:	BP
Location Address 2:	SB 9359
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11103
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004766853
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

CON ED (Continued) **S119074379**

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	04/13/2015
Trans1 Recv Date:	04/13/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/17/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004766853
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002619311GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AV175 **CON EDISON** **NY MANIFEST** **S119074759**
North **32-76 37TH ST FRONT OF** **N/A**
1/8-1/4 **ASTORIA, NY 11103**
0.236 mi.
1246 ft. **Site 2 of 4 in cluster AV**

Relative:
Lower

Actual:
38 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004773362
Facility Status:	Not reported
Location Address 1:	32-76 37TH ST
Code:	BP
Location Address 2:	SB 9359
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004773362
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	04/23/2015
Trans1 Recv Date:	04/23/2015
Trans2 Recv Date:	04/24/2015
TSD Site Recv Date:	04/24/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004773362
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624099GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S119074759**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	150
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AV176 **CON EDISON** **RCRA NonGen / NLR** **1019902408**
North **32-76 37TH ST FRONT OF** **NYP004773362**
1/8-1/4 **ASTORIA, NY 11103**
0.236 mi.
1246 ft. **Site 3 of 4 in cluster AV**

Relative:
Lower

Actual:
38 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/23/2015
Facility name:	CON EDISON
Facility address:	32-76 37TH ST FRONT OF ASTORIA, NY 11103
EPA ID:	NYP004773362
Mailing address:	IRVING PL 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No

CON EDISON (Continued) **1019902408**

On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 04/23/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Violation Status: No violations found

AV177 **CON EDISON** **RCRA NonGen / NLR** **1019901860**
North **32-76 37TH ST** **NYP004766853**
1/8-1/4 **ASTORIA, NY 11103**
0.236 mi.
1246 ft. **Site 4 of 4 in cluster AV**

Relative:
Lower

Actual:
38 ft.

RCRA NonGen / NLR:
Date form received by agency: 04/13/2015
Facility name: CON EDISON
Facility address: 32-76 37TH ST
ASTORIA, NY 11103
EPA ID: NYP004766853
Mailing address: IRVING PL 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

CON EDISON (Continued) **1019901860**

Historical Generators:
Date form received by agency: 04/13/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Violation Status: No violations found

178
WNW
1/8-1/4
0.237 mi.
1249 ft.

Relative:
Higher

Actual:
41 ft.

APT HOUSE **NY AST** **U003386709**
35-44 34 ST **N/A**
ASTORIA, NY 11106

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-246069
Program Type: PBS
UTM X: 590595.05049
UTM Y: 4512260.48848
Expiration Date: 08/05/2019
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 9604
Affiliation Type: On-Site Operator
Company Name: APT HOUSE
Contact Type: Not reported
Contact Name: HARIUSZ HAMIELEC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 786-2467
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-05-03

Site Id: 9604
Affiliation Type: Emergency Contact
Company Name: MASTIK MANAGEMENT, LLC
Contact Type: Not reported
Contact Name: SPIROS TSOUMPARIOTIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 749-3713
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2007-05-03

APT HOUSE (Continued) **U003386709**

Site Id:	9604
Affiliation Type:	Facility Owner
Company Name:	MASTIK MANAGEMENT, LLC
Contact Type:	OWNER-MEMBER
Contact Name:	SPIROS TSOUMPARIOTIS
Address1:	79-01 MYRTLE AVENUE
Address2:	Not reported
City:	GLENDALE
State:	NY
Zip Code:	11385
Country Code:	001
Phone:	(917) 749-3713
EMail:	STSOUMPARIOTIS@GMAIL.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-03

Site Id:	9604
Affiliation Type:	Mail Contact
Company Name:	MASTIK MANAGEMENT, LLC
Contact Type:	OWNER-MEMBER
Contact Name:	SPIROS TSOUMPARIOTIS
Address1:	79-01 MYRTLE AVENUE
Address2:	Not reported
City:	GLENDALE
State:	NY
Zip Code:	11385
Country Code:	001
Phone:	(917) 749-3713
EMail:	STSOUMPARIOTIS@GMAIL.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-07-03

Tank Info:

Tank Number:	001
Tank Id:	10536
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
A00 - Tank Internal Protection - None
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction Dispenser
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron

APT HOUSE (Continued) **U003386709**

Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1927
Capacity Gallons:	2000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	07/03/2014
Material Name:	Not reported

179
East
1/8-1/4
0.237 mi.
1251 ft.

Relative:
Higher

Actual:
47 ft.

CON EDISON **NY MANIFEST** **S117316392**
34-17 43RD ST **N/A**
QUEENS, NY 11101

NY MANIFEST:

Country:	USA
EPA ID:	NYP004636551
Facility Status:	Not reported
Location Address 1:	34-17 43RD ST
Code:	BP
Location Address 2:	SB 61878
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004636551
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2014
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	08/22/2014
Trans1 Recv Date:	08/22/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/27/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CON EDISON (Continued) **S117316392**

Generator EPA ID:	NYP004636551
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002616550GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	50
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AU180 **STANDARD MOTOR PRODUCTS INC** **RCRA-SQG** **1000310304**
SW **37-18 NORTHERN BLVD SITE 1** **NY SHWS** **NYD001315266**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **NY LTANKS**
0.244 mi. **NY CBS**
1286 ft. **Site 2 of 6 in cluster AU** **NY VCP**
NY Spills
Relative: **PA MANIFEST**
Lower **NY MANIFEST**

Actual: **23 ft.**

RCRA-SQG:

Date form received by agency:	01/01/2007
Facility name:	STANDARD MOTOR PRODUCTS INC
Facility address:	37-18 NORTHERN BLVD SITE 1 LONG ISLAND CITY, NY 11101
EPA ID:	NYD001315266
Mailing address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Contact:	MURRAY ROSE

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Contact address: NORTHERN BLVD
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: (718) 392-0200
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: STANDARD MOTOR PRODUCTS
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: STANDARD MOTOR PRODUCTS
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: STANDARD MOTOR PRODUCTS INC
Classification: Small Quantity Generator

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Date form received by agency: 03/30/1998
Site name: STANDARD MOTOR PRODUCTS INC
Classification: Large Quantity Generator

Date form received by agency: 03/19/1996
Site name: STANDARD MOTOR PRODUCTS INC
Classification: Large Quantity Generator

Date form received by agency: 02/23/1994
Site name: STANDARD MOTOR PRODUCTS INC
Classification: Large Quantity Generator

Date form received by agency: 02/06/1992
Site name: STANDARD MOTOR PRODUCTS
Classification: Large Quantity Generator

Date form received by agency: 03/01/1990
Site name: STANDARD MOTOR PRODUCTS
Classification: Large Quantity Generator

Date form received by agency: 07/12/1984
Site name: STANDARD MOTOR PRODUCTS INC
Classification: Large Quantity Generator

. Waste code: D000
. Waste name: Not Defined

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: F001
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U080
. Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

. Waste code: U154
. Waste name: METHANOL (I) (OR) METHYL ALCOHOL (I)

. Waste code: U220
. Waste name: BENZENE, METHYL- (OR) TOLUENE

. Waste code: U226
. Waste name: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

. Waste code: U239
. Waste name: BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - Pre-transport
Date violation determined: 04/06/2007
Date achieved compliance: 06/30/2008
Violation lead agency: EPA
Enforcement action: VERBAL INFORMAL
Enforcement action date: 04/12/2007
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 6nycrr372.2(a)(8)
Area of violation: Generators - General
Date violation determined: 05/14/1999
Date achieved compliance: 05/28/1999
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Enforcement action date: 05/14/1999
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 04/13/1994
Date achieved compliance: 06/01/1994
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/13/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 09/26/1988
Date achieved compliance: 12/23/1988
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/20/1988
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 01/27/1987
Date achieved compliance: 12/28/1988
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/20/2013
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Evaluation date: 04/06/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 06/30/2008
Evaluation lead agency: EPA

Evaluation date: 08/19/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 04/06/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/28/1999
Evaluation lead agency: EPA

Evaluation date: 10/16/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/28/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/01/1994
Evaluation lead agency: State

Evaluation date: 09/26/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/23/1988
Evaluation lead agency: State

Evaluation date: 01/27/1987
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 12/28/1988
Evaluation lead agency: State

SHWS:
Program: HW
Site Code: 58682
Classification: Significant threat to the public health or environment - action required.
Region: 2
Acres: 1.1
HW Code: 241016
Record Add: 11/18/1999
Record Upd: 05/23/2016
Updated By: JHOCONNE
Site Description: Site Location: The site is located at 37-18 Northern Boulevard, Long Island City, Queens County, New York in the northwestern section of the county. Bordering the Site is Northern Boulevard to the north; Amtrak s Sunnyside Railroad Yard (Sunnyside Yard) to the south; 39th Street, an automobile dealership, and a Hess (formerly Merit)

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

gasoline station to the east; and commercial and industrial properties to the west. Site Features: The Site is approximately rectangular in shape and occupies approximately one acre of land. The Site contains a six-story industrial building with approximately 42,000 square feet per floor. A narrow strip of land on the south side of the property contains a loading dock and a dirt access path for vehicles. This strip of land is owned by the Metropolitan Transportation Authority (MTA) and is part of a long-term lease to Standard Motor Products. Current Zoning/Use(s): The site is being used for commercial office space. There is a commercial vegetable farm occupying part of the building s roof. Past Uses of the Site: The Site has historically been involved in industrial and manufacturing activities since 1919. A small plating line for chrome plating of small machine parts operated from approximately 1975 to 1984. The site was previously used for painting automobile parts prior to distribution. In 1984, aqueous based paints replaced the previously used solvent-based paints. All painting operations were gradually eliminated between 1990 and 1991. The site also housed several other processes and included die-casting operations that ceased in the 1970s; rubber production that was eliminated around 1985; and degreasing which utilized chlorinated solvents that ended in 1990. Until March 2008, automobile parts and components at the site were primarily manufactured in the basement within recent years. The manufacturing operations included metal fabrication and machining, plastic injection molding, and assembly. A small photography laboratory for production of newsletters, brochures also operated. Hazardous or toxic materials involved in plant operations are lubricating oils for machinery, caustics for degreasing, phenolics used in molding processes, epoxies for coil production, and water-based inks involved in their small-scale printing. All wastes were temporarily stored on-site in secure containers prior to off-site disposal at a licensed treatment, storage, and disposal (TSD) facility. Site Geology and Hydrogeology: The Site is underlain by the following units (in order by increasing depth): urban fill, Upper Pleistocene glacial deposits (including both till and channel deposits), and bedrock. The fill is predominantly comprised of reworked glacial deposits (sand, silt, clay, and gravel) and railroad ballast with minor amounts of construction debris and other materials. The Upper Pleistocene glacial deposits consist mainly of ground moraine deposits (unstratified, poorly sorted mixture of sand, silt, clay, and gravel). Bedrock was encountered at a depth of 74 feet below land surface (i.e. 53 feet below mean sea level). The groundwater beneath the Site occurs under water table (unconfined) conditions. The depth to groundwater in the vicinity of the Site is approximately 5 feet below ground surface (bgs) but may be influenced by surface runoff that results in standing water across most of the Site during rain events. The water table occurs in either fill or glacial deposits. Groundwater elevation data show that flow is primarily from east to west beneath the Site. Due to the proximity to the East River, the hydraulic gradients are gentle which is consistent with the regional groundwater contour map and the groundwater contours present on the adjacent Sunnyside Yard property. Vertical groundwater movement is restricted by the Gardiners Clay where present or by the Precambrian bedrock which is considered to be the bottom hydrogeologic boundary of the groundwater flow system. The groundwater flow rate was estimated to be 0.78 feet/day.

Env Problem: Nature and Extent of Contamination: Soils in the area of the rear

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

loading platform contained elevated levels of petroleum hydrocarbons and VOCs (trichloroethane TCA, triclhoroethene - TCE and other related chlorinated VOCs). Contaminated soils extended beyond the area excavated near the loading dock. Subsequent groundwater samples taken indicated contamination with TCA and lead. The highest levels of groundwater contamination are adjacent to the loading dock at the back of the building. Soil - Arsenic was detected at 19 ppm, which is above the applicable soil cleanup objectives (SCOs). Groundwater - Tetrachloroethylene (PCE) has been found at concentrations of up to 17 ppb. Trichloroethylene (TCE) has been found at concentrations of up to 78 ppb. Cis-1,2-Dichloroethene (cis-1,2-DCE) has been found at concentrations of up to 93 ppb. Vinyl chloride (VC) has been found at concentrations of up to 31 ppb. 1,1,1-Trichloroethane 1,1,1-TCA) has been found at concentrations of up to 180 ppb. Soil Vapor- The highest concentrations of chlorinated VOCs were detected at SB-05. Sub-slab samples contained PCE at concentration of up to 620 ug/m3. TCE and cis-1,2-DCE have been found at concentrations of up to 2,800 ug/m3 and up to 52 ug/m3 respectively. Chlorinated ethanes were found and included 1,1,1-TCA and 1,1-DCA at concentrations up to 5,200 ug/m3 and up to 450 ug/m3 respectively. Significant Threat: The site presents a significant environmental threat. An Interim Remedial Measure (IRM) consisting of a sub-slab depressurization system (SSDS) has been installed in the building and is currently in operation. An air sparge and soil vapor extraction system was installed to remediate site soils and groundwater and has been operating since September 2013.

Health Problem:	The on-site structure will have an active sub-slab depressurization system which will prevent contamination from entering the building via soil vapor intrusion. A air sparge/soil vapor extraction system will address contaminants present in the groundwater. Exposure to site-related contaminants in drinking water are not expected because public water serves the area.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	unknown
Disp Term:	unknown
Lat/Long:	40:45:07:0 / 73:55:31:0
Dell:	False
Record Add:	11/18/1999 12:00:00 PM
Record Upd:	9/19/2013 3:14:00 PM
Updated By:	kbdilige
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Roz Rubinstein
Owner Company:	Queens Public Library Broadway Branch
Owner Address:	40-20 Broadway
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11103
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Gordon Johnson
Owner Company:	Metropolitan Transporation Auth.
Owner Address:	347 Madion Aeve.

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Owner Addr2:	9th Floor
Owner City,St,Zip:	New York, NY 10017
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	C/O RXR REALTY LLC
Owner Company:	RXR SMP OWNER LLC
Owner Address:	625 RXR PLAZA
Owner Addr2:	Not reported
Owner City,St,Zip:	UNIONDALE, NY 11566
Owner Country:	United States of America
HW Code:	241016
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	ETHYLBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	VINYL CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	1,1,1 TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	1,1-DICHLOROETHANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	1,1,1-TCA
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241016
Waste Type:	tetrachloroethene (PCE)

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2-477869
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	1/4/2007 3:05:00 PM
Record Updated:	1/4/2007 3:05:00 PM
Updated By:	SMMARTIN
Crossref ID:	NYD001315266
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	11/18/1999 12:00:00 PM
Record Updated:	5/10/2001 4:31:00 PM
Updated By:	REGTRANS

LTANKS:

Site ID:	153383
Spill Number/Closed Date:	9509528 / 2004-03-23
Spill Date:	1995-11-01
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1995-11-01
CID:	357
Water Affected:	Not reported
Spill Notifier:	DEC
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-11-01
Spill Record Last Update:	2004-03-23
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	AVIS REDMAN
Spiller Phone:	(718) 392-0200
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	130150
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT 02/18/04: Reassigned from KRIMGOLD to Martinkat. "
Remarks:	"OIL IN TANK ROOM "

Material:

Site ID:	153383
Operable Unit ID:	1020065
Operable Unit:	01

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Material ID:	360474
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

CBS:

CBS Number:	2-000153
Program Type:	CBS
Facility Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	2
UTMX:	591047.33773
UTMY:	4511892.81729

VCP:

Program Type:	VCP
Site Code:	58683
HW Code:	V00257
Site Class:	N
SWIS:	4101
Region:	2
Town:	New York City
Acres:	Not reported
Date Record Added:	11/30/2000
Date Record Updated:	10/19/2001
Updated By:	REEVANS
Site Description:	See Registry Site # 241016
Env Problem:	Not reported
Health Problem:	Not reported
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	ZZZ
Owner Name:	Not reported
Owner Company:	NEW YORK CITY INDUSTRIAL DEVELOPMENT
Owner Address:	Not reported
Owner Addr2:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Owner City,St,Zip:	NEW YORK, NY
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	ZZZ
Owner Name:	Not reported
Owner Company:	Standard Motor Products
Owner Address:	37-18 NORTHERN BLVD.
Owner Addr2:	Not reported
Owner City,St,Zip:	LONG ISLAND CITY, NY 11101
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

SPILLS:

Facility ID:	9900754
Facility Type:	ER
DER Facility ID:	130150
Site ID:	153384
DEC Region:	2
Spill Date:	1999-04-20
Spill Number/Closed Date:	9900754 / 2002-06-11
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1999-04-20
CID:	366
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-04-20
Spill Record Last Update:	2004-09-02
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL CON ED E2MIS NOTES 7-08-99 4-20-99 1100hrs. An undiaperable

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

sheen found on 500 gals of water in Vault #unknown, no secondary or primary cables in structure, contained, no sewers or waterways affected. Sample to be taken. Lab Seq#99-04008 <1ppm 4-20-99 2000hrs. 5-01-99 18:00hrs. CLeanup completed & Env. Tag #24760 removed. UPDATE - 5/4/99 - NO LEAKING COMPANY EQUIPMENT. INCIDENT IS CLOSED."

Remarks: "PRODUCT FOUND IN VAULT AND IS CONTAINED ON WATER. SAMPLES TO BE TAKEN AND CLEAN UP TO BEGIN. CON ED #124344."

Material:

Site ID:	153384
Operable Unit ID:	1079518
Operable Unit:	01
Material ID:	307875
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	9006846
Facility Type:	ER
DER Facility ID:	130150
Site ID:	153382
DEC Region:	2
Spill Date:	1990-09-21
Spill Number/Closed Date:	9006846 / 1990-10-15
Spill Cause:	Human Error
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	FINGER
Referred To:	Not reported
Reported to Dept:	1990-09-21
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1990-09-25
Spill Record Last Update:	2004-09-02
Spiller Name:	Not reported
Spiller Company:	STANDARD MOTOR PRO
Spiller Address:	37-18 NORTHERN BLVD
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller Company:	001

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	""
Remarks:	"DRUMS FELL OFF TRUCK, SPILLED ONTO SOIL AREA, SPEEDY DRY WAS APPLIED, WILL PICK UP & REMOVE CONTAMINATED SOIL."

Material:

Site ID:	153382
Operable Unit ID:	947356
Operable Unit:	01
Material ID:	434292
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Manifest Details:

Year:	2010
Manifest Number:	000895430GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	4
Waste Number:	D002
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	2
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2010
Manifest Number:	000895431GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D009
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2010
Manifest Number:	000895430GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	3
Waste Number:	D002
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2010
Manifest Number:	000895430GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	2
Waste Number:	D001
Container Number:	1
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	200
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2010
Manifest Number:	000895430GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D001
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	80
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2010
Manifest Number:	000895431GBF
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	04/07/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD067098822
TSD Date:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	U151
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2008
Manifest Number:	000141753SKS
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	06/30/2008
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD987367216
TSD Date:	Not reported
TSD Facility Name:	AERC COM INC ADVANCED ENVIRONMENTAL RECYCLING
TSD Facility Address:	2591 MITCHELL AVENUE
TSD Facility City:	ALLENTOWN
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D002
Container Number:	3
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	300
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Year:	2008
Manifest Number:	000141753SKS
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	06/30/2008
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	718-316-4332
TSD EPA Id:	PAD987367216
TSD Date:	Not reported
TSD Facility Name:	AERC COM INC ADVANCED ENVIRONMENTAL RECYCLING
TSD Facility Address:	2591 MITCHELL AVENUE
TSD Facility City:	ALLENTOWN

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	3
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	300
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Year:	2006
Manifest Number:	PAH043327
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	03/20/2006
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	718-316-4332
Page Number:	1
Line Number:	2
Waste Number:	D001
Container Number:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	30
Unit:	Gallons (liquids only)
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Year:	2006
Manifest Number:	PAH043327
Manifest Type:	TSD Copy
Generator EPA Id:	NYD001315266
Generator Date:	03/20/2006
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	718-316-4332
Page Number:	1

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Line Number:	1
Waste Number:	D001
Container Number:	1
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	55
Unit:	Gallons (liquids only)
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional PA_MANIFEST: record(s) in the EDR Site Report.

NY MANIFEST:

Country:	USA
EPA ID:	NYD001315266
Facility Status:	Not reported
Location Address 1:	37-18 NORTHERN BLVD
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	Not reported
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYD001315266
Mailing Name:	STANDARD MOTOR PRODUCTS
Mailing Contact:	STANDARD MOTOR PRODUCTS
Mailing Address 1:	37-18 NORTHERN BLVD
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7183920200

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2016
Trans1 State ID:	TXR000081205
Trans2 State ID:	Not reported
Generator Ship Date:	11/11/2016
Trans1 Recv Date:	11/11/2016
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/11/2016
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001315266
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **1000310304**

Manifest Tracking Number:	005474128SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	15
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1
Waste Code:	D039
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
359 additional NY_MANIFEST: record(s) in the EDR Site Report.

AU181 **PURVI ENTERPRISES INC** **RCRA NonGen / NLR** **1001405110**
SW **37-18 NORTHERN BLVD SITE 2** **NY MANIFEST** **NYR000065540**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.244 mi.
1286 ft. **Site 3 of 6 in cluster AU**

Relative:
Lower

Actual:
23 ft.

RCRA NonGen / NLR:

Date form received by agency:	01/01/2007
Facility name:	PURVI ENTERPRISES INC
Facility address:	37-18 NORTHERN BLVD SITE 2 LONG ISLAND CITY, NY 11101
EPA ID:	NYR000065540
Mailing address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Contact:	DEEPAK S SHAH
Contact address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	(718) 392-0200
Telephone ext.:	4427
Contact email:	Not reported
EPA Region:	02
Land type:	Facility is not located on Indian land. Additional information is not known.

PURVI ENTERPRISES INC (Continued) **1001405110**

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: STANDARD MOTOR PRODUCT
Owner/operator address: 37-18 NORTHERN BLVD
QUEENS, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 392-0200
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: STANDARD MOTOR PRODUCT
Owner/operator address: 37-18 NORTHERN BLVD
QUEENS, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 392-0200
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 01/01/2006
Site name: PURVI ENTERPRISES INC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 05/15/2002
Site name: PURVI ENTERPRISES INC
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001
Site name: PURVI ENTERPRISE
Classification: Large Quantity Generator

Date form received by agency: 01/08/1999
Site name: PURVI ENTERPRISE

PURVI ENTERPRISES INC (Continued) **1001405110**

Classification: Small Quantity Generator

. Waste code: D008
. Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:
Evaluation date: 11/10/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

NY MANIFEST:
Country: USA
EPA ID: NYR000065540
Facility Status: Not reported
Location Address 1: 37-18 NORTHERN BLVD 3RD FL
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000065540
Mailing Name: PURVI ENTERPRISE
Mailing Contact: ROBERT MC PHERSON
Mailing Address 1: 37-18 NORTHERN BLVD 3RD FL
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7183920100

NY MANIFEST:
Document ID: NYC7196174
Manifest Status: Not reported
seq: Not reported
Year: 2004
Trans1 State ID: NYAT8305
Trans2 State ID: NJT472GL
Generator Ship Date: 03/16/2004
Trans1 Recv Date: 03/16/2004
Trans2 Recv Date: 03/18/2004
TSD Site Recv Date: 03/28/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000065540
Trans1 EPA ID: TXR000050930
Trans2 EPA ID: Not reported
TSDF ID 1: KYD053348

PURVI ENTERPRISES INC (Continued) **1001405110**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	01800
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
46 additional NY_MANIFEST: record(s) in the EDR Site Report.

AU182 **STANDARD MOTOR PRODUCTS, INC.** **NY VAPOR REOPENED** **S101008344**
SW **37-18 NORTHERN BOULEVARD** **NY CBS AST** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.244 mi.
1286 ft. **Site 4 of 6 in cluster AU**

Relative:
Lower

Actual:
23 ft.

VAPOR REOPENED:

Site Code:	241016
Facility Status:	Complete

CBS AST:

CBS Number:	2-000153
ICS Number:	2-021443
PBS Number:	Not reported
MOSF Number:	Not reported
SPDES Number:	Not reported
Facility Status:	TEMPORARILY OUT-OF-SERVICE
Facility Type:	Not reported
Telephone:	(718) 392-0200
Facility Town:	NEW YORK CITY
Region:	STATE
Expiration Date:	07/27/1991
Total Capacity of All Active Tanks(gal):	0
Operator:	MURRAY ROSE
Emergency Contact:	CRAIG SWANBURG
Emergency Phone:	(516) 795-7147
Owner Name:	STANDARD MOTOR PRODUCTS, INC.

STANDARD MOTOR PRODUCTS, INC. (Continued) **S101008344**

Owner Address:	37-18 NORTHERN BOULEVARD
Owner City,St,Zip:	LONG ISLAND CITY, NY 11101
Owner Telephone:	(718) 392-0200
Owner Type:	Corporate/Commercial
Owner Sub Type:	Not reported
Mail Name:	STANDARD MOTOR PRODUCTS, INC.
Mail Contact Addr:	37-18 NORTHERN BOULEVARD
Mail Contact Addr2:	Not reported
Mail Contact Contact:	MURRAY L. ROSE
Mail Contact City,St,Zip:	LONG ISLAND CITY, NY 11101
Mail Phone:	(718) 392-0200
Tank Id:	061
CAS Number:	71556
Federal ID:	Not reported
Tank Status:	0
Install Date:	01/77
Tank Closed:	07/91
Capacity (Gal):	1000
Chemical:	1,1,1-Trichloroethane
Tank Location:	Indoors, Belowground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	3
Date Entered:	07/27/1989
Certified Date:	07/27/1989
Substance:	Not reported
Internal Protection:	Not reported
External Protection:	Not reported
Pipe Location:	Not reported
Pipe Type:	Steel/Iron
Pipe Internal:	Not reported
Pipe External:	Not reported
Pipe Flag:	False
Leak Detection:	Not reported
Overfill Protection:	Not reported
Haz Percent:	0
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	08/20/91
Is It There:	False
Delinquent:	False
Date Expired:	07/27/91
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	08/20/1991

AU183 **STANDARD MOTOR PRODUCTS INC** **NJ MANIFEST** **S108793897**
SW **37-18 NORTHERN BLVD** **N/A**
1/8-1/4 **LONG ISLAND CTY, NY 11101**
0.244 mi.
1286 ft. **Site 5 of 6 in cluster AU**

Relative:
Lower

Actual:
23 ft.

NJ MANIFEST:

EPA Id:	NYD001315266
Mail Address:	37-18 NORTHERN BLVD
Mail City/State/Zip:	LONG ISLAND CTY 11101
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPA Id:	Not reported
Gen Flag:	X
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	000000

Manifest:

Manifest Number:	005414010SKS
EPA ID:	NYD001315266
Date Shipped:	4/1/2016
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Generator EPA Facility Name:	STANDARD MOTOR PRODUCTS INC
Transporter-1 EPA Facility Name:	SAFETY KLEEN SYSTEMS INC
TSDF EPA Facility Name:	SAFETY KLEEN SYSTEMS INC
QTY Units:	gallons
Transporter SEQ ID:	Not reported
Transporter-1 Date:	4/1/2016
Waste SEQ ID:	1
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **S108793897**

Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	4/1/2016
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CTY 11101
Reason Load Was Rejected:	Not reported

Manifest Number:	005172577SKS
EPA ID:	NYD001315266
Date Shipped:	12/10/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CTY 11101
Reason Load Was Rejected:	Not reported

Manifest Number:	000049704SKS
EPA ID:	NYD001315266
Date Shipped:	06/15/2007
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	NJD071629976
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **S108793897**

Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/15/2007
Date Trans2 Transported Waste:	07/03/2007
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/03/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CTY 11101
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H06
Quantity:	400 P

Manifest Number:	004491298SKS
EPA ID:	NYD001315266
Date Shipped:	4/24/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **S108793897**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CTY 11101
Reason Load Was Rejected:	Not reported

Manifest Number:	004964065SKS
EPA ID:	NYD001315266
Date Shipped:	8/18/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported

STANDARD MOTOR PRODUCTS INC (Continued) **S108793897**

Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CTY 11101
Reason Load Was Rejected:	Not reported

184
NE
1/8-1/4
0.244 mi.
1289 ft.

ESAM REALTY LLC
32-68 41ST STREET
QUEENS, NY 11103

NY AST **A100366173**
N/A

Relative:
Higher

Actual:
46 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-611995
Program Type:	PBS
UTM X:	591203.08146
UTM Y:	4512350.81208
Expiration Date:	05/05/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	480229
Affiliation Type:	Facility Owner
Company Name:	ESAM REALTY LLC
Contact Type:	MEMBER
Contact Name:	ELI NAHMIAS
Address1:	37-33 28TH STREET
Address2:	Not reported
City:	LIC
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(347) 589-3607
EMail:	INFO@WWCGINC.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-03-06

Site Id:	480229
Affiliation Type:	Mail Contact
Company Name:	ESAM REALTY LLC
Contact Type:	MEMBER
Contact Name:	ELI NAHMIAS
Address1:	37-33 28TH STREET
Address2:	Not reported
City:	LIC
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(347) 589-3607
EMail:	INFO@WWCGINC.COM
Fax Number:	Not reported

ESAM REALTY LLC (Continued) **A100366173**

Modified By:	MSBAPTIS
Date Last Modified:	2014-03-06
Site Id:	480229
Affiliation Type:	On-Site Operator
Company Name:	ESAM REALTY LLC
Contact Type:	Not reported
Contact Name:	ELI NAHMIAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 589-3607
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-03-29
Site Id:	480229
Affiliation Type:	Emergency Contact
Company Name:	ESAM REALTY LLC
Contact Type:	Not reported
Contact Name:	ELI NAHMIAS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 589-3607
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2013-03-29

Tank Info:

Tank Number:	001
Tank Id:	247656
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
L99 - Piping Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

ESAM REALTY LLC (Continued) **A100366173**

G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	03/01/1950
Capacity Gallons:	1500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MSBAPTIS
Last Modified:	03/06/2014
Material Name:	Not reported

AU185 **RXR SMP OWNER LLC** **NY AST** **A100407915**
SW **37-18 NORTHERN BLVD** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.245 mi.
1292 ft. **Site 6 of 6 in cluster AU**

Relative:
Lower

Actual:
23 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-612359
Program Type:	PBS
UTM X:	590725.00318
UTM Y:	4511762.31859
Expiration Date:	08/19/2019
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	504137
Affiliation Type:	On-Site Operator
Company Name:	RXR SMP OWNER LLC
Contact Type:	Not reported
Contact Name:	KEVIN MURPHY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 805-6779
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-01-27

Site Id:	504137
Affiliation Type:	Emergency Contact
Company Name:	RXR SMP OWNER LLC
Contact Type:	Not reported
Contact Name:	KEVIN MURPHY
Address1:	Not reported

RXR SMP OWNER LLC (Continued) **A100407915**

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 805-6779
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-01-27

Site Id:	504137
Affiliation Type:	Facility Owner
Company Name:	RXR SMP OWNER LLC
Contact Type:	PORTFOLIO PROPERTY MANAGER
Contact Name:	KEVIN MURPHY
Address1:	625 RXR PLAZA
Address2:	Not reported
City:	UNIONDALE
State:	NY
Zip Code:	11556
Country Code:	001
Phone:	(516) 805-6779
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-01-27

Site Id:	504137
Affiliation Type:	Mail Contact
Company Name:	RXR REALTY
Contact Type:	Not reported
Contact Name:	KEVIN MURPHY
Address1:	625 RXR PLAZA
Address2:	Not reported
City:	UNIONDALE
State:	NY
Zip Code:	11556
Country Code:	001
Phone:	(516) 805-6779
EMail:	KMURPHY@RXRREALTY.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2015-01-27

Tank Info:

Tank Number:	001
Tank Id:	254335

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None

RXR SMP OWNER LLC (Continued) **A100407915**

J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1949
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 02/05/2015
Material Name: Not reported

Tank Number: 002
Tank Id: 254336

Equipment Records:

H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G02 - Tank Secondary Containment - Vault (w/access)
B00 - Tank External Protection - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping

Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/01/1975
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NTFREEMA
Last Modified: 02/05/2015
Material Name: Not reported

Tank Number: 021
Tank Id: 254337

Equipment Records:

RXR SMP OWNER LLC (Continued) **A100407915**

G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1988
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	02/05/2015
Material Name:	Not reported

Tank Number:	022
Tank Id:	254338

Equipment Records:

A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction Dispenser
K00 - Spill Prevention - None
G01 - Tank Secondary Containment - Diking (Aboveground)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	12/01/1988
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NTFREEMA
Last Modified:	02/05/2015
Material Name:	Not reported

AT186 **CON EDISON SERVICE BOX: 6180** **RCRA NonGen / NLR** **1016972901**
WSW **3615 36TH ST** **NY MANIFEST** **NYP004466892**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.247 mi.
1302 ft. **Site 3 of 3 in cluster AT**

Relative:
Lower

Actual:
25 ft.

RCRA NonGen / NLR:

Date form received by agency:	04/14/2014
Facility name:	CON EDISON SERVICE BOX: 6180
Facility address:	3615 36TH ST LONG ISLAND CITY, NY 11101
EPA ID:	NYP004466892
Mailing address:	IRVING PL, 15TH FL NE NEW YORK, NY 10003
Contact:	THOMAS TEELING
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	03/14/2014
Site name:	CON EDISON SERVICE BOX: 6180
Classification:	Conditionally Exempt Small Quantity Generator
Violation Status:	No violations found

NY MANIFEST:

Country:	USA
EPA ID:	NYP004466892
Facility Status:	Not reported
Location Address 1:	36-16 36 ST
Code:	BP
Location Address 2:	SB6180
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11106

CON EDISON SERVICE BOX: 6180 (Continued) **1016972901**

Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYP004466892
Mailing Name: CON EDISON
Mailing Contact: CON EDISION
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported
seq: Not reported
Year: 2014
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 03/14/2014
Trans1 Recv Date: 03/14/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/14/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004466892
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002360303GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Waste Code: Not reported
Quantity: 100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1

CON EDISON SERVICE BOX: 6180 (Continued) **1016972901**

Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_MANIFEST: detail in the EDR Site Report.

AW187 **SILVER STAR MOTORS-MERCEDES** **NJ MANIFEST** **S120678846**
WSW **35-15 37TH AVE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.248 mi.
1312 ft. **Site 1 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

NJ MANIFEST:

EPA Id:	NYR000157081
Mail Address:	NORTHERN BLVD
Mail City/State/Zip:	LONG ISLAND CITY, NY 11101
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	DARWIN WARDEN
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	004816568SKS
EPA ID:	NYR000157081
Date Shipped:	5/4/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported

SILVER STAR MOTORS-MERCEDES (Continued) **S120678846**

Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CITY, NY 11101
Reason Load Was Rejected:	Not reported

Manifest Number:	004944586SKS
EPA ID:	NYR000157081
Date Shipped:	7/1/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported

SILVER STAR MOTORS-MERCEDES (Continued) **S120678846**

Was Load Rejected:	LONG ISLAND CITY, NY 11101
Reason Load Was Rejected:	Not reported
Manifest Number:	004962584SKS
EPA ID:	NYR000157081
Date Shipped:	9/2/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CITY, NY 11101
Reason Load Was Rejected:	Not reported
Manifest Number:	004692851SKS
EPA ID:	NYR000157081
Date Shipped:	2/20/2015
TSDF EPA ID:	NJD002182897
Transporter EPA ID:	TXR000081205
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported

SILVER STAR MOTORS-MERCEDES (Continued) **S120678846**

Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	LONG ISLAND CITY, NY 11101
Reason Load Was Rejected:	Not reported

AW188 **CON EDISON** **NY MANIFEST** **S118256803**
WSW **3515 37TH AVE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.248 mi.
1312 ft. **Site 2 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

NY MANIFEST:

Country:	USA
EPA ID:	NYP004792792
Facility Status:	Not reported
Location Address 1:	3515 37TH AVE
Code:	BP
Location Address 2:	TM 6436
Total Tanks:	Not reported
Location City:	QUEENS
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYP004792792
Mailing Name:	CON EDISON
Mailing Contact:	DENNIS HUACON
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003

CON EDISON (Continued) **S118256803**

Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2015
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	06/11/2015
Trans1 Recv Date:	06/11/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/11/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004792792
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624520GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Waste Code:	D008
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

AW189 **SILVER STAR MOTORS-MERCEDES** **RCRA-SQG** **1011490447**
WSW **35-15 37TH AVE** **NY MANIFEST** **NYR000157081**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.248 mi.
1312 ft. **Site 3 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

RCRA-SQG:

Date form received by agency:	05/01/2008
Facility name:	SILVER STAR MOTORS-MERCEDES
Facility address:	35-15 37TH AVE LONG ISLAND CITY, NY 11101
EPA ID:	NYR000157081
Mailing address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Contact:	DARWIN WARDEN
Contact address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Contact country:	US
Contact telephone:	(718) 361-2966
Telephone ext.:	107
Contact email:	DWASDEN@SILVERSTARNY.COM
EPA Region:	02
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	MICHAEL COHEN
Owner/operator address:	Not reported Not reported
Owner/operator country:	Not reported
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	02/24/2002
Owner/Op end date:	Not reported

Owner/operator name:	MICHAEL COHEN
Owner/operator address:	NORTHERN BLVD LONG ISLAND CITY, NY 11101
Owner/operator country:	US
Owner/operator telephone:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	02/24/2002
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No

SILVER STAR MOTORS-MERCEDES (Continued) **1011490447**

Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D018
. Waste name: BENZENE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

Historical Generators:
Date form received by agency: 04/30/2008
Site name: SILVER STAR MOTORS-MERCEDES
Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:
Country: USA
EPA ID: NYR000157081
Facility Status: Not reported
Location Address 1: 35-15 37TH AVE
Code: BP
Location Address 2: Not reported
Total Tanks: Not reported
Location City: LONG ISLAND CITY
Location State: NY
Location Zip: 11101
Location Zip 4: Not reported

NY MANIFEST:
EPAID: NYR000157081
Mailing Name: SILVER STAR MOTORS-MERCEDES
Mailing Contact: SILVER STAR MOTORS-MERCEDES
Mailing Address 1: 35-15 37TH AVE
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7183612332

NY MANIFEST:
Document ID: Not reported
Manifest Status: Not reported

SILVER STAR MOTORS-MERCEDES (Continued) **1011490447**

seq:	Not reported
Year:	2015
Trans1 State ID:	TXR000081205
Trans2 State ID:	Not reported
Generator Ship Date:	09/02/2015
Trans1 Recv Date:	09/02/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/10/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000157081
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002182897
TSDF ID 2:	Not reported
Manifest Tracking Number:	004962584SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	30
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	2
Container Type:	DM - Metal drums, barrels
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1
Waste Code:	D039
Waste Code 1_2:	Not reported
Waste Code 1_3:	Not reported
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

Click this hyperlink while viewing on your computer to access
23 additional NY_MANIFEST: record(s) in the EDR Site Report.

AW190 **SIVER STAR AUTO** **NY AST** **A100300283**
WSW **35-15 37TH AVE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.248 mi.
1312 ft. **Site 4 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-610334
Program Type:	PBS
UTM X:	590507.39076
UTM Y:	4511917.12919
Expiration Date:	07/01/2017
Site Type:	Other Wholesale/Retail Sales

Affiliation Records:

Site Id:	370208
Affiliation Type:	Facility Owner
Company Name:	SILVER STAR AUTO RESOURCES LLC, D/B/A SILVER STAR
Contact Type:	MANAGING MEMBER
Contact Name:	MICHAEL COHEN
Address1:	36-11 NORTHERN BLVD
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-2332
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2006-09-13

Site Id:	370208
Affiliation Type:	Mail Contact
Company Name:	SILVER STAR MOTORS
Contact Type:	Not reported
Contact Name:	IRAD HARDY
Address1:	36-11 NORTHERN BLVD
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 361-2332
EMail:	IRADHARDY3@MSN.COM
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2012-06-11

Site Id:	370208
Affiliation Type:	On-Site Operator
Company Name:	SIVER STAR AUTO
Contact Type:	Not reported
Contact Name:	JAMES MCGRORY
Address1:	Not reported
Address2:	Not reported
City:	Not reported

SIVER STAR AUTO (Continued) **A100300283**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 361-2332
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-06-11

Site Id: 370208
Affiliation Type: Emergency Contact
Company Name: SILVER STAR AUTO RESOURCES LLC, D/B/A SILVER STAR
Contact Type: Not reported
Contact Name: KLINT PAPADELIAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 682-2413
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2012-06-11

Tank Info:

Tank Number: 001
Tank Id: 213692
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

SIVER STAR AUTO (Continued) **A100300283**

Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

Tank Number: 002
Tank Id: 213693
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

Tank Number: 003
Tank Id: 213694
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped

SIVER STAR AUTO (Continued) **A100300283**

G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

Tank Number: 004
Tank Id: 213695
Material Code: 0013
Common Name of Substance: Lube Oil

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

Tank Number: 005

SIVER STAR AUTO (Continued) **A100300283**

Tank Id: 213696
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 06/15/1995
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

Tank Number: 006
Tank Id: 213697
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None

Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service

SIVER STAR AUTO (Continued) **A100300283**

Pipe Model:	Not reported
Install Date:	06/15/1995
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	09/25/2006
Material Name:	Not reported

Tank Number:	007
Tank Id:	213698
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin

Tank Location:	2
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	06/15/1995
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	09/25/2006
Material Name:	Not reported

Tank Number:	008
Tank Id:	213699
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

J02 - Dispenser - Suction Dispenser
K01 - Spill Prevention - Catch Basin

SIVER STAR AUTO (Continued) **A100300283**

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
I01 - Overfill - Float Vent Valve
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
F06 - Pipe External Protection - Wrapped
H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	06/15/1995
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	KXTANG
Last Modified:	09/25/2006
Material Name:	Not reported

Tank Number:	009
Tank Id:	213701
Material Code:	0013
Common Name of Substance:	Lube Oil

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
L00 - Piping Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F02 - Pipe External Protection - Original Sacrificial Anode
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
F06 - Pipe External Protection - Wrapped

Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	06/15/1995
Capacity Gallons:	550
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True

SIVER STAR AUTO (Continued) **A100300283**

Modified By: KXTANG
Last Modified: 09/25/2006
Material Name: Not reported

AW191 **CON EDISON** **RCRA NonGen / NLR** **1019904020**
WSW **3515 37TH AVE** **FINDS** **NYP004792792**
1/8-1/4 **LONG ISLAND CITY, NY 11101** **ECHO**
0.248 mi.
1312 ft. **Site 5 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

RCRA NonGen / NLR:
Date form received by agency: 06/11/2015
Facility name: CON EDISON
Facility address: 3515 37TH AVE
LONG ISLAND CITY, NY 11101
EPA ID: NYP004792792
Mailing address: IRVING PL 15TH FL NE
NEW YORK, NY 10003
Contact: THOMAS TEELING
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:
Date form received by agency: 06/11/2015
Site name: CON EDISON
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110069685790

Environmental Interest/Information System

CON EDISON (Continued) **1019904020**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019904020
Registry ID:	110069685790
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110069685790

AW192 **CON EDISON** **NJ MANIFEST** **S120672665**
WSW **3515 37TH AVE** **N/A**
1/8-1/4 **LONG ISLAND CITY, NY 11101**
0.248 mi.
1312 ft. **Site 6 of 6 in cluster AW**

Relative:
Lower

Actual:
26 ft.

NJ MANIFEST:

EPA Id:	NYP004792792
Mail Address:	IRVING PL 15TH FL NE
Mail City/State/Zip:	NEW YORK, NY 10003
Facility Phone:	Not reported
Emergency Phone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY081
Municipal:	Not reported
Previous EPA Id:	Not reported
Gen Flag:	Not reported
Trans Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest:

Manifest Number:	002624520GBF
EPA ID:	NYP004792792
Date Shipped:	6/11/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported

CON EDISON (Continued) **S120672665**

Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	NEW YORK, NY 10003
Reason Load Was Rejected:	Not reported

193
WSW
1/4-1/2
0.250 mi.
1321 ft.

COMMERCIAL BUILDING TTF **NY LTANKS** **S110045443**
36-52 36TH ST **N/A**
LONGISLAND CITY, NY

Relative:
Lower

Actual:
25 ft.

LTANKS:

Site ID:	421728
Spill Number/Closed Date:	0909061 / 2009-12-31
Spill Date:	2009-11-12
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	2009-11-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2009-11-12
Spill Record Last Update:	2010-05-18
Spiller Name:	ELSI DOMAGALA
Spiller Company:	ROCKWELL REALATY
Spiller Address:	Not reported

COMMERCIAL BUILDING TTF (Continued) **S110045443**

Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	BOB URBAN
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	370676
DEC Memo:	"11/24/2009 TTF letter sent to: Ms. Elsie Domagala Rockwell Realty 36-52 36th Street Long Island City, NY 11106 12/31/09. J.Krimgold reviewd a letter from Rockwell realty Corp. According to the letter the tank failed the test due to a leaking vent line alarm ruber coupling. Coupling was replaced. Case closed. 5/18/10 On 5/13/10, received documentation from Mid-County mechanical, Inc. Vent line was replaced and there was no loss of product or contamination due to the vent line. Tanak tested 4/13/10 and passed. Test report included. bf"
Remarks:	"Dry leak/2000gal agt"

Material:

Site ID:	421728
Operable Unit ID:	1177611
Operable Unit:	01
Material ID:	2170418
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

194 North 1/4-1/2 0.280 mi. 1479 ft.

Relative: Higher

Actual: 39 ft.

SPILL NUMBER 9908697 **NY LTANKS S104620562**
32-57 36TH ST **NY Spills N/A**
ASTORIA, NY

LTANKS:

Site ID:	105377
Spill Number/Closed Date:	9908697 / 1999-11-26
Spill Date:	1999-10-15
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1999-10-18
CID:	322
Water Affected:	Not reported

SPILL NUMBER 9908697 (Continued) **S104620562**

Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-10-18
Spill Record Last Update:	2003-09-23
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	32-57 36TH ST
Spiller City,St,Zip:	ASTORIA, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	92970
DEC Memo:	""
Remarks:	"there was a leaking tank from a tank in the basement - this was noticed when oil stain was seen on the outside of the building - fire dept responded on friday sometime - spill is contained in basement "

Material:

Site ID:	105377
Operable Unit ID:	1087367
Operable Unit:	01
Material ID:	553052
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

SPILLS:

Facility ID:	9909017
Facility Type:	ER
DER Facility ID:	92970
Site ID:	105378
DEC Region:	2
Spill Date:	1999-10-10
Spill Number/Closed Date:	9909017 / 2004-02-02
Spill Cause:	Unknown
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1999-10-25
CID:	252

SPILL NUMBER 9908697 (Continued) **S104620562**

Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-10-25
Spill Record Last Update:	2004-02-02
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller City,St,Zip:	***UPDATE***, ZZ
Spiller Company:	999
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	""
Remarks:	"STRONG ODOR CONTINUES TO LINGER CAUSING TENANTS TO FEEL ILL. NO FURTHER INFO AVAILABLE AT THIS TIME."

Material:

Site ID:	105378
Operable Unit ID:	1087693
Operable Unit:	01
Material ID:	298115
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

195
NW
1/4-1/2
0.291 mi.
1538 ft.

Relative:
Higher

Actual:
45 ft.

ALGUS REALTY **NY LTANKS** **S105995477**
34-56 33RD ST **N/A**
ASTORIA, NY

LTANKS:

Site ID:	177425
Spill Number/Closed Date:	0112167 / 2007-01-04
Spill Date:	2002-03-26
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	rvketani

ALGUS REALTY (Continued) **S105995477**

Referred To:	Not reported
Reported to Dept:	2002-03-26
CID:	211
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-03-26
Spill Record Last Update:	2007-01-11
Spiller Name:	GUS TSAMBAS
Spiller Company:	Not reported
Spiller Address:	34-56 33RD ST
Spiller City,St,Zip:	ASTORIA, NY
Spiller County:	001
Spiller Contact:	GUS TSAMBAS
Spiller Phone:	(718) 721-2688
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	149087
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 6/4/2002 - Sangesland called Dave Fazin at Crown Leak Detection (516-939-2959) to find out if repair work was ever done to this tank. If so, Crown needs to submit a letter stating that: tank was welded, past a tank test, no visible sign of leakage. 4/14/06 - L. Alden - suggested action: Re-establish contact with Crown Leak Detection or site owner. 11/16/06 - Austin - Reassigned to Ketani for followup/review - end 12/1/06 - Raphael Ketani. The original caller was David Fazin of Crown Leak Detector (516) 939-2959. The TTF was on 3/26/02 and was the result of a failed epoxy patch. The patch was supposed to be rewelded and the tank system retested. Gus Tsambas (718) 721-2688 was involved with the site. PBS case #2-607845 with a 1500 gal. tank in service with #2 oil. The owners are Algus Realty Co., 25-26 33 Street, Astoria, NY, 11103, (718) 721-2688. I made contact with Mr. Tsambas. The phone number was his home. He said he has the passing test results and he will send it to me. He said that the tank sits on the concrete floor and the patch is on the top of the tank. He said that no oil was released. 12/12/06 - Raphael Ketani. Mrs. Gallun of the Gallun Agency (718) 728-8120 called to ask what DEC needed to close the spill case. I told her we needed a new tank system test showing that the system is tight. She said she will have the super. call the oil company and arrange such a test, and send me the results. 1/4/07 - Raphael Ketani. I received the passing tank test results from Mr. Tsambos. Based upon these results and Mr. Tsambos' statement to me on 12/1/06 that no oil was released, I am closing the spill case. 1/10/07 - Raphael Ketani. I received a copy of the passing tank test results from the Gallan Agency - Insurance and Real Estate."
Remarks:	"EPOXY PATCH ON TANK - WILL BE CLEANED,WELDED AND RETESTED"

Material:

Site ID:	177425
Operable Unit ID:	850969
Operable Unit:	01
Material ID:	563076
Material Code:	0001A

ALGUS REALTY (Continued) **S105995477**

Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	177425
Spill Tank Test:	1526966
Tank Number:	001
Tank Size:	1500
Test Method:	03
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

196
NNE
1/4-1/2
0.301 mi.
1591 ft.

Relative:
Higher

Actual:
46 ft.

CHURCH **NY LTANKS** **S108765475**
32 -52 37TH STREET **N/A**
QUEENS, NY

LTANKS:

Site ID:	385297
Spill Number/Closed Date:	0705034 / 2007-11-01
Spill Date:	2007-08-02
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	bkfalvey
Referred To:	Not reported
Reported to Dept:	2007-08-02
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-08-02
Spill Record Last Update:	2007-11-01
Spiller Name:	MARLIN JOSEPH
Spiller Company:	CHURCH
Spiller Address:	32 -52 37TH STREET
Spiller City,St,Zip:	QUEENS, NY
Spiller County:	001
Spiller Contact:	MARLIN JOSEPH

CHURCH (Continued) **S108765475**

Spiller Phone:	(718) 624-4842
Spiller Extention:	112
DEC Region:	2
DER Facility ID:	334684
DEC Memo:	"8/22/07 bf: sent ttf letter to: Most Precious Blood 32-23 36th St. Long Island City, NY 11103 10/31/07 On 9/6/07, received submittal from Most Precious Blood School. No letter and no name on submittal. Included my tt failure letter. Repairs were made by Blaze Fuel Oil. Tank was pumped and cleaned. Manhole cover was replaced. Lines tested. Vent line failed and was replaced. Tank reteste and passed. called Blaze Fuel Oil and the number is no longer in service (718-578-6430). Called the school and spoke to Nancy Carol. She said it was sent tank test was sent RRR. I told her it was not included and that I needed a letter regarding the contamination found. She took my number and will call me on Friday since they are off tomorrow and they are closing the school in a few minutes. Received call from Tommy of Blaze. he will fax a letter regarding contamination and the tank test results. bf 11/1/07 Received fax from Tommy Walkowiak of Blaze stating that no contamination was found. Passing tightness test was included. NFA. bf"
Remarks:	"IN PROCESS OF EVACUATING TANK"

Material:

Site ID:	385297
Operable Unit ID:	1142567
Operable Unit:	01
Material ID:	2132805
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	385297
Spill Tank Test:	1551052
Tank Number:	1
Tank Size:	10000
Test Method:	03
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

197
WNW
1/4-1/2
0.306 mi.
1616 ft.

35-37 32ND ST.
35-37 32ND ST
ASTORIA, NY

NY LTANKS **S102672300**
N/A

Relative:
Higher

Actual:
44 ft.

LTANKS:

Site ID:	78169
Spill Number/Closed Date:	9311605 / 1993-12-28
Spill Date:	1993-12-28
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1993-12-28
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	CAMMISA
Referred To:	Not reported
Reported to Dept:	1993-12-28
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-12-29
Spill Record Last Update:	2004-02-20
Spiller Name:	Not reported
Spiller Company:	PETRO
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	72765
DEC Memo:	""
Remarks:	"SPILL ON PAVEMENT - SPILL TEAM TO CLEAN UP."

Material:

Site ID:	78169
Operable Unit ID:	990220
Operable Unit:	01
Material ID:	390635
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

198
WSW
1/4-1/2
0.338 mi.
1786 ft.

37-18 34TH STREET
37-18 34TH STREET
LONG ISLAND CITY, NY

NY LTANKS **S100494705**
N/A

Relative:
Lower

Actual:
31 ft.

LTANKS:

Site ID:	238012
Spill Number/Closed Date:	9212419 / 1994-03-08
Spill Date:	1993-02-02
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1994-03-08
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1993-02-02
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-02-03
Spill Record Last Update:	1994-05-09
Spiller Name:	Not reported
Spiller Company:	DR.RON BRADY
Spiller Address:	41-15 27TH STREET
Spiller City,St,Zip:	L.I.C., NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	196029
DEC Memo:	""
Remarks:	"NO ACTION YET DETERMINED"

Material:

Site ID:	238012
Operable Unit ID:	976910
Operable Unit:	01
Material ID:	402273
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

37-18 34TH STREET (Continued) **S100494705**

Site ID:	238012
Spill Tank Test:	1541126
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Unknown

---

199 North 1/4-1/2 0.339 mi. 1789 ft.

32-51 34TH ST
32-51 34TH ST
ASTORIA, NY

NY LTANKS **S106869195**
N/A

Relative: Higher

Actual: 42 ft.

LTANKS:

Site ID:	343822
Spill Number/Closed Date:	0500764 / 2005-12-16
Spill Date:	2005-04-18
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	LJALDEN
Referred To:	Not reported
Reported to Dept:	2005-04-18
CID:	64
Water Affected:	Not reported
Spill Notifier:	Citizen
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Involvement:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2005-04-19
Spill Record Last Update:	2005-12-16
Spiller Name:	Not reported
Spiller Company:	PETRO
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	EDIN DERVISEVIC
Spiller Phone:	(718) 278-8750
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	290422
DEC Memo:	"4/19/05 Tipple updating////Petro in process of cleaning spill. 12/1/05 L. Alden - Called Petro and spoke with Sarah. She reported that the spill had been cleaned, but would have a supervisor get back to me with a follow-up report. 12/15/05 L. Alden - Gail from Petro called. Spill occurred around the tank gauge. They spread Speedy-Dry and Dryzol (?) and cleaned up the spill. Close spill 12/16/05"
Remarks:	"Dirt basement floor. Petro is on scene cleaning up spill. Caller is

32-51 34TH ST (Continued) **S106869195**

estimating approx a few gallons had been spilled."

Material:

Site ID:	343822
Operable Unit ID:	1102501
Operable Unit:	01
Material ID:	582719
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

200 SW 1/4-1/2 0.341 mi. 1800 ft. **CLOSED-LACKOF RECENT INFO** **NY LTANKS** **S100145538**
35-02 NORTHERN BLVD **N/A**
LONG ISLAND CITY, NY

Relative: Lower

Actual: 19 ft.

LTANKS:

Site ID:	173190
Spill Number/Closed Date:	8904880 / 2003-03-05
Spill Date:	1989-08-16
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1989-08-16
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1989-08-28
Spill Record Last Update:	2004-09-28
Spiller Name:	Not reported
Spiller Company:	CHAMPION STATIONARY
Spiller Address:	35-02 NORTHERN BLVD
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported

CLOSED-LACKOF RECENT INFO (Continued) **S100145538**

DEC Region: 2
DER Facility ID: 145699
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/05/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks: "1.5K OR 2K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE, ISOLATE & RETEST.CLOSED DUE TO LACK OF ANY RECENT INFO-DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

Material:
Site ID: 173190
Operable Unit ID: 932629
Operable Unit: 01
Material ID: 448907
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Pounds
Recovered: .00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:
Site ID: 173190
Spill Tank Test: 1535864
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified: Not reported
Test Method: Unknown

---

201 NW 1/4-1/2 0.362 mi. 1913 ft.

Relative: Higher

Actual: 50 ft.

UNK APT BLD
34-20 32ND ST
QUEENS, NY

NY LTANKS **S111738863**
N/A

LTANKS:
Site ID: 461649
Spill Number/Closed Date: 1113642 / Not Reported
Spill Date: 2012-03-06
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 4101
Investigator: VXBREVDO
Referred To: Not reported
Reported to Dept: 2012-03-06
CID: Not reported

UNK APT BLD (Continued) **S111738863**

Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	1
Date Entered In Computer:	2012-03-06
Spill Record Last Update:	2013-07-16
Spiller Name:	RAY LAMA
Spiller Company:	UNK APT BLD
Spiller Address:	34-20 32ND ST
Spiller City,St,Zip:	QUEENS, NY
Spiller County:	999
Spiller Contact:	RAY LAMA
Spiller Phone:	7186244842
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	416099
DEC Memo:	"03/06/12- Zhune spoke to Ray from PTC. He said they test the UST and failed. The tank was emptied and cleaned. PTC installed a temporary tank. Management Company Pistilli Realty State 718-204-1600 07/16/13 - Spill Case is transferred from Moses Ajoku (PBS Unit) to Brevdo (Section B) as per DER Region 2 decision - Tank Test Failure Spill Case. VB"
Remarks:	"tank emptied, temp in place."

Material:

Site ID:	461649
Operable Unit ID:	1211731
Operable Unit:	01
Material ID:	2209551
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

AX202 **32-10 37TH AV** **NY LTANKS** **S105995592**
West **32-10 37TH AVE** **N/A**
1/4-1/2 **LONG ISLAND CITY, NY**
0.365 mi.
1929 ft. **Site 1 of 3 in cluster AX**

Relative:
Lower

Actual:
38 ft.

LTANKS:

Site ID:	147177
Spill Number/Closed Date:	0200301 / 2005-06-16
Spill Date:	2002-04-09
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response.

32-10 37TH AV (Continued) **S105995592**

	Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	GWHEITZM
Referred To:	Not reported
Reported to Dept:	2002-04-09
CID:	211
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-04-09
Spill Record Last Update:	2005-06-16
Spiller Name:	TED LEVY
Spiller Company:	Not reported
Spiller Address:	32-10 37TH AV
Spiller City,St,Zip:	LONG ISLAND CITY, ZZ
Spiller County:	001
Spiller Contact:	TED LEVY
Spiller Phone:	(516) 984-3307
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	125302
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 4/29/2002 - Sangesland spoke to property owner (Mr. Ron Levy). Mr. Levy did not feel comfortable with ProTest and requested information on how to close out this spill. Isolate and retest just the tank and just the piping. Once the spill is closed out, owner will abandon the tank and switch to gas. 6/10/2002 Man hole on top of tank was left open. Gasket was replaced and the tank passed the retest. 7/3/2002 Mr. Levy called. He will send a copy of the tank test which shows that the tank passed the second test. He also said that he will be pulling the tank out and wanted to know the proper procedures. Sangesland provided Mr. Levy with a contact at PBS. 6/16/05 Heitzman: See PBS 2-607788. Tank was removed July 2002. Closed."
Remarks:	""

Material:

Site ID:	147177
Operable Unit ID:	853728
Operable Unit:	01
Material ID:	525303
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

32-10 37TH AV (Continued) **S105995592**

Tank Test:

Site ID:	147177
Spill Tank Test:	1527020
Tank Number:	1
Tank Size:	2000
Test Method:	03
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

AX203 **32-15 37TH AVE** **NY LTANKS** **S100494742**
West **32-15 37TH AVE** **N/A**
1/4-1/2 **LONG ISLAND CITY, NY**
0.370 mi.
1955 ft. **Site 2 of 3 in cluster AX**

Relative:
Higher

Actual:
39 ft.

LTANKS:

Site ID:	220254
Spill Number/Closed Date:	9212707 / 1993-03-10
Spill Date:	1993-02-10
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1993-03-10
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1993-02-10
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-02-11
Spill Record Last Update:	1993-03-17
Spiller Name:	Not reported
Spiller Company:	APT BLDG
Spiller Address:	32-15 37TH AVE
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	182178
DEC Memo:	""
Remarks:	"OIL ON FLOOR IN TANK ROOM. CONTAINED. VAC TRUCK, SPEEDI-DRI BEING USED TO CLEAN SPILL. CALLER SPILL TEAM ON SITE."

32-15 37TH AVE (Continued) **S100494742**

Material:

Site ID:	220254
Operable Unit ID:	979708
Operable Unit:	01
Material ID:	402543
Material Code:	0003A
Material Name:	#6 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1000.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

204 East 1/4-1/2 0.374 mi. 1974 ft.

Relative: Higher

Actual: 47 ft.

21-69 46TH STREET **NY LTANKS** **S101658422**
21-69 46TH STREET **N/A**
LONG ISLAND CITY, NY

LTANKS:

Site ID:	103864
Spill Number/Closed Date:	9505038 / 1995-07-25
Spill Date:	1995-07-25
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1995-07-25
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1995-07-25
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-08-14
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	91818

21-69 46TH STREET (Continued) **S101658422**

DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks: "LEAK FIXED - BURNER SHUT OFF - SPILL CLEANED UP."

Material:
Site ID: 103864
Operable Unit ID: 1019794
Operable Unit: 01
Material ID: 366566
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: Gallons
Recovered: 1.00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

AX205 **CLOSED-LACKOF RECENT INFO** **NY LTANKS** **S100145575**
West **37-14 33RD STREET** **N/A**
1/4-1/2 **NEW YORK CITY, NY**
0.378 mi.
1998 ft. **Site 3 of 3 in cluster AX**

Relative:
Lower

Actual:
36 ft.

LTANKS:
Site ID: 221353
Spill Number/Closed Date: 8905637 / 2003-03-06
Spill Date: 1989-09-08
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 4101
Investigator: ADMIN. CLOSED
Referred To: Not reported
Reported to Dept: 1989-09-08
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1989-09-11
Spill Record Last Update: 2003-10-24
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: 37-14 33RD STREET
Spiller City,St,Zip: LONG ISLAND CITY, NY
Spiller County: 001
Spiller Contact: Not reported

CLOSED-LACKOF RECENT INFO (Continued) **S100145575**

Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	183072
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"1.5K TANK FAILED PETRO TITE WITH A LEAK RATE OF -.643GPH, TANK TESTER RECOMMENDED THAT THE OWNER TAKE THE TANK OUT OF SERVICE, CLEAN & FILL WITH CEMENT, TO PUT 550 GALLON TANK IN BASEMENT.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

Material:

Site ID:	221353
Operable Unit ID:	933277
Operable Unit:	01
Material ID:	446052
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	221353
Spill Tank Test:	1535986
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Unknown

206
NE
1/4-1/2
0.379 mi.
2000 ft.

Relative:
Higher

Actual:
53 ft.

BROADWAY & 41ST STREET **NY LTANKS** **S105053986**
BROADWAY & 41ST STREET **N/A**
ASTORIA, NY

LTANKS:

Site ID:	324931
Spill Number/Closed Date:	9212170 / 2003-02-11
Spill Date:	1993-01-26
Spill Cause:	Tank Overfill
Spill Source:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101

BROADWAY & 41ST STREET (Continued) **S105053986**

Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1993-01-26
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-01-29
Spill Record Last Update:	2004-02-23
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	261742
DEC Memo:	""
Remarks:	"FD NOT ON SCENE YET"

Material:

Site ID:	324931
Operable Unit ID:	976737
Operable Unit:	01
Material ID:	402024
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	100.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

207 West 1/4-1/2 0.381 mi. 2010 ft.

Relative: Higher

Actual: 40 ft.

APARTMENT BUILDING TTF **NY LTANKS** **S110540952**
34-20 32ND ST **N/A**
LONG ISLAND CITY, NY

LTANKS:

Site ID:	439361
Spill Number/Closed Date:	1006024 / 2014-04-02
Spill Date:	2010-08-31
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

APARTMENT BUILDING TTF (Continued) **S110540952**

Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	VXBREVDO
Referred To:	Not reported
Reported to Dept:	2010-08-31
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2010-08-31
Spill Record Last Update:	2014-04-02
Spiller Name:	ARTIE KATOS
Spiller Company:	PISTILLI REALTY GROUP
Spiller Address:	34-20 32ND ST
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	999
Spiller Contact:	BOB URBAN
Spiller Phone:	(631) 321-4670
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	394354
DEC Memo:	"TTF letter sent to PBS address - see eDocs 07/16/13 - Spill Case is transferred from Brian Falvey (PBS Unit) to V. Brevdo (Section B) as per DER Region 2 decision - Tank Test Failure Spill Case. VB 11/07/2013 - V. Brevdo Received call from Chief Operating Officer for Real Estate Company Ms. Duffney Panayiotou - 718-204-1600 Ext. 30. I explained to Ms. Panayiotou that I need infomation and/or documents about what type of tank test failure it was - dry or actual leak. If they have confirmaton it was a dry leak and no oil leaked and no impacts, I would look into available documents and may consider closing spill. If it was not a dry leak and oil was released that we need to negotiate appropriate course of action. Ms. Panayiotou stated she will look into this matter and get back to me by end of the day. I stated that I would like to hear back from her no later than 3 weeks from today. VB 03/24/2014 - V. Brevdo Called Ms. Duffney Panayiotou - left voice mail that we need to discuss this spill case as per our 11/07/2013 telephone conversation. Ms. Duffney Panayiotou returned call stated that she will submit (via e-mail)appropriate documentation confirming this case was a dry leak with no product released. I provided my e-mail address over the phone. V. Brevdo 03/24/2014 - V. Brevdo e-mail from Pistilli Group: Dear Mr. Brevdo, Attached please find the tank tightness tests for 34-20 32nd Street, Astoria, NY and 25-90 35th Street, Astoria, NY. Please note that the tank for 34-20 32nd Street had a dry leak. The building has since converted to Gas and the tank has since been abandoned. I will forward you paper work on it tomorrow as soon as I receive it from the company that did the work. The tank for 25-90 35th Street passed the tank tightness test and there are no known leaks at that location. Thank you, Dafne Panayiotou Pistilli Realty Group 35-01 30th Avenue, Suite 300 Astoria, NY 11103 Dafne@pistilli.com Tel. (718) 204-1600 Fax (718) 204-5889 March 25, 2014 - V. Brevdo e-mail to Pistilli Group: March 25, 2014 Dear Ms. Panayiotou: This is to acknowledge receipt of your 3/24/2014 5:55 PM e-mail and attached

APARTMENT BUILDING TTF (Continued) **S110540952**

tank tightness tests documents. Could you please confirm that there have been no complaints and/or occurences of petroleum odor in the subject buildings over the period of time from August 31, 2010 to date? Thank you. Vadim Brevdo 03/25/2014 - V. Brevdo e-mail from Pistilli Group: Dear Mr. Brevdo, This e-mail shall confirm that from August 31, 2010 to present there have been no complaints or occurrences of petroleum odor in the properties 34-20 32nd Street, Astoria, NY nor in 25-90 35th Street, Astoria, NY. Please feel free to call me in the event you have any further questions or need any additional information. Thank you, Dafne Panayiotou 04/02/2014 - V. Brevdo Spill Case Closure Decision 34-20 35nd Street Long Island City Spill Case No. 1006024 No release of product appears to have occurred from this tank test failure on 8/31/2010 which is confirmed by tank test report (dry ullage leak). According to Ms. Panayiotou, Chief Operating Officer at Pistilli Group, there has been no petroleum odor or petroleum odor complaints in the building. The Department determined that it is unlikely that this tank test failure resulted in any impact to soil and/or groundwater. Human Health Threat is unlikely. There is no human health and/or environmental benefit in continuing keeping this spill case open. Spill Case is closed effective 04/02/2014. V. Brevdo "

Remarks: "Caller reporting tank test failure"

Material:

Site ID:	439361
Operable Unit ID:	1190006
Operable Unit:	01
Material ID:	2184972
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

208
WSW
1/4-1/2
0.394 mi.
2078 ft.

Relative:
Lower

Actual:
23 ft.

AMOCO SERVICE STATION **NY LTANKS** **S102142222**
34-17 NORTHERN BLVD **NY Spills** **N/A**
LONG ISLAND CITY, NY

LTANKS:

Site ID:	212091
Spill Number/Closed Date:	0400123 / 2004-10-21
Spill Date:	2004-04-05
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.
Cleanup Ceased:	Not reported

AMOCO SERVICE STATION (Continued) **S102142222**

Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	KMFOLEY
Referred To:	Not reported
Reported to Dept:	2004-04-05
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2004-04-05
Spill Record Last Update:	2004-10-21
Spiller Name:	ADAM WOLF
Spiller Company:	AMOCO SERVICE STATION
Spiller Address:	34-17 NORTHERN BLVD
Spiller City,St,Zip:	LONG ISLAND, NY
Spiller County:	001
Spiller Contact:	ADAM WOLF
Spiller Phone:	(516) 997-9300
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	175753
DEC Memo:	"4/6/04 TTF letter sent out to Cary Wolf. 9/29/04 Met with B. Cohen(Certilman Balin Attorneys), B. Beck(Consultant, National Env.) with J. Rommel and L. Oliva. BP is doing cleanup under spill #8402855. Provided copy ot TTF letter dated 4/6/04. B. Beck to provide response by 10/8/04. 10/20/04 Received repair record for the premium tank line performed by Alvin Petroleum. Alvin excavated over the premium tank on 4/9/04. They found plastic in the check valve over the tank and removed the plastic and insert on valve. DIsconnected suction line from tank, tested the line at 50lbs. and found the line tight. Reconnected and installed drop in check valve. Received passing tightness test of previously failing premium line gas tank performed by Crompco. There was no release to the environment. 10/21/04 NFA letter mailed."
Remarks:	"TANK WILL BE PUMPED OUT AND INVESTIGATE FURTHER"

Material:

Site ID:	212091
Operable Unit ID:	882423
Operable Unit:	01
Material ID:	494910
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	212091

AMOCO SERVICE STATION (Continued) **S102142222**

Spill Tank Test:	1529126
Tank Number:	Not reported
Tank Size:	4000
Test Method:	03
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

SPILLS:

Facility ID:	8402855
Facility Type:	ER
DER Facility ID:	175753
Site ID:	122194
DEC Region:	2
Spill Date:	1984-11-14
Spill Number/Closed Date:	8402855 / 1996-12-19
Spill Cause:	Unknown
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1985-01-25
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1986-06-10
Spill Record Last Update:	2004-10-18
Spiller Name:	Not reported
Spiller Company:	WOLF PETROLEUM CORP.
Spiller Address:	55 JERICO TNPKE.
Spiller City,St,Zip:	JERICO, NY 11753
Spiller Company:	001
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	""
Remarks:	""

Material:

Site ID:	122194
Operable Unit ID:	894534
Operable Unit:	01
Material ID:	482242
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported

AMOCO SERVICE STATION (Continued) **S102142222**

Material FA:	Petroleum
Quantity:	.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

209 North 1/4-1/2 0.395 mi. 2084 ft.

RESIDENCE
32-85 33RD ST
ASTORIA, NY

NY LTANKS S102662821
NY Spills N/A

Relative: Higher

Actual: 50 ft.

LTANKS:

Site ID:	80249
Spill Number/Closed Date:	9612406 / 1997-01-17
Spill Date:	1997-01-17
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1997-01-17
CID:	371
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-01-17
Spill Record Last Update:	2002-07-22
Spiller Name:	JIM CAREY
Spiller Company:	CASTLE OIL
Spiller Address:	290 LOCUST AVE
Spiller City,St,Zip:	BRONX, NY 10454-
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	74397
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT "
Remarks:	"DRIVER OVERFILLED TANK - CONTAINED ON SIDEWALK - CLEANUP IN PROGRESS" Not reported

Material:

Site ID:	80249
Operable Unit ID:	1040271

RESIDENCE (Continued) **S102662821**

Operable Unit:	01
Material ID:	341053
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

SPILLS:

Facility ID:	0706089
Facility Type:	ER
DER Facility ID:	335929
Site ID:	386542
DEC Region:	2
Spill Date:	2007-08-29
Spill Number/Closed Date:	0706089 / 2007-08-29
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2007-08-29
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2007-08-29
Spill Record Last Update:	2007-08-29
Spiller Name:	ROB HILL
Spiller Company:	APARTMENT BUILDING
Spiller Address:	32-85 33RD STREET
Spiller City,St,Zip:	ASTORIA, NY
Spiller Company:	001
Contact Name:	ROB HILL
Contact Phone:	(718) 579-3413
DEC Memo:	"Minor spill - cleaned by Castle Oil. they will monitor next delivery to make sure the supply line is OK"
Remarks:	"GAUGE ON TANK AT APRTMENT DEFECTIVE, CREW ON SCENE CLEANING UP"

Material:

Site ID:	386542
Operable Unit ID:	1143781
Operable Unit:	01

RESIDENCE (Continued) **S102662821**

Material ID:	2134049
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

210
WSW
1/4-1/2
0.400 mi.
2110 ft.

PRIVATE HOME **NY LTANKS** **S108467629**
3251 38TH STREET **N/A**
LONG ISLAND CITY, NY

Relative:
Lower

Actual:
29 ft.

LTANKS:

Site ID:	376761
Spill Number/Closed Date:	0612000 / 2007-03-28
Spill Date:	2007-01-30
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	True
SWIS:	3101
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2007-01-30
CID:	408
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2007-01-30
Spill Record Last Update:	2007-03-28
Spiller Name:	DERDRA OSULLIVAN
Spiller Company:	PRIVATE HOME
Spiller Address:	3251 38TH STREET
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	001
Spiller Contact:	VINNY LOVARI
Spiller Phone:	(718) 967-9424
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	326345
DEC Memo:	"2/27/07- DEC Piper recieved call from homowner. Work was completed and documentation will be sent shortly. 3/19/07- There are some contract issues. When they are settled, a report will be submited.

PRIVATE HOME (Continued) **S108467629**

Work completed. 3/28/07- Piper recieved and reviewed tank closure report. A 1080 UST and approx 30 cubic yards of soil was removed. Endpoints are ND or below TAGM. This spill is closed. See e-docs if warranted."

Remarks: "1 YARD OF EFFECTED SOIL; PIN HOLES IN OLD TANK; NOT YET CLEANED BUT ESCAVATING PLANNED;"

Material:

Site ID:	376761
Operable Unit ID:	1134325
Operable Unit:	01
Material ID:	2124181
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	376761
Spill Tank Test:	1550602
Tank Number:	Not reported
Tank Size:	1080
Test Method:	00
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified:	Not reported
Test Method:	Unknown

---

211 SSW 1/4-1/2 0.402 mi. 2124 ft.

Relative: Higher

Actual: 61 ft.

CLOSED-LACKOF RECENT INFO **NY LTANKS** **S100493335**
4301 39TH STREET **N/A**
LONG ISLAND CITY, NY

LTANKS:

Site ID:	289971
Spill Number/Closed Date:	9200200 / 2003-03-06
Spill Date:	1992-04-06
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1992-04-06
CID:	Not reported
Water Affected:	Not reported

CLOSED-LACKOF RECENT INFO (Continued) **S100493335**

Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1992-04-07
Spill Record Last Update:	2003-03-06
Spiller Name:	Not reported
Spiller Company:	THE MILLER BLDG.
Spiller Address:	4301 39TH STREET
Spiller City,St,Zip:	LIC, NY 11101
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	234786
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report"
Remarks:	"E.I.R. ASAP.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS."

Material:

Site ID:	289971
Operable Unit ID:	967420
Operable Unit:	01
Material ID:	415023
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	289971
Spill Tank Test:	1539832
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Unknown

212
North
1/4-1/2
0.404 mi.
2132 ft.

COMMERCIAL
49-15 MASPETH AV
MASPETH, NY

NY LTANKS
NY Spills

S103483755
N/A

Relative:
Higher

Actual:
54 ft.

LTANKS:

Site ID:	66893
Spill Number/Closed Date:	0009572 / 2006-03-06
Spill Date:	2000-11-21
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	JBMCCULL
Referred To:	Not reported
Reported to Dept:	2000-11-21
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2000-11-21
Spill Record Last Update:	2006-03-06
Spiller Name:	Not reported
Spiller Company:	CCX RAILROAD
Spiller Address:	49-15 MASPETH AVE
Spiller City,St,Zip:	MASPETH, NY
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	63995
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 03/07/01 Reassigned from Saccacio to Demeo 4/12/04 TJD Reassigned Demeo >>> Rommel Cross reference PBS facility information 2-032492, original call for spill 0009572 - atank test failure. Tank recently tested 3/8/05, passed. "
Remarks:	"TESTED TANK, TANK FAILED."

Material:

Site ID:	66893
Operable Unit ID:	830672
Operable Unit:	01
Material ID:	543511
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported

COMMERCIAL (Continued) **S103483755**

Oxygenate: Not reported

Tank Test:

Site ID: 159846
Spill Number/Closed Date: 0002215 / 2011-02-28
Spill Date: 2000-05-22
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 6017
Investigator: jbodee
Referred To: Not reported
Reported to Dept: 2000-05-22
CID: 323
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2000-05-22
Spill Record Last Update: 2011-02-28
Spiller Name: ROBERT KIM
Spiller Company: COMMERCIAL
Spiller Address: 130-144 EAST POST RD
Spiller City,St,Zip: WHITE PLAINS, ZZ
Spiller County: 001
Spiller Contact: ROBERT KIM
Spiller Phone: (914) 723-2964
Spiller Extention: Not reported
DEC Region: 3
DER Facility ID: 135018
DEC Memo: "12/28/09: File review. Reported as a TTF of a 1K tank, commercial property, not a registered facility. Call back notes on initial report state: 1K UG - To call & advise WCHD with future . No further information received. jod 2/28/11: This is the same tank as spill 1005304. Tank was never removed or retested after initial failure. Tank was leaking. Tank was removed and clean up was completed ten years later after the shopping center burned down. jod"
Remarks: "UNKNOWN WHAT IS GOING TO BE DONE."

Material:
Site ID: 159846
Operable Unit ID: 823747
Operable Unit: 01
Material ID: 550585
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00

COMMERCIAL (Continued) **S103483755**

Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	159846
Spill Tank Test:	1525625
Tank Number:	Not reported
Tank Size:	1000
Test Method:	03
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Horner EZ Check I or II

Site ID:	289220
Spill Number/Closed Date:	9612083 / 2003-07-28
Spill Date:	1995-05-26
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	1997-01-07
CID:	297
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-01-07
Spill Record Last Update:	2003-07-28
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	MARC LEVINN
Spiller Phone:	(516) 826-4707
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	234198
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 7/28/03 - AUSTIN - SPILL CLOSED AND REFERRED TO SPILL # 9805268, ASSIGNED TO SIGONA - THIS SPILL WAS ORIG. ASSIGNED TO MULQUEEN - END"
Remarks:	"CALLER WORKS FOR THE PROPERTY OWNERS - THEY RECIEVED THE RESULTS OF A PHASE II TEST AND IT WAS POSITIVE FOR CONTAMINATION - POSSIBLE FROM OVERFILLING VEHICLE FUEL TANKS"

COMMERCIAL (Continued) **S103483755**

Material:

Site ID:	289220
Operable Unit ID:	1039959
Operable Unit:	01
Material ID:	340735
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

SPILLS:

Facility ID:	9805268
Facility Type:	ER
DER Facility ID:	180980
Site ID:	218795
DEC Region:	2
Spill Date:	1998-07-28
Spill Number/Closed Date:	9805268 / 2006-03-06
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	JBMCCULL
Referred To:	Not reported
Reported to Dept:	1998-07-28
CID:	204
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-07-28
Spill Record Last Update:	2006-03-06
Spiller Name:	MIKE KATZ
Spiller Company:	CONWAY CENTRAL EXPRESS
Spiller Address:	49-15 MASPETH AVENUE
Spiller City,St,Zip:	MASPETH, NY 11378-
Spiller Company:	001
Contact Name:	MIKE KATZ
Contact Phone:	(510) 521-3773
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL This Spill cleanup project has been reassigned from DEC (Sigona) to Rommel on 2/2/2004. Reference PBS facility information 2-032492. Tank tested on 3/8/05, passed. DEC Sigona investigated

COMMERCIAL (Continued) **S103483755**

report on 7/28/98 at 3 P.M. Met on-site with Jim Bethel, Service center manager (718)-381-3700. Provided copies of Stars Memo #1, SPOTS Memo #14 & PBS regs. According to Jim Bethel, CCX was upgrading 4K UST diesel using help from Tank Technology, Inc. Approximately 1 year ago, Gasoline Installations installed 2 fill pipe and tested tank and found it to be tight. Tank Tech was installing a 4 fill while tank volume was lowered. They found contaminated soils around the fill pipe (vertical). They attribute the contamination to overfills (however, contractor said it was a leaking pipe fitting (2)? They have been performing tightness tests according to CCX. The lawyer will be briefed on the status of the spills. DEC Sigona) provided options 1) remove soil to clean endpoint. 2) perform soil borings or test wells to de-lineate contamination. Report finding to DEC Left site at 3:45 P.M. 7/28/98. Refer to Spill No. 9612083 (Mike Mulqueen, Investigator)."

Remarks: "FLANGE WAS LOOSE CAUSING SPILL"

Material:

Site ID:	218795
Operable Unit ID:	1066430
Operable Unit:	01
Material ID:	320015
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	8181939
Facility Type:	ER
DER Facility ID:	397111
Site ID:	208258
DEC Region:	8
Spill Date:	1982-03-26
Spill Number/Closed Date:	8181939 / 1982-03-29
Spill Cause:	Traffic Accident
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	5136
Investigator:	PCLINDEN
Referred To:	Not reported
Reported to Dept:	1982-03-26
CID:	Not reported
Water Affected:	0
Spill Source:	Major Facility (MOSF) > 400,000 gal
Spill Notifier:	Police Department
Cleanup Ceased:	1982-03-29
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False

COMMERCIAL (Continued) **S103483755**

UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	Not reported
Spill Record Last Update:	2010-11-16
Spiller Name:	Not reported
Spiller Company:	COMMERCIAL EQUIPMENT CORP
Spiller Address:	ROUTE I-390
Spiller City,St,Zip:	COHOCTON, NY
Spiller Company:	001
Contact Name:	DAVE KISER
Contact Phone:	NYSDEC
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was PL . ABSORBENT PADS CAUGHT ESCAPING PRODUCT. 11/16/10: PAPER FILE REMOVED PER FILE RETENTION POLICY. "
Remarks:	""

Material:

Tank Test:

213
NNW
1/4-1/2
0.408 mi.
2152 ft.

34-02 31ST ST/QUNS/GETTY **NY LTANKS** **S100146824**
34-02 31ST STREET **N/A**
NEW YORK CITY, NY

Relative: Higher

Actual: 50 ft.

LTANKS:

Site ID:	184300
Spill Number/Closed Date:	9012133 / 1992-07-16
Spill Date:	1991-02-20
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1992-07-16
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1991-02-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1991-03-01
Spill Record Last Update:	1992-07-28
Spiller Name:	Not reported
Spiller Company:	GETTY
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported

34-02 31ST ST/QUNS/GETTY (Continued) **S100146824**

DEC Region: 2
DER Facility ID: 274706
DEC Memo: ""
Remarks: "(12) 550 GAL TANKS MANIFOLDED,TWO SETS,TANKS 1-6 & TANKS 7-12 FAILED VACUTECH TEST,ALL TANKS MANIFOLDED THROUGH BOTTOM OF TANKS,TANKS ARE 35 YEARS OLD."

Material:
Site ID: 184300
Operable Unit ID: 951972
Operable Unit: 01
Material ID: 428641
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Not reported
Recovered: .00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:
Site ID: 184300
Spill Tank Test: 1538278
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified: Not reported
Test Method: Unknown

214
NW
1/4-1/2
0.410 mi.
2165 ft.

Relative:
Higher

Actual:
50 ft.

34-14 31ST STREET **NY SHWS** **S118256210**
34-14 31ST STREET **N/A**
ASTORIA, NY 11106

SHWS:
Program: HW
Site Code: 514253
Classification: P
Region: 2
Acres: 0.092
HW Code: 241179
Record Add: 09/28/2015
Record Upd: 10/09/2015
Updated By: JHOCONNE
Site Description: Location: The 4,000 square feet site is located at 34-14 31st Street in the Borough of Queens, Queens County, NY in an urban area. Site Features: The Site currently consists of a 2-story commercial building which has been utilized as an auto repair shop since around 1936. Current Zoning and Land Use: The site is currently zoned as R5 (lower density residential districts) and is adjacent to an elevated

34-14 31ST STREET (Continued) **S118256210**

subway track along 31st Street. The site is bounded to the north by a residential building, to the east by 31st Street, to the south by a commercial building, and to the west by residential buildings along 30th Street. Past Use of the Site: The Site is currently occupied by a 2-story structure which operates as an auto repair shop. A Phase I conducted in May 2015 identified the site s current and past use as an auto repair shop as well as the presence of 2 above-ground storage tanks as recognized environmental conditions. Site Geology and Hydrogeology: Boring logs were not provided with the Phase II ESA and a description of site-specific geology and hydrogeology was not included as part of the report.

Env Problem:	Nature and Extent of Contamination: Based on preliminary investigations, the primary contaminants of concern are volatile organic compounds (VOCs). Soil The chlorinated solvent tetrachloroethylene (PCE) was identified in one of four soil samples above the Unrestricted Use SCOs. PCE was detected at a concentration of 4.8 parts per million (ppm). No SVOCs, metals, PCBs or pesticides were detected above the Unrestricted Use SCOs. Groundwater No groundwater data is available. Soil Vapor No soil vapor data is available. Significant Threat: No evaluation has been made thus far to determine if the contaminants represent a significant threat.
Health Problem:	As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	On-Site Operator
Sub Type:	E
Owner Name:	Adrian Goldenberg
Owner Company:	Coo-Kee, Inc.
Owner Address:	34-14 31st Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11106
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

215 South 1/4-1/2 0.414 mi. 2185 ft. — **CITY CADILLAC**, **39-10 43RD ST**, **QUEENS, NY** — **NY LTANKS** — **S102663770** / **N/A**

Relative: Higher

Actual: 60 ft.

LTANKS:

Site ID:	265886
Spill Number/Closed Date:	9708239 / 1997-10-14
Spill Date:	1997-10-14
Spill Cause:	Tank Overfill
Spill Source:	Commercial Vehicle
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1997-10-14
CID:	370
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-10-14
Spill Record Last Update:	1997-10-15
Spiller Name:	DOMINICK
Spiller Company:	CITY CADILLAC
Spiller Address:	39-10 43RD ST
Spiller City,St,Zip:	QUEENS, ZZ
Spiller County:	001
Spiller Contact:	DOMINICK
Spiller Phone:	(718) 472-0270
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	216658
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG 10/14/97: CALLED ROBERT NATALE - 6 DRUMS OF WASTE OIL CONTAMINATED SPEED - DRY, NO STORM DRAIN IMPACTED, WILL DISPOSE OF PROPERLY."
Remarks:	"OVERFILL OF TANK TO PAVEMENT SPILL CONTAINED AND CLEANED"

Material:

Site ID:	265886
Operable Unit ID:	1051468
Operable Unit:	01
Material ID:	330221
Material Code:	0015
Material Name:	motor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	Gallons
Recovered:	25.00
Resource Affected:	Not reported
Oxygenate:	Not reported

CITY CADILLAC (Continued) **S102663770**

Tank Test:

216
SE
1/4-1/2
0.436 mi.
2303 ft.

Relative:
Higher

Actual:
57 ft.

DEMOLISHED BUILDING **NY LTANKS** **S107489189**
45-41 38TH STREET **N/A**
SUNNYSIDE, NY 11104

LTANKS:

Site ID:	355859
Spill Number/Closed Date:	0509982 / 2006-01-17
Spill Date:	2005-11-21
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	Con Ed Unassigned
Referred To:	Not reported
Reported to Dept:	2005-11-21
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-11-21
Spill Record Last Update:	2006-02-10
Spiller Name:	DENNIS
Spiller Company:	DEMOLISHED BUILDING
Spiller Address:	45-41 38TH STREET
Spiller City,St,Zip:	SUNNYSIDE, NY 11104
Spiller County:	001
Spiller Contact:	DENNIS
Spiller Phone:	(347) 865-1238
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	305897
DEC Memo:	"Need to send CSL Sangesland spoke to Dennis (DEP rep) who was at the site. Construction company was pumping out water at a site and #6 oil came out. Building appears to be an old school building that is now being demolished. Contractor on site: Red Hook Construction, 575 Broadway, Amityville, NY 631-841-4502 Owner: Mr. Steven Novstein 50 Main St, White Plains, NY 10606 Nov 25, 2005 A Contaminated Soil Letter was sent to: Owner Mr.Steven Novstein 50 Main Street White Plains, NY 10606 12/3/05 - Raphael Ketani. I received a call from Axel of AKRF Environmental ((646) 388-9529). He is the consultant for Storage Deluxe. He wanted to know how the spill happened. 12/6/05 - Raphael Ketani. I received a call from John Marra (516) 785-2700 of Allied All City Plumbing and Environmental Services. He said that he was called by the DEP to come out to the site and clean up the liquid that was on the street. He said that another contractor was dismantling the boiler in the basement and water spilled onto the

DEMOLISHED BUILDING (Continued) **S107489189**

boiler room floor. He said it was this water that was pumped onto the street. He said that there were no PID readings and that this liquid was iron sludge from the recirculated heating system water. He boomed the catch basin and power washed the street. Then he vacuumed the wash water. Mr. Marra will send a letter to this effect. 12/19/05 Feroze. Spill is transferred from Ketani to Feroze. 12/29/05.Feroze Called Mr. John Marra 516-785-2700 and he informed that the site is cleaned up and he will send DEC that document shortly. 01/17/06. Feroze. Mr. John Marra submitted the proper documents regarding the spill. On the basis of those reports and consultation with DEC Raphael Ketani the spill is closed. "

Remarks: "AN ABANDON TANK FOUND IN A BASEMENT: OIL SPILLING INTO STREET, AND BUILDING BEING DEMOLISHED:"

Material:

Site ID:	355859
Operable Unit ID:	1113192
Operable Unit:	01
Material ID:	2103260
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

---

217 West 1/4-1/2 0.438 mi. 2311 ft.

31/32 LIC LLC
37-29 31ST STREET
QUEENS, NY 11101

NY BROWNFIELDS **S118457875**
N/A

Relative: Higher

Actual: 39 ft.

BROWNFIELDS:

Program:	BCP
Site Code:	520356
Acres:	0.4
HW Code:	C241182
SWIS:	4101
Town:	New York City
Record Added Date:	12/28/2015
Record Updated Date:	04/04/2017
Update By:	GTBOBERS
Site Description:	Location - The 31/32 LIC LLC site is a 0.40-acre parcel located in a well-developed urban area with a mix of commercial and residential buildings. The site address is 37-29 31st Street, Long Island City, NY (formerly 37-26 32nd Street and 37-27 31st Street). The site fronts both 31st Street and 32nd Street and is located between 37th and 38th Avenue. Elevated New York City Subway tracks are located along the 31st Street frontage of the property. Site Features - Previously the site was developed with two one-story structures. Prior to demolition, there was no open space on the property as the

31/32 LIC LLC (Continued) **S118457875**

buildings fully cover the lot. The structures were both slab on grade with small partial cellars. The slab was left in place during demolition activities. Current Zoning and Land Use The current zoning designation is M1-2/R6A which includes light manufacturing and residential use. The site is currently vacant. The proposed use is consistent with existing zoning for the property. Past Uses of the Site The site and its surrounding properties were undeveloped until about 1915 when 3rd Avenue traversed the site from northeast to southwest until 1936. Since 1936, the property has hosted multiple tenants which included: tool manufacturing and plating works (1947-1950); lighting factory (1953); welding equipment warehouse (1970-1979); food cart manufacturer, refrigeration facility, and metal shop (1977- 2015); and an auto body facility (1980 present). Past uses most likely contaminated the property through on-site disposal of materials through historic drains, sumps, and pits. Site Geology and Hydrogeology - The property is underlain by glacial and alluvial deposits with Harrison Gneiss underlying. Medium grain sand and fill extend to three feet below grade and medium grain sand from three to 23 feet below grade. The site is relatively level and has no natural or artificial surface water bodies or impoundments. The depth of the shallow groundwater ranges from 22 to 23 feet below grade. Shallow groundwater beneath the site flows to the southwest towards the East River and Dutch Kills. Underlying groundwater in this area of Queens is not used for potable supply purposes. Potable water is provided to the residents by the NYC Department of Environmental Protection.

Env Problem:

Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, and metals during the remedial investigation. Soil vapor, subslab vapor, indoor and outdoor air were also analyzed for VOCs during the remedial investigation. Based on the investigations performed to date the primary contaminants of concern are trichloroethene (TCE) in soil vapor and SVOCs and various metals consistent with historic fill identified in the top 5 feet of soil. Soil Lead, copper, chromium, and zinc were identified in the top 3-5 feet of soil across the site at levels above unrestricted and restricted residential SCOs. It was also found that metals exceed residential SCOs at 18 20 feet below ground surface (bgs). SVOCs benzo(a)anthracene, benzo(b)flouranthene, benzo(a)pyrene, dibenzo(a,h)anthracene, and indeno(1,2,3-cd)pyrene, were also identified in the northwestern and southeastern areas of the site above restricted residential SCOs. The highest level of SVOCs was in the northwestern area of the site with benzo(a)anthracene at 6.9 parts per million (ppm). The pesticide 4,4 -DDD was detected above unrestricted SCOs between 0-2 feet in the northern portion of the site, detections ranged between 0.0042 and 0.013 ppm. No VOCs or PCBs were detected above unrestricted SCOs during the investigation. No off-site sampling was conducted as part of this investigation. Groundwater The dissolved metals magnesium, sodium, and nickel, were found in groundwater across the site above groundwater standards. In the western portion of the site, chloroform was found between 19 24 parts per billion (ppb), exceeding groundwater standards. No PCBs, pesticides, or SVOCs were detected above NYSDEC TOGS class GA standards in any of the monitoring wells sampled. No off-site samples were collected as part of this investigation. Soil Vapor, Sub-slab Vapor, and Indoor Air TCE soil vapor levels were identified at high concentrations across the site. The highest concentrations are noted

31/32 LIC LLC (Continued) **S118457875**

	in the western-most potion of the site at 12,500 micrograms per cubic meter (ug/m3) and gradually decline to the eastern portion of the site. An occupied 6-story residential building is located to the north. Soil vapor samples collected along the northern-most boundary of the site range from 924-945 ug/m3. TCE was detected in indoor and outdoor air samples at 0.86 ug/m3 and 1.07 ug/m3, respectively. The indoor air sample was collected from a cellar on-site due to the building being demolished prior to investigation activities. No off-site samples were collected as part of this investigation.
Health Problem:	Direct contact with contaminants in the soil is unlikely because the site is covered with a building slab. People may contact site-related contaminants if they dig below the surface. Groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into the overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of the buildings, is referred to as soil vapor intrusion. There is no on-site building, therefore inhalation of site contaminants in indoor air due to soil vapor intrusion does not represent a current concern. However, the potential exists for the inhalation of site contaminants due to soil vapor intrusion for any future on-site development. Further evaluation is needed to determine whether soil vapor intrusion is a concern for off-site structures.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	6/6/2016 11:35:00 AM
Record Upd:	11/10/2016 8:18:00 AM
Updated By:	CBEIGENB
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library - Astoria Branch
Owner Address:	14-01 Astoria Blvd.
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11102
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	Fredric Oliver
Owner Company:	31/32 LIC LLC
Owner Address:	100 Ring Road West - Suite 101
Owner Addr2:	Not reported
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Fredric Oliver
Owner Company:	31/32 LIC LLC

31/32 LIC LLC (Continued) **S118457875**

Owner Address:	100 Ring Road - Suite 101
Owner Addr2:	Not reported
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Community Board 1
Owner Address:	45-02 Ditmars Blvd
Owner Addr2:	LL Suite 1025
Owner City,St,Zip:	Astoria, NY 11105
Owner Country:	United States of America
HW Code:	C241182
Waste Type:	copper
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	dibenz[a,h]anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	chromium
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	benzo(a)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	zinc
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C241182
Waste Type:	indeno(1,2,3-CD)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported

31/32 LIC LLC (Continued) **S118457875**

Updated By: Not reported

218
North
1/4-1/2
0.440 mi.
2321 ft.

MARTINEZ HOME **NY LTANKS** **S107523423**
32-16 33RD STREET **N/A**
LONG ISLAND, NY

Relative:
Higher

Actual:
51 ft.

LTANKS:

Site ID:	358316
Spill Number/Closed Date:	0512053 / 2006-08-29
Spill Date:	2006-01-19
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2006-01-19
CID:	444
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-01-19
Spill Record Last Update:	2006-08-29
Spiller Name:	MARTINEZ HOME
Spiller Company:	MARTINEZ HOME
Spiller Address:	32-16 33RD STREET
Spiller City,St,Zip:	LONG ISLAND, NY
Spiller County:	001
Spiller Contact:	MARTINEZ HOME
Spiller Phone:	(718) 274-7398
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	308335
DEC Memo:	"1/19/06- DEC Piper contacted homeowner to get info. As per homowner, he had a delivery two days ago. When the delivery was completed he checked the gauge and it read 7/8ths, approx 1 hour later, the gauge read 5/8ths. This morning he could not get the boiler started and contacted Stuyvesant. Homeowner does not see or smell fuel. Stuyvesant (Len Fronc, Stew Levy, and Eric Kasden- ops manager 718.665.5700) contacted PTC (Big Anthony) to perform inspection. PTC visited site and broke wall to access tank. They confirmed that there was no oil in the tank. Due to the missing wall, vapors became heavy. DEC Piper arrived on site at approx 345pm just missing PTC. DEC Piper observed oil staining outside vent on porch and confirmed w/ the homeowner that oil did come out the vent line. Approx 1 gal was cleaned up immediately. Piper inspected tank and area. Heavy odors no sign of oil though staining exisited beneath tank. Concrete may be in bad condition. The floor is raised on 2x4s and plywood and then covered w/ Linoleum tiles. Therefore seeing the bottom of the tank was very difficult. Big Anthony from PTC noted that there was some

MARTINEZ HOME (Continued) **S107523423**

rust present on bottom left of tank. Piper notified Stuyvesant that theyt were responsible since there was an overpressurization of the tank system during the overfill. Stuyvesant contacted Mystic Bulk carriers (subcontractor) regarding delivery. Mystic Joe Lombardi (917.335.0005) to visit site and inspect. DEC Piper spoke w/ Joe at 6pm and as per conversation will contact me in the morning regarding a strategy for locating and removing petroleum contaminated debris, soil. 1/20/06- DEC Piper contacted Joe L at 837am. Joe stated that it was not Mystics fault and the homeowner had a faulty vent alarm. DEC Piper contacted Len Fronc of Stuyvesant stating that whistle or no whistle (which was sounding through the delivery) that Both Stuyvesant and Mystic are still liable. DEC Piper was contacted by conference call from Stuyvesant and Mystic. As per conversation, Woman, Leslie??? says, the Martinez' contacted Stuyveant for a delivery and reported that they have approx 50 gal. remaining, Mystic delivered approx 230 gal (need copy of ticket). Mystic stated that the driver had to pump at half speed since the slarm was low(poss leak in vent line- though irelavant to gross failure). I explained to both parties that they are still liable since the tank held oil prior to the delivery and could not afterwards. The failure WAS caused by an over pressurization during the delivery. The vent leak is unrelated. Mystic and Stuyvesant to pay for a tightness test. DEC to be there at time Will copy Nav Law Art 12 for handout. DEC Piper met at site w/ PTC and Mystic reps (Joe L., Sam and ???). PTC performed pressure test of tank to determine where leak is. Mystic persistantly stated that the leak was from the valve beyond the tank. when loss of pressure was observed. DEC Piper observed large spray from back left of tank depicting gross failure and explained this to Mystic. Mr. Martinez's plumber arrived on site and felt under the tank and stated that it was rotting/ rusting. Vacuum test perofrmed after sludge had clogged fissure. Vacuum test resulted in large amounts of air bubbling in tank. It was also determined that the floor beneath the raised basement is concrete/soil. DIG OUT WARRANTED. DEC Piper issued CSL letter to Stuyvesant Mystic, and homeowner. Responsible parties. DEC Piper contacted Insurance Co. State Farm, John Donahue Agency 718.932.4456. Redirected to Rose (no last name.) at 631.351.7341. As per her statement, they do not wnat anyone to touchh the tank until the tank is inspected by Adjuster. 2/28/06- DEC Piper spoke w/ Lee at Windmill Env. As per conversation and as per instructions, a soil boring was conducted today. during which 75ppm was detected by a PID at 2' bgs. At 3' BGS, no PID reading was observed. Requirements will be slotted pvc matrix covered by gravel, vaporbarrier, sand, and then concrete. He will provide drawing for approval. 5/8/06- DEC Piper left message for Lee at windmill requesting callback and info. 5/15/05- DEC Piper reviewed closure report. Approx 17. yards of impacted soil/ debris was removed form the basement. Endpoint samples revealed slight levels of contaminants. Vapor barrier w/ passive vent systme installed before pouring new floor. Upon satisfactory inspection, DEC to close. 7/19/06- DEC Piper left message w/ Kevin Taylor of H2M returning his call regarding status. DEC Piper stated DEPT has not received closure request/report w/ manifests, etc. 8/14/06- DEC Piper reviewed closure request dated 8/1/06 As per reort approx 17 cu yds of contaminated debris was removed. Endpoints revealed slight concentrations of contaminatnts. A passive venting syatem was installed if need be at a later date. However report mentions that concrete restoration to be completed by others. Will visit site to deterimine if additional work is warranted. 8/24/06-

MARTINEZ HOME (Continued) **S107523423**

DEC Piper resonded to site to perform final inspection. Upon entry, no odors present. Basemnt was refinished w/ tile and sheetrock. A passive vent extended outside. The owner has changed to gas heat. This spill is closed."

Remarks: "HOMEOWNER HAS A LEAK IN TANK HAD DELIVERY ON THE 17TH AND IS NOW OUT OF FUEL, OIL CO STILL INVESTIGATING: HOMEOWNERS DO NOT SPEEK ENGLISH WELL:"

Material:

Site ID:	358316
Operable Unit ID:	1115561
Operable Unit:	01
Material ID:	2105643
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

219
NNW
1/4-1/2
0.444 mi.
2343 ft.

Relative: Higher

Actual: 51 ft.

3238 32ND ST **NY LTANKS** **S102399576**
3238 32ND ST **N/A**
ASTORIA, NY

LTANKS:

Site ID:	200365
Spill Number/Closed Date:	9607776 / 1997-12-31
Spill Date:	1996-09-20
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1996-09-20
CID:	257
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-09-20
Spill Record Last Update:	1998-01-06
Spiller Name:	MR CINICOLA
Spiller Company:	CINICOLA RESIDENCE

3238 32ND ST (Continued) **S102399576**

Spiller Address:	3238 32ND ST
Spiller City,St,Zip:	ASTORIA, NY
Spiller County:	001
Spiller Contact:	MR CINICOLA
Spiller Phone:	(718) 274-6839
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	166729
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN 9/20/96:MMM INSPECTED LOCATION.FO ODOR IN BASEMENT APT. FREE OIL ADJACENT TO 275 AST UNDER STAIRS LEADING TO FIRST FLOOR. FO ODOR IN FRONT OF ADJACENT APARTMENT AS WELL. MILRO ON WAY TO REMOVE TANK AND SOIL. MILRO REMOVED TANK BUT NOT ALL CONTAMINATED SOIL. INSURANCE CO. NOT GOING TO COVER COSTS SO DONNA'S HUSBAND WILL DIG OUT REMAINING CONTAMINATION BEFORE NEW TANK GOES IN."
Remarks:	"tank leaking in basement repair crew contacted and spill is contained but not cleaned up yet"

Material:

Site ID:	200365
Operable Unit ID:	1035890
Operable Unit:	01
Material ID:	347033
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	40.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

220
WNW
1/4-1/2
0.449 mi.
2373 ft.

Relative:
Higher

Actual:
39 ft.

2912 36TH AVE **NY LTANKS** **S102673136**
2912 36TH AVE **N/A**
ASTORIA, NY

LTANKS:

Site ID:	273864
Spill Number/Closed Date:	9511910 / 1995-12-20
Spill Date:	1995-12-20
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	1995-12-20
CID:	211

2912 36TH AVE (Continued) **S102673136**

Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-12-20
Spill Record Last Update:	1996-01-17
Spiller Name:	Not reported
Spiller Company:	BAERENKLU
Spiller Address:	740 JAMAICA AV
Spiller City,St,Zip:	BROOKLYN, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(718) 784-4623
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	222771
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KRIMGOLD "
Remarks:	"DRIVER OVERFILLED TANK AND CLEANED UP SPILL"

Material:

Site ID:	273864
Operable Unit ID:	1022579
Operable Unit:	01
Material ID:	359235
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	Gallons
Recovered:	1.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

221
WSW
1/4-1/2
0.451 mi.
2383 ft.

Relative:
Lower

Actual:
22 ft.

107 WEST 38TH REALTY TTF **NY LTANKS** **S111063905**
3328 NORTHERN BLVD **N/A**
QUEENS, NY

LTANKS:

Site ID:	451112
Spill Number/Closed Date:	1103545 / 2011-10-12
Spill Date:	2011-06-29
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101

107 WEST 38TH REALTY TTF (Continued) **S111063905**

Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2011-06-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2011-06-29
Spill Record Last Update:	2011-10-12
Spiller Name:	ELLIOT
Spiller Company:	107 WEST 38TH REALTY
Spiller Address:	3328 NORTHERN BLVD
Spiller City,St,Zip:	QUEENS, NY
Spiller County:	999
Spiller Contact:	ELLIOT
Spiller Phone:	(845) 425-9130
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	405653
DEC Memo:	"10/12/2011 - Sangesland reviewed a Request for Closure submittal from Riteway Tank dated Oct 12, 2011. Problem was a Tank Test Failure that was traced to a hole in the sidewalk fill line. The sidewalk was opened and 58 drums of contaminated soil was removed. The line was replaced and 4 end point samples were taken. Clean fill was put back and the sidewalk was repoured. Based on the end point lab results, this spill case has been closed out. Lab results, manifests, photos etc are all in eDocs attachments."
Remarks:	"tank test failure. retest pending, believed to be line failure"

Material:

Site ID:	451112
Operable Unit ID:	1201311
Operable Unit:	01
Material ID:	2197830
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

222
East
1/4-1/2
0.484 mi.
2557 ft.

48-18 NORTHERN BLVD/QUNS
48-18 NORTHERN BLVD
NEW YORK CITY, NY

NY LTANKS **S102671672**
N/A

Relative:
Higher

Actual:
43 ft.

LTANKS:

Site ID:	153048
Spill Number/Closed Date:	9100703 / 1991-04-17
Spill Date:	1991-04-17
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1991-04-17
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1991-04-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-04-29
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	RAD OIL
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	282207
DEC Memo:	""
Remarks:	"TANK OVERFILL,SPEEDY DRY APPLIED & VACCING."

Material:

Site ID:	153048
Operable Unit ID:	954246
Operable Unit:	01
Material ID:	426890
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

223
WSW
1/4-1/2
0.495 mi.
2615 ft.

AMTRAK SUNNYSIDE YARD
39-29 HONEYWELL STREET
LONG ISLAND CITY, NY 11101

NY SHWS **S103575644**
NY LTANKS **N/A**
NY Spills

Relative:
Lower

Actual:
19 ft.

SHWS:
Program: HW
Site Code: 57794
Classification: Significant threat to the public health or environment - action required.
Region: 2
Acres: 133
HW Code: 241006
Record Add: 11/18/1999
Record Upd: 06/29/2016
Updated By: JHOCONNE
Site Description: Location: Sunnyside Yard (the Site) is located at 39-29 Honeywell Street, Long Island City, Queens County, New York. Site Features: The Site is a railroad maintenance and storage facility that currently encompasses approximately 133 acres. Newtown Creek, which defines the border between Queens and Kings Counties, is located less than 0.5 mile south of the western portion of the Site. The Site is bordered by commercial/residential properties, with Northern Boulevard located to the north, 42nd Place located to the east, Thompson Avenue to the west, and Skillman Avenue located to the south. Current Zoning/Use: The Site is located in Manufacturing Zone (M1-1) and used as a railroad maintenance and storage facility Historic Use: The Yard was originally constructed in the early 1900's by the Pennsylvania Tunnel and Terminal Company, a subsidiary of Pennsylvania Railroad (later known as the Penn Central Transportation Company). On April 1, 1976, the Consolidated Rail Corporation (Conrail) acquired the Site, and the same day conveyed it to Amtrak, which has continued to operate it as a storage and maintenance facility for railroad rolling stock. Prior to September 29, 1961, a portion of the yard was owned by Long Island Rail Road (LIRR). Today, the LIRR maintains a right-of-way through the Yard. The Long Island Railroad (LIRR) is constructing tunnels through the Yard as part of its East Side Access (ESA) project. An extensive cleanup program was completed in 1996 to remove PCB contaminated sediment from impacted sewer manholes with subsequent sampling to identify sewer segments and manholes with recurring PCB contaminated sediment impacts. Operable Units: The site is divided into six operable units. An operable unit represents a portion of a remedial program for a site that for technical or administrative reasons can be addressed separately to investigate, eliminate or mitigate a release, threat of release or exposure pathway resulting from the site contamination. The operable units for this site are: Operable unit 1 (OU1) is the soil above the water table within the footprint of the High Speed Trainset Facility Service and Inspection (HSTF S and I) Building. Operable unit 2 (OU2) is the soil above the water table within the footprint of the HSTF S and I Building ancillary structures. Operable unit 3 (OU3) is the soil and separate phase petroleum hydrocarbon accumulation above the water table and soil below the water table within 8 acres in the north central portion of the Site. Operable unit 4 (OU4) is the soil above the water table (unsaturated zone) at the Site, excluding OU-1, OU-2, and OU-3. Operable unit 5 (OU5) is the sewer system (water and sediment) beneath the Site. Operable unit 6 (OU6) is the groundwater and saturated soil beneath the Site. Site Geology and Hydrology:

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Historic fill on the Site is predominantly comprised of reworked glacial deposits (unstratified sand, silt, clay and gravel) and railroad ballast, with lesser amounts of ash, cinders and construction debris. With the exception of paved areas, land occupied by buildings, and vegetated areas, the railroad ballast is ubiquitous at the land surface throughout the Site. Groundwater beneath the Site occurs in fill deposits, wetlands, or the Upper Pleistocene glacial deposits. The saturated Upper Pleistocene deposits comprise the Upper Glacial aquifer. The depth to groundwater across the Site varies from one to fifteen feet below ground surface. Groundwater within the shallow deposits flows predominantly west across the Site. However, groundwater between Queens Boulevard and Honeywell Street flows northerly and northwesterly toward the buried flow path of the Dutch Kills Creek and/or East River. In the deeper deposits, groundwater predominantly flows west across the Site.

Env Problem: Nature and Extent of Contamination: Prior to Remediation: Remedial investigations have been conducted in multiple phases under NYSDEC oversight pursuant to the consent order. Seventeen specific areas of concern (AOC) were identified of concern (COCs). The following environmental exposure pathways and ecological risks have been identified for the Site: The Site poses an environmental threat associated with the potential impacts of contaminants to groundwater from soils impacted by the COC's. Continued migration of contaminated groundwater from off-site sources poses a potential environmental threat to on-site groundwater. Off-site sources will be addressed by remedial programs for the respective neighboring sites, as appropriate. There are no wetlands or other exposure pathways to fish and wildlife receptors in the Site. Operable Unit 1: Polychlorinated biphenyls (PCBs) were detected in 16 of 19 soil samples; all but one were less than 1 parts per million (ppm). The maximum concentration was 2 ppm. Six semi-volatile organic compounds (SVOCs), specifically carcinogenic polycyclic aromatic hydrocarbons (cPAHs), were detected above Technical and Administrative Guidance Memo (TAGM) 4046 Recommended Soil Cleanup Objectives (RSCOs) at depths up to three feet below ground surface (bgs). However, there was only one exceedance of the site specific soil cleanup level (SSSCL) of 10 ppm. Operable Unit 2: The soil above groundwater was sampled at depths up to three feet bgs. PCBs were detected in 15 of the 20 samples at a maximum concentration of 4.5 ppm. The other compounds of concern (COCs), lead and total cPAHs, were also detected at levels below the SSSCLs of 1000 ppm and 25 ppm respectively. Therefore, No Action was selected in the Record of Decision (ROD). Operable Unit 3: Surface Soil - The SSSCLs were exceeded for PCBs (2 out of 102 samples); lead (3 out of 3) and cPAHs (2 out of 27). The maximum concentration for PCBs was 73 ppm; for lead it was 1,080 ppm and cPAHs 108 ppm. Additionally, half an acre of visible petroleum contaminated surface soil was delineated at an average depth of one foot bgs. Subsurface Soil - There were no exceedances of the SSSCLs for the COCs. Waste Materials - The waste material onsite consists of PCB contaminated petroleum present in: (1) surface soils as mentioned above; (2) a potentially mobile separate phase hydrocarbon (SPH) plume floating over the groundwater surface; (3) a residual SPH trapped in soil pores below the water table; and (4) residues in underground structures. Sixty-five samples of SPH were collected and analyzed for PCBs. The maximum concentration was 360 ppm. SPH and sludge samples taken from underground structures contained PCB concentrations of 512 and 517 ppm respectively. Operable Unit 4: Surface Soil - There were

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

exceedances of the SSSCLs for PCBs (60 out of 786 samples); lead (52 out of 471); and cPAHs (31 out of 436). The maximum PCB concentration was 25,000 ppm; cPAH was 113 ppm and lead was 7,020 ppm. Subsurface Soil - There were exceedances in soil samples for the SSSCLs viz. PCBs (13 of 455); lead (17 of 354) and cPAHs (18 of 376). The maximum PCB concentration was 3500 ppm; lead was 2600 ppm and cPAH was 119 ppm. Operable Unit 5: Sewer Sediment - PCBs were detected in 29 samples of sediment from the sewers at concentrations ranging from 0.053 ppm at MH-69 to 120 ppm at MH-6. PCB concentrations at MH-6 (one sample) and MH-38 (two samples) exceeded the 25 ppm NYSDEC-approved site specific soil cleanup level. MH-6 was remediated as an IRM in October 2011. Sewer Water - Discrete water samples (filtered and unfiltered) were collected from 12 manhole locations and analyzed for PCBs during performance of the OU-5 RI. PCBs were detected in 17 of 39 unfiltered samples with concentrations ranging from 0.14 parts per billion (ppb) to a high of 83 ppb. Five of the unfiltered samples, one from MH-3, three from MH-6 and one from MH-40 exceeded the 1 ppb waste water effluent limit. The waste water effluent limit is appropriate since the sewer discharges to a Waste Water Treatment Plant. Only one of the 39 filtered samples (MH-3) contained PCBs at a concentration (1.8 ppb) slightly exceeding the 1 ppb waste water effluent limit. Operable Unit 6: Saturated Subsurface Soil - A total of 159 samples of soil were collected from 29 boring locations. There were no exceedances of the SSSCLs for the COCs. Groundwater - Three plumes of chlorinated volatile organic compounds (CVOCs) were defined at the site. However, none of these were attributable to site operations, but are attributable to off-site sources. No site related groundwater contamination of concern was identified. Post Remediation: Remediation has been completed in OU-1 where 472 tons of contaminated soil, fill and debris were excavated and disposed of along with 280 cubic yards of concrete and asphalt and 2,450 gallons of liquid. A No Action ROD was issued for OU-2. Remediation has been initiated at OU-3 and OU-4. The OU-5 ROD for cleaning the sewers was issued on March 27, 2011, and the OU-6 ROD (No Action) was issued on March 30, 2010.

Health Problem:	Groundwater in the area of the site is not used as a source of potable water. Access to the site is controlled, preventing trespassers from coming in contact with contaminated soils.
Dump:	True
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1910
Disp Term:	unknown
Lat/Long:	40:45:03:0 / 73:56:01:0
Dell:	False
Record Add:	11/18/1999 12:00:00 PM
Record Upd:	9/19/2013 2:35:00 PM
Updated By:	kbdilige
Own Op:	Owner
Sub Type:	E
Owner Name:	Not reported
Owner Company:	PENNSYLVANIA RAILROAD - AMTRAK
Owner Address:	400 N. CAPITOL ST. NW
Owner Addr2:	Not reported
Owner City,St,Zip:	WASHINGTON, DC 20001

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: E
Owner Name: JOSEPH P. DEVITO
Owner Company: PENNSYLVANIA RAILROAD - AMTRAK
Owner Address: 39-29 HONEYWELL ST.
Owner Addr2: Not reported
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Country: United States of America
Own Op: Disp. Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: PENNSYLVANIA RAILROAD - AMTRAK
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: ZZ
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: NNN
Owner Name: Not reported
Owner Company: Amtrak - Sunnyside Yard
Owner Address: 39-29 Honeywell Street
Owner Addr2: Not reported
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: National Rail Passenger Corporation
Owner Address: 400 North Capitol Street NW
Owner Addr2: Not reported
Owner City,St,Zip: Washington, DC 20001
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Queens Public Library
Owner Address: Sunnyside Branch
Owner Addr2: 43-06 Greenpoint Avenue
Owner City,St,Zip: Long Island City, NY 11101
Owner Country: United States of America
Own Op: Owner
Sub Type: 01
Owner Name: Not reported
Owner Company: Amtrak and New Jersey Transit Corp
Owner Address: 39-29 Honeywell Street
Owner Addr2: Not reported
Owner City,St,Zip: Sunnyside, NY 11101
Owner Country: United States of America
HW Code: 241006
Waste Type: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: METHYL-TERT-BUTYL ETHER (MTBE)
Waste Quantity: UNKNOWN
Waste Code: Not reported

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

HW Code:	241006
Waste Type:	1,1,2-TRICHLORETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	BENZO(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	indeno(1,2,3-cd)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	BENZ(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	Chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	LEAD
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	LEAD
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	LEAD
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	1,2,4-TRICHLOROBENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	BENZENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006
Waste Type:	POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241006

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Waste Type: POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: POLYCHLORINATED BIPHENYLS (PCB)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: BENZO[K]FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 241006
Waste Type: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: P-79652
Cross Ref Type Code: 11
Cross Ref Type: ICS ID
Record Added Date: 11/18/1999 12:00:00 PM
Record Updated: 2/24/2005 3:54:00 PM
Updated By: INITIAL
Crossref ID: 9300199
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 6/11/2013 10:57:00 AM
Record Updated: 6/11/2013 10:57:00 AM
Updated By: HRAHMED

LTANKS:
Site ID: 97453
Spill Number/Closed Date: 9013163 / 2003-03-14
Spill Date: 1991-03-23
Spill Cause: Tank Test Failure

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1991-03-26
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-04-04
Spill Record Last Update:	2004-03-30
Spiller Name:	Not reported
Spiller Company:	AMTRAK
Spiller Address:	39-29 HONEYWELL STREET
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	86808
DEC Memo:	""
Remarks:	"20K TANK FAILED,CONTRACTOR WILL PUMP TANK,PRESENTLY ROUX ASSOCIATES PERFORMING SITE ASSESSMENT,SITE IS PART OF RIFF PROJECT,JAMES QUINN, DEC REMEDIAL ACTION (518-457-3395). CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS. "

Material:

Site ID:	97453
Operable Unit ID:	950385
Operable Unit:	01
Material ID:	426055
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Pounds
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Site ID:	97453
Spill Tank Test:	1538365
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	.00

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	Not reported
Test Method:	Unknown

Site ID:	97456
Spill Number/Closed Date:	9207333 / 2003-11-24
Spill Date:	1991-01-01
Spill Cause:	Tank Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1992-09-24
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-09-28
Spill Record Last Update:	2003-11-24
Spiller Name:	ENVIRONMENTAL DEPT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	86808
DEC Memo:	""
Remarks:	"ALL 14 TANKS CLEANED AND FILLED W/CONCRETE 4 TEST BORINES DONE 2/10/92, 4 EA MONITORING WELLS 3/3/92 INDICATES CONTAMINATED SOIL AND G/W CLOSED SITE 1960"

Material:

Site ID:	97456
Operable Unit ID:	970974
Operable Unit:	01
Material ID:	407971
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Tank Test:

SPILLS:

Facility ID:	1412278
Facility Type:	ER
DER Facility ID:	415437
Site ID:	506094
DEC Region:	2
Spill Date:	2015-03-31
Spill Number/Closed Date:	1412278 / 2015-04-03
Spill Cause:	Human Error
Spill Class:	Not reported
SWIS:	4101
Investigator:	SXMAHAT
Referred To:	Not reported
Reported to Dept:	2015-03-31
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2015-03-31
Spill Record Last Update:	2015-10-28
Spiller Name:	CHRIS BENSON
Spiller Company:	AMTRAK
Spiller Address:	39-29 HONEYWELL ST
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller Company:	999
Contact Name:	CHRIS BENSON
Contact Phone:	(917) 538-2982
DEC Memo:	"3/31/15: Mahat t/c: DEC Mahat contancted Mr. Benson ans asked him to send some picture and closure report as clean up is done by retained contractor. DEC is waiting for a closure report. 4/3/15: Mahat E/C: DEC Mahat received an narrative clean up report from Mr. Benson. Absorbents were applied to the effected concrete to. Affected soils were excavated to a depth of 9 , and concrete was scrubbed with a degreasing agent to remove any remaining product. The area was returned to service, 2x drums of oily solids were generated. V/R, Chris Benson Senior Environmental & Safety Analyst New York - Operations AMTRAK 39-29 Honeywell St. Long Island City, NY, 11101 Cell 917-538-2982 ATS 521-6084 Office 212-630-6084 christian.benson@amtrak.com Based on the report and the facility and initial picture. The Department does not warranr any further investigation. Spill case will be closed in DEC Spill Database. "
Remarks:	"rain caused buckets to lose fluid to soil, c/u pending by Phillip Service"

Material:

Site ID:	506094
Operable Unit ID:	1255405
Operable Unit:	01

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Material ID:	2258141
Material Code:	0811A
Material Name:	compressor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	1112990
Facility Type:	ER
DER Facility ID:	415437
Site ID:	460959
DEC Region:	2
Spill Date:	2012-02-13
Spill Number/Closed Date:	1112990 / 2012-02-14
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	4101
Investigator:	vszhune
Referred To:	Not reported
Reported to Dept:	2012-02-14
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2012-02-14
Spill Record Last Update:	2012-02-14
Spiller Name:	CHRIS BENSON
Spiller Company:	AMTRAK
Spiller Address:	39-29 HONEYWELL ST
Spiller City,St,Zip:	LONG ISLAND CITY, NY
Spiller Company:	999
Contact Name:	CHRIS BENSON
Contact Phone:	(917) 538-2982
DEC Memo:	"02/14/12- Christian Benson from Amtrack sent the following email: Around appx 1500hrs, 13FEB12, while replacing fuel in a portable heating unit, an Amtrak employee noticed fuel leaking from the underside of the fuel tank. The employee notified their supervisor, who instructed them to bring it to the motor pool area, away from the track area. The employee tilted the unit upwards to move product away from the hole. Upon reaching the motor pool, the employee had to tilt the unit back down, allowing product to begin leaking again. It is now estimated that only 1.2 gallons were released as employees were able to remove remaining product from the tank and place into a separate drum. The spilled material was contained with absorbent

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

boom, pads, and sand. Clean-up was completed the morning of 14FEB12, and all wastes were placed into a drum for disposal. S-200 product will be used to further ensure full remediation of the area. Product was only released on impermeable surface, no waterways or soil was affected. Spill Closed. "

Remarks: "Caller reporting a spill of 5 gallons of #1 fuel oil (kerosene) to concrete. Clean up is in progress."

Material:

Site ID:	460959
Operable Unit ID:	1211057
Operable Unit:	01
Material ID:	2208758
Material Code:	0012A
Material Name:	kerosene
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	Gallons
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0613010
Facility Type:	ER
DER Facility ID:	86808
Site ID:	377965
DEC Region:	2
Spill Date:	2007-03-02
Spill Number/Closed Date:	0613010 / 2007-03-05
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	sfrahman
Referred To:	Not reported
Reported to Dept:	2007-03-03
CID:	75
Water Affected:	N/A
Spill Source:	Commercial Vehicle
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-03-03
Spill Record Last Update:	2007-03-05
Spiller Name:	Not reported
Spiller Company:	HEAVY MACHINE
Spiller Address:	39-29 HONEYWELL ST
Spiller City,St,Zip:	LONG ISLAND CITY, NY 11101
Spiller Company:	001

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Contact Name:	Not reported
Contact Phone:	Not reported
DEC Memo:	"All cleaned up, bio remediation product was applied.No water ways impacted.Documents on edocs.Spill closed."
Remarks:	"approx 80 to 100 gals oil came from excavator/backhoe onto grade in the tracks-on asphalt and concrete-no waterways-clean up enroute Clean Harbors to finish up the clean up"

Material:

Site ID:	377965
Operable Unit ID:	1135482
Operable Unit:	01
Material ID:	2125392
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	90.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0401755
Facility Type:	ER
DER Facility ID:	86808
Site ID:	311577
DEC Region:	2
Spill Date:	2004-05-14
Spill Number/Closed Date:	0401755 / 2007-11-20
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	kkchanda
Referred To:	Not reported
Reported to Dept:	2004-05-18
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-05-18
Spill Record Last Update:	2008-10-06
Spiller Name:	HARRY SUEBERT
Spiller Company:	AMTRACK
Spiller Address:	3929 HONEYWELL STREET
Spiller City,St,Zip:	LONG ISLAND, NY
Spiller Company:	001

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Contact Name: HARRY SUEBERT
Contact Phone: (212) 630-6707
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIPPLE 7/9/07: Reassigned to Kartik Chanda (Chanda) 9/10/07: Kartik Chanda of DEC has reviewed this spill case and sent a letter to National Railroad Passenger, 400 West 31st St., 4th Floor, NY, NY 10001, Attn: Emma Cattafi requiring that the following information be submitted to DEC for review by 10/25/07: 1. An explanation of the cause of the tank/equipment failure; 2. Either a description of the work performed to restore the integrity of the tank system (including retesting results), or a description of the work performed to close (decommission) the tank; 3. Information regarding petroleum contamination found at the site and cleanup activities (if any) associated with a release from this tank system; 4. Any available documentation (i.e., invoices, bills, sampling analysis reports, etc.) pertaining to the work performed at this site associated with this violation. 10/17/07: Chanda received a letter from Emma Cattafi, Senior Environmental Coordinator, Amtrak with enclosed: 1. Invoices from Eadtmond describing work performed. 2.Invoices and scope of work from CHES. 3. Soil sample analysis report. 4.Tightness test tesults. 5.Shipping paper for soil disposal. 11/19/07: Chanda reviewed soil sample analytical results and UST tightness test results for this spill and has the following comments: 1. On May 14, 2004, the oil was found during the soil excavation phase of a project to upgrade/ retrofit an existing 20,000-gallon UST. 2. Amtrak estimated a release of approximately 10 gallon of #2 fuel oil. 3. Clean Harbors Environmental Services(CHES) excavated the contaminated soil surrounding the tank. VOCs and SVOCs were not detected in soil analytical results. Kartik Chanda discussed with Joe Sun (NYSDEC) regarding the findings of the soil analytical results and based on the information presented to the Department, DEC closed this spill, dated 11/20/07. 11/21/07: Chanda sent an NFA letter to Ms.Emma Cattafi, Senior Environmental Coordinator, AMTRAK, by regular mail. "
Remarks: "LEAKING BAD FILL PIPE: IN PROCESS OF CLEANING UP: "

Material:
Site ID: 311577
Operable Unit ID: 883594
Operable Unit: 01
Material ID: 492947
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: Gallons
Recovered: 10.00
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

Facility ID: 0303007
Facility Type: ER
DER Facility ID: 86808
Site ID: 219139

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

DEC Region:	2
Spill Date:	2003-06-21
Spill Number/Closed Date:	0303007 / 2003-08-29
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2003-06-21
CID:	390
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-06-21
Spill Record Last Update:	2003-11-24
Spiller Name:	HARRY SEUBERT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller Company:	001
Contact Name:	JOHN PIELLI
Contact Phone:	(908) 256-6303
DEC Memo:	""
Remarks:	"Hose on a crane failed - spilling material - clean harbors in enroute for clean up"

Material:

Site ID:	219139
Operable Unit ID:	869827
Operable Unit:	01
Material ID:	507450
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	150.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0200853
Facility Type:	ER
DER Facility ID:	86808
Site ID:	219138
DEC Region:	2
Spill Date:	2002-04-20

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Spill Number/Closed Date:	0200853 / 2003-10-17
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2002-04-23
CID:	205
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-04-23
Spill Record Last Update:	2004-03-30
Spiller Name:	ENVIRONMENTAL DEPT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller Company:	001
Contact Name:	CALLER
Contact Phone:	Not reported
DEC Memo:	""
Remarks:	"Broken hose on loader. cleanup completed."

Material:

Site ID:	219138
Operable Unit ID:	851686
Operable Unit:	01
Material ID:	522282
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	35.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0109691
Facility Type:	ER
DER Facility ID:	86808
Site ID:	219137
DEC Region:	2
Spill Date:	2002-01-05
Spill Number/Closed Date:	0109691 / 2003-11-24
Spill Cause:	Equipment Failure
Spill Class:	Known release that creates potential for fire or hazard. DEC Response.

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

	Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2002-01-05
CID:	398
Water Affected:	Not reported
Spill Source:	Non Major Facility > 1,100 gal
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-01-05
Spill Record Last Update:	2003-11-24
Spiller Name:	ENVIRONMENTAL DEPT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller Company:	001
Contact Name:	RICHARD MOHLENHOFF
Contact Phone:	(212) 630-6215
DEC Memo:	""
Remarks:	"Caller was unsure if leak from there equipment or contractors. No call back requested."

Material:

Site ID:	219137
Operable Unit ID:	848051
Operable Unit:	01
Material ID:	527340
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0108953
Facility Type:	ER
DER Facility ID:	86808
Site ID:	97447
DEC Region:	2
Spill Date:	2001-12-08
Spill Number/Closed Date:	0108953 / 2003-03-10
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2001-12-08
CID:	266
Water Affected:	Not reported
Spill Source:	Non Major Facility > 1,100 gal
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-12-08
Spill Record Last Update:	2003-11-24
Spiller Name:	HARRY SEUBERT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller Company:	001
Contact Name:	JOSEPH SANCHEZ
Contact Phone:	(212) 630-7372
DEC Memo:	""
Remarks:	"BOILER HOUSE. EMPLOYEES WERE MAKING REPAIRS AND ACCIDENTALLY BROKE A FUEL LINE. SPILLED ONTO CONCRETE. LINE BEING REPLACED. BEING CLEANED UP."

Material:

Site ID:	97447
Operable Unit ID:	846340
Operable Unit:	01
Material ID:	530162
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15.00
Units:	Gallons
Recovered:	15.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0103793
Facility Type:	ER
DER Facility ID:	86808
Site ID:	219136
DEC Region:	2
Spill Date:	2001-07-10
Spill Number/Closed Date:	0103793 / 2003-06-26
Spill Cause:	Equipment Failure
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SIGONA

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Referred To:	Not reported
Reported to Dept:	2001-07-10
CID:	382
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2001-07-10
Spill Record Last Update:	2004-03-30
Spiller Name:	ENVIRONMENTAL DEPT
Spiller Company:	NATIONAL RAILROAD PASS
Spiller Address:	400 WEST 31ST STREET, 4TH
Spiller City,St,Zip:	NEW YORK, NY 10001-
Spiller Company:	001
Contact Name:	CALLER
Contact Phone:	Not reported
DEC Memo:	""
Remarks:	"A leak from either pipe or tank of a low ph car wash fluid - leak found while repairing tank. most contained to inside area but some seepage into ground. clean up in progress by clean harbors and amtrack"

Material:

Site ID:	219136
Operable Unit ID:	840419
Operable Unit:	01
Material ID:	535869
Material Code:	0045A
Material Name:	cleaning chemicals/products
Case No.:	Not reported
Material FA:	Other
Quantity:	50.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Facility ID:	0009462
Facility Type:	ER
DER Facility ID:	86808
Site ID:	216873
DEC Region:	2
Spill Date:	2000-11-17
Spill Number/Closed Date:	0009462 / 2003-02-24
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	4101
Investigator:	SACCACIO

AMTRAK SUNNYSIDE YARD (Continued) **S103575644**

Referred To:	Not reported
Reported to Dept:	2000-11-17
CID:	396
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-11-17
Spill Record Last Update:	2006-01-06
Spiller Name:	Not reported
Spiller Company:	AMTRACK
Spiller Address:	SAME
Spiller City,St,Zip:	ZZ
Spiller Company:	001
Contact Name:	HARRY SEUBERT
Contact Phone:	(212) 630-6707
DEC Memo:	""
Remarks:	"spill has been contained. celan up will begin shortly."

Material:

Site ID:	216873
Operable Unit ID:	831750
Operable Unit:	01
Material ID:	543403
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

224
South
1/4-1/2
0.495 mi.
2616 ft.

Relative:
Higher

Actual:
71 ft.

40-05 SKILLMAN AVE/QUEENS **NY LTANKS** **S100153845**
40-05 SKILLMAN AVENUE **N/A**
NEW YORK CITY, NY

LTANKS:

Site ID:	166160
Spill Number/Closed Date:	9101607 / 1991-07-25
Spill Date:	1991-05-09
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release that creates potential for fire or hazard. DEC Response.

40-05 SKILLMAN AVE/QUEENS (Continued) **S100153845**

	Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	1991-07-25
Cleanup Meets Standard:	True
SWIS:	4101
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1991-05-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1991-05-15
Spill Record Last Update:	1991-07-26
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	140018
DEC Memo:	""
Remarks:	"SOIL FOUND TO BE CONTAMINATED WITH GASOLINE DURING A TANK REMOVAL,DEC TO INVESTIGATE."

Material:

Site ID:	166160
Operable Unit ID:	952716
Operable Unit:	01
Material ID:	424171
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Not reported
Oxygenate:	Not reported

Tank Test:

225
West
1/4-1/2
0.500 mi.
2639 ft.

SPILL NUMBER 0206025
33-05 29TH ST
LONG ISLAND CITY, NY

NY LTANKS **S106123795**
N/A

Relative:
Higher

Actual:
42 ft.

LTANKS:

Site ID:	215040
Spill Number/Closed Date:	0206025 / 2004-02-13
Spill Date:	2002-09-11
Spill Cause:	Tank Overfill
Spill Source:	Commercial Vehicle
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	4101
Investigator:	CESAWYER
Referred To:	Not reported
Reported to Dept:	2002-09-11
CID:	205
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-09-11
Spill Record Last Update:	2004-02-13
Spiller Name:	CALLER
Spiller Company:	PETRO OIL
Spiller Address:	5560 58TH ST
Spiller City,St,Zip:	MASPETH, NY -
Spiller County:	001
Spiller Contact:	CALLER
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	178166
DEC Memo:	"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SAWYER 1/6/04-Vought-Spill transferred from Vought to Austin. 01/27/04 - Sawyer - Spill transferred from Austin to Sawyer. 2/13/04 1545 Hrs - Sawyer - Small spill due to tank overfill, cleaned up with absorbent by PETRO oil no furhter actiion required. Closed."
Remarks:	"CLEANUP STARTED."

Material:

Site ID:	215040
Operable Unit ID:	858510
Operable Unit:	01
Material ID:	516639
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	Gallons
Recovered:	.00
Resource Affected:	Not reported

SPILL NUMBER 0206025 (Continued) **S106123795**

Oxygenate: Not reported

Tank Test:

226
WSW
1/2-1
0.618 mi.
3263 ft.

Relative:
Lower

Actual:
32 ft.

FRESH CLEANERS & LAUNDRY INC **RCRA-SQG** **1001125032**
39-26 30TH ST **NY SHWS** **NYR000034363**
LONG ISLAND CITY, NY 11101 **NY BROWNFIELDS**
NY MANIFEST

RCRA-SQG:
Date form received by agency: 05/01/2007
Facility name: FRESH CLEANERS & LAUNDRY INC
Facility address: 39-26 30TH ST
LONG ISLAND CITY, NY 11101
EPA ID: NYR000034363
Mailing address: 30TH ST
LONG ISLAND CITY, NY 11101
Contact: MOON S PARK
Contact address: 30TH ST
LONG ISLAND CITY, NY 11101
Contact country: US
Contact telephone: (718) 786-9734
Contact email: Not reported
EPA Region: 02
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:
Owner/operator name: FRESH CLEANERS & LAUNDRY INC
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 03/16/2007
Owner/Op end date: Not reported

Owner/operator name: MOON S PARK
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 03/16/2007
Owner/Op end date: Not reported

Handler Activities Summary:

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:
Date form received by agency: 04/30/2007
Site name: FRESH CLEANERS & LAUNDRY INC
Classification: Small Quantity Generator

Date form received by agency: 01/01/2006
Site name: BRIDGE CLEANERS
Classification: Small Quantity Generator

Date form received by agency: 01/13/1997
Site name: BRIDGE CLEANERS
Classification: Small Quantity Generator

. Waste code: D000
. Waste name: Not Defined

Facility Has Received Notices of Violations:
Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 04/27/2006

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Date achieved compliance: 07/02/2007
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 11/16/2012
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 35098
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 04/27/2006
Date achieved compliance: 07/02/2007
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/18/2006
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 04/27/2006
Date achieved compliance: 07/02/2007
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/29/2007
Enf. disposition status: Dropped
Enf. disp. status date: 10/01/2011
Enforcement lead agency: EPA
Proposed penalty amount: 35098
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 03/31/2014
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 10/01/2011
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 08/18/2011
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Evaluation date: 07/02/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 05/29/2006
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 04/27/2006
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/02/2007
Evaluation lead agency: EPA

Evaluation date: 08/28/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

SHWS:
Program: HW
Site Code: 440982
Classification: Significant threat to the public health or environment - action required.
Region: 2
Acres: 0.173
HW Code: 241127
Record Add: 10/15/2010
Record Upd: 02/09/2017
Updated By: MJKOMORO
Site Description: Location: The Bridge Cleaners site is located at 39-26 30th Street in Long Island City, an urban area. Site Features: A 7500 square foot one-story slab-on-grade building occupies the entire lot. Adjacent buildings to the north and west appear to contain residential units. To the south is a paved driveway used by the neighboring commercial structure. To the east is 30th street. Current Zoning and Land Use: The site is zoned M1-3/R7X (Manufacturing and Residential) under the special Long Island City Mixed Use District. The surrounding area is a mix of residential and commercial uses. Past use of the Site: The site was occupied by a commercial laundry and dry cleaner until 2011. Records indicate at least 10 years of use as a commercial dry-cleaner. Prior to that, the building was used as a distribution point for electrical components, bottled water and a courier service. Site Hydrology/Geology: The depth to groundwater near the site is about 18-22 feet. Soils in the area are primarily fine to medium sand with some traces of silt. One location indicated a clay layer at 6 to 9 feet below grade.
Env Problem: NATURE AND EXTENT OF CONTAMINATION: Samples collected in 2009 on the property adjacent to the Bridge Cleaners site identified dry-cleaning related compounds trichloroethene (TCE) and tetrachloroethene (PCE) in the soil vapor and groundwater. There was no evidence of PCE use on the adjacent property, and the higher results were near the common property line. PCE was found at 910 ppb in groundwater along the

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

common property boundary, decreasing to 120 ppb approximately 100 feet away. PCE was measured at 16,900 ug/m3 in the soil vapor. The groundwater standard for both PCE and TCE is 5 ppb. NYS was denied access to the building, and conducted an off-site investigation in February 2012. Elevated groundwater levels were found downgradient from the site (PCE 440 ppb, TCE 32 ppb). Soil: Soil samples in 2011, and later soil samples in 2014 found low level PCE contamination in soil. The highest soil sampled indicated 9.6 ppm PCE. The protection of groundwater standard and the unrestricted soil cleanup objective are both 1.3 ppm for PCE. Groundwater: Site groundwater was sampled in 2011, 2014 and 2016. The highest levels were obtained in 2011, with a maximum concentration of 1470 ppb PCE in groundwater. In 2014, the PCE concentrations ranged from 165-340 ppb. The most recent samples (2016) ranged from 44 to 200 ppb PCE. TCE was present at much lower levels (maximum of 14 ppb). The groundwater standard for both PCE and TCE is 5 ppb. Soil Vapor: Sub-slab soil vapor samples were taken in 2014. Results ranged up to 668,000 ug/m3 PCE and up to 2140 ug/m3 TCE. PCE in indoor air was 270 ug/m3. Sub-slab samples in 2016 resulted in similar levels (up to 543,000 ug/m3 PCE and up to 3750 ug/m3 TCE).

Health Problem:	People may come into contact with contaminated groundwater or soil if they dig below the surface. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air or buildings, is referred to as soil vapor intrusion. Environmental sampling indicates that actions are needed to address potential exposures to site related contaminants via soil vapor intrusion both on and off-site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	3/15/2012 1:30:00 PM
Record Upd:	3/15/2012 1:30:00 PM
Updated By:	RECURLEY
Own Op:	Owner
Sub Type:	01
Owner Name:	Not reported
Owner Company:	Zhong Chaung Properties LLC
Owner Address:	37-24 30th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	03
Owner Name:	Bridge Cleaners
Owner Company:	Bridge Cleaners
Owner Address:	39-26 30th Street

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	01
Owner Name:	Lillian Shi
Owner Company:	Spring Cutting Inc.
Owner Address:	318 W 39th St Fl 11
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10018
Owner Country:	United States of America
HW Code:	241127
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241127
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

BROWNFIELDS:

Program:	BCP
Site Code:	480014
Acres:	Not reported
HW Code:	C241127A
SWIS:	4101
Town:	New York City
Record Added Date:	03/21/2013
Record Updated Date:	09/02/2016
Update By:	MJKOMORO
Site Description:	LOCATION: This is an off-site investigation of the area downgradient of the Bridge Cleaners site, Site Number C241127, which located at 39-26 30th Street in Long Island City, an urban area. SITE FEATURES: The investigation area encompasses sidewalks along 29th Street from 39th Ave to 40th Road, along 30th Street from 39th Avenue to approximately 40th Ave, and along 40th Ave to 31st Street. CURRENT ZONING: This section of Long Island City is zoned Special Purpose District which allows mixed residential and commercial use. The specific designation for the site is M1-3/R7X. Buildings within the city block are primarily commercial. There are residential units including a three story apt building along 29th Street. The downgradient block also contains a limited number of residential buildings.Recent construction in the area includes a self-storage facility and hotels. HISTORICAL USES: This area of Long Island City has historically included mixed residential and light manufacturing. Formerly the area included a printing operation, commercial laundry and drycleaner, wire die manufacturer, gas station, and distribution points for a variety of products. SITE HYDROLOGY/GEOLOGY: Groundwater elevation levels vary from 11.04 AMSL to 10.01 AMSL, which is about 20 feet below land surface in the vicinity of the site. Soils in the area are expected to be primarily sand and silty sand.

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Env Problem:	NATURE AND EXTENT OF CONTAMINATION: In October 2010, a property location in this block was identified as a potential site (P-site) due to soil vapor and groundwater results collected by an adjacent property owner. After unsuccessfully attempting to obtain access for a more thorough investigation, NYSDEC conducted a limited offsite investigation in February 2012. Groundwater and soil samples were taken. Based on this investigation, the Bridge Cleaners Site (C241127) was determined to be causing a significant threat to public health and the environment. The site cleanup is being managed in the NYS Brownfield Cleanup Program. Groundwater: Groundwater elevations show groundwater flow from northeast to southwest. Concentrations of tetrachloroethylene (PCE) and trichloroethylene (TCE) upgradient of the site were approximately 21 ppb and 1 ppb respectively. Downgradient concentrations were 440 ppb and 32 ppb respectively. The groundwater standard for both PCE and TCE is 5 ppb. Soil: One of 14 soil samples, at a side gradient monitoring well MW-4, contained PCE at 3.3 ppm. The depth of this contamination was 29-30 feet below grade. This 2016 Remedial Investigation will define the nature and extent of contamination emanating from the Bridge Cleaners Site in groundwater, soil vapor and any other parts of the environment that may be affected. Shallow and deep groundwater wells will be installed upgradient and downgradient of the Bridge Cleaners site (C241127). After well installation, two sets of samples will be collected. Based on the initial sampling, groundwater samples will be collected for Compound Specific Isotope Analysis (CSIA). This analysis will be used to determine whether the source of the Tetrachloroethene (PCE) and Trichloroethene (TCE) groundwater contamination is exclusively from the Bridge Cleaners site or from other sources in the immediate area. Eleven soil vapor samples will also be collected initially. After the results are obtained, the Department may request access from owners of eight structures along 29th Street for sub-slab and indoor air sampling.
Health Problem:	Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air or buildings, is referred to as soil vapor intrusion. Furthermore, environmental sampling indicates that soil vapor intrusion represents a concern for on and off-site structures and additional evaluation is necessary to determine the extent of exposure to contamination in this media.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Document Repository

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Sub Type:	NNN
Owner Name:	Florence Koulouris
Owner Company:	Community Board 1- Queens
Owner Address:	45-02 Ditmars Ave, Suite 1025
Owner Addr2:	Not reported
Owner City,St,Zip:	Astoria, NY 11105
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Tienya Smith
Owner Company:	Queens Library - Long Island City Branch
Owner Address:	37-44 21st Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

Program:	BCP
Site Code:	464609
Acres:	0.173
HW Code:	C241127
SWIS:	4101
Town:	New York City
Record Added Date:	05/25/2012
Record Updated Date:	12/21/2016
Update By:	MJKOMORO
Site Description:	Location: The Bridge Cleaners site is located at 39-26 30th Street in Long Island City, an urban area. Site Features: A 7500 square foot one-story slab-on-grade building occupies the entire lot. Adjacent buildings to the north and west appear to contain residential units. To the south is a paved driveway used by the neighboring commercial structure. To the east is 30th street. Current Zoning and Land Use: The site is zoned M1-3/R7X (Manufacturing and Residential) under the special Long Island City Mixed Use District. The surrounding area is a mix of residential and commercial uses. Past use of the Site: The site was occupied by a commercial laundry and dry cleaner until 2011. Records indicate at least 10 years of use as a commercial dry-cleaner. Prior to that, the building was used as a distribution point for electrical components, bottled water and a courier service. Site Hydrology/Geology: The depth to groundwater near the site is about 18-22 feet. Soils in the area are primarily fine to medium sand with some traces of silt. One location indicated a clay layer at 6 to 9 feet below grade.
Env Problem:	NATURE AND EXTENT OF CONTAMINATION: Samples collected in 2009 on the property adjacent to the Bridge Cleaners site identified dry-cleaning related compounds trichloroethene (TCE)and tetrachloroethene (PCE) in the soil vapor and groundwater. There was no evidence of PCE use on the adjacent property. The higher results were closer to the common

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

property line. PCE was found at 910 ppb in groundwater along the common property boundary, decreasing to 120 ppb approximately 100 feet away. PCE was measured at 16,900 ug/m3 in the soil vapor. The groundwater standard for both PCE and TCE is 5 ppb. In April 2011, the site operator obtained 2 soil samples from beneath the Bridge Cleaners slab and found tetrachloroethene (PCE) at 3.45 ppm and 0.757 ppm. The unrestricted soil cleanup objective is 1.3ppm for PCE. In September 2011, the owner independently obtained samples of soils and groundwater under the building,and provided results to DEC in November 2011. The three groundwater results under the building were 537 ppb, 841 ppb and 1470 ppb PCE. Fifteen soil samples were below the unrestricted soil cleanup objectives for PCE. Groundwater samples also contained TCE in the 11-12.5 ppb range. After unsuccessfully attempting to obtain site access for a more thorough investigation, NYSDEC conducted an offsite investigation in February 2012. Groundwater elevations show groundwater flow from northeast to southwest. Concentrations of PCE and TCE upgradient of the site were approximately 21 ppb and 1 ppb respectively. Downgradient concentrations were 440 ppb and 32 ppb respectively. One of 14 soil samples, at side gradient monitoring well MW-4, contained PCE at 3.3 ppm. The depth of this contamination was 29-30 feet below grade, and below the water table at 25.5 feet. In the first quarter of 2014, after entering the Brownfield Program, additional groundwater, soil and soil vapor samples were obtained from within the building. Five groundwater samples ranged from 165 to 340 ppb for PCE, and TCE concentrations from 2-7 ppb. Soil samples obtained from the same 5 locations did not exceed unrestricted soil cleanup objectives.
Sub-slab soil vapor, however, ranged from approximately 20,000 ug/m3 to 668,000 ug/m3 below the slab (PCE) and up to 2140 ug/m3 TCE. PCE in indoor air was 270 ug/m3. Based on the soil vapor results, there is a need to mitigate the building. In Nov 2014, a new consultant was hired by the BCP applicant. Soil in the NW corner of the building was found at 1.8-9.6 ppm (exceeding the protection of groundwater SCOs) for PCE (1.3ppm). An IRM design has been developed to address the source area.

Health Problem: People may come into contact with contaminated groundwater or soil if they dig below the surface. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air or buildings, is referred to as soil vapor intrusion. Environmental sampling indicates that actions are needed to address potential exposures to site related contaminants via soil vapor intrusion both on and off-site.

Dump: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Not reported
Pond: Not reported
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: Not reported

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	P03
Owner Name:	Qi Hong Lin
Owner Company:	Zhong Chuang Properties LLC
Owner Address:	37-24 30th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	Applicant/Requestor
Sub Type:	P03
Owner Name:	c/o Periconi LLC
Owner Company:	Zhong Chuang Properties LLC
Owner Address:	260 Madison Avenue, 17th Fl.
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10016
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library
Owner Address:	37-44 21 Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

NY MANIFEST:

Country:	USA
EPA ID:	NYR000034363
Facility Status:	Not reported
Location Address 1:	39-26 30TH ST
Code:	BP
Location Address 2:	Not reported
Total Tanks:	Not reported
Location City:	LONG ISLAND CITY
Location State:	NY
Location Zip:	11101
Location Zip 4:	Not reported

NY MANIFEST:

EPAID:	NYR000034363
Mailing Name:	BRIDGE CLEANERS
Mailing Contact:	YOUNG YOO
Mailing Address 1:	39-26 30TH ST
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Mailing State:	NY
Mailing Zip:	11101
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7187061077

NY MANIFEST:

Document ID:	Not reported
Manifest Status:	Not reported
seq:	Not reported
Year:	2012
Trans1 State ID:	NYR000115733
Trans2 State ID:	Not reported
Generator Ship Date:	02/22/2012
Trans1 Recv Date:	02/22/2012
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/12/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000034363
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD067098822
TSDF ID 2:	Not reported
Manifest Tracking Number:	001162495FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Waste Code:	Not reported
Quantity:	10.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Waste Code:	D039
Waste Code 1_2:	D040
Waste Code 1_3:	F002
Waste Code 1_4:	Not reported
Waste Code 1_5:	Not reported
Waste Code 1_6:	Not reported

FRESH CLEANERS & LAUNDRY INC (Continued) **1001125032**

Click this hyperlink while viewing on your computer to access
88 additional NY_MANIFEST: record(s) in the EDR Site Report.

227
WNW
1/2-1
0.680 mi.
3589 ft.

JUNG SUN LAUNDRY SITE
37-10 24TH STREET
LONG ISLAND CITY, NY 11101

NY SHWS **S110246984**
NY DRYCLEANERS **N/A**

Relative:
Lower

Actual:
19 ft.

SHWS:
Program: HW
Site Code: 374812
Classification: Significant threat to the public health or environment - action required.
Region: 2
Acres: 0.48
HW Code: 241102
Record Add: 12/13/2006
Record Upd: 01/20/2017
Updated By: JXGRECO
Site Description: Location: The Site is located in a mixed residential/commercial/light industrial area of Long Island City (Borough of Queens), NY. The location of the Site is the west corner of the intersection of 24th Street and 37th Avenue. Site Features: The site consists of three lots (Initially four lots). The main current site features include a single story building on one lot, a lot that is being developed, and one lot containing building slab. The site is currently secured with a fence and a lockable gate. Current Zoning and Land Use: The site s property is zoned for commercial use. The surrounding parcels are currently used for a combination of commercial, light industrial and utility right-of-ways. The nearest residential area is located north (up gradient) of the site, on the other side of 37th Avenue. There is also a residential area approximately 500 feet south (downgradient) of the Site, on the south side of 38th Avenue. Past Use of the Site: From the 1930 s to the late 1980 s, the Site was used as a commercial laundry. The Site was utilized as a commercial dry cleaner from the late 1980 s to the mid 1990 s. It appears that site contamination resulted from poor housekeeping and spills associated with the dry cleaning operation. Site Geology and Hydrogeology: Subsurface material consists of sand and some silt and urban fill. The depth to the groundwater varies from approximately 13 to 15 feet below the ground surface. On-site groundwater flow direction is relatively flat; the general flow direction appears to be towards the south-southeast.
Env Problem: Nature and Extent of Contamination: The primary contaminants of concern at the site are tetrachloroethene (PCE) and its degradation products trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), trans-1,2-dichloroethene (trans-1,2-DCE) and vinyl chloride (VC). Soil - During the remedial investigation, PCE, TCE and cis-1,2-DCE were found in on-site soils at concentrations up to 83 parts per million (ppm), 0.22 ppm and 0.17 ppm respectively. The concentration of PCE on-site significantly exceeded the Soil Cleanup Objective (SCO) for unrestricted use as well as for protection of groundwater (1.3 ppm). Groundwater - PCE, TCE, cis-1,2-DCE, trans-1,2-DCE and VC were detected in on-site shallow groundwater at concentrations up to 4,000 parts per billion (ppb), 1200 ppb, 12000 ppb, 130 ppb and 240 ppb respectively. Groundwater standards have been exceeded for PCE,

JUNG SUN LAUNDRY SITE (Continued) **S110246984**

TCE, cis-1,2-dichloroethene, trans-1,2-Dichloroethene, vinyl chloride and chloroform. As per April and June 2012 and March 2014 groundwater data, the PCE plume in groundwater has migrated approximately 400 feet down gradient from the site (off-site) towards southeast. Soil Vapor - PCE and TCE were detected in on-site soil vapor at levels up to 2,800,000 microgram per cubic meter (g/m3) and 130,000 g/m3 respectively and off-site at levels up to 13,000 g/m3 and 420 g/m3, respectively. Soil Vapor Intrusion (SVI) evaluation As part of SVI evaluation, vapor samples were collected from under the basement slab and basement indoor air from 5 surrounding structures. Two structures needs mitigation and one structure needs monitoring or mitigation. To mitigate one of the structures located adjacent to the site an SSDS system is being installed.

Health Problem:	Contact with contaminated soil is not expected since it is located at depth and covered by buildings, asphalt and concrete. Ingestion of contaminated groundwater is not likely since the area is served with public water. Site-related contaminants are present in soil vapor. Therefore, there is a potential for soil vapor intrusion to occur in on-site and off-site structures. Investigation of this potential pathway is recommended.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	5/6/2010 3:30:00 PM
Record Upd:	9/19/2013 3:00:00 PM
Updated By:	kbdilige
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Tienya Smith
Owner Company:	Queens Library: Long Island City Branch
Owner Address:	37-44 21 Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	01
Owner Name:	Tong Yang
Owner Company:	Jung Sun Laundry Corp.
Owner Address:	37-10 24th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	01
Owner Name:	Not reported
Owner Company:	Feiyang Group, LLC
Owner Address:	82-19 Grenfell Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Kew Gardens, NY 11415
Owner Country:	United States of America
Own Op:	Owner

JUNG SUN LAUNDRY SITE (Continued) **S110246984**

Sub Type:	01
Owner Name:	c/o Tony X.F. Yang
Owner Company:	Feiyang Group, LLC
Owner Address:	37-08 24th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11101
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	01
Owner Name:	Gurpal Cheema
Owner Company:	New Generation Development LLC.
Owner Address:	111-26 Van Wyck Expressway
Owner Addr2:	Not reported
Owner City,St,Zip:	South Ozone Park, NY 11420
Owner Country:	United States of America
HW Code:	241102
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241102
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241102
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	0711317
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	3/31/2009 11:06:00 AM
Record Updated:	3/31/2009 11:06:00 AM
Updated By:	JAAVERSA

DRYCLEANERS:

Facility ID:	2-6304-00393
Phone Number:	718-937-0428
Region:	Not reported
Registration Effective Date:	N/A
Inspection Date:	04SEP21
Install Date:	88/99/04
Drop Shop:	Y
Shutdown:	Not reported
Alternate Solvent:	WATER
Current Business:	Not reported

228
ESE
1/2-1
0.683 mi.
3608 ft.

CLEANERS PRODUCTS SUPPLY INC. **NY SHWS** **S102638350**
50-45 BARNETT AVENUE **NY CBS** **N/A**
SUNNYSIDE, NY 11104 **NY CBS AST**

Relative:
Higher

Actual:
53 ft.

SHWS:

Program:	HW
Site Code:	435055
Classification:	Significant threat to the public health or environment - action required.

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

Region: 2
Acres: 0.23
HW Code: 241123
Record Add: 05/20/2010
Record Upd: 02/14/2017
Updated By: JEBROWN
Site Description: LOCATION: The Former Cleaners Products Supply site is a 0.23 acre parcel located in an urban area. The site address is 50-45 Barnett Avenue, Sunnyside, New York and is located approximately 0.2 miles west of the intersection of Woodside Avenue and Barnett Avenue. SITE FEATURES: The site is occupied by a one story commercial building. CURRRENT ZONING AND LAND USE: The site property (50-45 Barnett Avenue) is currently an active glass company and is zoned for commercial use. The surrounding parcels are currently used for a combination of commercial and light industrial. A parking area exists to the west of the property and an active railroad to the north of the property. Immediately south of the property is an apartment complex and approximately 0.3 miles to the east of the property is a residential area along Woodside Avenue. PAST USE OF THE SITE: Until 2007, the site was used by a dry cleaning supply business (Cleaners Products Supply) which utilized above ground storage tanks for storage of PCE. This business has operated at this location since 1952. The presence of dry cleaning solvents in the environment (primarily tetrachloroethene (PCE)) is believed to be a result of materials handling during this use. SITE GEOLOGY AND HYDROGEOLOGY: The direction of groundwater flow appears to be in the northerly direction, but may vary seasonally. According to regional groundwater flow maps, this location appears to be at a groundwater divide suggesting that groundwater may flow radially away from the site. Groundwater was observed approximately 24-26 feet below ground surface.
Env Problem: Site soils have been analyzed for volatile organic compounds (VOCs), and groundwater has been analyzed for VOCs, semi-volatile organic compounds (SVOCs), and metals. Soil: PCE is found in soils at 50-45 Barnett Avenue at concentrations up to 71 parts per million (ppm) (restricted residential soil cleanup objective (RRSCO) is 19). The unrestricted use/protection of groundwater soil cleanup objective level for PCE is 1.3 ppm. These levels were found inside the building at a depth ranging from 10 to 14 feet below ground surface. Only two of the soil samples taken at other off-site locations exceeded the unrestricted use/protection of groundwater soil cleanup objective. PCE was found at a concentration of 50 ppm at 29.5 - 30 feet below grade immediately to the west, and at 40 ppm at 10 - 15 feet below grade approximately 250 feet to the east along Barnett Ave. Groundwater: PCE is found in groundwater at the site at concentrations ranging from ND to 870 parts per billion (ppb) from the most recent sampling. PCE has been detected in On-Site groundwater as high as 500 ppb (NYSDEC groundwater quality standard is 5 ppb). Off-site concentrations of PCE have historically ranged from non-detectable (ND) to as high as 22,000 ppb. The latest groundwater samples revealed the highest off-site concentrations at 870 ppb. Soil Vapor: From an investigation for a possible property transfer at 5225 Barnett Avenue (off-site) in 2010, sub-slab soil vapor data collected from 1 location near the former chemical storage area revealed PCE at 13,000 ug/m3; a sub-slab depressurization system (SSDS) was installed at that location to mitigate soil vapor intrusion concerns. In 2014, a state-funded investigation detected

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

	PCE at 5045 Barnett Avenue (on-site) in sub-slab soil vapor as high as 1,300,000 micrograms per cubic meter (ug/m3) and indoor air as high as 870 ug/m3.
Health Problem:	Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Direct contact with contaminants in soil is unlikely because they are located beneath at depth and beneath a building. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. On-site and off-site soil vapor intrusion sampling has identified impacts to indoor air quality and immediate actions have been recommended to address exposure concerns.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	8/22/2012 2:14:00 PM
Record Upd:	8/22/2012 2:14:00 PM
Updated By:	RXKEATIN
Own Op:	On-Site Operator
Sub Type:	E
Owner Name:	Richard Blatt
Owner Company:	Capitol Glass and Sash Co., Inc.
Owner Address:	50-45 Barnett Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11104
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	E
Owner Name:	Harold Janow
Owner Company:	Cleaners Products Supply, Inc.
Owner Address:	203 Albon Road
Owner Addr2:	Not reported
Owner City,St,Zip:	Hewlett, NY 11557
Owner Country:	United States of America
Own Op:	Disp. Owner
Sub Type:	E
Owner Name:	Harold Janow
Owner Company:	Cleaners Products Supply Inc.
Owner Address:	203 Albon Road
Owner Addr2:	Not reported
Owner City,St,Zip:	Hewlett, NY 11557
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Queens Library
Owner Address:	The Archives at Queens Library

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

Owner Addr2:	89-11 Merrick Blvd
Owner City,St,Zip:	Jamaica, NY 11432
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	E
Owner Name:	Not reported
Owner Company:	A Plus Locksmith and Towing Service
Owner Address:	50-45 Barnett Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Sunnyside, NY 11104
Owner Country:	United States of America
Own Op:	Owner
Sub Type:	05
Owner Name:	Albert Zubli
Owner Company:	JCP Cabinetry and Perma Iron lot owner
Owner Address:	161-05 Horace Hording Expressway
Owner Addr2:	Not reported
Owner City,St,Zip:	Flushing, NY 11365
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	E
Owner Name:	Not reported
Owner Company:	All Around Town Locksmith
Owner Address:	50-45 Barnett Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Long Island City, NY 11104
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	JCP Cabinetry - operator/tennant
Owner Address:	52-07 Barnett Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Queens, NY
Owner Country:	United States of America
Own Op:	On-Site Operator
Sub Type:	NNN
Owner Name:	Louis Peredo
Owner Company:	Perma Iron Craft Corp. - operator/tennant
Owner Address:	52-05 Barnett Ave
Owner Addr2:	Not reported
Owner City,St,Zip:	Queens, NY
Owner Country:	United States of America
HW Code:	241123
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	241123
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2-611315
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	5/21/2010 3:56:00 PM
Record Updated:	5/21/2010 3:56:00 PM
Updated By:	JMOCONNE

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

CBS:

CBS Number:	2-000071
Program Type:	CBS
Facility Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	2
UTMX:	591640.55816
UTMY:	4511589.92767

CBS AST:

CBS Number:	2-000071
ICS Number:	2-700374
PBS Number:	Not reported
MOSF Number:	Not reported
SPDES Number:	Not reported
Facility Status:	IN SERVICE
Facility Type:	A
Telephone:	(718) 821-5478
Facility Town:	NEW YORK CITY
Region:	STATE
Expiration Date:	06/27/1997
Total Capacity of All Active Tanks(gal):	0
Operator:	HENRY HAREING
Emergency Contact:	HAROLD JANOW
Emergency Phone:	(516) 374-7662
Owner Name:	HAROLD JANOW
Owner Address:	203 ALBION ROAD
Owner City,St,Zip:	HEWLETT, NY 11557
Owner Telephone:	(516) 374-7662
Owner Type:	Corporate/Commercial
Owner Sub Type:	Not reported
Mail Name:	CLEANERS PRODUCTS SUPPLY INC
Mail Contact Addr:	50-45 BARNETT AVENUE
Mail Contact Addr2:	Not reported
Mail Contact Contact:	HAROLD JANOW
Mail Contact City,St,Zip:	SUNNYSIDE, NY 11104
Mail Phone:	(718) 478-7360

Tank Id:	001
CAS Number:	127184
Federal ID:	Not reported
Tank Status:	0
Install Date:	11/77
Tank Closed:	07/90
Capacity (Gal):	3000
Chemical:	Tetrachloroethylene
Tank Location:	Indoors, Belowground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	3
Date Entered:	06/27/1989
Certified Date:	08/23/1995
Substance:	Not reported
Internal Protection:	None

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

External Protection:	Not reported
Pipe Location:	Not reported
Pipe Type:	Steel/Iron
Pipe Internal:	Not reported
Pipe External:	Not reported
Pipe Flag:	False
Leak Detection:	Not reported
Overfill Protection:	Not reported
Haz Percent:	0
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/27/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/03/1997

Tank Id:	002
CAS Number:	127184
Federal ID:	Not reported
Tank Status:	0
Install Date:	06/78
Tank Closed:	00/00
Capacity (Gal):	10000
Chemical:	Tetrachloroethylene
Tank Location:	Indoors, Belowground
Tank Type:	Steel/carbon steel
Total Tanks:	0
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	06/27/1989
Certified Date:	08/23/1995
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	None
External Protection:	None
Pipe Location:	Aboveground
Pipe Type:	Steel/Iron
Pipe Internal:	None
Pipe External:	None
Pipe Flag:	None
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	100
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	6301
Lat/Long:	Not reported
Is Updated:	False

CLEANERS PRODUCTS SUPPLY INC. (Continued) **S102638350**

Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/27/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/03/1997

---

229 West 1/2-1 0.978 mi. 5163 ft.

BEST-DDK CLEANERS **NY SHWS** **S109826034**
38-68 13TH STREET **N/A**
LONG ISLAND CITY, NY 11101

Relative: Lower

Actual: 17 ft.

SHWS:

Program:	HW
Site Code:	439625
Classification:	P
Region:	2
Acres:	0.11
HW Code:	241126
Record Add:	09/08/2010
Record Upd:	09/20/2011
Updated By:	JBVOUGHT

Site Description: The Site is located in the Long Island City section of Queens in a zoned manufacturing area with residential zoning approximately 300 feet to the south. The Site had been a residential building with garages beginning in 1898, was vacant from 1947-1950, was used for sheet metal work from 1967-1983 and was converted from sheet metal work to dry cleaning in 1997. The Site is currently an active dry cleaning facility. The one-story building foundation is slab-on-grade and contains dry cleaning machines, garment storage area, storage, boiler room, office, customer service area, bathroom and partial basement. The building covers the entire footprint of the site. The building has three 4th-generation dry cleaning machines on a secondary containment concrete slab, five washers and a dryer, several empty 15-gal waste containers, spill containment material container, a spotting stand, ten press machines, three sets of shirt machines, four air compressors, two refrigerated dryers and a sump. The Site and building are approximately 5000 square feet in size (0.11 acres). A residential building is located immediately to the northwest (0.01 miles), a stonework building is to the northeast, a fine arts furniture building to the southwest and 13th Street to the southeast.

Env Problem: Based upon investigations conducted to date, the primary contaminants of concern at the site include tetrachloroethene (PCE) and dichloroethene (DCE). One round of groundwater sample collection was performed in June 2009 via two Geoprobe borings located in the sidewalk in front of the site building. Groundwater samples were analyzed via EPA Methods 8260/8270. No soil samples were collected for analysis during the investigation. The following maximum concentrations with contaminants were observed in groundwater: 26ppb PCE and 63ppb DCE. These results demonstrate that groundwater standards have been exceeded for PCE and DCE. The nearest surface water body is the East River, which is located approximately 2000 feet (0.3 miles) to the west. Groundwater is approximately 7 to 8

BEST-DDK CLEANERS (Continued) **S109826034**

	feet below grade and most likely flows west under the Site to the East River, however direction of flow has not been specifically determined to date. Site characterization is required to evaluate the presence or absence of hazardous waste on the site, and to collect data sufficient to determine if the site poses a significant threat to public health or the environment.
Health Problem:	As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Owner
Sub Type:	NNN
Owner Name:	Maryuhn Young Moon
Owner Company:	Best DDK Cleaners
Owner Address:	471 Tulane Court
Owner Addr2:	Not reported
Owner City,St,Zip:	Paramus, NJ 07654
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

Count: 6 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
ASTORIA	S103479788	CON ED ASTORIA	31ST AVE		NY LTANKS
JACKSON HEIGHTS	S113916689	34TH AVE. & 62ND ST. PLUME	34TH AVE. & 62ND ST. INTERSECT	11377	NY SHWS
LONG ISLAND CITY	1014201525	FLEMM LEAD CO.	52-01(-05) 31ST PLACE	11101	SEMS-ARCHIVE, LEAD SMELTERS
QUEENS COUNTY	S113917043	QUEENS WEST - SOUTH	CENTER BLVD, 47TH RD, 48TH AVE	11101	NY SHWS
QUEENS COUNTY	S113916834	OUTLET CITY	QUEENS BLVD & JACKSON AVE	11101	NY SHWS
WOODSIDE	S113916810	QUEENS BLVD AND 52ND ST GW	INTERSECTION OF QUEENS BLVD AN	11377	NY SHWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/05/2017
Date Data Arrived at EDR: 04/21/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 21

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/05/2017
Date Data Arrived at EDR: 04/21/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 21

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/05/2017
Date Data Arrived at EDR: 04/21/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 21

Source: EPA
Telephone: N/A
Last EDR Contact: 07/07/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016
Date Data Arrived at EDR: 01/05/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 92

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 07/07/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/07/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 16

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 07/21/2017
Next Scheduled EDR Contact: 10/30/2017
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 02/07/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 16

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 10/30/2017
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 01/04/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 93

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 08/10/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 02/13/2017
Date Data Arrived at EDR: 02/28/2017
Date Made Active in Reports: 06/09/2017
Number of Days to Update: 101

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/31/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 02/13/2017
Date Data Arrived at EDR: 02/28/2017
Date Made Active in Reports: 06/09/2017
Number of Days to Update: 101

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 05/31/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/26/2016
Date Data Arrived at EDR: 09/29/2016
Date Made Active in Reports: 11/11/2016
Number of Days to Update: 43

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 06/28/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrustion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 06/01/2016
Date Data Arrived at EDR: 08/19/2016
Date Made Active in Reports: 01/05/2017
Number of Days to Update: 139

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 01/04/2017
Date Data Arrived at EDR: 01/10/2017
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/17/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/14/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/07/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/06/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 09/01/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 11/14/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 10/14/2016
Date Data Arrived at EDR: 01/27/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 98
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 10/01/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 07/14/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 10/01/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/01/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/06/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 10/14/2016
Date Data Arrived at EDR: 01/27/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 98

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 11/14/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 01/14/2017
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/07/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/17/2016
Date Data Arrived at EDR: 01/26/2017
Date Made Active in Reports: 05/05/2017
Number of Days to Update: 99

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 07/27/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Quarterly

TANKS: Storage Tank Faciliy Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010
Date Data Arrived at EDR: 06/30/2014
Date Made Active in Reports: 07/21/2014
Number of Days to Update: 21

Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 06/23/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Varies

ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 11/23/2016
Date Data Arrived at EDR: 12/21/2016
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 54

Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 06/20/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

VCP NYC: Voluntary Cleanup Program Listing NYC
New York City voluntary cleanup program sites.

Date of Government Version: 12/19/2016
Date Data Arrived at EDR: 12/20/2016
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 143

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 06/19/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 06/27/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Varies

VCP: Voluntary Cleanup Agreements
New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Semi-Annually

State and tribal Brownfields sites

BROWNFIELDS: Brownfields Site List
A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/10/2017
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 03/02/2017
Date Data Arrived at EDR: 03/02/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 36

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 06/20/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 01/04/2017
Date Data Arrived at EDR: 01/10/2017
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Semi-Annually

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006
Date Data Arrived at EDR: 11/15/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 06/12/2017
Next Scheduled EDR Contact: 09/25/2017
Data Release Frequency: Annually

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 08/01/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 07/24/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 08/29/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/09/2017
Date Data Arrived at EDR: 03/08/2017
Date Made Active in Reports: 06/09/2017
Number of Days to Update: 93

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/28/2017
Next Scheduled EDR Contact: 06/12/2017
Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 11/14/2016
Date Data Arrived at EDR: 11/16/2016
Date Made Active in Reports: 01/04/2017
Number of Days to Update: 49

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Annually

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 02/09/2017
Date Data Arrived at EDR: 03/08/2017
Date Made Active in Reports: 06/09/2017
Number of Days to Update: 93

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 05/31/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information
Lien information from the Oil Spill Fund.

Date of Government Version: 12/29/2016
Date Data Arrived at EDR: 12/30/2016
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 45
Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 08/07/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014
Date Data Arrived at EDR: 03/18/2014
Date Made Active in Reports: 04/24/2014
Number of Days to Update: 37
Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 07/26/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System
Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/28/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 37
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 06/28/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Annually

SPILLS: Spills Information Database
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 05/16/2017
Date Data Arrived at EDR: 05/18/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/12/2016
Date Data Arrived at EDR: 12/28/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 44

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Varies

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 08/25/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/12/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 07/14/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 02/13/2017
Date Data Arrived at EDR: 02/15/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 08/07/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/24/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 01/15/2015
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 14

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 06/21/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 133

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 08/23/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 06/09/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 02/01/2017
Date Data Arrived at EDR: 02/09/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 57

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 07/24/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013
Date Data Arrived at EDR: 10/17/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 3

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 08/08/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/20/2016
Date Data Arrived at EDR: 04/28/2016
Date Made Active in Reports: 09/02/2016
Number of Days to Update: 127

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/10/2017
Next Scheduled EDR Contact: 07/24/2017
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016
Date Data Arrived at EDR: 09/08/2016
Date Made Active in Reports: 10/21/2016
Number of Days to Update: 43
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 08/01/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 06/05/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 06/05/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 07/28/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/04/2017
Date Data Arrived at EDR: 01/06/2017
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 35

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 07/12/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 08/01/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2016
Date Data Arrived at EDR: 11/18/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 77

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 06/21/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/24/2015
Date Made Active in Reports: 09/30/2015
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 08/25/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 07/11/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 12/23/2016
Date Data Arrived at EDR: 12/27/2016
Date Made Active in Reports: 02/17/2017
Number of Days to Update: 52

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 08/03/2017
Next Scheduled EDR Contact: 11/20/2017
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 08/22/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 12/05/2016
Date Data Arrived at EDR: 01/05/2017
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 36

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 07/07/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 08/11/2017
Next Scheduled EDR Contact: 10/09/2017
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/08/2017
Date Data Arrived at EDR: 02/28/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 38

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 05/31/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 05/31/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 06/02/2017
Next Scheduled EDR Contact: 09/11/2017
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/14/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 21

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 06/09/2017
Next Scheduled EDR Contact: 09/25/2017
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/04/2017
Date Data Arrived at EDR: 04/07/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 35

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 06/07/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 06/02/2016
Date Data Arrived at EDR: 06/03/2016
Date Made Active in Reports: 09/02/2016
Number of Days to Update: 91

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 08/24/2017
Next Scheduled EDR Contact: 12/11/2017
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 10/25/2015
Date Data Arrived at EDR: 01/29/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 67

Source: Department of Defense
Telephone: 571-373-0407
Last EDR Contact: 07/17/2017
Next Scheduled EDR Contact: 10/30/2017
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/19/2017
Date Data Arrived at EDR: 03/21/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 06/07/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/22/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/12/2017
Number of Days to Update: 79

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 08/17/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 11/09/2016
Date Data Arrived at EDR: 11/18/2016
Date Made Active in Reports: 01/04/2017
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 07/24/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 01/04/2017
Date Data Arrived at EDR: 01/10/2017
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 31

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Varies

DRYCLEANERS: Registered Drycleaners
A listing of all registered drycleaning facilities.

Date of Government Version: 10/27/2016
Date Data Arrived at EDR: 01/10/2017
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 31

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 06/12/2017
Next Scheduled EDR Contact: 09/25/2047
Data Release Frequency: Varies

E DESIGNATION: E DESIGNATION SITE LISTING
The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 11/08/2016
Date Data Arrived at EDR: 12/27/2016
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 48

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 06/20/2017
Next Scheduled EDR Contact: 10/02/2017
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing
Financial assurance information.

Date of Government Version: 01/03/2017
Date Data Arrived at EDR: 01/04/2017
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 40

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 06/29/2017
Next Scheduled EDR Contact: 10/16/2017
Data Release Frequency: Quarterly

Financial Assurance 2: Financial Assurance Information Listing
A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/01/2015
Date Data Arrived at EDR: 12/29/2015
Date Made Active in Reports: 02/11/2016
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 06/12/2017
Next Scheduled EDR Contact: 09/12/2017
Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory
The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/30/2017
Date Data Arrived at EDR: 02/01/2017
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 12

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 08/03/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Annually

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 01/30/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 02/22/2017
Number of Days to Update: 19

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 07/24/2017
Next Scheduled EDR Contact: 11/08/2017
Data Release Frequency: No Update Planned

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 12/05/2016
Date Data Arrived at EDR: 12/08/2016
Date Made Active in Reports: 02/13/2017
Number of Days to Update: 67

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 06/08/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 11/25/2016
Date Data Arrived at EDR: 12/02/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 70

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Quarterly

Cortland County Storage Tank Listing
A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 11/25/2016
Date Data Arrived at EDR: 12/02/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 70

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

Registered Tank Database in Nassau County
A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Department of Health
Telephone: 516-227-9691
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 35

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 12/20/2016
Date Data Arrived at EDR: 12/21/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 51
Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 06/05/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 12/20/2016
Date Data Arrived at EDR: 12/21/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 51
Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 06/05/2017
Next Scheduled EDR Contact: 09/18/2017
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 03/03/2015
Date Data Arrived at EDR: 03/10/2015
Date Made Active in Reports: 03/23/2015
Number of Days to Update: 13
Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: No Update Planned

Storage Tank Database
A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 03/03/2015
Date Data Arrived at EDR: 03/10/2015
Date Made Active in Reports: 03/23/2015
Number of Days to Update: 13
Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

Listing of Storage Tanks
A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 01/13/2017
Date Data Arrived at EDR: 01/20/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 26
Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

Listing of Storage Tanks
A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 01/13/2017
Date Data Arrived at EDR: 01/20/2017
Date Made Active in Reports: 02/15/2017
Number of Days to Update: 26
Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/31/2017
Next Scheduled EDR Contact: 11/13/2017
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 11/27/2017
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 04/11/2017
Date Made Active in Reports: 07/27/2017
Number of Days to Update: 107

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 07/10/2017
Next Scheduled EDR Contact: 10/23/2017
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 07/22/2016
Date Made Active in Reports: 11/22/2016
Number of Days to Update: 123

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 07/17/2017
Next Scheduled EDR Contact: 10/30/2017
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 08/21/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 05/12/2017
Date Data Arrived at EDR: 05/23/2017
Date Made Active in Reports: 08/16/2017
Number of Days to Update: 85

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 07/17/2017
Next Scheduled EDR Contact: 10/30/2017
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 04/13/2017
Date Made Active in Reports: 07/14/2017
Number of Days to Update: 92

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 06/12/2017
Next Scheduled EDR Contact: 09/25/2017
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

PC RICHARDS STORE
35-30 STEINWAY STREET, BLOCK 668 LOT 5
LONG ISLAND CITY, NY 11101

TARGET PROPERTY COORDINATES

Latitude (North):	40.754589 - 40° 45' 16.52''
Longitude (West):	73.923143 - 73° 55' 23.31''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	590903.6
UTM Y (Meters):	4511861.0
Elevation:	39 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5940599 CENTRAL PARK, NY
Version Date:	2013
South Map:	5940597 BROOKLYN, NY
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 39 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
3604970093F	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
3604970089F	FEMA FIRM Flood data
3604970094F	FEMA FIRM Flood data
3604970202F	FEMA FIRM Flood data
3604970206F	FEMA FIRM Flood data
3604970041B	FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
CENTRAL PARK	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Mesozoic
System:	Cretaceous
Series:	Upper Cretaceous
Code:	uK *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000831640	0 - 1/8 Mile ENE
2	USGS40000831585	0 - 1/8 Mile ESE
3	USGS40000831496	1/8 - 1/4 Mile SSW
4	USGS40000831795	1/4 - 1/2 Mile NE
5	USGS40000831604	1/4 - 1/2 Mile East
6	USGS40000831447	1/4 - 1/2 Mile SE
7	USGS40000831669	1/4 - 1/2 Mile West
8	USGS40000831511	1/4 - 1/2 Mile WSW
A9	USGS40000831350	1/4 - 1/2 Mile SSW
10	USGS40000831480	1/4 - 1/2 Mile WSW
11	USGS40000831433	1/4 - 1/2 Mile SE
A12	USGS40000831319	1/2 - 1 Mile SSW
13	USGS40000831605	1/2 - 1 Mile West
B14	USGS40000831924	1/2 - 1 Mile NE
15	USGS40000831897	1/2 - 1 Mile NE
16	USGS40000831690	1/2 - 1 Mile ENE
B17	USGS40000831930	1/2 - 1 Mile NE
18	USGS40000831512	1/2 - 1 Mile WSW
C19	USGS40000831271	1/2 - 1 Mile SSW
C20	USGS40000831231	1/2 - 1 Mile SSW
21	USGS40000832005	1/2 - 1 Mile NNW
22	USGS40000831272	1/2 - 1 Mile SSW
23	USGS40000831434	1/2 - 1 Mile WSW
24	USGS40000831270	1/2 - 1 Mile SSE
25	USGS40000831755	1/2 - 1 Mile WNW
26	USGS40000831165	1/2 - 1 Mile South
27	USGS40000831152	1/2 - 1 Mile South
28	USGS40000832013	1/2 - 1 Mile NE
29	USGS40000831910	1/2 - 1 Mile ENE
30	USGS40000831487	1/2 - 1 Mile WSW
31	USGS40000831211	1/2 - 1 Mile SW
32	USGS40000831743	1/2 - 1 Mile ENE
33	USGS40000831125	1/2 - 1 Mile SSE
34	USGS40000832081	1/2 - 1 Mile NNE
35	USGS40000831093	1/2 - 1 Mile South
36	USGS40000832089	1/2 - 1 Mile North
37	USGS40000831691	1/2 - 1 Mile West
38	USGS40000832054	1/2 - 1 Mile NNW
39	USGS40000831882	1/2 - 1 Mile WNW
40	USGS40000830980	1/2 - 1 Mile South
41	USGS40000832080	1/2 - 1 Mile NE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	NYOG80000036884	1/4 - 1/2 Mile SE
2	NYOG80000036885	1/4 - 1/2 Mile SE
3	NYOG80000035821	1/2 - 1 Mile NW

PHYSICAL SETTING SOURCE MAP - 05036685.2r


Astoria Blvd
Vernon Blvd
Amtrak Railroad
30th Ave
Hoyt Ave
Broadway
Astoria Blvd
36th Ave
Ed Koch Queensboro Bridge
Queens Plz N
NY-25A
Amtrak Railroad
Long Island Railroad
Steinway St
Steinway Tunnel
Amtrak Railroad
Long Island Railroad
Amtrak Railroad
Broadway
Hoyt Ave
Woolsey Ave
Astoria Blvd
Amtrak Railroad
Long Island Railroad
Amtrak Railroad
Amtrak Railroad
Amtrak

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

1
ENE **FED USGS** **USGS40000831640**
0 - 1/8 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404518073552101		
Monloc name:	Q 376. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7551018
Longitude:	-73.9220816	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	43.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	122
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

2
ESE **FED USGS** **USGS40000831585**
0 - 1/8 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404515073551801		
Monloc name:	Q 1813. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7542684
Longitude:	-73.9212483	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	43.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	58
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

3
SSW **FED USGS** **USGS40000831496**
1/8 - 1/4 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404508073552901		
Monloc name:	Q 389. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.752324
Longitude:	-73.9243039	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	35.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	84
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

4
NE **FED USGS** **USGS40000831795**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404529073551201		
Monloc name:	Q 379. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7581573
Longitude:	-73.9195815	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	52.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	147
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

5
East **FED USGS** **USGS40000831604**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404516073550201		
Monloc name:	Q 3122. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7545462
Longitude:	-73.9168037	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45.5
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	47
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 148

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2000-06-22		12.84	2000-05-23		12.69
2000-04-17		12.56	2000-03-23		12.68
2000-02-24		12.63	1999-12-20		12.68
1999-11-29		12.74	1999-10-20		12.83
1999-09-28		12.65	1999-08-25		12.35
1999-07-23		12.37	1999-06-22		12.44
1999-05-20		12.39	1999-04-21		12.35
1999-03-22		12.26	1999-03-03		12.27
1999-01-26		12.31	1998-12-29		12.44
1998-12-01		12.51	1998-10-28		12.79
1998-09-24		12.93	1998-08-31		13.05
1998-07-28		13.33	1998-06-09		13.13
1998-04-29		12.91	1998-03-27		12.84
1998-02-26		12.67	1998-01-27		12.62
1997-12-29		12.70	1997-11-26		12.79
1997-10-31		12.86	1997-09-26		13.01
1997-07-25		13.09	1997-06-23		13.02
1997-05-22		13.11	1997-03-17		13.46
1997-02-28		13.33	1997-01-29		13.31

Ground-water levels, continued.

Date	Feet below Surface	Feet to Sealevel
1996-09-27		13.51
1996-03-12		13.56
1995-11-30		13.59
1995-07-20		13.73
1995-03-17		14.04
1994-12-21		14.26
1994-09-22		14.66
1994-07-22		14.62
1994-05-19		14.45
1994-03-25		13.95
1993-12-28		13.44
1993-10-29		13.50
1993-08-23		13.53
1993-06-23		13.65
1993-04-29		13.57
1993-02-23		13.18
1992-12-29		13.14
1992-10-28		13.06
1992-08-25		12.93
1992-06-23		12.76
1992-04-14		12.89
1992-02-19		13.14
1991-12-18		13.39
1991-10-17		13.75
1991-08-16		13.90
1991-06-13		14.18
1991-04-16		14.09
1991-02-11		13.83
1990-12-11		13.79
1990-10-12		13.97
1990-08-17		13.95
1990-06-21		13.88
1990-04-23		13.63
1990-02-22		13.85
1989-12-20		13.90
1989-11-02		13.92
1989-08-23		13.85
1989-06-21		13.07
1989-04-27		12.63
1989-02-10		12.82
1988-12-12		13.01
1988-10-18		13.18
1988-08-22		13.24
1988-06-29		13.13
1986-04-07		12.52
1985-10-15		13.04
1984-12-17		13.62
1984-06-27		14.91
1984-01-06		13.56
1983-06-28		12.62
1982-12-20		12.52
1982-06-29		12.93
1981-12-15		11.84
1981-06-23		12.62
1980-12-22		15.27
1996-07-03		13.90
1996-01-30		13.35
1995-09-28		13.58
1995-05-24		13.82
1995-01-24		14.12
1994-10-26		14.61
1994-08-25		14.63
1994-06-30		14.56
1994-04-22		14.27
1994-02-25		13.62
1993-11-24		13.50
1993-09-21		13.49
1993-07-15		13.62
1993-05-20		13.66
1993-03-23		13.12
1993-01-27		13.15
1992-11-24		12.97
1992-09-16		13.04
1992-07-15		12.78
1992-05-12		12.81
1992-03-18		12.90
1992-01-22		13.19
1991-11-14		13.54
1991-09-17		13.85
1991-07-16		14.13
1991-05-16		14.09
1991-03-19		13.96
1991-01-29		13.76
1990-11-14		13.90
1990-09-14		14.06
1990-07-17		13.92
1990-05-24		13.72
1990-03-31		13.57
1990-01-30		13.69
1989-11-15		14.00
1989-10-04		13.91
1989-07-24		13.49
1989-05-18		12.69
1989-04-04		12.66
1989-01-18		12.92
1988-11-21		12.99
1988-09-19		13.14
1988-07-18		13.03
1988-06-10		13.22
1985-12-04		13.19
1985-05-16		14.05
1984-10-11		13.69
1984-03-22		14.47
1983-09-26		13.17
1983-03-22		11.73
1982-10-04		12.29
1982-03-25		12.66
1981-09-22		11.72
1981-03-16		12.14
1980-09-25		13.59

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

6
SE | **FED USGS** | **USGS40000831447**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404502073551001		
Monloc name:	Q 62. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7506574
Longitude:	-73.919026	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	38.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	129
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

7
West | **FED USGS** | **USGS40000831669**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404520073555301		
Monloc name:	Q 1246. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7556573
Longitude:	-73.9309708	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	42.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	220
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

8
WSW **FED USGS** **USGS40000831511**
1/4 - 1/2 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404510073555301		
Monloc name:	Q 1635. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7528796
Longitude:	-73.9309708	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	3.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	40
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

A9
SSW **FED USGS** **USGS40000831350**
1/4 - 1/2 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404453073553301		
Monloc name:	Q 602. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7481574
Longitude:	-73.9254151	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	50.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	159
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

10
WSW **FED USGS** **USGS40000831480**
1/4 - 1/2 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404506073555401		
Monloc name:	Q 13. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7517685
Longitude:	-73.9312486	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	24.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	89
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

11
SE **FED USGS** **USGS40000831433**
1/4 - 1/2 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404500073545801		
Monloc name:	Q 263. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7501019
Longitude:	-73.9156926	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	38.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	125
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

A12
SSW **FED USGS** **USGS40000831319**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404451073553401		
Monloc name:	Q 386. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7476019
Longitude:	-73.9256929	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	75.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	222
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

13
West **FED USGS** **USGS40000831605**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404516073560001		
Monloc name:	Q 1912. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7545462
Longitude:	-73.9329153	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	40.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	400
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

B14
NE **FED USGS** **USGS40000831924**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404539073550301		
Monloc name:	Q 377. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.760935
Longitude:	-73.9170815	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	64.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	87
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

15
NE **FED USGS** **USGS40000831897**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404537073545801		
Monloc name:	Q 3644. 1		
Monloc type:	Well		
Monloc desc:	5801		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7603795
Longitude:	-73.9156925	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	67.2
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	84
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 35

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2000-04-20		26.30	2000-03-23		26.31
2000-02-24		26.28	1999-12-20		26.49
1999-11-29		26.62	1999-10-20		26.66
1999-08-25		26.43	1999-07-23		26.50
1999-06-22		26.74	1999-05-20		26.75
1999-04-21		26.88	1999-03-22		27.00
1999-03-03		27.07	1999-01-26		27.38
1998-12-29		27.28	1998-12-01		28.02
1998-10-28		28.46	1998-09-24		28.65
1998-08-31		28.80	1998-07-28		29.14
1998-06-09		28.19	1998-04-29		28.83
1998-02-26		28.36	1998-01-27		28.19
1997-12-29		28.06	1997-11-26		28.31
1997-10-31		28.41	1997-09-26		28.73
1997-06-23		28.59	1997-05-22		28.72
1997-03-24		28.57	1997-01-29		28.57
1996-09-27		28.26	1996-07-03		28.41
1996-06-26		28.46			

16
ENE **FED USGS** **USGS40000831690**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404522073544701		
Monloc name:	Q 417. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7562129
Longitude:	-73.9126369	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	46.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	121
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

B17
NE
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000831930**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404540073550101		
Monloc name:	Q 126. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7612128
Longitude:	-73.9165259	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	70.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	55
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

18
WSW
1/2 - 1 Mile
Lower | **FED USGS** | **USGS40000831512**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404510073560402		
Monloc name:	Q 3122. 2		
Monloc type:	Well		
Monloc desc:	LAT/LONG UPDATES FROM SIM 3066		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7528889
Longitude:	-73.934	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from Digital Map		
Horiz coord refsys:	NAD83	Vert measure val:	43
Vert measure units:	feet	Vertacc measure val:	1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		

Aquifer type:	Unconfined single aquifer		
Construction date:	20000614	Welldepth:	55
Welldepth units:	ft	Wellholedepth:	55
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 54

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-23		14.42	2004-12-17		14.55
2004-11-17		14.54	2004-10-26		14.52
2004-09-22		14.49	2004-08-24		14.35
2004-07-22		14.13	2004-06-23		14.03
2004-05-25		14.13	2004-04-29		14.10
2004-03-17		14.12	2004-02-25		14.21
2003-12-29		14.24	2003-11-26		14.13
2003-10-30		14.14	2003-09-26		14.23
2003-08-28		14.26	2003-07-30		14.13
2003-06-26		14.16	2003-05-28		13.85
2003-04-24		13.78	2003-03-19		13.57
2003-02-26		13.54	2003-01-30		13.38
2002-12-23		13.35	2002-11-22		13.32
2002-10-23		13.10	2002-09-24		12.84
2002-08-28		12.70	2002-07-18		12.76
2002-06-26		12.80	2002-05-30		12.78
2002-04-26		12.72	2002-03-19		12.90
2002-02-26		13.05	2002-01-29		13.20
2001-12-27		13.45	2001-11-20		13.83
2001-10-23		14.58	2001-09-25		15.36
2001-08-22		15.17	2001-07-25		15.02
2001-06-27		15.06	2001-05-23		14.75
2001-04-24		14.44	2001-03-19		14.03
2001-02-26		13.78	2001-01-31		13.48
2000-12-20		12.91	2000-11-29		12.89
2000-10-24		13.00	2000-09-27		12.86
2000-08-28		12.82	2000-07-24		12.56

C19
SSW
1/2 - 1 Mile
Higher

FED USGS **USGS40000831271**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404446073553501		
Monloc name:	Q 453. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.746213
Longitude:	-73.9259706	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	68.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	147
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

C20
SSW **FED USGS** **USGS40000831231**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404444073553501		
Monloc name:	Q 425. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7456575
Longitude:	-73.9259706	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	75.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	159
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

21
NNW **FED USGS** **USGS40000832005**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404548073554201		
Monloc name:	Q 1257. 1		
Monloc type:	Well		
Monloc desc:	4201		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7634349
Longitude:	-73.9279151	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	30.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	150
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

22
SSW **FED USGS** **USGS40000831272**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404446073554701		
Monloc name:	Q 1258. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.746213
Longitude:	-73.9293041	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	55.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	63
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

23
WSW **FED USGS** **USGS40000831434**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404500073560601		
Monloc name:	Q 2445. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7501018
Longitude:	-73.934582	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	26.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	110
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

24
SSE **FED USGS** **USGS40000831270**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404446073550001		
Monloc name:	Q 426. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.746213
Longitude:	-73.9162481	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	63.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	147
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

25
WNW **FED USGS** **USGS40000831755**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404526073561101		
Monloc name:	Q 95. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7573239
Longitude:	-73.9359709	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	92
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

26
South **FED USGS** **USGS40000831165**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404439073553401		
Monloc name:	Q 1098. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7442686
Longitude:	-73.9256929	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	72.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	215
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

27
South **FED USGS** **USGS40000831152**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404438073552001		
Monloc name:	Q 369. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7439909
Longitude:	-73.9218039	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	80.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	152
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

28
NE **FED USGS** **USGS40000832013**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404549073545501		
Monloc name:	Q 378. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7637127
Longitude:	-73.9148592	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	75.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	103
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

29
ENE **FED USGS** **USGS40000831910**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404538073544001		
Monloc name:	Q 3644. 2		
Monloc type:	Well		
Monloc desc:	LAT/LONG UPDATES FROM SIM 3066		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7606944
Longitude:	-73.9107778	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from Digital Map		
Horiz coord refsys:	NAD83	Vert measure val:	68
Vert measure units:	feet	Vertacc measure val:	1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Northern Atlantic Coastal Plain aquifer system		
Formation type:	Glacial Aquifer, Upper		

Aquifer type:	Unconfined single aquifer		
Construction date:	20010717	Welldepth:	65
Welldepth units:	ft	Wellholedepth:	65
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 37

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-23		26.73	2005-01-26		26.68
2004-12-17		26.79	2004-11-17		27.99
2004-10-26		27.18	2004-09-22		26.87
2004-08-24		26.82	2004-07-22		26.48
2004-06-23		26.67	2004-05-25		26.88
2004-04-29		26.70	2004-02-25		26.93
2004-01-22		27.06	2003-11-26		26.62
2003-10-30		26.78	2003-09-26		27.16
2003-08-28		27.55	2003-07-30		27.51
2003-06-26		27.29	2003-05-29		26.76
2003-04-24		26.76	2003-01-30		26.27
2002-11-22		26.04	2002-10-23		25.68
2002-09-24		25.39	2002-08-28		25.12
2002-06-26		25.39	2002-05-30		25.24
2002-04-26		25.13	2002-02-26		25.43
2002-01-29		25.62	2001-12-27		25.87
2001-11-20		26.10	2001-10-23		26.26
2001-09-25		26.35	2001-08-22		26.56
2001-07-25		26.76			

30
WSW **FED USGS** **USGS40000831487**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404507073552001		
Monloc name:	Q 2721. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7520462
Longitude:	-73.938471	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	35.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	300
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

31
SW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831211**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404443073560101		
Monloc name:	Q 2333. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7453797
Longitude:	-73.9331931	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	37
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

32
ENE
1/2 - 1 Mile
Higher

FED USGS **USGS40000831743**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404525073542901		
Monloc name:	Q 549. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7570462
Longitude:	-73.9076368	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	Not Reported
Vert measure units:	Not Reported	Vertacc measure val:	Not Reported
Vert accmeasure units:	Not Reported		
Vertcollection method:	Not Reported		
Vert coord refsys:	Not Reported	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 18

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
1966-04-19		19.81	1965-09-14		20.41
1965-06-04		21.33	1964-11-10		21.30
1964-02-14		22.19	1963-01-04		22.17
1962-04-30		23.87	1961-12-29		23.44
1961-01-10		23.65	1960-01-11		22.54
1959-03-17		22.98	1957-02-28		22.48
1956-01-12		23.12	1955-01-03		22.47
1953-12-03		22.59	1953-01-14		23.05
1951-12-27		22.89			
1950-07-12		22.08			

Note: The site had been pumped recently.

33
SSE **FED USGS** **USGS40000831125**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404436073550201		
Monloc name:	Q 427. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7434353
Longitude:	-73.9168037	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	91.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	227
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

34
NNE **FED USGS** **USGS40000832081**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404559073551201		
Monloc name:	Q 2366. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7664905
Longitude:	-73.9195815	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	43
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

35
South
1/2 - 1 Mile
Higher

FED USGS **USGS40000831093**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404433073553601		
Monloc name:	Q 388. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.742602
Longitude:	-73.9262484	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	70.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	203
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

36
North
1/2 - 1 Mile
Higher

FED USGS **USGS40000832089**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404600073551801		
Monloc name:	Q 2080. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7667682
Longitude:	-73.9212482	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	36
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

37
West
1/2 - 1 Mile
Lower

FED USGS **USGS40000831691**

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404522073562401		
Monloc name:	Q 1221. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7562128
Longitude:	-73.9395821	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	17.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	178
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

38
NNW **FED USGS** **USGS40000832054**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404554073555801		
Monloc name:	Q 1619. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7651016
Longitude:	-73.9323597	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	43
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

39
WNW **FED USGS** **USGS40000831882**
1/2 - 1 Mile
Lower

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404536073562601		
Monloc name:	Q 954. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7601016
Longitude:	-73.9401377	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	12.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	301
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

40
South **FED USGS** **USGS40000830980**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404425073552301		
Monloc name:	Q 952. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7403798
Longitude:	-73.9226372	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	29.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	57
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

41
NE **FED USGS** **USGS40000832080**
1/2 - 1 Mile
Higher

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404559073544701		
Monloc name:	Q 380. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7664905
Longitude:	-73.9126369	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	78.0
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholedepth:	108
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

Map ID
Direction
Distance

Database EDR ID Number

1
SE **OIL_GAS** **NYOG80000036884**
1/4 - 1/2 Mile

Api wellno:	31081236250000	Cnty:	81
Hole:	23625	Sidetrck:	0
Completion:	0	Well name:	Sunny - 7
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2005-03-22 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1999-03-11 00:00:00	Date total:	1999-04-28 00:00:00
Date well :	Not Reported	Date wel00:	2005-04-21 00:00:00
Date wel01:	1	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	H	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	600	Surface lo:	SURF
Surface 00:	-73.9169		
Surface la:	40.7509		
Bottom hol:	BH		
Bottom h00:	-73.9169		
Bottom h01:	40.7509		
True verti:	708	Measured d:	708
Kickoff:	0	Drilleddep:	708
Elevation:	43	Original w:	SG
Permit fee:	0	Objective :	Unknown
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2011-07-14 10:23:40.957000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31081236250000		
Site id:	NYOG80000036884		

2
SE **OIL_GAS** **NYOG80000036885**
1/4 - 1/2 Mile

Api wellno:	31081236260000	Cnty:	81
Hole:	23626	Sidetrck:	0
Completion:	0	Well name:	Sunny - 9
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	2005-03-22 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1999-05-03 00:00:00	Date total:	1999-05-18 00:00:00
Date well :	Not Reported	Date wel00:	2005-04-19 00:00:00
Date wel01:	1	Confid:	Released
Town:	Manhattan	Quad:	Brooklyn
Quadsec:	C	Producing :	Not Applicable
Producin00:	Not Applicable	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	600	Surface lo:	SURF
Surface 00:	-73.91622		
Surface la:	40.74988		
Bottom hol:	BH		
Bottom h00:	-73.91622		

Bottom h01:	40.74988		
True verti:	726	Measured d:	726
Kickoff:	0	Drilleddep:	726
Elevation:	51	Original w:	SG
Permit fee:	0	Objective :	Unknown
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2011-07-14 10:23:08.410000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31081236260000		
Site id:	NYOG80000036885		

3
NW
1/2 - 1 Mile

OIL_GAS **NYOG80000035821**

Api wellno:	31061237500000	Cnty:	61
Hole:	23750	Sidetrck:	0
Completion:	0	Well name:	Crescent - B
Company na:	New York City Dept. of Environme	Operator n:	2127
Well type:	SG	Map symbol:	OP
Well statu:	PA	Date statu:	1999-08-20 00:00:00
Date permi:	Not Reported	Permit iss:	Not Reported
Date spudd:	1998-12-30 00:00:00	Date total:	Not Reported
Date well :	1999-02-12 00:00:00	Date wel00:	1999-08-20 00:00:00
Date wel01:	Not Reported	Confid:	Released
Town:	Manhattan	Quad:	Central Park
Quadsec:	H	Producing :	Not Applicable
Producin00:	Fordham Gneiss	Financial :	False
Slant:	Vertical	County:	New York
Region:	2	State leas:	NA
Proposed d:	0	Surface lo:	SURF
Surface 00:	-73.930286		
Surface la:	40.761184		
Bottom hol:	BH		
Bottom h00:	-73.930286		
Bottom h01:	40.761184		
True verti:	826	Measured d:	826
Kickoff:	0	Drilleddep:	826
Elevation:	0	Original w:	SG
Permit fee:	0	Objective :	Not Applicable
Depth fee:	-100	Spacing:	Exempt - not an oil or gas well
Spacing ac:	Not Reported	Integratio:	N
Dt hearing:	Not Reported	Dt mod:	2007-07-20 09:58:58.700000000
Link:	http://www.dec.ny.gov/cfmx/extapps/GasOil/search/wells/index.cfm?api=31061237500000		
Site id:	NYOG80000035821		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for QUEENS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for QUEENS COUNTY, NY

Number of sites tested: 81

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.620 pCi/L	97%	0%	3%
Basement	0.970 pCi/L	93%	6%	1%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

This Report contains certain products owned by or licensed by Tele Atlas North America, Inc. ("TANA") and licensed to EDR pursuant to an agreement between EDR and TANA (the "TANA Agreement"). Such products include the Dynamap® /2000 (commencing with the most current version, nationwide coverage, ArcInfo™ format, tiled by county, with semi−annual Updates) and are referred to in this Report as the "Licensed Products".

The use of the Licensed Products with a non−TANA map may result in increased variance between the location displayed on the map and ground truth location.

The recipient of the Report (hereinafter referred to as an "End User") shall use such Report solely for its internal purposes and not for resale.

U.S. GOVERNMENT RIGHTS. If End User is an agency, department, or other entity of the United States Government, or funded in whole or in part by the United States Government, then use, duplication, reproduction, release, modification, disclosure or transfer of this commercial product and accompanying documentation, is restricted in accordance with the LIMITED or RESTRICTED rights as described in DFARS 252.227−7014(a)(1) (JUN 1995) (DOD commercial computer software definition), DFARS 227.7202−1 (DOD policy on commercial computer software), FAR 52.227−19 (JUN 1987) (commercial computer software clause for civilian agencies), DFARS 252.227−7015 (NOV 1995) (DOD technical data − commercial items clause); FAR 52.227−14 Alternates I, II, and III (JUN 1987) (civilian agency technical data and noncommercial computer software clause); and/or FAR 12.211 and FAR 12.212 (commercial item acquisitions), as applicable. In case of conflict between any of the FAR and DFARS provisions listed herein, the construction that provides greater limitations on the Government's rights shall control. Contractor/manufacturer is Tele Atlas North America, Inc., 11 Lafayette Street, Lebanon, NH 03766−1445. Phone: 603.643. 0330. The Licensed Products are ©1984−2008 by Tele Atlas North America, Inc. ALL RIGHTS RESERVED. For purpose of any public disclosure provision under any federal, state or local law, it is agreed that the Licensed Products are a trade secret and a proprietary commercial product and not subject to disclosure.

If End User is an agency, department, or other entity of any State government, the United States Government or any other public entity or funded in whole or in part by the United States Government, such End User agrees to protect the Licensed Products from public disclosure and to consider the Licensed Products exempt from any statute, law, regulation, or code, including any Sunshine Act, Public Records Act, Freedom of Information Act, or equivalent, which permits public access and/or reproduction or use of the Licensed Products. In the event that such exemption is challenged under any such laws, any and all right to retain any copies or to use of the Licensed Products shall be terminated and considered immediately null and void. Any copies of the Licensed Products held by End User shall immediately be destroyed. If any court of competent jurisdiction considers this clause void and unenforceable, in whole or in part, for any reason, then all Licensed Products previously delivered to End User will be destroyed.

APPENDIX F

HISTORICAL DOCUMENTATION



Aerial Photograph

Year: 1924



Aerial Photograph

Year: 1941



Aerial Photograph

Year: 1954



Aerial Photograph

Year: 1966



Aerial Photograph

Year: 1974



Aerial Photograph

Year: 1980



Aerial Photograph

Year: 1984




Aerial Photograph

Year: 1994




Aerial Photograph

Year: 2011




Fire Insurance Map

Year: 1898




Fire Insurance Map

Year: 1915




Fire Insurance Map

Year: 1936




Fire Insurance Map

Year: 1947




Fire Insurance Map

Year: 1950




Fire Insurance Map

Year: 1970




Fire Insurance Map

Year: 1977




Fire Insurance Map

Year: 1985



Fire Insurance Map

Year: 1996




Fire Insurance Map

Year: 2001




Fire Insurance Map

Year: 2006



USGS Topographic Map

Year: 1897




USGS Topographic Map

Year: 1947




USGS Topographic Map

Year: 1966



USGS Topographic Map

Year: 1995



USGS Topographic Map

Year: 2013

PC Richards Store
35-30 Steinway Street, Block 668 Lot 5
Long Island City, NY 11101

Inquiry Number: 5036685.5
August 30, 2017

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1922 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by infoUSA®

Copyright©2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2014	EDR Digital Archive	-	X	X	-
2010	EDR Digital Archive	-	X	X	-
2005	Hill-Donnelly Information Services	-	X	X	-
2000	Cole Information Services	-	X	X	-
1996	NYNEX	-	X	X	-
1991	NYNEX Information Resource Company	-	X	X	-
1983	New York Telephone	-	X	X	-
1976	New York Telephone	-	X	X	-
1970	New York Telephone	-	X	X	-
1967	New York Telephone	-	X	X	-
1962	New York Telephone Directory	-	X	X	-
1950	New York Telephone	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1945	New York Telephone	-	X	X	-
1939	New York Telephone Company	-	X	X	-
1934	R. L. Polk & Co.	-	X	X	-
1922	H.C. Morris	-	-	-	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

35-30 Steinway Street, Block 668 Lot 5
Long Island City, NY 11101

FINDINGS DETAIL

Target Property research detail.

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

35TH AVE

3640 35TH AVE

Year	Uses	Source
2000	Luis S Estrel	Cole Information Services

3652 35TH AVE

Year	Uses	Source
2000	Sanhchan Rhee	Cole Information Services
	Demin D Larn	Cole Information Services
	Jason C Doucet	Cole Information Services
	Dorothy Cummings	Cole Information Services
	Jonathan Ave	Cole Information Services
	Manssor Albahri	Cole Information Services
	Perla M Salazar	Cole Information Services

35th Ave

3654 35th Ave

Year	Uses	Source
2010	HOT BECIR	EDR Digital Archive

35TH AVE

3654 35TH AVE

Year	Uses	Source
2000	Sonia River	Cole Information Services
	Peter A Lengyel	Cole Information Services
	G Galeano	Cole Information Services
	Marie Flite	Cole Information Services
	Tito Delgado	Cole Information Services
	D Bower	Cole Information Services
	Serge Sinkevich	Cole Information Services

FINDINGS

3707 35TH AVE

Year	Uses	Source
2000	Fairway Sportwr	Cole Information Services

3710 35TH AVE

Year	Uses	Source
1991	Kimberlon Inc	NYNEX Information Resource Company
	Playbill Cosmetics	NYNEX Information Resource Company

35th Ave

3711 35th Ave

Year	Uses	Source
2014	QUEENS COUNCIL ON THE ARTS	EDR Digital Archive
	BRAZILIAN WAXING CENTER CORP	EDR Digital Archive
	YOUNG ADULT INSTITUTE INC	EDR Digital Archive
	PRIORITY BLDG RESTORATION INC	EDR Digital Archive
	CBWAXPERT WAXING SPA	EDR Digital Archive
	TD RISK COMPANY	EDR Digital Archive
	ALLIED CONTRACTING II CORP	EDR Digital Archive
	PIZZERIA UNO REST CHICAGO	EDR Digital Archive
	UNO OF ASTORIA INC	EDR Digital Archive
	A2Z BROKERAGE LLC	EDR Digital Archive
	KAUFMAN ASTORIA STUDIOS	EDR Digital Archive
	LANCASTER REALTY MFG CORP	EDR Digital Archive
	LIFE HLTH & FITNES SPT CLB LLC	EDR Digital Archive
	NEW YORK LBRERS ORGANIZER FUND	EDR Digital Archive
	SUBWAY	EDR Digital Archive
	STARBUCKS CORPORATION	EDR Digital Archive
	AIM PRODUCTIONS INC	EDR Digital Archive
	MID ISLAND THERAPY ASSOCIATES	EDR Digital Archive
	ALL ABOUT KIDS	EDR Digital Archive
	TRITON RESTORATION INC	EDR Digital Archive
	QUEENS SUPRTED WRK & TRNNG PRO	EDR Digital Archive
	QUEENS COUNCIL ON ARTS	EDR Digital Archive
	EVOLUTION FITNESS CLUB LLC	EDR Digital Archive
2010	EVOLUTION FITNESS CLUB LLC	EDR Digital Archive
	NEW YORK STATE LABORERS ORGANI	EDR Digital Archive

FINDINGS

Year	Uses	Source
2010	QUEENS SUPRTED WRK & TRNNG PRO	EDR Digital Archive
	MID ISLAND THERAPY ASSOCIATES	EDR Digital Archive
	ALL ABOUT KIDS	EDR Digital Archive
	CUSTOM CAPITAL CORPORATION	EDR Digital Archive
	VOICES PRODUCTIONS INC	EDR Digital Archive
	TWEECO CORP	EDR Digital Archive
	AIM PRODUCTIONS INC	EDR Digital Archive
	STARBUCKS CORPORATION	EDR Digital Archive
	MENUCOM	EDR Digital Archive
	NEW YORK LBRERS ORGANIZER FUND	EDR Digital Archive
	COORDINATED MEDICAL CARE PC	EDR Digital Archive
	LIFE HLTH & FITNES SPT CLB LLC	EDR Digital Archive
	PIZZERIA UNO REST CHICAGO	EDR Digital Archive
	UNO OF ASTORIA INC	EDR Digital Archive
	EM ASSET MANAGEMENT INC	EDR Digital Archive
	15 STREET LOCK SERVICE	EDR Digital Archive
	COMPRHNSIVE HLTH CARE IPA CORP	EDR Digital Archive
	ALLIED CONTRACTING II CORP	EDR Digital Archive
	CAZ CONTRACTING CORPORATION	EDR Digital Archive
	GLOBAL HOME LOAN & FINANCE	EDR Digital Archive
	BERRY LOVER CORP	EDR Digital Archive
	LEON DIMSTON COMPANY INC	EDR Digital Archive
	NURSE PRODUCTIONS	EDR Digital Archive
	CYBER LAB AND SOFTWARE DEV INC	EDR Digital Archive

35TH AVE

3711 35TH AVE

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services
	24 Hour 7 Day Emrgncy Lcksmth	Hill-Donnelly Information Services
	7 Day Emergency 24 HR Lcksmth	Hill-Donnelly Information Services
	Numbr 38 Aim Productions Inc 2 5s	Hill-Donnelly Information Services
	All About Kids o	Hill-Donnelly Information Services
	Cello Group Inc Is 718 326 9393 a	Hill-Donnelly Information Services
	Numbr 2 A Dme Industries Inc	Hill-Donnelly Information Services
	Kaufman Astoria Studios	Hill-Donnelly Information Services
	is 718 472 1176 oo	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	New Tel Communications Inc	Hill-Donnelly Information Services
	Newtel Communications Inc	Hill-Donnelly Information Services
	Numbr 2 Octagon Constru	Hill-Donnelly Information Services
	Packaging Store is	Hill-Donnelly Information Services
	Numbr 2 R C Enterprises	Hill-Donnelly Information Services
	Readers Theatre Workshop	Hill-Donnelly Information Services
	Sprott Eoin Studio LTD 1 s	Hill-Donnelly Information Services
	Starbucks 2 R	Hill-Donnelly Information Services
	Uno Chicago Grill 2 R	Hill-Donnelly Information Services
	Numbr 2 York Hunter	Hill-Donnelly Information Services
	Young Adult Institute 1 a	Hill-Donnelly Information Services
2000	E Dept Bei	Cole Information Services
	E Dept Bei	Cole Information Services
	Advrtsng In MVS	Cole Information Services
	Aim Promotions	Cole Information Services
	Best Emblem & Insgn	Cole Information Services
	Cmprhnsy Hith Cr	Cole Information Services
	Industries Inc	Cole Information Services
	Denmark Mitry Co	Cole Information Services
	Designs By Maurice	Cole Information Services
	Kaufman Astr Stds	Cole Information Services
	Midnite Express	Cole Information Services
	Midnite Express	Cole Information Services
	Sprott En STD Ltd	Cole Information Services
	Topper Div	Cole Information Services
	Tricor Amer Corp	Cole Information Services
	Tricor America Inc	Cole Information Services
	York Hunter	Cole Information Services
	38TH ST INTS FROM	Cole Information Services
1991	Equitable Bag Co Inc	NYNEX Information Resource Company
	Ideal Wig Co Inc	NYNEX Information Resource Company
	Kreitman Assocs	NYNEX Information Resource Company
	SPROTT EOIN STUDIO LTD	NYNEX Information Resource Company
	Advertising In Movies Inc	NYNEX Information Resource Company
1983	Modern Pillow Co	New York Telephone
1976	Delta Novelties Inc	New York Telephone
1970	Favorite Footwear Inc	New York Telephone
1967	Favorite Footwear Inc	New York Telephone

FINDINGS

Year	Uses	Source
1967	Fattory & Svce	New York Telephone
1962	Favorite Footwear Inc	New York Telephone Directory
	Factory & Svce	New York Telephone Directory
	THERMATRON CO THE DIV OF WILLCOX & GIBBS SEWING MACH CO Sales ofc	New York Telephone Directory
1945	Niemand Bros Inc papr tubes	New York Telephone
1939	Amer Linen Co Inc	New York Telephone Company
	Wrehses	New York Telephone Company
	Niemand Bros Inc papr tubes	New York Telephone Company
1934	Belmar Dye Works Inc NY Martin D Pollack Pres Isabelle J Reily treas	R. L. Polk & Co.

35th Ave

3801 35th Ave

Year	Uses	Source
2014	CMC FITNESS INC	EDR Digital Archive
	THERASPORT PHYSICAL THERAPY	EDR Digital Archive
	KYOKUSHIN KARATE	EDR Digital Archive
	APPLEBEES INTERNATIONAL INC	EDR Digital Archive
	PANERA BREAD	EDR Digital Archive
	YOGA ROOM INC	EDR Digital Archive
2010	YOGA ROOM INC	EDR Digital Archive
	APPLEBEES NGHBORHOOD GRILL BAR	EDR Digital Archive
	PANERA BREAD	EDR Digital Archive
	PRIME BODIES	EDR Digital Archive
	THERASPORT PHYSICAL THERAPY	EDR Digital Archive
	PULP A HEALTH EATERY	EDR Digital Archive
	KYOKUSHIN KARATE	EDR Digital Archive
	NE MURIA CORPORATION	EDR Digital Archive
	CMC FITNESS INC	EDR Digital Archive

35TH AVE

3801 35TH AVE

Year	Uses	Source
2005	Golds Gym 2 s 718 472 4455 as	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Hard Tees Nyc Clothing I R	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Marciano Anthony L v	Hill-Donnelly Information Services
	Marciano Anthony L I P	Hill-Donnelly Information Services
	Montell Edward C v	Hill-Donnelly Information Services
	Montell Edward C v	Hill-Donnelly Information Services
	Prime Bodies Inc I P	Hill-Donnelly Information Services
	h Sembos Sophia v	Hill-Donnelly Information Services
	Sembos Sophia	Hill-Donnelly Information Services
	Therasport Physical Therapy	Hill-Donnelly Information Services
2000	Marciano Atty	Cole Information Services
	Golds Gym	Cole Information Services
	Montell Edw C Atty	Cole Information Services
	Prime Bodies Inc	Cole Information Services
	Sembos Soph	Cole Information Services
	Thrsprt Physical	Cole Information Services
1991	James Gilbert Co heating contractors	NYNEX Information Resource Company
1983	L & H Vitamins pharmacy Mail Order Sales	New York Telephone
	Pharmacy	New York Telephone
1970	Plymouth Harlee Inc	New York Telephone
	Plymouth Art Craft Inc	New York Telephone
	Plymouth Art Craft Inc	New York Telephone
1967	Plymouth Art Craft Inc	New York Telephone
	Plymouth Harlee Inc	New York Telephone
1962	ELITE CREATIONS INC dolls	New York Telephone Directory
1939	Kearns Thos J	New York Telephone Company

3805 35TH AVE

Year	Uses	Source
1983	H & W Imports Inc	New York Telephone

3809 35TH AVE

Year	Uses	Source
1962	Georges Virginia M	New York Telephone Directory

3810 35TH AVE

Year	Uses	Source
1962	Russo F	New York Telephone Directory

FINDINGS

3910 35TH AVE

Year	Uses	Source
1945	Papp Alexndr J	New York Telephone
1934	Burke Cath sten	R. L. Polk & Co.

3955 35TH AVE

Year	Uses	Source
1939	Lang Asta J	New York Telephone Company

4011 35TH AVE

Year	Uses	Source
1983	Quality Printing	New York Telephone
1976	Jimmys Auto Svae	New York Telephone
1962	Fire Hazard Preventn Co	New York Telephone Directory

35th Ave

4013 35th Ave

Year	Uses	Source
2010	CAFE LATTE CAPUCCINO INC	EDR Digital Archive

35TH AVE

4013 35TH AVE

Year	Uses	Source
2005	Beauty Island Salon Spa	Hill-Donnelly Information Services
2000	Sarwary Ahmed	Cole Information Services
1983	White Hse Lunch	New York Telephone
1970	White Hse Lunch	New York Telephone
1967	White Hse Lunch	New York Telephone
1962	White House Lunch	New York Telephone Directory
1945	White House Lunch	New York Telephone
1934	Klein Jacob Betty restr	R. L. Polk & Co.

4015 35TH AVE

Year	Uses	Source
1934	Dimini Chas barber	R. L. Polk & Co.

4017 35TH AVE

Year	Uses	Source
2000	S Consultants	Cole Information Services

FINDINGS

Year	Uses	Source
2000	Cruz Contruction	Cole Information Services
1970	Motorlift Sales & Svse Inc	New York Telephone
1967	Motorlift Sales & Svce Inc	New York Telephone

35th Ave

4019 35th Ave

Year	Uses	Source
2014	ALTON INC	EDR Digital Archive
2010	ALTON INC	EDR Digital Archive
	STEINWAY BROKERAGE	EDR Digital Archive

35TH AVE

4019 35TH AVE

Year	Uses	Source
2005	Alton Inc	Hill-Donnelly Information Services
	Steinway Brokerage I F	Hill-Donnelly Information Services
2000	Steinway Real Est	Cole Information Services
	Steinway Insurance	Cole Information Services
	Steinway Brokerage	Cole Information Services
	Alton Inc	Cole Information Services

35th Ave

4021 35th Ave

Year	Uses	Source
2014	ANDREAS CAR SERVICE INC	EDR Digital Archive
2010	ANDREAS CAR SERVICE INC	EDR Digital Archive
	AMNESIA	EDR Digital Archive

35TH AVE

4021 35TH AVE

Year	Uses	Source
2005	First New Andrea Car Svc	Hill-Donnelly Information Services
	Blhi Universal Corp	Hill-Donnelly Information Services
2000	41ST ST INTS FROM	Cole Information Services
	Cheap Stone	Cole Information Services
	Capital Car Svce	Cole Information Services

FINDINGS

Year	Uses	Source
2000	Andrea Car Svc Inc	Cole Information Services
	B Andrea Car Sevice	Cole Information Services
	Building Andrea Car Svcs	Cole Information Services
1991	Hyun Dae Glass	NYNEX Information Resource Company
1983	Crudos Auto Glass	New York Telephone
1976	Crudos Auto Glass	New York Telephone
1970	Crudos Auto Glass	New York Telephone
1967	Pauls Auto Glass	New York Telephone
1945	Roell Otto statnry	New York Telephone
1934	Langfelder Alex Hermine Stationer	R. L. Polk & Co.

4023 35TH AVE

Year	Uses	Source
1962	Harrys Washomat	New York Telephone Directory
1934	Blau Wm Sarah gro ret	R. L. Polk & Co.

4102 35TH AVE

Year	Uses	Source
1934	Astoria Cours Garage RTN Michl Wolf	R. L. Polk & Co.

35th Ave

4104 35th Ave

Year	Uses	Source
2014	J REED & SONS INC	EDR Digital Archive
	MODUTANK INC	EDR Digital Archive
2010	MODUTANK INC	EDR Digital Archive
	J REED & SONS INC	EDR Digital Archive

35TH AVE

4104 35TH AVE

Year	Uses	Source
2005	Modutank	Hill-Donnelly Information Services
	3 Reed & Sons Inc I R	Hill-Donnelly Information Services
2000	Modutank Inc	Cole Information Services
	J Reed & Sons Inc	Cole Information Services

FINDINGS

4105 35TH AVE

Year	*Uses*	*Source*
2005	h Regan Mary A AAV	Hill-Donnelly Information Services
	Sanchez Bella Av	Hill-Donnelly Information Services
	h Panaglotopouilos C	Hill-Donnelly Information Services
	Radicella Joseph	Hill-Donnelly Information Services
2000	Apartments Mohamed Ahmed	Cole Information Services
	R Adolfo Montesdeoc	Cole Information Services
	L A Panagiotopoulos	Cole Information Services
	C Panagiotopoulos	Cole Information Services
	Joseph Radicel	Cole Information Services
	Thomas A Regan	Cole Information Services
1991	Hall Connie	NYNEX Information Resource Company
	Panagiotopoulos Christina	NYNEX Information Resource Company
	Radicella Joseph	NYNEX Information Resource Company
	Regan Thos A	NYNEX Information Resource Company
1983	Campbell A	New York Telephone
	Dowling M	New York Telephone
	Regan Thos A	New York Telephone
	Saweison Steven	New York Telephone
1976	Dowling M	New York Telephone
	Grippi Salvatore	New York Telephone
1970	Monda Jos	New York Telephone
	Randazzo Faro	New York Telephone
	Regan Thos A	New York Telephone
	Schulhoff Robt	New York Telephone
	Maresca Ralph	New York Telephone
1967	Regan Thos A	New York Telephone
	Schulhoff Robt	New York Telephone
	Serventi Leroy	New York Telephone
	Joseph Jas	New York Telephone
	Maresca Ralph	New York Telephone
1962	Dowling Mary	New York Telephone Directory
	Regan Thos A	New York Telephone Directory
	Schiavello Helen R	New York Telephone Directory
	Joseph Jas	New York Telephone Directory
	Maresca Ralph	New York Telephone Directory
	Rittereiser Arthur	New York Telephone Directory
1945	Koller Dorothy Mrs	New York Telephone

FINDINGS

Year	Uses	Source
1934	Koestner Martin Cath chauf	R. L. Polk & Co.
	Kreutle Conrad Elleen sta firemn	R. L. Polk & Co.
	Swanson Edw Ingeborg supvr	R. L. Polk & Co.
	Swanson Geo E mech drftsmn	R. L. Polk & Co.
	Swanson Roger T aeroplane mech	R. L. Polk & Co.
	Tafel Anna jwlry plshr	R. L. Polk & Co.
	Tafel Paul Caroline plstr	R. L. Polk & Co.
	Tafel Wm chauf	R. L. Polk & Co.
	Cammer Carl E clk	R. L. Polk & Co.
	Cammer Leopold J Lena baker	R. L. Polk & Co.
	Camp Gaston Helena clk	R. L. Polk & Co.
	Freaney Jane dramkr	R. L. Polk & Co.
	Hargrove Thos Frances elev reprmn	R. L. Polk & Co.

4112 35TH AVE

Year	Uses	Source
1945	Household Svce Laundry Co	New York Telephone
1934	Household Service Loundry Co RTN Henry W Bischoff	R. L. Polk & Co.

35th Ave

4115 35th Ave

Year	Uses	Source
2010	OASIS EXPRESS BAKERY	EDR Digital Archive

35TH AVE

4115 35TH AVE

Year	Uses	Source
2005	Orellly Brendan v	Hill-Donnelly Information Services
	Orelly Brendan & Delrdre v V	Hill-Donnelly Information Services
	Prlfti Naum o	Hill-Donnelly Information Services
	h Vitale Vlncenzo v	Hill-Donnelly Information Services
	Bar Electric	Hill-Donnelly Information Services
	Cicmil Dusanka v V	Hill-Donnelly Information Services
	Gambino Vlncenza v	Hill-Donnelly Information Services
2000	Vincenza Gambino	Cole Information Services
	Samir Grud	Cole Information Services
	Naum Prifti	Cole Information Services

FINDINGS

Year	*Uses*	*Source*
2000	Brendan Reilly	Cole Information Services
1991	Erasmo Concetta & Scalici	NYNEX Information Resource Company
	Gambino Giuseppe	NYNEX Information Resource Company
	Gambino Salvatore	NYNEX Information Resource Company
	Rutherford Eugene J	NYNEX Information Resource Company
	Rutherford Jo Anne	NYNEX Information Resource Company
1983	Vaculik M	New York Telephone
	Gambino Giuseppe	New York Telephone
	Oliveri Francesco	New York Telephone
	Rutherford Eugene J	New York Telephone
	Rutherford Jo Anne	New York Telephone
1976	Kammerer John Jr	New York Telephone
	Leto Guiseppe	New York Telephone
1970	Fontana Louis	New York Telephone
	Kammerer John Jr	New York Telephone
	Mitchell Thos	New York Telephone
	Rutherford Eugene J	New York Telephone
	Rutherford Jo Anne	New York Telephone
1967	Brown Cornelius M	New York Telephone
	Kammerer John Jr	New York Telephone
	Mitchell Thos	New York Telephone
	Runko Antonio	New York Telephone
1962	Comiskey Elsie Mrs	New York Telephone Directory
	Hamezianos Elias	New York Telephone Directory
	Hamezianos Vassilios E	New York Telephone Directory
	Kammerer John Jr	New York Telephone Directory
	Mitchell Thos	New York Telephone Directory
	Ward Madeline F	New York Telephone Directory
1945	Comiskey Thos D	New York Telephone
	Schulhoff Arthur	New York Telephone
	Sullivan Margaret	New York Telephone
1939	Mansfield T J	New York Telephone Company
1934	Beech Edith Mrs singer	R. L. Polk & Co.
	Beech Ernest Ellen carp	R. L. Polk & Co.
	Beech Mabel drsmkr	R. L. Polk & Co.
	Casey John lab	R. L. Polk & Co.
	Casey Steph lab	R. L. Polk & Co.
	Casey Thos lab	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Clark Leo Effie slsmn	R. L. Polk & Co.
	Clark Mae bkpr Kompass & Stoll Co Inc	R. L. Polk & Co.
	Clark Raphael jr drftsmn	R. L. Polk & Co.
	Clark Ray clk	R. L. Polk & Co.
	Foley Lottie wid Thos J	R. L. Polk & Co.
	Foley Thos electn	R. L. Polk & Co.
	Mulhall Edw	R. L. Polk & Co.
	Mulhall Edw jr May janitor	R. L. Polk & Co.
	Mulhall John sta firemn	R. L. Polk & Co.
	Mulhall Michl janitor	R. L. Polk & Co.
	Mulhall Patk lab	R. L. Polk & Co.
	OConnor Edvthe clk	R. L. Polk & Co.
	OConnor Helen sten	R. L. Polk & Co.
	OConnor Robt Elizabeth bldg supt	R. L. Polk & Co.
	Stabler John R May clk	R. L. Polk & Co.
	Truhan Jos Emma plmbr	R. L. Polk & Co.
	Truhan Jos jr plmbrs hlpr	R. L. Polk & Co.

35th Ave

4116 35th Ave

Year	Uses	Source
2014	SUPREME METAL FINISHING INC	EDR Digital Archive
	TREVO DRYWALL & CONTG LLC	EDR Digital Archive
2010	WELLDONE STAINLESS INC	EDR Digital Archive
	WEIDONG CONSTRUCTION INC	EDR Digital Archive

35TH AVE

4116 35TH AVE

Year	Uses	Source
2005	RTK Corp QCC Div	Hill-Donnelly Information Services
	Ral Industrial Inc o	Hill-Donnelly Information Services
2000	Rtk Corp OCC Div	Cole Information Services
1991	Winters Trucking Corp	NYNEX Information Resource Company
1983	AMITY DAIRIES INC	New York Telephone
	WESTCHESTER FARMS INC	New York Telephone
1976	AMITY DAIRIES INC	New York Telephone
1970	LOCAL MILK PRODS INC	New York Telephone

FINDINGS

Year	Uses	Source
1970	DELAWARE FARMS INC	New York Telephone
1967	LOCAL MILK PRODS INC	New York Telephone
	Michaelsen H Inc milk prods	New York Telephone
	DELAWARE FARMS INC	New York Telephone
1962	Michaelsen H Inc milk prods	New York Telephone Directory
1934	Olsen Repair Shop RTN Henry Olsen auto reprs	R. L. Polk & Co.

4119 35TH AVE

Year	Uses	Source
1939	Anderson John M	New York Telephone Company

4120 35TH AVE

Year	Uses	Source
1970	Evergreen Dairies Inc	New York Telephone
1967	Evergreen Dairies Inc	New York Telephone
1945	Freedman C papr twines	New York Telephone
1939	Freedman C papr twines	New York Telephone Company

4122 35TH AVE

Year	Uses	Source
1939	Lewis Marx	New York Telephone Company

4202 35TH AVE

Year	Uses	Source
1970	Parente Truckg Svce Inc	New York Telephone
1967	Parente Truckg Svce Inc	New York Telephone
1962	Dial Auto Svce Inc	New York Telephone Directory
	Dial Auto Svce Inc	New York Telephone Directory
1945	Staats Robt R b	New York Telephone
	Bogart Haulage Corp stevd & s	New York Telephone
1939	Popular Garage	New York Telephone Company
1934	Blue Bird Garage TN Thos and Jas Duffy	R. L. Polk & Co.
	Leach Co concrete mixers	R. L. Polk & Co.

35th Ave

4203 35th Ave

Year	Uses	Source
2010	VICTORY UPHOLSTERY	EDR Digital Archive

FINDINGS

35TH AVE

4203 35TH AVE

Year	Uses	Source
2005	Quito Victor V	Hill-Donnelly Information Services
2000	Thomas Grady	Cole Information Services
1991	Poonwah Yuri	NYNEX Information Resource Company
	Serrano L	NYNEX Information Resource Company
1962	Evans Geo A	New York Telephone Directory
1945	Saphire E dairy & grocry	New York Telephone
1939	Evans Geo	New York Telephone Company
	Saphire E dairy & grocry	New York Telephone Company
1934	Evans Geo Mary auto mech	R. L. Polk & Co.

35th Ave

4205 35th Ave

Year	Uses	Source
2014	DELICIAS MANABITAS CORP	EDR Digital Archive
	ARAMOS UPHOLSTERY	EDR Digital Archive
2010	ARAMOS UPHOLSTERY	EDR Digital Archive
	COFFEE LOUNGE TERRACOTTA	EDR Digital Archive
	DELICIAS MANABITAS CORP	EDR Digital Archive

35TH AVE

4205 35TH AVE

Year	Uses	Source
1970	Wissemann Frank	New York Telephone
1962	Blevins Mary A Co costm jwlry	New York Telephone Directory

4207 35TH AVE

Year	Uses	Source
1970	Ginos Lunch Spot	New York Telephone
1967	Ginos Lunch Spot	New York Telephone
1962	Ginos Lunch Spot	New York Telephone Directory

4211 35TH AVE

Year	Uses	Source
1970	Kollar Jack	New York Telephone
	Gorman Catherine	New York Telephone

FINDINGS

Year	Uses	Source
1967	Kollar Jack	New York Telephone
	Gorman Catherinie	New York Telephone
1962	Kollar Jack	New York Telephone Directory
	Gorman Catherine	New York Telephone Directory

4219 35TH AVE

Year	Uses	Source
1991	Mollah Mohammad	NYNEX Information Resource Company
1976	Jezequel Joseph	New York Telephone
1970	Jezequel Joseph	New York Telephone
1967	McCarthy Angela F	New York Telephone
	Crouch Viola	New York Telephone
1962	Crouch Chauncey B	New York Telephone Directory

4221 35TH AVE

Year	Uses	Source
1962	Carbonless Copytyper Corp	New York Telephone Directory

4225 35TH AVE

Year	Uses	Source
1976	Eljaiek Rodolfo	New York Telephone
1970	Eljaiek Rodolfo	New York Telephone
1967	Velazquez Juana	New York Telephone
	Eljaiek Rodolfo	New York Telephone

4227 35TH AVE

Year	Uses	Source
1970	Troys Lunch	New York Telephone
1967	Troys Lunch	New York Telephone
1962	Schaefer Wm C	New York Telephone Directory
	Polka Dot Coffee Shop	New York Telephone Directory

35TH RD

3929 35TH RD

Year	Uses	Source
1934	Dunn Geo J Julia hotel transportaion Mhn	R. L. Polk & Co.

FINDINGS

35TH ST

3808 35TH ST

Year	Uses	Source
1934	Greenfield Stewart Greenfield & Greenfield	R. L. Polk & Co.

3822 35TH ST

Year	Uses	Source
1934	Metzger Lizzie wid Geo	R. L. Polk & Co.

3828 35TH ST

Year	Uses	Source
1934	Pack Bartholomew Anna firemn	R. L. Polk & Co.

3931 35TH ST

Year	Uses	Source
1939	Goldstein Philip	New York Telephone Company

39-10 35TH ST

Year	Uses	Source
1950	MURRAY WALTER	New York Telephone

36TH AVE

41 36TH AVE

Year	Uses	Source
1996	MAYER MALBIN CO INC indusrial plmbng & htng supls	NYNEX
	GRIGOROPOULOS Evagefia N	NYNEX

3705 36TH AVE

Year	Uses	Source
1934	Hartman Morris Malvina cigars and tob	R. L. Polk & Co.

3707 36TH AVE

Year	Uses	Source
2005	h Mraz Marino A	Hill-Donnelly Information Services
	Zullfqar Mohammad	Hill-Donnelly Information Services
1991	Mc Cullagh Louis	NYNEX Information Resource Company
	Select General Contrctng Inc	NYNEX Information Resource Company
1983	Jewel Sheen Coating Inc otc	New York Telephone
1976	Jewel Sheen Coating Inc ofc	New York Telephone

FINDINGS

Year	Uses	Source
1970	Jewel Sheen Coating Inc ofc	New York Telephone
1967	Jewel Sheen Coating Inc ofc	New York Telephone
1962	Jewel Sheen Coating Inc ofc	New York Telephone Directory
1939	Pangallo Anthony genl contr	New York Telephone Company
1934	Pamgallo Anthony Henrietta lab	R. L. Polk & Co.
	Pangallo Anthony Angela pres Pan Construction lab	R. L. Polk & Co.

36th Ave

3708 36th Ave

Year	Uses	Source
2010	GOGO&SON CORP	EDR Digital Archive

36TH AVE

3708 36TH AVE

Year	Uses	Source
2005	Silveira Carlos vo	Hill-Donnelly Information Services
	Onyeaghala Josephine v	Hill-Donnelly Information Services
	Amenyo John Thones	Hill-Donnelly Information Services
1976	Henao Augusto C	New York Telephone
1967	Cabales E M	New York Telephone
1962	Cabales EM	New York Telephone Directory
1934	Reilly Thos Margt	R. L. Polk & Co.
	Collins Maurice A Alice printer	R. L. Polk & Co.

36th Ave

3709 36th Ave

Year	Uses	Source
2014	BIG FOOT PRODUCTIONS INC	EDR Digital Archive

36TH AVE

3709 36TH AVE

Year	Uses	Source
2005	Big Foot Productions 1s	Hill-Donnelly Information Services
1991	Ace Precision Engravg Corp	NYNEX Information Resource Company
1983	Ace Precision Engravg Corp	New York Telephone
1976	Ace Precision Engravg Corp	New York Telephone

FINDINGS

Year	Uses	Source
1970	Ace Precision Engravg Corp	New York Telephone
1967	Ace Precision Engravg Corp	New York Telephone
1939	Ll Elec Supl Corp	New York Telephone Company
	Gertler Elec Supl Corp	New York Telephone Company
	Ll Employ Bur Brdg Plz S ST ilwel 46115	New York Telephone Company
1934	Old Timers Regular Democratic Club Inc NY Fred E Pfaff sec social club	R. L. Polk & Co.

3710 36TH AVE

Year	Uses	Source
2005	Mitas Jen v	Hill-Donnelly Information Services
	H Basco James J A	Hill-Donnelly Information Services
1970	Basco James J	New York Telephone
1934	Harrigan Dennis stmftr	R. L. Polk & Co.

3711 36TH AVE

Year	Uses	Source
2005	h Alin Mohammed v 718 937 7816 o	Hill-Donnelly Information Services
	h Anam Shoma v	Hill-Donnelly Information Services
	h Sultan Aisha A	Hill-Donnelly Information Services
1934	Junk Martina wid Rudolph	R. L. Polk & Co.
	Mc Guire Jas	R. L. Polk & Co.
	Philip Patk	R. L. Polk & Co.

3715 36TH AVE

Year	Uses	Source
2005	h Bacchus Azam	Hill-Donnelly Information Services

3801 36TH AVE

Year	Uses	Source
1991	Roma Bakery	NYNEX Information Resource Company

3804 36TH AVE

Year	Uses	Source
1939	Metcalf Bros svce sta	New York Telephone Company
1934	Capital Service Station Wm E Chester and John J Grsbowski gasoline	R. L. Polk & Co.

3805 36TH AVE

Year	Uses	Source
2005	loeman Jude	Hill-Donnelly Information Services

Year	Uses	Source
2005	Tsuji Megumi	Hill-Donnelly Information Services
2000	Toni Mont	Cole Information Services
	K Angelov	Cole Information Services
	Lelie Bassukos	Cole Information Services
	Yuri Imaizumi	Cole Information Services
1976	Loncar Mario	New York Telephone
1970	DelGiorno Jos	New York Telephone
	DelGiorna L	New York Telephone
1967	DelGiorno Jos	New York Telephone
	DelGiorno L	New York Telephone
1962	DelGiorno Liberato	New York Telephone Directory
1934	Klein Chas Rebecca glazier	R. L. Polk & Co.

3806 36TH AVE

Year	Uses	Source
1939	Olies Auto Repr Co	New York Telephone Company
	State Auto Paintg Co	New York Telephone Company

36th Ave

3809 36th Ave

Year	Uses	Source
2014	NAVA ALEJANDRO	EDR Digital Archive
	CAFE OLE	EDR Digital Archive
2010	CAFE OLE	EDR Digital Archive
	SUNNY CATERING INC	EDR Digital Archive
	ANAGENNISIS GIANNITSON CLB INC	EDR Digital Archive
	RITE-WAY FOOD CORP	EDR Digital Archive

36TH AVE

3809 36TH AVE

Year	Uses	Source
2005	New Access Insurance & Travel	Hill-Donnelly Information Services
	Global Production &Travel	Hill-Donnelly Information Services
	Access Hollywood Travel &TRS	Hill-Donnelly Information Services
2000	Global Prodn & Trvl	Cole Information Services
	Eldees Coffee Shop	Cole Information Services
	New Ins & Trvl Inc	Cole Information Services
1991	Eldees Coffee Shop	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	La Runaway Travel Corp	NYNEX Information Resource Company
1983	Eldees Coffee Shop	New York Telephone
1976	Eldees Coffee Shop	New York Telephone
1970	Eldees Coffee Shop	New York Telephone
1967	Eldees Coffee Shop	New York Telephone
1962	Eldees Coffee Shop	New York Telephone Directory
1934	Montbelier Rudolph restr	R. L. Polk & Co.

3813 36TH AVE

Year	Uses	Source
1934	De Canio Salvatore stationer	R. L. Polk & Co.

3815 36TH AVE

Year	Uses	Source
1945	Schonbrun Ethel Mrs statnry	New York Telephone
1934	Accetturi Nicholas Pasqua barber shop	R. L. Polk & Co.

3817 36TH AVE

Year	Uses	Source
1967	Sun Ray Tint Protctn Co	New York Telephone

3819 36TH AVE

Year	Uses	Source
1962	Henry Margaret M	New York Telephone Directory
1934	Meyers Jos Frances	R. L. Polk & Co.

36th Ave

4004 36th Ave

Year	Uses	Source
2014	CLOVERSTAR INC	EDR Digital Archive
2010	CLOVERSTAR INC	EDR Digital Archive

36TH AVE

4004 36TH AVE

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services
	Brown Steven R	Hill-Donnelly Information Services
	Castro Ullises v O	Hill-Donnelly Information Services
	Cordova Jane v	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Cruz Jesus	Hill-Donnelly Information Services
	Deiboldt Kevin v 718 752 1477 o	Hill-Donnelly Information Services
	Numbr 2 C Dotchev Ivelin V 718482 0701 00oo	Hill-Donnelly Information Services
	Ferrara Julle vo	Hill-Donnelly Information Services
	Franks M v	Hill-Donnelly Information Services
	Lopez Alelandro r	Hill-Donnelly Information Services
	Mun Jang Suk w	Hill-Donnelly Information Services
	h Rodrigo Flauberth	Hill-Donnelly Information Services
	Numbr 2 C Romneri John A	Hill-Donnelly Information Services
	Smythe Allison	Hill-Donnelly Information Services
2000	Flauberth Rodrigo	Cole Information Services
	Yani Realty	Cole Information Services
	41ST ST INTS FROM	Cole Information Services
1991	Andreachi Michael D	NYNEX Information Resource Company
	Soto Carmen	NYNEX Information Resource Company
	Timm Maria	NYNEX Information Resource Company
	Choudry Zafar	NYNEX Information Resource Company
	Dempewolf Ann	NYNEX Information Resource Company
	Mejia M	NYNEX Information Resource Company
	Sanchez Humberto	NYNEX Information Resource Company
1983	Acosta C	New York Telephone
	Hughes K	New York Telephone
	Icaza Fanny	New York Telephone
	Jurado W	New York Telephone
	Monohan John J	New York Telephone
	Morales Angel	New York Telephone
	Quinteros Noemi	New York Telephone
	Andreachi Michael D	New York Telephone
	Duignan G	New York Telephone
	Van Dunk E	New York Telephone
1976	Beale Norine	New York Telephone
	Deckert John	New York Telephone
	John H	New York Telephone
	Halen John	New York Telephone
	Hartnett John	New York Telephone
	Hidalgo Manuel	New York Telephone
	Hrzic John	New York Telephone
	Jurado W	New York Telephone

FINDINGS

Year	Uses	Source
1976	Andreachl Michael D	New York Telephone
1970	Beale Norine	New York Telephone
	Deckert John	New York Telephone
	Andreachi Michael D	New York Telephone
	Harrington Danl Mrs	New York Telephone
	ONeill Mary	New York Telephone
	Duggan John P	New York Telephone
	Fernandez Pedro	New York Telephone
	Gerrity Harry J	New York Telephone
	Gilroy John H	New York Telephone
	Gilson Raymond H	New York Telephone
	Hartnett John	New York Telephone
	Hota Say	New York Telephone
	Hrzic John	New York Telephone
	Nieto Flora	New York Telephone
	Stephan Fred	New York Telephone
	Zdenek Mary Mrs	New York Telephone
1967	Bouvot Marguerite T Mrs	New York Telephone
	Harrington Danl Mrs	New York Telephone
	OConnor Mary K Mrs	New York Telephone
	Slagle Nancy	New York Telephone
	Truhon Frieda M	New York Telephone
	Beale Norine	New York Telephone
	Buttner Edith R	New York Telephone
	Deckert John	New York Telephone
	Duggan John P	New York Telephone
	Fernandez Pedro	New York Telephone
	Gerrity Harry J	New York Telephone
	Gilson Raymond H	New York Telephone
	Hartnett John	New York Telephone
	Hrzic John	New York Telephone
	McMahon Robt	New York Telephone
	Schmitt Herman A	New York Telephone
	Stephan Fred	New York Telephone
	Zdenek Mary Mrs	New York Telephone
1962	Harrington Danl Mrs	New York Telephone Directory
	OConnor Mary K Mrs	New York Telephone Directory
	Tavis Thos F	New York Telephone Directory

FINDINGS

Year	Uses	Source
1962	Beale Norine	New York Telephone Directory
	Buttner Edith R	New York Telephone Directory
	Collum Muriel	New York Telephone Directory
	Duggan John P	New York Telephone Directory
	Gerrity Harry J	New York Telephone Directory
	McMahon Jas J	New York Telephone Directory
	Stephan Fred	New York Telephone Directory
	Walsh Anna Mrs	New York Telephone Directory
	Zdenek Mary Mrs	New York Telephone Directory
1945	Duggan John P	New York Telephone
	Murray Edgar P	New York Telephone
	Stephan Fred	New York Telephone
1934	Mahoney Neil mech hlpd	R. L. Polk & Co.
	Mc Carthy Chas Rita freight hnldr	R. L. Polk & Co.
	Mc Carthy John lab	R. L. Polk & Co.
	Mc Connell Michl T Anna printer	R. L. Polk & Co.
	Montpellier Albert Elizabeth restr	R. L. Polk & Co.
	Montpellier Rudolph restr Mhn	R. L. Polk & Co.
	Rathje Hans Olga electn Mhn	R. L. Polk & Co.
	Schafer Christian Margt porter	R. L. Polk & Co.
	Stephed Fred A Eulalia splicer	R. L. Polk & Co.
	Berens Doris teleg opr	R. L. Polk & Co.
	Berens Geo Alice valet	R. L. Polk & Co.
	Boss Fred Vivian formn	R. L. Polk & Co.
	Charles Alf lab	R. L. Polk & Co.
	Chopay Cath wid Celstin	R. L. Polk & Co.
	Chopay Jas chauf	R. L. Polk & Co.
	Chopay Madeline rug pntr	R. L. Polk & Co.
	Collum Margt wid Jas	R. L. Polk & Co.
	Cush Jas Balnche auto mech	R. L. Polk & Co.
	DAvis Elizabeth Wid Wm H	R. L. Polk & Co.
	Donahue Thos shtmtlwkr	R. L. Polk & Co.
	Doran Laura M wid Wm E	R. L. Polk & Co.
	Huthoff Christopher Frances chauf	R. L. Polk & Co.
	Koerner Henry Delia supt	R. L. Polk & Co.
	Mahoney Jas electn	R. L. Polk & Co.
	Mahoney Julia wid Danl	R. L. Polk & Co.
	Martin Jos G electn	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Martin Saml C Mary A bkpr	R. L. Polk & Co.

4010 36TH AVE

Year	Uses	Source
1970	Agawam Trading Inc	New York Telephone

4011 36TH AVE

Year	Uses	Source
1983	Mr Lite Tires Of Long Island City Inc	New York Telephone
1976	Jaca Wholesale Grocry Co	New York Telephone
1967	Electric Motors Corp	New York Telephone
	ELECTRIC ROTO ROOTER SEWER SVCE	New York Telephone
1962	LI Stove Supl Co Inc boil parts	New York Telephone Directory
	Spivak Jos L stove supls	New York Telephone Directory
1945	LI Stove Sup Co Inc boilr parts	New York Telephone
	Spivak Jos L stove supls	New York Telephone
1939	Spivak Jos L stove supls	New York Telephone Company
	LI Stove Supl Co Inc boilr parts	New York Telephone Company
	LI Structural Steel Co E Bay Av & Tifny Bronx DA ytn 98700	New York Telephone Company

4019 36TH AVE

Year	Uses	Source
1970	Iberia Food Svce Inc	New York Telephone
1967	Acoustic Engnrmg Co	New York Telephone
1962	Ethica Standard Co Inc	New York Telephone Directory
1945	Dickinson Lambert F atty	New York Telephone
	Delany Edwin F b	New York Telephone
	Mayer Malbin Co Inc plumbg & heatg supp	New York Telephone
	Malbin Mayer Co Inc plumbg & heatg supp	New York Telephone
1939	Malbin Mayer Co Inc plumbg & heatg supp	New York Telephone Company
	Mayer Malbin Co Inc plumbg & heatg supp	New York Telephone Company
	Dickinson Lambert F atty	New York Telephone Company
	Delany Edwin F b	New York Telephone Company
1934	Malbin Mayer Inc NY: cap $125 000 Mayer Marbin pres treas Jos Sedan sec plmbg supplies	R. L. Polk & Co.
	Malbin Mayer pres treas Mayer Malbin Inc	R. L. Polk & Co.

FINDINGS

36th Ave

4101 36th Ave

Year	Uses	Source
2014	MAYER MALBIN CO INC	EDR Digital Archive
2010	MAYER MALBIN CO INC	EDR Digital Archive

36TH AVE

4101 36TH AVE

Year	Uses	Source
2005	Mayer Malbin Co	Hill-Donnelly Information Services
2000	Mayer Mibn Co Inc	Cole Information Services
1991	MAYER MALBIN CO INC Industrial plmbng & htng supls	NYNEX Information Resource Company
1983	MAYER MALBIN CO INC Industrial plmbns & htng supls	New York Telephone
1970	Barco Mfg Co	New York Telephone
	MAYER MALBIN CO INC Industrl plmbg & heatg sups	New York Telephone
1967	Delany Edwin F b	New York Telephone
	MAYER MALBIN CO INC industri plmbg & heatg supls	New York Telephone
	Barco Mfg Co	New York Telephone
1962	Delany Edwin F b	New York Telephone Directory
	Barco Mfg Co	New York Telephone Directory
	MAYER MALBIN CO INC industrl plmbg & heatg supls	New York Telephone Directory
1945	Tech Art Plastics Co	New York Telephone
1939	Rocamco Prods Inc	New York Telephone Company
	Tech Art Plastics Co	New York Telephone Company
1934	Stewart Motor Trucks Inc Buffalo NY H D Chapin br mgr Automobiles	R. L. Polk & Co.

38-09 36TH AVE

Year	Uses	Source
1950	ELDEE"S COFFEE SHOP	New York Telephone

38-15 36TH AVE

Year	Uses	Source
1950	LOUGHRAN PATK STATNRY	New York Telephone

FINDINGS

40-04 36TH AVE

Year	Uses	Source
1950	S	New York Telephone
	MURRAY EDGAR P	New York Telephone
	SIMORA JOS	New York Telephone
	STEPHAM FRED	New York Telephone
	ZDENEK MARY F	New York Telephone
	SCHONBRUN STANLEY	New York Telephone
	KUEHNER CHAS G	New York Telephone
	KRAL FRED R	New York Telephone
	HARRINGTON DANL MRS	New York Telephone
	DUGGAN JOHN P	New York Telephone
	CHRISTEN EUGENE	New York Telephone

40-11 36TH AVE

Year	Uses	Source
1950	SPIVAK JOS L STOVE SUPLS	New York Telephone
	L I STORE SUPL CO INC BOILR PARTS	New York Telephone

40-19 36TH AVE

Year	Uses	Source
1950	MAYER MALBIN CO INC PLUMBS & HEATS SUPP	New York Telephone
	MALBIN MAYER CO PLUMBS & HEATG SUPP	New York Telephone
	DELANY EDWIN F B	New York Telephone

41-01 36TH AVE

Year	Uses	Source
1950	TECH-ART PLASTICS CO	New York Telephone

36TH ST

41 36TH ST

Year	Uses	Source
1996	CHOE Seun	NYNEX
	SAPIOS Ioanis	NYNEX

3807 36TH ST

Year	Uses	Source
1934	De Lauro Louis shoe reprmn	R. L. Polk & Co.

FINDINGS

3959 36TH ST

Year	Uses	Source
1934	Barker Robt H Marjorie F tree surgery	R. L. Polk & Co.

3975 36TH ST

Year	Uses	Source
1967	Strick Jos	New York Telephone

37TH ST

3475 37TH ST

Year	Uses	Source
1962	Skoff Q Carl	New York Telephone Directory

3505 37TH ST

Year	Uses	Source
1991	Van Wagenen P	NYNEX Information Resource Company

3516 37TH ST

Year	Uses	Source
1967	Telectro Indstries Corp recrdrs	New York Telephone
1962	Telectro Industries Corp recrdrs	New York Telephone Directory
	TELECTROSONIC CORP	New York Telephone Directory

37th St

3518 37th St

Year	Uses	Source
2014	ADVANCE PIPING INC	EDR Digital Archive
	CREATIVE PRODUCTS NEW YORK INC	EDR Digital Archive
	VIR BUILDERS LLC	EDR Digital Archive
	AMERICAN CUSTOM DESIGNS CORP	EDR Digital Archive
	SOO FASHION	EDR Digital Archive
	SKEWVILLE HEADQUARTERS INC	EDR Digital Archive
	CONTINUOUS SALES CORP	EDR Digital Archive
	STRIPS INC	EDR Digital Archive
	RIOS E C	EDR Digital Archive
	ECR ANTIQUE CONSERVATION INC	EDR Digital Archive
2010	ECR ANTIQUE CONSERVATION INC	EDR Digital Archive
	SOO FASHION	EDR Digital Archive
	LINAS LADIES WEAR CO	EDR Digital Archive

Year	Uses	Source
2010	RIOS E C	EDR Digital Archive
	LAPTAS AREEM MERCHANDISE CORP	EDR Digital Archive
	SKEWVILLE HEADQUARTERS INC	EDR Digital Archive
	CREATIVE PRODUCTS NEW YORK INC	EDR Digital Archive
	AMERICAN CUSTOM FURNITURE CORP	EDR Digital Archive
	ADVANCE PIPING INC	EDR Digital Archive
	STRIPS INC	EDR Digital Archive

37TH ST

3518 37TH ST

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services
	Advanced Piping Svc Inc	Hill-Donnelly Information Services
	Construction 2001 Inc	Hill-Donnelly Information Services
	Numbr 37 Dynamic Woodwo	Hill-Donnelly Information Services
	Numbr 3 Dynasty Belts Inc	Hill-Donnelly Information Services
	Linas Ladies Wear Co 1 R	Hill-Donnelly Information Services
	Mirage Studios LTD R	Hill-Donnelly Information Services
	Strips Inc	Hill-Donnelly Information Services
	Numbr 2 Tua Corp	Hill-Donnelly Information Services
2000	Dynamic Woodwkg	Cole Information Services
	Eddies Furniture	Cole Information Services
	Laptas Areem Mdse	Cole Information Services
	Linas Ladies WR	Cole Information Services
1991	Consolidated Brass Co	NYNEX Information Resource Company
	Continuous Sales Corp plmbg & heatg supls	NYNEX Information Resource Company
	Flexible Fabricators Inc	NYNEX Information Resource Company
	Gold & Gold Fashion Inc	NYNEX Information Resource Company
	Joes Wood Creations Inc	NYNEX Information Resource Company
	Jovian Enterprises Inc	NYNEX Information Resource Company
	Lee & Lee Enterprises Inc	NYNEX Information Resource Company
	NEW YORKER CARPENTRY INC Custom Designed Furniture Laminates Wood	NYNEX Information Resource Company
	Plexi Plus	NYNEX Information Resource Company
1983	Consolidated Brass Co	New York Telephone
	Continuous Sales Corp plmbg & heatg supls	New York Telephone

FINDINGS

Year	Uses	Source
1983	Flexible Fabricators Inc	New York Telephone
	J & J Plastics Inc	New York Telephone
	Plexi Plus	New York Telephone
	Sunburst Enterprises Inc	New York Telephone
	Suter Enterprises Inc	New York Telephone
1976	B & S Sportswr Inc	New York Telephone
1970	AIR FILTERS CO	New York Telephone
	B & S Sportswr Inc	New York Telephone
	Belaire Knitwear Co	New York Telephone
	Lilian Faye Inc	New York Telephone
	New Era Knits Mills Inc	New York Telephone
1934	Roman Macaronl Co Inc NY Peter Realmuto pres Lena Realmuto sec Antonio Geoovese treas	R. L. Polk & Co.

3520 37TH ST

Year	Uses	Source
1934	Price Chas H Myrtle clk	R. L. Polk & Co.

3539 37TH ST

Year	Uses	Source
1991	Efex Specialists Inc	NYNEX Information Resource Company

3540 37TH ST

Year	Uses	Source
1934	Blatt Harry truck driver	R. L. Polk & Co.

37th St

3543 37th St

Year	Uses	Source
2014	TARIK HOLDING CORP	EDR Digital Archive
	DALCRO INTERIORS INC	EDR Digital Archive
	ELCO ELECTRICAL CONTG CORP	EDR Digital Archive
	BELMAR PLUMBING & HEATING INC	EDR Digital Archive
	UNITED EXPRESS ATM CORP	EDR Digital Archive
2010	BELMAR PLUMBING & HEATING INC	EDR Digital Archive
	UNITED EXPRESS ATM CORP	EDR Digital Archive
	TAZ MOTORS	EDR Digital Archive
	SMS MESSENGER SERVICE INC	EDR Digital Archive
	33-42 REALTY CORP	EDR Digital Archive

Year	Uses	Source
2010	SDS AUTO SALES INC	EDR Digital Archive
	NELCON GROUP INC	EDR Digital Archive
	DALCRO INTERIORS INC	EDR Digital Archive
	RENVAL CONSTRUCTION LLC	EDR Digital Archive
	TARIK HOLDING CORP	EDR Digital Archive
	YO MONEY CORP	EDR Digital Archive

37TH ST

3543 37TH ST

Year	Uses	Source
2005	Abntm Work Corp 2 F	Hill-Donnelly Information Services
	Atlas Atm Corp 2 F	Hill-Donnelly Information Services
	Renval Construction LLC	Hill-Donnelly Information Services
	Harvest Foods	Hill-Donnelly Information Services
	Belmar Plumbing & Heating Inc	Hill-Donnelly Information Services
	Elco Electrical Contracting	Hill-Donnelly Information Services
2000	Nicks Auto	Cole Information Services
	Vision Cycle	Cole Information Services
1991	Ilana Knitting Inc	NYNEX Information Resource Company
	Astoria Studios Auto Repr	NYNEX Information Resource Company
1939	Jewel Sheen Waterproofing Corp	New York Telephone Company

3545 37TH ST

Year	Uses	Source
1996	FIERRO Frank	NYNEX

3548 37TH ST

Year	Uses	Source
1967	Presnell D F	New York Telephone

3589 37TH ST

Year	Uses	Source
1934	Bayers Auto Sales Inc Wm Gray mgr	R. L. Polk & Co.

35-16 37TH ST

Year	Uses	Source
1950	ELECTRONATIONAL ENGNRNG CO	New York Telephone
	TELECTRO INDUSTRIES CORP ELECTRONIC EQUIP & SUPLS	New York Telephone
	MICRO GUIDE CO	New York Telephone

FINDINGS

35-18 37TH ST

Year	Uses	Source
1950	KURMAN ELEC CO INC	New York Telephone
	E	New York Telephone

38 AS TORA 86696

3549 38 AS TORA 86696

Year	Uses	Source
1945	Connellan Jos	New York Telephone

38 AST ST

3601 38 AST ST

Year	Uses	Source
1962	J & T Service Station	New York Telephone Directory

38 ASTORA 82949

3553 38 ASTORA 82949

Year	Uses	Source
1945	Hardgrove Mae	New York Telephone

38 LIC

3623 38 LIC

Year	Uses	Source
1983	Kurathowski Louise E	New York Telephone

38 LONG

3530 38 LONG

Year	Uses	Source
1991	Metrocom Enterprises Inc	NYNEX Information Resource Company

38TH AS TORIA 85450

3530 38TH AS TORIA 85450

Year	Uses	Source
1945	LIC sales office	New York Telephone

FINDINGS

38TH AVE

3619 38TH AVE

Year	Uses	Source
1967	OHaras Bar & Grill Inc	New York Telephone

3620 38TH AVE

Year	Uses	Source
1970	Shultz Joseph DDS ofc	New York Telephone

38TH ST

3401 38TH ST

Year	Uses	Source
1945	Elting R Drake	New York Telephone
	Wright Agnes Mrs	New York Telephone
	Lee Betty	New York Telephone
1939	Ralf Clara Miss	New York Telephone Company
1934	OConnell Jos Kath plmbr	R. L. Polk & Co.
	OConnell Jas plmbr	R. L. Polk & Co.
	Flood Edw Agnes chauf Mhn	R. L. Polk & Co.

3404 38TH ST

Year	Uses	Source
2005	Ortiz Tomas	Hill-Donnelly Information Services
	h Frandi Robert Al	Hill-Donnelly Information Services
	h Hajnal Alexander 00 718 361 6274 oi	Hill-Donnelly Information Services
1996	FRANDI Robert	NYNEX
1991	Karantonis Elisaveth	NYNEX Information Resource Company
1983	Lieber Joseph	New York Telephone
1970	Munro Jas	New York Telephone
1967	Munro Jas	New York Telephone
1962	Munro Jas	New York Telephone Directory
1945	Larsen Chas	New York Telephone
1939	Larsen Chas	New York Telephone Company
1934	Goldfarb Edw May slsmn	R. L. Polk & Co.
	Olsen Thos hlpr	R. L. Polk & Co.
	Pants Harry Irene pipeftr	R. L. Polk & Co.

FINDINGS

3406 38TH ST

Year	Uses	Source
2005	Valle Leticia v V	Hill-Donnelly Information Services
1991	Montenegro Lius	NYNEX Information Resource Company
	Orozco Fernando	NYNEX Information Resource Company
1945	Mastrole M	New York Telephone
1939	Mastrole M	New York Telephone Company
1934	Mastrole Ralph Beatrice Quick Shoe Repairing	R. L. Polk & Co.
	Gordon Wm Mary truck driver Mhn	R. L. Polk & Co.
	Mastrole Frank plmbr	R. L. Polk & Co.
	Mastrole Mildred sten	R. L. Polk & Co.

3407 38TH ST

Year	Uses	Source
1934	Netick Edw Anna guard	R. L. Polk & Co.
	Berke Mirtz Rose c/o dlr	R. L. Polk & Co.

3408 38TH ST

Year	Uses	Source
2005	Batalas Pantelis V	Hill-Donnelly Information Services
	H Batalas Steven Av	Hill-Donnelly Information Services
1991	Sanopoulos Costas	NYNEX Information Resource Company
1970	Kelly P	New York Telephone
1934	Heinisch Anthony butcher	R. L. Polk & Co.
	Kromberg Paul printer	R. L. Polk & Co.
	Kromberg Chas M Madeline slsmn	R. L. Polk & Co.

3410 38TH ST

Year	Uses	Source
2005	Michaela Genia	Hill-Donnelly Information Services
1934	Stoeckline Aug plstr	R. L. Polk & Co.
	Brendel Chas F Kath	R. L. Polk & Co.

38th St

3411 38th St

Year	Uses	Source
2014	MICHILLI INCORPORATED	EDR Digital Archive
	MARZOCCO DUN-RITE AUTO BODY	EDR Digital Archive
2010	MARZOCCO DUN-RITE AUTO BODY	EDR Digital Archive

Year	Uses	Source
2010	MICHILLI INCORPORATED	EDR Digital Archive

38TH ST

3411 38TH ST

Year	Uses	Source
2005	Marzocco Dun Rite Auto Body	Hill-Donnelly Information Services
1976	Fulton Automotive Inc	New York Telephone
1970	Capozzoli Chas & Co	New York Telephone
1967	Capozzoli Chas & Co	New York Telephone
1962	Capozzoli Chas & Co	New York Telephone Directory
1945	Roberto Cosmo papr	New York Telephone
	Triboro Papr Mill Supl Co	New York Telephone
1939	Robertl Cosmo papr	New York Telephone Company

38th St

3413 38th St

Year	Uses	Source
2014	E Z BINS INCORPORATED	EDR Digital Archive
	DREYGO DEVELOPMENT GROUP 3 LLC	EDR Digital Archive
2010	DERO APPAREL GROUP LLC	EDR Digital Archive

38TH ST

3415 38TH ST

Year	Uses	Source
1945	Rongo Eliz Mrs	New York Telephone
1934	Mc Elhinney Jas Angela pntr	R. L. Polk & Co.
	Lange Mary wid Herman	R. L. Polk & Co.
	Lang Mary wid Herman	R. L. Polk & Co.

3417 38TH ST

Year	Uses	Source
1934	Fitterer Jos Mary welder	R. L. Polk & Co.

FINDINGS

38th St

3419 38th St

Year	Uses	Source
2014	SL 38TH STREET CORPORATION	EDR Digital Archive
2010	BIMMER MOTORS INC	EDR Digital Archive
	LITTLE GARAGE	EDR Digital Archive
	SL 38TH STREET CORPORATION	EDR Digital Archive

3420 38th St

Year	Uses	Source
2014	AMRIT AZMINA INC	EDR Digital Archive

38TH ST

3420 38TH ST

Year	Uses	Source
2005	Mahrek Rachid v O	Hill-Donnelly Information Services
1991	Cinquemani Francesco	NYNEX Information Resource Company
1934	Dautel Ella wid Geo	R. L. Polk & Co.
	Dautel Geo bkpr	R. L. Polk & Co.
	Ennen John photo engr	R. L. Polk & Co.
	Lancher Meta wid Henry	R. L. Polk & Co.

3422 38TH ST

Year	Uses	Source
2005	h Crego K v	Hill-Donnelly Information Services
	Kono Rie v	Hill-Donnelly Information Services
1983	Beck Thomas	New York Telephone
1962	Geigenberger Albert	New York Telephone Directory
1934	Brennan Emma	R. L. Polk & Co.
	Krollage Wm Margt carp	R. L. Polk & Co.
	Krowl Geo plmbr	R. L. Polk & Co.
	Nosoea Mary wid Frank	R. L. Polk & Co.
	Krowl Edw Emma truck driver	R. L. Polk & Co.

38th St

3423 38th St

Year	Uses	Source
2014	TRI-STATE ELECTRIC	EDR Digital Archive

FINDINGS

38TH ST

3423 38TH ST

Year	Uses	Source
2005	Lehigh Safety Shoe Co R	Hill-Donnelly Information Services

38th St

3424 38th St

Year	Uses	Source
2010	SALONAM LTD	EDR Digital Archive

38TH ST

3424 38TH ST

Year	Uses	Source
2005	International Souvlaki Corp	Hill-Donnelly Information Services
1991	Rothman & Werling Inc	NYNEX Information Resource Company
1983	Rothman & Werling Inc	New York Telephone
1967	Royal Chico Toys Inc	New York Telephone

3425 38TH ST

Year	Uses	Source
1934	Behrend Peter Victoria lab	R. L. Polk & Co.
	Beran Louise sec Nursey Furn Co Inc	R. L. Polk & Co.
	Baron Louise bkpr sten	R. L. Polk & Co.
	Behrend Louise bkpr	R. L. Polk & Co.

38th St

3426 38th St

Year	Uses	Source
2014	FAST RIDE INC	EDR Digital Archive
	CLEANING CREW INC	EDR Digital Archive
2010	YOUSSEF SAMEH S	EDR Digital Archive
	FAST RIDE INC	EDR Digital Archive

FINDINGS

38TH ST

3426 38TH ST

Year	Uses	Source
2005	Elabd Elkazafy wv	Hill-Donnelly Information Services
1970	Ambrosino Nicholas	New York Telephone
1967	Ambrosino Nicholas	New York Telephone
1962	Ambrosino Nicholas	New York Telephone Directory
1934	Ambrosino Nicholas Sarah pntr	R. L. Polk & Co.
	Santora Frank Cath sta firemn	R. L. Polk & Co.
	Santora Thos weder	R. L. Polk & Co.

3427 38TH ST

Year	Uses	Source
1934	Falcone Henry Angelina carp	R. L. Polk & Co.
	Vagnini Louis title exmnr	R. L. Polk & Co.
	Vagnini Mildred	R. L. Polk & Co.
	Vagnini Peter slsmn	R. L. Polk & Co.

38th St

3428 38th St

Year	Uses	Source
2014	ITTADI INC	EDR Digital Archive
2010	ITTADI INC	EDR Digital Archive

38TH ST

3428 38TH ST

Year	Uses	Source
2005	h Ahmed Rafiq	Hill-Donnelly Information Services
	Kabir Mohammad	Hill-Donnelly Information Services
	h Hossain Mohammad A	Hill-Donnelly Information Services
1991	Alejandro Emilio H	NYNEX Information Resource Company
1934	Marion Jos Barbara mach	R. L. Polk & Co.
	Skuhr Avy John florist	R. L. Polk & Co.
	Smyth Jas Sarah clk	R. L. Polk & Co.

3431 38TH ST

Year	Uses	Source
2005	Sanico USA	Hill-Donnelly Information Services

FINDINGS

3432 38TH ST

Year	Uses	Source
2005	Nana Pataker v	Hill-Donnelly Information Services
	HTimal BT AO	Hill-Donnelly Information Services
1991	Greaves Daphne	NYNEX Information Resource Company
	Timal Vishnu M	NYNEX Information Resource Company
1983	Cecil Jacob	New York Telephone
1976	Appel Werner	New York Telephone
1970	Appel Werner	New York Telephone
	Pilack Lilo	New York Telephone
1967	Hanson Hans R	New York Telephone
1962	Hanson Hans R	New York Telephone Directory
1934	Brezina Anton Marie	R. L. Polk & Co.
	Brezina Rudolph slsmn	R. L. Polk & Co.
	Harrison Edw auto uphol	R. L. Polk & Co.
	Harrison Mary Mrs oigar mkr	R. L. Polk & Co.
	Harrison Wm clk	R. L. Polk & Co.
	Lopez Emil cigarmkr	R. L. Polk & Co.

3434 38TH ST

Year	Uses	Source
2005	h Paskalis John	Hill-Donnelly Information Services
	h Kang Harold	Hill-Donnelly Information Services
1934	Tackenberg Edw Magdaline clk	R. L. Polk & Co.

3435 38TH ST

Year	Uses	Source
1983	G & M Mach Prods Co Inc	New York Telephone
1976	G & M Mach Prods Co Inc	New York Telephone
1970	Sax Hans b	New York Telephone
	G & M Mach Prods Co Inc	New York Telephone
1967	G & M Mach Prods Co Inc	New York Telephone
	Sax Hans b	New York Telephone
1945	Columbia Precision Prods Corp	New York Telephone
1934	Klein Lawrence V pres treas Lasky Garage Corp	R. L. Polk & Co.
	Lippert Chas nightmn Lasky Garage Corp	R. L. Polk & Co.

FINDINGS

38th St

3438 38th St

Year	Uses	Source
2014	ASTORIA INDOOR BATTING RANGE	EDR Digital Archive
	GLADIATOR CHAMPNSHP WRSTLING	EDR Digital Archive
	ASTORIA SPORTS COMPLEX INC	EDR Digital Archive
2010	GLADIATOR CHAMPNSHP WRSTLING	EDR Digital Archive
	ASTORIA SPORTS COMPLEX INC	EDR Digital Archive
	HERBALIFE HEALTH & BEAUTY CENT	EDR Digital Archive
	CLUB 4 INC	EDR Digital Archive

38TH ST

3438 38TH ST

Year	Uses	Source
2005	La Oveja Negra I R	Hill-Donnelly Information Services
	Astoria Sports Complex	Hill-Donnelly Information Services
	Herbalife Health & Beauty Ctr	Hill-Donnelly Information Services
	Astoria Health & Juice P	Hill-Donnelly Information Services
1991	Steinway Indoor Paddle Ball Inc	NYNEX Information Resource Company
1983	Astoria Indoor Paddle Ball Inc	New York Telephone

3451 38TH ST

Year	Uses	Source
1934	Imhoff Gust Av Marjorie baker	R. L. Polk & Co.

3475 38TH ST

Year	Uses	Source
1934	Herrmann Geo brklyr	R. L. Polk & Co.

3484 38TH ST

Year	Uses	Source
1934	Urban Louis Louise slsmn	R. L. Polk & Co.

3506 38TH ST

Year	Uses	Source
1939	Heuberger F R	New York Telephone Company

FINDINGS

3527 38TH ST

Year	Uses	Source
1934	Vagnini Grace wid Louis	R. L. Polk & Co.

38th St

3530 38th St

Year	Uses	Source
2014	REGAL CINEMAS INC	EDR Digital Archive
2010	REGAL CINEMAS INC	EDR Digital Archive

38TH ST

3530 38TH ST

Year	Uses	Source
2005	United Artist Theater 2 s	Hill-Donnelly Information Services
	Kaufman Astoria Stadium	Hill-Donnelly Information Services
1991	Metrocom Enterprises Inc	NYNEX Information Resource Company
	Sarian H	NYNEX Information Resource Company
	WOLD TELETAPE	NYNEX Information Resource Company
1983	Cab Svce & Parts Corp	New York Telephone
	Checker Motors Sales Corp	New York Telephone
1976	Checker Motors Sales Corp	New York Telephone
	LI City	New York Telephone
1970	LI City	New York Telephone
1967	Hertz Corp The	New York Telephone
	HERTZ CORP THE	New York Telephone
	LI City	New York Telephone
1962	LI City	New York Telephone Directory
	COCA COLA BOTTLING CO OF NY INC THE Sales Offices	New York Telephone Directory
1939	LIC branch	New York Telephone Company
	Rockville Centre NY Dial the Operator Rock Cen 44080	New York Telephone Company

3531 38TH ST

Year	Uses	Source
1934	Guggenberger Wm E Genevieve pntr	R. L. Polk & Co.
	Mc Vall Jas	R. L. Polk & Co.
	Sullivan Elizabeth	R. L. Polk & Co.
	Sullivan Margt film inspr Paramount Film Dept	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Sullivan Wm Julia	R. L. Polk & Co.
	Mc Vail	R. L. Polk & Co.

3533 38TH ST

Year	Uses	Source
1934	Gill Chas J Edith	R. L. Polk & Co.
	Bestnalli Mary T tel opr	R. L. Polk & Co.
	Ginlev Jos Marion C clk	R. L. Polk & Co.
	Cooley Jas W Theresa	R. L. Polk & Co.

3535 38TH ST

Year	Uses	Source
1934	Griffin Mabel	R. L. Polk & Co.
	Drennan Jas jr clk	R. L. Polk & Co.
	Hammler Gust Ave jr G & G Service Station	R. L. Polk & Co.
	Hammler Gust Ave Mary G & G Service Station	R. L. Polk & Co.
	Drennan Jas J Anna porter Rolls Royce of Am Inc	R. L. Polk & Co.

3537 38TH ST

Year	Uses	Source
1939	Hughes John	New York Telephone Company
1934	Del Giorno Jos Josephine meats	R. L. Polk & Co.
	Flynn Martin J police	R. L. Polk & Co.
	Flynn Michl mach	R. L. Polk & Co.
	Hughes Ann V	R. L. Polk & Co.
	Hughes John J Mary	R. L. Polk & Co.
	Hughes Mary T clk	R. L. Polk & Co.
	Kelly Michl A Harriett E wtchmn	R. L. Polk & Co.

3539 38TH ST

Year	Uses	Source
1934	Morritt Geo Irene stereo	R. L. Polk & Co.
	Mc Cullagh Jas Mary clk Mhn	R. L. Polk & Co.

3540 38TH ST

Year	Uses	Source
1934	Berghela Cath wid Frank	R. L. Polk & Co.

FINDINGS

3541 38TH ST

Year	Uses	Source
1945	Winder John	New York Telephone
1934	Winder John J auditor	R. L. Polk & Co.
	Winder Mary wid Steph	R. L. Polk & Co.
	Winder Wm J Ruth G city firemn	R. L. Polk & Co.

3543 38TH ST

Year	Uses	Source
1945	De Mott Harry J	New York Telephone
1934	Lynch Patk	R. L. Polk & Co.
	Reilly John F clk	R. L. Polk & Co.

3545 38TH ST

Year	Uses	Source
1945	Drennan Ann	New York Telephone
1939	Drennan Jas J	New York Telephone Company
1934	Mc Kee Danl	R. L. Polk & Co.
	Mc Kee Mary wid Felix	R. L. Polk & Co.
	Mc Kee Alf D	R. L. Polk & Co.
	Mc Kee Felix inspr	R. L. Polk & Co.
	Mc Kee Jos P carrier PO	R. L. Polk & Co.
	Mc Kee John Marion prsmn	R. L. Polk & Co.

38th St

3547 38th St

Year	Uses	Source
2014	AZTECH CONSTRUCTION CORP	EDR Digital Archive
2010	ZAHOOR AZTECH	EDR Digital Archive
	AZTECH CONSTRUCTION CORP	EDR Digital Archive

38TH ST

3547 38TH ST

Year	Uses	Source
2005	h Tenero Rodolfo A	Hill-Donnelly Information Services
2000	Wilson Camacho	Cole Information Services
	Nadeem Chowdhary	Cole Information Services
	Guan Yan	Cole Information Services
1991	Mates Mary	NYNEX Information Resource Company

Year	Uses	Source
1983	Velazquez Gilberto	New York Telephone
1970	Kranjac Toma	New York Telephone
1967	Kranjac Toma	New York Telephone
1962	Kranjac Toma	New York Telephone Directory
1934	Mc Callum Chas A carrier PO	R. L. Polk & Co.
	Mc Callum Edna sten	R. L. Polk & Co.
	Mc Kee Jas carrier Long Island City PO	R. L. Polk & Co.
	Routledge Reed sten	R. L. Polk & Co.

38th St

3549 38th St

Year	Uses	Source
2014	CNS ASSOCIATES LLC	EDR Digital Archive
2010	3901 NW LLC	EDR Digital Archive
	DINOE REALTY INC	EDR Digital Archive
	FLYING SAUCER CAFE INC	EDR Digital Archive
	C & I MANAGEMENT INC	EDR Digital Archive
	BUSINESS TECHNOLOGY SERVICES	EDR Digital Archive
	RES CONCERO CORP	EDR Digital Archive
	ACCESS CAPITAL SOLNS STHRN DIV	EDR Digital Archive

38TH ST

3549 38TH ST

Year	Uses	Source
2005	Sookpaul Luw	Hill-Donnelly Information Services
	H Sookpaul Jagdeash AV	Hill-Donnelly Information Services
	Sookpaul Pooran V	Hill-Donnelly Information Services
2000	Pooran Sookpaul	Cole Information Services
1991	Walker Andrew Kevin	NYNEX Information Resource Company
	Sookpaul Pooran	NYNEX Information Resource Company
	Jorawar Heermatte	NYNEX Information Resource Company
1983	Sookpaul Pooran	New York Telephone
1976	Kalb Dolores	New York Telephone
1962	Jennette Benj F	New York Telephone Directory
	Galligan Matthew J	New York Telephone Directory
1934	Galligano Kath M clk	R. L. Polk & Co.
	Galligan Jas Kath blksmith	R. L. Polk & Co.

Year	Uses	Source
1934	Galligan Anna C tel opr	R. L. Polk & Co.
	Bracken Cath wid Chas E	R. L. Polk & Co.

3551 38TH ST

Year	Uses	Source
2005	h Urueta Luis	Hill-Donnelly Information Services
	H Quijano Genaro A	Hill-Donnelly Information Services
2000	Genaro Ouijano	Cole Information Services
	Ran Noy	Cole Information Services
	Zuzi Gaal	Cole Information Services
1991	Jones Dean	NYNEX Information Resource Company
	Barnett Bob	NYNEX Information Resource Company
1983	Saiubol Thosaporn	New York Telephone
	Jones Dean	New York Telephone
1976	Jones Dean	New York Telephone
	Fleming E	New York Telephone
1967	Hammer Fidea	New York Telephone
1962	Bolanos Alicia	New York Telephone Directory
1939	Fay Eleanor A	New York Telephone Company
1934	Koubsky Wm	R. L. Polk & Co.
	Koubsky Chas	R. L. Polk & Co.
	Fay Jas H Lucy stmftr	R. L. Polk & Co.

38th St

3553 38th St

Year	Uses	Source
2014	GOLAPGONJ SOMITI AMERICA INC	EDR Digital Archive
2010	GOLAPGONJ SOMITI AMERICA INC	EDR Digital Archive

38TH ST

3553 38TH ST

Year	Uses	Source
2005	Badruddoza SM Wt	Hill-Donnelly Information Services
	Rohman Abdur	Hill-Donnelly Information Services
	Salik Mohammed v W	Hill-Donnelly Information Services
2000	Nabul Ahmed	Cole Information Services
	Mohammed Chowdhroy	Cole Information Services
	Shahinur Chowdry	Cole Information Services

FINDINGS

Year	Uses	Source
1991	Daloia Kevin	NYNEX Information Resource Company
	Pace William	NYNEX Information Resource Company
1970	Naclerio Joseph	New York Telephone
	Biancanello Peter A	New York Telephone
1967	Pesale Paul B	New York Telephone
	Biancanello Peter A	New York Telephone
1962	Biancanello Peter A	New York Telephone Directory
	Nasalga Philip	New York Telephone Directory
1934	Doyle Jason W Helen M electn	R. L. Polk & Co.
	Hassel Lena wid Fred	R. L. Polk & Co.
	Mc Donald Hilda clk	R. L. Polk & Co.

3555 38TH ST

Year	Uses	Source
2005	Banrreto C v	Hill-Donnelly Information Services
	h Romano N AV	Hill-Donnelly Information Services
2000	M Crisci	Cole Information Services
	Fred Frenzel	Cole Information Services
	N Romano	Cole Information Services
1991	Romano N	NYNEX Information Resource Company
	Dorilio J	NYNEX Information Resource Company
1976	Crisci D	New York Telephone
1970	Faricchia J Mrs	New York Telephone
1967	Faricchia J Mrs	New York Telephone
	DuBato Michl	New York Telephone
	Carrasquillo Christalia	New York Telephone
1962	DuBato Michl	New York Telephone Directory
	Daly Michl	New York Telephone Directory
1939	Coleman Wm J	New York Telephone Company
	Coleman Edw	New York Telephone Company
1934	Coleman Marion inspr Paramount Film Depot	R. L. Polk & Co.
	Coleman Michl J Mary cash Imperial Metal Mfg Corp	R. L. Polk & Co.
	Coleman Muriel model	R. L. Polk & Co.
	Coleman Wm J storemn	R. L. Polk & Co.
	Stevenson Alex Mary	R. L. Polk & Co.

FINDINGS

38th St

3557 38th St

Year	Uses	Source
2014	VINE ONE CORPORATION	EDR Digital Archive
	KBS DELI & GROCERY	EDR Digital Archive
2010	KBS DELI & GROCERY	EDR Digital Archive
	ELIMO RESTAURANT CORP	EDR Digital Archive
	VINE ONE CORP	EDR Digital Archive

38TH ST

3557 38TH ST

Year	Uses	Source
2005	Cucina Cinema	Hill-Donnelly Information Services
1983	Del Giorno Jos delcatesn	New York Telephone
1976	Del Giorno Jos delcatusn	New York Telephone
1970	DelGiorno Jos delcatesn	New York Telephone
1967	DelGiorno Jos delcatesn	New York Telephone
1962	Del Giorno Jos delcatesn	New York Telephone Directory

3558 38TH ST

Year	Uses	Source
1934	Mc Donald Patk Emily wtchmn	R. L. Polk & Co.

3601 38TH ST

Year	Uses	Source
1983	Quirk Brian	New York Telephone
	Quirk Andrew G b	New York Telephone
1976	J & T Service Station	New York Telephone
1970	J & T Service Station	New York Telephone
1967	J & T Service Station	New York Telephone

38th St

3602 38th St

Year	Uses	Source
2014	OPEN ROAD MOTORSPORTS	EDR Digital Archive
	NEW YORK HONDA	EDR Digital Archive
2010	OPEN ROAD MOTORSPORTS	EDR Digital Archive
	NEW YORK HONDA	EDR Digital Archive

FINDINGS

38TH ST

3602 38TH ST

Year	Uses	Source
2005	New York Honda 1 R	Hill-Donnelly Information Services
1991	OIL BURNER UTILITY CO INC fuel oil	NYNEX Information Resource Company
1983	OIL BURNER UTILITY CO INC fuel oil	New York Telephone
1970	Oil Burner Utility Co Inc fuel oil	New York Telephone
1967	Fergus Fine Cars Inc	New York Telephone
	Ferguson Automtv Imprts Ltd	New York Telephone
1962	Anderson Geo W Inc box papr	New York Telephone Directory
	Anderson Geo W Inc box papr	New York Telephone Directory
1945	Anderson Geo W Inc box papr	New York Telephone
1939	Anderson Geo W box papr	New York Telephone Company
1934	Anderson Geo W whol paper	R. L. Polk & Co.

3610 38TH ST

Year	Uses	Source
1934	Mc Donough Margt wid Harry card opr	R. L. Polk & Co.

3612 38TH ST

Year	Uses	Source
2005	Numbr 4 h Murphy G	Hill-Donnelly Information Services
	Numbr 9 h Perez Angelica AV	Hill-Donnelly Information Services
	Torres Italo A	Hill-Donnelly Information Services
	HCom Ilto Carmine A	Hill-Donnelly Information Services
	Romero Anastado	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Boren Maria V	Hill-Donnelly Information Services
	Numbr 7 Braziel Kenneth O	Hill-Donnelly Information Services
	Bums Matthew v	Hill-Donnelly Information Services
	Numbr 3 h Deery C v	Hill-Donnelly Information Services
	Numbr 12 Fischer S	Hill-Donnelly Information Services
	Numbr 6 h Mejia Rosabla	Hill-Donnelly Information Services
	Moreno Euceblo	Hill-Donnelly Information Services
	Numbr 14 h Moreno Gerardo v	Hill-Donnelly Information Services
2000	Esperanza Aguilar	Cole Information Services
	Camine Comito	Cole Information Services
	Elizabeth Deveau	Cole Information Services
	A Guritch	Cole Information Services

FINDINGS

Year	*Uses*	*Source*
2000	Eucebo Moreno	Cole Information Services
	Gerardo Moreno	Cole Information Services
	Angelica Perez	Cole Information Services
	Rosa R	Cole Information Services
	Anastacio Romero	Cole Information Services
	Oralia Sierr	Cole Information Services
	Sergio Valenc	Cole Information Services
1991	Comito Carmine	NYNEX Information Resource Company
	De Canio Michl A	NYNEX Information Resource Company
	Romero Anastacio	NYNEX Information Resource Company
	Arfine Rehana	NYNEX Information Resource Company
	Ayoub Aly	NYNEX Information Resource Company
	Ayoub Mohamed	NYNEX Information Resource Company
	Escobar Napoleon	NYNEX Information Resource Company
	Persaud Suruj	NYNEX Information Resource Company
	Rather P	NYNEX Information Resource Company
	Singh T	NYNEX Information Resource Company
1983	Dejesus Eddie	New York Telephone
	Prasad S	New York Telephone
	Comito Carmine	New York Telephone
	Dang Duc	New York Telephone
	De Canio Michl A	New York Telephone
	Grabowski Stanley	New York Telephone
	Rivera Cecilio	New York Telephone
1976	Comito Carmine	New York Telephone
	De Canio Michl A	New York Telephone
	Filacouris James	New York Telephone
	Galanis Georgios	New York Telephone
	Grabowski Stanley	New York Telephone
	Kontoelanis Argirios	New York Telephone
	Lippolis M R	New York Telephone
1970	Jaffie Jos	New York Telephone
	Le Parc Ambroise	New York Telephone
	Lippolis Marie R	New York Telephone
	Meliarenne Michel R	New York Telephone
	Miskovsky Anton	New York Telephone
	Murray Maria T	New York Telephone
	Siderakis Michael	New York Telephone

FINDINGS

Year	Uses	Source
1970	Comito Carmine	New York Telephone
	DeCanio Michl A	New York Telephone
1967	Comito Carmine	New York Telephone
	De Canio Michl A	New York Telephone
	LeFloch Jean	New York Telephone
	Rosenthal Edw	New York Telephone
	Jaffre Jos	New York Telephone
	Lippolis Marie R	New York Telephone
	Miskovsky Anton	New York Telephone
	Murray Maria T	New York Telephone
1962	Cotov Freda	New York Telephone Directory
	Davis Jess	New York Telephone Directory
	Derokov Sam	New York Telephone Directory
	Lippolis Marie R	New York Telephone Directory
	Miskovsky Anton	New York Telephone Directory
	Schrettner Wm J	New York Telephone Directory
	Smith John T	New York Telephone Directory
	Bogovic John	New York Telephone Directory
	Comito Carmine	New York Telephone Directory
	Costa Delfin T	New York Telephone Directory
	Finley Loretta Mrs	New York Telephone Directory
1945	Domingue M Miss	New York Telephone
	Davis Jess trukng	New York Telephone
	Miskovsky Albina Mrs	New York Telephone
	Voonick G	New York Telephone
1939	Connor Jas E	New York Telephone Company
1934	Belice John Anna tinsmith	R. L. Polk & Co.
	Bloomer John Martha	R. L. Polk & Co.
	Cass Thos J Hilma driver	R. L. Polk & Co.
	Clarke Harry W Margt electn	R. L. Polk & Co.
	Dee Alf Mae chauf Mhtn	R. L. Polk & Co.
	Finley Loretta wid Edw	R. L. Polk & Co.
	Kalb Wm Mildred M mach	R. L. Polk & Co.
	Lynch Esther M optician	R. L. Polk & Co.
	Lynch Helen wid Patk	R. L. Polk & Co.
	Linch John T	R. L. Polk & Co.
	Lynch Wm A slsmn	R. L. Polk & Co.
	Miskoosky Anton Albina teleg instr mkr	R. L. Polk & Co.

Year	Uses	Source
1934	Miskovsky Anna	R. L. Polk & Co.
	Mohs Wm L Beatrice clk	R. L. Polk & Co.
	Polak John Barbara pntr	R. L. Polk & Co.
	Walters Henry Marie plmbr	R. L. Polk & Co.
	Zvonik Frank Mary	R. L. Polk & Co.
	Zvonik Vincent Barbara lab	R. L. Polk & Co.

3615 38TH ST

Year	Uses	Source
1934	Barlow Wm A slsmn	R. L. Polk & Co.

38th St

3616 38th St

Year	Uses	Source
2010	FRATERNDAD CHINA ECTORIANA INC	EDR Digital Archive

38TH ST

3616 38TH ST

Year	Uses	Source
2005	h Arroyo Robert	Hill-Donnelly Information Services
	h Chahine Ali 0718 729 7193 B	Hill-Donnelly Information Services
	Kalogeropoulos Demetrius A	Hill-Donnelly Information Services
	Papadopoulos Renata v	Hill-Donnelly Information Services
	Richardson Tomita v	Hill-Donnelly Information Services
	Tamberville Roxanna	Hill-Donnelly Information Services
2000	Robert Arroyo	Cole Information Services
	A Chahin	Cole Information Services
	Bernardo Chevez	Cole Information Services
	Eufenia Garc	Cole Information Services
	Elizabeth Rhodes	Cole Information Services
1991	Diaz Manuel	NYNEX Information Resource Company
	Garcia R T	NYNEX Information Resource Company
	Pace Phyllis J	NYNEX Information Resource Company
1983	Arboleda Maria Teresa	New York Telephone
	Garcia R T	New York Telephone
	Pace Phyllis J	New York Telephone
	Sanchez Ester	New York Telephone
	Diaz Manuel	New York Telephone

FINDINGS

Year	Uses	Source
1983	Rossilli C	New York Telephone
1976	Farssedakis Constantine	New York Telephone
	Castillo Hector	New York Telephone
	Koutoulas Christina	New York Telephone
1970	Phraner Wesley E	New York Telephone
	Tierney Mary	New York Telephone
	Widercrantz Evan R	New York Telephone
	Nash Danl	New York Telephone
	Gasparovich Marko	New York Telephone
	Koutmk Christina	New York Telephone
1967	Seiferth Frank	New York Telephone
	Dracopoulos Bessie	New York Telephone
	Nash Danl	New York Telephone
	Phraner Wesley E	New York Telephone
	Sanchez Sebastian	New York Telephone
	Tierney Mary	New York Telephone
	Widercrantz Evan R	New York Telephone
1962	Emrich Robt J	New York Telephone Directory
	Nash Danl	New York Telephone Directory
	Schumann Walter	New York Telephone Directory
	Tierney Mary	New York Telephone Directory
	Widercrantz Evan R	New York Telephone Directory
	Kraeh Ludwig	New York Telephone Directory
	Leschitz Henry D	New York Telephone Directory
	Zustovich John L	New York Telephone Directory
1934	Agnew Lena wid Ellis	R. L. Polk & Co.
	Birsz Stanley Lucy driver	R. L. Polk & Co.
	Crean Hugh Birdie hlpr	R. L. Polk & Co.
	Drle Jos Anna	R. L. Polk & Co.
	Fleiss Fredk W Charlotte auto mach	R. L. Polk & Co.
	Hanak Fritz bronze wkr	R. L. Polk & Co.
	Kotnik Jos Anna lab Mhn	R. L. Polk & Co.
	Mc Mahon Jas Clara lab	R. L. Polk & Co.
	Ratzloff Wm O hlpr	R. L. Polk & Co.
	Rochovansky Jos Anna garagemn	R. L. Polk & Co.
	Rodgers Wm asst chemist Pino Lyptol Chemical Co	R. L. Polk & Co.
	Rogers Geo J mtrmn	R. L. Polk & Co.
	Rogers Henry F	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Rogers Wm J inspr	R. L. Polk & Co.
	Rogers Wm J jr clk	R. L. Polk & Co.
	Strnad Frank Carrie garage wkr	R. L. Polk & Co.
	Vozab Henry Marcella city firemn	R. L. Polk & Co.

3620 38TH ST

Year	Uses	Source
2000	Marie Bdsc Care	Cole Information Services
1991	Greater City Textile Co	NYNEX Information Resource Company
1983	Greater City Textile Co	New York Telephone
1976	Greater City Textile Co	New York Telephone
1970	Greater City Textile Co	New York Telephone
1967	Greater City Textile Co	New York Telephone
1962	Greater City Textile Co	New York Telephone Directory
1945	Oclo Flex Cupling Corp	New York Telephone
1939	EA Hauling Co	New York Telephone Company
1934	E A Hauling Co RTN Elizabeth Collins	R. L. Polk & Co.

3621 38TH ST

Year	Uses	Source
2005	h Chahine Abdallah v	Hill-Donnelly Information Services
	H Prasad 0 P AO	Hill-Donnelly Information Services
	Wassef Angil Wv	Hill-Donnelly Information Services
	Arfine R	Hill-Donnelly Information Services
2000	Rehana Arfine	Cole Information Services
	Mohammad Arfine	Cole Information Services
1991	Khan Aminur Rahman	NYNEX Information Resource Company
1983	Pashos Peter	New York Telephone
1976	Fulgoni Ralph	New York Telephone
1970	Fulgoni Ralph	New York Telephone
	Ferrara Salvatore J	New York Telephone
1967	Ferrara Salvatore J	New York Telephone
	Fulgoni Ralph	New York Telephone
1962	Ferrara Salvatore J	New York Telephone Directory
	Fulgoni Ralph	New York Telephone Directory
1939	De Lelli L	New York Telephone Company
	Avan F	New York Telephone Company
1934	Kraisfich Jules S Florence ironwkr	R. L. Polk & Co.
	Kraisfich Anna technician	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	De Lelli Louis Madeline slsmn	R. L. Polk & Co.
	De Lalli Louis Madeline slsmn	R. L. Polk & Co.

3623 38TH ST

Year	Uses	Source
2005	h Aggells Demetrios v	Hill-Donnelly Information Services
2000	Mary Angelis	Cole Information Services
	Tara Ram	Cole Information Services
1991	Kurathowski Edw J	NYNEX Information Resource Company
	Kurathowski Louise E	NYNEX Information Resource Company
	Swancer Mary	NYNEX Information Resource Company
1983	Kurathowski Edw J	New York Telephone
	Swancer Steve	New York Telephone
1976	Kurathowski Edw J	New York Telephone
	Kurathowski Louise E	New York Telephone
1970	Kurathowski Edw J	New York Telephone
	Kurathowski Louisa E	New York Telephone
	Swancer Steve	New York Telephone
1967	Kurathowski Edw J	New York Telephone
	Kurathowski Louise E	New York Telephone
	Swancer Steve	New York Telephone
1962	Kurathowski Edw J	New York Telephone Directory
	Kurathowski Louise E	New York Telephone Directory
	Swancer Steve	New York Telephone Directory
1945	Brito Miriam	New York Telephone
	Williams E	New York Telephone
1934	Beselly Jos Mary	R. L. Polk & Co.
	Hopp W Edna chauf	R. L. Polk & Co.
	Minnock Thos Kath truck driver	R. L. Polk & Co.

3625 38TH ST

Year	Uses	Source
1945	ORourke Jas	New York Telephone
1934	Wiseman Wm R Rose lab	R. L. Polk & Co.
	Hopp Rose wid Jos	R. L. Polk & Co.

35-29 38TH ST

Year	Uses	Source
1950	OCONNELL DAVID M	New York Telephone

Year	Uses	Source
1950	CUNNINGHAM JOHN J	New York Telephone

35-30 38TH ST

Year	Uses	Source
1950	COCA-COLA BOTTLING CO INC THE SALES OFFICE LI CITY	New York Telephone

35-31 38TH ST

Year	Uses	Source
1950	LOMBARDI MARY MRS	New York Telephone
	CAVALLO CARL	New York Telephone

35-33 38TH ST

Year	Uses	Source
1950	GINLEY JOS F	New York Telephone

35-35 38TH ST

Year	Uses	Source
1950	ZAGARELIO PHILIP S	New York Telephone

35-37 38TH ST

Year	Uses	Source
1950	PHOENIX MARC L	New York Telephone

35-39 38TH ST

Year	Uses	Source
1950	KAMERER JAS	New York Telephone

35-41 38TH ST

Year	Uses	Source
1950	K	New York Telephone
	WINDER JOHN	New York Telephone

35-43 38TH ST

Year	Uses	Source
1950	DE MOTT HARRY J	New York Telephone

35-45 38TH ST

Year	Uses	Source
1950	PILGER HENRY	New York Telephone
	WINDER WM J	New York Telephone

FINDINGS

35-47 38TH ST

Year	Uses	Source
1950	MCKILLOP EDW F	New York Telephone

35-49 38TH ST

Year	Uses	Source
1950	CONNEILAN JOS P	New York Telephone
	GALLIGAN MATTHEW	New York Telephone

35-51 38TH ST

Year	Uses	Source
1950	W	New York Telephone

35-53 38TH ST

Year	Uses	Source
1950	MCDONNELL JOS MRS	New York Telephone
	SUOZZO DOMINICK A	New York Telephone

35-55 38TH ST

Year	Uses	Source
1950	MORREALE FRANK L	New York Telephone

35-57 38TH ST

Year	Uses	Source
1950	DEL GIORNO JOS DELCATESN	New York Telephone

36-01 38TH ST

Year	Uses	Source
1950	J & T SERVICE STATION	New York Telephone

36-02 38TH ST

Year	Uses	Source
1950	ANDERSON GEO W INC BOX PAPR	New York Telephone
	ANDERSON GEO W INC BOX PAPR	New York Telephone

36-12 38TH ST

Year	Uses	Source
1950	DAVIS JESS	New York Telephone
	APTS & APT HOUSES	New York Telephone
	MISKOVSKY ALBINA MRS	New York Telephone
	MCNAMARA MARY MRS	New York Telephone
	HENN GLORIA	New York Telephone

Year	Uses	Source
1950	DE CANIO MARY MRS	New York Telephone
	GILSON RAYMOND H	New York Telephone
	ECKERMANN HERBERT W	New York Telephone

36-16 38TH ST

Year	Uses	Source
1950	MULLIGAN WM J	New York Telephone
	LO VICO SALVATORE	New York Telephone
	GROSSMAN JOS F	New York Telephone
	GOING JAS P	New York Telephone

36-20 38TH ST

Year	Uses	Source
1950	FEDERAL SEAT CORP	New York Telephone

36-21 38TH ST

Year	Uses	Source
1950	AMARO JOS	New York Telephone

36-23 38TH ST

Year	Uses	Source
1950	WILLIAMS E	New York Telephone
	BRITO MIRIAM	New York Telephone

41ST

3407 41ST

Year	Uses	Source
1939	Bohlinger Helen M Miss	New York Telephone Company
	Newman Cyril	New York Telephone Company

3413 41ST

Year	Uses	Source
1962	Goldner Chas	New York Telephone Directory
1939	Goldner Chas	New York Telephone Company

3415 41ST

Year	Uses	Source
1939	Bjorkgren Herbert	New York Telephone Company

FINDINGS

3416 41ST

Year	Uses	Source
1939	Ackert S M	New York Telephone Company
	Bianq J Mrs	New York Telephone Company

3421 41ST

Year	Uses	Source
1939	Keating Mary Miss	New York Telephone Company

3426 41ST

Year	Uses	Source
1962	Burrell Wm	New York Telephone Directory
	Steinberg Saml E	New York Telephone Directory
1939	Bart Edith M Mrs	New York Telephone Company
	Bart Leon J	New York Telephone Company
	Bognon Geo	New York Telephone Company
	Cohen Hyman E	New York Telephone Company
	Johnson Jas O	New York Telephone Company
	Kehoe Rose L Mrs	New York Telephone Company

3427 41ST

Year	Uses	Source
1939	Garfield Anna Mrs	New York Telephone Company
	Kralik Marjorie A Miss	New York Telephone Company

3433 41ST

Year	Uses	Source
1962	Daly Dorothy Mrs	New York Telephone Directory
1939	Daly Dorothy Mrs	New York Telephone Company

3437 41ST

Year	Uses	Source
1939	Mc Cabe A M	New York Telephone Company
	Boney Katherine Mrs	New York Telephone Company

3443 41ST

Year	Uses	Source
1939	Richards Geo Mrs	New York Telephone Company

3447 41ST

Year	Uses	Source
1939	Braun Julia G Miss	New York Telephone Company

FINDINGS

3449 41ST

Year	Uses	Source
1939	Finnigan Dan	New York Telephone Company

3450 41ST

Year	Uses	Source
1962	Featherstone M	New York Telephone Directory
	Ratigan Jos A	New York Telephone Directory
1939	Bongardt Wm	New York Telephone Company
	Dunne Florence H Miss	New York Telephone Company
	Featherstone M	New York Telephone Company
	Sebald Geo	New York Telephone Company
	Hauschildt John H	New York Telephone Company
	Koehler Wm	New York Telephone Company
	Murray Mary G Mrs	New York Telephone Company
	Nemeckay Albina	New York Telephone Company
	Ratigan Jos A	New York Telephone Company
	Greenhow R A	New York Telephone Company

3451 41ST

Year	Uses	Source
1939	Hein Arthur	New York Telephone Company

3513 41ST

Year	Uses	Source
1962	Queensboro Farm Products Inc	New York Telephone Directory
1939	Queensboro Dairy Co	New York Telephone Company
	Queensboro Farm Products Inc	New York Telephone Company

3521 41ST

Year	Uses	Source
1939	S H Sales Co	New York Telephone Company

3525 41ST

Year	Uses	Source
1939	Par Metal Products Corp	New York Telephone Company
	Parmet A A Steel Prod	New York Telephone Company
	Par Metal Products Corpn	New York Telephone Company

FINDINGS

3542 41ST

Year	*Uses*	*Source*
1939	Bieler L & Son Inc tnsmth supp	New York Telephone Company

3545 41ST

Year	*Uses*	*Source*
1939	Axel Spring & Welding Corp	New York Telephone Company

41ST AS TORIA 82026

3443 41ST AS TORIA 82026

Year	*Uses*	*Source*
1945	Richards Geo Mrs	New York Telephone

41ST ASTRIA RA VENSWD 82083

3437 41ST ASTRIA RA VENSWD 82083

Year	*Uses*	*Source*
1945	Odea Jas E Jr	New York Telephone

41ST AVE

3407 41ST AVE

Year	*Uses*	*Source*
1934	Keim John Rite electn	R. L. Polk & Co.

3450 41ST AVE

Year	*Uses*	*Source*
1962	Sebald Geo	New York Telephone Directory

3455 41ST AVE

Year	*Uses*	*Source*
1934	Flannigan John lab	R. L. Polk & Co.

41ST RA VBNSWD 82833

3533 41ST RA VBNSWD 82833

Year	*Uses*	*Source*
1945	LI City agcy	New York Telephone

FINDINGS

41ST ST

3405 41ST ST

Year	Uses	Source
2000	Danielle Dutr	Cole Information Services
	Apartments Aleteia Almeid	Cole Information Services
	L Zofia Kosierb	Cole Information Services
	Ralph Logue	Cole Information Services
	Antonio Poscidonio	Cole Information Services
	Zbigniew Zielinski	Cole Information Services
1991	Touchet Francis H Ph D	NYNEX Information Resource Company
	Surowaniec Zbigniew	NYNEX Information Resource Company
	Seymour Wm J	NYNEX Information Resource Company
1983	Logue Ralph	New York Telephone
	Musil Jos	New York Telephone
	Seymour Wm J	New York Telephone
	Singh Mohinder	New York Telephone
1970	Seymour Wm J	New York Telephone
1967	Flynn Sophie H	New York Telephone
	Seymour Wm J	New York Telephone
1962	Flynn Sophie H	New York Telephone Directory
1934	Tedley Margt bkpr	R. L. Polk & Co.
	Stocek Mary	R. L. Polk & Co.
	Montag Fredk Frances printer	R. L. Polk & Co.
	Mc Cusker Edw T MArgt Eddies Auto Repair	R. L. Polk & Co.
	Lenek Anton Antoinette pocketmkr	R. L. Polk & Co.
	Kraft Ida wid Jacob	R. L. Polk & Co.

41st St

3407 41st St

Year	Uses	Source
2010	DREAM LAND TRANSPORTATION INC	EDR Digital Archive
	ALEXANDRIAN ASSOCIATES INC	EDR Digital Archive

41ST ST

3407 41ST ST

Year	Uses	Source
1991	Volpe Nonda	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Sikula Marta	NYNEX Information Resource Company
1983	Syristatides P	New York Telephone
1945	Pollock Helen M	New York Telephone
	Gerrer A V	New York Telephone
1934	Murphy Michl T Theresa clk	R. L. Polk & Co.
	Miller Dorothy dmnstr	R. L. Polk & Co.
	Jess Gust Ave Theresa pntr	R. L. Polk & Co.
	Black Wm R Agnes	R. L. Polk & Co.
	Bohlinger Helen sten Mhn	R. L. Polk & Co.
	Bohlinger Leon Elizabeth lab	R. L. Polk & Co.

3409 41ST ST

Year	Uses	Source
2000	James Stewart	Cole Information Services
	Juliet Hershey	Cole Information Services
	Teresa	Cole Information Services
	Jim Geist	Cole Information Services
1991	Karlovitz K A	NYNEX Information Resource Company
	Perez Ezekiel	NYNEX Information Resource Company
	Selvey Patrick & Anita	NYNEX Information Resource Company
	Yi Kew Whan	NYNEX Information Resource Company
1983	Pesl Elsie Mrs	New York Telephone
	Farrenberg Elsie Mrs	New York Telephone
	Cruz Madeline	New York Telephone
	Contemporary Contrctng Co	New York Telephone
1976	Farrenberg Elsie Mrs	New York Telephone
1970	Supreme Watrprfg	New York Telephone
1934	Nebora Frank wood carver	R. L. Polk & Co.
	Kohla Chas Meta slsmn	R. L. Polk & Co.
	Kobus Michl Mary mach	R. L. Polk & Co.
	Coleman Robt Clara taxi driver	R. L. Polk & Co.
	Willner Henry bkpr	R. L. Polk & Co.
	Sarter Louis Clara lab	R. L. Polk & Co.
	Nebora Simon Alice wood carver	R. L. Polk & Co.

3413 41ST ST

Year	Uses	Source
2000	M Cooney	Cole Information Services
	J Doherty	Cole Information Services

FINDINGS

Year	Uses	Source
2000	Devrim Gurbuz	Cole Information Services
1991	Cooney M	NYNEX Information Resource Company
1983	Coqueland A E	New York Telephone
	Cooney M	New York Telephone
1976	Cohen R	New York Telephone
1945	Halpin John F	New York Telephone
	Goldner Chas	New York Telephone
	McKenna Nora Mrs	New York Telephone
1934	Goldner Florence A sten	R. L. Polk & Co.
	Kissinger Chas Cath clk	R. L. Polk & Co.
	Mc Claskey Agnes wid Alf	R. L. Polk & Co.
	Zobal Chas installer	R. L. Polk & Co.
	Zobal Jos Anna cabtmkr	R. L. Polk & Co.
	Goldner Chas Florence guard	R. L. Polk & Co.
	Albert John Tina doormn	R. L. Polk & Co.
	Budek Arth Camile uphol	R. L. Polk & Co.

3415 41ST ST

Year	Uses	Source
2000	Apartments Irma Carrasco	Cole Information Services
	Wilson Egidio	Cole Information Services
	Asako Matsuzaki	Cole Information Services
	Maria E Munche	Cole Information Services
	Mirko Rumor	Cole Information Services
	R Carmen Ves	Cole Information Services
1991	Curry Daniel J	NYNEX Information Resource Company
	Drazevic Ivo	NYNEX Information Resource Company
	Morales Andres	NYNEX Information Resource Company
	Sileo Frank	NYNEX Information Resource Company
1983	Huckemeyer Ella	New York Telephone
	Mc Govern John D	New York Telephone
	Sileo Frank	New York Telephone
1976	Besendorfer Anna H	New York Telephone
	Huckemeyer Ella	New York Telephone
1970	Besendorfer Anna H	New York Telephone
	Huckemeyer Ella	New York Telephone
	Sileo Frank	New York Telephone
1967	Besendorfer Anna H	New York Telephone
	Huckemeyer Ella	New York Telephone

FINDINGS

Year	Uses	Source
1967	Sileo Frank	New York Telephone
1962	Besendorfer Ludwig P	New York Telephone Directory
	Huckemeyer Betty G	New York Telephone Directory
	Sileo Frank	New York Telephone Directory
1934	Wilk Josephine wid Jos	R. L. Polk & Co.
	Quigley Edw C Caroline slsmn	R. L. Polk & Co.
	Amrhein Bertha Wid Frank	R. L. Polk & Co.
	Amrhein Robt clk	R. L. Polk & Co.
	Callahan Thos Nellie auto mech	R. L. Polk & Co.
	Keane Mazia drsmkr	R. L. Polk & Co.
	Keane Michl clk	R. L. Polk & Co.
	Tunison Clark Avis bldg estimator	R. L. Polk & Co.
	Svihovec Theresa wid Edw	R. L. Polk & Co.
	Keane Robt mach	R. L. Polk & Co.
	Mayer Nellie Mrs clk	R. L. Polk & Co.
	Mason Patronila wid Anton	R. L. Polk & Co.

41st St

3416 41st St

Year	Uses	Source
2014	NETCOMIX INC	EDR Digital Archive

41ST ST

3416 41ST ST

Year	Uses	Source
2005	h Fagan James Av	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Aoki Kazuhiro y	Hill-Donnelly Information Services
	Numbr l A h Chadll Mohamed & Hasna	Hill-Donnelly Information Services
	Numbr 4 C Frolov Michael v	Hill-Donnelly Information Services
	Numbr 4 A Javid Qamar	Hill-Donnelly Information Services
	Numbr 3 F Kelly Kathryn v	Hill-Donnelly Information Services
	Numbr 3 E Khanam Khudaza	Hill-Donnelly Information Services
	Numbr 2 G h Larin J	Hill-Donnelly Information Services
	Numbr 3 A Unton Deborah	Hill-Donnelly Information Services
	Longo William CII 4v	Hill-Donnelly Information Services
	Numbr 38 Madigan Kendra v	Hill-Donnelly Information Services

FINDINGS

Year	*Uses*	*Source*
2005	Mal Daulat v	Hill-Donnelly Information Services
	Numbr 3 E Rahman Mohammed	Hill-Donnelly Information Services
	Numbr 4D h Reich John E A	Hill-Donnelly Information Services
	Numbr 10 Sidachir AIdjia v	Hill-Donnelly Information Services
	Numbr 41 h Silberger David 0v	Hill-Donnelly Information Services
	h Won D v 718 472 0846 oi	Hill-Donnelly Information Services
2000	Apartments Hasna Abiat	Cole Information Services
	El Bakkali Touw	Cole Information Services
	K Boster	Cole Information Services
	A Mohamed Chadli	Cole Information Services
	C Dove	Cole Information Services
	H James Fagan	Cole Information Services
	C Michael Frolov	Cole Information Services
	Douglass Guy	Cole Information Services
	J Kasper	Cole Information Services
	Khudaza Khanam	Cole Information Services
	J Larkin	Cole Information Services
1991	Cipriani Frank	NYNEX Information Resource Company
	Downing C	NYNEX Information Resource Company
	Fama Philip Jr	NYNEX Information Resource Company
	Huerta Modesto	NYNEX Information Resource Company
	Javid Qamar	NYNEX Information Resource Company
	Lowe T Douglas	NYNEX Information Resource Company
	Marden Michael	NYNEX Information Resource Company
	Maxa Jos	NYNEX Information Resource Company
	Pavlovici Christian	NYNEX Information Resource Company
	Reich John E	NYNEX Information Resource Company
	Rodriguez Miguel	NYNEX Information Resource Company
	Shellman Arthur E	NYNEX Information Resource Company
	Silva Manuel	NYNEX Information Resource Company
1983	Casale Paul J	New York Telephone
	Caurant Joseph L	New York Telephone
	Chimenti J J	New York Telephone
	Cronin M T	New York Telephone
	Del Guidice D	New York Telephone
	Fama Philip Jr	New York Telephone
	Iacobazzo P A	New York Telephone
	Javid Qamar	New York Telephone

FINDINGS

Year	Uses	Source
1983	Maza Maria	New York Telephone
	Murray James F	New York Telephone
	Ocampo Marlene	New York Telephone
	Osorio Juan A	New York Telephone
	Reich John E	New York Telephone
	Rodriguez Humberto	New York Telephone
	Shellman Arthur E	New York Telephone
	Thompson Wm A	New York Telephone
	Villa Oscar	New York Telephone
1976	Chimenti J J	New York Telephone
	Cronin M T	New York Telephone
	Del Guidice D	New York Telephone
	Didio Jos V	New York Telephone
	Fama Philip Jr	New York Telephone
	Gallagher Jos	New York Telephone
	Lightner K D	New York Telephone
	Macrides A	New York Telephone
1970	Agosta John	New York Telephone
	Cronin M T	New York Telephone
	Didio Jos V	New York Telephone
	Gallagher Jos	New York Telephone
	Murray James F	New York Telephone
	Reich John E	New York Telephone
	Shellman Helen	New York Telephone
	Thompson Wm A	New York Telephone
1967	Cronin M T	New York Telephone
	Gallagher Jos	New York Telephone
	Murray Marylou	New York Telephone
	ORourke Thos	New York Telephone
	Reich John E	New York Telephone
	Shellman Helen	New York Telephone
1962	Cronin Mae T	New York Telephone Directory
	Gallagher Jos	New York Telephone Directory
	Harper Katherine Mrs	New York Telephone Directory
	Reich John E	New York Telephone Directory
1945	Frattini Anthony	New York Telephone
	Rosenberg Irving	New York Telephone
	Rosenthal Abraham A	New York Telephone

FINDINGS

Year	Uses	Source
1934	Otten Chas pntr	R. L. Polk & Co.
	Preissler Chas Emma Countermn Veronica Grupp	R. L. Polk & Co.
	Rosengren Carl H Emily credit mgr	R. L. Polk & Co.
	Rosengren Gust Ave Wid Aug	R. L. Polk & Co.
	Stephens Edw J Mary Lou chauf	R. L. Polk & Co.
	Strumfels Harry Clara cond	R. L. Polk & Co.
	Voigt John Mary bldg supt	R. L. Polk & Co.
	Watson Harold Nora fishermn	R. L. Polk & Co.
	Beckwith Frank Bernadotte chauf	R. L. Polk & Co.
	Brunkhorst Henry brklyr	R. L. Polk & Co.
	Cronin Jas A May office mgr Mhn	R. L. Polk & Co.
	Crouch Chauncey W Ellen R mach	R. L. Polk & Co.
	DAmico Paul mary bkpr	R. L. Polk & Co.
	De Cario Steph Phylis Times Sq Battery & Tire Service	R. L. Polk & Co.
	Drha Frank Stella sec treas Bogart Drha & Co	R. L. Polk & Co.
	Edwards Apartments	R. L. Polk & Co.
	Eismeier John F Caroline restr	R. L. Polk & Co.
	Ellmers Jas pntr	R. L. Polk & Co.
	Fabian Henry P Dorothy C car washer	R. L. Polk & Co.
	Flynn Patk Mary mgr	R. L. Polk & Co.
	Furlong Robt Clara stmftr	R. L. Polk & Co.
	Graff Harry Alma supt	R. L. Polk & Co.
	Granacher Eug Lucy tinsmith	R. L. Polk & Co.
	Hensler Theresa slsldy	R. L. Polk & Co.
	Horn Leo Sara slsmn	R. L. Polk & Co.
	Krauss Philip Cath whol fruit	R. L. Polk & Co.
	Loehrer Walter Gladys milkmn	R. L. Polk & Co.
	Maichle Marcus Hedwig mach	R. L. Polk & Co.
	Mc Donnell Cath technician X ray	R. L. Polk & Co.
	Mc Donnell Wm C food checker	R. L. Polk & Co.
	Mc Donnell Wm C food checker	R. L. Polk & Co.
	Mor Avec Jerry Caroline mach	R. L. Polk & Co.
	Musil John J Miriam clk	R. L. Polk & Co.

3418 41ST ST

Year	Uses	Source
1934	Hoffmann John Adelaide mach	R. L. Polk & Co.

FINDINGS

3419 41ST ST

Year	Uses	Source
2005	h De Iveira Catarina J vy 718 706 0310 oo	Hill-Donnelly Information Services
	h Demoraes Dalva AV 718 392 6211 o	Hill-Donnelly Information Services
	Furtado Sergio v	Hill-Donnelly Information Services
	h Moraes Antonio v	Hill-Donnelly Information Services
2000	Cattia Aya	Cole Information Services
	Horacio Fuentes	Cole Information Services
	Antonio Moraes	Cole Information Services
	Femanda Ramos	Cole Information Services
	Femanda Ramos	Cole Information Services
	Robson Silv	Cole Information Services
	Maria Varg	Cole Information Services
1991	Ball E	NYNEX Information Resource Company
	Derise Louis	NYNEX Information Resource Company
	Varga Maria	NYNEX Information Resource Company
1983	Derise Louis	New York Telephone
	Thierbach Bertha Mrs	New York Telephone
1970	Thierbach Bertha Mrs	New York Telephone
	Hamilton Wm	New York Telephone
	Nentwich Edw	New York Telephone
	Schlotterbeck Albert G	New York Telephone
1967	Thier bach Bertha Mrs	New York Telephone
	Hamilton Wm	New York Telephone
	Schlotterbeck Albert G	New York Telephone
1962	Hamilton Wm	New York Telephone Directory
	Schlotterbeck Albert G	New York Telephone Directory
1934	Emanovsky Anna student	R. L. Polk & Co.
	Emanovsky Bertha tel supvr	R. L. Polk & Co.
	Emanovsky Jos Mae pntr	R. L. Polk & Co.
	Hipp Isabelle sten	R. L. Polk & Co.
	Hipp John Mary lab	R. L. Polk & Co.
	Hipp May	R. L. Polk & Co.
	Roden Elizabeth wid Patk	R. L. Polk & Co.
	Roden Walter J clk	R. L. Polk & Co.
	Roden Wm stmftr	R. L. Polk & Co.
	Weeks John Kath lab	R. L. Polk & Co.
	Wenz Harry Mary ironwkr	R. L. Polk & Co.

FINDINGS

3420 41ST ST

Year	Uses	Source
1983	CONTINENTAL MOVING CO	New York Telephone

41st St

3421 41st St

Year	Uses	Source
2014	CHICOMEDIA VISUAL SOLUTIONS	EDR Digital Archive

41ST ST

3421 41ST ST

Year	Uses	Source
2005	Rivero Solivette	Hill-Donnelly Information Services
	h Pizarro Edmundo	Hill-Donnelly Information Services
	h Donovan P	Hill-Donnelly Information Services
2000	Solivette Rivero	Cole Information Services
	R Salazar	Cole Information Services
	P Donovan	Cole Information Services
	Helen Gudanek	Cole Information Services
1991	Misir R	NYNEX Information Resource Company
1983	Misir R	New York Telephone
	Perez Gutierrez M	New York Telephone
1934	Jahoda Emil Mary clk PO	R. L. Polk & Co.
	Lank Elizabeth tel opr	R. L. Polk & Co.
	Smith Frank Irene custodian	R. L. Polk & Co.
	Taylor Alex slsmn	R. L. Polk & Co.
	Taylor Chas Margt boat bldr	R. L. Polk & Co.
	Taylor Chas jr printer	R. L. Polk & Co.

41st St

3423 41st St

Year	Uses	Source
2010	PRIVATE CHEFS	EDR Digital Archive

FINDINGS

41ST ST

3423 41ST ST

Year	Uses	Source
2005	h Arenas Diana v O	Hill-Donnelly Information Services
	Bulic Peter 718 784 83 S	Hill-Donnelly Information Services
	Saadat Oneeb v	Hill-Donnelly Information Services
2000	Dominick Rotante	Cole Information Services
	Synchrnzd Dynmcs	Cole Information Services
1991	Yeghiazarian F	NYNEX Information Resource Company
	Zanki Josip	NYNEX Information Resource Company
1983	Cirolini Lidia M	New York Telephone
	Ramic Uzeir Rule	New York Telephone
1976	Flickner Rose C	New York Telephone
	Cirolini Lidia M	New York Telephone
1970	Cirolini Lidia M	New York Telephone
	Flickner Rose C	New York Telephone
	Milasevicius Adalbertas	New York Telephone
	Welge Henry C	New York Telephone
1967	Cirolini Lidia M	New York Telephone
	Flickner Rose C	New York Telephone
	Welge Henry C	New York Telephone
	Milasevicius Adalbertas	New York Telephone
1962	Cirolini Lidia M	New York Telephone Directory
	Flickner Rose C	New York Telephone Directory
	Milasevicius Adalbertas	New York Telephone Directory
	Welge Henry C	New York Telephone Directory
1934	Califano Chas Pauline pntr	R. L. Polk & Co.
	Califano Edw pharm	R. L. Polk & Co.
	Elfers Geo Anna gro clk	R. L. Polk & Co.
	Hubeny Wm Frances tailor	R. L. Polk & Co.
	Schmelzre Wm Cecelia mach	R. L. Polk & Co.
	Mc Can Mary A clk Mhn	R. L. Polk & Co.

41st St

3426 41st St

Year	Uses	Source
2014	S N S TRANSPORTATION INC	EDR Digital Archive
	LIONHEARTED PLYERS CMDY VRIETY	EDR Digital Archive

FINDINGS

Year	Uses	Source
2014	POWELLA PRODUCTIONS INC	EDR Digital Archive
2010	LIONHEARTED PLYERS CMDY VRIETY	EDR Digital Archive
	BP DISTRIBUTION	EDR Digital Archive

41ST ST

3426 41ST ST

Year	Uses	Source
2005	h Larkin T A	Hill-Donnelly Information Services
	Rosen E A	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Numbr 2 A h Cebelenski A o	Hill-Donnelly Information Services
	Numbr 3 G h Chabala Robert	Hill-Donnelly Information Services
	Numbr 1D Infante Al	Hill-Donnelly Information Services
	h Keller D	Hill-Donnelly Information Services
	Kelly Robert	Hill-Donnelly Information Services
	Numbr 21 h Kennedy Jean M y W	Hill-Donnelly Information Services
	Numbr 3 C h Koenig Gerson V	Hill-Donnelly Information Services
	Numbr 1 C h Marinkovic Ilija v	Hill-Donnelly Information Services
	Massa Courtney VW	Hill-Donnelly Information Services
	Moldoveanu Claudia v	Hill-Donnelly Information Services
	Numbr 4 B h Pangalangan Cristina	Hill-Donnelly Information Services
	Numbr 4 F Pederson Shoshana v	Hill-Donnelly Information Services
	Rothenstein Paul	Hill-Donnelly Information Services
	Numbr 2 H Samuels John 0718391 0964 oo	Hill-Donnelly Information Services
	Sestak Blake Pamela	Hill-Donnelly Information Services
	Smith A	Hill-Donnelly Information Services
	Smith Ella 0718 482 8790 oo	Hill-Donnelly Information Services
2000	Apartments	Cole Information Services
	Laura A Albert	Cole Information Services
	2D Daniel Alexandru	Cole Information Services
	P Sestak Blake	Cole Information Services
	4D Michele Cavalier	Cole Information Services
	A Cebelenski	Cole Information Services
1991	Baldwin Kenneth	NYNEX Information Resource Company
	Baldwin P B	NYNEX Information Resource Company
	Dundon Daniel	NYNEX Information Resource Company
	Flor Elizabeth	NYNEX Information Resource Company

FINDINGS

Year	*Uses*	*Source*
1991	Kamins T L	NYNEX Information Resource Company
	Kemlage K	NYNEX Information Resource Company
	Kenna Daniel & Sonia	NYNEX Information Resource Company
	Lajoie Christine	NYNEX Information Resource Company
	Mayonove Xavier	NYNEX Information Resource Company
	Popa Nita	NYNEX Information Resource Company
	Saunders David H	NYNEX Information Resource Company
	Smith A	NYNEX Information Resource Company
	Vega Nancy	NYNEX Information Resource Company
1983	Buitrago Ruben	New York Telephone
	Kemlage K	New York Telephone
	Mackenzie Ian B	New York Telephone
	Pavlus John	New York Telephone
	Weyer Robert	New York Telephone
1976	Bacon Robert J	New York Telephone
	Gaskell Thos	New York Telephone
	Kemlage Frank	New York Telephone
1970	Bart Leon J	New York Telephone
	Burrell Wm	New York Telephone
	Gaskell Thos	New York Telephone
	Kemlage Frank	New York Telephone
	Levy Benj	New York Telephone
	Mazzuca Anna M Mrs	New York Telephone
	Pavlos John	New York Telephone
	Powderly Jas P	New York Telephone
	Schildhorn Peter Jr	New York Telephone
	Steinberg Sam E	New York Telephone
1967	Adamec Rudolph	New York Telephone
	Bart Leon J	New York Telephone
	Burrell Wm	New York Telephone
	Kemlage Frank	New York Telephone
	Levy Benj	New York Telephone
	Pavlus John	New York Telephone
	Powderly Jas P	New York Telephone
	Schildhorn Peter Jr	New York Telephone
	Steinberg Saml E	New York Telephone
1962	Levy Benj	New York Telephone Directory
	Powderly Jas P	New York Telephone Directory

FINDINGS

Year	Uses	Source
1962	Scheffelmann Kurt	New York Telephone Directory
	Schildhorn Peter Jr	New York Telephone Directory
	Bart Leon J	New York Telephone Directory
	Greenhow Herbert	New York Telephone Directory
	Levens Edw	New York Telephone Directory
1945	Bart Edith M Mrs	New York Telephone
	Bart Leon J	New York Telephone
	Burrell Wm	New York Telephone
	Cicogna Attilio	New York Telephone
	Kehoe Rose L Mrs	New York Telephone
	Steinberg Saml E	New York Telephone
1934	Askin Jos Mary chauf	R. L. Polk & Co.
	Basili Stanislaus Martha waiter	R. L. Polk & Co.
	Bennett Jas Jr typist	R. L. Polk & Co.
	Bittner Louis Rose supt	R. L. Polk & Co.
	Constantine Wm Jean clk Mhn	R. L. Polk & Co.
	Dessimos John Josephine slsmn	R. L. Polk & Co.
	Doherty Albert Ruth acct	R. L. Polk & Co.
	Douda John Anna mach	R. L. Polk & Co.
	Gomberg Morris Rose lndrymn	R. L. Polk & Co.
	Gunther Aug L Anna slsmn	R. L. Polk & Co.
	Hatton Chas Mary writer	R. L. Polk & Co.
	Herrington Herbert plshr	R. L. Polk & Co.
	Jost Edw Irene pntr	R. L. Polk & Co.
	Lawrence Danl elev op	R. L. Polk & Co.
	Lawrence Geo elev opr	R. L. Polk & Co.
	Lillian Apartments	R. L. Polk & Co.
	Munk Wm E Freda acct	R. L. Polk & Co.
	Murray Anna Wid Frank	R. L. Polk & Co.
	Nelson John Olga acct	R. L. Polk & Co.
	Nemeckay Emil Anna formn	R. L. Polk & Co.
	OLeary Jas Anna E clk	R. L. Polk & Co.
	Parlato Jos Evelyn slsmn	R. L. Polk & Co.
	Thompson Fredk Sally mach	R. L. Polk & Co.
	Veronneau Speancer J Irene jwlr Mhn	R. L. Polk & Co.
	Vlaun Fred doormn	R. L. Polk & Co.

FINDINGS

41st St

3427 41st St

Year	Uses	Source
2010	O UNSIL	EDR Digital Archive

41ST ST

3427 41ST ST

Year	Uses	Source
2005	Bizzarro V	Hill-Donnelly Information Services
	Casteen Lars VO	Hill-Donnelly Information Services
	h Luther Katrlna vo	Hill-Donnelly Information Services
2000	Juraj Kovac	Cole Information Services
	Juraj Kovac	Cole Information Services
	Juraj Kovac	Cole Information Services
	Lindsay Genshaft	Cole Information Services
1970	Kane Jas A	New York Telephone
	Kralik Vera	New York Telephone
1967	Kane Jas A	New York Telephone
	Kralik Vera	New York Telephone
1962	Gillis Jas	New York Telephone Directory
	Kane Jas A	New York Telephone Directory
	Kralik Vera	New York Telephone Directory
1945	Kralik Marjorie A	New York Telephone
1934	Callahan Patk J	R. L. Polk & Co.
	Carroll Humphrey	R. L. Polk & Co.
	Diller Edw Rose electn Mhn	R. L. Polk & Co.
	Kralik Anna Mrs picture frame wkr	R. L. Polk & Co.
	Kralik Anthony clk	R. L. Polk & Co.
	Kralik John carp	R. L. Polk & Co.
	Kralik Margt A sten	R. L. Polk & Co.
	Kralik Rudolph ship clk	R. L. Polk & Co.
	Kralik Vera slswn	R. L. Polk & Co.
	Mc Adam Edw Sadie brkmn	R. L. Polk & Co.
	Mc Carthy Hannah wid Eug	R. L. Polk & Co.
	Schaefer Dorothy prsr	R. L. Polk & Co.
	Schaefer Margt prsr	R. L. Polk & Co.
	Schaefer Margt wid Chas	R. L. Polk & Co.
	Schafer Dorothy clo prsr	R. L. Polk & Co.

Year	Uses	Source
1934	Mc Carthy John chauf	R. L. Polk & Co.

41st St

3429 41st St

Year	Uses	Source
2010	RA DISTRIBUTOR INC	EDR Digital Archive

41ST ST

3429 41ST ST

Year	Uses	Source
2005	Laamiri Malika	Hill-Donnelly Information Services
	H Neilgan M V	Hill-Donnelly Information Services
	h Shin Bum Soo A	Hill-Donnelly Information Services
2000	Aly Mouss	Cole Information Services
	M Neligan	Cole Information Services
	Bum S Shin	Cole Information Services
	Ashraf Mohamed	Cole Information Services
	Apartments	Cole Information Services
1991	Shin Bum Soo	NYNEX Information Resource Company
	Shin Young Rae	NYNEX Information Resource Company
1983	Neligan M	New York Telephone
	Shin Bum Soo	New York Telephone
	Shin Young Rae	New York Telephone
1945	Selda John	New York Telephone
1934	Bedrick Edw Agnes iron wkr	R. L. Polk & Co.
	Crawford Danl Mary slsmn	R. L. Polk & Co.
	Moran Jos Mary ins agt	R. L. Polk & Co.
	White Andrew Jean bkpr	R. L. Polk & Co.

3431 41ST ST

Year	Uses	Source
1967	Seaton Mary F	New York Telephone

3433 41ST ST

Year	Uses	Source
2005	h Adoniz Richard	Hill-Donnelly Information Services
	h Perrara Joseph	Hill-Donnelly Information Services
	Souza Santos Claudia v	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	h Vittorino Philip v	Hill-Donnelly Information Services
2000	Apartments Richard Adoniz	Cole Information Services
	L Joseph Ferrar	Cole Information Services
	C Souza Santos	Cole Information Services
	Philip Vittorino	Cole Information Services
1991	Gouveia Marlimary	NYNEX Information Resource Company
	Mc Cormack Robert J	NYNEX Information Resource Company
	Vittorino Philip	NYNEX Information Resource Company
1976	Kempka Walter K	New York Telephone
	Daly Dorothy Mrs	New York Telephone
	Breen Thos	New York Telephone
1970	Daly Dorothy Mrs	New York Telephone
	Kempka Walter K	New York Telephone
	Schween Eddie	New York Telephone
1967	Daly Dorothy Mrs	New York Telephone
	Kempka Walter K	New York Telephone
	Killmayer Vera	New York Telephone
1962	Kempka Walter K	New York Telephone Directory
	Killmayer Vera	New York Telephone Directory
	Linek Rudolph	New York Telephone Directory
1945	Daly Dorothy Mrs	New York Telephone
	Ruoff Emil	New York Telephone
1934	Fenrich Geo Lillian chauf	R. L. Polk & Co.
	Fenrich Geo chauf	R. L. Polk & Co.
	Fenrich Marian typist	R. L. Polk & Co.
	Markowitz John Julia brklvr	R. L. Polk & Co.
	Murphy John P bkpr	R. L. Polk & Co.
	OLeary Jeremiah mary lab	R. L. Polk & Co.
	Shannon Margt wid Thos envelope mkr	R. L. Polk & Co.

41st St

3435 41st St

Year	Uses	Source
2014	EB FINKELSTEIN ASSOC INC	EDR Digital Archive
2010	EB FINKELSTEIN ASSOC INC	EDR Digital Archive

FINDINGS

41ST ST

3435 41ST ST

Year	Uses	Source
2005	h Hechtman Lori & Dov	Hill-Donnelly Information Services
	h Mora Cecilia AV	Hill-Donnelly Information Services
	h Puriste Rasim	Hill-Donnelly Information Services
2000	Lori Hechtman	Cole Information Services
	Rasim Purisic	Cole Information Services
1991	Gallagher Kevin	NYNEX Information Resource Company
	Noldin John	NYNEX Information Resource Company
	Williams T	NYNEX Information Resource Company
1983	Caliari Tullio	New York Telephone
	Casoria Katherine	New York Telephone
	Noldin John	New York Telephone
	Vernier Giulia Mrs	New York Telephone
1976	Caliari Tullio	New York Telephone
	Casoria Katherine	New York Telephone
1970	Boon Robt	New York Telephone
	Verzier Giulia Mrs	New York Telephone
	Casoria Katherine	New York Telephone
	Caliari Tullio	New York Telephone
	Boondas C	New York Telephone
1967	Caliari Tullio	New York Telephone
	Boos Robt	New York Telephone
1962	Kiley John F	New York Telephone Directory
	Caliari Tullio	New York Telephone Directory
	Boon Robt	New York Telephone Directory
1945	Schneider Otto John	New York Telephone
1934	Burke Thos Anna stmftr	R. L. Polk & Co.
	Cloonan Jas Mary	R. L. Polk & Co.
	Perker John Emma garage mgr Mhn	R. L. Polk & Co.
	Quigley Margt Mrs	R. L. Polk & Co.

3437 41ST ST

Year	Uses	Source
2005	Barela James v	Hill-Donnelly Information Services
2000	Cheryl Dennis	Cole Information Services
	Jaime Gatto	Cole Information Services
1991	Bosrok Dana	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Dattcheno Rose	NYNEX Information Resource Company
	Gasparec Vladimir	NYNEX Information Resource Company
	Michels Karin E	NYNEX Information Resource Company
	Simons Diana	NYNEX Information Resource Company
1983	Davi S F	New York Telephone
	Mihalik Peter J	New York Telephone
	Sosa Miguel	New York Telephone
1976	Dattcheno Rose	New York Telephone
	Gasparec Jan M	New York Telephone
1970	Onody B	New York Telephone
	Seaton M F	New York Telephone
	Marshall Wm M Jr	New York Telephone
	Rueda Dario	New York Telephone
1967	Marshall Wm M Jr	New York Telephone
	Goglia Giacomo	New York Telephone
	Onody Barbara	New York Telephone
1962	Onody Barbara	New York Telephone Directory
	Seaton Mary F	New York Telephone Directory
	Stano Adam	New York Telephone Directory
1934	Conley Leslie F librarian Dept of Educ	R. L. Polk & Co.
	Borroughs Gladys wid Frank clk	R. L. Polk & Co.
	Conley Arth J Mary slsmn	R. L. Polk & Co.
	Fleming Wm Viola chauf	R. L. Polk & Co.
	Kerns Jas Cath taxi driver	R. L. Polk & Co.
	Spencer Charlotte S clk	R. L. Polk & Co.
	Sutters Thos J Cath chauf	R. L. Polk & Co.
	Vieser Chas Barbara plmbr	R. L. Polk & Co.

41st St

3441 41st St

Year	Uses	Source
2014	NYC LUSSO INC	EDR Digital Archive
	PENIEL LIMO INC	EDR Digital Archive
2010	PENIEL LIMO INC	EDR Digital Archive
	MY3D CAD	EDR Digital Archive

FINDINGS

41ST ST

3441 41ST ST

Year	Uses	Source
2005	h Nartowicz Czeslaw	Hill-Donnelly Information Services
	h Pierce James J v	Hill-Donnelly Information Services
	Jeske Choinski Maurycy J vv	Hill-Donnelly Information Services
	Melo Erika v O	Hill-Donnelly Information Services
	h Mizell Nicoleyv	Hill-Donnelly Information Services
2000	Andrekopolos	Cole Information Services
	Chris Boulter	Cole Information Services
	Michael Goldstein	Cole Information Services
	Czeslaw Nartowicz	Cole Information Services
	James J Pierce	Cole Information Services
1991	Czyz Teddy	NYNEX Information Resource Company
	Kim Won Tai	NYNEX Information Resource Company
	Reitano Theresa	NYNEX Information Resource Company
	ONeill Beatrice Mrs	NYNEX Information Resource Company
	ONeill Bernice	NYNEX Information Resource Company
	Pierce James J	NYNEX Information Resource Company
1983	Ghiradi David L	New York Telephone
	Murphy S	New York Telephone
	ONeill Beatrice Mrs	New York Telephone
	Pierce James J	New York Telephone
1970	Harder Daniel M	New York Telephone
	ONeill Beatrice Mrs	New York Telephone
	Pierce James J	New York Telephone
	Siudak Stanislaw	New York Telephone
	Richter John	New York Telephone
	Semler Chas H	New York Telephone
1967	Semler Chas H	New York Telephone
	ONeill Beatrice Mrs	New York Telephone
	Brown Richd H	New York Telephone
	Pierce Saml J	New York Telephone
	Siudak Stanislaw	New York Telephone
1962	Harasymchuk Jerry	New York Telephone Directory
	ONeill Beatrice Mrs	New York Telephone Directory
	Pierce Saml J	New York Telephone Directory
	Genussa Angelo J	New York Telephone Directory

FINDINGS

Year	Uses	Source
1962	Semler Chas H	New York Telephone Directory
1934	Brennan Martin Julia police	R. L. Polk & Co.
	Genussa Lawrence clk	R. L. Polk & Co.
	Genussa Louise wid Salvatore	R. L. Polk & Co.
	Genussa Peter clk	R. L. Polk & Co.
	Lutcha Robt auto mech	R. L. Polk & Co.
	Mc Guinness Philip Gertrude chauf	R. L. Polk & Co.

3443 41ST ST

Year	Uses	Source
2005	h Bianco M	Hill-Donnelly Information Services
	H Heller S L A	Hill-Donnelly Information Services
	h Stewart Joseph	Hill-Donnelly Information Services
2000	M Bianco	Cole Information Services
	Heller	Cole Information Services
	Joseph E Stewart	Cole Information Services
1991	Bianco M	NYNEX Information Resource Company
	Heller E	NYNEX Information Resource Company
	Heller S L	NYNEX Information Resource Company
	Mc Graw William & Susan Poole	NYNEX Information Resource Company
1983	Dakers John Mrs	New York Telephone
	Giery William	New York Telephone
	Heller Edw V	New York Telephone
	Murray M T	New York Telephone
	Mc Gowan John J	New York Telephone
	Olsovi T	New York Telephone
1976	Dakers John Mrs	New York Telephone
	Heller Edw V	New York Telephone
1970	McCaw Mary A	New York Telephone
	OGrady Mary Mrs	New York Telephone
	Dakers John Mrs	New York Telephone
	Heller Edw V	New York Telephone
	Huckemeyer John H	New York Telephone
1967	Dakers John Mrs	New York Telephone
	Heller Edw V	New York Telephone
	Huckemeyer John H	New York Telephone
	McCaw Mary A	New York Telephone
	OGrady Mary Mrs	New York Telephone
1962	Heller Edw V	New York Telephone Directory

FINDINGS

Year	Uses	Source
1962	Huckemeyer John H	New York Telephone Directory
	McCaw Mary A	New York Telephone Directory
	OGrady Mary Mrs	New York Telephone Directory
	Dakers John Mrs	New York Telephone Directory
1945	OGrady T	New York Telephone
	Wilson Walter	New York Telephone
1934	Glock Leo Amanda restr	R. L. Polk & Co.
	Hayden Lillian Mrs	R. L. Polk & Co.
	Lainis John ironwkr	R. L. Polk & Co.
	Parker Margt wid Wm	R. L. Polk & Co.
	Richards Geo Rebecca lab	R. L. Polk & Co.
	Roberts Margt wid Chas	R. L. Polk & Co.
	Roberts Wm clk Mhn	R. L. Polk & Co.

3447 41ST ST

Year	Uses	Source
2005	h Buccaran Mario	Hill-Donnelly Information Services
	Desouza Edna	Hill-Donnelly Information Services
	Misinich Gloria v	Hill-Donnelly Information Services
	Pettinato Sandra v	Hill-Donnelly Information Services
2000	Apartments	Cole Information Services
	R Moustafa Abdou	Cole Information Services
	Mano Buccaran	Cole Information Services
	Aldo De Fan	Cole Information Services
	Jasmin Vejsilovic	Cole Information Services
1991	Buccaran Mario	NYNEX Information Resource Company
	Flores Americo	NYNEX Information Resource Company
	Gomsis Jerry	NYNEX Information Resource Company
	Graff Suzanne	NYNEX Information Resource Company
	Martinevic Tomo	NYNEX Information Resource Company
1983	Grumken Fred	New York Telephone
	Martinovic Tomo	New York Telephone
	Matesic Jack	New York Telephone
	Morin John	New York Telephone
1976	Draser Barth	New York Telephone
	Grumken Fred	New York Telephone
	Brozek Joseph	New York Telephone
	Buhner Margaret	New York Telephone
1970	Braun J G	New York Telephone

FINDINGS

Year	Uses	Source
1970	Brozek Jos	New York Telephone
	Buhner Margaret	New York Telephone
	Gillespie Fred C	New York Telephone
	Draser Barth	New York Telephone
	Grumken Fred	New York Telephone
1967	Draser Barth	New York Telephone
	Grumken Fred	New York Telephone
	Vagonis Harry	New York Telephone
	Braun J G	New York Telephone
	Brozek Jos	New York Telephone
	Gillespie Fred C	New York Telephone
1962	Draser Barth	New York Telephone Directory
	Grumken Fred	New York Telephone Directory
	Vagonrs Harry	New York Telephone Directory
	Braun J G	New York Telephone Directory
	Brozek Jos	New York Telephone Directory
	Gillespie Fred C	New York Telephone Directory
1945	Braun Julia G Miss	New York Telephone
1934	Di Leonardo Frances wid Peter	R. L. Polk & Co.
	Di Leonardo Leon slsmn	R. L. Polk & Co.
	Di Leonardo Manuel gas statatndt	R. L. Polk & Co.
	Di Leonardo Mary slswn	R. L. Polk & Co.
	Di Leonardo Steph slsmn	R. L. Polk & Co.
	Goeltz Mary Mrs	R. L. Polk & Co.
	Goeltz Wm Myrtle off mgr	R. L. Polk & Co.
	Hartel Aloyious Louise sta firemn	R. L. Polk & Co.
	Hartel Louise B tel opr	R. L. Polk & Co.
	Siegel Benj Pauline sta mgr	R. L. Polk & Co.
	Walsh Geo clk	R. L. Polk & Co.

3448 41ST ST

Year	Uses	Source
1983	Custy A	New York Telephone

3449 41ST ST

Year	Uses	Source
2005	Arango Carlos yv	Hill-Donnelly Information Services
	h Chowdhury Mustafizur Rahman	Hill-Donnelly Information Services
	Martinez Manria	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Pederson Susan & Craig 718 786 1807 o	Hill-Donnelly Information Services
	h Vatverde BElsa AV	Hill-Donnelly Information Services
2000	Shahidur Chowdhury	Cole Information Services
	Simon Cruz	Cole Information Services
	Maria Martinez	Cole Information Services
	Carlos Suarez	Cole Information Services
1991	Barbosa Beatrice	NYNEX Information Resource Company
	Martins Clever	NYNEX Information Resource Company
	Rivera Maritza	NYNEX Information Resource Company
	Vercosa Maria G	NYNEX Information Resource Company
1983	Park Chong	New York Telephone
	Bonanno Carmine	New York Telephone
	Ebid Magdi A	New York Telephone
	Finnigan Margaret	New York Telephone
1976	Finnigan Margaret	New York Telephone
	Machin Clemente F	New York Telephone
1970	Finnigan Margaret	New York Telephone
	Maggio Anthony	New York Telephone
	Olsen Wm H	New York Telephone
	Orihuela Roberto A	New York Telephone
	Stamatelos Peter	New York Telephone
	Svich Rino	New York Telephone
1967	Finnerty Thos J	New York Telephone
	Finnigan Margaret	New York Telephone
1962	Maggio Anthony	New York Telephone Directory
	Finnigan Margaret	New York Telephone Directory
	Booker Fredk	New York Telephone Directory
	Finnerty Thos J	New York Telephone Directory
	Olsen Wm H	New York Telephone Directory
1945	Finnigan Dan	New York Telephone
1934	Peterson Philip Lucille elev opr	R. L. Polk & Co.
	Mannix Patk taxi driver	R. L. Polk & Co.
	Long Wm F Margt E compositor	R. L. Polk & Co.
	Long Roy F servicemn	R. L. Polk & Co.
	Bremer Richd elev opr	R. L. Polk & Co.
	Bremer Sinclair lab	R. L. Polk & Co.
	Finnigan Danl Margt slsmn	R. L. Polk & Co.
	Johnson Alice Wid Oscar	R. L. Polk & Co.

Year	Uses	Source
1934	Johnson Evelyn br mgr Cushmans Sons Inc	R. L. Polk & Co.
	Long Lawrence W tester	R. L. Polk & Co.

41st St

3450 41st St

Year	Uses	Source
2014	FINANCIAL FAMILY CORP	EDR Digital Archive
	DIDNER PATRICIA A	EDR Digital Archive
	KADRI & ELMALAYATY	EDR Digital Archive
	CNC DRYWALL CORP	EDR Digital Archive
	ANFRENS LIMOUSINE CORP	EDR Digital Archive
2010	ANFRENS LIMOUSINE CORP	EDR Digital Archive
	CNC DRYWALL CORP	EDR Digital Archive
	BROWNSCAPE PRODUCTIONS LLC	EDR Digital Archive
	KADRI & ELMALAYATY	EDR Digital Archive
	FINANCIAL FAMILY CORP	EDR Digital Archive
	NEW YORK TRANSLATIONS INC	EDR Digital Archive

41ST ST

3450 41ST ST

Year	Uses	Source
2005	Sherpa Geen v	Hill-Donnelly Information Services
	Numbr 0 Stanek Miahel	Hill-Donnelly Information Services
	Numbr A 6 Tebio Nestor	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	C 5 Akterlrin v	Hill-Donnelly Information Services
	Numbr AS 1 Alamgir Mostafa	Hill-Donnelly Information Services
	Numbr A 3 Anes Yazid	Hill-Donnelly Information Services
	C 6 Bemardino Geovany	Hill-Donnelly Information Services
	Numbr B 3 Chrinos 16 A	Hill-Donnelly Information Services
	Constantinou Nearchos v7718	Hill-Donnelly Information Services
	Numbr D 5 Cnuz Arins A	Hill-Donnelly Information Services
	Numbr A 14 Cuzcarno Ruben	Hill-Donnelly Information Services
	MAl Dangelo Dominick A	Hill-Donnelly Information Services
	Numbr 87 Danny Carmen H A	Hill-Donnelly Information Services
	Numbr 82 Dearin Oscar AV	Hill-Donnelly Information Services
	Numbr A 7 Delgao Steven	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Numbr C 17 Dhar N I Sankar	Hill-Donnelly Information Services
	Family Financial 1 F	Hill-Donnelly Information Services
	Numbr A 9 Gamez Margaret A	Hill-Donnelly Information Services
	Numbr D 3 Girard Andrew v	Hill-Donnelly Information Services
	Gonzalez E 6v	Hill-Donnelly Information Services
	Numbr C 14 Gonzalez Gabriel Martinez T	Hill-Donnelly Information Services
	Hadjikyriakou Marios	Hill-Donnelly Information Services
	Jamal Oumelghait	Hill-Donnelly Information Services
	Lopez Margarito	Hill-Donnelly Information Services
	Numbr C 12 Mc Dermott Vincent A	Hill-Donnelly Information Services
	Numbr D 4 Mogotlon Manuel	Hill-Donnelly Information Services
	Mora Teresa v	Hill-Donnelly Information Services
	Numbr A 2 Morales Carlos	Hill-Donnelly Information Services
	Numbr 112 Murphy Margaret A	Hill-Donnelly Information Services
	Numbr 06 Novondo Ramon A	Hill-Donnelly Information Services
	Numbr B 6 Pellegrino Aniello v	Hill-Donnelly Information Services
	Pena Marisela v	Hill-Donnelly Information Services
	Numbr C 16 Rahman Abdul v	Hill-Donnelly Information Services
	Numbr A 6 Rahman Abdur	Hill-Donnelly Information Services
	h Rahman Khalllur v	Hill-Donnelly Information Services
	Saha Ratan v	Hill-Donnelly Information Services
	Sanchez Alex Sanchez	Hill-Donnelly Information Services
	Sanchez Carlos v 718 937 0740 o	Hill-Donnelly Information Services
	Numbr D 8 Sanchez Ronberta	Hill-Donnelly Information Services
	Anfrens Elena D	Hill-Donnelly Information Services
	Balazs Dezso	Hill-Donnelly Information Services
	Deleo M	Hill-Donnelly Information Services
2000	Apartments Mostafa Alamgir	Cole Information Services
	Yazid Anes	Cole Information Services
	A 22 Elena D Anfrens	Cole Information Services
	Arzoo Bagum	Cole Information Services
	Geovany Bemardino	Cole Information Services
	Marcelo Burgos	Cole Information Services
	B Chowdhury	Cole Information Services
	Mark Cifarelli	Cole Information Services
	Arins Cruz	Cole Information Services
	Dominick Dangelo	Cole Information Services
	Hemoutie Danny	Cole Information Services

FINDINGS

Year	*Uses*	*Source*
2000	Robert F Dean	Cole Information Services
	Beklouti Hemad	Cole Information Services
	Cory Hunt	Cole Information Services
	Oumelghait Jamai	Cole Information Services
	Naoko Kanome	Cole Information Services
	C 10 Americo Lample	Cole Information Services
	D 6 Oscar Lobo	Cole Information Services
	A 7 Elizabeth Lopez	Cole Information Services
	M Mamani	Cole Information Services
	Claudio Martins	Cole Information Services
	C 12 V Mc Dermott	Cole Information Services
	Francisco Medin	Cole Information Services
	N Meier	Cole Information Services
	Peter Menski	Cole Information Services
	A 26 Carlos Morales	Cole Information Services
	Edward Murphy	Cole Information Services
	Ramon Novondo	Cole Information Services
	C Paul OHalloran	Cole Information Services
	Livia H Orelian	Cole Information Services
	Xiomara Palomo	Cole Information Services
	D Shak	Cole Information Services
	Michael Spaulding	Cole Information Services
	A 6 Nestor Tebio	Cole Information Services
	A 25 L Tracy	Cole Information Services
	C 15 Sakae Tsugan	Cole Information Services
	A 25 K Van Patter	Cole Information Services
	B 4 Salvatore Verde	Cole Information Services
	Satoko Yamazaki	Cole Information Services
	Oscar Dearing	Cole Information Services
	M Deleo	Cole Information Services
	C 17 Nil S Dhar	Cole Information Services
	Fredrico Goldin	Cole Information Services
	Gabriel M Gonzalez	Cole Information Services
	M Hadjikyriakou	Cole Information Services
	Ena Hashimoto	Cole Information Services
1991	Anfrens Elena D	NYNEX Information Resource Company
	Conrow Edwin F	NYNEX Information Resource Company
	Dean Robt F	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Dhanraj R	NYNEX Information Resource Company
	Espinoza Livia A	NYNEX Information Resource Company
	Garcia Armando	NYNEX Information Resource Company
	Gluckmann Harold W	NYNEX Information Resource Company
	Gonzalez Oscar	NYNEX Information Resource Company
	Kehoe Elena	NYNEX Information Resource Company
	Beekman John	NYNEX Information Resource Company
	Martinez Josue	NYNEX Information Resource Company
	Murphy A	NYNEX Information Resource Company
	Perez Jose	NYNEX Information Resource Company
	Porr Frank	NYNEX Information Resource Company
	Schmid Frank	NYNEX Information Resource Company
	Struhs Carsten	NYNEX Information Resource Company
	Verde Salvatore	NYNEX Information Resource Company
	Williams Michael	NYNEX Information Resource Company
	Witmer Scott	NYNEX Information Resource Company
	Boundon Jose	NYNEX Information Resource Company
	Chirinos Lili	NYNEX Information Resource Company
	Columbus Louia	NYNEX Information Resource Company
	Cuellar Rafael	NYNEX Information Resource Company
	DAngelo Dominick	NYNEX Information Resource Company
	Dunlap Celentano V B	NYNEX Information Resource Company
	Hussain Muhammad	NYNEX Information Resource Company
	Jones Donna Marie	NYNEX Information Resource Company
	Kaplan Sanford	NYNEX Information Resource Company
	Kelleher M A	NYNEX Information Resource Company
	Landrian Benito	NYNEX Information Resource Company
	Lee Ricky	NYNEX Information Resource Company
	Lomas Piedad	NYNEX Information Resource Company
	Murphy Edward	NYNEX Information Resource Company
	Nguyen Ngoc	NYNEX Information Resource Company
	Paunovic Mary	NYNEX Information Resource Company
	Powell Eve & David	NYNEX Information Resource Company
	Prasad Frederick	NYNEX Information Resource Company
	Rocamora A	NYNEX Information Resource Company
	Rocha Daniel	NYNEX Information Resource Company
	Rodriguez Lourdes D	NYNEX Information Resource Company
	Sinclair K	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Sinclair K	NYNEX Information Resource Company
	Sinclair L	NYNEX Information Resource Company
	Singh Karnail	NYNEX Information Resource Company
	Stetz Douglas	NYNEX Information Resource Company
	Trujillo K	NYNEX Information Resource Company
	Van Patter K	NYNEX Information Resource Company
	Verghitsis Tassos	NYNEX Information Resource Company
	Walker W J	NYNEX Information Resource Company
1983	Kurman Rose	New York Telephone
	Mikheyev Nelly	New York Telephone
	Murphy A	New York Telephone
	Murphy H L	New York Telephone
	Nelson Louis	New York Telephone
	Perez Jose	New York Telephone
	Porr Frank	New York Telephone
	Romero M	New York Telephone
	Schmid Frank	New York Telephone
	Shariff Mohammad A A	New York Telephone
	Sondersted Hilda Mrs	New York Telephone
	Struhs Carsten	New York Telephone
	Supple Michi J	New York Telephone
	Verde Salvatore	New York Telephone
	Viotti Frank	New York Telephone
	Anfrens Elena D	New York Telephone
	Conrow Edwin F	New York Telephone
	Dean Robt F	New York Telephone
	Dean Robert F	New York Telephone
	Donohue Leonard F	New York Telephone
	Durdaller Frank P	New York Telephone
	Garcia Armando	New York Telephone
	Gluckmann Harold W	New York Telephone
	Hartawan Bambang	New York Telephone
	Hiralall Sriwatti	New York Telephone
	Jacob Neendisseril M	New York Telephone
	Kessler C Mrs	New York Telephone
	Castro Teresa Del Carmen	New York Telephone
	Donohue A F	New York Telephone
	Escobar Napoleon	New York Telephone

FINDINGS

Year	Uses	Source
1983	Gaedtke Frank Mrs	New York Telephone
	Kiefer Robert Jr	New York Telephone
	Lander S	New York Telephone
	Liz Gladys M	New York Telephone
	Lomas Piedad	New York Telephone
	Murphy Edward	New York Telephone
	Nemeckay Emil	New York Telephone
	Paunovic Mary	New York Telephone
	Perez Jesus	New York Telephone
	Reynard Edgar P	New York Telephone
	Rodriguez Lourdes D	New York Telephone
	Rodriguez Tomas	New York Telephone
	Tejero Gladys	New York Telephone
	Walker W J	New York Telephone
1976	Altieri C	New York Telephone
	Booker Edw	New York Telephone
	Charrette Leo P	New York Telephone
	Conrow Edwin F	New York Telephone
	Cullen John	New York Telephone
	Dean Robt F	New York Telephone
	Durdaller Frank P	New York Telephone
	Gluckmann Harold W	New York Telephone
	Kessler C Mrs	New York Telephone
	Krabak Jos	New York Telephone
	Mac Kinnon Francis Mrs	New York Telephone
	Anon Fernando F	New York Telephone
	Diez Juan M	New York Telephone
	Fleischer Walter Mrs	New York Telephone
	Gadtke Frank Mrs	New York Telephone
	Kiefer Robert Jr	New York Telephone
	Lopez John	New York Telephone
1970	Altieri C	New York Telephone
	Booker Edw	New York Telephone
	Caulfield Jas P	New York Telephone
	Charrette Leo P	New York Telephone
	Conrow Edwin F	New York Telephone
	Duran Luis	New York Telephone
	Durdaller Frank P	New York Telephone

FINDINGS

Year	Uses	Source
1970	Gluckmann Harold W	New York Telephone
	Hallermann Geo	New York Telephone
	Jursik Olga J	New York Telephone
	Kessler C Mrs	New York Telephone
	Krabak Jos	New York Telephone
	Lopez Adela	New York Telephone
	MacKinnon Francis Mrs	New York Telephone
	McKeown Peter C	New York Telephone
	Medvegy E	New York Telephone
	Murphy A	New York Telephone
	Murphy George	New York Telephone
	Murphy Susan	New York Telephone
	Nelson Louis	New York Telephone
	Porr Frank	New York Telephone
	Recarey Eusebio	New York Telephone
	Recarey Jose	New York Telephone
	Resvanis Theodoros	New York Telephone
	Schmid Frank	New York Telephone
	Schwarzenbach Hans	New York Telephone
	Seguine Bradford	New York Telephone
	Sondersted Hilda Mrs	New York Telephone
	Takacs Steve	New York Telephone
	Tar Elizabeth	New York Telephone
	Verde Salvatore	New York Telephone
	Supple Michl J	New York Telephone
	Anon Fernando F	New York Telephone
	Chacon C	New York Telephone
	Chimenti J J	New York Telephone
	Featherstone H	New York Telephone
	Gaedtke Frank Mrs	New York Telephone
	Kiefer Robert Jr	New York Telephone
	Labash Betty	New York Telephone
	Nemeckay Emil	New York Telephone
	Paunovic Emil	New York Telephone
	Ratigan Jos A	New York Telephone
	Reynard Edgar P	New York Telephone
	Sainz Hilda	New York Telephone
	Sebald Geo	New York Telephone

FINDINGS

Year	Uses	Source
1970	Sipos Paul	New York Telephone
	Stapleton Marjorie	New York Telephone
	Walker W J	New York Telephone
1967	Nemeckay Emil	New York Telephone
	Beninati Jos	New York Telephone
	Booker Edw	New York Telephone
	Charrette Leo P	New York Telephone
	Conrow Edwin F	New York Telephone
	Curbelo Rafael	New York Telephone
	Danks Raymond	New York Telephone
	DAnnolfo Ralph L	New York Telephone
	Dean Robt F	New York Telephone
	Durdaller Frank P	New York Telephone
	Ehleben Paula	New York Telephone
	Gluckmann Harold W	New York Telephone
	Gregal Frank J	New York Telephone
	Hallermann Geo	New York Telephone
	Jursik Olga J	New York Telephone
	Krabak Jos	New York Telephone
	Laburda Wm Jr	New York Telephone
	Lopez Adela	New York Telephone
	Marren Martin F	New York Telephone
	McKeown Peter C	New York Telephone
	Mederos Eligio	New York Telephone
	Miyares Luis V	New York Telephone
	Murphy A	New York Telephone
	Murphy Susan	New York Telephone
	Nelson Louis	New York Telephone
	Papadopoulos Kostas	New York Telephone
	Perez Roberto	New York Telephone
	Prieto Orlando	New York Telephone
	Recarey Jose	New York Telephone
	Schmid Frank	New York Telephone
	Schwarzenbach Hans	New York Telephone
	Sondersted Hilda Mrs	New York Telephone
	Spachholz Dieter H	New York Telephone
	Struhs Carsten	New York Telephone
	Supple Michl J	New York Telephone

FINDINGS

Year	Uses	Source
1967	Verde Salvatore	New York Telephone
	Wagner Kurt F	New York Telephone
	Balzano Victor J	New York Telephone
	Chimenti J J	New York Telephone
	Featherstone H	New York Telephone
	Fleischer Walter Mrs	New York Telephone
	Gaedtke Frank Mrs	New York Telephone
	Kiefer Robt Jr	New York Telephone
	Labash Betty	New York Telephone
	Paunovic Emil	New York Telephone
	Ratigan Jos A	New York Telephone
	Reynard Edgar P	New York Telephone
	Sainz Hilda	New York Telephone
	Sebald Geo	New York Telephone
	Stapleton Marjorie	New York Telephone
	Vlaun Fred	New York Telephone
	Walker W J	New York Telephone
	Weisser Wm	New York Telephone
1962	Bellard Jas G	New York Telephone Directory
	Burkart Chas	New York Telephone Directory
	Charrette Leo P	New York Telephone Directory
	Chevallier Raoul	New York Telephone Directory
	Conrow Edwin F	New York Telephone Directory
	Danks Raymond	New York Telephone Directory
	Dean Robt F	New York Telephone Directory
	Dickinson Patricia U Mrs	New York Telephone Directory
	Dickinson Wm E	New York Telephone Directory
	Ehleben Paula	New York Telephone Directory
	Festa Robt J	New York Telephone Directory
	Foley Thos J	New York Telephone Directory
	Fries Robt J	New York Telephone Directory
	Gluckmann Harold W	New York Telephone Directory
	Hanna Robt S	New York Telephone Directory
	Jursik Olga J	New York Telephone Directory
	Karol Stella	New York Telephone Directory
	Kerrigan Arthur P	New York Telephone Directory
	Krabak Jos	New York Telephone Directory
	Lentena Mary	New York Telephone Directory

FINDINGS

Year	Uses	Source
1962	Madden Donald F	New York Telephone Directory
	Marren Martin F	New York Telephone Directory
	McKeown Peter C	New York Telephone Directory
	Moskowitz Muriel Miss	New York Telephone Directory
	Murphy Peter J	New York Telephone Directory
	Murphy Susan	New York Telephone Directory
	Nelson Louis	New York Telephone Directory
	Nemeckay Emil	New York Telephone Directory
	Papadopoulos Nick A	New York Telephone Directory
	Parr Frank	New York Telephone Directory
	Pyne Robt	New York Telephone Directory
	Schmid Frank	New York Telephone Directory
	Schwarzenbach Hans	New York Telephone Directory
	Scigliano Phillip A	New York Telephone Directory
	Sondersted Hilda Mrs	New York Telephone Directory
	Struhs Carsten	New York Telephone Directory
	Supple Michl J	New York Telephone Directory
	Valerio Celestino	New York Telephone Directory
	Wagner Kurt F	New York Telephone Directory
	Walsh Danl	New York Telephone Directory
	Chimenti J J	New York Telephone Directory
	Dehmer Paula	New York Telephone Directory
	Gaedtke Frank	New York Telephone Directory
	Kiefer Robt Jr	New York Telephone Directory
	Labash Betty	New York Telephone Directory
	Paunovic Emil	New York Telephone Directory
	Reynard Edgar P	New York Telephone Directory
	Russert Albert G	New York Telephone Directory
	Stapleton Marjorie	New York Telephone Directory
	Vlaun Fred	New York Telephone Directory
	Waissenmuller Geo J	New York Telephone Directory
	Walker W J	New York Telephone Directory
	Weisser Wm	New York Telephone Directory
1945	Featherstone M	New York Telephone
	Hummel Louis	New York Telephone
	Jones Trevor C	New York Telephone
	Koehler Wm	New York Telephone
	Labash Betty	New York Telephone

FINDINGS

Year	Uses	Source
1945	Murray Mary G Mrs	New York Telephone
	Ratigan Jos A	New York Telephone
1934	Conlon Fredk A Betty city firemn	R. L. Polk & Co.
	Furnal Willis Myra stereo	R. L. Polk & Co.
	Gianino Emanuel Harriett slsmn	R. L. Polk & Co.
	Gordon Nathan Etta slsmn	R. L. Polk & Co.
	Hayes Harold chauf hlpr	R. L. Polk & Co.
	Hughes Edw Margt cond	R. L. Polk & Co.
	Hughes Edw Margt elev constr	R. L. Polk & Co.
	Koch Anna Wid Adolph	R. L. Polk & Co.
	Lee Laura Mrs	R. L. Polk & Co.
	Mc Donald Flora saiter	R. L. Polk & Co.
	Mc Donald Jack elev opr	R. L. Polk & Co.
	Mc Nellis Frank actor	R. L. Polk & Co.
	Mc Nellis Frank actor	R. L. Polk & Co.
	Nemeckay Albina maid	R. L. Polk & Co.
	Nemeckay Stephanie mach opr	R. L. Polk & Co.
	ODonnell Thos H Frances G police	R. L. Polk & Co.
	Patenaude Chas Ellen clk	R. L. Polk & Co.
	Phillips Edw Margt chauf	R. L. Polk & Co.
	Pruschen Fred Elizabeth electn	R. L. Polk & Co.
	Rathigan Jos A Dolly slsmn	R. L. Polk & Co.
	Repp clk	R. L. Polk & Co.
	Repp Jos	R. L. Polk & Co.
	Repp Julia wid Fredk	R. L. Polk & Co.
	Springer Hans Frieda drftsmn	R. L. Polk & Co.
	Stapleton Geo gatemn	R. L. Polk & Co.
	Stone Wm Elizabeth cook	R. L. Polk & Co.
	Sunney Agnes waiter	R. L. Polk & Co.
	Swanson Geo Margt chauf	R. L. Polk & Co.
	Thornton Carleton May clk	R. L. Polk & Co.
	Tingstrom John Mary chauf	R. L. Polk & Co.
	Tully John F Mary asst eng Dept of Sanitn	R. L. Polk & Co.
	White John Margt bus dr	R. L. Polk & Co.
	Wilby Ambrose actor	R. L. Polk & Co.
	Wilby Martin G Mary M machl eng	R. L. Polk & Co.
	Wilson Walter actor	R. L. Polk & Co.
	Wolf Michl Serina Astoria Court Garage	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Bauman Jack Esther mgr Dilbert Bros Inc	R. L. Polk & Co.
	Bellard Jas Mary chauf	R. L. Polk & Co.
	Bernardini Danl Evelyn caster	R. L. Polk & Co.
	Biro Jos Rose pres Astoria Hardware & Paint Co Inc	R. L. Polk & Co.
	Blair Anthony Elizabeth actor	R. L. Polk & Co.
	Boehmer Fred Mary chauf	R. L. Polk & Co.
	Bongardt Otto clo ctr	R. L. Polk & Co.
	Bongardt Wm Adele bldg supt	R. L. Polk & Co.
	Brienza Jas Claire auto mech	R. L. Polk & Co.
	Casey Chas Margt clk	R. L. Polk & Co.
	Costello Matthew Emma blrmkr	R. L. Polk & Co.
	Dandurant HAvey Grace auto mech	R. L. Polk & Co.
	DAvis Beatrice actress	R. L. Polk & Co.
	Demarest Walter Beatrice br mgr Gabriel Snubbers Sales & Service	R. L. Polk & Co.
	Donelon Jos A Beatrice acting lieut PD	R. L. Polk & Co.
	Engel Wm Sarah clk	R. L. Polk & Co.

41st St

3451 41st St

Year	Uses	Source
2010	ALEXENDRIA LIMO INC	EDR Digital Archive

41ST ST

3451 41ST ST

Year	Uses	Source
2005	h 8sch Emma Mrs AV	Hill-Donnelly Information Services
	Dejesus Denorah	Hill-Donnelly Information Services
	Gu Aman Daniel v	Hill-Donnelly Information Services
	h Gallo Mary K v	Hill-Donnelly Information Services
2000	Emma Bosch	Cole Information Services
	Carlos Cruz	Cole Information Services
1991	Badalamenti Alfie	NYNEX Information Resource Company
	Bosch Emma Mrs	NYNEX Information Resource Company
1983	Bosch Emma Mrs	New York Telephone
	Vicenty Catalina	New York Telephone
	Coakes Ellen T Mrs	New York Telephone

FINDINGS

Year	Uses	Source
1983	Gallo Walter A	New York Telephone
	Gallo Walter J	New York Telephone
	Rothwell Ronald	New York Telephone
1976	Coakes Ellen T Mrs	New York Telephone
	Gallo Walter A	New York Telephone
	Bosch Emma Mrs	New York Telephone
1970	Anderson Paul E	New York Telephone
	Bosch Emma Mrs	New York Telephone
	Bosch Jos	New York Telephone
	Coakes Ellen T Mrs	New York Telephone
	Fowler Nora Mrs	New York Telephone
1967	Fowler Nora Mrs	New York Telephone
	Anderson Paul E	New York Telephone
	Bosch Emma Mrs	New York Telephone
	Eisele John C	New York Telephone
1962	Anderson Paul E	New York Telephone Directory
	Bosch Emma Mrs	New York Telephone Directory
	Eisele John C	New York Telephone Directory
	Schroeder Fritz	New York Telephone Directory
	Fowler Nora Mrs	New York Telephone Directory
	Tenaglia Tony	New York Telephone Directory
1945	Sharkey Henrietta	New York Telephone
	Bosch Emma Mrs	New York Telephone
	Hein Arthur	New York Telephone
1934	Becker Fred waiter	R. L. Polk & Co.
	Bjorkgren Eric electn	R. L. Polk & Co.
	Bjorkgren Herbert plmbrs hlpr	R. L. Polk & Co.
	Hein Arth Frieda candymkr Mhn	R. L. Polk & Co.
	Hein Arth jr sign pntr	R. L. Polk & Co.
	Jones Dorothy L clk	R. L. Polk & Co.
	Jones Wm Margt warehse mgr	R. L. Polk & Co.
	Ummelman Mathilde slswn	R. L. Polk & Co.
	Wiedercranz Nils Edla chauf	R. L. Polk & Co.
	Wilhelm Caroline wid Fred	R. L. Polk & Co.

3455 41ST ST

Year	Uses	Source
2005	a Meilak Thomas v	Hill-Donnelly Information Services
	h Alvarez A Av	Hill-Donnelly Information Services

Year	Uses	Source
2005	h Kadri Sayed Burhan v	Hill-Donnelly Information Services
	HMeilak Anthony	Hill-Donnelly Information Services
2000	65TH AV INTS FROM	Cole Information Services
	L Alice C Risemberg	Cole Information Services
	Apartments A Alvarez	Cole Information Services
	Sayed B Kadn	Cole Information Services
	R Anthony Meilak	Cole Information Services
1991	Meilak Anthony	NYNEX Information Resource Company
1983	Meilak Anthony	New York Telephone
	Meilack L	New York Telephone
1976	Cronin Cornelius	New York Telephone
1970	Asensio Andres	New York Telephone
	Martin Anna Mrs	New York Telephone
	Cronin Cornelius	New York Telephone
	Porth C A	New York Telephone
1967	Cronin Jas P	New York Telephone
	Cronin Cornelius	New York Telephone
	Albarella P L	New York Telephone
1962	Albarella P L	New York Telephone Directory
	Cronin Cornelius	New York Telephone Directory
	Martin Anna Mrs	New York Telephone Directory
1934	Burkhardt Chas Bertha br mgr Gt A & P Tea Co	R. L. Polk & Co.
	Flannigan Matihew lap	R. L. Polk & Co.
	Flannigan Matihew Mary lab	R. L. Polk & Co.
	Link & Rehrer Julius Link Herman Rehrer bldrs	R. L. Polk & Co.
	Martin Herman Anna china and glass decorator	R. L. Polk & Co.
	Martin Wm	R. L. Polk & Co.

3458 41ST ST

Year	Uses	Source
1991	Meagher Marie	NYNEX Information Resource Company

41st St

3511 41st St

Year	Uses	Source
2014	BEL-SITE REALTY CORP	EDR Digital Archive

Year	Uses	Source
2010	BEL-SITE REALTY CORP	EDR Digital Archive
	ALPHA BAKERY CORP	EDR Digital Archive

41ST ST

3511 41ST ST

Year	Uses	Source
2005	Bel Site Realty Corp 1 F	Hill-Donnelly Information Services
	Nice & Fresh Inc I R	Hill-Donnelly Information Services
2000	Bel Site Rity Corp	Cole Information Services
	Nice & Fresh Inc	Cole Information Services

3513 41ST ST

Year	Uses	Source
1983	Shirben Farms Co	New York Telephone
	Hopewell Dairies	New York Telephone
	Queensboro Farm Products Inc	New York Telephone
1976	Hopewell Dairies	New York Telephone
1970	Queensboro Farm Products Inc	New York Telephone
1967	Queensboro Farm Products Inc	New York Telephone
1945	Queensboro Farm Products Inc	New York Telephone

3515 41ST ST

Year	Uses	Source
2005	Simons Hardware & Bath LLC	Hill-Donnelly Information Services
2000	Simons Hdwr Inc	Cole Information Services
1991	Simons Hardware Inc	NYNEX Information Resource Company
1983	LOCAL MILK PRODS INC	New York Telephone
1976	LOCAL MILK PRODS INC	New York Telephone

41st St

3517 41st St

Year	Uses	Source
2010	SPIEGEL LIMOUSINE CORP	EDR Digital Archive

FINDINGS

41ST ST

3517 41ST ST

Year	Uses	Source
1983	Delaware Farms Inc	New York Telephone
1976	DELAWARE FARMS INC	New York Telephone

3519 41ST ST

Year	Uses	Source
1934	Parr Metal Production Corp NY: cap $50000 Albert A Parmet pres Susman Wertenthell treas	R. L. Polk & Co.

41st St

3521 41st St

Year	Uses	Source
2014	CRISPY DELIGHT CORP	EDR Digital Archive
2010	KRISPY DELITE	EDR Digital Archive

41ST ST

3524 41ST ST

Year	Uses	Source
1945	SH Sales Co	New York Telephone
1934	Waldman Co The RTN Leon Waldman Sidney Samuals	R. L. Polk & Co.
	Waldman Sales Co RTN con Waldman Sidney Samules	R. L. Polk & Co.

41st St

3526 41st St

Year	Uses	Source
2014	RASHIDS QUALITY MFG INC	EDR Digital Archive
2010	RICHIES AUTO	EDR Digital Archive
	RIDE & LUXURY INC	EDR Digital Archive

41ST ST

3526 41ST ST

Year	Uses	Source
2005	Rrbnj Inc 1s	Hill-Donnelly Information Services

Year	Uses	Source
2000	A Srvcntr Inc	Cole Information Services

41st St

3528 41st St

Year	Uses	Source
2014	DRAFT MASTER ENGINEERING PC	EDR Digital Archive
	MEGA FIRE PROTECTION INC	EDR Digital Archive
2010	DRAFT MASTER ENGINEERING PC	EDR Digital Archive
	MEGA FIRE PROTECTION INC	EDR Digital Archive

41ST ST

3528 41ST ST

Year	Uses	Source
2005	Draft Master Engineering PC	Hill-Donnelly Information Services
	P 718 626 1550 a	Hill-Donnelly Information Services
	Mega Fire Protection Inc	Hill-Donnelly Information Services
	is 718 706 6342 o	Hill-Donnelly Information Services
2000	Teddy Kaselis Jr	Cole Information Services
	Mug Shot Records	Cole Information Services
	Rodeo Dr MTR Club	Cole Information Services
	36TH AV INTS FROM	Cole Information Services

3533 41ST ST

Year	Uses	Source
1983	Gimpel Farms Inc	New York Telephone
	DAIRYTEST FARMS INC	New York Telephone
1976	Kingsway Farms Inc	New York Telephone
	Gimpel Farms Inc	New York Telephone
	DAIRYTEST FARMS INC	New York Telephone

3542 41ST ST

Year	Uses	Source
1983	Color Card Corp	New York Telephone
	Advertising Sales Co	New York Telephone
1976	Color Card Corp	New York Telephone
1970	Lenco Photo Prods Inc	New York Telephone
	Color Card Corp	New York Telephone
1967	Spraying Equipment	New York Telephone

Year	Uses	Source
1967	BINKS MFG CO Export Div	New York Telephone
1962	Mansfield Holiday Corp	New York Telephone Directory
	Export Div	New York Telephone Directory
	BINKS MFG CO	New York Telephone Directory
	Cooling Towers	New York Telephone Directory
	BINKS MFG CO	New York Telephone Directory
	BINKS MFG CO	New York Telephone Directory
	Spraying Eqp	New York Telephone Directory
1945	Bieler L & Son tnsmth supls	New York Telephone
1934	Gunn H M Realty Co Inc	R. L. Polk & Co.

3550 41ST ST

Year	Uses	Source
1934	Blake Robt actor	R. L. Polk & Co.

3551 41ST ST

Year	Uses	Source
1991	ALLIED FLUID COMPONENTS CO	NYNEX Information Resource Company
1983	ALLIED FLUID COMPONENTS CO	New York Telephone
1976	ALLIED FLUID COMPONENTS CO	New York Telephone
1970	ALLIED FLUID COMPONENTS CO	New York Telephone
1967	Allied Fluid Components Co	New York Telephone

34-35 41ST ST

Year	Uses	Source
1950	4-5 SCHNELDER OTTO JOHN	New York Telephone
	KILEY JOHN F	New York Telephone

34-37 41ST ST

Year	Uses	Source
1950	HARDGROV ELSIE M	New York Telephone
	MULLER HENRY L	New York Telephone
	ODEA JAS SR	New York Telephone
	SEATON MARY F	New York Telephone

34-41 41ST ST

Year	Uses	Source
1950	ONILLL ANN C	New York Telephone
	GENUSSA PHILIP P	New York Telephone

FINDINGS

34-43 41ST ST

Year	Uses	Source
1950	HELLER EDW V	New York Telephone
	RICHARDS GEO	New York Telephone
	HUCKEMEYER JOHN H	New York Telephone
	DAKERS HELEN	New York Telephone
	DAKERS JOHN MRS	New York Telephone
	WILSON WALTER	New York Telephone

34-47 41ST ST

Year	Uses	Source
1950	BRAUN JULIA G MISS	New York Telephone
	GILLESPIE FRED C	New York Telephone

34-49 41ST ST

Year	Uses	Source
1950	FINNIGAN DAG	New York Telephone
	F	New York Telephone
	KELLY FLORENCE J	New York Telephone

34-50 41ST ST

Year	Uses	Source
1950	M	New York Telephone
	WRIGHT WM	New York Telephone
	WHEELWRIGHT GLORIA MRS	New York Telephone
	WEISSER WM	New York Telephone
	WAGNER KURT F	New York Telephone
	VLAUN FRED	New York Telephone
	B	New York Telephone
	CAMUS RAYMOND V	New York Telephone
	CHEVALLIER RAOUL	New York Telephone
	CONROW EDWIN F	New York Telephone
	CUNNINGHAM CATHERINE E	New York Telephone
	DANGLER MARTIN S	New York Telephone
	FEATHERSTONE M	New York Telephone
	GAEDTKE FRANK	New York Telephone
	GLUCKMANN HAROLD W	New York Telephone
	GUBERMAN LOUIS L	New York Telephone
	HUMMEL JOHN O	New York Telephone
	HUMMEL LOUIS	New York Telephone

FINDINGS

Year	Uses	Source
1950	JONES TREVOR C	New York Telephone
	3-50 JURSIK OLGA J	New York Telephone
	KAROL STELLA	New York Telephone
	KERSHAW LESTER JR	New York Telephone
	4-50 LABASH BETTY	New York Telephone
	WUKITSCH CHAS	New York Telephone
	MAHONEY NANCY A	New York Telephone
	MALESARDI LOUIS R	New York Telephone
	MCGILL MICHL J	New York Telephone
	MCELWEE WOODROW	New York Telephone
	MULLEN R	New York Telephone
	MURPHY EDW C	New York Telephone
	MURRAY MARY G MRS	New York Telephone
	NEMECKAY EMIL	New York Telephone
	NOONAN JOS C	New York Telephone
	PARADISE JAS V	New York Telephone
	PHILLIPS E J	New York Telephone
	QUINONES FRANK V JR	New York Telephone
	RATIGAN JOS A	New York Telephone
	SCALA MARTY J	New York Telephone
	SEBAID GEO	New York Telephone
	34-5 SERZI RENZO	New York Telephone
	STAPLETON MARJORIE	New York Telephone

34-51 41ST ST

Year	Uses	Source
1950	HEIN ARTHUR	New York Telephone
	BOSCH PHYLLIS T	New York Telephone
	ANDERSON DORIS	New York Telephone

34-55 41ST ST

Year	Uses	Source
1950	PORTH CHAS E	New York Telephone
	PARANT BLANCHE V	New York Telephone
	MURRIN ELAINE C	New York Telephone

35-13 41ST ST

Year	Uses	Source
1950	QUEENSBORE FARM PRODUCTS INC	New York Telephone

FINDINGS

35-33 41ST ST

Year	Uses	Source
1950	NATL BISCUIT CO LI CITY AGCY	New York Telephone

35-42 41ST ST

Year	Uses	Source
1950	BRELER L & SONS INC TNSMTH SUPLS	New York Telephone

42 LIC

3540 42 LIC

Year	Uses	Source
1991	Alpha Auto Repair	NYNEX Information Resource Company

42ND

3524 42ND

Year	Uses	Source
1962	Branch	New York Telephone Directory
	GOOD HUMOR CORP	New York Telephone Directory

3534 42ND

Year	Uses	Source
1962	Silfen Bernard H & Son Inc papr	New York Telephone Directory

42ND AVE

35-11 42ND AVE

Year	Uses	Source
1950	MINNIES SANDWICH SHOP INC	New York Telephone

42ND LIC

3524 42ND LIC

Year	Uses	Source
1945	Branch	New York Telephone

42ND PL

3501 42ND PL

Year	Uses	Source
1945	Kohut John G restrnt	New York Telephone

FINDINGS

3528 42ND PL

Year	Uses	Source
1962	Amco Corp oil equip	New York Telephone Directory

3534 42ND PL

Year	Uses	Source
1939	Silfen Bernard H & Son papr	New York Telephone Company

42ND ST

35 42ND ST

Year	Uses	Source
1996	Alpha Auto Repair	NYNEX
	VASQUEZ Carios R	NYNEX
	Experience Car Svce The	NYNEX
	Fifth Ave Limousine	NYNEX
	Fifth Avenue Limousine Inc	NYNEX
	Interservice Limousine Inc	NYNEX
	Interservice Limousine Inc	NYNEX
	Long Island Courier	NYNEX
	Long Island Courier	NYNEX
	Metro Tinfilm Northeast Inc	NYNEX
	Nick Contr	NYNEX
	Paul Friedman Crown Limousine Svce	NYNEX
	Royale Limousine Manufacturers	NYNEX
	SPARTA AUTO BODY INC	NYNEX
	Three Brothers Auto Repair	NYNEX
	Vincents Limousine Svce Of New York Inc	NYNEX
	DASHELL Lois	NYNEX
	NICHOLLS Sulvan	NYNEX
	AMR Distributors Inc	NYNEX

42nd St

3452 42nd St

Year	Uses	Source
2014	DIRECT PDTS & SOLUTIONS INC	EDR Digital Archive
2010	DIRECT PDTS & SOLUTIONS INC	EDR Digital Archive

FINDINGS

3456 42nd St

Year	Uses	Source
2014	ANDX REALTY CORP	EDR Digital Archive
2010	ANDX REALTY CORP	EDR Digital Archive

42ND ST

3460 42ND ST

Year	Uses	Source
2000	35TH AV INTS FROM	Cole Information Services

3466 42ND ST

Year	Uses	Source
1934	Clancy Michl lab Sanition Dept	R. L. Polk & Co.

3506 42ND ST

Year	Uses	Source
1983	Evergreen Dairies Inc	New York Telephone

3510 42ND ST

Year	Uses	Source
1970	Michaelsen H Inc milk prods	New York Telephone
1967	Circle Farms Inc	New York Telephone

3512 42ND ST

Year	Uses	Source
1934	Queensboro Dairy Co Inc NY Louis Miller pres Saml Miller sec treas	R. L. Polk & Co.
	Queensboro Farm Priducts Inc NY DAvid Halpern pres Herbert J Miller sec treas dairy products	R. L. Polk & Co.

3513 42ND ST

Year	Uses	Source
1983	Winters Trucking Corp	New York Telephone

3514 42ND ST

Year	Uses	Source
1934	Giglio John S mech	R. L. Polk & Co.

FINDINGS

42nd St

3515 42nd St

Year	Uses	Source
2010	KOEPPEL SUBARA INC	EDR Digital Archive

42ND ST

3515 42ND ST

Year	Uses	Source
1934	Popular Garage TN : Jos Cahill	R. L. Polk & Co.
	Cahill & Peterson Arth G peterson Jos H Cahill auto reprs	R. L. Polk & Co.
	Dodge & Plvmouth Service station N Jos Cahill Arth Peterson	R. L. Polk & Co.

3516 42ND ST

Year	Uses	Source
1976	Evergreen Dairies Inc	New York Telephone

42nd St

3517 42nd St

Year	Uses	Source
2014	ROYALE LIMOUSINE MANUFACTURERS	EDR Digital Archive
2010	INTER SERVICE AUTO BODY	EDR Digital Archive

42ND ST

3517 42ND ST

Year	Uses	Source
2005	Fifth Avenue Limousine	Hill-Donnelly Information Services
	Inter Service Auto Body	Hill-Donnelly Information Services
	I 718 361 8480 00oo	Hill-Donnelly Information Services
	Royale Limousine Manufacturers	Hill-Donnelly Information Services
	Auto Repair Hoyos s	Hill-Donnelly Information Services
	Bonucc Limousine	Hill-Donnelly Information Services
2000	Royale Limousine	Cole Information Services
	Vncnts Limo Svc	Cole Information Services
	Paul Frdmn Crown	Cole Information Services
	Intrsvc Limo Inc	Cole Information Services

Year	Uses	Source
2000	Intrsvc Limo Inc	Cole Information Services
	Intrsvc Limo Inc	Cole Information Services
	Inter Svc Auto Bdy	Cole Information Services
	Inter Svc Auto Bdy	Cole Information Services
	Fifth Ave Limo	Cole Information Services
1991	All Star Limousine Inc	NYNEX Information Resource Company
	GONZALEZ MARIO repr shop	NYNEX Information Resource Company
	Interservice Limousine Inc	NYNEX Information Resource Company
	Paul Friedman Crown Limousine Svce	NYNEX Information Resource Company
	Paul Friedman Limousine Svce	NYNEX Information Resource Company

42nd St

3518 42nd St

Year	Uses	Source
2010	EXPRESS CART CORPORATION	EDR Digital Archive

42ND ST

3518 42ND ST

Year	Uses	Source
2000	Anjon Disbributors	Cole Information Services
	Kings Construcion	Cole Information Services

42nd St

3522 42nd St

Year	Uses	Source
2014	ECONOMY COURIER SERVICE	EDR Digital Archive
	TRANSPORTATION CONS AMER INC	EDR Digital Archive
2010	TRANSPORTATION CONS AMER INC	EDR Digital Archive
	ECONOMY COURIER SERVICE	EDR Digital Archive
	TRANSPORTATION CONS AMER INC	EDR Digital Archive

42ND ST

3522 42ND ST

Year	Uses	Source
2005	Al I Star Classic Car Sales	Hill-Donnelly Information Services
	Lic Courier Inc	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Quality Transport	Hill-Donnelly Information Services
2000	All Sls & Serv Inc	Cole Information Services
1991	Long Island Courier	NYNEX Information Resource Company
	Long Island Courier	NYNEX Information Resource Company
1983	Seelig G A F Inc	New York Telephone
	Empire Leasing Corp	New York Telephone
1939	Conlon P J	New York Telephone Company
1934	OHara Michl G br mgr Norge Corp	R. L. Polk & Co.

3524 42ND ST

Year	Uses	Source
1976	Branch	New York Telephone
1970	Branch	New York Telephone
1967	Branch	New York Telephone
1939	NY Herald Tribune Worlds Fair NE wtwn 91624	New York Telephone Company

3525 42ND ST

Year	Uses	Source
1967	Dominion Sales Coro	New York Telephone

3528 42ND ST

Year	Uses	Source
1970	Circle Farms Inc	New York Telephone
	Circle Farms Inc	New York Telephone
	Hopewell Dairies b	New York Telephone
	Shirben Farms Co	New York Telephone
1967	Northern Star Auto Body Inc	New York Telephone
1945	Farrell Mfg Co truck tanks	New York Telephone
	Amco Corp oil equip	New York Telephone
1939	Nights Sun & holidays PL aza 82000	New York Telephone Company
	Battle Robt T Inc	New York Telephone Company

3532 42ND ST

Year	Uses	Source
2005	No Current Listing	Hill-Donnelly Information Services

FINDINGS

42nd St

3534 42nd St

Year	Uses	Source
2014	THREE BROTHERS AUTO REPAIR	EDR Digital Archive
2010	THREE BROTHERS AUTO REPAIR	EDR Digital Archive
	ROMTECH TAXIMETERS CO INC	EDR Digital Archive
	MIGUEL HUGO BRICENO	EDR Digital Archive
	HAMA PRODUCTIONS INC	EDR Digital Archive

42ND ST

3534 42ND ST

Year	Uses	Source
2005	h Briceno Miguel Hugo v	Hill-Donnelly Information Services
	Richies Auto Is	Hill-Donnelly Information Services
	Three Brothers Auto Repair	Hill-Donnelly Information Services
2000	Briceno Miguel HG	Cole Information Services
1991	Silfen Bernard H & Son Inc papr	NYNEX Information Resource Company
1983	Silfen Bernard H & Son Inc papr	New York Telephone
1970	Silfen Bernard H & Son Inc Papr	New York Telephone
1967	Silfen Bernard H & Son Inc papr	New York Telephone
1945	Silfeni Bernard H & Son Inc papr	New York Telephone
1934	Sunset Movers Inc NY cap $20 000 Howard Bailey pres Frank R Verity v pres Jos C Novak sec treas moving	R. L. Polk & Co.

3537 42ND ST

Year	Uses	Source
1934	Sterk Frank Jessie M formn	R. L. Polk & Co.

42nd St

3540 42nd St

Year	Uses	Source
2010	NORTHERN AUTO REPAIR CENTER	EDR Digital Archive

42ND ST

3540 42ND ST

Year	Uses	Source
2005	Alpha Auto Repair	Hill-Donnelly Information Services

Year	Uses	Source
2005	Northern Auto Repair Ctr	Hill-Donnelly Information Services
2000	Nrthrn At Rpr Ctr	Cole Information Services
1939	If no answer call ST ilwel 43634	New York Telephone Company
	Astoria Star Welding Svce Inc	New York Telephone Company

42nd St

3542 42nd St

Year	Uses	Source
2014	TOLIMAS AUTO CENTER	EDR Digital Archive

42ND ST

3542 42ND ST

Year	Uses	Source
1991	SPARTA AUTO BODY INC	NYNEX Information Resource Company

3547 42ND ST

Year	Uses	Source
2000	Sunnyside	Cole Information Services

35-04 42ND ST

Year	Uses	Source
1950	EPICURE DINER	New York Telephone

35-24 42ND ST

Year	Uses	Source
1950	N Y GOOD HUMOR INC	New York Telephone
	GOOD HUMOR CARP	New York Telephone

35-28 42ND ST

Year	Uses	Source
1950	AMCO CORP OIL EQUIP	New York Telephone
	FARRELL MFG CO TRUCK TANKS	New York Telephone

35-34 42ND ST

Year	Uses	Source
1950	SILFEN BERNARD H & SON INC PAPR	New York Telephone

FINDINGS

AIR PLAY GROUND 3406 38TH ST

4 AIR PLAY GROUND 3406 38TH ST

Year	Uses	Source
1934	Mastrole Francis tchr PS	R. L. Polk & Co.

Northern Blvd

4105 Northern Blvd

Year	Uses	Source
2014	WHITESTONE CHECK CASHING	EDR Digital Archive
	LA CHOZA DEL GORDO CORP	EDR Digital Archive
2010	WHITESTONE CHECK CASHING	EDR Digital Archive
	LIC AUTO SECURITY & SOUND CO	EDR Digital Archive

NORTHERN BLVD

4105 NORTHERN BLVD

Year	Uses	Source
2005	Chung Eunice Av	Hill-Donnelly Information Services
	Whitestone Check Cashing	Hill-Donnelly Information Services
2000	Collpage	Cole Information Services
	Kissena Chk Cshng	Cole Information Services
1991	Four Star Co	NYNEX Information Resource Company
	Vana Export Co	NYNEX Information Resource Company
1983	Sound Hound	New York Telephone
1970	Garage Italia Inc	New York Telephone
1967	Garage Italia Inc	New York Telephone
1939	JMD Svce Stas	New York Telephone Company

Northern Blvd

4111 Northern Blvd

Year	Uses	Source
2010	MAJOR CHEVROLET INC	EDR Digital Archive

NORTHERN BLVD

4111 NORTHERN BLVD

Year	Uses	Source
1962	Log Cabin Diner	New York Telephone Directory

Year	Uses	Source
1939	Rosette Diner Inc	New York Telephone Company

4113 NORTHERN BLVD

Year	Uses	Source
1962	C & L Svce Sta	New York Telephone Directory
1945	C & L Svce Sta	New York Telephone
1939	Bowl Soce Sta Inc	New York Telephone Company

Northern Blvd

4115 Northern Blvd

Year	Uses	Source
2014	TM & T SERVICE STATION INC	EDR Digital Archive
2010	TM & T SERVICE STATION INC	EDR Digital Archive
	S & A MACHINE SHOP SERVICE INC	EDR Digital Archive

NORTHERN BLVD

4115 NORTHERN BLVD

Year	Uses	Source
2000	TMT Inc Svcs St	Cole Information Services
1991	TMT INC SVCE STA Body Mechanical & Body Shop	NYNEX Information Resource Company
1983	TMT INC SVCE STA	New York Telephone
	Eddie Pisano Pump Repr	New York Telephone
1970	Eddie Pisano Pump Repr	New York Telephone
	T & M SVCE STA	New York Telephone
	T & M Svce Sta	New York Telephone
1967	Eddie Pisano Pump Repr	New York Telephone
	T & M Svce Sta	New York Telephone
	Independence Soft Ice Cream Depot Inc	New York Telephone
1962	Pats Svce Cntr	New York Telephone Directory
1939	Lafaro Peter P	New York Telephone Company

4125 NORTHERN BLVD

Year	Uses	Source
1939	Conovitz Saml	New York Telephone Company

FINDINGS

Northern Blvd

4201 Northern Blvd

Year	Uses	Source
2014	KOEPPEL SUBARU	EDR Digital Archive

NORTHERN BLVD

4201 NORTHERN BLVD

Year	Uses	Source
2005	Planet Auto Mall 1 R	Hill-Donnelly Information Services
	World Auto Sales 2 R	Hill-Donnelly Information Services
2000	G Galni	Cole Information Services
	Planet At Mil Inc	Cole Information Services
1991	All State Leasing	NYNEX Information Resource Company
	All State Vehicles Inc	NYNEX Information Resource Company
	All State Vehicles Inc	NYNEX Information Resource Company
	All Wheels Vehicles Inc	NYNEX Information Resource Company
	All Wheels Vehicles Inc	NYNEX Information Resource Company
	Allstate Vehicle Inc	NYNEX Information Resource Company
	Leasing Associates Allstate	NYNEX Information Resource Company
	Sandgate Corp	NYNEX Information Resource Company
1983	All State Vehicles Inc	New York Telephone
	Sandgate Corp	New York Telephone
1976	All State Vehicles Inc	New York Telephone
1970	Auto France Svce Inc	New York Telephone
	Citroen Auto France	New York Telephone
1967	Auto France Svce Inc	New York Telephone
1962	REINER MACHY CORP	New York Telephone Directory
1945	Andy & Tom auto parts	New York Telephone
1939	A & T Marine Motors	New York Telephone Company
	Andy & Tom auto parts	New York Telephone Company

4202 NORTHERN BLVD

Year	Uses	Source
2005	Singas Famous Pizza	Hill-Donnelly Information Services
	Renson Food Corp 1 R	Hill-Donnelly Information Services
	Pathmark 11 R	Hill-Donnelly Information Services
	New York Community Bank	Hill-Donnelly Information Services
	Esquire Insurance i F	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	24 Hour Emergency Locksmith	Hill-Donnelly Information Services
	All Day Emergency Locksmith	Hill-Donnelly Information Services
2000	CFS Bank Pathmark	Cole Information Services
	Dunkin Donuts	Cole Information Services
	Pathmark Long Isle	Cole Information Services
	Singas Fms Pz Inc	Cole Information Services
1991	Pets R A Pleasure Inc	NYNEX Information Resource Company
	Dunkin Donuts	NYNEX Information Resource Company
	Living Well Lady Figure Salons	NYNEX Information Resource Company
	Pathmark	NYNEX Information Resource Company
	Pathmark Garage	NYNEX Information Resource Company
	Pathmark Pharmacy	NYNEX Information Resource Company
	Reflection Haircutters	NYNEX Information Resource Company
	Simons Wines & Liquors Ltd	NYNEX Information Resource Company
1983	International Haircutters Inc	New York Telephone
	Geneva Jewelers	New York Telephone
	Festival Wine & Liquor	New York Telephone
	Dunkin Donuts Long Island City	New York Telephone
	Kingdom Pizzeria Restnt	New York Telephone
	Kios Jewelers	New York Telephone
	Pathmark	New York Telephone
	Pathmark Pharmacy Of Long Island City	New York Telephone
	Thousand Cranes Restrmt	New York Telephone

4211 NORTHERN BLVD

Year	Uses	Source
2005	Harley Davidson Inc	Hill-Donnelly Information Services
2000	Harley Dvdsn New York	Cole Information Services

4217 NORTHERN BLVD

Year	Uses	Source
1934	Gordon Wm E Inc Wm E Gordon pres Eugenie Gordon sec treas	R. L. Polk & Co.

42-32 NORTHERN BLVD

Year	Uses	Source
1950	L I RAILROAD STAS L I CITY FREIGHT STA	New York Telephone

42-33 NORTHERN BLVD

Year	Uses	Source
1950	ISLAND PONTIAC CORP SALES & PARTS	New York Telephone
	PONTIAC SALES & SVCE	New York Telephone
	ISLAND PONTIAC CORP SERVICE STA	New York Telephone

42-36 NORTHERN BLVD

Year	Uses	Source
1950	CALIFORNIA PETROLEUM DISTRIBUTRS INC SVCE STA	New York Telephone

NORTHERN PL

4201 NORTHERN PL

Year	Uses	Source
1939	A & T Auto Parts	New York Telephone Company

NORTHRN BLVD

4115 NORTHRN BLVD

Year	Uses	Source
1970	T & M Svce Sta	New York Telephone

STAINWAY

3526 STAINWAY

Year	Uses	Source
1934	Degon Otto S Beatrice restr	R. L. Polk & Co.

STEINWAY

3525 STEINWAY

Year	Uses	Source
1950	PARTS SVCE	New York Telephone
	SERVICE DEPT	New York Telephone

34-26 STEINWAY

Year	Uses	Source
1950	BOWL RADIO LAB	New York Telephone
	STEINWAY LOCKSMITH & IGNITION SVCE	New York Telephone
	GRASSIDONIO JOHN	New York Telephone

Year	Uses	Source
1950	DEEGAN EMILY F MRS	New York Telephone
	BRADLEY JOHN E	New York Telephone
	LOEBER JOS W	New York Telephone
	REID DANL B	New York Telephone

34-30 STEINWAY

Year	Uses	Source
1950	PROGRESS MDSNG CO	New York Telephone
	COASTAL SALES CORP	New York Telephone
	GENL LEAD BATTERIES CO	New York Telephone

34-31 STEINWAY

Year	Uses	Source
1950	BOBS STEINWAY AUTO REPR	New York Telephone
	KIEFER ROBT REPR SHP	New York Telephone

34-35 STEINWAY

Year	Uses	Source
1950	FAIRWAY LUMBR & SUPL CO INC	New York Telephone

34-42 STEINWAY

Year	Uses	Source
1950	DUROPLATE MIRROR CORP	New York Telephone

34-44 STEINWAY

Year	Uses	Source
1950	VILLANOVA RESTRNT	New York Telephone

34-48 STEINWAY

Year	Uses	Source
1950	MOTORLIFT SALES & SVCE	New York Telephone
	LASKY GARAGE	New York Telephone
	MOBILIFT CORP SHOP	New York Telephone

34-49 STEINWAY

Year	Uses	Source
1950	WARDS SERVICE STATION	New York Telephone
	STEINWAY AUTO BODY REPR	New York Telephone

FINDINGS

35-10 STEINWAY

Year	Uses	Source
1950	IGLOO FOOD SHOP	New York Telephone
	BORDENS FARM PRODS DIV OF THE BORDEN CO DELY RETL	New York Telephone

35-25 STEINWAY

Year	Uses	Source
1950	WHITE MOTOR CO THE TRUCKS & BUSES	New York Telephone

35-31 STEINWAY

Year	Uses	Source
1950	MOMS RESTRNT	New York Telephone

35-35 STEINWAY

Year	Uses	Source
1950	L	New York Telephone

35-44 STEINWAY

Year	Uses	Source
1950	RYAN JAS J	New York Telephone
	MALONEY DOROTHY MRS	New York Telephone
	KONRAD EMILY MRS	New York Telephone
	KAMERER ROBT F	New York Telephone
	HERSCHMANN GUNTHER P	New York Telephone

35-48 STEINWAY

Year	Uses	Source
1950	O	New York Telephone
	KOUTNIK F J	New York Telephone
	COLLOREC MARCELLE	New York Telephone
	BURNS J J JR	New York Telephone
	BEITER HOWARD R	New York Telephone
	MACH RAYMOND F	New York Telephone
	MAGUIRE GEO F	New York Telephone
	MANTO PETER G	New York Telephone
	MCGUIRE GEO F	New York Telephone
	MINOT JOHN	New York Telephone

FINDINGS

35-49 STEINWAY

Year	Uses	Source
1950	SCHUMACHER F & CO WAREHSE	New York Telephone

35-52 STEINWAY

Year	Uses	Source
1950	PUCCIO FRANK	New York Telephone
	BILLERA DOMINICK	New York Telephone
	GILSON ROBT E	New York Telephone
	COUGHLIN THOS	New York Telephone
	COIRO ANTHONY D	New York Telephone

35-53 STEINWAY

Year	Uses	Source
1950	GOODRICH B F CO	New York Telephone
	TRANSPORTATION RUBBER CO INC TIRES	New York Telephone

35-54 STEINWAY

Year	Uses	Source
1950	FAHYS TAVERN	New York Telephone

36-01 STEINWAY

Year	Uses	Source
1950	ROLLWAGON WM GROCR	New York Telephone

36-02 STEINWAY

Year	Uses	Source
1950	CAPITOL FOOD SHOP	New York Telephone

36-04 STEINWAY

Year	Uses	Source
1950	PACIFIC FOUNDRY CO LTD WAREHSE	New York Telephone

36-06 STEINWAY

Year	Uses	Source
1950	ASTORIA STAR WELDING SVCE INC	New York Telephone
	ASTORIA TANK CO	New York Telephone

36-07 STEINWAY

Year	Uses	Source
1950	OCONNELL JOS D	New York Telephone

Year	Uses	Source
1950	WICHMAN HILDA M	New York Telephone
	WENZ MAY	New York Telephone
	WALTER JACOB W	New York Telephone
	RONAYNE ELIZ G	New York Telephone
	MATTSCHECK O	New York Telephone
	MANNER FRED	New York Telephone
	KOWAL STEPHEN J	New York Telephone
	GRAMLICH WM A	New York Telephone
	GILLESPIE GEO	New York Telephone
	DEAN ETHEL MRS	New York Telephone
	COYNE DENNIS P	New York Telephone
	COX JAS	New York Telephone
	BUTTNER EDITH R	New York Telephone

36-11 STEINWAY

Year	Uses	Source
1950	RAFFERTY JAS	New York Telephone
	SPITZE WM C	New York Telephone
	NADLER WM	New York Telephone
	MCALLISTER ARCHIE J	New York Telephone
	HARN JOHN	New York Telephone
	GRETSCHEL ROBT E	New York Telephone
	ROSE DOROTHEA G	New York Telephone
	SOTTILE WM	New York Telephone
	COLLINS EDW R	New York Telephone
	DOUGHERTY JAS W	New York Telephone
	KAROLY JOS	New York Telephone

36-14 STEINWAY

Year	Uses	Source
1950	L	New York Telephone

36-20 STEINWAY

Year	Uses	Source
1950	B & Z MACH CO	New York Telephone
	MECCA MACHY CO INC	New York Telephone

36-21 STEINWAY

Year	Uses	Source
1950	BONNEAU J J CO IMBR VENER	New York Telephone

FINDINGS

36-30 STEINWAY

Year	Uses	Source
1950	CARMINE & VINCENT COAT MFRS	New York Telephone
	C & V COAT MFG	New York Telephone

STEINWAY PL

3444 STEINWAY PL

Year	Uses	Source
1945	Villanova Restrnt	New York Telephone

3448 STEINWAY PL

Year	Uses	Source
1939	Lasky Garage Corp	New York Telephone Company

3510 STEINWAY PL

Year	Uses	Source
1970	BORDEN MILK CO DIY OF BORDEN INC	New York Telephone

3548 STEINWAY PL

Year	Uses	Source
1991	Carrasco Clementina	NYNEX Information Resource Company

3549 STEINWAY PL

Year	Uses	Source
1939	Hinsch Produce Co Inc	New York Telephone Company

3552 STEINWAY PL

Year	Uses	Source
1983	Martinez Celina	New York Telephone
1962	Mach Mm	New York Telephone Directory

3553 STEINWAY PL

Year	Uses	Source
1939	NY Worlds Fair Exhibit Worlds Fair HA vemnyr 67200	New York Telephone Company

3554 STEINWAY PL

Year	Uses	Source
1962	Connolly Bros restrnt & bar	New York Telephone Directory

3607 STEINWAY PL

Year	Uses	Source
1962	Kane Jos	New York Telephone Directory
	Bihler Anna Maria Mrs	New York Telephone Directory

3611 STEINWAY PL

Year	Uses	Source
1962	Lyons Dan	New York Telephone Directory
	Stein Jas R	New York Telephone Directory
1934	Andrews Wm Sue clk	R. L. Polk & Co.

3621 STEINWAY PL

Year	Uses	Source
1962	Bonneau J J Co Inc lumbr vener	New York Telephone Directory

Steinway St

3401 Steinway St

Year	Uses	Source
2014	CINDY FURNITURE INC	EDR Digital Archive
2010	ARIZONA FURNITURE INC	EDR Digital Archive
	US FURNITURE INC	EDR Digital Archive

STEINWAY ST

3401 STEINWAY ST

Year	Uses	Source
1983	Wen Lar Inc	New York Telephone

Steinway St

3402 Steinway St

Year	Uses	Source
2014	TWIST AND SMASHD SPORTS	EDR Digital Archive
	SALVATION ARMY	EDR Digital Archive

STEINWAY ST

3402 STEINWAY ST

Year	Uses	Source
2005	Proper Manufacturing Co	Hill-Donnelly Information Services
	Salvation Army 2 R	Hill-Donnelly Information Services

FINDINGS

Steinway St

3405 Steinway St

Year	Uses	Source
2014	UFC GYM	EDR Digital Archive
2010	COMBINED MARTIAL ARTS ACADEMY	EDR Digital Archive
	STRIKE ZONE	EDR Digital Archive

STEINWAY ST

3405 STEINWAY ST

Year	Uses	Source
2005	Combined Martial Arts Academy	Hill-Donnelly Information Services

3406 STEINWAY ST

Year	Uses	Source
1991	Thrift Stores	NYNEX Information Resource Company
1983	Thrift Stores	New York Telephone
1934	Brazaity Wm Louise lab	R. L. Polk & Co.
	Flemm John J Pauline pres treas Flemm Lead Co Inc	R. L. Polk & Co.
	Young Amelia compt opr	R. L. Polk & Co.
	Young Geo baker	R. L. Polk & Co.

Steinway St

3410 Steinway St

Year	Uses	Source
2014	METRO COFFEE RESTAURANT	EDR Digital Archive
2010	METRO COFFEE RESTAURANT	EDR Digital Archive
	1 24 HOUR A EMERG LOCKSMITH	EDR Digital Archive

STEINWAY ST

3410 STEINWAY ST

Year	Uses	Source
2005	Metro Coffee Restaurant	Hill-Donnelly Information Services
	24 Hour A Day Locksmith	Hill-Donnelly Information Services
	7 Day Emergency 24 HR	Hill-Donnelly Information Services

FINDINGS

Steinway St

3411 Steinway St

Year	Uses	Source
2014	PV PARKING CORPORATION	EDR Digital Archive
	TODAYS DENTAL 2	EDR Digital Archive
2010	TODAYS DENTAL 2	EDR Digital Archive

STEINWAY ST

3411 STEINWAY ST

Year	Uses	Source
2005	Todays Dental II 1 P	Hill-Donnelly Information Services

Steinway St

3412 Steinway St

Year	Uses	Source
2014	TAS CHECK CASHING INC	EDR Digital Archive
2010	TAS CHECK CASHING INC	EDR Digital Archive

STEINWAY ST

3412 STEINWAY ST

Year	Uses	Source
2005	Western Union 1 F	Hill-Donnelly Information Services
	Tas Check Cashing Inc i F	Hill-Donnelly Information Services

Steinway St

3413 Steinway St

Year	Uses	Source
2014	T A BROKERAGE	EDR Digital Archive
	ANCHOR HOLDINGS GROUP INC	EDR Digital Archive
	ANCHOR TRAVEL & INSUR BRKG INC	EDR Digital Archive
	NAINA THREADING	EDR Digital Archive
2010	ANCHOR TRAVEL & INSUR BRKG INC	EDR Digital Archive
	ANCHOR HOLDINGS GROUP INC	EDR Digital Archive

FINDINGS

STEINWAY ST

3413 STEINWAY ST

Year	Uses	Source
2005	TA Brokerage 1 F 718 728 5661 o	Hill-Donnelly Information Services
	Global Liberty Insurance Co	Hill-Donnelly Information Services
	Anchor Travel & Insurance	Hill-Donnelly Information Services

Steinway St

3414 Steinway St

Year	Uses	Source
2014	FOODTOWN	EDR Digital Archive
2010	KJTL PARTY INC	EDR Digital Archive

STEINWAY ST

3414 STEINWAY ST

Year	Uses	Source
2005	Party Fair 1 R	Hill-Donnelly Information Services
1983	Svce	New York Telephone
	Parts Dept	New York Telephone
1976	Svce	New York Telephone
	Parts Dept	New York Telephone
1970	MAJOR LIUQROD DSTRBTRS	New York Telephone
	CHEVROLET MAJOR INC	New York Telephone
	MAJOR CHEVROLET INC	New York Telephone
	Parts Dept	New York Telephone
	Major Leasing Inc	New York Telephone
1967	CHEVROLET MAJOR INC	New York Telephone
	MAJOR CHEVROLET INC	New York Telephone
	Parts Dept	New York Telephone
	MAJOR LEASING INC	New York Telephone
1945	Bayer Chevrolet Inc	New York Telephone
1934	Bayers Chevrolet Inc NY Steph Bayer pres Jos Bayer v pres Geo Bayer sec treas autos	R. L. Polk & Co.
	Bayers Chevrolet Inc NY Steph Bayer pres Jos Bayer v pres Geo Bayer sec treas autos	R. L. Polk & Co.

FINDINGS

Steinway St

3415 Steinway St

Year	Uses	Source
2010	WIRELESS WORKS USA INC	EDR Digital Archive

STEINWAY ST

3415 STEINWAY ST

Year	Uses	Source
2005	Wireless Works USA Inc	Hill-Donnelly Information Services
1991	Major Chevrolet Used Car Dept	NYNEX Information Resource Company

Steinway St

3416 Steinway St

Year	Uses	Source
2010	DIGITAL POINT	EDR Digital Archive

STEINWAY ST

3416 STEINWAY ST

Year	Uses	Source
2005	Digital Point i s	Hill-Donnelly Information Services

Steinway St

3417 Steinway St

Year	Uses	Source
2014	QUEENS CNTY MAILBOX PKG SHIPG	EDR Digital Archive
	OZTURK EREN	EDR Digital Archive
	LONG ISLND CTY CRDIT CRD DEBT	EDR Digital Archive
	PROVIDE IMPRESS NETWORK	EDR Digital Archive
	GREAT ROMANIA INC	EDR Digital Archive
2010	PROVIDE IMPRESS NETWORK	EDR Digital Archive
	LONG ISLND CTY CRDIT CRD DEBT	EDR Digital Archive
	AS ABOVE	EDR Digital Archive
	STEINWAY FAMILY PHARMACY INC	EDR Digital Archive
	QUEENS CNTY MAILBOX PKG SHIPG	EDR Digital Archive
	DISCOUNT WORLD ASTORIA LTD	EDR Digital Archive

FINDINGS

STEINWAY ST

3417 STEINWAY ST

Year	Uses	Source
2005	Mailboxes Queens County Pckgng	Hill-Donnelly Information Services

Steinway St

3418 Steinway St

Year	Uses	Source
2014	34-18 M&M CORP	EDR Digital Archive
	SPOT GOURMET INC	EDR Digital Archive

STEINWAY ST

3418 STEINWAY ST

Year	Uses	Source
2005	Budget Truck Rental i s	Hill-Donnelly Information Services

Steinway St

3419 Steinway St

Year	Uses	Source
2010	FORUM	EDR Digital Archive

STEINWAY ST

3419 STEINWAY ST

Year	Uses	Source
2005	Forum 1 R	Hill-Donnelly Information Services

3421 STEINWAY ST

Year	Uses	Source
2005	24 Hour A Emerg Locksmith	Hill-Donnelly Information Services
	7 24 Hour Emergency Locksmith	Hill-Donnelly Information Services

Steinway St

3422 Steinway St

Year	Uses	Source
2014	BIG DADDY ELECTRONICS	EDR Digital Archive
	GP FURNITURE & LIGHTING INC	EDR Digital Archive

Year	Uses	Source
2014	34 22 STEINWAY CORP	EDR Digital Archive
2010	BIG DADDY ELECTRONICS	EDR Digital Archive
	KIMBERLY FURNITURE LLC	EDR Digital Archive

STEINWAY ST

3422 STEINWAY ST

Year	Uses	Source
2005	M &R Citywide Inc	Hill-Donnelly Information Services
	M & R Carpet & Furniture Corp	Hill-Donnelly Information Services
	Big Daddy Electronics	Hill-Donnelly Information Services

Steinway St

3423 Steinway St

Year	Uses	Source
2014	MMS DAIRY LLC	EDR Digital Archive
	MESSAOUD & ASSOCIATES INC	EDR Digital Archive
	TRI-STAR LIMO CORP	EDR Digital Archive
	ANALYTIC DATA SOLUTIONS LLC	EDR Digital Archive
	AMERICAN ARTISAN CNSTR CO	EDR Digital Archive
	BOOST MOBILE	EDR Digital Archive
	FARNESA REALESTATE LTD	EDR Digital Archive
	SHORE TOWERS ASTORIA CORP	EDR Digital Archive
	P & F INTERNATIONAL INC	EDR Digital Archive
	E K Q CLEANING SERVICES INC	EDR Digital Archive
2010	E K Q CLEANING SERVICES INC	EDR Digital Archive
	ELECTROSYSTEM CORP	EDR Digital Archive
	ACTION PIPING SERVICES INC	EDR Digital Archive
	RSRN ASSOCIATES INC	EDR Digital Archive
	ERGWERKS SERVICES CORP	EDR Digital Archive
	DIVA TOURS AND SERVICES	EDR Digital Archive
	SHIPPING & MAIL ETC INC	EDR Digital Archive
	EZEE WORLD TRAVEL CORP	EDR Digital Archive
	BHC TRADING INC	EDR Digital Archive
	ADAM TOURS OF NEW YORK	EDR Digital Archive
	TEACHING THE TELL CORP	EDR Digital Archive
	KALOGEROPOULOS PANTELIS	EDR Digital Archive
	AMERICAN CATALOG INC	EDR Digital Archive

Year	Uses	Source
2010	US 1 REALTY	EDR Digital Archive
	FARNESA REALESTATE LTD	EDR Digital Archive
	DHAMAK PUNJAB DEE INC	EDR Digital Archive
	FLYRITE TATTOO LTD	EDR Digital Archive
	INTERCONNECTION POWER CORP	EDR Digital Archive
	AMERICAN ARTISAN CNSTR CO	EDR Digital Archive
	MAROCPOST MEDIA INC	EDR Digital Archive
	EAST & WEST USA CONSTRUCTION	EDR Digital Archive
	ANALYTIC DATA SOLUTIONS LLC	EDR Digital Archive
	BROOKLINE TECHNOLOGIES INC	EDR Digital Archive
	FUTURE SERVICES CORP	EDR Digital Archive
	BITTER BUT SWEET INC	EDR Digital Archive
	TRI-STAR LIMO CORP	EDR Digital Archive
	YOGABELA LLC	EDR Digital Archive

STEINWAY ST

3423 STEINWAY ST

Year	Uses	Source
2005	US Numbr 1 Realty 1 F	Hill-Donnelly Information Services
	Shipping & Mail Etc Inc 1 s	Hill-Donnelly Information Services
	Nicole Vixamar Realty i F	Hill-Donnelly Information Services
	Fames Mazon i F	Hill-Donnelly Information Services
	Electro System Corp	Hill-Donnelly Information Services
	American Artisan Construction	Hill-Donnelly Information Services

3425 STEINWAY ST

Year	Uses	Source
2005	No Current Listing	Hill-Donnelly Information Services

Steinway St

3426 Steinway St

Year	Uses	Source
2014	A ONE DELI GROCERY	EDR Digital Archive
	UNIQUE BEAUTY SALON	EDR Digital Archive
	CENTRO DENTAL HISPANO	EDR Digital Archive
	MOCO GENERAL CONSTRUCTION CORP	EDR Digital Archive

Year	Uses	Source
2010	MOCO GENERAL CONSTRUCTION CORP	EDR Digital Archive
	CENTRO DENTAL HISPANO	EDR Digital Archive
	A ONE DELI GROCERY	EDR Digital Archive

STEINWAY ST

3426 STEINWAY ST

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services
	Abdullah Mohammed	Hill-Donnelly Information Services
	Adil Muhammad vv	Hill-Donnelly Information Services
	Ahmed Babul v	Hill-Donnelly Information Services
	Numbr 14 h Ahmed Helal	Hill-Donnelly Information Services
	Numbr 4 h All Imtiaz	Hill-Donnelly Information Services
	All Mahmud	Hill-Donnelly Information Services
	Astoria Deli & Grocery 1 R	Hill-Donnelly Information Services
	Numbr 18 Badar Bla 00718 482 3996 o	Hill-Donnelly Information Services
	Numbr 19 Bahlouli Abdelnalek	Hill-Donnelly Information Services
	Numbr 12 Bana Beqir	Hill-Donnelly Information Services
	h Celo Nevila v 7 718 361 6082 00oo	Hill-Donnelly Information Services
	Costelloe Luisa	Hill-Donnelly Information Services
	Numbr 1 Costelloe Luisa DDS I P	Hill-Donnelly Information Services
	h Curovic Kadrija Y	Hill-Donnelly Information Services
	Numbr 11 Kumar Jeevn V	Hill-Donnelly Information Services
	h Kumearo Aglinda v	Hill-Donnelly Information Services
	Moco Robert	Hill-Donnelly Information Services
	Numbr 16 h Monir Zaman v	Hill-Donnelly Information Services
	Numbr 1 h Rahman Mohamed	Hill-Donnelly Information Services
1991	Anwar Abdullah	NYNEX Information Resource Company
	C & E Security Systems Inc	NYNEX Information Resource Company
	Kassab Nicolas	NYNEX Information Resource Company
	Lee Yung Hee	NYNEX Information Resource Company
	Ortolano Joyce	NYNEX Information Resource Company
	Steinway Auto Specialist	NYNEX Information Resource Company
	Tsaltas Athanasios	NYNEX Information Resource Company
1983	Deegan Emily F Mrs	New York Telephone
	Chauca Jose Manuel	New York Telephone
	Reid H A	New York Telephone

FINDINGS

Year	Uses	Source
1976	Gomez Guillermo	New York Telephone
	Deegan Emily F Mrs	New York Telephone
1970	Deegan Emily F Mrs	New York Telephone
1967	Deegan Emily F Mrs	New York Telephone
	Tech Radio & TV Lab	New York Telephone
1962	Deegan Emily F Mrs	New York Telephone Directory
1945	Bowl Radio Lab	New York Telephone
	Deegan Emily F Mrs	New York Telephone
	Steinway Locksnuth & Ignition Svce	New York Telephone
1934	Bachman Harry Mary lab	R. L. Polk & Co.
	Balicki Jos Anna lab	R. L. Polk & Co.
	Beansh Anna wid Frank	R. L. Polk & Co.
	Burrer Walter lab	R. L. Polk & Co.
	Draser Barth Julia pntr	R. L. Polk & Co.
	Egloff DAvid A Ruth clk	R. L. Polk & Co.
	Flaig Chas lab	R. L. Polk & Co.
	Jahnke Theo Emma lab	R. L. Polk & Co.
	Loeber Jos Cath lab	R. L. Polk & Co.
	Makras John Mary waiter	R. L. Polk & Co.
	Nanstedt John Rose lab	R. L. Polk & Co.
	Ottos Tire & Battey Service TN Otto Urban	R. L. Polk & Co.
	Pierce & Steinway Auto Repair TN: Gus Beinlich	R. L. Polk & Co.
	Rannes Kelly Beatrice waiter	R. L. Polk & Co.
	Runz Emma Mrs	R. L. Polk & Co.
	Smith Harold A Annie	R. L. Polk & Co.
	Urban Otto Anna batteries	R. L. Polk & Co.
	Vorisek Rudolph Josphine C switchborad opr	R. L. Polk & Co.

Steinway St

3427 Steinway St

Year	Uses	Source
2014	NYC CVIL SVC RETIRED EMPLOYEES	EDR Digital Archive
	INSIDE STUDIOS ARCHITECTURE PC	EDR Digital Archive
	US 1 REALTY	EDR Digital Archive
	CBA CONSULTANTS INC	EDR Digital Archive
	FIRST MULTIPURPOSE SVCS LLC	EDR Digital Archive
	INTERNATIONAL BRTHRHD OF TMSTR	EDR Digital Archive

FINDINGS

Year	Uses	Source
2014	SAFETY AND QUALITY PLUS INC	EDR Digital Archive
	CLINCORP MEDICAL LAB INC	EDR Digital Archive
	SHARON ENGINEERING PC	EDR Digital Archive
	FMK NETWORK INC	EDR Digital Archive
	CIVIL SVC RTRED EMPLOYEES ASSN	EDR Digital Archive
2010	CLINCORP MEDICAL LAB INC	EDR Digital Archive
	SAFETY AND QUALITY PLUS INC	EDR Digital Archive
	CSREA	EDR Digital Archive
	H & K INTL MULTIPURPOSE LLC	EDR Digital Archive
	LOCAL 832 INTL BRTHD TEAMSTERS	EDR Digital Archive
	INTERNATIONAL BRTHRHD OF TMSTR	EDR Digital Archive
	CIVIL SVC RTRED EMPLOYEES ASSN	EDR Digital Archive
	FIRST MULTIPURPOSE SVCS LLC	EDR Digital Archive
	CBA CONSULTANTS INC	EDR Digital Archive
	DA ATTIC STUDIOS LLC	EDR Digital Archive
	RT ARCHITECTURE PC	EDR Digital Archive
	BIORDI CONSTRUCTION	EDR Digital Archive
	RUPAYAN HOUSING ESTATE INC	EDR Digital Archive
	ALL ISLE INC	EDR Digital Archive
	LEYLAND USA INC	EDR Digital Archive
	TAREK PORISHOD CENTRAL COMMTTE	EDR Digital Archive

STEINWAY ST

3427 STEINWAY ST

Year	Uses	Source
2005	Sharon Engineering PC 1 P	Hill-Donnelly Information Services
	Cba Consultants Inc 1 P	Hill-Donnelly Information Services

3428 STEINWAY ST

Year	Uses	Source
1934	Kemp Wm & Mulligan Inv NY Ferdinand Kempf pres Rose Violante v pres Jas Violante sec Wm J Frey treas car dlrs	R. L. Polk & Co.
	Slack Chas watchmn Kemp & Mulligan Inc	R. L. Polk & Co.

FINDINGS

Steinway St

3430 Steinway St

Year	Uses	Source
2014	WEINSTOCK LAMP CO INC	EDR Digital Archive
	SARAS CRYSTAL PALACE LTD	EDR Digital Archive
2010	SARAS CRYSTAL PALACE LTD	EDR Digital Archive
	CRYSTAL CLEAR LIGHTING INC	EDR Digital Archive
	WEINSTOCK LAMP CO INC	EDR Digital Archive

STEINWAY ST

3430 STEINWAY ST

Year	Uses	Source
2005	Saras Crystal Palace 1 R	Hill-Donnelly Information Services
	Weinstock Lamp Co Inc	Hill-Donnelly Information Services
2000	Bronzes Super Inc	Cole Information Services
	Wnstck LMP Co Inc	Cole Information Services
1991	Bronzes Superior Inc imptrs	NYNEX Information Resource Company
1983	Bronzes Superior Inc imptrs	New York Telephone
	Bronzino John R	New York Telephone
	WEINSTOCK LAMP CO INC	New York Telephone
1976	Bronzes Superior Inc imptrs	New York Telephone
1970	Bookmobile Inc	New York Telephone
	Weinstock Lamp Co Inc	New York Telephone
	WEINSTOCK LAMP CO INC	New York Telephone
1967	Bookmobile Inc	New York Telephone
	Preferred Book Delivry	New York Telephone

Steinway St

3431 Steinway St

Year	Uses	Source
2010	3431 STEINWAY ST LLC	EDR Digital Archive

STEINWAY ST

3431 STEINWAY ST

Year	Uses	Source
2005	3431 Steinway St LLC	Hill-Donnelly Information Services
2000	M & M Auto Body	Cole Information Services

Year	Uses	Source
1991	Fury Auto Body Repr	NYNEX Information Resource Company
1983	Fury Auto Body Repr	New York Telephone
1976	Fury Auto Body Repr	New York Telephone
1970	Fury Auto Body Repr	New York Telephone
1967	Fury Auto Body Repr	New York Telephone
1945	Bobs Steinway Auto Repr	New York Telephone
	Kiefer Robt repr shop	New York Telephone
1939	Kiefer Robt repr shop	New York Telephone Company

Steinway St

3435 Steinway St

Year	Uses	Source
2014	METROPOLITAN LUMBER HAR	EDR Digital Archive
2010	METROPOLITAN LUMBER HAR	EDR Digital Archive

STEINWAY ST

3435 STEINWAY ST

Year	Uses	Source
2005	Metropolitan Lumber & Hardware	Hill-Donnelly Information Services
2000	Mtrpltn Lmbr & Hdwr	Cole Information Services
1991	FAIRWAY LUMBER HARDWARE & HOMECENTER INC	NYNEX Information Resource Company
1983	Fairway Lumbr & Supt Co Inc	New York Telephone
1976	FAIRWAY LUMBR & SUPL CO INC	New York Telephone
1970	FAIRWAY LUMBR & SUPL CO INC	New York Telephone
1967	FAIRWAY LUMBR & SUPL CO INC	New York Telephone

3436 STEINWAY ST

Year	Uses	Source
1983	Olympic Sea Seafood Packing Co Inc	New York Telephone

Steinway St

3442 Steinway St

Year	Uses	Source
2014	PAGING USA OF NY INC	EDR Digital Archive
	ADVANTAGE WIRELESS	EDR Digital Archive
2010	ADVANTAGE WIRELESS	EDR Digital Archive

Year	Uses	Source
2010	PAGING USA OF NY INC	EDR Digital Archive
	AMERICAN AUTO NETWORK LTD	EDR Digital Archive

STEINWAY ST

3442 STEINWAY ST

Year	Uses	Source
2005	Revolution Motorsports	Hill-Donnelly Information Services
	European Auto 1 s	Hill-Donnelly Information Services
2000	Great Grmn At Svc	Cole Information Services
	Paging USA New York Inc	Cole Information Services
1991	Milano Marble & Tile Corp	NYNEX Information Resource Company
	Steinway Security & Sound	NYNEX Information Resource Company
1983	Leonardo Carpet Mfg	New York Telephone
1967	Sky Climber Inc Subsidiary of Western Gear Corp	New York Telephone

Steinway St

3444 Steinway St

Year	Uses	Source
2014	LATIN CABANA	EDR Digital Archive
2010	LATIN CABANA	EDR Digital Archive
	VILLANOVA BAR	EDR Digital Archive

STEINWAY ST

3444 STEINWAY ST

Year	Uses	Source
2005	Latin Cabana 1 R	Hill-Donnelly Information Services
1991	Villanova Bar & Rest	NYNEX Information Resource Company
1983	Villanova Bar & Rest	New York Telephone
1970	Villanova Bar & Restrnt	New York Telephone
	Villanova Bar & Restrnt	New York Telephone
1967	Villanova Bar & Restrnt	New York Telephone

Steinway St

3446 Steinway St

Year	Uses	Source
2010	H & Y DISCOUNT ISLAND INC	EDR Digital Archive

Year	Uses	Source
2010	Q MART 168 INC	EDR Digital Archive

STEINWAY ST

3446 STEINWAY ST

Year	Uses	Source
2005	Central Discount Inc	Hill-Donnelly Information Services
1934	Tesoriere Peter Modern Auto Repairing Co	R. L. Polk & Co.
	Modern Auto Repairing Co TN: Peter Tesoriera	R. L. Polk & Co.

Steinway St

3448 Steinway St

Year	Uses	Source
2014	SALON MANAGEMENT USA LLC	EDR Digital Archive
	RIVIERA GENTLEMANS CLUB	EDR Digital Archive
	ASPL CAFE INC	EDR Digital Archive
2010	ASPL CAFE INC	EDR Digital Archive
	RIVIERA GENTLEMANS CLUB	EDR Digital Archive
	ASTORIA BEACH SPA	EDR Digital Archive
	PERSEVERANCE PLUS INC	EDR Digital Archive

STEINWAY ST

3448 STEINWAY ST

Year	Uses	Source
2005	Beach Bum Tanning 1 s 718 784 2665 o	Hill-Donnelly Information Services
	Krash	Hill-Donnelly Information Services
	Twist Magazine Inc	Hill-Donnelly Information Services
2000	Beach Bum Tanning	Cole Information Services
	Krash	Cole Information Services
	35TH AV INTS FROM	Cole Information Services
1991	Komotion	NYNEX Information Resource Company
	SILVER SCREEN	NYNEX Information Resource Company
	Ham Heung Restrnt	NYNEX Information Resource Company
1983	Jimmy Steinway Collision Inc	New York Telephone
	Jimmys Auto Repairs	New York Telephone
	Adria Motors	New York Telephone
	Atlas Transmissions	New York Telephone

FINDINGS

Year	Uses	Source
1983	Daytona Autobody	New York Telephone
1976	Atlas Transmissions	New York Telephone
	Adria Motors	New York Telephone
	Carreras Imported Auto Svce	New York Telephone
1970	Car Corral Svce Sta	New York Telephone
	Impala Collision Inc	New York Telephone
	Cantarella O J b	New York Telephone
1967	Econ & Wilson Garage	New York Telephone
	Cantarella O J b	New York Telephone
	Official Custom Automtv Specialists Inc	New York Telephone
1945	Lasky Garage	New York Telephone
	Mobilift Div of Vaughan Motor Co	New York Telephone
	Vaughan Motor Co mobilift dw	New York Telephone
1934	Fesslers Garage TN DAve Fessler	R. L. Polk & Co.
	Green John atndt Fesslers Garage	R. L. Polk & Co.

3449 STEINWAY ST

Year	Uses	Source
1976	Alex Svce Sta	New York Telephone
1970	Steinway Auto Body Repr	New York Telephone
	Alex & Leon Svce Sta	New York Telephone
1967	Steinway Auto Body Repr	New York Telephone
	Rainbow Svce Sta	New York Telephone

3453 STEINWAY ST

Year	Uses	Source
1945	Kemp & Mc Nulty autos	New York Telephone

3510 STEINWAY ST

Year	Uses	Source
2005	PC Richard & Son	Hill-Donnelly Information Services
2000	Rchrd & Son Qns	Cole Information Services
	Rchrd & Son Qns	Cole Information Services
1967	Borden Co The milk prods	New York Telephone
	BORDENS FARM PRODS DIV OF THE BORDEN CO whol dely brnch	New York Telephone
	BORDENS ICE CREAM CO	New York Telephone
1934	Teasdal Frank supt Borden Farm Products Co	R. L. Polk & Co.

FINDINGS

Steinway St

3511 Steinway St

Year	Uses	Source
2014	LUXURY CAR IMPORTING CORP	EDR Digital Archive
2010	LUXURY CAR IMPORTING CORP	EDR Digital Archive

STEINWAY ST

3511 STEINWAY ST

Year	Uses	Source
2005	Luxury Import Cars	Hill-Donnelly Information Services

Steinway St

3518 Steinway St

Year	Uses	Source
2014	P C RICHARD & SON LI	EDR Digital Archive
2010	P C RICHARD & SON LI	EDR Digital Archive

STEINWAY ST

3518 STEINWAY ST

Year	Uses	Source
1991	Seafood	NYNEX Information Resource Company
	Bakery	NYNEX Information Resource Company
	Delicatesn	NYNEX Information Resource Company

3519 STEINWAY ST

Year	Uses	Source
2000	Dscnt Outlt At Sls	Cole Information Services

Steinway St

3525 Steinway St

Year	Uses	Source
2014	STEINWAY CAFE-BILLIARDS	EDR Digital Archive
2010	STEINWAY CAFE-BILLIARDS	EDR Digital Archive

FINDINGS

STEINWAY ST

3525 STEINWAY ST

Year	Uses	Source
2005	Steinway Cafe Billiards	Hill-Donnelly Information Services
2000	Steinway CF Bllrds	Cole Information Services
1991	MTI AUTO CENTER INC Used Car Dealer/Auto Body	NYNEX Information Resource Company
1983	Tires Incorporated	New York Telephone
1970	Tires Inc	New York Telephone
	LIC Astoria Branch	New York Telephone
1967	LIC Astoria Branch	New York Telephone
1945	Hobbins E F ofc	New York Telephone

3526 STEINWAY ST

Year	Uses	Source
1934	Palace Diner RTN: Otto Degen restr	R. L. Polk & Co.

3531 STEINWAY ST

Year	Uses	Source
1945	Moms Restrnit	New York Telephone
1939	Paramount Garage	New York Telephone Company
1934	Harabaglia Anthony v pres treas Paramount Operatore Inc	R. L. Polk & Co.
	Paramount Garage RTN: Saml Zorovich	R. L. Polk & Co.

Steinway St

3535 Steinway St

Year	Uses	Source
2014	YURY PRODUCTION INC	EDR Digital Archive
2010	TAHONA PRODUCTIONS INC	EDR Digital Archive
	YURY PRODUCTION INC	EDR Digital Archive
	BAHIA LOUNGE INC	EDR Digital Archive
	AUTO CENTER COLLISION INC	EDR Digital Archive

STEINWAY ST

3535 STEINWAY ST

Year	Uses	Source
2005	Three Way Plumbing Supply Inc	Hill-Donnelly Information Services
	Auto Center Collison i s	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2000	Three Way Plbg SPL	Cole Information Services
	Auto Center Ltd	Cole Information Services
1991	Long Island City	NYNEX Information Resource Company
1983	Long Island City	New York Telephone
	Multi State Printing Co Inc	New York Telephone

3538 STEINWAY ST

Year	Uses	Source
1934	Paramount Operators Inc NY Saml Zorovich pres Anthony Harabaglia v pres treas taxi service	R. L. Polk & Co.

3540 STEINWAY ST

Year	Uses	Source
1934	Moores Serive Station RTN John T Moore gasoline	R. L. Polk & Co.

Steinway St

3541 Steinway St

Year	Uses	Source
2014	FORMULA 1 HAND CAR WASH	EDR Digital Archive
2010	FORMULA 1 HAND CAR WASH	EDR Digital Archive

STEINWAY ST

3541 STEINWAY ST

Year	Uses	Source
1991	METRO CABINETRY	NYNEX Information Resource Company
1983	Flexmaster Prodctn Corp	New York Telephone
1934	Herzberg Fine Art Dyeing & Cleaning Inc NY Danl Herzberg pres treas Wm Juster v pres	R. L. Polk & Co.
	Herzberg Danl pres & treas Fine Arts Dyeing & Cleaning Inc	R. L. Polk & Co.
	Juster Wm v pres Herberg Fine Art Dyeing & Cing Co Inc	R. L. Polk & Co.

Steinway St

3543 Steinway St

Year	Uses	Source
2010	NY ONE CAR & LIMO INC	EDR Digital Archive

FINDINGS

3544 Steinway St

Year	Uses	Source
2014	BANNERS NYC CORPORATION	EDR Digital Archive
	STAR TAX SERVICE INC	EDR Digital Archive
	OZONE PARK DISCOUNT INC	EDR Digital Archive
	D SIGNS AND AWNINGS INC	EDR Digital Archive
2010	D SIGNS AND AWNINGS INC	EDR Digital Archive
	FSH CONTRACTING CORP	EDR Digital Archive
	NEW YORK NEON & SIGNS INC	EDR Digital Archive
	ASTRON SIGNS LTD	EDR Digital Archive
	MS MULTI SERVICES INC	EDR Digital Archive

STEINWAY ST

3544 STEINWAY ST

Year	Uses	Source
2005	Numbr 10 h Begum Sultana	Hill-Donnelly Information Services
	Numbr 5 h Hashim Mohammed	Hill-Donnelly Information Services
	Numbr 8 h Hasib Mohammed Abdul v O	Hill-Donnelly Information Services
	Numbr 13 Hilias Lambrini AO	Hill-Donnelly Information Services
	Numbr 13 h Kur Narinder	Hill-Donnelly Information Services
	Numbr 19 h Mantovano Patricia AV	Hill-Donnelly Information Services
	h Komsios Nikolaos	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Numbr 11 h Arif Mohammad A	Hill-Donnelly Information Services
	Numbr 11 Marquez A	Hill-Donnelly Information Services
	Numbr 2D h Parmar Bhupinder +0 718 361 6439 oi	Hill-Donnelly Information Services
	Samlidis Lazaros	Hill-Donnelly Information Services
	Numbr 13 Singh Bal	Hill-Donnelly Information Services
	Continued	Hill-Donnelly Information Services
	Numbr 15 Singh Rashpal	Hill-Donnelly Information Services
	Numbr 7 h Uddin M D A0718	Hill-Donnelly Information Services
	Numbr 8 Uddin MDAlim	Hill-Donnelly Information Services
2000	Dilara Ahmed	Cole Information Services
	Khurshid Alam	Cole Information Services
	Hasib Ali	Cole Information Services
	Cristos Darabukas	Cole Information Services
	Hamlin	Cole Information Services
	Mohammed Hashim	Cole Information Services

FINDINGS

Year	Uses	Source
1991	Astoria	NYNEX Information Resource Company
	Ahmed Farid	NYNEX Information Resource Company
	Banga Roshan Lal	NYNEX Information Resource Company
	Begonia Branko	NYNEX Information Resource Company
	Darabukas Cristos	NYNEX Information Resource Company
	Hamlin W R	NYNEX Information Resource Company
	Lukas Joseph	NYNEX Information Resource Company
	Mandell Robert	NYNEX Information Resource Company
	Passarelli Joseph	NYNEX Information Resource Company
	Passarelli Keller C	NYNEX Information Resource Company
	Tanner L	NYNEX Information Resource Company
	Zamot Estelio	NYNEX Information Resource Company
	Hogan Marion	NYNEX Information Resource Company
	Jit Charan	NYNEX Information Resource Company
	Uddin Shams	NYNEX Information Resource Company
1983	Costa Alfonso	New York Telephone
	Duignan Thomas	New York Telephone
	Hogan Marion	New York Telephone
	Lee Chun Francis	New York Telephone
	Ninah Sookded	New York Telephone
	Tanner L	New York Telephone
	Bronsko Edward	New York Telephone
	Hamlin W R	New York Telephone
	Lukas Joseph	New York Telephone
	Mandell Robert	New York Telephone
	Scott C M	New York Telephone
1976	Bakirges Steven	New York Telephone
	Duignan Edw	New York Telephone
	Duignan Thomas	New York Telephone
	Duignan James	New York Telephone
	Hamlin W R	New York Telephone
1970	Armeno Frank	New York Telephone
	Bakirges Steven	New York Telephone
	Chaloux Wm	New York Telephone
	Duignan Edw	New York Telephone
	Henry Francis J	New York Telephone
	Willkomm Chester	New York Telephone
	Keller Jos C	New York Telephone

FINDINGS

Year	Uses	Source
1970	Raftery V	New York Telephone
1967	Armeno Frank	New York Telephone
	Bakirges Steven	New York Telephone
	Chaloux Wm	New York Telephone
	Duignan Edw	New York Telephone
	Stehle Robt	New York Telephone
	Willkomm Chester	New York Telephone
	Lagana Jerome	New York Telephone
	Raftery V	New York Telephone
	Ryan Jas J	New York Telephone
1945	Konrad Emily Mrs	New York Telephone
1934	Beck Chas clauf	R. L. Polk & Co.
	Beck Elizabeth tel opr	R. L. Polk & Co.
	Beck Freida M	R. L. Polk & Co.
	Beck Richd	R. L. Polk & Co.
	Bodie Amy wid Chas	R. L. Polk & Co.
	Bronsko Edw water tender dept P & S	R. L. Polk & Co.
	Buckley Frank	R. L. Polk & Co.
	Buckley Michl May supt bldg	R. L. Polk & Co.
	Carston Clifford Grace M driver`s hlpr	R. L. Polk & Co.
	Coughlin Michl J Jane hlpr	R. L. Polk & Co.
	Fisher Andrew J Margt M driver	R. L. Polk & Co.
	Fitzgerald Edmund Margt hlpr	R. L. Polk & Co.
	Hannigan Michl	R. L. Polk & Co.
	Hannigan Thos F Ruth clk	R. L. Polk & Co.
	Hannigan Wm	R. L. Polk & Co.
	HAvel caroline wid otto	R. L. Polk & Co.
	Hollman Fanny A wid Louis	R. L. Polk & Co.
	Hughes Henry Viola plmbr	R. L. Polk & Co.
	Mc Eneaney Thos elev opr	R. L. Polk & Co.
	Meishinger Fred Anna ship clk	R. L. Polk & Co.
	Neary Peter H Sadie M clk	R. L. Polk & Co.
	Paddon Wm W marion G mach	R. L. Polk & Co.
	Roper Cath wid Jas	R. L. Polk & Co.
	Roper Gertrude M sten	R. L. Polk & Co.
	Sideris Alex Mary Countermn	R. L. Polk & Co.
	Wilkinson Edna May	R. L. Polk & Co.
	Wilkinson Jas	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Wrobel Arth P Edith F clk	R. L. Polk & Co.

3548 STEINWAY ST

Year	Uses	Source
2005	Numbr 3 h Ahmed Parvez	Hill-Donnelly Information Services
	Akhter Tahmina w	Hill-Donnelly Information Services
	Numbr 11 h Begum Shafla V 718 482 0973 9 S	Hill-Donnelly Information Services
	Numbr 16 h Choudhury Iqbal Bahar v	Hill-Donnelly Information Services
	Haffa Rahman Jusanaara Tarafda	Hill-Donnelly Information Services
	Hasib Mohammed	Hill-Donnelly Information Services
	Hussain Afzal v	Hill-Donnelly Information Services
	Numbr 2 h Mc Vey Ullian AV	Hill-Donnelly Information Services
	Morley John	Hill-Donnelly Information Services
	Parvin Tashlima	Hill-Donnelly Information Services
	Numbr 20 h Sanchez Rodrigo De Jesus v	Hill-Donnelly Information Services
	Numbr 12 A h Sultana Rebeka	Hill-Donnelly Information Services
	Numbr 8 Vargas Rafeela	Hill-Donnelly Information Services
	Vazquez Luis v 718 786 7479 os	Hill-Donnelly Information Services
	Numbr 20 Villalona Y A	Hill-Donnelly Information Services
	h Jam Laurent Av	Hill-Donnelly Information Services
	h Morley J & K AV	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
2000	Apartments	Cole Information Services
	Mohammed F Alam	Cole Information Services
	Mohammed Bakar	Cole Information Services
	Shafia Begeum	Cole Information Services
	Alex R Bonil	Cole Information Services
	Iqbal B Choudhury	Cole Information Services
	Laurent Jam	Cole Information Services
	Shireen Marzin	Cole Information Services
	J Morley	Cole Information Services
	John Morley	Cole Information Services
	J Sanchez	Cole Information Services
	Rodrigo D Sanchez	Cole Information Services
	Jusnara Tasadar	Cole Information Services
1991	Song Young Hwan	NYNEX Information Resource Company
	Morley John	NYNEX Information Resource Company
	Rivera Jesus J	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Cosquer Henry	NYNEX Information Resource Company
	Jam Laurent	NYNEX Information Resource Company
	Koutnik F J	NYNEX Information Resource Company
	Morley James	NYNEX Information Resource Company
	Ramirez Luis	NYNEX Information Resource Company
	Saleme Paul	NYNEX Information Resource Company
1983	Cardno Alex P	New York Telephone
	Cosquer Henry	New York Telephone
	Jam Laurent	New York Telephone
	Koutnik F J	New York Telephone
	Kowalczyk A	New York Telephone
	Maguire Geo F	New York Telephone
	Murphy John	New York Telephone
	Rivera Jesus G	New York Telephone
	Saleme Paul	New York Telephone
	Buccino Nicholas	New York Telephone
	Morley John	New York Telephone
1976	Beneat Mathurin	New York Telephone
	Cardno Alex P	New York Telephone
	Cospauer Henry	New York Telephone
	Giess Raymond E	New York Telephone
	Jam Laurent	New York Telephone
	Koutnik F J	New York Telephone
	Le Cam Pierre	New York Telephone
	Lemauguen Ernest	New York Telephone
	Maguire Geo F	New York Telephone
	Philibert	New York Telephone
1970	Beneat Mathurin	New York Telephone
	Cardno Alex P	New York Telephone
	Clesh Nicole	New York Telephone
	Cloirec Jean	New York Telephone
	Cloirec Yves	New York Telephone
	Cosquer Henry	New York Telephone
	Giess Raymond E	New York Telephone
	Kourtmk F J	New York Telephone
	LeCam Pierre	New York Telephone
	LeCras Etienne	New York Telephone
	LeCras Maude	New York Telephone

FINDINGS

Year	Uses	Source
1970	Lozachmeur Louis	New York Telephone
	Maguire Geo F	New York Telephone
	Pavlick C	New York Telephone
	Salaun Jean	New York Telephone
	Saleme Paul	New York Telephone
1967	Beneat Mathurin	New York Telephone
	Cardno Alex P	New York Telephone
	Cosquer Henry	New York Telephone
	Damestoy Gratien	New York Telephone
	Fries Grace M	New York Telephone
	Giess Raymond E	New York Telephone
	Jam Laurent	New York Telephone
	LeCras Etienne	New York Telephone
	LeCras Jean	New York Telephone
	Maguire Geo F	New York Telephone
	Pavlick C	New York Telephone
	Saleme Paul	New York Telephone
	Tassin Yves	New York Telephone
	Koutnik F J	New York Telephone
	Martin Ernest	New York Telephone
1934	Cruys	R. L. Polk & Co.
	Bedrosian H Rand Agvone shoe wkr	R. L. Polk & Co.
	Bedrosian Saml lab	R. L. Polk & Co.
	Cejka Stanley Anna carp	R. L. Polk & Co.
	Cloney John J Ellen ice dlr	R. L. Polk & Co.
	Coiro Danl A Mary A	R. L. Polk & Co.
	Condy Robt Elizabeth janitor Mhn	R. L. Polk & Co.
	Dolan Anna clk	R. L. Polk & Co.
	Dolan Jas hlpr	R. L. Polk & Co.
	Donahue Chas A Mary porter	R. L. Polk & Co.
	Gray DAvid Marion garagewkr Mhn	R. L. Polk & Co.
	Henderson John Eddith E	R. L. Polk & Co.
	Kelly Michl Anna whsemn	R. L. Polk & Co.
	Kosatko Jos Mary mach	R. L. Polk & Co.
	Koutnik Frank J Carrie mach opr	R. L. Polk & Co.
	Littler Edw	R. L. Polk & Co.
	Littler Mamie Mrs	R. L. Polk & Co.
	Mc Ateer Wm R elev opr	R. L. Polk & Co.

Year	Uses	Source
1934	Mc Court Cath wid John	R. L. Polk & Co.
	Mc Court Jas J	R. L. Polk & Co.
	Mc Court Thos F	R. L. Polk & Co.
	Mc Court Wm F	R. L. Polk & Co.
	Stanton Ralph M Pauline clk	R. L. Polk & Co.

Steinway St

3549 Steinway St

Year	Uses	Source
2014	AUTO CENTER COLLISION INC	EDR Digital Archive

STEINWAY ST

3549 STEINWAY ST

Year	Uses	Source
2005	Saturn Of Long Island City	Hill-Donnelly Information Services
2000	Saturn Lesg Isfe	Cole Information Services
1970	Schumacher F & Co warehse	New York Telephone
1967	Schumacher F & Co warehse S	New York Telephone
1945	Hinsch Produce Co Inc	New York Telephone

3551 STEINWAY ST

Year	Uses	Source
2005	A 1 24 Hour 7 Day Emergency	Hill-Donnelly Information Services

Steinway St

3552 Steinway St

Year	Uses	Source
2014	HARLEY CONSTRUCTION CO	EDR Digital Archive
	DWILSON HOME IMPRV CO INC	EDR Digital Archive
2010	DWILSON HOME IMPRV CO INC	EDR Digital Archive
	HARLEY CONSTRUCTION CO	EDR Digital Archive
	JEMMY SPICES INC	EDR Digital Archive

STEINWAY ST

3552 STEINWAY ST

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Numbr 18 h Alam Mohammed	Hill-Donnelly Information Services
	Numbr 19 h Bakth Rubia v	Hill-Donnelly Information Services
	Numbr 16 Begum Kamrunnesa v	Hill-Donnelly Information Services
	Numbr 20 Hal Tanha	Hill-Donnelly Information Services
	Numbr 2 h Haque Mohammed	Hill-Donnelly Information Services
	Harley Construction Co	Hill-Donnelly Information Services
	Numbr 5 h Huq Mominul A	Hill-Donnelly Information Services
	Majumder Samir v	Hill-Donnelly Information Services
	Sa am Gazy v	Hill-Donnelly Information Services
	Shiblu Obuidul v	Hill-Donnelly Information Services
	Swapan Kaziqbal v	Hill-Donnelly Information Services
	Numbr 4 Valdes Rodo	Hill-Donnelly Information Services
	Rojas Gloria v	Hill-Donnelly Information Services
	Servidio Anthony A	Hill-Donnelly Information Services
2000	Lawrence Einsmann	Cole Information Services
	Tyrone Fanelli	Cole Information Services
1991	Bedoya Amparo	NYNEX Information Resource Company
	Einsmann Lawrence	NYNEX Information Resource Company
	Hasib Zubair	NYNEX Information Resource Company
	Rahman Hafigur	NYNEX Information Resource Company
	Miah Ansar	NYNEX Information Resource Company
	Miah Majammil	NYNEX Information Resource Company
	Mishkin A	NYNEX Information Resource Company
	Rojas Gloria	NYNEX Information Resource Company
	Servidio Anthony	NYNEX Information Resource Company
	Bastardo Daniel	NYNEX Information Resource Company
	Karim Mohammed A	NYNEX Information Resource Company
1983	Mishkin N	New York Telephone
	Santiago Jesus	New York Telephone
	Servidio Anthony	New York Telephone
	Einsmann Lawrence	New York Telephone
	Koartz Rose	New York Telephone
	Pistikos Dimitrios	New York Telephone
1976	Drasche Harry	New York Telephone
	Einsmann Lawrence	New York Telephone
	Galloway William	New York Telephone
	Jorge D	New York Telephone
	Caulfield Martin J	New York Telephone

FINDINGS

Year	Uses	Source
1976	Freeman Isabelle M	New York Telephone
	Gaydos John	New York Telephone
1970	Caulfield Martin J	New York Telephone
	Coughlin Catherine Mrs	New York Telephone
	Cruz Rosario	New York Telephone
	Freeman Wm F	New York Telephone
	Gaydos John	New York Telephone
	Gilson Robt E	New York Telephone
	Paladin Edw	New York Telephone
	Fitzgibbons Jas D	New York Telephone
	Jorge Domingo	New York Telephone
	Walsh Kenneth P	New York Telephone
1967	Jorge Domingo	New York Telephone
	Haberland Wm Mrs	New York Telephone
	Paladin Edw	New York Telephone
	Caulfield Martin J	New York Telephone
	Coughlin Catherine Mrs	New York Telephone
	De Rosa Anne	New York Telephone
	Freeman Wm F	New York Telephone
	Gaydos John	New York Telephone
	Gilson Robert E	New York Telephone
1934	CAvanaugh Mabel clk	R. L. Polk & Co.
	Egan Wm P Helen M lab dept WSG & E	R. L. Polk & Co.
	Flannagan Alice	R. L. Polk & Co.
	Flynn Elorence M wid Frank	R. L. Polk & Co.
	Granhan Cassie wid Richd	R. L. Polk & Co.
	Granhan Cassie O clk	R. L. Polk & Co.
	Heumann Anna wid John	R. L. Polk & Co.
	Heumann Otto M	R. L. Polk & Co.
	Jackson Boyd Anna clk	R. L. Polk & Co.
	Junk Rudolph Muriel meatctr	R. L. Polk & Co.
	Kearns Albert B Margt A gas sta atndt	R. L. Polk & Co.
	Kleppsattel Fred Josephine Pasteurizer	R. L. Polk & Co.
	Kleppsattel Fred jr clk	R. L. Polk & Co.
	Klippera Jos Wanda slsmn	R. L. Polk & Co.
	Knedlhans Antoine wid Jos	R. L. Polk & Co.
	Knedlhans Frank W Josephine clk	R. L. Polk & Co.
	Kral Rudolph Cath mech	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	Mack Fred Mary lab	R. L. Polk & Co.
	OBrien Bernard A Josephine pntr	R. L. Polk & Co.
	Ramm Aug G Mary supt bldg	R. L. Polk & Co.
	Ramm Aug H	R. L. Polk & Co.
	Robins Robt B Martha	R. L. Polk & Co.
	CAvanaugh John Stella lab	R. L. Polk & Co.

Steinway St

3553 Steinway St

Year	Uses	Source
2014	TILES BY KIA CORP	EDR Digital Archive
	VICTORY PLASTIC PRODUCTIONS	EDR Digital Archive
	ROTANA CAFE & RESTAURANT INC	EDR Digital Archive
2010	PARAMINT LUXURY CAR & LIMO SVC	EDR Digital Archive
	TILES BY KIA CORP	EDR Digital Archive
	AYZ AUTO SALES INC	EDR Digital Archive
	ROTANA CAFE & RESTAURANT INC	EDR Digital Archive
	CAPTIN TIRE INC	EDR Digital Archive

STEINWAY ST

3553 STEINWAY ST

Year	Uses	Source
2000	Victory Plas Inc	Cole Information Services
1991	Victory Plastic Productions Inc	NYNEX Information Resource Company
1983	S E I Studios	New York Telephone
	Phillips & Brooks Inc	New York Telephone
1976	KROGER HENRY F INC	New York Telephone
1970	Interstate Neon Sign Corp	New York Telephone
1967	Ernles Auto Supl of Astoria	New York Telephone
	Ernies Auto Parts	New York Telephone
	ADMIRAL AUTOMTV PRODS INC	New York Telephone
1945	Transportation Rubr Co Inc tires	New York Telephone
1934	Topping Harry agt standard Truck Tire Co	R. L. Polk & Co.
	Standard Truck Tire Co Subsidiary of B F Goodrich Rubber Co Harry Topping agt	R. L. Polk & Co.
	Goodrich Silvertown Inc Akron Ohio Harry Topping mgr auto tires	R. L. Polk & Co.

FINDINGS

Steinway St

3554 Steinway St

Year	Uses	Source
2014	NEW YORK HATAL MEAT & GROCERY	EDR Digital Archive
2010	TWIN BROTHERS ELEC SUP INC	EDR Digital Archive

STEINWAY ST

3554 STEINWAY ST

Year	Uses	Source
2005	Twin Brothers	Hill-Donnelly Information Services
2000	36TH AV INTS FROM	Cole Information Services
	Twin Bros E	Cole Information Services
	Twin Brothers	Cole Information Services
1991	Twin Brothers	NYNEX Information Resource Company
	Twin Brothers Electl Supls	NYNEX Information Resource Company
1970	Connolly Bros restrnt & bar	New York Telephone
1967	Connolly Bros restrnt & bar	New York Telephone
1934	Bronikowski Vincent Mary restr	R. L. Polk & Co.

Steinway St

3601 Steinway St

Year	Uses	Source
2014	QUEENS LIGHTING DEPOT INC	EDR Digital Archive

STEINWAY ST

3601 STEINWAY ST

Year	Uses	Source
2000	Mikes Signs & Paint	Cole Information Services
1991	Mikes Signs & Painting	NYNEX Information Resource Company
1983	Levakis John b	New York Telephone
	Hermes General Enterprises Inc	New York Telephone
	Greek Telephone Book Of N Y Co	New York Telephone
1976	Johns Food Shop	New York Telephone
1970	Johns Food Shop	New York Telephone
1945	Rollwagen Wm grocr	New York Telephone
1934	DAvis John gro ret	R. L. Polk & Co.

FINDINGS

Steinway St

3602 Steinway St

Year	Uses	Source
2014	DATTA RESTAURANT INC	EDR Digital Archive
	STEINWAY STREET 24 7 PLBG CO	EDR Digital Archive
2010	TEDDYS PLACE	EDR Digital Archive
	G & C LINCOLN AUTO SHOP INC	EDR Digital Archive
	CAFE EL MAYA INC	EDR Digital Archive

STEINWAY ST

3602 STEINWAY ST

Year	Uses	Source
2005	Teddys Place 1 R	Hill-Donnelly Information Services
2000	Supreme Restaurant	Cole Information Services
	Supreme Restrnt	Cole Information Services
1991	Supreme Restrnt	NYNEX Information Resource Company
1983	Supreme Restmt	New York Telephone
1970	Supreme Restrnt	New York Telephone
1945	Cortmas Harry restrnt	New York Telephone

Steinway St

3604 Steinway St

Year	Uses	Source
2014	AAA AUTO ELC DIAGNSTC BODYWORK	EDR Digital Archive
	NEW GILL AUTO BODY & REPR INC	EDR Digital Archive
2010	POULA AUTO SHOP & REPAIR	EDR Digital Archive
	EVOLUTIONTIRE & WHEELS CORP	EDR Digital Archive

STEINWAY ST

3604 STEINWAY ST

Year	Uses	Source
2005	Meineke Car Care Ctr Is	Hill-Donnelly Information Services
2000	Meineke Discount	Cole Information Services

FINDINGS

Steinway St

3606 Steinway St

Year	Uses	Source
2014	STEINWAY EXPRESS MANAGEMENT	EDR Digital Archive
2010	STEINWAY EXPRESS MANAGEMENT	EDR Digital Archive

STEINWAY ST

3606 STEINWAY ST

Year	Uses	Source
2005	Steinway Express Management	Hill-Donnelly Information Services
2000	Stnwy Erprss Mgmt 9 718 M	Cole Information Services
1991	Pyramid Yellow Taxi Svce Inc	NYNEX Information Resource Company
1983	ASTORIA LITTER BASKET MFG CORP	New York Telephone
	Astoria Star Welding Co Inc	New York Telephone
1976	ASTORIA STAR WELDING SVCE CO INC	New York Telephone
	ASTORIA LITTER BASKETI CORP	New York Telephone
1970	ASTORIA STAR WELDING SYCE CO INC	New York Telephone
	ASTORIA WELDING & REPR CORP	New York Telephone
1945	Astoria Star Welding Svce Inc	New York Telephone
1939	Steinway Fruit	New York Telephone Company

Steinway St

3607 Steinway St

Year	Uses	Source
2014	FIRST CLASS PAINTING PLUS	EDR Digital Archive
2010	FIRST CLASS PAINTING PLUS	EDR Digital Archive

STEINWAY ST

3607 STEINWAY ST

Year	Uses	Source
2005	Multi Unit Address	Hill-Donnelly Information Services
	Numbr 3 F Beltran Jorge	Hill-Donnelly Information Services
	Beltran Rosa	Hill-Donnelly Information Services
	Numbr BSMT h Bencosme Altagracia v	Hill-Donnelly Information Services
	Castillo S v	Hill-Donnelly Information Services

FINDINGS

Year	Uses	Source
2005	Numbr 4 A h Chiu She Yui A	Hill-Donnelly Information Services
	Gonzalez Judith v	Hill-Donnelly Information Services
	h Hemandez Luis	Hill-Donnelly Information Services
	Numbr 1D Juca Segundo S	Hill-Donnelly Information Services
	Numbr 4 A H U Zhong Hul	Hill-Donnelly Information Services
	Numbr 4 E Munoz F A	Hill-Donnelly Information Services
	Numbr 3 E Naranjo Lina A	Hill-Donnelly Information Services
	Naranjo Luz	Hill-Donnelly Information Services
	Numbr 3 C Orantes Erik v	Hill-Donnelly Information Services
	Oviedo Polanco Henberto v	Hill-Donnelly Information Services
	Numbr 28 h Rodriguez Felidcita A	Hill-Donnelly Information Services
	Numbr 2 C h Sanay Herlinda A	Hill-Donnelly Information Services
	Numbr 40 Vargas Haydee	Hill-Donnelly Information Services
	Numbr 2 F Walter Jacob W A	Hill-Donnelly Information Services
	h Chavez Orfilia wv 718 786 2960 Go	Hill-Donnelly Information Services
	NGAlan v	Hill-Donnelly Information Services
2000	Apartments	Cole Information Services
	F Rosa Beltran	Cole Information Services
	A Bencosme	Cole Information Services
	Orfilia Chavez	Cole Information Services
	She Y Chiu	Cole Information Services
	Bridie Connolly	Cole Information Services
	Frank Fusco	Cole Information Services
	Jimmy Gornez	Cole Information Services
	Zhong H Li	Cole Information Services
	F Munoz	Cole Information Services
	Tack M Ng	Cole Information Services
1991	Connolly Bridle	NYNEX Information Resource Company
	Connolly C	NYNEX Information Resource Company
	Fleischer Gail	NYNEX Information Resource Company
	Bencosme Altagracia	NYNEX Information Resource Company
	Castano Guillermo	NYNEX Information Resource Company
	Cobos Franklin	NYNEX Information Resource Company
	Cobos Sergio	NYNEX Information Resource Company
	Hernandez Luis Rafael	NYNEX Information Resource Company
	Munoz F	NYNEX Information Resource Company
	Quilodan Irma	NYNEX Information Resource Company
	Walter Jacob W	NYNEX Information Resource Company

FINDINGS

Year	Uses	Source
1991	Wei Ri He	NYNEX Information Resource Company
	Yang Jun	NYNEX Information Resource Company
	Zuniga Deysi	NYNEX Information Resource Company
1983	Requena Michael	New York Telephone
	Walter Jacob W	New York Telephone
	Zuniga Manuel	New York Telephone
	Bencosme Fulbio	New York Telephone
	Chavez Raul	New York Telephone
	Connolly Bridie	New York Telephone
	Fleischer L J	New York Telephone
	Altamirano Gilberto	New York Telephone
	Cobra Sergio	New York Telephone
	Jimenez Julio	New York Telephone
	Munoz F	New York Telephone
1976	Connolly Bridle	New York Telephone
	Garcia Mauro	New York Telephone
	Golowach Ann	New York Telephone
	Brunner Henry	New York Telephone
	Chu Henry	New York Telephone
1970	Annis Julia A	New York Telephone
	Brunner Henry	New York Telephone
	Kane Jos	New York Telephone
	OConnell Jos D	New York Telephone
	Pita Emily A	New York Telephone
	Walter Jacob W	New York Telephone
	OFlanagan Patrick	New York Telephone
	ORourke Frances	New York Telephone
	Pehr Karl	New York Telephone
	Piliouras Thos	New York Telephone
	Rolleri John J	New York Telephone
	Wittek Henry	New York Telephone
1967	Lundstrom S Mrs	New York Telephone
	Pehr Karl	New York Telephone
	Rolleri John J	New York Telephone
	Wenz M Mrs	New York Telephone
	Wittek Henry	New York Telephone
	Annis Julia A	New York Telephone
	Bihler Anna Maria Mrs	New York Telephone

FINDINGS

Year	Uses	Source
1967	Brunner Henry	New York Telephone
	Kane Jos	New York Telephone
	OConnell Jos D	New York Telephone
	Pita Emily A	New York Telephone
	Walter Jacob W	New York Telephone
1945	Gillespie Geo	New York Telephone
	Coyne Eliz L	New York Telephone
	Dean Ethel Mrs	New York Telephone
1934	Tischler Saml Hilda electn	R. L. Polk & Co.
	Tr Avaglini Alda clo inshr	R. L. Polk & Co.
	Wadeley Ada wid Alex	R. L. Polk & Co.
	Wilson Anna K sten	R. L. Polk & Co.
	Wright Geo May doormn	R. L. Polk & Co.
	Burns John	R. L. Polk & Co.
	Carlson Carl Kath mtrmn	R. L. Polk & Co.
	Dean Jos Mary chauf Mhn	R. L. Polk & Co.
	Edmund Frank Kate chauf	R. L. Polk & Co.
	Flack Helene Wid Andrew hairdrsr	R. L. Polk & Co.
	Grimm Joachim Harriet real est agt Mhn	R. L. Polk & Co.
	Hayes Wm Cath lab	R. L. Polk & Co.
	Hillig Margt Mrs	R. L. Polk & Co.
	Kirwan Henry guard	R. L. Polk & Co.
	Kirwan Robt doormn	R. L. Polk & Co.
	Kirwan Wm doormn	R. L. Polk & Co.
	Nigro Henry Aris lab	R. L. Polk & Co.
	Slack Frank Evelyn chauf	R. L. Polk & Co.

Steinway St

3611 Steinway St

Year	Uses	Source
2014	RAHMAN MD F	EDR Digital Archive
	HUGO TOUR TRANSPORTATION CORP	EDR Digital Archive
	JGG CONSTRUCTION INC	EDR Digital Archive
2010	JGG CONSTRUCTION INC	EDR Digital Archive
	RAHMAN MD F	EDR Digital Archive

FINDINGS

STEINWAY ST

3611 STEINWAY ST

Year	Uses	Source
2005	Uddin Mohammed Shued V	Hill-Donnelly Information Services
	Multi Unit Address	Hill-Donnelly Information Services
	Numbr 2D h Ahmed Moharnmad Nawaz	Hill-Donnelly Information Services
	Benitez Martin	Hill-Donnelly Information Services
	Cabrera Elena A v	Hill-Donnelly Information Services
	h Cordova Norma Av	Hill-Donnelly Information Services
	h Femandez Leonardo 718 786 2063 oi	Hill-Donnelly Information Services
	h Flores Hector v	Hill-Donnelly Information Services
	Numbr 2 B h Gomes Hugo Rafael v	Hill-Donnelly Information Services
	Lemus Edvin V	Hill-Donnelly Information Services
	Liemea Jorge v	Hill-Donnelly Information Services
	Lopez Femando Yv	Hill-Donnelly Information Services
	Numbr 2 A h Noe Miguel v	Hill-Donnelly Information Services
	Paz B	Hill-Donnelly Information Services
	Perez Elidio v	Hill-Donnelly Information Services
	Numbr 1 A Quintero Fabio A	Hill-Donnelly Information Services
	Rahman F & MD F v	Hill-Donnelly Information Services
	Tenorio Garcia Cruz V	Hill-Donnelly Information Services
2000	Apartments	Cole Information Services
	B Luis Baez	Cole Information Services
	Alejandro Benitez	Cole Information Services
	Ani Canelo	Cole Information Services
	Victor F Castro	Cole Information Services
	Norma Codov	Cole Information Services
1991	Idarraga Alberto	NYNEX Information Resource Company
	Paz Lenin	NYNEX Information Resource Company
	Santos Teresa	NYNEX Information Resource Company
	Vargas F	NYNEX Information Resource Company
	Botero Rosa	NYNEX Information Resource Company
	Coronel Miguel	NYNEX Information Resource Company
	Fitzgerald Stephen	NYNEX Information Resource Company
	Picholas Constantine	NYNEX Information Resource Company
1983	Apostolidis Simeon	New York Telephone
	Bazmjow Abdul Kaseem	New York Telephone
	Botero Rosa	New York Telephone

FINDINGS

Year	Uses	Source
1983	Fitzgerald Jas	New York Telephone
	Krul Sophie	New York Telephone
	Nilan Jas F	New York Telephone
	Picholas Constantine	New York Telephone
	Rodriguez Lillian	New York Telephone
	Estrada Francisco J	New York Telephone
	Ferracone Ida	New York Telephone
	Stein Jas R	New York Telephone
	Vigo Carlos	New York Telephone
1976	Ferracone Ida	New York Telephone
	Hernandez Fernando	New York Telephone
	Lyons Dan	New York Telephone
	Fitzgerald Jas	New York Telephone
	Gagnon Francoise	New York Telephone
	Garciga Jorge A	New York Telephone
	Harrison Jennie	New York Telephone
	Krul Sophie	New York Telephone
1970	Doubek Mary	New York Telephone
	Fitzgerald Jas	New York Telephone
	Gagnon Francoise	New York Telephone
	Harrison Jennie	New York Telephone
	Hotaling Violet	New York Telephone
	Krul Sophie	New York Telephone
	Naranjo Jaime	New York Telephone
	Nilan Jas F	New York Telephone
	Ferracone Ida	New York Telephone
	Lolis Vasilios M	New York Telephone
	Lyons Dan	New York Telephone
	Magee M J	New York Telephone
	Manchigiah Satyanarayana	New York Telephone
	Stein Jas R	New York Telephone
1967	Ferracone Ida	New York Telephone
	Lyons Dan	New York Telephone
	Magee M J	New York Telephone
	Stein Jas R	New York Telephone
	Doubek Mary	New York Telephone
	Fitzgerald Jas	New York Telephone
	Gagnon Francoise	New York Telephone

FINDINGS

Year	Uses	Source
1967	Hotaling Violet	New York Telephone
	Mboukas A	New York Telephone
	Miller Henry F	New York Telephone
	Nilan Jas F	New York Telephone
1945	Rafferty Jas	New York Telephone
1934	Brechtel John Kath slsmn	R. L. Polk & Co.
	Burden Edw Mary wtchmn	R. L. Polk & Co.
	Carter Saml D Emma truck driver Mhn	R. L. Polk & Co.
	Himmelsbach John Agnes bldg supt	R. L. Polk & Co.
	Holmes John Agnes truck hlpr	R. L. Polk & Co.
	Immergluck Saml Mary baker	R. L. Polk & Co.
	Kirwan Saml R Mary Police	R. L. Polk & Co.
	Lickteig Alfonse Marie waiter	R. L. Polk & Co.
	Loeser Frank Caroline stable formn	R. L. Polk & Co.
	Moynihan Frances wid John atndt	R. L. Polk & Co.
	Moynihan Helen student	R. L. Polk & Co.
	Moynihan Rose student	R. L. Polk & Co.
	Muthny Chas Hermine electn	R. L. Polk & Co.
	Muthny Mary sten	R. L. Polk & Co.
	Natier Thos J Mary clk	R. L. Polk & Co.
	Nickerson Andrew Bertha ship caulker	R. L. Polk & Co.
	Passero Anthony May shoemkr	R. L. Polk & Co.
	Pero Louis wid Paul	R. L. Polk & Co.
	Quigley Thos clk	R. L. Polk & Co.
	Reinhard Karl Julia tinsmith	R. L. Polk & Co.
	Schramm Lena wid Henry	R. L. Polk & Co.
	Schreiber Wm Camille chauf	R. L. Polk & Co.
	Smith DAvid S Nora truck driver	R. L. Polk & Co.
	Wadle Roddy waiter	R. L. Polk & Co.

3612 STEINWAY ST

Year	Uses	Source
2000	Hidden Trsrs Inc	Cole Information Services

3614 STEINWAY ST

Year	Uses	Source
1976	Freshway Inc	New York Telephone
	Freshway Food Systems Corp	New York Telephone
	Gould Jack b	New York Telephone

Year	Uses	Source
1970	Square Industrl Catering Corp	New York Telephone
	Freshway Inc	New York Telephone
	Industrl Food & Snack Bars Inc	New York Telephone
	Night Calls Only	New York Telephone
	Industrl Freshway Corp	New York Telephone
1967	Gould Jack b	New York Telephone

3620 STEINWAY ST

Year	Uses	Source
1983	Marnat Limousine Svce	New York Telephone
	Marnat Limousine Inc	New York Telephone
	Northstein Auto Repr Inc	New York Telephone
1945	Mecca Machy Co Inc	New York Telephone

Steinway St

3621 Steinway St

Year	Uses	Source
2014	SUPER EL NOA NOA CORP	EDR Digital Archive
2010	TROPICAL GRLL-CHRRASQUERIA INC	EDR Digital Archive

STEINWAY ST

3621 STEINWAY ST

Year	Uses	Source
2005	Iluslones Club 2 R 718 729 6476 as	Hill-Donnelly Information Services
2000	Tequila Sunrise	Cole Information Services
	Ilusiones Club	Cole Information Services
	C Qz Holding Corp	Cole Information Services
1991	Rep Constr Inc	NYNEX Information Resource Company
	Ilvento William F	NYNEX Information Resource Company
	Ilusiones Mexican Restaurant Inc	NYNEX Information Resource Company
	Ilusiones Club	NYNEX Information Resource Company
1967	Bonneau J J Co Inc lumbr vener	New York Telephone
1945	Bonneau J J Co Inc lumbr vener	New York Telephone
1939	Cohens Pharmacy	New York Telephone Company
1934	Bonneau Co J J Inc NY cap $111500 Lincoln Bonneau pres treas Germain Boneau v pres Jos J Bonneau sec vensex mfrs	R. L. Polk & Co.

FINDINGS

3629 STEINWAY ST

Year	Uses	Source
1945	Lenobel Motor Sales Inc	New York Telephone
	Lenobel Aron autos	New York Telephone
1934	Clark Chas C mgr A Lenobel Inc	R. L. Polk & Co.

3630 STEINWAY ST

Year	Uses	Source
1983	A A A A A Limousine Svce	New York Telephone
	Knoll International	New York Telephone
1976	Knoll Intrntnl Inc	New York Telephone
1970	Art Metal Knoll Corp	New York Telephone
1967	Knoll Associats Inc	New York Telephone
1934	Lenobel A Inc NY Aron Lenobel pres John Lawson v pres Kate Epstein sec Saml Swoff treas main office	R. L. Polk & Co.

3631 STEINWAY ST

Year	Uses	Source
1991	Lima Jorge	NYNEX Information Resource Company

3635 STEINWAY ST

Year	Uses	Source
1934	Meishinger August Av lab	R. L. Polk & Co.

STEINWY

3426 STEINWY

Year	Uses	Source
1939	Steinway Auto & Ignition Svce	New York Telephone Company
	Draser J	New York Telephone Company

3431 STEINWY

Year	Uses	Source
1939	Bobs Steinway Auto Repr	New York Telephone Company

3432 STEINWY

Year	Uses	Source
1939	Kemp & Mc Nulty Inc autos	New York Telephone Company

FINDINGS

3448 STEINWY

Year	Uses	Source
1939	Freitag & Erthal auto reprs	New York Telephone Company

3531 STEINWY

Year	Uses	Source
1939	Paramount Sandwiclh Shop	New York Telephone Company

3540 STEINWY

Year	Uses	Source
1939	Moore John T svce sta	New York Telephone Company

3548 STEINWY

Year	Uses	Source
1939	Gehlman Herman	New York Telephone Company

3552 STEINWY

Year	Uses	Source
1939	Mahlstedt C	New York Telephone Company

3553 STEINWY

Year	Uses	Source
1939	Meisel Tire Co	New York Telephone Company

3602 STEINWY

Year	Uses	Source
1939	Paige Food Shop	New York Telephone Company

STEINWY ST

3440 STEINWY ST

Year	Uses	Source
1939	Lenobel Aron	New York Telephone Company

3602 STEINWY ST

Year	Uses	Source
1939	David Max b	New York Telephone Company

3614 STEINWY ST

Year	Uses	Source
1939	Branch Northern Bl & Nwtwn Rd LIC RA venswd 88928	New York Telephone Company
	Lenobel Aron autos	New York Telephone Company

Year	Uses	Source
1939	Lenobel Motor Sales Inc	New York Telephone Company

3621 STEINWY ST

Year	Uses	Source
1939	Bonneau J J Co Inc lumbr vener	New York Telephone Company

3630 STEINWY ST

Year	Uses	Source
1939	Steinway Roller Rink Inc	New York Telephone Company
	Eglington Arthur skating rink	New York Telephone Company

STEIWAY

3426 STEIWAY

Year	Uses	Source
1934	Vrooman Esmond Ethel mtrmn	R. L. Polk & Co.

3544 STEIWAY

Year	Uses	Source
1934	Wilkinson Josephine wid Jas	R. L. Polk & Co.

STENIWAY

3607 STENIWAY

Year	Uses	Source
1934	Wold Eleanor A Public health nurse	R. L. Polk & Co.

STENWAY

3426 STENWAY

Year	Uses	Source
1934	Runz Gep clk	R. L. Polk & Co.

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
35-30 Steinway Street, Block 668 Lot 5	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
34-26 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-30 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-31 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-35 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-35 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-37 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-41 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-42 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-43 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-44 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-47 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-48 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-49 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-49 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-50 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
34-51 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
34-55 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3401 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1922
3401 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3401 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3402 Steinway St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3402 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3404 38TH ST	2014, 2010, 2000, 1976, 1950, 1922
3405 41ST ST	2014, 2010, 2005, 1996, 1976, 1950, 1945, 1939, 1922
3405 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3405 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3406 38TH ST	2014, 2010, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1922
3406 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3407 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3407 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3407 41ST AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3407 41ST ST	2014, 2010, 2005, 2000, 1996, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3407 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3408 38TH ST	2014, 2010, 2000, 1996, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1922
3409 41ST ST	2014, 2010, 2005, 1996, 1967, 1962, 1950, 1945, 1939, 1922
3410 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3410 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3410 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3411 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3411 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1950, 1934, 1922
3411 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3411 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3412 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3412 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3413 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3413 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
3413 41ST ST	2014, 2010, 2005, 1996, 1970, 1967, 1962, 1950, 1939, 1922
3413 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3413 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3414 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3414 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1962, 1950, 1939, 1922
3415 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3415 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3415 41ST ST	2014, 2010, 2005, 1996, 1950, 1945, 1939, 1922
3415 STEINWAY ST	2014, 2010, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3415 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3416 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3416 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3416 41st St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3416 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3416 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3417 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3417 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3417 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3418 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3418 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3418 Steinway St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3419 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3419 41ST ST	2014, 2010, 1996, 1976, 1950, 1945, 1939, 1922
3419 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3419 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3420 38th St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3420 38TH ST	2014, 2010, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3420 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3421 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3421 41ST ST	2014, 2010, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3421 41st St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3421 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3422 38TH ST	2014, 2010, 2000, 1996, 1991, 1976, 1970, 1967, 1950, 1945, 1939, 1922
3422 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3422 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3423 38th St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3423 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3423 41ST ST	2014, 2010, 1996, 1950, 1945, 1939, 1922
3423 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3423 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3423 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3424 38TH ST	2014, 2010, 2000, 1996, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3424 38th St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3425 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3425 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3426 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1950, 1945, 1939, 1922
3426 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3426 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
3426 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3426 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3426 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3426 STEINWAY ST	2014, 2010, 2000, 1996, 1950, 1939, 1922
3426 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3426 STEIWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3426 STENWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3427 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3427 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3427 41ST ST	2014, 2010, 1996, 1991, 1983, 1976, 1950, 1939, 1922
3427 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3427 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3427 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3428 38TH ST	2014, 2010, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3428 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3428 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3429 41ST ST	2014, 2010, 1996, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3429 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3430 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3430 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1945, 1939, 1934, 1922
3431 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3431 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3431 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1934, 1922
3431 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3431 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3432 38TH ST	2014, 2010, 2000, 1996, 1950, 1945, 1939, 1922
3432 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3433 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
3433 41ST ST	2014, 2010, 1996, 1983, 1950, 1939, 1922
3434 38TH ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3435 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1962, 1950, 1939, 1922
3435 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3435 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3435 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3435 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1945, 1939, 1934, 1922
3436 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3437 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3437 41ST ASTRIA RA VENSWD 82083	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3437 41ST ST	2014, 2010, 1996, 1950, 1945, 1939, 1922
3438 38TH ST	2014, 2010, 2000, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3438 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3440 STEINWY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3441 41ST ST	2014, 2010, 1996, 1976, 1950, 1945, 1939, 1922
3441 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3442 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3442 STEINWAY ST	2014, 2010, 1996, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3443 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3443 41ST AS TORIA 82026	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3443 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3444 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3444 STEINWAY ST	2014, 2010, 2000, 1996, 1976, 1962, 1950, 1945, 1939, 1934, 1922
3444 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3446 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3446 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3447 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3447 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3448 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3448 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3448 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1939, 1922
3448 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3448 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3449 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3449 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3449 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1962, 1950, 1945, 1939, 1934, 1922
3450 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
3450 41ST AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3450 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3450 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3451 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3451 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3451 41ST ST	2014, 2010, 1996, 1950, 1939, 1922
3451 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3452 42nd St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3453 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3455 41ST AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3455 41ST ST	2014, 2010, 1996, 1950, 1945, 1939, 1922
3456 42nd St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3458 41ST ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3460 42ND ST	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3466 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3475 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3475 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3484 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
35 42ND ST	2014, 2010, 2005, 2000, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
35-04 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-10 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-11 42ND AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-13 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-16 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-18 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-24 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-25 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-28 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-29 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-30 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-31 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-31 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-33 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-33 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-34 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-35 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-35 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
35-37 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-39 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-41 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-42 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-43 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-44 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-45 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-47 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-48 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-49 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-49 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-51 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-52 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-53 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-53 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-54 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-55 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
35-57 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3501 42ND PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3505 37TH ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3506 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3506 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3510 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1962, 1950, 1945, 1939, 1934, 1922
3510 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3510 STEINWAY ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1922
3511 41ST ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3511 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3511 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3511 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3512 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3513 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
3513 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1962, 1950, 1939, 1934, 1922
3513 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3514 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3515 41ST ST	2014, 2010, 1996, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3515 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3515 42nd St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3516 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1950, 1945, 1939, 1934, 1922
3516 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3517 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3517 41st St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3517 42nd St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3517 42ND ST	2014, 2010, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3518 37TH ST	2014, 2010, 1996, 1967, 1962, 1950, 1945, 1939, 1922
3518 37th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3518 42nd St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3518 42ND ST	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3518 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3518 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3519 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3519 STEINWAY ST	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3520 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3521 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3521 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3522 42nd St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3522 42ND ST	2014, 2010, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1922
3524 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3524 42ND	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3524 42ND LIC	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3524 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1962, 1950, 1945, 1934, 1922
3525 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3525 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3525 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3525 STEINWAY ST	2014, 2010, 1996, 1976, 1962, 1950, 1939, 1934, 1922
3525 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3526 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3526 41ST ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3526 STAINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3526 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3527 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3528 41ST ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3528 41st St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3528 42ND PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3528 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1962, 1950, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3530 38 LONG	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3530 38TH AS TORIA 85450	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3530 38TH ST	2014, 2010, 2000, 1996, 1950, 1945, 1934, 1922
3530 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3531 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3531 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1922
3531 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3532 42ND ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3533 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3533 41ST RA VBNSWD 82833	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3533 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3534 42ND	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3534 42ND PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3534 42ND ST	2014, 2010, 1996, 1976, 1962, 1950, 1939, 1922
3534 42nd St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3535 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3535 STEINWAY ST	2014, 2010, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3535 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3537 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1922
3537 42ND ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3538 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3539 37TH ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3539 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3540 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3540 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3540 42 LIC	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3540 42ND ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3540 42nd St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3540 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3540 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3541 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3541 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3541 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3542 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3542 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1950, 1939, 1922
3542 42ND ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3542 42nd St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3543 37th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3543 37TH ST	2014, 2010, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3543 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3543 Steinway St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3544 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3544 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1939, 1922
3544 STEIWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3545 37TH ST	2014, 2010, 2005, 2000, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3545 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1922
3545 41ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3547 38TH ST	2014, 2010, 1996, 1976, 1950, 1945, 1939, 1922
3547 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3547 42ND ST	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3548 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3548 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3548 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1945, 1939, 1922
3548 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3549 38 AS TORA 86696	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3549 38TH ST	2014, 2010, 1996, 1970, 1967, 1950, 1945, 1939, 1922
3549 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3549 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3549 STEINWAY ST	2014, 2010, 1996, 1991, 1983, 1976, 1962, 1950, 1939, 1934, 1922
3549 Steinway St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3550 41ST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3551 38TH ST	2014, 2010, 1996, 1970, 1950, 1945, 1922
3551 41ST ST	2014, 2010, 2005, 2000, 1996, 1962, 1950, 1945, 1939, 1934, 1922
3551 STEINWAY ST	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3552 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3552 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1945, 1939, 1922
3552 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3552 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3553 38 ASTORA 82949	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3553 38TH ST	2014, 2010, 1996, 1983, 1976, 1950, 1945, 1939, 1922
3553 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3553 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3553 STEINWAY ST	2014, 2010, 2005, 1996, 1962, 1950, 1939, 1922
3553 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3553 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3554 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3554 STEINWAY ST	2014, 2010, 1996, 1983, 1976, 1962, 1950, 1945, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3554 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3555 38TH ST	2014, 2010, 1996, 1983, 1950, 1945, 1922
3557 38TH ST	2014, 2010, 2000, 1996, 1991, 1950, 1945, 1939, 1934, 1922
3557 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3558 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3589 37TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
36-01 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-01 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-02 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-02 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-04 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-06 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-07 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-11 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-12 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-14 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-16 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-20 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-20 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-21 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-21 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-23 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
36-30 STEINWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3601 38 AST ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3601 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3601 STEINWAY ST	2014, 2010, 2005, 1996, 1967, 1962, 1950, 1939, 1922
3601 Steinway St	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3602 38th St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3602 38TH ST	2014, 2010, 2000, 1996, 1976, 1950, 1922
3602 STEINWAY ST	2014, 2010, 1996, 1976, 1967, 1962, 1950, 1939, 1934, 1922
3602 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3602 STEINWY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3602 STEINWY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3604 STEINWAY ST	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3604 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3606 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3606 STEINWAY ST	2014, 2010, 1996, 1967, 1962, 1950, 1934, 1922
3607 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3607 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1939, 1922
3607 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3607 STENIWAY	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3610 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3611 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1922
3611 STEINWAY ST	2014, 2010, 1996, 1962, 1950, 1939, 1922
3611 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3612 38TH ST	2014, 2010, 1996, 1950, 1922
3612 STEINWAY ST	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3614 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1962, 1950, 1945, 1939, 1934, 1922
3614 STEINWY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3615 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3616 38TH ST	2014, 2010, 1996, 1950, 1945, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3616 38th St	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3619 38TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3620 38TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3620 38TH ST	2014, 2010, 2005, 1996, 1950, 1922
3620 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1939, 1934, 1922
3621 38TH ST	2014, 2010, 1996, 1950, 1945, 1922
3621 STEINWAY PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3621 STEINWAY ST	2014, 2010, 1996, 1983, 1976, 1970, 1962, 1950, 1922
3621 Steinway St	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3621 STEINWY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3623 38 LIC	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3623 38TH ST	2014, 2010, 1996, 1950, 1939, 1922
3625 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3629 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3630 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1962, 1950, 1945, 1939, 1922
3630 STEINWY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3631 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3635 STEINWAY ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3640 35TH AVE	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3652 35TH AVE	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3654 35TH AVE	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3654 35th Ave	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3705 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3707 35TH AVE	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3707 36TH AVE	2014, 2010, 2000, 1996, 1950, 1945, 1922
3708 36TH AVE	2014, 2010, 2000, 1996, 1991, 1983, 1970, 1950, 1945, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3708 36th Ave	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3709 36th Ave	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3709 36TH AVE	2014, 2010, 2000, 1996, 1962, 1950, 1945, 1922
3710 35TH AVE	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3710 36TH AVE	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1922
3711 35TH AVE	2014, 2010, 1996, 1950, 1922
3711 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3711 36TH AVE	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3715 36TH AVE	2014, 2010, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
38-09 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
38-15 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3801 35TH AVE	2014, 2010, 1996, 1976, 1950, 1945, 1934, 1922
3801 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3801 36TH AVE	2014, 2010, 2005, 2000, 1996, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3804 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1922
3805 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3805 36TH AVE	2014, 2010, 1996, 1991, 1983, 1950, 1945, 1939, 1922
3806 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3807 36TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3808 35TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3809 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3809 36TH AVE	2014, 2010, 1996, 1950, 1945, 1939, 1922
3809 36th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
3810 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
3813 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3815 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
3817 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
3819 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1922
3822 35TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3828 35TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
39-10 35TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
3910 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
3929 35TH RD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3931 35TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3955 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
3959 36TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
3975 36TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1962, 1950, 1945, 1939, 1934, 1922
4 AIR PLAY GROUND 3406 38TH ST	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
40-04 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
40-11 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
40-19 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
4004 36TH AVE	2014, 2010, 1996, 1950, 1939, 1922
4004 36th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4010 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4011 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1970, 1967, 1950, 1945, 1939, 1934, 1922
4011 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1970, 1950, 1934, 1922
4013 35TH AVE	2014, 2010, 1996, 1991, 1976, 1950, 1939, 1922
4013 35th Ave	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4015 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
4017 35TH AVE	2014, 2010, 2005, 1996, 1991, 1983, 1976, 1962, 1950, 1945, 1939, 1934, 1922
4019 35TH AVE	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
4019 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4019 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1950, 1922
4021 35TH AVE	2014, 2010, 1996, 1962, 1950, 1939, 1922
4021 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4023 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1922
41 36TH AVE	2014, 2010, 2005, 2000, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
41 36TH ST	2014, 2010, 2005, 2000, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
41-01 36TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
4101 36TH AVE	2014, 2010, 1996, 1976, 1950, 1922
4101 36th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4102 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
4104 35TH AVE	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4104 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4105 35TH AVE	2014, 2010, 1996, 1950, 1939, 1922
4105 NORTHERN BLVD	2014, 2010, 1996, 1976, 1962, 1950, 1945, 1934, 1922
4105 Northern Blvd	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4111 Northern Blvd	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4111 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1934, 1922
4112 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1939, 1922
4113 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1934, 1922
4115 35TH AVE	2014, 2010, 1996, 1950, 1922
4115 35th Ave	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4115 Northern Blvd	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4115 NORTHERN BLVD	2014, 2010, 2005, 1996, 1976, 1950, 1945, 1934, 1922
4115 NORTHRN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4116 35TH AVE	2014, 2010, 1996, 1950, 1945, 1939, 1922

FINDINGS

Address Researched	Address Not Identified in Research Source
4116 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4119 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
4120 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1962, 1950, 1934, 1922
4122 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
4125 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
42-32 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
42-33 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
42-36 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1945, 1939, 1934, 1922
4201 NORTHERN BLVD	2014, 2010, 1996, 1950, 1934, 1922
4201 Northern Blvd	2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4201 NORTHERN PL	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1934, 1922
4202 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1950, 1922
4202 NORTHERN BLVD	2014, 2010, 1996, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4203 35TH AVE	2014, 2010, 1996, 1983, 1976, 1970, 1967, 1950, 1922
4203 35th Ave	2014, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4205 35th Ave	2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4205 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1967, 1950, 1945, 1939, 1934, 1922
4207 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1950, 1945, 1939, 1934, 1922
4211 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1950, 1945, 1939, 1934, 1922
4211 NORTHERN BLVD	2014, 2010, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1934, 1922
4217 NORTHERN BLVD	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1962, 1950, 1945, 1939, 1922
4219 35TH AVE	2014, 2010, 2005, 2000, 1996, 1983, 1950, 1945, 1939, 1934, 1922
4221 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1970, 1967, 1950, 1945, 1939, 1934, 1922
4225 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1962, 1950, 1945, 1939, 1934, 1922
4227 35TH AVE	2014, 2010, 2005, 2000, 1996, 1991, 1983, 1976, 1950, 1945, 1939, 1934, 1922

APPENDIX G

TERMINOLOGY

TERMINOLOGY

The following provides definitions and descriptions of certain terms that may be used in this report. Italics indicate terms that are defined by ASTM Standard Practice E 1527-13. The Standard Practice should be referenced for further detail related definitions or additional explanation regarding the meaning of terms.

Recognized environmental condition (REC): The presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: 1) due to any release to the environment, 2) under conditions indicative of a release to the environment; or 3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions.

De minimis conditions: Conditions that generally do not present threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions or controlled recognized conditions.

Historical recognized environmental condition(s) (HREC): A past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted residential use criteria established by a regulatory authority, without subjecting the property to any required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls). Before calling the past release a historical recognized environmental condition, the environmental professional must determine whether the past release is a recognized environmental condition at the time of the Phase I Environmental Site Assessment is conducted (for example, if there has been a change in the regulatory criteria). If the EP considers the past release to be a recognized environmental condition at the time of the Phase I ESA, the condition shall be included in the conclusions section of the report as a recognized environmental condition,

Controlled recognized environmental condition(s) (CREC): A recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (for example, as evidenced by the issuance of a no further action letter or equivalent, or meeting risk-based criteria established by the regulatory authority), with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (for example, property use restrictions, activity and use limitations, institutional controls, or engineering controls). A condition considered by the environmental professional to be a controlled recognized condition shall be listed in the findings section of the Phase I Environmental Site Assessment report, and as a recognized environmental condition in the conclusions section of the Phase I Environmental Site Assessment report. NOTE: A condition identified as a controlled recognized environmental condition does not imply that the environmental professional has evaluated or confirmed the adequacy, implementation, or continued effectiveness of the required control that has been, or is intended to be, implemented.

Material threat: A physically observable or obvious threat which is reasonably likely to lead to a release that, in the opinion of the environmental professional, is threatening and might result in impact to public health or the environment. An example might include an aboveground storage tank that contains a hazardous substance and which shows evidence of damage such that it may cause or contribute to tank integrity failure with a release of contents to the environment.

Material impact to public health or environment: A substantial risk of harm to public health or the environment resulting from the presence or likely presence of an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, ground water, or surface water of the property. An example might include a release of a hazardous substance in concentrations exceeding applicable governmental agency standards under conditions that could reasonably and foreseeably result in substantial exposure to humans or

substantial damage to natural resources. The risk of that exposure or damage would represent a material impact to public health or environment.

General risk of enforcement action: The likelihood that an environmental condition would be subject to enforcement action if brought to the attention of appropriate governmental agencies. If the circumstances suggest an enforcement action would be more likely than not, then the condition is considered a general risk of enforcement action.

Data failure: A failure to achieve the historical research objectives, even after reviewing the standard historical sources that are reasonably ascertainable and likely to be useful. Data failure is one type of data gap.

Data gap: A lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.).

BCP Eligibility Sampling

Notes Utilized Throughout Tables	
Soil Tables	
J -	Estimated value
U -	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit
T -	Indicates that a quality control parameter has exceeded laboratory limits
ft bls -	Feet below land surface
mg/kg -	Milligrams per kilogram
NYSDEC -	New York State Department of Environmental Conservation
SCO -	Soil Cleanup Objectives
--	No SCO available
Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential SCO	
Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater SCO	
Groundwater Tables	
J -	Estimated Value
U -	The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit
T -	Indicates that a quality control parameter has exceeded laboratory limits
µg/L -	Micrograms per liter
NYSDEC -	New York State Department of Environmental Conservation
AWQSGVs -	Ambient Water-Quality Standards and Guidance Values
--	No NYSDEC AWQSGV available
Bold data indicates that parameter was detected above the NYSDEC AWQSGVs	

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-2
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	5 - 7
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
1,1,1-Trichloroethane (TCA)	100	0.68	MG/KG	0.00032 U	0.00032 U	0.00032 U	0.00036 U	0.00027 U
1,1,2,2-Tetrachloroethane	--	--	MG/KG	0.00029 U	0.00029 U	0.00029 U	0.00033 U	0.00025 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	MG/KG	0.00041 U	0.00041 U	0.00041 U	0.00047 U	0.00035 U
1,1,2-Trichloroethane	--	--	MG/KG	0.00024 U	0.00024 U	0.00024 U	0.00028 U	0.0002 U
1,1-Dichloroethane	26	0.27	MG/KG	0.00028 U	0.00028 U	0.00028 U	0.00032 U	0.00024 U
1,1-Dichloroethene	100	0.33	MG/KG	0.00031 U	0.00031 U	0.00031 U	0.00035 U	0.00026 U
1,2,3-Trichlorobenzene	--	--	MG/KG	0.00025 U	0.00025 U	0.00025 U	0.00028 U	0.00021 U
1,2,4-Trichlorobenzene	--	--	MG/KG	0.00049 U	0.00049 U	0.00049 U	0.00056 U	0.00041 U
1,2,4-Trimethylbenzene	52	3.6	MG/KG	0.00051 J	0.00034 U	0.00034 U	0.00038 U	0.00028 U
1,2-Dibromo-3-Chloropropane	--	--	MG/KG	0.00062 U	0.00063 U	0.00063 U	0.00072 U	0.00053 UT
1,2-Dibromoethane (Ethylene Dibromide)	--	--	MG/KG	0.00024 U	0.00025 U	0.00025 U	0.00028 U	0.00021 U
1,2-Dichlorobenzene	100	1.1	MG/KG	0.00049 U	0.00049 U	0.0005 U	0.00056 U	0.00041 U
1,2-Dichloroethane	3.1	0.02	MG/KG	0.0004 U	0.00041 U	0.00041 U	0.00046 U	0.00034 U
1,2-Dichloropropane	--	--	MG/KG	0.00057 U	0.00058 U	0.00058 U	0.00066 U	0.00049 U
1,3,5-Trimethylbenzene (Mesitylene)	52	8.4	MG/KG	0.00043 U	0.00043 U	0.00043 U	0.00049 U	0.00036 U
1,3-Dichlorobenzene	49	2.4	MG/KG	0.0005 U	0.0005 U	0.0005 U	0.00057 U	0.00042 U
1,4-Dichlorobenzene	13	1.8	MG/KG	0.00031 U	0.00031 U	0.00031 U	0.00035 U	0.00026 U
2-Hexanone	--	--	MG/KG	0.0023 U	0.0023 U	0.0023 U	0.0027 U	0.002 U
Acetone	100	0.05	MG/KG	0.0091	0.0078 U	0.0078 U	0.0089 U	0.0096
Benzene	4.8	0.06	MG/KG	0.00035 U	0.00035 U	0.00035 U	0.0004 U	0.0003 U
Bromochloromethane	--	--	MG/KG	0.00038 U	0.00038 U	0.00039 U	0.00044 U	0.00032 U
Bromodichloromethane	--	--	MG/KG	0.00035 U	0.00035 U	0.00035 U	0.0004 U	0.0003 U
Bromoform	--	--	MG/KG	0.00058 UT	0.00058 UT	0.00058 UT	0.00066 UT	0.00049 U
Bromomethane	--	--	MG/KG	0.0014 U	0.0014 U	0.0014 U	0.0016 U	0.0011 U
Carbon Disulfide	--	--	MG/KG	0.00036 U	0.00036 U	0.00036 U	0.00041 U	0.00031 U
Carbon Tetrachloride	2.4	0.76	MG/KG	0.00052 U	0.00053 U	0.00053 U	0.0006 U	0.00044 U
Chlorobenzene	100	1.1	MG/KG	0.00024 U	0.00024 U	0.00024 U	0.00028 U	0.0002 U
Chloroethane	--	--	MG/KG	0.00071 U	0.00071 U	0.00072 U	0.00081 U	0.0006 U
Chloroform	49	0.37	MG/KG	0.0013 U	0.0013 U	0.0013 U	0.0015 U	0.0011 U
Chloromethane	--	--	MG/KG	0.00059 U	0.0006 U	0.0006 U	0.00068 U	0.0005 U
Cis-1,2-Dichloroethylene	100	0.25	MG/KG	0.00049 U	0.00049 U	0.00049 U	0.00056 U	0.00041 U
Cis-1,3-Dichloropropene	--	--	MG/KG	0.00037 U	0.00037 U	0.00037 U	0.00042 U	0.00031 U

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-1	SB-1	SB-2	SB-2	SB-2
				Sample Date: 11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025
				Sample Depth (ft bls): 0 - 2	3 - 5	0 - 2	3 - 5	5 - 7
Cyclohexane	--	--	MG/KG	0.0003 U	0.0003 U	0.0003 U	0.00077 J	0.00025 U
Dibromochloromethane	--	--	MG/KG	0.00026 U	0.00027 U	0.00027 U	0.0003 U	0.00022 U
Dichlorodifluoromethane	--	--	MG/KG	0.00046 U	0.00046 U	0.00046 U	0.00053 U	0.00039 U
Ethylbenzene	41	1	MG/KG	0.00027 U	0.00027 U	0.00027 U	0.00031 U	0.00023 U
Isopropylbenzene (Cumene)	--	--	MG/KG	0.00039 U	0.00039 U	0.00039 U	0.00044 U	0.00033 U
m,p-Xylene	--	--	MG/KG	0.00024 U	0.00024 U	0.00024 U	0.00027 U	0.0002 U
Methyl Acetate	--	--	MG/KG	0.0058 UT	0.0059 UT	0.0059 UT	0.0067 UT	0.0049 U
Methyl Ethyl Ketone (2-Butanone)	100	0.12	MG/KG	0.0005 U	0.0005 U	0.0005 U	0.00057 U	0.00042 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	MG/KG	0.0021 U	0.0021 U	0.0021 U	0.0024 U	0.0018 U
Methylcyclohexane	--	--	MG/KG	0.00068 U	0.00068 U	0.00068 U	0.00078 U	0.00057 U
Methylene Chloride	100	0.05	MG/KG	0.0016 U	0.0016 U	0.0016 U	0.0018 U	0.0013 U
N-Butylbenzene	100	12	MG/KG	0.0004 U	0.0004 U	0.0004 U	0.00046 U	0.00034 U
N-Propylbenzene	100	3.9	MG/KG	0.00024 U	0.00024 U	0.00024 U	0.00027 U	0.0002 U
O-Xylene (1,2-Dimethylbenzene)	--	--	MG/KG	0.00026 U	0.00027 U	0.00027 U	0.0003 U	0.00022 U
Sec-Butylbenzene	100	11	MG/KG	0.00039 U	0.00039 U	0.0004 U	0.00045 U	0.00033 U
Styrene	--	--	MG/KG	0.00038 U	0.00038 U	0.00038 U	0.00043 U	0.00032 U
T-Butylbenzene	100	5.9	MG/KG	0.00037 U	0.00038 U	0.00038 U	0.00043 U	0.00032 U
Tert-Butyl Methyl Ether	100	0.93	MG/KG	0.00069 U	0.0007 U	0.0007 U	0.0008 U	0.00059 U
Tetrachloroethylene (PCE)	19	1.3	MG/KG	0.00041 U	0.00042 U	0.00042 U	0.00047 U	0.00035 U
Toluene	100	0.7	MG/KG	0.00032 U	0.00032 U	0.00032 U	0.00036 U	0.00027 U
Trans-1,2-Dichloroethene	100	0.19	MG/KG	0.00033 U	0.00034 U	0.00034 U	0.00038 U	0.00028 U
Trans-1,3-Dichloropropene	--	--	MG/KG	0.00036 U	0.00036 U	0.00036 U	0.00041 U	0.00031 U
Trichloroethylene (TCE)	21	0.47	MG/KG	0.00044 U	0.00044 U	0.00044 U	0.0005 U	0.00037 U
Trichlorofluoromethane	--	--	MG/KG	0.00055 U	0.00056 U	0.00056 U	0.00063 U	0.00047 U
Vinyl Chloride	0.9	0.02	MG/KG	0.00074 U	0.00075 U	0.00075 U	0.00085 U	0.00063 U
Xylenes	100	1.6	MG/KG	0.00024 U	0.00024 U	0.00024 U	0.00027 U	0.0002 U

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-3	SB-4	SB-4	SB-5	SB-5
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	0 - 2	3 - 5	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
1,1,1-Trichloroethane (TCA)	100	0.68	MG/KG	0.00029 U	0.00032 U	0.00033 U	0.00045 U	0.00033 U
1,1,2,2-Tetrachloroethane	--	--	MG/KG	0.00027 U	0.00029 U	0.00031 U	0.00041 U	0.00031 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	MG/KG	0.00038 U	0.00041 U	0.00043 U	0.00058 U	0.00043 U
1,1,2-Trichloroethane	--	--	MG/KG	0.00022 U	0.00024 U	0.00026 U	0.00035 U	0.00025 U
1,1-Dichloroethane	26	0.27	MG/KG	0.00026 U	0.00028 U	0.0003 U	0.0004 U	0.00029 U
1,1-Dichloroethene	100	0.33	MG/KG	0.00028 U	0.00031 U	0.00032 U	0.00044 U	0.00032 U
1,2,3-Trichlorobenzene	--	--	MG/KG	0.00023 U	0.00025 U	0.00026 U	0.00035 U	0.00026 U
1,2,4-Trichlorobenzene	--	--	MG/KG	0.00045 U	0.00049 U	0.00051 U	0.00069 U	0.00051 U
1,2,4-Trimethylbenzene	52	3.6	MG/KG	0.00094 J	0.00033 U	0.00035 U	0.00048 U	0.00035 U
1,2-Dibromo-3-Chloropropane	--	--	MG/KG	0.00057 U	0.00063 U	0.00066 U	0.00089 U	0.00066 U
1,2-Dibromoethane (Ethylene Dibromide)	--	--	MG/KG	0.00022 U	0.00024 U	0.00026 U	0.00035 U	0.00026 U
1,2-Dichlorobenzene	100	1.1	MG/KG	0.00045 U	0.00049 U	0.00052 U	0.0007 U	0.00052 U
1,2-Dichloroethane	3.1	0.02	MG/KG	0.00037 U	0.0004 U	0.00043 U	0.00057 U	0.00042 U
1,2-Dichloropropane	--	--	MG/KG	0.00053 U	0.00058 U	0.00061 U	0.00082 U	0.0006 U
1,3,5-Trimethylbenzene (Mesitylene)	52	8.4	MG/KG	0.00039 U	0.00043 U	0.00045 U	0.00061 U	0.00045 U
1,3-Dichlorobenzene	49	2.4	MG/KG	0.00045 U	0.0005 U	0.00052 U	0.00071 U	0.00052 U
1,4-Dichlorobenzene	13	1.8	MG/KG	0.00028 U	0.00031 U	0.00032 U	0.00044 U	0.00032 U
2-Hexanone	--	--	MG/KG	0.0021 U	0.0023 U	0.0025 U	0.0033 U	0.0024 U
Acetone	100	0.05	MG/KG	0.009	0.0078 U	0.011	0.011 U	0.0082 U
Benzene	4.8	0.06	MG/KG	0.00032 U	0.00035 U	0.00037 U	0.0005 U	0.00037 U
Bromochloromethane	--	--	MG/KG	0.00035 U	0.00038 U	0.0004 U	0.00054 U	0.0004 U
Bromodichloromethane	--	--	MG/KG	0.00032 U	0.00035 U	0.00037 U	0.0005 U	0.00037 U
Bromoform	--	--	MG/KG	0.00053 UT	0.00058 UT	0.00061 UT	0.00082 UT	0.00061 UT
Bromomethane	--	--	MG/KG	0.0012 U	0.0014 U	0.0014 U	0.0019 U	0.0014 U
Carbon Disulfide	--	--	MG/KG	0.00033 U	0.00036 U	0.00038 U	0.00052 U	0.00038 U
Carbon Tetrachloride	2.4	0.76	MG/KG	0.00048 U	0.00053 U	0.00056 U	0.00075 U	0.00055 U
Chlorobenzene	100	1.1	MG/KG	0.00022 U	0.00024 U	0.00025 U	0.00034 U	0.00025 U
Chloroethane	--	--	MG/KG	0.00065 U	0.00071 U	0.00075 U	0.001 U	0.00075 U
Chloroform	49	0.37	MG/KG	0.0012 U	0.0013 U	0.0014 U	0.0019 U	0.0014 U
Chloromethane	--	--	MG/KG	0.00054 U	0.00059 U	0.00063 U	0.00084 U	0.00062 U
Cis-1,2-Dichloroethylene	100	0.25	MG/KG	0.00045 U	0.00049 U	0.00051 U	0.00069 U	0.00051 U
Cis-1,3-Dichloropropene	--	--	MG/KG	0.00034 U	0.00037 U	0.00039 U	0.00053 U	0.00039 U

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-3	SB-4	SB-4	SB-5	SB-5
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	0 - 2	3 - 5	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
Cyclohexane	--	--	MG/KG	0.00028 U	0.0003 U	0.00032 U	0.00043 U	0.00032 U
Dibromochloromethane	--	--	MG/KG	0.00024 U	0.00026 U	0.00028 U	0.00038 U	0.00028 U
Dichlorodifluoromethane	--	--	MG/KG	0.00042 U	0.00046 U	0.00049 U	0.00066 U	0.00048 U
Ethylbenzene	41	1	MG/KG	0.00025 U	0.00027 U	0.00029 U	0.00039 U	0.00028 U
Isopropylbenzene (Cumene)	--	--	MG/KG	0.00036 U	0.00039 U	0.00041 U	0.00055 U	0.00041 U
m,p-Xylene	--	--	MG/KG	0.00022 U	0.00024 U	0.00025 U	0.00034 U	0.00025 U
Methyl Acetate	--	--	MG/KG	0.0054 UT	0.0058 UT	0.0062 UT	0.0083 UT	0.0061 UT
Methyl Ethyl Ketone (2-Butanone)	100	0.12	MG/KG	0.00046 U	0.0005 U	0.00053 U	0.00071 U	0.00053 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	MG/KG	0.0019 U	0.0021 U	0.0022 U	0.003 U	0.0022 U
Methylcyclohexane	--	--	MG/KG	0.00062 U	0.00068 U	0.00072 U	0.00097 U	0.00071 U
Methylene Chloride	100	0.05	MG/KG	0.0014 U	0.0016 U	0.0016 U	0.0022 U	0.0016 U
N-Butylbenzene	100	12	MG/KG	0.00037 U	0.0004 U	0.00042 U	0.00057 U	0.00042 U
N-Propylbenzene	100	3.9	MG/KG	0.00022 U	0.00024 U	0.00025 U	0.00034 U	0.00025 U
O-Xylene (1,2-Dimethylbenzene)	--	--	MG/KG	0.00024 U	0.00026 U	0.00028 U	0.00038 U	0.00028 U
Sec-Butylbenzene	100	11	MG/KG	0.00036 U	0.00039 U	0.00041 U	0.00056 U	0.00041 U
Styrene	--	--	MG/KG	0.00035 U	0.00038 U	0.0004 U	0.00054 U	0.0004 U
T-Butylbenzene	100	5.9	MG/KG	0.00034 U	0.00038 U	0.0004 U	0.00054 U	0.00039 U
Tert-Butyl Methyl Ether	100	0.93	MG/KG	0.00064 U	0.0007 U	0.00074 U	0.00099 U	0.00073 U
Tetrachloroethylene (PCE)	19	1.3	MG/KG	0.00038 U	0.00041 U	0.00044 U	0.00059 U	0.00044 U
Toluene	100	0.7	MG/KG	0.00029 U	0.00032 U	0.00034 U	0.00045 U	0.00033 U
Trans-1,2-Dichloroethene	100	0.19	MG/KG	0.00031 U	0.00033 U	0.00035 U	0.00048 U	0.00035 U
Trans-1,3-Dichloropropene	--	--	MG/KG	0.00033 U	0.00036 U	0.00038 U	0.00052 U	0.00038 U
Trichloroethylene (TCE)	21	0.47	MG/KG	0.0004 U	0.00044 U	0.00046 U	0.00062 U	0.00046 U
Trichlorofluoromethane	--	--	MG/KG	0.00051 U	0.00055 U	0.00058 U	0.00079 U	0.00058 U
Vinyl Chloride	0.9	0.02	MG/KG	0.00068 U	0.00074 U	0.00078 U	0.0011 U	0.00078 U
Xylenes	100	1.6	MG/KG	0.00022 U	0.00024 U	0.00025 U	0.00034 U	0.00025 U

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-5
			Sample Date:	02/07/2025
			Sample Depth (ft bls):	16 - 18
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	
1,1,1-Trichloroethane (TCA)	100	0.68	MG/KG	0.00028 U
1,1,2,2-Tetrachloroethane	--	--	MG/KG	0.00025 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	--	--	MG/KG	0.00036 U
1,1,2-Trichloroethane	--	--	MG/KG	0.00021 U
1,1-Dichloroethane	26	0.27	MG/KG	0.00024 U
1,1-Dichloroethene	100	0.33	MG/KG	0.00027 U
1,2,3-Trichlorobenzene	--	--	MG/KG	0.00021 U
1,2,4-Trichlorobenzene	--	--	MG/KG	0.00042 U
1,2,4-Trimethylbenzene	52	3.6	MG/KG	0.00029 U
1,2-Dibromo-3-Chloropropane	--	--	MG/KG	0.00054 UT
1,2-Dibromoethane (Ethylene Dibromide)	--	--	MG/KG	0.00021 U
1,2-Dichlorobenzene	100	1.1	MG/KG	0.00043 U
1,2-Dichloroethane	3.1	0.02	MG/KG	0.00035 U
1,2-Dichloropropane	--	--	MG/KG	0.0005 U
1,3,5-Trimethylbenzene (Mesitylene)	52	8.4	MG/KG	0.00037 U
1,3-Dichlorobenzene	49	2.4	MG/KG	0.00043 U
1,4-Dichlorobenzene	13	1.8	MG/KG	0.00027 U
2-Hexanone	--	--	MG/KG	0.002 U
Acetone	100	0.05	MG/KG	0.0068 U
Benzene	4.8	0.06	MG/KG	0.00031 U
Bromochloromethane	--	--	MG/KG	0.00033 U
Bromodichloromethane	--	--	MG/KG	0.0003 U
Bromoform	--	--	MG/KG	0.0005 U
Bromomethane	--	--	MG/KG	0.0012 U
Carbon Disulfide	--	--	MG/KG	0.00031 U
Carbon Tetrachloride	2.4	0.76	MG/KG	0.00046 U
Chlorobenzene	100	1.1	MG/KG	0.00021 U
Chloroethane	--	--	MG/KG	0.00062 U
Chloroform	49	0.37	MG/KG	0.0011 U
Chloromethane	--	--	MG/KG	0.00052 U
Cis-1,2-Dichloroethylene	100	0.25	MG/KG	0.00042 U
Cis-1,3-Dichloropropene	--	--	MG/KG	0.00032 U

Table 1. Summary of Volatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-5 Sample Date: 02/07/2025 Sample Depth (ft bls): 16 - 18
Cyclohexane	--	--	MG/KG	0.00026 U
Dibromochloromethane	--	--	MG/KG	0.00023 U
Dichlorodifluoromethane	--	--	MG/KG	0.0004 U
Ethylbenzene	41	1	MG/KG	0.00024 U
Isopropylbenzene (Cumene)	--	--	MG/KG	0.00034 U
m,p-Xylene	--	--	MG/KG	0.00021 U
Methyl Acetate	--	--	MG/KG	0.0051 U
Methyl Ethyl Ketone (2-Butanone)	100	0.12	MG/KG	0.00044 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	--	MG/KG	0.0018 U
Methylcyclohexane	--	--	MG/KG	0.00059 U
Methylene Chloride	100	0.05	MG/KG	0.0014 U
N-Butylbenzene	100	12	MG/KG	0.00035 U
N-Propylbenzene	100	3.9	MG/KG	0.00021 U
O-Xylene (1,2-Dimethylbenzene)	--	--	MG/KG	0.00023 U
Sec-Butylbenzene	100	11	MG/KG	0.00034 U
Styrene	--	--	MG/KG	0.00033 U
T-Butylbenzene	100	5.9	MG/KG	0.00033 U
Tert-Butyl Methyl Ether	100	0.93	MG/KG	0.00061 U
Tetrachloroethylene (PCE)	19	1.3	MG/KG	0.00036 U
Toluene	100	0.7	MG/KG	0.00028 U
Trans-1,2-Dichloroethene	100	0.19	MG/KG	0.00029 U
Trans-1,3-Dichloropropene	--	--	MG/KG	0.00031 U
Trichloroethylene (TCE)	21	0.47	MG/KG	0.00038 U
Trichlorofluoromethane	--	--	MG/KG	0.00048 U
Vinyl Chloride	0.9	0.02	MG/KG	0.00065 U
Xylenes	100	1.6	MG/KG	0.00021 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-2	SB-3
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	5 - 7	0 - 2
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units						
1,2,4,5-Tetrachlorobenzene	--	--	MG/KG	0.01 U	0.01 U	0.01 U	0.01 U	0.053 U	0.01 U
1,4-Dioxane (P-Dioxane)	13	0.1	MG/KG	0.029 U	0.029 U	0.029 U	0.029 U	0.15 U	0.029 U
2,3,4,6-Tetrachlorophenol	--	--	MG/KG	0.023 U	0.023 U	0.023 U	0.023 U	0.11 U	0.023 U
2,4,5-Trichlorophenol	--	--	MG/KG	0.034 U	0.034 U	0.034 U	0.034 U	0.17 U	0.034 U
2,4,6-Trichlorophenol	--	--	MG/KG	0.043 U	0.043 U	0.043 U	0.043 U	0.22 U	0.043 U
2,4-Dichlorophenol	--	--	MG/KG	0.021 U	0.021 U	0.022 U	0.022 U	0.11 U	0.021 U
2,4-Dimethylphenol	--	--	MG/KG	0.04 U	0.04 U	0.04 U	0.04 U	0.2 UT	0.04 U
2,4-Dinitrophenol	--	--	MG/KG	0.16 U	0.16 U	0.17 U	0.17 U	0.83 U	0.16 U
2,4-Dinitrotoluene	--	--	MG/KG	0.036 U	0.036 U	0.036 U	0.036 U	0.18 U	0.036 U
2,6-Dinitrotoluene	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.024 U	0.12 U	0.024 U
2-Chloronaphthalene	--	--	MG/KG	0.015 U	0.015 U	0.016 U	0.016 U	0.078 U	0.015 U
2-Chlorophenol	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U	0.06 U	0.012 U
2-Methylnaphthalene	--	--	MG/KG	0.028 J	0.012 J	0.023 J	0.03 J	0.047 U	0.1 J
2-Methylphenol (O-Cresol)	100	0.33	MG/KG	0.012 U	0.012 U	0.013 U	0.013 U	0.063 U	0.012 U
2-Nitroaniline	--	--	MG/KG	0.025 U	0.025 U	0.026 U	0.026 U	0.13 U	0.025 U
2-Nitrophenol	--	--	MG/KG	0.033 U	0.033 U	0.034 U	0.034 U	0.17 U	0.033 U
3,3'-Dichlorobenzidine	--	--	MG/KG	0.05 U	0.05 U	0.051 U	0.051 U	0.26 U	0.05 U
3-Nitroaniline	--	--	MG/KG	0.079 U	0.079 U	0.08 U	0.08 U	0.4 UT	0.079 U
4,6-Dinitro-2-Methylphenol	--	--	MG/KG	0.14 U	0.14 U	0.14 U	0.14 U	0.69 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U	0.067 U	0.013 U
4-Chloro-3-Methylphenol	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U	0.095 U	0.019 U
4-Chloroaniline	--	--	MG/KG	0.059 U	0.059 U	0.06 U	0.06 U	0.3 UT	0.059 U
4-Chlorophenyl Phenyl Ether	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U	0.06 U	0.012 U
4-Methylphenol (P-Cresol)	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.021 U	0.11 U	0.021 U
4-Nitroaniline	--	--	MG/KG	0.038 U	0.038 U	0.039 U	0.039 U	0.19 U	0.038 U
4-Nitrophenol	--	--	MG/KG	0.054 U	0.054 U	0.055 U	0.055 U	0.28 U	0.054 U
Acenaphthene	100	98	MG/KG	0.018 J	0.015 J	0.012 J	0.3 J	0.12 J	0.6
Acenaphthylene	100	107	MG/KG	0.069 J	0.065 J	0.051 J	0.073 J	0.058 J	0.092 J
Acetophenone	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U	0.083 U	0.069 J
Anthracene	100	1000	MG/KG	0.085 J	0.075 J	0.061 J	0.58	0.3 J	1.7
Atrazine	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U	0.1 U	0.02 U
Benzaldehyde	--	--	MG/KG	0.055 U	0.055 U	0.056 U	0.056 U	0.28 U	0.055 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-2	SB-3
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	5 - 7	0 - 2
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units						
Benzo(A)Anthracene	**1**	1	MG/KG	0.41	0.42	0.27	**2.5**	**1.5**	**5.2**
Benzo(A)Pyrene	**1**	22	MG/KG	0.55	0.59	0.34	**2.8**	**1.5**	**5.8**
Benzo(B)Fluoranthene	**1**	1.7	MG/KG	0.72	0.7	0.48	**3.6**	**1.9**	**7.7**
Benzo(G,H,I)Perylene	100	1000	MG/KG	0.31 J	0.57	0.21 J	1.3	0.87 J	3
Benzo(K)Fluoranthene	3.9	1.7	MG/KG	0.27	0.27	0.17	1.5	0.75	3
Benzyl Butyl Phthalate	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.043 J	350	0.016 U
Biphenyl (Diphenyl)	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.021 J	0.059 U	0.04 J
Bis(2-Chloroethoxy) Methane	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.026 U	0.13 U	0.026 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U	0.059 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U	0.1 U	0.02 U
Bis(2-Ethylhexyl) Phthalate	--	--	MG/KG	0.018 U	0.018 U	0.043 J	5.6	320	0.018 U
Caprolactam	--	--	MG/KG	0.052 U	0.052 U	0.052 U	0.052 U	0.26 U	0.052 U
Carbazole	--	--	MG/KG	0.025 J	0.022 J	0.014 J	0.21 J	0.099 J	0.6
Chrysene	**3.9**	1	MG/KG	0.47	0.45	0.33 J	2.5	1.4 J	**5**
Cresols, M & P	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.021 U	0.11 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	1000	MG/KG	0.082	0.11	0.047	**0.37**	0.22	**0.78**
Dibenzofuran	59	210	MG/KG	0.015 J	0.014 J	0.011 J	0.081 J	0.057 U	0.32 J
Diethyl Phthalate	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U	0.055 U	0.011 U
Dimethyl Phthalate	--	--	MG/KG	0.076 U	0.076 U	0.076 U	0.076 U	0.39 U	0.076 U
Di-N-Butyl Phthalate	--	--	MG/KG	0.071 J	0.089 J	0.039 J	0.027 J	0.37 J	0.013 U
Di-N-Octylphthalate	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.09 U	0.018 U
Fluoranthene	100	1000	MG/KG	0.58	0.66	0.41	4.4	2.5	9.6
Fluorene	100	386	MG/KG	0.015 J	0.013 J	0.014 J	0.16 J	0.092 J	0.55
Hexachlorobenzene	1.2	3.2	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U	0.081 U	0.016 U
Hexachlorobutadiene	--	--	MG/KG	0.0071 U	0.0071 U	0.0072 U	0.0071 U	0.036 U	0.0071 U
Hexachlorocyclopentadiene	--	--	MG/KG	0.029 U	0.029 U	0.029 U	0.029 U	0.15 UT	0.029 U
Hexachloroethane	--	--	MG/KG	0.011 U	0.011 U	0.012 U	0.012 U	0.058 U	0.011 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	8.2	MG/KG	0.31	0.5	0.18	**1.4**	**0.71**	**3**
Isophorone	--	--	MG/KG	0.097 U	0.097 U	0.097 U	0.097 U	0.49 U	0.096 U
Naphthalene	100	12	MG/KG	0.034 J	0.034 J	0.022 J	0.072 J	0.039 J	0.18 J
Nitrobenzene	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.019 U	0.094 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	MG/KG	0.024 U	0.024 U	0.024 U	0.024 U	0.12 U	0.024 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-2	SB-3
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	5 - 7	0 - 2
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units						
N-Nitrosodiphenylamine	--	--	MG/KG	0.027 U	0.027 U	0.028 U	0.028 U	0.14 U	0.027 U
Pentachlorophenol	6.7	0.8	MG/KG	0.069 U	0.068 U	0.069 U	0.069 U	0.35 U	0.068 U
Phenanthrene	100	1000	MG/KG	0.23 J	0.28 J	0.16 J	2.2	1.1 J	6.1
Phenol	100	0.33	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U	0.062 U	0.012 U
Pyrene	100	1000	MG/KG	0.62	0.69	0.43	4.1	2.2	8.9

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-4	SB-4	SB-5	SB-5
				Sample Date: 11/04/2024	11/04/2024	11/04/2024	11/04/2024
				Sample Depth (ft bls): 0 - 2	3 - 5	0 - 2	3 - 5
1,2,4,5-Tetrachlorobenzene	--	--	MG/KG	0.01 U	0.011 U	0.01 U	0.01 U
1,4-Dioxane (P-Dioxane)	13	0.1	MG/KG	0.029 U	0.03 U	0.029 U	0.029 U
2,3,4,6-Tetrachlorophenol	--	--	MG/KG	0.023 U	0.023 U	0.023 U	0.023 U
2,4,5-Trichlorophenol	--	--	MG/KG	0.034 U	0.035 U	0.034 U	0.034 U
2,4,6-Trichlorophenol	--	--	MG/KG	0.043 U	0.044 U	0.043 U	0.043 U
2,4-Dichlorophenol	--	--	MG/KG	0.022 U	0.022 U	0.021 U	0.021 U
2,4-Dimethylphenol	--	--	MG/KG	0.04 U	0.041 U	0.04 U	0.04 U
2,4-Dinitrophenol	--	--	MG/KG	0.16 U	0.17 U	0.16 U	0.16 U
2,4-Dinitrotoluene	--	--	MG/KG	0.036 U	0.037 U	0.036 U	0.036 U
2,6-Dinitrotoluene	--	--	MG/KG	0.024 U	0.025 U	0.024 U	0.024 U
2-Chloronaphthalene	--	--	MG/KG	0.016 U	0.016 U	0.015 U	0.015 U
2-Chlorophenol	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
2-Methylnaphthalene	--	--	MG/KG	0.034 J	0.019 J	0.045 J	0.039 J
2-Methylphenol (O-Cresol)	100	0.33	MG/KG	0.013 U	0.013 U	0.012 U	0.012 U
2-Nitroaniline	--	--	MG/KG	0.026 U	0.026 U	0.025 U	0.025 U
2-Nitrophenol	--	--	MG/KG	0.034 U	0.034 U	0.033 U	0.033 U
3,3'-Dichlorobenzidine	--	--	MG/KG	0.051 U	0.051 U	0.05 U	0.05 U
3-Nitroaniline	--	--	MG/KG	0.08 U	0.081 U	0.079 U	0.079 U
4,6-Dinitro-2-Methylphenol	--	--	MG/KG	0.14 U	0.14 U	0.14 U	0.14 U
4-Bromophenyl Phenyl Ether	--	--	MG/KG	0.013 U	0.013 U	0.013 U	0.013 U
4-Chloro-3-Methylphenol	--	--	MG/KG	0.019 U	0.019 U	0.019 U	0.037 J
4-Chloroaniline	--	--	MG/KG	0.06 U	0.06 U	0.059 U	0.059 U
4-Chlorophenyl Phenyl Ether	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
4-Methylphenol (P-Cresol)	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.021 U
4-Nitroaniline	--	--	MG/KG	0.039 U	0.039 U	0.038 U	0.038 U
4-Nitrophenol	--	--	MG/KG	0.055 U	0.055 U	0.054 U	0.054 U
Acenaphthene	100	98	MG/KG	0.16 J	0.14 J	0.062 J	0.53
Acenaphthylene	100	107	MG/KG	0.12 J	0.041 J	0.057 J	0.062 J
Acetophenone	--	--	MG/KG	0.016 U	0.017 U	0.016 U	0.016 U
Anthracene	100	1000	MG/KG	0.37	0.34	0.22 J	1.5
Atrazine	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U
Benzaldehyde	--	--	MG/KG	0.055 U	0.056 U	0.055 U	0.055 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-4	SB-4	SB-5	SB-5
				Sample Date: 11/04/2024	11/04/2024	11/04/2024	11/04/2024
				Sample Depth (ft bls): 0 - 2	3 - 5	0 - 2	3 - 5
Benzo(A)Anthracene	**1**	1	MG/KG	**1.8**	**1.6**	**1.2**	**3.8**
Benzo(A)Pyrene	**1**	22	MG/KG	**2**	**1.6**	**1.4**	**3.5**
Benzo(B)Fluoranthene	**1**	1.7	MG/KG	**2.7**	**2**	**1.9**	**4.5**
Benzo(G,H,I)Perylene	100	1000	MG/KG	0.98	1	0.7	1.8
Benzo(K)Fluoranthene	3.9	1.7	MG/KG	0.97	0.79	0.65	1.6
Benzyl Butyl Phthalate	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U
Biphenyl (Diphenyl)	--	--	MG/KG	0.012 U	0.012 U	0.017 J	0.017 J
Bis(2-Chloroethoxy) Methane	--	--	MG/KG	0.026 U	0.026 U	0.026 U	0.026 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	--	--	MG/KG	0.012 U	0.012 U	0.012 U	0.012 U
Bis(2-Chloroisopropyl) Ether	--	--	MG/KG	0.02 U	0.02 U	0.02 U	0.02 U
Bis(2-Ethylhexyl) Phthalate	--	--	MG/KG	0.018 U	0.018 U	0.044 J	0.018 U
Caprolactam	--	--	MG/KG	0.052 U	0.053 U	0.052 U	0.052 U
Carbazole	--	--	MG/KG	0.12 J	0.13 J	0.065 J	0.26 J
Chrysene	**3.9**	1	MG/KG	1.8	1.5	1.2	3.9
Cresols, M & P	100	0.33	MG/KG	0.021 U	0.021 U	0.021 U	0.021 U
Dibenz(A,H)Anthracene	**0.33**	1000	MG/KG	0.26	0.25	0.18	**0.51**
Dibenzofuran	59	210	MG/KG	0.062 J	0.052 J	0.058 J	0.18 J
Diethyl Phthalate	--	--	MG/KG	0.011 U	0.011 U	0.011 U	0.011 U
Dimethyl Phthalate	--	--	MG/KG	0.076 U	0.077 U	0.076 U	0.076 U
Di-N-Butyl Phthalate	--	--	MG/KG	0.081 J	0.048 J	0.087 J	0.013 U
Di-N-Octylphthalate	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U
Fluoranthene	100	1000	MG/KG	2.9	2.9	1.5	7.8
Fluorene	100	386	MG/KG	0.1 J	0.097 J	0.042 J	0.39
Hexachlorobenzene	1.2	3.2	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U
Hexachlorobutadiene	--	--	MG/KG	0.0071 U	0.0072 U	0.0071 U	0.0071 U
Hexachlorocyclopentadiene	--	--	MG/KG	0.029 U	0.03 U	0.029 U	0.029 U
Hexachloroethane	--	--	MG/KG	0.012 U	0.012 U	0.011 U	0.011 U
Indeno(1,2,3-C,D)Pyrene	**0.5**	8.2	MG/KG	**0.99**	**1**	**0.69**	**1.8**
Isophorone	--	--	MG/KG	0.097 U	0.098 U	0.096 U	0.097 U
Naphthalene	100	12	MG/KG	0.078 J	0.038 J	0.1 J	0.026 J
Nitrobenzene	--	--	MG/KG	0.019 U	0.019 U	0.018 U	0.019 U
N-Nitrosodi-N-Propylamine	--	--	MG/KG	0.024 U	0.025 U	0.024 U	0.024 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-4	SB-4	SB-5	SB-5
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
N-Nitrosodiphenylamine	--	--	MG/KG	0.028 U	0.028 U	0.027 U	0.027 U
Pentachlorophenol	6.7	0.8	MG/KG	0.069 U	0.07 U	0.068 U	0.068 U
Phenanthrene	100	1000	MG/KG	1.3	1.4	0.59	5.5
Phenol	100	0.33	MG/KG	0.012 U	0.013 U	0.012 U	0.012 U
Pyrene	100	1000	MG/KG	2.8	2.7	1.8	7.2

Table 3. Summary of Metals in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-1	SB-1	SB-2	SB-2	SB-2	SB-3	SB-4
				Sample Date: 11/04/2024	11/04/2024	11/04/2024	11/04/2024	02/07/2025	11/04/2024	11/04/2024
				Sample Depth (ft bls): 0 - 2	3 - 5	0 - 2	3 - 5	5 - 7	0 - 2	0 - 2
Aluminum	--	--	MG/KG	6820	7050	7640	6540	4580	4930	6190
Antimony	--	--	MG/KG	0.13 U	1.5	0.13 U	0.36 J	0.43 J	0.21 J	0.16 J
Arsenic	16	16	MG/KG	3	6.6	2.9	4.3	4.3	2.7	3.3
Barium	400	820	MG/KG	55.1	58.2	65.5	102	73.2	94.1	68.3
Beryllium	72	47	MG/KG	0.28 J	0.26 J	0.3 J	0.29 J	0.19 J	0.22 J	0.24 J
Cadmium	**4.3**	7.5	MG/KG	0.23 J	0.27 J	0.24 J	0.64 J	**5**	0.39 J	0.33 J
Calcium	--	--	MG/KG	27400	3390	22500	16100	19600	28400	12100
Chromium, Hexavalent	110	19	MG/KG	0.84 U	0.84 U	0.85 U	0.85 U	NA	1.7 J	0.83 U
Chromium, Total	180	--	MG/KG	15.9	23.9	16.2	17.7	20.5	12.6	13.7
Cobalt	--	--	MG/KG	4.8	4	5.7	5	5.5	3.7	4.9
Copper	270	1720	MG/KG	23.8	37	29.9	39.9	50.3	20.9	22.8
Cyanide	27	40	MG/KG	0.12 U	0.11 U	0.17 J	0.12 U	NA	0.16 J	0.31
Iron	--	--	MG/KG	14000	12400	14300	18000	36900	11800	11100
Lead	400	450	MG/KG	47.9	299	64.3	161	109	116	70.4
Magnesium	--	--	MG/KG	5910	1660	4690	4870	4010	8600	3490
Manganese	2000	2000	MG/KG	164	268	202	271	229	143	185
Mercury	0.81	0.73	MG/KG	0.099	0.53	0.16	0.22	0.11	0.13	0.19
Nickel	310	130	MG/KG	12.8	13.8	14.5	15.3	22.6	9.8	11.2
Potassium	--	--	MG/KG	1410	602	1710	796	917	902	880
Selenium	180	4	MG/KG	0.19 J	0.87 J	0.19 J	0.22 J	0.18 J	0.14 J	0.19 J
Silver	180	8.3	MG/KG	0.078 U	0.13 J	0.081 U	0.091 U	0.17 J	0.082 U	0.081 U
Sodium	--	--	MG/KG	313	165	226	169	440	541	270
Thallium	--	--	MG/KG	0.077 J	0.16 J	0.1 J	0.055 J	0.062 J	0.049 J	0.062 J
Vanadium	--	--	MG/KG	30.7	16.9	33.4	23.2	33.3	26	21.3
Zinc	10000	2480	MG/KG	61.3	190	90.7	282	231	173	103

Table 3. Summary of Metals in Soil, 35-18 Steinway Street, Long Island City, New York

Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units	Sample Designation: SB-4 Sample Date: 11/04/2024 Sample Depth (ft bls): 3 - 5	Sample Designation: SB-5 Sample Date: 11/04/2024 Sample Depth (ft bls): 0 - 2	Sample Designation: SB-5 Sample Date: 11/04/2024 Sample Depth (ft bls): 3 - 5
Aluminum	--	--	MG/KG	6280	6840	7050
Antimony	--	--	MG/KG	0.14 J	0.16 J	0.41 J
Arsenic	16	16	MG/KG	2.9	2.7	3.8
Barium	400	820	MG/KG	63	75.4	58.6
Beryllium	72	47	MG/KG	0.27 J	0.28 J	0.27 J
Cadmium	**4.3**	7.5	MG/KG	0.34 J	0.36 J	0.29 J
Calcium	--	--	MG/KG	12400	19000	13900
Chromium, Hexavalent	110	19	MG/KG	0.85 U	0.82 U	0.84 U
Chromium, Total	180	--	MG/KG	16.6	13.6	12.6
Cobalt	--	--	MG/KG	4.2	4.5	4.1
Copper	270	1720	MG/KG	20.7	25.4	31.6
Cyanide	27	40	MG/KG	0.12 U	0.12 U	0.18 J
Iron	--	--	MG/KG	10400	11600	12300
Lead	400	450	MG/KG	68.2	89.6	219
Magnesium	--	--	MG/KG	3410	3620	3210
Manganese	2000	2000	MG/KG	212	209	262
Mercury	0.81	0.73	MG/KG	0.48	0.083	0.15
Nickel	310	130	MG/KG	11.3	11.5	11.7
Potassium	--	--	MG/KG	830	1040	757
Selenium	180	4	MG/KG	0.18 J	0.15 J	0.25 J
Silver	180	8.3	MG/KG	0.087 U	0.085 U	0.084 U
Sodium	--	--	MG/KG	299	343	241
Thallium	--	--	MG/KG	0.054 J	0.066 J	0.066 J
Vanadium	--	--	MG/KG	18.8	23	17
Zinc	10000	2480	MG/KG	99.2	129	121

Table 4. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-3	SB-4	SB-4
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	0 - 2	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units							
PCB-1016 (Aroclor 1016)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1221 (Aroclor 1221)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1232 (Aroclor 1232)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1242 (Aroclor 1242)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1248 (Aroclor 1248)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1254 (Aroclor 1254)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1260 (Aroclor 1260)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1262 (Aroclor 1262)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
PCB-1268 (Aroclor 1268)	--	--	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U
Polychlorinated Biphenyl (PCBs)	1	3.2	MG/KG	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U	0.018 U

Table 4. Summary of Polychlorinated Biphenyls in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-5	SB-5
			Sample Date:	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units		
PCB-1016 (Aroclor 1016)	--	--	MG/KG	0.018 U	0.018 U
PCB-1221 (Aroclor 1221)	--	--	MG/KG	0.018 U	0.018 U
PCB-1232 (Aroclor 1232)	--	--	MG/KG	0.018 U	0.018 U
PCB-1242 (Aroclor 1242)	--	--	MG/KG	0.018 U	0.018 U
PCB-1248 (Aroclor 1248)	--	--	MG/KG	0.018 U	0.018 U
PCB-1254 (Aroclor 1254)	--	--	MG/KG	0.018 U	0.018 U
PCB-1260 (Aroclor 1260)	--	--	MG/KG	0.018 U	0.018 U
PCB-1262 (Aroclor 1262)	--	--	MG/KG	0.018 U	0.018 U
PCB-1268 (Aroclor 1268)	--	--	MG/KG	0.018 U	0.018 U
Polychlorinated Biphenyl (PCBs)	1	3.2	MG/KG	0.018 U	0.018 U

Table 5. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-1	SB-1	SB-2	SB-2	SB-3
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5	0 - 2
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units					
Aldrin	0.097	0.19	MG/KG	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.48	0.02	MG/KG	0.00069 U	0.00069 U	0.00069 U	0.00069 U	0.00068 U
Alpha Endosulfan	24	102	MG/KG	0.001 UT	0.001 UT	0.001 UT	0.001 UT	0.001 UT
Beta Bhc (Beta Hexachlorocyclohexane)	0.36	0.09	MG/KG	0.00076 U	0.00076 U	0.00076 U	0.00076 U	0.00075 U
Beta Endosulfan	24	102	MG/KG	0.0017 U	0.0017 U	0.0017 U	0.0017 U	0.0017 U
Chlordane (Technical)	--	--	MG/KG	0.016 U	0.016 U	0.016 U	0.016 U	0.016 U
cis-Chlordane	4.2	2.9	MG/KG	0.0011 U	0.0011 U	0.0011 U	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	100	0.25	MG/KG	0.00041 U	0.00041 U	0.00042 U	0.00042 U	0.00041 U
Dieldrin	0.2	0.1	MG/KG	0.00088 U	0.00088 U	0.00088 U	0.00088 U	0.00088 U
Endosulfan Sulfate	24	1000	MG/KG	0.00085 U	0.00085 U	0.00085 U	0.00085 U	0.00084 U
Endrin	11	0.06	MG/KG	0.00097 U	0.00097 U	0.00097 U	0.00098 U	0.00097 U
Endrin Aldehyde	--	--	MG/KG	0.0016 U	0.0016 U	0.0016 U	0.0016 U	0.0016 U
Endrin Ketone	--	--	MG/KG	0.0013 U	0.0013 U	0.0013 U	0.0013 U	0.0013 U
Gamma Bhc (Lindane)	1.3	0.1	MG/KG	0.00063 U	0.00063 U	0.00063 U	0.00063 U	0.00062 U
Heptachlor	2.1	0.38	MG/KG	0.0008 U	0.0008 U	0.0008 U	0.0008 U	0.00079 U
Heptachlor Epoxide	--	--	MG/KG	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U
Methoxychlor	--	--	MG/KG	0.0015 U	0.0015 U	0.0016 U	0.0016 U	0.0015 U
P,P'-DDD	13	14	MG/KG	0.0012 U	0.0012 U	0.0012 U	0.0012 U	0.0011 U
P,P'-DDE	8.9	17	MG/KG	0.0008 U	0.0008 U	0.0008 U	0.0008 U	0.00079 U
P,P'-DDT	7.9	136	MG/KG	0.0012 U	0.0012 U	0.0012 U	0.0013 U	0.0012 U
Toxaphene	--	--	MG/KG	0.024 U	0.024 U	0.025 U	0.025 U	0.024 U

Table 5. Summary of Pesticides and Herbicides in Soil, 35-18 Steinway Street, Long Island City, New York

			Sample Designation:	SB-4	SB-4	SB-5	SB-5
			Sample Date:	11/04/2024	11/04/2024	11/04/2024	11/04/2024
			Sample Depth (ft bls):	0 - 2	3 - 5	0 - 2	3 - 5
Parameter	NYSDEC Part 375 Restricted Residential SCO	NYSDEC Part 375 Protection of Groundwater SCO	Units				
Aldrin	0.097	0.19	MG/KG	0.001 U	0.001 U	0.001 U	0.001 U
Alpha Bhc (Alpha Hexachlorocyclohexane)	0.48	0.02	MG/KG	0.00069 U	0.0007 U	0.00068 U	0.00069 U
Alpha Endosulfan	24	102	MG/KG	0.001 UT	0.001 UT	0.001 UT	0.001 UT
Beta Bhc (Beta Hexachlorocyclohexane)	0.36	0.09	MG/KG	0.00076 U	0.00077 U	0.00075 U	0.00076 U
Beta Endosulfan	24	102	MG/KG	0.0017 U	0.0018 U	0.0017 U	0.0017 U
Chlordane (Technical)	--	--	MG/KG	0.016 U	0.017 U	0.016 U	0.016 U
cis-Chlordane	4.2	2.9	MG/KG	0.007	0.0011 U	0.0011 U	0.0011 U
Delta BHC (Delta Hexachlorocyclohexane)	100	0.25	MG/KG	0.00041 U	0.00042 U	0.00041 U	0.00041 U
Dieldrin	0.2	0.1	MG/KG	0.00088 U	0.00089 U	0.00087 U	0.00088 U
Endosulfan Sulfate	24	1000	MG/KG	0.00085 U	0.00086 U	0.00084 U	0.00085 U
Endrin	11	0.06	MG/KG	0.0024 J	0.00098 U	0.00096 U	0.00097 U
Endrin Aldehyde	--	--	MG/KG	0.0016 U	0.0016 U	0.0016 U	0.0016 U
Endrin Ketone	--	--	MG/KG	0.0013 U	0.0013 U	0.0013 U	0.0013 U
Gamma Bhc (Lindane)	1.3	0.1	MG/KG	0.00063 U	0.00064 U	0.00062 U	0.00063 U
Heptachlor	2.1	0.38	MG/KG	0.0008 U	0.00081 U	0.00079 U	0.0008 U
Heptachlor Epoxide	--	--	MG/KG	0.001 U	0.001 U	0.001 U	0.001 U
Methoxychlor	--	--	MG/KG	0.0015 U	0.0016 U	0.0015 U	0.0015 U
P,P'-DDD	13	14	MG/KG	0.0012 U	0.0012 U	0.0011 U	0.0012 U
P,P'-DDE	8.9	17	MG/KG	0.0008 U	0.00081 U	0.00079 U	0.0008 U
P,P'-DDT	7.9	136	MG/KG	0.0012 U	0.0013 U	0.0012 U	0.0012 U
Toxaphene	--	--	MG/KG	0.024 U	0.025 U	0.024 U	0.024 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, 35-18 Steinway Street, Long Island City, New York

	Sample Designation:		GW-2	GW-5
	Sample Date:		02/07/2025	02/07/2025
Parameter	NYSDEC AWQSGVs (µg/L)	Units		
1,1,1-Trichloroethane (TCA)	5	UG/L	0.24 U	0.24 U
1,1,2,2-Tetrachloroethane	5	UG/L	0.37 U	0.37 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	5	UG/L	0.31 U	0.31 U
1,1,2-Trichloroethane	1	UG/L	0.2 U	0.2 U
1,1-Dichloroethane	5	UG/L	0.26 U	0.26 U
1,1-Dichloroethene	5	UG/L	0.26 U	0.26 U
1,2,3-Trichlorobenzene	5	UG/L	0.36 U	0.36 U
1,2,4-Trichlorobenzene	5	UG/L	0.37 U	0.37 U
1,2,4-Trimethylbenzene	5	UG/L	0.37 U	0.37 U
1,2-Dibromo-3-Chloropropane	0.04	UG/L	0.38 U	0.38 U
1,2-Dibromoethane (Ethylene Dibromide)	0.0006	UG/L	0.5 U	0.5 U
1,2-Dichlorobenzene	3	UG/L	0.21 U	0.21 U
1,2-Dichloroethane	0.6	UG/L	0.43 U	0.43 U
1,2-Dichloropropane	1	UG/L	0.35 U	0.35 U
1,3,5-Trimethylbenzene (Mesitylene)	5	UG/L	0.33 U	0.33 U
1,3-Dichlorobenzene	3	UG/L	0.34 U	0.34 U
1,4-Dichlorobenzene	3	UG/L	0.33 U	0.33 U
2-Hexanone	50	UG/L	1.1 U	1.1 U
Acetone	50	UG/L	4.4 U	4.4 U
Benzene	1	UG/L	0.2 U	0.2 U
Bromochloromethane	5	UG/L	0.41 U	0.41 U
Bromodichloromethane	50	UG/L	0.34 U	0.34 U
Bromoform	50	UG/L	0.54 U	0.54 U
Bromomethane	5	UG/L	0.55 U	0.55 U
Carbon Disulfide	60	UG/L	0.82 U	0.82 U
Carbon Tetrachloride	5	UG/L	0.21 U	0.21 U
Chlorobenzene	5	UG/L	0.38 U	0.38 U
Chloroethane	5	UG/L	0.32 UT	0.32 UT
Chloroform	7	UG/L	0.33 U	0.33 U
Chloromethane	5	UG/L	0.4 U	0.4 U
Cis-1,2-Dichloroethylene	5	UG/L	0.22 U	0.22 U
Cis-1,3-Dichloropropene	--	UG/L	0.22 U	0.22 U
Cyclohexane	--	UG/L	0.32 U	0.32 U
Dibromochloromethane	50	UG/L	0.28 U	0.28 U
Dichlorodifluoromethane	5	UG/L	0.31 U	0.31 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, 35-18 Steinway Street, Long Island City, New York

	Sample Designation:		GW-2	GW-5
	Sample Date:		02/07/2025	02/07/2025
Parameter	NYSDEC AWQSGVs (µg/L)	Units		
Ethylbenzene	5	UG/L	0.3 U	0.3 U
Isopropylbenzene (Cumene)	5	UG/L	0.34 U	0.34 U
m,p-Xylene	5	UG/L	0.3 U	0.3 U
Methyl Acetate	--	UG/L	0.79 U	0.79 U
Methyl Ethyl Ketone (2-Butanone)	50	UG/L	1.9 U	1.9 U
Methyl Isobutyl Ketone (4-Methyl-2-Pentanone)	--	UG/L	1.3 U	1.3 U
Methylcyclohexane	--	UG/L	0.71 U	0.71 U
Methylene Chloride	5	UG/L	0.32 U	0.32 U
N-Butylbenzene	5	UG/L	0.32 U	0.32 U
N-Propylbenzene	5	UG/L	0.32 U	0.32 U
O-Xylene (1,2-Dimethylbenzene)	5	UG/L	0.36 U	0.36 U
Sec-Butylbenzene	5	UG/L	0.37 U	0.37 U
Styrene	5	UG/L	0.42 U	0.42 U
T-Butylbenzene	5	UG/L	0.34 U	0.34 U
Tert-Butyl Methyl Ether	10	UG/L	0.22 U	0.22 U
Tetrachloroethylene (PCE)	5	UG/L	0.25 U	0.25 U
Toluene	5	UG/L	0.38 U	0.38 U
Trans-1,2-Dichloroethene	5	UG/L	0.24 U	0.24 U
Trans-1,3-Dichloropropene	--	UG/L	0.22 U	0.22 U
Trichloroethylene (TCE)	5	UG/L	0.31 U	0.31 U
Trichlorofluoromethane	5	UG/L	0.32 U	0.32 U
Vinyl Chloride	2	UG/L	0.17 U	0.17 U
Xylenes	5	UG/L	0.65 U	0.65 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Long Island City, New York


	Sample Designation:		GW-2	GW-5
	Sample Date:		02/07/2025	02/07/2025
Parameter	NYSDEC AWQSGVs (µg/L)	Units		
1,2,4,5-Tetrachlorobenzene	5	UG/L	1.2 U	1.2 U
1,4-Dioxane (P-Dioxane)	0.35	UG/L	0.072 U	0.072 U
2,3,4,6-Tetrachlorophenol	--	UG/L	0.75 U	0.75 U
2,4,5-Trichlorophenol	--	UG/L	0.88 U	0.88 U
2,4,6-Trichlorophenol	--	UG/L	0.86 U	0.86 U
2,4-Dichlorophenol	5	UG/L	1.1 U	1.1 U
2,4-Dimethylphenol	50	UG/L	0.62 U	0.62 U
2,4-Dinitrophenol	10	UG/L	11 U	11 U
2,4-Dinitrotoluene	5	UG/L	1 U	1 U
2,6-Dinitrotoluene	5	UG/L	0.83 U	0.83 U
2-Chloronaphthalene	10	UG/L	1.2 U	1.2 U
2-Chlorophenol	--	UG/L	0.95 U	0.95 U
2-Methylnaphthalene	--	UG/L	0.53 U	0.53 U
2-Methylphenol (O-Cresol)	--	UG/L	0.67 U	0.67 U
2-Nitroaniline	5	UG/L	1.2 U	1.2 U
2-Nitrophenol	--	UG/L	0.75 U	0.75 U
3,3'-Dichlorobenzidine	5	UG/L	1.4 U	1.4 U
3-Nitroaniline	5	UG/L	1.9 U	1.9 U
4,6-Dinitro-2-Methylphenol	--	UG/L	8.6 U	8.6 U
4-Bromophenyl Phenyl Ether	--	UG/L	0.75 U	0.75 U
4-Chloro-3-Methylphenol	--	UG/L	1.3 U	1.3 U
4-Chloroaniline	5	UG/L	1.9 U	1.9 U
4-Chlorophenyl Phenyl Ether	--	UG/L	1.3 U	1.3 U
4-Methylphenol (P-Cresol)	--	UG/L	0.65 U	0.65 U
4-Nitroaniline	5	UG/L	1.2 U	1.2 U
4-Nitrophenol	--	UG/L	4 U	4 U
Acenaphthene	20	UG/L	1.1 U	1.1 U
Acenaphthylene	20	UG/L	0.82 U	0.82 U
Acetophenone	--	UG/L	2.3 U	2.3 U
Anthracene	50	UG/L	1.3 U	1.3 U
Atrazine	7.5	UG/L	1.3 UT	1.3 UT
Benzaldehyde	--	UG/L	2.1 UT	2.1 UT
Benzo(A)Anthracene	0.002	UG/L	0.59 U	0.59 U
Benzo(A)Pyrene	**0**	UG/L	**0.53 J**	0.41 U
Benzo(B)Fluoranthene	0.002	UG/L	0.68 U	0.68 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, 35-18 Steinway Street, Long Island City, New York

	Sample Designation:		GW-2	GW-5
	Sample Date:		02/07/2025	02/07/2025
Parameter	NYSDEC AWQSGVs (µg/L)	Units		
Benzo(G,H,I)Perylene	--	UG/L	0.7 U	0.7 U
Benzo(K)Fluoranthene	0.002	UG/L	0.67 U	0.67 U
Benzyl Butyl Phthalate	50	UG/L	0.85 U	0.85 U
Biphenyl (Diphenyl)	5	UG/L	1.2 U	1.2 U
Bis(2-Chloroethoxy) Methane	5	UG/L	0.59 U	0.59 U
Bis(2-Chloroethyl) Ether (2-Chloroethyl Ether)	1	UG/L	0.63 U	0.63 U
Bis(2-Chloroisopropyl) Ether	5	UG/L	0.63 U	0.63 U
Bis(2-Ethylhexyl) Phthalate	5	UG/L	0.8 U	0.8 U
Caprolactam	--	UG/L	2.2 U	2.2 U
Carbazole	--	UG/L	0.68 U	0.68 U
Chrysene	0.002	UG/L	0.91 U	0.91 U
Cresols, M & P	--	UG/L	0.64 U	0.64 U
Dibenz(A,H)Anthracene	--	UG/L	0.72 U	0.72 U
Dibenzofuran	--	UG/L	1.1 U	1.1 U
Diethyl Phthalate	50	UG/L	0.98 U	0.98 U
Dimethyl Phthalate	50	UG/L	0.77 U	0.77 U
Di-N-Butyl Phthalate	50	UG/L	0.84 U	0.84 U
Di-N-Octylphthalate	--	UG/L	4 U	4 U
Fluoranthene	50	UG/L	0.84 U	0.84 U
Fluorene	50	UG/L	0.91 U	0.91 U
Hexachlorobenzene	0.04	UG/L	0.4 U	0.4 U
Hexachlorobutadiene	0.5	UG/L	0.78 U	0.78 U
Hexachlorocyclopentadiene	5	UG/L	3.6 U	3.6 U
Hexachloroethane	5	UG/L	0.31 U	0.31 U
Indeno(1,2,3-C,D)Pyrene	0.002	UG/L	0.94 U	0.94 U
Isophorone	50	UG/L	0.8 U	0.8 U
Naphthalene	10	UG/L	0.54 U	0.54 U
Nitrobenzene	0.4	UG/L	0.57 U	0.57 U
N-Nitrosodi-N-Propylamine	--	UG/L	0.43 U	0.43 U
N-Nitrosodiphenylamine	50	UG/L	0.89 U	0.89 U
Pentachlorophenol	1	UG/L	6.6 U	6.6 U
Phenanthrene	50	UG/L	1.3 U	1.3 U
Phenol	1	UG/L	0.29 U	0.29 U
Pyrene	50	UG/L	1.6 U	1.6 U

Table 8. Summary of Metals in Groundwater, 35-18 Steinway Street, Long Island City, New York

	Sample Designation:		GW-2	GW-5
	Sample Date:		02/07/2025	02/07/2025
Parameter	NYSDEC AWQSGVs (µg/L)	Units		
Aluminum	--	UG/L	216000	198000
Antimony	3	UG/L	0.81 J	1.2 J
Arsenic	**25**	UG/L	**64.1**	**57.8**
Barium	**1000**	UG/L	**3330**	**2760**
Beryllium	**3**	UG/L	**10.4**	**10.2**
Cadmium	**5**	UG/L	**25.2**	**6**
Calcium	--	UG/L	1770000	1120000
Chromium, Total	**50**	UG/L	**596**	**982**
Cobalt	--	UG/L	468	480
Copper	**200**	UG/L	**1020**	**1100**
Iron	**300**	UG/L	**659000**	**730000**
Lead	**25**	UG/L	**578**	**346**
Magnesium	**35000**	UG/L	**688000**	**443000**
Manganese	**300**	UG/L	**21000**	**18200**
Mercury	0.7	UG/L	0.54	0.24
Nickel	**100**	UG/L	**775**	**854**
Potassium	--	UG/L	63200	53400
Selenium	10	UG/L	5.4	2.6
Silver	50	UG/L	2.2	2.1
Sodium	**20000**	UG/L	**183000**	**27800**
Thallium	**0.5**	UG/L	**2.6**	**2.5**
Vanadium	--	UG/L	739	709
Zinc	2000	UG/L	1980	1770



SB-4	11/04/2024	11/04/2024
Depth (ft bls)	0 - 2	3 - 5
SVOCs		
Benzo(A)Anthracene	**1.8**	**1.6**
Benzo(A)Pyrene	**2**	**1.6**
Benzo(B)Fluoranthene	**2.7**	**2**
Chrysene	1.8	1.5
Indeno(1,2,3-C,D)Pyrene	**0.99**	**1**

SB-2	11/04/2024	11/04/2024	02/07/2025
Depth (ft bls)	0 - 2	3 - 5	5 - 7
SVOCs			
Benzo(A)Anthracene	NE	**2.5**	**1.5**
Benzo(A)Pyrene	NE	**2.8**	**1.5**
Benzo(B)Fluoranthene	NE	**3.6**	**1.9**
Chrysene	NE	2.5	1.4 J
Dibenz(A,H)Anthracene	NE	**0.37**	NE
Indeno(1,2,3-C,D)Pyrene	NE	**1.4**	**0.71**
Metals			
Cadmium	NE	NE	**5**

SB-5	11/04/2024	11/04/2024
Depth (ft bls)	0 - 2	3 - 5
SVOCs		
Benzo(A)Anthracene	**1.2**	**3.8**
Benzo(A)Pyrene	**1.4**	**3.5**
Benzo(B)Fluoranthene	**1.9**	**4.5**
Chrysene	1.2	3.9
Dibenz(A,H)Anthracene	NE	**0.51**
Indeno(1,2,3-C,D)Pyrene	**0.69**	**1.8**

SB-3	11/04/2024
Depth (ft bls)	0 - 2
SVOCs	
Benzo(A)Anthracene	**5.2**
Benzo(A)Pyrene	**5.8**
Benzo(B)Fluoranthene	**7.7**
Benzo(K)Fluoranthene	3
Chrysene	**5**
Dibenz(A,H)Anthracene	**0.78**
Indeno(1,2,3-C,D)Pyrene	**3**

LEGEND

PROPOSED BCP SITE BOUNDARY

BCP ELIGIBILITY SAMPLING LOCATIONS

SB–3 ● SOIL BORING SAMPLING LOCATION AND DESIGNATION

SB–2 ⊕ SOIL BORING AND GROUNDWATER GRAB SAMPLING LOCATION AND DESIGNATION

TYPICAL DATA BOX INFORMATION

SAMPLE ID# → **SB-3** | 11/04/2024 ← SAMPLE DATE

Depth (ft bls) | 0 - 2 ← SAMPLE DEPTH

SVOCs |

ANALYTES → Benzo(A)Anthracene | **5.2**

Benzo(A)Pyrene | **5.8**

Benzo(B)Fluoranthene | **7.7**

Benzo(K)Fluoranthene | 3 ← CONCENTRATIONS (mg/kg)

Parameter	NYSDEC Part 375 Restricted Residential Soil Cleanup Objectives	NYSDEC Part 375 Protection of Groundwater Soil Cleanup Objectives
VOCs	NE	NE
SVOCs		
Benzo(A)Anthracene	**1**	1
Benzo(A)Pyrene	**1**	22
Benzo(B)Fluoranthene	**1**	1.7
Benzo(K)Fluoranthene	**3.9**	1.7
Chrysene	**3.9**	1
Dibenz(A,H)Anthracene	**0.33**	1000
Indeno(1,2,3-C,D)Pyrene	**0.5**	8.2
Metals		
Cadmium	**4.3**	7.5
PCBs	ND	ND
Pesticides/Herbicides	NE	NE

Concentrations in mg/kg

mg/kg - Milligrams per kilogram

NYSDEC - New York State Department of Environmental Conservation

-- - No NYSDEC Part 375 Soil Cleanup Objectives available

J - Estimated value

VOCs - Volatile Organic Compounds

SVOCs - Semivolatile Organic Compounds

PCBs - Polychlorinated Biphenyls

NE - No exceedance

ND - No detection

ft bls - Feet below land surface

N

50' 0 50'

Title:

SUMMARY OF EXCEEDANCES IN SOIL

35-30 STEINWAY STREET
ASTORIA, NEW YORK


Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: B.F.	Date: 4/21/2025	FIGURE
Prepared by: B.H.C.	Scale: AS SHOWN	1
Project Mgr: B.F.	Project: 4806.0001Y000	
File: 4806.0001Y103.10.DWG		

V:\CAD\PROJECTS\4806\Y0001\Y103\4806.0001Y103.10.DWG GMILTON



GW-2	02/07/2025
SVOCs	
Benzo(A)Pyrene	**0.53 J**
Metals	
Arsenic	**64.1**
Barium	**3330**
Beryllium	**10.4**
Cadmium	**25.2**
Chromium, Total	**596**
Copper	**1020**
Iron	**659000**
Lead	**578**
Magnesium	**688000**
Manganese	**21000**
Nickel	**775**
Sodium	**183000**
Thallium	**2.6**

GW-5	02/07/2025
Metals	
Arsenic	**57.8**
Barium	**2760**
Beryllium	**10.2**
Cadmium	**6**
Chromium, Total	**982**
Copper	**1100**
Iron	**730000**
Lead	**346**
Magnesium	**443000**
Manganese	**18200**
Nickel	**854**
Sodium	**27800**
Thallium	**2.5**

LEGEND

PROPOSED BCP SITE BOUNDARY

BCP ELIGIBILITY SAMPLING LOCATIONS

SB-3 ● SOIL BORING SAMPLING LOCATION AND DESIGNATION

SB-2 ⊕ SOIL BORING AND GROUNDWATER GRAB SAMPLING LOCATION AND DESIGNATION

TYPICAL DATA BOX INFORMATION

SAMPLE ID# → **GW-2** | 02/07/2025 ← SAMPLE DATE

SVOCs	
Benzo(A)Pyrene	**0.53 J**
Metals	
Arsenic	**64.1**
Barium	**3330**
Beryllium	**10.4**
Cadmium	**25.2**

ANALYTES → CONCENTRATIONS (µg/L)

Parameter	NYSDEC AWQSGV
VOCs	ND
SVOCs	
Benzo(A)Pyrene	**0**
Metals	
Arsenic	**25**
Barium	**1000**
Beryllium	**3**
Cadmium	**5**
Chromium, Total	**50**
Copper	**200**
Iron	**300**
Lead	**25**
Magnesium	**35000**
Manganese	**300**
Nickel	**100**
Sodium	**20000**
Thallium	**0.5**

Concentrations in µg/L

µg/L - Micrograms per liter

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

J - Estimated value

DUP - Duplicate Sample

VOCs - Volatile Organic Compounds

SVOCs - Semivolatile Organic Compounds

ND - No detection

N

50' 0 50'

Title:

SUMMARY OF EXCEEDANCES IN GROUNDWATER

35-30 STEINWAY STREET
ASTORIA, NEW YORK

Prepared for:

LMXD INNOQ B1 LLC

ROUX

Compiled by: B.F.	Date: 4/21/2025	FIGURE
Prepared by: B.H.C.	Scale: AS SHOWN	2
Project Mgr: B.F.	Project: 4806.0001Y000	
File: 4806.0001Y103.10.DWG		

V:\CAD\PROJECTS\4806Y\0001Y103\4806.0001Y103.10.DWG GMILTON

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Jack Rusk
Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Generated 4/28/2025 12:33:57 PM

JOB DESCRIPTION

35-30 Steinway St, Astoria

JOB NUMBER

460-314754-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

my EOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Compliance Statement

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Authorization



Generated
4/28/2025 12:33:57 PM

Authorized for release by
Elizabeth Flannery, Project Manager I
Elizabeth.Flannery@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 6
Detection Summary 9
Client Sample Results 18
Surrogate Summary 61
QC Sample Results 63
QC Association Summary 92
Lab Chronicle 99
Certification Summary 106
Method Summary 107
Sample Summary 108
Chain of Custody 109
Receipt Checklists 111

Definitions/Glossary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
*	MS or MSD is outside acceptance limits.
*	Duplicate RPD exceeds control limits
E	Compound concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Indicates an estimated value.
U	Analyzed for but not detected.

Metals

Qualifier	Qualifier Description
*	Duplicate analysis not within control limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Sample result is greater than the MDL but below the CRDL
N	Spiked sample recovery is not within control limits.
U	Indicates analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
*	Duplicate analysis not within control limits.
J	Sample result is greater than the MDL but below the CRDL
U	Indicates analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: 35-30 Steinway St, Astoria

Report Number: 460-314754-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT
The samples were received on 11/5/2024 10:19 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.7°C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC/MS)
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were prepared on 11/05/2024 and analyzed on 11/05/2024 and 11/06/2024.

The continuing calibration verification (CCV) analyzed in batch 460-1005370 was outside the method criteria for the following analytes: Bromoform (biased high)and Dichlorodifluoromethane (biased low). A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 460-1005370 recovered outside control limits for the following analytes: Bromoform and Methyl acetate. These analytes were biased high in the LCS/LCSD and were not detected in the associated samples; therefore, the data have been reported.

Bromoform failed the recovery criteria high for LCS 460-1005370/2. Bromoform and Methyl acetate failed the recovery criteria high for LCSD 460-1005370/4. Refer to the QC report for details.

No other difficulties were encountered during the Volatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Method 8270E. The samples were prepared on 11/06/2024 and analyzed on 11/07/2024.

Job ID: 460-314754-1 (Continued) Eurofins Edison

The continuing calibration verification (CCV) analyzed in batch 460-1005640 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

4,6-Dinitro-2-methylphenol and Indeno[1,2,3-cd]pyrene failed the recovery criteria low for the MS of sample 460-314743-5 in batch 460-1005640.

For the MSD of sample 460-314743-5 in batch 460-1005640, 2,4-Dinitrophenol and 4,6-Dinitro-2-methylphenol failed the recovery criteria low. Atrazine failed the recovery criteria high. Also, 4-Chloroaniline exceeded the RPD limit.

The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

Samples SB-3_(0-2) (460-314754-1)[2X] and SB-5_(3-5) (460-314754-5)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

PESTICIDES

Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 11/05/2024 and analyzed on 11/06/2024.

The continuing calibration verification (CCV) associated with batch 460-1005429 recovered above the upper control limit for Endosulfan I on the primary column. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CCVIS 460-1005429/3).

The laboratory control sample (LCS) for preparation batch 460-1005373 and analytical batch 460-1005429 recovered outside control limits for the following analytes: Endosulfan I on the primary column. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.(LCS 460-1005373/2-A).

Endosulfan I failed the recovery criteria high for LCS 460-1005373/2-A. Refer to the QC report for details.

No other difficulties were encountered during the Pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 11/05/2024 and analyzed on 11/06/2024.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

METALS - TOTAL (ICP/MS)

Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for Metals - Total (ICP/MS) in accordance with EPA SW-846 Method 6020B - Total. The samples were prepared on 11/06/2024 and 11/08/2024 and analyzed on 11/06/2024 and 11/11/2024.

Several analytes failed the recovery criteria low for the MS of sample SB-2_(3-5)MS (460-314754-3) in batch 460-1005565. Aluminum, Calcium, Iron and Manganese failed the recovery criteria high.

Several analytes failed the recovery criteria low for the MS of sample 460-314916-2 in batch 460-1006324. Aluminum, Barium, Calcium and Lead failed the recovery criteria high.

Refer to the QC report for details.

Cadmium, Copper, Lead, Manganese, Silver and Thallium exceeded the RPD limit for the duplicate of sample 460-314916-2. Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

HEXAVALENT CHROMIUM
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for hexavalent chromium in accordance with EPA SW-846 Method 7196A. The samples were prepared and analyzed on 11/07/2024.

No difficulties were encountered during the hexchrome Cr6 analysis.

All quality control parameters were within the acceptance limits.

MERCURY - TOTAL
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for Mercury - Total in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 11/06/2024.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

TOTAL CYANIDE
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared on 11/07/2024 and analyzed on 11/08/2024.

No difficulties were encountered during the cyanide analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE
Samples SB-3_(0-2) (460-314754-1), SB-2_(0-2) (460-314754-2), SB-2_(3-5) (460-314754-3), SB-5_(0-2) (460-314754-4), SB-5_(3-5) (460-314754-5), SB-1_(0-2) (460-314754-6), SB-1_(3-5) (460-314754-7), SB-4_(0-2) (460-314754-8) and SB-4_(3-5) (460-314754-9) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 11/05/2024.

Percent Moisture exceeded the RPD limit for the duplicate of sample 460-314745-1. Refer to the QC report for details.

No other difficulties were encountered during the %solids/moisture analysis.

All other quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-3_(0-2)
Lab Sample ID: 460-314754-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.00094	J	0.0012	0.00031	mg/Kg	1	☼	8260D	Total/NA
Acetone	0.0090		0.0075	0.0071	mg/Kg	1	☼	8260D	Total/NA
1,1'-Biphenyl	0.040	J	0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
2-Methylnaphthalene	0.10	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.60		0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.092	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acetophenone	0.069	J	0.33	0.016	mg/Kg	1	☼	8270E	Total/NA
Anthracene	1.7		0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	5.2		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	5.8		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	7.7		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	3.0		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	3.0		0.033	0.0065	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.60		0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	5.0		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.78		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.32	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.55		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	3.0		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.18	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	6.1		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene - DL	9.6		0.67	0.023	mg/Kg	2	☼	8270E	Total/NA
Pyrene - DL	8.9		0.67	0.017	mg/Kg	2	☼	8270E	Total/NA
Aluminum	4930		18.4	5.0	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.21	J	0.92	0.13	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.7		0.92	0.095	mg/Kg	1	☼	6020B	Total/NA
Barium	94.1		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.22	J	0.37	0.052	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.39	J	0.92	0.10	mg/Kg	1	☼	6020B	Total/NA
Calcium	28400		91.8	37.3	mg/Kg	1	☼	6020B	Total/NA
Chromium	12.6		1.8	0.83	mg/Kg	1	☼	6020B	Total/NA
Cobalt	3.7		1.8	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	20.9		1.8	0.34	mg/Kg	1	☼	6020B	Total/NA
Iron	11800		55.1	18.5	mg/Kg	1	☼	6020B	Total/NA
Lead	116		0.55	0.18	mg/Kg	1	☼	6020B	Total/NA
Magnesium	8600		91.8	9.4	mg/Kg	1	☼	6020B	Total/NA
Manganese	143		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	9.8		1.8	0.43	mg/Kg	1	☼	6020B	Total/NA
Potassium	902		91.8	14.9	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.14	J	1.1	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	541		91.8	41.9	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.049	J	0.37	0.038	mg/Kg	1	☼	6020B	Total/NA
Vanadium	26.0		1.8	0.19	mg/Kg	1	☼	6020B	Total/NA
Zinc	173		7.3	2.8	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.13		0.017	0.0079	mg/Kg	1	☼	7471B	Total/NA
Cr (VI)	1.7	J	1.9	0.82	mg/Kg	1	☼	7196A	Total/NA
Cyanide, Total	0.16	J	0.20	0.11	mg/Kg	1	☼	9012B	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-2_(0-2)
Lab Sample ID: 460-314754-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.023	J	0.34	0.0094	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.012	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.051	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.061	J	0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.27		0.034	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.34		0.034	0.0090	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.48		0.034	0.0087	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.21	J	0.34	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.17		0.034	0.0066	mg/Kg	1	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.043	J	0.34	0.018	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.014	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.33	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.047		0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.011	J	0.34	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.039	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.41		0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.014	J	0.34	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.18		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.022	J	0.34	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.16	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.43		0.34	0.0084	mg/Kg	1	☼	8270E	Total/NA
Aluminum	7640		18.2	5.0	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.9		0.91	0.094	mg/Kg	1	☼	6020B	Total/NA
Barium	65.5		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.30	J	0.36	0.052	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.24	J	0.91	0.10	mg/Kg	1	☼	6020B	Total/NA
Calcium	22500		90.9	37.0	mg/Kg	1	☼	6020B	Total/NA
Chromium	16.2		1.8	0.83	mg/Kg	1	☼	6020B	Total/NA
Cobalt	5.7		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Copper	29.9		1.8	0.33	mg/Kg	1	☼	6020B	Total/NA
Iron	14300		54.5	18.4	mg/Kg	1	☼	6020B	Total/NA
Lead	64.3		0.55	0.18	mg/Kg	1	☼	6020B	Total/NA
Magnesium	4690		90.9	9.3	mg/Kg	1	☼	6020B	Total/NA
Manganese	202		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	14.5		1.8	0.43	mg/Kg	1	☼	6020B	Total/NA
Potassium	1710		90.9	14.7	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.19	J	1.1	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	226		90.9	41.5	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.10	J	0.36	0.037	mg/Kg	1	☼	6020B	Total/NA
Vanadium	33.4		1.8	0.19	mg/Kg	1	☼	6020B	Total/NA
Zinc	90.7		7.3	2.8	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.16		0.016	0.0075	mg/Kg	1	☼	7471B	Total/NA
Cyanide, Total	0.17	J	0.23	0.12	mg/Kg	1	☼	9012B	Total/NA

Client Sample ID: SB-2_(3-5)
Lab Sample ID: 460-314754-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cyclohexane	0.00077	J	0.0016	0.00034	mg/Kg	1	☼	8260D	Total/NA
1,1'-Biphenyl	0.021	J	0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
2-Methylnaphthalene	0.030	J	0.34	0.0094	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.30	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-2_(3-5) (Continued)
Lab Sample ID: 460-314754-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthylene	0.073	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.58		0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	2.5		0.034	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	2.8		0.034	0.0090	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	3.6		0.034	0.0087	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	1.3		0.34	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	1.5		0.034	0.0066	mg/Kg	1	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	5.6		0.34	0.018	mg/Kg	1	☼	8270E	Total/NA
Butyl benzyl phthalate	0.043	J	0.34	0.016	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.21	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	2.5		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.37		0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.081	J	0.34	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.027	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	4.4		0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.16	J	0.34	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	1.4		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.072	J	0.34	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	2.2		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	4.1		0.34	0.0084	mg/Kg	1	☼	8270E	Total/NA
Aluminum	6540		20.3	5.6	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.36	J	1.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Arsenic	4.3		1.0	0.10	mg/Kg	1	☼	6020B	Total/NA
Barium	102		2.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.29	J	0.41	0.058	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.64	J	1.0	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	16100		102	41.4	mg/Kg	1	☼	6020B	Total/NA
Chromium	17.7		2.0	0.92	mg/Kg	1	☼	6020B	Total/NA
Cobalt	5.0		2.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Copper	39.9		2.0	0.37	mg/Kg	1	☼	6020B	Total/NA
Iron	18000		61.0	20.5	mg/Kg	1	☼	6020B	Total/NA
Lead	161		0.61	0.20	mg/Kg	1	☼	6020B	Total/NA
Magnesium	4870		102	10.4	mg/Kg	1	☼	6020B	Total/NA
Manganese	271		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	15.3		2.0	0.48	mg/Kg	1	☼	6020B	Total/NA
Potassium	796		102	16.5	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.22	J	1.3	0.13	mg/Kg	1	☼	6020B	Total/NA
Sodium	169		102	46.5	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.055	J	0.41	0.042	mg/Kg	1	☼	6020B	Total/NA
Vanadium	23.2		2.0	0.21	mg/Kg	1	☼	6020B	Total/NA
Zinc	282		8.1	3.1	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.22		0.016	0.0076	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: SB-5_(0-2)
Lab Sample ID: 460-314754-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1'-Biphenyl	0.017	J	0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
2-Methylnaphthalene	0.045	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.062	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.057	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.22	J	0.33	0.010	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-5_(0-2) (Continued)
Lab Sample ID: 460-314754-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	1.2		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	1.4		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	1.9		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.70		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.65		0.033	0.0065	mg/Kg	1	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.044	J	0.33	0.018	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.065	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	1.2		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.18		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.058	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.087	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	1.5		0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.042	J	0.33	0.0097	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.69		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.10	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.59		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	1.8		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
Aluminum	6840		19.0	5.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.16	J	0.95	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.7		0.95	0.098	mg/Kg	1	☼	6020B	Total/NA
Barium	75.4		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.28	J	0.38	0.054	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.36	J	0.95	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	19000		95.1	38.7	mg/Kg	1	☼	6020B	Total/NA
Chromium	13.6		1.9	0.86	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.5		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	25.4		1.9	0.35	mg/Kg	1	☼	6020B	Total/NA
Iron	11600		57.1	19.2	mg/Kg	1	☼	6020B	Total/NA
Lead	89.6		0.57	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	3620		95.1	9.7	mg/Kg	1	☼	6020B	Total/NA
Manganese	209		3.1	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	11.5		1.9	0.45	mg/Kg	1	☼	6020B	Total/NA
Potassium	1040		95.1	15.4	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.15	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	343		95.1	43.5	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.066	J	0.38	0.039	mg/Kg	1	☼	6020B	Total/NA
Vanadium	23.0		1.9	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	129		7.6	2.9	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.083		0.016	0.0077	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: SB-5_(3-5)
Lab Sample ID: 460-314754-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1'-Biphenyl	0.017	J	0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
2-Methylnaphthalene	0.039	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
4-Chloro-3-methylphenol	0.037	J	0.33	0.019	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.53		0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.062	J	0.33	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	1.5		0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	3.8		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	3.5		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-5_(3-5) (Continued)
Lab Sample ID: 460-314754-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[b]fluoranthene	4.5		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	1.8		0.33	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	1.6		0.033	0.0066	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.26	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	3.9		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.51		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.18	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.39		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	1.8		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.026	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	5.5		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	7.2		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene - DL	7.8		0.67	0.023	mg/Kg	2	☼	8270E	Total/NA
Aluminum	7050		18.9	5.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.41	J	0.94	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	3.8		0.94	0.097	mg/Kg	1	☼	6020B	Total/NA
Barium	58.6		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.27	J	0.38	0.054	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.29	J	0.94	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	13900		94.5	38.4	mg/Kg	1	☼	6020B	Total/NA
Chromium	12.6		1.9	0.86	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.1		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	31.6		1.9	0.35	mg/Kg	1	☼	6020B	Total/NA
Iron	12300		56.7	19.1	mg/Kg	1	☼	6020B	Total/NA
Lead	219		0.57	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	3210		94.5	9.6	mg/Kg	1	☼	6020B	Total/NA
Manganese	262		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	11.7		1.9	0.44	mg/Kg	1	☼	6020B	Total/NA
Potassium	757		94.5	15.3	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.25	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	241		94.5	43.2	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.066	J	0.38	0.039	mg/Kg	1	☼	6020B	Total/NA
Vanadium	17.0		1.9	0.19	mg/Kg	1	☼	6020B	Total/NA
Zinc	121		7.6	2.9	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.15		0.016	0.0076	mg/Kg	1	☼	7471B	Total/NA
Cyanide, Total	0.18	J	0.20	0.11	mg/Kg	1	☼	9012B	Total/NA

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.00051	J	0.0014	0.00033	mg/Kg	1	☼	8260D	Total/NA
Acetone	0.0091		0.0081	0.0078	mg/Kg	1	☼	8260D	Total/NA
2-Methylnaphthalene	0.028	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.018	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.069	J	0.33	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.085	J	0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.41		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.55		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.72		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.31	J	0.33	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.27		0.033	0.0066	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-1_(0-2) (Continued)
Lab Sample ID: 460-314754-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Carbazole	0.025	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.47		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.082		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.015	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.071	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.58		0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.015	J	0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.31		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.034	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.23	J	0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.62		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
Aluminum	6820		17.6	4.8	mg/Kg	1	☼	6020B	Total/NA
Arsenic	3.0		0.88	0.091	mg/Kg	1	☼	6020B	Total/NA
Barium	55.1		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.28	J	0.35	0.050	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.23	J	0.88	0.099	mg/Kg	1	☼	6020B	Total/NA
Calcium	27400		88.0	35.8	mg/Kg	1	☼	6020B	Total/NA
Chromium	15.9		1.8	0.80	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.8		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Copper	23.8		1.8	0.32	mg/Kg	1	☼	6020B	Total/NA
Iron	14000		52.8	17.8	mg/Kg	1	☼	6020B	Total/NA
Lead	47.9		0.53	0.18	mg/Kg	1	☼	6020B	Total/NA
Magnesium	5910		88.0	9.0	mg/Kg	1	☼	6020B	Total/NA
Manganese	164		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	12.8		1.8	0.41	mg/Kg	1	☼	6020B	Total/NA
Potassium	1410		88.0	14.3	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.19	J	1.1	0.11	mg/Kg	1	☼	6020B	Total/NA
Sodium	313		88.0	40.2	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.077	J	0.35	0.036	mg/Kg	1	☼	6020B	Total/NA
Vanadium	30.7		1.8	0.18	mg/Kg	1	☼	6020B	Total/NA
Zinc	61.3		7.0	2.7	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.099		0.017	0.0080	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: SB-1_(3-5)
Lab Sample ID: 460-314754-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.012	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.015	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.065	J	0.33	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.075	J	0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.42		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.59		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.70		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.57		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.27		0.033	0.0066	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.022	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.45		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.11		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.014	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.089	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.66		0.33	0.012	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-1_(3-5) (Continued)
Lab Sample ID: 460-314754-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.013	J	0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.50		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.034	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.28	J	0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.69		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
Aluminum	7050		19.1	5.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	1.5		0.96	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	6.6		0.96	0.098	mg/Kg	1	☼	6020B	Total/NA
Barium	58.2		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.26	J	0.38	0.054	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.27	J	0.96	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	3390		95.6	38.9	mg/Kg	1	☼	6020B	Total/NA
Chromium	23.9		1.9	0.87	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.0		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	37.0		1.9	0.35	mg/Kg	1	☼	6020B	Total/NA
Iron	12400		57.3	19.3	mg/Kg	1	☼	6020B	Total/NA
Lead	299		0.57	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	1660		95.6	9.7	mg/Kg	1	☼	6020B	Total/NA
Manganese	268		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	13.8		1.9	0.45	mg/Kg	1	☼	6020B	Total/NA
Potassium	602		95.6	15.5	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.87	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Silver	0.13	J	0.38	0.085	mg/Kg	1	☼	6020B	Total/NA
Sodium	165		95.6	43.7	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.16	J	0.38	0.039	mg/Kg	1	☼	6020B	Total/NA
Vanadium	16.9		1.9	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	190		7.6	2.9	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.53		0.017	0.0081	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: SB-4_(0-2)
Lab Sample ID: 460-314754-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	0.034	J	0.33	0.0094	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.16	J	0.33	0.0096	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.12	J	0.33	0.0096	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.37		0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	1.8		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	2.0		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	2.7		0.033	0.0087	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.98		0.33	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.97		0.033	0.0066	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.12	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	1.8		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.26		0.033	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.062	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.081	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	2.9		0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.10	J	0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.99		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.078	J	0.33	0.0058	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	1.3		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-4_(0-2) (Continued)
Lab Sample ID: 460-314754-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Pyrene	2.8		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
cis-Chlordane	0.0070		0.0068	0.0011	mg/Kg	1	☼	8081B	Total/NA
Endrin	0.0024	J	0.0068	0.00097	mg/Kg	1	☼	8081B	Total/NA
Aluminum	6190		18.1	5.0	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.16	J	0.91	0.13	mg/Kg	1	☼	6020B	Total/NA
Arsenic	3.3		0.91	0.093	mg/Kg	1	☼	6020B	Total/NA
Barium	68.3		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.24	J	0.36	0.052	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.33	J	0.91	0.10	mg/Kg	1	☼	6020B	Total/NA
Calcium	12100		90.5	36.9	mg/Kg	1	☼	6020B	Total/NA
Chromium	13.7		1.8	0.82	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.9		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Copper	22.8		1.8	0.33	mg/Kg	1	☼	6020B	Total/NA
Iron	11100		54.3	18.3	mg/Kg	1	☼	6020B	Total/NA
Lead	70.4		0.54	0.18	mg/Kg	1	☼	6020B	Total/NA
Magnesium	3490		90.5	9.2	mg/Kg	1	☼	6020B	Total/NA
Manganese	185		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	11.2		1.8	0.43	mg/Kg	1	☼	6020B	Total/NA
Potassium	880		90.5	14.7	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.19	J	1.1	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	270		90.5	41.4	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.062	J	0.36	0.037	mg/Kg	1	☼	6020B	Total/NA
Vanadium	21.3		1.8	0.19	mg/Kg	1	☼	6020B	Total/NA
Zinc	103		7.2	2.8	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.19		0.016	0.0075	mg/Kg	1	☼	7471B	Total/NA
Cyanide, Total	0.31		0.21	0.11	mg/Kg	1	☼	9012B	Total/NA

Client Sample ID: SB-4_(3-5)
Lab Sample ID: 460-314754-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.011		0.0086	0.0082	mg/Kg	1	☼	8260D	Total/NA
2-Methylnaphthalene	0.019	J	0.34	0.0095	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.14	J	0.34	0.0097	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.041	J	0.34	0.0097	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.34		0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	1.6		0.034	0.026	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	1.6		0.034	0.0091	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	2.0		0.034	0.0088	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	1.0		0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.79		0.034	0.0067	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.13	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	1.5		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.25		0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.052	J	0.34	0.011	mg/Kg	1	☼	8270E	Total/NA
Di-n-butyl phthalate	0.048	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	2.9		0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.097	J	0.34	0.0099	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	1.0		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.038	J	0.34	0.0059	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	1.4		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	2.7		0.34	0.0085	mg/Kg	1	☼	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SB-4_(3-5) (Continued)
Lab Sample ID: 460-314754-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aluminum	6280		19.6	5.4	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.14	J	0.98	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.9		0.98	0.10	mg/Kg	1	☼	6020B	Total/NA
Barium	63.0		2.0	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.27	J	0.39	0.056	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.34	J	0.98	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	12400		98.0	39.9	mg/Kg	1	☼	6020B	Total/NA
Chromium	16.6		2.0	0.89	mg/Kg	1	☼	6020B	Total/NA
Cobalt	4.2		2.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Copper	20.7		2.0	0.36	mg/Kg	1	☼	6020B	Total/NA
Iron	10400		58.8	19.8	mg/Kg	1	☼	6020B	Total/NA
Lead	68.2		0.59	0.20	mg/Kg	1	☼	6020B	Total/NA
Magnesium	3410		98.0	10	mg/Kg	1	☼	6020B	Total/NA
Manganese	212		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	11.3		2.0	0.46	mg/Kg	1	☼	6020B	Total/NA
Potassium	830		98.0	15.9	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.18	J	1.2	0.13	mg/Kg	1	☼	6020B	Total/NA
Sodium	299		98.0	44.8	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.054	J	0.39	0.040	mg/Kg	1	☼	6020B	Total/NA
Vanadium	18.8		2.0	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	99.2		7.8	3.0	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.48		0.016	0.0075	mg/Kg	1	☼	7471B	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-3_(0-2)
Date Collected: 11/04/24 08:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-1
Matrix: Solid
Percent Solids: 99.1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0012	U	0.0012	0.00029	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,1,2,2-Tetrachloroethane	0.0012	U	0.0012	0.00027	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0012	U	0.0012	0.00038	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,1,2-Trichloroethane	0.0012	U	0.0012	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,1-Dichloroethane	0.0012	U	0.0012	0.00026	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,1-Dichloroethene	0.0012	U	0.0012	0.00028	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2,3-Trichlorobenzene	0.0012	U	0.0012	0.00023	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2,4-Trichlorobenzene	0.0012	U	0.0012	0.00045	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2,4-Trimethylbenzene	**0.00094**	**J**	0.0012	0.00031	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2-Dibromo-3-Chloropropane	0.0012	U	0.0012	0.00057	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2-Dichlorobenzene	0.0012	U	0.0012	0.00045	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2-Dichloroethane	0.0012	U	0.0012	0.00037	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,2-Dichloropropane	0.0012	U	0.0012	0.00053	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,3,5-Trimethylbenzene	0.0012	U	0.0012	0.00039	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,3-Dichlorobenzene	0.0012	U	0.0012	0.00045	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
1,4-Dichlorobenzene	0.0012	U	0.0012	0.00028	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
2-Butanone (MEK)	0.0062	U	0.0062	0.00046	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
2-Hexanone	0.0062	U	0.0062	0.0021	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
4-Methyl-2-pentanone (MIBK)	0.0062	U	0.0062	0.0019	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Acetone	**0.0090**		0.0075	0.0071	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Benzene	0.0012	U	0.0012	0.00032	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Bromoform	0.0012	U *	0.0012	0.00053	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Bromomethane	0.0025	U	0.0025	0.0012	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Carbon disulfide	0.0012	U	0.0012	0.00033	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Carbon tetrachloride	0.0012	U	0.0012	0.00048	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chlorobenzene	0.0012	U	0.0012	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chlorobromomethane	0.0012	U	0.0012	0.00035	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chlorodibromomethane	0.0012	U	0.0012	0.00024	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chloroethane	0.0012	U	0.0012	0.00065	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chloroform	0.0012	U	0.0012	0.0012	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Chloromethane	0.0012	U	0.0012	0.00054	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
cis-1,2-Dichloroethene	0.0012	U	0.0012	0.00045	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
cis-1,3-Dichloropropene	0.0012	U	0.0012	0.00034	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Cyclohexane	0.0012	U	0.0012	0.00028	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Dichlorobromomethane	0.0012	U	0.0012	0.00032	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Dichlorodifluoromethane	0.0012	U	0.0012	0.00042	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Ethylbenzene	0.0012	U	0.0012	0.00025	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Ethylene Dibromide	0.0012	U	0.0012	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Isopropylbenzene	0.0012	U	0.0012	0.00036	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Methyl acetate	0.0062	U *	0.0062	0.0054	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Methyl tert-butyl ether	0.0012	U	0.0012	0.00064	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Methylcyclohexane	0.0012	U	0.0012	0.00062	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Methylene Chloride	0.0025	U	0.0025	0.0014	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
m-Xylene & p-Xylene	0.0012	U	0.0012	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
n-Butylbenzene	0.0012	U	0.0012	0.00037	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
N-Propylbenzene	0.0012	U	0.0012	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
o-Xylene	0.0012	U	0.0012	0.00024	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
sec-Butylbenzene	0.0012	U	0.0012	0.00036	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Styrene	0.0012	U	0.0012	0.00035	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-3_(0-2)
Lab Sample ID: 460-314754-1
Date Collected: 11/04/24 08:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 99.1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0012	U	0.0012	0.00034	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Tetrachloroethene	0.0012	U	0.0012	0.00038	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Toluene	0.0012	U	0.0012	0.00029	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
trans-1,2-Dichloroethene	0.0012	U	0.0012	0.00031	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
trans-1,3-Dichloropropene	0.0012	U	0.0012	0.00033	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Trichloroethene	0.0012	U	0.0012	0.00040	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Trichlorofluoromethane	0.0012	U	0.0012	0.00051	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Vinyl chloride	0.0012	U	0.0012	0.00068	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1
Xylenes, Total	0.0025	U	0.0025	0.00022	mg/Kg	☼	11/05/24 11:28	11/05/24 23:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*103*		*65 - 138*	*11/05/24 11:28*	*11/05/24 23:27*	*1*
4-Bromofluorobenzene	*100*		*71 - 128*	*11/05/24 11:28*	*11/05/24 23:27*	*1*
Dibromofluoromethane (Surr)	*94*		*50 - 150*	*11/05/24 11:28*	*11/05/24 23:27*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*11/05/24 11:28*	*11/05/24 23:27*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	**0.040**	**J**	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Methylnaphthalene	**0.10**	**J**	0.33	0.0093	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
4-Nitrophenol	0.68	U	0.68	0.054	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Acenaphthene	**0.60**		0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Acenaphthylene	**0.092**	**J**	0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Acetophenone	**0.069**	**J**	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1

Client Sample ID: SB-3_(0-2)
Lab Sample ID: 460-314754-1
Date Collected: 11/04/24 08:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 99.1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	**1.7**		0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzo[a]anthracene	**5.2**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzo[a]pyrene	**5.8**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzo[b]fluoranthene	**7.7**		0.033	0.0086	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzo[g,h,i]perylene	**3.0**		0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Benzo[k]fluoranthene	**3.0**		0.033	0.0065	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Carbazole	**0.60**		0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Chrysene	**5.0**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Dibenz(a,h)anthracene	**0.78**		0.033	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Dibenzofuran	**0.32**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Di-n-butyl phthalate	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Fluorene	**0.55**		0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Indeno[1,2,3-cd]pyrene	**3.0**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Isophorone	0.13	U	0.13	0.096	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Naphthalene	**0.18**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Nitrobenzene	0.033	U	0.033	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Phenanthrene	**6.1**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*75*		*24 - 137*	*11/06/24 13:34*	*11/07/24 05:55*	*1*
2-Fluorobiphenyl	*87*		*38 - 128*	*11/06/24 13:34*	*11/07/24 05:55*	*1*
2-Fluorophenol (Surr)	*81*		*31 - 133*	*11/06/24 13:34*	*11/07/24 05:55*	*1*
Nitrobenzene-d5 (Surr)	*82*		*31 - 120*	*11/06/24 13:34*	*11/07/24 05:55*	*1*
Phenol-d5 (Surr)	*79*		*35 - 132*	*11/06/24 13:34*	*11/07/24 05:55*	*1*
Terphenyl-d14 (Surr)	*83*		*44 - 147*	*11/06/24 13:34*	*11/07/24 05:55*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	**9.6**		0.67	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 07:28	2
Pyrene	**8.9**		0.67	0.017	mg/Kg	☼	11/06/24 13:34	11/07/24 07:28	2

Client Sample ID: SB-3_(0-2)
Date Collected: 11/04/24 08:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-1
Matrix: Solid
Percent Solids: 99.1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*70*		*24 - 137*	*11/06/24 13:34*	*11/07/24 07:28*	*2*
2-Fluorobiphenyl	*82*		*38 - 128*	*11/06/24 13:34*	*11/07/24 07:28*	*2*
2-Fluorophenol (Surr)	*80*		*31 - 133*	*11/06/24 13:34*	*11/07/24 07:28*	*2*
Nitrobenzene-d5 (Surr)	*77*		*31 - 120*	*11/06/24 13:34*	*11/07/24 07:28*	*2*
Phenol-d5 (Surr)	*80*		*35 - 132*	*11/06/24 13:34*	*11/07/24 07:28*	*2*
Terphenyl-d14 (Surr)	*83*		*44 - 147*	*11/06/24 13:34*	*11/07/24 07:28*	*2*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0067	U	0.0067	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
4,4'-DDE	0.0067	U	0.0067	0.00079	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
4,4'-DDT	0.0067	U	0.0067	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Aldrin	0.0067	U	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
alpha-BHC	0.0020	U	0.0020	0.00068	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
beta-BHC	0.0020	U	0.0020	0.00075	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Chlordane (technical)	0.067	U	0.067	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
cis-Chlordane	0.0067	U	0.0067	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endosulfan I	0.0067	U *	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endosulfan II	0.0067	U	0.0067	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endosulfan sulfate	0.0067	U	0.0067	0.00084	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endrin	0.0067	U	0.0067	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endrin aldehyde	0.0067	U	0.0067	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Endrin ketone	0.0067	U	0.0067	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00062	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Heptachlor	0.0067	U	0.0067	0.00079	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Heptachlor epoxide	0.0067	U	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Methoxychlor	0.0067	U	0.0067	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1
Toxaphene	0.067	U	0.067	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 07:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*62*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:00*	*1*
DCB Decachlorobiphenyl	*54*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:00*	*1*
Tetrachloro-m-xylene	*43*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:00*	*1*
Tetrachloro-m-xylene	*50*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:00*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1221	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1232	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1242	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1248	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1254	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1260	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor-1262	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Aroclor 1268	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1
Polychlorinated biphenyls, Total	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:08	1

Client Sample ID: SB-3_(0-2)
Lab Sample ID: 460-314754-1
Date Collected: 11/04/24 08:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 99.1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*61*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:08*	*1*
DCB Decachlorobiphenyl	*44*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:08*	*1*
Tetrachloro-m-xylene	*45*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:08*	*1*
Tetrachloro-m-xylene	*42*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:08*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**4930**		18.4	5.0	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Antimony	**0.21**	**J**	0.92	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Arsenic	**2.7**		0.92	0.095	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Barium	**94.1**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Beryllium	**0.22**	**J**	0.37	0.052	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Cadmium	**0.39**	**J**	0.92	0.10	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Calcium	**28400**		91.8	37.3	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Chromium	**12.6**		1.8	0.83	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Cobalt	**3.7**		1.8	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Copper	**20.9**		1.8	0.34	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Iron	**11800**		55.1	18.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Lead	**116**		0.55	0.18	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Magnesium	**8600**		91.8	9.4	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Manganese	**143**		3.1	0.31	mg/Kg	☼	11/08/24 21:30	11/11/24 12:08	1
Nickel	**9.8**		1.8	0.43	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Potassium	**902**		91.8	14.9	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Selenium	**0.14**	**J**	1.1	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Silver	0.37	U	0.37	0.082	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Sodium	**541**		91.8	41.9	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Thallium	**0.049**	**J**	0.37	0.038	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Vanadium	**26.0**		1.8	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1
Zinc	**173**		7.3	2.8	mg/Kg	☼	11/06/24 07:18	11/06/24 18:53	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.13**		0.017	0.0079	mg/Kg	☼	11/06/24 00:44	11/06/24 04:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	**1.7**	**J**	1.9	0.82	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	**0.16**	**J**	0.20	0.11	mg/Kg	☼	11/07/24 07:36	11/08/24 10:09	1
Percent Moisture (EPA Moisture)	1.0	U	1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	**99.1**		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-2_(0-2)
Lab Sample ID: 460-314754-2
Date Collected: 11/04/24 09:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-2_(0-2)
Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2,4-Trimethylbenzene	0.0014	U	0.0014	0.00034	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00063	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00050	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00058	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00050	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
2-Butanone (MEK)	0.0069	U	0.0069	0.00050	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
2-Hexanone	0.0069	U	0.0069	0.0023	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
4-Methyl-2-pentanone (MIBK)	0.0069	U	0.0069	0.0021	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Acetone	0.0082	U	0.0082	0.0078	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Benzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Bromoform	0.0014	U *	0.0014	0.00058	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Bromomethane	0.0027	U	0.0027	0.0014	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Carbon disulfide	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Carbon tetrachloride	0.0014	U	0.0014	0.00053	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chlorobenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chlorobromomethane	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chlorodibromomethane	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chloroethane	0.0014	U	0.0014	0.00072	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chloroform	0.0014	U	0.0014	0.0013	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Chloromethane	0.0014	U	0.0014	0.00060	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Cyclohexane	0.0014	U	0.0014	0.00030	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Dichlorobromomethane	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Ethylbenzene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Ethylene Dibromide	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Isopropylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Methyl acetate	0.0069	U *	0.0069	0.0059	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00070	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Methylcyclohexane	0.0014	U	0.0014	0.00068	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Methylene Chloride	0.0027	U	0.0027	0.0016	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
n-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
N-Propylbenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
o-Xylene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
sec-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Styrene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
tert-Butylbenzene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Tetrachloroethene	0.0014	U	0.0014	0.00042	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Toluene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00034	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-2_(0-2)
Lab Sample ID: 460-314754-2
Date Collected: 11/04/24 09:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Trichloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00056	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Vinyl chloride	0.0014	U	0.0014	0.00075	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1
Xylenes, Total	0.0027	U	0.0027	0.00024	mg/Kg	☼	11/05/24 11:29	11/05/24 23:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*65 - 138*	*11/05/24 11:29*	*11/05/24 23:52*	*1*
4-Bromofluorobenzene	*101*		*71 - 128*	*11/05/24 11:29*	*11/05/24 23:52*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*11/05/24 11:29*	*11/05/24 23:52*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*11/05/24 11:29*	*11/05/24 23:52*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Chloronaphthalene	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Methylnaphthalene	**0.023**	**J**	0.34	0.0094	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Nitroaniline	0.34	U	0.34	0.039	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Acenaphthene	**0.012**	**J**	0.34	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Acenaphthylene	**0.051**	**J**	0.34	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Acetophenone	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Anthracene	**0.061**	**J**	0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Atrazine	0.14	U	0.14	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Benzaldehyde	0.34	U	0.34	0.056	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Benzo[a]anthracene	**0.27**		0.034	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1

Client Sample ID: SB-2_(0-2)
Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	**0.34**		0.034	0.0090	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Benzo[b]fluoranthene	**0.48**		0.034	0.0087	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Benzo[g,h,i]perylene	**0.21**	**J**	0.34	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Benzo[k]fluoranthene	**0.17**		0.034	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Bis(2-ethylhexyl) phthalate	**0.043**	**J**	0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Caprolactam	0.34	U	0.34	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Carbazole	**0.014**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Chrysene	**0.33**	**J**	0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Dibenz(a,h)anthracene	**0.047**		0.034	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Dibenzofuran	**0.011**	**J**	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Dimethyl phthalate	0.34	U	0.34	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Di-n-butyl phthalate	**0.039**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Fluoranthene	**0.41**		0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Fluorene	**0.014**	**J**	0.34	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Hexachlorobutadiene	0.068	U	0.068	0.0072	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Indeno[1,2,3-cd]pyrene	**0.18**		0.034	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Isophorone	0.14	U	0.14	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Naphthalene	**0.022**	**J**	0.34	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Phenanthrene	**0.16**	**J**	0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1
Pyrene	**0.43**		0.34	0.0084	mg/Kg	☼	11/06/24 13:34	11/07/24 06:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*62*		*24 - 137*	*11/06/24 13:34*	*11/07/24 06:18*	*1*
2-Fluorobiphenyl	*73*		*38 - 128*	*11/06/24 13:34*	*11/07/24 06:18*	*1*
2-Fluorophenol (Surr)	*72*		*31 - 133*	*11/06/24 13:34*	*11/07/24 06:18*	*1*
Nitrobenzene-d5 (Surr)	*72*		*31 - 120*	*11/06/24 13:34*	*11/07/24 06:18*	*1*
Phenol-d5 (Surr)	*70*		*35 - 132*	*11/06/24 13:34*	*11/07/24 06:18*	*1*
Terphenyl-d14 (Surr)	*71*		*44 - 147*	*11/06/24 13:34*	*11/07/24 06:18*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
4,4'-DDT	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1

Client Sample ID: SB-2_(0-2)
Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
cis-Chlordane	0.0068	U	0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
delta-BHC	0.0020	U	0.0020	0.00042	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endrin	0.0068	U	0.0068	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Methoxychlor	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1
Toxaphene	0.068	U	0.068	0.025	mg/Kg	☼	11/05/24 16:34	11/06/24 07:13	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*74*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:13*	*1*
DCB Decachlorobiphenyl	*70*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:13*	*1*
Tetrachloro-m-xylene	*71*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:13*	*1*
Tetrachloro-m-xylene	*76*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:13*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:25	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*67*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:25*	*1*
DCB Decachlorobiphenyl	*59*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:25*	*1*
Tetrachloro-m-xylene	*68*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:25*	*1*
Tetrachloro-m-xylene	*65*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:25*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**7640**		18.2	5.0	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Antimony	0.91	U	0.91	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Arsenic	**2.9**		0.91	0.094	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Barium	**65.5**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Beryllium	**0.30**	**J**	0.36	0.052	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Cadmium	**0.24**	**J**	0.91	0.10	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Calcium	**22500**		90.9	37.0	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1

Client Sample ID: SB-2_(0-2)
Lab Sample ID: 460-314754-2
Date Collected: 11/04/24 09:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.3

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	16.2		1.8	0.83	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Cobalt	5.7		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Copper	29.9		1.8	0.33	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Iron	14300		54.5	18.4	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Lead	64.3		0.55	0.18	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Magnesium	4690		90.9	9.3	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Manganese	202		3.2	0.32	mg/Kg	☼	11/08/24 21:30	11/11/24 12:11	1
Nickel	14.5		1.8	0.43	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Potassium	1710		90.9	14.7	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Selenium	0.19	J	1.1	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Silver	0.36	U	0.36	0.081	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Sodium	226		90.9	41.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Thallium	0.10	J	0.36	0.037	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Vanadium	33.4		1.8	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1
Zinc	90.7		7.3	2.8	mg/Kg	☼	11/06/24 07:18	11/06/24 18:55	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.16		0.016	0.0075	mg/Kg	☼	11/06/24 00:44	11/06/24 04:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.85	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.17	J	0.23	0.12	mg/Kg	☼	11/07/24 07:36	11/08/24 10:12	1
Percent Moisture (EPA Moisture)	1.7		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	98.3		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-2_(3-5)
Lab Sample ID: 460-314754-3
Date Collected: 11/04/24 09:55
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0016	U	0.0016	0.00036	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,1,2,2-Tetrachloroethane	0.0016	U	0.0016	0.00033	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0016	U	0.0016	0.00047	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,1,2-Trichloroethane	0.0016	U	0.0016	0.00028	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,1-Dichloroethane	0.0016	U	0.0016	0.00032	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,1-Dichloroethene	0.0016	U	0.0016	0.00035	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2,3-Trichlorobenzene	0.0016	U	0.0016	0.00028	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2,4-Trichlorobenzene	0.0016	U	0.0016	0.00056	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2,4-Trimethylbenzene	0.0016	U	0.0016	0.00038	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2-Dibromo-3-Chloropropane	0.0016	U	0.0016	0.00072	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2-Dichlorobenzene	0.0016	U	0.0016	0.00056	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2-Dichloroethane	0.0016	U	0.0016	0.00046	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,2-Dichloropropane	0.0016	U	0.0016	0.00066	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,3,5-Trimethylbenzene	0.0016	U	0.0016	0.00049	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,3-Dichlorobenzene	0.0016	U	0.0016	0.00057	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
1,4-Dichlorobenzene	0.0016	U	0.0016	0.00035	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
2-Butanone (MEK)	0.0078	U	0.0078	0.00057	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-2_(3-5)
Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	0.0078	U	0.0078	0.0027	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
4-Methyl-2-pentanone (MIBK)	0.0078	U	0.0078	0.0024	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Acetone	0.0093	U	0.0093	0.0089	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Benzene	0.0016	U	0.0016	0.00040	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Bromoform	0.0016	U *	0.0016	0.00066	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Bromomethane	0.0031	U	0.0031	0.0016	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Carbon disulfide	0.0016	U	0.0016	0.00041	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Carbon tetrachloride	0.0016	U	0.0016	0.00060	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chlorobenzene	0.0016	U	0.0016	0.00028	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chlorobromomethane	0.0016	U	0.0016	0.00044	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chlorodibromomethane	0.0016	U	0.0016	0.00030	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chloroethane	0.0016	U	0.0016	0.00081	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chloroform	0.0016	U	0.0016	0.0015	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Chloromethane	0.0016	U	0.0016	0.00068	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
cis-1,2-Dichloroethene	0.0016	U	0.0016	0.00056	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
cis-1,3-Dichloropropene	0.0016	U	0.0016	0.00042	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Cyclohexane	**0.00077**	**J**	0.0016	0.00034	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Dichlorobromomethane	0.0016	U	0.0016	0.00040	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Dichlorodifluoromethane	0.0016	U	0.0016	0.00053	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Ethylbenzene	0.0016	U	0.0016	0.00031	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Ethylene Dibromide	0.0016	U	0.0016	0.00028	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Isopropylbenzene	0.0016	U	0.0016	0.00044	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Methyl acetate	0.0078	U *	0.0078	0.0067	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Methyl tert-butyl ether	0.0016	U	0.0016	0.00080	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Methylcyclohexane	0.0016	U	0.0016	0.00078	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Methylene Chloride	0.0031	U	0.0031	0.0018	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
m-Xylene & p-Xylene	0.0016	U	0.0016	0.00027	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
n-Butylbenzene	0.0016	U	0.0016	0.00046	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
N-Propylbenzene	0.0016	U	0.0016	0.00027	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
o-Xylene	0.0016	U	0.0016	0.00030	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
sec-Butylbenzene	0.0016	U	0.0016	0.00045	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Styrene	0.0016	U	0.0016	0.00043	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
tert-Butylbenzene	0.0016	U	0.0016	0.00043	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Tetrachloroethene	0.0016	U	0.0016	0.00047	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Toluene	0.0016	U	0.0016	0.00036	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
trans-1,2-Dichloroethene	0.0016	U	0.0016	0.00038	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
trans-1,3-Dichloropropene	0.0016	U	0.0016	0.00041	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Trichloroethene	0.0016	U	0.0016	0.00050	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Trichlorofluoromethane	0.0016	U	0.0016	0.00063	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Vinyl chloride	0.0016	U	0.0016	0.00085	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1
Xylenes, Total	0.0031	U	0.0031	0.00027	mg/Kg	☼	11/05/24 11:30	11/06/24 00:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*103*		*65 - 138*	*11/05/24 11:30*	*11/06/24 00:18*	*1*
4-Bromofluorobenzene	*99*		*71 - 128*	*11/05/24 11:30*	*11/06/24 00:18*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*11/05/24 11:30*	*11/06/24 00:18*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*11/05/24 11:30*	*11/06/24 00:18*	*1*

Client Sample ID: SB-2_(3-5)
Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	**0.021**	**J**	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Chloronaphthalene	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Methylnaphthalene	**0.030**	**J**	0.34	0.0094	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Nitroaniline	0.34	U	0.34	0.039	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Acenaphthene	**0.30**	**J**	0.34	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Acenaphthylene	**0.073**	**J**	0.34	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Acetophenone	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Anthracene	**0.58**		0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Atrazine	0.14	U	0.14	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzaldehyde	0.34	U	0.34	0.056	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzo[a]anthracene	**2.5**		0.034	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzo[a]pyrene	**2.8**		0.034	0.0090	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzo[b]fluoranthene	**3.6**		0.034	0.0087	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzo[g,h,i]perylene	**1.3**		0.34	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Benzo[k]fluoranthene	**1.5**		0.034	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Bis(2-ethylhexyl) phthalate	**5.6**		0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Butyl benzyl phthalate	**0.043**	**J**	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Caprolactam	0.34	U	0.34	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Carbazole	**0.21**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Chrysene	**2.5**		0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Dibenz(a,h)anthracene	**0.37**		0.034	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Dibenzofuran	**0.081**	**J**	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1

Client Sample ID: SB-2_(3-5)
Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Dimethyl phthalate	0.34	U	0.34	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Di-n-butyl phthalate	**0.027**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Fluoranthene	**4.4**		0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Fluorene	**0.16**	**J**	0.34	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Indeno[1,2,3-cd]pyrene	**1.4**		0.034	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Isophorone	0.14	U	0.14	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Naphthalene	**0.072**	**J**	0.34	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Phenanthrene	**2.2**		0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1
Pyrene	**4.1**		0.34	0.0084	mg/Kg	☼	11/06/24 13:34	11/07/24 06:41	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*70*		*24 - 137*	*11/06/24 13:34*	*11/07/24 06:41*	*1*
2-Fluorobiphenyl	*83*		*38 - 128*	*11/06/24 13:34*	*11/07/24 06:41*	*1*
2-Fluorophenol (Surr)	*79*		*31 - 133*	*11/06/24 13:34*	*11/07/24 06:41*	*1*
Nitrobenzene-d5 (Surr)	*78*		*31 - 120*	*11/06/24 13:34*	*11/07/24 06:41*	*1*
Phenol-d5 (Surr)	*77*		*35 - 132*	*11/06/24 13:34*	*11/07/24 06:41*	*1*
Terphenyl-d14 (Surr)	*79*		*44 - 147*	*11/06/24 13:34*	*11/07/24 06:41*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
4,4'-DDT	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
cis-Chlordane	0.0068	U	0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
delta-BHC	0.0020	U	0.0020	0.00042	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endrin	0.0068	U	0.0068	0.00098	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1

Client Sample ID: SB-2_(3-5)
Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methoxychlor	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1
Toxaphene	0.068	U	0.068	0.025	mg/Kg	☼	11/05/24 16:34	11/06/24 07:26	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*62*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:26*	*1*
DCB Decachlorobiphenyl	*60*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:26*	*1*
Tetrachloro-m-xylene	*55*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:26*	*1*
Tetrachloro-m-xylene	*64*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:26*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 18:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*63*		*20 - 150*	*11/05/24 16:31*	*11/06/24 18:58*	*1*
DCB Decachlorobiphenyl	*59*		*20 - 150*	*11/05/24 16:31*	*11/06/24 18:58*	*1*
Tetrachloro-m-xylene	*63*		*20 - 150*	*11/05/24 16:31*	*11/06/24 18:58*	*1*
Tetrachloro-m-xylene	*59*		*20 - 150*	*11/05/24 16:31*	*11/06/24 18:58*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**6540**		20.3	5.6	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Antimony	**0.36**	**J**	1.0	0.15	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Arsenic	**4.3**		1.0	0.10	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Barium	**102**		2.0	0.15	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Beryllium	**0.29**	**J**	0.41	0.058	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Cadmium	**0.64**	**J**	1.0	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Calcium	**16100**		102	41.4	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Chromium	**17.7**		2.0	0.92	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Cobalt	**5.0**		2.0	0.15	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Copper	**39.9**		2.0	0.37	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Iron	**18000**		61.0	20.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Lead	**161**		0.61	0.20	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Magnesium	**4870**		102	10.4	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Manganese	**271**		3.2	0.32	mg/Kg	☼	11/08/24 21:30	11/11/24 12:13	1
Nickel	**15.3**		2.0	0.48	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Potassium	**796**		102	16.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Selenium	**0.22**	**J**	1.3	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Silver	0.41	U	0.41	0.091	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Sodium	**169**		102	46.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Thallium	**0.055**	**J**	0.41	0.042	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1

Client Sample ID: SB-2_(3-5)
Lab Sample ID: 460-314754-3
Date Collected: 11/04/24 09:55
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.3

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vanadium	23.2		2.0	0.21	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1
Zinc	282		8.1	3.1	mg/Kg	☼	11/06/24 07:18	11/06/24 18:09	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.22		0.016	0.0076	mg/Kg	☼	11/06/24 00:44	11/06/24 04:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.85	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.22	U	0.22	0.12	mg/Kg	☼	11/07/24 07:36	11/08/24 10:12	1
Percent Moisture (EPA Moisture)	1.7		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	98.3		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-5_(0-2)
Lab Sample ID: 460-314754-4
Date Collected: 11/04/24 12:00
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 99.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0019	U	0.0019	0.00045	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,1,2,2-Tetrachloroethane	0.0019	U	0.0019	0.00041	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0019	U	0.0019	0.00058	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,1,2-Trichloroethane	0.0019	U	0.0019	0.00035	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,1-Dichloroethane	0.0019	U	0.0019	0.00040	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,1-Dichloroethene	0.0019	U	0.0019	0.00044	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2,3-Trichlorobenzene	0.0019	U	0.0019	0.00035	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2,4-Trichlorobenzene	0.0019	U	0.0019	0.00069	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2,4-Trimethylbenzene	0.0019	U	0.0019	0.00048	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2-Dibromo-3-Chloropropane	0.0019	U	0.0019	0.00089	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2-Dichlorobenzene	0.0019	U	0.0019	0.00070	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2-Dichloroethane	0.0019	U	0.0019	0.00057	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,2-Dichloropropane	0.0019	U	0.0019	0.00082	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,3,5-Trimethylbenzene	0.0019	U	0.0019	0.00061	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,3-Dichlorobenzene	0.0019	U	0.0019	0.00071	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
1,4-Dichlorobenzene	0.0019	U	0.0019	0.00044	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
2-Butanone (MEK)	0.0097	U	0.0097	0.00071	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
2-Hexanone	0.0097	U	0.0097	0.0033	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
4-Methyl-2-pentanone (MIBK)	0.0097	U	0.0097	0.0030	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Acetone	0.012	U	0.012	0.011	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Benzene	0.0019	U	0.0019	0.00050	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Bromoform	0.0019	U *	0.0019	0.00082	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Bromomethane	0.0039	U	0.0039	0.0019	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Carbon disulfide	0.0019	U	0.0019	0.00052	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Carbon tetrachloride	0.0019	U	0.0019	0.00075	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Chlorobenzene	0.0019	U	0.0019	0.00034	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Chlorobromomethane	0.0019	U	0.0019	0.00054	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Chlorodibromomethane	0.0019	U	0.0019	0.00038	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Chloroethane	0.0019	U	0.0019	0.0010	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Chloroform	0.0019	U	0.0019	0.0019	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1

Client Sample ID: SB-5_(0-2)
Date Collected: 11/04/24 12:00
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-4
Matrix: Solid
Percent Solids: 99.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	0.0019	U	0.0019	0.00084	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
cis-1,2-Dichloroethene	0.0019	U	0.0019	0.00069	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
cis-1,3-Dichloropropene	0.0019	U	0.0019	0.00053	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Cyclohexane	0.0019	U	0.0019	0.00043	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Dichlorobromomethane	0.0019	U	0.0019	0.00050	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Dichlorodifluoromethane	0.0019	U	0.0019	0.00066	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Ethylbenzene	0.0019	U	0.0019	0.00039	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Ethylene Dibromide	0.0019	U	0.0019	0.00035	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Isopropylbenzene	0.0019	U	0.0019	0.00055	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Methyl acetate	0.0097	U *	0.0097	0.0083	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Methyl tert-butyl ether	0.0019	U	0.0019	0.00099	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Methylcyclohexane	0.0019	U	0.0019	0.00097	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Methylene Chloride	0.0039	U	0.0039	0.0022	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
m-Xylene & p-Xylene	0.0019	U	0.0019	0.00034	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
n-Butylbenzene	0.0019	U	0.0019	0.00057	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
N-Propylbenzene	0.0019	U	0.0019	0.00034	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
o-Xylene	0.0019	U	0.0019	0.00038	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
sec-Butylbenzene	0.0019	U	0.0019	0.00056	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Styrene	0.0019	U	0.0019	0.00054	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
tert-Butylbenzene	0.0019	U	0.0019	0.00054	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Tetrachloroethene	0.0019	U	0.0019	0.00059	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Toluene	0.0019	U	0.0019	0.00045	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
trans-1,2-Dichloroethene	0.0019	U	0.0019	0.00048	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
trans-1,3-Dichloropropene	0.0019	U	0.0019	0.00052	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Trichloroethene	0.0019	U	0.0019	0.00062	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Trichlorofluoromethane	0.0019	U	0.0019	0.00079	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Vinyl chloride	0.0019	U	0.0019	0.0011	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1
Xylenes, Total	0.0039	U	0.0039	0.00034	mg/Kg	☼	11/05/24 11:31	11/06/24 00:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*102*		*65 - 138*	*11/05/24 11:31*	*11/06/24 00:43*	*1*
4-Bromofluorobenzene	*99*		*71 - 128*	*11/05/24 11:31*	*11/06/24 00:43*	*1*
Dibromofluoromethane (Surr)	*94*		*50 - 150*	*11/05/24 11:31*	*11/06/24 00:43*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*	*11/05/24 11:31*	*11/06/24 00:43*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	**0.017**	**J**	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-5_(0-2)
Lab Sample ID: 460-314754-4
Date Collected: 11/04/24 12:00
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 99.2

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2-Methylnaphthalene	**0.045**	**J**	0.33	0.0093	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Acenaphthene	**0.062**	**J**	0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Acenaphthylene	**0.057**	**J**	0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Anthracene	**0.22**	**J**	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzo[a]anthracene	**1.2**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzo[a]pyrene	**1.4**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzo[b]fluoranthene	**1.9**		0.033	0.0086	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzo[g,h,i]perylene	**0.70**		0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Benzo[k]fluoranthene	**0.65**		0.033	0.0065	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Bis(2-ethylhexyl) phthalate	**0.044**	**J**	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Carbazole	**0.065**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Chrysene	**1.2**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Dibenz(a,h)anthracene	**0.18**		0.033	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Dibenzofuran	**0.058**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Di-n-butyl phthalate	**0.087**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Fluoranthene	**1.5**		0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Fluorene	**0.042**	**J**	0.33	0.0097	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Hexachlorobutadiene	0.067	U	0.067	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Indeno[1,2,3-cd]pyrene	**0.69**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Isophorone	0.13	U	0.13	0.096	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Naphthalene	**0.10**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1

Client Sample ID: SB-5_(0-2)
Date Collected: 11/04/24 12:00
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-4
Matrix: Solid
Percent Solids: 99.2

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Phenanthrene	**0.59**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1
Pyrene	**1.8**		0.33	0.0083	mg/Kg	☼	11/06/24 13:34	11/07/24 05:32	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*75*		*24 - 137*	*11/06/24 13:34*	*11/07/24 05:32*	*1*
2-Fluorobiphenyl	*83*		*38 - 128*	*11/06/24 13:34*	*11/07/24 05:32*	*1*
2-Fluorophenol (Surr)	*75*		*31 - 133*	*11/06/24 13:34*	*11/07/24 05:32*	*1*
Nitrobenzene-d5 (Surr)	*77*		*31 - 120*	*11/06/24 13:34*	*11/07/24 05:32*	*1*
Phenol-d5 (Surr)	*76*		*35 - 132*	*11/06/24 13:34*	*11/07/24 05:32*	*1*
Terphenyl-d14 (Surr)	*79*		*44 - 147*	*11/06/24 13:34*	*11/07/24 05:32*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0067	U	0.0067	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
4,4'-DDE	0.0067	U	0.0067	0.00079	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
4,4'-DDT	0.0067	U	0.0067	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Aldrin	0.0067	U	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
alpha-BHC	0.0020	U	0.0020	0.00068	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
beta-BHC	0.0020	U	0.0020	0.00075	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Chlordane (technical)	0.067	U	0.067	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
cis-Chlordane	0.0067	U	0.0067	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Dieldrin	0.0020	U	0.0020	0.00087	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endosulfan I	0.0067	U *	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endosulfan II	0.0067	U	0.0067	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endosulfan sulfate	0.0067	U	0.0067	0.00084	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endrin	0.0067	U	0.0067	0.00096	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endrin aldehyde	0.0067	U	0.0067	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Endrin ketone	0.0067	U	0.0067	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00062	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Heptachlor	0.0067	U	0.0067	0.00079	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Heptachlor epoxide	0.0067	U	0.0067	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Methoxychlor	0.0067	U	0.0067	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1
Toxaphene	0.067	U	0.067	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 07:39	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*67*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:39*	*1*
DCB Decachlorobiphenyl	*60*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:39*	*1*
Tetrachloro-m-xylene	*58*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:39*	*1*
Tetrachloro-m-xylene	*63*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:39*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1221	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1

Client Sample ID: SB-5_(0-2)
Date Collected: 11/04/24 12:00
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-4
Matrix: Solid
Percent Solids: 99.2

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1232	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1242	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1248	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1254	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1260	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor-1262	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Aroclor 1268	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1
Polychlorinated biphenyls, Total	0.067	U	0.067	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 13:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*53*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:58*	*1*
DCB Decachlorobiphenyl	*50*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:58*	*1*
Tetrachloro-m-xylene	*58*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:58*	*1*
Tetrachloro-m-xylene	*54*		*20 - 150*	*11/05/24 16:31*	*11/06/24 13:58*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**6840**		19.0	5.2	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Antimony	**0.16**	**J**	0.95	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Arsenic	**2.7**		0.95	0.098	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Barium	**75.4**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Beryllium	**0.28**	**J**	0.38	0.054	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Cadmium	**0.36**	**J**	0.95	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Calcium	**19000**		95.1	38.7	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Chromium	**13.6**		1.9	0.86	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Cobalt	**4.5**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Copper	**25.4**		1.9	0.35	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Iron	**11600**		57.1	19.2	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Lead	**89.6**		0.57	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Magnesium	**3620**		95.1	9.7	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Manganese	**209**		3.1	0.32	mg/Kg	☼	11/08/24 21:30	11/11/24 12:16	1
Nickel	**11.5**		1.9	0.45	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Potassium	**1040**		95.1	15.4	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Selenium	**0.15**	**J**	1.2	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Silver	0.38	U	0.38	0.085	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Sodium	**343**		95.1	43.5	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Thallium	**0.066**	**J**	0.38	0.039	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Vanadium	**23.0**		1.9	0.20	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1
Zinc	**129**		7.6	2.9	mg/Kg	☼	11/06/24 07:18	11/06/24 18:58	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.083**		0.016	0.0077	mg/Kg	☼	11/06/24 00:44	11/06/24 04:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	1.9	U	1.9	0.82	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.22	U	0.22	0.12	mg/Kg	☼	11/07/24 07:36	11/08/24 10:13	1
Percent Moisture (EPA Moisture)	1.0	U	1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	**99.2**		1.0	1.0	%			11/05/24 17:41	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-5_(3-5)
Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5
Matrix: Solid
Percent Solids: 98.9

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,1-Dichloroethane	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00051	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2,4-Trimethylbenzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00066	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00052	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00042	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00060	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00045	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00052	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
2-Butanone (MEK)	0.0071	U	0.0071	0.00053	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
2-Hexanone	0.0071	U	0.0071	0.0024	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
4-Methyl-2-pentanone (MIBK)	0.0071	U	0.0071	0.0022	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Acetone	0.0086	U	0.0086	0.0082	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Benzene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Bromoform	0.0014	U *	0.0014	0.00061	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Bromomethane	0.0029	U	0.0029	0.0014	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Carbon disulfide	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Carbon tetrachloride	0.0014	U	0.0014	0.00055	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chlorobromomethane	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chlorodibromomethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chloroethane	0.0014	U	0.0014	0.00075	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chloroform	0.0014	U	0.0014	0.0014	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Chloromethane	0.0014	U	0.0014	0.00062	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00051	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Cyclohexane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Dichlorobromomethane	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00048	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Ethylbenzene	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Ethylene Dibromide	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Isopropylbenzene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Methyl acetate	0.0071	U *	0.0071	0.0061	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00073	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Methylcyclohexane	0.0014	U	0.0014	0.00071	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Methylene Chloride	0.0029	U	0.0029	0.0016	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
n-Butylbenzene	0.0014	U	0.0014	0.00042	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
N-Propylbenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
o-Xylene	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
sec-Butylbenzene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Styrene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-5_(3-5)
Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5
Matrix: Solid
Percent Solids: 98.9

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Tetrachloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Toluene	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Trichloroethene	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00058	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Vinyl chloride	0.0014	U	0.0014	0.00078	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1
Xylenes, Total	0.0029	U	0.0029	0.00025	mg/Kg	☼	11/05/24 11:32	11/06/24 01:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*65 - 138*	*11/05/24 11:32*	*11/06/24 01:08*	*1*
4-Bromofluorobenzene	*99*		*71 - 128*	*11/05/24 11:32*	*11/06/24 01:08*	*1*
Dibromofluoromethane (Surr)	*97*		*50 - 150*	*11/05/24 11:32*	*11/06/24 01:08*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*	*11/05/24 11:32*	*11/06/24 01:08*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	**0.017**	**J**	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Methylnaphthalene	**0.039**	**J**	0.33	0.0093	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Chloro-3-methylphenol	**0.037**	**J**	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
4-Nitrophenol	0.68	U	0.68	0.054	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Acenaphthene	**0.53**		0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Acenaphthylene	**0.062**	**J**	0.33	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1

Client Sample ID: SB-5_(3-5)
Lab Sample ID: 460-314754-5
Date Collected: 11/04/24 11:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	**1.5**		0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzo[a]anthracene	**3.8**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzo[a]pyrene	**3.5**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzo[b]fluoranthene	**4.5**		0.033	0.0086	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzo[g,h,i]perylene	**1.8**		0.33	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Benzo[k]fluoranthene	**1.6**		0.033	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Carbazole	**0.26**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Chrysene	**3.9**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Dibenz(a,h)anthracene	**0.51**		0.033	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Dibenzofuran	**0.18**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Di-n-butyl phthalate	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Fluorene	**0.39**		0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Indeno[1,2,3-cd]pyrene	**1.8**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Isophorone	0.13	U	0.13	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Naphthalene	**0.026**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Nitrobenzene	0.033	U	0.033	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Phenanthrene	**5.5**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1
Pyrene	**7.2**		0.33	0.0083	mg/Kg	☼	11/06/24 13:34	11/07/24 03:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*82*		*24 - 137*	*11/06/24 13:34*	*11/07/24 03:35*	*1*
2-Fluorobiphenyl	*82*		*38 - 128*	*11/06/24 13:34*	*11/07/24 03:35*	*1*
2-Fluorophenol (Surr)	*73*		*31 - 133*	*11/06/24 13:34*	*11/07/24 03:35*	*1*
Nitrobenzene-d5 (Surr)	*74*		*31 - 120*	*11/06/24 13:34*	*11/07/24 03:35*	*1*
Phenol-d5 (Surr)	*75*		*35 - 132*	*11/06/24 13:34*	*11/07/24 03:35*	*1*
Terphenyl-d14 (Surr)	*87*		*44 - 147*	*11/06/24 13:34*	*11/07/24 03:35*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	**7.8**		0.67	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 07:05	2

Client Sample ID: SB-5_(3-5)
Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5
Matrix: Solid
Percent Solids: 98.9

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	*75*		*24 - 137*	*11/06/24 13:34*	*11/07/24 07:05*	*2*
2-Fluorobiphenyl	*74*		*38 - 128*	*11/06/24 13:34*	*11/07/24 07:05*	*2*
2-Fluorophenol (Surr)	*68*		*31 - 133*	*11/06/24 13:34*	*11/07/24 07:05*	*2*
Nitrobenzene-d5 (Surr)	*64*		*31 - 120*	*11/06/24 13:34*	*11/07/24 07:05*	*2*
Phenol-d5 (Surr)	*70*		*35 - 132*	*11/06/24 13:34*	*11/07/24 07:05*	*2*
Terphenyl-d14 (Surr)	*81*		*44 - 147*	*11/06/24 13:34*	*11/07/24 07:05*	*2*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
4,4'-DDT	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
cis-Chlordane	0.0068	U	0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endrin	0.0068	U	0.0068	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Methoxychlor	0.0068	U	0.0068	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1
Toxaphene	0.068	U	0.068	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 07:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	*103*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:52*	*1*
DCB Decachlorobiphenyl	*94*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:52*	*1*
Tetrachloro-m-xylene	*97*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:52*	*1*
Tetrachloro-m-xylene	*101*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:52*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:15	1

Client Sample ID: SB-5_(3-5)
Lab Sample ID: 460-314754-5

Date Collected: 11/04/24 11:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.9

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*92*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:15*	*1*
DCB Decachlorobiphenyl	*83*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:15*	*1*
Tetrachloro-m-xylene	*96*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:15*	*1*
Tetrachloro-m-xylene	*92*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:15*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**7050**		18.9	5.2	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Antimony	**0.41**	**J**	0.94	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Arsenic	**3.8**		0.94	0.097	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Barium	**58.6**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Beryllium	**0.27**	**J**	0.38	0.054	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Cadmium	**0.29**	**J**	0.94	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Calcium	**13900**		94.5	38.4	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Chromium	**12.6**		1.9	0.86	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Cobalt	**4.1**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Copper	**31.6**		1.9	0.35	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Iron	**12300**		56.7	19.1	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Lead	**219**		0.57	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Magnesium	**3210**		94.5	9.6	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Manganese	**262**		3.2	0.32	mg/Kg	☼	11/08/24 21:30	11/11/24 12:18	1
Nickel	**11.7**		1.9	0.44	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Potassium	**757**		94.5	15.3	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Selenium	**0.25**	**J**	1.2	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Silver	0.38	U	0.38	0.084	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Sodium	**241**		94.5	43.2	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Thallium	**0.066**	**J**	0.38	0.039	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Vanadium	**17.0**		1.9	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1
Zinc	**121**		7.6	2.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:00	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.15**		0.016	0.0076	mg/Kg	☼	11/06/24 00:44	11/06/24 04:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.84	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	**0.18**	**J**	0.20	0.11	mg/Kg	☼	11/07/24 07:36	11/08/24 10:14	1
Percent Moisture (EPA Moisture)	**1.1**		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	**98.9**		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6

Date Collected: 11/04/24 12:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6
Date Collected: 11/04/24 12:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2,4-Trimethylbenzene	**0.00051**	**J**	0.0014	0.00033	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00062	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00057	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00050	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
2-Butanone (MEK)	0.0068	U	0.0068	0.00050	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
2-Hexanone	0.0068	U	0.0068	0.0023	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
4-Methyl-2-pentanone (MIBK)	0.0068	U	0.0068	0.0021	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Acetone	**0.0091**		0.0081	0.0078	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Benzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Bromoform	0.0014	U *	0.0014	0.00058	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Bromomethane	0.0027	U	0.0027	0.0014	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Carbon disulfide	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Carbon tetrachloride	0.0014	U	0.0014	0.00052	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chlorobenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chlorobromomethane	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chlorodibromomethane	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chloroethane	0.0014	U	0.0014	0.00071	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chloroform	0.0014	U	0.0014	0.0013	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Chloromethane	0.0014	U	0.0014	0.00059	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Cyclohexane	0.0014	U	0.0014	0.00030	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Dichlorobromomethane	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Ethylbenzene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Ethylene Dibromide	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Isopropylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Methyl acetate	0.0068	U *	0.0068	0.0058	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00069	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Methylcyclohexane	0.0014	U	0.0014	0.00068	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Methylene Chloride	0.0027	U	0.0027	0.0016	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
n-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
N-Propylbenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
o-Xylene	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
sec-Butylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Styrene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
tert-Butylbenzene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Tetrachloroethene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Toluene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6
Date Collected: 11/04/24 12:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Trichloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00055	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Vinyl chloride	0.0014	U	0.0014	0.00074	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1
Xylenes, Total	0.0027	U	0.0027	0.00024	mg/Kg	☼	11/05/24 11:33	11/06/24 01:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*103*		*65 - 138*	*11/05/24 11:33*	*11/06/24 01:33*	*1*
4-Bromofluorobenzene	*102*		*71 - 128*	*11/05/24 11:33*	*11/06/24 01:33*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*11/05/24 11:33*	*11/06/24 01:33*	*1*
Toluene-d8 (Surr)	*94*		*71 - 126*	*11/05/24 11:33*	*11/06/24 01:33*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Methylnaphthalene	**0.028**	**J**	0.33	0.0093	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
4-Nitrophenol	0.68	U	0.68	0.054	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Acenaphthene	**0.018**	**J**	0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Acenaphthylene	**0.069**	**J**	0.33	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Anthracene	**0.085**	**J**	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Benzo[a]anthracene	**0.41**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6
Date Collected: 11/04/24 12:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.8

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	**0.55**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Benzo[b]fluoranthene	**0.72**		0.033	0.0086	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Benzo[g,h,i]perylene	**0.31**	**J**	0.33	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Benzo[k]fluoranthene	**0.27**		0.033	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Carbazole	**0.025**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Chrysene	**0.47**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Dibenz(a,h)anthracene	**0.082**		0.033	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Dibenzofuran	**0.015**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Di-n-butyl phthalate	**0.071**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Fluoranthene	**0.58**		0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Fluorene	**0.015**	**J**	0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Indeno[1,2,3-cd]pyrene	**0.31**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Isophorone	0.13	U	0.13	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Naphthalene	**0.034**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Nitrobenzene	0.033	U	0.033	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Phenanthrene	**0.23**	**J**	0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1
Pyrene	**0.62**		0.33	0.0083	mg/Kg	☼	11/06/24 13:34	11/07/24 03:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*63*		*24 - 137*	*11/06/24 13:34*	*11/07/24 03:59*	*1*
2-Fluorobiphenyl	*75*		*38 - 128*	*11/06/24 13:34*	*11/07/24 03:59*	*1*
2-Fluorophenol (Surr)	*71*		*31 - 133*	*11/06/24 13:34*	*11/07/24 03:59*	*1*
Nitrobenzene-d5 (Surr)	*73*		*31 - 120*	*11/06/24 13:34*	*11/07/24 03:59*	*1*
Phenol-d5 (Surr)	*70*		*35 - 132*	*11/06/24 13:34*	*11/07/24 03:59*	*1*
Terphenyl-d14 (Surr)	*68*		*44 - 147*	*11/06/24 13:34*	*11/07/24 03:59*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
4,4'-DDT	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1

Client Sample ID: SB-1_(0-2)
Date Collected: 11/04/24 12:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-6
Matrix: Solid
Percent Solids: 98.8

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
cis-Chlordane	0.0068	U	0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endrin	0.0068	U	0.0068	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Methoxychlor	0.0068	U	0.0068	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1
Toxaphene	0.068	U	0.068	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 08:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*60*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:05*	*1*
DCB Decachlorobiphenyl	*54*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:05*	*1*
Tetrachloro-m-xylene	*50*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:05*	*1*
Tetrachloro-m-xylene	*59*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:05*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*53*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:31*	*1*
DCB Decachlorobiphenyl	*49*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:31*	*1*
Tetrachloro-m-xylene	*56*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:31*	*1*
Tetrachloro-m-xylene	*53*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:31*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**6820**		17.6	4.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Antimony	0.88	U	0.88	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Arsenic	**3.0**		0.88	0.091	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Barium	**55.1**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Beryllium	**0.28**	**J**	0.35	0.050	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Cadmium	**0.23**	**J**	0.88	0.099	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Calcium	**27400**		88.0	35.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1

Client Sample ID: SB-1_(0-2)
Lab Sample ID: 460-314754-6
Date Collected: 11/04/24 12:10
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.8

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	**15.9**		1.8	0.80	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Cobalt	**4.8**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Copper	**23.8**		1.8	0.32	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Iron	**14000**		52.8	17.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Lead	**47.9**		0.53	0.18	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Magnesium	**5910**		88.0	9.0	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Manganese	**164**		3.1	0.31	mg/Kg	☼	11/08/24 21:30	11/11/24 12:21	1
Nickel	**12.8**		1.8	0.41	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Potassium	**1410**		88.0	14.3	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Selenium	**0.19**	**J**	1.1	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Silver	0.35	U	0.35	0.078	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Sodium	**313**		88.0	40.2	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Thallium	**0.077**	**J**	0.35	0.036	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Vanadium	**30.7**		1.8	0.18	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1
Zinc	**61.3**		7.0	2.7	mg/Kg	☼	11/06/24 07:18	11/06/24 19:03	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.099**		0.017	0.0080	mg/Kg	☼	11/06/24 00:44	11/06/24 04:36	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.84	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.22	U	0.22	0.12	mg/Kg	☼	11/07/24 07:36	11/08/24 10:15	1
Percent Moisture (EPA Moisture)	**1.2**		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	**98.8**		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-1_(3-5)
Lab Sample ID: 460-314754-7
Date Collected: 11/04/24 12:25
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,1-Dichloroethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2,4-Trimethylbenzene	0.0014	U	0.0014	0.00034	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00063	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00058	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00050	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
2-Butanone (MEK)	0.0068	U	0.0068	0.00050	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid
Percent Solids: 98.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Hexanone	0.0068	U	0.0068	0.0023	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
4-Methyl-2-pentanone (MIBK)	0.0068	U	0.0068	0.0021	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Acetone	0.0082	U	0.0082	0.0078	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Benzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Bromoform	0.0014	U *	0.0014	0.00058	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Bromomethane	0.0027	U	0.0027	0.0014	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Carbon disulfide	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Carbon tetrachloride	0.0014	U	0.0014	0.00053	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chlorobenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chlorobromomethane	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chlorodibromomethane	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chloroethane	0.0014	U	0.0014	0.00071	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chloroform	0.0014	U	0.0014	0.0013	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Chloromethane	0.0014	U	0.0014	0.00060	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Cyclohexane	0.0014	U	0.0014	0.00030	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Dichlorobromomethane	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Ethylbenzene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Ethylene Dibromide	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Isopropylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Methyl acetate	0.0068	U *	0.0068	0.0059	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00070	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Methylcyclohexane	0.0014	U	0.0014	0.00068	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Methylene Chloride	0.0027	U	0.0027	0.0016	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
n-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
N-Propylbenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
o-Xylene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
sec-Butylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Styrene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
tert-Butylbenzene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Tetrachloroethene	0.0014	U	0.0014	0.00042	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Toluene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00034	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Trichloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00056	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Vinyl chloride	0.0014	U	0.0014	0.00075	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1
Xylenes, Total	0.0027	U	0.0027	0.00024	mg/Kg	☼	11/05/24 11:34	11/06/24 01:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*105*		*65 - 138*	*11/05/24 11:34*	*11/06/24 01:58*	*1*
4-Bromofluorobenzene	*100*		*71 - 128*	*11/05/24 11:34*	*11/06/24 01:58*	*1*
Dibromofluoromethane (Surr)	*96*		*50 - 150*	*11/05/24 11:34*	*11/06/24 01:58*	*1*
Toluene-d8 (Surr)	*94*		*71 - 126*	*11/05/24 11:34*	*11/06/24 01:58*	*1*

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid
Percent Solids: 98.7

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Methylnaphthalene	**0.012**	**J**	0.33	0.0093	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
4-Nitrophenol	0.68	U	0.68	0.054	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Acenaphthene	**0.015**	**J**	0.33	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Acenaphthylene	**0.065**	**J**	0.33	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Anthracene	**0.075**	**J**	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzo[a]anthracene	**0.42**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzo[a]pyrene	**0.59**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzo[b]fluoranthene	**0.70**		0.033	0.0086	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzo[g,h,i]perylene	**0.57**		0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Benzo[k]fluoranthene	**0.27**		0.033	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Carbazole	**0.022**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Chrysene	**0.45**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Dibenz(a,h)anthracene	**0.11**		0.033	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Dibenzofuran	**0.014**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid
Percent Solids: 98.7

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Di-n-butyl phthalate	**0.089**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Fluoranthene	**0.66**		0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Fluorene	**0.013**	**J**	0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Indeno[1,2,3-cd]pyrene	**0.50**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Isophorone	0.13	U	0.13	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Naphthalene	**0.034**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Nitrobenzene	0.033	U	0.033	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Phenanthrene	**0.28**	**J**	0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1
Pyrene	**0.69**		0.33	0.0083	mg/Kg	☼	11/06/24 13:34	11/07/24 01:39	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*77*		*24 - 137*	*11/06/24 13:34*	*11/07/24 01:39*	*1*
2-Fluorobiphenyl	*86*		*38 - 128*	*11/06/24 13:34*	*11/07/24 01:39*	*1*
2-Fluorophenol (Surr)	*76*		*31 - 133*	*11/06/24 13:34*	*11/07/24 01:39*	*1*
Nitrobenzene-d5 (Surr)	*80*		*31 - 120*	*11/06/24 13:34*	*11/07/24 01:39*	*1*
Phenol-d5 (Surr)	*77*		*35 - 132*	*11/06/24 13:34*	*11/07/24 01:39*	*1*
Terphenyl-d14 (Surr)	*88*		*44 - 147*	*11/06/24 13:34*	*11/07/24 01:39*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
4,4'-DDT	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
cis-Chlordane	0.0068	U	0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endrin	0.0068	U	0.0068	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid
Percent Solids: 98.7

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methoxychlor	0.0068	U	0.0068	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1
Toxaphene	0.068	U	0.068	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 08:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*102*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:18*	*1*
DCB Decachlorobiphenyl	*93*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:18*	*1*
Tetrachloro-m-xylene	*86*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:18*	*1*
Tetrachloro-m-xylene	*100*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:18*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 14:48	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*83*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:48*	*1*
DCB Decachlorobiphenyl	*76*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:48*	*1*
Tetrachloro-m-xylene	*90*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:48*	*1*
Tetrachloro-m-xylene	*88*		*20 - 150*	*11/05/24 16:31*	*11/06/24 14:48*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**7050**		19.1	5.2	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Antimony	**1.5**		0.96	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Arsenic	**6.6**		0.96	0.098	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Barium	**58.2**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Beryllium	**0.26**	**J**	0.38	0.054	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Cadmium	**0.27**	**J**	0.96	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Calcium	**3390**		95.6	38.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Chromium	**23.9**		1.9	0.87	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Cobalt	**4.0**		1.9	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Copper	**37.0**		1.9	0.35	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Iron	**12400**		57.3	19.3	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Lead	**299**		0.57	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Magnesium	**1660**		95.6	9.7	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Manganese	**268**		3.2	0.32	mg/Kg	☼	11/08/24 21:30	11/11/24 12:23	1
Nickel	**13.8**		1.9	0.45	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Potassium	**602**		95.6	15.5	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Selenium	**0.87**	**J**	1.2	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Silver	**0.13**	**J**	0.38	0.085	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Sodium	**165**		95.6	43.7	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Thallium	**0.16**	**J**	0.38	0.039	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1

Client Sample ID: SB-1_(3-5)
Lab Sample ID: 460-314754-7
Date Collected: 11/04/24 12:25
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.7

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vanadium	16.9		1.9	0.20	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1
Zinc	190		7.6	2.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:05	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.53		0.017	0.0081	mg/Kg	☼	11/06/24 00:44	11/06/24 04:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.84	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.20	U	0.20	0.11	mg/Kg	☼	11/07/24 07:36	11/08/24 10:20	1
Percent Moisture (EPA Moisture)	1.3		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	98.7		1.0	1.0	%			11/05/24 17:41	1

Client Sample ID: SB-4_(0-2)
Lab Sample ID: 460-314754-8
Date Collected: 11/04/24 13:20
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.6

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,1-Dichloroethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2,4-Trimethylbenzene	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00063	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00058	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00050	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
2-Butanone (MEK)	0.0068	U	0.0068	0.00050	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
2-Hexanone	0.0068	U	0.0068	0.0023	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
4-Methyl-2-pentanone (MIBK)	0.0068	U	0.0068	0.0021	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Acetone	0.0082	U	0.0082	0.0078	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Benzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Bromoform	0.0014	U *	0.0014	0.00058	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Bromomethane	0.0027	U	0.0027	0.0014	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Carbon disulfide	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Carbon tetrachloride	0.0014	U	0.0014	0.00053	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Chlorobenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Chlorobromomethane	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Chlorodibromomethane	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Chloroethane	0.0014	U	0.0014	0.00071	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Chloroform	0.0014	U	0.0014	0.0013	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1

Client Sample ID: SB-4_(0-2) | **Lab Sample ID: 460-314754-8**
Date Collected: 11/04/24 13:20 | **Matrix: Solid**
Date Received: 11/05/24 10:19 | **Percent Solids: 98.6**

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	0.0014	U	0.0014	0.00059	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Cyclohexane	0.0014	U	0.0014	0.00030	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Dichlorobromomethane	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Ethylbenzene	0.0014	U	0.0014	0.00027	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Ethylene Dibromide	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Isopropylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Methyl acetate	0.0068	U *	0.0068	0.0058	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00070	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Methylcyclohexane	0.0014	U	0.0014	0.00068	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Methylene Chloride	0.0027	U	0.0027	0.0016	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
n-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
N-Propylbenzene	0.0014	U	0.0014	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
o-Xylene	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
sec-Butylbenzene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Styrene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
tert-Butylbenzene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Tetrachloroethene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Toluene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00036	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Trichloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00055	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Vinyl chloride	0.0014	U	0.0014	0.00074	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1
Xylenes, Total	0.0027	U	0.0027	0.00024	mg/Kg	☼	11/05/24 11:35	11/06/24 02:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*103*		*65 - 138*	*11/05/24 11:35*	*11/06/24 02:23*	*1*
4-Bromofluorobenzene	*101*		*71 - 128*	*11/05/24 11:35*	*11/06/24 02:23*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*11/05/24 11:35*	*11/06/24 02:23*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*	*11/05/24 11:35*	*11/06/24 02:23*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4-Dichlorophenol	0.13	U	0.13	0.022	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2-Chloronaphthalene	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-4_(0-2)
Lab Sample ID: 460-314754-8
Date Collected: 11/04/24 13:20
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 98.6

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2-Methylnaphthalene	**0.034**	**J**	0.33	0.0094	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2-Methylphenol	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2-Nitroaniline	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
2-Nitrophenol	0.33	U	0.33	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.051	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
3-Nitroaniline	0.33	U	0.33	0.080	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Chloroaniline	0.33	U	0.33	0.060	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Nitroaniline	0.33	U	0.33	0.039	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Acenaphthene	**0.16**	**J**	0.33	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Acenaphthylene	**0.12**	**J**	0.33	0.0096	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Anthracene	**0.37**		0.33	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Atrazine	0.13	U	0.13	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzo[a]anthracene	**1.8**		0.033	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzo[a]pyrene	**2.0**		0.033	0.0089	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzo[b]fluoranthene	**2.7**		0.033	0.0087	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzo[g,h,i]perylene	**0.98**		0.33	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Benzo[k]fluoranthene	**0.97**		0.033	0.0066	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Caprolactam	0.33	U	0.33	0.052	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Carbazole	**0.12**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Chrysene	**1.8**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Dibenz(a,h)anthracene	**0.26**		0.033	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Dibenzofuran	**0.062**	**J**	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Di-n-butyl phthalate	**0.081**	**J**	0.33	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Fluoranthene	**2.9**		0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Fluorene	**0.10**	**J**	0.33	0.0098	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Hexachlorobutadiene	0.068	U	0.068	0.0071	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Hexachloroethane	0.033	U	0.033	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Indeno[1,2,3-cd]pyrene	**0.99**		0.033	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Isophorone	0.13	U	0.13	0.097	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Naphthalene	**0.078**	**J**	0.33	0.0058	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1

Client Sample ID: SB-4_(0-2) | **Lab Sample ID: 460-314754-8**
Date Collected: 11/04/24 13:20 | **Matrix: Solid**
Date Received: 11/05/24 10:19 | **Percent Solids: 98.6**

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrobenzene	0.033	U	0.033	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.028	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Phenanthrene	**1.3**		0.33	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1
Pyrene	**2.8**		0.33	0.0083	mg/Kg	☼	11/06/24 13:34	11/07/24 04:22	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*75*		*24 - 137*	*11/06/24 13:34*	*11/07/24 04:22*	*1*
2-Fluorobiphenyl	*86*		*38 - 128*	*11/06/24 13:34*	*11/07/24 04:22*	*1*
2-Fluorophenol (Surr)	*79*		*31 - 133*	*11/06/24 13:34*	*11/07/24 04:22*	*1*
Nitrobenzene-d5 (Surr)	*79*		*31 - 120*	*11/06/24 13:34*	*11/07/24 04:22*	*1*
Phenol-d5 (Surr)	*78*		*35 - 132*	*11/06/24 13:34*	*11/07/24 04:22*	*1*
Terphenyl-d14 (Surr)	*82*		*44 - 147*	*11/06/24 13:34*	*11/07/24 04:22*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
4,4'-DDE	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
4,4'-DDT	0.0068	U	0.0068	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Aldrin	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
alpha-BHC	0.0020	U	0.0020	0.00069	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
beta-BHC	0.0020	U	0.0020	0.00076	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Chlordane (technical)	0.068	U	0.068	0.016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
cis-Chlordane	**0.0070**		0.0068	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Dieldrin	0.0020	U	0.0020	0.00088	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endosulfan I	0.0068	U *	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endosulfan II	0.0068	U	0.0068	0.0017	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endosulfan sulfate	0.0068	U	0.0068	0.00085	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endrin	**0.0024**	**J**	0.0068	0.00097	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endrin aldehyde	0.0068	U	0.0068	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Endrin ketone	0.0068	U	0.0068	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00063	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Heptachlor	0.0068	U	0.0068	0.00080	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Heptachlor epoxide	0.0068	U	0.0068	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Methoxychlor	0.0068	U	0.0068	0.0015	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1
Toxaphene	0.068	U	0.068	0.024	mg/Kg	☼	11/05/24 16:34	11/06/24 08:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*75*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:31*	*1*
DCB Decachlorobiphenyl	*65*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:31*	*1*
Tetrachloro-m-xylene	*59*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:31*	*1*
Tetrachloro-m-xylene	*70*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:31*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1221	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1

Client Sample ID: SB-4_(0-2)
Date Collected: 11/04/24 13:20
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-8
Matrix: Solid
Percent Solids: 98.6

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1232	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1242	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1248	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1254	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1260	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor-1262	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Aroclor 1268	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1
Polychlorinated biphenyls, Total	0.068	U	0.068	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*65*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:05*	*1*
DCB Decachlorobiphenyl	*59*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:05*	*1*
Tetrachloro-m-xylene	*63*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:05*	*1*
Tetrachloro-m-xylene	*60*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:05*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**6190**		18.1	5.0	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Antimony	**0.16**	**J**	0.91	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Arsenic	**3.3**		0.91	0.093	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Barium	**68.3**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Beryllium	**0.24**	**J**	0.36	0.052	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Cadmium	**0.33**	**J**	0.91	0.10	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Calcium	**12100**		90.5	36.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Chromium	**13.7**		1.8	0.82	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Cobalt	**4.9**		1.8	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Copper	**22.8**		1.8	0.33	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Iron	**11100**		54.3	18.3	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Lead	**70.4**		0.54	0.18	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Magnesium	**3490**		90.5	9.2	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Manganese	**185**		3.1	0.31	mg/Kg	☼	11/08/24 21:30	11/11/24 12:26	1
Nickel	**11.2**		1.8	0.43	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Potassium	**880**		90.5	14.7	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Selenium	**0.19**	**J**	1.1	0.12	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Silver	0.36	U	0.36	0.081	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Sodium	**270**		90.5	41.4	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Thallium	**0.062**	**J**	0.36	0.037	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Vanadium	**21.3**		1.8	0.19	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1
Zinc	**103**		7.2	2.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:08	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.19**		0.016	0.0075	mg/Kg	☼	11/06/24 00:44	11/06/24 04:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.83	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	**0.31**		0.21	0.11	mg/Kg	☼	11/07/24 07:36	11/08/24 10:21	1
Percent Moisture (EPA Moisture)	**1.4**		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	**98.6**		1.0	1.0	%			11/05/24 17:41	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-4_(3-5)
Lab Sample ID: 460-314754-9
Date Collected: 11/04/24 13:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 97.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0014	U	0.0014	0.00033	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,1,2,2-Tetrachloroethane	0.0014	U	0.0014	0.00031	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,1,2-Trichloroethane	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,1-Dichloroethane	0.0014	U	0.0014	0.00030	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,1-Dichloroethene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2,3-Trichlorobenzene	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2,4-Trichlorobenzene	0.0014	U	0.0014	0.00051	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2,4-Trimethylbenzene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2-Dibromo-3-Chloropropane	0.0014	U	0.0014	0.00066	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2-Dichlorobenzene	0.0014	U	0.0014	0.00052	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2-Dichloroethane	0.0014	U	0.0014	0.00043	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,2-Dichloropropane	0.0014	U	0.0014	0.00061	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,3,5-Trimethylbenzene	0.0014	U	0.0014	0.00045	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,3-Dichlorobenzene	0.0014	U	0.0014	0.00052	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
1,4-Dichlorobenzene	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
2-Butanone (MEK)	0.0072	U	0.0072	0.00053	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
2-Hexanone	0.0072	U	0.0072	0.0025	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
4-Methyl-2-pentanone (MIBK)	0.0072	U	0.0072	0.0022	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Acetone	**0.011**		0.0086	0.0082	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Benzene	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Bromoform	0.0014	U *	0.0014	0.00061	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Bromomethane	0.0029	U	0.0029	0.0014	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Carbon disulfide	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Carbon tetrachloride	0.0014	U	0.0014	0.00056	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chlorobenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chlorobromomethane	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chlorodibromomethane	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chloroethane	0.0014	U	0.0014	0.00075	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chloroform	0.0014	U	0.0014	0.0014	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Chloromethane	0.0014	U	0.0014	0.00063	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
cis-1,2-Dichloroethene	0.0014	U	0.0014	0.00051	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
cis-1,3-Dichloropropene	0.0014	U	0.0014	0.00039	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Cyclohexane	0.0014	U	0.0014	0.00032	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Dichlorobromomethane	0.0014	U	0.0014	0.00037	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Dichlorodifluoromethane	0.0014	U	0.0014	0.00049	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Ethylbenzene	0.0014	U	0.0014	0.00029	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Ethylene Dibromide	0.0014	U	0.0014	0.00026	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Isopropylbenzene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Methyl acetate	0.0072	U *	0.0072	0.0062	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Methyl tert-butyl ether	0.0014	U	0.0014	0.00074	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Methylcyclohexane	0.0014	U	0.0014	0.00072	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Methylene Chloride	0.0029	U	0.0029	0.0016	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
m-Xylene & p-Xylene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
n-Butylbenzene	0.0014	U	0.0014	0.00042	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
N-Propylbenzene	0.0014	U	0.0014	0.00025	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
o-Xylene	0.0014	U	0.0014	0.00028	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
sec-Butylbenzene	0.0014	U	0.0014	0.00041	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Styrene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-4_(3-5)
Lab Sample ID: 460-314754-9
Date Collected: 11/04/24 13:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 97.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0014	U	0.0014	0.00040	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Tetrachloroethene	0.0014	U	0.0014	0.00044	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Toluene	0.0014	U	0.0014	0.00034	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
trans-1,2-Dichloroethene	0.0014	U	0.0014	0.00035	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
trans-1,3-Dichloropropene	0.0014	U	0.0014	0.00038	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Trichloroethene	0.0014	U	0.0014	0.00046	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Trichlorofluoromethane	0.0014	U	0.0014	0.00058	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Vinyl chloride	0.0014	U	0.0014	0.00078	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1
Xylenes, Total	0.0029	U	0.0029	0.00025	mg/Kg	☼	11/05/24 11:36	11/06/24 02:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*65 - 138*	*11/05/24 11:36*	*11/06/24 02:47*	*1*
4-Bromofluorobenzene	*100*		*71 - 128*	*11/05/24 11:36*	*11/06/24 02:47*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*11/05/24 11:36*	*11/06/24 02:47*	*1*
Toluene-d8 (Surr)	*94*		*71 - 126*	*11/05/24 11:36*	*11/06/24 02:47*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
1,4-Dioxane	0.034	U	0.034	0.030	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.035	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.044	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4-Dimethylphenol	0.34	U	0.34	0.041	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,4-Dinitrotoluene	0.069	U	0.069	0.037	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2,6-Dinitrotoluene	0.069	U	0.069	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Chloronaphthalene	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Methylnaphthalene	**0.019**	**J**	0.34	0.0095	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
3-Nitroaniline	0.34	U	0.34	0.081	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Nitroaniline	0.34	U	0.34	0.039	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
4-Nitrophenol	0.69	U	0.69	0.055	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Acenaphthene	**0.14**	**J**	0.34	0.0097	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Acenaphthylene	**0.041**	**J**	0.34	0.0097	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Acetophenone	0.34	U	0.34	0.017	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1

Client Sample ID: SB-4_(3-5)
Lab Sample ID: 460-314754-9
Date Collected: 11/04/24 13:35
Matrix: Solid
Date Received: 11/05/24 10:19
Percent Solids: 97.2

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	**0.34**		0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Atrazine	0.14	U	0.14	0.020	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzaldehyde	0.34	U	0.34	0.056	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzo[a]anthracene	**1.6**		0.034	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzo[a]pyrene	**1.6**		0.034	0.0091	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzo[b]fluoranthene	**2.0**		0.034	0.0088	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzo[g,h,i]perylene	**1.0**		0.34	0.010	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Benzo[k]fluoranthene	**0.79**		0.034	0.0067	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.026	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Bis(2-ethylhexyl) phthalate	0.34	U	0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Caprolactam	0.34	U	0.34	0.053	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Carbazole	**0.13**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Chrysene	**1.5**		0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Dibenz(a,h)anthracene	**0.25**		0.034	0.015	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Dibenzofuran	**0.052**	**J**	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Dimethyl phthalate	0.34	U	0.34	0.077	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Di-n-butyl phthalate	**0.048**	**J**	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Fluoranthene	**2.9**		0.34	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Fluorene	**0.097**	**J**	0.34	0.0099	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Hexachlorobutadiene	0.069	U	0.069	0.0072	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.030	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Indeno[1,2,3-cd]pyrene	**1.0**		0.034	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Isophorone	0.14	U	0.14	0.098	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Naphthalene	**0.038**	**J**	0.34	0.0059	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.025	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Pentachlorophenol	0.27	U	0.27	0.070	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Phenanthrene	**1.4**		0.34	0.014	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Phenol	0.34	U	0.34	0.013	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1
Pyrene	**2.7**		0.34	0.0085	mg/Kg	☼	11/06/24 13:34	11/07/24 02:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*83*		*24 - 137*	*11/06/24 13:34*	*11/07/24 02:02*	*1*
2-Fluorobiphenyl	*91*		*38 - 128*	*11/06/24 13:34*	*11/07/24 02:02*	*1*
2-Fluorophenol (Surr)	*79*		*31 - 133*	*11/06/24 13:34*	*11/07/24 02:02*	*1*
Nitrobenzene-d5 (Surr)	*80*		*31 - 120*	*11/06/24 13:34*	*11/07/24 02:02*	*1*
Phenol-d5 (Surr)	*83*		*35 - 132*	*11/06/24 13:34*	*11/07/24 02:02*	*1*
Terphenyl-d14 (Surr)	*92*		*44 - 147*	*11/06/24 13:34*	*11/07/24 02:02*	*1*

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0069	U	0.0069	0.0012	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
4,4'-DDE	0.0069	U	0.0069	0.00081	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1

Client Sample ID: SB-4_(3-5)
Date Collected: 11/04/24 13:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-9
Matrix: Solid
Percent Solids: 97.2

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDT	0.0069	U	0.0069	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Aldrin	0.0069	U	0.0069	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
alpha-BHC	0.0020	U	0.0020	0.00070	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
beta-BHC	0.0020	U	0.0020	0.00077	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Chlordane (technical)	0.069	U	0.069	0.017	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
cis-Chlordane	0.0069	U	0.0069	0.0011	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
delta-BHC	0.0020	U	0.0020	0.00042	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Dieldrin	0.0020	U	0.0020	0.00089	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endosulfan I	0.0069	U *	0.0069	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endosulfan II	0.0069	U	0.0069	0.0018	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endosulfan sulfate	0.0069	U	0.0069	0.00086	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endrin	0.0069	U	0.0069	0.00098	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endrin aldehyde	0.0069	U	0.0069	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Endrin ketone	0.0069	U	0.0069	0.0013	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00064	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Heptachlor	0.0069	U	0.0069	0.00081	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Heptachlor epoxide	0.0069	U	0.0069	0.0010	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Methoxychlor	0.0069	U	0.0069	0.0016	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1
Toxaphene	0.069	U	0.069	0.025	mg/Kg	☼	11/05/24 16:34	11/06/24 08:44	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*74*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:44*	*1*
DCB Decachlorobiphenyl	*64*		*17 - 150*	*11/05/24 16:34*	*11/06/24 08:44*	*1*
Tetrachloro-m-xylene	*64*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:44*	*1*
Tetrachloro-m-xylene	*68*		*21 - 150*	*11/05/24 16:34*	*11/06/24 08:44*	*1*

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1221	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1232	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1242	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1248	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1254	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1260	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor-1262	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Aroclor 1268	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1
Polychlorinated biphenyls, Total	0.069	U	0.069	0.018	mg/Kg	☼	11/05/24 16:31	11/06/24 15:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*61*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:21*	*1*
DCB Decachlorobiphenyl	*55*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:21*	*1*
Tetrachloro-m-xylene	*62*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:21*	*1*
Tetrachloro-m-xylene	*57*		*20 - 150*	*11/05/24 16:31*	*11/06/24 15:21*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**6280**		19.6	5.4	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Antimony	**0.14**	**J**	0.98	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Arsenic	**2.9**		0.98	0.10	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1

Client Sample ID: SB-4_(3-5)
Lab Sample ID: 460-314754-9

Date Collected: 11/04/24 13:35
Matrix: Solid

Date Received: 11/05/24 10:19
Percent Solids: 97.2

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Barium	63.0		2.0	0.14	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Beryllium	0.27	J	0.39	0.056	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Cadmium	0.34	J	0.98	0.11	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Calcium	12400		98.0	39.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Chromium	16.6		2.0	0.89	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Cobalt	4.2		2.0	0.15	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Copper	20.7		2.0	0.36	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Iron	10400		58.8	19.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Lead	68.2		0.59	0.20	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Magnesium	3410		98.0	10	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Manganese	212		3.1	0.31	mg/Kg	☼	11/08/24 21:30	11/11/24 12:28	1
Nickel	11.3		2.0	0.46	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Potassium	830		98.0	15.9	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Selenium	0.18	J	1.2	0.13	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Silver	0.39	U	0.39	0.087	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Sodium	299		98.0	44.8	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Thallium	0.054	J	0.39	0.040	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Vanadium	18.8		2.0	0.20	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1
Zinc	99.2		7.8	3.0	mg/Kg	☼	11/06/24 07:18	11/06/24 19:10	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.48		0.016	0.0075	mg/Kg	☼	11/06/24 00:44	11/06/24 04:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI) (SW846 7196A)	2.0	U	2.0	0.85	mg/Kg	☼	11/07/24 10:00	11/07/24 14:00	1
Cyanide, Total (SW846 9012B)	0.22	U	0.22	0.12	mg/Kg	☼	11/07/24 07:36	11/08/24 10:21	1
Percent Moisture (EPA Moisture)	2.8		1.0	1.0	%			11/05/24 17:41	1
Percent Solids (EPA Moisture)	97.2		1.0	1.0	%			11/05/24 17:41	1

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(65-138)	(71-128)	(50-150)	(71-126)
460-314754-1	SB-3_(0-2)	103	100	94	96
460-314754-2	SB-2_(0-2)	104	101	95	96
460-314754-3	SB-2_(3-5)	103	99	95	96
460-314754-4	SB-5_(0-2)	102	99	94	95
460-314754-5	SB-5_(3-5)	104	99	97	95
460-314754-6	SB-1_(0-2)	103	102	95	94
460-314754-7	SB-1_(3-5)	105	100	96	94
460-314754-8	SB-4_(0-2)	103	101	95	95
460-314754-9	SB-4_(3-5)	104	100	95	94
LB3 460-1005330/1-A	Method Blank	88	98	96	91
LCS 460-1005370/2	Lab Control Sample	86	104	96	96
LCSD 460-1005370/4	Lab Control Sample Dup	86	104	96	96
MB 460-1005370/7	Method Blank	84	100	95	92

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPHL
Lab Sample ID	Client Sample ID	(24-137)	(38-128)	(31-133)	(31-120)	(35-132)	(44-147)
460-314743-A-5-A MS	Matrix Spike	78	82	78	78	76	79
460-314743-A-5-B MSD	Matrix Spike Duplicate	80	84	76	75	79	82
460-314754-1	SB-3_(0-2)	75	87	81	82	79	83
460-314754-1 - DL	SB-3_(0-2)	70	82	80	77	80	83
460-314754-2	SB-2_(0-2)	62	73	72	72	70	71
460-314754-3	SB-2_(3-5)	70	83	79	78	77	79
460-314754-4	SB-5_(0-2)	75	83	75	77	76	79
460-314754-5	SB-5_(3-5)	82	82	73	74	75	87
460-314754-5 - DL	SB-5_(3-5)	75	74	68	64	70	81
460-314754-6	SB-1_(0-2)	63	75	71	73	70	68
460-314754-7	SB-1_(3-5)	77	86	76	80	77	88
460-314754-8	SB-4_(0-2)	75	86	79	79	78	82
460-314754-9	SB-4_(3-5)	83	91	79	80	83	92
LCS 460-1005549/2-A	Lab Control Sample	76	81	78	78	79	84
LCSD 460-1005549/3-A	Lab Control Sample Dup	80	82	80	79	81	87
MB 460-1005549/1-A	Method Blank	77	81	79	81	79	90

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1	DCBP2	TCX1	TCX2
Lab Sample ID	Client Sample ID	(17-150)	(17-150)	(21-150)	(21-150)
200-75670-C-1-G MS	Matrix Spike	79	82	83	81
200-75670-C-1-H MSD	Matrix Spike Duplicate	64	69	70	70
460-314754-1	SB-3_(0-2)	54	62	50	43
460-314754-2	SB-2_(0-2)	70	74	76	71
460-314754-3	SB-2_(3-5)	60	62	64	55
460-314754-4	SB-5_(0-2)	60	67	63	58
460-314754-5	SB-5_(3-5)	94	103	101	97
460-314754-6	SB-1_(0-2)	54	60	59	50
460-314754-7	SB-1_(3-5)	93	102	100	86
460-314754-8	SB-4_(0-2)	65	75	70	59
460-314754-9	SB-4_(3-5)	64	74	68	64
LCS 460-1005373/2-A	Lab Control Sample	65	67	89	85
LCSD 460-1005373/3-A	Lab Control Sample Dup	61	63	80	78
MB 460-1005373/1-A	Method Blank	76	80	95	99

Surrogate Legend

DCBP = DCB Decachlorobiphenyl
TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid
Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1	DCBP2	TCX1	TCX2
Lab Sample ID	Client Sample ID	(20-150)	(20-150)	(20-150)	(20-150)
200-75670-C-1-D MS	Matrix Spike	28	30	29	30
200-75670-C-1-E MSD	Matrix Spike Duplicate	31	33	32	34
460-314754-1	SB-3_(0-2)	44	61	42	45
460-314754-2	SB-2_(0-2)	59	67	65	68
460-314754-3	SB-2_(3-5)	59	63	59	63
460-314754-4	SB-5_(0-2)	50	53	54	58
460-314754-5	SB-5_(3-5)	83	92	92	96
460-314754-6	SB-1_(0-2)	49	53	53	56
460-314754-7	SB-1_(3-5)	76	83	88	90
460-314754-8	SB-4_(0-2)	59	65	60	63
460-314754-9	SB-4_(3-5)	55	61	57	62
LCS 460-1005369/2-A	Lab Control Sample	70	74	94	97
LCSD 460-1005369/3-A	Lab Control Sample Dup	68	71	94	99
MB 460-1005369/1-A	Method Blank	88	77	98	109

Surrogate Legend

DCBP = DCB Decachlorobiphenyl
TCX = Tetrachloro-m-xylene

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-1005330/1-A
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005330

Analyte	LB3 Result	LB3 Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00021	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00018	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00021	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00023	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Benzene	0.0010	U	0.0010	0.00026	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chlorobromomethane	0.0010	U	0.0010	0.00028	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chlorodibromomethane	0.0010	U	0.0010	0.00019	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Ethylbenzene	0.0010	U	0.0010	0.00020	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Ethylene Dibromide	0.0010	U	0.0010	0.00018	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00017	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
N-Propylbenzene	0.0010	U	0.0010	0.00018	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
o-Xylene	0.0010	U	0.0010	0.00019	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		11/05/24 11:27	11/05/24 20:11	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-1005330/1-A
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005330

Analyte	LB3 Result	LB3 Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	0.0010	U	0.0010	0.00028	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg		11/05/24 11:27	11/05/24 20:11	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg		11/05/24 11:27	11/05/24 20:11	1

Surrogate	*LB3 %Recovery*	*LB3 Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*88*		*65 - 138*	*11/05/24 11:27*	*11/05/24 20:11*	*1*
4-Bromofluorobenzene	*98*		*71 - 128*	*11/05/24 11:27*	*11/05/24 20:11*	*1*
Dibromofluoromethane (Surr)	*96*		*50 - 150*	*11/05/24 11:27*	*11/05/24 20:11*	*1*
Toluene-d8 (Surr)	*91*		*71 - 126*	*11/05/24 11:27*	*11/05/24 20:11*	*1*

Lab Sample ID: MB 460-1005370/7
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg			11/05/24 19:47	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00021	mg/Kg			11/05/24 19:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg			11/05/24 19:47	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00018	mg/Kg			11/05/24 19:47	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00021	mg/Kg			11/05/24 19:47	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg			11/05/24 19:47	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg			11/05/24 19:47	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			11/05/24 19:47	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg			11/05/24 19:47	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg			11/05/24 19:47	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			11/05/24 19:47	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg			11/05/24 19:47	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg			11/05/24 19:47	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg			11/05/24 19:47	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg			11/05/24 19:47	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00023	mg/Kg			11/05/24 19:47	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg			11/05/24 19:47	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg			11/05/24 19:47	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg			11/05/24 19:47	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg			11/05/24 19:47	1
Benzene	0.0010	U	0.0010	0.00026	mg/Kg			11/05/24 19:47	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg			11/05/24 19:47	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg			11/05/24 19:47	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg			11/05/24 19:47	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg			11/05/24 19:47	1
Chlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg			11/05/24 19:47	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1005370/7
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobromomethane	0.0010	U	0.0010	0.00028	mg/Kg			11/05/24 19:47	1
Chlorodibromomethane	0.0010	U	0.0010	0.00019	mg/Kg			11/05/24 19:47	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg			11/05/24 19:47	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg			11/05/24 19:47	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg			11/05/24 19:47	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg			11/05/24 19:47	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			11/05/24 19:47	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg			11/05/24 19:47	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg			11/05/24 19:47	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg			11/05/24 19:47	1
Ethylbenzene	0.0010	U	0.0010	0.00020	mg/Kg			11/05/24 19:47	1
Ethylene Dibromide	0.0010	U	0.0010	0.00018	mg/Kg			11/05/24 19:47	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			11/05/24 19:47	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg			11/05/24 19:47	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg			11/05/24 19:47	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg			11/05/24 19:47	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg			11/05/24 19:47	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00017	mg/Kg			11/05/24 19:47	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			11/05/24 19:47	1
N-Propylbenzene	0.0010	U	0.0010	0.00018	mg/Kg			11/05/24 19:47	1
o-Xylene	0.0010	U	0.0010	0.00019	mg/Kg			11/05/24 19:47	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			11/05/24 19:47	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg			11/05/24 19:47	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg			11/05/24 19:47	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg			11/05/24 19:47	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg			11/05/24 19:47	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg			11/05/24 19:47	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			11/05/24 19:47	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg			11/05/24 19:47	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg			11/05/24 19:47	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg			11/05/24 19:47	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg			11/05/24 19:47	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*84*		*65 - 138*		*11/05/24 19:47*	*1*
4-Bromofluorobenzene	*100*		*71 - 128*		*11/05/24 19:47*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*		*11/05/24 19:47*	*1*
Toluene-d8 (Surr)	*92*		*71 - 126*		*11/05/24 19:47*	*1*

Lab Sample ID: LCS 460-1005370/2
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	0.0200	0.0193		mg/Kg		97	78 - 120
1,1,2,2-Tetrachloroethane	0.0200	0.0181		mg/Kg		90	70 - 133
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0201		mg/Kg		101	75 - 121
1,1,2-Trichloroethane	0.0200	0.0196		mg/Kg		98	80 - 120

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1005370/2
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethane	0.0200	0.0210		mg/Kg		105	72 - 120
1,1-Dichloroethene	0.0200	0.0196		mg/Kg		98	76 - 120
1,2,3-Trichlorobenzene	0.0200	0.0182		mg/Kg		91	77 - 137
1,2,4-Trichlorobenzene	0.0200	0.0183		mg/Kg		92	77 - 136
1,2,4-Trimethylbenzene	0.0200	0.0173		mg/Kg		86	75 - 120
1,2-Dibromo-3-Chloropropane	0.0200	0.0208		mg/Kg		104	80 - 124
1,2-Dichlorobenzene	0.0200	0.0189		mg/Kg		94	80 - 120
1,2-Dichloroethane	0.0200	0.0171		mg/Kg		85	70 - 123
1,2-Dichloropropane	0.0200	0.0204		mg/Kg		102	73 - 124
1,3,5-Trimethylbenzene	0.0200	0.0174		mg/Kg		87	70 - 120
1,3-Dichlorobenzene	0.0200	0.0180		mg/Kg		90	80 - 120
1,4-Dichlorobenzene	0.0200	0.0182		mg/Kg		91	80 - 120
2-Butanone (MEK)	0.100	0.0795		mg/Kg		80	64 - 128
2-Hexanone	0.100	0.0835		mg/Kg		84	75 - 120
4-Methyl-2-pentanone (MIBK)	0.100	0.0883		mg/Kg		88	80 - 120
Acetone	0.100	0.0783		mg/Kg		78	58 - 122
Benzene	0.0200	0.0198		mg/Kg		99	75 - 120
Bromoform	0.0200	0.0263	*	mg/Kg		132	61 - 125
Bromomethane	0.0200	0.0208		mg/Kg		104	37 - 150
Carbon disulfide	0.0200	0.0186		mg/Kg		93	57 - 133
Carbon tetrachloride	0.0200	0.0212		mg/Kg		106	66 - 127
Chlorobenzene	0.0200	0.0194		mg/Kg		97	80 - 120
Chlorobromomethane	0.0200	0.0208		mg/Kg		104	76 - 127
Chlorodibromomethane	0.0200	0.0220		mg/Kg		110	72 - 120
Chloroethane	0.0200	0.0220		mg/Kg		110	60 - 123
Chloroform	0.0200	0.0195		mg/Kg		97	79 - 126
Chloromethane	0.0200	0.0197		mg/Kg		98	46 - 122
cis-1,2-Dichloroethene	0.0200	0.0201		mg/Kg		101	80 - 123
cis-1,3-Dichloropropene	0.0200	0.0206		mg/Kg		103	75 - 120
Cyclohexane	0.0200	0.0192		mg/Kg		96	65 - 132
Dichlorobromomethane	0.0200	0.0197		mg/Kg		99	77 - 124
Dichlorodifluoromethane	0.0200	0.0160		mg/Kg		80	45 - 129
Ethylbenzene	0.0200	0.0193		mg/Kg		96	80 - 120
Ethylene Dibromide	0.0200	0.0193		mg/Kg		97	79 - 120
Isopropylbenzene	0.0200	0.0194		mg/Kg		97	74 - 120
Methyl acetate	0.0400	0.0467		mg/Kg		117	57 - 120
Methyl tert-butyl ether	0.0200	0.0190		mg/Kg		95	74 - 125
Methylcyclohexane	0.0200	0.0189		mg/Kg		95	66 - 125
Methylene Chloride	0.0200	0.0194		mg/Kg		97	78 - 120
m-Xylene & p-Xylene	0.0200	0.0195		mg/Kg		98	80 - 120
n-Butylbenzene	0.0200	0.0190		mg/Kg		95	72 - 120
N-Propylbenzene	0.0200	0.0185		mg/Kg		92	68 - 120
o-Xylene	0.0200	0.0193		mg/Kg		96	80 - 120
sec-Butylbenzene	0.0200	0.0179		mg/Kg		90	78 - 120
Styrene	0.0200	0.0185		mg/Kg		93	80 - 120
tert-Butylbenzene	0.0200	0.0170		mg/Kg		85	80 - 120
Tetrachloroethene	0.0200	0.0196		mg/Kg		98	73 - 120
Toluene	0.0200	0.0191		mg/Kg		95	80 - 120
trans-1,2-Dichloroethene	0.0200	0.0207		mg/Kg		104	78 - 120

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1005370/2
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
trans-1,3-Dichloropropene			0.0200	0.0203		mg/Kg		101	77 - 120		
Trichloroethene			0.0200	0.0187		mg/Kg		93	80 - 120		
Trichlorofluoromethane			0.0200	0.0164		mg/Kg		82	61 - 130		
Vinyl chloride			0.0200	0.0207		mg/Kg		103	54 - 122		
Xylenes, Total			0.0400	0.0388		mg/Kg		97	80 - 120		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*86*		*65 - 138*
4-Bromofluorobenzene	*104*		*71 - 128*
Dibromofluoromethane (Surr)	*96*		*50 - 150*
Toluene-d8 (Surr)	*96*		*71 - 126*

Lab Sample ID: LCSD 460-1005370/4
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			0.0200	0.0195		mg/Kg		98	78 - 120	1	30
1,1,2,2-Tetrachloroethane			0.0200	0.0186		mg/Kg		93	70 - 133	3	30
1,1,2-Trichloro-1,2,2-trifluoroethane			0.0200	0.0197		mg/Kg		99	75 - 121	2	30
1,1,2-Trichloroethane			0.0200	0.0197		mg/Kg		98	80 - 120	0	30
1,1-Dichloroethane			0.0200	0.0207		mg/Kg		104	72 - 120	2	30
1,1-Dichloroethene			0.0200	0.0198		mg/Kg		99	76 - 120	1	30
1,2,3-Trichlorobenzene			0.0200	0.0181		mg/Kg		90	77 - 137	1	30
1,2,4-Trichlorobenzene			0.0200	0.0180		mg/Kg		90	77 - 136	2	30
1,2,4-Trimethylbenzene			0.0200	0.0170		mg/Kg		85	75 - 120	1	30
1,2-Dibromo-3-Chloropropane			0.0200	0.0226		mg/Kg		113	80 - 124	9	30
1,2-Dichlorobenzene			0.0200	0.0184		mg/Kg		92	80 - 120	2	30
1,2-Dichloroethane			0.0200	0.0172		mg/Kg		86	70 - 123	1	30
1,2-Dichloropropane			0.0200	0.0202		mg/Kg		101	73 - 124	1	30
1,3,5-Trimethylbenzene			0.0200	0.0175		mg/Kg		88	70 - 120	1	30
1,3-Dichlorobenzene			0.0200	0.0180		mg/Kg		90	80 - 120	0	30
1,4-Dichlorobenzene			0.0200	0.0183		mg/Kg		91	80 - 120	0	30
2-Butanone (MEK)			0.100	0.0820		mg/Kg		82	64 - 128	3	30
2-Hexanone			0.100	0.0841		mg/Kg		84	75 - 120	1	30
4-Methyl-2-pentanone (MIBK)			0.100	0.0876		mg/Kg		88	80 - 120	1	30
Acetone			0.100	0.0812		mg/Kg		81	58 - 122	4	30
Benzene			0.0200	0.0196		mg/Kg		98	75 - 120	1	30
Bromoform			0.0200	0.0268	*	mg/Kg		134	61 - 125	2	30
Bromomethane			0.0200	0.0223		mg/Kg		111	37 - 150	7	30
Carbon disulfide			0.0200	0.0185		mg/Kg		92	57 - 133	1	30
Carbon tetrachloride			0.0200	0.0210		mg/Kg		105	66 - 127	1	30
Chlorobenzene			0.0200	0.0191		mg/Kg		95	80 - 120	2	30
Chlorobromomethane			0.0200	0.0210		mg/Kg		105	76 - 127	1	30
Chlorodibromomethane			0.0200	0.0223		mg/Kg		111	72 - 120	1	30
Chloroethane			0.0200	0.0231		mg/Kg		116	60 - 123	5	30
Chloroform			0.0200	0.0191		mg/Kg		95	79 - 126	2	30
Chloromethane			0.0200	0.0202		mg/Kg		101	46 - 122	2	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1005370/4
Matrix: Solid
Analysis Batch: 1005370

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	0.0200	0.0204		mg/Kg		102	80 - 123	2	30
cis-1,3-Dichloropropene	0.0200	0.0200		mg/Kg		100	75 - 120	3	30
Cyclohexane	0.0200	0.0191		mg/Kg		95	65 - 132	0	30
Dichlorobromomethane	0.0200	0.0193		mg/Kg		97	77 - 124	2	30
Dichlorodifluoromethane	0.0200	0.0171		mg/Kg		85	45 - 129	6	30
Ethylbenzene	0.0200	0.0192		mg/Kg		96	80 - 120	1	30
Ethylene Dibromide	0.0200	0.0197		mg/Kg		99	79 - 120	2	30
Isopropylbenzene	0.0200	0.0192		mg/Kg		96	74 - 120	1	30
Methyl acetate	0.0400	0.0517	*	mg/Kg		129	57 - 120	10	30
Methyl tert-butyl ether	0.0200	0.0192		mg/Kg		96	74 - 125	1	30
Methylcyclohexane	0.0200	0.0190		mg/Kg		95	66 - 125	1	30
Methylene Chloride	0.0200	0.0195		mg/Kg		98	78 - 120	1	30
m-Xylene & p-Xylene	0.0200	0.0192		mg/Kg		96	80 - 120	2	30
n-Butylbenzene	0.0200	0.0189		mg/Kg		95	72 - 120	1	30
N-Propylbenzene	0.0200	0.0184		mg/Kg		92	68 - 120	1	30
o-Xylene	0.0200	0.0191		mg/Kg		95	80 - 120	1	30
sec-Butylbenzene	0.0200	0.0178		mg/Kg		89	78 - 120	1	30
Styrene	0.0200	0.0179		mg/Kg		89	80 - 120	4	30
tert-Butylbenzene	0.0200	0.0169		mg/Kg		85	80 - 120	1	30
Tetrachloroethene	0.0200	0.0194		mg/Kg		97	73 - 120	1	30
Toluene	0.0200	0.0187		mg/Kg		93	80 - 120	2	30
trans-1,2-Dichloroethene	0.0200	0.0204		mg/Kg		102	78 - 120	2	30
trans-1,3-Dichloropropene	0.0200	0.0195		mg/Kg		97	77 - 120	4	30
Trichloroethene	0.0200	0.0185		mg/Kg		93	80 - 120	1	30
Trichlorofluoromethane	0.0200	0.0180		mg/Kg		90	61 - 130	9	30
Vinyl chloride	0.0200	0.0215		mg/Kg		107	54 - 122	4	30
Xylenes, Total	0.0400	0.0383		mg/Kg		96	80 - 120	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*86*		*65 - 138*
4-Bromofluorobenzene	*104*		*71 - 128*
Dibromofluoromethane (Surr)	*96*		*50 - 150*
Toluene-d8 (Surr)	*96*		*71 - 126*

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-1005549/1-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.022	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.042	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg		11/06/24 13:34	11/06/24 22:10	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1005549/1-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dimethylphenol	0.33	U	0.33	0.039	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Methylnaphthalene	0.33	U	0.33	0.0093	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Acenaphthene	0.33	U	0.33	0.0094	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Anthracene	0.33	U	0.33	0.010	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Atrazine	0.13	U	0.13	0.019	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzo[a]anthracene	0.033	U	0.033	0.025	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzo[a]pyrene	0.033	U	0.033	0.0088	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzo[b]fluoranthene	0.033	U	0.033	0.0086	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzo[g,h,i]perylene	0.33	U	0.33	0.0098	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Benzo[k]fluoranthene	0.033	U	0.033	0.0065	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.017	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Caprolactam	0.33	U	0.33	0.051	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Carbazole	0.33	U	0.33	0.013	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Chrysene	0.33	U	0.33	0.014	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Dibenz(a,h)anthracene	0.033	U	0.033	0.014	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Dibenzofuran	0.33	U	0.33	0.011	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Dimethyl phthalate	0.33	U	0.33	0.075	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Di-n-butyl phthalate	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Fluoranthene	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Fluorene	0.33	U	0.33	0.0097	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Hexachlorobutadiene	0.067	U	0.067	0.0070	mg/Kg		11/06/24 13:34	11/06/24 22:10	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1005549/1-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Indeno[1,2,3-cd]pyrene	0.033	U	0.033	0.013	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Isophorone	0.13	U	0.13	0.096	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Naphthalene	0.33	U	0.33	0.0057	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Phenanthrene	0.33	U	0.33	0.014	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Phenol	0.33	U	0.33	0.012	mg/Kg		11/06/24 13:34	11/06/24 22:10	1
Pyrene	0.33	U	0.33	0.0082	mg/Kg		11/06/24 13:34	11/06/24 22:10	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*77*		*24 - 137*	*11/06/24 13:34*	*11/06/24 22:10*	*1*
2-Fluorobiphenyl	*81*		*38 - 128*	*11/06/24 13:34*	*11/06/24 22:10*	*1*
2-Fluorophenol (Surr)	*79*		*31 - 133*	*11/06/24 13:34*	*11/06/24 22:10*	*1*
Nitrobenzene-d5 (Surr)	*81*		*31 - 120*	*11/06/24 13:34*	*11/06/24 22:10*	*1*
Phenol-d5 (Surr)	*79*		*35 - 132*	*11/06/24 13:34*	*11/06/24 22:10*	*1*
Terphenyl-d14 (Surr)	*90*		*44 - 147*	*11/06/24 13:34*	*11/06/24 22:10*	*1*

Lab Sample ID: LCS 460-1005549/2-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	3.33	2.73		mg/Kg		82	64 - 120
1,2,4,5-Tetrachlorobenzene	3.33	2.73		mg/Kg		82	60 - 120
1,4-Dioxane	3.33	2.04		mg/Kg		61	27 - 120
2,2'-oxybis[1-chloropropane]	3.33	2.61		mg/Kg		78	46 - 126
2,3,4,6-Tetrachlorophenol	3.33	2.60		mg/Kg		78	62 - 120
2,4,5-Trichlorophenol	3.33	2.70		mg/Kg		81	64 - 120
2,4,6-Trichlorophenol	3.33	2.75		mg/Kg		83	65 - 120
2,4-Dichlorophenol	3.33	2.70		mg/Kg		81	66 - 120
2,4-Dimethylphenol	3.33	3.13		mg/Kg		94	46 - 120
2,4-Dinitrophenol	6.67	4.21		mg/Kg		63	41 - 129
2,4-Dinitrotoluene	3.33	2.58		mg/Kg		78	65 - 124
2,6-Dinitrotoluene	3.33	2.65		mg/Kg		80	67 - 121
2-Chloronaphthalene	3.33	2.71		mg/Kg		81	64 - 120
2-Chlorophenol	3.33	2.58		mg/Kg		77	63 - 120
2-Methylnaphthalene	3.33	2.31		mg/Kg		69	64 - 120
2-Methylphenol	3.33	2.52		mg/Kg		76	63 - 120
2-Nitroaniline	3.33	2.21		mg/Kg		66	48 - 120
2-Nitrophenol	3.33	2.58		mg/Kg		77	64 - 120
3 & 4 Methylphenol	3.33	2.35		mg/Kg		71	61 - 120
3,3'-Dichlorobenzidine	3.33	1.63		mg/Kg		49	10 - 120
3-Nitroaniline	3.33	2.09		mg/Kg		63	18 - 122
4,6-Dinitro-2-methylphenol	6.67	5.11		mg/Kg		77	58 - 136

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1005549/2-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4-Bromophenyl phenyl ether	3.33	2.84		mg/Kg		85	60 - 120
4-Chloro-3-methylphenol	3.33	2.53		mg/Kg		76	66 - 120
4-Chloroaniline	3.33	1.86		mg/Kg		56	10 - 120
4-Chlorophenyl phenyl ether	3.33	2.71		mg/Kg		81	62 - 120
4-Methylphenol	3.33	2.35		mg/Kg		71	61 - 120
4-Nitroaniline	3.33	2.13		mg/Kg		64	51 - 120
4-Nitrophenol	6.67	4.43		mg/Kg		66	42 - 132
Acenaphthene	3.33	2.72		mg/Kg		81	65 - 120
Acenaphthylene	3.33	2.95		mg/Kg		88	64 - 120
Acetophenone	3.33	2.42		mg/Kg		73	61 - 120
Anthracene	3.33	2.72		mg/Kg		82	67 - 120
Atrazine	1.33	1.78		mg/Kg		133	32 - 150
Benzaldehyde	1.33	1.41		mg/Kg		105	28 - 150
Benzo[a]anthracene	3.33	2.70		mg/Kg		81	66 - 120
Benzo[a]pyrene	3.33	2.88		mg/Kg		86	73 - 123
Benzo[b]fluoranthene	3.33	2.85		mg/Kg		85	70 - 125
Benzo[g,h,i]perylene	3.33	2.96		mg/Kg		89	66 - 120
Benzo[k]fluoranthene	3.33	2.90		mg/Kg		87	67 - 122
Bis(2-chloroethoxy)methane	3.33	2.65		mg/Kg		79	62 - 120
Bis(2-chloroethyl)ether	3.33	2.54		mg/Kg		76	60 - 120
Bis(2-ethylhexyl) phthalate	3.33	2.83		mg/Kg		85	64 - 125
Butyl benzyl phthalate	3.33	2.85		mg/Kg		86	62 - 127
Caprolactam	1.33	1.50		mg/Kg		112	36 - 150
Carbazole	3.33	2.60		mg/Kg		78	64 - 120
Chrysene	3.33	2.72		mg/Kg		81	67 - 120
Dibenz(a,h)anthracene	3.33	2.73		mg/Kg		82	66 - 128
Dibenzofuran	3.33	2.66		mg/Kg		80	61 - 120
Diethyl phthalate	3.33	2.58		mg/Kg		77	63 - 120
Dimethyl phthalate	3.33	2.68		mg/Kg		80	65 - 120
Di-n-butyl phthalate	3.33	2.70		mg/Kg		81	66 - 120
Di-n-octyl phthalate	3.33	2.96		mg/Kg		89	61 - 123
Fluoranthene	3.33	2.58		mg/Kg		77	61 - 120
Fluorene	3.33	2.71		mg/Kg		81	64 - 120
Hexachlorobenzene	3.33	2.78		mg/Kg		83	66 - 120
Hexachlorobutadiene	3.33	2.61		mg/Kg		78	62 - 120
Hexachlorocyclopentadiene	3.33	3.83		mg/Kg		115	13 - 120
Hexachloroethane	3.33	2.57		mg/Kg		77	61 - 120
Indeno[1,2,3-cd]pyrene	3.33	2.71		mg/Kg		81	71 - 137
Isophorone	3.33	2.57		mg/Kg		77	61 - 120
Naphthalene	3.33	2.60		mg/Kg		78	63 - 120
Nitrobenzene	3.33	2.46		mg/Kg		74	63 - 120
N-Nitrosodi-n-propylamine	3.33	2.43		mg/Kg		73	56 - 120
N-Nitrosodiphenylamine	3.33	2.78		mg/Kg		83	63 - 120
Pentachlorophenol	6.67	5.03		mg/Kg		75	61 - 126
Phenanthrene	3.33	2.72		mg/Kg		81	66 - 120
Phenol	3.33	2.57		mg/Kg		77	63 - 120
Pyrene	3.33	2.95		mg/Kg		88	61 - 121

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1005549/2-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005549

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*76*		*24 - 137*
2-Fluorobiphenyl	*81*		*38 - 128*
2-Fluorophenol (Surr)	*78*		*31 - 133*
Nitrobenzene-d5 (Surr)	*78*		*31 - 120*
Phenol-d5 (Surr)	*79*		*35 - 132*
Terphenyl-d14 (Surr)	*84*		*44 - 147*

Lab Sample ID: LCSD 460-1005549/3-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1005549

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl			3.33	2.85		mg/Kg		85	64 - 120	4	30
1,2,4,5-Tetrachlorobenzene			3.33	2.84		mg/Kg		85	60 - 120	4	30
1,4-Dioxane			3.33	2.02		mg/Kg		61	27 - 120	1	30
2,2'-oxybis[1-chloropropane]			3.33	2.69		mg/Kg		81	46 - 126	3	30
2,3,4,6-Tetrachlorophenol			3.33	2.73		mg/Kg		82	62 - 120	5	30
2,4,5-Trichlorophenol			3.33	2.80		mg/Kg		84	64 - 120	3	30
2,4,6-Trichlorophenol			3.33	2.83		mg/Kg		85	65 - 120	3	30
2,4-Dichlorophenol			3.33	2.80		mg/Kg		84	66 - 120	4	30
2,4-Dimethylphenol			3.33	3.25		mg/Kg		98	46 - 120	4	30
2,4-Dinitrophenol			6.67	4.76		mg/Kg		71	41 - 129	12	30
2,4-Dinitrotoluene			3.33	2.73		mg/Kg		82	65 - 124	5	30
2,6-Dinitrotoluene			3.33	2.77		mg/Kg		83	67 - 121	4	30
2-Chloronaphthalene			3.33	2.83		mg/Kg		85	64 - 120	4	30
2-Chlorophenol			3.33	2.73		mg/Kg		82	63 - 120	6	30
2-Methylnaphthalene			3.33	2.41		mg/Kg		72	64 - 120	4	30
2-Methylphenol			3.33	2.67		mg/Kg		80	63 - 120	6	30
2-Nitroaniline			3.33	2.32		mg/Kg		70	48 - 120	5	30
2-Nitrophenol			3.33	2.67		mg/Kg		80	64 - 120	3	30
3 & 4 Methylphenol			3.33	2.49		mg/Kg		75	61 - 120	6	30
3,3'-Dichlorobenzidine			3.33	1.73		mg/Kg		52	10 - 120	6	30
3-Nitroaniline			3.33	2.16		mg/Kg		65	18 - 122	4	30
4,6-Dinitro-2-methylphenol			6.67	5.55		mg/Kg		83	58 - 136	8	30
4-Bromophenyl phenyl ether			3.33	3.03		mg/Kg		91	60 - 120	7	30
4-Chloro-3-methylphenol			3.33	2.63		mg/Kg		79	66 - 120	4	30
4-Chloroaniline			3.33	1.83		mg/Kg		55	10 - 120	2	30
4-Chlorophenyl phenyl ether			3.33	2.82		mg/Kg		85	62 - 120	4	30
4-Methylphenol			3.33	2.49		mg/Kg		75	61 - 120	6	30
4-Nitroaniline			3.33	2.23		mg/Kg		67	51 - 120	4	30
4-Nitrophenol			6.67	4.66		mg/Kg		70	42 - 132	5	30
Acenaphthene			3.33	2.83		mg/Kg		85	65 - 120	4	30
Acenaphthylene			3.33	3.06		mg/Kg		92	64 - 120	4	30
Acetophenone			3.33	2.51		mg/Kg		75	61 - 120	4	30
Anthracene			3.33	2.88		mg/Kg		86	67 - 120	6	30
Atrazine			1.33	1.92		mg/Kg		144	32 - 150	8	30
Benzaldehyde			1.33	1.40		mg/Kg		105	28 - 150	1	30
Benzo[a]anthracene			3.33	2.83		mg/Kg		85	66 - 120	5	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1005549/3-A
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1005549

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzo[a]pyrene			3.33	3.02		mg/Kg		91	73 - 123	5	30
Benzo[b]fluoranthene			3.33	2.96		mg/Kg		89	70 - 125	4	30
Benzo[g,h,i]perylene			3.33	3.08		mg/Kg		92	66 - 120	4	30
Benzo[k]fluoranthene			3.33	3.06		mg/Kg		92	67 - 122	6	30
Bis(2-chloroethoxy)methane			3.33	2.73		mg/Kg		82	62 - 120	3	30
Bis(2-chloroethyl)ether			3.33	2.63		mg/Kg		79	60 - 120	3	30
Bis(2-ethylhexyl) phthalate			3.33	2.96		mg/Kg		89	64 - 125	5	30
Butyl benzyl phthalate			3.33	3.01		mg/Kg		90	62 - 127	5	30
Caprolactam			1.33	1.58		mg/Kg		118	36 - 150	5	30
Carbazole			3.33	2.77		mg/Kg		83	64 - 120	6	30
Chrysene			3.33	2.81		mg/Kg		84	67 - 120	3	30
Dibenz(a,h)anthracene			3.33	2.86		mg/Kg		86	66 - 128	4	30
Dibenzofuran			3.33	2.79		mg/Kg		84	61 - 120	5	30
Diethyl phthalate			3.33	2.70		mg/Kg		81	63 - 120	5	30
Dimethyl phthalate			3.33	2.80		mg/Kg		84	65 - 120	4	30
Di-n-butyl phthalate			3.33	2.84		mg/Kg		85	66 - 120	5	30
Di-n-octyl phthalate			3.33	3.13		mg/Kg		94	61 - 123	6	30
Fluoranthene			3.33	2.74		mg/Kg		82	61 - 120	6	30
Fluorene			3.33	2.84		mg/Kg		85	64 - 120	5	30
Hexachlorobenzene			3.33	2.95		mg/Kg		89	66 - 120	6	30
Hexachlorobutadiene			3.33	2.74		mg/Kg		82	62 - 120	5	30
Hexachlorocyclopentadiene			3.33	3.97		mg/Kg		119	13 - 120	4	30
Hexachloroethane			3.33	2.64		mg/Kg		79	61 - 120	3	30
Indeno[1,2,3-cd]pyrene			3.33	2.87		mg/Kg		86	71 - 137	6	30
Isophorone			3.33	2.68		mg/Kg		80	61 - 120	4	30
Naphthalene			3.33	2.69		mg/Kg		81	63 - 120	3	30
Nitrobenzene			3.33	2.54		mg/Kg		76	63 - 120	3	30
N-Nitrosodi-n-propylamine			3.33	2.50		mg/Kg		75	56 - 120	3	30
N-Nitrosodiphenylamine			3.33	2.90		mg/Kg		87	63 - 120	4	30
Pentachlorophenol			6.67	5.34		mg/Kg		80	61 - 126	6	30
Phenanthrene			3.33	2.86		mg/Kg		86	66 - 120	5	30
Phenol			3.33	2.68		mg/Kg		80	63 - 120	4	30
Pyrene			3.33	3.10		mg/Kg		93	61 - 121	5	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*80*		*24 - 137*
2-Fluorobiphenyl	*82*		*38 - 128*
2-Fluorophenol (Surr)	*80*		*31 - 133*
Nitrobenzene-d5 (Surr)	*79*		*31 - 120*
Phenol-d5 (Surr)	*81*		*35 - 132*
Terphenyl-d14 (Surr)	*87*		*44 - 147*

Lab Sample ID: 460-314743-A-5-A MS
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	0.39	U	3.92	3.10		mg/Kg	☼	79	64 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-314743-A-5-A MS
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,2,4,5-Tetrachlorobenzene	0.39	U	3.92	3.12		mg/Kg	☼	79	60 - 120
1,4-Dioxane	0.039	U	3.92	2.03		mg/Kg	☼	52	27 - 120
2,2'-oxybis[1-chloropropane]	0.39	U	3.92	2.87		mg/Kg	☼	73	46 - 126
2,3,4,6-Tetrachlorophenol	0.39	U	3.92	2.84		mg/Kg	☼	72	62 - 120
2,4,5-Trichlorophenol	0.39	U	3.92	3.02		mg/Kg	☼	77	64 - 120
2,4,6-Trichlorophenol	0.16	U	3.92	3.01		mg/Kg	☼	77	65 - 120
2,4-Dichlorophenol	0.16	U	3.92	2.92		mg/Kg	☼	74	66 - 120
2,4-Dimethylphenol	0.39	U	3.92	3.50		mg/Kg	☼	89	46 - 120
2,4-Dinitrophenol	0.31	U	7.84	3.26		mg/Kg	☼	42	41 - 129
2,4-Dinitrotoluene	0.079	U	3.92	2.84		mg/Kg	☼	72	65 - 124
2,6-Dinitrotoluene	0.079	U	3.92	2.93		mg/Kg	☼	75	67 - 121
2-Chloronaphthalene	0.39	U	3.92	3.06		mg/Kg	☼	78	64 - 120
2-Chlorophenol	0.39	U	3.92	2.87		mg/Kg	☼	73	63 - 120
2-Methylnaphthalene	0.39	U	3.92	2.60		mg/Kg	☼	66	64 - 120
2-Methylphenol	0.39	U	3.92	2.79		mg/Kg	☼	71	63 - 120
2-Nitroaniline	0.39	U	3.92	2.49		mg/Kg	☼	64	48 - 120
2-Nitrophenol	0.39	U	3.92	2.90		mg/Kg	☼	74	64 - 120
3 & 4 Methylphenol	0.39	U	3.92	2.59		mg/Kg	☼	66	61 - 120
3,3'-Dichlorobenzidine	0.16	U	3.92	2.23		mg/Kg	☼	57	10 - 120
3-Nitroaniline	0.39	U	3.92	2.50		mg/Kg	☼	64	18 - 122
4,6-Dinitro-2-methylphenol	0.31	U	7.84	4.36	*	mg/Kg	☼	56	58 - 136
4-Bromophenyl phenyl ether	0.39	U	3.92	3.31		mg/Kg	☼	84	60 - 120
4-Chloro-3-methylphenol	0.39	U	3.92	2.72		mg/Kg	☼	69	66 - 120
4-Chloroaniline	0.39	U	3.92	2.03		mg/Kg	☼	52	10 - 120
4-Chlorophenyl phenyl ether	0.39	U	3.92	2.96		mg/Kg	☼	76	62 - 120
4-Methylphenol	0.39	U	3.92	2.59		mg/Kg	☼	66	61 - 120
4-Nitroaniline	0.39	U	3.92	2.29		mg/Kg	☼	58	51 - 120
4-Nitrophenol	0.79	U	7.84	5.10		mg/Kg	☼	65	42 - 132
Acenaphthene	0.39	U	3.92	3.04		mg/Kg	☼	78	65 - 120
Acenaphthylene	0.39	U	3.92	3.25		mg/Kg	☼	83	64 - 120
Acetophenone	0.39	U	3.92	2.67		mg/Kg	☼	68	61 - 120
Anthracene	0.39	U	3.92	3.05		mg/Kg	☼	78	67 - 120
Atrazine	0.16	U	1.57	2.35		mg/Kg	☼	150	32 - 150
Benzaldehyde	0.39	U	1.57	1.77	E	mg/Kg	☼	113	28 - 150
Benzo[a]anthracene	0.039	U	3.92	3.03		mg/Kg	☼	77	66 - 120
Benzo[a]pyrene	0.039	U	3.92	3.13		mg/Kg	☼	80	73 - 123
Benzo[b]fluoranthene	0.039	U	3.92	3.02		mg/Kg	☼	77	70 - 125
Benzo[g,h,i]perylene	0.024	J	3.92	2.69		mg/Kg	☼	68	66 - 120
Benzo[k]fluoranthene	0.039	U	3.92	3.12		mg/Kg	☼	80	67 - 122
Bis(2-chloroethoxy)methane	0.39	U	3.92	2.95		mg/Kg	☼	75	62 - 120
Bis(2-chloroethyl)ether	0.039	U	3.92	2.81		mg/Kg	☼	72	60 - 120
Bis(2-ethylhexyl) phthalate	0.067	J	3.92	3.08		mg/Kg	☼	77	64 - 125
Butyl benzyl phthalate	0.39	U	3.92	3.03		mg/Kg	☼	77	62 - 127
Caprolactam	0.39	U	1.57	1.72		mg/Kg	☼	109	36 - 150
Carbazole	0.39	U	3.92	2.95		mg/Kg	☼	75	64 - 120
Chrysene	0.39	U	3.92	3.03		mg/Kg	☼	77	67 - 120
Dibenz(a,h)anthracene	0.039	U	3.92	2.75		mg/Kg	☼	70	66 - 128
Dibenzofuran	0.39	U	3.92	2.96		mg/Kg	☼	75	61 - 120
Diethyl phthalate	0.39	U	3.92	2.85		mg/Kg	☼	73	63 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-314743-A-5-A MS
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Dimethyl phthalate	0.39	U	3.92	2.99		mg/Kg	☼	76	65 - 120
Di-n-butyl phthalate	0.042	J	3.92	3.07		mg/Kg	☼	77	66 - 120
Di-n-octyl phthalate	0.39	U	3.92	2.96		mg/Kg	☼	75	61 - 123
Fluoranthene	0.39	U	3.92	2.97		mg/Kg	☼	76	61 - 120
Fluorene	0.39	U	3.92	3.01		mg/Kg	☼	77	64 - 120
Hexachlorobenzene	0.039	U	3.92	3.09		mg/Kg	☼	79	66 - 120
Hexachlorobutadiene	0.079	U	3.92	2.94		mg/Kg	☼	75	62 - 120
Hexachlorocyclopentadiene	0.39	U	3.92	2.61		mg/Kg	☼	67	13 - 120
Hexachloroethane	0.039	U	3.92	2.73		mg/Kg	☼	70	61 - 120
Indeno[1,2,3-cd]pyrene	0.016	J	3.92	2.76	*	mg/Kg	☼	70	71 - 137
Isophorone	0.16	U	3.92	2.83		mg/Kg	☼	72	61 - 120
Naphthalene	0.39	U	3.92	2.93		mg/Kg	☼	75	63 - 120
Nitrobenzene	0.039	U	3.92	2.71		mg/Kg	☼	69	63 - 120
N-Nitrosodi-n-propylamine	0.039	U	3.92	2.67		mg/Kg	☼	68	56 - 120
N-Nitrosodiphenylamine	0.39	U	3.92	3.14		mg/Kg	☼	80	63 - 120
Pentachlorophenol	0.31	U	7.84	5.86		mg/Kg	☼	75	61 - 126
Phenanthrene	0.39	U	3.92	3.06		mg/Kg	☼	78	66 - 120
Phenol	0.39	U	3.92	2.76		mg/Kg	☼	70	63 - 120
Pyrene	0.011	J	3.92	3.03		mg/Kg	☼	77	61 - 121

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*78*		*24 - 137*
2-Fluorobiphenyl	*82*		*38 - 128*
2-Fluorophenol (Surr)	*78*		*31 - 133*
Nitrobenzene-d5 (Surr)	*78*		*31 - 120*
Phenol-d5 (Surr)	*76*		*35 - 132*
Terphenyl-d14 (Surr)	*79*		*44 - 147*

Lab Sample ID: 460-314743-A-5-B MSD
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl	0.39	U	3.92	3.16		mg/Kg	☼	81	64 - 120	2	30
1,2,4,5-Tetrachlorobenzene	0.39	U	3.92	3.20		mg/Kg	☼	81	60 - 120	3	30
1,4-Dioxane	0.039	U	3.92	1.96		mg/Kg	☼	50	27 - 120	3	30
2,2'-oxybis[1-chloropropane]	0.39	U	3.92	2.73		mg/Kg	☼	70	46 - 126	5	30
2,3,4,6-Tetrachlorophenol	0.39	U	3.92	3.10		mg/Kg	☼	79	62 - 120	9	30
2,4,5-Trichlorophenol	0.39	U	3.92	3.26		mg/Kg	☼	83	64 - 120	8	30
2,4,6-Trichlorophenol	0.16	U	3.92	3.29		mg/Kg	☼	84	65 - 120	9	30
2,4-Dichlorophenol	0.16	U	3.92	3.13		mg/Kg	☼	80	66 - 120	7	30
2,4-Dimethylphenol	0.39	U	3.92	3.65		mg/Kg	☼	93	46 - 120	4	30
2,4-Dinitrophenol	0.31	U	7.84	2.58	*	mg/Kg	☼	33	41 - 129	23	30
2,4-Dinitrotoluene	0.079	U	3.92	2.91		mg/Kg	☼	74	65 - 124	3	30
2,6-Dinitrotoluene	0.079	U	3.92	3.07		mg/Kg	☼	78	67 - 121	5	30
2-Chloronaphthalene	0.39	U	3.92	3.19		mg/Kg	☼	81	64 - 120	4	30
2-Chlorophenol	0.39	U	3.92	2.92		mg/Kg	☼	74	63 - 120	2	30
2-Methylnaphthalene	0.39	U	3.92	2.64		mg/Kg	☼	67	64 - 120	2	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-314743-A-5-B MSD
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-Methylphenol	0.39	U	3.92	2.89		mg/Kg	☼	74	63 - 120	4	30
2-Nitroaniline	0.39	U	3.92	2.62		mg/Kg	☼	67	48 - 120	5	30
2-Nitrophenol	0.39	U	3.92	2.78		mg/Kg	☼	71	64 - 120	4	30
3 & 4 Methylphenol	0.39	U	3.92	2.69		mg/Kg	☼	69	61 - 120	4	30
3,3'-Dichlorobenzidine	0.16	U	3.92	2.80		mg/Kg	☼	71	10 - 120	23	30
3-Nitroaniline	0.39	U	3.92	2.83		mg/Kg	☼	72	18 - 122	12	30
4,6-Dinitro-2-methylphenol	0.31	U	7.84	3.82	*	mg/Kg	☼	49	58 - 136	13	30
4-Bromophenyl phenyl ether	0.39	U	3.92	3.47		mg/Kg	☼	88	60 - 120	5	30
4-Chloro-3-methylphenol	0.39	U	3.92	2.94		mg/Kg	☼	75	66 - 120	8	30
4-Chloroaniline	0.39	U	3.92	2.77	*	mg/Kg	☼	71	10 - 120	31	30
4-Chlorophenyl phenyl ether	0.39	U	3.92	3.18		mg/Kg	☼	81	62 - 120	7	30
4-Methylphenol	0.39	U	3.92	2.69		mg/Kg	☼	69	61 - 120	4	30
4-Nitroaniline	0.39	U	3.92	2.56		mg/Kg	☼	65	51 - 120	11	30
4-Nitrophenol	0.79	U	7.84	5.43		mg/Kg	☼	69	42 - 132	6	30
Acenaphthene	0.39	U	3.92	3.21		mg/Kg	☼	82	65 - 120	5	30
Acenaphthylene	0.39	U	3.92	3.38		mg/Kg	☼	86	64 - 120	4	30
Acetophenone	0.39	U	3.92	2.65		mg/Kg	☼	68	61 - 120	1	30
Anthracene	0.39	U	3.92	3.24		mg/Kg	☼	83	67 - 120	6	30
Atrazine	0.16	U	1.57	2.53	E *	mg/Kg	☼	161	32 - 150	8	30
Benzaldehyde	0.39	U	1.57	1.82	E	mg/Kg	☼	116	28 - 150	3	30
Benzo[a]anthracene	0.039	U	3.92	3.20		mg/Kg	☼	81	66 - 120	5	30
Benzo[a]pyrene	0.039	U	3.92	3.32		mg/Kg	☼	85	73 - 123	6	30
Benzo[b]fluoranthene	0.039	U	3.92	3.26		mg/Kg	☼	83	70 - 125	8	30
Benzo[g,h,i]perylene	0.024	J	3.92	2.81		mg/Kg	☼	71	66 - 120	4	30
Benzo[k]fluoranthene	0.039	U	3.92	3.20		mg/Kg	☼	82	67 - 122	3	30
Bis(2-chloroethoxy)methane	0.39	U	3.92	2.97		mg/Kg	☼	76	62 - 120	1	30
Bis(2-chloroethyl)ether	0.039	U	3.92	2.71		mg/Kg	☼	69	60 - 120	4	30
Bis(2-ethylhexyl) phthalate	0.067	J	3.92	3.29		mg/Kg	☼	82	64 - 125	7	30
Butyl benzyl phthalate	0.39	U	3.92	3.22		mg/Kg	☼	82	62 - 127	6	30
Caprolactam	0.39	U	1.57	1.78		mg/Kg	☼	114	36 - 150	4	30
Carbazole	0.39	U	3.92	3.09		mg/Kg	☼	79	64 - 120	5	30
Chrysene	0.39	U	3.92	3.23		mg/Kg	☼	82	67 - 120	6	30
Dibenz(a,h)anthracene	0.039	U	3.92	2.86		mg/Kg	☼	73	66 - 128	4	30
Dibenzofuran	0.39	U	3.92	3.11		mg/Kg	☼	79	61 - 120	5	30
Diethyl phthalate	0.39	U	3.92	3.05		mg/Kg	☼	78	63 - 120	7	30
Dimethyl phthalate	0.39	U	3.92	3.10		mg/Kg	☼	79	65 - 120	4	30
Di-n-butyl phthalate	0.042	J	3.92	3.27		mg/Kg	☼	82	66 - 120	7	30
Di-n-octyl phthalate	0.39	U	3.92	3.12		mg/Kg	☼	79	61 - 123	5	30
Fluoranthene	0.39	U	3.92	3.05		mg/Kg	☼	78	61 - 120	3	30
Fluorene	0.39	U	3.92	3.15		mg/Kg	☼	80	64 - 120	5	30
Hexachlorobenzene	0.039	U	3.92	3.29		mg/Kg	☼	84	66 - 120	6	30
Hexachlorobutadiene	0.079	U	3.92	2.94		mg/Kg	☼	75	62 - 120	0	30
Hexachlorocyclopentadiene	0.39	U	3.92	2.13		mg/Kg	☼	54	13 - 120	20	30
Hexachloroethane	0.039	U	3.92	2.64		mg/Kg	☼	67	61 - 120	4	30
Indeno[1,2,3-cd]pyrene	0.016	J	3.92	2.92		mg/Kg	☼	74	71 - 137	6	30
Isophorone	0.16	U	3.92	2.91		mg/Kg	☼	74	61 - 120	3	30
Naphthalene	0.39	U	3.92	2.91		mg/Kg	☼	74	63 - 120	1	30
Nitrobenzene	0.039	U	3.92	2.66		mg/Kg	☼	68	63 - 120	2	30
N-Nitrosodi-n-propylamine	0.039	U	3.92	2.63		mg/Kg	☼	67	56 - 120	1	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-314743-A-5-B MSD
Matrix: Solid
Analysis Batch: 1005640

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005549

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
N-Nitrosodiphenylamine	0.39	U	3.92	3.30		mg/Kg	☼	84	63 - 120	5	30
Pentachlorophenol	0.31	U	7.84	6.40		mg/Kg	☼	82	61 - 126	9	30
Phenanthrene	0.39	U	3.92	3.24		mg/Kg	☼	83	66 - 120	6	30
Phenol	0.39	U	3.92	2.85		mg/Kg	☼	73	63 - 120	3	30
Pyrene	0.011	J	3.92	3.24		mg/Kg	☼	82	61 - 121	6	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*80*		*24 - 137*
2-Fluorobiphenyl	*84*		*38 - 128*
2-Fluorophenol (Surr)	*76*		*31 - 133*
Nitrobenzene-d5 (Surr)	*75*		*31 - 120*
Phenol-d5 (Surr)	*79*		*35 - 132*
Terphenyl-d14 (Surr)	*82*		*44 - 147*

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-1005373/1-A
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0067	U	0.0067	0.0011	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
4,4'-DDD	0.0067	U	0.0067	0.0011	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
4,4'-DDE	0.0067	U	0.0067	0.00079	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
4,4'-DDE	0.0067	U	0.0067	0.00079	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
4,4'-DDT	0.0067	U	0.0067	0.0012	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
4,4'-DDT	0.0067	U	0.0067	0.0012	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Aldrin	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Aldrin	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
alpha-BHC	0.0020	U	0.0020	0.00068	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
alpha-BHC	0.0020	U	0.0020	0.00068	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
beta-BHC	0.0020	U	0.0020	0.00075	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
beta-BHC	0.0020	U	0.0020	0.00075	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Chlordane (technical)	0.067	U	0.067	0.016	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Chlordane (technical)	0.067	U	0.067	0.016	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
cis-Chlordane	0.0067	U	0.0067	0.0011	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
cis-Chlordane	0.0067	U	0.0067	0.0011	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
delta-BHC	0.0020	U	0.0020	0.00041	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Dieldrin	0.0020	U	0.0020	0.00087	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Dieldrin	0.0020	U	0.0020	0.00087	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan I	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan I	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan II	0.0067	U	0.0067	0.0017	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan II	0.0067	U	0.0067	0.0017	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan sulfate	0.0067	U	0.0067	0.00084	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endosulfan sulfate	0.0067	U	0.0067	0.00084	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endrin	0.0067	U	0.0067	0.00096	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endrin	0.0067	U	0.0067	0.00096	mg/Kg		11/05/24 16:34	11/06/24 07:27	1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-1005373/1-A
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Endrin aldehyde	0.0067	U	0.0067	0.0016	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endrin aldehyde	0.0067	U	0.0067	0.0016	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endrin ketone	0.0067	U	0.0067	0.0013	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Endrin ketone	0.0067	U	0.0067	0.0013	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00062	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
gamma-BHC (Lindane)	0.0020	U	0.0020	0.00062	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Heptachlor	0.0067	U	0.0067	0.00079	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Heptachlor	0.0067	U	0.0067	0.00079	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Heptachlor epoxide	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Heptachlor epoxide	0.0067	U	0.0067	0.0010	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Methoxychlor	0.0067	U	0.0067	0.0015	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Methoxychlor	0.0067	U	0.0067	0.0015	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Toxaphene	0.067	U	0.067	0.024	mg/Kg		11/05/24 16:34	11/06/24 07:27	1
Toxaphene	0.067	U	0.067	0.024	mg/Kg		11/05/24 16:34	11/06/24 07:27	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
DCB Decachlorobiphenyl	*80*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:27*	*1*
DCB Decachlorobiphenyl	*76*		*17 - 150*	*11/05/24 16:34*	*11/06/24 07:27*	*1*
Tetrachloro-m-xylene	*99*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:27*	*1*
Tetrachloro-m-xylene	*95*		*21 - 150*	*11/05/24 16:34*	*11/06/24 07:27*	*1*

Lab Sample ID: LCS 460-1005373/2-A
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	0.133	0.137		mg/Kg		103	70 - 138
4,4'-DDD	0.133	0.140		mg/Kg		105	70 - 138
4,4'-DDE	0.133	0.158		mg/Kg		118	68 - 136
4,4'-DDE	0.133	0.151		mg/Kg		113	68 - 136
4,4'-DDT	0.133	0.148		mg/Kg		111	66 - 149
4,4'-DDT	0.133	0.158		mg/Kg		119	66 - 149
Aldrin	0.133	0.153		mg/Kg		114	69 - 136
Aldrin	0.133	0.172		mg/Kg		129	69 - 136
alpha-BHC	0.133	0.157		mg/Kg		118	72 - 134
alpha-BHC	0.133	0.169		mg/Kg		127	72 - 134
beta-BHC	0.133	0.141		mg/Kg		106	71 - 130
beta-BHC	0.133	0.157		mg/Kg		118	71 - 130
cis-Chlordane	0.133	0.154		mg/Kg		116	69 - 135
cis-Chlordane	0.133	0.174		mg/Kg		130	69 - 135
delta-BHC	0.133	0.147		mg/Kg		110	69 - 140
delta-BHC	0.133	0.164		mg/Kg		123	69 - 140
Dieldrin	0.133	0.151		mg/Kg		113	69 - 134
Dieldrin	0.133	0.167		mg/Kg		125	69 - 134
Endosulfan I	0.133	0.145		mg/Kg		109	69 - 133
Endosulfan I	0.133	0.190	*	mg/Kg		142	69 - 133
Endosulfan II	0.133	0.151		mg/Kg		113	71 - 137
Endosulfan II	0.133	0.178		mg/Kg		133	71 - 137

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-1005373/2-A
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005373

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Endosulfan sulfate			0.133	0.148		mg/Kg		111	61 - 140		
Endosulfan sulfate			0.133	0.157		mg/Kg		118	61 - 140		
Endrin			0.133	0.139		mg/Kg		104	67 - 141		
Endrin			0.133	0.153		mg/Kg		115	67 - 141		
Endrin aldehyde			0.133	0.151		mg/Kg		113	71 - 136		
Endrin aldehyde			0.133	0.166		mg/Kg		124	71 - 136		
Endrin ketone			0.133	0.146		mg/Kg		110	60 - 146		
Endrin ketone			0.133	0.163		mg/Kg		122	60 - 146		
gamma-BHC (Lindane)			0.133	0.157		mg/Kg		117	72 - 139		
gamma-BHC (Lindane)			0.133	0.172		mg/Kg		129	72 - 139		
Heptachlor			0.133	0.150		mg/Kg		113	74 - 138		
Heptachlor			0.133	0.171		mg/Kg		128	74 - 138		
Heptachlor epoxide			0.133	0.154		mg/Kg		116	72 - 134		
Heptachlor epoxide			0.133	0.167		mg/Kg		125	72 - 134		
Methoxychlor			0.133	0.135		mg/Kg		101	60 - 150		
Methoxychlor			0.133	0.115		mg/Kg		86	60 - 150		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
DCB Decachlorobiphenyl	*67*		*17 - 150*
DCB Decachlorobiphenyl	*65*		*17 - 150*
Tetrachloro-m-xylene	*85*		*21 - 150*
Tetrachloro-m-xylene	*89*		*21 - 150*

Lab Sample ID: LCSD 460-1005373/3-A
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1005373

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD			0.133	0.121		mg/Kg		91	70 - 138	13	30
4,4'-DDD			0.133	0.121		mg/Kg		90	70 - 138	15	30
4,4'-DDE			0.133	0.136		mg/Kg		102	68 - 136	15	30
4,4'-DDE			0.133	0.128		mg/Kg		96	68 - 136	16	30
4,4'-DDT			0.133	0.129		mg/Kg		97	66 - 149	14	30
4,4'-DDT			0.133	0.136		mg/Kg		102	66 - 149	15	30
Aldrin			0.133	0.132		mg/Kg		99	69 - 136	14	30
Aldrin			0.133	0.147		mg/Kg		110	69 - 136	16	30
alpha-BHC			0.133	0.136		mg/Kg		102	72 - 134	15	30
alpha-BHC			0.133	0.143		mg/Kg		107	72 - 134	17	30
beta-BHC			0.133	0.129		mg/Kg		97	71 - 130	9	30
beta-BHC			0.133	0.135		mg/Kg		101	71 - 130	15	30
cis-Chlordane			0.133	0.138		mg/Kg		104	69 - 135	11	30
cis-Chlordane			0.133	0.150		mg/Kg		112	69 - 135	15	30
delta-BHC			0.133	0.130		mg/Kg		97	69 - 140	13	30
delta-BHC			0.133	0.139		mg/Kg		104	69 - 140	17	30
Dieldrin			0.133	0.131		mg/Kg		98	69 - 134	14	30
Dieldrin			0.133	0.143		mg/Kg		107	69 - 134	15	30
Endosulfan I			0.133	0.132		mg/Kg		99	69 - 133	10	30
Endosulfan I			0.133	0.164		mg/Kg		123	69 - 133	14	30

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-1005373/3-A
Client Sample ID: Lab Control Sample Dup
Matrix: Solid
Prep Type: Total/NA
Analysis Batch: 1005429
Prep Batch: 1005373

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Endosulfan II			0.133	0.137		mg/Kg		103	71 - 137	10	30
Endosulfan II			0.133	0.155		mg/Kg		116	71 - 137	14	30
Endosulfan sulfate			0.133	0.129		mg/Kg		97	61 - 140	14	30
Endosulfan sulfate			0.133	0.136		mg/Kg		102	61 - 140	15	30
Endrin			0.133	0.121		mg/Kg		90	67 - 141	14	30
Endrin			0.133	0.134		mg/Kg		100	67 - 141	14	30
Endrin aldehyde			0.133	0.134		mg/Kg		101	71 - 136	12	30
Endrin aldehyde			0.133	0.144		mg/Kg		108	71 - 136	14	30
Endrin ketone			0.133	0.135		mg/Kg		101	60 - 146	8	30
Endrin ketone			0.133	0.141		mg/Kg		106	60 - 146	14	30
gamma-BHC (Lindane)			0.133	0.138		mg/Kg		104	72 - 139	12	30
gamma-BHC (Lindane)			0.133	0.145		mg/Kg		109	72 - 139	17	30
Heptachlor			0.133	0.132		mg/Kg		99	74 - 138	13	30
Heptachlor			0.133	0.145		mg/Kg		109	74 - 138	16	30
Heptachlor epoxide			0.133	0.134		mg/Kg		100	72 - 134	14	30
Heptachlor epoxide			0.133	0.144		mg/Kg		108	72 - 134	15	30
Methoxychlor			0.133	0.119		mg/Kg		90	60 - 150	12	30
Methoxychlor			0.133	0.0963		mg/Kg		72	60 - 150	18	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
DCB Decachlorobiphenyl	*63*		*17 - 150*
DCB Decachlorobiphenyl	*61*		*17 - 150*
Tetrachloro-m-xylene	*78*		*21 - 150*
Tetrachloro-m-xylene	*80*		*21 - 150*

Lab Sample ID: 200-75670-C-1-G MS
Client Sample ID: Matrix Spike
Matrix: Solid
Prep Type: Total/NA
Analysis Batch: 1005429
Prep Batch: 1005373

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	0.0068	U	0.135	0.128		mg/Kg	☼	95	70 - 138
4,4'-DDD	0.0068	U	0.135	0.135		mg/Kg	☼	100	70 - 138
4,4'-DDE	0.0068	U	0.135	0.138		mg/Kg	☼	103	68 - 136
4,4'-DDT	0.0068	U	0.135	0.136		mg/Kg	☼	101	66 - 149
4,4'-DDT	0.0068	U	0.135	0.140		mg/Kg	☼	104	66 - 149
Aldrin	0.0068	U	0.135	0.133		mg/Kg	☼	99	69 - 136
Aldrin	0.0068	U	0.135	0.146		mg/Kg	☼	109	69 - 136
alpha-BHC	0.0020	U	0.135	0.138		mg/Kg	☼	103	72 - 134
alpha-BHC	0.0020	U	0.135	0.146		mg/Kg	☼	108	72 - 134
beta-BHC	0.0020	U	0.135	0.132		mg/Kg	☼	98	71 - 130
beta-BHC	0.0020	U	0.135	0.137		mg/Kg	☼	102	71 - 130
cis-Chlordane	0.0068	U	0.135	0.142		mg/Kg	☼	105	69 - 135
cis-Chlordane	0.0068	U	0.135	0.145		mg/Kg	☼	108	69 - 135
delta-BHC	0.0020	U	0.135	0.134		mg/Kg	☼	100	69 - 140
delta-BHC	0.0020	U	0.135	0.144		mg/Kg	☼	107	69 - 140
Dieldrin	0.0020	U	0.135	0.134		mg/Kg	☼	99	69 - 134
Dieldrin	0.0020	U	0.135	0.140		mg/Kg	☼	104	69 - 134
Endosulfan I	0.0068	U *	0.135	0.135		mg/Kg	☼	101	69 - 133

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 200-75670-C-1-G MS
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Endosulfan I	0.0068	U *	0.135	0.156		mg/Kg	☼	116	69 - 133
Endosulfan II	0.0068	U	0.135	0.138		mg/Kg	☼	103	71 - 137
Endosulfan II	0.0068	U	0.135	0.152		mg/Kg	☼	113	71 - 137
Endosulfan sulfate	0.0068	U	0.135	0.132		mg/Kg	☼	98	61 - 140
Endrin	0.0068	U	0.135	0.128		mg/Kg	☼	95	67 - 141
Endrin	0.0068	U	0.135	0.136		mg/Kg	☼	101	67 - 141
Endrin aldehyde	0.0068	U	0.135	0.137		mg/Kg	☼	102	71 - 136
Endrin aldehyde	0.0068	U	0.135	0.144		mg/Kg	☼	107	71 - 136
Endrin ketone	0.0068	U	0.135	0.138		mg/Kg	☼	103	60 - 146
Endrin ketone	0.0068	U	0.135	0.139		mg/Kg	☼	103	60 - 146
gamma-BHC (Lindane)	0.0020	U	0.135	0.141		mg/Kg	☼	105	72 - 139
gamma-BHC (Lindane)	0.0020	U	0.135	0.147		mg/Kg	☼	109	72 - 139
Heptachlor	0.0068	U	0.135	0.134		mg/Kg	☼	100	74 - 138
Heptachlor	0.0068	U	0.135	0.148		mg/Kg	☼	110	74 - 138
Heptachlor epoxide	0.0068	U	0.135	0.137		mg/Kg	☼	102	72 - 134
Heptachlor epoxide	0.0068	U	0.135	0.144		mg/Kg	☼	107	72 - 134
Methoxychlor	0.0068	U	0.135	0.129		mg/Kg	☼	96	60 - 150

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
DCB Decachlorobiphenyl	*82*		*17 - 150*
DCB Decachlorobiphenyl	*79*		*17 - 150*
Tetrachloro-m-xylene	*81*		*21 - 150*
Tetrachloro-m-xylene	*83*		*21 - 150*

Lab Sample ID: 200-75670-C-1-H MSD
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	0.0068	U	0.135	0.132		mg/Kg	☼	98	70 - 138	3	30
4,4'-DDD	0.0068	U	0.135	0.136		mg/Kg	☼	101	70 - 138	1	30
4,4'-DDE	0.0068	U	0.135	0.143		mg/Kg	☼	106	68 - 136	4	30
4,4'-DDT	0.0068	U	0.135	0.141		mg/Kg	☼	105	66 - 149	4	30
4,4'-DDT	0.0068	U	0.135	0.143		mg/Kg	☼	106	66 - 149	2	30
Aldrin	0.0068	U	0.135	0.140		mg/Kg	☼	104	69 - 136	5	30
Aldrin	0.0068	U	0.135	0.151		mg/Kg	☼	112	69 - 136	3	30
alpha-BHC	0.0020	U	0.135	0.146		mg/Kg	☼	108	72 - 134	5	30
alpha-BHC	0.0020	U	0.135	0.153		mg/Kg	☼	113	72 - 134	5	30
beta-BHC	0.0020	U	0.135	0.139		mg/Kg	☼	103	71 - 130	5	30
beta-BHC	0.0020	U	0.135	0.142		mg/Kg	☼	105	71 - 130	3	30
cis-Chlordane	0.0068	U	0.135	0.147		mg/Kg	☼	109	69 - 135	4	30
cis-Chlordane	0.0068	U	0.135	0.152		mg/Kg	☼	113	69 - 135	5	30
delta-BHC	0.0020	U	0.135	0.142		mg/Kg	☼	106	69 - 140	6	30
delta-BHC	0.0020	U	0.135	0.152		mg/Kg	☼	113	69 - 140	5	30
Dieldrin	0.0020	U	0.135	0.139		mg/Kg	☼	103	69 - 134	4	30
Dieldrin	0.0020	U	0.135	0.145		mg/Kg	☼	108	69 - 134	4	30
Endosulfan I	0.0068	U *	0.135	0.141		mg/Kg	☼	104	69 - 133	4	30
Endosulfan I	0.0068	U *	0.135	0.163		mg/Kg	☼	121	69 - 133	5	30

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 200-75670-C-1-H MSD
Matrix: Solid
Analysis Batch: 1005429

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005373

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Endosulfan II	0.0068	U	0.135	0.143		mg/Kg	☼	106	71 - 137	4	30
Endosulfan II	0.0068	U	0.135	0.153		mg/Kg	☼	113	71 - 137	1	30
Endosulfan sulfate	0.0068	U	0.135	0.138		mg/Kg	☼	102	61 - 140	4	30
Endrin	0.0068	U	0.135	0.132		mg/Kg	☼	98	67 - 141	3	30
Endrin	0.0068	U	0.135	0.139		mg/Kg	☼	103	67 - 141	2	30
Endrin aldehyde	0.0068	U	0.135	0.143		mg/Kg	☼	106	71 - 136	4	30
Endrin aldehyde	0.0068	U	0.135	0.148		mg/Kg	☼	110	71 - 136	3	30
Endrin ketone	0.0068	U	0.135	0.143		mg/Kg	☼	106	60 - 146	3	30
gamma-BHC (Lindane)	0.0020	U	0.135	0.147		mg/Kg	☼	109	72 - 139	4	30
gamma-BHC (Lindane)	0.0020	U	0.135	0.153		mg/Kg	☼	114	72 - 139	4	30
Heptachlor	0.0068	U	0.135	0.140		mg/Kg	☼	104	74 - 138	5	30
Heptachlor	0.0068	U	0.135	0.153		mg/Kg	☼	114	74 - 138	3	30
Heptachlor epoxide	0.0068	U	0.135	0.142		mg/Kg	☼	105	72 - 134	4	30
Heptachlor epoxide	0.0068	U	0.135	0.148		mg/Kg	☼	110	72 - 134	3	30
Methoxychlor	0.0068	U	0.135	0.134		mg/Kg	☼	99	60 - 150	4	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
DCB Decachlorobiphenyl	*69*		*17 - 150*
DCB Decachlorobiphenyl	*64*		*17 - 150*
Tetrachloro-m-xylene	*70*		*21 - 150*
Tetrachloro-m-xylene	*70*		*21 - 150*

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-1005369/1-A
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005369

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1016	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1221	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1221	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1232	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1232	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1242	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1242	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1248	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1248	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1254	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1254	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1260	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1260	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor-1262	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor-1262	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1268	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Aroclor 1268	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Polychlorinated biphenyls, Total	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1
Polychlorinated biphenyls, Total	0.067	U	0.067	0.018	mg/Kg		11/05/24 16:31	11/06/24 12:18	1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	77		20 - 150	11/05/24 16:31	11/06/24 12:18	1
DCB Decachlorobiphenyl	88		20 - 150	11/05/24 16:31	11/06/24 12:18	1
Tetrachloro-m-xylene	109		20 - 150	11/05/24 16:31	11/06/24 12:18	1
Tetrachloro-m-xylene	98		20 - 150	11/05/24 16:31	11/06/24 12:18	1

Lab Sample ID: LCS 460-1005369/2-A
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005369

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Aroclor 1016			0.333	0.347		mg/Kg		104	54 - 136		
Aroclor 1016			0.333	0.325		mg/Kg		97	54 - 136		
Aroclor 1260			0.333	0.355		mg/Kg		107	53 - 145		
Aroclor 1260			0.333	0.349		mg/Kg		105	53 - 145		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl	74		20 - 150
DCB Decachlorobiphenyl	70		20 - 150
Tetrachloro-m-xylene	97		20 - 150
Tetrachloro-m-xylene	94		20 - 150

Lab Sample ID: LCSD 460-1005369/3-A
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1005369

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aroclor 1016			0.333	0.322		mg/Kg		97	54 - 136	7	30
Aroclor 1016			0.333	0.299		mg/Kg		90	54 - 136	8	30
Aroclor 1260			0.333	0.318		mg/Kg		95	53 - 145	11	30
Aroclor 1260			0.333	0.303		mg/Kg		91	53 - 145	14	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
DCB Decachlorobiphenyl	71		20 - 150
DCB Decachlorobiphenyl	68		20 - 150
Tetrachloro-m-xylene	99		20 - 150
Tetrachloro-m-xylene	94		20 - 150

Lab Sample ID: 200-75670-C-1-D MS
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005369

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Aroclor 1016	0.068	U	0.335	0.261		mg/Kg	☼	78	54 - 136		
Aroclor 1016	0.068	U	0.335	0.245		mg/Kg	☼	73	54 - 136		
Aroclor 1260	0.068	U	0.335	0.249		mg/Kg	☼	74	53 - 145		
Aroclor 1260	0.068	U	0.335	0.236		mg/Kg	☼	70	53 - 145		

Surrogate	MS %Recovery	MS Qualifier	Limits
DCB Decachlorobiphenyl	30		20 - 150
DCB Decachlorobiphenyl	28		20 - 150

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 200-75670-C-1-D MS
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005369

Surrogate	MS %Recovery	MS Qualifier	Limits
Tetrachloro-m-xylene	30		20 - 150
Tetrachloro-m-xylene	29		20 - 150

Lab Sample ID: 200-75670-C-1-E MSD
Matrix: Solid
Analysis Batch: 1005504

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1005369

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aroclor 1016	0.068	U	0.336	0.256		mg/Kg	☼	76	54 - 136	2	30
Aroclor 1016	0.068	U	0.336	0.231		mg/Kg	☼	69	54 - 136	6	30
Aroclor 1260	0.068	U	0.336	0.255		mg/Kg	☼	76	53 - 145	2	30
Aroclor 1260	0.068	U	0.336	0.256		mg/Kg	☼	76	53 - 145	8	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
DCB Decachlorobiphenyl	33		20 - 150
DCB Decachlorobiphenyl	31		20 - 150
Tetrachloro-m-xylene	34		20 - 150
Tetrachloro-m-xylene	32		20 - 150

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-1005465/1-A
Matrix: Solid
Analysis Batch: 1005565

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005465

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Antimony	1.0	U	1.0	0.15	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Barium	2.0	U	2.0	0.15	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Beryllium	0.40	U	0.40	0.057	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Calcium	100	U	100	40.7	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Chromium	2.0	U	2.0	0.91	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Copper	2.0	U	2.0	0.37	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Iron	60.0	U	60.0	20.2	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Lead	0.60	U	0.60	0.20	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Magnesium	100	U	100	10.2	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Manganese	4.0	U	4.0	0.40	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Nickel	2.0	U	2.0	0.47	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Potassium	100	U	100	16.2	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Selenium	1.3	U	1.3	0.13	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Silver	0.40	U	0.40	0.089	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Sodium	100	U	100	45.7	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Thallium	0.40	U	0.40	0.041	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		11/06/24 07:18	11/06/24 17:57	1
Zinc	8.0	U	8.0	3.1	mg/Kg		11/06/24 07:18	11/06/24 17:57	1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1005465/2-A ^3
Matrix: Solid
Analysis Batch: 1005565

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005465

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5940	5443		mg/Kg		91.6	46.1 - 153.9
Antimony	121	87.42		mg/Kg		72.2	0.1 - 200.8
Arsenic	242	221.6		mg/Kg		91.6	81.8 - 118.6
Barium	295	289.6		mg/Kg		98.2	81.7 - 118.3
Beryllium	160	138.3		mg/Kg		86.4	82.5 - 117.5
Cadmium	84.3	82.61		mg/Kg		98.0	82.2 - 117.8
Calcium	5270	4853		mg/Kg		92.1	82.5 - 117.5
Chromium	213	195.1		mg/Kg		91.6	81.2 - 119.2
Cobalt	137	135.9		mg/Kg		99.2	83.2 - 117.5
Copper	195	183.9		mg/Kg		94.3	83.1 - 116.9
Iron	6650	6161		mg/Kg		92.6	58.6 - 141.5
Lead	194	182.5		mg/Kg		94.0	82.0 - 118.6
Magnesium	1860	1705		mg/Kg		91.7	75.3 - 124.2
Nickel	298	283.8		mg/Kg		95.2	82.2 - 117.8
Potassium	2010	1872		mg/Kg		93.2	70.6 - 129.4
Selenium	272	263.3		mg/Kg		96.8	80.1 - 119.5
Silver	76.7	71.15		mg/Kg		92.8	79.5 - 120.5
Sodium	406	390.3		mg/Kg		96.1	74.9 - 124.9
Thallium	108	107.4		mg/Kg		99.5	80.0 - 119.4
Vanadium	169	156.7		mg/Kg		92.7	78.1 - 122.5
Zinc	236	231.2		mg/Kg		98.0	80.1 - 120.3

Lab Sample ID: 460-314754-3 MS
Matrix: Solid
Analysis Batch: 1005565

Client Sample ID: SB-2_(3-5)
Prep Type: Total/NA
Prep Batch: 1005465

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	6540		508	7575	4	mg/Kg	☼	203	75 - 125
Antimony	0.36	J	5.08	2.62	N	mg/Kg	☼	44	75 - 125
Arsenic	4.3		10.2	14.41		mg/Kg	☼	99	75 - 125
Barium	102		10.2	102.3	4	mg/Kg	☼	4	75 - 125
Beryllium	0.29	J	5.08	4.74		mg/Kg	☼	87	75 - 125
Cadmium	0.64	J	5.08	5.72		mg/Kg	☼	100	75 - 125

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-314754-3 MS
Matrix: Solid
Analysis Batch: 1005565

Client Sample ID: SB-2_(3-5)
Prep Type: Total/NA
Prep Batch: 1005465

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	16100		508	17020	4	mg/Kg	☼	171	75 - 125
Chromium	17.7		10.2	28.72		mg/Kg	☼	109	75 - 125
Cobalt	5.0		5.08	9.78		mg/Kg	☼	94	75 - 125
Copper	39.9		10.2	48.70		mg/Kg	☼	86	75 - 125
Iron	18000		508	21990	4	mg/Kg	☼	791	75 - 125
Lead	161		5.08	163.0	4	mg/Kg	☼	31	75 - 125
Magnesium	4870		508	4952	4	mg/Kg	☼	15	75 - 125
Manganese	237	N	50.8	305.8	4	mg/Kg	☼	135	75 - 125
Nickel	15.3		10.2	24.72		mg/Kg	☼	93	75 - 125
Potassium	796		508	1317		mg/Kg	☼	102	75 - 125
Selenium	0.22	J	10.2	9.44		mg/Kg	☼	91	75 - 125
Silver	0.41	U	5.08	4.85		mg/Kg	☼	95	75 - 125
Sodium	169		508	662.2		mg/Kg	☼	97	75 - 125
Thallium	0.055	J	4.07	3.88		mg/Kg	☼	94	75 - 125
Vanadium	23.2		10.2	35.09		mg/Kg	☼	117	75 - 125
Zinc	282		50.8	287.7	4	mg/Kg	☼	11	75 - 125

Lab Sample ID: 460-314754-3 DU
Matrix: Solid
Analysis Batch: 1005565

Client Sample ID: SB-2_(3-5)
Prep Type: Total/NA
Prep Batch: 1005465

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Aluminum	6540		6415		mg/Kg	☼	2	20
Antimony	0.36	J	0.388	J	mg/Kg	☼	8	20
Arsenic	4.3		5.04		mg/Kg	☼	16	20
Barium	102		88.15		mg/Kg	☼	14	20
Beryllium	0.29	J	0.288	J	mg/Kg	☼	2	20
Cadmium	0.64	J	0.644	J	mg/Kg	☼	1	20
Calcium	16100		17700		mg/Kg	☼	9	20
Chromium	17.7		17.15		mg/Kg	☼	3	20
Cobalt	5.0		5.41		mg/Kg	☼	7	20
Copper	39.9		35.38		mg/Kg	☼	12	20
Iron	18000		17440		mg/Kg	☼	3	20
Lead	161		159.2		mg/Kg	☼	1	20
Magnesium	4870		5059		mg/Kg	☼	4	20
Nickel	15.3		14.76		mg/Kg	☼	4	20
Potassium	796		821.5		mg/Kg	☼	3	20
Selenium	0.22	J	0.252	J	mg/Kg	☼	15	20
Silver	0.41	U	0.120	J	mg/Kg	☼	NC	20
Sodium	169		176.0		mg/Kg	☼	4	20
Thallium	0.055	J	0.0610	J	mg/Kg	☼	11	20
Vanadium	23.2		27.81		mg/Kg	☼	18	20
Zinc	282		245.9		mg/Kg	☼	14	20

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-1006053/1-A
Matrix: Solid
Analysis Batch: 1006324

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1006053

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Antimony	1.0	U	1.0	0.15	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Barium	2.0	U	2.0	0.15	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Beryllium	0.40	U	0.40	0.057	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Calcium	100	U	100	40.7	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Chromium	2.0	U	2.0	0.91	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Copper	2.0	U	2.0	0.37	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Iron	60.0	U	60.0	20.2	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Lead	0.60	U	0.60	0.20	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Magnesium	100	U	100	10.2	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Manganese	4.0	U	4.0	0.40	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Nickel	2.0	U	2.0	0.47	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Potassium	100	U	100	16.2	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Selenium	1.3	U	1.3	0.13	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Silver	0.40	U	0.40	0.089	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Sodium	100	U	100	45.7	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Thallium	0.40	U	0.40	0.041	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		11/08/24 21:30	11/11/24 11:40	1
Zinc	8.0	U	8.0	3.1	mg/Kg		11/08/24 21:30	11/11/24 11:40	1

Lab Sample ID: LCSSRM 460-1006053/2-A ^3
Matrix: Solid
Analysis Batch: 1006324

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1006053

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5940	4988		mg/Kg		84.0	46.1 - 153.9
Antimony	121	67.57		mg/Kg		55.8	0.1 - 200.8
Arsenic	242	230.6		mg/Kg		95.3	81.8 - 118.6
Barium	295	278.2		mg/Kg		94.3	81.7 - 118.3
Beryllium	160	139.8		mg/Kg		87.4	82.5 - 117.5
Cadmium	84.3	87.30		mg/Kg		103.6	82.2 - 117.8
Calcium	5270	5117		mg/Kg		97.1	82.5 - 117.5
Chromium	213	215.4		mg/Kg		101.1	81.2 - 119.2
Cobalt	137	134.3		mg/Kg		98.1	83.2 - 117.5
Copper	195	186.7		mg/Kg		95.7	83.1 - 116.9
Iron	6650	5582		mg/Kg		83.9	58.6 - 141.5
Lead	194	180.6		mg/Kg		93.1	82.0 - 118.6

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1006053/2-A ^3
Matrix: Solid
Analysis Batch: 1006324

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1006053

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Magnesium	1860	1683		mg/Kg		90.5	75.3 - 124.2
Manganese	264	243.1		mg/Kg		92.1	80.7 - 118.9
Nickel	298	293.6		mg/Kg		98.5	82.2 - 117.8
Potassium	2010	1856		mg/Kg		92.3	70.6 - 129.4
Selenium	272	276.1		mg/Kg		101.5	80.1 - 119.5
Silver	76.7	71.63		mg/Kg		93.4	79.5 - 120.5
Sodium	406	400.9		mg/Kg		98.8	74.9 - 124.9
Thallium	108	110.8		mg/Kg		102.6	80.0 - 119.4
Vanadium	169	160.1		mg/Kg		94.7	78.1 - 122.5
Zinc	236	230.7		mg/Kg		97.7	80.1 - 120.3

Lab Sample ID: 460-314916-G-2-E MS
Matrix: Solid
Analysis Batch: 1006324

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1006053

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	9640		390	10250	4	mg/Kg	☼	155	75 - 125
Antimony	2.3		3.90	5.87		mg/Kg	☼	92	75 - 125
Arsenic	14.5		7.81	21.53		mg/Kg	☼	90	75 - 125
Barium	108		7.81	133.2	4	mg/Kg	☼	326	75 - 125
Beryllium	0.40		3.90	3.81		mg/Kg	☼	87	75 - 125
Cadmium	0.28	J	3.90	3.68		mg/Kg	☼	87	75 - 125
Calcium	19000		390	20370	4	mg/Kg	☼	346	75 - 125
Chromium	22.2		7.81	27.53	N	mg/Kg	☼	68	75 - 125
Cobalt	6.7		3.90	8.24	N	mg/Kg	☼	41	75 - 125
Copper	45.3		7.81	51.74	4	mg/Kg	☼	82	75 - 125
Iron	18000		390	16740	4	mg/Kg	☼	-325	75 - 125
Lead	179		3.90	345.4	4	mg/Kg	☼	4255	75 - 125
Magnesium	3840		390	3821	4	mg/Kg	☼	-4	75 - 125
Manganese	282		39.0	259.0	4	mg/Kg	☼	-59	75 - 125
Nickel	17.2		7.81	21.05	N	mg/Kg	☼	49	75 - 125
Potassium	1340		390	1662		mg/Kg	☼	83	75 - 125
Selenium	0.32	J	7.81	7.03		mg/Kg	☼	86	75 - 125
Silver	0.076	J	3.90	3.62		mg/Kg	☼	91	75 - 125
Sodium	325		390	707.2		mg/Kg	☼	98	75 - 125
Thallium	0.15	J	3.12	2.97		mg/Kg	☼	90	75 - 125
Vanadium	26.3		7.81	29.69	N	mg/Kg	☼	43	75 - 125
Zinc	140		39.0	172.4		mg/Kg	☼	84	75 - 125

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-314916-G-2-D DU
Matrix: Solid
Analysis Batch: 1006324

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 1006053

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Aluminum	9640		9334		mg/Kg	☼	3	20
Antimony	2.3		2.26		mg/Kg	☼	0.1	20
Arsenic	14.5		16.31		mg/Kg	☼	12	20
Barium	108		99.04		mg/Kg	☼	8	20
Beryllium	0.40		0.392		mg/Kg	☼	3	20
Cadmium	0.28	J	0.347	J	mg/Kg	☼	22	20
Calcium	19000		20160		mg/Kg	☼	6	20
Chromium	22.2		22.21		mg/Kg	☼	0.09	20
Cobalt	6.7		5.71		mg/Kg	☼	15	20
Copper	45.3		129.5	*	mg/Kg	☼	96	20
Iron	18000		16460		mg/Kg	☼	9	20
Lead	179		141.4	*	mg/Kg	☼	24	20
Magnesium	3840		3704		mg/Kg	☼	4	20
Manganese	282		221.3	*	mg/Kg	☼	24	20
Nickel	17.2		16.73		mg/Kg	☼	3	20
Potassium	1340		1285		mg/Kg	☼	4	20
Selenium	0.32	J	0.303	J	mg/Kg	☼	7	20
Silver	0.076	J	0.109	J	mg/Kg	☼	35	20
Sodium	325		343.6		mg/Kg	☼	6	20
Thallium	0.15	J	0.0818	J	mg/Kg	☼	60	20
Vanadium	26.3		24.57		mg/Kg	☼	7	20
Zinc	140		132.2		mg/Kg	☼	5	20

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-1005426/10-A
Matrix: Solid
Analysis Batch: 1005477

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005426

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0080	mg/Kg		11/06/24 00:44	11/06/24 04:05	1

Lab Sample ID: LCSSRM 460-1005426/11-A ^40
Matrix: Solid
Analysis Batch: 1005477

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005426

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	22.8	22.84		mg/Kg		100.2	70.6 - 129.4

Lab Sample ID: 460-314684-E-1-K MS
Matrix: Solid
Analysis Batch: 1005477

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005426

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.017	U	0.0835	0.0918		mg/Kg	☼	110	80 - 120

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: 460-314684-E-1-J DU
Matrix: Solid
Analysis Batch: 1005477

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 1005426

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Mercury	0.017	U	0.017	U	mg/Kg	☼	NC	20

Method: 7196A - Chromium, Hexavalent

Lab Sample ID: MB 460-1005729/1-A
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cr (VI)	2.0	U	2.0	0.85	mg/Kg		11/07/24 10:00	11/07/24 11:55	1

Lab Sample ID: LCSI 460-1005729/3-A
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	Spike Added	LCSI Result	LCSI Qualifier	Unit	D	%Rec	%Rec Limits
Cr (VI)	708	674.4		mg/Kg		95	80 - 120

Lab Sample ID: LCSSRM 460-1005729/2-A
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Cr (VI)	14.9	13.40		mg/Kg		89.7	84.2 - 114.5

Lab Sample ID: 460-314575-B-5-E MSS
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	Sample Result	Sample Qualifier	Spike Added	MSS Result	MSS Qualifier	Unit	D	%Rec	%Rec Limits
Cr (VI)	2.1	U	42.4	38.19		mg/Kg	☼	90	75 - 125

Lab Sample ID: 460-314575-B-5-F MSI
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	Sample Result	Sample Qualifier	Spike Added	MSI Result	MSI Qualifier	Unit	D	%Rec	%Rec Limits
Cr (VI)	2.1	U	751	638.4		mg/Kg	☼	85	75 - 125

Lab Sample ID: 460-314575-B-5-D DU
Matrix: Solid
Analysis Batch: 1005748

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 1005729

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Cr (VI)	2.1	U	2.1	U	mg/Kg	☼	NC	20

Method: 9012B - Cyanide, Total andor Amenable

Lab Sample ID: MB 460-1005715/1-A
Matrix: Solid
Analysis Batch: 1005986

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1005715

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	0.010	U	0.010	0.0055	mg/Kg		11/07/24 07:36	11/08/24 10:07	1

Lab Sample ID: LCSSRM 460-1005715/2-A ^20
Matrix: Solid
Analysis Batch: 1005986

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005715

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide, Total	172	137.3		mg/Kg		79.8	14.9 - 114.5

Lab Sample ID: 460-314754-1 MS
Matrix: Solid
Analysis Batch: 1005986

Client Sample ID: SB-3_(0-2)
Prep Type: Total/NA
Prep Batch: 1005715

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide, Total	0.16	J	4.04	3.94		mg/Kg	☼	94	29 - 100

Lab Sample ID: 460-314754-1 MSD
Matrix: Solid
Analysis Batch: 1005986

Client Sample ID: SB-3_(0-2)
Prep Type: Total/NA
Prep Batch: 1005715

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Cyanide, Total	0.16	J	4.04	3.96		mg/Kg	☼	94	29 - 100	1	40

Lab Sample ID: MRL 460-1005939/11-A
Matrix: Solid
Analysis Batch: 1005986

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1005939

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide, Total	0.0100	0.0100		mg/L		100	50 - 150

Method: Moisture - Percent Moisture

Lab Sample ID: 460-314745-A-1 DU
Matrix: Solid
Analysis Batch: 1005380

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	10.6		14.9	*	%		34	20
Percent Solids	89.4		85.1		%		5	20

GC/MS VOA

Prep Batch: 1005330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	5035	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	5035	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	5035	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	5035	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	5035	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	5035	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	5035	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	5035	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	5035	
LB3 460-1005330/1-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 1005370

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	8260D	1005330
460-314754-2	SB-2_(0-2)	Total/NA	Solid	8260D	1005330
460-314754-3	SB-2_(3-5)	Total/NA	Solid	8260D	1005330
460-314754-4	SB-5_(0-2)	Total/NA	Solid	8260D	1005330
460-314754-5	SB-5_(3-5)	Total/NA	Solid	8260D	1005330
460-314754-6	SB-1_(0-2)	Total/NA	Solid	8260D	1005330
460-314754-7	SB-1_(3-5)	Total/NA	Solid	8260D	1005330
460-314754-8	SB-4_(0-2)	Total/NA	Solid	8260D	1005330
460-314754-9	SB-4_(3-5)	Total/NA	Solid	8260D	1005330
LB3 460-1005330/1-A	Method Blank	Total/NA	Solid	8260D	1005330
MB 460-1005370/7	Method Blank	Total/NA	Solid	8260D	
LCS 460-1005370/2	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-1005370/4	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC/MS Semi VOA

Prep Batch: 1005549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3546	
460-314754-1 - DL	SB-3_(0-2)	Total/NA	Solid	3546	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3546	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3546	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3546	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3546	
460-314754-5 - DL	SB-5_(3-5)	Total/NA	Solid	3546	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3546	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3546	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3546	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3546	
MB 460-1005549/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1005549/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1005549/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
460-314743-A-5-A MS	Matrix Spike	Total/NA	Solid	3546	
460-314743-A-5-B MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Analysis Batch: 1005640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	8270E	1005549

GC/MS Semi VOA (Continued)

Analysis Batch: 1005640 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1 - DL	SB-3_(0-2)	Total/NA	Solid	8270E	1005549
460-314754-2	SB-2_(0-2)	Total/NA	Solid	8270E	1005549
460-314754-3	SB-2_(3-5)	Total/NA	Solid	8270E	1005549
460-314754-4	SB-5_(0-2)	Total/NA	Solid	8270E	1005549
460-314754-5	SB-5_(3-5)	Total/NA	Solid	8270E	1005549
460-314754-5 - DL	SB-5_(3-5)	Total/NA	Solid	8270E	1005549
460-314754-6	SB-1_(0-2)	Total/NA	Solid	8270E	1005549
460-314754-7	SB-1_(3-5)	Total/NA	Solid	8270E	1005549
460-314754-8	SB-4_(0-2)	Total/NA	Solid	8270E	1005549
460-314754-9	SB-4_(3-5)	Total/NA	Solid	8270E	1005549
MB 460-1005549/1-A	Method Blank	Total/NA	Solid	8270E	1005549
LCS 460-1005549/2-A	Lab Control Sample	Total/NA	Solid	8270E	1005549
LCSD 460-1005549/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	1005549
460-314743-A-5-A MS	Matrix Spike	Total/NA	Solid	8270E	1005549
460-314743-A-5-B MSD	Matrix Spike Duplicate	Total/NA	Solid	8270E	1005549

GC Semi VOA

Prep Batch: 1005369

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3546	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3546	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3546	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3546	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3546	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3546	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3546	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3546	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3546	
MB 460-1005369/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1005369/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1005369/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
200-75670-C-1-D MS	Matrix Spike	Total/NA	Solid	3546	
200-75670-C-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Prep Batch: 1005373

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3546	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3546	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3546	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3546	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3546	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3546	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3546	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3546	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3546	
MB 460-1005373/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1005373/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1005373/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
200-75670-C-1-G MS	Matrix Spike	Total/NA	Solid	3546	
200-75670-C-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

GC Semi VOA

Analysis Batch: 1005429

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 460-1005373/1-A	Method Blank	Total/NA	Solid	8081B	1005373
LCS 460-1005373/2-A	Lab Control Sample	Total/NA	Solid	8081B	1005373
LCSD 460-1005373/3-A	Lab Control Sample Dup	Total/NA	Solid	8081B	1005373
200-75670-C-1-G MS	Matrix Spike	Total/NA	Solid	8081B	1005373
200-75670-C-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8081B	1005373

Analysis Batch: 1005432

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	8081B	1005373
460-314754-2	SB-2_(0-2)	Total/NA	Solid	8081B	1005373
460-314754-3	SB-2_(3-5)	Total/NA	Solid	8081B	1005373
460-314754-4	SB-5_(0-2)	Total/NA	Solid	8081B	1005373
460-314754-5	SB-5_(3-5)	Total/NA	Solid	8081B	1005373
460-314754-6	SB-1_(0-2)	Total/NA	Solid	8081B	1005373
460-314754-7	SB-1_(3-5)	Total/NA	Solid	8081B	1005373
460-314754-8	SB-4_(0-2)	Total/NA	Solid	8081B	1005373
460-314754-9	SB-4_(3-5)	Total/NA	Solid	8081B	1005373

Analysis Batch: 1005504

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	8082A	1005369
460-314754-2	SB-2_(0-2)	Total/NA	Solid	8082A	1005369
460-314754-3	SB-2_(3-5)	Total/NA	Solid	8082A	1005369
460-314754-4	SB-5_(0-2)	Total/NA	Solid	8082A	1005369
460-314754-5	SB-5_(3-5)	Total/NA	Solid	8082A	1005369
460-314754-6	SB-1_(0-2)	Total/NA	Solid	8082A	1005369
460-314754-7	SB-1_(3-5)	Total/NA	Solid	8082A	1005369
460-314754-8	SB-4_(0-2)	Total/NA	Solid	8082A	1005369
460-314754-9	SB-4_(3-5)	Total/NA	Solid	8082A	1005369
MB 460-1005369/1-A	Method Blank	Total/NA	Solid	8082A	1005369
LCS 460-1005369/2-A	Lab Control Sample	Total/NA	Solid	8082A	1005369
LCSD 460-1005369/3-A	Lab Control Sample Dup	Total/NA	Solid	8082A	1005369
200-75670-C-1-D MS	Matrix Spike	Total/NA	Solid	8082A	1005369
200-75670-C-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8082A	1005369

Metals

Prep Batch: 1005426

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	7471B	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	7471B	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	7471B	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	7471B	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	7471B	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	7471B	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	7471B	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	7471B	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	7471B	
MB 460-1005426/10-A	Method Blank	Total/NA	Solid	7471B	
LCSSRM 460-1005426/11-A	Lab Control Sample	Total/NA	Solid	7471B	
460-314684-E-1-K MS	Matrix Spike	Total/NA	Solid	7471B	

Metals (Continued)

Prep Batch: 1005426 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314684-E-1-J DU	Duplicate	Total/NA	Solid	7471B	

Prep Batch: 1005465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3050B	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3050B	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3050B	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3050B	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3050B	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3050B	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3050B	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3050B	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3050B	
MB 460-1005465/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1005465/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	
460-314754-3 MS	SB-2_(3-5)	Total/NA	Solid	3050B	
460-314754-3 DU	SB-2_(3-5)	Total/NA	Solid	3050B	

Analysis Batch: 1005477

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	7471B	1005426
460-314754-2	SB-2_(0-2)	Total/NA	Solid	7471B	1005426
460-314754-3	SB-2_(3-5)	Total/NA	Solid	7471B	1005426
460-314754-4	SB-5_(0-2)	Total/NA	Solid	7471B	1005426
460-314754-5	SB-5_(3-5)	Total/NA	Solid	7471B	1005426
460-314754-6	SB-1_(0-2)	Total/NA	Solid	7471B	1005426
460-314754-7	SB-1_(3-5)	Total/NA	Solid	7471B	1005426
460-314754-8	SB-4_(0-2)	Total/NA	Solid	7471B	1005426
460-314754-9	SB-4_(3-5)	Total/NA	Solid	7471B	1005426
MB 460-1005426/10-A	Method Blank	Total/NA	Solid	7471B	1005426
LCSSRM 460-1005426/11-A	Lab Control Sample	Total/NA	Solid	7471B	1005426
460-314684-E-1-K MS	Matrix Spike	Total/NA	Solid	7471B	1005426
460-314684-E-1-J DU	Duplicate	Total/NA	Solid	7471B	1005426

Analysis Batch: 1005565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	6020B	1005465
460-314754-2	SB-2_(0-2)	Total/NA	Solid	6020B	1005465
460-314754-3	SB-2_(3-5)	Total/NA	Solid	6020B	1005465
460-314754-4	SB-5_(0-2)	Total/NA	Solid	6020B	1005465
460-314754-5	SB-5_(3-5)	Total/NA	Solid	6020B	1005465
460-314754-6	SB-1_(0-2)	Total/NA	Solid	6020B	1005465
460-314754-7	SB-1_(3-5)	Total/NA	Solid	6020B	1005465
460-314754-8	SB-4_(0-2)	Total/NA	Solid	6020B	1005465
460-314754-9	SB-4_(3-5)	Total/NA	Solid	6020B	1005465
MB 460-1005465/1-A	Method Blank	Total/NA	Solid	6020B	1005465
LCSSRM 460-1005465/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1005465
460-314754-3 MS	SB-2_(3-5)	Total/NA	Solid	6020B	1005465
460-314754-3 DU	SB-2_(3-5)	Total/NA	Solid	6020B	1005465

Metals

Prep Batch: 1006053

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3050B	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3050B	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3050B	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3050B	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3050B	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3050B	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3050B	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3050B	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3050B	
MB 460-1006053/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1006053/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	
460-314916-G-2-E MS	Matrix Spike	Total/NA	Solid	3050B	
460-314916-G-2-D DU	Duplicate	Total/NA	Solid	3050B	

Analysis Batch: 1006324

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	6020B	1006053
460-314754-2	SB-2_(0-2)	Total/NA	Solid	6020B	1006053
460-314754-3	SB-2_(3-5)	Total/NA	Solid	6020B	1006053
460-314754-4	SB-5_(0-2)	Total/NA	Solid	6020B	1006053
460-314754-5	SB-5_(3-5)	Total/NA	Solid	6020B	1006053
460-314754-6	SB-1_(0-2)	Total/NA	Solid	6020B	1006053
460-314754-7	SB-1_(3-5)	Total/NA	Solid	6020B	1006053
460-314754-8	SB-4_(0-2)	Total/NA	Solid	6020B	1006053
460-314754-9	SB-4_(3-5)	Total/NA	Solid	6020B	1006053
MB 460-1006053/1-A	Method Blank	Total/NA	Solid	6020B	1006053
LCSSRM 460-1006053/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1006053
460-314916-G-2-E MS	Matrix Spike	Total/NA	Solid	6020B	1006053
460-314916-G-2-D DU	Duplicate	Total/NA	Solid	6020B	1006053

General Chemistry

Analysis Batch: 1005380

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	Moisture	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	Moisture	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	Moisture	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	Moisture	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	Moisture	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	Moisture	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	Moisture	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	Moisture	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	Moisture	
460-314745-A-1 DU	Duplicate	Total/NA	Solid	Moisture	

Prep Batch: 1005715

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	9012B	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	9012B	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	9012B	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	9012B	

General Chemistry (Continued)

Prep Batch: 1005715 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-5	SB-5_(3-5)	Total/NA	Solid	9012B	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	9012B	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	9012B	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	9012B	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	9012B	
MB 460-1005715/1-A	Method Blank	Total/NA	Solid	9012B	
LCSSRM 460-1005715/2-A ^	Lab Control Sample	Total/NA	Solid	9012B	
460-314754-1 MS	SB-3_(0-2)	Total/NA	Solid	9012B	
460-314754-1 MSD	SB-3_(0-2)	Total/NA	Solid	9012B	

Prep Batch: 1005729

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	3060A	
460-314754-2	SB-2_(0-2)	Total/NA	Solid	3060A	
460-314754-3	SB-2_(3-5)	Total/NA	Solid	3060A	
460-314754-4	SB-5_(0-2)	Total/NA	Solid	3060A	
460-314754-5	SB-5_(3-5)	Total/NA	Solid	3060A	
460-314754-6	SB-1_(0-2)	Total/NA	Solid	3060A	
460-314754-7	SB-1_(3-5)	Total/NA	Solid	3060A	
460-314754-8	SB-4_(0-2)	Total/NA	Solid	3060A	
460-314754-9	SB-4_(3-5)	Total/NA	Solid	3060A	
MB 460-1005729/1-A	Method Blank	Total/NA	Solid	3060A	
LCSI 460-1005729/3-A	Lab Control Sample	Total/NA	Solid	3060A	
LCSSRM 460-1005729/2-A	Lab Control Sample	Total/NA	Solid	3060A	
460-314575-B-5-E MSS	Matrix Spike	Total/NA	Solid	3060A	
460-314575-B-5-F MSI	Matrix Spike	Total/NA	Solid	3060A	
460-314575-B-5-D DU	Duplicate	Total/NA	Solid	3060A	

Analysis Batch: 1005748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	7196A	1005729
460-314754-2	SB-2_(0-2)	Total/NA	Solid	7196A	1005729
460-314754-3	SB-2_(3-5)	Total/NA	Solid	7196A	1005729
460-314754-4	SB-5_(0-2)	Total/NA	Solid	7196A	1005729
460-314754-5	SB-5_(3-5)	Total/NA	Solid	7196A	1005729
460-314754-6	SB-1_(0-2)	Total/NA	Solid	7196A	1005729
460-314754-7	SB-1_(3-5)	Total/NA	Solid	7196A	1005729
460-314754-8	SB-4_(0-2)	Total/NA	Solid	7196A	1005729
460-314754-9	SB-4_(3-5)	Total/NA	Solid	7196A	1005729
MB 460-1005729/1-A	Method Blank	Total/NA	Solid	7196A	1005729
LCSI 460-1005729/3-A	Lab Control Sample	Total/NA	Solid	7196A	1005729
LCSSRM 460-1005729/2-A	Lab Control Sample	Total/NA	Solid	7196A	1005729
460-314575-B-5-E MSS	Matrix Spike	Total/NA	Solid	7196A	1005729
460-314575-B-5-F MSI	Matrix Spike	Total/NA	Solid	7196A	1005729
460-314575-B-5-D DU	Duplicate	Total/NA	Solid	7196A	1005729

Prep Batch: 1005939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MRL 460-1005939/11-A	Lab Control Sample	Total/NA	Solid	9012B	

General Chemistry

Analysis Batch: 1005986

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-314754-1	SB-3_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-2	SB-2_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-3	SB-2_(3-5)	Total/NA	Solid	9012B	1005715
460-314754-4	SB-5_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-5	SB-5_(3-5)	Total/NA	Solid	9012B	1005715
460-314754-6	SB-1_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-7	SB-1_(3-5)	Total/NA	Solid	9012B	1005715
460-314754-8	SB-4_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-9	SB-4_(3-5)	Total/NA	Solid	9012B	1005715
MB 460-1005715/1-A	Method Blank	Total/NA	Solid	9012B	1005715
LCSSRM 460-1005715/2-A ^	Lab Control Sample	Total/NA	Solid	9012B	1005715
MRL 460-1005939/11-A	Lab Control Sample	Total/NA	Solid	9012B	1005939
460-314754-1 MS	SB-3_(0-2)	Total/NA	Solid	9012B	1005715
460-314754-1 MSD	SB-3_(0-2)	Total/NA	Solid	9012B	1005715

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-3_(0-2)
Date Collected: 11/04/24 08:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-3_(0-2)
Date Collected: 11/04/24 08:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-1
Matrix: Solid
Percent Solids: 99.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:28
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/05/24 23:27
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 05:55
Total/NA	Prep	3546	DL		1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E	DL	2	1005640	MME	EET EDI	11/07/24 07:28
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 07:00
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 13:08
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 18:53
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:08
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:27
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:09

Client Sample ID: SB-2_(0-2)
Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-2_(0-2)
Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2
Matrix: Solid
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:29
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/05/24 23:52
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 06:18

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-2_(0-2)

Date Collected: 11/04/24 09:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-2

Matrix: Solid
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 07:13
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 13:25
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 18:55
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:11
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:28
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:12

Client Sample ID: SB-2_(3-5)

Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-2_(3-5)

Date Collected: 11/04/24 09:55
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-3

Matrix: Solid
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:30
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 00:18
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 06:41
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 07:26
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 18:58
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 18:09
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:13
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:30
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:12

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-5_(0-2)
Date Collected: 11/04/24 12:00
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-5_(0-2)
Date Collected: 11/04/24 12:00
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-4
Matrix: Solid
Percent Solids: 99.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:31
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 00:43
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 05:32
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 07:39
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 13:58
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 18:58
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:16
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:32
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:13

Client Sample ID: SB-5_(3-5)
Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-5_(3-5)
Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5
Matrix: Solid
Percent Solids: 98.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:32
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 01:08
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 03:35
Total/NA	Prep	3546	DL		1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E	DL	2	1005640	MME	EET EDI	11/07/24 07:05

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-5_(3-5)

Date Collected: 11/04/24 11:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-5

Matrix: Solid
Percent Solids: 98.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 07:52
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 14:15
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 19:00
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:18
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:34
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:14

Client Sample ID: SB-1_(0-2)

Date Collected: 11/04/24 12:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-6

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-1_(0-2)

Date Collected: 11/04/24 12:10
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-6

Matrix: Solid
Percent Solids: 98.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:33
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 01:33
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 03:59
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 08:05
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 14:31
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 19:03
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:21
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:36
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:15

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-1_(3-5)
Date Collected: 11/04/24 12:25
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-7
Matrix: Solid
Percent Solids: 98.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:34
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 01:58
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 01:39
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 08:18
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 14:48
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 19:05
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:23
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:37
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:20

Client Sample ID: SB-4_(0-2)
Date Collected: 11/04/24 13:20
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-4_(0-2)
Date Collected: 11/04/24 13:20
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-8
Matrix: Solid
Percent Solids: 98.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:35
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 02:23
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 04:22
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 08:31

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-314754-1

Client Sample ID: SB-4_(0-2)

Date Collected: 11/04/24 13:20
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-8

Matrix: Solid
Percent Solids: 98.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 15:05
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 19:08
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:26
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:39
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:21

Client Sample ID: SB-4_(3-5)

Date Collected: 11/04/24 13:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1005380	CJC	EET EDI	11/05/24 17:41

Client Sample ID: SB-4_(3-5)

Date Collected: 11/04/24 13:35
Date Received: 11/05/24 10:19

Lab Sample ID: 460-314754-9

Matrix: Solid
Percent Solids: 97.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1005330	MXW	EET EDI	11/05/24 11:36
Total/NA	Analysis	8260D		1	1005370	MZS	EET EDI	11/06/24 02:47
Total/NA	Prep	3546			1005549	OTS	EET EDI	11/06/24 13:34
Total/NA	Analysis	8270E		1	1005640	MME	EET EDI	11/07/24 02:02
Total/NA	Prep	3546			1005373	ARA	EET EDI	11/05/24 16:34
Total/NA	Analysis	8081B		1	1005432	FAM	EET EDI	11/06/24 08:44
Total/NA	Prep	3546			1005369	ARA	EET EDI	11/05/24 16:31
Total/NA	Analysis	8082A		1	1005504	AAA	EET EDI	11/06/24 15:21
Total/NA	Prep	3050B			1005465	FBT	EET EDI	11/06/24 07:18
Total/NA	Analysis	6020B		1	1005565	JKF	EET EDI	11/06/24 19:10
Total/NA	Prep	3050B			1006053	GAE	EET EDI	11/08/24 21:30
Total/NA	Analysis	6020B		1	1006324	JKF	EET EDI	11/11/24 12:28
Total/NA	Prep	7471B			1005426	TJS	EET EDI	11/06/24 00:44
Total/NA	Analysis	7471B		1	1005477	TJS	EET EDI	11/06/24 04:41
Total/NA	Prep	3060A			1005729	MNP	EET EDI	11/07/24 10:00 - 11/07/24 11:00 [1]
Total/NA	Analysis	7196A		1	1005748	MNP	EET EDI	11/07/24 14:00
Total/NA	Prep	9012B			1005715	SBW	EET EDI	11/07/24 07:36
Total/NA	Analysis	9012B		1	1005986	AXP	EET EDI	11/08/24 10:21

[1] This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	03-31-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E	3546	Solid	3 & 4 Methylphenol
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI
8081B	Organochlorine Pesticides (GC)	SW846	EET EDI
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET EDI
6020B	Metals (ICP/MS)	SW846	EET EDI
7471B	Mercury (CVAA)	SW846	EET EDI
7196A	Chromium, Hexavalent	SW846	EET EDI
9012B	Cyanide, Total andor Amenable	SW846	EET EDI
Moisture	Percent Moisture	EPA	EET EDI
3050B	Preparation, Metals	SW846	EET EDI
3060A	Alkaline Digestion (Chromium, Hexavalent)	SW846	EET EDI
3546	Microwave Extraction	SW846	EET EDI
5035	Closed System Purge and Trap	SW846	EET EDI
7471B	Preparation, Mercury	SW846	EET EDI
9012B	Cyanide, Total and/or Amenable, Distillation	SW846	EET EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-314754-1
Project/Site: 35-30 Steinway St, Astoria

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-314754-1	SB-3_(0-2)	Solid	11/04/24 08:10	11/05/24 10:19
460-314754-2	SB-2_(0-2)	Solid	11/04/24 09:35	11/05/24 10:19
460-314754-3	SB-2_(3-5)	Solid	11/04/24 09:55	11/05/24 10:19
460-314754-4	SB-5_(0-2)	Solid	11/04/24 12:00	11/05/24 10:19
460-314754-5	SB-5_(3-5)	Solid	11/04/24 11:10	11/05/24 10:19
460-314754-6	SB-1_(0-2)	Solid	11/04/24 12:10	11/05/24 10:19
460-314754-7	SB-1_(3-5)	Solid	11/04/24 12:25	11/05/24 10:19
460-314754-8	SB-4_(0-2)	Solid	11/04/24 13:20	11/05/24 10:19
460-314754-9	SB-4_(3-5)	Solid	11/04/24 13:35	11/05/24 10:19

Eurofins Edison
777 New Durham Road
Edison NJ 08817
Phone (732) 549-3900 Phone (732) 549-3679

Chain of Custody Record

eurofins

Client Information	Sampler: M Tanner	Lab PM: Flannery Elizabeth J	Carrier Tracking No(s):	COC No: 460-187860-123007 1
Client Contact: Jack Rusk	Phone: 516 998 6296	E-Mail: Elizabeth.Flannery@et.eurofinsus.com	State of Origin: NY	Page: Page 1 of 1
Company: Roux Environmental Eng & Geology DPC	PWSID:			Job #: 314754
Address: 209 Shafter St	Due Date Requested:			
City: Islandia	TAT Requested (days): Standard			
State, Zip: NY 11749	Compliance Project: Δ Yes Δ No			
Phone: 845 905 6286	PO #: 4806.0001Y000			
Email: jrusk@rouxinc.com	WO #:			
Project Name: 35-30 Steinway St, Astoria	Project #: 46044959			
Site: 35 30 Steinway St Astoria	SSOW#:			

460-314754 Chain of Custody

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water S=solid, O=waste/oil BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260D TCL/Part 375 VOCs	6020B-TAL Metals, 7196A- Hex Chrome, 7471B- Mercury, 9012B- Total CN	8081B- TCL/Part 375 Pesticides, 8082A- PCBs, 8270E TCL/Part 375 SVOCs	Total Number of containers	Special Instructions/Note:
			Preservation Code:				N	N	N		
SB-3_(0-2)	11/4	0810	G	Solid	N	N	X	X	X	5	1
SB-2_(0-2)	11/4	0935	G	Solid	N	N	X	X	X	5	2
SB-2_(3-5)	11/4	0955	G	Solid	N	N	X	X	X	5	3
SB-5_(0-2)	11/4	1100	G	Solid	N	N	X	X	X	5	4
SB-5_(3-5)	11/4	1110	G	Solid	N	N	X	X	X	5	5
SB-1_(0-2)	11/4	1210	G	Solid	N	N	X	X	X	5	6
SB-1_(3-5)	11/4	1215	G	Solid	N	N	X	X	X	5	7
SB-4_(0-2)	11/4	1320	G	Solid	N	N	X	X	X	5	8
SB-4_(3-5)	11/4	1335	G	Solid	N	N	X	X	X	5	9
				Solid							

SHORT HOLD

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II III IV Other (specify)	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1		11/7/2024 1420	Roux		11/4/24 1512	
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time: 11-4-24 15:30	Company ET
3	Relinquished by:	Date/Time: 11-4-24 19:00	Company ET	Received by:	Date/Time: 11/4/24 1900	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: NO/OS FR #C 2.5/27

Cooler Temperature(s) °C and Other Remarks:

Ver: 05/06/2024

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number: 314754

Number of Coolers: 1 IR Gun # 9

Cooler Temperatures

	RAW	CORRECTED		RAW	CORRECTED		RAW	CORRECTED
Cooler #1:	2.5 °C	2.7 °C	Cooler #4:	°C	°C	Cooler #7:	°C	°C
Cooler #2:	°C	°C	Cooler #5:	°C	°C	Cooler #8:	°C	°C
Cooler #3:	°C	°C	Cooler #6:	°C	°C	Cooler #9:	°C	°C

TALS Sample Number	Ammonia (pH<2)	COD (pH<2)	Nitrate Nitrite (pH<2)	Metals* (pH<2)	Hardness (pH<2)	Pest (pH 5-9)	EPH or QAM (pH<2)	Phenols (pH<2)	Sulfide (pH>9)	TKN (pH<2)	TOC (pH<2)	Total Cyanide (pH>12)	Total Phos (pH<2)	Other	Other

If pH adjustments are required record the information below.

Sample No(s). adjusted: _____

Preservative Name/Conc. _____ Volume of Preservative used (ml) _____

Lot # of Preservative(s): _____ Expiration Date: _____

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

** Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.*

Initials: MA Date: 11-4-24

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-314754-1

Login Number: 314754
List Number: 1
Creator: Meyers, Gary

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Jack Rusk
Roux Environmental Eng & Geology DPC
209 Shafter St
Islandia, New York 11749

Generated 4/28/2025 1:32:13 PM

JOB DESCRIPTION

35-30 Steinway St, Astoria

JOB NUMBER

460-320182-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

Eurofins Edison

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Compliance Statement

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Authorization



Generated
4/28/2025 1:32:13 PM

Authorized for release by
Elizabeth Flannery, Project Manager I
Elizabeth.Flannery@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 6
Detection Summary 10
Client Sample Results 13
Surrogate Summary 26
Isotope Dilution Summary 28
QC Sample Results 29
QC Association Summary 61
Lab Chronicle 65
Certification Summary 67
Method Summary 68
Sample Summary 69
Chain of Custody 70
Receipt Checklists 72

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
U	Analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
*	MS or MSD is outside acceptance limits.
*	LCS or LCSD is outside acceptance limits.
*	Surrogate is outside acceptance limits.
*	RPD of the LCS and LCSD exceeds the control limits
E	Compound concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J	Indicates an estimated value.
U	Analyzed for but not detected.

Metals

Qualifier	Qualifier Description
*	Duplicate analysis not within control limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Sample result is greater than the MDL but below the CRDL
N	Spiked sample recovery is not within control limits.
U	Indicates analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

CASE NARRATIVE

Client: Roux Environmental Eng & Geology DPC

Project: 35-30 Steinway St, Astoria

Report Number: 460-320182-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT
The samples were received on 2/7/2025 9:15 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.7°C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC/MS)
Samples SB-2_(5-7) (460-320182-1) and SB-5_(16-18) (460-320182-2) were analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were prepared on 02/08/2025 and analyzed on 02/13/2025.

The continuing calibration verification (CCV) associated with batch 460-1020981 recovered above the upper control limit for Chloroethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The continuing calibration verification (CCV) analyzed in batch 460-1021012 was outside the method criteria for the following analytes: 1,1,2-Trichloroethane and Trichlorofluoromethane. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 460-1020981 recovered outside control limits for the following analyte: Chloroethane. This analyte was biased high in the LCS/LCSD and was not detected in the associated samples; therefore, the data have been reported.

The laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for analytical batch 460-1021012 recovered outside control limits for the following analyte: 1,2-Dibromo-3-Chloropropane. This analyte was biased low in the LCS/LCSD and was not detected in the associated samples; therefore, the data have been reported.

1,2-Dibromo-3-Chloropropane failed the recovery criteria low for LCS 460-1021012/3. 1,2-Dibromo-3-Chloropropane failed the recovery criteria low for LCSD 460-1021012/4. Refer to the QC report for details.

No difficulties were encountered during the Volatiles analysis.

All quality control parameters were within the acceptance limits.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples GW-2_020725 (460-320182-3) and GW-5_020725 (460-320182-4) were analyzed for Volatile Organic Compounds (GC/MS) in accordance with EPA SW-846 Method 8260D. The samples were analyzed on 02/13/2025.

Chloroethane failed the recovery criteria high for LCS 460-1020981/3. Chloroethane failed the recovery criteria high for LCSD 460-1020981/4. Refer to the QC report for details.

No other difficulties were encountered during the Volatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Sample SB-2_(5-7) (460-320182-1) was analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Method 8270E. The samples were prepared on 02/10/2025 and analyzed on 02/10/2025 and 02/11/2025.

The continuing calibration verification (CCV) analyzed in batch 460-1020469 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

The continuing calibration verification (CCV) analyzed in batch 460-1020610 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

The laboratory control sample (LCS) for preparation batch 460-1020420 and analytical batch 460-1020469 recovered outside control limits for the following analytes: 2,4-Dimethylphenol and Hexachlorocyclopentadiene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 460-1020420 and analytical batch 460-1020469 recovered outside control limits for the following analytes: 3-Nitroaniline and 4-Chloroaniline.

2-Fluorobiphenyl, 2-Fluorophenol (Surr), Nitrobenzene-d5 (Surr), Phenol-d5 (Surr) and Terphenyl-d14 (Surr) failed the surrogate recovery criteria low for SB-2_(5-7) (460-320182-1).

2,4-Dimethylphenol and Hexachlorocyclopentadiene failed the recovery criteria high for LCS 460-1020420/2-A. 3-Nitroaniline and 4-Chloroaniline exceeded the RPD limit for LCSD 460-1020420/3-A.

2,4-Dimethylphenol, Atrazine, Benzo[g,h,i]perylene and Hexachlorocyclopentadiene failed the recovery criteria high for the MS of sample 460-320153-24 in batch 460-1020469.

4-Chloroaniline failed the recovery criteria low for the MSD of sample 460-320153-24 in batch 460-1020469. Hexachlorocyclopentadiene failed the recovery criteria high.

Refer to the QC report for details.

Samples SB-2_(5-7) (460-320182-1)[5X] and SB-2_(5-7) (460-320182-1)[50X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples GW-2_020725 (460-320182-3) and GW-5_020725 (460-320182-4) were analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Method 8270E. The samples were prepared on 02/09/2025 and analyzed on 02/10/2025.

The continuing calibration verification (CCV) analyzed in batch 460-1020417 was outside the method criteria for the following analyte(s): 4-Nitrophenol and Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection

for the affected analyte(s) is considered estimated.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 460-1020376 and analytical batch 460-1020417 recovered outside control limits for the following analytes: Atrazine and Benzaldehyde. These analytes were biased high in the LCS/LCSD and were not detected in the associated samples; therefore, the data have been reported.

Atrazine and Benzaldehyde failed the recovery criteria high for LCS 460-1020376/2-A. Atrazine and Benzaldehyde failed the recovery criteria high for LCSD 460-1020376/3-A. Refer to the QC report for details.

No other difficulties were encountered during the semivolatiles analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS - SELECTED ION MODE (SIM) - ISOTOPE DILUTION - 1,4 DIOXANE

Samples GW-2_020725 (460-320182-3) and GW-5_020725 (460-320182-4) were analyzed for semivolatile organic compounds - Selected Ion Mode (SIM) - Isotope Dilution - 1,4 Dioxane in accordance with EPA SW-846 Method 8270E SIM 1,4Dioxane. The samples were prepared on 02/11/2025 and analyzed on 02/12/2025.

No difficulties were encountered during the 1,4 Dioxane analysis.

All quality control parameters were within the acceptance limits.

METALS - TOTAL (ICP/MS)

Sample SB-2_(5-7) (460-320182-1) was analyzed for Metals - Total (ICP/MS) in accordance with EPA SW-846 Method 6020B - Total. The samples were prepared and analyzed on 02/13/2025.

Antimony and Calcium failed the recovery criteria low for the MS of sample 460-320403-3 in batch 460-1021166. Aluminum, Iron and Nickel failed the recovery criteria high.

For the MSD of sample 460-320403-3 in batch 460-1021166, Antimony and Manganese failed the recovery criteria low. Several analytes failed the recovery criteria high. Also, Calcium and Magnesium exceeded the RPD limit.

Barium, Copper and Zinc exceeded the RPD limit for the duplicate of sample 460-320403-3. Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

METALS - TOTAL (ICP/MS)

Samples GW-2_020725 (460-320182-3) and GW-5_020725 (460-320182-4) were analyzed for Metals - Total (ICP/MS) in accordance with EPA SW-846 Method 6020B - Total. The samples were prepared on 02/12/2025 and analyzed on 02/13/2025.

Copper, Manganese and Nickel failed the recovery criteria low for the MS of sample 460-319956-2 in batch 460-1021166. Selenium failed the recovery criteria high.

Several analytes failed the recovery criteria low for the MSD of sample 460-319956-2 in batch 460-1021166. Calcium and Selenium failed the recovery criteria high.

The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

Samples GW-2_020725 (460-320182-3)[10X] and GW-5_020725 (460-320182-4)[5X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

MERCURY

Job ID: 460-320182-1 (Continued) Eurofins Edison

Samples GW-2_020725 (460-320182-3) and GW-5_020725 (460-320182-4) were analyzed for mercury in accordance with EPA SW-846 Methods 7470A. The samples were prepared and analyzed on 02/13/2025.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

MERCURY - TOTAL
Sample SB-2_(5-7) (460-320182-1) was analyzed for Mercury - Total in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 02/11/2025.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE
Samples SB-2_(5-7) (460-320182-1) and SB-5_(16-18) (460-320182-2) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 02/10/2025.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-2_(5-7)
Lab Sample ID: 460-320182-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0096		0.0069	0.0066	mg/Kg	1	☼	8260D	Total/NA
Acenaphthene	0.12	J	1.7	0.048	mg/Kg	5	☼	8270E	Total/NA
Acenaphthylene	0.058	J	1.7	0.049	mg/Kg	5	☼	8270E	Total/NA
Anthracene	0.30	J	1.7	0.052	mg/Kg	5	☼	8270E	Total/NA
Benzo[a]anthracene	1.5		0.17	0.13	mg/Kg	5	☼	8270E	Total/NA
Benzo[a]pyrene	1.5		0.17	0.045	mg/Kg	5	☼	8270E	Total/NA
Benzo[b]fluoranthene	1.9		0.17	0.044	mg/Kg	5	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.87	J	1.7	0.050	mg/Kg	5	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.75		0.17	0.033	mg/Kg	5	☼	8270E	Total/NA
Carbazole	0.099	J	1.7	0.065	mg/Kg	5	☼	8270E	Total/NA
Chrysene	1.4	J	1.7	0.071	mg/Kg	5	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.22		0.17	0.073	mg/Kg	5	☼	8270E	Total/NA
Di-n-butyl phthalate	0.37	J	1.7	0.064	mg/Kg	5	☼	8270E	Total/NA
Fluoranthene	2.5		1.7	0.059	mg/Kg	5	☼	8270E	Total/NA
Fluorene	0.092	J	1.7	0.050	mg/Kg	5	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.71		0.17	0.066	mg/Kg	5	☼	8270E	Total/NA
Naphthalene	0.039	J	1.7	0.029	mg/Kg	5	☼	8270E	Total/NA
Phenanthrene	1.1	J	1.7	0.069	mg/Kg	5	☼	8270E	Total/NA
Pyrene	2.2		1.7	0.042	mg/Kg	5	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate - DL	320		17	0.90	mg/Kg	50	☼	8270E	Total/NA
Butyl benzyl phthalate - DL	350		17	0.80	mg/Kg	50	☼	8270E	Total/NA
Aluminum	4580		19.0	5.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.43	J	0.95	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	4.3		0.95	0.098	mg/Kg	1	☼	6020B	Total/NA
Barium	73.2		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.19	J	0.38	0.054	mg/Kg	1	☼	6020B	Total/NA
Cadmium	5.0		0.95	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	19600		95.2	38.7	mg/Kg	1	☼	6020B	Total/NA
Chromium	20.5		1.9	0.86	mg/Kg	1	☼	6020B	Total/NA
Cobalt	5.5		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	50.3		1.9	0.35	mg/Kg	1	☼	6020B	Total/NA
Iron	36900		57.1	19.2	mg/Kg	1	☼	6020B	Total/NA
Lead	109		0.57	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	4010		95.2	9.7	mg/Kg	1	☼	6020B	Total/NA
Manganese	229		3.8	0.38	mg/Kg	1	☼	6020B	Total/NA
Nickel	22.6		1.9	0.45	mg/Kg	1	☼	6020B	Total/NA
Potassium	917		95.2	15.4	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.18	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Silver	0.17	J	0.38	0.085	mg/Kg	1	☼	6020B	Total/NA
Sodium	440		95.2	43.5	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.062	J	0.38	0.039	mg/Kg	1	☼	6020B	Total/NA
Vanadium	33.3		1.9	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	231		7.6	2.9	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.11		0.016	0.0076	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: SB-5_(16-18)
Lab Sample ID: 460-320182-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Detection Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-2_020725 — Lab Sample ID: 460-320182-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]pyrene	0.53	J	1.0	0.41	ug/L	1		8270E	Total/NA
Aluminum	216000		40.0	11.7	ug/L	1		6020B	Total Recoverable
Antimony	0.81	J	2.0	0.48	ug/L	1		6020B	Total Recoverable
Arsenic	64.1		2.0	1.2	ug/L	1		6020B	Total Recoverable
Barium	3330		4.0	0.93	ug/L	1		6020B	Total Recoverable
Beryllium	10.4		0.80	0.12	ug/L	1		6020B	Total Recoverable
Cadmium	25.2		2.0	0.38	ug/L	1		6020B	Total Recoverable
Calcium	1770000		5000	317	ug/L	10		6020B	Total Recoverable
Chromium	596		4.0	1.7	ug/L	1		6020B	Total Recoverable
Cobalt	468		4.0	0.41	ug/L	1		6020B	Total Recoverable
Copper	1020		4.0	2.0	ug/L	1		6020B	Total Recoverable
Iron	659000		1200	337	ug/L	10		6020B	Total Recoverable
Lead	578		1.2	0.42	ug/L	1		6020B	Total Recoverable
Magnesium	688000		2000	218	ug/L	10		6020B	Total Recoverable
Manganese	21000		80.0	8.4	ug/L	10		6020B	Total Recoverable
Nickel	775		4.0	1.4	ug/L	1		6020B	Total Recoverable
Potassium	63200		200	83.3	ug/L	1		6020B	Total Recoverable
Selenium	5.4		2.5	0.43	ug/L	1		6020B	Total Recoverable
Silver	2.2		2.0	1.3	ug/L	1		6020B	Total Recoverable
Sodium	183000		500	180	ug/L	1		6020B	Total Recoverable
Thallium	2.6		0.80	0.19	ug/L	1		6020B	Total Recoverable
Vanadium	739		4.0	1.0	ug/L	1		6020B	Total Recoverable
Zinc	1980		16.0	4.2	ug/L	1		6020B	Total Recoverable
Mercury	0.54		0.20	0.091	ug/L	1		7470A	Total/NA

Client Sample ID: GW-5_020725 — Lab Sample ID: 460-320182-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aluminum	198000		40.0	11.7	ug/L	1		6020B	Total Recoverable
Antimony	1.2	J	2.0	0.48	ug/L	1		6020B	Total Recoverable
Arsenic	57.8		2.0	1.2	ug/L	1		6020B	Total Recoverable
Barium	2760		4.0	0.93	ug/L	1		6020B	Total Recoverable

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: GW-5_020725 (Continued)
Lab Sample ID: 460-320182-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Beryllium	10.2		0.80	0.12	ug/L	1		6020B	Total Recoverable
Cadmium	6.0		2.0	0.38	ug/L	1		6020B	Total Recoverable
Calcium	1120000		2500	159	ug/L	5		6020B	Total Recoverable
Chromium	982		4.0	1.7	ug/L	1		6020B	Total Recoverable
Cobalt	480		4.0	0.41	ug/L	1		6020B	Total Recoverable
Copper	1100		4.0	2.0	ug/L	1		6020B	Total Recoverable
Iron	730000		600	169	ug/L	5		6020B	Total Recoverable
Lead	346		1.2	0.42	ug/L	1		6020B	Total Recoverable
Magnesium	443000		200	21.8	ug/L	1		6020B	Total Recoverable
Manganese	18200		8.0	0.84	ug/L	1		6020B	Total Recoverable
Nickel	854		4.0	1.4	ug/L	1		6020B	Total Recoverable
Potassium	53400		200	83.3	ug/L	1		6020B	Total Recoverable
Selenium	2.6		2.5	0.43	ug/L	1		6020B	Total Recoverable
Silver	2.1		2.0	1.3	ug/L	1		6020B	Total Recoverable
Sodium	27800		500	180	ug/L	1		6020B	Total Recoverable
Thallium	2.5		0.80	0.19	ug/L	1		6020B	Total Recoverable
Vanadium	709		4.0	1.0	ug/L	1		6020B	Total Recoverable
Zinc	1770		16.0	4.2	ug/L	1		6020B	Total Recoverable
Mercury	0.24		0.20	0.091	ug/L	1		7470A	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-2_(5-7)
Lab Sample ID: 460-320182-1
Date Collected: 02/07/25 08:00
Matrix: Solid
Date Received: 02/07/25 21:15
Percent Solids: 97.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0011	U	0.0011	0.00027	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,1,2,2-Tetrachloroethane	0.0011	U	0.0011	0.00025	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0011	U	0.0011	0.00035	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,1,2-Trichloroethane	0.0011	U	0.0011	0.00020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,1-Dichloroethane	0.0011	U	0.0011	0.00024	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,1-Dichloroethene	0.0011	U	0.0011	0.00026	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2,3-Trichlorobenzene	0.0011	U	0.0011	0.00021	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2,4-Trichlorobenzene	0.0011	U	0.0011	0.00041	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2,4-Trimethylbenzene	0.0011	U	0.0011	0.00028	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2-Dibromo-3-Chloropropane	0.0011	U *	0.0011	0.00053	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2-Dichlorobenzene	0.0011	U	0.0011	0.00041	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2-Dichloroethane	0.0011	U	0.0011	0.00034	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,2-Dichloropropane	0.0011	U	0.0011	0.00049	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,3,5-Trimethylbenzene	0.0011	U	0.0011	0.00036	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,3-Dichlorobenzene	0.0011	U	0.0011	0.00042	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
1,4-Dichlorobenzene	0.0011	U	0.0011	0.00026	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
2-Butanone (MEK)	0.0057	U	0.0057	0.00042	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
2-Hexanone	0.0057	U	0.0057	0.0020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
4-Methyl-2-pentanone (MIBK)	0.0057	U	0.0057	0.0018	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Acetone	**0.0096**		0.0069	0.0066	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Benzene	0.0011	U	0.0011	0.00030	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Bromoform	0.0011	U	0.0011	0.00049	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Bromomethane	0.0023	U	0.0023	0.0011	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Carbon disulfide	0.0011	U	0.0011	0.00031	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Carbon tetrachloride	0.0011	U	0.0011	0.00044	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chlorobenzene	0.0011	U	0.0011	0.00020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chlorobromomethane	0.0011	U	0.0011	0.00032	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chlorodibromomethane	0.0011	U	0.0011	0.00022	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chloroethane	0.0011	U	0.0011	0.00060	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chloroform	0.0011	U	0.0011	0.0011	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Chloromethane	0.0011	U	0.0011	0.00050	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
cis-1,2-Dichloroethene	0.0011	U	0.0011	0.00041	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
cis-1,3-Dichloropropene	0.0011	U	0.0011	0.00031	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Cyclohexane	0.0011	U	0.0011	0.00025	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Dichlorobromomethane	0.0011	U	0.0011	0.00030	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Dichlorodifluoromethane	0.0011	U	0.0011	0.00039	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Ethylbenzene	0.0011	U	0.0011	0.00023	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Ethylene Dibromide	0.0011	U	0.0011	0.00021	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Isopropylbenzene	0.0011	U	0.0011	0.00033	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Methyl acetate	0.0057	U	0.0057	0.0049	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Methyl tert-butyl ether	0.0011	U	0.0011	0.00059	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Methylcyclohexane	0.0011	U	0.0011	0.00057	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Methylene Chloride	0.0023	U	0.0023	0.0013	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
m-Xylene & p-Xylene	0.0011	U	0.0011	0.00020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
n-Butylbenzene	0.0011	U	0.0011	0.00034	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
N-Propylbenzene	0.0011	U	0.0011	0.00020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
o-Xylene	0.0011	U	0.0011	0.00022	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
sec-Butylbenzene	0.0011	U	0.0011	0.00033	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Styrene	0.0011	U	0.0011	0.00032	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1

Client Sample ID: SB-2_(5-7)
Date Collected: 02/07/25 08:00
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-1
Matrix: Solid
Percent Solids: 97.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0011	U	0.0011	0.00032	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Tetrachloroethene	0.0011	U	0.0011	0.00035	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Toluene	0.0011	U	0.0011	0.00027	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
trans-1,2-Dichloroethene	0.0011	U	0.0011	0.00028	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
trans-1,3-Dichloropropene	0.0011	U	0.0011	0.00031	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Trichloroethene	0.0011	U	0.0011	0.00037	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Trichlorofluoromethane	0.0011	U	0.0011	0.00047	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Vinyl chloride	0.0011	U	0.0011	0.00063	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1
Xylenes, Total	0.0023	U	0.0023	0.00020	mg/Kg	☼	02/08/25 16:10	02/13/25 08:40	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*86*		*65 - 138*	*02/08/25 16:10*	*02/13/25 08:40*	*1*
4-Bromofluorobenzene	*107*		*71 - 128*	*02/08/25 16:10*	*02/13/25 08:40*	*1*
Dibromofluoromethane (Surr)	*94*		*50 - 150*	*02/08/25 16:10*	*02/13/25 08:40*	*1*
Toluene-d8 (Surr)	*89*		*71 - 126*	*02/08/25 16:10*	*02/13/25 08:40*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	1.7	U	1.7	0.059	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
1,2,4,5-Tetrachlorobenzene	1.7	U	1.7	0.053	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
1,4-Dioxane	0.17	U	0.17	0.15	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,2'-oxybis[1-chloropropane]	1.7	U	1.7	0.10	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,3,4,6-Tetrachlorophenol	1.7	U	1.7	0.11	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4,5-Trichlorophenol	1.7	U	1.7	0.17	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4,6-Trichlorophenol	0.68	U	0.68	0.22	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4-Dichlorophenol	0.68	U	0.68	0.11	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4-Dimethylphenol	1.7	U *	1.7	0.20	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4-Dinitrophenol	1.4	U	1.4	0.83	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,4-Dinitrotoluene	0.34	U	0.34	0.18	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2,6-Dinitrotoluene	0.34	U	0.34	0.12	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Chloronaphthalene	1.7	U	1.7	0.078	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Chlorophenol	1.7	U	1.7	0.060	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Methylnaphthalene	1.7	U	1.7	0.047	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Methylphenol	1.7	U	1.7	0.063	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Nitroaniline	1.7	U	1.7	0.13	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
2-Nitrophenol	1.7	U	1.7	0.17	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
3 & 4 Methylphenol	1.7	U	1.7	0.11	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
3,3'-Dichlorobenzidine	0.68	U	0.68	0.26	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
3-Nitroaniline	1.7	U *	1.7	0.40	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4,6-Dinitro-2-methylphenol	1.4	U	1.4	0.69	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Bromophenyl phenyl ether	1.7	U	1.7	0.067	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Chloro-3-methylphenol	1.7	U	1.7	0.095	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Chloroaniline	1.7	U *	1.7	0.30	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Chlorophenyl phenyl ether	1.7	U	1.7	0.060	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Methylphenol	1.7	U	1.7	0.11	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Nitroaniline	1.7	U	1.7	0.19	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
4-Nitrophenol	3.4	U	3.4	0.28	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Acenaphthene	**0.12**	**J**	1.7	0.048	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Acenaphthylene	**0.058**	**J**	1.7	0.049	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Acetophenone	1.7	U	1.7	0.083	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-2_(5-7)
Date Collected: 02/07/25 08:00
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-1
Matrix: Solid
Percent Solids: 97.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	**0.30**	**J**	1.7	0.052	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Atrazine	0.68	U	0.68	0.10	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzaldehyde	1.7	U	1.7	0.28	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzo[a]anthracene	**1.5**		0.17	0.13	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzo[a]pyrene	**1.5**		0.17	0.045	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzo[b]fluoranthene	**1.9**		0.17	0.044	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzo[g,h,i]perylene	**0.87**	**J**	1.7	0.050	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Benzo[k]fluoranthene	**0.75**		0.17	0.033	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Bis(2-chloroethoxy)methane	1.7	U	1.7	0.13	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Bis(2-chloroethyl)ether	0.17	U	0.17	0.059	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Caprolactam	1.7	U	1.7	0.26	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Carbazole	**0.099**	**J**	1.7	0.065	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Chrysene	**1.4**	**J**	1.7	0.071	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Dibenz(a,h)anthracene	**0.22**		0.17	0.073	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Dibenzofuran	1.7	U	1.7	0.057	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Diethyl phthalate	1.7	U	1.7	0.055	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Dimethyl phthalate	1.7	U	1.7	0.39	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Di-n-butyl phthalate	**0.37**	**J**	1.7	0.064	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Di-n-octyl phthalate	1.7	U	1.7	0.090	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Fluoranthene	**2.5**		1.7	0.059	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Fluorene	**0.092**	**J**	1.7	0.050	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Hexachlorobenzene	0.17	U	0.17	0.081	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Hexachlorobutadiene	0.34	U	0.34	0.036	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Hexachlorocyclopentadiene	1.7	U *	1.7	0.15	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Hexachloroethane	0.17	U	0.17	0.058	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Indeno[1,2,3-cd]pyrene	**0.71**		0.17	0.066	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Isophorone	0.68	U	0.68	0.49	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Naphthalene	**0.039**	**J**	1.7	0.029	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Nitrobenzene	0.17	U	0.17	0.094	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
N-Nitrosodi-n-propylamine	0.17	U	0.17	0.12	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
N-Nitrosodiphenylamine	1.7	U	1.7	0.14	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Pentachlorophenol	1.4	U	1.4	0.35	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Phenanthrene	**1.1**	**J**	1.7	0.069	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Phenol	1.7	U	1.7	0.062	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5
Pyrene	**2.2**		1.7	0.042	mg/Kg	☼	02/10/25 06:29	02/10/25 18:31	5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*26*		*24 - 137*	*02/10/25 06:29*	*02/10/25 18:31*	*5*
2-Fluorobiphenyl	*27*	*	*38 - 128*	*02/10/25 06:29*	*02/10/25 18:31*	*5*
2-Fluorophenol (Surr)	*24*	*	*31 - 133*	*02/10/25 06:29*	*02/10/25 18:31*	*5*
Nitrobenzene-d5 (Surr)	*24*	*	*31 - 120*	*02/10/25 06:29*	*02/10/25 18:31*	*5*
Phenol-d5 (Surr)	*25*	*	*35 - 132*	*02/10/25 06:29*	*02/10/25 18:31*	*5*
Terphenyl-d14 (Surr)	*28*	*	*44 - 147*	*02/10/25 06:29*	*02/10/25 18:31*	*5*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bis(2-ethylhexyl) phthalate	**320**		17	0.90	mg/Kg	☼	02/10/25 06:29	02/11/25 17:09	50
Butyl benzyl phthalate	**350**		17	0.80	mg/Kg	☼	02/10/25 06:29	02/11/25 17:09	50

Client Sample ID: SB-2_(5-7)
Lab Sample ID: 460-320182-1

Date Collected: 02/07/25 08:00
Matrix: Solid
Date Received: 02/07/25 21:15
Percent Solids: 97.3

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*0*	*	*24 - 137*	*02/10/25 06:29*	*02/11/25 17:09*	*50*
2-Fluorobiphenyl	*0*	*	*38 - 128*	*02/10/25 06:29*	*02/11/25 17:09*	*50*
2-Fluorophenol (Surr)	*0*	*	*31 - 133*	*02/10/25 06:29*	*02/11/25 17:09*	*50*
Nitrobenzene-d5 (Surr)	*0*	*	*31 - 120*	*02/10/25 06:29*	*02/11/25 17:09*	*50*
Phenol-d5 (Surr)	*0*	*	*35 - 132*	*02/10/25 06:29*	*02/11/25 17:09*	*50*
Terphenyl-d14 (Surr)	*0*	*	*44 - 147*	*02/10/25 06:29*	*02/11/25 17:09*	*50*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	4580		19.0	5.2	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Antimony	0.43	J	0.95	0.14	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Arsenic	4.3		0.95	0.098	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Barium	73.2		1.9	0.14	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Beryllium	0.19	J	0.38	0.054	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Cadmium	5.0		0.95	0.11	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Calcium	19600		95.2	38.7	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Chromium	20.5		1.9	0.86	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Cobalt	5.5		1.9	0.14	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Copper	50.3		1.9	0.35	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Iron	36900		57.1	19.2	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Lead	109		0.57	0.19	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Magnesium	4010		95.2	9.7	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Manganese	229		3.8	0.38	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Nickel	22.6		1.9	0.45	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Potassium	917		95.2	15.4	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Selenium	0.18	J	1.2	0.12	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Silver	0.17	J	0.38	0.085	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Sodium	440		95.2	43.5	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Thallium	0.062	J	0.38	0.039	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Vanadium	33.3		1.9	0.20	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1
Zinc	231		7.6	2.9	mg/Kg	☼	02/13/25 06:15	02/13/25 16:10	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.11		0.016	0.0076	mg/Kg	☼	02/11/25 01:25	02/11/25 06:40	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	2.7		1.0	1.0	%			02/10/25 07:53	1
Percent Solids (EPA Moisture)	97.3		1.0	1.0	%			02/10/25 07:53	1

Client Sample ID: SB-5_(16-18)
Lab Sample ID: 460-320182-2

Date Collected: 02/07/25 10:40
Matrix: Solid
Date Received: 02/07/25 21:15
Percent Solids: 99.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0012	U	0.0012	0.00028	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,1,2,2-Tetrachloroethane	0.0012	U	0.0012	0.00025	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0012	U	0.0012	0.00036	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,1,2-Trichloroethane	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: SB-5_(16-18)
Lab Sample ID: 460-320182-2
Date Collected: 02/07/25 10:40
Matrix: Solid
Date Received: 02/07/25 21:15
Percent Solids: 99.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	0.0012	U	0.0012	0.00024	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,1-Dichloroethene	0.0012	U	0.0012	0.00027	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2,3-Trichlorobenzene	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2,4-Trichlorobenzene	0.0012	U	0.0012	0.00042	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2,4-Trimethylbenzene	0.0012	U	0.0012	0.00029	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2-Dibromo-3-Chloropropane	0.0012	U *	0.0012	0.00054	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2-Dichlorobenzene	0.0012	U	0.0012	0.00043	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2-Dichloroethane	0.0012	U	0.0012	0.00035	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,2-Dichloropropane	0.0012	U	0.0012	0.00050	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,3,5-Trimethylbenzene	0.0012	U	0.0012	0.00037	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,3-Dichlorobenzene	0.0012	U	0.0012	0.00043	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
1,4-Dichlorobenzene	0.0012	U	0.0012	0.00027	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
2-Butanone (MEK)	0.0059	U	0.0059	0.00044	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
2-Hexanone	0.0059	U	0.0059	0.0020	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
4-Methyl-2-pentanone (MIBK)	0.0059	U	0.0059	0.0018	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Acetone	0.0071	U	0.0071	0.0068	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Benzene	0.0012	U	0.0012	0.00031	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Bromoform	0.0012	U	0.0012	0.00050	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Bromomethane	0.0024	U	0.0024	0.0012	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Carbon disulfide	0.0012	U	0.0012	0.00031	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Carbon tetrachloride	0.0012	U	0.0012	0.00046	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chlorobenzene	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chlorobromomethane	0.0012	U	0.0012	0.00033	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chlorodibromomethane	0.0012	U	0.0012	0.00023	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chloroethane	0.0012	U	0.0012	0.00062	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chloroform	0.0012	U	0.0012	0.0011	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Chloromethane	0.0012	U	0.0012	0.00052	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
cis-1,2-Dichloroethene	0.0012	U	0.0012	0.00042	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
cis-1,3-Dichloropropene	0.0012	U	0.0012	0.00032	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Cyclohexane	0.0012	U	0.0012	0.00026	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Dichlorobromomethane	0.0012	U	0.0012	0.00030	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Dichlorodifluoromethane	0.0012	U	0.0012	0.00040	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Ethylbenzene	0.0012	U	0.0012	0.00024	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Ethylene Dibromide	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Isopropylbenzene	0.0012	U	0.0012	0.00034	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Methyl acetate	0.0059	U	0.0059	0.0051	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Methyl tert-butyl ether	0.0012	U	0.0012	0.00061	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Methylcyclohexane	0.0012	U	0.0012	0.00059	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Methylene Chloride	0.0024	U	0.0024	0.0014	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
m-Xylene & p-Xylene	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
n-Butylbenzene	0.0012	U	0.0012	0.00035	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
N-Propylbenzene	0.0012	U	0.0012	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
o-Xylene	0.0012	U	0.0012	0.00023	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
sec-Butylbenzene	0.0012	U	0.0012	0.00034	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Styrene	0.0012	U	0.0012	0.00033	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
tert-Butylbenzene	0.0012	U	0.0012	0.00033	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Tetrachloroethene	0.0012	U	0.0012	0.00036	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Toluene	0.0012	U	0.0012	0.00028	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
trans-1,2-Dichloroethene	0.0012	U	0.0012	0.00029	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1

Client Sample ID: SB-5_(16-18)
Lab Sample ID: 460-320182-2
Date Collected: 02/07/25 10:40
Matrix: Solid
Date Received: 02/07/25 21:15
Percent Solids: 99.8

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	0.0012	U	0.0012	0.00031	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Trichloroethene	0.0012	U	0.0012	0.00038	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Trichlorofluoromethane	0.0012	U	0.0012	0.00048	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Vinyl chloride	0.0012	U	0.0012	0.00065	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1
Xylenes, Total	0.0024	U	0.0024	0.00021	mg/Kg	☼	02/08/25 16:11	02/13/25 09:06	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*85*		*65 - 138*	*02/08/25 16:11*	*02/13/25 09:06*	*1*
4-Bromofluorobenzene	*103*		*71 - 128*	*02/08/25 16:11*	*02/13/25 09:06*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*02/08/25 16:11*	*02/13/25 09:06*	*1*
Toluene-d8 (Surr)	*91*		*71 - 126*	*02/08/25 16:11*	*02/13/25 09:06*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	1.0	U	1.0	1.0	%			02/10/25 07:53	1
Percent Solids (EPA Moisture)	**99.8**		1.0	1.0	%			02/10/25 07:53	1

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			02/13/25 01:12	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.37	ug/L			02/13/25 01:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			02/13/25 01:12	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			02/13/25 01:12	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			02/13/25 01:12	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			02/13/25 01:12	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			02/13/25 01:12	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:12	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:12	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			02/13/25 01:12	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			02/13/25 01:12	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			02/13/25 01:12	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			02/13/25 01:12	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			02/13/25 01:12	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:12	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			02/13/25 01:12	1
2-Butanone (MEK)	5.0	U	5.0	1.9	ug/L			02/13/25 01:12	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			02/13/25 01:12	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			02/13/25 01:12	1
Acetone	5.0	U	5.0	4.4	ug/L			02/13/25 01:12	1
Benzene	1.0	U	1.0	0.20	ug/L			02/13/25 01:12	1
Bromoform	1.0	U	1.0	0.54	ug/L			02/13/25 01:12	1
Bromomethane	1.0	U	1.0	0.55	ug/L			02/13/25 01:12	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			02/13/25 01:12	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			02/13/25 01:12	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			02/13/25 01:12	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			02/13/25 01:12	1

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorodibromomethane	1.0	U	1.0	0.28	ug/L			02/13/25 01:12	1
Chloroethane	1.0	U *	1.0	0.32	ug/L			02/13/25 01:12	1
Chloroform	1.0	U	1.0	0.33	ug/L			02/13/25 01:12	1
Chloromethane	1.0	U	1.0	0.40	ug/L			02/13/25 01:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			02/13/25 01:12	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/13/25 01:12	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			02/13/25 01:12	1
Dichlorobromomethane	1.0	U	1.0	0.34	ug/L			02/13/25 01:12	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			02/13/25 01:12	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			02/13/25 01:12	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			02/13/25 01:12	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:12	1
Methyl acetate	5.0	U	5.0	0.79	ug/L			02/13/25 01:12	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			02/13/25 01:12	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			02/13/25 01:12	1
Methylene Chloride	1.0	U	1.0	0.32	ug/L			02/13/25 01:12	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			02/13/25 01:12	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			02/13/25 01:12	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			02/13/25 01:12	1
o-Xylene	1.0	U	1.0	0.36	ug/L			02/13/25 01:12	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:12	1
Styrene	1.0	U	1.0	0.42	ug/L			02/13/25 01:12	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:12	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			02/13/25 01:12	1
Toluene	1.0	U	1.0	0.38	ug/L			02/13/25 01:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			02/13/25 01:12	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/13/25 01:12	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			02/13/25 01:12	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			02/13/25 01:12	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			02/13/25 01:12	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			02/13/25 01:12	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 128*		*02/13/25 01:12*	*1*
4-Bromofluorobenzene	*102*		*76 - 120*		*02/13/25 01:12*	*1*
Dibromofluoromethane (Surr)	*99*		*77 - 132*		*02/13/25 01:12*	*1*
Toluene-d8 (Surr)	*94*		*80 - 120*		*02/13/25 01:12*	*1*

Method: SW846 8270E SIM ID - Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.20	U	0.20	0.072	ug/L		02/11/25 09:13	02/12/25 00:21	1

Isotope Dilution	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,4-Dioxane-d8	*31*		*10 - 150*	*02/11/25 09:13*	*02/12/25 00:21*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	5.0	U	5.0	1.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
1,2,4,5-Tetrachlorobenzene	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,2'-oxybis[1-chloropropane]	10	U	10	0.63	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,3,4,6-Tetrachlorophenol	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 11:01	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-Trichlorophenol	10	U	10	0.88	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,4,6-Trichlorophenol	3.0	U	3.0	0.86	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,4-Dichlorophenol	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,4-Dimethylphenol	10	U	10	0.62	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,4-Dinitrophenol	40	U	40	11	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,4-Dinitrotoluene	10	U	10	1.0	ug/L		02/09/25 13:22	02/10/25 11:01	1
2,6-Dinitrotoluene	2.0	U	2.0	0.83	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Chloronaphthalene	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Chlorophenol	10	U	10	0.95	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Methylnaphthalene	10	U	10	0.53	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Methylphenol	10	U	10	0.67	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
2-Nitrophenol	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 11:01	1
3 & 4 Methylphenol	10	U	10	0.64	ug/L		02/09/25 13:22	02/10/25 11:01	1
3,3'-Dichlorobenzidine	5.2	U	5.2	1.4	ug/L		02/09/25 13:22	02/10/25 11:01	1
3-Nitroaniline	10	U	10	1.9	ug/L		02/09/25 13:22	02/10/25 11:01	1
4,6-Dinitro-2-methylphenol	20	U	20	8.6	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Bromophenyl phenyl ether	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Chloro-3-methylphenol	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Chloroaniline	5.0	U	5.0	1.9	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Chlorophenyl phenyl ether	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Methylphenol	10	U	10	0.65	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
4-Nitrophenol	20	U	20	4.0	ug/L		02/09/25 13:22	02/10/25 11:01	1
Acenaphthene	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 11:01	1
Acenaphthylene	10	U	10	0.82	ug/L		02/09/25 13:22	02/10/25 11:01	1
Acetophenone	10	U	10	2.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
Anthracene	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
Atrazine	2.0	U *	2.0	1.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzaldehyde	10	U *	10	2.1	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzo[a]anthracene	1.0	U	1.0	0.59	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzo[a]pyrene	**0.53**	**J**	1.0	0.41	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzo[b]fluoranthene	2.0	U	2.0	0.68	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzo[g,h,i]perylene	10	U	10	0.70	ug/L		02/09/25 13:22	02/10/25 11:01	1
Benzo[k]fluoranthene	1.0	U	1.0	0.67	ug/L		02/09/25 13:22	02/10/25 11:01	1
Bis(2-chloroethoxy)methane	10	U	10	0.59	ug/L		02/09/25 13:22	02/10/25 11:01	1
Bis(2-chloroethyl)ether	1.0	U	1.0	0.63	ug/L		02/09/25 13:22	02/10/25 11:01	1
Bis(2-ethylhexyl) phthalate	2.0	U	2.0	0.80	ug/L		02/09/25 13:22	02/10/25 11:01	1
Butyl benzyl phthalate	10	U	10	0.85	ug/L		02/09/25 13:22	02/10/25 11:01	1
Caprolactam	10	U	10	2.2	ug/L		02/09/25 13:22	02/10/25 11:01	1
Carbazole	10	U	10	0.68	ug/L		02/09/25 13:22	02/10/25 11:01	1
Chrysene	2.0	U	2.0	0.91	ug/L		02/09/25 13:22	02/10/25 11:01	1
Dibenz(a,h)anthracene	1.0	U	1.0	0.72	ug/L		02/09/25 13:22	02/10/25 11:01	1
Dibenzofuran	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 11:01	1
Diethyl phthalate	10	U	10	0.98	ug/L		02/09/25 13:22	02/10/25 11:01	1
Dimethyl phthalate	10	U	10	0.77	ug/L		02/09/25 13:22	02/10/25 11:01	1
Di-n-butyl phthalate	10	U	10	0.84	ug/L		02/09/25 13:22	02/10/25 11:01	1
Di-n-octyl phthalate	10	U	10	4.0	ug/L		02/09/25 13:22	02/10/25 11:01	1
Fluoranthene	10	U	10	0.84	ug/L		02/09/25 13:22	02/10/25 11:01	1

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	10	U	10	0.91	ug/L		02/09/25 13:22	02/10/25 11:01	1
Hexachlorobenzene	1.0	U	1.0	0.40	ug/L		02/09/25 13:22	02/10/25 11:01	1
Hexachlorobutadiene	1.0	U	1.0	0.78	ug/L		02/09/25 13:22	02/10/25 11:01	1
Hexachlorocyclopentadiene	10	U	10	3.6	ug/L		02/09/25 13:22	02/10/25 11:01	1
Hexachloroethane	0.80	U	0.80	0.31	ug/L		02/09/25 13:22	02/10/25 11:01	1
Indeno[1,2,3-cd]pyrene	2.0	U	2.0	0.94	ug/L		02/09/25 13:22	02/10/25 11:01	1
Isophorone	10	U	10	0.80	ug/L		02/09/25 13:22	02/10/25 11:01	1
Naphthalene	2.0	U	2.0	0.54	ug/L		02/09/25 13:22	02/10/25 11:01	1
Nitrobenzene	1.0	U	1.0	0.57	ug/L		02/09/25 13:22	02/10/25 11:01	1
N-Nitrosodi-n-propylamine	1.0	U	1.0	0.43	ug/L		02/09/25 13:22	02/10/25 11:01	1
N-Nitrosodiphenylamine	10	U	10	0.89	ug/L		02/09/25 13:22	02/10/25 11:01	1
Pentachlorophenol	20	U	20	6.6	ug/L		02/09/25 13:22	02/10/25 11:01	1
Phenanthrene	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 11:01	1
Phenol	10	U	10	0.29	ug/L		02/09/25 13:22	02/10/25 11:01	1
Pyrene	10	U	10	1.6	ug/L		02/09/25 13:22	02/10/25 11:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*68*		*37 - 150*	*02/09/25 13:22*	*02/10/25 11:01*	*1*
2-Fluorobiphenyl	*74*		*46 - 139*	*02/09/25 13:22*	*02/10/25 11:01*	*1*
2-Fluorophenol (Surr)	*53*		*16 - 80*	*02/09/25 13:22*	*02/10/25 11:01*	*1*
Nitrobenzene-d5 (Surr)	*78*		*51 - 145*	*02/09/25 13:22*	*02/10/25 11:01*	*1*
Phenol-d5 (Surr)	*37*		*10 - 56*	*02/09/25 13:22*	*02/10/25 11:01*	*1*
Terphenyl-d14 (Surr)	*39*		*13 - 159*	*02/09/25 13:22*	*02/10/25 11:01*	*1*

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**216000**		40.0	11.7	ug/L		02/12/25 09:26	02/13/25 14:57	1
Antimony	**0.81**	**J**	2.0	0.48	ug/L		02/12/25 09:26	02/13/25 14:57	1
Arsenic	**64.1**		2.0	1.2	ug/L		02/12/25 09:26	02/13/25 14:57	1
Barium	**3330**		4.0	0.93	ug/L		02/12/25 09:26	02/13/25 14:57	1
Beryllium	**10.4**		0.80	0.12	ug/L		02/12/25 09:26	02/13/25 14:57	1
Cadmium	**25.2**		2.0	0.38	ug/L		02/12/25 09:26	02/13/25 14:57	1
Calcium	**1770000**		5000	317	ug/L		02/12/25 09:26	02/13/25 16:23	10
Chromium	**596**		4.0	1.7	ug/L		02/12/25 09:26	02/13/25 14:57	1
Cobalt	**468**		4.0	0.41	ug/L		02/12/25 09:26	02/13/25 14:57	1
Copper	**1020**		4.0	2.0	ug/L		02/12/25 09:26	02/13/25 14:57	1
Iron	**659000**		1200	337	ug/L		02/12/25 09:26	02/13/25 16:23	10
Lead	**578**		1.2	0.42	ug/L		02/12/25 09:26	02/13/25 14:57	1
Magnesium	**688000**		2000	218	ug/L		02/12/25 09:26	02/13/25 16:23	10
Manganese	**21000**		80.0	8.4	ug/L		02/12/25 09:26	02/13/25 16:23	10
Nickel	**775**		4.0	1.4	ug/L		02/12/25 09:26	02/13/25 14:57	1
Potassium	**63200**		200	83.3	ug/L		02/12/25 09:26	02/13/25 14:57	1
Selenium	**5.4**		2.5	0.43	ug/L		02/12/25 09:26	02/13/25 14:57	1
Silver	**2.2**		2.0	1.3	ug/L		02/12/25 09:26	02/13/25 14:57	1
Sodium	**183000**		500	180	ug/L		02/12/25 09:26	02/13/25 14:57	1
Thallium	**2.6**		0.80	0.19	ug/L		02/12/25 09:26	02/13/25 14:57	1
Vanadium	**739**		4.0	1.0	ug/L		02/12/25 09:26	02/13/25 14:57	1
Zinc	**1980**		16.0	4.2	ug/L		02/12/25 09:26	02/13/25 14:57	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.54		0.20	0.091	ug/L		02/13/25 11:50	02/13/25 15:13	1

Client Sample ID: GW-5_020725
Lab Sample ID: 460-320182-4
Date Collected: 02/07/25 10:45
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			02/13/25 01:36	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.37	ug/L			02/13/25 01:36	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			02/13/25 01:36	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			02/13/25 01:36	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			02/13/25 01:36	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			02/13/25 01:36	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			02/13/25 01:36	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:36	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:36	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			02/13/25 01:36	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			02/13/25 01:36	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			02/13/25 01:36	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			02/13/25 01:36	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			02/13/25 01:36	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:36	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			02/13/25 01:36	1
2-Butanone (MEK)	5.0	U	5.0	1.9	ug/L			02/13/25 01:36	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			02/13/25 01:36	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			02/13/25 01:36	1
Acetone	5.0	U	5.0	4.4	ug/L			02/13/25 01:36	1
Benzene	1.0	U	1.0	0.20	ug/L			02/13/25 01:36	1
Bromoform	1.0	U	1.0	0.54	ug/L			02/13/25 01:36	1
Bromomethane	1.0	U	1.0	0.55	ug/L			02/13/25 01:36	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			02/13/25 01:36	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			02/13/25 01:36	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			02/13/25 01:36	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			02/13/25 01:36	1
Chlorodibromomethane	1.0	U	1.0	0.28	ug/L			02/13/25 01:36	1
Chloroethane	1.0	U *	1.0	0.32	ug/L			02/13/25 01:36	1
Chloroform	1.0	U	1.0	0.33	ug/L			02/13/25 01:36	1
Chloromethane	1.0	U	1.0	0.40	ug/L			02/13/25 01:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			02/13/25 01:36	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/13/25 01:36	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			02/13/25 01:36	1
Dichlorobromomethane	1.0	U	1.0	0.34	ug/L			02/13/25 01:36	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			02/13/25 01:36	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			02/13/25 01:36	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			02/13/25 01:36	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:36	1
Methyl acetate	5.0	U	5.0	0.79	ug/L			02/13/25 01:36	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			02/13/25 01:36	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			02/13/25 01:36	1

Client Sample ID: GW-5_020725
Lab Sample ID: 460-320182-4
Date Collected: 02/07/25 10:45
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	1.0	U	1.0	0.32	ug/L			02/13/25 01:36	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			02/13/25 01:36	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			02/13/25 01:36	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			02/13/25 01:36	1
o-Xylene	1.0	U	1.0	0.36	ug/L			02/13/25 01:36	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			02/13/25 01:36	1
Styrene	1.0	U	1.0	0.42	ug/L			02/13/25 01:36	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			02/13/25 01:36	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			02/13/25 01:36	1
Toluene	1.0	U	1.0	0.38	ug/L			02/13/25 01:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			02/13/25 01:36	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/13/25 01:36	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			02/13/25 01:36	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			02/13/25 01:36	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			02/13/25 01:36	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			02/13/25 01:36	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 128*		*02/13/25 01:36*	*1*
4-Bromofluorobenzene	*102*		*76 - 120*		*02/13/25 01:36*	*1*
Dibromofluoromethane (Surr)	*98*		*77 - 132*		*02/13/25 01:36*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*		*02/13/25 01:36*	*1*

Method: SW846 8270E SIM ID - Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.20	U	0.20	0.072	ug/L		02/11/25 09:13	02/12/25 00:37	1

Isotope Dilution	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,4-Dioxane-d8	*26*		*10 - 150*	*02/11/25 09:13*	*02/12/25 00:37*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	5.0	U	5.0	1.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
1,2,4,5-Tetrachlorobenzene	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,2'-oxybis[1-chloropropane]	10	U	10	0.63	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,3,4,6-Tetrachlorophenol	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4,5-Trichlorophenol	10	U	10	0.88	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4,6-Trichlorophenol	3.0	U	3.0	0.86	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4-Dichlorophenol	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4-Dimethylphenol	10	U	10	0.62	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4-Dinitrophenol	40	U	40	11	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,4-Dinitrotoluene	10	U	10	1.0	ug/L		02/09/25 13:22	02/10/25 10:40	1
2,6-Dinitrotoluene	2.0	U	2.0	0.83	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Chloronaphthalene	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Chlorophenol	10	U	10	0.95	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Methylnaphthalene	10	U	10	0.53	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Methylphenol	10	U	10	0.67	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
2-Nitrophenol	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 10:40	1
3 & 4 Methylphenol	10	U	10	0.64	ug/L		02/09/25 13:22	02/10/25 10:40	1
3,3'-Dichlorobenzidine	5.2	U	5.2	1.4	ug/L		02/09/25 13:22	02/10/25 10:40	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-5_020725
Lab Sample ID: 460-320182-4
Date Collected: 02/07/25 10:45
Matrix: Water
Date Received: 02/07/25 21:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
3-Nitroaniline	10	U	10	1.9	ug/L		02/09/25 13:22	02/10/25 10:40	1
4,6-Dinitro-2-methylphenol	20	U	20	8.6	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Bromophenyl phenyl ether	10	U	10	0.75	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Chloro-3-methylphenol	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Chloroaniline	5.0	U	5.0	1.9	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Chlorophenyl phenyl ether	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Methylphenol	10	U	10	0.65	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
4-Nitrophenol	20	U	20	4.0	ug/L		02/09/25 13:22	02/10/25 10:40	1
Acenaphthene	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 10:40	1
Acenaphthylene	10	U	10	0.82	ug/L		02/09/25 13:22	02/10/25 10:40	1
Acetophenone	10	U	10	2.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
Anthracene	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
Atrazine	2.0	U *	2.0	1.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzaldehyde	10	U *	10	2.1	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzo[a]anthracene	1.0	U	1.0	0.59	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzo[a]pyrene	1.0	U	1.0	0.41	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzo[b]fluoranthene	2.0	U	2.0	0.68	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzo[g,h,i]perylene	10	U	10	0.70	ug/L		02/09/25 13:22	02/10/25 10:40	1
Benzo[k]fluoranthene	1.0	U	1.0	0.67	ug/L		02/09/25 13:22	02/10/25 10:40	1
Bis(2-chloroethoxy)methane	10	U	10	0.59	ug/L		02/09/25 13:22	02/10/25 10:40	1
Bis(2-chloroethyl)ether	1.0	U	1.0	0.63	ug/L		02/09/25 13:22	02/10/25 10:40	1
Bis(2-ethylhexyl) phthalate	2.0	U	2.0	0.80	ug/L		02/09/25 13:22	02/10/25 10:40	1
Butyl benzyl phthalate	10	U	10	0.85	ug/L		02/09/25 13:22	02/10/25 10:40	1
Caprolactam	10	U	10	2.2	ug/L		02/09/25 13:22	02/10/25 10:40	1
Carbazole	10	U	10	0.68	ug/L		02/09/25 13:22	02/10/25 10:40	1
Chrysene	2.0	U	2.0	0.91	ug/L		02/09/25 13:22	02/10/25 10:40	1
Dibenz(a,h)anthracene	1.0	U	1.0	0.72	ug/L		02/09/25 13:22	02/10/25 10:40	1
Dibenzofuran	10	U	10	1.1	ug/L		02/09/25 13:22	02/10/25 10:40	1
Diethyl phthalate	10	U	10	0.98	ug/L		02/09/25 13:22	02/10/25 10:40	1
Dimethyl phthalate	10	U	10	0.77	ug/L		02/09/25 13:22	02/10/25 10:40	1
Di-n-butyl phthalate	10	U	10	0.84	ug/L		02/09/25 13:22	02/10/25 10:40	1
Di-n-octyl phthalate	10	U	10	4.0	ug/L		02/09/25 13:22	02/10/25 10:40	1
Fluoranthene	10	U	10	0.84	ug/L		02/09/25 13:22	02/10/25 10:40	1
Fluorene	10	U	10	0.91	ug/L		02/09/25 13:22	02/10/25 10:40	1
Hexachlorobenzene	1.0	U	1.0	0.40	ug/L		02/09/25 13:22	02/10/25 10:40	1
Hexachlorobutadiene	1.0	U	1.0	0.78	ug/L		02/09/25 13:22	02/10/25 10:40	1
Hexachlorocyclopentadiene	10	U	10	3.6	ug/L		02/09/25 13:22	02/10/25 10:40	1
Hexachloroethane	0.80	U	0.80	0.31	ug/L		02/09/25 13:22	02/10/25 10:40	1
Indeno[1,2,3-cd]pyrene	2.0	U	2.0	0.94	ug/L		02/09/25 13:22	02/10/25 10:40	1
Isophorone	10	U	10	0.80	ug/L		02/09/25 13:22	02/10/25 10:40	1
Naphthalene	2.0	U	2.0	0.54	ug/L		02/09/25 13:22	02/10/25 10:40	1
Nitrobenzene	1.0	U	1.0	0.57	ug/L		02/09/25 13:22	02/10/25 10:40	1
N-Nitrosodi-n-propylamine	1.0	U	1.0	0.43	ug/L		02/09/25 13:22	02/10/25 10:40	1
N-Nitrosodiphenylamine	10	U	10	0.89	ug/L		02/09/25 13:22	02/10/25 10:40	1
Pentachlorophenol	20	U	20	6.6	ug/L		02/09/25 13:22	02/10/25 10:40	1
Phenanthrene	10	U	10	1.3	ug/L		02/09/25 13:22	02/10/25 10:40	1
Phenol	10	U	10	0.29	ug/L		02/09/25 13:22	02/10/25 10:40	1
Pyrene	10	U	10	1.6	ug/L		02/09/25 13:22	02/10/25 10:40	1

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-5_020725
Lab Sample ID: 460-320182-4

Date Collected: 02/07/25 10:45
Matrix: Water

Date Received: 02/07/25 21:15

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*87*		*37 - 150*	*02/09/25 13:22*	*02/10/25 10:40*	*1*
2-Fluorobiphenyl	*91*		*46 - 139*	*02/09/25 13:22*	*02/10/25 10:40*	*1*
2-Fluorophenol (Surr)	*63*		*16 - 80*	*02/09/25 13:22*	*02/10/25 10:40*	*1*
Nitrobenzene-d5 (Surr)	*96*		*51 - 145*	*02/09/25 13:22*	*02/10/25 10:40*	*1*
Phenol-d5 (Surr)	*44*		*10 - 56*	*02/09/25 13:22*	*02/10/25 10:40*	*1*
Terphenyl-d14 (Surr)	*42*		*13 - 159*	*02/09/25 13:22*	*02/10/25 10:40*	*1*

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**198000**		40.0	11.7	ug/L		02/12/25 09:26	02/13/25 15:00	1
Antimony	**1.2**	**J**	2.0	0.48	ug/L		02/12/25 09:26	02/13/25 15:00	1
Arsenic	**57.8**		2.0	1.2	ug/L		02/12/25 09:26	02/13/25 15:00	1
Barium	**2760**		4.0	0.93	ug/L		02/12/25 09:26	02/13/25 15:00	1
Beryllium	**10.2**		0.80	0.12	ug/L		02/12/25 09:26	02/13/25 15:00	1
Cadmium	**6.0**		2.0	0.38	ug/L		02/12/25 09:26	02/13/25 15:00	1
Calcium	**1120000**		2500	159	ug/L		02/12/25 09:26	02/13/25 16:26	5
Chromium	**982**		4.0	1.7	ug/L		02/12/25 09:26	02/13/25 15:00	1
Cobalt	**480**		4.0	0.41	ug/L		02/12/25 09:26	02/13/25 15:00	1
Copper	**1100**		4.0	2.0	ug/L		02/12/25 09:26	02/13/25 15:00	1
Iron	**730000**		600	169	ug/L		02/12/25 09:26	02/13/25 16:26	5
Lead	**346**		1.2	0.42	ug/L		02/12/25 09:26	02/13/25 15:00	1
Magnesium	**443000**		200	21.8	ug/L		02/12/25 09:26	02/13/25 15:00	1
Manganese	**18200**		8.0	0.84	ug/L		02/12/25 09:26	02/13/25 15:00	1
Nickel	**854**		4.0	1.4	ug/L		02/12/25 09:26	02/13/25 15:00	1
Potassium	**53400**		200	83.3	ug/L		02/12/25 09:26	02/13/25 15:00	1
Selenium	**2.6**		2.5	0.43	ug/L		02/12/25 09:26	02/13/25 15:00	1
Silver	**2.1**		2.0	1.3	ug/L		02/12/25 09:26	02/13/25 15:00	1
Sodium	**27800**		500	180	ug/L		02/12/25 09:26	02/13/25 15:00	1
Thallium	**2.5**		0.80	0.19	ug/L		02/12/25 09:26	02/13/25 15:00	1
Vanadium	**709**		4.0	1.0	ug/L		02/12/25 09:26	02/13/25 15:00	1
Zinc	**1770**		16.0	4.2	ug/L		02/12/25 09:26	02/13/25 15:00	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.24**		0.20	0.091	ug/L		02/13/25 11:50	02/13/25 15:15	1

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(65-138)	(71-128)	(50-150)	(71-126)
460-320182-1	SB-2_(5-7)	86	107	94	89
460-320182-2	SB-5_(16-18)	85	103	95	91
LB3 460-1020331/1-A	Method Blank	86	108	95	83
LCS 460-1021012/3	Lab Control Sample	90	112	96	93
LCSD 460-1021012/4	Lab Control Sample Dup	88	112	95	100
MB 460-1021012/7	Method Blank	88	108	96	96

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(70-128)	(76-120)	(77-132)	(80-120)
460-320182-3	GW-2_020725	92	102	99	94
460-320182-4	GW-5_020725	93	102	98	95
LCS 460-1020981/3	Lab Control Sample	97	102	99	98
LCSD 460-1020981/4	Lab Control Sample Dup	93	103	98	99
MB 460-1020981/8	Method Blank	95	103	100	97

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid — **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPHL
Lab Sample ID	Client Sample ID	(24-137)	(38-128)	(31-133)	(31-120)	(35-132)	(44-147)
460-320153-C-24-A MS	Matrix Spike	104	97	95	91	93	103
460-320153-C-24-B MSD	Matrix Spike Duplicate	95	87	84	81	83	93
460-320182-1	SB-2_(5-7)	26	27 *	24 *	24 *	25 *	28 *
460-320182-1 - DL	SB-2_(5-7)	0 *	0 *	0 *	0 *	0 *	0 *
LCS 460-1020420/2-A	Lab Control Sample	95	89	89	84	88	93
LCSD 460-1020420/3-A	Lab Control Sample Dup	78	74	74	71	74	75
MB 460-1020420/1-A	Method Blank	88	88	83	83	83	92

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Surrogate Summary

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-320182-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TBP (37-150)	FBP (46-139)	2FP (16-80)	NBZ (51-145)	PHL (10-56)	TPHL (13-159)		
460-320182-3	GW-2_020725	68	74	53	78	37	39		
460-320182-4	GW-5_020725	87	91	63	96	44	42		
LCS 460-1020376/2-A	Lab Control Sample	83	79	48	89	32	72		
LCSD 460-1020376/3-A	Lab Control Sample Dup	84	80	48	91	32	73		
MB 460-1020376/1-A	Method Blank	71	76	47	82	31	23		

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Isotope Dilution Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Method: 8270E SIM ID - Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution)

Matrix: Water **Prep Type: Total/NA**

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	DXE (10-150)							
460-320182-3	GW-2_020725	31							
460-320182-4	GW-5_020725	26							
460-320213-D-8-A MS	Matrix Spike	34							
460-320213-E-8-B MSD	Matrix Spike Duplicate	33							
LCS 460-1020646/2-A	Lab Control Sample	29							
LCSD 460-1020646/3-A	Lab Control Sample Dup	27							
MB 460-1020646/1-A	Method Blank	32							

Surrogate Legend

DXE = 1,4-Dioxane-d8

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: LB3 460-1020331/1-A
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020331

Analyte	LB3 Result	LB3 Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00021	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00018	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00021	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00023	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Benzene	0.0010	U	0.0010	0.00026	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chlorobromomethane	0.0010	U	0.0010	0.00028	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chlorodibromomethane	0.0010	U	0.0010	0.00019	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Ethylbenzene	0.0010	U	0.0010	0.00020	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Ethylene Dibromide	0.0010	U	0.0010	0.00018	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00017	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
N-Propylbenzene	0.0010	U	0.0010	0.00018	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
o-Xylene	0.0010	U	0.0010	0.00019	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg		02/08/25 16:04	02/13/25 08:15	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LB3 460-1020331/1-A
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020331

Analyte	LB3 Result	LB3 Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	0.0010	U	0.0010	0.00028	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg		02/08/25 16:04	02/13/25 08:15	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg		02/08/25 16:04	02/13/25 08:15	1

Surrogate	*LB3 %Recovery*	*LB3 Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*86*		*65 - 138*	*02/08/25 16:04*	*02/13/25 08:15*	*1*
4-Bromofluorobenzene	*108*		*71 - 128*	*02/08/25 16:04*	*02/13/25 08:15*	*1*
Dibromofluoromethane (Surr)	*95*		*50 - 150*	*02/08/25 16:04*	*02/13/25 08:15*	*1*
Toluene-d8 (Surr)	*83*		*71 - 126*	*02/08/25 16:04*	*02/13/25 08:15*	*1*

Lab Sample ID: MB 460-1020981/8
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			02/12/25 23:06	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.37	ug/L			02/12/25 23:06	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			02/12/25 23:06	1
1,1,2-Trichloroethane	1.0	U	1.0	0.20	ug/L			02/12/25 23:06	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			02/12/25 23:06	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			02/12/25 23:06	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			02/12/25 23:06	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			02/12/25 23:06	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			02/12/25 23:06	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			02/12/25 23:06	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			02/12/25 23:06	1
1,2-Dichloroethane	1.0	U	1.0	0.43	ug/L			02/12/25 23:06	1
1,2-Dichloropropane	1.0	U	1.0	0.35	ug/L			02/12/25 23:06	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			02/12/25 23:06	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			02/12/25 23:06	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			02/12/25 23:06	1
2-Butanone (MEK)	5.0	U	5.0	1.9	ug/L			02/12/25 23:06	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			02/12/25 23:06	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			02/12/25 23:06	1
Acetone	5.0	U	5.0	4.4	ug/L			02/12/25 23:06	1
Benzene	1.0	U	1.0	0.20	ug/L			02/12/25 23:06	1
Bromoform	1.0	U	1.0	0.54	ug/L			02/12/25 23:06	1
Bromomethane	1.0	U	1.0	0.55	ug/L			02/12/25 23:06	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			02/12/25 23:06	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			02/12/25 23:06	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			02/12/25 23:06	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1020981/8
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			02/12/25 23:06	1
Chlorodibromomethane	1.0	U	1.0	0.28	ug/L			02/12/25 23:06	1
Chloroethane	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
Chloroform	1.0	U	1.0	0.33	ug/L			02/12/25 23:06	1
Chloromethane	1.0	U	1.0	0.40	ug/L			02/12/25 23:06	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.22	ug/L			02/12/25 23:06	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/12/25 23:06	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
Dichlorobromomethane	1.0	U	1.0	0.34	ug/L			02/12/25 23:06	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			02/12/25 23:06	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			02/12/25 23:06	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			02/12/25 23:06	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			02/12/25 23:06	1
Methyl acetate	5.0	U	5.0	0.79	ug/L			02/12/25 23:06	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			02/12/25 23:06	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			02/12/25 23:06	1
Methylene Chloride	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			02/12/25 23:06	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
o-Xylene	1.0	U	1.0	0.36	ug/L			02/12/25 23:06	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			02/12/25 23:06	1
Styrene	1.0	U	1.0	0.42	ug/L			02/12/25 23:06	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			02/12/25 23:06	1
Tetrachloroethene	1.0	U	1.0	0.25	ug/L			02/12/25 23:06	1
Toluene	1.0	U	1.0	0.38	ug/L			02/12/25 23:06	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			02/12/25 23:06	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.22	ug/L			02/12/25 23:06	1
Trichloroethene	1.0	U	1.0	0.31	ug/L			02/12/25 23:06	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			02/12/25 23:06	1
Vinyl chloride	1.0	U	1.0	0.17	ug/L			02/12/25 23:06	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			02/12/25 23:06	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*70 - 128*		*02/12/25 23:06*	*1*
4-Bromofluorobenzene	*103*		*76 - 120*		*02/12/25 23:06*	*1*
Dibromofluoromethane (Surr)	*100*		*77 - 132*		*02/12/25 23:06*	*1*
Toluene-d8 (Surr)	*97*		*80 - 120*		*02/12/25 23:06*	*1*

Lab Sample ID: LCS 460-1020981/3
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	18.7		ug/L		94	72 - 128
1,1,2,2-Tetrachloroethane	20.0	18.2		ug/L		91	63 - 139
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	18.3		ug/L		92	65 - 142
1,1,2-Trichloroethane	20.0	18.1		ug/L		90	74 - 125

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1020981/3
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethane	20.0	18.8		ug/L		94	73 - 130
1,1-Dichloroethene	20.0	16.8		ug/L		84	68 - 133
1,2,3-Trichlorobenzene	20.0	19.2		ug/L		96	55 - 150
1,2,4-Trichlorobenzene	20.0	18.4		ug/L		92	67 - 132
1,2,4-Trimethylbenzene	20.0	19.4		ug/L		97	75 - 125
1,2-Dibromo-3-Chloropropane	20.0	17.0		ug/L		85	58 - 132
1,2-Dichlorobenzene	20.0	19.0		ug/L		95	80 - 120
1,2-Dichloroethane	20.0	17.6		ug/L		88	66 - 129
1,2-Dichloropropane	20.0	18.9		ug/L		94	72 - 128
1,3,5-Trimethylbenzene	20.0	18.9		ug/L		94	75 - 125
1,3-Dichlorobenzene	20.0	19.5		ug/L		97	80 - 120
1,4-Dichlorobenzene	20.0	18.7		ug/L		94	80 - 120
2-Butanone (MEK)	100	89.9		ug/L		90	65 - 142
2-Hexanone	100	97.4		ug/L		97	72 - 134
4-Methyl-2-pentanone (MIBK)	100	96.2		ug/L		96	77 - 130
Acetone	100	74.5		ug/L		75	60 - 133
Benzene	20.0	17.8		ug/L		89	71 - 126
Bromoform	20.0	17.8		ug/L		89	58 - 128
Bromomethane	20.0	27.4		ug/L		137	33 - 150
Carbon disulfide	20.0	11.2		ug/L		56	35 - 150
Carbon tetrachloride	20.0	18.3		ug/L		92	65 - 131
Chlorobenzene	20.0	19.3		ug/L		97	80 - 120
Chlorobromomethane	20.0	17.5		ug/L		88	71 - 134
Chlorodibromomethane	20.0	18.1		ug/L		91	73 - 121
Chloroethane	20.0	30.9	*	ug/L		154	54 - 150
Chloroform	20.0	19.3		ug/L		96	78 - 125
Chloromethane	20.0	18.4		ug/L		92	43 - 149
cis-1,2-Dichloroethene	20.0	18.9		ug/L		94	78 - 121
cis-1,3-Dichloropropene	20.0	18.6		ug/L		93	74 - 125
Cyclohexane	20.0	15.8		ug/L		79	64 - 142
Dichlorobromomethane	20.0	19.4		ug/L		97	76 - 121
Dichlorodifluoromethane	20.0	20.1		ug/L		100	38 - 144
Ethylbenzene	20.0	18.4		ug/L		92	78 - 120
Ethylene Dibromide	20.0	18.0		ug/L		90	79 - 126
Isopropylbenzene	20.0	18.8		ug/L		94	79 - 125
Methyl acetate	40.0	43.3		ug/L		108	50 - 147
Methyl tert-butyl ether	20.0	17.7		ug/L		89	72 - 131
Methylcyclohexane	20.0	16.3		ug/L		82	63 - 138
Methylene Chloride	20.0	17.3		ug/L		86	74 - 127
m-Xylene & p-Xylene	20.0	18.4		ug/L		92	78 - 120
n-Butylbenzene	20.0	19.1		ug/L		96	69 - 135
N-Propylbenzene	20.0	18.7		ug/L		93	68 - 129
o-Xylene	20.0	18.6		ug/L		93	78 - 120
sec-Butylbenzene	20.0	19.2		ug/L		96	77 - 129
Styrene	20.0	19.0		ug/L		95	82 - 127
tert-Butylbenzene	20.0	19.3		ug/L		96	78 - 120
Tetrachloroethene	20.0	18.1		ug/L		91	70 - 127
Toluene	20.0	18.0		ug/L		90	78 - 120
trans-1,2-Dichloroethene	20.0	16.8		ug/L		84	70 - 126

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1020981/3
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
trans-1,3-Dichloropropene			20.0	18.7		ug/L		93	71 - 127		
Trichloroethene			20.0	18.0		ug/L		90	73 - 121		
Trichlorofluoromethane			20.0	19.7		ug/L		99	62 - 134		
Vinyl chloride			20.0	18.7		ug/L		93	55 - 144		
Xylenes, Total			40.0	37.0		ug/L		93	80 - 120		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*97*		*70 - 128*
4-Bromofluorobenzene	*102*		*76 - 120*
Dibromofluoromethane (Surr)	*99*		*77 - 132*
Toluene-d8 (Surr)	*98*		*80 - 120*

Lab Sample ID: LCSD 460-1020981/4
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			20.0	19.7		ug/L		98	72 - 128	5	30
1,1,2,2-Tetrachloroethane			20.0	20.1		ug/L		101	63 - 139	10	30
1,1,2-Trichloro-1,2,2-trifluoroethane			20.0	19.9		ug/L		100	65 - 142	8	30
1,1,2-Trichloroethane			20.0	19.7		ug/L		98	74 - 125	8	30
1,1-Dichloroethane			20.0	19.4		ug/L		97	73 - 130	3	30
1,1-Dichloroethene			20.0	17.6		ug/L		88	68 - 133	5	30
1,2,3-Trichlorobenzene			20.0	18.9		ug/L		94	55 - 150	2	30
1,2,4-Trichlorobenzene			20.0	19.6		ug/L		98	67 - 132	6	30
1,2,4-Trimethylbenzene			20.0	20.3		ug/L		101	75 - 125	4	30
1,2-Dibromo-3-Chloropropane			20.0	18.2		ug/L		91	58 - 132	7	30
1,2-Dichlorobenzene			20.0	20.2		ug/L		101	80 - 120	6	30
1,2-Dichloroethane			20.0	18.7		ug/L		94	66 - 129	6	30
1,2-Dichloropropane			20.0	19.7		ug/L		99	72 - 128	5	30
1,3,5-Trimethylbenzene			20.0	19.9		ug/L		100	75 - 125	5	30
1,3-Dichlorobenzene			20.0	20.8		ug/L		104	80 - 120	6	30
1,4-Dichlorobenzene			20.0	19.8		ug/L		99	80 - 120	6	30
2-Butanone (MEK)			100	95.4		ug/L		95	65 - 142	6	30
2-Hexanone			100	103		ug/L		103	72 - 134	6	30
4-Methyl-2-pentanone (MIBK)			100	102		ug/L		102	77 - 130	6	30
Acetone			100	80.5		ug/L		81	60 - 133	8	30
Benzene			20.0	18.8		ug/L		94	71 - 126	6	30
Bromoform			20.0	19.4		ug/L		97	58 - 128	8	30
Bromomethane			20.0	25.0		ug/L		125	33 - 150	9	30
Carbon disulfide			20.0	12.2		ug/L		61	35 - 150	8	30
Carbon tetrachloride			20.0	19.2		ug/L		96	65 - 131	4	30
Chlorobenzene			20.0	20.1		ug/L		100	80 - 120	4	30
Chlorobromomethane			20.0	19.2		ug/L		96	71 - 134	9	30
Chlorodibromomethane			20.0	19.6		ug/L		98	73 - 121	8	30
Chloroethane			20.0	31.3	*	ug/L		156	54 - 150	1	30
Chloroform			20.0	19.9		ug/L		99	78 - 125	3	30
Chloromethane			20.0	19.1		ug/L		96	43 - 149	4	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1020981/4
Matrix: Water
Analysis Batch: 1020981

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
cis-1,2-Dichloroethene			20.0	19.1		ug/L		95	78 - 121	1	30
cis-1,3-Dichloropropene			20.0	20.1		ug/L		100	74 - 125	8	30
Cyclohexane			20.0	17.4		ug/L		87	64 - 142	10	30
Dichlorobromomethane			20.0	20.0		ug/L		100	76 - 121	3	30
Dichlorodifluoromethane			20.0	22.2		ug/L		111	38 - 144	10	30
Ethylbenzene			20.0	19.1		ug/L		96	78 - 120	4	30
Ethylene Dibromide			20.0	19.2		ug/L		96	79 - 126	7	30
Isopropylbenzene			20.0	20.1		ug/L		100	79 - 125	6	30
Methyl acetate			40.0	44.6		ug/L		111	50 - 147	3	30
Methyl tert-butyl ether			20.0	19.6		ug/L		98	72 - 131	10	30
Methylcyclohexane			20.0	18.2		ug/L		91	63 - 138	11	30
Methylene Chloride			20.0	17.8		ug/L		89	74 - 127	3	30
m-Xylene & p-Xylene			20.0	19.4		ug/L		97	78 - 120	5	30
n-Butylbenzene			20.0	20.1		ug/L		101	69 - 135	5	30
N-Propylbenzene			20.0	19.6		ug/L		98	68 - 129	5	30
o-Xylene			20.0	19.9		ug/L		99	78 - 120	6	30
sec-Butylbenzene			20.0	20.2		ug/L		101	77 - 129	5	30
Styrene			20.0	20.1		ug/L		100	82 - 127	5	30
tert-Butylbenzene			20.0	20.3		ug/L		101	78 - 120	5	30
Tetrachloroethene			20.0	18.9		ug/L		95	70 - 127	4	30
Toluene			20.0	19.0		ug/L		95	78 - 120	6	30
trans-1,2-Dichloroethene			20.0	17.7		ug/L		88	70 - 126	5	30
trans-1,3-Dichloropropene			20.0	20.2		ug/L		101	71 - 127	8	30
Trichloroethene			20.0	19.3		ug/L		97	73 - 121	7	30
Trichlorofluoromethane			20.0	21.9		ug/L		109	62 - 134	10	30
Vinyl chloride			20.0	20.1		ug/L		101	55 - 144	7	30
Xylenes, Total			40.0	39.2		ug/L		98	80 - 120	6	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*93*		*70 - 128*
4-Bromofluorobenzene	*103*		*76 - 120*
Dibromofluoromethane (Surr)	*98*		*77 - 132*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: MB 460-1021012/7
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg			02/13/25 07:51	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00021	mg/Kg			02/13/25 07:51	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg			02/13/25 07:51	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00018	mg/Kg			02/13/25 07:51	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00021	mg/Kg			02/13/25 07:51	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg			02/13/25 07:51	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg			02/13/25 07:51	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			02/13/25 07:51	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg			02/13/25 07:51	1

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-320182-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1021012/7
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg			02/13/25 07:51	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			02/13/25 07:51	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg			02/13/25 07:51	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg			02/13/25 07:51	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg			02/13/25 07:51	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg			02/13/25 07:51	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00023	mg/Kg			02/13/25 07:51	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg			02/13/25 07:51	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg			02/13/25 07:51	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg			02/13/25 07:51	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg			02/13/25 07:51	1
Benzene	0.0010	U	0.0010	0.00026	mg/Kg			02/13/25 07:51	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg			02/13/25 07:51	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg			02/13/25 07:51	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg			02/13/25 07:51	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg			02/13/25 07:51	1
Chlorobenzene	0.0010	U	0.0010	0.00018	mg/Kg			02/13/25 07:51	1
Chlorobromomethane	0.0010	U	0.0010	0.00028	mg/Kg			02/13/25 07:51	1
Chlorodibromomethane	0.0010	U	0.0010	0.00019	mg/Kg			02/13/25 07:51	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg			02/13/25 07:51	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg			02/13/25 07:51	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg			02/13/25 07:51	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg			02/13/25 07:51	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			02/13/25 07:51	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg			02/13/25 07:51	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg			02/13/25 07:51	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg			02/13/25 07:51	1
Ethylbenzene	0.0010	U	0.0010	0.00020	mg/Kg			02/13/25 07:51	1
Ethylene Dibromide	0.0010	U	0.0010	0.00018	mg/Kg			02/13/25 07:51	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			02/13/25 07:51	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg			02/13/25 07:51	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg			02/13/25 07:51	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg			02/13/25 07:51	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg			02/13/25 07:51	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00017	mg/Kg			02/13/25 07:51	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			02/13/25 07:51	1
N-Propylbenzene	0.0010	U	0.0010	0.00018	mg/Kg			02/13/25 07:51	1
o-Xylene	0.0010	U	0.0010	0.00019	mg/Kg			02/13/25 07:51	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			02/13/25 07:51	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg			02/13/25 07:51	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg			02/13/25 07:51	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg			02/13/25 07:51	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg			02/13/25 07:51	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg			02/13/25 07:51	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			02/13/25 07:51	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg			02/13/25 07:51	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg			02/13/25 07:51	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg			02/13/25 07:51	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg			02/13/25 07:51	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		65 - 138		02/13/25 07:51	1
4-Bromofluorobenzene	108		71 - 128		02/13/25 07:51	1
Dibromofluoromethane (Surr)	96		50 - 150		02/13/25 07:51	1
Toluene-d8 (Surr)	96		71 - 126		02/13/25 07:51	1

Lab Sample ID: LCS 460-1021012/3
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	0.0200	0.0217		mg/Kg		109	78 - 120
1,1,2,2-Tetrachloroethane	0.0200	0.0167		mg/Kg		83	70 - 133
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0234		mg/Kg		117	75 - 121
1,1,2-Trichloroethane	0.0200	0.0160		mg/Kg		80	80 - 120
1,1-Dichloroethane	0.0200	0.0212		mg/Kg		106	72 - 120
1,1-Dichloroethene	0.0200	0.0210		mg/Kg		105	76 - 120
1,2,3-Trichlorobenzene	0.0200	0.0206		mg/Kg		103	77 - 137
1,2,4-Trichlorobenzene	0.0200	0.0214		mg/Kg		107	77 - 136
1,2,4-Trimethylbenzene	0.0200	0.0200		mg/Kg		100	75 - 120
1,2-Dibromo-3-Chloropropane	0.0200	0.0156	*	mg/Kg		78	80 - 124
1,2-Dichlorobenzene	0.0200	0.0187		mg/Kg		94	80 - 120
1,2-Dichloroethane	0.0200	0.0188		mg/Kg		94	70 - 123
1,2-Dichloropropane	0.0200	0.0196		mg/Kg		98	73 - 124
1,3,5-Trimethylbenzene	0.0200	0.0197		mg/Kg		98	70 - 120
1,3-Dichlorobenzene	0.0200	0.0206		mg/Kg		103	80 - 120
1,4-Dichlorobenzene	0.0200	0.0195		mg/Kg		97	80 - 120
2-Butanone (MEK)	0.100	0.0926		mg/Kg		93	64 - 128
2-Hexanone	0.100	0.0857		mg/Kg		86	75 - 120
4-Methyl-2-pentanone (MIBK)	0.100	0.0885		mg/Kg		89	80 - 120
Acetone	0.100	0.108		mg/Kg		108	58 - 122
Benzene	0.0200	0.0201		mg/Kg		100	75 - 120
Bromoform	0.0200	0.0194		mg/Kg		97	61 - 125
Bromomethane	0.0200	0.0164		mg/Kg		82	37 - 150
Carbon disulfide	0.0200	0.0224		mg/Kg		112	57 - 133
Carbon tetrachloride	0.0200	0.0230		mg/Kg		115	66 - 127
Chlorobenzene	0.0200	0.0196		mg/Kg		98	80 - 120
Chlorobromomethane	0.0200	0.0190		mg/Kg		95	76 - 127
Chlorodibromomethane	0.0200	0.0189		mg/Kg		94	72 - 120
Chloroethane	0.0200	0.0159		mg/Kg		79	60 - 123
Chloroform	0.0200	0.0200		mg/Kg		100	79 - 126
Chloromethane	0.0200	0.0206		mg/Kg		103	46 - 122
cis-1,2-Dichloroethene	0.0200	0.0201		mg/Kg		101	80 - 123
cis-1,3-Dichloropropene	0.0200	0.0176		mg/Kg		88	75 - 120
Cyclohexane	0.0200	0.0226		mg/Kg		113	65 - 132
Dichlorobromomethane	0.0200	0.0196		mg/Kg		98	77 - 124
Dichlorodifluoromethane	0.0200	0.0200		mg/Kg		100	45 - 129
Ethylbenzene	0.0200	0.0206		mg/Kg		103	80 - 120
Ethylene Dibromide	0.0200	0.0179		mg/Kg		90	79 - 120
Isopropylbenzene	0.0200	0.0224		mg/Kg		112	74 - 120
Methyl acetate	0.0400	0.0386		mg/Kg		97	57 - 120
Methyl tert-butyl ether	0.0200	0.0178		mg/Kg		89	74 - 125

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1021012/3
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methylcyclohexane	0.0200	0.0225		mg/Kg		113	66 - 125
Methylene Chloride	0.0200	0.0199		mg/Kg		100	78 - 120
m-Xylene & p-Xylene	0.0200	0.0206		mg/Kg		103	80 - 120
n-Butylbenzene	0.0200	0.0204		mg/Kg		102	72 - 120
N-Propylbenzene	0.0200	0.0206		mg/Kg		103	68 - 120
o-Xylene	0.0200	0.0201		mg/Kg		101	80 - 120
sec-Butylbenzene	0.0200	0.0206		mg/Kg		103	78 - 120
Styrene	0.0200	0.0183		mg/Kg		92	80 - 120
tert-Butylbenzene	0.0200	0.0198		mg/Kg		99	80 - 120
Tetrachloroethene	0.0200	0.0229		mg/Kg		115	73 - 120
Toluene	0.0200	0.0197		mg/Kg		99	80 - 120
trans-1,2-Dichloroethene	0.0200	0.0210		mg/Kg		105	78 - 120
trans-1,3-Dichloropropene	0.0200	0.0160		mg/Kg		80	77 - 120
Trichloroethene	0.0200	0.0220		mg/Kg		110	80 - 120
Trichlorofluoromethane	0.0200	0.0149		mg/Kg		75	61 - 130
Vinyl chloride	0.0200	0.0195		mg/Kg		97	54 - 122
Xylenes, Total	0.0400	0.0408		mg/Kg		102	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*90*		*65 - 138*
4-Bromofluorobenzene	*112*		*71 - 128*
Dibromofluoromethane (Surr)	*96*		*50 - 150*
Toluene-d8 (Surr)	*93*		*71 - 126*

Lab Sample ID: LCSD 460-1021012/4
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	0.0200	0.0219		mg/Kg		109	78 - 120	1	30
1,1,2,2-Tetrachloroethane	0.0200	0.0169		mg/Kg		84	70 - 133	1	30
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0215		mg/Kg		107	75 - 121	8	30
1,1,2-Trichloroethane	0.0200	0.0161		mg/Kg		81	80 - 120	1	30
1,1-Dichloroethane	0.0200	0.0212		mg/Kg		106	72 - 120	0	30
1,1-Dichloroethene	0.0200	0.0202		mg/Kg		101	76 - 120	4	30
1,2,3-Trichlorobenzene	0.0200	0.0210		mg/Kg		105	77 - 137	2	30
1,2,4-Trichlorobenzene	0.0200	0.0214		mg/Kg		107	77 - 136	0	30
1,2,4-Trimethylbenzene	0.0200	0.0201		mg/Kg		100	75 - 120	0	30
1,2-Dibromo-3-Chloropropane	0.0200	0.0154	*	mg/Kg		77	80 - 124	1	30
1,2-Dichlorobenzene	0.0200	0.0185		mg/Kg		92	80 - 120	1	30
1,2-Dichloroethane	0.0200	0.0186		mg/Kg		93	70 - 123	1	30
1,2-Dichloropropane	0.0200	0.0196		mg/Kg		98	73 - 124	0	30
1,3,5-Trimethylbenzene	0.0200	0.0199		mg/Kg		100	70 - 120	1	30
1,3-Dichlorobenzene	0.0200	0.0206		mg/Kg		103	80 - 120	0	30
1,4-Dichlorobenzene	0.0200	0.0194		mg/Kg		97	80 - 120	0	30
2-Butanone (MEK)	0.100	0.0933		mg/Kg		93	64 - 128	1	30
2-Hexanone	0.100	0.0772		mg/Kg		77	75 - 120	11	30
4-Methyl-2-pentanone (MIBK)	0.100	0.0955		mg/Kg		96	80 - 120	8	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1021012/4
Matrix: Solid
Analysis Batch: 1021012

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acetone			0.100	0.0956		mg/Kg		96	58 - 122	12	30
Benzene			0.0200	0.0202		mg/Kg		101	75 - 120	1	30
Bromoform			0.0200	0.0204		mg/Kg		102	61 - 125	5	30
Bromomethane			0.0200	0.0158		mg/Kg		79	37 - 150	4	30
Carbon disulfide			0.0200	0.0226		mg/Kg		113	57 - 133	1	30
Carbon tetrachloride			0.0200	0.0236		mg/Kg		118	66 - 127	2	30
Chlorobenzene			0.0200	0.0196		mg/Kg		98	80 - 120	0	30
Chlorobromomethane			0.0200	0.0187		mg/Kg		93	76 - 127	2	30
Chlorodibromomethane			0.0200	0.0177		mg/Kg		89	72 - 120	6	30
Chloroethane			0.0200	0.0156		mg/Kg		78	60 - 123	2	30
Chloroform			0.0200	0.0201		mg/Kg		100	79 - 126	0	30
Chloromethane			0.0200	0.0201		mg/Kg		100	46 - 122	3	30
cis-1,2-Dichloroethene			0.0200	0.0205		mg/Kg		103	80 - 123	2	30
cis-1,3-Dichloropropene			0.0200	0.0186		mg/Kg		93	75 - 120	6	30
Cyclohexane			0.0200	0.0230		mg/Kg		115	65 - 132	2	30
Dichlorobromomethane			0.0200	0.0190		mg/Kg		95	77 - 124	3	30
Dichlorodifluoromethane			0.0200	0.0196		mg/Kg		98	45 - 129	2	30
Ethylbenzene			0.0200	0.0201		mg/Kg		100	80 - 120	3	30
Ethylene Dibromide			0.0200	0.0169		mg/Kg		85	79 - 120	6	30
Isopropylbenzene			0.0200	0.0223		mg/Kg		112	74 - 120	0	30
Methyl acetate			0.0400	0.0402		mg/Kg		100	57 - 120	4	30
Methyl tert-butyl ether			0.0200	0.0177		mg/Kg		88	74 - 125	1	30
Methylcyclohexane			0.0200	0.0224		mg/Kg		112	66 - 125	1	30
Methylene Chloride			0.0200	0.0197		mg/Kg		98	78 - 120	1	30
m-Xylene & p-Xylene			0.0200	0.0206		mg/Kg		103	80 - 120	0	30
n-Butylbenzene			0.0200	0.0201		mg/Kg		101	72 - 120	1	30
N-Propylbenzene			0.0200	0.0205		mg/Kg		103	68 - 120	0	30
o-Xylene			0.0200	0.0207		mg/Kg		103	80 - 120	3	30
sec-Butylbenzene			0.0200	0.0208		mg/Kg		104	78 - 120	1	30
Styrene			0.0200	0.0192		mg/Kg		96	80 - 120	5	30
tert-Butylbenzene			0.0200	0.0201		mg/Kg		101	80 - 120	2	30
Tetrachloroethene			0.0200	0.0237		mg/Kg		119	73 - 120	3	30
Toluene			0.0200	0.0206		mg/Kg		103	80 - 120	4	30
trans-1,2-Dichloroethene			0.0200	0.0213		mg/Kg		106	78 - 120	1	30
trans-1,3-Dichloropropene			0.0200	0.0159		mg/Kg		79	77 - 120	1	30
Trichloroethene			0.0200	0.0215		mg/Kg		108	80 - 120	2	30
Trichlorofluoromethane			0.0200	0.0152		mg/Kg		76	61 - 130	2	30
Vinyl chloride			0.0200	0.0181		mg/Kg		91	54 - 122	7	30
Xylenes, Total			0.0400	0.0413		mg/Kg		103	80 - 120	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*88*		*65 - 138*
4-Bromofluorobenzene	*112*		*71 - 128*
Dibromofluoromethane (Surr)	*95*		*50 - 150*
Toluene-d8 (Surr)	*100*		*71 - 126*

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-1020376/1-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020376

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	5.0	U	5.0	1.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
1,2,4,5-Tetrachlorobenzene	10	U	10	1.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,2'-oxybis[1-chloropropane]	10	U	10	0.63	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,3,4,6-Tetrachlorophenol	10	U	10	0.75	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4,5-Trichlorophenol	10	U	10	0.88	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4,6-Trichlorophenol	3.0	U	3.0	0.86	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4-Dichlorophenol	10	U	10	1.1	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4-Dimethylphenol	10	U	10	0.62	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4-Dinitrophenol	40	U	40	11	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,4-Dinitrotoluene	10	U	10	1.0	ug/L		02/09/25 13:21	02/10/25 08:13	1
2,6-Dinitrotoluene	2.0	U	2.0	0.83	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Chloronaphthalene	10	U	10	1.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Chlorophenol	10	U	10	0.95	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Methylnaphthalene	10	U	10	0.53	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Methylphenol	10	U	10	0.67	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
2-Nitrophenol	10	U	10	0.75	ug/L		02/09/25 13:21	02/10/25 08:13	1
3 & 4 Methylphenol	10	U	10	0.64	ug/L		02/09/25 13:21	02/10/25 08:13	1
3,3'-Dichlorobenzidine	5.2	U	5.2	1.4	ug/L		02/09/25 13:21	02/10/25 08:13	1
3-Nitroaniline	10	U	10	1.9	ug/L		02/09/25 13:21	02/10/25 08:13	1
4,6-Dinitro-2-methylphenol	20	U	20	8.6	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Bromophenyl phenyl ether	10	U	10	0.75	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Chloro-3-methylphenol	10	U	10	1.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Chloroaniline	5.0	U	5.0	1.9	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Chlorophenyl phenyl ether	10	U	10	1.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Methylphenol	10	U	10	0.65	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Nitroaniline	10	U	10	1.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
4-Nitrophenol	20	U	20	4.0	ug/L		02/09/25 13:21	02/10/25 08:13	1
Acenaphthene	10	U	10	1.1	ug/L		02/09/25 13:21	02/10/25 08:13	1
Acenaphthylene	10	U	10	0.82	ug/L		02/09/25 13:21	02/10/25 08:13	1
Acetophenone	10	U	10	2.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
Anthracene	10	U	10	1.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
Atrazine	2.0	U	2.0	1.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzaldehyde	10	U	10	2.1	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzo[a]anthracene	1.0	U	1.0	0.59	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzo[a]pyrene	1.0	U	1.0	0.41	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzo[b]fluoranthene	2.0	U	2.0	0.68	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzo[g,h,i]perylene	10	U	10	0.70	ug/L		02/09/25 13:21	02/10/25 08:13	1
Benzo[k]fluoranthene	1.0	U	1.0	0.67	ug/L		02/09/25 13:21	02/10/25 08:13	1
Bis(2-chloroethoxy)methane	10	U	10	0.59	ug/L		02/09/25 13:21	02/10/25 08:13	1
Bis(2-chloroethyl)ether	1.0	U	1.0	0.63	ug/L		02/09/25 13:21	02/10/25 08:13	1
Bis(2-ethylhexyl) phthalate	2.0	U	2.0	0.80	ug/L		02/09/25 13:21	02/10/25 08:13	1
Butyl benzyl phthalate	10	U	10	0.85	ug/L		02/09/25 13:21	02/10/25 08:13	1
Caprolactam	10	U	10	2.2	ug/L		02/09/25 13:21	02/10/25 08:13	1
Carbazole	10	U	10	0.68	ug/L		02/09/25 13:21	02/10/25 08:13	1
Chrysene	2.0	U	2.0	0.91	ug/L		02/09/25 13:21	02/10/25 08:13	1
Dibenz(a,h)anthracene	1.0	U	1.0	0.72	ug/L		02/09/25 13:21	02/10/25 08:13	1
Dibenzofuran	10	U	10	1.1	ug/L		02/09/25 13:21	02/10/25 08:13	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1020376/1-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020376

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diethyl phthalate	10	U	10	0.98	ug/L		02/09/25 13:21	02/10/25 08:13	1
Dimethyl phthalate	10	U	10	0.77	ug/L		02/09/25 13:21	02/10/25 08:13	1
Di-n-butyl phthalate	10	U	10	0.84	ug/L		02/09/25 13:21	02/10/25 08:13	1
Di-n-octyl phthalate	10	U	10	4.0	ug/L		02/09/25 13:21	02/10/25 08:13	1
Fluoranthene	10	U	10	0.84	ug/L		02/09/25 13:21	02/10/25 08:13	1
Fluorene	10	U	10	0.91	ug/L		02/09/25 13:21	02/10/25 08:13	1
Hexachlorobenzene	1.0	U	1.0	0.40	ug/L		02/09/25 13:21	02/10/25 08:13	1
Hexachlorobutadiene	1.0	U	1.0	0.78	ug/L		02/09/25 13:21	02/10/25 08:13	1
Hexachlorocyclopentadiene	10	U	10	3.6	ug/L		02/09/25 13:21	02/10/25 08:13	1
Hexachloroethane	0.80	U	0.80	0.31	ug/L		02/09/25 13:21	02/10/25 08:13	1
Indeno[1,2,3-cd]pyrene	2.0	U	2.0	0.94	ug/L		02/09/25 13:21	02/10/25 08:13	1
Isophorone	10	U	10	0.80	ug/L		02/09/25 13:21	02/10/25 08:13	1
Naphthalene	2.0	U	2.0	0.54	ug/L		02/09/25 13:21	02/10/25 08:13	1
Nitrobenzene	1.0	U	1.0	0.57	ug/L		02/09/25 13:21	02/10/25 08:13	1
N-Nitrosodi-n-propylamine	1.0	U	1.0	0.43	ug/L		02/09/25 13:21	02/10/25 08:13	1
N-Nitrosodiphenylamine	10	U	10	0.89	ug/L		02/09/25 13:21	02/10/25 08:13	1
Pentachlorophenol	20	U	20	6.6	ug/L		02/09/25 13:21	02/10/25 08:13	1
Phenanthrene	10	U	10	1.3	ug/L		02/09/25 13:21	02/10/25 08:13	1
Phenol	10	U	10	0.29	ug/L		02/09/25 13:21	02/10/25 08:13	1
Pyrene	10	U	10	1.6	ug/L		02/09/25 13:21	02/10/25 08:13	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*71*		*37 - 150*	*02/09/25 13:21*	*02/10/25 08:13*	*1*
2-Fluorobiphenyl	*76*		*46 - 139*	*02/09/25 13:21*	*02/10/25 08:13*	*1*
2-Fluorophenol (Surr)	*47*		*16 - 80*	*02/09/25 13:21*	*02/10/25 08:13*	*1*
Nitrobenzene-d5 (Surr)	*82*		*51 - 145*	*02/09/25 13:21*	*02/10/25 08:13*	*1*
Phenol-d5 (Surr)	*31*		*10 - 56*	*02/09/25 13:21*	*02/10/25 08:13*	*1*
Terphenyl-d14 (Surr)	*23*		*13 - 159*	*02/09/25 13:21*	*02/10/25 08:13*	*1*

Lab Sample ID: LCS 460-1020376/2-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020376

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	80.0	66.7		ug/L		83	52 - 129
1,2,4,5-Tetrachlorobenzene	80.0	62.9		ug/L		79	40 - 136
2,2'-oxybis[1-chloropropane]	80.0	77.1		ug/L		96	47 - 133
2,3,4,6-Tetrachlorophenol	80.0	67.5		ug/L		84	63 - 131
2,4,5-Trichlorophenol	80.0	68.1		ug/L		85	63 - 124
2,4,6-Trichlorophenol	80.0	68.1		ug/L		85	66 - 131
2,4-Dichlorophenol	80.0	68.3		ug/L		85	60 - 120
2,4-Dimethylphenol	80.0	78.4		ug/L		98	37 - 120
2,4-Dinitrophenol	160	144		ug/L		90	50 - 148
2,4-Dinitrotoluene	80.0	68.9		ug/L		86	71 - 142
2,6-Dinitrotoluene	80.0	74.3		ug/L		93	71 - 136
2-Chloronaphthalene	80.0	64.3		ug/L		80	50 - 129
2-Chlorophenol	80.0	63.1		ug/L		79	49 - 120
2-Methylnaphthalene	80.0	62.9		ug/L		79	42 - 134

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1020376/2-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020376

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-Methylphenol	80.0	56.1		ug/L		70	35 - 120
2-Nitroaniline	80.0	68.4		ug/L		86	57 - 134
2-Nitrophenol	80.0	71.8		ug/L		90	62 - 124
3 & 4 Methylphenol	80.0	50.4		ug/L		63	27 - 120
3,3'-Dichlorobenzidine	80.0	57.1		ug/L		71	55 - 145
3-Nitroaniline	80.0	57.7		ug/L		72	51 - 120
4,6-Dinitro-2-methylphenol	160	140		ug/L		88	65 - 145
4-Bromophenyl phenyl ether	80.0	67.1		ug/L		84	59 - 132
4-Chloro-3-methylphenol	80.0	67.7		ug/L		85	54 - 120
4-Chloroaniline	80.0	56.4		ug/L		70	43 - 120
4-Chlorophenyl phenyl ether	80.0	67.2		ug/L		84	65 - 127
4-Methylphenol	80.0	50.0		ug/L		63	28 - 120
4-Nitroaniline	80.0	68.3		ug/L		85	57 - 135
4-Nitrophenol	160	63.3		ug/L		40	10 - 120
Acenaphthene	80.0	65.7		ug/L		82	62 - 127
Acenaphthylene	80.0	71.6		ug/L		89	58 - 122
Acetophenone	80.0	71.6		ug/L		89	65 - 125
Anthracene	80.0	66.8		ug/L		84	67 - 127
Atrazine	40.0	70.5	*	ug/L		176	13 - 150
Benzaldehyde	40.0	63.5	*	ug/L		159	10 - 150
Benzo[a]anthracene	80.0	65.0		ug/L		81	71 - 131
Benzo[a]pyrene	80.0	65.1		ug/L		81	75 - 148
Benzo[b]fluoranthene	80.0	69.7		ug/L		87	70 - 140
Benzo[g,h,i]perylene	80.0	63.8		ug/L		80	52 - 143
Benzo[k]fluoranthene	80.0	67.4		ug/L		84	71 - 140
Bis(2-chloroethoxy)methane	80.0	76.9		ug/L		96	63 - 122
Bis(2-chloroethyl)ether	80.0	77.6		ug/L		97	61 - 125
Bis(2-ethylhexyl) phthalate	80.0	70.9		ug/L		89	65 - 144
Butyl benzyl phthalate	80.0	71.5		ug/L		89	67 - 141
Caprolactam	40.0	16.0		ug/L		40	10 - 120
Carbazole	80.0	67.7		ug/L		85	68 - 132
Chrysene	80.0	62.3		ug/L		78	70 - 132
Dibenz(a,h)anthracene	80.0	62.1		ug/L		78	53 - 150
Dibenzofuran	80.0	66.1		ug/L		83	64 - 125
Diethyl phthalate	80.0	69.0		ug/L		86	67 - 131
Dimethyl phthalate	80.0	71.1		ug/L		89	67 - 129
Di-n-butyl phthalate	80.0	73.1		ug/L		91	71 - 139
Di-n-octyl phthalate	80.0	69.0		ug/L		86	51 - 150
Fluoranthene	80.0	70.5		ug/L		88	69 - 137
Fluorene	80.0	69.7		ug/L		87	67 - 125
Hexachlorobenzene	80.0	67.5		ug/L		84	62 - 135
Hexachlorobutadiene	80.0	69.4		ug/L		87	10 - 147
Hexachlorocyclopentadiene	80.0	81.7		ug/L		102	10 - 135
Hexachloroethane	80.0	67.6		ug/L		85	10 - 138
Indeno[1,2,3-cd]pyrene	80.0	62.5		ug/L		78	59 - 150
Isophorone	80.0	81.1		ug/L		101	65 - 128
Naphthalene	80.0	70.6		ug/L		88	39 - 126
Nitrobenzene	80.0	76.9		ug/L		96	66 - 127
N-Nitrosodi-n-propylamine	80.0	80.2		ug/L		100	63 - 133

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1020376/2-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020376

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
N-Nitrosodiphenylamine			80.0	64.8		ug/L		81	66 - 128		
Pentachlorophenol			160	112		ug/L		70	60 - 140		
Phenanthrene			80.0	65.8		ug/L		82	68 - 126		
Phenol			80.0	29.8		ug/L		37	10 - 80		
Pyrene			80.0	67.1		ug/L		84	60 - 137		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*83*		*37 - 150*
2-Fluorobiphenyl	*79*		*46 - 139*
2-Fluorophenol (Surr)	*48*		*16 - 80*
Nitrobenzene-d5 (Surr)	*89*		*51 - 145*
Phenol-d5 (Surr)	*32*		*10 - 56*
Terphenyl-d14 (Surr)	*72*		*13 - 159*

Lab Sample ID: LCSD 460-1020376/3-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1020376

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl			80.0	67.9		ug/L		85	52 - 129	2	30
1,2,4,5-Tetrachlorobenzene			80.0	64.1		ug/L		80	40 - 136	2	30
2,2'-oxybis[1-chloropropane]			80.0	77.5		ug/L		97	47 - 133	0	30
2,3,4,6-Tetrachlorophenol			80.0	69.3		ug/L		87	63 - 131	3	30
2,4,5-Trichlorophenol			80.0	67.0		ug/L		84	63 - 124	2	30
2,4,6-Trichlorophenol			80.0	70.7		ug/L		88	66 - 131	4	30
2,4-Dichlorophenol			80.0	68.7		ug/L		86	60 - 120	0	30
2,4-Dimethylphenol			80.0	81.0		ug/L		101	37 - 120	3	30
2,4-Dinitrophenol			160	146		ug/L		91	50 - 148	1	30
2,4-Dinitrotoluene			80.0	69.8		ug/L		87	71 - 142	1	30
2,6-Dinitrotoluene			80.0	74.7		ug/L		93	71 - 136	1	30
2-Chloronaphthalene			80.0	64.0		ug/L		80	50 - 129	0	30
2-Chlorophenol			80.0	62.8		ug/L		78	49 - 120	1	30
2-Methylnaphthalene			80.0	63.6		ug/L		79	42 - 134	1	30
2-Methylphenol			80.0	56.7		ug/L		71	35 - 120	1	30
2-Nitroaniline			80.0	69.6		ug/L		87	57 - 134	2	30
2-Nitrophenol			80.0	73.3		ug/L		92	62 - 124	2	30
3 & 4 Methylphenol			80.0	51.0		ug/L		64	27 - 120	1	30
3,3'-Dichlorobenzidine			80.0	57.6		ug/L		72	55 - 145	1	30
3-Nitroaniline			80.0	56.9		ug/L		71	51 - 120	1	30
4,6-Dinitro-2-methylphenol			160	144		ug/L		90	65 - 145	3	30
4-Bromophenyl phenyl ether			80.0	67.9		ug/L		85	59 - 132	1	30
4-Chloro-3-methylphenol			80.0	69.6		ug/L		87	54 - 120	3	30
4-Chloroaniline			80.0	56.5		ug/L		71	43 - 120	0	30
4-Chlorophenyl phenyl ether			80.0	67.3		ug/L		84	65 - 127	0	30
4-Methylphenol			80.0	50.6		ug/L		63	28 - 120	1	30
4-Nitroaniline			80.0	68.1		ug/L		85	57 - 135	0	30
4-Nitrophenol			160	65.2		ug/L		41	10 - 120	3	30
Acenaphthene			80.0	66.3		ug/L		83	62 - 127	1	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1020376/3-A
Matrix: Water
Analysis Batch: 1020417

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1020376

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthylene			80.0	72.6		ug/L		91	58 - 122	1	30
Acetophenone			80.0	72.4		ug/L		90	65 - 125	1	30
Anthracene			80.0	67.1		ug/L		84	67 - 127	0	30
Atrazine			40.0	71.8	*	ug/L		179	13 - 150	2	30
Benzaldehyde			40.0	63.7	*	ug/L		159	10 - 150	0	30
Benzo[a]anthracene			80.0	65.5		ug/L		82	71 - 131	1	30
Benzo[a]pyrene			80.0	66.2		ug/L		83	75 - 148	2	30
Benzo[b]fluoranthene			80.0	69.2		ug/L		87	70 - 140	1	30
Benzo[g,h,i]perylene			80.0	62.3		ug/L		78	52 - 143	2	30
Benzo[k]fluoranthene			80.0	70.3		ug/L		88	71 - 140	4	30
Bis(2-chloroethoxy)methane			80.0	77.7		ug/L		97	63 - 122	1	30
Bis(2-chloroethyl)ether			80.0	78.3		ug/L		98	61 - 125	1	30
Bis(2-ethylhexyl) phthalate			80.0	71.6		ug/L		89	65 - 144	1	30
Butyl benzyl phthalate			80.0	72.2		ug/L		90	67 - 141	1	30
Caprolactam			40.0	16.5		ug/L		41	10 - 120	3	30
Carbazole			80.0	68.4		ug/L		85	68 - 132	1	30
Chrysene			80.0	63.3		ug/L		79	70 - 132	2	30
Dibenz(a,h)anthracene			80.0	61.0		ug/L		76	53 - 150	2	30
Dibenzofuran			80.0	66.5		ug/L		83	64 - 125	1	30
Diethyl phthalate			80.0	69.4		ug/L		87	67 - 131	1	30
Dimethyl phthalate			80.0	71.6		ug/L		90	67 - 129	1	30
Di-n-butyl phthalate			80.0	73.4		ug/L		92	71 - 139	0	30
Di-n-octyl phthalate			80.0	69.8		ug/L		87	51 - 150	1	30
Fluoranthene			80.0	70.5		ug/L		88	69 - 137	0	30
Fluorene			80.0	69.6		ug/L		87	67 - 125	0	30
Hexachlorobenzene			80.0	68.0		ug/L		85	62 - 135	1	30
Hexachlorobutadiene			80.0	70.1		ug/L		88	10 - 147	1	30
Hexachlorocyclopentadiene			80.0	83.1		ug/L		104	10 - 135	2	30
Hexachloroethane			80.0	68.0		ug/L		85	10 - 138	1	30
Indeno[1,2,3-cd]pyrene			80.0	61.5		ug/L		77	59 - 150	2	30
Isophorone			80.0	82.0		ug/L		102	65 - 128	1	30
Naphthalene			80.0	71.4		ug/L		89	39 - 126	1	30
Nitrobenzene			80.0	76.9		ug/L		96	66 - 127	0	30
N-Nitrosodi-n-propylamine			80.0	80.9		ug/L		101	63 - 133	1	30
N-Nitrosodiphenylamine			80.0	65.0		ug/L		81	66 - 128	0	30
Pentachlorophenol			160	115		ug/L		72	60 - 140	2	30
Phenanthrene			80.0	66.6		ug/L		83	68 - 126	1	30
Phenol			80.0	30.1		ug/L		38	10 - 80	1	30
Pyrene			80.0	68.0		ug/L		85	60 - 137	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*84*		*37 - 150*
2-Fluorobiphenyl	*80*		*46 - 139*
2-Fluorophenol (Surr)	*48*		*16 - 80*
Nitrobenzene-d5 (Surr)	*91*		*51 - 145*
Phenol-d5 (Surr)	*32*		*10 - 56*
Terphenyl-d14 (Surr)	*73*		*13 - 159*

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1020420/1-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.022	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.042	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4-Dimethylphenol	0.33	U	0.33	0.039	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Chloronaphthalene	0.33	U	0.33	0.015	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Methylnaphthalene	0.33	U	0.33	0.0093	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Nitroaniline	0.33	U	0.33	0.038	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Acenaphthene	0.33	U	0.33	0.0094	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Anthracene	0.33	U	0.33	0.010	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Atrazine	0.13	U	0.13	0.019	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzo[a]anthracene	0.033	U	0.033	0.025	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzo[a]pyrene	0.033	U	0.033	0.0088	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzo[b]fluoranthene	0.033	U	0.033	0.0086	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzo[g,h,i]perylene	0.33	U	0.33	0.0098	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Benzo[k]fluoranthene	0.033	U	0.033	0.0065	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.026	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.017	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Caprolactam	0.33	U	0.33	0.051	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Carbazole	0.33	U	0.33	0.013	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Chrysene	0.33	U	0.33	0.014	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Dibenz(a,h)anthracene	0.033	U	0.033	0.014	mg/Kg		02/10/25 06:29	02/10/25 11:31	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1020420/1-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenzofuran	0.33	U	0.33	0.011	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Dimethyl phthalate	0.33	U	0.33	0.075	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Di-n-butyl phthalate	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Fluoranthene	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Fluorene	0.33	U	0.33	0.0097	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Hexachlorobutadiene	0.067	U	0.067	0.0070	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Indeno[1,2,3-cd]pyrene	0.033	U	0.033	0.013	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Isophorone	0.13	U	0.13	0.096	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Naphthalene	0.33	U	0.33	0.0057	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Phenanthrene	0.33	U	0.33	0.014	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Phenol	0.33	U	0.33	0.012	mg/Kg		02/10/25 06:29	02/10/25 11:31	1
Pyrene	0.33	U	0.33	0.0082	mg/Kg		02/10/25 06:29	02/10/25 11:31	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*88*		*24 - 137*	*02/10/25 06:29*	*02/10/25 11:31*	*1*
2-Fluorobiphenyl	*88*		*38 - 128*	*02/10/25 06:29*	*02/10/25 11:31*	*1*
2-Fluorophenol (Surr)	*83*		*31 - 133*	*02/10/25 06:29*	*02/10/25 11:31*	*1*
Nitrobenzene-d5 (Surr)	*83*		*31 - 120*	*02/10/25 06:29*	*02/10/25 11:31*	*1*
Phenol-d5 (Surr)	*83*		*35 - 132*	*02/10/25 06:29*	*02/10/25 11:31*	*1*
Terphenyl-d14 (Surr)	*92*		*44 - 147*	*02/10/25 06:29*	*02/10/25 11:31*	*1*

Lab Sample ID: LCS 460-1020420/2-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	3.33	3.31		mg/Kg		99	64 - 120
1,2,4,5-Tetrachlorobenzene	3.33	3.35		mg/Kg		101	60 - 120
1,4-Dioxane	3.33	2.34		mg/Kg		70	27 - 120
2,2'-oxybis[1-chloropropane]	3.33	3.05		mg/Kg		92	46 - 126
2,3,4,6-Tetrachlorophenol	3.33	3.24		mg/Kg		97	62 - 120
2,4,5-Trichlorophenol	3.33	3.43		mg/Kg		103	64 - 120
2,4,6-Trichlorophenol	3.33	3.47		mg/Kg		104	65 - 120
2,4-Dichlorophenol	3.33	3.40		mg/Kg		102	66 - 120
2,4-Dimethylphenol	3.33	4.02	*	mg/Kg		121	46 - 120
2,4-Dinitrophenol	6.67	6.16		mg/Kg		92	41 - 129
2,4-Dinitrotoluene	3.33	3.46		mg/Kg		104	65 - 124
2,6-Dinitrotoluene	3.33	3.41		mg/Kg		102	67 - 121
2-Chloronaphthalene	3.33	3.30		mg/Kg		99	64 - 120

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-320182-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1020420/2-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2-Chlorophenol	3.33	3.20		mg/Kg		96	63 - 120
2-Methylnaphthalene	3.33	2.94		mg/Kg		88	64 - 120
2-Methylphenol	3.33	3.19		mg/Kg		96	63 - 120
2-Nitroaniline	3.33	3.12		mg/Kg		94	48 - 120
2-Nitrophenol	3.33	3.27		mg/Kg		98	64 - 120
3 & 4 Methylphenol	3.33	3.18		mg/Kg		95	61 - 120
3,3'-Dichlorobenzidine	3.33	1.46		mg/Kg		44	10 - 120
3-Nitroaniline	3.33	1.36		mg/Kg		41	18 - 122
4,6-Dinitro-2-methylphenol	6.67	6.94		mg/Kg		104	58 - 136
4-Bromophenyl phenyl ether	3.33	3.56		mg/Kg		107	60 - 120
4-Chloro-3-methylphenol	3.33	3.30		mg/Kg		99	66 - 120
4-Chloroaniline	3.33	0.361		mg/Kg		11	10 - 120
4-Chlorophenyl phenyl ether	3.33	3.36		mg/Kg		101	62 - 120
4-Methylphenol	3.33	3.18		mg/Kg		95	61 - 120
4-Nitroaniline	3.33	2.95		mg/Kg		88	51 - 120
4-Nitrophenol	6.67	5.63		mg/Kg		84	42 - 132
Acenaphthene	3.33	3.36		mg/Kg		101	65 - 120
Acenaphthylene	3.33	3.53		mg/Kg		106	64 - 120
Acetophenone	3.33	3.10		mg/Kg		93	61 - 120
Anthracene	3.33	3.41		mg/Kg		102	67 - 120
Atrazine	1.33	1.80		mg/Kg		135	32 - 150
Benzaldehyde	1.33	1.52		mg/Kg		114	28 - 150
Benzo[a]anthracene	3.33	3.53		mg/Kg		106	66 - 120
Benzo[a]pyrene	3.33	3.70		mg/Kg		111	73 - 123
Benzo[b]fluoranthene	3.33	3.82		mg/Kg		115	70 - 125
Benzo[g,h,i]perylene	3.33	3.93		mg/Kg		118	66 - 120
Benzo[k]fluoranthene	3.33	3.41		mg/Kg		102	67 - 122
Bis(2-chloroethoxy)methane	3.33	3.28		mg/Kg		98	62 - 120
Bis(2-chloroethyl)ether	3.33	3.07		mg/Kg		92	60 - 120
Bis(2-ethylhexyl) phthalate	3.33	3.48		mg/Kg		104	64 - 125
Butyl benzyl phthalate	3.33	3.48		mg/Kg		104	62 - 127
Caprolactam	1.33	1.50		mg/Kg		113	36 - 150
Carbazole	3.33	3.42		mg/Kg		103	64 - 120
Chrysene	3.33	3.35		mg/Kg		100	67 - 120
Dibenz(a,h)anthracene	3.33	3.64		mg/Kg		109	66 - 128
Dibenzofuran	3.33	3.25		mg/Kg		98	61 - 120
Diethyl phthalate	3.33	3.35		mg/Kg		101	63 - 120
Dimethyl phthalate	3.33	3.37		mg/Kg		101	65 - 120
Di-n-butyl phthalate	3.33	3.45		mg/Kg		103	66 - 120
Di-n-octyl phthalate	3.33	3.64		mg/Kg		109	61 - 123
Fluoranthene	3.33	3.39		mg/Kg		102	61 - 120
Fluorene	3.33	3.34		mg/Kg		100	64 - 120
Hexachlorobenzene	3.33	3.57		mg/Kg		107	66 - 120
Hexachlorobutadiene	3.33	3.28		mg/Kg		98	62 - 120
Hexachlorocyclopentadiene	3.33	4.46	*	mg/Kg		134	13 - 120
Hexachloroethane	3.33	3.08		mg/Kg		92	61 - 120
Indeno[1,2,3-cd]pyrene	3.33	3.67		mg/Kg		110	71 - 137
Isophorone	3.33	3.28		mg/Kg		98	61 - 120
Naphthalene	3.33	3.23		mg/Kg		97	63 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1020420/2-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020420

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Nitrobenzene			3.33	3.25		mg/Kg		97	63 - 120		
N-Nitrosodi-n-propylamine			3.33	3.29		mg/Kg		99	56 - 120		
N-Nitrosodiphenylamine			3.33	3.41		mg/Kg		102	63 - 120		
Pentachlorophenol			6.67	6.52		mg/Kg		98	61 - 126		
Phenanthrene			3.33	3.42		mg/Kg		103	66 - 120		
Phenol			3.33	3.07		mg/Kg		92	63 - 120		
Pyrene			3.33	3.50		mg/Kg		105	61 - 121		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*95*		*24 - 137*
2-Fluorobiphenyl	*89*		*38 - 128*
2-Fluorophenol (Surr)	*89*		*31 - 133*
Nitrobenzene-d5 (Surr)	*84*		*31 - 120*
Phenol-d5 (Surr)	*88*		*35 - 132*
Terphenyl-d14 (Surr)	*93*		*44 - 147*

Lab Sample ID: LCSD 460-1020420/3-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1020420

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl			3.33	2.83		mg/Kg		85	64 - 120	16	30
1,2,4,5-Tetrachlorobenzene			3.33	2.85		mg/Kg		85	60 - 120	16	30
1,4-Dioxane			3.33	2.14		mg/Kg		64	27 - 120	9	30
2,2'-oxybis[1-chloropropane]			3.33	2.49		mg/Kg		75	46 - 126	20	30
2,3,4,6-Tetrachlorophenol			3.33	2.77		mg/Kg		83	62 - 120	15	30
2,4,5-Trichlorophenol			3.33	2.92		mg/Kg		88	64 - 120	16	30
2,4,6-Trichlorophenol			3.33	2.92		mg/Kg		88	65 - 120	17	30
2,4-Dichlorophenol			3.33	2.86		mg/Kg		86	66 - 120	17	30
2,4-Dimethylphenol			3.33	3.35		mg/Kg		101	46 - 120	18	30
2,4-Dinitrophenol			6.67	5.03		mg/Kg		75	41 - 129	20	30
2,4-Dinitrotoluene			3.33	2.98		mg/Kg		89	65 - 124	15	30
2,6-Dinitrotoluene			3.33	2.91		mg/Kg		87	67 - 121	16	30
2-Chloronaphthalene			3.33	2.79		mg/Kg		84	64 - 120	17	30
2-Chlorophenol			3.33	2.69		mg/Kg		81	63 - 120	17	30
2-Methylnaphthalene			3.33	2.50		mg/Kg		75	64 - 120	16	30
2-Methylphenol			3.33	2.67		mg/Kg		80	63 - 120	18	30
2-Nitroaniline			3.33	2.58		mg/Kg		77	48 - 120	19	30
2-Nitrophenol			3.33	2.81		mg/Kg		84	64 - 120	15	30
3 & 4 Methylphenol			3.33	2.69		mg/Kg		81	61 - 120	17	30
3,3'-Dichlorobenzidine			3.33	1.80		mg/Kg		54	10 - 120	21	30
3-Nitroaniline			3.33	2.10	*	mg/Kg		63	18 - 122	43	30
4,6-Dinitro-2-methylphenol			6.67	5.77		mg/Kg		87	58 - 136	18	30
4-Bromophenyl phenyl ether			3.33	2.98		mg/Kg		89	60 - 120	18	30
4-Chloro-3-methylphenol			3.33	2.77		mg/Kg		83	66 - 120	17	30
4-Chloroaniline			3.33	1.59	*	mg/Kg		48	10 - 120	126	30
4-Chlorophenyl phenyl ether			3.33	2.89		mg/Kg		87	62 - 120	15	30
4-Methylphenol			3.33	2.69		mg/Kg		81	61 - 120	17	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1020420/3-A
Client Sample ID: Lab Control Sample Dup
Matrix: Solid
Prep Type: Total/NA
Analysis Batch: 1020469
Prep Batch: 1020420

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4-Nitroaniline			3.33	2.62		mg/Kg		79	51 - 120	12	30
4-Nitrophenol			6.67	4.98		mg/Kg		75	42 - 132	12	30
Acenaphthene			3.33	2.78		mg/Kg		83	65 - 120	19	30
Acenaphthylene			3.33	2.94		mg/Kg		88	64 - 120	18	30
Acetophenone			3.33	2.61		mg/Kg		78	61 - 120	17	30
Anthracene			3.33	2.90		mg/Kg		87	67 - 120	16	30
Atrazine			1.33	1.37		mg/Kg		103	32 - 150	27	30
Benzaldehyde			1.33	1.18		mg/Kg		88	28 - 150	25	30
Benzo[a]anthracene			3.33	2.95		mg/Kg		88	66 - 120	18	30
Benzo[a]pyrene			3.33	3.10		mg/Kg		93	73 - 123	18	30
Benzo[b]fluoranthene			3.33	3.06		mg/Kg		92	70 - 125	22	30
Benzo[g,h,i]perylene			3.33	3.37		mg/Kg		101	66 - 120	16	30
Benzo[k]fluoranthene			3.33	2.91		mg/Kg		87	67 - 122	16	30
Bis(2-chloroethoxy)methane			3.33	2.73		mg/Kg		82	62 - 120	18	30
Bis(2-chloroethyl)ether			3.33	2.60		mg/Kg		78	60 - 120	17	30
Bis(2-ethylhexyl) phthalate			3.33	2.86		mg/Kg		86	64 - 125	20	30
Butyl benzyl phthalate			3.33	2.84		mg/Kg		85	62 - 127	20	30
Caprolactam			1.33	1.19		mg/Kg		90	36 - 150	23	30
Carbazole			3.33	2.84		mg/Kg		85	64 - 120	19	30
Chrysene			3.33	2.82		mg/Kg		85	67 - 120	17	30
Dibenz(a,h)anthracene			3.33	3.09		mg/Kg		93	66 - 128	16	30
Dibenzofuran			3.33	2.75		mg/Kg		83	61 - 120	17	30
Diethyl phthalate			3.33	2.78		mg/Kg		83	63 - 120	19	30
Dimethyl phthalate			3.33	2.84		mg/Kg		85	65 - 120	17	30
Di-n-butyl phthalate			3.33	2.87		mg/Kg		86	66 - 120	18	30
Di-n-octyl phthalate			3.33	2.92		mg/Kg		88	61 - 123	22	30
Fluoranthene			3.33	2.89		mg/Kg		87	61 - 120	16	30
Fluorene			3.33	2.83		mg/Kg		85	64 - 120	17	30
Hexachlorobenzene			3.33	2.97		mg/Kg		89	66 - 120	18	30
Hexachlorobutadiene			3.33	2.81		mg/Kg		84	62 - 120	16	30
Hexachlorocyclopentadiene			3.33	3.67		mg/Kg		110	13 - 120	19	30
Hexachloroethane			3.33	2.64		mg/Kg		79	61 - 120	15	30
Indeno[1,2,3-cd]pyrene			3.33	3.16		mg/Kg		95	71 - 137	15	30
Isophorone			3.33	2.75		mg/Kg		83	61 - 120	18	30
Naphthalene			3.33	2.74		mg/Kg		82	63 - 120	17	30
Nitrobenzene			3.33	2.78		mg/Kg		83	63 - 120	16	30
N-Nitrosodi-n-propylamine			3.33	2.75		mg/Kg		82	56 - 120	18	30
N-Nitrosodiphenylamine			3.33	2.89		mg/Kg		87	63 - 120	16	30
Pentachlorophenol			6.67	5.49		mg/Kg		82	61 - 126	17	30
Phenanthrene			3.33	2.84		mg/Kg		85	66 - 120	18	30
Phenol			3.33	2.64		mg/Kg		79	63 - 120	15	30
Pyrene			3.33	2.87		mg/Kg		86	61 - 121	20	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*78*		*24 - 137*
2-Fluorobiphenyl	*74*		*38 - 128*
2-Fluorophenol (Surr)	*74*		*31 - 133*
Nitrobenzene-d5 (Surr)	*71*		*31 - 120*

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1020420/3-A
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1020420

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Phenol-d5 (Surr)	*74*		*35 - 132*
Terphenyl-d14 (Surr)	*75*		*44 - 147*

Lab Sample ID: 460-320153-C-24-A MS
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	0.34	U	3.49	3.74		mg/Kg	☼	107	64 - 120
1,2,4,5-Tetrachlorobenzene	0.34	U	3.49	3.73		mg/Kg	☼	107	60 - 120
1,4-Dioxane	0.034	U	3.49	2.58		mg/Kg	☼	74	27 - 120
2,2'-oxybis[1-chloropropane]	0.34	U	3.49	3.31		mg/Kg	☼	95	46 - 126
2,3,4,6-Tetrachlorophenol	0.34	U	3.49	3.68		mg/Kg	☼	106	62 - 120
2,4,5-Trichlorophenol	0.34	U	3.49	3.88		mg/Kg	☼	111	64 - 120
2,4,6-Trichlorophenol	0.14	U	3.49	3.84		mg/Kg	☼	110	65 - 120
2,4-Dichlorophenol	0.14	U	3.49	3.76		mg/Kg	☼	108	66 - 120
2,4-Dimethylphenol	0.34	U *	3.49	4.34	*	mg/Kg	☼	124	46 - 120
2,4-Dinitrophenol	0.28	U	6.97	6.58		mg/Kg	☼	94	41 - 129
2,4-Dinitrotoluene	0.070	U	3.49	3.90		mg/Kg	☼	112	65 - 124
2,6-Dinitrotoluene	0.070	U	3.49	3.84		mg/Kg	☼	110	67 - 121
2-Chloronaphthalene	0.34	U	3.49	3.72		mg/Kg	☼	107	64 - 120
2-Chlorophenol	0.34	U	3.49	3.56		mg/Kg	☼	102	63 - 120
2-Methylnaphthalene	0.34	U	3.49	3.24		mg/Kg	☼	93	64 - 120
2-Methylphenol	0.34	U	3.49	3.58		mg/Kg	☼	103	63 - 120
2-Nitroaniline	0.34	U	3.49	3.35		mg/Kg	☼	96	48 - 120
2-Nitrophenol	0.34	U	3.49	3.60		mg/Kg	☼	103	64 - 120
3 & 4 Methylphenol	0.34	U	3.49	3.60		mg/Kg	☼	103	61 - 120
3,3'-Dichlorobenzidine	0.14	U	3.49	1.67		mg/Kg	☼	48	10 - 120
3-Nitroaniline	0.34	U *	3.49	1.44		mg/Kg	☼	41	18 - 122
4,6-Dinitro-2-methylphenol	0.28	U	6.97	7.60		mg/Kg	☼	109	58 - 136
4-Bromophenyl phenyl ether	0.34	U	3.49	3.96		mg/Kg	☼	114	60 - 120
4-Chloro-3-methylphenol	0.34	U	3.49	3.69		mg/Kg	☼	106	66 - 120
4-Chloroaniline	0.34	U *	3.49	0.380		mg/Kg	☼	11	10 - 120
4-Chlorophenyl phenyl ether	0.34	U	3.49	3.82		mg/Kg	☼	110	62 - 120
4-Methylphenol	0.34	U	3.49	3.60		mg/Kg	☼	103	61 - 120
4-Nitroaniline	0.34	U	3.49	3.19		mg/Kg	☼	92	51 - 120
4-Nitrophenol	0.70	U	6.97	6.11		mg/Kg	☼	88	42 - 132
Acenaphthene	0.34	U	3.49	3.70		mg/Kg	☼	106	65 - 120
Acenaphthylene	0.021	J	3.49	3.98		mg/Kg	☼	114	64 - 120
Acetophenone	0.34	U	3.49	3.45		mg/Kg	☼	99	61 - 120
Anthracene	0.34	U	3.49	3.88		mg/Kg	☼	111	67 - 120
Atrazine	0.14	U	1.39	2.17	*	mg/Kg	☼	155	32 - 150
Benzaldehyde	0.34	U	1.39	1.78	E	mg/Kg	☼	128	28 - 150
Benzo[a]anthracene	0.073		3.49	4.09		mg/Kg	☼	115	66 - 120
Benzo[a]pyrene	0.056		3.49	4.25		mg/Kg	☼	120	73 - 123
Benzo[b]fluoranthene	0.069		3.49	4.26		mg/Kg	☼	120	70 - 125
Benzo[g,h,i]perylene	0.026	J	3.49	4.49	*	mg/Kg	☼	128	66 - 120
Benzo[k]fluoranthene	0.032	J	3.49	3.99		mg/Kg	☼	113	67 - 122

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-320153-C-24-A MS
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Bis(2-chloroethoxy)methane	0.34	U	3.49	3.60		mg/Kg	☼	103	62 - 120
Bis(2-chloroethyl)ether	0.034	U	3.49	3.43		mg/Kg	☼	98	60 - 120
Bis(2-ethylhexyl) phthalate	0.34	U	3.49	3.98		mg/Kg	☼	114	64 - 125
Butyl benzyl phthalate	0.34	U	3.49	3.98		mg/Kg	☼	114	62 - 127
Caprolactam	0.34	U	1.39	1.58		mg/Kg	☼	113	36 - 150
Carbazole	0.34	U	3.49	3.90		mg/Kg	☼	112	64 - 120
Chrysene	0.064	J	3.49	3.93		mg/Kg	☼	111	67 - 120
Dibenz(a,h)anthracene	0.034	U	3.49	4.11		mg/Kg	☼	118	66 - 128
Dibenzofuran	0.34	U	3.49	3.65		mg/Kg	☼	105	61 - 120
Diethyl phthalate	0.34	U	3.49	3.72		mg/Kg	☼	107	63 - 120
Dimethyl phthalate	0.34	U	3.49	3.79		mg/Kg	☼	109	65 - 120
Di-n-butyl phthalate	0.34	U	3.49	3.93		mg/Kg	☼	113	66 - 120
Di-n-octyl phthalate	0.34	U	3.49	4.14		mg/Kg	☼	119	61 - 123
Fluoranthene	0.070	J	3.49	3.96		mg/Kg	☼	111	61 - 120
Fluorene	0.34	U	3.49	3.77		mg/Kg	☼	108	64 - 120
Hexachlorobenzene	0.034	U	3.49	4.00		mg/Kg	☼	115	66 - 120
Hexachlorobutadiene	0.070	U	3.49	3.66		mg/Kg	☼	105	62 - 120
Hexachlorocyclopentadiene	0.34	U *	3.49	4.91	*	mg/Kg	☼	141	13 - 120
Hexachloroethane	0.034	U	3.49	3.46		mg/Kg	☼	99	61 - 120
Indeno[1,2,3-cd]pyrene	0.024	J	3.49	4.19		mg/Kg	☼	119	71 - 137
Isophorone	0.14	U	3.49	3.60		mg/Kg	☼	103	61 - 120
Naphthalene	0.34	U	3.49	3.62		mg/Kg	☼	104	63 - 120
Nitrobenzene	0.034	U	3.49	3.68		mg/Kg	☼	106	63 - 120
N-Nitrosodi-n-propylamine	0.034	U	3.49	3.61		mg/Kg	☼	104	56 - 120
N-Nitrosodiphenylamine	0.34	U	3.49	3.94		mg/Kg	☼	113	63 - 120
Pentachlorophenol	0.28	U	6.97	7.48		mg/Kg	☼	107	61 - 126
Phenanthrene	0.014	J	3.49	3.88		mg/Kg	☼	111	66 - 120
Phenol	0.34	U	3.49	3.37		mg/Kg	☼	97	63 - 120
Pyrene	0.059	J	3.49	4.05		mg/Kg	☼	114	61 - 121

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*104*		*24 - 137*
2-Fluorobiphenyl	*97*		*38 - 128*
2-Fluorophenol (Surr)	*95*		*31 - 133*
Nitrobenzene-d5 (Surr)	*91*		*31 - 120*
Phenol-d5 (Surr)	*93*		*35 - 132*
Terphenyl-d14 (Surr)	*103*		*44 - 147*

Lab Sample ID: 460-320153-C-24-B MSD
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl	0.34	U	3.48	3.35		mg/Kg	☼	96	64 - 120	11	30
1,2,4,5-Tetrachlorobenzene	0.34	U	3.48	3.39		mg/Kg	☼	97	60 - 120	10	30
1,4-Dioxane	0.034	U	3.48	2.23		mg/Kg	☼	64	27 - 120	15	30
2,2'-oxybis[1-chloropropane]	0.34	U	3.48	2.91		mg/Kg	☼	84	46 - 126	13	30
2,3,4,6-Tetrachlorophenol	0.34	U	3.48	3.38		mg/Kg	☼	97	62 - 120	8	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-320153-C-24-B MSD
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4,5-Trichlorophenol	0.34	U	3.48	3.51		mg/Kg	☼	101	64 - 120	10	30
2,4,6-Trichlorophenol	0.14	U	3.48	3.49		mg/Kg	☼	100	65 - 120	9	30
2,4-Dichlorophenol	0.14	U	3.48	3.40		mg/Kg	☼	98	66 - 120	10	30
2,4-Dimethylphenol	0.34	U *	3.48	3.95		mg/Kg	☼	114	46 - 120	9	30
2,4-Dinitrophenol	0.28	U	6.96	6.21		mg/Kg	☼	89	41 - 129	6	30
2,4-Dinitrotoluene	0.070	U	3.48	3.58		mg/Kg	☼	103	65 - 124	9	30
2,6-Dinitrotoluene	0.070	U	3.48	3.56		mg/Kg	☼	102	67 - 121	8	30
2-Chloronaphthalene	0.34	U	3.48	3.39		mg/Kg	☼	97	64 - 120	9	30
2-Chlorophenol	0.34	U	3.48	3.15		mg/Kg	☼	91	63 - 120	12	30
2-Methylnaphthalene	0.34	U	3.48	2.94		mg/Kg	☼	85	64 - 120	9	30
2-Methylphenol	0.34	U	3.48	3.21		mg/Kg	☼	92	63 - 120	11	30
2-Nitroaniline	0.34	U	3.48	3.06		mg/Kg	☼	88	48 - 120	9	30
2-Nitrophenol	0.34	U	3.48	3.28		mg/Kg	☼	94	64 - 120	9	30
3 & 4 Methylphenol	0.34	U	3.48	3.22		mg/Kg	☼	93	61 - 120	11	30
3,3'-Dichlorobenzidine	0.14	U	3.48	1.49		mg/Kg	☼	43	10 - 120	11	30
3-Nitroaniline	0.34	U *	3.48	1.25		mg/Kg	☼	36	18 - 122	14	30
4,6-Dinitro-2-methylphenol	0.28	U	6.96	6.93		mg/Kg	☼	100	58 - 136	9	30
4-Bromophenyl phenyl ether	0.34	U	3.48	3.69		mg/Kg	☼	106	60 - 120	7	30
4-Chloro-3-methylphenol	0.34	U	3.48	3.34		mg/Kg	☼	96	66 - 120	10	30
4-Chloroaniline	0.34	U *	3.48	0.324	J *	mg/Kg	☼	9	10 - 120	16	30
4-Chlorophenyl phenyl ether	0.34	U	3.48	3.46		mg/Kg	☼	100	62 - 120	10	30
4-Methylphenol	0.34	U	3.48	3.22		mg/Kg	☼	93	61 - 120	11	30
4-Nitroaniline	0.34	U	3.48	2.92		mg/Kg	☼	84	51 - 120	9	30
4-Nitrophenol	0.70	U	6.96	5.64		mg/Kg	☼	81	42 - 132	8	30
Acenaphthene	0.34	U	3.48	3.40		mg/Kg	☼	98	65 - 120	9	30
Acenaphthylene	0.021	J	3.48	3.61		mg/Kg	☼	103	64 - 120	10	30
Acetophenone	0.34	U	3.48	3.04		mg/Kg	☼	87	61 - 120	13	30
Anthracene	0.34	U	3.48	3.54		mg/Kg	☼	102	67 - 120	9	30
Atrazine	0.14	U	1.39	2.08		mg/Kg	☼	149	32 - 150	4	30
Benzaldehyde	0.34	U	1.39	1.64	E	mg/Kg	☼	118	28 - 150	8	30
Benzo[a]anthracene	0.073		3.48	3.67		mg/Kg	☼	103	66 - 120	11	30
Benzo[a]pyrene	0.056		3.48	3.87		mg/Kg	☼	110	73 - 123	9	30
Benzo[b]fluoranthene	0.069		3.48	3.97		mg/Kg	☼	112	70 - 125	7	30
Benzo[g,h,i]perylene	0.026	J	3.48	4.07		mg/Kg	☼	116	66 - 120	10	30
Benzo[k]fluoranthene	0.032	J	3.48	3.50		mg/Kg	☼	100	67 - 122	13	30
Bis(2-chloroethoxy)methane	0.34	U	3.48	3.23		mg/Kg	☼	93	62 - 120	11	30
Bis(2-chloroethyl)ether	0.034	U	3.48	3.05		mg/Kg	☼	88	60 - 120	12	30
Bis(2-ethylhexyl) phthalate	0.34	U	3.48	3.59		mg/Kg	☼	103	64 - 125	10	30
Butyl benzyl phthalate	0.34	U	3.48	3.62		mg/Kg	☼	104	62 - 127	10	30
Caprolactam	0.34	U	1.39	1.49		mg/Kg	☼	107	36 - 150	5	30
Carbazole	0.34	U	3.48	3.47		mg/Kg	☼	100	64 - 120	12	30
Chrysene	0.064	J	3.48	3.50		mg/Kg	☼	99	67 - 120	12	30
Dibenz(a,h)anthracene	0.034	U	3.48	3.69		mg/Kg	☼	106	66 - 128	11	30
Dibenzofuran	0.34	U	3.48	3.34		mg/Kg	☼	96	61 - 120	9	30
Diethyl phthalate	0.34	U	3.48	3.37		mg/Kg	☼	97	63 - 120	10	30
Dimethyl phthalate	0.34	U	3.48	3.45		mg/Kg	☼	99	65 - 120	9	30
Di-n-butyl phthalate	0.34	U	3.48	3.53		mg/Kg	☼	101	66 - 120	11	30
Di-n-octyl phthalate	0.34	U	3.48	3.74		mg/Kg	☼	108	61 - 123	10	30
Fluoranthene	0.070	J	3.48	3.58		mg/Kg	☼	101	61 - 120	10	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-320153-C-24-B MSD
Matrix: Solid
Analysis Batch: 1020469

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1020420

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluorene	0.34	U	3.48	3.40		mg/Kg	☼	98	64 - 120	10	30
Hexachlorobenzene	0.034	U	3.48	3.67		mg/Kg	☼	106	66 - 120	9	30
Hexachlorobutadiene	0.070	U	3.48	3.26		mg/Kg	☼	94	62 - 120	11	30
Hexachlorocyclopentadiene	0.34	U *	3.48	4.46	*	mg/Kg	☼	128	13 - 120	10	30
Hexachloroethane	0.034	U	3.48	3.04		mg/Kg	☼	87	61 - 120	13	30
Indeno[1,2,3-cd]pyrene	0.024	J	3.48	3.78		mg/Kg	☼	108	71 - 137	10	30
Isophorone	0.14	U	3.48	3.19		mg/Kg	☼	92	61 - 120	12	30
Naphthalene	0.34	U	3.48	3.20		mg/Kg	☼	92	63 - 120	12	30
Nitrobenzene	0.034	U	3.48	3.26		mg/Kg	☼	94	63 - 120	12	30
N-Nitrosodi-n-propylamine	0.034	U	3.48	3.22		mg/Kg	☼	92	56 - 120	12	30
N-Nitrosodiphenylamine	0.34	U	3.48	3.53		mg/Kg	☼	101	63 - 120	11	30
Pentachlorophenol	0.28	U	6.96	6.96		mg/Kg	☼	100	61 - 126	7	30
Phenanthrene	0.014	J	3.48	3.56		mg/Kg	☼	102	66 - 120	9	30
Phenol	0.34	U	3.48	3.02		mg/Kg	☼	87	63 - 120	11	30
Pyrene	0.059	J	3.48	3.58		mg/Kg	☼	101	61 - 121	12	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*95*		*24 - 137*
2-Fluorobiphenyl	*87*		*38 - 128*
2-Fluorophenol (Surr)	*84*		*31 - 133*
Nitrobenzene-d5 (Surr)	*81*		*31 - 120*
Phenol-d5 (Surr)	*83*		*35 - 132*
Terphenyl-d14 (Surr)	*93*		*44 - 147*

Method: 8270E SIM ID - Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution)

Lab Sample ID: MB 460-1020646/1-A
Matrix: Water
Analysis Batch: 1020742

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1020646

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	0.20	U	0.20	0.072	ug/L		02/11/25 09:12	02/11/25 20:26	1

Isotope Dilution	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,4-Dioxane-d8	*32*		*10 - 150*	*02/11/25 09:12*	*02/11/25 20:26*	*1*

Lab Sample ID: LCS 460-1020646/2-A
Matrix: Water
Analysis Batch: 1020742

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1020646

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane			1.60	1.31		ug/L		82	42 - 142		

Isotope Dilution	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,4-Dioxane-d8	*29*		*10 - 150*

Method: 8270E SIM ID - Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution) (Continued)

Lab Sample ID: LCSD 460-1020646/3-A
Matrix: Water
Analysis Batch: 1020742

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1020646

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane			1.60	1.27		ug/L		79	42 - 142	3	20

Isotope Dilution	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,4-Dioxane-d8	*27*		*10 - 150*

Lab Sample ID: 460-320213-D-8-A MS
Matrix: Water
Analysis Batch: 1020742

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1020646

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,4-Dioxane	1.1		1.60	2.46		ug/L		88	42 - 142		

Isotope Dilution	*MS %Recovery*	*MS Qualifier*	*Limits*
1,4-Dioxane-d8	*34*		*10 - 150*

Lab Sample ID: 460-320213-E-8-B MSD
Matrix: Water
Analysis Batch: 1020742

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1020646

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dioxane	1.1		1.60	3.00		ug/L		122	42 - 142	20	20

Isotope Dilution	*MSD %Recovery*	*MSD Qualifier*	*Limits*
1,4-Dioxane-d8	*33*		*10 - 150*

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-1021051/1-A
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Antimony	1.0	U	1.0	0.15	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Barium	2.0	U	2.0	0.15	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Beryllium	0.40	U	0.40	0.057	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Calcium	100	U	100	40.7	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Chromium	2.0	U	2.0	0.91	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Copper	2.0	U	2.0	0.37	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Iron	60.0	U	60.0	20.2	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Lead	0.60	U	0.60	0.20	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Magnesium	100	U	100	10.2	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Manganese	4.0	U	4.0	0.40	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Nickel	2.0	U	2.0	0.47	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Potassium	100	U	100	16.2	mg/Kg		02/13/25 06:15	02/13/25 15:18	1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-1021051/1-A
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	1.3	U	1.3	0.13	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Silver	0.40	U	0.40	0.089	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Sodium	100	U	100	45.7	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Thallium	0.40	U	0.40	0.041	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		02/13/25 06:15	02/13/25 15:18	1
Zinc	8.0	U	8.0	3.1	mg/Kg		02/13/25 06:15	02/13/25 15:18	1

Lab Sample ID: LCSSRM 460-1021051/2-A ^3
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	5940	4938		mg/Kg		83.1	46.1 - 153.9
Antimony	121	69.69		mg/Kg		57.6	0.1 - 200.8
Arsenic	242	231.4		mg/Kg		95.6	81.8 - 118.6
Barium	295	315.2		mg/Kg		106.8	81.7 - 118.3
Beryllium	160	153.7		mg/Kg		96.1	82.5 - 117.5
Cadmium	84.3	83.28		mg/Kg		98.8	82.2 - 117.8
Calcium	5270	5201		mg/Kg		98.7	82.5 - 117.5
Chromium	213	209.3		mg/Kg		98.3	81.2 - 119.2
Cobalt	137	134.7		mg/Kg		98.3	83.2 - 117.5
Copper	195	195.1		mg/Kg		100.0	83.1 - 116.9
Iron	6650	6133		mg/Kg		92.2	58.6 - 141.5
Lead	194	192.3		mg/Kg		99.1	82.0 - 118.6
Magnesium	1860	1704		mg/Kg		91.6	75.3 - 124.2
Manganese	264	242.3		mg/Kg		91.8	80.7 - 118.9
Nickel	298	296.6		mg/Kg		99.5	82.2 - 117.8
Potassium	2010	1865		mg/Kg		92.8	70.6 - 129.4
Selenium	272	277.2		mg/Kg		101.9	80.1 - 119.5
Silver	76.7	77.44		mg/Kg		101.0	79.5 - 120.5
Sodium	406	441.5		mg/Kg		108.7	74.9 - 124.9
Thallium	108	113.1		mg/Kg		104.8	80.0 - 119.4
Vanadium	169	160.7		mg/Kg		95.1	78.1 - 122.5

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1021051/2-A ^3
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1021051

Analyte			Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits		
Zinc			236	233.3		mg/Kg		98.9	80.1 - 120.3		

Lab Sample ID: 460-320403-C-3-I MS
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Aluminum	8520		534	10860	4	mg/Kg	☼	437	75 - 125		
Antimony	1.1	U	5.34	2.00	N	mg/Kg	☼	37	75 - 125		
Arsenic	4.3		10.7	13.58		mg/Kg	☼	87	75 - 125		
Barium	40.9		10.7	51.19		mg/Kg	☼	96	75 - 125		
Beryllium	0.40	J	5.34	5.04		mg/Kg	☼	87	75 - 125		
Cadmium	1.1	U	5.34	4.85		mg/Kg	☼	91	75 - 125		
Calcium	9240		534	8768	4	mg/Kg	☼	-88	75 - 125		
Chromium	17.5		10.7	30.05		mg/Kg	☼	117	75 - 125		
Cobalt	4.8		5.34	10.10		mg/Kg	☼	99	75 - 125		
Copper	12.9		10.7	23.05		mg/Kg	☼	95	75 - 125		
Iron	16000		534	16990	4	mg/Kg	☼	177	75 - 125		
Lead	17.7		5.34	23.92		mg/Kg	☼	116	75 - 125		
Magnesium	4470		534	5003	4	mg/Kg	☼	101	75 - 125		
Manganese	136		53.4	181.1		mg/Kg	☼	84	75 - 125		
Nickel	12.0		10.7	26.51	N	mg/Kg	☼	136	75 - 125		
Potassium	700		534	1217		mg/Kg	☼	97	75 - 125		
Selenium	0.20	J	10.7	9.53		mg/Kg	☼	87	75 - 125		
Silver	0.43	U	5.34	4.86		mg/Kg	☼	91	75 - 125		
Sodium	114		534	592.2		mg/Kg	☼	90	75 - 125		
Thallium	0.085	J	4.28	3.90		mg/Kg	☼	89	75 - 125		
Vanadium	27.9		10.7	38.33		mg/Kg	☼	98	75 - 125		
Zinc	43.6		53.4	103.0		mg/Kg	☼	111	75 - 125		

Lab Sample ID: 460-320403-C-3-J MSD
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aluminum	8520		534	10660	4	mg/Kg	☼	399	75 - 125	2	20
Antimony	1.1	U	5.34	2.04	N	mg/Kg	☼	38	75 - 125	2	20
Arsenic	4.3		10.7	13.90		mg/Kg	☼	90	75 - 125	2	20
Barium	40.9		10.7	52.38		mg/Kg	☼	107	75 - 125	2	20
Beryllium	0.40	J	5.34	4.88		mg/Kg	☼	84	75 - 125	3	20
Cadmium	1.1	U	5.34	4.73		mg/Kg	☼	88	75 - 125	3	20
Calcium	9240		534	13250	4 N	mg/Kg	☼	751	75 - 125	41	20
Chromium	17.5		10.7	28.04		mg/Kg	☼	98	75 - 125	7	20
Cobalt	4.8		5.34	9.60		mg/Kg	☼	89	75 - 125	5	20
Copper	12.9		10.7	26.11		mg/Kg	☼	123	75 - 125	12	20
Iron	16000		534	17920	4	mg/Kg	☼	351	75 - 125	5	20
Lead	17.7		5.34	24.69	N	mg/Kg	☼	130	75 - 125	3	20
Magnesium	4470		534	6169	4 N	mg/Kg	☼	319	75 - 125	21	20

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-320403-C-3-J MSD
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Manganese	136		53.4	169.2	N	mg/Kg	☼	62	75 - 125	7	20
Nickel	12.0		10.7	22.12		mg/Kg	☼	94	75 - 125	18	20
Potassium	700		534	1215		mg/Kg	☼	96	75 - 125	0	20
Selenium	0.20	J	10.7	9.34		mg/Kg	☼	86	75 - 125	2	20
Silver	0.43	U	5.34	4.84		mg/Kg	☼	91	75 - 125	0	20
Sodium	114		534	593.4		mg/Kg	☼	90	75 - 125	0	20
Thallium	0.085	J	4.28	3.79		mg/Kg	☼	87	75 - 125	3	20
Vanadium	27.9		10.7	38.40		mg/Kg	☼	99	75 - 125	0	20
Zinc	43.6		53.4	91.44		mg/Kg	☼	89	75 - 125	12	20

Lab Sample ID: 460-320403-C-3-H DU
Matrix: Solid
Analysis Batch: 1021166

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 1021051

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Aluminum	8520		9338		mg/Kg	☼	9	20
Antimony	1.1	U	1.1	U	mg/Kg	☼	NC	20
Arsenic	4.3		4.30		mg/Kg	☼	0.1	20
Barium	40.9		52.91	*	mg/Kg	☼	26	20
Beryllium	0.40	J	0.412	J	mg/Kg	☼	3	20
Cadmium	1.1	U	0.139	J	mg/Kg	☼	NC	20
Calcium	9240		8202		mg/Kg	☼	12	20
Chromium	17.5		18.91		mg/Kg	☼	8	20
Cobalt	4.8		5.12		mg/Kg	☼	6	20
Copper	12.9		18.65	*	mg/Kg	☼	36	20
Iron	16000		16790		mg/Kg	☼	5	20
Lead	17.7		20.96		mg/Kg	☼	17	20
Magnesium	4470		4138		mg/Kg	☼	8	20
Manganese	136		134.0		mg/Kg	☼	2	20
Nickel	12.0		12.92		mg/Kg	☼	7	20
Potassium	700		808.0		mg/Kg	☼	14	20
Selenium	0.20	J	0.206	J	mg/Kg	☼	5	20
Silver	0.43	U	0.43	U	mg/Kg	☼	NC	20
Sodium	114		122.0		mg/Kg	☼	7	20
Thallium	0.085	J	0.0901	J	mg/Kg	☼	6	20
Vanadium	27.9		28.89		mg/Kg	☼	4	20
Zinc	43.6		65.15	*	mg/Kg	☼	40	20

Lab Sample ID: MB 460-1020855/1-A
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	40.0	U	40.0	11.7	ug/L		02/12/25 09:26	02/13/25 13:30	1
Antimony	2.0	U	2.0	0.48	ug/L		02/12/25 09:26	02/13/25 13:30	1
Arsenic	2.0	U	2.0	1.2	ug/L		02/12/25 09:26	02/13/25 13:30	1
Barium	4.0	U	4.0	0.93	ug/L		02/12/25 09:26	02/13/25 13:30	1
Beryllium	0.80	U	0.80	0.12	ug/L		02/12/25 09:26	02/13/25 13:30	1
Cadmium	2.0	U	2.0	0.38	ug/L		02/12/25 09:26	02/13/25 13:30	1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-1020855/1-A
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	500	U	500	31.7	ug/L		02/12/25 09:26	02/13/25 13:30	1
Chromium	4.0	U	4.0	1.7	ug/L		02/12/25 09:26	02/13/25 13:30	1
Cobalt	4.0	U	4.0	0.41	ug/L		02/12/25 09:26	02/13/25 13:30	1
Copper	4.0	U	4.0	2.0	ug/L		02/12/25 09:26	02/13/25 13:30	1
Iron	120	U	120	33.7	ug/L		02/12/25 09:26	02/13/25 13:30	1
Lead	1.2	U	1.2	0.42	ug/L		02/12/25 09:26	02/13/25 13:30	1
Magnesium	200	U	200	21.8	ug/L		02/12/25 09:26	02/13/25 13:30	1
Manganese	8.0	U	8.0	0.84	ug/L		02/12/25 09:26	02/13/25 13:30	1
Nickel	4.0	U	4.0	1.4	ug/L		02/12/25 09:26	02/13/25 13:30	1
Potassium	200	U	200	83.3	ug/L		02/12/25 09:26	02/13/25 13:30	1
Selenium	2.5	U	2.5	0.43	ug/L		02/12/25 09:26	02/13/25 13:30	1
Silver	2.0	U	2.0	1.3	ug/L		02/12/25 09:26	02/13/25 13:30	1
Sodium	500	U	500	180	ug/L		02/12/25 09:26	02/13/25 13:30	1
Thallium	0.80	U	0.80	0.19	ug/L		02/12/25 09:26	02/13/25 13:30	1
Vanadium	4.0	U	4.0	1.0	ug/L		02/12/25 09:26	02/13/25 13:30	1
Zinc	16.0	U	16.0	4.2	ug/L		02/12/25 09:26	02/13/25 13:30	1

Lab Sample ID: LCS 460-1020855/2-A
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	2500	2468		ug/L		99	80 - 120
Antimony	25.0	24.50		ug/L		98	80 - 120
Arsenic	50.0	52.34		ug/L		105	80 - 120
Barium	50.0	52.75		ug/L		105	80 - 120
Beryllium	25.0	23.40		ug/L		94	80 - 120
Cadmium	25.0	25.16		ug/L		101	80 - 120
Calcium	2500	2657		ug/L		106	80 - 120
Chromium	50.0	53.80		ug/L		108	80 - 120
Cobalt	25.0	26.97		ug/L		108	80 - 120
Copper	50.0	54.98		ug/L		110	80 - 120
Iron	2500	2826		ug/L		113	80 - 120
Lead	25.0	25.43		ug/L		102	80 - 120
Magnesium	2500	2557		ug/L		102	80 - 120
Manganese	250	262.1		ug/L		105	80 - 120
Nickel	50.0	53.50		ug/L		107	80 - 120
Potassium	2500	2651		ug/L		106	80 - 120
Selenium	50.0	54.38		ug/L		109	80 - 120
Silver	25.0	26.09		ug/L		104	80 - 120
Sodium	2500	2761		ug/L		110	80 - 120
Thallium	20.0	20.06		ug/L		100	80 - 120
Vanadium	50.0	53.12		ug/L		106	80 - 120
Zinc	250	267.5		ug/L		107	80 - 120

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-319956-G-2-C MS
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Matrix Spike
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	2340		2500	4555		ug/L		89	75 - 125
Antimony	2.0	U	25.0	25.25		ug/L		101	75 - 125
Arsenic	1.3	J	50.0	54.50		ug/L		106	75 - 125
Barium	46.4		50.0	99.69		ug/L		107	75 - 125
Beryllium	5.5		25.0	28.37		ug/L		91	75 - 125
Cadmium	3.0		25.0	26.32		ug/L		93	75 - 125
Calcium	457000		2500	459100	4	ug/L		84	75 - 125
Chromium	191		50.0	231.8		ug/L		81	75 - 125
Cobalt	28.9		25.0	49.52		ug/L		83	75 - 125
Copper	503		50.0	528.0	4	ug/L		50	75 - 125
Iron	1230		2500	3839		ug/L		104	75 - 125
Lead	3.1		25.0	28.51		ug/L		102	75 - 125
Magnesium	351000		2500	353300	4	ug/L		93	75 - 125
Manganese	17400		250	17260	4	ug/L		-37	75 - 125
Nickel	3210		50.0	3218	4	ug/L		9	75 - 125
Potassium	73700		2500	76110	4	ug/L		95	75 - 125
Selenium	11.4		50.0	77.71	N	ug/L		133	75 - 125
Silver	2.0	U	25.0	22.00		ug/L		88	75 - 125
Thallium	0.22	J	20.0	18.83		ug/L		93	75 - 125
Vanadium	2.9	J	50.0	53.31		ug/L		101	75 - 125
Zinc	230		250	464.3		ug/L		94	75 - 125

Lab Sample ID: 460-319956-G-2-D MSD
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Aluminum	2340		2500	4481		ug/L		86	75 - 125	2	20
Antimony	2.0	U	25.0	25.40		ug/L		102	75 - 125	1	20
Arsenic	1.3	J	50.0	54.92		ug/L		107	75 - 125	1	20
Barium	46.4		50.0	98.20		ug/L		104	75 - 125	2	20
Beryllium	5.5		25.0	28.67		ug/L		93	75 - 125	1	20
Cadmium	3.0		25.0	26.01		ug/L		92	75 - 125	1	20
Calcium	457000		2500	464200	4	ug/L		291	75 - 125	1	20
Chromium	191		50.0	226.5	N	ug/L		70	75 - 125	2	20
Cobalt	28.9		25.0	48.63		ug/L		79	75 - 125	2	20
Copper	503		50.0	521.9	4	ug/L		37	75 - 125	1	20
Iron	1230		2500	3801		ug/L		103	75 - 125	1	20
Lead	3.1		25.0	28.25		ug/L		101	75 - 125	1	20
Magnesium	351000		2500	351700	4	ug/L		29	75 - 125	0	20
Manganese	17400		250	17280	4	ug/L		-27	75 - 125	0	20
Nickel	3210		50.0	3234	4	ug/L		41	75 - 125	0	20
Potassium	73700		2500	76530	4	ug/L		112	75 - 125	1	20
Selenium	11.4		50.0	76.60	N	ug/L		130	75 - 125	1	20
Silver	2.0	U	25.0	21.82		ug/L		87	75 - 125	1	20
Thallium	0.22	J	20.0	18.58		ug/L		92	75 - 125	1	20
Vanadium	2.9	J	50.0	54.28		ug/L		103	75 - 125	2	20
Zinc	230		250	465.0		ug/L		94	75 - 125	0	20

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-319956-G-2-B DU
Matrix: Water
Analysis Batch: 1021166

Client Sample ID: Duplicate
Prep Type: Total Recoverable
Prep Batch: 1020855

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Aluminum	2340		2242		ug/L		4	20
Antimony	2.0	U	2.0	U	ug/L		NC	20
Arsenic	1.3	J	2.0	U	ug/L		NC	20
Barium	46.4		44.34		ug/L		5	20
Beryllium	5.5		5.50		ug/L		0.2	20
Cadmium	3.0		2.78		ug/L		6	20
Calcium	457000		450000		ug/L		2	20
Chromium	191		185.5		ug/L		3	20
Cobalt	28.9		27.60		ug/L		5	20
Copper	503		489.1		ug/L		3	20
Iron	1230		1185		ug/L		4	20
Lead	3.1		2.93		ug/L		6	20
Magnesium	351000		342500		ug/L		2	20
Manganese	17400		16760		ug/L		3	20
Nickel	3210		3136		ug/L		2	20
Potassium	73700		71100		ug/L		4	20
Selenium	11.4		11.45		ug/L		0.05	20
Silver	2.0	U	2.0	U	ug/L		NC	20
Thallium	0.22	J	0.239	J	ug/L		6	20
Vanadium	2.9	J	2.72	J	ug/L		6	20
Zinc	230		218.6		ug/L		5	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 460-1021139/1-A
Matrix: Water
Analysis Batch: 1021220

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1021139

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20	U	0.20	0.091	ug/L		02/13/25 11:50	02/13/25 14:27	1

Lab Sample ID: LCS 460-1021139/2-A
Matrix: Water
Analysis Batch: 1021220

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1021139

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	1.00	1.02		ug/L		102	80 - 120

Lab Sample ID: 460-319724-H-5-C MS
Matrix: Water
Analysis Batch: 1021220

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 1021139

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.20	U	1.00	1.08		ug/L		108	75 - 125

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 460-319724-H-5-B DU — **Client Sample ID: Duplicate**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 1021220 — **Prep Batch: 1021139**

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Mercury	0.20	U		0.20	U	ug/L				NC	20

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-1020552/1-A — **Client Sample ID: Method Blank**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 1020612 — **Prep Batch: 1020552**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0080	mg/Kg		02/11/25 01:25	02/11/25 06:03	1

Lab Sample ID: LCSSRM 460-1020552/2-A ^40 — **Client Sample ID: Lab Control Sample**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 1020612 — **Prep Batch: 1020552**

Analyte			Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits		
Mercury			22.8	24.93		mg/Kg		109.3	70.6 - 129.4		

Lab Sample ID: 460-320118-F-1-F MS — **Client Sample ID: Matrix Spike**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 1020612 — **Prep Batch: 1020552**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Mercury	0.018	U	0.0876	0.0976		mg/Kg	☼	111	80 - 120		

Lab Sample ID: 460-320118-F-1-E DU — **Client Sample ID: Duplicate**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 1020612 — **Prep Batch: 1020552**

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Mercury	0.018	U		0.018	U	mg/Kg	☼			NC	20

Method: Moisture - Percent Moisture

Lab Sample ID: 460-320093-A-3 DU — **Client Sample ID: Duplicate**
Matrix: Solid — **Prep Type: Total/NA**
Analysis Batch: 1020445

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Percent Moisture	1.0	U		3.7		%				NC	20
Percent Solids	99.8			96.3		%				4	20

GC/MS VOA

Prep Batch: 1020331

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	5035	
460-320182-2	SB-5_(16-18)	Total/NA	Solid	5035	
LB3 460-1020331/1-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 1020981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	8260D	
460-320182-4	GW-5_020725	Total/NA	Water	8260D	
MB 460-1020981/8	Method Blank	Total/NA	Water	8260D	
LCS 460-1020981/3	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-1020981/4	Lab Control Sample Dup	Total/NA	Water	8260D	

Analysis Batch: 1021012

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	8260D	1020331
460-320182-2	SB-5_(16-18)	Total/NA	Solid	8260D	1020331
LB3 460-1020331/1-A	Method Blank	Total/NA	Solid	8260D	1020331
MB 460-1021012/7	Method Blank	Total/NA	Solid	8260D	
LCS 460-1021012/3	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-1021012/4	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC/MS Semi VOA

Prep Batch: 1020376

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	3510C	
460-320182-4	GW-5_020725	Total/NA	Water	3510C	
MB 460-1020376/1-A	Method Blank	Total/NA	Water	3510C	
LCS 460-1020376/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 460-1020376/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 1020417

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	8270E	1020376
460-320182-4	GW-5_020725	Total/NA	Water	8270E	1020376
MB 460-1020376/1-A	Method Blank	Total/NA	Water	8270E	1020376
LCS 460-1020376/2-A	Lab Control Sample	Total/NA	Water	8270E	1020376
LCSD 460-1020376/3-A	Lab Control Sample Dup	Total/NA	Water	8270E	1020376

Prep Batch: 1020420

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	3546	
460-320182-1 - DL	SB-2_(5-7)	Total/NA	Solid	3546	
MB 460-1020420/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1020420/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1020420/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
460-320153-C-24-A MS	Matrix Spike	Total/NA	Solid	3546	
460-320153-C-24-B MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

GC/MS Semi VOA

Analysis Batch: 1020469

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	8270E	1020420
MB 460-1020420/1-A	Method Blank	Total/NA	Solid	8270E	1020420
LCS 460-1020420/2-A	Lab Control Sample	Total/NA	Solid	8270E	1020420
LCSD 460-1020420/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	1020420
460-320153-C-24-A MS	Matrix Spike	Total/NA	Solid	8270E	1020420
460-320153-C-24-B MSD	Matrix Spike Duplicate	Total/NA	Solid	8270E	1020420

Analysis Batch: 1020610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1 - DL	SB-2_(5-7)	Total/NA	Solid	8270E	1020420

Prep Batch: 1020646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	3510C	
460-320182-4	GW-5_020725	Total/NA	Water	3510C	
MB 460-1020646/1-A	Method Blank	Total/NA	Water	3510C	
LCS 460-1020646/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 460-1020646/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
460-320213-D-8-A MS	Matrix Spike	Total/NA	Water	3510C	
460-320213-E-8-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Analysis Batch: 1020742

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	8270E SIM ID	1020646
460-320182-4	GW-5_020725	Total/NA	Water	8270E SIM ID	1020646
MB 460-1020646/1-A	Method Blank	Total/NA	Water	8270E SIM ID	1020646
LCS 460-1020646/2-A	Lab Control Sample	Total/NA	Water	8270E SIM ID	1020646
LCSD 460-1020646/3-A	Lab Control Sample Dup	Total/NA	Water	8270E SIM ID	1020646
460-320213-D-8-A MS	Matrix Spike	Total/NA	Water	8270E SIM ID	1020646
460-320213-E-8-B MSD	Matrix Spike Duplicate	Total/NA	Water	8270E SIM ID	1020646

Metals

Prep Batch: 1020552

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	7471B	
MB 460-1020552/1-A	Method Blank	Total/NA	Solid	7471B	
LCSSRM 460-1020552/2-A ^	Lab Control Sample	Total/NA	Solid	7471B	
460-320118-F-1-F MS	Matrix Spike	Total/NA	Solid	7471B	
460-320118-F-1-E DU	Duplicate	Total/NA	Solid	7471B	

Analysis Batch: 1020612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	7471B	1020552
MB 460-1020552/1-A	Method Blank	Total/NA	Solid	7471B	1020552
LCSSRM 460-1020552/2-A ^	Lab Control Sample	Total/NA	Solid	7471B	1020552
460-320118-F-1-F MS	Matrix Spike	Total/NA	Solid	7471B	1020552
460-320118-F-1-E DU	Duplicate	Total/NA	Solid	7471B	1020552

Metals

Prep Batch: 1020855

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total Recoverable	Water	3005A	
460-320182-4	GW-5_020725	Total Recoverable	Water	3005A	
MB 460-1020855/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 460-1020855/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
460-319956-G-2-C MS	Matrix Spike	Total Recoverable	Water	3005A	
460-319956-G-2-D MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	
460-319956-G-2-B DU	Duplicate	Total Recoverable	Water	3005A	

Prep Batch: 1021051

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	3050B	
MB 460-1021051/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1021051/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	
460-320403-C-3-I MS	Matrix Spike	Total/NA	Solid	3050B	
460-320403-C-3-J MSD	Matrix Spike Duplicate	Total/NA	Solid	3050B	
460-320403-C-3-H DU	Duplicate	Total/NA	Solid	3050B	

Prep Batch: 1021139

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	7470A	
460-320182-4	GW-5_020725	Total/NA	Water	7470A	
MB 460-1021139/1-A	Method Blank	Total/NA	Water	7470A	
LCS 460-1021139/2-A	Lab Control Sample	Total/NA	Water	7470A	
460-319724-H-5-C MS	Matrix Spike	Total/NA	Water	7470A	
460-319724-H-5-B DU	Duplicate	Total/NA	Water	7470A	

Analysis Batch: 1021166

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	6020B	1021051
460-320182-3	GW-2_020725	Total Recoverable	Water	6020B	1020855
460-320182-3	GW-2_020725	Total Recoverable	Water	6020B	1020855
460-320182-4	GW-5_020725	Total Recoverable	Water	6020B	1020855
460-320182-4	GW-5_020725	Total Recoverable	Water	6020B	1020855
MB 460-1020855/1-A	Method Blank	Total Recoverable	Water	6020B	1020855
MB 460-1021051/1-A	Method Blank	Total/NA	Solid	6020B	1021051
LCS 460-1020855/2-A	Lab Control Sample	Total Recoverable	Water	6020B	1020855
LCSSRM 460-1021051/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1021051
460-319956-G-2-C MS	Matrix Spike	Total Recoverable	Water	6020B	1020855
460-319956-G-2-D MSD	Matrix Spike Duplicate	Total Recoverable	Water	6020B	1020855
460-320403-C-3-I MS	Matrix Spike	Total/NA	Solid	6020B	1021051
460-320403-C-3-J MSD	Matrix Spike Duplicate	Total/NA	Solid	6020B	1021051
460-319956-G-2-B DU	Duplicate	Total Recoverable	Water	6020B	1020855
460-320403-C-3-H DU	Duplicate	Total/NA	Solid	6020B	1021051

Analysis Batch: 1021220

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-3	GW-2_020725	Total/NA	Water	7470A	1021139
460-320182-4	GW-5_020725	Total/NA	Water	7470A	1021139
MB 460-1021139/1-A	Method Blank	Total/NA	Water	7470A	1021139
LCS 460-1021139/2-A	Lab Control Sample	Total/NA	Water	7470A	1021139
460-319724-H-5-C MS	Matrix Spike	Total/NA	Water	7470A	1021139

Metals (Continued)

Analysis Batch: 1021220 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-319724-H-5-B DU	Duplicate	Total/NA	Water	7470A	1021139

General Chemistry

Analysis Batch: 1020445

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-320182-1	SB-2_(5-7)	Total/NA	Solid	Moisture	
460-320182-2	SB-5_(16-18)	Total/NA	Solid	Moisture	
460-320174-D-3 MS	Matrix Spike	Total/NA	Solid	Moisture	
460-320174-D-3 MSD	Matrix Spike Duplicate	Total/NA	Solid	Moisture	
460-320093-A-3 DU	Duplicate	Total/NA	Solid	Moisture	

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Project/Site: 35-30 Steinway St, Astoria

Job ID: 460-320182-1

Client Sample ID: SB-2_(5-7)
Date Collected: 02/07/25 08:00
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1020445	MVA	EET EDI	02/10/25 07:53

Client Sample ID: SB-2_(5-7)
Date Collected: 02/07/25 08:00
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-1
Matrix: Solid
Percent Solids: 97.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1020331	YXG	EET EDI	02/08/25 16:10
Total/NA	Analysis	8260D		1	1021012	AAT	EET EDI	02/13/25 08:40
Total/NA	Prep	3546			1020420	AXB	EET EDI	02/10/25 06:29
Total/NA	Analysis	8270E		5	1020469	DXD	EET EDI	02/10/25 18:31
Total/NA	Prep	3546	DL		1020420	AXB	EET EDI	02/10/25 06:29
Total/NA	Analysis	8270E	DL	50	1020610	DXD	EET EDI	02/11/25 17:09
Total/NA	Prep	3050B			1021051	FBT	EET EDI	02/13/25 06:15
Total/NA	Analysis	6020B		1	1021166	CDC	EET EDI	02/13/25 16:10
Total/NA	Prep	7471B			1020552	TJS	EET EDI	02/11/25 01:25
Total/NA	Analysis	7471B		1	1020612	TJS	EET EDI	02/11/25 06:40

Client Sample ID: SB-5_(16-18)
Date Collected: 02/07/25 10:40
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1020445	MVA	EET EDI	02/10/25 07:53

Client Sample ID: SB-5_(16-18)
Date Collected: 02/07/25 10:40
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-2
Matrix: Solid
Percent Solids: 99.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1020331	YXG	EET EDI	02/08/25 16:11
Total/NA	Analysis	8260D		1	1021012	AAT	EET EDI	02/13/25 09:06

Client Sample ID: GW-2_020725
Date Collected: 02/07/25 08:05
Date Received: 02/07/25 21:15

Lab Sample ID: 460-320182-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1020981	KLB	EET EDI	02/13/25 01:12
Total/NA	Prep	3510C			1020376	ZEH	EET EDI	02/09/25 13:22
Total/NA	Analysis	8270E		1	1020417	DXD	EET EDI	02/10/25 11:01
Total/NA	Prep	3510C			1020646	SXS	EET EDI	02/11/25 09:13
Total/NA	Analysis	8270E SIM ID		1	1020742	MME	EET EDI	02/12/25 00:21
Total Recoverable	Prep	3005A			1020855	NNW	EET EDI	02/12/25 09:26
Total Recoverable	Analysis	6020B		1	1021166	CDC	EET EDI	02/13/25 14:57

Lab Chronicle

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Client Sample ID: GW-2_020725
Lab Sample ID: 460-320182-3
Date Collected: 02/07/25 08:05
Matrix: Water
Date Received: 02/07/25 21:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			1020855	NNW	EET EDI	02/12/25 09:26
Total Recoverable	Analysis	6020B		10	1021166	CDC	EET EDI	02/13/25 16:23
Total/NA	Prep	7470A			1021139	RBS	EET EDI	02/13/25 11:50
Total/NA	Analysis	7470A		1	1021220	RBS	EET EDI	02/13/25 15:13

Client Sample ID: GW-5_020725
Lab Sample ID: 460-320182-4
Date Collected: 02/07/25 10:45
Matrix: Water
Date Received: 02/07/25 21:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1020981	KLB	EET EDI	02/13/25 01:36
Total/NA	Prep	3510C			1020376	ZEH	EET EDI	02/09/25 13:22
Total/NA	Analysis	8270E		1	1020417	DXD	EET EDI	02/10/25 10:40
Total/NA	Prep	3510C			1020646	SXS	EET EDI	02/11/25 09:13
Total/NA	Analysis	8270E SIM ID		1	1020742	MME	EET EDI	02/12/25 00:37
Total Recoverable	Prep	3005A			1020855	NNW	EET EDI	02/12/25 09:26
Total Recoverable	Analysis	6020B		1	1021166	CDC	EET EDI	02/13/25 15:00
Total Recoverable	Prep	3005A			1020855	NNW	EET EDI	02/12/25 09:26
Total Recoverable	Analysis	6020B		5	1021166	CDC	EET EDI	02/13/25 16:26
Total/NA	Prep	7470A			1021139	RBS	EET EDI	02/13/25 11:50
Total/NA	Analysis	7470A		1	1021220	RBS	EET EDI	02/13/25 15:15

Laboratory References:
EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	03-31-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E	3510C	Water	3 & 4 Methylphenol
8270E	3546	Solid	3 & 4 Methylphenol
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI
8270E SIM ID	Semivolatile Organic Compounds (GC/MS SIM / Isotope Dilution)	SW846	EET EDI
6020B	Metals (ICP/MS)	SW846	EET EDI
7470A	Mercury (CVAA)	SW846	EET EDI
7471B	Mercury (CVAA)	SW846	EET EDI
Moisture	Percent Moisture	EPA	EET EDI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET EDI
3050B	Preparation, Metals	SW846	EET EDI
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET EDI
3546	Microwave Extraction	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI
5035	Closed System Purge and Trap	SW846	EET EDI
7470A	Preparation, Mercury	SW846	EET EDI
7471B	Preparation, Mercury	SW846	EET EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Roux Environmental Eng & Geology DPC
Job ID: 460-320182-1
Project/Site: 35-30 Steinway St, Astoria

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-320182-1	SB-2_(5-7)	Solid	02/07/25 08:00	02/07/25 21:15
460-320182-2	SB-5_(16-18)	Solid	02/07/25 10:40	02/07/25 21:15
460-320182-3	GW-2_020725	Water	02/07/25 08:05	02/07/25 21:15
460-320182-4	GW-5_020725	Water	02/07/25 10:45	02/07/25 21:15

Eurofins Edison
777 New Durham Road
Edison NJ 08817
Phone (732) 549-3900 Phone (732) 549-3679

Chain of Custody Record

NY 22

eurofins

Client Information	Sampler: Zoe Sat	Lab PM: Flannery, Elizabeth J	Carrier Tracking No(s):	COC No: 460-191165-125073 1
Client Contact: Jack Rusk	Phone: 9176352380	E-Mail: Elizabeth Flannery@et eurofinsus com	State of Origin:	Page: Page 1 of 1
Company: Roux Environmental Eng & Geology DPC	PWSID:			Job #: 320182
Address: 209 Shafter St	Due Date Requested:			
City: Islandia	TAT Requested (days): standard TAT			
State, Zip: NY, 11749	Compliance Project: Δ Yes Δ No			
Phone: 6312322600	PO #: 4806 0001Y000			
Email: jrusk@rouxinc com	WO #:			
Project Name: 35-30 Steinway St, Astoria	Project #: 46044959			
Site: 35-30 Steinway St, Astoria, NY	SSOW#:			

Analysis Requested

Preservation Codes:
N - None
D - HNO3
A - HCL

SHORT HOLD

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260D - TCL/Part 375 VOCs	8270E - TCL/Part 375 BNAs	8270E_SIM_MS_ID - 1,4-Dioxane (GC/MS SIM / Isotope Dilutio	6020B - TAL Metals+Hg	Total Number of containers	Special Instructions/Note:
			Preservation Code:				N/A	N	N	N/D		
SB-2_(5-7)	2/7/25	0800	G	Solid			X	X	X	X	5	
SB-5_(16-18)		1040		Solid			X	X	X	X	5	
GW-2_020725		0905		Water			X	X	X	X	8	
GW-5_020725		1045		Water			X	X	X	X	8	

460-320182 Chain of Custody

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested I, II, III, IV, Other (specify)

Special Instructions/QC Requirements

Empty Kit Relinquished by	Date	Time	Method of Shipment:

	Relinquished by	Date/Time	Company	Received by	Date/Time	Company
1	Zoe Sat	2/7/25 12:30	ROUX		02/07/25 12:30	TAN YC
2		02/07/25 16:00	TAN YC		2-7-25 16:30	ET
3		2-7-25 21:15	ET		2/7 2115	ETA

Custody Seals Intact: Δ Yes Δ No | Custody Seal No: NO

Cooler Temperature(s) °C and Other Remarks: ET 2.5/2.7

Ver: 05 06 2024

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number: 320182

Number of Coolers: 1 IR Gun # 9

Cooler Temperatures

	RAW	CORRECTED		RAW	CORRECTED		RAW	CORRECTED
Cooler #1:	℃	℃	Cooler #4:	℃	℃	Cooler #7:	℃	℃
Cooler #2:	℃	℃	Cooler #5:	℃	℃	Cooler #8:	℃	℃
Cooler #3:	℃	℃	Cooler #6:	℃	℃	Cooler #9:	℃	℃

TALS Sample Number	Ammonia (pH<2)	COD (pH<2)	Nitrate Nitrite (pH<2)	Metals* (pH<2)	Hardness (pH<2)	Pest (pH 5-9)	EPH or QAM (pH<2)	Phenols (pH<2)	Sulfide (pH>9)	TKN (pH<2)	TOC (pH<2)	Total Cyanide (pH>12)	Total Phos (pH<2)	Other	Other

If pH adjustments are required record the information below:

Sample No(s). adjusted: _____

Preservative Name/Conc.: _____ Volume of Preservative used (ml): _____

Lot # of Preservative(s): _____ Expiration Date: _____

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

* *Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.*

Initials: _____ Date: 2-7-25

Login Sample Receipt Checklist

Client: Roux Environmental Eng & Geology DPC

Job Number: 460-320182-1

Login Number: 320182
List Number: 1
Creator: Rivera, Kenneth

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

APPENDIX C


Soil Boring and Well Construction Logs

RSB-1/RMW-1

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: A. Iervolino

Start to Finish Date: 12/1/2025 - 12/2/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 25 feet	Backfill: Cuttings	Borehole Diameter: 4-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Well Depth: 25 feet	Well Dia./Materials: 2-inch PVC	Screen Interval: 10-20 feet	Screen Slot Size: 20-Slot	Sand/Filter Pack Size: Morie #2	Annular Seal: Bentonite



Depth (ft)	USCS	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH	ASPHALT.			0.0	Soil sample RSB-1(0-2) collected between 0 and 2 feet BLS. Soil boring hand cleared to 5 feet BLS.
	MIXD	Dark Brown, fine SAND, some Silt, little fine to coarse Gravel, trace asphalt, concrete, and glass (FILL); dry.	G	5	0.0	
	SP-SM	Brown, fine SAND and SILT; dry.			0.0	Soil sample RSB-1(2-4) collected between 2 and 4 feet BLS.
5	SP-SM	Brown, fine SAND and SILT, trace fine gravel; moist.			0.0	Soil sample RSB-1(4-5) collected between 4 and 5 feet BLS.
	SP	Light brown, fine SAND, little Silt; moist.		3.5		
10	SP	Reddish brown, fine SAND; moist.			0.0	
	SW	Light brown, fine to medium SAND, trace coarse sand; moist.		3.5		
15		Light brown, fine SAND, trace medium sand; wet.			0.0	Groundwater observed at 17 feet BLS.
				3.5		
20	SP				0.0	Soil sample RSB-1(20-22) collected between 20 and 22 feet BLS.
				3.5		

Bottom of borehole at 25 feet


ROUX STANDARD LOG_ - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-2/RMW-2

Client:	Site:	Project Number:
LMXD INNOQ B1 LLC	Former Bordens Farm Products	4806.0001Y000
Address:	**City/State:**	**Logged By:**
35-18 Steinway Street	Astoria, NY	A. Iervolino

Start to Finish Date:	Contractor:	Drill Type:	Sampler Type/Method:
12/1/2025 - 12/2/2025	Eastern Environmental Solutions	Geoprobe	4" Hand Auger
Borehole Depth:	**Backfill:**	**Borehole Diameter:**	**DTW:**
25 feet	Cuttings	4-inches	
Area:	**Elevation:**	**Latitude:**	**Longitude:**
NM	NM	NM	NM

Well Depth:	Well Dia./Materials:	Screen Interval:	Screen Slot Size:	Sand/Filter Pack Size:	Annular Seal:
25 feet	2-inch PVC	10-20 feet	20-Slot	Morie #2	Bentonite



Bottom of borehole at 25 feet


ROUX STANDARD LOG_ - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-3/RMW-3

Client:	Site:	Project Number:
LMXD INNOQ B1 LLC	Former Bordens Farm Products	4806.0001Y000
Address:	**City/State:**	**Logged By:**
35-18 Steinway Street	Astoria, NY	A. Iervolino

Start to Finish Date:	Contractor:	Drill Type:	Sampler Type/Method:
12/1/2025 - 12/2/2025	Eastern Environmental Solutions	Geoprobe	4" Hand Auger
Borehole Depth:	**Backfill:**	**Borehole Diameter:**	**DTW:**
25 feet	Cuttings	4-inches	
Area:	**Elevation:**	**Latitude:**	**Longitude:**
NM	NM	NM	NM

Well Depth:	Well Dia./Materials:	Screen Interval:	Screen Slot Size:	Sand/Filter Pack Size:	Annular Seal:
25 feet	2-inch PVC	10-20 feet	20-Slot	Morie #2	Bentonite



Depth (ft)	USCS	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
0	ASPH	ASPHALT			0.0	Soil sample RSB-3(0-2) collected between 0 and 2 feet BLS.
	MIXD	Brown, fine SAND, some Silt, little fine to coarse Gravel, trace concrete, brick, and asphalt (FILL); dry.	G	5	0.0	Soil boring hand cleared to 5 feet BLS.
					0.0	Soil sample RSB-3(2-4) collected between 2 and 4 feet BLS.
	SP-SM	Brown, fine SAND, some Silt, little fine to coarse Gravel; moist			0.0	Soil sample RSB-3(4-6) collected between 4 and 6 feet BLS.
5	SW	Brown, fine to medium SAND, trace coarse gravel; moist.		2	0.0	
10	SW	Brown, fine to medium SAND, trace coarse gravel; moist.		2.5	0.0	
15	SPG	Brown, fine SAND, some fine to coarse gravel; moist.			0.0	
	SW	Light brown, fine to coarse SAND; wet.		4		Groundwater observed at 18 feet.
20	SWG	Brown, fine to coarse SAND, some fine to coarse gravel, trace cobble; wet.		2	0.0	Soil sample RSB-3(20-22) collected between 20 and 22 feet BLS.

Bottom of borehole at 25 feet

ROUX STANDARD LOG - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-4/RMW-4

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: A. Iervolino

Start to Finish Date: 12/3/2025 - 12/3/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 30 feet	Backfill: Cuttings	Borehole Diameter: 4-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Well Depth: 30 feet	Well Dia./Materials: 2-inch PVC	Screen Interval: 15-25 feet	Screen Slot Size: 20-Slot	Sand/Filter Pack Size: Morie #2	Annular Seal: Bentonite

Depth (ft)	Well Diagram	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	Flushmount J-Plug	ASPH		ASPHALT			0.0	Soil sample RSB-4(0-2) collected between 0 and 2 feet BLS.
		MIXD		Brown, fine SAND and SILT, some coarse Gravel, little Brick, trace glass, concrete, and medium to coarse sand (FILL); dry.	G	5	0.9	Soil boring hand cleared to 5 feet BLS.
		SP		Brown, fine SAND, some Silt, trace coarse gravel; moist.			1.9 0.0	Soil sample RSB-4(2-4) collected between 2 and 4 feet BLS.
5				Brown, fine SAND, some Silt; moist.			0.0	Soil sample RSB-4(4-6) collected between 4 and 6 feet BLS.
		SP				3.5		
10				Light brown, fine SAND and SILT; moist.			0.0	
		SP-SM				2.5		
15	2" PVC Riser			Light brown, fine SAND and SILT, trace fine to coarse gravel, and cobble; moist.			0.0	
	2 ft of Hole Plug	SP-SM				3		
20				Light brown, SILT, some fine Sand; wet.			0.0	
						3		Soil sample RSB-4(20-22) collected between 20 and 22 feet BLS.
25	2" PVC Screen #2 Morie Sand	SM						

Bottom of borehole at 30 feet


ROUX STANDARD LOG - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-5/RMW-5

Client:	Site:	Project Number:
LMXD INNOQ B1 LLC	Former Bordens Farm Products	4806.0001Y000
Address:	**City/State:**	**Logged By:**
35-18 Steinway Street	Astoria, NY	A. Iervolino

Start to Finish Date:	Contractor:	Drill Type:	Sampler Type/Method:
12/1/2025 - 12/2/2025	Eastern Environmental Solutions	Geoprobe	4" Hand Auger
Borehole Depth:	**Backfill:**	**Borehole Diameter:**	**DTW:**
25 feet	Cuttings	4-inches	
Area:	**Elevation:**	**Latitude:**	**Longitude:**
NM	NM	NM	NM

Well Depth:	Well Dia./Materials:	Screen Interval:	Screen Slot Size:	Sand/Filter Pack Size:	Annular Seal:
25 feet	2-inch PVC	10-20 feet	20-Slot	Morie #2	Bentonite



Depth (ft)	USCS	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
0	ASPH	ASPHALT			0.0	Soil sample RSB-5(0-2) collected between 0 and 2 feet BLS.
	MIXD	Brown, fine SAND and SILT, some fine to coarse Gravel, little Concrete, trace brick, glass. slight odor (FILL); dry.			0.1	Soil boring hand cleared to 5 feet BLS.
	MIXD	Brown, fine SAND and SILT, little fine to coarse Gravel, trace glass, brick, clay (FILL); dry.	G	5	0.0	Soil sample RSB-5(2-4) collected between 2 and 4 feet BLS.
	SP-SM	Brown, fine SAND, some Silt, little fine to coarse Gravel; dry.			0.0	Soil sample RSB-5(4-6) collected between 2 and 4 feet BLS.
5		Brown, fine to medium SAND, some Silt, little fine to coarse Gravel; moist.			0.0	
				5		Soil sample RSB-5(6-8) collected between 6 and 8 feet BLS.
						Soil sample RSB-5(8-10) collected between 8 and 10 feet BLS.
10	SW-SM				0.0	
				4.5		
15					0.0	
		Light brown, fine to coarse SAND, some Silt; moist.		4.5		
	SW-SM					
20		Light brown, fine to coarse SAND, some Silt; wet.			0.0	Soil sample RSB-5(20-22) collected between 20 and 22 feet BLS.
	SW-SM			4.5		

Bottom of borehole at 25 feet

ROUX STANDARD LOG_ - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-6

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: M. Villacres

Start to Finish Date: 12/12/2025 - 12/16/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 25 feet	Backfill: Cuttings	Borehole Diameter: 2-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Depth (ft)	USCS	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH	ASPHALT			0.0	Soil samples RSB-6(0-2) collected between 0 and 2 feet BLS.
	MIXD	Brown, fine to coarse SAND, Brick, Concrete, Asphalt (FILL); moist.			0.0	Soil boring hand cleared to 6 feet BLS.
	SW-SM	Brown, fine to coarse SAND, some Silt, little medium to coarse Gravel; moist.	G	5	0.0	Soil samples RSB-6(2-4) collected between 2 and 4 feet BLS.
5	SW-SM	Brown, fine to coarse SAND, some Silt, little medium to coarse Gravel and Clay; moist.			0.0	Soil samples RSB-6(4-6) collected between 4 and 6 feet BLS.
	SW-SM	Brown, fine to coarse SAND, some Silt, little fine to coarse Gravel; moist.				Soil samples RSB-6(6-8) collected between 6 and 8 feet BLS.
10	SW-SM	Light brown, fine to coarse SAND, some Silt, little fine to coarse Gravel; moist.		5	0.0	
15	SW-SM			5	0.0	
20	SW-SM	Light brown, fine to coarse SAND, some Silt, little fine to coarse Gravel; wet.		5	0.0	Soil samples RSB-6(20-22) collected between 20 and 22 feet BLS.
		Bottom of borehole at 25 feet				

ROUX STANDARD LOG_ - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-7

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: M. Villacres

Start to Finish Date: 12/8/2025 - 12/16/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 30 feet	Backfill: Cuttings	Borehole Diameter: 2-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.			0.0	Soil samples RSB-7(0-2) collected between 0 and 2 feet BLS.
	MIXD		Brown, fine to coarse SAND, some Brick, Concrete, Asphalt, Glass, little Silt (FILL); moist.	G	5	0.0	Soil boring hand cleared to 5 feet BLS.
	SW-SM		Brown, fine to coarse SAND, some Silt, little fine to coarse Gravel; moist.			0.0	Soil samples RSB-7(2-4) collected between 2 and 4 feet BLS.
5			Brown, fine to coarse SAND, some Silt, Gravel; moist.			0.0	Soil samples RSB-7(4-6) collected between 4 and 6 feet BLS.
	SW-SM				2.5		Soil samples RSB-7(6-8) collected between 6 and 8 feet BLS.
10			Light brown, fine to coarse SAND, some Silt, Gravel; moist.			0.0	Soil samples RSB-7(8-10) collected between 8 and 10 feet BLS.
	SW-SM				3		
15			Light brown, fine to coarse SAND, some Silt, Gravel; moist.			0.0	
	SW-SM				4		
	SWG		Light brown, medium to coarse SAND, and Gravel, some Silt; wet.				
20			Light brown, medium to coarse SAND, and Gravel, some Silt; wet.			0.0	
	SWG				4		
25			Light brown, medium to coarse SAND, and Gravel, some Silt; wet.			0.0	Soil samples RSB-7(25-27) collected between 25 and 27 feet BLS.
	SWG				3.5		

Bottom of borehole at 30 feet

ROUX STANDARD LOG_ - 1/21/26 11:02 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-8

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: M. Villacres

Start to Finish Date: 12/11/2025 - 12/15/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 30 feet	Backfill: Cuttings	Borehole Diameter: 2-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Depth (ft)	USCS	USCS Graphic	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH		ASPHALT.			0.0	Soil samples RSB-8(0-2) collected between 0 and 2 feet BLS.
	MIXD		Brown, fine to coarse SAND, some Brick, Concrete, Asphalt (FILL); moist.			0.0	
	CONC		CONCRETE.			0.0	Soil samples RSB-8(1-3) collected between 1 and 3 feet BLS.
	MIXD		Brown, fine to coarse SAND, some Brick, Concrete, Asphalt (FILL); moist.	G	5	0.0	
	SW-SM		Brown, fine to coarse SAND, some Silt, medium to coarse Gravel, medium Cobble; moist.			0.0	Soil boring hand cleared to 5 feet BLS.
5			Light Brown, fine to coarse SAND, some fine to coarse Gravel, Silt; moist.			0.0	Soil samples RSB-8(3-5) collected between 3 and 5 feet BLS.
					4		Soil samples RSB-8(5-7) collected between 5 and 7 feet BLS.
10	SW					0.0	
					3.5		
15			Light brown, fine to medium SAND, some Silt, little fine to coarse Gravel; moist.			0.0	
	SP-SM				5		
20						0.0	
	SWG		Light brown, fine to coarse SAND and fine to coarse GRAVEL, some Silt; moist.				
			Light brown, fine to medium SAND and fine GRAVEL, some Silt; moist.		5		
25	SWG					0.0	Soil samples RSB-8(25-27) and RSB-8(25-27)_P collected between 25 and 27 feet BLS.
					5		

Bottom of borehole at 30 feet

ROUX STANDARD LOG - 1/21/26 11:03 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

RSB-9

Client: LMXD INNOQ B1 LLC	Site: Former Bordens Farm Products	Project Number: 4806.0001Y000
Address: 35-18 Steinway Street	City/State: Astoria, NY	Logged By: M. Villacres

Start to Finish Date: 12/15/2025 - 12/17/2025	Contractor: Eastern Environmental Solutions	Drill Type: Geoprobe	Sampler Type/Method: 4" Hand Auger
Borehole Depth: 25 feet	Backfill: Cuttings	Borehole Diameter: 2-inches	DTW:
Area: NM	Elevation: NM	Latitude: NM	Longitude: NM

Depth (ft)	USCS	Visual Description	Sample Interval	Recovery (ft)	PID	Notes
	ASPH	ASPHALT.			0.0	Soil samples RSB-9(0-2) collected between 0 and 2 feet BLS. Soil boring hand cleared to 5 feet BLS.
	MIXD	Brown, fine to coarse SAND, Brick, Concrete, Asphalt, Tile (FILL); moist.	G	5	0.0	
5	MIXD	Brown, fine to coarse SAND, some Brick, Concrete (FILL); moist.		2.5	0.0	
10	MIXD	Brown, fine to coarse SAND, some Brick, Concrete, medium to coarse Gravel (FILL); moist.		3	0.0	
15	CONC	CONCRETE.		4	0.0	Soil samples RSB-9(16-18) collected between 16 and 18 feet BLS.
		Brown, fine to medium SAND, some Silt, fine to coarse Gravel; wet.				
20	SP-SM			3.5	0.0	Soil samples RSB-9(20-22) collected between 20 and 22 feet BLS. Soil samples RSB-9(22-24) collected between 22 and 24 feet BLS.

Bottom of borehole at 25 feet

ROUX STANDARD LOG_ - 1/21/26 11:03 - S:\GINT\PROJECTS\4806.0001Y000 RI.GPJ

APPENDIX D

Remedial Investigation Analytical Data

APPENDIX E

Data Usability Summary Reports for Remedial Investigation Data

APPENDIX F

Groundwater Sampling Forms

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-1 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 24.15 Water Column (ft): 5.75

Depth to Water(ft): 18.40 Volume of Water in Well (gal) 0.94

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1336 Purge Rate: 0.2 L/min

End Purging: 1401 Volume of Water Removed (gal):

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-1/RMW-1P

22 Bottles

Time: 1402 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1336	18.4	200	171	1.37	43.0	4.84	15.06	9.96
1341	18.41	200	169	1.34	18.0	4.9	15.43	9.60
1346	18.42	200	168	1.35	19.6	4.93	15.43	8.90
1351	18.44	200	166	1.33	42.8	4.9	15.31	8.47
1356	18.45	200	165	1.35	38.2	4.94	15.53	7.98
1401	18.45	200	165	1.35	36.0	4.94	15.58	7.64

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-2 Weather: 27-37 F, Sunny

Date: 12/22/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: TJ Well Diameter / Type: 2" PVC

Depth of Well (ft): 25.10 Water Column (ft): 5.61

Depth to Water(ft): 19.49 Volume of Water in Well (gal) 0.92

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 925 Purge Rate: 0.2 L/min

End Purging: 1025 Volume of Water Removed (gal): 1-1.5 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Mostly Clear, some sediment, no odor

Samples Collected: (analyses / no. bottles) RMW-2/RMW-2P

22 Bottles

Time: 1025 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
930	19.53	200	122	1.54	172.0	5.69	8.88	13.99
935	19.51	200	121	1.53	122.0	5.72	9.69	14.01
940	19.57	200	121	1.53	103.0	5.72	10.20	13.61
945	19.49	200	120	1.52	44.0	5.75	10.65	13.18
950	19.49	200	120	1.54	13.1	5.78	10.77	12.92
955	19.47	200	120	1.53	5.6	5.8	10.96	12.58
1000	19.47	200	120	1.54	0.0	5.81	10.73	12.42
1005	19.47	200	120	1.54	0.0	5.82	10.96	12.01
1010	19.49	200	120	1.55	0.0	5.87	19.95	11.99

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-3 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 24.50 Water Column (ft): 5.50

Depth to Water(ft): 19.00 Volume of Water in Well (gal) 0.90

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 950 Purge Rate: 0.2 L/min

End Purging: 1046 Volume of Water Removed (gal): 2.3 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-3/RMW-3P

22 Bottles

Time: 1046 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
958	19	200	206	1.16	289.0	4.27	15.03	6.92
1003	19	200	192	1.15	165.0	4.35	15.95	6.45
1008	19.1	200	182	1.15	121.0	4.4	16.40	5.55
1013	19.2	200	176	1.14	64.0	4.41	16.90	4.75
1018	19.2	200	172	1.14	34.7	4.42	17.24	4.11
1023	19.3	200	168	1.14	37.8	4.43	17.55	2.87
1028	19.3	200	165	1.13	38.9	4.45	17.96	2.69
1033	19.3	200	163	1.12	34.4	4.47	18.16	2.81

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-3 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 29.05 Water Column (ft): 7.83

Depth to Water(ft): 21.22 Volume of Water in Well (gal) 1.28

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1026 Purge Rate: 0.2 L/min

End Purging: 1101 Volume of Water Removed (gal):

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-4/RMW-4_P/DUP/DUP_P

44 Bottles

Time: 1128 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1026	21.25	200	222	1.26	1000.0	2.77	15.33	2.41
1031	21.25	200	224	1.20	309.0	2.72	14.89	0.99
1036	21.25	200	226	1.17	150.0	2.68	14.95	0.71
1041	21.25	200	227	1.14	61.9	2.66	14.96	0.60
1046	21.25	200	228	1.14	33.4	2.67	14.91	0.52
1051	21.25	200	229	1.14	27.6	2.66	14.87	0.46
1056	21.25	200	231	1.14	29.3	2.65	14.55	0.43
1101	21.25	200	234	1.15	26.9	2.62	14.4	0.40

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-5 Weather: 27-37 F, Sunny

Date: 12/22/2025 Purge Water Disposal: 55 Gal Drum

Sampled By: TJ Well Diameter / Type: 2" PVC

Depth of Well (ft): 25.10 Water Column (ft): 5.61

Depth to Water(ft): 19.49 Volume of Water in Well (gal) 0.92

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1120 Purge Rate: 0.2 L/min

End Purging: 1205 Volume of Water Removed (gal): 1.5-1.75 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Mostly Clear, some sediment, fiant odor

Samples Collected: (analyses / no. bottles) RMW-5/RMW-5P

22 Bottles

Time: 1228 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1125	19.49	200	159	1.39	43.8	5.69	13.98	9.56
1130	19.52	200	149	1.34	62.3	5.85	15.05	9.85
1135	19.6	200	146	1.32	35.3	5.86	15.38	9.82
1140	19.6	200	144	1.31	19.1	5.87	15.50	9.69
1145	19.55	200	143	1.28	10.7	5.88	15.75	9.30
1150	19.55	200	141	1.27	4.6	5.89	15.96	9.01
1155	19.55	200	141	1.26	0.3	5.89	16.07	8.81
1200	19.55	200	140	1.26	0.0	5.9	16.17	8.74
1205	19.55	200	140	1.26	0	5.9	16.24	8.66
1210	19.55	200	140	1.26	0	5.9	16.27	8.57

APPENDIX G

Soil Vapor Sampling Forms

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-1 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 24.15 Water Column (ft): 5.75

Depth to Water(ft): 18.40 Volume of Water in Well (gal) 0.94

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1336 Purge Rate: 0.2 L/min

End Purging: 1401 Volume of Water Removed (gal):

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-1/RMW-1P

22 Bottles

Time: 1402 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1336	18.4	200	171	1.37	43.0	4.84	15.06	9.96
1341	18.41	200	169	1.34	18.0	4.9	15.43	9.60
1346	18.42	200	168	1.35	19.6	4.93	15.43	8.90
1351	18.44	200	166	1.33	42.8	4.9	15.31	8.47
1356	18.45	200	165	1.35	38.2	4.94	15.53	7.98
1401	18.45	200	165	1.35	36.0	4.94	15.58	7.64

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-2 Weather: 27-37 F, Sunny

Date: 12/22/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: TJ Well Diameter / Type: 2" PVC

Depth of Well (ft): 25.10 Water Column (ft): 5.61

Depth to Water(ft): 19.49 Volume of Water in Well (gal) 0.92

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 925 Purge Rate: 0.2 L/min

End Purging: 1025 Volume of Water Removed (gal): 1-1.5 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Mostly Clear, some sediment, no odor

Samples Collected: (analyses / no. bottles) RMW-2/RMW-2P

22 Bottles

Time: 1025 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
930	19.53	200	122	1.54	172.0	5.69	8.88	13.99
935	19.51	200	121	1.53	122.0	5.72	9.69	14.01
940	19.57	200	121	1.53	103.0	5.72	10.20	13.61
945	19.49	200	120	1.52	44.0	5.75	10.65	13.18
950	19.49	200	120	1.54	13.1	5.78	10.77	12.92
955	19.47	200	120	1.53	5.6	5.8	10.96	12.58
1000	19.47	200	120	1.54	0.0	5.81	10.73	12.42
1005	19.47	200	120	1.54	0.0	5.82	10.96	12.01
1010	19.49	200	120	1.55	0.0	5.87	19.95	11.99

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-3 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 24.50 Water Column (ft): 5.50

Depth to Water(ft): 19.00 Volume of Water in Well (gal) 0.90

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 950 Purge Rate: 0.2 L/min

End Purging: 1046 Volume of Water Removed (gal): 2.3 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-3/RMW-3P

22 Bottles

Time: 1046 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
958	19	200	206	1.16	289.0	4.27	15.03	6.92
1003	19	200	192	1.15	165.0	4.35	15.95	6.45
1008	19.1	200	182	1.15	121.0	4.4	16.40	5.55
1013	19.2	200	176	1.14	64.0	4.41	16.90	4.75
1018	19.2	200	172	1.14	34.7	4.42	17.24	4.11
1023	19.3	200	168	1.14	37.8	4.43	17.55	2.87
1028	19.3	200	165	1.13	38.9	4.45	17.96	2.69
1033	19.3	200	163	1.12	34.4	4.47	18.16	2.81

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-3 Weather: 23-46 F, Sunny

Date: 12/18/2025 Purge Water Disposal: 55-Gal Drum

Sampled By: RR Well Diameter / Type: 2" PVC

Depth of Well (ft): 29.05 Water Column (ft): 7.83

Depth to Water(ft): 21.22 Volume of Water in Well (gal) 1.28

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1026 Purge Rate: 0.2 L/min

End Purging: 1101 Volume of Water Removed (gal):

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Clear

Samples Collected: (analyses / no. bottles) RMW-4/RMW-4_P/DUP/DUP_P

44 Bottles

Time: 1128 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1026	21.25	200	222	1.26	1000.0	2.77	15.33	2.41
1031	21.25	200	224	1.20	309.0	2.72	14.89	0.99
1036	21.25	200	226	1.17	150.0	2.68	14.95	0.71
1041	21.25	200	227	1.14	61.9	2.66	14.96	0.60
1046	21.25	200	228	1.14	33.4	2.67	14.91	0.52
1051	21.25	200	229	1.14	27.6	2.66	14.87	0.46
1056	21.25	200	231	1.14	29.3	2.65	14.55	0.43
1101	21.25	200	234	1.15	26.9	2.62	14.4	0.40

Well Sampling Data Form

Client: LMXD INNOQ B1 LLC **Project Number:** 4806.0001Y000

Site Location: 35-18 Steinway Street, Astoria, Queens, NY

Well No: RMW-5 Weather: 27-37 F, Sunny

Date: 12/22/2025 Purge Water Disposal: 55 Gal Drum

Sampled By: TJ Well Diameter / Type: 2" PVC

Depth of Well (ft): 25.10 Water Column (ft): 5.61

Depth to Water(ft): 19.49 Volume of Water in Well (gal) 0.92

Depth to Product (ft): -- Volume of Water to Remove (gal):

well diameter:	1 in	2 in	4 in	6 in	8 in
gallons per foot:	0.041	0.163	0.653	1.469	2.611

Start Purging: 1120 Purge Rate: 0.2 L/min

End Purging: 1205 Volume of Water Removed (gal): 1.5-1.75 gal

Method of Purge: Peri-pump Method of Sampling: Low flow

Physical Appearance/ Comments: Mostly Clear, some sediment, fiant odor

Samples Collected: (analyses / no. bottles) RMW-5/RMW-5P

22 Bottles

Time: 1228 Laboratory : Eurofins

Field Measurements:

Time	DTW ft	Flow Rate ml/min	ORP mV (+/- 10 mV)	Conductivity mS/m - S/m (w/in 3%)	Turbidity NTU (w/in %10)	pH SU (+/- 0.1)	Temperature C° - F° (w/in 3%)	Dissolved O_2 mg/L (w/in 10%)
1125	19.49	200	159	1.39	43.8	5.69	13.98	9.56
1130	19.52	200	149	1.34	62.3	5.85	15.05	9.85
1135	19.6	200	146	1.32	35.3	5.86	15.38	9.82
1140	19.6	200	144	1.31	19.1	5.87	15.50	9.69
1145	19.55	200	143	1.28	10.7	5.88	15.75	9.30
1150	19.55	200	141	1.27	4.6	5.89	15.96	9.01
1155	19.55	200	141	1.26	0.3	5.89	16.07	8.81
1200	19.55	200	140	1.26	0.0	5.9	16.17	8.74
1205	19.55	200	140	1.26	0	5.9	16.24	8.66
1210	19.55	200	140	1.26	0	5.9	16.27	8.57

APPENDIX H

Remedial Investigation CAMP Data Logs and Daily Reports

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 1, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	35-43°F, Partly Cloudy, RH: 50%, P: 30.28" Hg Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

CONTRACTOR AND EQUIPMENT	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• Eastern Environmental Solutions, Inc. (Easterm) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Ashley Iervolino) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four soil borings (RSB-1, 2, 3, and 5) to 5 ft bls with hand tools for utility clearance.
- Roux completed oversight, implemented CAMP, and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 8:30 to 14:30 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.2 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.006 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - RSB-1_(0-2), RSB-1_(2-4), RSB-1_(4-6), RSB-2_(0-2), RSB-2_(1-3), RSB-2_(3-5), RSB-3_(0-2), RSB-3_(2-4), RSB-3_(4-6), RSB-5_(0-2), RSB-5_(2-4), and RSB-5_(4-6) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing groundwater monitoring wells and soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 1, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	35-43°F, Partly Cloudy, RH: 50%, P: 30.28" Hg Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 1: View facing west; upwind CAMP station setup.



Photo 2: Eastern advancing RSB-1 to 5 ft bls with hand tools for utility clearance.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 1, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	35-43°F, Partly Cloudy, RH: 50%, P: 30.28" Hg Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 3: Soil collected from 0 to 5 ft bls from RSB-1.




Photo 4: Eastern advancing RSB-3 to 5 ft bls with hand tools for utility clearance.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 1, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	35-43°F, Partly Cloudy, RH: 50%, P: 30.28" Hg Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/1/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
8:32:43 AM	0.01	8:30:02 AM	0.012	0.002	
8:47:43 AM	0.003	8:45:02 AM	0.008	0.005	
9:02:43 AM	0.001	9:00:02 AM	0.007	0.006	
9:17:43 AM	0.001	9:15:02 AM	0.006	0.005	
9:32:43 AM	0.001	9:30:02 AM	0.004	0.003	
9:47:43 AM	0.003	9:45:02 AM	0.005	0.002	
10:02:43 AM	0.002	10:00:02 AM	0.004	0.002	
10:17:43 AM	0.01	10:15:02 AM	0.004	-0.006	
10:32:43 AM	0.007	10:30:02 AM	0.004	-0.003	
10:47:43 AM	0.005	10:45:02 AM	0.004	-0.001	
11:02:43 AM	0.001	11:00:02 AM	0.006	0.005	
11:17:43 AM	0.001	11:15:02 AM	0.006	0.005	
11:32:43 AM	0	11:30:02 AM	0.005	0.005	
11:47:43 AM	0.001	11:45:02 AM	0.005	0.004	
12:02:43 PM	0	12:00:02 PM	0.004	0.004	
12:17:43 PM	0.001	12:15:02 PM	0.003	0.002	
12:32:43 PM	0	12:30:02 PM	0.004	0.004	
12:47:43 PM	0.001	12:45:02 PM	0.004	0.003	
1:02:43 PM	0	1:00:02 PM	0.005	0.005	
1:17:43 PM	0	1:15:02 PM	0.004	0.004	
1:32:43 PM	0	1:30:02 PM	0.004	0.004	
1:47:43 PM	0	1:45:02 PM	0.004	0.004	
2:02:43 PM	0.001	2:00:02 PM	0.004	0.003	
2:17:43 PM	0.001	2:15:02 PM	0.004	0.003	
2:32:43 PM	0.001	2:30:02 PM	0.004	0.003	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/1/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-907916	Station #2 - DOWNWIND	592-601739	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
8:18:08 AM	0.0	8:15:41 AM	NR	0.0	
8:33:08 AM	0.0	8:30:41 AM	0.1	0.1	
8:48:08 AM	0.0	8:45:41 AM	0.1	0.1	
9:03:08 AM	0.0	9:00:41 AM	0.2	0.2	
9:18:08 AM	0.1	9:15:41 AM	0.2	0.1	
9:33:08 AM	0.1	9:30:41 AM	0.2	0.1	
9:48:08 AM	0.1	9:45:41 AM	0.3	0.2	
10:03:08 AM	0.2	10:00:41 AM	0.3	0.1	
10:18:08 AM	0.2	10:15:41 AM	0.3	0.1	
10:33:08 AM	0.2	10:30:41 AM	0.3	0.1	
10:48:08 AM	0.2	10:45:41 AM	0.3	0.1	
11:03:08 AM	0.3	11:00:41 AM	0.4	0.1	
11:18:08 AM	0.3	11:15:41 AM	0.4	0.1	
11:33:08 AM	0.3	11:30:41 AM	0.4	0.1	
11:48:08 AM	0.3	11:45:41 AM	0.4	0.1	
12:03:08 PM	0.3	12:00:41 PM	0.4	0.1	
12:18:08 PM	0.3	12:15:41 PM	0.4	0.1	
12:33:08 PM	0.4	12:30:41 PM	0.4	0.0	
12:48:08 PM	0.4	12:45:41 PM	0.4	0.0	
1:03:08 PM	0.4	1:00:41 PM	0.4	0.0	
1:18:08 PM	0.4	1:15:41 PM	0.4	0.0	
1:33:08 PM	0.4	1:30:41 PM	0.4	0.0	
1:48:08 PM	0.4	1:45:41 PM	0.4	0.0	
2:03:08 PM	0.4	2:00:41 PM	0.5	0.1	
2:18:08 PM	0.4	2:15:41 PM	0.5	0.1	
2:33:08 PM	0.4	2:30:41 PM	0.4	0.0	

NR = Not Recorded

ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 2, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	34-41°F, Rain, RH: 50%, P: 29.90" Hg Winds: NE @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

CONTRACTOR AND EQUIPMENT	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Ashley Iervolino, Chris Farrington, Jack Rusk) • **Environmental Driller –** Eastern (1 Driller, 1 Helper) • **New York State Department of Environmental Conservation –** Robert Strang

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four soil borings (RSB-1, 2, 3, and 5) to 25 ft bls with Geoprobe drill rig.
- Eastern installed four permanent monitoring wells (RMW-1, 2, 3, and 5) co-located with their respective soil borings.
- Roux completed oversight and collected soil samples.

CAMP Implementation:

- CAMP was not conducted due to inclement weather.

Sampling performed:

- The following soil samples were collected today:
  - RSB-1_(6-8), RSB-1_(8-10), RSB-1_(20-22), RSB-2_(5-7), RSB-2_(7-9), RSB-2_(20-22), RSB-3_(6-8), RSB-3_(20-22), RSB-5_(6-8), RSB-5_(20-22) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing groundwater monitoring wells and soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 2, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	34-41°F, Rain, RH: 50%, P: 29.90" Hg Winds: NE @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 1: View facing south; Eastern advancing RSB-3 to 25 feet and collecting soil samples.



Photo 2: Eastern finishing installation of permanent monitoring well at RMW-1.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 2, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	34-41°F, Rain, RH: 50%, P: 29.90" Hg Winds: NE @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

	Photo 3: Soil collected from 5 to 10 ft bls from RSB-2.
	Photo 4: View facing north; Eastern advancing RSB-2 to 25 ft bls.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 2, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	34-41°F, Rain, RH: 50%, P: 29.90" Hg Winds: NE @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

*CAMP NOT CONDUCTED DUE TO INCLEMENT WEATHER

WIND DIRECTION: NORTHEAST

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 3, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	31-41°F, Clear, RH:79%, P: 29.98" Hg, Winds: NW @ 6mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Ashley Iervolino) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced one soil boring (RSB-4) to 5 ft bls with hand tools for utility clearance.
- Eastern advanced one soil boring (RSB-4) to 25 ft bls with Geoprobe drill rig.
- Eastern installed one permanent monitoring wells (RMW-4) co-located with the respective soil boring.
- Roux completed oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:15 to 15:00 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.9 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.008 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - RSB-4_(0-2), RSB-4_(2-4), RSB-4_(4-6), RSB-4_(6-8), RSB-4_(8-10), and RSB-4_(20-22) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing groundwater monitoring wells and soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 3, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	31-41°F, Clear, RH:79%, P: 29.98" Hg, Winds: NW @ 6mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM



Photo 1: View facing east; downwind CAMP station setup.



Photo 2: Eastern installing permanent monitoring well RMW-4.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 3, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	31-41°F, Clear, RH:79%, P: 29.98" Hg, Winds: NW @ 6mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM



Photo 3: Soil collected from 5 to 10 ft bls from RSB-2.




Photo 4: View facing north; upwind CAMP station setup and temporary drum storage.

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 3, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	31-41°F, Clear, RH:79%, P: 29.98" Hg, Winds: NW @ 6mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Ashley Iervolino**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/3/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:30:59 AM	0.062	7:24:40 AM	0.023	-0.039	
7:45:59 AM	0.013	7:39:40 AM	0.006	-0.007	
8:00:59 AM	0.015	7:54:40 AM	0.005	-0.010	
8:15:59 AM	0.014	8:09:40 AM	0.006	-0.008	
8:30:59 AM	0.013	8:24:40 AM	0.006	-0.007	
8:45:59 AM	0.013	8:39:40 AM	0.006	-0.007	
9:00:59 AM	0.013	8:54:40 AM	0.005	-0.008	
9:15:59 AM	0.013	9:09:40 AM	0.005	-0.008	
9:30:59 AM	0.013	9:24:40 AM	0.005	-0.008	
9:45:59 AM	0.014	9:39:40 AM	0.022	0.008	
10:00:59 AM	0.014	9:54:40 AM	0.008	-0.006	
10:15:59 AM	0.015	10:09:40 AM	0.005	-0.010	
10:30:59 AM	0.014	10:24:40 AM	0.005	-0.009	
10:45:59 AM	0.013	10:39:40 AM	0.004	-0.009	
11:00:59 AM	0.013	10:54:40 AM	0.004	-0.009	
11:15:59 AM	0.014	11:09:40 AM	0.012	-0.002	
11:30:59 AM	0.014	11:24:40 AM	0.005	-0.009	
11:45:59 AM	0.014	11:39:40 AM	0.006	-0.008	
12:00:59 PM	0.015	11:54:40 AM	0.012	-0.003	
12:15:59 PM	0.014	12:09:40 PM	0.008	-0.006	
12:30:59 PM	0.013	12:24:40 PM	0.007	-0.006	
12:45:59 PM	0.013	12:39:40 PM	0.008	-0.005	
1:00:59 PM	0.013	12:54:40 PM	0.008	-0.005	
1:15:59 PM	0.013	1:09:40 PM	0.008	-0.005	
1:30:59 PM	0.014	1:24:40 PM	0.007	-0.007	
1:45:59 PM	0.013	1:39:40 PM	0.010	-0.003	
2:00:59 PM	0.014	1:54:40 PM	0.010	-0.004	
2:15:59 PM	0.013	2:09:40 PM	0.012	-0.001	
2:30:59 PM	0.011	2:24:40 PM	0.008	-0.003	
2:45:59 PM	0.016	2:39:40 PM	0.007	-0.009	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/3/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-907916	Station #2 - DOWNWIND	592-601739	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:26:08 AM	NR	7:26:53 AM	0.0	0.0	
7:41:08 AM	0.0	7:41:53 AM	0.0	0.0	
7:56:08 AM	0.0	7:56:53 AM	0.0	0.0	
8:11:08 AM	0.0	8:11:53 AM	0.1	0.1	
8:26:08 AM	0.0	8:26:53 AM	0.1	0.1	
8:41:08 AM	0.0	8:41:53 AM	0.1	0.1	
8:56:08 AM	0.0	8:56:53 AM	0.2	0.2	
9:11:08 AM	0.0	9:11:53 AM	0.2	0.2	
9:26:08 AM	0.0	9:26:53 AM	0.2	0.2	
9:41:08 AM	0.0	9:41:53 AM	0.9	0.9	
9:56:08 AM	0.0	9:56:53 AM	0.6	0.6	
10:11:08 AM	0.0	10:11:53 AM	0.3	0.3	
10:26:08 AM	0.0	10:26:53 AM	0.3	0.3	
10:41:08 AM	0.0	10:41:53 AM	0.3	0.3	
10:56:08 AM	0.0	10:56:53 AM	0.3	0.3	
11:11:08 AM	0.0	11:11:53 AM	0.3	0.3	
11:26:08 AM	0.0	11:26:53 AM	0.4	0.4	
11:41:08 AM	0.0	11:41:53 AM	0.4	0.4	
11:56:08 AM	0.0	12:03:10 PM	0.4	0.4	
12:11:08 PM	0.0	12:18:10 PM	0.3	0.3	
12:26:08 PM	0.0	12:33:10 PM	0.3	0.3	
12:41:08 PM	0.0	12:48:10 PM	0.2	0.2	
12:56:08 PM	0.0	1:03:10 PM	0.3	0.3	
1:11:08 PM	0.0	1:18:10 PM	0.3	0.3	
1:26:08 PM	0.0	1:33:10 PM	0.2	0.2	
1:41:08 PM	0.0	1:48:10 PM	0.3	0.3	
1:56:08 PM	0.0	2:03:10 PM	0.3	0.3	
2:11:08 PM	0.0	2:18:10 PM	0.3	0.3	
2:26:08 PM	0.0	2:33:10 PM	0.4	0.4	
2:41:08 PM	0.0	2:48:10 PM	NR	0.0	

NR = Not Recorded

ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 4, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-42°F, M. Cloudy, RH:63%, P: 30.02" Hg, Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, Chris Farrington) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings (WC-1-1, WC-1-2, WC-1-3, WC-1-4) to 5 ft bls with hand tools for utility clearance.
- Eastern developed the five previously installed permanent monitoring wells.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 8:50 to 14:45 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 3.5 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.051 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-1(0-5), and WC-1-4(0-2) for waste characterization parameters.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 4, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-42°F, M. Cloudy, RH:63%, P: 30.02" Hg, Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM




Photo 1: View facing north; view of Eastern saw cutting asphalt while using water to mitigate dust.



Photo 2: View of well development set up.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 4, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-42°F, M. Cloudy, RH:63%, P: 30.02" Hg, Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 3: Soil collected from WC-1-3 boring.



Photo 4: View of Eastern pre-clearing soil to 5 ft.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 4, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-42°F, M. Cloudy, RH:63%, P: 30.02" Hg, Winds: NW @ 15 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/4/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	**15-min Average (mg/m^3)**	**Time**	**15-min Average (mg/m^3)**	**Corrected 15-min Average (mg/m^3)**	**Comments**
8:51:32 AM	0.062	8:56:51 AM	0.113	0.051	
9:06:32 AM	0.044	9:11:51 AM	0.043	-0.001	
9:21:32 AM	0.044	9:26:51 AM	0.042	-0.002	
9:36:32 AM	0.043	9:41:51 AM	0.042	-0.001	
9:51:32 AM	0.045	9:56:51 AM	0.043	-0.002	
10:06:32 AM	0.043	10:11:51 AM	0.041	-0.002	
10:21:32 AM	0.042	10:26:51 AM	0.071	0.029	
10:36:32 AM	0.042	10:41:51 AM	0.042	0.000	
10:51:32 AM	0.042	10:56:51 AM	0.040	-0.002	
11:06:32 AM	0.042	11:11:51 AM	0.053	0.011	
11:21:32 AM	0.059	11:26:51 AM	0.043	-0.016	
11:36:32 AM	0.039	11:41:51 AM	0.036	-0.003	
11:51:32 AM	0.039	11:56:51 AM	0.036	-0.003	
12:06:32 PM	0.036	12:11:51 PM	0.034	-0.002	
12:21:32 PM	0.035	12:26:51 PM	0.033	-0.002	
12:36:32 PM	0.032	12:41:51 PM	0.031	-0.001	
12:51:32 PM	0.031	12:56:51 PM	0.032	0.001	
1:06:32 PM	0.323	1:11:51 PM	0.028	-0.295	
1:21:32 PM	0.03	1:26:51 PM	0.026	-0.004	
1:36:32 PM	0.023	1:41:51 PM	0.022	-0.001	
1:51:32 PM	0.021	1:56:51 PM	0.019	-0.002	
2:06:32 PM	0.017	2:11:51 PM	0.015	-0.002	
2:21:32 PM	0.014	2:26:51 PM	0.015	0.001	
2:36:32 PM	0.014	2:41:51 PM	0.015	0.001	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/4/2025
Wind Direction (from): NW

Station #1 - UPWIND	--	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
8:57:00 AM	NR	8:57:00 AM	0.0	0.0	Software issues with the UW PID. No data recorded.
9:12:00 AM	NR	9:12:00 AM	0.0	0.0	
9:27:00 AM	NR	9:27:00 AM	0.0	0.0	
9:42:00 AM	NR	9:42:00 AM	0.0	0.0	
9:57:00 AM	NR	9:57:00 AM	0.0	0.0	
10:12:00 AM	NR	10:12:00 AM	0.0	0.0	
10:27:00 AM	NR	10:27:00 AM	0.0	0.0	
10:42:00 AM	NR	10:42:00 AM	0.0	0.0	
10:57:00 AM	NR	10:57:00 AM	0.0	0.0	
11:12:00 AM	NR	11:12:00 AM	0.0	0.0	
11:27:00 AM	NR	11:27:00 AM	0.0	0.0	
11:42:00 AM	NR	11:42:00 AM	0.0	0.0	
11:57:00 AM	NR	11:57:00 AM	0.0	0.0	
12:12:00 PM	NR	12:12:00 PM	0.0	0.0	
12:27:00 PM	NR	12:27:00 PM	0.0	0.0	
12:42:00 PM	NR	12:42:00 PM	0.0	0.0	
12:57:00 PM	NR	12:57:00 PM	3.5	3.5	
1:12:00 PM	NR	1:12:00 PM	0.0	0.0	
1:27:00 PM	NR	1:27:00 PM	0.0	0.0	
1:42:00 PM	NR	1:42:00 PM	0.0	0.0	
1:57:00 PM	NR	1:57:00 PM	0.0	0.0	
2:12:00 PM	NR	2:12:00 PM	0.0	0.0	
2:27:00 PM	NR	2:27:00 PM	0.0	0.0	
2:42:00 PM	NR	2:42:00 PM	0.0	0.0	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 5, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-33°F, M. Cloudy, RH:48%, P: 30.35" Hg, Winds: NE @ 10 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, Chris Farrington) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings (WC-3-1, WC-3-2, WC-3-3, WC-3-4) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:30 to 15:00 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 1.7 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.013 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-3(0-5), and WC-3-4(0-2) for waste characterization parameters.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 5, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-33°F, M. Cloudy, RH:48%, P: 30.35" Hg, Winds: NE @ 10 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM




Photo 1: View facing north; view of Eastern saw cutting asphalt while using water to mitigate dust.



Photo 2: Soil collected from WC-3-1 boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 5, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-33°F, M. Cloudy, RH:48%, P: 30.35" Hg, Winds: NE @ 10 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 3: Soil collected from WC-3-4 boring.



Photo 4: View of Eastern pre-clearing soil to 5 ft.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 5, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	21-33°F, M. Cloudy, RH:48%, P: 30.35" Hg, Winds: NE @ 10 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHEAST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/5/2025
Wind Direction (from): NE

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:41:26 AM	NR	7:38:09 AM	0.013	0.013	
7:56:26 AM	0.034	7:53:09 AM	0.007	-0.027	
8:11:26 AM	0.017	8:08:09 AM	0.012	-0.005	
8:26:26 AM	0.014	8:23:09 AM	0.009	-0.005	
8:41:26 AM	0.013	8:38:09 AM	0.009	-0.004	
8:56:26 AM	0.017	8:53:09 AM	0.011	-0.006	
9:11:26 AM	0.011	9:08:09 AM	0.008	-0.003	
9:26:26 AM	0.011	9:23:09 AM	0.008	-0.003	
9:41:26 AM	0.012	9:38:09 AM	0.008	-0.004	
9:56:26 AM	0.012	9:53:09 AM	0.010	-0.002	
10:11:26 AM	0.011	10:08:09 AM	0.009	-0.002	
10:26:26 AM	0.017	10:23:09 AM	0.011	-0.006	
10:41:26 AM	0.013	10:38:09 AM	0.010	-0.003	
10:56:26 AM	0.016	10:53:09 AM	0.009	-0.007	
11:11:26 AM	0.014	11:08:09 AM	0.010	-0.004	
11:26:26 AM	0.014	11:23:09 AM	0.013	-0.001	
11:41:26 AM	0.016	11:38:09 AM	0.008	-0.008	
11:56:26 AM	0.016	11:53:09 AM	0.012	-0.004	
12:11:26 PM	0.015	12:08:09 PM	0.009	-0.006	
12:26:26 PM	0.016	12:23:09 PM	0.009	-0.007	
12:41:26 PM	0.014	12:38:09 PM	0.011	-0.003	
12:56:26 PM	0.014	12:53:09 PM	0.010	-0.004	
1:11:26 PM	0.015	1:08:09 PM	0.010	-0.005	
1:26:26 PM	0.016	1:23:09 PM	0.029	0.013	
1:41:26 PM	0.015	1:38:09 PM	0.010	-0.005	
1:56:26 PM	0.018	1:53:09 PM	0.012	-0.006	
2:11:26 PM	0.018	2:08:09 PM	0.015	-0.003	
2:26:26 PM	0.017	2:23:09 PM	0.014	-0.003	
2:41:26 PM	0.015	2:38:09 PM	0.012	-0.003	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/5/2025
Wind Direction (from): NE

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:44:41 AM	0.1	7:40:05 AM	0.0	-0.1	
7:59:41 AM	0.2	7:55:05 AM	0.0	-0.2	
8:14:41 AM	0.6	8:10:05 AM	0.7	0.1	
8:29:41 AM	0.6	8:25:05 AM	0.0	-0.6	
8:44:41 AM	0.5	8:40:05 AM	0.0	-0.5	
8:59:41 AM	0.5	8:55:05 AM	0.2	-0.3	
9:14:41 AM	0.5	9:10:05 AM	0.1	-0.4	
9:29:41 AM	0.5	9:25:05 AM	0.1	-0.4	
9:44:41 AM	0.5	9:40:05 AM	0.1	-0.4	
9:59:41 AM	0.5	9:55:05 AM	0.2	-0.3	
10:14:41 AM	0.6	10:10:05 AM	0.0	-0.6	
10:29:41 AM	0.5	10:25:05 AM	0.0	-0.5	
10:44:41 AM	0.6	10:40:05 AM	0.0	-0.6	
10:59:41 AM	0.8	10:55:05 AM	0.0	-0.8	
11:14:41 AM	1.6	11:10:05 AM	0.1	-1.5	
11:29:41 AM	0.8	11:25:05 AM	0.1	-0.7	
11:44:41 AM	0.8	11:40:05 AM	0.0	-0.8	
11:59:41 AM	0.8	11:55:05 AM	0.0	-0.8	
12:14:41 PM	0.7	12:10:05 PM	0.0	-0.7	
12:29:41 PM	0.8	12:25:05 PM	0.0	-0.8	
12:44:41 PM	0.7	12:40:05 PM	0.0	-0.7	
12:59:41 PM	0.7	12:55:05 PM	0.0	-0.7	
1:14:41 PM	0.6	1:10:05 PM	0.0	-0.6	
1:29:41 PM	0.7	1:25:05 PM	2.4	1.7	
1:44:41 PM	0.7	1:40:05 PM	0.1	-0.6	
1:59:41 PM	0.7	1:55:05 PM	0.1	-0.6	
2:14:41 PM	0.7	2:10:05 PM	0.1	-0.6	
2:29:41 PM	0.7	2:25:05 PM	0.1	-0.6	
2:44:41 PM	0.6	2:40:05 PM	0.2	-0.4	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 8, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	19-30°F, Fair, RH:41%, P: 30.25" Hg, Winds: NW @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings and one co-located RI boring (WC-4-1, WC-4-2, WC-4-3, WC-4-4/RSB-7) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:50 to 15:20 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 2.7 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.189 milligrams per cubic meter (mg/m^3). The high dust concentration was measured during equipment setup and is not representative of Site conditions.

Sampling performed:

- The following soil samples were collected today:
  - WC-4(0-5), and WC-4_1(0-2) for waste characterization parameters.
  - RSB-7(0-2), RSB(2-4), RSB-7(4-6) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 8, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	19-30°F, Fair, RH:41%, P: 30.25" Hg, Winds: NW @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM



Photo 1: View facing northwest, set up of UW CAMP station.




Photo 2: View facing south, Eastern pre-clearing soil to 5 ft.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 8, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	19-30°F, Fair, RH:41%, P: 30.25" Hg, Winds: NW @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM



Photo 3: Soil collected from WC-4-1 boring.



Photo 4: View facing west, Eastern saw cutting asphalt while using water to mitigate dust.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 8, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	19-30°F, Fair, RH:41%, P: 30.25" Hg, Winds: NW @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:30 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/8/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	**15-min Average (mg/m^3)**	**Time**	**15-min Average (mg/m^3)**	**Corrected 15-min Average (mg/m^3)**	**Comments**
7:47:24 AM	NR	7:47:24 AM	0.189	0.189	Equipment malfunction, no data recorded from UW DT. High dust at downwind CAMP station caused during station setup.
8:02:24 AM	NR	8:02:24 AM	0.010	0.010	
8:17:24 AM	NR	8:17:24 AM	0.011	0.011	
8:32:24 AM	NR	8:32:24 AM	0.011	0.011	
8:47:24 AM	NR	8:47:24 AM	0.011	0.011	
9:02:24 AM	NR	9:02:24 AM	0.012	0.012	
9:17:24 AM	NR	9:17:24 AM	0.011	0.011	
9:32:24 AM	NR	9:32:24 AM	0.011	0.011	
9:47:24 AM	NR	9:47:24 AM	0.016	0.016	
10:02:24 AM	NR	10:02:24 AM	0.011	0.011	
10:17:24 AM	NR	10:17:24 AM	0.011	0.011	
10:32:24 AM	NR	10:32:24 AM	0.012	0.012	
10:47:24 AM	NR	10:47:24 AM	0.010	0.010	
11:02:24 AM	NR	11:02:24 AM	0.021	0.021	
11:17:24 AM	NR	11:17:24 AM	0.013	0.013	
11:32:24 AM	NR	11:32:24 AM	0.011	0.011	
11:47:24 AM	NR	11:47:24 AM	0.010	0.010	
12:02:24 PM	NR	12:02:24 PM	0.011	0.011	
12:20:57 PM	0.005	12:17:24 PM	0.014	0.009	
12:35:57 PM	0.005	12:32:24 PM	0.011	0.006	
12:50:57 PM	0.004	12:47:24 PM	0.011	0.007	
1:05:57 PM	0.005	1:02:24 PM	0.011	0.006	
1:20:57 PM	0.004	1:17:24 PM	0.011	0.007	
1:35:57 PM	0.005	1:32:24 PM	0.011	0.006	
1:50:57 PM	0.003	1:47:24 PM	0.011	0.008	
2:05:57 PM	0.004	2:02:24 PM	0.011	0.007	
2:20:57 PM	0.004	2:17:24 PM	0.012	0.008	
2:35:57 PM	0.006	2:32:24 PM	0.012	0.006	
2:50:57 PM	0.005	2:47:24 PM	0.012	0.007	
3:05:57 PM	0.006	3:02:24 PM	0.014	0.008	
3:20:57 PM	0.006	3:17:24 PM	0.013	0.007	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/8/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:51:10 AM	3.9	7:49:46 AM	0.1	-3.8	
8:06:10 AM	0.0	8:04:46 AM	0.0	0.0	
8:21:10 AM	0.0	8:19:46 AM	0.0	0.0	
8:36:10 AM	0.0	8:34:46 AM	0.0	0.0	
8:51:10 AM	0.0	8:49:46 AM	0.0	0.0	
9:06:10 AM	0.0	9:04:46 AM	0.0	0.0	
9:21:10 AM	0.0	9:19:46 AM	0.0	0.0	
9:36:10 AM	0.0	9:34:46 AM	0.0	0.0	
9:51:10 AM	0.1	9:49:46 AM	2.8	2.7	
10:06:10 AM	0.1	10:04:46 AM	0.0	-0.1	
10:21:10 AM	0.1	10:19:46 AM	0.0	-0.1	
10:36:10 AM	0.1	10:34:46 AM	0.0	-0.1	
10:51:10 AM	0.1	10:49:46 AM	0.0	-0.1	
11:06:10 AM	0.1	11:04:46 AM	2.6	2.5	
11:21:10 AM	0.1	11:19:46 AM	0.0	-0.1	
11:36:10 AM	0.1	11:34:46 AM	0.0	-0.1	
11:51:10 AM	0.1	11:49:46 AM	0.0	-0.1	
12:06:10 PM	0.1	12:04:46 PM	0.0	-0.1	
12:21:10 PM	0.1	12:19:46 PM	0.0	-0.1	
12:36:10 PM	0.1	12:34:46 PM	0.0	-0.1	
12:51:10 PM	0.2	12:49:46 PM	0.0	-0.2	
1:06:10 PM	0.1	1:04:46 PM	0.0	-0.1	
1:21:10 PM	0.2	1:19:46 PM	0.0	-0.2	
1:36:10 PM	0.1	1:34:46 PM	0.0	-0.1	
1:51:10 PM	0.2	1:49:46 PM	0.0	-0.2	
2:06:10 PM	0.1	2:04:46 PM	0.0	-0.1	
2:21:10 PM	0.1	2:19:46 PM	0.0	-0.1	
2:36:10 PM	0.1	2:34:46 PM	0.0	-0.1	
2:51:10 PM	0.1	2:49:46 PM	0.0	-0.1	
3:06:10 PM	0.2	3:04:46 PM	0.0	-0.2	
3:21:10 PM	0.2	3:21:10 PM	NR	0.2	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 9, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	16-34°F, Sunny, RH:47%, P: 30.29" Hg, Winds: NW @ 4 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings and one co-located RI boring (WC-5-1, WC-5-2, WC-5-3, WC-5-4) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:50 to 15:20 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.0 parts per million (ppm). The maximum corrected downwind concentration for dust was -0.002 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-5(0-5), and WC-5_1(0-2) for waste characterization parameters.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 9, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	16-34°F, Sunny, RH:47%, P: 30.29" Hg, Winds: NW @ 4 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM



Photo 1: View facing east, set up of DW CAMP station.



Photo 2: View facing northwest, Eastern pre-clearing soil to 5 ft.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 9, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	16-34°F, Sunny, RH:47%, P: 30.29" Hg, Winds: NW @ 4 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM




Photo 3: View facing northeast, Eastern saw cutting asphalt while using water to mitigate dust.




Photo 4: Soil collected from WC-5-3 boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 9, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	16-34°F, Sunny, RH:47%, P: 30.29" Hg, Winds: NW @ 4 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/9/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:39:27 AM	0.039	7:39:27 AM	0.028	-0.011	
7:54:27 AM	0.076	7:54:27 AM	0.013	-0.063	
8:09:27 AM	0.019	8:09:27 AM	0.011	-0.008	
8:24:27 AM	0.016	8:24:27 AM	0.009	-0.007	
8:39:27 AM	0.015	8:39:27 AM	0.006	-0.009	
8:54:27 AM	0.017	8:54:27 AM	0.007	-0.010	
9:09:27 AM	0.015	9:09:27 AM	0.006	-0.009	
9:24:27 AM	0.014	9:24:27 AM	0.005	-0.009	
9:39:27 AM	0.012	9:39:27 AM	0.006	-0.006	
9:54:27 AM	0.054	9:54:27 AM	0.007	-0.047	
10:09:27 AM	0.014	10:09:27 AM	0.009	-0.005	
10:24:27 AM	0.015	10:24:27 AM	0.010	-0.005	
10:39:27 AM	0.014	10:39:27 AM	0.012	-0.002	
10:54:27 AM	0.017	10:54:27 AM	0.012	-0.005	
11:09:27 AM	0.018	11:09:27 AM	0.015	-0.003	
11:24:27 AM	0.02	11:24:27 AM	0.016	-0.004	
11:39:27 AM	0.017	11:39:27 AM	0.014	-0.003	
11:54:27 AM	0.017	11:54:27 AM	0.011	-0.006	
12:09:27 PM	0.014	12:09:27 PM	0.010	-0.004	
12:24:27 PM	0.014	12:24:27 PM	0.009	-0.005	
12:39:27 PM	0.013	12:39:27 PM	0.010	-0.003	
12:54:27 PM	0.015	12:54:27 PM	0.008	-0.007	
1:09:27 PM	0.012	1:09:27 PM	0.006	-0.006	
1:24:27 PM	0.021	1:24:27 PM	0.006	-0.015	
1:39:27 PM	0.012	1:39:27 PM	0.008	-0.004	
1:54:27 PM	0.013	1:54:27 PM	0.008	-0.005	
2:09:27 PM	0.014	2:09:27 PM	0.007	-0.007	
2:24:27 PM	0.013	2:24:27 PM	0.008	-0.005	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/9/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:40:33 AM	0.3	7:43:37 AM	0.0	-0.3	
7:55:33 AM	0.4	7:58:37 AM	0.0	-0.4	
8:10:33 AM	0.0	8:13:37 AM	0.0	0.0	
8:25:33 AM	0.0	8:28:37 AM	0.0	0.0	
8:40:33 AM	0.0	8:43:37 AM	0.0	0.0	
8:55:33 AM	0.0	8:58:37 AM	0.0	0.0	
9:10:33 AM	0.0	9:13:37 AM	0.0	0.0	
9:25:33 AM	0.0	9:28:37 AM	0.0	0.0	
9:40:33 AM	0.1	9:43:37 AM	0.0	-0.1	
9:55:33 AM	0.3	9:58:37 AM	0.0	-0.3	
10:10:33 AM	0.1	10:13:37 AM	0.0	-0.1	
10:25:33 AM	0.1	10:28:37 AM	0.0	-0.1	
10:40:33 AM	0.1	10:43:37 AM	0.0	-0.1	
10:55:33 AM	0.1	10:58:37 AM	0.0	-0.1	
11:10:33 AM	0.1	11:13:37 AM	0.0	-0.1	
11:25:33 AM	0.1	11:28:37 AM	0.0	-0.1	
11:40:33 AM	0.1	11:43:37 AM	0.0	-0.1	
11:55:33 AM	0.1	11:58:37 AM	0.0	-0.1	
12:10:33 PM	0.1	12:13:37 PM	0.0	-0.1	
12:25:33 PM	0.1	12:28:37 PM	0.0	-0.1	
12:40:33 PM	0.1	12:43:37 PM	0.0	-0.1	
12:55:33 PM	0.1	12:58:37 PM	0.0	-0.1	
1:10:33 PM	0.1	1:13:37 PM	0.0	-0.1	
1:25:33 PM	0.2	1:28:37 PM	0.0	-0.2	
1:40:33 PM	0.1	1:43:37 PM	0.0	-0.1	
1:55:33 PM	0.1	1:58:37 PM	0.0	-0.1	
2:10:33 PM	0.1	2:13:37 PM	0.0	-0.1	
2:25:33 PM	0.1	2:28:37 PM	0.0	-0.1	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 10, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	33-45°F, Partly Cloudy, RH:74%, P: 29.78" Hg, Winds: SW @ 9 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:15 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings (WC-8-1, WC-8-2, WC-8-3, and WC-8-4) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:30 to 15:00 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.0 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.074 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-8(0-5), and WC-8_2(0-2) for waste characterization parameters.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 10, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	33-45°F, Partly Cloudy, RH:74%, P: 29.78" Hg, Winds: SW @ 9 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:15 PM




Photo 1: View facing north, DW CAMP station setup.



Photo 2: View facing north, Eastern saw cutting asphalt while using water to mitigate dust.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 10, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	33-45°F, Partly Cloudy, RH:74%, P: 29.78" Hg, Winds: SW @ 9 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:15 PM



Photo 3: View of Eastern pre-clearing WC-8-4 boring.



Photo 4: Soil collected from WC-8-4 boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 10, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	33-45°F, Partly Cloudy, RH:74%, P: 29.78" Hg, Winds: SW @ 9 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 15:15 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: SOUTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/10/2025
Wind Direction (from): SW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:35:50 AM	0.053	7:35:50 AM	0.127	0.074	
7:50:50 AM	0.038	7:50:50 AM	0.045	0.007	
8:05:50 AM	0.037	8:05:50 AM	0.043	0.006	
8:20:50 AM	0.039	8:20:50 AM	0.047	0.008	
8:35:50 AM	0.038	8:35:50 AM	0.045	0.007	
8:50:50 AM	0.037	8:50:50 AM	0.040	0.003	
9:05:50 AM	0.039	9:05:50 AM	0.041	0.002	
9:20:50 AM	0.034	9:20:50 AM	0.039	0.005	
9:35:50 AM	0.034	9:35:50 AM	0.039	0.005	
9:50:50 AM	0.032	9:50:50 AM	0.037	0.005	
10:05:50 AM	0.033	10:05:50 AM	0.066	0.033	
10:20:50 AM	0.031	10:20:50 AM	0.034	0.003	
10:35:50 AM	0.031	10:35:50 AM	0.035	0.004	
10:50:50 AM	0.03	10:50:50 AM	0.034	0.004	
11:05:50 AM	0.031	11:05:50 AM	0.035	0.004	
11:20:50 AM	0.036	11:20:50 AM	0.039	0.003	
11:35:50 AM	0.03	11:35:50 AM	0.034	0.004	
11:50:50 AM	0.032	11:50:50 AM	0.036	0.004	
12:05:50 PM	0.035	12:05:50 PM	0.037	0.002	
12:20:50 PM	0.03	12:20:50 PM	0.034	0.004	
12:35:50 PM	0.029	12:35:50 PM	0.034	0.005	
12:50:50 PM	0.028	12:50:50 PM	0.032	0.004	
1:05:50 PM	0.026	1:05:50 PM	0.032	0.006	
1:20:50 PM	0.028	1:20:50 PM	0.033	0.005	
1:35:50 PM	0.023	1:35:50 PM	0.028	0.005	
1:50:50 PM	0.025	1:50:50 PM	0.033	0.008	
2:05:50 PM	0.028	2:05:50 PM	0.032	0.004	
2:20:50 PM	0.028	2:20:50 PM	0.029	0.001	
2:35:50 PM	0.021	2:35:50 PM	0.026	0.005	
2:50:50 PM	0.02	2:50:50 PM	0.026	0.006	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/10/2025
Wind Direction (from): SW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:39:28 AM	0.3	7:36:04 AM	0.0	-0.3	
7:54:28 AM	0.0	7:51:04 AM	0.0	0.0	
8:09:28 AM	0.0	8:06:04 AM	0.0	0.0	
8:24:28 AM	0.0	8:21:04 AM	0.0	0.0	
8:39:28 AM	0.0	8:36:04 AM	0.0	0.0	
8:54:28 AM	0.0	8:51:04 AM	0.0	0.0	
9:09:28 AM	0.0	9:06:04 AM	0.0	0.0	
9:24:28 AM	0.0	9:21:04 AM	0.0	0.0	
9:39:28 AM	0.0	9:36:04 AM	0.0	0.0	
9:54:28 AM	0.0	9:51:04 AM	0.0	0.0	
10:09:28 AM	0.2	10:06:04 AM	0.0	-0.2	
10:24:28 AM	0.1	10:21:04 AM	0.0	-0.1	
10:39:28 AM	0.1	10:36:04 AM	0.0	-0.1	
10:54:28 AM	0.1	10:51:04 AM	0.0	-0.1	
11:09:28 AM	0.1	11:06:04 AM	0.0	-0.1	
11:24:28 AM	0.1	11:21:04 AM	0.0	-0.1	
11:39:28 AM	0.1	11:36:04 AM	0.0	-0.1	
11:54:28 AM	0.1	11:51:04 AM	0.0	-0.1	
12:09:28 PM	0.1	12:06:04 PM	0.1	0.0	
12:24:28 PM	0.1	12:21:04 PM	0.0	-0.1	
12:39:28 PM	0.1	12:36:04 PM	0.0	-0.1	
12:54:28 PM	0.1	12:51:04 PM	0.0	-0.1	
1:09:28 PM	0.1	1:06:04 PM	0.0	-0.1	
1:24:28 PM	0.1	1:21:04 PM	0.0	-0.1	
1:39:28 PM	0.1	1:36:04 PM	0.0	-0.1	
1:54:28 PM	0.1	1:51:04 PM	0.0	-0.1	
2:09:28 PM	0.1	2:06:04 PM	0.0	-0.1	
2:24:28 PM	0.1	2:21:04 PM	0.0	-0.1	
2:39:28 PM	0.1	2:36:04 PM	0.0	-0.1	
2:54:28 PM	0.1	2:51:04 PM	0.0	-0.1	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 11, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-37°F, Mostly Cloudy, RH:48%, P: 29.59" Hg, Winds: NW @ 18 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres) • **Environmental Driller –** Eastern (1 Driller, 3 Helpers)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings and one co-located RI boring (WC-6-1, WC-6-2, WC-6-3, WC-6-4/RSB-8) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:15 to 15:45 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was -0.1 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.031 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-6(0-5), and WC-6_2(0-2) for waste characterization parameters.
  - RSB-8(0-2), RSB-8(1-3), RSB-8(3-5) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex/tri chrome, total cyanide, and PFAS

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 11, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-37°F, Mostly Cloudy, RH:48%, P: 29.59" Hg, Winds: NW @ 18 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



Photo 1: View facing east, Eastern saw cutting asphalt while using water to mitigate dust.



Photo 2: View facing southeast, Eastern preclearing soil boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 11, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-37°F, Mostly Cloudy, RH:48%, P: 29.59" Hg, Winds: NW @ 18 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



Photo 3: Soil collected from WC-6-3 boring.




Photo 4: Soil collected from WC-6-4 boring.

Site Plan

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 11, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-37°F, Mostly Cloudy, RH:48%, P: 29.59" Hg, Winds: NW @ 18 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/11/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:19:29 AM	0.009	7:21:29 AM	0.040	0.031	
7:34:29 AM	0.003	7:36:29 AM	0.008	0.005	
7:49:29 AM	0.003	7:51:29 AM	0.008	0.005	
8:04:29 AM	0.003	8:06:29 AM	0.008	0.005	
8:19:29 AM	0.003	8:21:29 AM	0.008	0.005	
8:34:29 AM	0.008	8:36:29 AM	0.008	0.000	
8:49:29 AM	0.003	8:51:29 AM	0.008	0.005	
9:04:29 AM	0.003	9:06:29 AM	0.008	0.005	
9:19:29 AM	0.005	9:21:29 AM	0.007	0.002	
9:34:29 AM	0.003	9:36:29 AM	0.007	0.004	
9:49:29 AM	0.002	9:51:29 AM	0.007	0.005	
10:04:29 AM	0.003	10:06:29 AM	0.008	0.005	
10:19:29 AM	0.002	10:21:29 AM	0.008	0.006	
10:34:29 AM	0.002	10:36:29 AM	0.007	0.005	
10:49:29 AM	0.003	10:51:29 AM	0.007	0.004	
11:04:29 AM	0.002	11:06:29 AM	0.008	0.006	
11:19:29 AM	0.002	11:21:29 AM	0.008	0.006	
11:34:29 AM	0.003	11:36:29 AM	0.007	0.004	
11:49:29 AM	0.002	11:51:29 AM	0.007	0.005	
12:04:29 PM	0.004	12:06:29 PM	0.008	0.004	
12:19:29 PM	0.003	12:21:29 PM	0.008	0.005	
12:34:29 PM	0.003	12:36:29 PM	0.008	0.005	
12:49:29 PM	0.004	12:51:29 PM	0.008	0.004	
1:04:29 PM	0.003	1:06:29 PM	0.009	0.006	
1:19:29 PM	0.004	1:21:29 PM	0.009	0.005	
1:34:29 PM	0.003	1:36:29 PM	0.009	0.006	
1:49:29 PM	0.005	1:51:29 PM	0.010	0.005	
2:04:29 PM	0.004	2:06:29 PM	0.008	0.004	
2:19:29 PM	0.005	2:21:29 PM	0.012	0.007	
2:34:29 PM	0.006	2:36:29 PM	0.010	0.004	
2:49:29 PM	0.004	2:51:29 PM	0.009	0.005	
3:04:29 PM	0.003	3:06:29 PM	0.009	0.006	
3:19:29 PM	0.005	3:21:29 PM	0.010	0.005	
3:34:29 PM	0.005	3:36:29 PM	0.011	0.006	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/11/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:21:16 AM	0.0	7:19:31 AM	0.0	0.0	
7:36:16 AM	0.0	7:34:31 AM	0.0	0.0	
7:51:16 AM	0.0	7:49:31 AM	0.0	0.0	
8:06:16 AM	0.0	8:04:31 AM	0.0	0.0	
8:21:16 AM	0.0	8:19:31 AM	0.0	0.0	
8:36:16 AM	0.1	8:34:31 AM	0.0	-0.1	
8:51:16 AM	0.1	8:49:31 AM	0.0	-0.1	
9:06:16 AM	0.1	9:04:31 AM	0.0	-0.1	
9:21:16 AM	0.1	9:19:31 AM	0.1	0.0	
9:36:16 AM	0.1	9:34:31 AM	0.1	0.0	
9:51:16 AM	0.2	9:49:31 AM	0.1	-0.1	
10:06:16 AM	0.2	10:04:31 AM	0.1	-0.1	
10:21:16 AM	0.2	10:19:31 AM	0.1	-0.1	
10:36:16 AM	0.2	10:34:31 AM	0.1	-0.1	
10:51:16 AM	0.2	10:49:31 AM	0.1	-0.1	
11:06:16 AM	0.2	11:04:31 AM	0.1	-0.1	
11:21:16 AM	0.2	11:19:31 AM	0.1	-0.1	
11:36:16 AM	0.2	11:34:31 AM	0.1	-0.1	
11:51:16 AM	0.2	11:49:31 AM	0.1	-0.1	
12:06:16 PM	0.2	12:04:31 PM	0.2	0.0	
12:21:16 PM	0.3	12:19:31 PM	0.2	-0.1	
12:36:16 PM	0.3	12:34:31 PM	0.2	-0.1	
12:51:16 PM	0.3	12:49:31 PM	0.2	-0.1	
1:06:16 PM	0.3	1:04:31 PM	0.2	-0.1	
1:21:16 PM	0.3	1:19:31 PM	0.2	-0.1	
1:36:16 PM	0.3	1:34:31 PM	0.2	-0.1	
1:51:16 PM	0.3	1:49:31 PM	0.2	-0.1	
2:06:16 PM	0.2	2:04:31 PM	0.2	0.0	
2:21:16 PM	0.2	2:19:31 PM	0.2	0.0	
2:36:16 PM	0.2	2:34:31 PM	0.2	0.0	
2:51:16 PM	0.2	2:49:31 PM	0.2	0.0	
3:06:16 PM	0.2	3:04:31 PM	0.2	0.0	
3:21:16 PM	0.2	3:19:31 PM	0.2	0.0	
3:36:16 PM	0.2	3:34:31 PM	0.2	0.0	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 12, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	26-36°F, Clear, RH:46%, P: 30.02" Hg, Winds: W @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 14:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced four waste characterization soil borings and one co-located RI boring (WC-2-1, WC-2-2, WC-2-3, WC-2-4/RSB-6) to 5 ft bls with hand tools for utility clearance.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:20 to 14:15 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.2 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.037 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-2(0-5), and WC-2_2(0-2) for waste characterization parameters.
  - RSB-6(0-2), RSB-6(2-4), RSB-6(4-6) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex/tri chrome, total cyanide, and PFAS

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 12, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	26-36°F, Clear, RH:46%, P: 30.02" Hg, Winds: W @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 14:30 PM



Photo 1: View facing west, view of upwind CAMP station setup.




Photo 2: View facing northwest, view of Eastern saw cutting asphalt while using water to mitigate dust.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 12, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	26-36°F, Clear, RH:46%, P: 30.02" Hg, Winds: W @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 14:30 PM



Photo 3: Soil collected from WC-2-1 boring.



Photo 4: View facing west, Eastern preclearing soil boring.

Site Plan

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 12, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	26-36°F, Clear, RH:46%, P: 30.02" Hg, Winds: W @ 14 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 14:30 PM



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: WEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/12/2025
Wind Direction (from): W

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:29:07 AM	0.036	7:23:09 AM	0.027	-0.009	
7:44:07 AM	0.097	7:38:09 AM	0.019	-0.078	
7:59:07 AM	0.036	7:53:09 AM	0.055	0.019	
8:14:07 AM	0.006	8:08:09 AM	0.013	0.007	
8:29:07 AM	0.014	8:23:09 AM	0.018	0.004	
8:44:07 AM	0.006	8:38:09 AM	0.014	0.008	
8:59:07 AM	0.006	8:53:09 AM	0.011	0.005	
9:14:07 AM	0.005	9:08:09 AM	0.011	0.006	
9:29:07 AM	0.005	9:23:09 AM	0.011	0.006	
9:44:07 AM	0.026	9:38:09 AM	0.013	-0.013	
9:59:07 AM	0.004	9:53:09 AM	0.022	0.018	
10:14:07 AM	0.004	10:08:09 AM	0.013	0.009	
10:29:07 AM	0.004	10:23:09 AM	0.015	0.011	
10:44:07 AM	0.004	10:38:09 AM	0.028	0.024	
10:59:07 AM	0.004	10:53:09 AM	0.041	0.037	
11:14:07 AM	0.003	11:08:09 AM	0.018	0.015	
11:29:07 AM	0.005	11:23:09 AM	0.020	0.015	
11:44:07 AM	0.005	11:38:09 AM	0.021	0.016	
11:59:07 AM	0.006	11:53:09 AM	0.021	0.015	
12:14:07 PM	0.005	12:08:09 PM	0.020	0.015	
12:29:07 PM	0.006	12:23:09 PM	0.021	0.015	
12:44:07 PM	0.005	12:38:09 PM	0.021	0.016	
12:59:07 PM	0.004	12:53:09 PM	0.020	0.016	
1:14:07 PM	0.004	1:08:09 PM	0.026	0.022	
1:29:07 PM	0.006	1:23:09 PM	0.020	0.014	
1:44:07 PM	0.007	1:38:09 PM	0.022	0.015	
1:59:07 PM	0.006	1:53:09 PM	0.021	0.015	
2:14:07 PM	0.005	2:08:09 PM	0.021	0.016	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/12/2025
Wind Direction (from): W

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:29:26 AM	0.0	7:21:36 AM	0.0	0.0	
7:44:26 AM	0.3	7:36:36 AM	0.0	-0.3	
7:59:26 AM	0.0	7:51:36 AM	0.2	0.2	
8:14:26 AM	0.0	8:06:36 AM	0.0	0.0	
8:29:26 AM	0.0	8:21:36 AM	0.1	0.1	
8:44:26 AM	0.0	8:36:36 AM	0.1	0.1	
8:59:26 AM	0.1	8:51:36 AM	0.1	0.0	
9:14:26 AM	0.1	9:06:36 AM	0.1	0.0	
9:29:26 AM	0.1	9:21:36 AM	0.1	0.0	
9:44:26 AM	0.1	9:36:36 AM	0.1	0.0	
9:59:26 AM	0.1	9:51:36 AM	0.2	0.1	
10:14:26 AM	0.1	10:06:36 AM	0.2	0.1	
10:29:26 AM	0.2	10:21:36 AM	0.2	0.0	
10:44:26 AM	0.2	10:36:36 AM	0.2	0.0	
10:59:26 AM	0.2	10:51:36 AM	0.3	0.1	
11:14:26 AM	0.2	11:06:36 AM	0.2	0.0	
11:29:26 AM	0.2	11:21:36 AM	0.2	0.0	
11:44:26 AM	0.2	11:36:36 AM	0.2	0.0	
11:59:26 AM	0.2	11:51:36 AM	0.2	0.0	
12:14:26 PM	0.2	12:06:36 PM	0.2	0.0	
12:29:26 PM	0.2	12:21:36 PM	0.2	0.0	
12:44:26 PM	0.3	12:36:36 PM	0.2	-0.1	
12:59:26 PM	0.2	12:51:36 PM	0.2	0.0	
1:14:26 PM	0.2	1:06:36 PM	0.2	0.0	
1:29:26 PM	0.2	1:21:36 PM	0.2	0.0	
1:44:26 PM	0.2	1:36:36 PM	0.2	0.0	
1:59:26 PM	0.2	1:51:36 PM	0.2	0.0	
2:14:26 PM	0.3	2:06:36 PM	0.2	-0.1	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 15, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	22-30°F, Fair, RH:55%, P: 30.24" Hg, Winds: NW @ 17 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, TJ Jennings) • **Environmental Driller –** Eastern (1 Driller, 2 Helpers)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced eight waste characterization soil borings and one co-located RI boring (WC-5-1, WC-5-2, WC-5-3, WC-5-4, WC-6-1,WC-6-2,WC-6-3,WC-6-4/RSB-8) to 20 ft bls and four waste characterization soil borings (WC-8-1, WC-8-2, WC-8-3, WC-8-4) to 10 ft bls with a Geoprobe drill rig.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:50 to 16:10 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.2 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.024 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-5(5-10), WC-5-2(5-7), WC-5(10-15), WC-5_3(10-12), WC-5(15-20), WC-5_3(15-17), WC-6(5-10), WC-6_2(5-7), WC-6(10-15), WC-6_1(10-12),WC-6(15-20), WC-6_4(15-17), WC-8(5-10), and WC-8_4(5-7) for waste characterization parameters.
  - RSB-8(25-27), RSB-8(5-7), RSB-8(7-9), RSB-9(0-2), and RSB-5(8-10) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex/tri chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 15, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	22-30°F, Fair, RH:55%, P: 30.24" Hg, Winds: NW @ 17 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:30 PM




Photo 1: View facing north, Eastern drilling soil boring RSB-5.



Photo 2: View facing south, Eastern using cold patch to seal boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 15, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	22-30°F, Fair, RH:55%, P: 30.24" Hg, Winds: NW @ 17 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:30 PM



Photo 3: Soil collected from WC-5-1 boring.



Photo 4: Soil collected from WC-6-1 boring

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 15, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	22-30°F, Fair, RH:55%, P: 30.24" Hg, Winds: NW @ 17 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:30 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: NORTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/15/2025
Wind Direction (from): NW

Station #1 - UPWIND	8530182904	Station #2 - DOWNWIND	8530203902		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:55:23 AM	0.004	7:50:24 AM	0.028	0.024	
8:10:23 AM	0.004	8:05:24 AM	0.023	0.019	
8:25:23 AM	0.003	8:20:24 AM	0.020	0.017	
8:40:23 AM	0.003	8:35:24 AM	0.017	0.014	
8:55:23 AM	0.003	8:50:24 AM	0.014	0.011	
9:10:23 AM	0.003	9:05:24 AM	0.013	0.010	
9:25:23 AM	0.003	9:20:24 AM	0.011	0.008	
9:40:23 AM	0.004	9:35:24 AM	0.012	0.008	
9:55:23 AM	0.005	9:50:24 AM	0.011	0.006	
10:10:23 AM	0.003	10:05:24 AM	0.010	0.007	
10:25:23 AM	0.004	10:20:24 AM	0.011	0.007	
10:40:23 AM	0.005	10:35:24 AM	0.012	0.007	
10:55:23 AM	0.006	10:50:24 AM	0.015	0.009	
11:10:23 AM	0.005	11:05:24 AM	0.017	0.012	
11:25:23 AM	0.006	11:20:24 AM	0.018	0.012	
11:40:23 AM	0.006	11:35:24 AM	0.017	0.011	
11:55:23 AM	0.004	11:50:24 AM	0.018	0.014	
12:10:23 PM	0.019	12:05:24 PM	0.019	0.000	
12:25:23 PM	0.005	12:20:24 PM	0.019	0.014	
12:40:23 PM	0.005	12:35:24 PM	0.020	0.015	
12:55:23 PM	0.004	12:50:24 PM	0.020	0.016	
1:10:23 PM	0.005	1:05:24 PM	0.023	0.018	
1:25:23 PM	0.007	1:20:24 PM	0.021	0.014	
1:40:23 PM	0.004	1:35:24 PM	0.022	0.018	
1:55:23 PM	0.004	1:50:24 PM	0.020	0.016	
2:10:23 PM	0.004	2:05:24 PM	0.019	0.015	
2:25:23 PM	0.005	2:20:24 PM	0.019	0.014	
2:40:23 PM	0.004	2:35:24 PM	0.017	0.013	
2:55:23 PM	0.005	2:50:24 PM	0.017	0.012	
3:10:23 PM	0.005	3:05:24 PM	0.017	0.012	
3:25:23 PM	0.005	3:20:24 PM	0.017	0.012	
3:40:23 PM	0.007	3:35:24 PM	0.016	0.009	
3:55:23 PM	0.006	3:50:24 PM	0.016	0.010	
4:10:23 PM	0.008	4:05:24 PM	0.016	0.008	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/15/2025
Wind Direction (from): NW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:55:38 AM	0.0	7:51:44 AM	0.0	0.0	
8:10:38 AM	0.0	8:06:44 AM	0.0	0.0	
8:25:38 AM	0.0	8:21:44 AM	0.0	0.0	
8:40:38 AM	0.0	8:36:44 AM	0.1	0.1	
8:55:38 AM	0.0	8:51:44 AM	0.1	0.1	
9:10:38 AM	0.0	9:06:44 AM	0.1	0.1	
9:25:38 AM	0.0	9:21:44 AM	0.2	0.2	
9:40:38 AM	0.0	9:36:44 AM	0.2	0.2	
9:55:38 AM	0.1	9:51:44 AM	0.2	0.1	
10:10:38 AM	0.1	10:06:44 AM	0.2	0.1	
10:25:38 AM	0.1	10:21:44 AM	0.2	0.1	
10:40:38 AM	0.1	10:36:44 AM	0.2	0.1	
10:55:38 AM	0.1	10:51:44 AM	0.2	0.1	
11:10:38 AM	0.1	11:06:44 AM	0.2	0.1	
11:25:38 AM	0.1	11:21:44 AM	0.2	0.1	
11:40:38 AM	0.1	11:36:44 AM	0.2	0.1	
11:55:38 AM	0.1	11:51:44 AM	0.2	0.1	
12:10:38 PM	0.1	12:06:44 PM	0.2	0.1	
12:25:38 PM	0.1	12:21:44 PM	0.2	0.1	
12:40:38 PM	0.1	12:36:44 PM	0.2	0.1	
12:55:38 PM	0.2	12:51:44 PM	0.2	0.0	
1:10:38 PM	0.1	1:06:44 PM	0.2	0.1	
1:25:38 PM	0.1	1:21:44 PM	0.2	0.1	
1:40:38 PM	0.2	1:36:44 PM	0.2	0.0	
1:55:38 PM	0.1	1:51:44 PM	0.2	0.1	
2:10:38 PM	0.1	2:06:44 PM	0.3	0.2	
2:25:38 PM	0.2	2:21:44 PM	0.3	0.1	
2:40:38 PM	0.1	2:36:44 PM	0.2	0.1	
2:55:38 PM	0.1	2:51:44 PM	0.3	0.2	
3:10:38 PM	0.2	3:06:44 PM	0.3	0.1	
3:25:38 PM	0.2	3:21:44 PM	0.3	0.1	
3:40:38 PM	0.2	3:36:44 PM	0.3	0.1	
3:55:38 PM	0.2	3:51:44 PM	NR	0.2	
4:10:38 PM	0.2	4:06:44 PM	NR	0.2	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 16, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-31°F, Fair, RH:42%, P: 30.20" Hg, Winds: SW @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, TJ Jennings) • **Environmental Driller –** Eastern (1 Driller, 3 Helpers)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced 12 waste characterization soil borings and two co-located RI boring (WC-2-1, WC-2-2, WC-2-3, WC-2-4/RSB-6, WC-7-1,WC-7-2,WC-7-3,WC-7-4, WC-4-1, WC-4-2, WC-4-3, WC-4-4/RSB-7) to 20-30 ft bls with a Geoprobe drill rig.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:30 to 15:40 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.2 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.097 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-2(5-10), WC-2-1(5-7), WC-2(10-15), WC-2_3(10-12), WC-2(15-20), WC-2_4(15-17), WC-7(0-5), WC-7_2(0-2), WC-4(5-10), and WC-4_3(5-7) for waste characterization parameters.
  - RSB-6(6-8), RSB-6(8-10), RSB-7(6-8), RSB-7(8-10), and RSB-7(25-27) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex/tri chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:


- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 16, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-31°F, Fair, RH:42%, P: 30.20" Hg, Winds: SW @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

	Photo 1: View facing south, Eastern drilling soil boring WC-2-1 and soil collected.
	Photo 2: View facing south, Eastern using cold patch to seal boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 16, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-31°F, Fair, RH:42%, P: 30.20" Hg, Winds: SW @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



Photo 3: Soil collected from WC-4-4 boring.



Photo 4: View facing northwest; groundwater and soil investigation derived waste drum staging area.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 16, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	27-31°F, Fair, RH:42%, P: 30.20" Hg, Winds: SW @ 8 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: SOUTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-18 Steinway Street, Astoria, NY
Date: 12/16/2025
Wind Direction (from): SW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:39:36 AM	0	7:36:37 AM	0.029	0.029	
7:54:36 AM	0	7:51:37 AM	0.025	0.025	
8:09:36 AM	0	8:06:37 AM	0.025	0.025	
8:24:36 AM	-0.002	8:21:37 AM	0.027	0.029	
8:39:36 AM	-0.004	8:36:37 AM	0.030	0.034	
8:54:36 AM	-0.006	8:51:37 AM	0.028	0.034	
9:09:36 AM	-0.006	9:06:37 AM	0.028	0.034	
9:24:36 AM	-0.006	9:21:37 AM	0.031	0.037	
9:39:36 AM	-0.006	9:36:37 AM	0.027	0.033	
9:54:36 AM	-0.005	9:51:37 AM	0.032	0.037	
10:09:36 AM	-0.004	10:06:37 AM	0.037	0.041	
10:24:36 AM	-0.002	10:21:37 AM	0.048	0.050	
10:39:36 AM	-0.001	10:36:37 AM	0.047	0.048	
10:54:36 AM	0	10:51:37 AM	0.097	0.097	
11:09:36 AM	0	11:06:37 AM	0.044	0.044	
11:24:36 AM	0	11:21:37 AM	0.044	0.044	
11:39:36 AM	0	11:36:37 AM	0.043	0.043	
11:54:36 AM	0	11:51:37 AM	0.040	0.040	
12:09:36 PM	0	12:06:37 PM	0.039	0.039	
12:24:36 PM	0	12:21:37 PM	0.037	0.037	
12:39:36 PM	0	12:36:37 PM	0.036	0.036	
12:54:36 PM	0	12:51:37 PM	0.036	0.036	
1:09:36 PM	0	1:06:37 PM	0.040	0.040	
1:24:36 PM	0	1:21:37 PM	0.040	0.040	
1:39:36 PM	0	1:36:37 PM	0.040	0.040	
1:54:36 PM	0	1:51:37 PM	0.039	0.039	
2:09:36 PM	0	2:06:37 PM	0.038	0.038	
2:24:36 PM	0	2:21:37 PM	0.039	0.039	
2:39:36 PM	0	2:36:37 PM	0.040	0.040	
2:54:36 PM	0	2:51:37 PM	0.041	0.041	
3:09:36 PM	0	3:06:37 PM	0.040	0.040	
3:24:36 PM	0	3:21:37 PM	0.041	0.041	
3:39:36 PM	0	3:36:37 PM	0.039	0.039	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-18 Steinway Street, Astoria, NY
Date: 12/16/2025
Wind Direction (from): SW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:38:20 AM	0.0	7:37:49 AM	0.0	0.0	
7:53:20 AM	0.0	7:52:49 AM	0.0	0.0	
8:08:20 AM	0.0	8:07:49 AM	0.1	0.1	
8:23:20 AM	0.0	8:22:49 AM	0.1	0.1	
8:38:20 AM	0.0	8:37:49 AM	0.1	0.1	
8:53:20 AM	0.0	8:52:49 AM	0.2	0.2	
9:08:20 AM	0.1	9:07:49 AM	0.2	0.1	
9:23:20 AM	0.1	9:22:49 AM	0.2	0.1	
9:38:20 AM	0.1	9:37:49 AM	0.2	0.1	
9:53:20 AM	0.2	9:52:49 AM	0.2	0.0	
10:08:20 AM	0.2	10:07:49 AM	0.2	0.0	
10:23:20 AM	0.2	10:22:49 AM	0.2	0.0	
10:38:20 AM	0.3	10:37:49 AM	0.2	-0.1	
10:53:20 AM	0.2	10:52:49 AM	0.2	0.0	
11:08:20 AM	0.2	11:07:49 AM	0.2	0.0	
11:23:20 AM	0.2	11:22:49 AM	0.2	0.0	
11:38:20 AM	0.2	11:37:49 AM	0.2	0.0	
11:53:20 AM	0.2	11:52:49 AM	0.2	0.0	
12:08:20 PM	0.2	12:07:49 PM	0.2	0.0	
12:23:20 PM	0.2	12:22:49 PM	0.2	0.0	
12:38:20 PM	0.3	12:37:49 PM	0.2	-0.1	
12:53:20 PM	0.3	12:52:49 PM	0.2	-0.1	
1:08:20 PM	0.3	1:07:49 PM	0.2	-0.1	
1:23:20 PM	0.3	1:22:49 PM	0.3	0.0	
1:38:20 PM	0.3	1:37:49 PM	0.3	0.0	
1:53:20 PM	0.3	1:52:49 PM	0.3	0.0	
2:08:20 PM	0.3	2:07:49 PM	0.3	0.0	
2:23:20 PM	0.3	2:22:49 PM	0.3	0.0	
2:38:20 PM	0.3	2:37:49 PM	0.3	0.0	
2:53:20 PM	0.3	2:52:49 PM	0.3	0.0	
3:08:20 PM	0.2	3:07:49 PM	0.3	0.1	
3:23:20 PM	0.2	3:22:49 PM	0.3	0.1	
3:38:20 PM	0.2	3:37:49 PM	0.3	0.1	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 17, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	32-45°F, Cloudy, RH:55%, P: 30.00" Hg, Winds: SW @ 6 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, Dean Gennosa) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced 8 waste characterization soil borings and 1 co-located RI boring (WC-3-1, WC-3-2, WC-3-3, WC-3-4, WC-8-4, WC-7-1, WC-7-4/RSB-9, and WC-1-1) to 20 ft bls with a Geoprobe drill rig.
- Roux conducted oversight and collected soil samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:30 to 15:40 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.2 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.004 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-3(5-10), WC-3-3(5-7), WC-3(10-15), WC-3_3(10-12), WC-3(15-20), WC-3_4(15-17), WC-8(10-15), WC-8_4(10-12), WC-8(15-20), and WC-8_4(15-17) for waste characterization parameters.
  - RSB-9(16-18), RSB-9(18-20), RSB-9(20-22), RSB-9(22-24), and RSB-3(8-10) for TCL VOCs, TCL SVOCs, TCL Pests, TCL Herbs, TCL PCBs, TAL Metals, hex/tri chrome, total cyanide, and PFAS.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 17, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	32-45°F, Cloudy, RH:55%, P: 30.00" Hg, Winds: SW @ 6 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



Photo 1: View facing south, Eastern drilling soil boring in WC-7-2.



Photo 2: View facing east, Eastern using cold patch to seal boring.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 17, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	32-45°F, Cloudy, RH:55%, P: 30.00" Hg, Winds: SW @ 6 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM



Photo 3: Soil collected from WC-3-3 boring.



Photo 4: View facing southwest, UW CAMP station set up.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 17, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	32-45°F, Cloudy, RH:55%, P: 30.00" Hg, Winds: SW @ 6 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 16:00 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: SOUTHWEST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/17/2025
Wind Direction (from): SW

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:33:14 AM	0.053	7:36:25 AM	0.035	-0.018	
7:48:14 AM	0.032	7:51:25 AM	0.033	0.001	
8:03:14 AM	0.034	8:06:25 AM	0.034	0.000	
8:18:14 AM	0.033	8:21:25 AM	0.035	0.002	
8:33:14 AM	0.036	8:36:25 AM	0.038	0.002	
8:48:14 AM	0.038	8:51:25 AM	0.039	0.001	
9:03:14 AM	0.038	9:06:25 AM	0.039	0.001	
9:18:14 AM	0.04	9:21:25 AM	0.040	0.000	
9:33:14 AM	0.038	9:36:25 AM	0.040	0.002	
9:48:14 AM	0.04	9:51:25 AM	0.044	0.004	
10:03:14 AM	0.039	10:06:25 AM	0.043	0.004	
10:18:14 AM	0.042	10:21:25 AM	0.044	0.002	
10:33:14 AM	0.041	10:36:25 AM	0.039	-0.002	
10:48:14 AM	0.041	10:51:25 AM	0.042	0.001	
11:03:14 AM	0.042	11:06:25 AM	0.042	0.000	
11:18:14 AM	0.041	11:21:25 AM	0.040	-0.001	
11:33:14 AM	0.042	11:36:25 AM	0.043	0.001	
11:48:14 AM	0.045	11:51:25 AM	0.045	0.000	
12:03:14 PM	0.047	12:06:25 PM	0.046	-0.001	
12:18:14 PM	0.048	12:21:25 PM	0.047	-0.001	
12:33:14 PM	0.048	12:36:25 PM	0.047	-0.001	
12:48:14 PM	0.048	12:51:25 PM	0.046	-0.002	
1:03:14 PM	0.047	1:06:25 PM	0.045	-0.002	
1:18:14 PM	0.048	1:21:25 PM	0.049	0.001	
1:33:14 PM	0.049	1:36:25 PM	0.047	-0.002	
1:48:14 PM	0.048	1:51:25 PM	0.047	-0.001	
2:03:14 PM	0.049	2:06:25 PM	0.049	0.000	
2:18:14 PM	0.049	2:21:25 PM	0.049	0.000	
2:33:14 PM	0.049	2:36:25 PM	0.049	0.000	
2:48:14 PM	0.047	2:51:25 PM	0.050	0.003	
3:03:14 PM	0.05	3:06:25 PM	0.053	0.003	
3:18:14 PM	0.049	3:21:25 PM	0.049	0.000	
3:33:14 PM	0.046	3:36:25 PM	0.047	0.001	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/17/2025
Wind Direction (from): SW

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:39:01 AM	0.0	7:34:38 AM	0.0	0.0	
7:54:01 AM	0.0	7:49:38 AM	0.0	0.0	
8:09:01 AM	0.0	8:04:38 AM	0.0	0.0	
8:24:01 AM	0.0	8:19:38 AM	0.0	0.0	
8:39:01 AM	0.0	8:34:38 AM	0.0	0.0	
8:54:01 AM	0.1	8:49:38 AM	0.0	-0.1	
9:09:01 AM	0.1	9:04:38 AM	0.0	-0.1	
9:24:01 AM	0.1	9:19:38 AM	0.0	-0.1	
9:39:01 AM	0.1	9:34:38 AM	0.0	-0.1	
9:54:01 AM	0.1	9:49:38 AM	0.0	-0.1	
10:09:01 AM	0.1	10:04:38 AM	0.0	-0.1	
10:24:01 AM	0.1	10:19:38 AM	0.1	0.0	
10:39:01 AM	0.1	10:34:38 AM	0.1	0.0	
10:54:01 AM	0.2	10:49:38 AM	0.1	-0.1	
11:09:01 AM	0.2	11:04:38 AM	0.1	-0.1	
11:24:01 AM	0.2	11:19:38 AM	0.1	-0.1	
11:39:01 AM	0.2	11:34:38 AM	0.1	-0.1	
11:54:01 AM	0.2	11:49:38 AM	0.1	-0.1	
12:09:01 PM	0.2	12:04:38 PM	0.1	-0.1	
12:24:01 PM	0.2	12:19:38 PM	0.1	-0.1	
12:39:01 PM	0.2	12:34:38 PM	0.1	-0.1	
12:54:01 PM	0.2	12:49:38 PM	0.1	-0.1	
1:09:01 PM	0.2	1:04:38 PM	0.1	-0.1	
1:24:01 PM	0.2	1:19:38 PM	0.1	-0.1	
1:39:01 PM	0.2	1:34:38 PM	0.1	-0.1	
1:54:01 PM	0.2	1:49:38 PM	0.1	-0.1	
2:04:38 PM	NR	2:04:38 PM	0.1	0.1	UW PID Battery issues.
2:19:38 PM	NR	2:19:38 PM	0.2	0.2	
2:34:38 PM	NR	2:34:38 PM	0.2	0.2	
2:49:38 PM	NR	2:49:38 PM	0.2	0.2	
3:04:38 PM	NR	3:04:38 PM	0.2	0.2	
3:19:38 PM	NR	3:19:38 PM	0.2	0.2	
3:34:38 PM	NR	3:34:38 PM	0.2	0.2	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 18, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	37-50°F, Mostly Cloudy, RH:62%, P: 30.22" Hg, Winds: SSE @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **Eastern Environmental Solutions, Inc.** (Eastern) – Geoprobe drill rig, Hand tools, etc.	• **Environmental Consultant**- Roux (Marilyn Villacres, TJ Jennings, Ronnie Reynoso) • **Environmental Driller –** Eastern (1 Driller, 1 Helper)

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- Eastern advanced 8 waste characterization soil borings (WC-1-1, WC-1-2, WC-1-3, WC-1-4, WC-7-1, WC-7-2, WC-7-3, and WC-7-4) to 20 ft bls with a Geoprobe drill rig.
- Roux conducted oversight and collected soil, groundwater, and soil vapor samples.

CAMP Implementation:

- Two CAMP stations (one upwind station, one downwind station) were implemented from 7:30 to 15:40 during work activities (see figure below for station locations). CAMP stations consisted of a photoionization detector (PID) and a particulate meter (DT).
- There were no exceedances of VOCs or dust. The maximum corrected downwind concentration of VOCs was 0.1 parts per million (ppm). The maximum corrected downwind concentration for dust was 0.019 milligrams per cubic meter (mg/m^3).

Sampling performed:

- The following soil samples were collected today:
  - WC-1(5-10), WC-1-2(5-7), WC-1(10-15), WC-1_3(10-12), WC-1(15-20), WC-1_1(15-17), WC-7(5-10), WC-7(5-7), WC-7(10-15), WC-7_4(10-12), WC-7(15-20), and WC-7_2(15-17) for waste characterization parameters.
- The following groundwater samples were collected today:
  - RMW-1, RMW-3, and RMW-4.
- The following soil vapor samples were collected today:
  - RSV-1, RSV-3, RSV-4, RSV-6, RSV-7, RSV-8, and RSV-9.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Eastern will continue advancing soil borings and installing soil vapor points.
- Roux will continue collecting soil samples in accordance with the RIWP.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 18, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	37-50°F, Mostly Cloudy, RH:62%, P: 30.22" Hg, Winds: SSE @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM




Photo 1: View facing north, Eastern drilling soil boring in WC-7-2.



Photo 2: View of soil collected from WC-1-2 from 10-15 ft bls.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 18, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	37-50°F, Mostly Cloudy, RH:62%, P: 30.22" Hg, Winds: SSE @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM



Photo 3: Soil collected from WC-1-3 from 5-10 ft bls.



Photo 4: Soil collected from WC-1-1 from 15-20 ft bls.

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 18, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	37-50°F, Mostly Cloudy, RH:62%, P: 30.22" Hg, Winds: SSE @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM

Site Plan



CAMP STATION #1 LOCATION (UPWIND)

CAMP STATION #2 LOCATION (DOWNWIND)

WORK AREA

WIND DIRECTION: SOUTHSOUTHEAST

Approved:	**Jack Rusk**	By:	**Marilyn Villacres**

Roux
Community Air Monitoring Program - Dust

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/18/2025
Wind Direction (from): SSE

Station #1 - UPWIND	8530203902	Station #2 - DOWNWIND	8530182904		
Time	15-min Average (mg/m^3)	Time	15-min Average (mg/m^3)	Corrected 15-min Average (mg/m^3)	Comments
7:34:54 AM	0.056	7:30:49 AM	0.049	-0.007	
7:49:54 AM	0.03	7:45:49 AM	0.043	0.013	
8:04:54 AM	0.033	8:00:49 AM	0.042	0.009	
8:19:54 AM	0.031	8:15:49 AM	0.042	0.011	
8:34:54 AM	0.031	8:30:49 AM	0.040	0.009	
8:49:54 AM	0.038	8:45:49 AM	0.046	0.008	
9:04:54 AM	0.04	9:00:49 AM	0.048	0.008	
9:19:54 AM	0.035	9:15:49 AM	0.040	0.005	
9:34:54 AM	0.039	9:30:49 AM	0.045	0.006	
9:49:54 AM	0.041	9:45:49 AM	0.047	0.006	
10:04:54 AM	0.039	10:00:49 AM	0.047	0.008	
10:19:54 AM	0.037	10:15:49 AM	0.046	0.009	
10:34:54 AM	0.04	10:30:49 AM	0.049	0.009	
10:49:54 AM	0.03	10:45:49 AM	0.047	0.017	
11:04:54 AM	0.032	11:00:49 AM	0.042	0.010	
11:19:54 AM	0.034	11:15:49 AM	0.046	0.012	
11:34:54 AM	0.034	11:30:49 AM	0.042	0.008	
11:49:54 AM	0.033	11:45:49 AM	0.042	0.009	
12:04:54 PM	0.033	12:00:49 PM	0.047	0.014	
12:19:54 PM	0.033	12:15:49 PM	0.046	0.013	
12:34:54 PM	0.034	12:30:49 PM	0.044	0.010	
12:49:54 PM	0.032	12:45:49 PM	0.044	0.012	
1:04:54 PM	0.029	1:00:49 PM	0.041	0.012	
1:19:54 PM	0.024	1:15:49 PM	0.036	0.012	
1:34:54 PM	0.024	1:30:49 PM	0.038	0.014	
1:49:54 PM	0.02	1:45:49 PM	0.029	0.009	
2:04:54 PM	0.02	2:00:49 PM	0.032	0.012	
2:19:54 PM	0.022	2:15:49 PM	0.027	0.005	
2:34:54 PM	0.024	2:30:49 PM	0.035	0.011	
2:49:54 PM	0.026	2:45:49 PM	0.036	0.010	
3:04:54 PM	0.023	3:00:49 PM	0.039	0.016	
3:19:54 PM	0.025	3:15:49 PM	0.043	0.018	
3:34:54 PM	0.024	3:30:49 PM	0.043	0.019	
3:49:54 PM	0.026	3:45:49 PM	0.039	0.013	
4:04:54 PM	0.029	4:00:49 PM	0.037	0.008	
4:19:54 PM	0.03	4:15:49 PM	0.040	0.010	

mg/m3 - milligrams per meters cubed

Roux
Community Air Monitoring Program - VOCs

Project: Former Bordens Farm Products
Project Number: 4806.0001Y000
Project Manager: Jack Rusk
Location 35-30 Steinway Street, Astoria, NY
Date: 12/18/2025
Wind Direction (from): SSE

Station #1 - UPWIND	592-601739	Station #2 - DOWNWIND	592-604392	Corrected 15-min Average (ppm)	Comments
Time	15-min Average (ppm)	Time	15-min Average (ppm)		
7:32:29 AM	0.0	7:34:56 AM	0.0	0.0	
7:47:29 AM	0.0	7:49:56 AM	0.1	0.1	
8:02:29 AM	0.1	8:04:56 AM	0.1	0.0	
8:17:29 AM	0.1	8:19:56 AM	0.1	0.0	
8:32:29 AM	0.1	8:34:56 AM	0.2	0.1	
8:47:29 AM	0.2	8:49:56 AM	0.2	0.0	
9:02:29 AM	0.2	9:04:56 AM	0.2	0.0	
9:17:29 AM	0.2	9:19:56 AM	0.2	0.0	
9:32:29 AM	0.3	9:34:56 AM	0.2	-0.1	
9:47:29 AM	0.3	9:49:56 AM	0.2	-0.1	
10:02:29 AM	0.3	10:04:56 AM	0.2	-0.1	
10:17:29 AM	0.3	10:19:56 AM	0.2	-0.1	
10:32:29 AM	0.3	10:34:56 AM	0.2	-0.1	
10:47:29 AM	0.3	10:49:56 AM	0.2	-0.1	
11:02:29 AM	0.3	11:04:56 AM	0.2	-0.1	
11:17:29 AM	0.3	11:19:56 AM	0.2	-0.1	
11:32:29 AM	0.3	11:34:56 AM	0.3	0.0	
11:47:29 AM	0.3	11:49:56 AM	0.3	0.0	
12:02:29 PM	0.4	12:04:56 PM	0.3	-0.1	
12:17:29 PM	0.4	12:19:56 PM	0.3	-0.1	
12:32:29 PM	0.4	12:34:56 PM	0.3	-0.1	
12:47:29 PM	0.4	12:49:56 PM	0.3	-0.1	
1:02:29 PM	0.4	1:04:56 PM	0.3	-0.1	
1:17:29 PM	0.4	1:19:56 PM	0.2	-0.2	
1:32:29 PM	0.4	1:34:56 PM	0.2	-0.2	
1:47:29 PM	0.4	1:49:56 PM	0.2	-0.2	
2:02:29 PM	0.4	2:04:56 PM	0.2	-0.2	
2:17:29 PM	0.3	2:19:56 PM	0.2	-0.1	
2:32:29 PM	0.3	2:34:56 PM	0.2	-0.1	
2:47:29 PM	0.3	2:49:56 PM	0.2	-0.1	
3:02:29 PM	0.3	3:04:56 PM	0.2	-0.1	
3:17:29 PM	0.3	3:19:56 PM	0.2	-0.1	
3:32:29 PM	0.3	3:34:56 PM	0.2	-0.1	
3:47:29 PM	0.3	3:49:56 PM	0.2	-0.1	
4:02:29 PM	0.3	4:04:56 PM	0.2	-0.1	
4:17:29 PM	0.4	4:19:56 PM	0.3	-0.1	

NR = Not Recorded
ppm = parts per million

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 22, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	29-39°F, Fair, RH:45%, P: 30.46" Hg, Winds: W @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM

CONTRACTOR AND EQUIPMENT:	**PERSONNEL PRESENT AT SITE AND AFFILIATION:**
• **MEGA Surveying and Engineering, P.C. (MEGA)**	• **Environmental Consultant**- Roux (TJ Jennings) • **MEGA** – 2 Surveyors

OBSERVATIONS, DISCUSSIONS, ETC.

Roux was onsite to complete the Remedial Investigation in accordance with the NYSDEC-approved RIWP.

GENERAL COMMENTS:

Description of contractor work activities performed:

- MEGA completed an elevation survey of all monitoring wells.
- Roux collected groundwater and soil vapor samples.

CAMP Implementation:

- CAMP was not conducted as no intrusive work was completed.

Sampling performed:

- The following groundwater samples were collected today:
  - RMW-2 and RMW-5.
- The following soil vapor samples were collected today:
  - RSV-2, RSV-5, and RSV-7.

Material Delivered to Site:

- None.

Material Removed from Site:

- None.

Upcoming work activities anticipated:

- Roux will coordinate to dispose of all investigation derived waste from the Site. All RI activities are completed.

Approved:	**Jack Rusk**	By:	**TJ Jennings**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 22, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	29-39°F, Fair, RH:45%, P: 30.46" Hg, Winds: W @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM

	Photo 1: View facing west, cannister set up for soil vapor sampling at RSV-7.
	Photo 2: View facing east, groundwater sampling setup at RMW-5.

Approved:	**Jack Rusk**	By:	**TJ Jennings**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 22, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	29-39°F, Fair, RH:45%, P: 30.46" Hg, Winds: W @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM



Photo 3: View facing south; MEGA completing surveying activities at RMW-5.



Photo 4: View facing southwest, UW CAMP station set up.

Approved:	**Jack Rusk**	By:	**TJ Jennings**

ROUX

DAILY SITE INSPECTION/FIELD ACTIVITY REPORT

PROJECT NO.:	4806.0001Y000	**CLIENT:**	**DATE:**	December 22, 2025
PROJECT:	Former Bordens Farm Products (BCP Site #C241294)	LMXD INNOQ B1 LLC	**WEATHER:**	29-39°F, Fair, RH:45%, P: 30.46" Hg, Winds: W @ 12 mph
LOCATION:	35-30 Steinway Street, Astoria, NY		**TIME:**	07:00 AM – 17:30 PM

Site Plan



WORK AREA

WIND DIRECTION: WEST

Approved:	**Jack Rusk**	By:	**TJ Jennings**

APPENDIX I

Waste Characterization Sample Data for Investigation Derived Waste