



Submitted via email

August 22, 2025

Justin Starr
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, NY 12233-7014

Re: Little Britain Road Service Center
610 Little Britain Road, New Windsor, New York
Brownfield Cleanup Agreement # C336031
Second Quarter 2025 Groundwater Sampling Results

Dear Mr. Starr:

This letter serves to document the results of the quarterly sampling event conducted at Central Hudson Gas & Electric Corporation's (Central Hudson) Little Britain Road Service Center located at 610 Little Britain Road, New Windsor, New York (the Property) (**Figure 1**). Adirondack Environmental Services, Inc. (Adirondack) gauged and sampled the monitoring well network in May 2025.

Groundwater Sampling Event

The monitoring wells were purged by utilizing either low-flow or volume purge method. Purge water was placed in a properly labeled 55-gallon drum for proper disposal. Water chemistry parameters collected during the sampling event include temperature, pH, turbidity, dissolved oxygen, oxidation-reduction potential, and electromagnetic conductance. Immediately following purging, groundwater samples were collected from each well. The samples were containerized in laboratory-supplied bottleware and couriered under chain of custody to Adirondack for analysis. The samples were analyzed for volatile organic compounds (VOCs) via United States Environmental Protection Agency (USEPA) Method 8260. Copies of the groundwater sampling water chemistry data (field notes) are attached.

Results

Monitoring well MW01-8A contained an insufficient amount of water to collect a sample for laboratory analysis. No samples or water quality parameters were collected.

Depth to water ranged from 4.20 feet below top of casing (fbtoc) in monitoring well MW-18-10A to 53.51 fbtoc in monitoring well MW-21-20D (**Table 1**). Non-aqueous phase liquid (NAPL) was not observed in any well during the gauging event. Groundwater elevation maps are attached as **Figures 2** through **5**.

Laboratory analysis indicated that one or more of the following VOC constituents were detected above the New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values in monitoring wells sampled. The minimum and maximum detections that exceed the applicable standard in micrograms per liter (ug/L) are presented below (a 'C' indicates low recovery.):

- 1,1-Dichloroethene (83 in MW21-19C),
- Acetone (350 ug/L in MW18-8D),
- cis-1,2-Dichloroethene (6.8 ug/L in MW01-8B, MW21-15C, and MW21-20D to 20,000 ug/L in MW18-12B),
- Methylene Chloride (15 C ug/L in MW18-8F to 400 ug/L in MW18-12B)
- Trichloroethene (8.3 ug/L in MW18-14B to 4,600 ug/l in MW18-12B), and
- Vinyl chloride (3.9 C ug/L in MW01-8B and MW21-16 to 2,300 C ug/L in MW18-12B).

A summary of the laboratory sample results from the May 2025 sampling event are included in **Table 2** and historical groundwater data is presented in **Table 3**.

The next groundwater sampling event is scheduled to be completed in September 2025. Please contact me at (845) 486-5641 or jgallo@cenhud.com if you have any questions.

Sincerely,



Jesse N. Gallo
Environmental Coordinator

Attachments

EC: Amen Omorogbe, New York State Department of Environmental Conservation
Kristin Kulow, New York State Department of Health
Mark McLean, Central Hudson

Tables

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-1B	Bedrock Open hole	295.57	11-24.5 bgs	284.57 - 271.07	295.24	8/21/1995	9.94	285.30	8.1 / 287.47
						9/18/1995	11.69	283.55	
						6/14/1996	4.58	290.66	
						12/6/2001	5.40	289.84	
						9/26/2001	10.52	284.72	
						12/17/2001	12.79	282.45	
						3/19/2002	12.20	283.04	
						6/19/2002	7.25	287.99	
						9/26/2002	12.72	282.52	
						12/16/2002	3.81	291.43	
					297.54 ^a	6/18/2003	7.23	290.31	
						3/3/2012	6.06	291.48	
						8/6/2004	9.35	288.19	
						12/16/2004	7.22	290.32	
						6/22/2005	8.98	288.56	
						12/5/2012	7.02	290.52	
						8/28/2006	10.91	286.63	
						12/18/2006	8.69	288.85	
						3/27/2007	6.47	291.07	
						11/6/2007	9.43	288.11	
					296.67 ^d	5/22/2017	10.21	286.46	
		294.39	25.45	271.33	296.78	10/29/2018	10.16	286.62	
					296.78	12/10/2019	12.05	284.73	
					296.78	3/17/2020	12.46	284.32	
					296.78	6/16/2020	13.37	283.41	
					296.78	9/22/2020	13.70	283.08	
					296.78	12/14/2020	13.71	283.07	
					296.78	3/1/2021	10.52	286.26	
					296.78	6/21/2021	13.45	283.33	
					296.78	9/20/2021	11.84	284.94	
					296.78	12/6/2021	13.09	283.69	
					296.78	3/14/2022	11.85	284.93	
					296.78	6/3/2022	12.25	284.53	
					296.78	9/13/2022	14.81	281.97	
					296.78	11/29/2022	14.58	282.20	
					296.78	3/22/2023	12.15	284.63	
			24.5		296.78	6/19/2023	14.27	282.51	
			24.5		296.78	9/21/2023	13.26	283.52	
			24.5		296.78	12/11/2023	11.62	285.16	
			24.5	269.89	296.78	3/18/2024	10.59	286.19	
			24.5	269.89	296.78	6/10/2024	13.14	283.64	
			24.5	269.89	296.78	9/25/2024	14.89	281.89	
			24.5	269.89	296.78	12/9/2024	14.94	281.84	
			24.5	269.89	296.78	2/24/2025	13.70	283.08	
			24.5	269.89	296.78	5/27/2025	11.88	284.90	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2	Overburden	298.2	4-14 bgs	294.2 - 284.2	297.87	12/17/2001	Dry	> 297.87	14 / 284.2
						3/19/2002	Dry	> 297.87	
						6/19/2002	10.71	287.16	
						9/26/2002	Dry	> 297.87	
						12/16/2002	7.43	290.44	
						6/18/2003	8.14	289.73	
						3/3/2012	7.36	290.51	
						8/6/2004	10.12	287.75	
						12/16/2004	8.07	289.80	
						6/22/2005	10.04	287.83	
						12/13/2005	7.97	289.90	
						8/28/2006	11.47	286.40	
						12/18/2006	9.14	288.73	
						3/27/2007	6.70	291.17	
						11/6/2007	10.12	287.75	
					297.23 ^b	5/22/2017	9.53	287.70	
		297.61	13.28	283.96	297.24	10/29/2018	10.06	287.18	
					297.24	12/10/2019	Dry	Dry	Dry
					297.24	3/17/2020	Dry	Dry	Dry
					297.24	6/16/2020	Dry	Dry	Dry
					297.24	9/22/2020	Dry	Dry	Dry
					297.24	12/14/2020	Dry	Dry	Dry
					297.24	3/1/2021	10.81	286.43	
					297.24	6/21/2021	Dry	Dry	Dry
					297.24	9/20/2021	11.85	285.39	
					297.24	12/6/2021	13.04	284.20	
					297.24	3/14/2022	11.83	285.41	
					297.24	6/3/2022	12.39	284.85	
					297.24	9/13/2022	Dry	Dry	Dry
					297.24	3/21/2023	11.72	285.52	
			14		297.24	6/19/2023	Dry	Dry	Dry
			14		297.24	9/18/2023	Dry	Dry	Dry
			14		297.24	12/11/2023	10.52	286.72	
			14		297.24	3/18/2024	8.21	289.03	
			14		297.24	6/10/2024	13.03	284.21	
			14		297.24	9/25/2024	Dry	Dry	Dry
			14		297.24	12/9/2024	Dry	Dry	Dry
			14		297.24	2/24/2025	Dry	Dry	Dry
			14		297.24	5/27/2025	11.16	286.08	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2B	Bedrock Open hole	298.7	13.5-29.5 bgs	285.2 - 269.2	298.61	12/17/2001	19.17	279.44	12 / 286.7
						3/19/2002	17.11	281.50	
						6/19/2002	11.44	287.17	
						9/26/2002	18.85	279.76	
						12/16/2002	8.21	290.40	
						6/18/2003	8.90	289.71	
						3/3/2012	8.13	290.48	
						8/6/2004	10.86	287.75	
						12/16/2004	8.50	290.11	
						6/22/2005	10.82	287.79	
						12/13/2005	8.72	289.89	
						8/28/2006	12.21	286.40	
						12/18/2006	9.87	288.74	
						3/27/2007	7.45	291.16	
						11/6/2007	10.88	287.73	
					297.87 ^b	5/22/2017	10.30	287.57	
		297.89	17.65	280.35	298.00	10/29/2018	10.83	287.17	
					298.00	12/10/2019	13.06	284.94	
					298.00	3/17/2020	13.25	284.75	
					298.00	6/16/2020	14.04	283.96	
					298.00	9/22/2020	15.75	282.25	
					298.00	12/14/2020	14.44	283.56	
					298.00	3/1/2021	4.99	293.01	
					298.00	6/21/2021	Dry	Dry	Dry
					298.00	9/20/2021	12.64	285.36	
					298.00	12/6/2021	13.80	284.20	
					298.00	3/14/2022	12.60	285.40	
					298.00	6/6/2022	13.16	284.84	
					298.00	9/13/2022	15.52	282.48	
					298.00	11/29/2022	15.89	282.11	
					298.00	3/21/2023	12.52	285.48	
			29.5		298.00	6/19/2023	14.68	283.32	
			29.5		298.00	9/18/2023	13.13	284.87	
			29.5		298.00	12/11/2023	11.23	286.77	
			29.5		298.00	3/18/2024	9.03	288.97	
			17.15		298.00	12/10/2024	16.44	281.56	
			29.5		298.00	6/10/2024	13.81	284.19	
			29.5		298.00	9/25/2024	15.58	282.42	
			29.5		298.00	12/9/2024	16.44	281.56	
			29.5		298.00	2/24/2025	14.57	283.43	
			29.5		298.00	5/27/2025	11.94	286.06	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-3	Overburden	304.1	5-20 bgs	299.1 - 284.1	303.89	12/17/2001	18.11	285.78	>45 deep
						3/19/2002	18.25	285.64	
						6/19/2002	12.34	291.55	
						9/26/2002	15.88	288.01	
						12/16/2002	7.20	296.69	
						6/18/2003	10.11	293.78	
						3/3/2012	7.90	295.99	
						8/6/2004	12.10	291.79	
						12/16/2004	9.67	294.22	
						6/22/2005	9.67	294.22	
						12/13/2005	8.24	295.65	
						8/28/2006	12.95	290.94	
						12/18/2006	10.32	293.57	
						3/27/2007	6.67	297.22	
						11/6/2007	11.54	292.35	
					303.27 ^b	5/22/2017	9.86	293.41	
		303.20	18.91	284.39	303.30	10/29/2018	9.80	293.50	
					303.30	12/10/2019	11.50	291.80	
					303.30	3/17/2020	10.85	292.45	
					303.30	6/16/2020	12.03	291.27	
					303.30	9/22/2020	14.82	288.48	
					303.30	12/14/2020	12.76	290.54	
					303.30	3/1/2021	8.33	294.97	
					303.30	6/21/2021	12.20	291.10	
					303.30	9/20/2021	9.70	293.60	
					303.30	12/6/2021	11.29	292.01	
					303.30	3/14/2022	9.92	293.38	
					303.30	6/2/2022	11.08	292.22	
					303.30	9/12/2022	15.83	287.47	
					303.30	11/29/2022	16.07	287.23	
					303.30	3/21/2023	8.72	294.58	
			20		303.30	6/19/2023	11.92	291.38	
			20		303.30	9/18/2023	12.00	291.30	
			20		303.30	12/11/2023	10.50	292.80	
			20		303.30	3/18/2024	7.65	295.65	
			20		303.30	6/10/2024	11.53	291.77	
			20		303.30	9/25/2024	14.82	288.48	
			20		303.30	12/9/2024	15.43	287.87	
			20		303.30	2/24/2025	11.73	291.57	
			20		303.30	5/27/2025	8.50	294.80	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-4B2	Bedrock Open hole	299.7	62.8-82.8 bgs	236.9 - 216.9	299.42	12/17/2001	15.89	283.53	58.8 / 240.9
					299.42	3/19/2002	15.70	283.72	
					299.42	6/19/2002	9.44	289.98	
					299.42	9/26/2002	13.92	285.50	
					299.42	12/16/2002	5.93	293.49	
					299.42	6/18/2003	8.59	290.83	
					299.42	3/3/2012	6.85	292.57	
					299.42	8/6/2004	11.21	288.21	
					299.42	12/16/2004	8.77	290.65	
					299.42	6/22/2005	11.53	287.89	
					299.42	12/13/2005	8.85	290.57	
					299.42	8/28/2006	12.35	287.07	
					299.42	12/18/2006	10.86	288.56	
					299.42	3/27/2007	7.35	292.07	
					299.42	11/6/2007	11.20	288.22	
					299.42	5/22/2017	Well Previously Inaccessible		
					299.42	6/21/2021	11.82	287.60	
					299.42	9/20/2021	12.10	287.32	
					299.42	12/6/2021	13.53	285.89	
					299.42	3/14/2022	13.00	286.42	
					299.42	6/1/2022	13.69	285.73	
					299.42	9/12/2022	15.61	283.81	
					299.42	11/30/2022	15.64	283.78	
					299.42	3/21/2023	13.00	286.42	
			82.8		299.42	6/19/2023	14.77	284.65	
			82.8		299.42	9/18/2023	14.10	285.32	
			82.8		299.42	12/11/2023	12.73	286.69	
			82.8		299.42	3/18/2024	9.62	289.80	
			82.8		299.42	6/10/2024	13.97	285.45	
			82.8		299.42	9/25/2024	15.46	283.96	
			82.8		299.42	12/9/2024	15.69	283.73	
			82.8		299.42	2/24/2025	14.29	285.13	
			82.8		299.42	5/27/2025	12.42	287.00	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-5	Overburden	298.19	8-18 bgs	290.19 - 280.19	297.62	8/21/1995	9.65	287.97	>18 deep
						9/18/1995	10.88	286.74	
						6/14/1996	5.20	292.42	
						12/6/2001	5.74	291.88	
						9/26/2001	10.75	286.87	
						12/17/2001	11.44	286.18	
						3/19/2002	10.31	287.31	
						6/19/2002	5.44	292.18	
						9/26/2002	9.81	287.81	
						12/16/2002	2.61	295.01	
					300.86 ^a	6/18/2003	8.05	292.81	
						3/3/2012	6.55	294.31	
						8/6/2004	9.60	291.26	
						12/16/2004	7.85	293.01	
						6/22/2005	9.68	291.18	
						12/13/2005	6.78	294.08	
						8/28/2006	9.60	291.26	
						12/18/2006	8.42	292.44	
						3/27/2007	5.44	295.42	
						11/6/2007	9.19	291.67	
					300.41 ^d	5/22/2017	7.98	292.43	
		297.95	20.44	279.95	300.39	10/29/2018	7.88	292.51	
					300.39	12/10/2019	7.66	292.73	
					300.39	3/17/2020	9.10	291.29	
					300.39	6/16/2020	9.82	290.57	
					300.39	9/22/2020	11.36	289.03	
					300.39	12/14/2020	9.58	290.81	
					300.39	3/1/2021	7.04	293.35	
					300.39	6/21/2021	9.58	290.81	
					300.39	9/20/2021	8.08	292.31	
					300.39	12/6/2021	9.21	291.18	
					300.39	3/14/2022	8.13	292.26	
					300.39	6/2/2022	8.57	291.82	
					300.39	9/12/2022	10.62	289.77	
					300.39	11/28/2022	9.87	290.52	
					300.39	3/24/2023	7.45	292.94	
			18		300.39	6/19/2023	9.50	290.89	
			18		300.39	9/21/2023	7.51	292.88	
			18		300.39	12/11/2023	7.20	293.19	
			18		300.39	3/18/2024	5.15	292.80	
			18		300.39	6/10/2024	5.53	294.86	
			18		300.39	9/25/2024	8.52	291.87	
			18		300.39	12/9/2024	9.36	291.03	
			18		300.39	2/24/2025	6.46	293.93	
			18		300.39	5/27/2025	6.26	294.13	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-6	Overburden (till)		23.75-33.75 TIC	279.38 - 269.38	301.02	6/14/1996	9.11	291.91	>34 deep
						12/6/2001	9.93	291.09	
						9/26/2001	13.35	287.67	
						12/17/2001	15.62	285.40	
						3/19/2002	14.15	286.87	
						6/19/2002	9.09	291.93	
						9/26/2002	14.29	286.73	
						12/16/2002	7.15	293.87	
					303.95 ^a	6/18/2003	11.35	292.60	
						3/3/2012	9.88	294.07	
						8/6/2004	13.28	290.67	
						12/16/2004	9.05	294.90	
						6/22/2005	12.81	291.14	
						12/13/2005	10.92	293.03	
						8/28/2006	13.40	290.55	
						12/18/2006	11.84	292.11	
						3/27/2007	9.31	294.64	
						11/6/2007	13.33	290.62	
		300.76	33.75	269.38	303.50 ^p	5/22/2017	11.14	292.36	
					303.13	10/29/2018	11.00	292.13	
					303.13	12/10/2019	11.11	292.02	
					303.13	3/17/2020	12.42	290.71	
					303.13	6/16/2020	13.20	289.93	
					303.13	9/22/2020	16.15	286.98	
					303.13	12/14/2020	13.40	289.73	
					303.13	3/1/2021	9.43	293.70	
					303.13	6/21/2021	13.79	289.34	
					303.13	9/20/2021	12.90	290.23	
					303.13	12/6/2021	12.68	290.45	
					303.13	3/14/2022	10.12	293.01	
					303.13	6/3/2022	11.86	291.27	
					303.13	9/12/2022	15.11	288.02	
					303.13	11/28/2022	15.07	288.06	
					303.13	3/27/2023	11.52	291.61	
			30.5		303.13	6/19/2023	13.84	289.29	
			30.5		303.13	9/19/2023	12.40	290.73	
			30.5		303.13	12/11/2023	10.13	293.00	
			30.5		303.13	3/18/2024	9.64	293.49	
			30.5		303.13	6/10/2024	12.68	290.45	
			30.5		303.13	9/25/2024	16.40	286.73	
			30.5		303.13	12/9/2024	15.50	287.63	
			30.5		303.13	2/24/2025	12.52	290.61	
			30.5		303.13	5/27/2025	10.89	292.24	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-7B	Bedrock open hole		3-15 bgs	291.76 - 279.76	295.23	6/14/1996	5.70	289.53	3 / 291.76
						12/6/2001	8.00	287.23	
						9/26/2001	12.60	282.63	
						12/17/2001	14.91	280.32	
						3/19/2002	15.22	280.01	
						6/19/2002	9.96	285.27	
						9/26/2002	15.03	280.20	
						12/16/2002	4.80	290.43	
						6/18/2003	7.17	288.06	
						3/3/2012	4.86	290.37	
						8/6/2004	9.37	285.86	
						12/16/2004	6.89	288.34	
						6/22/2005	9.12	286.11	
						12/13/2005	6.78	288.45	
						8/28/2006	9.71	285.52	
						12/18/2006	9.63	285.60	
						3/27/2007	5.68	289.55	
						11/6/2007	10.02	285.21	
					294.52 ^b	5/22/2017	10.77	283.75	
		294.76	17.84	276.78	294.62	10/29/2018	9.72	284.90	
					294.62	12/10/2019	12.99	281.63	
					294.62	3/17/2020	14.67	279.95	
					294.62	6/16/2020	14.95	279.67	
					294.62	9/22/2020	14.74	279.88	
					294.62	12/14/2020	15.40	279.22	
					294.62	3/1/2021	11.07	283.55	
					294.62	6/21/2021	14.82	279.80	
					294.62	9/20/2021	14.42	280.20	
					294.62	12/6/2021	14.61	280.01	
					294.62	3/14/2022	14.82	279.80	
					294.62	6/3/2022	14.42	280.20	
					294.62	9/13/2022	14.50	280.12	
					294.62	11/29/2022	15.81	278.81	
					294.62	3/23/2023	14.43	280.19	
			18		294.62	6/19/2023	15.90	278.72	
			18		294.62	9/19/2023	14.21	280.41	
			18		294.62	12/11/2023	11.20	283.42	
			18		294.62	3/18/2024	9.53	285.09	
			18		294.62	6/10/2024	14.80	279.82	
			18		294.62	9/25/2024	14.80	279.82	
			18		294.62	12/9/2024	14.33	280.29	
			18		294.62	2/24/2025	14.35	280.27	
			18		294.62	5/27/2025	14.33	280.29	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8A	Overburden		3.8-8.8 bgs	290.45 - 285.45	297.39	12/6/2001	7.92	289.47	NA
						9/26/2001	Dry		
						12/17/2001	Dry		
						3/19/2002	Dry		
						6/19/2002	9.57	287.82	
						9/26/2002	Dry		
						12/16/2002	6.13	291.26	
						6/18/2003	7.30	290.09	
						3/3/2012	6.06	291.33	
						8/6/2004	9.51	287.88	
						12/16/2004	7.27	290.12	
						6/22/2005	9.11	288.28	
						12/13/2005	7.00	290.39	
						8/28/2006	10.73	286.66	
						12/18/2006	8.84	288.55	
						3/27/2007	6.44	290.95	
						11/6/2007	9.62	287.77	
						5/22/2017	Dry		
		294.25	10.84	285.92	296.76	10/29/2018	10.76	286.00	
					296.76	12/10/2019	Dry	Dry	Dry
					296.76	3/17/2020	Dry	Dry	Dry
					296.76	6/16/2020	Dry	Dry	Dry
					296.76	9/22/2020	Dry	Dry	Dry
					296.76	12/14/2020	Dry	Dry	Dry
					296.76	3/1/2021	Dry	Dry	Dry
					296.76	6/21/2021	Dry	Dry	Dry
					296.76	9/20/2021	Dry	Dry	Dry
					296.76	12/6/2021	Dry	Dry	Dry
					296.76	3/14/2022	Dry	Dry	Dry
					296.76	9/12/2022	Dry	Dry	Dry
			8.8		296.76	6/19/2023	Dry	Dry	Dry
			8.8		296.76	9/18/2023	Dry	Dry	Dry
			8.8		296.76	12/11/2023	Dry	Dry	Dry
			8.8		296.76	3/18/2024	Dry	Dry	Dry
			8.8		296.76	6/10/2024	Dry	Dry	Dry
			8.8		296.76	9/25/2024	Dry	Dry	Dry
			8.8		296.76	12/9/2024	Dry	Dry	Dry
			8.8		296.76	2/24/2025	Dry	Dry	Dry
			8.8		296.76	5/27/2025	Dry	Dry	Dry

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8B	Bedrock open hole		25-50 bgs	269.2 - 244.2	297.35	12/6/2001	9.08	288.27	~25 / ~269.2
						9/26/2001	14.14	283.21	
						12/17/2001	17.12	280.23	
						3/19/2002	15.73	281.62	
						6/19/2002	10.41	286.94	
						9/26/2002	17.50	279.85	
						12/16/2002	7.02	290.33	
						6/18/2003	8.04	289.31	
						3/3/2012	6.93	290.42	
						8/6/2004	10.51	286.84	
						12/16/2004	10.05	287.30	
						6/22/2005	9.95	287.40	
						12/13/2005	8.40	288.95	
						8/28/2006	12.03	285.32	
						12/18/2006	10.23	287.12	
						3/27/2007	7.80	289.55	
						11/6/2007	10.99	286.36	
					296.70 ^b	5/22/2017	11.38	285.32	
		294.2	27.15	269.67	296.82	10/29/2018	11.48	285.34	
					296.82	12/10/2019	13.34	283.48	
					296.82	3/17/2020	15.24	281.58	
					296.82	6/16/2020	16.29	280.53	
					296.82	9/22/2020	17.48	279.34	
					296.82	12/14/2020	16.40	280.42	
					296.82	3/1/2021	12.36	284.46	
					296.82	6/21/2021	15.40	281.42	
					296.82	9/20/2021	14.50	282.32	
					296.82	12/6/2021	15.59	281.23	
					296.82	3/14/2022	15.59	281.23	
					296.82	6/6/2022	14.59	282.23	
					296.82	9/13/2022	17.43	279.39	
					296.82	11/30/2022	16.31	280.51	
					296.82	3/23/2023	13.98	282.84	
			50		296.82	6/19/2023	16.54	280.28	
			50		296.82	9/19/2023	14.87	281.95	
			50		296.82	12/11/2023	0.27	296.55	
			50		296.82	3/18/2024	10.59	286.23	
			50		296.82	6/10/2024	15.71	281.11	
			50		296.82	9/25/2024	17.60	279.22	
			50		296.82	12/9/2024	17.43	279.39	
			50		296.82	2/24/2025	16.48	280.34	
			50		296.82	5/27/2025	14.29	282.53	
MW05-8C	Bedrock				296.89	12/13/2005	18.76	278.13	6 / 288.08
						8/28/2006	20.58	276.31	
						12/18/2006	18.87	278.02	
						3/27/2007	14.61	282.28	
						11/6/2007	18.86	278.03	
					295.95 ^b	5/22/2017	20.92	275.03	
		294.08	Well Converted			10/29/2018	Well Converted to MW18-8E/8F		

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8D	Bedrock	294.04	73-83	221.04-211.04	296.44	10/29/2018	40.35	256.09	7 / 287.04
					296.44	12/10/2019	15.26	281.18	
					296.44	3/17/2020	14.77	281.67	
					296.44	6/16/2020	15.98	280.46	
					296.44	9/22/2020	17.28	279.16	
					296.44	12/14/2020	16.18	280.26	
					296.44	3/1/2021	14.04	282.40	
					296.44	6/21/2021	15.94	280.50	
					296.44	9/20/2021	13.02	283.42	
					296.44	12/6/2021	14.80	281.64	
					296.44	3/14/2022	14.22	282.22	
					296.44	6/6/2022	14.77	281.67	
					296.44	9/14/2022	17.30	279.14	
					294.44	12/2/2022	18.38	276.06	
					294.44	3/23/2023	14.08	280.36	
		83			294.44	6/19/2023	16.28	278.16	
		83			294.44	9/20/2023	26.36	268.08	
		83			294.44	12/11/2023	16.95	277.49	
		83			294.44	3/18/2024	11.42	283.02	
		83			294.44	6/10/2024	15.82	278.62	
		83			294.44	9/25/2024	17.60	276.84	
MW18-8E	Bedrock	294.08	132-147	162.08-147.08	295.97	10/29/2018	18.80	277.17	6 / 288.08
					295.97	12/10/2019	28.90	267.07	
					295.97	3/17/2020	28.93	267.04	
					295.97	6/16/2020	Obstruction could not gauge		
					295.97	9/22/2020	34.40	261.57	
					295.97	12/14/2020	30.65	265.32	
					295.97	3/1/2021	25.64	270.33	
					295.97	6/21/2021	30.40	265.57	
					295.97	9/20/2021	28.57	267.40	
					295.97	12/6/2021	47.04	248.93	
					295.97	3/14/2022	60.75	235.22	
					295.97	6/8/2022	58.24	237.73	
					295.97	9/13/2022	29.62	266.35	
					295.97	11/30/2022	33.18	262.79	
					295.97	3/22/2023	26.62	269.35	
		185			295.97	6/21/2023	32.07	263.90	
		185			295.97	9/9/2023	31.10	264.87	
		185			295.97	12/11/2023	26.82	269.15	
		185			295.97	3/18/2024	22.73	273.24	
		185			295.97	6/10/2024	22.31	273.66	
		185			295.97	9/25/2024	28.12	267.85	
		147			295.97	12/9/2024	33.80	262.17	
		185			295.97	2/24/2025	31.28	264.69	
		185			295.97	5/27/2025	26.52	269.45	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8F	Bedrock	294.08	175-185	119.08-109.08	296.02	10/29/2018	21.11	274.91	6 / 288.08
					296.02	12/10/2019	28.50	267.52	
					296.02	3/17/2020	29.07	266.95	
					296.02	6/16/2020	30.00	266.02	
					296.02	9/22/2020	33.58	262.44	
					296.02	12/14/2020	30.65	265.37	
					296.02	3/1/2021	25.79	270.23	
					296.02	6/21/2021	30.54	265.48	
					296.02	9/20/2021	29.23	266.79	
					296.02	12/6/2021	31.27	264.75	
					296.02	3/14/2022	28.29	267.73	
					296.02	6/8/2022	29.44	266.58	
					296.02	9/13/2022	33.94	262.08	
					296.02	11/30/2022	66.62	229.40	
					296.02	3/23/2023	26.90	269.12	
			185		296.02	6/19/2023	32.42	263.60	
			185		296.02	9/21/2023	30.70	265.32	
			185		296.02	12/11/2023	26.17	269.85	
			185		296.02	3/18/2024	22.00	274.02	
			185		296.02	6/10/2024	30.74	265.28	
			185		296.02	9/25/2024	34.00	262.02	
			185		296.02	12/9/2024	33.90	262.12	
			185		296.02	2/24/2025	31.41	264.61	
			185		296.02	5/27/2025	26.76	269.26	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-2C	Bedrock open hole		70-125 bgs	228.57 - 173.57	298.70	8/28/2006	32.52	266.18	10 / 288.57
						12/18/2006	31.70	267.00	
						3/27/2007	24.57	274.13	
						11/6/2007	33.09	265.61	
					298.01 ^b	5/22/2017	30.40	267.61	
		298.57	131.4	166.61	298.01	10/29/2018	31.38	266.63	
					298.01	12/10/2019	34.91	263.10	
					298.01	3/17/2020	35.00	263.01	
					298.01	6/16/2020	35.81	262.20	
					298.01	9/22/2020	38.72	259.29	
					298.01	12/14/2020	36.50	261.51	
					298.01	3/1/2021	32.76	265.25	
					298.01	6/21/2021	36.20	261.81	
					298.01	9/20/2021	33.41	264.60	
					298.01	12/6/2021	36.00	262.01	
					298.01	3/14/2022	32.18	265.83	
					298.01	6/2/2022	33.62	264.39	
					298.01	9/12/2022	37.27	260.74	
					298.01	11/30/2022	37.20	260.81	
					298.01	3/22/2023	31.48	266.53	
			125		298.01	6/19/2023	36.52	261.49	
			125		298.01	9/19/2023	33.72	264.29	
			125		298.01	12/11/2023	33.20	264.81	
			125		298.01	3/18/2024	25.71	272.30	
			125		298.01	6/10/2024	34.32	263.69	
			125		298.01	9/25/2024	27.90	270.11	
			125		298.01	12/9/2024	38.09	259.92	
			125		298.01	2/24/2025	35.40	262.61	
			125		298.01	5/27/2025	29.99	268.02	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-4C	Bedrock open hole	299.92	70-125 bgs	229.92 - 174.92	299.92	8/28/2006	44.05	255.87	59.2 / 240.72
						12/18/2006	26.54	273.38	
						3/27/2007	23.62	276.30	
						11/6/2007	24.42	275.50	
						5/22/2017	Well Previously Inaccessible		
						6/21/2021	26.14	271.87	
						9/20/2021	40.15	257.86	
						12/6/2021	41.60	258.32	
						3/14/2022	36.23	263.69	
						6/1/2022	35.62	264.30	
						9/12/2022	38.27	261.65	
						12/2/2022	40.68	259.24	
						3/22/2023	38.80	261.12	
			125			6/19/2023	40.37	259.55	
			125			9/19/2023	39.31	260.61	
			125			12/11/2023	40.07	259.85	
			125			3/18/2024	33.60	266.32	
			125			6/10/2024	39.19	260.73	
			125			9/25/2024	38.05	261.87	
			125			12/9/2024	44.48	255.44	
			125			2/24/2025	42.50	257.42	
			125			5/27/2025	35.26	264.66	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-9C	Bedrock open hole		68-125 bgs	244.71 - 187.71	315.27	8/28/2006	51.50	263.77	20 / 292.71
						12/18/2006	49.11	266.16	
						3/27/2007	36.88	278.39	
						11/6/2007	53.71	261.56	
					314.53 ⁰	5/22/2017	47.02	267.51	
		312.71	128	186.5	314.50	10/29/2018	45.10	269.40	
					314.50	12/10/2019	52.70	261.80	
					314.50	3/17/2020	54.50	260.00	
					314.50	6/16/2020	54.85	259.65	
					314.50	9/22/2020	58.31	256.19	
					314.50	12/14/2020	56.17	258.33	
					314.50	3/1/2021	47.50	267.00	
					314.50	6/21/2021	55.05	259.45	
					314.50	9/20/2021	46.83	267.67	
					314.50	12/6/2021	52.80	261.70	
					314.50	3/14/2022	41.18	273.32	
					314.50	6/2/2022	49.30	265.20	
					314.50	9/12/2022	56.85	257.65	
					314.50	12/1/2022	55.55	258.95	
					314.50	3/21/2023	48.69	265.81	
			125		314.50	6/19/2023	55.36	259.14	
			125		314.50	9/18/2023	51.72	262.78	
			125		314.50	12/11/2023	47.45	267.05	
			125		314.50	3/18/2024	38.51	275.99	
			125		314.50	6/10/2024	53.59	260.91	
			125		314.50	9/25/2024	57.48	257.02	
			125		314.50	12/9/2024	57.42	257.08	
			125		314.50	2/24/2025	55.30	259.20	
			125		314.50	5/27/2025	48.77	265.73	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10A	Overburden	293.08	5-15	288.08-278.08	295.42	10/29/2018	3.75	291.67	NA
					295.42	12/10/2019	3.00	292.42	
					295.42	3/17/2020	4.10	291.32	
					295.42	6/16/2020	6.07	289.35	
					295.42	9/22/2020	7.73	287.69	
					295.42	12/14/2020	4.16	291.26	
					295.42	3/1/2021	2.59	292.83	
					295.42	6/21/2021	5.78	289.64	
					295.42	9/20/2021	5.10	290.32	
					295.42	12/6/2021	4.00	291.42	
					295.42	3/14/2022	3.00	292.42	
					295.42	6/3/2022	4.55	290.87	
					295.42	9/12/2022	6.38	289.04	
					295.42	11/29/2022	4.68	290.74	
					295.42	3/27/2023	3.53	291.89	
			15		295.42	6/19/2023	6.01	289.41	
			15		295.42	9/20/2023	4.22	291.20	
			15		295.42	12/11/2023	2.75	292.67	
			15		295.42	3/18/2024	3.39	292.03	
			15		295.42	6/10/2024	5.24	290.18	
			15		295.42	9/25/2024	7.88	287.54	
MW18-10B	Bedrock				295.42	12/9/2024	5.68	289.74	
			15		295.42	2/24/2025	3.41	292.01	
			15		295.42	5/27/2025	4.20	291.22	
		293.07	31-51	262.07-242.07	295.82	10/29/2018	24.99	270.83	27 / 266.07
					295.82	12/10/2019	26.85	268.97	
					295.82	3/17/2020	27.48	268.34	
					295.82	6/16/2020	28.39	267.43	
					295.82	9/22/2020	31.98	263.84	
					295.82	12/14/2020	28.88	266.94	
					295.82	3/1/2021	24.09	271.73	
					295.82	6/21/2021	28.82	267.00	
					295.82	9/20/2021	25.41	270.41	
					295.82	12/6/2021	27.22	268.60	
					295.82	3/14/2022	23.18	272.64	
					295.82	6/2/2022	25.44	270.38	
					295.82	9/13/2022	30.24	265.58	
					295.82	12/2/2022	29.68	266.14	
					295.82	3/27/2023	22.83	272.99	
			51		295.82	6/19/2023	28.59	267.23	
			51		295.82	9/20/2023	26.95	268.87	
			51		295.82	12/11/2023	22.30	273.52	
			51		295.82	3/18/2024	17.73	278.09	
			51		295.82	6/10/2024	26.75	269.07	
			51		295.82	9/25/2024	30.24	265.58	
			51		295.82	12/9/2024	29.42	266.40	
			51		295.82	2/24/2025	27.25	268.57	
			51		295.82	5/27/2025	22.45	273.37	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10C	Bedrock	293.07	175-185	118.07-108.07	295.82	10/29/2018	141.90	153.92	27 / 266.07
					295.82	12/10/2019	28.77	267.05	
					295.82	3/17/2020	27.16	268.66	
					295.82	6/16/2020	27.39	268.43	
					295.82	9/22/2020	31.36	264.46	
					295.82	12/14/2020	29.20	266.62	
					295.82	3/1/2021	27.91	267.91	
					295.82	6/21/2021	27.75	268.07	
					295.82	9/20/2021	25.44	270.38	
					295.82	12/6/2021	29.48	266.34	
					295.82	3/14/2022	27.42	268.40	
					295.82	6/7/2022	27.58	268.24	
					295.82	9/21/2022	32.67	263.15	
					295.82	12/1/2022	36.18	259.64	
					295.82	3/23/2023	27.30	268.52	
			185		295.82	6/19/2023	29.63	266.19	
			185		295.82	9/21/2023	30.28	265.54	
			185		295.82	12/11/2023	29.40	266.42	
			185		295.82	3/18/2024	21.90	273.92	
			185		295.82	6/10/2024	29.20	266.62	
			185		295.82	9/25/2024	31.96	263.86	
MW18-11A	Overburden				295.82	12/9/2024	35.75	260.07	
					295.82	2/24/2025	33.61	262.21	
					295.82	5/27/2025	24.98	270.84	
		292.99	7-17	285.99-275.99	295.39	10/29/2018	4.84	290.55	NA
					295.39	12/10/2019	3.62	291.77	
					295.39	3/17/2020	5.64	289.75	
					295.39	6/16/2020	7.18	288.21	
					295.39	9/22/2020	8.85	286.54	
					295.39	12/14/2020	5.38	290.01	
					295.39	3/1/2021	3.12	292.27	
					295.39	6/21/2021	6.71	288.68	
					295.39	9/20/2021	5.92	289.47	
					295.39	12/6/2021	5.69	289.70	
					295.39	3/14/2022	4.56	290.83	
					295.39	6/6/2022	5.85	289.54	
					295.39	9/13/2022	7.16	288.23	
					295.39	11/29/2022	6.02	289.37	
					295.39	3/27/2023	4.75	290.64	
			17		295.39	6/19/2023	7.84	287.55	
			17		295.39	9/20/2023	5.86	289.53	
			17		295.39	12/11/2023	3.12	292.27	
			17		295.39	3/18/2024	4.62	290.77	
			17		295.39	6/10/2024	6.44	288.95	
			17		295.39	9/25/2024	8.85	286.54	
			17		295.39	12/9/2024	6.37	289.02	
			17		295.39	2/24/2025	4.82	290.57	
			17		295.39	5/27/2025	5.50	289.89	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-11B	Bedrock	293.13	34-44	259.13-249.13	295.54	10/29/2018	28.05	267.49	31 / 262.13
					295.54	12/10/2019	26.31	269.23	
					295.54	3/17/2020	26.91	268.63	
					295.54	6/16/2020	27.83	267.71	
					295.54	9/22/2020	31.38	264.16	
					295.54	12/14/2020	28.25	267.29	
					295.54	3/1/2021	23.52	272.02	
					295.54	6/21/2021	28.21	267.33	
					295.54	9/20/2021	24.95	270.59	
					295.54	12/6/2021	26.72	268.82	
					295.54	3/14/2022	22.68	272.86	
					295.54	6/3/2022	24.96	270.58	
					295.54	9/13/2022	29.65	265.89	
					295.54	12/2/2022	29.02	266.52	
					295.54	3/27/2023	22.32	273.22	
			44		295.54	6/19/2023	28.11	267.43	
			44		295.54	9/20/2023	27.45	268.09	
			44		295.54	12/11/2023	21.89	273.65	
			44		295.54	3/18/2024	23.15	272.39	
			44		295.54	6/10/2024	26.27	269.27	
			44		295.54	9/25/2024	29.72	265.82	
MW18-11C	Bedrock	293.13	175-185	118.13-108.13	295.51	10/29/2018	24.68	270.83	31 / 262.13
					295.51	12/10/2019	29.83	265.68	
					295.51	3/17/2020	30.31	265.20	
					295.51	6/16/2020	31.26	264.25	
					295.51	9/22/2020	34.02	261.49	
					295.51	12/14/2020	31.80	263.71	
					295.51	3/1/2021	27.80	267.71	
					295.51	6/21/2021	31.92	263.59	
					295.51	9/20/2021	29.55	265.96	
					295.51	12/6/2021	31.22	264.29	
					295.51	3/14/2022	29.01	266.50	
					295.51	6/7/2022	30.01	265.50	
					295.51	9/21/2022	34.18	261.33	
					295.51	12/2/2011	33.87	261.64	
					295.51	3/22/2023	27.62	267.89	
			185		295.51	6/19/2023	32.72	262.79	
			185		295.51	9/20/2023	31.23	264.28	
			185		295.51	12/11/2023	26.93	268.58	
			185		295.51	3/18/2024	17.26	278.25	
			185		295.51	6/10/2024	31.10	264.41	
			185		295.51	9/25/2024	34.09	261.42	
			185		295.51	12/9/2024	33.90	261.61	
			185		295.51	2/24/2025	31.47	264.04	
			185		295.51	5/27/2025	27.29	268.22	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12A	Overburden	295.02	5-15	290.02-280.02	294.66	10/29/2018	7.81	286.85	NA
					294.66	12/10/2019	9.92	284.74	
					294.66	3/17/2020	10.22	284.44	
					294.66	6/16/2020	10.62	284.04	
					294.66	9/22/2020	11.58	283.08	
					294.66	12/14/2020	10.75	283.91	
					294.66	3/1/2021	7.60	287.06	
					294.66	6/21/2021	10.56	284.10	
					294.66	9/20/2021	9.27	285.39	
					294.66	12/6/2021	10.40	284.26	
					294.66	3/14/2022	9.40	285.26	
					294.66	6/2/2022	9.89	284.77	
					294.66	9/13/2022	11.50	283.16	
					294.66	11/29/2022	11.74	282.92	
					294.66	3/22/2023	9.55	285.11	
			15		294.66	6/19/2023	11.21	283.45	
			15		294.66	9/21/2023	10.60	284.06	
			15		294.66	12/11/2023	9.87	284.79	
			15		294.66	3/18/2024	6.96	287.70	
			15		294.66	6/10/2024	10.27	284.39	
			15		294.66	9/25/2024	11.60	283.06	
MW18-12B	Bedrock				294.66	12/9/2024	12.03	282.63	
			15		294.66	2/24/2025	10.98	283.68	
		295.15	80-90	215.15-205.15	294.66	5/27/2025	9.20	285.46	
					294.87	10/29/2018	31.21	263.66	18 / 277.15
					294.87	12/10/2019	29.17	265.70	
					294.87	3/17/2020	31.30	263.57	
					294.87	6/16/2020	31.85	263.02	
					294.87	9/22/2020	34.80	260.07	
					294.87	12/14/2020	32.55	262.32	
					294.87	3/1/2021	28.90	265.97	
					294.87	6/21/2021	32.75	262.12	
					294.87	9/20/2021	30.64	264.23	
					294.87	12/6/2021	32.54	262.33	
					294.87	3/14/2022	30.13	264.74	
					294.87	6/2/2022	31.60	263.27	
					294.87	9/13/2022	34.77	260.10	
					294.87	12/2/2022	34.46	260.41	
					294.87	3/24/2023	29.49	265.38	
			90		294.87	6/19/2023	33.82	261.05	
			90		294.87	9/19/2023	32.68	262.19	
			90		294.87	12/11/2023	29.29	265.58	
			90		294.87	3/18/2024	25.55	269.32	
			90		294.87	6/10/2024	32.41	262.46	
			90		294.87	9/25/2024	34.75	260.12	
			90		294.87	12/9/2024	34.68	260.19	
			90		294.87	2/24/2025	32.84	262.03	
			90		294.87	5/27/2025	29.60	265.27	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12C	Bedrock	295.15	175-185	120.15-110.15	294.88	10/29/2018	73.50	221.38	18 / 277.15
					294.88	12/10/2019	31.29	263.59	
					294.88	3/17/2020	30.83	264.05	
					294.88	6/16/2020	31.07	263.81	
					294.88	9/22/2020	34.78	260.10	
					294.88	12/14/2020	30.65	264.23	
					294.88	3/1/2021	30.70	264.18	
					294.88	6/21/2021	31.64	263.24	
					294.88	9/20/2021	30.50	264.38	
					294.88	12/6/2021	32.17	262.71	
					294.88	3/14/2022	30.14	264.74	
					294.88	6/7/2022	31.39	263.49	
					294.88	9/21/2022	37.76	257.12	
					294.88	12/1/2022	34.62	260.26	
					294.88	3/23/2023	28.84	266.04	
			185		294.88	6/19/2023	33.48	261.40	
			185		294.88	9/20/2023	33.22	261.66	
			185		294.88	12/11/2023	31.04	263.84	
			185		294.88	3/18/2024	23.51	271.37	
			185		294.88	6/10/2024	31.65	263.23	
			185		294.88	9/25/2024	34.29	260.59	
			185		294.88	12/9/2024	33.21	261.67	
			185		294.88	2/24/2025	31.94	262.94	
			185		294.88	5/27/2025	28.52	266.36	
MW18-13B	Bedrock	294.24	42-52	252.24-242.24	293.97	10/29/2018	27.02	266.95	5 / 289.24
					293.97	12/10/2019	21.55	272.42	
					293.97	3/17/2020	29.74	264.23	
					293.97	6/16/2020	31.03	262.94	
					293.97	9/22/2020	34.62	259.35	
					293.97	12/14/2020	27.81	266.16	
					293.97	3/1/2021	27.21	266.76	
					293.97	6/21/2021	29.35	264.62	
					293.97	9/20/2021	24.00	269.97	
					293.97	12/6/2021	29.97	264.00	
					293.97	3/14/2022	27.71	266.26	
					293.97	6/3/2022	29.00	264.97	
					293.97	9/14/2022	33.84	260.13	
					293.97	12/2/2022	41.42	252.55	
					293.97	3/23/2023	27.18	266.79	
			52		293.97	6/19/2023	27.36	266.61	
			52		293.97	9/19/2023	22.06	271.91	
			52		293.97	12/11/2023	25.12	268.85	
			52		293.97	3/18/2024	8.49	285.48	
			52		293.97	6/10/2024	21.02	272.95	
			52		293.97	9/25/2024	25.30	268.67	
			52		293.97	12/9/2024	28.34	265.63	
			52		293.97	2/24/2025	26.83	267.14	
			52		293.97	5/27/2025	17.69	276.28	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-13C	Bedrock	294.24	175-185	119.24-109.24	293.97	10/29/2018	28.89	265.08	5 / 289.24
					293.97	12/10/2019	28.79	265.18	
					293.97	3/17/2020	30.77	263.20	
					293.97	6/16/2020	32.85	261.12	
					293.97	9/22/2020	34.82	259.15	
					293.97	12/14/2020	32.02	261.95	
					293.97	3/1/2021	30.28	263.69	
					293.97	6/21/2021	34.85	259.12	
					293.97	9/20/2021	29.88	264.09	
					293.97	12/6/2021	31.78	262.19	
					293.97	3/14/2022	30.90	263.07	
					293.97	6/6/2022	30.29	263.68	
					293.97	9/21/2022	38.41	255.56	
					293.97	11/30/2022	34.54	259.43	
					293.97	3/22/2023	28.89	265.08	
			185		293.97	6/19/2023	33.44	260.53	
			185		293.97	9/19/2023	31.25	262.72	
			185		293.97	12/11/2023	26.87	267.10	
			185		293.97	3/18/2024	20.79	273.18	
			185		293.97	6/10/2024	31.72	262.25	
			185		293.97	9/25/2024	34.60	259.37	
MW18-14A	Overburden	296.23	6-16	290.23-280.23	297.55	10/29/2018	7.05	290.50	NA
					297.55	12/10/2019	6.81	290.74	
					297.55	3/17/2020	7.53	290.02	
					297.55	6/16/2020	8.94	288.61	
					297.55	9/22/2020	11.08	286.47	
					297.55	12/14/2020	8.48	289.07	
					297.55	3/1/2021	4.33	293.22	
					297.55	6/21/2021	7.39	290.16	
					297.55	9/20/2021	8.85	288.70	
					297.55	12/6/2021	7.49	290.06	
					297.55	3/14/2022	5.05	292.50	
					297.55	6/6/2022	7.56	289.99	
					297.55	9/13/2022	9.09	288.46	
					297.55	11/28/2022	7.04	290.51	
					297.55	3/24/2023	6.24	291.31	
			16		297.55	6/19/2023	8.33	289.22	
			16		297.55	9/19/2023	5.03	292.52	
			16		297.55	12/11/2023	3.80	293.75	
			16		297.55	3/18/2024	5.83	291.72	
			16		297.55	6/10/2024	7.46	290.09	
			16		297.55	9/25/2024	11.20	286.35	
			16		297.55	12/9/2024	8.21	289.34	
			16		297.55	2/24/2025	5.78	291.77	
			16		297.55	5/27/2025	6.77	290.78	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-14B	Bedrock	294.97	45-55	249.97-239.97	297.63	10/29/2018	13.06	284.57	43 / 251.97
					297.63	12/10/2019	16.62	281.01	
					297.63	3/17/2020	19.98	277.65	
					297.63	6/16/2020	21.36	276.27	
					297.63	9/22/2020	25.65	271.98	
					297.63	12/14/2020	22.70	274.93	
					297.63	3/1/2021	14.83	282.80	
					297.63	6/21/2021	22.73	274.90	
					297.63	9/20/2021	18.00	279.63	
					297.63	12/6/2021	21.66	275.97	
					297.63	3/14/2022	16.72	280.91	
					297.63	6/3/2022	19.71	277.92	
					297.63	9/13/2022	24.14	273.49	
					297.63	12/2/2022	22.53	275.10	
					297.63	3/23/2023	17.38	280.25	
			55		297.63	6/19/2023	22.44	275.19	
			55		297.63	9/20/2023	21.26	276.37	
			55		297.63	12/11/2023	17.22	280.41	
			55		297.63	3/18/2024	12.15	285.48	
			55		297.63	6/10/2024	21.92	275.71	
			55		297.63	9/25/2024	25.04	272.59	
			55		297.63	12/9/2024	23.68	273.95	
			55		297.63	2/24/2025	21.90	275.73	
			55		297.63	5/27/2025	17.42	280.21	
MW18-14C	Bedrock	294.97	175-185	119.97-109.97	297.65	10/29/2018	91.66	205.99	43 / 251.97
					297.65	12/10/2019	33.00	264.65	
					297.65	3/17/2020	31.35	266.30	
					297.65	6/16/2020	31.46	266.19	
					297.65	9/22/2020	35.45	262.20	
					297.65	12/14/2020	34.51	263.14	
					297.65	3/1/2021	32.78	264.87	
					297.65	6/21/2021	31.84	265.81	
					297.65	9/20/2021	36.33	261.32	
					297.65	12/6/2021	44.27	253.38	
					297.65	3/14/2022	41.42	256.23	
					297.65	6/7/2022	46.72	250.93	
					297.65	9/14/2022	47.27	250.38	
					297.65	12/5/2022	31.04	266.61	
					297.65	3/23/2023	38.11	259.54	
			186		297.65	6/19/2023	41.85	255.80	
			186		297.65	9/21/2023	43.64	254.01	
			186		297.65	12/11/2023	44.86	252.79	
			186		297.65	3/18/2024	37.31	260.34	
			186		297.65	6/10/2024	44.31	253.34	
			186		297.65	9/25/2024	46.65	251.00	
			186		297.65	12/9/2024	55.92	241.73	
			186		297.65	2/24/2025	55.19	242.46	
			186		297.65	5/27/2025	46.38	251.27	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-15C	Bedrock	298.78	84-104	214.78-194.78	300.12	12/6/2021	43.60	256.52	32 / 266.78
					300.12	3/14/2022	51.57	248.55	
					300.12	6/6/2022	41.33	258.79	
					300.12	9/13/2022	41.44	258.68	
					300.12	11/29/2022	66.98	233.14	
					300.12	3/22/2023	38.89	261.23	
			104		300.12	6/19/2023	42.39	257.73	
			104		300.12	9/19/2023	41.79	258.33	
			104		300.12	12/11/2023	39.98	260.14	
			104		300.12	3/18/2024	36.94	263.18	
			104		300.12	6/10/2024	42.05	258.07	
			104		300.12	9/25/2024	24.97	275.15	
			104		300.12	12/9/2024	43.80	256.32	
			104		300.12	2/24/2025	41.74	258.38	
			104		300.12	5/27/2025	40.25	259.87	
MW21-15D	Bedrock	298.78	160-180	138.78-118.78	300.14	12/6/2021	45.38	254.76	32 / 266.78
					300.14	3/14/2022	61.70	238.44	
					300.14	6/7/2022	45.02	255.12	
					300.14	9/13/2022	46.42	253.72	
					300.14	11/29/2022	46.31	253.83	
					300.14	3/24/2023	43.46	256.68	
			180		300.14	6/19/2023	46.05	254.09	
			180		300.14	9/18/2023	45.12	255.02	
			180		300.14	12/11/2023	42.43	257.71	
			180		300.14	3/18/2024	40.54	259.60	
			180		300.14	6/10/2024	45.10	255.04	
			180		300.14	9/25/2024	46.18	253.96	
			180		300.14	12/9/2024	46.08	254.06	
			180		300.14	2/24/2025	44.86	255.28	
			180		300.14	5/27/2025	43.34	256.80	
MW21-16	Bedrock (Open Hole)	293.8	195.4-223.6	98.40-70.20	293.42	12/6/2021	28.86	264.56	16 / 277.80
					293.42	3/14/2022	16.98	276.44	
					293.42	6/8/2022	28.91	264.51	
					293.42	9/20/2022	32.98	260.44	
					293.42	12/1/2022	32.36	261.06	
					293.42	3/23/2023	26.28	267.14	
			223.6		293.42	6/19/2023	31.34	262.08	
			223.6		293.42	9/19/2023	27.85	265.57	
			223.6		293.42	12/11/2023	25.66	267.76	
			223.6		293.42	3/18/2024	21.84	271.58	
			223.6		293.42	6/10/2024	8.68	284.74	
			223.6		293.42	9/25/2024	23.40	270.02	
			223.6		293.42	12/9/2024	27.00	266.42	
			223.6		293.42	2/24/2025	19.68	273.74	
			223.6		293.42	5/27/2025	16.23	277.19	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-17D	Bedrock	291.43	174.8-184.8	116.63-106.63	293.73	12/6/2021	26.46	267.27	34.7 / 256.73
					293.73	3/14/2022	23.60	270.13	
					293.73	6/7/2022	25.27	268.46	
					293.73	9/14/2022	29.81	263.92	
					293.73	12/5/2022	29.46	264.27	
					293.73	3/27/2023	22.40	271.33	
		184.8			293.73	6/19/2023	28.05	265.68	
		184.8			293.73	9/21/2023	26.67	267.06	
		184.8			293.73	12/11/2023	22.34	271.39	
		184.8			293.73	3/18/2024	17.54	276.19	
		184.8			293.73	6/10/2024	26.49	267.24	
		184.8			293.73	9/25/2024	29.68	264.05	
		184.8			293.73	12/9/2024	29.81	263.92	
		184.8			293.73	2/24/2025	27.13	266.60	
		184.8			293.73	5/27/2025	22.42	271.31	
MW21-18C	Bedrock	307.03	118-138	189.03-169.03	308.54	12/6/2021	43.60	264.94	65 / 242.03
					308.54	3/14/2022	39.64	268.90	
					308.54	6/3/2022	35.61	272.93	
					308.54	9/13/2022	43.81	264.73	
					308.54	12/2/2022	47.01	261.53	
					308.54	3/24/2023	39.23	269.31	
		138			308.54	6/19/2023	45.60	262.94	
		138			308.54	9/21/2023	43.76	264.78	
		138			308.54	12/11/2023	38.22	270.32	
		138			308.54	3/18/2024	33.13	275.41	
		138			308.54	6/10/2024	43.43	265.11	
		138			308.54	9/25/2024	47.45	261.09	
		138			308.54	12/9/2024	47.60	260.94	
		138			308.54	2/24/2025	44.70	263.84	
		138			308.54	5/27/2025	38.90	269.64	
MW21-18D	Bedrock	307.03	194.5		308.53	12/6/2021	44.13	264.4	65 / 242.03
			194.5		308.53	3/14/2022	43.29	265.24	
			194.5		308.53	6/3/2022	42.54	265.99	
					308.53	9/14/2022	47.93	260.60	
					308.53	12/2/2022	47.61	260.92	
					308.53	3/27/2023	39.62	268.91	
					308.53	6/19/2023	46.06	262.47	
					308.53	9/21/2023	43.05	265.48	
					308.53	12/11/2023	28.54	279.99	
					308.53	3/18/2024	33.67	274.86	
					308.53	6/10/2024	40.5	268.03	
					308.53	9/25/2024	47.93	260.60	
					308.53	12/9/2024	45.81	262.72	
		194.5			308.53	2/24/2025	43.18	265.35	
		194.5			308.53	5/27/2025	36.18	272.35	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-19C	Bedrock	297.37	112-132	185.37-165.37	299.30	12/6/2021	40.45	258.85	59.5 / 237.87
					299.30	3/14/2022	38.67	260.63	
					299.30	6/8/2022	39.98	259.32	
					299.30	9/13/2022	41.80	257.50	
					299.30	11/30/2022	41.74	257.56	
					299.30	3/24/2023	38.04	261.26	
			132		299.30	6/19/2023	41.27	258.03	
			132		299.30	9/21/2023	40.51	258.79	
			132		299.30	12/11/2023	37.55	261.75	
			132		299.30	3/18/2024	31.18	268.12	
			132		299.30	6/10/2024	40.34	258.96	
			132		299.30	9/25/2024	41.59	257.71	
			132		299.30	12/9/2024	41.42	257.88	
			132		299.30	2/24/2025	40.14	259.16	
MW21-19D	Bedrock	297.37	175-195	122.37-102.37	299.28	12/6/2021	40.93	258.35	59.5 / 237.87
					299.28	3/14/2022	63.68	235.60	
					299.28	6/2/2022	40.20	259.08	
					299.28	9/14/2022	42.00	257.28	
					299.28	12/2/2022	42.93	256.35	
					299.28	3/24/2023	38.20	261.08	
			195		299.28	3/18/2024	39.36	259.92	
			195		299.28	6/10/2024	40.63	258.65	
			195		299.28	9/25/2024	41.96	257.32	
			195		299.28	12/9/2024	41.70	257.58	
			195		299.28	2/24/2025	40.40	258.88	
MW21-20D	Bedrock				313.52	3/14/2022	57.55	255.97	
					313.52	12/2/2022	57.13	256.39	
					313.52	3/21/2023	53.42	260.10	
			208		313.52	6/19/2023	56.88	256.64	
			208		313.52	9/19/2023	55.51	258.01	
			208		313.52	12/12/2023	51.46	262.06	
			208		313.52	3/18/2024	49.81	263.71	
			208		313.52	6/10/2024	55.76	257.76	
			208		313.52	9/25/2024	57.68	255.84	
			208		313.52	12/9/2024	57.62	255.90	
			208		313.52	2/24/2025	56.28	257.24	
			208		313.52	5/27/2025	53.51	260.01	

Table 1
Groundwater Elevations
 Little Britain Road Service Center
 610 Little Britain Road
 New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
SG-1					313.52	3/14/2022	57.55	255.97	19.5 / 292.82
					313.52	6/7/2022	55.02	258.50	
					313.52	9/14/2022	57.60	255.92	
					313.52	3/27/2023	NM	NM	
					313.52	6/19/2023	NM	NM	
					313.52	9/21/2023	NM	NM	
					313.52	12/11/2023	NM	NM	
					313.52	3/18/2024	NM	NM	
					313.52	6/10/2024	NM	NM	
					313.52	9/25/2024	NM	NM	
					313.52	12/9/2024	NM	NM	
					313.52	2/24/2025	NM	NM	
					313.52	5/27/2025	NM	NM	

Notes:

AMSL = Above mean sea level

a. Wells MW94-1B, MW94-5, and MW96-6 were converted from flush-mounts to stick-ups following the December 2002 monitoring event. b. Wells resurveyed in May 2017.

New measuring point elevations are used to calculate groundwater elevations beginning in June 2003.

b. Wells resurveyed in May 2017.

c. The measuring point for the Lake Washington Stilling Basin is a 3/4-inch diameter iron pipe located along the east side of the basin.

d. The measuring point for Lake Washington is a chiseled mark on the concrete pump house foundation (on left side of metal walkway when facing the pump house).

e. Measurements could not be obtained due to the presence of ice.

f. Unable to locate Lake Washington Stilling Basin gauge.

Table 2
2nd Quarter 2025 Groundwater Sampling
Event Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW94-1B				MW94-3				MW94-5				MW96-6				MW96-7B				MW01-8A				MW01-8B				MW06-2C				MW06-9C				MW18-8D				MW18-8E			
Sampling Date	Criteria	5/29/2025				5/27/2025				5/30/2025				5/28/2025				5/28/2025				5/30/2025				5/30/2025				5/29/2025				5/28/2025				5/30/2025				5/29/2025			
Matrix		Water				Water				Water				Water				Water				Water				Water				Water				Water				Water				Water			
Unit		ug/l				ug/l				ug/l				ug/l				ug/l				ug/l				ug/l				ug/l				ug/l				ug/l				ug/l			
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL								
WATER BY 8260C																																													
1,1,1-Trichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,1,2,2-Tetrachloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,1,2-Trichloroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,1-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,1-Dichloroethene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2,3-Trichlorobenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2,4-Trichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2-Dibromo-3-chloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2-Dibromoethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2-Dichlorobenzene	4.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,2-Dichloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,3-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,4-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
1,4-Dioxane	NA	<100		100	<100		100	<100		100	<100		100	<100		100	<100		100	<100		100	<100		100	<100		100	<200	C	100	<5000	C	5000											
2-Butanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<10		5.0	<250		250											
2-Hexanone	NA	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<10		5.0	<250		250											
4-Methyl-2-pentanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<10		5.0	<250		250											
Acetone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0		350	5.0	<250		250											
Benzene	0.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Bromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Bromodichloromethane	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Bromoform	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Bromomethane	NA	<1	C	1.0	<1	C	1.0	<1		1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<2		1.0	<50		50											
Chlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Chloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Chloroform	7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Chloromethane	NA	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<2	C	1.0	<50	C	50											
cis-1,2-Dichloroethene	5	3.2		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	6.8		1.0	2.2		1.0	1.1		1.0	180		1.0	5800		50					
cis-1,3-Dichloropropene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Cyclohexane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Dibromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50											
Dichlorodifluoromethane	NA	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<2	SC	1.0	<50	SC	50											
Isopropylbenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	&																												

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Concentrations shown in bold were detected
Highlighted Concentrations shown in bold exceed limits
*: LCS or LCSD = outside acceptance limits.
J : Result is less than the RL but greater than or equal to the MDL
and the concentration is an approximate value.
U : Indicates the analyte was analyzed for but not detected.
C, N, SC, NSC: Indicates low recovery.
N+: Indicates high recovery.
C+: Denotes high recovery on samples
with this compound present

Table 2
2nd Quarter 2025 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW18-13B			MW18-13C			MW18-13C Dup			MW18-14A			MW18-14B			MW18-14C			MW94-4B2			MW06-4C			MW94-2			MW94-2B		
Sampling Date	Criteria	5/30/2025			5/28/2025			5/28/2025			5/29/2025			5/30/2025			5/30/2025			5/28/2025			5/29/2025			5/28/2025			5/28/2025		
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water		
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l		
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8260C																															
1,1,1-Trichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2,2-Tetrachloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2-Trichloroethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1-Dichloroethene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2,3-Trichlorobenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2,4-Trichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dibromo-3-chloropropane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dibromoethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichlorobenzene	4.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichloropropane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,3-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,4-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,4-Dioxane	NA	<2500		100	<5000	C	5000	<5000	C	5000	<100	C	100	<100		100	<1000	C	10000	<100		100	<100	C	100	<100		100	<100		100
2-Butanone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
2-Hexanone	NA	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
4-Methyl-2-pentanone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
Acetone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
Benzene	0.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromodichloromethane	50	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromoform	50	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromomethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1	C	1.0	<1		1.0	<1		1.0	<1	C	1.0
Chlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chloroform	7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0
Chloromethane	NA	<25		1.0	<50	C	50	<50	C	50	<1	C	1.0	<1	C	1.0	<100	C	100	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0
cis-1,2-Dichloroethene	5	1400		1.0	4200	N+	50	3300		50	<1		1.0	28		1.0	8400		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
cis-1,3-Dichloropropene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Cyclohexane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Dibromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Dichlorodifluoromethane	NA	<25		1.0	<50	SC	50	<50	SC	50	<1	SC	1.0	<1		1.0	<100	SC	100	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0	<1	SC	1.0
Isopropylbenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
m,p-Xylene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl Acetate	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl Cyclohexane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl tert-butyl ether	10	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methylene chloride	5	<25		1.0	72		50	78		50	<1		1.0	<1		1.0	190		100	<1		1.0	<1		1.0	<1		1.0	&lt		

Table 2
2nd Quarter 2025 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	SG-1			MW21-15C			MW21-15D			MW21-16			MW21-17D			MW21-18C			MW21-18D			MW21-19C			MW21-19D			MW21-20D					
Sampling Date	Criteria	5/30/2025			5/27/2025			5/27/2025			5/27/2025			5/30/2025			5/28/2025			5/29/2025			5/30/2025			5/30/2025			5/28/2025					
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water					
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l					
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL			
WATER BY 8260C																																		
1,1,1-Trichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,1,2,2-Tetrachloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,1,2-Trichloroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,1-Dichloroethane	5	<1		1.0	<1		1.0	1.0		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,1-Dichloroethene	5	<1		1.0	<1		1.0	2.5		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	83		50	<50		50	<50		50	<1		1.0
1,2,3-Trichlorobenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2,4-Trichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2-Dibromo-3-chloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2-Dibromoethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2-Dichlorobenzene	4.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,2-Dichloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,3-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,4-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
1,4-Dioxane	NA	<100		100	<100		100	<100		100	<100		100	<100		100	<100		100	<100	C	100	<5000	C	5000	<5000	C	5000	<5000	C	5000	<100		100
2-Butanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<250		250	<250		250	<250		250	<5		5.0
2-Hexanone	NA	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<250		250	<250		250	<250		250	<5		5.0
4-Methyl-2-pentanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<250		250	<250		250	<250		250	<5		5.0
Acetone	50	<5		5.0	<5		5.0	<5		5.0	13	C	5.0	<5		5.0	<5		5.0	<5		5.0	<250		250	<250		250	<250		250	<5		5.0
Benzene	0.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Bromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Bromodichloromethane	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Bromoform	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Bromomethane	NA	<1		1.0	<1	C	1.0	<1	C	1.0	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<50		50	<50		50	<50		50	<1	C	1.0
Chlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Chloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Chloroform	7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Chloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<50	C	50	<50	C	50	<50	C	50	<1		1.0
cis-1,2-Dichloroethene	5	<1		1.0	6.8		1.0	200		1.0	12		1.0	<1		1.0	<1		1.0	<1		1.0	8300		50	4600		50	6.8		1.0			1.0
cis-1,3-Dichloropropene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Cyclohexane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Dibromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Dichlorodifluoromethane	NA	<1		1.0	<1	SC	1.0	<1		1.0	<1	C	1.0	<1		1.0	<1	SC	1.0	<1	SC	1.0	<50	SC	50	<50	SC	50	<50	SC	50	<1	SC	1.0
Isopropylbenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
m,p-Xylene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50	<1		1.0
Methyl Acetate	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<50		50	<50		50	<50		50			

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-1B	Bedrock	Sep-95	PND	PND	PND	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	110 JD / 114 JD	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	130 JD / 130 JD	11 J / 10 J	1.0 U / 1.0 U
		Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	280	0.5 U	0.5 U	PND	21 J	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	190 / 190	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	1.0 J / 1.4 J	5.0 U / 5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	78	5.0 U	5.0 U	PND	13	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	160	5.0 U	5.0 U	PND	86	9.0	5.0 U
		Dec-01	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	340 / 330	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	180 / 180	240 / 240	5.0 U / 5.0 U
		Mar-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	33 / 31	5.0 U / 5.0 U	5.0 U / 5.0 U
		Jun-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	48 / 46	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	22 / 22	5.0 U / 5.0 U	5.0 U / 5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	31	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	7.8	5.0 U	5.0 U	PND	9.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	9.6	5.0 U	5.0 U	PND	5.2	2.0 U	6.0
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	24	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	35	5.0 U	5.0 U	PND	6.3	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	16	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	18	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	19	5.0 U	5.0 U	PND	5.5	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	9.2	5.0 U	5.0 U	PND	7.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	7.1	PND	1.0 U	1.0 U	1.0 U	1.0 U	0.57J	1.0 U	1.0 U	PND	2.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	2.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.48 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	6.0	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.5	0.91 J	0.38 U	0.24 U	4.2	0.17 U	0.30 U
		Sep-20	6.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	5.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.3	0.24 U	0.38 U	0.24 U	0.85 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	2.1	<1	<1	<1	9.6	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	24	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	5.3	<1	<1	<1	18	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	4.0	<1	<1	<1	13	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	19	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.9	<1	<1	<1	17	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	6	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	2	<1	<1	<1	7	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	4.6	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1	<1	<1	<1	5	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	4.7	<1	<1	<1	16	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.0	<1	<1	<1	10	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.1	<1	<1	<1	13	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	12	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-2	Overburden	May-17	3.8 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.26 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.65 U
		Dec-19	Dry												
		Mar-20	Dry												
		Jun-20	Dry												
		Sep-20	Dry												
		Dec-20	Dry												
		Mar-21	Dry												
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	1.6	<1	<1	<1	0.6 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	Dry												
		Dec-22	Dry												
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	Dry												
		Sep-23	Dry												
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 SC	<1	<1	<1	<1	<1	2.8	<1	<1	<1	<1	1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	Dry												
		Dec-24	Dry												
		Feb-25	Dry												
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW94-2B	Bedrock	May-17	4.1 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.40 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.77 J	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.37 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.42 J	0.38 U	0.24 U	0.53 J	0.17 U	0.30 U
		Sep-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.68 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.48 J	0.17 U	0.30 U
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.6	<1	<1
		Dec-22	9.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	1.4	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-3	Overburden	May-17	4.4 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 UF1	0.43 U	0.22 U	0.24 UF1	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 J	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Jun-20	5.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.59 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	17	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW94-4B2	Bedrock	Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	1.0 J	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.1 C+	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-5	Overburden	Sep-95	PND	PND	PND	0.5 J	1.0 U	PND	1.6 J	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Nov-00	PND	PND	PND	1.1 J	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	6.4	PND	1.0 U	1.0 U	1.0 U	1.0 U	7.8	1.0 U	1.0 U	PND	0.68 J	0.82 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.29 J	0.26 U	0.43 U	0.22 U	0.84 J	0.38 U	0.45 J	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.54 J	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.77 J	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.56 J	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	37	0.33 J	0.38 U	0.24 U	0.31 U	1.0	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-6	Overburden	Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	0.84 U	0.5 U	0.5 U	PND	0.5 U	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	4.6 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	2.0	0.24 U	0.38 U	0.24 U	0.53 J	0.23 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.50 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-7B	Bedrock	Aug-96	PND	PND	PND	8.5 J	5.0 U	PND	120	5.0 U	5.0 U	PND	14 J	7.4 U	8.0 U
		Nov-00	PND	PND	PND	12	5.0 U	PND	58	1.9 J	5.0 U	PND	15	38	5.0 U
		Jun-01	PND	PND	PND	14	5.0 U	PND	62	5.0 U	5.0 U	PND	21	35	5.0 U
		Sep-01	PND	PND	PND	14	5.0 U	PND	120	5.0 U	5.0 U	PND	34	86	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	8.9	5.0 U	5.0 U	PND	5.0	5.0 U	5.0 U
		Jun-02	PND	PND	PND	7.2	5.0 U	PND	130	5.0 U	5.0 U	PND	8.6	45	5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	35	5.0 U
		Jun-03	PND	PND	PND	7.8 / 8.3	5.0 U / 5.0 U	PND	25 / 27	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	9.2 / 8.9	11 / 11	5.0 U / 5.0 U
		Dec-03	PND	PND	PND	12	5.0 U	PND	85	5.0 U	5.0 U	PND	6.0	42	5.0 U
		Jun-04	PND	PND	PND	8.7	5.0 U	PND	46	5.0 U	5.0 U	PND	8.1	18	5.0 U
		Dec-04	PND	PND	PND	7.4 / 7.3	5.0 U / 5.0 U	PND	36 / 39	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.3 / 6.7	16 / 17	5.0 U / 5.0 U
		Jun-05	PND	PND	PND	11	5.0 U	PND	47	5.0 U	5.0 U	PND	15	18	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	3.1	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.3	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	5.0 U	4.3	5.0 U
		May-17	6.1	PND	0.85 J	1.0 U	1.0 U	1.0 U	1.5	1.0 U	1.0 U	PND	2.3	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	1.9	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.87 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.68 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	Unable to sample due to insufficient water after purging												
		Sep-20	8.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.4	0.24 U	0.38 U	0.24 U	4.2	0.58 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	0.90 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	3.1	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	7.4	<1	<1
		Dec-21	Unable to sample due to insufficient water after purging												
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.9 J	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	2.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.4	<1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8A	Overburden	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	21	5.0 U	5.0 U	PND	28	5.0 U	5.0 U
		Sep-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Mar-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	23	5.0 U	5.0 U
		Sep-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.3
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	11	5.0 U	5.0 U	PND	7.4	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	8.4	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	7.0	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	DRY												
		Oct-18	DRY												
		Dec-19	DRY												
		Mar-20	DRY												
		Jun-20	DRY												
		Sep-20	DRY												
		Dec-20	DRY												
		Mar-21	DRY												
		Jun-21	DRY												
		Sep-21	DRY												
		Dec-21	DRY												
		Mar-22	DRY												
		Sep-22	DRY												
		Dec-22	DRY												
		Mar-23	DRY												
		Jun-23	DRY												
		Sep-23	DRY												
		Dec-23	DRY												
		Mar-24	DRY												
		Jun-24	DRY												
		Sep-24	DRY												
		Dec-24	DRY												
		Feb-25	DRY												
		May-25	DRY												

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8B	25-37.5' 37.5-50' 45-50' - 1 45-50' - 2 45-50' - 3 Bedrock	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	740	5.4	11	PND	640	80	5.0 U
		Sep-01	PND	PND	PND	25 U / 5.0 U	25 U / 5.0 U	PND	590 / 440	25 U / 5.0 U	25 U / 6.0	PND	300 / 200	37 / 26	25 U / 5.0 U
		Dec-01	PND	PND	PND	10 U	10 U	PND	200	10 U	10 U	PND	80	12	10 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	96	5.0 U	5.0 U	PND	12	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	5.0 U	PND	22	5.0 U	5.0 U
		Sep-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	100 / 110	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	5.0 U / 5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	71 / 71	5.0 U	5.0 U	PND	28 / 28	2.0 U	5.0 U
		Jun-03 ⁵	PND	PND	PND	5.0 U	5.0 U	PND	140	5.0 U	5.0 U	PND	12	5.7	6.9
		Jun-03 ⁵	PND	PND	PND	25 U	25 U	PND	990 D	25 U	25 U	PND	480	130	25 U
		Dec-03	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	480 D / 500 D	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	290 D / 300 D	36 / 37	5.0 U / 5.0 U
		Jun-04	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	130 / 140	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	12 / 12	3.7 / 3.9	5.0 U / 5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	41	5.0 U	26	PND	21	2.0 U	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	37	3.1	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	69	5.0 U	21	PND	37	3.5	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	59	PND	32	13	5.0 U
		Dec-04 ⁶	PND	PND	PND	10 U	10 U	PND	180	10 U	59	PND	26	24	10 U
		Dec-04 ⁷	PND	PND	PND	5.0 U	5.0 U	PND	150	5.0 U	37	PND	23	18	5.0 U
		Jun-05	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	120 / 120	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.1 / 6.4	9.1 / 9.2	5.0 U / 5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	180	5.0 U	5.0 U	PND	21	18	5.0 U
		Aug-05	PND	PND	PND	5.0 U	5.0 U	PND	30	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	33	5.0 U	5.0 U	PND	28	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	39	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	6.6	PND	1.0 U	1.0 U	0.62 J	0.26 J	21	1.2	17	PND	8.6	3.6	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	9.1	1.7	0.38 U	0.24 U	0.40 J	5.5	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	6.8	0.31 J	0.38 U	0.24 U	0.68 J	14	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.29 J	0.38 U	0.24 U	0.72 J	1.7	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.37 J	0.43 U	11	2.4	0.38 U	0.24 U	2.7	4.5	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.1	0.37 J	0.38 U	0.24 U	0.45 J	7.1	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.4	0.24 U	0.38 U	0.24 U	0.31 U	7.5	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	8.1	0.37 J	0.38 U	0.24 U	0.64 J	1.9	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.5	<1	<1	<1	1.6	5.4	<1
		Sep-21	<5	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.9	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.3	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	2.5	<1
		Jun-22	<5	<1	<1	<1	0.4 J	<1	9.1	0.4 J	<1	<1	1.1	5.9	<1
		Sep-22	<5	<1	<1	<1	0.4 J	<1	3	<1	<1	<1	0.4 J	3.4	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.2	<1	<1	<1	5.0	2.9	<1
		Mar-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	1.3	<1
		Jun-23	<5	<1	<1	<1	<1	<1	8.1	<1	<1	<1	<1	4.3	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.8	<1
		Dec-23	<5	<1	<1	<1	<1	<1	13.0	<1	<1	<1	4	5.1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	5.6	<1	<1	<1	4	3.8	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	2.1	<1	<1	<1	<1	4.8	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.4	4.1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	1.8	3.9 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW05-8C	50-75' 75-100' 100-125'	Aug-05 ⁸	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Aug-05 ⁸	PND	PND	PND	130 U	130 U	PND	4100 D	53 J	17 J	PND	260	210	130 U
		Aug-05 ⁸	PND	PND	PND	50 U	50 U	PND	1,500	17 J	6.4 J	PND	57	82	50 U
	Bedrock	Dec-05	PND	PND	PND	25 U / 250 U	11 J / 250 U	PND	5700 D / 6100	21 J / 24 J	9 J / 250 U	PND	13 J / 250 U	400 / 490	25 U / 250 U
		Aug-06	PND	PND	PND	100 U / 5.0 U	100 U / 7.0	PND	2700 / 2700 D	100 U / 7.2	100 U / 5.0 U	PND	100 U / 5.0 U	180 / 190	100 U / 5.0 U
		Dec-06	PND	PND	PND	100 U	100 U	PND	2,300	100 U	100 U	PND	100 U	210	100 U
		Jun-07	PND	PND	PND	100 U / 25 U	100 U / 25 U	PND	3900 D / 3800 D	100 U / 27	100 U / 25 U	PND	100 U / 25 U	380 / 340	100 U / 25 U
		May-17	500 U	PND	100 U	100 U	120	100 U	34,000	80 J	170	PND	2,100	4,100	100 U
		Jun-17	250 U	PND	50 U	50 U	52	50 U	11,000	15 J	31 J	PND	3,400	850	50 U
		Jun-18	Well Converted to MW18-8E/8F												
	Bedrock	Oct-18	70	2.1 U	2.3 J	1.3 U	5.3	2.2 U	1600	2.7 J	1.9 U	1.2 U	150	130	3.3 U
		Dec-19	140	0.41 U	0.65 U	0.53 U	2.5	0.86 U	960	1.2 J	0.76 U	0.48 U	73	65	0.59 U
		Mar-20	130	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	750	1.0 J	0.76 U	0.48 U	69	56	0.59 U
		Jun-20	120	0.41 U	0.65 U	0.53 U	1.5	0.86 U	590	1.3 J	0.76 U	0.48 U	55	35	0.59 U
		Sep-20	150	0.41 U	0.65 U	0.53 U	1.3 J	0.86 U	500	0.69 J	0.76 U	0.48 U	33	37	0.59 U
		Dec-20	130	0.41 U	0.65 U	0.53 U	1.2 J	0.86 U	380	0.63 J	0.76 U	0.48 U	28	24	0.59 U
		Mar-21	150	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	420	2.3	0.76 U	0.48 U	32	32	0.59 U
		Jun-21	95	<5	<5	<5	<5	<5	240	<5	<5	<5	23	22	<5
		Sep-21	<10	<2	<2	<2	<2	<2	200	<2	<2	<2	13	19	<2
		Dec-21	63	<2	<2	<2	<2	<2	170	<2	<2	<2	12	19	<2
		Mar-22	140	<5	<5	<5	<5	<5	110	<5	<5	<5	18	13	<5
		Jun-22	100	<2	<2	<2	<2	<2	130	<2	<2	<2	30	11	<2
		Sep-22	99	<1	<1	<1	0.4 J	<1	99	<1	<1	<1	31	7.1	<1
		Dec-22	75 C	<1	<1	<1	0.9 J	<1	120	0.5 J	<1	<1	60	10	<1
		Mar-23	140	<1	<1	<1	1.1	<1	160	0.7 J	<1	<1	80	17	<1
		Jun-23	100 C	<2	<2	<2	<2	<2	78	<2	<2	<2	62	7.8 C	<2
		Sep-23	140 SC	<1	<1	<1	2.1	<1	100	0.7 J	<1	<1	72	11	<1
		Dec-23	120 C	<1	<1	<1	<1 C	<1	100	<1	<1 C	<1	60	8.7	<1
		Mar-24	120 C	<1	<1	<1	<1	<1	72	<1	<1	<1	57	12	<1
		Jun-24	130 SC	<1	<1	<1	<1	<1	110	<1	<1	<1	92	17	<1
		Sep-24	180	<1	<1	<1	0.8 J	<1	92	0.7 J	<1	<1	43	16	<1
		Dec-24	100C	<1	<1	<1	<1	<1	69	<1	<1	<1	41	16C	<1
		Feb-25	150 C	<1	<1	<1	<1	<1	140	1.5	<1	<1	54	72	<1
		May-25	350	<2	<2	<2	<2	<2	180	<2	<2	<2	68	76 C	<2

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-8E	Bedrock	Oct-18	100 U	8.6 U	6.5 U	5.3 U	7.2 J	8.6 U	6100	4.7 U	8.7 J	4.8 U	6.3 U	1300	13 U
		Dec-19	Unable to sample due to obstruction												
		Mar-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	310	3.7 J	1.9 U	1.2 U	1.6 U	1700	1.5 U
		Jun-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	240	3.3 J	1.9 U	1.2 U	1.6 U	870	1.5 U
		Sep-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	300	3.3 J	1.9 U	1.2 U	1.6 U	1200	1.5 U
		Dec-20	9.8	0.20 U	0.33 U	0.38 J	0.26 U	0.43 U	280	3.2	0.82 J	0.24 U	0.31 U	840	0.30 U
		Mar-21	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	260	4.6 J	1.9 U	1.2 U	1.6 U	810	1.5 U
		Jun-21	<10	<10	<10	<10	<10	<10	63	<10	<10	<10	<10	150	<10
		Sep-21	<10	<10	7.1 J	<10	<10	<10	600	<10	<10	<10	8.2 J	220	<10
		Dec-21	<10	<10	<10	<10	<10	<10	1500	5.2 J	<10	<10	<10	440	<10
		Mar-22	<500	<100	<100	<100	<100	<100	8500	<100	<100	<100	51 J	2400	<100
		Jun-22	<500	<100	<100	<100	<100	<100	7200	<100	<100	<100	<100	2200	<100
		Sep-22	<250	<50	<50	<50	21 J	<50	7900	<50	<50	<50	<50	2100	<50
		Dec-22	<250	<50	<50	<50	28 J	<50	9600	30 J	23 J	<50	17 J	2500	<50
		Mar-23	<500	<100	<100	<100	<100	<100	11000	<100	<100	<100	<100	4500	<100
		Jun-23	<250	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1400	<50
		Sep-23	<250 C	<50	<50	<50	42 J	<50	6300	<50	<50	<50	<50	1800	<50
		Dec-23	<250 C	<50	<50	<50	<50	<50	6200	<50	<50	<50	<50	1900	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	4700	<50	<50	<50	<50	1800	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1700	<50
		Sep-24	<250	<50	<50	<50	<50	<50	6300	<50	<50	<50	<50	2000	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	5000	<50	<50	<50	<50 C	1700 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	6000	<50	<50	<50	<50	2100	<50
		May-25	<250	<50	<50	<50	<50	<50	5800	<50	<50	<50	<50	1600 C	<50
MW18-8F	Bedrock	Oct-18	50 U	4.3 U	3.3 U	2.6 U	1.2 U	4.8 J	1800	5.3 J	3.8 U	2.4 U	7.7 J	420	6.5 U
		Dec-19	22	4.6	15	0.53 U	0.97 J	0.86 U	600	1.0 J	0.76 U	0.48 U	1.4 J	58	0.59 U
		Mar-20	6.6	1.6	6.4	0.26 U	0.54 J	0.43 U	370	4.5	0.77 J	0.24 U	0.62 J	120	0.30 U
		Jun-20	10	2.0	4.8	0.53 U	0.78 J	0.86 U	500	3.6	0.76 U	0.48 U	0.85 J	150	0.59 U
		Sep-20	8.8 U	1.0 J	11	0.53 U	0.53 U	0.86 U	530	1.1 J	0.76 U	0.48 U	1.2 J	54	0.59 U
		Dec-20	6.3	0.90 J	2.8	0.28 J	0.26 U	0.43 U	120	3.6	0.71 J	0.24 U	0.31 U	34	0.38 J
		Mar-21	4.4 U	0.74 J	2.4	0.26 U	0.26 U	0.43 U	81	4.0	0.41 J	0.24 U	0.31 U	25	0.30 U
		Jun-21	35	<1	0.7 J	<1	<1	<1	38	<1	<1	<1	<1	3.6	<1
		Sep-21	<120	<25	<25	<25	<25	<1	4500	<25	<25	<25	<25	1900	<25
		Dec-21	<25	14	<5	<5	<5	<5	390	<5	<5	<5	<5	68	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	<10	<10	<10	3.2 J	540	<10
		Jun-22	<50	<10	<10	<10	<10	<10	1800	<10	<10	<10	<10	620	<10
		Sep-22	<50	<10	<10	<10	<10	<10	990	4.3 J	<10	<10	<10	520	<10
		Dec-22	<50	<10	<10	<10	<10	<10	1000	4.0 J	<10	<10	<10	530	<10
		Mar-23	<50	<10	<10	<10	<10	<10	1500	4.9 J	<10	<10	<10	750	<10
		Jun-23	<120	<25	<25	<25	<25	<25	770	<25	<25	<25	<25	360	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	960	<10	<10	<10	<10	460	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	560	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	1100	<10	<10	<10	<10	530	<10
		Jun-24	<50 SC	<10	<10	<10	<10 C	<10	930	<10	<10	<10	<10	450	<10
		Sep-24	<50	<10	<10	<10	<10	<10	810	<10	<10	<10	<10	320	<10
		Dec-24	58 C	<10	<10	<10	<10	<10	860	<10	<10	<10	<10 C	420 C	<10
		Feb-25	<50 C	<10	<10	<10	<10	<10	710	<10	<10	<10	<10	270	<10
		May-25	<50 C	<10	<10	<10	<10	<10	990	<10	<10	<10	<10	300	<10

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-2C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	32	PND	6.6	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	6.2	5.0 U	7.6	PND	9.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	8.8	5.0 U	5.0 U	PND	11	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	10	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		May-17	5.7	PND	1.0 U	1.0 U	1.0 U	1.0 U	5.6	1.0 U	1.0 U	PND	6.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	8.1	0.24 J	0.38 U	0.24 U	3.5	0.28 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.31 J	0.26 U	0.43 U	27	0.48 J	0.38 U	0.24 U	3.0	0.66 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	0.45 J	0.38 U	0.24 U	3.3	0.37 J	0.30 U
		Jun-20	5.7	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	1.2	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	23	0.34 J	0.38 U	0.24 U	1.9	0.43 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.35 J	0.43 U	15	0.43 J	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.34 J	0.26 U	0.43 U	22	0.48 J	0.38 U	0.24 U	0.31 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	14	<1	7.4	<1	2.2	1.8	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	8.8	<1	<1	<1	5.6	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	5.6	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	12	<1	<1	<1	4.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9	<1	<1	<1	6.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	8.3	<1	<1
		Mar-23	8.2	<1	<1	<1	<1	<1	2.5	<1	<1	<1	1.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.0	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	1.4	<1	<1	<1	1.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.7	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.7	<1	<1	<1	3.3	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	4.2	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	2.1	<1	<1C	<1	2.6	<1	<1
		Feb-25	< 5 C	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.9	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.2	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-4C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	10	PND	5.0 U	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	220	<2	<2	<2	<2	<2	<2	<2	7.8	<2	<2	<2	<2
		Sep-21	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1
		Dec-21	<5	2.4	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1
		Jun-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J
		Mar-23	5.4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-9C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	130	5.0 U	5.0 U	PND	7.1	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	95	5.0 U	5.0 U	PND	8.6	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	92 / 90	5.0 U / 5.0 U	9.2 / 9.5	PND	5.3 / 5.0 U	2.0 U / 2.0 U	5.0 U / 5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	8.6	PND	1.0 U	0.33 J	1.0 U	1.0 U	130	1.1	0.50 J	PND	3.5	0.38 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	56	0.24 U	0.38 U	0.24 U	7.0	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	51	0.24 U	0.38 U	0.24 U	2.3	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	65	0.55 J	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	63	0.62 J	0.38 U	0.24 U	2.6	0.17 U	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	0.24 U	0.38 U	0.24 U	2.2	1.6	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	50	0.24 U	0.38 U	0.24 U	1.8	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.59 J	0.43 U	310	1.0	0.38 U	0.24 U	18	0.17 U	0.30 U
		Jun-21	<10	<2	<2	<2	<2	<2	46	<2	5.6	<2	1.9 J	<2	<2
		Sep-21	<5	<1	1.6	<1	<1	<1	7.8	<1	0.4 J	<1	5.1	0.5 J	<1
		Dec-21	<5	0.6 J	0.6 J	<1	<1	<1	19	<1	<1	<1	3.2	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.4	<1	<1	<1	5.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	8.1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	5.8	<1	<1	<1	3.9	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	5.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	5.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	2.6	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	2	<1	<1	<1	5.0	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.4 C+	<1	<1	<1	1.8	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	5.5	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	2.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	1.1	<1	<1	<1	3.1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10A	Overburden	Oct-18	5.0 U	0.43 U	3.0	0.26 U	0.12 U	0.43 U	4.0	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.6	0.24 U	0.38 U	0.24 U	1.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.4	0.24 U	0.38 U	0.24 U	0.76 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.6	0.24 U	0.38 U	0.24 U	0.98 J	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	1.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.4	0.24 U	0.38 U	0.24 U	0.90 J	0.17 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	0.8 J	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	7	<1	<1	<1	2.0	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	1.4	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1.4	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	0.9 J	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	3.0	<1	<1	<1	0.7 J	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.3	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.0	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.3	0.7 J	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	2.6	<1	<1 C	<1	1.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	1.9	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1	<1	0.9 J	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	1.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.9	<1	<1	<1	1.0	<1	<1
MW18-10B	Bedrock	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	3.0	0.24 U	0.38 U	0.24 U	0.31 U	0.63 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.65 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.52 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.51 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.36 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.0	<1
		Dec-21	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	<1	3.2	<1
		Mar-22	<5	<1	<1	<1	<1	<1	2.5	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	<1	3.4	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9.7	<1	<1	<1	4.0	3.0	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	3.6	2.3 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	1.7	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	2.2 C	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.2	<1	<1	<1	<1	2.6	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	2.1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	2.5	<1	<1	<1	<1	1.9	<1
		Sep-24	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.9	<1	<1	<1	<1	1.3	<1
		May-25	<5 C	<1	<1	<1	<1	<1	1.8	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10C	Bedrock	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	12	0.24 U	0.38 U	0.24 U	3.8	1.0	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	3.5	0.46 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	2.7	0.61 J	0.30 U
		Jun-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.7	0.24 U	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.7	0.24 U	0.38 U	0.24 U	1.9	0.42 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	9.0	0.24 U	0.38 U	0.24 U	0.82 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	10.0	0.24 U	0.38 U	0.24 U	1.1	0.41 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.1	<1	1.0 J	<1	1.6	<1	<1
		Sep-21	12	<1	<1	<1	<1	<1	9.0	<1	<1	<1	0.9 J	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	9.0	<1	<1	<1	2.1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	7.2	<1	<1	<1	1.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	8.3	<1	<1	<1	2.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	3.8	<1	<1
		Dec-22	<5 C	<1	<1	<1	<1	<1	6.0	<1	<1	<1	3.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	7.9	<1	<1	<1	4.2	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.2	<1	<1	<1	3.0	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	4.2	<1	<1	<1	2.9	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	4.1	<1	<1 C	<1	2.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	5.4	<1	<1	<1	3.1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	3.5	<1	<1	<1	3.1	<1	<1
MW18-11A	Overburden	Sep-24	<5	<1	<1	<1	<1	<1	3.6	<1	<1	<1	3.2	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	1.4	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.8	<1	<1	<1	2.4	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	2.9	<1 C	<1
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.34 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.64 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.86 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.88 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-11B	Bedrock	Oct-18	5.0 U	0.43 U	0.58 J	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.78 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.94 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.83 J	0.65 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.97 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.1	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	1.1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	1.1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 NC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<25 SC	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW18-11C	Bedrock	Oct-18	5.0 U	0.43 U	0.4 J	0.26 U	0.12 U	0.43 U	79	0.79 J	0.38 U	0.24 U	5.1	23	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	60	1.2	0.38 U	0.24 U	0.33 J	81	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	11	1.2	0.3 8U	0.24 U	0.31 U	13	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	1.2	0.38 U	0.24 U	0.31 J	28	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	57	1.2	0.38 U	0.24 U	0.31 U	57	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	24	0.91 J	0.38 U	0.24 U	0.31 U	27	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	42	1.3	0.38 U	0.24 U	0.83 J	34	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	67	1.1	2.3	<1	2.9	28	<1
		Sep-21	<10	<2	<2	<2	1.0 J	<2	240	1.6 J	<2	<2	19	27	<2
		Dec-21	<10	<2	<2	<2	<2	<2	170	<2	<2	<2	27	13	<2
		Mar-22	<25	<5	<5	<5	<5	<5	140	<5	<5	<5	14	20	<5
		Jun-22	<10	<2	<2	<2	<2	<2	160	<2	<2	<2	14	18	<2
		Dec-22	<10 C	<2	<2	<2	<2	<2	150	<2	<2	<2	14	17	<2
		Mar-23	<5	<0.5	<0.5	<0.5	0.6	<0.5	190	1.0	<0.5	<0.5	14	28	<0.5
		Jun-23	<10	<2	<2	<2	<2	<2	84	<2	<2	<2	8.2	12	<2
		Sep-23	<5 C	<1	<1	<1	1	<1	120	0.9 J	<1	<1	8.3	13	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	79	<1	<1 C	<1	2.6	20	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	95	<1	<1	<1	3.7	17	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	100	<1	<1	<1	8.9	15	<1
		Sep-24	<5	<1	<1	<1	<1	<1	110	0.6 J	<1	<1	9.4	10	<1
		Dec-24	<5	<1	<1	<1	<1	<1	93	<1	<1 C	<1	6.2	13	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	65	<1	<1	<1	6	9	<1
		May-25	<5 C	<1	<1	<1	<1	<1	97	<1	<1	<1	8.7	9.6	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	4.6	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	5.9	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	3.8	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.3	0.24 U	0.38 U	0.24 U	4.8	0.17 U	0.30 U
		Sep-20	5.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.6	0.24 U	0.38 U	0.24 U	8.2	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.9	0.24 U	0.38 U	0.24 U	4.9	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.74 J	0.24 U	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.8	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.4	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.0	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.5	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.4	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	3.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.0	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	4.4	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.4	<1 C	<1
MW18-12B	Bedrock	Oct-18	100 U	8.6 U	6.5 U	48	74	8.6 U	9100	24	7.6 U	160	3600	650	13 U
		Dec-19	88 U	4.1 U	6.5 U	32	27	8.6 U	5800	8.4	7.6 U	58	110	4.1 J	5.9 U
		Mar-20	88 U	4.1 U	6.5 U	32	34	8.6 U	7200	13	7.6 U	52	7.7	140	5.9 U
		Jun-20	88 U	4.1 U	6.5 U	34	22	8.6 U	6500	20	7.6 U	43	13	19	5.9 U
		Sep-20	88 U	4.1 U	6.5 U	32	30	8.6 U	8200	13	7.6 U	25	12	370	5.9 U
		Dec-20	88 U	4.1 U	6.5 U	32	36	8.6 U	7800	10	7.6 U	33	12	330	5.9 U
		Mar-21	220 U	10 U	16 U	38 J	36 J	22 U	9800	81	19 U	32 J	69	340	15 U
		Jun-21	<500	<100	<100	74 J	130	<100	17000	<100	<100	200	4000	1800	<100
		Sep-21	<500	<100	<100	53 J	150	<100	17000	59 J	<100	74 J	2900	2800	<100
		Dec-21	<500	<100	<100	66 J	<100	<100	16000	53 J	<100	240	6900	1600	<100
		Mar-22	<1000	<200	<200	<200	88 J	<200	17000	<200	<200	96 J	3900	2000	<200
		Jun-22	<1000	<200	<200	<200	100 J	<200	21000	<200	<200	<200	1800	2400	<200
		Sep-22	<1000	<200	<200	68 J	140 J	<200	23000	<200	<200	260	7100	1800	<200
		Dec-22	<1000	<200	<200	90 J	170 J	<200	22000	<200	<200	410	8400	1600	<200
		Mar-23	1200	<200	<200	86 J	190 J	<200	31000	<200	<200	160 J	6100	3200	<200
		Jun-23	<1200	<250	<250	<250	<250	<250	15000	<250	<250	<250	5500	1400 C	<250
		Sep-23	<1000 C	<200	<200	<200	270	<200	15000	<200	<200	<200	4800	1500	<200
		Dec-23	<1000 C	<200	<200	<200	<200 C	<200	20000	<200	<200 C	<200	4000	2200	<200
		Mar-24	<1000 SC	<200	<200	<200	<200	<200	14000	<200	<200 C	<200	1700	3500	<200
		Jun-24	<1000 SC	<200	<200	<200	240	<200	22000	<200	<200 C	230	4800	3300	<200
		Sep-24	<1000	<200	<200	<200	150 J	<200	17000	<200	<200	400	5200	1800	<200
		Dec-24	<1000 C	<200	<200	<200	<200	<200	17000	<200	<200	370	5500 C	1800 C	<200
		Feb-25	<1000	<200	<200	<200	<200	<200	17000	<200	<200	280	6600	1700	<200
		May-25	<1000	<200	<200	<200	<200	<200	20000	<200	<200	<200	4600	2300 C	<200

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12C	Bedrock	Oct-18	25 U	2.1 U	1.6 U	1.4 J	8.6	2.2 U	2400	10	1.9 U	1.2 U	250	480	3.3 U
		Dec-19	37	1.0 U	1.6 U	2.6 J	3.4 J	2.2 U	1100	7.3	1.9 U	1.2 U	9.5	1000	1.5 U
		Mar-20	8.8 U	1.0 U	0.41 U	3.1	1.3 J	0.86 U	630	7.2	1.4 J	0.97 J	50	480	0.59 U
		Jun-20	8.8 U	0.41 U	0.65 U	2.8	1.3 J	0.86 U	980	8.1	1.9 J	0.48 U	59	290	0.59 U
		Sep-20	8.8 U	0.41 U	0.65 U	2.4	1.1 J	0.86 U	950	5.7	1.2 J	0.48 U	580	180	0.59 U
		Dec-20	8.8 U	0.41 U	0.65 U	2.7	1.3 J	0.86 U	510	5.1	1.4 J	0.76 J	630	96	0.59 U
		Mar-21	8.8 U	0.41 U	0.65 U	3.6	1.1 J	0.86 U	690	8.2	1.7 J	1.3 J	870	250	0.59 U
		Jun-21	<25	<5	<5	3.0 J	<5	<5	520	7.2	<5	<5	34	300	<5
		Sep-21	<25	<5	<5	3.8 J	<5	<5	860	8.5	<5	<5	470	430	<5
		Dec-21	<120	<25	<25	<25	<25	<25	2900	16 J	<25	13 J	520	340	<25
		Mar-22	<120	<25	<25	9 J	12 J	<25	3500	<25	<25	10 J	310	660	<25
		Jun-22	<120	<25	<25	<25	<25	<25	2300	<25	<25	<25	130	890	<25
		Sep-22	<120	<25	<25	<25	<25	<25	2000	<25	<25	<25	150	690	<25
		Dec-22	<500	<100	<100	<100	<100	<100	12000	<100	<100	89 J	2200	<100 C	<100
		Mar-23	<500	<100	<100	<100	53	<100	9300	<100	<100	<100	690	2600	<100
		Jun-23	<120	<25	<25	<25	35	<25	6700	52	<25	32	280	1000	<25
		Sep-23	<120 C	<25	<25	<25	47	<25	5000	<25	<25	<25	950	780	<25
		Dec-23	<250 C	<50	<50	<50	<50	<50	5800	<50	<50 C	<50	620	940	<50
		Mar-24	<500 SC	<50	<50	<50	<50	<50	7600	<50	<50	<50	1100	810	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	5900	<50	<50	<50	1000	580	<50
MW18-13B	Bedrock	Sep-24	<250	<50	<50	<50	41 J	<50	9000	<50	<50	61	670	1300	<50
		Dec-24	<500 C	<100	<100	<100	140	<100	16000	<100	<100	120	1000	1200	<100
		Feb-25	<500 SC	<100	<100	<100	<100	<100	9500	<100	<100	<100	2100	480 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8200	<100	<100	<100	750	1200 C+	<100
		Oct-18	5.0 U	0.75 J	7.9	22	33	0.43 U	460	2.0	0.38 U	30	370	65	0.65 U
		Dec-19	8.8 U	0.41 U	0.65 U	52	31	0.86 U	900	6.1	0.76 U	15	170	280	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	47	27	0.86 U	610	4.0	0.76 U	13	210	110	0.59 U
		Jun-20	8.8 U	0.83 J	0.65 U	44	24	0.86 U	680	6.2	0.76 U	16	100	90	0.59 U
		Sep-20	22 U	1.0 U	1.6 U	55	36	2.2 U	1400	6.2	1.9 U	34	190	440	1.5 U
		Dec-20	22 U	1.0 U	1.6 U	42	36	2.2 U	2000	7.4	1.9 U	29	42	330	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	55	41	4.3 U	2800	7.4 J	3.8 U	22	130	390	3.0 U
		Jun-21	<120	<25	<25	53	34	<25	1900	<25	<25	18 J	67	750	<25
		Sep-21	<10	<10	5.6 J	19	23	<10	1000	<10	<10	11	47	210	<10
		Dec-21	<25	<5	<5	5.8	<5	<5	220	<5	<5	3.8 J	17	64	<5
		Mar-22	11	<1	<1	0.8 J	0.7 J	<1	26	<1	<1	1.0	1.8	8.1	<1
		Jun-22	<10	<2	<2	7.6	3.1	<2	320	3.0	<2	3.0	4.4	110	<2
		Sep-22	<10	0.8 J	<2	3.9	1.1 J	<2	100	<2	<2	3.4	2.5	31	<2
		Dec-22	<25	<5	<5	15	6.6	<5	490	<5	<5	12	22	250	<5
		Mar-23	12	<1	<1	3.8	5.6	<1	190	0.7 J	<1	3	13	48	<1
		Jun-23	<25	<5	<5	44	45	<5	1900	27	<5	35	110	380	<5
		Sep-23	<5 C	<1	<1	1.9	2.4	<1	62	<1	<1	1.5	8.9	21	<1
		Dec-23	<5 C	<1	<1	4.8	2.5 C	<1	250	1.1	<1 C	<1	9.0	77	<1
		Mar-24	<5	<1	<1	1.0 J	<1	<1	170	<1	<1	<1	9.0	38	<1
		Jun-24	<10 SC	<2	<2	<2	<2	<2	300	<2	<2	<2	7.0	110	<2
		Sep-24	<5	<1	<1	1.2 C+	<1	<1	36	<1	<1	0.6 J	7.0	7.6	<1
		Dec-24	<5	<1	<1	5.7	6.6	<1	170	<1	<1	4.2	17	73	<1
		Feb-25	<25 SC	<5	<5	13	14	<5	480	<5	<5	12	33	180 C	<5
		May-25	<120	<25	<25	<25	<25	<25	1400	<25	<25	<25	39	440 C+	<25

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-13C	Bedrock	Oct-18	25 U	2.1 U	13	1.4 J	3.5 J	2.2 U	1300	2.6 J	1.9 U	1.2 U	43	480	3.3 U
		Dec-19	11	0.41 U	0.65 U	31	27	0.86 U	730	3.3	0.76 U	20	48	130	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	44	20	0.86 U	730	4.8	0.76 U	12	14	180	0.59 U
		Jun-20	8.8 U	0.72 J	0.65 U	41	11	0.86 U	530	5.8	0.76 U	10	10	120	0.59 U
		Sep-20	8.8 U	0.64 J	0.65 U	45	7.2	0.86 U	630	3.1	0.76 U	11	3.9	330	0.59 U
		Dec-20	22 U	1.0 U	1.6 U	42	12	2.2 U	1000	4.2 J	1.9 U	18	6.1	400	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	49	25	4.3 U	1900	8.3 J	3.8 U	17	6.0 J	490	3.0 U
		Jun-21	<250	<50	52	<50	<50	<50	4300	<50	<50	<50	84	1400	<50
		Sep-21	<250	<50	<50	<50	40 J	<50	10000	<50	<50	<50	110	5600	<50
		Dec-21	<250	<50	28 J	<50	<50	<50	7500	<50	<50	<50	120	2900	<50
		Mar-22	<500	<100	<100	<100	36 J	<100	12000 N	<100	<100	<100	310	4800 N	<100
		Jun-22	<500	<100	<100	<100	38 J	<100	9100	<100	<100	<100	85 J	3700	<100
		Sep-22	<500	<100	<100	<100	<100	<100	5300	<100	<100	<100	45 J	1900	<100
		Dec-22	<500	<100	<100	<100	<100	<100	6100 N	<100	<100	<100	190	1800	<100
		Mar-23	<500	<100	<100	<100	<100	<100	12000	<100	<100	<100	100	5700	<100
		Jun-23	<50	<10	<10	<10	19	<10	3800 N+	55	<10	<11	64	1500 C	<10
		Sep-23	<120 C	<25	<25	<25	42	<25	5000	<25	<25	<25	46	2000	<25
		Dec-23	<120	<25	<25	<25	23 J	<25	6300 N+	<25	<25	<25	29	2800	<25
		Mar-24	<250 SNC	<50	<50	<50	<50	<50	6600 N+	<50	<50	<50	<50	3600 N+	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4700 N+	<50	<50	<50	49	2500N+	<50
		Sep-24	<250C	<50	<50	<50	<50	<50	4600	<50	<50	<50	54	1600	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	3300 N+	<50	<50	<50	<50 C	1500 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	2600 N	<50	<50	<50	41 J	1400	<50
		May-25	<250	<50	<50	<50	<50	<50	4200 N+	<50	<50	<50	<50	1900 C	<50
MW18-14A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.66 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.8	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-14B	Bedrock	Oct-18	53	4.3 U	3.3 U	2.6 U	8.7 J	4.3 U	3300	4.7 J	77	2.4 U	590	680	20
		Dec-19	89	1.0 U	1.6 U	1.3 U	2.5 J	2.2 U	1600	2.7 J	16	1.2 U	170	110	1.5 U
		Mar-20	75	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	1000	1.2 U	7.0	1.2 U	83	52	1.5 U
		Jun-20	70	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	820	1.7 J	3.7	0.48 U	46	34	0.59 U
		Sep-20	85	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	690	0.69 J	2.4	0.48 U	26	35	0.59 U
		Dec-20	65	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	430	0.73 J	2.2	0.48 U	20	15	0.59 U
		Mar-21	54	0.20 U	0.33 U	0.26 U	0.39 J	0.43 U	300	2.4	2.6	0.24 U	23	0.17 U	0.35 J
		Jun-21	35	<2	<2	<2	<2	<2	340	<2	2.5	<2	15	41	<2
		Sep-21	67	<1	<1	<1	<1	<1	160	1.0 J	3.2	<1	8.4	16	<1
		Dec-21	<10	<2	<2	<2	<2	<2	82	1.2 J	3.8	<2	14	8.1	<2
		Mar-22	34	<1	<1	<1	<1	<1	48	0.5 J	3	<1	14	10	0.7
		Jun-22	37	<1	<1	<1	<1	<1	61	0.4 J	2.8	<1	13	9.3	0.6 J
		Sep-22	30	<1	<1	<1	<1	<1	46	<1	1.7	<1	11	5.4	<1
		Dec-22	12 C	<1	<1	<1	<1	<1	35	<1	2.0	<1	12	6.8	0.8 J
		Mar-23	29	<1	<1	<1	<1	<1	41	<1	2.3	<1	16	10	0.6 J
		Jun-23	19 BC	<1	<1	<1	<1	<1	27	<1	1.6	<1	9.8	5.2	<1
		Sep-23	16 C	<1	<1	<1	<1	<1	26	<1	1.5	<1	8.7	3.9	<1
		Dec-23	12 C	<1	<1	<1	<1	<1	24	<1	2.2 C	<1	14	5.4	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	23	<1	1.9	<1	12	6.6	<1
		Jun-24	28 SC	<1	<1	<1	<1	<1	29	<1	<1	<1	13	6.2	<1
		Sep-24	19	<1	<1	<1	<1	<1	27	<1	1.5	<1	10	4.2	<1
		Dec-24	13 C	<1	<1	<1	<1	<1	13	<1	<1	<1	3.9	3	<1
		Feb-25	7.2 BC	<1	<1	<1	<1	<1	12	<1	<1	<1	3.4	3.2	<1
		May-25	<5	<1	<1	<1	<1	<1	28	<1	1.8	<1	8.3	12 C+	<1
MW18-14C	Bedrock	Oct-18	1200 U	110 U	82	66 U	29 U	110 U	26000	61 J	1400	60 U	70000	3500	160 U
		Dec-19	880 U	41 U	65 U	53 U	340	86 U	72000	47 U	76 U	48 U	2300	2700	59 U
		Mar-20	880 U	41 U	65 U	53 U	230	86 U	66000	64	76 U	48 U	750	2400	59 U
		Jun-20	880 U	41 U	65 U	53 U	100	86 U	49000	75	76 U	48 U	130	810	59 U
		Sep-20	880 U	41 U	65 U	53 U	190 J	86 U	68000	50 J	76 U	48 U	63 U	1700	59 U
		Dec-20	880 U	41 U	65 U	53 U	150 J	86 U	50000	58 J	76 U	48 U	63 U	1500	59 U
		Mar-21	880 U	41 U	65 U	53 U	74	86 U	44000	380	76 U	48 U	63 U	1100	59 U
		Jun-21	<2000	<400	<400	<400	<400	<400	57000	<400	250 J	<400	<400	12000	<400
		Sep-21	<2000	<400	<400	<400	<400	<400	42000	<400	<400	<400	510	10000	<400
		Dec-21	<1000	<200	<200	<200	<200	<200	30000	<200	170 J	<200	350	5900	<200
		Mar-22	<1000	<200	<200	<200	72 J	<200	22000	<200	110 J	<200	<200	5200	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	26000	<200	92 J	<200	<200	4600	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	20000	100 J	<200	<200	<200	3300	<200
		Dec-22	<120	<25	22 J	<25	8.2 J	<25	2100	<25	<25	<25	24 J	410	<25
		Mar-23	<120	<25	<25	<25	<25	<25	4600	<25	<25	<25	<25	1100	<25
		Jun-23	<2000	<400	<400	<400	<400	<400	9800	<400	<400	<400	<400	1900	<400
		Sep-23	<500 C	<100	<100	<100	<100	<100	6800	<100	<100	<100	<100	1500	<100
		Dec-23	<500 C	<100	<100	<100	<100	<100	6600	<100	<100 C	<100	<100	1400	<100
		Mar-24	520 SC	<100	<100	<100	<100	<100	8600	<100	<100 C	<100	<100	2000	<100
		Jun-24	<500 SC	<100	<100	<100	<100	<100	8100	<100	<100 C	<100	<100	1000	<100
		Sep-24	<500	<100	<100	<100	<100	<100	9900	<100	<100	<100	<100	1100	<100
		Dec-24	<500 C	<100	<100	<100	<100	<100	18000	<100	<100	<100	<100 C	2400	<100
		Feb-25	<500 C	<100	<100	<100	<100	<100	9300	<100	<100	<100	110	1100 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8400	<100	<100	<100	<100	1100 C	<100

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-15C	Bedrock	Dec-21	<5	<1	<1	0.7 J	<1	<1	93	<1	<1	0.6 J	100	3.2	<1
		Mar-22	1700	<10	<10	<10	<10	<10	4.3 J	<10	<10	<10	<10	<10	<10
		Jun-22	9.8	<1	<1	<1	<1	<1	12	<1	<1	<1	16	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	2.6	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.2	<1	<1	<1	18	<1	0.5 J
		Mar-23	<50	<10	<10	<10	<10	<10	16	<10	<10	<10	5.7 J	<10	<10
		Jun-23	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	7.4	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	6.4	<1	<1	<1	7	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	10	<1	<1 C	<1	21	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	7.6	<1	<1	<1	14	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	8.7	<1	<1	<1	8.6	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	6.2	<1	<1	<1	13	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.2	<1	<1	<1	2.3	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.7	<1	<1	<1	4.1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	16	<1	<1
MW21-15D	Bedrock	Dec-21	<5	<1	1.8	<1	<1	<1	8.8	<1	0.7 J	<1	7.5	<1	<1
		Mar-22	<5	<1	0.5 J	<1	<1	<1	35	<1	<1	<1	42	<1	<1
		Jun-22	<5	<1	0.6 J	<1	<1	<1	35	<1	<1	<1	30	0.7	<1
		Sep-22	<5	<1	<1	<1	<1	<1	13	<1	<1	<1	20	<1	0.5 J
		Dec-22	<5	<1	<1	0.4 J	0.9 J	<1	95	<1	<1	0.3 J	120	0.6 J	<1
		Mar-23	<5	<1	<1	1.4	2.8	<1	370	<1	<1	<1	320	11	<1
		Jun-23	<5	<1	<1	1.3	2.6	<1	160	1.6	<1	<1	160	6.2 C	<1
		Sep-23	<5 SC	<1	<1	0.5 J	1.9	<1	100	0.5 J	<1	0.5 J	96	7.6	<1
		Dec-23	<5	<1	<1	<1	<1	<1	87	<1	<1	<1	97	6.6	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	68	<1	<1	<1	63	11	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	35	<1	<1	<1	38	6.7	<1
		Sep-24	<5	<1	<1	<1	<1	<1	17	<1	<1	<1	23	4.2	<1
		Dec-24	<5	<1	<1	<1	<1	<1	25	<1	<1 C	<1	27	4.2	<1
		Feb-25	<5 C	<1	<1	<1	1.9	<1	120	1.4	<1	<1	130	3	<1
		May-25	<5	<1	<1	1.0	2.5	<1	200	<1	<1	<1	180	1.5	<1
MW21-16	Bedrock	Dec-21	<25	<5	41	<5	<5	<5	520	<5	2.6 J	<5	11	66	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	7.9 J	<10	<10	67	310	<10
		Jun-22	980	<10	<10	<10	<10	<10	1300	<10	<10	<10	7.8 J	240	<10
		Sep-22	<50	<10	<10	<10	<10	<10	1900	5.2 J	<10	<10	12	470	<10
		Dec-22	6.6	<1	<1	<1	<1	<1	23	<1	0.4 J	<1	0.4 J	3.1 C	<1
		Mar-23	<120	<12	<12	<12	<12	<12	2600	<12	<12	<12	20	930	<12
		Jun-23	<120	<25	<25	<25	<25	<25	640	<25	<25	<25	<25	1000	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	650	<10	<10	<10	7.8 J	1300	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	380	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	250	<10	<10	<10	<10	120	<10
		Jun-24	<25 SC	<10	<10	<10	<10 C	<10	160	<10	<10	<10	<10	93	<10
		Sep-24	<5	<1	<1	<1	<1	<1	110	<1	1.5	<1	<1	43	0.8 J
		Dec-24	<5 C	<1	<1	<1	<1	<1	98	<1	1.5	<1	<1	50	0.8 J
		Feb-25	<5 SC	<1	<1	<1	<1	<1	9.3	<1	<1	<1	<1	4 C	<1
		May-25	13 C	<1	<1	<1	<1	<1	12	<1	<1	<1	<1	3.9	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-17D	Bedrock	Dec-21	<5	<1	1.6	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
MW21-18C	Bedrock	Dec-21	<5	<1	0.6 J	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW21-18D	Bedrock	Dec-21	<5	<1	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York


Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-19C	Bedrock	Dec-21	<1000	<200	<200	<200	<200	<200	12000	<200	<200	<200	4100	1200	<200
		Mar-22	<1000	<200	<200	<200	<200	<200	11000	160 J	<200	<200	1700	1300	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	16000	160 J	<200	<200	1700	1100	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	11000	<200	<200	<200	2900	940	<200
		Dec-22	<1000	<200	<200	<200	<200	<200	9300	<200	<200	<200	2600	990	<200
		Mar-23	1300	<200	<200	<200	<200	<200	15000	<200	<200	<200	2900	2100	<200
		Jun-23	<1000	<200	<200	<200	<200	<200	7600	<200	<200	<200	1800	970	<200
		Sep-23	<250 C	<50	<50	<50	120	<50	7800	<50	<50	38 J	2100	1000	<50
		Dec-23	<250 C	<50	<50	<50	71 C	<50	6800	<50	<50 C	<50	1700	1000	<50
		Mar-24	<250 SC	<50	<50	<50	76 S+C+	<50	8500	<50	<50	52	2200	1600	<50
		Jun-24	<250 SC	<50	<50	<50	140	<50	9300	44 J	<50	56	2900	1500	<50
		Sep-24	<250C	<50	<50	41 J	76	<50	8000	<50	<50	44 J	2200	960	<50
		Dec-24	<250 C	<50	<50	<50	130	<50	8500	<50	<50	<50	2400	1200	<50
		Feb-25	<250 SC	<50	<50	<50	100	<50	6100	<50	<50	<50	3000	910 C	<50
		May-25	<250	<50	<50	<50	83	<50	8300	<50	<50	<50	2100	1200 C	<50
MW21-19D	Bedrock	Dec-21	<500	<100	<100	<100	<100	<100	4100	<100	<100	<100	1600	320	<100
		Mar-22	<500	<100	<100	<100	<100	<100	4300	<100	<100	<100	780	440	<100
		Jun-22	<500	<100	57 J	<100	<100	<100	6000	<100	<100	<100	240	460	<100
		Sep-22	<500	<100	<100	<100	<100	<100	6700	<100	<100	<100	140	610	<100
		Dec-22	<500 C	<100	<100	<100	32 J	<100	7300	<100	<100	<100	450	1200 C	<100
		Mar-23	<500 C	<100	<100	<100	<100	<100	9500	<100	<100	<100	47 J	3100	<100
		Jun-23	<500 C	<100	<100	<100	<100	<100	3500	<100	<100	<100	<100	1200	<100
		Sep-23	<250 C	<50	<50	<50	52	<50	5800	<50	<50	<50	86	1200	<50
		Dec-23	<250 C	<50	<50	<50	<50 C	<50	4500	<50	<50 C	<50	120	950	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	5100	<50	<50	<50	70	1500	<50
		Jun-24	<250 SC	<50	<50	<50	62	<50	6600	<50	<50	<50	82	1500	<50
		Sep-24	<250	<50	<50	28 J	30 J	<50	5100	<50	<50	<50	78	1100	<50
		Dec-24	<250 C	<50	<50	<50	52	<50	6400	<50	<50	<50	52 C	1600	<50
		Feb-25	<250 SC	<50	<50	<50	92	<50	8900	56	<50	<50	510	2100 C	<50
		May-25	<250	<50	<50	<50	<50	<50	4600	<50	<50	<50	100	470 C	<50
MW21-20D	Bedrock	Dec-21	<120	<25	<25	<25	<25	<25	430	<25	<25	<25	160	<25	<25
		Mar-22	<5	<1	0.6 J	<1	<1	<1	130	1.1	<1	<1	80	<1	<1
		Jun-22	<5	<1	0.5 J	<1	<1	<1	95	0.9 J	<1	<1	61	<1	<1
		Sep-22	<10	<2	<2	<2	<2	<2	210	1.0 J	<2	<2	75	<2	<2
		Dec-22	<10	<2	<2	<2	1.0 J	<2	350	1.7 J	<2	<2	110	<2	<2
		Mar-23	<10	<2	0.4 J	<2	1.0 J	<2	110	1.3	<2	<2	100	2.5	<2
		Jun-23	<5	<1	<1	<1	<1	<1	45	<1	<1	<1	37	1.4 C	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	81	1.3	<1	<1	56	1.8	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	49	<1	<1 C	<1	69	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	4.8	<1	<1	<1	25	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	8.4	<1	<1	<1	45	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	36	0.7 J	<1	<1	61	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	50	<1	<1	<1	42	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	9.8	<1	<1	<1	55	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	47	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
SG-1	Surface	Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	6.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.7	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1


Notes:
All results are presented in micrograms per liter (ug/L).
/ Separates original and duplicate sample results
Bold indicates detected value
Shading indicates exceedance of NYSDEC TOGS 1.1.1 Criteria
U = Constituent not detected; specified value is laboratory reporting limit
J = Estimated value
D = Result obtained from analysis of a secondary dilution
N = Matrix spike below accepted limits
F1 = MS and/or MSD Recovery is outside of acceptable limits.
PND = Previously not detected/included in table
1. Only VOCs that have been detected at concentrations exceeding TOGS 1.1.1 standards in one or more samples during one or more monitoring events are included in this table.
2. Remediation activities were conducted at the site in March and April 2001.
3. Monitoring wells MW01-8A and MW01-8B were installed in May 2001, following the completion of remediation activities.
4. Monitoring well MW01-8A was dry (or had minimal water) during the 9/01, 12/01, 3/02, 9/02, and 8/06 monitoring events, and could not be sampled.
5. Two samples were collected from MW01-8B during the June 2003 monitoring event. During purging of the well prior to collecting the first sample, the water level would not stabilize and the turbidity remained elevated (and slightly increasing). Therefore, following collection of the first sample, the well was bailed dry and a second sample was collected after the well had recharged.
6. Packers were used to collect samples from discrete intervals within well MW01-8B; sample intervals included 25-37.5', 37.5-50', and 45-50'. One sample was collected from the 25-37.5' interval and the 37.5-50' interval. From the 45-50' interval, three samples were collected; the first was collected after 61 minutes of pumping, the second was collected after 171 minutes of pumping, and the third was collected after 261 minutes of pumping.
7. Following collection of the discrete interval samples (see note 6), a sixth sample was collected using the standard sampling techniques.
8. Three samples were collected from MW05-8C in August 2005 during well installation (packers were used to collect the 75-100' and 100-125' interval samples).
9. Using packers, samples were collected from the 100-125' interval at MW06-2C, MW06-4C, and MW06-9C during installation in August 2006.
10. Indicates samples that were collected from packered intervals (refer to Notes 6, 8, and 9).

Figures



- LEGEND:
- OVERBURDEN MONITORING WELL
 - UPPER BEDROCK MONITORING WELL
 - INTERMEDIATE BEDROCK MONITORING WELL
 - DEEP BEDROCK MONITORING WELL
 - SITE PROPERTY LINE
 - ADJACENT PROPERTY LINE
 - PROPERTY EASEMENT
 - FENCE
 - STONE WALL
 - WATER COURSE
 - OVERHEAD WIRES
 - UNDERGROUND ELECTRIC LINE
 - UNDERGROUND COMMUNICATIONS LINE
 - UNDERGROUND SEWER LINE
 - EXISTING UNDERGROUND STORM LINE

- NOTES:
1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
 2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
 3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
 4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY KB
DATE: 05/23/2022
REVISED:

SITE PLAN
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
1

CAD FILE: \\azrgisstor01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0525.dwg LAYOUT: F2 PLOTTED: 8/11/2025 1:16 PM BY: chris hait




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- (286.08) GROUNDWATER ELEVATION (FEET AMSL)
- 288 GROUNDWATER CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- MW18-12A WELL ID
- 2.4 ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- BOLD CONCENTRATIONS WERE DETECTED

µg/L - MICROGRAMS PER LITER



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 07/30/2025
REVISED:

OVERBURDEN GROUNDWATER
HYDROCARBON DISTRIBUTION MAP
(05/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
2

CAD FILE: \\azrgisstor01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0525.dwg LAYOUT: F3 PLOTTED: 8/11/2025 1:17 PM BY: chris hait




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- (283.43) GROUNDWATER ELEVATION (FEET AMSL)
- 281 GROUNDWATER CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- MW01-8B WELL ID
- 1.8 ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED
- C - INDICATES LOW RECOVER
- C+ - DENOTES HIGH RECOVERY ON SAMPLES WITH THIS COMPOUND PRESENT
- µg/L - MICROGRAMS PER LITER



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 07/30/2025
REVISED:

UPPER BEDROCK GROUNDWATER
HYDROCARBON DISTRIBUTION MAP
(05/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
3

CAD FILE: \\azrgisstor01\GIS_Projects\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0525.dwg LAYOUT: F4 PLOTTED: 8/11/2025 1:19 PM BY: chris hait



NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- WELL ID
- ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED
- J - RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE


C, N, SC, NSC - INDICATES LOW RECOVERY

C+ - DENOTES HIGH RECOVERY ON SAMPLES WITH THIS COMPOUNT PRESENT

N+ - INDICATES HIGH RECOVERY

µg/L - MICROGRAMS PER LITER

NOTE:
WELL ME-94-4B2 NOT INCLUDED IN THE IN THE GROUNDWATER CONTOURING DUE TO INCONGRUOUS DATA.



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 07/30/2025
REVISED:

INTERMEDIATE BEDROCK GROUNDWATER HYDROCARBON DISTRIBUTION MAP (05/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
4

CAD FILE: \\azrgis\storp01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0525.dwg LAYOUT: F5 PLOTTED: 7/30/2025 5:12 PM BY: chris hait




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- WELL ID
- ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED
- C - INDICATES LOW RECOVERY
- µg/L - MICROGRAMS PER LITER



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 07/30/2025
REVISED:

DEEP BEDROCK GROUNDWATER
POTENTIOMETRIC SURFACE AND
HYDROCARBON DISTRIBUTION MAP
(05/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
5

Adirondack Laboratory Analytical Data Package # 250602010



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

July 10, 2025

Jesse Gallo
Central Hudson Gas & Electric
284 South Avenue
Poughkeepsie, NY 12601
TEL: (845) 486-5691

Work Order No: 250602010
PO#: 37681

RE: Little Britain Road Site
Little Britain Road

Dear Jesse Gallo:

"I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed in the Case Narrative. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature."

A handwritten signature in black ink, appearing to read "Tara Daniels", is written over a horizontal line.

Tara Daniels
Laboratory Director

Workorder Sample Summary

Client: Central Hudson Gas & Electric

Work Order: 250602010

ProjectName: Little Britain Road Site

ProjLocation: Little Britain Road

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
250602010-001	MW94-1B	Groundwater	5/29/2025 3:15:00 PM	6/2/2025 8:30:00 AM
250602010-002	MW94-3	Groundwater	5/27/2025 2:45:00 PM	6/2/2025 8:30:00 AM
250602010-003	MW94-5	Groundwater	5/30/2025 8:55:00 AM	6/2/2025 8:30:00 AM
250602010-004	MW96-6	Groundwater	5/28/2025 1:20:00 PM	6/2/2025 8:30:00 AM
250602010-005	MW96-7B	Groundwater	5/28/2025 11:20:00 AM	6/2/2025 8:30:00 AM
250602010-006	MW01-8B	Groundwater	5/30/2025 11:20:00 AM	6/2/2025 8:30:00 AM
250602010-007	MW06-2C	Groundwater	5/29/2025 9:10:00 AM	6/2/2025 8:30:00 AM
250602010-008	MW06-9C	Groundwater	5/28/2025 1:50:00 PM	6/2/2025 8:30:00 AM
250602010-009	MW18-8D	Groundwater	5/30/2025 11:15:00 AM	6/2/2025 8:30:00 AM
250602010-010	MW18-8E	Groundwater	5/29/2025 3:15:00 PM	6/2/2025 8:30:00 AM
250602010-011	MW18-8F	Groundwater	5/27/2025 3:40:00 PM	6/2/2025 8:30:00 AM
250602010-012	MW18-10A	Groundwater	5/30/2025 12:20:00 PM	6/2/2025 8:30:00 AM
250602010-013	MW18-10B	Groundwater	5/29/2025 1:05:00 PM	6/2/2025 8:30:00 AM
250602010-014	MW18-10C	Groundwater	5/30/2025 12:45:00 PM	6/2/2025 8:30:00 AM
250602010-015	MW18-11A	Groundwater	5/30/2025 1:35:00 PM	6/2/2025 8:30:00 AM
250602010-016	MW18-11B	Groundwater	5/29/2025 3:15:00 PM	6/2/2025 8:30:00 AM
250602010-017	MW18-11B Dup	Groundwater	5/29/2025 3:15:00 PM	6/2/2025 8:30:00 AM
250602010-018	MW18-11C	Groundwater	5/29/2025 2:35:00 PM	6/2/2025 8:30:00 AM
250602010-019	MW18-12A	Groundwater	5/30/2025 2:25:00 PM	6/2/2025 8:30:00 AM
250602010-020	MW18-12B	Groundwater	5/29/2025 4:40:00 PM	6/2/2025 8:30:00 AM
250602010-021	MW18-12C	Groundwater	5/30/2025 10:00:00 AM	6/2/2025 8:30:00 AM
250602010-022	MW18-13B	Groundwater	5/30/2025 11:00:00 AM	6/2/2025 8:30:00 AM
250602010-023	MW18-13C	Groundwater	5/28/2025 3:10:00 PM	6/2/2025 8:30:00 AM
250602010-024	MW18-13C Dup	Groundwater	5/28/2025 3:10:00 PM	6/2/2025 8:30:00 AM
250602010-025	MW18-14A	Groundwater	5/29/2025 2:45:00 PM	6/2/2025 8:30:00 AM
250602010-026	MW18-14B	Groundwater	5/30/2025 10:40:00 AM	6/2/2025 8:30:00 AM
250602010-027	MW18-14C	Groundwater	5/30/2025 10:30:00 AM	6/2/2025 8:30:00 AM
250602010-028	MW94-4B2	Groundwater	5/28/2025 10:25:00 AM	6/2/2025 8:30:00 AM
250602010-029	MW06-4C	Groundwater	5/29/2025 8:40:00 AM	6/2/2025 8:30:00 AM
250602010-030	MW94-2	Groundwater	5/28/2025 11:00:00 AM	6/2/2025 8:30:00 AM
250602010-031	MW94-2B	Groundwater	5/28/2025 10:30:00 AM	6/2/2025 8:30:00 AM
250602010-032	MW01-8A	Groundwater	5/27/2025 11:30:00 AM	6/2/2025 8:30:00 AM
250602010-033	SG-1	Groundwater	5/30/2025 1:10:00 PM	6/2/2025 8:30:00 AM

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
250602010-034	Equipment Blank	Groundwater	5/30/2025 1:05:00 PM	6/2/2025 8:30:00 AM
250602010-035	MW21-15C	Groundwater	5/27/2025 4:55:00 PM	6/2/2025 8:30:00 AM
250602010-036	MW21-15D	Groundwater	5/27/2025 4:35:00 PM	6/2/2025 8:30:00 AM
250602010-037	MW21-16	Groundwater	5/27/2025 2:55:00 PM	6/2/2025 8:30:00 AM
250602010-038	MW21-17D	Groundwater	5/30/2025 1:10:00 PM	6/2/2025 8:30:00 AM
250602010-039	MW21-18C	Groundwater	5/28/2025 4:15:00 PM	6/2/2025 8:30:00 AM
250602010-040	MW21-18D	Groundwater	5/29/2025 9:30:00 AM	6/2/2025 8:30:00 AM
250602010-041	MW21-19C	Groundwater	5/30/2025 9:20:00 AM	6/2/2025 8:30:00 AM
250602010-042	MW21-19D	Groundwater	5/30/2025 10:55:00 AM	6/2/2025 8:30:00 AM
250602010-043	MW21-20D	Groundwater	5/28/2025 9:10:00 AM	6/2/2025 8:30:00 AM
250602010-044	Trip Blank	Groundwater	5/27/2025	6/2/2025 8:30:00 AM



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

Case Narrative

Client: Central Hudson – Little Britain Rd

Case: 250602010

SDG: MW01-8B

Volatile Organics

- 1) The samples were analyzed using EPA Method 8260 following the criteria for NYSDEC ASP.
- 2) The samples received on 6/2/25 had a temperature of 4 °C.
- 3) The water samples were preserved with HCl to a pH of less than 2. All samples were analyzed within the required holding times.
- 4) The %RSD's for the compounds Chloromethane, Acetone, Methylene Chloride, Methyl tert-butyl ether, Chloroform and 1,1,2,2-Tetrachloroethane in the initial calibration analyzed on 5/29/25 on Instrument D were outside the criteria established by the method. The %RSD's for these compounds were 25.45 %, 26.08 %, 74.28 %, 22.66 %, 21.32% and 20.23 %, respectively. These compounds were quantitated using linear regression. No further action was taken.
- 5) The %RSD's for the compounds Acetone, Methylene Chloride and 2-Butanone in the initial calibration analyzed on 6/5/25 on Instrument G were outside the criteria established by the method. The %RSD's for these compounds were 43.72 %, 26.56 % and 23.35 %, respectively. These compounds were quantitated using linear regression. No further action was taken.
- 6) The %D's for the compounds Chloromethane, Bromomethane, Methylene Chloride, Acetone, Dichlorodifluoromethane, Cyclohexane and Methyl Cyclohexane in the continuing calibrations analyzed on 6/4/25 on Instrument D were outside the criteria established by the method. The %D's for these compounds were 31.1 %, 27.5 %, 30.1 %, 20.3 %, 46.6 %, 21.0 % and 25.6 %, respectively. The compounds Bromomethane and Dichlorodifluoromethane had a low recovery. These compounds are flagged with a "C" to denote the low recovery. The compounds Chloromethane, Methylene Chloride and Acetone are not flagged since these were quantitated using linear regression and the actual recovery was within acceptable limits. The compounds Cyclohexane and Methyl Cyclohexane had a high recovery and are not flagged with a "C+" since the sample results were below the reporting limit. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

- 7) The %D's for the compounds Vinyl Chloride, Methylene Chloride, Trichlorofluoromethane Cyclohexane, Methyl Cyclohexane and 1,4-Dioxane in the continuing calibration analyzed on 6/11/25 on Instrument D were outside the criteria established by the method. The %D's for these compounds were 22.0 %, 36.4 %, 31.6 %, 37.2 %, 24.5 % and 30.6 %, respectively. The compound Methylene Chloride is not flagged since this was quantitated using linear regression and the actual recovery was within acceptable limits. The compounds Vinyl Chloride, Trichlorofluoromethane, Cyclohexane, Methyl Cyclohexane and 1,4-Dioxane for the samples associated with this continuing calibration had a high recovery and are not flagged since the sample results were below the reporting limit. No further action was taken.
- 8) The %D's for the compounds Acetone and Dichlorodifluoromethane in the continuing calibration analyzed on 6/9/25 on Instrument G were outside the criteria established by the method. The %D's for these compounds were 22.9 % and 24.4 %, respectively. The compounds Acetone and Dichlorodifluoromethane for the samples associated with this continuing calibration are flagged with a "C" to denote the low recovery. The compound Methylene Chloride is also flagged with a "C" since the recovery using linear regression was outside the acceptable limits. No further action was taken.
- 9) The %D's for the compounds Chloromethane, Vinyl Chloride, Acetone, Dichlorodifluoromethane and 1,4-Dioxane in the continuing calibration analyzed on 6/10/25 on Instrument G were outside the criteria established by the method. The %D's for these compounds were 23.1 %, 21.2 %, 32.7 %, 49.9 % and 24.8 %, respectively. The compounds Chloromethane, Vinyl Chloride, Dichlorodifluoromethane and 1,4-Dioxane for the samples associated with this continuing calibration are flagged with a "C" to denote the low recovery. The compound Acetone is not flagged since this was quantitated using linear regression and the actual recovery was within acceptable limits. No further action was taken.
- 10) Sample MW18-11B (AES sample number 250602010-016) was used for the water matrix spike analysis. The matrix spike and matrix spike duplicate recoveries for the compounds Cyclohexane and Methyl Cyclohexane were above the specified limits. These compounds are not flagged with an "N+" since the sample results were below the reporting limit. No further action is necessary.
- 11) Sample MW018-13C (AES sample number 250602010-023) was used for the water matrix spike and matrix spike duplicate analysis. The recovery in the matrix spike and matrix spike duplicate for the compound cis-1,2-Dichloroethene were above the specified limit. This compound is flagged with an "N+" to denote the high recovery. There were some compounds that had a high recovery and are not flagged since the sample results were below the reporting limit. No further action is necessary.
- 12) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 6/4/25 on Instrument D had a low recovery for the compound Dichlorodifluoromethane. This compound is flagged with an "S" for the associated samples to denote the low recovery. The LCS analyzed on 6/4/25 on Instrument D had a high recovery for the compound Methyl Cyclohexane. This compound is not flagged since it was not present in the samples. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

- 13) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 6/11/25 on Instrument D had high recoveries for the compounds 1,3-Dichlorobenzene, Carbon tetrachloride, Cyclohexane and Methyl Cyclohexane. These compounds are not flagged since they were not present in the samples. No further action was taken.
- 14) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 6/9/25 on Instrument G had high recoveries for the compounds 1,2-Dibromoethane, Bromoform and Cyclohexane. These compounds are not flagged since they were not present in the samples. No further action was taken.
- 15) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 6/10/25 on Instrument G had a low recovery for the compound Dichlorodifluoromethane. This compound is flagged with an "S" for the associated samples to denote the low recovery. No further action was taken.
- 16) The following samples were diluted prior to analysis due to the high levels of compounds present.

<u>Client ID</u>	<u>Laboratory ID</u>	<u>Final Dilution</u>
MW18-8D	250602010-009	1:2
MW18-8E	250602010-010	1:50
MW18-8F	250602010-011	1:10
MW18-12B	250602010-020	1:200
MW18-12C	250602010-021	1:100
MW18-13B	250602010-022	1:25
MW18-13C	250602010-023	1:50
MW18-13C Dup	250602010-024	1:50
MW18-14C	250602010-027	1:100
MW21-19C	250602010-041	1:50
MW21-19D	250602010-042	1:50

- 17) The column used in Instrument D for analysis was a DB-624, 20 meters long with an internal diameter of 0.18 mm. The trap used for this instrument is a Teledyne/Techmar #9.

"I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

A handwritten signature in black ink, appearing to read "Tara Daniels", is written over a horizontal line.

Laboratory Director

Date: 7/10/2025



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250602010

1/4

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: Derek Merker			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
001	MW94-1B	5/29/25	15:15	(A) (P)	GW		2	TCL 8260 Low Level
002	MW94-3	5/27/25	14:45	(A) (P)	GW		2	Field pH, Temperature, Cond, eH, Turb,
003	MW94-5	5/30/25	08:55	(A) (P)	GW		2	Diss_Oxygen, Static Water
004	MW96-6	5/28/25	13:20	(A) (P)	GW		2	Beginning Depth, End Depth
005	MW96-7B	5/28/25	11:20	(A) (P)	GW		2	
006	MW01-8B	5/30/25	11:20	(A) (P)	GW		2	
007	MW06-2C	5/29/25	09:10	(A) (P)	GW		2	
008	MW06-9C	5/28/25	13:50	(A) (P)	GW		2	
009	MW18-8D	5/30/25	11:15	(A) (P)	GW		2	
010	MW18-8E	5/29/25	15:15	(A) (P)	GW		2	
011	MW18-8F	5/27/25	15:40	(A) (P)	GW		2	
012	MW18-10A	5/30/25	12:20	(A) (P)	GW		2	
Shipment Arrived Via: FedEx UPS Client (AES) Other: _____				Special Instructions/Remarks: CLP 7 Drums Delivered to Site Page 1 of 4				
Turnaround Time Requested:								
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received for Laboratory by: <i>[Signature]</i>			Date	Time		
Sample Temperature Ambient (Chilled) Chilling Process begun 4°C		Properly Preserved (Y) N			Received Within Holding Times (Y) N			
Notes: _____		Notes: _____			Notes: _____			



250602010



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250602010

2/4

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to:		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: Derek Merker			
Client Phone No:		PO #:			Samplers Signature: 			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
013	MW18-10B	5/29/25	13:05	A (P)	GW		2	TCL 8260 Low Level
014	MW18-10C	5/30/25	12:45	A (P)	GW		2	Field pH, Temperature, Cond, eH, Turb,
015	MW18-11A	5/30/25	13:35	A (P)	GW		2	Diss_Oxygen, Static Water
016	MW18-11B	5/29/25	15:15	A (P)	GW		6	Beginning Depth, End Depth
017	MW18-11B Dup	5/29/25	15:15	A (P)	GW		2	
018	MW18-11C	5/29/25	14:35	A (P)	GW		2	
019	MW18-12A	5/30/25	14:25	A (P)	GW		2	
020	MW18-12B	5/29/25	16:40	A (P)	GW		2	
021	MW18-12C	5/30/25	10:00	A (P)	GW		2	
022	MW18-13B	5/30/25	11:00	A (P)	GW		2	
023	MW18-13C	5/28/25	15:10	A (P)	GW		6	
024	MW18-13C Dup	5/28/25	15:10	A (P)	GW		2	
Shipment Arrived Via: FedEx UPS Client <u>(AES)</u> Other: _____				Special Instructions/Remarks: CLP Extra volume taken at MW18-11B and MW18-13C for MS/MSD PAGE 2 OF 4				
Turnaround Time Requested:								
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature) 		Received for Laboratory by:			Date 6/2		Time 8:30	
Sample Temperature Ambient <u>(Chilled)</u> Chilling Process begun Notes: <u>4°C</u>		Properly Preserved <u>(Y)</u> N Notes: _____			Received Within Holding Times <u>(Y)</u> N Notes: _____			



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250602010

3/4

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>Derek Merker</i>			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
025	MW18-14A	5/29/25	14:45	A P	GW		2	TCL 8260 Low Level
026	MW18-14B	5/30/25	10:40	A P	GW		2	Field pH, Temperature, Cond, eH, Turb,
027	MW18-14C	5/30/25	10:30	A P	GW		2	Diss_Oxygen, Static Water
028	MW94-4B2	5/28/25	10:25	A P	GW		2	Beginning Depth, End Depth
029	MW06-4C	5/29/25	08:40	A P	GW		2	
030	MW94-2	5/28/25	11:00	A P	GW		2	
031	MW94-2B	5/28/25	10:30	A P	GW		2	
032	MW01-8A	5/27/25	11:30	A P	GW		20	Observation - Dry
033	SG-1	5/30/25	13:10	A P	SF		2	
034	Equipment Blank	5/30/25	13:05	A P	WA		2	
035				A P				
036				A P				
Shipment Arrived Via: FedEx UPS Client AES Other: _____				Special Instructions/Remarks:				
urnaround Time Requested:				PAGE 3 OF 4				
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>CF</i>			Date <i>6/2</i>		Time <i>8:30</i>	
Sample Temperature Ambient ☒ Chilled Chilling Process begun Notes: <i>4°C</i>		Properly Preserved ☒ Y ☐ N Notes: _____			Received Within Holding Times ☒ Y ☐ N Notes: _____			



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250002010

4/4

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>Derek Mercer</i>			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
037	035	MW21-15C	5/27/25 16:55	A (P)	GW		2	TCL 8260 Low Level
038	036	MW21-15D	5/27/25 16:35	A (P)	GW		2	Field pH, Temperature, Cond, eH, Turb,
039	037	MW21-16	5/27/25 14:55	A (P)	GW		2	Diss_Oxygen, Static Water
040	038	MW21-17D	5/30/25 13:10	A (P)	GW		2	Beginning Depth, End Depth
041	039	MW21-18C	5/28/25 16:15	A (P)	GW		2	
042	040	MW21-18D	5/29/25 09:30	A (P)	GW		2	
043	041	MW21-19C	5/30/25 09:20	A (P)	GW		2	
044	042	MW21-19D	5/30/25 10:55	A (P)	GW		2	
045	043	MW21-20D	5/28/25 09:10	A (P)	GW		2	
044	046	Trip Blank Lot #	5/27/25	A (P)	WA		2	
47				A (P)				
4				A (P)				
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other:				Special Instructions/Remarks:				
Turnaround Time Requested:				PAGE 4 OF 4				
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature)		Received by: (Signature)			Date		Time	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>CF</i>			Date 6/2		Time 8:30	
Sample Temperature Ambient (Chilled) Chilling Process begun <i>4°C</i>		Properly Preserved <i>(Y)</i> N			Received Within Holding Times <i>(Y)</i> N			
Notes:		Notes:			Notes:			

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	12.19			ft		5/29/2025 3:15:00 PM
Cond (E120.1)	1183			umhos/cm		5/29/2025 3:15:00 PM
diss_oxygen (E360.1)	2.24			mg/L		5/29/2025 3:15:00 PM
eH (Orion)	208.2			millivolts		5/29/2025 3:15:00 PM
End Depth	21.91			ft		5/29/2025 3:15:00 PM
pH (E150.1)	7.5			su		5/29/2025 3:15:00 PM
Static Water Level	11.88			ft		5/29/2025 3:15:00 PM
Temp (E170.1)	13			deg C		5/29/2025 3:15:00 PM
Turb (E180.1)	37.3			ntu		5/29/2025 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 11:03:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
cis-1,2-Dichloroethene	3.2	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Trichloroethene	12	1.0		µg/L	1	6/4/2025 11:03:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 11:03:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 11:03:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 11:03:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	6/4/2025 11:03:00 PM
Surr: Toluene-d8	97.9	79.6-115		%REC	1	6/4/2025 11:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 5/27/2025 2:45:00 PM
Lab Sample ID: 250602010-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	8.50			ft		5/27/2025 2:45:00 PM
Cond (E120.1)	756			umhos/cm		5/27/2025 2:45:00 PM
diss_oxygen (E360.1)	4.59			mg/L		5/27/2025 2:45:00 PM
eH (Orion)	249.6			millivolts		5/27/2025 2:45:00 PM
End Depth	9.18			ft		5/27/2025 2:45:00 PM
pH (E150.1)	6.7			su		5/27/2025 2:45:00 PM
Static Water Level	8.50			ft		5/27/2025 2:45:00 PM
Temp (E170.1)	13			deg C		5/27/2025 2:45:00 PM
Turb (E180.1)	8.63			ntu		5/27/2025 2:45:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 6:51:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 5/27/2025 2:45:00 PM
Lab Sample ID: 250602010-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 6:51:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 6:51:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 6:51:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 6:51:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 6:51:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 5/30/2025 8:55:00 AM
Lab Sample ID: 250602010-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	6.45			ft		5/30/2025 8:55:00 AM
Cond (E120.1)	636			umhos/cm		5/30/2025 8:55:00 AM
diss_oxygen (E360.1)	0.11			mg/L		5/30/2025 8:55:00 AM
eH (Orion)	84.1			millivolts		5/30/2025 8:55:00 AM
End Depth	8.17			ft		5/30/2025 8:55:00 AM
pH (E150.1)	8.5			su		5/30/2025 8:55:00 AM
Static Water Level	6.26			ft		5/30/2025 8:55:00 AM
Temp (E170.1)	13			deg C		5/30/2025 8:55:00 AM
Turb (E180.1)	377			ntu		5/30/2025 8:55:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 2:14:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 2:14:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 5/30/2025 8:55:00 AM
Lab Sample ID: 250602010-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 2:14:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 2:14:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/10/2025 2:14:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	6/10/2025 2:14:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/10/2025 2:14:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 5/28/2025 1:20:00 PM
Lab Sample ID: 250602010-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	10.95			ft		5/28/2025 1:20:00 PM
Cond (E120.1)	859			umhos/cm		5/28/2025 1:20:00 PM
diss_oxygen (E360.1)	0.36			mg/L		5/28/2025 1:20:00 PM
eH (Orion)	85.9			millivolts		5/28/2025 1:20:00 PM
End Depth	25.42			ft		5/28/2025 1:20:00 PM
pH (E150.1)	7.3			su		5/28/2025 1:20:00 PM
Static Water Level	10.89			ft		5/28/2025 1:20:00 PM
Temp (E170.1)	14			deg C		5/28/2025 1:20:00 PM
Turb (E180.1)	7.89			ntu		5/28/2025 1:20:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:15:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 5/28/2025 1:20:00 PM
Lab Sample ID: 250602010-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:15:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:15:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 8:15:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	6/4/2025 8:15:00 PM
Surr: Toluene-d8	99.4	79.6-115		%REC	1	6/4/2025 8:15:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 5/28/2025 11:20:00 AM
Lab Sample ID: 250602010-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	14.33			ft		5/28/2025 11:20:00 AM
Cond (E120.1)	6695			umhos/cm		5/28/2025 11:20:00 AM
diss_oxygen (E360.1)	5.54			mg/L		5/28/2025 11:20:00 AM
eH (Orion)	110.7			millivolts		5/28/2025 11:20:00 AM
End Depth	16.54			ft		5/28/2025 11:20:00 AM
pH (E150.1)	7.3			su		5/28/2025 11:20:00 AM
Static Water Level	14.33			ft		5/28/2025 11:20:00 AM
Temp (E170.1)	16			deg C		5/28/2025 11:20:00 AM
Turb (E180.1)	18.5			ntu		5/28/2025 11:20:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP) Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:36:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 5/28/2025 11:20:00 AM
Lab Sample ID: 250602010-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:36:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:36:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 8:36:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/4/2025 8:36:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 8:36:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 5/30/2025 11:20:00 AM
Lab Sample ID: 250602010-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	14.93			ft		5/30/2025 11:20:00 AM
Cond (E120.1)	745			umhos/cm		5/30/2025 11:20:00 AM
diss_oxygen (E360.1)	1.1			mg/L		5/30/2025 11:20:00 AM
eH (Orion)	- 199.6			millivolts		5/30/2025 11:20:00 AM
End Depth	15.91			ft		5/30/2025 11:20:00 AM
pH (E150.1)	8.4			su		5/30/2025 11:20:00 AM
Static Water Level	14.29			ft		5/30/2025 11:20:00 AM
Temp (E170.1)	14			deg C		5/30/2025 11:20:00 AM
Turb (E180.1)	32.1			ntu		5/30/2025 11:20:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 2:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Vinyl chloride	3.9	1.0	C	µg/L	1	6/10/2025 2:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Trichloroethene	1.8	1.0		µg/L	1	6/10/2025 2:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 5/30/2025 11:20:00 AM
Lab Sample ID: 250602010-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 2:34:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 2:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 2:34:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 2:34:00 PM
Surr: Toluene-d8	98.8	79.6-115		%REC	1	6/10/2025 2:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 5/29/2025 9:10:00 AM
Lab Sample ID: 250602010-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	30.60			ft		5/29/2025 9:10:00 AM
Cond (E120.1)	1299			umhos/cm		5/29/2025 9:10:00 AM
diss_oxygen (E360.1)	1.13			mg/L		5/29/2025 9:10:00 AM
eH (Orion)	- 51.2			millivolts		5/29/2025 9:10:00 AM
End Depth	47.94			ft		5/29/2025 9:10:00 AM
pH (E150.1)	8.1			su		5/29/2025 9:10:00 AM
Static Water Level	29.99			ft		5/29/2025 9:10:00 AM
Temp (E170.1)	14			deg C		5/29/2025 9:10:00 AM
Turb (E180.1)	32.1			ntu		5/29/2025 9:10:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 11:24:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
cis-1,2-Dichloroethene	2.2	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Trichloroethene	2.2	1.0		µg/L	1	6/4/2025 11:24:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 5/29/2025 9:10:00 AM
Lab Sample ID: 250602010-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 11:24:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 11:24:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 11:24:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 11:24:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 11:24:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 5/28/2025 1:50:00 PM
Lab Sample ID: 250602010-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	49.67			ft		5/28/2025 1:50:00 PM
Cond (E120.1)	902			umhos/cm		5/28/2025 1:50:00 PM
diss_oxygen (E360.1)	4.16			mg/L		5/28/2025 1:50:00 PM
eH (Orion)	170.1			millivolts		5/28/2025 1:50:00 PM
End Depth	49.78			ft		5/28/2025 1:50:00 PM
pH (E150.1)	7.7			su		5/28/2025 1:50:00 PM
Static Water Level	48.77			ft		5/28/2025 1:50:00 PM
Temp (E170.1)	21			deg C		5/28/2025 1:50:00 PM
Turb (E180.1)	39.4			ntu		5/28/2025 1:50:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:57:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
cis-1,2-Dichloroethene	1.1	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Trichloroethene	3.1	1.0		µg/L	1	6/4/2025 8:57:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 5/28/2025 1:50:00 PM
Lab Sample ID: 250602010-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:57:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:57:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 8:57:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 8:57:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/4/2025 8:57:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 5/30/2025 11:15:00 AM
Lab Sample ID: 250602010-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	14.34			ft		5/30/2025 11:15:00 AM
Cond (E120.1)	6953			umhos/cm		5/30/2025 11:15:00 AM
diss_oxygen (E360.1)	4.94			mg/L		5/30/2025 11:15:00 AM
eH (Orion)	- 189.5			millivolts		5/30/2025 11:15:00 AM
End Depth	71.58			ft		5/30/2025 11:15:00 AM
pH (E150.1)	12.59			su		5/30/2025 11:15:00 AM
Static Water Level	14.34			ft		5/30/2025 11:15:00 AM
Temp (E170.1)	15			deg C		5/30/2025 11:15:00 AM
Turb (E180.1)	8.86			ntu		5/30/2025 11:15:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chloromethane	ND	2.0	C	µg/L	2	6/10/2025 4:34:00 PM
Bromomethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Vinyl chloride	76	2.0	C	µg/L	2	6/10/2025 4:34:00 PM
Chloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methylene chloride	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Acetone	350	10		µg/L	2	6/10/2025 4:34:00 PM
Carbon disulfide	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1-Dichloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
cis-1,2-Dichloroethene	180	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chloroform	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
2-Butanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Trichloroethene	68	2.0		µg/L	2	6/10/2025 4:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Benzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Bromoform	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 5/30/2025 11:15:00 AM
Lab Sample ID: 250602010-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Toluene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Ethylbenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Styrene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
m,p-Xylene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
o-Xylene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Dichlorodifluoromethane	ND	2.0	SC	µg/L	2	6/10/2025 4:34:00 PM
Methyl Acetate	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Cyclohexane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,4-Dioxane	ND	200	C	µg/L	2	6/10/2025 4:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	2	6/10/2025 4:34:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	2	6/10/2025 4:34:00 PM
Surr: Toluene-d8	99.0	79.6-115		%REC	2	6/10/2025 4:34:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	26.52			ft		5/29/2025 3:15:00 PM
Cond (E120.1)	830			umhos/cm		5/29/2025 3:15:00 PM
diss_oxygen (E360.1)	2.34			mg/L		5/29/2025 3:15:00 PM
eH (Orion)	102.7			millivolts		5/29/2025 3:15:00 PM
End Depth	28.12			ft		5/29/2025 3:15:00 PM
pH (E150.1)	7.6			su		5/29/2025 3:15:00 PM
Static Water Level	26.52			ft		5/29/2025 3:15:00 PM
Temp (E170.1)	15			deg C		5/29/2025 3:15:00 PM
Turb (E180.1)	555			ntu		5/29/2025 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:55:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Vinyl chloride	1600	50	C	µg/L	50	6/10/2025 12:55:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methylene chloride	86	50		µg/L	50	6/10/2025 12:55:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
cis-1,2-Dichloroethene	5800	50		µg/L	50	6/10/2025 12:55:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:55:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:55:00 PM
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:55:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	50	6/10/2025 12:55:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	50	6/10/2025 12:55:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	50	6/10/2025 12:55:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 5/27/2025 3:40:00 PM
Lab Sample ID: 250602010-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	26.76			ft		5/27/2025 3:40:00 PM
Cond (E120.1)	871			umhos/cm		5/27/2025 3:40:00 PM
diss_oxygen (E360.1)	1.54			mg/L		5/27/2025 3:40:00 PM
eH (Orion)	- 11.7			millivolts		5/27/2025 3:40:00 PM
End Depth	27.43			ft		5/27/2025 3:40:00 PM
pH (E150.1)	7.2			su		5/27/2025 3:40:00 PM
Static Water Level	26.76			ft		5/27/2025 3:40:00 PM
Temp (E170.1)	15			deg C		5/27/2025 3:40:00 PM
Turb (E180.1)	29.6			ntu		5/27/2025 3:40:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Chloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromomethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Vinyl chloride	300	10		µg/L	10	6/9/2025 4:10:00 PM
Chloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methylene chloride	15	10	C	µg/L	10	6/9/2025 4:10:00 PM
Acetone	ND	50	C	µg/L	10	6/9/2025 4:10:00 PM
Carbon disulfide	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
cis-1,2-Dichloroethene	990	10		µg/L	10	6/9/2025 4:10:00 PM
Chloroform	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
2-Butanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Carbon tetrachloride	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromodichloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Trichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Dibromochloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Benzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromoform	ND	10		µg/L	10	6/9/2025 4:10:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 5/27/2025 3:40:00 PM
Lab Sample ID: 250602010-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM
Tetrachloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Toluene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Chlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Ethylbenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Styrene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
m,p-Xylene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
o-Xylene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methyl tert-butyl ether	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Dichlorodifluoromethane	ND	10	C	µg/L	10	6/9/2025 4:10:00 PM
Methyl Acetate	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Cyclohexane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Isopropylbenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,4-Dioxane	ND	1000		µg/L	10	6/9/2025 4:10:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	10	6/9/2025 4:10:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	10	6/9/2025 4:10:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	10	6/9/2025 4:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 5/30/2025 12:20:00 PM
Lab Sample ID: 250602010-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	4.06			ft		5/30/2025 12:20:00 PM
Cond (E120.1)	1070			umhos/cm		5/30/2025 12:20:00 PM
diss_oxygen (E360.1)	0.9			mg/L		5/30/2025 12:20:00 PM
eH (Orion)	200.2			millivolts		5/30/2025 12:20:00 PM
End Depth	6.14			ft		5/30/2025 12:20:00 PM
pH (E150.1)	7.1			su		5/30/2025 12:20:00 PM
Static Water Level	4.20			ft		5/30/2025 12:20:00 PM
Temp (E170.1)	13			deg C		5/30/2025 12:20:00 PM
Turb (E180.1)	9.17			ntu		5/30/2025 12:20:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 4:54:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 4:54:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
cis-1,2-Dichloroethene	2.9	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Trichloroethene	1.0	1.0		µg/L	1	6/10/2025 4:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 5/30/2025 12:20:00 PM
Lab Sample ID: 250602010-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 4:54:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 4:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/10/2025 4:54:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 4:54:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 4:54:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 5/29/2025 1:05:00 PM
Lab Sample ID: 250602010-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	22.99			ft		5/29/2025 1:05:00 PM
Cond (E120.1)	832			umhos/cm		5/29/2025 1:05:00 PM
diss_oxygen (E360.1)	0.17			mg/L		5/29/2025 1:05:00 PM
eH (Orion)	- 83.2			millivolts		5/29/2025 1:05:00 PM
End Depth	24.30			ft		5/29/2025 1:05:00 PM
pH (E150.1)	7.3			su		5/29/2025 1:05:00 PM
Static Water Level	22.45			ft		5/29/2025 1:05:00 PM
Temp (E170.1)	14			deg C		5/29/2025 1:05:00 PM
Turb (E180.1)	18.4			ntu		5/29/2025 1:05:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 3:48:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 3:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
cis-1,2-Dichloroethene	1.8	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 5/29/2025 1:05:00 PM
Lab Sample ID: 250602010-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 3:48:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 3:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/9/2025 3:48:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/9/2025 3:48:00 PM
Surr: Toluene-d8	99.1	79.6-115		%REC	1	6/9/2025 3:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 5/30/2025 12:45:00 PM
Lab Sample ID: 250602010-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	24.98			ft		5/30/2025 12:45:00 PM
Cond (E120.1)	781			umhos/cm		5/30/2025 12:45:00 PM
diss_oxygen (E360.1)	1.7			mg/L		5/30/2025 12:45:00 PM
eH (Orion)	283.3			millivolts		5/30/2025 12:45:00 PM
End Depth	164.71			ft		5/30/2025 12:45:00 PM
pH (E150.1)	7.5			su		5/30/2025 12:45:00 PM
Static Water Level	24.98			ft		5/30/2025 12:45:00 PM
Temp (E170.1)	15			deg C		5/30/2025 12:45:00 PM
Turb (E180.1)	15.9			ntu		5/30/2025 12:45:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:14:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:14:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
cis-1,2-Dichloroethene	4.6	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Trichloroethene	2.9	1.0		µg/L	1	6/10/2025 5:14:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 5/30/2025 12:45:00 PM
Lab Sample ID: 250602010-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:14:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:14:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/10/2025 5:14:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/10/2025 5:14:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/10/2025 5:14:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 5/30/2025 1:35:00 PM
Lab Sample ID: 250602010-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	5.60			ft		5/30/2025 1:35:00 PM
Cond (E120.1)	468			umhos/cm		5/30/2025 1:35:00 PM
diss_oxygen (E360.1)	2.61			mg/L		5/30/2025 1:35:00 PM
eH (Orion)	62.8			millivolts		5/30/2025 1:35:00 PM
End Depth	12.85			ft		5/30/2025 1:35:00 PM
pH (E150.1)	7.1			su		5/30/2025 1:35:00 PM
Static Water Level	5.50			ft		5/30/2025 1:35:00 PM
Temp (E170.1)	13			deg C		5/30/2025 1:35:00 PM
Turb (E180.1)	18.9			ntu		5/30/2025 1:35:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **DZ**

Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 5/30/2025 1:35:00 PM
Lab Sample ID: 250602010-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:34:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/10/2025 5:34:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	1	6/10/2025 5:34:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 5:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	23.1			ft		5/29/2025 3:15:00 PM
Cond (E120.1)	787			umhos/cm		5/29/2025 3:15:00 PM
diss_oxygen (E360.1)	0.2			mg/L		5/29/2025 3:15:00 PM
eH (Orion)	- 148.7			millivolts		5/29/2025 3:15:00 PM
End Depth	24.86			ft		5/29/2025 3:15:00 PM
pH (E150.1)	7.6			su		5/29/2025 3:15:00 PM
Static Water Level	21.98			ft		5/29/2025 3:15:00 PM
Temp (E170.1)	15			deg C		5/29/2025 3:15:00 PM
Turb (E180.1)	7.8			ntu		5/29/2025 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 3:31:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/11/2025 3:31:00 PM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	6/11/2025 3:31:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	1	6/11/2025 3:31:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	23.1			ft		5/29/2025 3:15:00 PM
Cond (E120.1)	787			umhos/cm		5/29/2025 3:15:00 PM
diss_oxygen (E360.1)	0.2			mg/L		5/29/2025 3:15:00 PM
eH (Orion)	- 148.7			millivolts		5/29/2025 3:15:00 PM
End Depth	24.86			ft		5/29/2025 3:15:00 PM
pH (E150.1)	7.6			su		5/29/2025 3:15:00 PM
Static Water Level	21.98			ft		5/29/2025 3:15:00 PM
Temp (E170.1)	15			deg C		5/29/2025 3:15:00 PM
Turb (E180.1)	7.8			ntu		5/29/2025 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **DZ**

Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 12:50:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 12:50:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 12:50:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 12:50:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/9/2025 12:50:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/9/2025 12:50:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/9/2025 12:50:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 5/29/2025 2:35:00 PM
Lab Sample ID: 250602010-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	25.45			ft		5/29/2025 2:35:00 PM
Cond (E120.1)	645			umhos/cm		5/29/2025 2:35:00 PM
diss_oxygen (E360.1)	0.15			mg/L		5/29/2025 2:35:00 PM
eH (Orion)	- 75.4			millivolts		5/29/2025 2:35:00 PM
End Depth	72.02			ft		5/29/2025 2:35:00 PM
pH (E150.1)	7.4			su		5/29/2025 2:35:00 PM
Static Water Level	27.29			ft		5/29/2025 2:35:00 PM
Temp (E170.1)	14			deg C		5/29/2025 2:35:00 PM
Turb (E180.1)	23.7			ntu		5/29/2025 2:35:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Vinyl chloride	9.6	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 1:10:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 1:10:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
cis-1,2-Dichloroethene	97	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Trichloroethene	8.7	1.0		µg/L	1	6/9/2025 1:10:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 5/29/2025 2:35:00 PM
Lab Sample ID: 250602010-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 1:10:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 1:10:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/9/2025 1:10:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/9/2025 1:10:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/9/2025 1:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 5/30/2025 2:25:00 PM
Lab Sample ID: 250602010-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	9.7			ft		5/30/2025 2:25:00 PM
Cond (E120.1)	3225			umhos/cm		5/30/2025 2:25:00 PM
diss_oxygen (E360.1)	7.78			mg/L		5/30/2025 2:25:00 PM
eH (Orion)	256.4			millivolts		5/30/2025 2:25:00 PM
End Depth	11.52			ft		5/30/2025 2:25:00 PM
pH (E150.1)	7.1			su		5/30/2025 2:25:00 PM
Static Water Level	9.20			ft		5/30/2025 2:25:00 PM
Temp (E170.1)	16			deg C		5/30/2025 2:25:00 PM
Turb (E180.1)	8.32			ntu		5/30/2025 2:25:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:53:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:53:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Trichloroethene	2.4	1.0		µg/L	1	6/10/2025 5:53:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 5/30/2025 2:25:00 PM
Lab Sample ID: 250602010-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:53:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:53:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/10/2025 5:53:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 5:53:00 PM
Surr: Toluene-d8	99.0	79.6-115		%REC	1	6/10/2025 5:53:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 5/29/2025 4:40:00 PM
Lab Sample ID: 250602010-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	29.66			ft		5/29/2025 4:40:00 PM
Cond (E120.1)	1156			umhos/cm		5/29/2025 4:40:00 PM
diss_oxygen (E360.1)	0.12			mg/L		5/29/2025 4:40:00 PM
eH (Orion)	- 11.6			millivolts		5/29/2025 4:40:00 PM
End Depth	72.08			ft		5/29/2025 4:40:00 PM
pH (E150.1)	7.2			su		5/29/2025 4:40:00 PM
Static Water Level	29.6			ft		5/29/2025 4:40:00 PM
Temp (E170.1)	17			deg C		5/29/2025 4:40:00 PM
Turb (E180.1)	4.88			ntu		5/29/2025 4:40:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Chloromethane	ND	200	C	µg/L	200	6/10/2025 8:23:00 PM
Bromomethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Vinyl chloride	2300	200	C	µg/L	200	6/10/2025 8:23:00 PM
Chloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methylene chloride	400	200		µg/L	200	6/10/2025 8:23:00 PM
Acetone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
Carbon disulfide	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1-Dichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
cis-1,2-Dichloroethene	20000	200		µg/L	200	6/10/2025 8:23:00 PM
Chloroform	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
2-Butanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Carbon tetrachloride	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Bromodichloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichloropropane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Trichloroethene	4600	200		µg/L	200	6/10/2025 8:23:00 PM
Dibromochloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Benzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Bromoform	ND	200		µg/L	200	6/10/2025 8:23:00 PM
4-Methyl-2-pentanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 5/29/2025 4:40:00 PM
Lab Sample ID: 250602010-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
Tetrachloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Toluene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Chlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Ethylbenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Styrene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
m,p-Xylene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
o-Xylene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methyl tert-butyl ether	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Dichlorodifluoromethane	ND	200	SC	µg/L	200	6/10/2025 8:23:00 PM
Methyl Acetate	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Trichlorofluoromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Cyclohexane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methyl Cyclohexane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dibromoethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Isopropylbenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dibromo-3-chloropropane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,4-Dioxane	ND	20000	C	µg/L	200	6/10/2025 8:23:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	200	6/10/2025 8:23:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	200	6/10/2025 8:23:00 PM
Surr: Toluene-d8	98.1	79.6-115		%REC	200	6/10/2025 8:23:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 5/30/2025 10:00:00 AM
Lab Sample ID: 250602010-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	28.52			ft		5/30/2025 10:00:00 AM
Cond (E120.1)	1571			umhos/cm		5/30/2025 10:00:00 AM
diss_oxygen (E360.1)	2.1			mg/L		5/30/2025 10:00:00 AM
eH (Orion)	269.8			millivolts		5/30/2025 10:00:00 AM
End Depth	81.25			ft		5/30/2025 10:00:00 AM
pH (E150.1)	7.5			su		5/30/2025 10:00:00 AM
Static Water Level	28.52			ft		5/30/2025 10:00:00 AM
Temp (E170.1)	18			deg C		5/30/2025 10:00:00 AM
Turb (E180.1)	9.21			ntu		5/30/2025 10:00:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Chloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromomethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Vinyl chloride	1200	100	C+	µg/L	100	6/11/2025 6:21:00 PM
Chloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methylene chloride	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Acetone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
Carbon disulfide	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
cis-1,2-Dichloroethene	8200	100		µg/L	100	6/11/2025 6:21:00 PM
Chloroform	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
2-Butanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Carbon tetrachloride	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromodichloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Trichloroethene	750	100		µg/L	100	6/11/2025 6:21:00 PM
Dibromochloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Benzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromoform	ND	100		µg/L	100	6/11/2025 6:21:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 5/30/2025 10:00:00 AM
Lab Sample ID: 250602010-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
Tetrachloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Toluene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Chlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Ethylbenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Styrene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
m,p-Xylene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
o-Xylene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Dichlorodifluoromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methyl Acetate	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Cyclohexane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Isopropylbenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,4-Dioxane	ND	10000		µg/L	100	6/11/2025 6:21:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	100	6/11/2025 6:21:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	100	6/11/2025 6:21:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	100	6/11/2025 6:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 5/30/2025 11:00:00 AM
Lab Sample ID: 250602010-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	17.69			ft		5/30/2025 11:00:00 AM
Cond (E120.1)	2122			umhos/cm		5/30/2025 11:00:00 AM
diss_oxygen (E360.1)	5.54			mg/L		5/30/2025 11:00:00 AM
eH (Orion)	183.6			millivolts		5/30/2025 11:00:00 AM
End Depth	40.35			ft		5/30/2025 11:00:00 AM
pH (E150.1)	7.7			su		5/30/2025 11:00:00 AM
Static Water Level	17.69			ft		5/30/2025 11:00:00 AM
Temp (E170.1)	17			deg C		5/30/2025 11:00:00 AM
Turb (E180.1)	118			ntu		5/30/2025 11:00:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Chloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromomethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Vinyl chloride	440	25	C+	µg/L	25	6/11/2025 5:59:00 PM
Chloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methylene chloride	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Acetone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
Carbon disulfide	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1-Dichloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1-Dichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
trans-1,2-Dichloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
cis-1,2-Dichloroethene	1400	25		µg/L	25	6/11/2025 5:59:00 PM
Chloroform	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
2-Butanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
1,1,1-Trichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Carbon tetrachloride	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromodichloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichloropropane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
cis-1,3-Dichloropropene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Trichloroethene	39	25		µg/L	25	6/11/2025 5:59:00 PM
Dibromochloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2-Trichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Benzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
trans-1,3-Dichloropropene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromoform	ND	25		µg/L	25	6/11/2025 5:59:00 PM
4-Methyl-2-pentanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 5/30/2025 11:00:00 AM
Lab Sample ID: 250602010-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
Tetrachloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Toluene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Chlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Ethylbenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Styrene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
m,p-Xylene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
o-Xylene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methyl tert-butyl ether	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Dichlorodifluoromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methyl Acetate	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Trichlorofluoromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Cyclohexane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methyl Cyclohexane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dibromoethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,3-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Isopropylbenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,4-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,4-Dioxane	ND	2500		µg/L	25	6/11/2025 5:59:00 PM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	25	6/11/2025 5:59:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	25	6/11/2025 5:59:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	25	6/11/2025 5:59:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	26.95			ft		5/28/2025 3:10:00 PM
Cond (E120.1)	1748			umhos/cm		5/28/2025 3:10:00 PM
diss_oxygen (E360.1)	0.12			mg/L		5/28/2025 3:10:00 PM
eH (Orion)	- 111			millivolts		5/28/2025 3:10:00 PM
End Depth	50.98			ft		5/28/2025 3:10:00 PM
pH (E150.1)	7.2			su		5/28/2025 3:10:00 PM
Static Water Level	28.07			ft		5/28/2025 3:10:00 PM
Temp (E170.1)	16			deg C		5/28/2025 3:10:00 PM
Turb (E180.1)	22.8			ntu		5/28/2025 3:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:11:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Vinyl chloride	1900	50	C	µg/L	50	6/10/2025 12:11:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methylene chloride	72	50		µg/L	50	6/10/2025 12:11:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
cis-1,2-Dichloroethene	4200	50	N+	µg/L	50	6/10/2025 12:11:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:11:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:11:00 PM
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:11:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	50	6/10/2025 12:11:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	50	6/10/2025 12:11:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 12:11:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	26.95			ft		5/28/2025 3:10:00 PM
Cond (E120.1)	1748			umhos/cm		5/28/2025 3:10:00 PM
diss_oxygen (E360.1)	0.12			mg/L		5/28/2025 3:10:00 PM
eH (Orion)	- 111			millivolts		5/28/2025 3:10:00 PM
End Depth	50.98			ft		5/28/2025 3:10:00 PM
pH (E150.1)	7.2			su		5/28/2025 3:10:00 PM
Static Water Level	28.07			ft		5/28/2025 3:10:00 PM
Temp (E170.1)	16			deg C		5/28/2025 3:10:00 PM
Turb (E180.1)	22.8			ntu		5/28/2025 3:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:33:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Vinyl chloride	1600	50	C	µg/L	50	6/10/2025 12:33:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methylene chloride	78	50		µg/L	50	6/10/2025 12:33:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
cis-1,2-Dichloroethene	3300	50		µg/L	50	6/10/2025 12:33:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:33:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:33:00 PM
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:33:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	50	6/10/2025 12:33:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	6/10/2025 12:33:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 12:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 5/29/2025 2:45:00 PM
Lab Sample ID: 250602010-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	7.06			ft		5/29/2025 2:45:00 PM
Cond (E120.1)	1743			umhos/cm		5/29/2025 2:45:00 PM
diss_oxygen (E360.1)	2.75			mg/L		5/29/2025 2:45:00 PM
eH (Orion)	187.3			millivolts		5/29/2025 2:45:00 PM
End Depth	6.45			ft		5/29/2025 2:45:00 PM
pH (E150.1)	7.0			su		5/29/2025 2:45:00 PM
Static Water Level	6.77			ft		5/29/2025 2:45:00 PM
Temp (E170.1)	14			deg C		5/29/2025 2:45:00 PM
Turb (E180.1)	178			ntu		5/29/2025 2:45:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 4:12:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 4:12:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 5/29/2025 2:45:00 PM
Lab Sample ID: 250602010-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 4:12:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 4:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/10/2025 4:12:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/10/2025 4:12:00 PM
Surr: Toluene-d8	98.4	79.6-115		%REC	1	6/10/2025 4:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 5/30/2025 10:40:00 AM
Lab Sample ID: 250602010-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	17.42			ft		5/30/2025 10:40:00 AM
Cond (E120.1)	3115			umhos/cm		5/30/2025 10:40:00 AM
diss_oxygen (E360.1)	1.74			mg/L		5/30/2025 10:40:00 AM
eH (Orion)	- 32.7			millivolts		5/30/2025 10:40:00 AM
End Depth	21.48			ft		5/30/2025 10:40:00 AM
pH (E150.1)	12.1			su		5/30/2025 10:40:00 AM
Static Water Level	17.42			ft		5/30/2025 10:40:00 AM
Temp (E170.1)	15			deg C		5/30/2025 10:40:00 AM
Turb (E180.1)	7.44			ntu		5/30/2025 10:40:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Vinyl chloride	12	1.0	C+	µg/L	1	6/11/2025 5:16:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
cis-1,2-Dichloroethene	28	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Trichloroethene	8.3	1.0		µg/L	1	6/11/2025 5:16:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 5/30/2025 10:40:00 AM
Lab Sample ID: 250602010-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Toluene	1.8	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 5:16:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/11/2025 5:16:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/11/2025 5:16:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 5:16:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 5/30/2025 10:30:00 AM
Lab Sample ID: 250602010-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	46.38			ft		5/30/2025 10:30:00 AM
Cond (E120.1)	968			umhos/cm		5/30/2025 10:30:00 AM
diss_oxygen (E360.1)	0.91			mg/L		5/30/2025 10:30:00 AM
eH (Orion)	303.5			millivolts		5/30/2025 10:30:00 AM
End Depth	148.54			ft		5/30/2025 10:30:00 AM
pH (E150.1)	7.3			su		5/30/2025 10:30:00 AM
Static Water Level	46.38			ft		5/30/2025 10:30:00 AM
Temp (E170.1)	15			deg C		5/30/2025 10:30:00 AM
Turb (E180.1)	20.7			ntu		5/30/2025 10:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Chloromethane	ND	100	C	µg/L	100	6/10/2025 8:01:00 PM
Bromomethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Vinyl chloride	1100	100	C	µg/L	100	6/10/2025 8:01:00 PM
Chloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methylene chloride	190	100		µg/L	100	6/10/2025 8:01:00 PM
Acetone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
Carbon disulfide	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
cis-1,2-Dichloroethene	8400	100		µg/L	100	6/10/2025 8:01:00 PM
Chloroform	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
2-Butanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Carbon tetrachloride	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Bromodichloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Trichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Dibromochloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Benzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Bromoform	ND	100		µg/L	100	6/10/2025 8:01:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 5/30/2025 10:30:00 AM
Lab Sample ID: 250602010-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
Tetrachloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Toluene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Chlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Ethylbenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Styrene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
m,p-Xylene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
o-Xylene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Dichlorodifluoromethane	ND	100	SC	µg/L	100	6/10/2025 8:01:00 PM
Methyl Acetate	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Cyclohexane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Isopropylbenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,4-Dioxane	ND	10000	C	µg/L	100	6/10/2025 8:01:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	6/10/2025 8:01:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	100	6/10/2025 8:01:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	100	6/10/2025 8:01:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 5/28/2025 10:25:00 AM
Lab Sample ID: 250602010-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	12.28			ft		5/28/2025 10:25:00 AM
Cond (E120.1)	607			umhos/cm		5/28/2025 10:25:00 AM
diss_oxygen (E360.1)	0.8			mg/L		5/28/2025 10:25:00 AM
eH (Orion)	- 194.6			millivolts		5/28/2025 10:25:00 AM
End Depth	21.77			ft		5/28/2025 10:25:00 AM
pH (E150.1)	7.8			su		5/28/2025 10:25:00 AM
Static Water Level	12.42			ft		5/28/2025 10:25:00 AM
Temp (E170.1)	16			deg C		5/28/2025 10:25:00 AM
Turb (E180.1)	28.9			ntu		5/28/2025 10:25:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 9:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 5/28/2025 10:25:00 AM
Lab Sample ID: 250602010-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 9:18:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 9:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 9:18:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 9:18:00 PM
Surr: Toluene-d8	99.5	79.6-115		%REC	1	6/4/2025 9:18:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 5/29/2025 8:40:00 AM
Lab Sample ID: 250602010-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	35.22			ft		5/29/2025 8:40:00 AM
Cond (E120.1)	474			umhos/cm		5/29/2025 8:40:00 AM
diss_oxygen (E360.1)	1.21			mg/L		5/29/2025 8:40:00 AM
eH (Orion)	162.1			millivolts		5/29/2025 8:40:00 AM
End Depth	69.48			ft		5/29/2025 8:40:00 AM
pH (E150.1)	11.0			su		5/29/2025 8:40:00 AM
Static Water Level	35.26			ft		5/29/2025 8:40:00 AM
Temp (E170.1)	14			deg C		5/29/2025 8:40:00 AM
Turb (E180.1)	16.5			ntu		5/29/2025 8:40:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 1:35:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 1:35:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 5/29/2025 8:40:00 AM
Lab Sample ID: 250602010-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 1:35:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 1:35:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 1:35:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/10/2025 1:35:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 1:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2
Collection Date: 5/28/2025 11:00:00 AM
Lab Sample ID: 250602010-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	11.34			ft		5/28/2025 11:00:00 AM
Cond (E120.1)	1335			umhos/cm		5/28/2025 11:00:00 AM
diss_oxygen (E360.1)	9.69			mg/L		5/28/2025 11:00:00 AM
eH (Orion)	323.6			millivolts		5/28/2025 11:00:00 AM
End Depth	11.81			ft		5/28/2025 11:00:00 AM
pH (E150.1)	6.9			su		5/28/2025 11:00:00 AM
Static Water Level	11.16			ft		5/28/2025 11:00:00 AM
Temp (E170.1)	13			deg C		5/28/2025 11:00:00 AM
Turb (E180.1)	6.51			ntu		5/28/2025 11:00:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 9:39:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2
Collection Date: 5/28/2025 11:00:00 AM
Lab Sample ID: 250602010-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 9:39:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 9:39:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	6/4/2025 9:39:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/4/2025 9:39:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 9:39:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 5/28/2025 10:30:00 AM
Lab Sample ID: 250602010-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	12.14			ft		5/28/2025 10:30:00 AM
Cond (E120.1)	446.1			umhos/cm		5/28/2025 10:30:00 AM
diss_oxygen (E360.1)	9.34			mg/L		5/28/2025 10:30:00 AM
eH (Orion)	260.6			millivolts		5/28/2025 10:30:00 AM
End Depth	12.14			ft		5/28/2025 10:30:00 AM
pH (E150.1)	7.1			su		5/28/2025 10:30:00 AM
Static Water Level	11.94			ft		5/28/2025 10:30:00 AM
Temp (E170.1)	12			deg C		5/28/2025 10:30:00 AM
Turb (E180.1)	8.23			ntu		5/28/2025 10:30:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:00:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 5/28/2025 10:30:00 AM
Lab Sample ID: 250602010-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:00:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:00:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	6/4/2025 10:00:00 PM
Surr: 4-Bromofluorobenzene	111	74.1-124		%REC	1	6/4/2025 10:00:00 PM
Surr: Toluene-d8	99.1	79.6-115		%REC	1	6/4/2025 10:00:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric

Client Sample ID: MW01-8A

Work Order: 250602010

Collection Date: 5/27/2025 11:30:00 AM

Reference: Little Britain Road Site / Little Britain Road

Lab Sample ID: 250602010-032

PO#: 37681

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Observation	Dry			NA		5/27/2025 11:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Cond (E120.1)	630			umhos/cm		5/30/2025 1:10:00 PM
diss_oxygen (E360.1)	9.64			mg/L		5/30/2025 1:10:00 PM
eH (Orion)	121.7			millivolts		5/30/2025 1:10:00 PM
pH (E150.1)	9.0			su		5/30/2025 1:10:00 PM
Temp (E170.1)	22			deg C		5/30/2025 1:10:00 PM
Turb (E180.1)	11.3			ntu		5/30/2025 1:10:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Toluene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 4:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/11/2025 4:34:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/11/2025 4:34:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 4:34:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 5/30/2025 1:05:00 PM
Lab Sample ID: 250602010-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloroform	1.9	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 5/30/2025 1:05:00 PM
Lab Sample ID: 250602010-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 4:55:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/11/2025 4:55:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	6/11/2025 4:55:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 4:55:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 5/27/2025 4:55:00 PM
Lab Sample ID: 250602010-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	40.25			ft		5/27/2025 4:55:00 PM
Cond (E120.1)	1104			umhos/cm		5/27/2025 4:55:00 PM
diss_oxygen (E360.1)	5.33			mg/L		5/27/2025 4:55:00 PM
eH (Orion)	295.3			millivolts		5/27/2025 4:55:00 PM
End Depth	75.8			ft		5/27/2025 4:55:00 PM
pH (E150.1)	7.5			su		5/27/2025 4:55:00 PM
Static Water Level	40.25			ft		5/27/2025 4:55:00 PM
Temp (E170.1)	15			deg C		5/27/2025 4:55:00 PM
Turb (E180.1)	406			ntu		5/27/2025 4:55:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:12:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Trichloroethene	16	1.0		µg/L	1	6/4/2025 7:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 5/27/2025 4:55:00 PM
Lab Sample ID: 250602010-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:12:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 7:12:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/4/2025 7:12:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 7:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 5/27/2025 4:35:00 PM
Lab Sample ID: 250602010-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	43.34			ft		5/27/2025 4:35:00 PM
Cond (E120.1)	1341			umhos/cm		5/27/2025 4:35:00 PM
diss_oxygen (E360.1)	8.91			mg/L		5/27/2025 4:35:00 PM
eH (Orion)	226.5			millivolts		5/27/2025 4:35:00 PM
End Depth	45.35			ft		5/27/2025 4:35:00 PM
pH (E150.1)	7.5			su		5/27/2025 4:35:00 PM
Static Water Level	43.34			ft		5/27/2025 4:35:00 PM
Temp (E170.1)	16			deg C		5/27/2025 4:35:00 PM
Turb (E180.1)	9.26			ntu		5/27/2025 4:35:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:33:00 PM
Vinyl chloride	1.5	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1-Dichloroethene	2.5	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1-Dichloroethane	1.0	1.0		µg/L	1	6/4/2025 7:33:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
cis-1,2-Dichloroethene	200	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Trichloroethene	180	1.0		µg/L	1	6/4/2025 7:33:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 5/27/2025 4:35:00 PM
Lab Sample ID: 250602010-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:33:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:33:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 7:33:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/4/2025 7:33:00 PM
Surr: Toluene-d8	99.7	79.6-115		%REC	1	6/4/2025 7:33:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 5/27/2025 2:55:00 PM
Lab Sample ID: 250602010-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	16.23			ft		5/27/2025 2:55:00 PM
Cond (E120.1)	170			umhos/cm		5/27/2025 2:55:00 PM
diss_oxygen (E360.1)	1.19			mg/L		5/27/2025 2:55:00 PM
eH (Orion)	146.7			millivolts		5/27/2025 2:55:00 PM
End Depth	21.27			ft		5/27/2025 2:55:00 PM
pH (E150.1)	10.8			su		5/27/2025 2:55:00 PM
Static Water Level	16.23			ft		5/27/2025 2:55:00 PM
Temp (E170.1)	15			deg C		5/27/2025 2:55:00 PM
Turb (E180.1)	58.1			ntu		5/27/2025 2:55:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Vinyl chloride	3.9	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 3:09:00 PM
Acetone	13	5.0	C	µg/L	1	6/9/2025 3:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
cis-1,2-Dichloroethene	12	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 5/27/2025 2:55:00 PM
Lab Sample ID: 250602010-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 3:09:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 3:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/9/2025 3:09:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/9/2025 3:09:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/9/2025 3:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	23.85			ft		5/30/2025 1:10:00 PM
Cond (E120.1)	665			umhos/cm		5/30/2025 1:10:00 PM
diss_oxygen (E360.1)	3.87			mg/L		5/30/2025 1:10:00 PM
eH (Orion)	127			millivolts		5/30/2025 1:10:00 PM
End Depth	63.20			ft		5/30/2025 1:10:00 PM
pH (E150.1)	7.5			su		5/30/2025 1:10:00 PM
Static Water Level	22.42			ft		5/30/2025 1:10:00 PM
Temp (E170.1)	18			deg C		5/30/2025 1:10:00 PM
Turb (E180.1)	31.1			ntu		5/30/2025 1:10:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 5:37:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/11/2025 5:37:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	6/11/2025 5:37:00 PM
Surr: Toluene-d8	106	79.6-115		%REC	1	6/11/2025 5:37:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 5/28/2025 4:15:00 PM
Lab Sample ID: 250602010-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	38.90			ft		5/28/2025 4:15:00 PM
Cond (E120.1)	810			umhos/cm		5/28/2025 4:15:00 PM
diss_oxygen (E360.1)	2.63			mg/L		5/28/2025 4:15:00 PM
eH (Orion)	250.5			millivolts		5/28/2025 4:15:00 PM
End Depth	39.44			ft		5/28/2025 4:15:00 PM
pH (E150.1)	7.1			su		5/28/2025 4:15:00 PM
Static Water Level	38.9			ft		5/28/2025 4:15:00 PM
Temp (E170.1)	14			deg C		5/28/2025 4:15:00 PM
Turb (E180.1)	> 999			ntu		5/28/2025 4:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **DZ**

Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:21:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 5/28/2025 4:15:00 PM
Lab Sample ID: 250602010-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:21:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:21:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 10:21:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/4/2025 10:21:00 PM
Surr: Toluene-d8	99.4	79.6-115		%REC	1	6/4/2025 10:21:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 5/29/2025 9:30:00 AM
Lab Sample ID: 250602010-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	36.18			ft		5/29/2025 9:30:00 AM
Cond (E120.1)	735			umhos/cm		5/29/2025 9:30:00 AM
diss_oxygen (E360.1)	3.35			mg/L		5/29/2025 9:30:00 AM
eH (Orion)	282.7			millivolts		5/29/2025 9:30:00 AM
End Depth	40.27			ft		5/29/2025 9:30:00 AM
pH (E150.1)	7.1			su		5/29/2025 9:30:00 AM
Static Water Level	36.18			ft		5/29/2025 9:30:00 AM
Temp (E170.1)	14			deg C		5/29/2025 9:30:00 AM
Turb (E180.1)	> 999			ntu		5/29/2025 9:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: DZ

Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 1:55:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 1:55:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 5/29/2025 9:30:00 AM
Lab Sample ID: 250602010-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 1:55:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 1:55:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 1:55:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/10/2025 1:55:00 PM
Surr: Toluene-d8	99.7	79.6-115		%REC	1	6/10/2025 1:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 5/30/2025 9:20:00 AM
Lab Sample ID: 250602010-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	38.56			ft		5/30/2025 9:20:00 AM
Cond (E120.1)	1002			umhos/cm		5/30/2025 9:20:00 AM
diss_oxygen (E360.1)	1.02			mg/L		5/30/2025 9:20:00 AM
eH (Orion)	129.1			millivolts		5/30/2025 9:20:00 AM
End Depth	53.13			ft		5/30/2025 9:20:00 AM
pH (E150.1)	7.2			su		5/30/2025 9:20:00 AM
Static Water Level	38.26			ft		5/30/2025 9:20:00 AM
Temp (E170.1)	16			deg C		5/30/2025 9:20:00 AM
Turb (E180.1)	31.7			ntu		5/30/2025 9:20:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 7:17:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Vinyl chloride	1200	50	C	µg/L	50	6/10/2025 7:17:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methylene chloride	96	50		µg/L	50	6/10/2025 7:17:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1-Dichloroethene	83	50		µg/L	50	6/10/2025 7:17:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
cis-1,2-Dichloroethene	8300	50		µg/L	50	6/10/2025 7:17:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Trichloroethene	2100	50		µg/L	50	6/10/2025 7:17:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 7:17:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 5/30/2025 9:20:00 AM
Lab Sample ID: 250602010-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 7:17:00 PM
Methyl Acetate	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 7:17:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	50	6/10/2025 7:17:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	6/10/2025 7:17:00 PM
Surr: Toluene-d8	99.5	79.6-115		%REC	50	6/10/2025 7:17:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 5/30/2025 10:55:00 AM
Lab Sample ID: 250602010-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	38.88			ft		5/30/2025 10:55:00 AM
Cond (E120.1)	941			umhos/cm		5/30/2025 10:55:00 AM
diss_oxygen (E360.1)	7.3			mg/L		5/30/2025 10:55:00 AM
eH (Orion)	194.6			millivolts		5/30/2025 10:55:00 AM
End Depth	174.85			ft		5/30/2025 10:55:00 AM
pH (E150.1)	7.8			su		5/30/2025 10:55:00 AM
Static Water Level	34.43			ft		5/30/2025 10:55:00 AM
Temp (E170.1)	26			deg C		5/30/2025 10:55:00 AM
Turb (E180.1)	33.1			ntu		5/30/2025 10:55:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 7:39:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Vinyl chloride	470	50	C	µg/L	50	6/10/2025 7:39:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methylene chloride	100	50		µg/L	50	6/10/2025 7:39:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
cis-1,2-Dichloroethene	4600	50		µg/L	50	6/10/2025 7:39:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Trichloroethene	100	50		µg/L	50	6/10/2025 7:39:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 7:39:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 5/30/2025 10:55:00 AM
Lab Sample ID: 250602010-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 7:39:00 PM
Methyl Acetate	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 7:39:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	50	6/10/2025 7:39:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	50	6/10/2025 7:39:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 7:39:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 5/28/2025 9:10:00 AM
Lab Sample ID: 250602010-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	53.71			ft		5/28/2025 9:10:00 AM
Cond (E120.1)	2912			umhos/cm		5/28/2025 9:10:00 AM
diss_oxygen (E360.1)	5.71			mg/L		5/28/2025 9:10:00 AM
eH (Orion)	291.2			millivolts		5/28/2025 9:10:00 AM
End Depth	53.93			ft		5/28/2025 9:10:00 AM
pH (E150.1)	7.4			su		5/28/2025 9:10:00 AM
Static Water Level	53.51			ft		5/28/2025 9:10:00 AM
Temp (E170.1)	15			deg C		5/28/2025 9:10:00 AM
Turb (E180.1)	277			ntu		5/28/2025 9:10:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:42:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Trichloroethene	47	1.0		µg/L	1	6/4/2025 10:42:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 5/28/2025 9:10:00 AM
Lab Sample ID: 250602010-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:42:00 PM
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:42:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 10:42:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/4/2025 10:42:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 10:42:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 5/27/2025
Lab Sample ID: 250602010-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:54:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 5/27/2025
Lab Sample ID: 250602010-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 7:54:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	6/4/2025 7:54:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 7:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 11:03:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
cis-1,2-Dichloroethene	3.2	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Trichloroethene	12	1.0		µg/L	1	6/4/2025 11:03:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 11:03:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 11:03:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 11:03:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:03:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 11:03:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	6/4/2025 11:03:00 PM
Surr: Toluene-d8	97.9	79.6-115		%REC	1	6/4/2025 11:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 5/27/2025 2:45:00 PM
Lab Sample ID: 250602010-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 6:51:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 6:51:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 6:51:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 5/27/2025 2:45:00 PM
Lab Sample ID: 250602010-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 6:51:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 6:51:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 6:51:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 6:51:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 6:51:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 5/30/2025 8:55:00 AM
Lab Sample ID: 250602010-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 2:14:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 2:14:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 2:14:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 2:14:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 5/30/2025 8:55:00 AM
Lab Sample ID: 250602010-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 2:14:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:14:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/10/2025 2:14:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	6/10/2025 2:14:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/10/2025 2:14:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 5/28/2025 1:20:00 PM
Lab Sample ID: 250602010-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:15:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:15:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:15:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 5/28/2025 1:20:00 PM
Lab Sample ID: 250602010-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:15:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:15:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 8:15:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	6/4/2025 8:15:00 PM
Surr: Toluene-d8	99.4	79.6-115		%REC	1	6/4/2025 8:15:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 5/28/2025 11:20:00 AM
Lab Sample ID: 250602010-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:36:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:36:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 5/28/2025 11:20:00 AM
Lab Sample ID: 250602010-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:36:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:36:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 8:36:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/4/2025 8:36:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 8:36:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 5/30/2025 11:20:00 AM
Lab Sample ID: 250602010-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 2:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Vinyl chloride	3.9	1.0	C	µg/L	1	6/10/2025 2:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Trichloroethene	1.8	1.0		µg/L	1	6/10/2025 2:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 2:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 2:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 5/30/2025 11:20:00 AM
Lab Sample ID: 250602010-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 2:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 2:34:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 2:34:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 2:34:00 PM
Surr: Toluene-d8	98.8	79.6-115		%REC	1	6/10/2025 2:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 5/29/2025 9:10:00 AM
Lab Sample ID: 250602010-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 11:24:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
cis-1,2-Dichloroethene	2.2	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Trichloroethene	2.2	1.0		µg/L	1	6/4/2025 11:24:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 11:24:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 11:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 5/29/2025 9:10:00 AM
Lab Sample ID: 250602010-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 11:24:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 11:24:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 11:24:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 11:24:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 11:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 5/28/2025 1:50:00 PM
Lab Sample ID: 250602010-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 8:57:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
cis-1,2-Dichloroethene	1.1	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Trichloroethene	3.1	1.0		µg/L	1	6/4/2025 8:57:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 8:57:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 8:57:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 5/28/2025 1:50:00 PM
Lab Sample ID: 250602010-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 8:57:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 8:57:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 8:57:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 8:57:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/4/2025 8:57:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 5/30/2025 11:15:00 AM
Lab Sample ID: 250602010-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chloromethane	ND	2.0	C	µg/L	2	6/10/2025 4:34:00 PM
Bromomethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Vinyl chloride	76	2.0	C	µg/L	2	6/10/2025 4:34:00 PM
Chloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methylene chloride	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Acetone	350	10		µg/L	2	6/10/2025 4:34:00 PM
Carbon disulfide	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1-Dichloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
cis-1,2-Dichloroethene	180	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chloroform	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
2-Butanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Trichloroethene	68	2.0		µg/L	2	6/10/2025 4:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Benzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Bromoform	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM
2-Hexanone	ND	10		µg/L	2	6/10/2025 4:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Toluene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Chlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Ethylbenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Styrene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
m,p-Xylene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
o-Xylene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Dichlorodifluoromethane	ND	2.0	SC	µg/L	2	6/10/2025 4:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 5/30/2025 11:15:00 AM
Lab Sample ID: 250602010-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Cyclohexane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
1,4-Dioxane	ND	200	C	µg/L	2	6/10/2025 4:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	6/10/2025 4:34:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	2	6/10/2025 4:34:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	2	6/10/2025 4:34:00 PM
Surr: Toluene-d8	99.0	79.6-115		%REC	2	6/10/2025 4:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:55:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Vinyl chloride	1600	50	C	µg/L	50	6/10/2025 12:55:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methylene chloride	86	50		µg/L	50	6/10/2025 12:55:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
cis-1,2-Dichloroethene	5800	50		µg/L	50	6/10/2025 12:55:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:55:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:55:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:55:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:55:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	50	6/10/2025 12:55:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	50	6/10/2025 12:55:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	50	6/10/2025 12:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 5/27/2025 3:40:00 PM
Lab Sample ID: 250602010-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Chloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromomethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Vinyl chloride	300	10		µg/L	10	6/9/2025 4:10:00 PM
Chloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methylene chloride	15	10	C	µg/L	10	6/9/2025 4:10:00 PM
Acetone	ND	50	C	µg/L	10	6/9/2025 4:10:00 PM
Carbon disulfide	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
cis-1,2-Dichloroethene	990	10		µg/L	10	6/9/2025 4:10:00 PM
Chloroform	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
2-Butanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Carbon tetrachloride	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromodichloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Trichloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Dibromochloromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Benzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Bromoform	ND	10		µg/L	10	6/9/2025 4:10:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM
2-Hexanone	ND	50		µg/L	10	6/9/2025 4:10:00 PM
Tetrachloroethene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Toluene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Chlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Ethylbenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Styrene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
m,p-Xylene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
o-Xylene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methyl tert-butyl ether	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Dichlorodifluoromethane	ND	10	C	µg/L	10	6/9/2025 4:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 5/27/2025 3:40:00 PM
Lab Sample ID: 250602010-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Cyclohexane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Isopropylbenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
1,4-Dioxane	ND	1000		µg/L	10	6/9/2025 4:10:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	6/9/2025 4:10:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	10	6/9/2025 4:10:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	10	6/9/2025 4:10:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	10	6/9/2025 4:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit J - Analyte detected below quantitation limits B - Analyte detected in the associated Method Blank X - Value exceeds Maximum Contaminant Level E - Value above quantitation range-Estimate	S - LCS Spike below accepted limits (+ above) Z - RPD outside accepted recovery limits N - Matrix Spike below accepted limits (+ above) T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 5/30/2025 12:20:00 PM
Lab Sample ID: 250602010-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 4:54:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 4:54:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
cis-1,2-Dichloroethene	2.9	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Trichloroethene	1.0	1.0		µg/L	1	6/10/2025 4:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 4:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 4:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 5/30/2025 12:20:00 PM
Lab Sample ID: 250602010-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 4:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:54:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/10/2025 4:54:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 4:54:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 4:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 5/29/2025 1:05:00 PM
Lab Sample ID: 250602010-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 3:48:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 3:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
cis-1,2-Dichloroethene	1.8	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 3:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 3:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 5/29/2025 1:05:00 PM
Lab Sample ID: 250602010-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 3:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:48:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/9/2025 3:48:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/9/2025 3:48:00 PM
Surr: Toluene-d8	99.1	79.6-115		%REC	1	6/9/2025 3:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 5/30/2025 12:45:00 PM
Lab Sample ID: 250602010-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:14:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:14:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
cis-1,2-Dichloroethene	4.6	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Trichloroethene	2.9	1.0		µg/L	1	6/10/2025 5:14:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:14:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:14:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 5/30/2025 12:45:00 PM
Lab Sample ID: 250602010-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:14:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:14:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/10/2025 5:14:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/10/2025 5:14:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/10/2025 5:14:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 5/30/2025 1:35:00 PM
Lab Sample ID: 250602010-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:34:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 5/30/2025 1:35:00 PM
Lab Sample ID: 250602010-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:34:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/10/2025 5:34:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	1	6/10/2025 5:34:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 5:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 3:31:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 3:31:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 3:31:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/11/2025 3:31:00 PM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	6/11/2025 3:31:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	1	6/11/2025 3:31:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 12:50:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 12:50:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 12:50:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 12:50:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 5/29/2025 3:15:00 PM
Lab Sample ID: 250602010-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 12:50:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 12:50:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/9/2025 12:50:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/9/2025 12:50:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/9/2025 12:50:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 5/29/2025 2:35:00 PM
Lab Sample ID: 250602010-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Vinyl chloride	9.6	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 1:10:00 PM
Acetone	ND	5.0	C	µg/L	1	6/9/2025 1:10:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
cis-1,2-Dichloroethene	97	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Trichloroethene	8.7	1.0		µg/L	1	6/9/2025 1:10:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 1:10:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 1:10:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 5/29/2025 2:35:00 PM
Lab Sample ID: 250602010-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 1:10:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 1:10:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/9/2025 1:10:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/9/2025 1:10:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/9/2025 1:10:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 5/30/2025 2:25:00 PM
Lab Sample ID: 250602010-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 5:53:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 5:53:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Trichloroethene	2.4	1.0		µg/L	1	6/10/2025 5:53:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 5:53:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 5:53:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 5/30/2025 2:25:00 PM
Lab Sample ID: 250602010-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 5:53:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 5:53:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/10/2025 5:53:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	6/10/2025 5:53:00 PM
Surr: Toluene-d8	99.0	79.6-115		%REC	1	6/10/2025 5:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 5/29/2025 4:40:00 PM
Lab Sample ID: 250602010-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Chloromethane	ND	200	C	µg/L	200	6/10/2025 8:23:00 PM
Bromomethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Vinyl chloride	2300	200	C	µg/L	200	6/10/2025 8:23:00 PM
Chloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methylene chloride	400	200		µg/L	200	6/10/2025 8:23:00 PM
Acetone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
Carbon disulfide	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1-Dichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
cis-1,2-Dichloroethene	20000	200		µg/L	200	6/10/2025 8:23:00 PM
Chloroform	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
2-Butanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
1,1,1-Trichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Carbon tetrachloride	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Bromodichloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichloropropane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Trichloroethene	4600	200		µg/L	200	6/10/2025 8:23:00 PM
Dibromochloromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Benzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Bromoform	ND	200		µg/L	200	6/10/2025 8:23:00 PM
4-Methyl-2-pentanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
2-Hexanone	ND	1000		µg/L	200	6/10/2025 8:23:00 PM
Tetrachloroethene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Toluene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Chlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Ethylbenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Styrene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
m,p-Xylene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
o-Xylene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methyl tert-butyl ether	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Dichlorodifluoromethane	ND	200	SC	µg/L	200	6/10/2025 8:23:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 5/29/2025 4:40:00 PM
Lab Sample ID: 250602010-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Trichlorofluoromethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Cyclohexane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Methyl Cyclohexane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dibromoethane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Isopropylbenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2-Dibromo-3-chloropropane	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
1,4-Dioxane	ND	20000	C	µg/L	200	6/10/2025 8:23:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	200	6/10/2025 8:23:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	200	6/10/2025 8:23:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	200	6/10/2025 8:23:00 PM
Surr: Toluene-d8	98.1	79.6-115		%REC	200	6/10/2025 8:23:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 5/30/2025 10:00:00 AM
Lab Sample ID: 250602010-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Chloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromomethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Vinyl chloride	1200	100	C+	µg/L	100	6/11/2025 6:21:00 PM
Chloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methylene chloride	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Acetone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
Carbon disulfide	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
cis-1,2-Dichloroethene	8200	100		µg/L	100	6/11/2025 6:21:00 PM
Chloroform	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
2-Butanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Carbon tetrachloride	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromodichloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Trichloroethene	750	100		µg/L	100	6/11/2025 6:21:00 PM
Dibromochloromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Benzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Bromoform	ND	100		µg/L	100	6/11/2025 6:21:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
2-Hexanone	ND	500		µg/L	100	6/11/2025 6:21:00 PM
Tetrachloroethene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Toluene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Chlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Ethylbenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Styrene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
m,p-Xylene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
o-Xylene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Dichlorodifluoromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 5/30/2025 10:00:00 AM
Lab Sample ID: 250602010-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Cyclohexane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Isopropylbenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
1,4-Dioxane	ND	10000		µg/L	100	6/11/2025 6:21:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	6/11/2025 6:21:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	100	6/11/2025 6:21:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	100	6/11/2025 6:21:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	100	6/11/2025 6:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 5/30/2025 11:00:00 AM
Lab Sample ID: 250602010-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Chloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromomethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Vinyl chloride	440	25	C+	µg/L	25	6/11/2025 5:59:00 PM
Chloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methylene chloride	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Acetone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
Carbon disulfide	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1-Dichloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1-Dichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
trans-1,2-Dichloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
cis-1,2-Dichloroethene	1400	25		µg/L	25	6/11/2025 5:59:00 PM
Chloroform	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
2-Butanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
1,1,1-Trichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Carbon tetrachloride	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromodichloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichloropropane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
cis-1,3-Dichloropropene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Trichloroethene	39	25		µg/L	25	6/11/2025 5:59:00 PM
Dibromochloromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2-Trichloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Benzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
trans-1,3-Dichloropropene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Bromoform	ND	25		µg/L	25	6/11/2025 5:59:00 PM
4-Methyl-2-pentanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
2-Hexanone	ND	120		µg/L	25	6/11/2025 5:59:00 PM
Tetrachloroethene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Toluene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Chlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Ethylbenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Styrene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
m,p-Xylene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
o-Xylene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methyl tert-butyl ether	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Dichlorodifluoromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 5/30/2025 11:00:00 AM
Lab Sample ID: 250602010-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Trichlorofluoromethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Cyclohexane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Methyl Cyclohexane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dibromoethane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,3-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Isopropylbenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,4-Dichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
1,4-Dioxane	ND	2500		µg/L	25	6/11/2025 5:59:00 PM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	6/11/2025 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	25	6/11/2025 5:59:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	25	6/11/2025 5:59:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	25	6/11/2025 5:59:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:11:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Vinyl chloride	1900	50	C	µg/L	50	6/10/2025 12:11:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methylene chloride	72	50		µg/L	50	6/10/2025 12:11:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
cis-1,2-Dichloroethene	4200	50	N+	µg/L	50	6/10/2025 12:11:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:11:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:11:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:11:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:11:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:11:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	50	6/10/2025 12:11:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	50	6/10/2025 12:11:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 12:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 12:33:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Vinyl chloride	1600	50	C	µg/L	50	6/10/2025 12:33:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methylene chloride	78	50		µg/L	50	6/10/2025 12:33:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
cis-1,2-Dichloroethene	3300	50		µg/L	50	6/10/2025 12:33:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Trichloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 12:33:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
2-Hexanone	ND	250		µg/L	50	6/10/2025 12:33:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 12:33:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 5/28/2025 3:10:00 PM
Lab Sample ID: 250602010-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 12:33:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 12:33:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	50	6/10/2025 12:33:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	6/10/2025 12:33:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 12:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 5/29/2025 2:45:00 PM
Lab Sample ID: 250602010-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 4:12:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 4:12:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 4:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 4:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 5/29/2025 2:45:00 PM
Lab Sample ID: 250602010-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 4:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 4:12:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/10/2025 4:12:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/10/2025 4:12:00 PM
Surr: Toluene-d8	98.4	79.6-115		%REC	1	6/10/2025 4:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit J - Analyte detected below quantitation limits B - Analyte detected in the associated Method Blank X - Value exceeds Maximum Contaminant Level E - Value above quantitation range-Estimate	S - LCS Spike below accepted limits (+ above) Z - RPD outside accepted recovery limits N - Matrix Spike below accepted limits (+ above) T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 5/30/2025 10:40:00 AM
Lab Sample ID: 250602010-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Vinyl chloride	12	1.0	C+	µg/L	1	6/11/2025 5:16:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
cis-1,2-Dichloroethene	28	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Trichloroethene	8.3	1.0		µg/L	1	6/11/2025 5:16:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 5:16:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Toluene	1.8	1.0		µg/L	1	6/11/2025 5:16:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 5/30/2025 10:40:00 AM
Lab Sample ID: 250602010-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 5:16:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:16:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/11/2025 5:16:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/11/2025 5:16:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 5:16:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 5/30/2025 10:30:00 AM
Lab Sample ID: 250602010-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Chloromethane	ND	100	C	µg/L	100	6/10/2025 8:01:00 PM
Bromomethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Vinyl chloride	1100	100	C	µg/L	100	6/10/2025 8:01:00 PM
Chloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methylene chloride	190	100		µg/L	100	6/10/2025 8:01:00 PM
Acetone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
Carbon disulfide	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
cis-1,2-Dichloroethene	8400	100		µg/L	100	6/10/2025 8:01:00 PM
Chloroform	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
2-Butanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Carbon tetrachloride	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Bromodichloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Trichloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Dibromochloromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Benzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Bromoform	ND	100		µg/L	100	6/10/2025 8:01:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
2-Hexanone	ND	500		µg/L	100	6/10/2025 8:01:00 PM
Tetrachloroethene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Toluene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Chlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Ethylbenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Styrene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
m,p-Xylene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
o-Xylene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Dichlorodifluoromethane	ND	100	SC	µg/L	100	6/10/2025 8:01:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 5/30/2025 10:30:00 AM
Lab Sample ID: 250602010-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Cyclohexane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Isopropylbenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
1,4-Dioxane	ND	10000	C	µg/L	100	6/10/2025 8:01:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	6/10/2025 8:01:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	6/10/2025 8:01:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	100	6/10/2025 8:01:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	100	6/10/2025 8:01:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 5/28/2025 10:25:00 AM
Lab Sample ID: 250602010-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 9:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 9:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 9:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 5/28/2025 10:25:00 AM
Lab Sample ID: 250602010-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 9:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:18:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 9:18:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/4/2025 9:18:00 PM
Surr: Toluene-d8	99.5	79.6-115		%REC	1	6/4/2025 9:18:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit J - Analyte detected below quantitation limits B - Analyte detected in the associated Method Blank X - Value exceeds Maximum Contaminant Level E - Value above quantitation range-Estimate	S - LCS Spike below accepted limits (+ above) Z - RPD outside accepted recovery limits N - Matrix Spike below accepted limits (+ above) T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 5/29/2025 8:40:00 AM
Lab Sample ID: 250602010-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 1:35:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 1:35:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 1:35:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 1:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 5/29/2025 8:40:00 AM
Lab Sample ID: 250602010-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 1:35:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:35:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 1:35:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	6/10/2025 1:35:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	6/10/2025 1:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2
Collection Date: 5/28/2025 11:00:00 AM
Lab Sample ID: 250602010-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 9:39:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 9:39:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 9:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2
Collection Date: 5/28/2025 11:00:00 AM
Lab Sample ID: 250602010-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 9:39:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 9:39:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	6/4/2025 9:39:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/4/2025 9:39:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 9:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 5/28/2025 10:30:00 AM
Lab Sample ID: 250602010-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:00:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:00:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 5/28/2025 10:30:00 AM
Lab Sample ID: 250602010-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:00:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:00:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	6/4/2025 10:00:00 PM
Surr: 4-Bromofluorobenzene	111	74.1-124		%REC	1	6/4/2025 10:00:00 PM
Surr: Toluene-d8	99.1	79.6-115		%REC	1	6/4/2025 10:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 4:34:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 4:34:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:34:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/11/2025 4:34:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/11/2025 4:34:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 4:34:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 5/30/2025 1:05:00 PM
Lab Sample ID: 250602010-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chloroform	1.9	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 4:55:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 5/30/2025 1:05:00 PM
Lab Sample ID: 250602010-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 4:55:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 4:55:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	6/11/2025 4:55:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	6/11/2025 4:55:00 PM
Surr: Toluene-d8	107	79.6-115		%REC	1	6/11/2025 4:55:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit J - Analyte detected below quantitation limits B - Analyte detected in the associated Method Blank X - Value exceeds Maximum Contaminant Level E - Value above quantitation range-Estimate	S - LCS Spike below accepted limits (+ above) Z - RPD outside accepted recovery limits N - Matrix Spike below accepted limits (+ above) T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 5/27/2025 4:55:00 PM
Lab Sample ID: 250602010-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:12:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Trichloroethene	16	1.0		µg/L	1	6/4/2025 7:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:12:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 5/27/2025 4:55:00 PM
Lab Sample ID: 250602010-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:12:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	6/4/2025 7:12:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/4/2025 7:12:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 7:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 5/27/2025 4:35:00 PM
Lab Sample ID: 250602010-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:33:00 PM
Vinyl chloride	1.5	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1-Dichloroethene	2.5	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1-Dichloroethane	1.0	1.0		µg/L	1	6/4/2025 7:33:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
cis-1,2-Dichloroethene	200	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Trichloroethene	180	1.0		µg/L	1	6/4/2025 7:33:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:33:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:33:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 5/27/2025 4:35:00 PM
Lab Sample ID: 250602010-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:33:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:33:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 7:33:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	6/4/2025 7:33:00 PM
Surr: Toluene-d8	99.7	79.6-115		%REC	1	6/4/2025 7:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 5/27/2025 2:55:00 PM
Lab Sample ID: 250602010-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromomethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Vinyl chloride	3.9	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	6/9/2025 3:09:00 PM
Acetone	13	5.0	C	µg/L	1	6/9/2025 3:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
cis-1,2-Dichloroethene	12	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chloroform	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
2-Butanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Benzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Bromoform	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/9/2025 3:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Toluene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Styrene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
o-Xylene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	6/9/2025 3:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 5/27/2025 2:55:00 PM
Lab Sample ID: 250602010-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/9/2025 3:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/9/2025 3:09:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	6/9/2025 3:09:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/9/2025 3:09:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/9/2025 3:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromomethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Acetone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chloroform	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
2-Butanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Benzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Bromoform	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/11/2025 5:37:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Toluene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Styrene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
o-Xylene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 5/30/2025 1:10:00 PM
Lab Sample ID: 250602010-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/11/2025 5:37:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/11/2025 5:37:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	6/11/2025 5:37:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	6/11/2025 5:37:00 PM
Surr: Toluene-d8	106	79.6-115		%REC	1	6/11/2025 5:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 5/28/2025 4:15:00 PM
Lab Sample ID: 250602010-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:21:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:21:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:21:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 5/28/2025 4:15:00 PM
Lab Sample ID: 250602010-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:21:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:21:00 PM
Surr: 1,2-Dichloroethane-d4	104	80.3-122		%REC	1	6/4/2025 10:21:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	6/4/2025 10:21:00 PM
Surr: Toluene-d8	99.4	79.6-115		%REC	1	6/4/2025 10:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 5/29/2025 9:30:00 AM
Lab Sample ID: 250602010-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chloromethane	ND	1.0	C	µg/L	1	6/10/2025 1:55:00 PM
Bromomethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Vinyl chloride	ND	1.0	C	µg/L	1	6/10/2025 1:55:00 PM
Chloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Acetone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chloroform	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
2-Butanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Benzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Bromoform	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/10/2025 1:55:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Toluene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Styrene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
o-Xylene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/10/2025 1:55:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 5/29/2025 9:30:00 AM
Lab Sample ID: 250602010-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
1,4-Dioxane	ND	100	C	µg/L	1	6/10/2025 1:55:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/10/2025 1:55:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	6/10/2025 1:55:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/10/2025 1:55:00 PM
Surr: Toluene-d8	99.7	79.6-115		%REC	1	6/10/2025 1:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 5/30/2025 9:20:00 AM
Lab Sample ID: 250602010-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 7:17:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Vinyl chloride	1200	50	C	µg/L	50	6/10/2025 7:17:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methylene chloride	96	50		µg/L	50	6/10/2025 7:17:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1-Dichloroethene	83	50		µg/L	50	6/10/2025 7:17:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
cis-1,2-Dichloroethene	8300	50		µg/L	50	6/10/2025 7:17:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Trichloroethene	2100	50		µg/L	50	6/10/2025 7:17:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 7:17:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
2-Hexanone	ND	250		µg/L	50	6/10/2025 7:17:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 7:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 5/30/2025 9:20:00 AM
Lab Sample ID: 250602010-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 7:17:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:17:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	50	6/10/2025 7:17:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	6/10/2025 7:17:00 PM
Surr: Toluene-d8	99.5	79.6-115		%REC	50	6/10/2025 7:17:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 5/30/2025 10:55:00 AM
Lab Sample ID: 250602010-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Chloromethane	ND	50	C	µg/L	50	6/10/2025 7:39:00 PM
Bromomethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Vinyl chloride	470	50	C	µg/L	50	6/10/2025 7:39:00 PM
Chloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methylene chloride	100	50		µg/L	50	6/10/2025 7:39:00 PM
Acetone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
Carbon disulfide	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
cis-1,2-Dichloroethene	4600	50		µg/L	50	6/10/2025 7:39:00 PM
Chloroform	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
2-Butanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Carbon tetrachloride	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Bromodichloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Trichloroethene	100	50		µg/L	50	6/10/2025 7:39:00 PM
Dibromochloromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Benzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Bromoform	ND	50		µg/L	50	6/10/2025 7:39:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
2-Hexanone	ND	250		µg/L	50	6/10/2025 7:39:00 PM
Tetrachloroethene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Toluene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Chlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Ethylbenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Styrene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
m,p-Xylene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
o-Xylene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	6/10/2025 7:39:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 5/30/2025 10:55:00 AM
Lab Sample ID: 250602010-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Cyclohexane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Isopropylbenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
1,4-Dioxane	ND	5000	C	µg/L	50	6/10/2025 7:39:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	6/10/2025 7:39:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	50	6/10/2025 7:39:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	50	6/10/2025 7:39:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	50	6/10/2025 7:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 5/28/2025 9:10:00 AM
Lab Sample ID: 250602010-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 10:42:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
cis-1,2-Dichloroethene	6.8	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Trichloroethene	47	1.0		µg/L	1	6/4/2025 10:42:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 10:42:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 10:42:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 5/28/2025 9:10:00 AM
Lab Sample ID: 250602010-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 10:42:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 10:42:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	6/4/2025 10:42:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	6/4/2025 10:42:00 PM
Surr: Toluene-d8	101	79.6-115		%REC	1	6/4/2025 10:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 5/27/2025
Lab Sample ID: 250602010-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Bromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromomethane	ND	1.0	C	µg/L	1	6/4/2025 7:54:00 PM
Vinyl chloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Acetone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
Carbon disulfide	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chloroform	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
2-Butanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Trichloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Benzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Bromoform	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
2-Hexanone	ND	5.0		µg/L	1	6/4/2025 7:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Toluene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Styrene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
o-Xylene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	6/4/2025 7:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 10-Jul-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 5/27/2025
Lab Sample ID: 250602010-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: DZ
Methyl Acetate	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
1,4-Dioxane	ND	100		µg/L	1	6/4/2025 7:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	6/4/2025 7:54:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	6/4/2025 7:54:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	6/4/2025 7:54:00 PM
Surr: Toluene-d8	102	79.6-115		%REC	1	6/4/2025 7:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT**BatchID: R246636**

mblk	SeqNo: 4053283	TestNo: SW8260C	RunNo: 246636
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/4/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

mblk	SeqNo: 4053283	TestNo: SW8260C	RunNo: 246636
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/4/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	50.29	1.0	50	0	101	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	52.32	1.0	50	0	105	74.1	124	0	0		
Surr: Toluene-d8	49.84	1.0	50	0	99.7	79.6	115	0	0		

mblk	SeqNo: 4059403	TestNo: SW8260C	RunNo: 246636
	Samp ID: MB	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

mbk	SeqNo: 4059403	TestNo: SW8260C	RunNo: 246636
	Samp ID: MB	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

mbk	SeqNo: 4059403	TestNo: SW8260C	RunNo: 246636
	Samp ID: MB	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	52.72	1.0	50	0	105	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	53.62	1.0	50	0	107	74.1	124	0	0		
Surr: Toluene-d8	54.08	1.0	50	0	108	79.6	115	0	0		

lcs	SeqNo: 4053282	TestNo: SW8260C	RunNo: 246636
	Samp ID: lcs	Units: µg/L	Analysis Date: 6/4/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	25.83	1.0	25	0	103	74.5	124	0	0		
1,1,2,2-Tetrachloroethane	23.06	1.0	25	0	92.2	72.1	126	0	0		
1,1,2-Trichloro-1,2,2-trifluoroethane	30.79	1.0	25	0	123	67.5	132	0	0		
1,1,2-Trichloroethane	23.17	1.0	25	0	92.7	74.3	124	0	0		
1,1-Dichloroethane	23.01	1.0	25	0	92	73.8	127	0	0		
1,1-Dichloroethene	26.36	1.0	25	0	105	68.1	134	0	0		
1,2,3-Trichlorobenzene	24.16	1.0	25	0	96.6	71.4	130	0	0		
1,2,4-Trichlorobenzene	26.65	1.0	25	0	107	74	126	0	0		
1,2-Dibromo-3-chloropropane	21.34	1.0	25	0	85.4	72.6	126	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ICS	SeqNo: 4053282	TestNo: SW8260C	RunNo: 246636
	Samp ID: ICS	Units: µg/L	Analysis Date: 6/4/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dibromoethane	24.39	1.0	25	0	97.6	73.6	122		0	0	
1,2-Dichlorobenzene	24.74	1.0	25	0	99	73.1	123		0	0	
1,2-Dichloroethane	22.8	1.0	25	0	91.2	73.9	124		0	0	
1,2-Dichloropropane	24.09	1.0	25	0	96.4	72	125		0	0	
1,3-Dichlorobenzene	27.92	1.0	25	0	112	71.1	123		0	0	
1,4-Dichlorobenzene	27.01	1.0	25	0	108	72.5	120		0	0	
1,4-Dioxane	507.9	100	500	0	102	70	130		0	0	
2-Butanone	20.82	5.0	25	0	83.3	63.4	129		0	0	
2-Hexanone	20	5.0	25	0	80	65	137		0	0	
4-Methyl-2-pentanone	22.32	5.0	25	0	89.3	68.2	126		0	0	
Acetone	17.92	5.0	25	0	71.7	59.8	139		0	0	
Benzene	24.33	1.0	25	0	97.3	71.6	120		0	0	
Bromochloromethane	24.46	1.0	25	0	97.8	59.7	140		0	0	
Bromodichloromethane	25.17	1.0	25	0	101	73.6	127		0	0	
Bromoform	24.68	1.0	25	0	98.7	65.8	120		0	0	
Bromomethane	17.48	1.0	25	0	69.9	64	120		0	0	
Carbon disulfide	27.64	1.0	25	0	111	62	134		0	0	
Carbon tetrachloride	30.8	1.0	25	0	123	71.4	130		0	0	
Chlorobenzene	24.42	1.0	25	0	97.7	69.8	125		0	0	
Chloroethane	21.16	1.0	25	0	84.6	56.8	139		0	0	
Chloroform	27.77	1.0	25	0	111	74.1	122		0	0	
Chloromethane	20.12	1.0	25	0	80.5	46.7	123		0	0	
cis-1,2-Dichloroethene	24.58	1.0	25	0	98.3	71.5	128		0	0	
cis-1,3-Dichloropropene	25.78	1.0	25	0	103	67	128		0	0	
Cyclohexane	30.98	1.0	25	0	124	72.6	130		0	0	
Dibromochloromethane	25.59	1.0	25	0	102	70.6	124		0	0	
Dichlorodifluoromethane	12.39	1.0	25	0	49.6	52	116		0	0	S
Ethylbenzene	26.18	1.0	25	0	105	74.2	127		0	0	
Isopropylbenzene	26.88	1.0	25	0	108	72.4	128		0	0	
m,p-Xylene	50.77	1.0	50	0	102	69.7	129		0	0	
Methyl Acetate	21.66	1.0	25	0	86.6	66.5	131		0	0	
Methyl Cyclohexane	32.16	1.0	25	0	129	70	127		0	0	S

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ICS	SeqNo: 4053282	TestNo: SW8260C	RunNo: 246636
	Samp ID: ics	Units: µg/L	Analysis Date: 6/4/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methyl tert-butyl ether	52.93	1.0	50	0	106	70.2	125		0	0	
Methylene chloride	27.84	1.0	25	0	111	62.1	127		0	0	
o-Xylene	25.31	1.0	25	0	101	72.7	131		0	0	
Styrene	25.76	1.0	25	0	103	70	126		0	0	
Tetrachloroethene	25.95	1.0	25	0	104	71.8	129		0	0	
Toluene	24.57	1.0	25	0	98.3	74	127		0	0	
trans-1,2-Dichloroethene	26.69	1.0	25	0	107	72.1	127		0	0	
trans-1,3-Dichloropropene	25.46	1.0	25	0	102	70.9	126		0	0	
Trichloroethene	25.56	1.0	25	0	102	71.3	124		0	0	
Trichlorofluoromethane	26.27	1.0	25	0	105	63	140		0	0	
Vinyl chloride	21.75	1.0	25	0	87	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	47.94	1.0	50	0	95.9	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	49.72	1.0	50	0	99.4	74.1	124		0	0	
Surr: Toluene-d8	51.03	1.0	50	0	102	79.6	115		0	0	

ICS	SeqNo: 4059401	TestNo: SW8260C	RunNo: 246636
	Samp ID: ics	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	28.98	1.0	25	0	116	74.5	124		0	0	
1,1,2,2-Tetrachloroethane	26.32	1.0	25	0	105	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	32.97	1.0	25	0	132	67.5	132		0	0	
1,1,2-Trichloroethane	25.69	1.0	25	0	103	74.3	124		0	0	
1,1-Dichloroethane	25.04	1.0	25	0	100	73.8	127		0	0	
1,1-Dichloroethene	28.48	1.0	25	0	114	68.1	134		0	0	
1,2,3-Trichlorobenzene	27.7	1.0	25	0	111	71.4	130		0	0	
1,2,4-Trichlorobenzene	29.52	1.0	25	0	118	74	126		0	0	
1,2-Dibromo-3-chloropropane	25.63	1.0	25	0	103	72.6	126		0	0	
1,2-Dibromoethane	26.86	1.0	25	0	107	73.6	122		0	0	
1,2-Dichlorobenzene	28.5	1.0	25	0	114	73.1	123		0	0	
1,2-Dichloroethane	25.88	1.0	25	0	104	73.9	124		0	0	
1,2-Dichloropropane	27.14	1.0	25	0	109	72	125		0	0	
1,3-Dichlorobenzene	30.81	1.0	25	0	123	71.1	123		0	0	S

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ICS	SeqNo: 4059401	TestNo: SW8260C	RunNo: 246636
	Samp ID: ICS	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dichlorobenzene	29.84	1.0	25	0	119	72.5	120		0	0	
1,4-Dioxane	530.6	100	500	0	106	70	130		0	0	
2-Butanone	26.33	5.0	25	0	105	63.4	129		0	0	
2-Hexanone	26.75	5.0	25	0	107	65	137		0	0	
4-Methyl-2-pentanone	27.48	5.0	25	0	110	68.2	126		0	0	
Acetone	28.24	5.0	25	0	113	59.8	139		0	0	
Benzene	28.01	1.0	25	0	112	71.6	120		0	0	
Bromochloromethane	26.07	1.0	25	0	104	59.7	140		0	0	
Bromodichloromethane	28.35	1.0	25	0	113	73.6	127		0	0	
Bromoform	27.4	1.0	25	0	110	65.8	120		0	0	
Bromomethane	26.82	1.0	25	0	107	64	120		0	0	
Carbon disulfide	30.17	1.0	25	0	121	62	134		0	0	
Carbon tetrachloride	34.89	1.0	25	0	140	71.4	130		0	0	S
Chlorobenzene	26.18	1.0	25	0	105	69.8	125		0	0	
Chloroethane	23.66	1.0	25	0	94.6	56.8	139		0	0	
Chloroform	24.96	1.0	25	0	99.8	74.1	122		0	0	
Chloromethane	25.08	1.0	25	0	100	46.7	123		0	0	
cis-1,2-Dichloroethene	26.77	1.0	25	0	107	71.5	128		0	0	
cis-1,3-Dichloropropene	28.15	1.0	25	0	113	67	128		0	0	
Cyclohexane	41.39	1.0	25	0	166	72.6	130		0	0	S
Dibromochloromethane	27.23	1.0	25	0	109	70.6	124		0	0	
Dichlorodifluoromethane	22.79	1.0	25	0	91.2	52	116		0	0	
Ethylbenzene	27.1	1.0	25	0	108	74.2	127		0	0	
Isopropylbenzene	28.99	1.0	25	0	116	72.4	128		0	0	
m,p-Xylene	55.86	1.0	50	0	112	69.7	129		0	0	
Methyl Acetate	23.36	1.0	25	0	93.4	66.5	131		0	0	
Methyl Cyclohexane	36.62	1.0	25	0	146	70	127		0	0	S
Methyl tert-butyl ether	55.44	1.0	50	0	111	70.2	125		0	0	
Methylene chloride	27.91	1.0	25	0	112	62.1	127		0	0	
o-Xylene	27.03	1.0	25	0	108	72.7	131		0	0	
Styrene	25.17	1.0	25	0	101	70	126		0	0	
Tetrachloroethene	29.41	1.0	25	0	118	71.8	129		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ICS	SeqNo: 4059401	TestNo: SW8260C	RunNo: 246636
	Samp ID: ICS	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Toluene	27.18	1.0	25	0	109	74	127		0	0	
trans-1,2-Dichloroethene	27.46	1.0	25	0	110	72.1	127		0	0	
trans-1,3-Dichloropropene	29.2	1.0	25	0	117	70.9	126		0	0	
Trichloroethene	27.55	1.0	25	0	110	71.3	124		0	0	
Trichlorofluoromethane	27.55	1.0	25	0	110	63	140		0	0	
Vinyl chloride	25.75	1.0	25	0	103	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	51.31	1.0	50	0	103	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	49.73	1.0	50	0	99.5	74.1	124		0	0	
Surr: Toluene-d8	53.3	1.0	50	0	107	79.6	115		0	0	

MS	SeqNo: 4059405	TestNo: SW8260C	RunNo: 246636
	Samp ID: 250602010-016a (MW18-11B)	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	25.37	1.0	25	0	101	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	22.96	1.0	25	0	91.8	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	29.25	1.0	25	0	117	65.5	128		0	0	
1,1,2-Trichloroethane	21.97	1.0	25	0	87.9	68.3	131		0	0	
1,1-Dichloroethane	22.31	1.0	25	0	89.2	69.4	128		0	0	
1,1-Dichloroethene	24.58	1.0	25	0	98.3	63.4	134		0	0	
1,2,3-Trichlorobenzene	23.4	1.0	25	0	93.6	63.6	134		0	0	
1,2,4-Trichlorobenzene	24.73	1.0	25	0	98.9	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	20.53	1.0	25	0	82.1	67.4	121		0	0	
1,2-Dibromoethane	22.73	1.0	25	0	90.9	70.1	123		0	0	
1,2-Dichlorobenzene	24.19	1.0	25	0	96.8	68	130		0	0	
1,2-Dichloroethane	22.59	1.0	25	0	90.4	70.8	129		0	0	
1,2-Dichloropropane	23.45	1.0	25	0	93.8	69	125		0	0	
1,3-Dichlorobenzene	25.28	1.0	25	0	101	73.6	124		0	0	
1,4-Dichlorobenzene	25.72	1.0	25	0	103	73.4	123		0	0	
1,4-Dioxane	540.3	100	500	0	108	75	125		0	0	
2-Butanone	20.31	5.0	25	0	81.2	58.6	113		0	0	
2-Hexanone	21.87	5.0	25	0	87.5	60.9	130		0	0	
4-Methyl-2-pentanone	22.79	5.0	25	0	91.2	49.2	122		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ms	SeqNo: 4059405	TestNo: SW8260C	RunNo: 246636
	Samp ID: 250602010-016a (MW18-11B)	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Acetone	17.06	5.0	25	0	68.2	54.7	134		0	0	
Benzene	24.46	1.0	25	0	97.8	69.6	129		0	0	
Bromochloromethane	22.76	1.0	25	0	91	68.1	125		0	0	
Bromodichloromethane	24.04	1.0	25	0	96.2	75.7	125		0	0	
Bromoform	22.48	1.0	25	0	89.9	72.7	120		0	0	
Bromomethane	27.34	1.0	25	0	109	54.7	140		0	0	
Carbon disulfide	26.81	1.0	25	0	107	63.8	120		0	0	
Carbon tetrachloride	30.69	1.0	25	0	123	74.1	143		0	0	
Chlorobenzene	23.25	1.0	25	0	93	73.5	129		0	0	
Chloroethane	27.18	1.0	25	0	109	68	141		0	0	
Chloroform	21.72	1.0	25	0	86.9	72.6	128		0	0	
Chloromethane	24.73	1.0	25	0	98.9	52.3	124		0	0	
cis-1,2-Dichloroethene	23.62	1.0	25	0	94.5	65	133		0	0	
cis-1,3-Dichloropropene	24.73	1.0	25	0	98.9	71	122		0	0	
Cyclohexane	36.13	1.0	25	0	145	70.4	127		0	0	S
Dibromochloromethane	23.27	1.0	25	0	93.1	69.4	125		0	0	
Dichlorodifluoromethane	23.75	1.0	25	0	95	41.6	130		0	0	
Ethylbenzene	24.58	1.0	25	0	98.3	65.1	121		0	0	
Isopropylbenzene	25.8	1.0	25	0	103	66.2	129		0	0	
m,p-Xylene	50.04	1.0	50	0	100	72.6	124		0	0	
Methyl Acetate	19.86	1.0	25	0	79.4	56.6	116		0	0	
Methyl Cyclohexane	30.23	1.0	25	0	121	60.2	118		0	0	S
Methyl tert-butyl ether	47.27	1.0	50	0	94.5	66.2	108		0	0	
Methylene chloride	22.3	1.0	25	0	89.2	62.3	113		0	0	
o-Xylene	23.6	1.0	25	0	94.4	70	122		0	0	
Styrene	21.85	1.0	25	0	87.4	63.8	112		0	0	
Tetrachloroethene	25.56	1.0	25	0	102	74	122		0	0	
Toluene	23.55	1.0	25	0	94.2	73.6	119		0	0	
trans-1,2-Dichloroethene	24.36	1.0	25	0	97.4	66.7	119		0	0	
trans-1,3-Dichloropropene	24.58	1.0	25	0	98.3	67.8	105		0	0	
Trichloroethene	24.41	1.0	25	0	97.6	72.1	129		0	0	
Trichlorofluoromethane	31.73	1.0	25	0	127	67	145		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

ms	SeqNo: 4059405	TestNo: SW8260C	RunNo: 246636
	Samp ID: 250602010-016a (MW18-11B)	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Vinyl chloride	27.65	1.0	25	0	111	57.5	139	0	0		
Surr: 1,2-Dichloroethane-d4	52.69	1.0	50	0	105	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	52.23	1.0	50	0	104	74.1	124	0	0		
Surr: Toluene-d8	52.9	1.0	50	0	106	79.6	115	0	0		

msd	SeqNo: 4059601	TestNo: SW8260C	RunNo: 246636
	Samp ID: 250602010-016a (MW18-11B)	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	27.76	1.0	25	0	111	74.1	131	25.37	9.00	20.4	
1,1,2,2-Tetrachloroethane	24	1.0	25	0	96	68.1	133	22.96	4.43	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	31.62	1.0	25	0	126	65.5	128	29.25	7.79	20	
1,1,2-Trichloroethane	24.08	1.0	25	0	96.3	68.3	131	21.97	9.16	20	
1,1-Dichloroethane	24.34	1.0	25	0	97.4	69.4	128	22.31	8.70	19.2	
1,1-Dichloroethene	28.23	1.0	25	0	113	63.4	134	24.58	13.8	16.1	
1,2,3-Trichlorobenzene	24.65	1.0	25	0	98.6	63.6	134	23.4	5.20	20	
1,2,4-Trichlorobenzene	26.51	1.0	25	0	106	63.4	134	24.73	6.95	20	
1,2-Dibromo-3-chloropropane	21.31	1.0	25	0	85.2	67.4	121	20.53	3.73	20.6	
1,2-Dibromoethane	24.2	1.0	25	0	96.8	70.1	123	22.73	6.26	18.7	
1,2-Dichlorobenzene	25.43	1.0	25	0	102	68	130	24.19	5.00	17.9	
1,2-Dichloroethane	23.43	1.0	25	0	93.7	70.8	129	22.59	3.65	15.6	
1,2-Dichloropropane	25.82	1.0	25	0	103	69	125	23.45	9.62	21.8	
1,3-Dichlorobenzene	28.05	1.0	25	0	112	73.6	124	25.28	10.4	14.3	
1,4-Dichlorobenzene	27.17	1.0	25	0	109	73.4	123	25.72	5.48	14.4	
1,4-Dioxane	566.2	100	500	0	113	75	125	540.3	4.68	30	
2-Butanone	22.16	5.0	25	0	88.6	58.6	113	20.31	8.71	15	
2-Hexanone	23.6	5.0	25	0	94.4	60.9	130	21.87	7.61	11.6	
4-Methyl-2-pentanone	24.37	5.0	25	0	97.5	49.2	122	22.79	6.70	11.9	
Acetone	17.89	5.0	25	0	71.6	54.7	134	17.06	4.75	10.6	
Benzene	26.41	1.0	25	0	106	69.6	129	24.46	7.67	18.4	
Bromochloromethane	23.49	1.0	25	0	94	68.1	125	22.76	3.16	20	
Bromodichloromethane	26.21	1.0	25	0	105	75.7	125	24.04	8.64	25.6	
Bromoform	23.69	1.0	25	0	94.8	72.7	120	22.48	5.24	12	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246636

msd	SeqNo: 4059601	TestNo: SW8260C	RunNo: 246636
	Samp ID: 250602010-016a (MW18-11B)	Units: µg/L	Analysis Date: 6/11/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Bromomethane	27.8	1.0	25	0	111	54.7	140	27.34	1.67	16.9	
Carbon disulfide	28.97	1.0	25	0	116	63.8	120	26.81	7.74	13.1	
Carbon tetrachloride	33.13	1.0	25	0	133	74.1	143	30.69	7.65	20.3	
Chlorobenzene	24.46	1.0	25	0	97.8	73.5	129	23.25	5.07	19.6	
Chloroethane	24.7	1.0	25	0	98.8	68	141	27.18	9.56	27.8	
Chloroform	23.5	1.0	25	0	94	72.6	128	21.72	7.87	20.3	
Chloromethane	25.72	1.0	25	0	103	52.3	124	24.73	3.92	18.4	
cis-1,2-Dichloroethene	25.29	1.0	25	0	101	65	133	23.62	6.83	11.3	
cis-1,3-Dichloropropene	26.03	1.0	25	0	104	71	122	24.73	5.12	21.5	
Cyclohexane	38.28	1.0	25	0	153	70.4	127	36.13	5.78	19.1	S
Dibromochloromethane	25.22	1.0	25	0	101	69.4	125	23.27	8.04	18.8	
Dichlorodifluoromethane	23.06	1.0	25	0	92.2	41.6	130	23.75	2.95	27.3	
Ethylbenzene	25.73	1.0	25	0	103	65.1	121	24.58	4.57	16.3	
Isopropylbenzene	26.94	1.0	25	0	108	66.2	129	25.8	4.32	20	
m,p-Xylene	52.87	1.0	50	0	106	72.6	124	50.04	5.50	16.1	
Methyl Acetate	19.84	1.0	25	0	79.4	56.6	116	19.86	0.101	15	
Methyl Cyclohexane	32.73	1.0	25	0	131	60.2	118	30.23	7.94	25.4	S
Methyl tert-butyl ether	50.25	1.0	50	0	101	66.2	108	47.27	6.11	17.9	
Methylene chloride	24.17	1.0	25	0	96.7	62.3	113	22.3	8.05	21.4	
o-Xylene	25.66	1.0	25	0	103	70	122	23.6	8.36	13	
Styrene	23.24	1.0	25	0	93	63.8	112	21.85	6.17	21.4	
Tetrachloroethene	27.47	1.0	25	0	110	74	122	25.56	7.20	20.9	
Toluene	25.82	1.0	25	0	103	73.6	119	23.55	9.20	19.4	
trans-1,2-Dichloroethene	26.32	1.0	25	0	105	66.7	119	24.36	7.73	16.1	
trans-1,3-Dichloropropene	26.64	1.0	25	0	107	67.8	105	24.58	8.04	20.3	S
Trichloroethene	26.46	1.0	25	0	106	72.1	129	24.41	8.06	16.6	
Trichlorofluoromethane	30.12	1.0	25	0	120	67	145	31.73	5.21	22.8	
Vinyl chloride	27.46	1.0	25	0	110	57.5	139	27.65	0.690	20.5	
Surr: 1,2-Dichloroethane-d4	50.57	1.0	50	0	101	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	49.24	1.0	50	0	98.5	74.1	124	0	0	0	
Surr: Toluene-d8	52.16	1.0	50	0	104	79.6	115	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

mbk	SeqNo: 4056887	TestNo: SW8260C	RunNo: 246788
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/9/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
1,4-Dioxane	ND	50									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	0.50									
Bromochloromethane	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon disulfide	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
cis-1,2-Dichloroethene	ND	0.50									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

mblk	SeqNo: 4056887	TestNo: SW8260C	RunNo: 246788
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/9/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,3-Dichloropropene	ND	0.50									
Cyclohexane	ND	0.50									
Dibromochloromethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	0.50									
Methyl Acetate	ND	0.50									
Methyl Cyclohexane	ND	0.50									
Methyl tert-butyl ether	ND	0.50									
Methylene chloride	ND	0.50									
o-Xylene	ND	0.50									
Styrene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
trans-1,3-Dichloropropene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	50.41	0.50	50	0	101	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	50.65	0.50	50	0	101	74.1	124	0	0		
Surr: Toluene-d8	49.85	0.50	50	0	99.7	79.6	115	0	0		

mblk	SeqNo: 4057930	TestNo: SW8260C	RunNo: 246788
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

mbk	SeqNo: 4057930	TestNo: SW8260C	RunNo: 246788
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

mbk	SeqNo: 4057930	TestNo: SW8260C	RunNo: 246788
	Samp ID: vblk	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	50.38	1.0	50	0	101	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	52.03	1.0	50	0	104	74.1	124	0	0		
Surr: Toluene-d8	50.07	1.0	50	0	100	79.6	115	0	0		

LCS	SeqNo: 4057956	TestNo: SW8260C	RunNo: 246788
	Samp ID: ccv	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Bromochloromethane	28.39	1.0	25	0	114	59.7	140	0	0		
Chloromethane	19.23	1.0	25	0	76.9	46.7	123	0	0		
Bromomethane	20.2	1.0	25	0	80.8	64	120	0	0		
Vinyl chloride	19.68	1.0	25	0	78.7	63	137	0	0		
Chloroethane	23.11	1.0	25	0	92.4	56.8	139	0	0		
Methylene chloride	25.86	1.0	25	0	103	62.1	127	0	0		
Acetone	23.3	5.0	25	0	93.2	59.8	139	0	0		
Carbon disulfide	25.59	1.0	25	0	102	62	134	0	0		
1,1-Dichloroethene	24.95	1.0	25	0	99.8	68.1	134	0	0		
1,1-Dichloroethane	24.9	1.0	25	0	99.6	73.8	127	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

LCS	SeqNo: 4057956	TestNo: SW8260C	RunNo: 246788
	Samp ID: ccv	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
trans-1,2-Dichloroethene	24.85	1.0	25	0	99.4	72.1	127		0	0	
cis-1,2-Dichloroethene	25.36	1.0	25	0	101	71.5	128		0	0	
Chloroform	25.68	1.0	25	0	103	74.1	122		0	0	
1,2-Dichloroethane	26.77	1.0	25	0	107	73.9	124		0	0	
2-Butanone	27.51	5.0	25	0	110	63.4	129		0	0	
1,1,1-Trichloroethane	24.01	1.0	25	0	96	74.5	124		0	0	
Carbon tetrachloride	23.57	1.0	25	0	94.3	71.4	130		0	0	
Bromodichloromethane	26.37	1.0	25	0	105	73.6	127		0	0	
1,2-Dichloropropane	26.34	1.0	25	0	105	72	125		0	0	
cis-1,3-Dichloropropene	26.58	1.0	25	0	106	67	128		0	0	
Trichloroethene	25.11	1.0	25	0	100	71.3	124		0	0	
Dibromochloromethane	27.89	1.0	25	0	112	70.6	124		0	0	
1,1,2-Trichloroethane	27.32	1.0	25	0	109	74.3	124		0	0	
Benzene	25.16	1.0	25	0	101	71.6	120		0	0	
trans-1,3-Dichloropropene	27.7	1.0	25	0	111	70.9	126		0	0	
Bromoform	26.83	1.0	25	0	107	65.8	120		0	0	
4-Methyl-2-pentanone	24.67	5.0	25	0	98.7	68.2	126		0	0	
2-Hexanone	25.44	5.0	25	0	102	65	137		0	0	
Tetrachloroethene	23.37	1.0	25	0	93.5	71.8	129		0	0	
1,1,2,2-Tetrachloroethane	27.47	1.0	25	0	110	72.1	126		0	0	
Toluene	24.89	1.0	25	0	99.6	74	127		0	0	
Chlorobenzene	25.36	1.0	25	0	101	69.8	125		0	0	
Ethylbenzene	25.02	1.0	25	0	100	74.2	127		0	0	
Styrene	26.51	1.0	25	0	106	70	126		0	0	
m,p-Xylene	48.17	1.0	50	0	96.3	69.7	129		0	0	
o-Xylene	24.86	1.0	25	0	99.4	72.7	131		0	0	
Methyl tert-butyl ether	49.69	1.0	50	0	99.4	70.2	125		0	0	
Dichlorodifluoromethane	12.53	1.0	25	0	50.1	52	116		0	0	S
Methyl Acetate	23.56	1.0	25	0	94.2	66.5	131		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	24.81	1.0	25	0	99.2	67.5	132		0	0	
Trichlorofluoromethane	20.73	1.0	25	0	82.9	63	140		0	0	
Cyclohexane	27.74	1.0	25	0	111	72.6	130		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

LCS	SeqNo: 4057956	TestNo: SW8260C	RunNo: 246788
	Samp ID: ccv	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methyl Cyclohexane	21.46	1.0	25	0	85.8	70	127		0	0	
1,2-Dibromoethane	26.71	1.0	25	0	107	73.6	122		0	0	
1,3-Dichlorobenzene	26.01	1.0	25	0	104	71.1	123		0	0	
Isopropylbenzene	23.73	1.0	25	0	94.9	72.4	128		0	0	
1,2-Dichlorobenzene	25.64	1.0	25	0	103	73.1	123		0	0	
1,4-Dichlorobenzene	26.01	1.0	25	0	104	72.5	120		0	0	
1,2-Dibromo-3-chloropropane	26.9	1.0	25	0	108	72.6	126		0	0	
1,2,4-Trichlorobenzene	24.6	1.0	25	0	98.4	74	126		0	0	
1,4-Dioxane	401.2	100	500	0	80.2	70	130		0	0	
1,2,3-Trichlorobenzene	24.65	1.0	25	0	98.6	71.4	130		0	0	
Surr: 1,2-Dichloroethane-d4	48.77	1.0	50	0	97.5	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	48.9	1.0	50	0	97.8	74.1	124		0	0	
Surr: Toluene-d8	49.97	1.0	50	0	99.9	79.6	115		0	0	

Ics	SeqNo: 4058367	TestNo: SW8260C	RunNo: 246788
	Samp ID: Ics	Units: µg/L	Analysis Date: 6/9/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	28.79	1.0	25	0	115	74.5	124		0	0	
1,1,2,2-Tetrachloroethane	28.35	1.0	25	0	113	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	30.62	1.0	25	0	122	67.5	132		0	0	
1,1,2-Trichloroethane	28.42	1.0	25	0	114	74.3	124		0	0	
1,1-Dichloroethane	28.8	1.0	25	0	115	73.8	127		0	0	
1,1-Dichloroethene	31.96	1.0	25	0	128	68.1	134		0	0	
1,2,3-Trichlorobenzene	28.11	1.0	25	0	112	71.4	130		0	0	
1,2,4-Trichlorobenzene	27.88	1.0	25	0	112	74	126		0	0	
1,2-Dibromo-3-chloropropane	31.18	1.0	25	0	125	72.6	126		0	0	
1,2-Dibromoethane	30.53	1.0	25	0	122	73.6	122		0	0	S
1,2-Dichlorobenzene	27.5	1.0	25	0	110	73.1	123		0	0	
1,2-Dichloroethane	28.27	1.0	25	0	113	73.9	124		0	0	
1,2-Dichloropropane	28.42	1.0	25	0	114	72	125		0	0	
1,3-Dichlorobenzene	29	1.0	25	0	116	71.1	123		0	0	
1,4-Dichlorobenzene	29	1.0	25	0	116	72.5	120		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

ICS	SeqNo: 4058367	TestNo: SW8260C	RunNo: 246788
	Samp ID: ics	Units: µg/L	Analysis Date: 6/9/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dioxane	485.7	100	500	0	97.1	70	130		0	0	
2-Butanone	31.65	5.0	25	0	127	63.4	129		0	0	
2-Hexanone	29.12	5.0	25	0	116	65	137		0	0	
4-Methyl-2-pentanone	27.7	5.0	25	0	111	68.2	126		0	0	
Acetone	18.19	5.0	25	0	72.8	59.8	139		0	0	
Benzene	27.98	1.0	25	0	112	71.6	120		0	0	
Bromochloromethane	33.05	1.0	25	0	132	59.7	140		0	0	
Bromodichloromethane	28.61	1.0	25	0	114	73.6	127		0	0	
Bromoform	30.1	1.0	25	0	120	65.8	120		0	0	S
Bromomethane	21.26	1.0	25	0	85	64	120		0	0	
Carbon disulfide	31.43	1.0	25	0	126	62	134		0	0	
Carbon tetrachloride	29.35	1.0	25	0	117	71.4	130		0	0	
Chlorobenzene	28.09	1.0	25	0	112	69.8	125		0	0	
Chloroethane	24.75	1.0	25	0	99	56.8	139		0	0	
Chloroform	28.77	1.0	25	0	115	74.1	122		0	0	
Chloromethane	21.07	1.0	25	0	84.3	46.7	123		0	0	
cis-1,2-Dichloroethene	29.04	1.0	25	0	116	71.5	128		0	0	
cis-1,3-Dichloropropene	29.04	1.0	25	0	116	67	128		0	0	
Cyclohexane	34.36	1.0	25	0	137	72.6	130		0	0	S
Dibromochloromethane	30.74	1.0	25	0	123	70.6	124		0	0	
Dichlorodifluoromethane	18.64	1.0	25	0	74.6	52	116		0	0	
Ethylbenzene	27.89	1.0	25	0	112	74.2	127		0	0	
Isopropylbenzene	27.12	1.0	25	0	108	72.4	128		0	0	
m,p-Xylene	53.35	1.0	50	0	107	69.7	129		0	0	
Methyl Acetate	28.35	1.0	25	0	113	66.5	131		0	0	
Methyl Cyclohexane	26.45	1.0	25	0	106	70	127		0	0	
Methyl tert-butyl ether	56.95	1.0	50	0	114	70.2	125		0	0	
Methylene chloride	22.71	1.0	25	0	90.8	62.1	127		0	0	
o-Xylene	27.26	1.0	25	0	109	72.7	131		0	0	
Styrene	28.88	1.0	25	0	116	70	126		0	0	
Tetrachloroethene	29.04	1.0	25	0	116	71.8	129		0	0	
Toluene	28.26	1.0	25	0	113	74	127		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

ics	SeqNo: 4058367	TestNo: SW8260C	RunNo: 246788
	Samp ID: ics	Units: µg/L	Analysis Date: 6/9/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
trans-1,2-Dichloroethene	30.73	1.0	25	0	123	72.1	127		0	0	
trans-1,3-Dichloropropene	28.79	1.0	25	0	115	70.9	126		0	0	
Trichloroethene	30.93	1.0	25	0	124	71.3	124		0	0	
Trichlorofluoromethane	28.77	1.0	25	0	115	63	140		0	0	
Vinyl chloride	23.86	1.0	25	0	95.4	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	47.9	1.0	50	0	95.8	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	47.12	1.0	50	0	94.2	74.1	124		0	0	
Surr: Toluene-d8	48.59	1.0	50	0	97.2	79.6	115		0	0	

ms	SeqNo: 4058353	TestNo: SW8260C	RunNo: 246788
	Samp ID: 250602010-023a (MW18-13C)	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	1470	50	1250	0	118	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	1427	50	1250	0	114	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	1486	50	1250	0	119	65.5	128		0	0	
1,1,2-Trichloroethane	1441	50	1250	0	115	68.3	131		0	0	
1,1-Dichloroethane	1498	50	1250	0	120	69.4	128		0	0	
1,1-Dichloroethene	1584	50	1250	0	127	63.4	134		0	0	
1,2,3-Trichlorobenzene	1333	50	1250	0	107	63.6	134		0	0	
1,2,4-Trichlorobenzene	1348	50	1250	0	108	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	1481	50	1250	0	118	67.4	121		0	0	
1,2-Dibromoethane	1466	50	1250	0	117	70.1	123		0	0	
1,2-Dichlorobenzene	1386	50	1250	0	111	68	130		0	0	
1,2-Dichloroethane	1510	50	1250	0	121	70.8	129		0	0	
1,2-Dichloropropane	1448	50	1250	0	116	69	125		0	0	
1,3-Dichlorobenzene	1394	50	1250	0	111	73.6	124		0	0	
1,4-Dichlorobenzene	1394	50	1250	0	111	73.4	123		0	0	
1,4-Dioxane	21190	5000	25000	0	84.8	75	125		0	0	
2-Butanone	1556	250	1250	0	124	58.6	113		0	0	S
2-Hexanone	1439	250	1250	0	115	60.9	130		0	0	
4-Methyl-2-pentanone	1390	250	1250	0	111	49.2	122		0	0	
Acetone	1346	250	1250	0	108	54.7	134		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

ms	SeqNo: 4058353	TestNo: SW8260C	RunNo: 246788
	Samp ID: 250602010-023a (MW18-13C)	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Benzene	1462	50	1250	0	117	69.6	129		0	0	
Bromochloromethane	1560	50	1250	0	125	68.1	125		0	0	
Bromodichloromethane	1438	50	1250	0	115	75.7	125		0	0	
Bromoform	1414	50	1250	0	113	72.7	120		0	0	
Bromomethane	1196	50	1250	0	95.7	54.7	140		0	0	
Carbon disulfide	1582	50	1250	0	127	63.8	120		0	0	S
Carbon tetrachloride	1427	50	1250	0	114	74.1	143		0	0	
Chlorobenzene	1388	50	1250	0	111	73.5	129		0	0	
Chloroethane	1340	50	1250	0	107	68	141		0	0	
Chloroform	1492	50	1250	0	119	72.6	128		0	0	
Chloromethane	1048	50	1250	0	83.8	52.3	124		0	0	
cis-1,2-Dichloroethene	7474	50	1250	4160	265	65	133		0	0	S
cis-1,3-Dichloropropene	1446	50	1250	0	116	71	122		0	0	
Cyclohexane	1670	50	1250	0	134	70.4	127		0	0	S
Dibromochloromethane	1440	50	1250	0	115	69.4	125		0	0	
Dichlorodifluoromethane	726.5	50	1250	0	58.1	41.6	130		0	0	
Ethylbenzene	1373	50	1250	0	110	65.1	121		0	0	
Isopropylbenzene	1330	50	1250	0	106	66.2	129		0	0	
m,p-Xylene	2702	50	2500	0	108	72.6	124		0	0	
Methyl Acetate	1366	50	1250	0	109	56.6	116		0	0	
Methyl Cyclohexane	1326	50	1250	0	106	60.2	118		0	0	
Methyl tert-butyl ether	2796	50	2500	0	112	66.2	108		0	0	S
Methylene chloride	1452	50	1250	72	110	62.3	113		0	0	
o-Xylene	1372	50	1250	0	110	70	122		0	0	
Styrene	1423	50	1250	0	114	63.8	112		0	0	S
Tetrachloroethene	1348	50	1250	0	108	74	122		0	0	
Toluene	1433	50	1250	0	115	73.6	119		0	0	
trans-1,2-Dichloroethene	1536	50	1250	0	123	66.7	119		0	0	S
trans-1,3-Dichloropropene	1472	50	1250	0	118	67.8	105		0	0	S
Trichloroethene	1478	50	1250	0	118	72.1	129		0	0	
Trichlorofluoromethane	1404	50	1250	0	112	67	145		0	0	
Vinyl chloride	3781	50	1250	1910	150	57.5	139		0	0	S

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

ms	SeqNo: 4058353	TestNo: SW8260C	RunNo: 246788
	Samp ID: 250602010-023a (MW18-13C)	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	2442	50	2500	0	97.7	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	2408	50	2500	0	96.3	74.1	124	0	0		
Surr: Toluene-d8	2448	50	2500	0	97.9	79.6	115	0	0		

msd	SeqNo: 4058614	TestNo: SW8260C	RunNo: 246788
	Samp ID: 250602010-023a (MW18-13C)	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	1449	50	1250	0	116	74.1	131	1470	1.47	20.4	
1,1,2,2-Tetrachloroethane	1449	50	1250	0	116	68.1	133	1427	1.53	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	1452	50	1250	0	116	65.5	128	1486	2.32	20	
1,1,2-Trichloroethane	1434	50	1250	0	115	68.3	131	1441	0.452	20	
1,1-Dichloroethane	1477	50	1250	0	118	69.4	128	1498	1.45	19.2	
1,1-Dichloroethene	1556	50	1250	0	124	63.4	134	1584	1.81	16.1	
1,2,3-Trichlorobenzene	1368	50	1250	0	109	63.6	134	1333	2.63	20	
1,2,4-Trichlorobenzene	1348	50	1250	0	108	63.4	134	1348	0.0371	20	
1,2-Dibromo-3-chloropropane	1438	50	1250	0	115	67.4	121	1481	2.98	20.6	
1,2-Dibromoethane	1475	50	1250	0	118	70.1	123	1466	0.646	18.7	
1,2-Dichlorobenzene	1396	50	1250	0	112	68	130	1386	0.719	17.9	
1,2-Dichloroethane	1508	50	1250	0	121	70.8	129	1510	0.133	15.6	
1,2-Dichloropropane	1436	50	1250	0	115	69	125	1448	0.902	21.8	
1,3-Dichlorobenzene	1420	50	1250	0	114	73.6	124	1394	1.92	14.3	
1,4-Dichlorobenzene	1420	50	1250	0	114	73.4	123	1394	1.92	14.4	
1,4-Dioxane	30770	5000	25000	0	123	75	125	21190	36.8	30	Z
2-Butanone	1527	250	1250	0	122	58.6	113	1556	1.85	15	S
2-Hexanone	1423	250	1250	0	114	60.9	130	1439	1.12	11.6	
4-Methyl-2-pentanone	1372	250	1250	0	110	49.2	122	1390	1.34	11.9	
Acetone	1302	250	1250	0	104	54.7	134	1346	3.32	10.6	
Benzene	1472	50	1250	0	118	69.6	129	1462	0.716	18.4	
Bromochloromethane	1544	50	1250	0	124	68.1	125	1560	1.06	20	
Bromodichloromethane	1431	50	1250	0	114	75.7	125	1438	0.453	25.6	
Bromoform	1393	50	1250	0	111	72.7	120	1414	1.46	12	
Bromomethane	1156	50	1250	0	92.5	54.7	140	1196	3.36	16.9	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250602010
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R246788

msd	SeqNo: 4058614	TestNo: SW8260C	RunNo: 246788
	Samp ID: 250602010-023a (MW18-13C)	Units: µg/L	Analysis Date: 6/10/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Carbon disulfide	1517	50	1250	0	121	63.8	120	1582	4.23	13.1	S
Carbon tetrachloride	1438	50	1250	0	115	74.1	143	1427	0.803	20.3	
Chlorobenzene	1378	50	1250	0	110	73.5	129	1388	0.723	19.6	
Chloroethane	1374	50	1250	0	110	68	141	1340	2.51	27.8	
Chloroform	1524	50	1250	0	122	72.6	128	1492	2.19	20.3	
Chloromethane	1031	50	1250	0	82.5	52.3	124	1048	1.59	18.4	
cis-1,2-Dichloroethene	6762	50	1250	4160	208	65	133	7474	9.99	11.3	S
cis-1,3-Dichloropropene	1422	50	1250	0	114	71	122	1446	1.71	21.5	
Cyclohexane	1687	50	1250	0	135	70.4	127	1670	0.983	19.1	S
Dibromochloromethane	1434	50	1250	0	115	69.4	125	1440	0.383	18.8	
Dichlorodifluoromethane	642.5	50	1250	0	51.4	41.6	130	726.5	12.3	27.3	
Ethylbenzene	1402	50	1250	0	112	65.1	121	1373	2.13	16.3	
Isopropylbenzene	1351	50	1250	0	108	66.2	129	1330	1.53	20	
m,p-Xylene	2734	50	2500	0	109	72.6	124	2702	1.18	16.1	
Methyl Acetate	1342	50	1250	0	107	56.6	116	1366	1.81	15	
Methyl Cyclohexane	1302	50	1250	0	104	60.2	118	1326	1.83	25.4	
Methyl tert-butyl ether	2706	50	2500	0	108	66.2	108	2796	3.25	17.9	S
Methylene chloride	1440	50	1250	72	109	62.3	113	1452	0.761	21.4	
o-Xylene	1356	50	1250	0	109	70	122	1372	1.17	13	
Styrene	1440	50	1250	0	115	63.8	112	1423	1.15	21.4	S
Tetrachloroethene	1373	50	1250	0	110	74	122	1348	1.84	20.9	
Toluene	1446	50	1250	0	116	73.6	119	1433	0.938	19.4	
trans-1,2-Dichloroethene	1502	50	1250	0	120	66.7	119	1536	2.24	16.1	S
trans-1,3-Dichloropropene	1422	50	1250	0	114	67.8	105	1472	3.46	20.3	S
Trichloroethene	1518	50	1250	0	121	72.1	129	1478	2.64	16.6	
Trichlorofluoromethane	1212	50	1250	0	97	67	145	1404	14.6	22.8	
Vinyl chloride	3379	50	1250	1910	118	57.5	139	3781	11.2	20.5	
Surr: 1,2-Dichloroethane-d4	2470	50	2500	0	98.8	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	2372	50	2500	0	94.9	74.1	124	0	0	0	
Surr: Toluene-d8	2492	50	2500	0	99.7	79.6	115	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

QC Batch Summary Report

Batch: R246636

Analyst: DZ

SampID	SampType	DF	TestName:	Analysis Date/Time:
bfb	tune	1	EPA-8260	5/29/2025 7:41:00 PM
std001	ical	1	EPA-8260	5/29/2025 8:47:00 PM
std002.5	ical	1	EPA-8260	5/29/2025 9:10:00 PM
std005	ical	1	EPA-8260	5/29/2025 9:31:00 PM
std010	ical	1	EPA-8260	5/29/2025 9:52:00 PM
std025	ical	1	EPA-8260	5/29/2025 10:15:00 PM
std050	ical	1	EPA-8260	5/29/2025 10:36:00 PM
std100	ical	1	EPA-8260	5/29/2025 10:58:00 PM
std200	ical	1	EPA-8260	5/29/2025 11:19:00 PM
BFB	tune	1	EPA-8260	6/4/2025 5:06:00 PM
ccv	ccv	1	EPA-8260	6/4/2025 5:48:00 PM
lcs	lcs	1	EPA-8260	6/4/2025 6:09:00 PM
vblk	mblk	1	EPA-8260	6/4/2025 6:30:00 PM
250602010-002a	samp	1	EPA-8260	6/4/2025 6:51:00 PM
250602010-035a	samp	1	EPA-8260	6/4/2025 7:12:00 PM
250602010-036a	samp	1	EPA-8260	6/4/2025 7:33:00 PM
250602010-044a	samp	1	EPA-8260	6/4/2025 7:54:00 PM
250602010-004a	samp	1	EPA-8260	6/4/2025 8:15:00 PM
250602010-005a	samp	1	EPA-8260	6/4/2025 8:36:00 PM
250602010-008a	samp	1	EPA-8260	6/4/2025 8:57:00 PM
250602010-028a	samp	1	EPA-8260	6/4/2025 9:18:00 PM
250602010-030a	samp	1	EPA-8260	6/4/2025 9:39:00 PM
250602010-031a	samp	1	EPA-8260	6/4/2025 10:00:00 PM
250602010-039a	samp	1	EPA-8260	6/4/2025 10:21:00 PM
250602010-043a	samp	1	EPA-8260	6/4/2025 10:42:00 PM
250602010-001a	samp	1	EPA-8260	6/4/2025 11:03:00 PM

SampID	SampType	DF	TestName:	Analysis Date/Time:
250602010-007A	samp	1	EPA-8260	6/4/2025 11:24:00 PM
BFB	tune	1	EPA-8260	6/11/2025 8:45:00 AM
lcs	lcs	1	EPA-8260	6/11/2025 9:06:00 AM
ccv	ccv	1	EPA-8260	6/11/2025 9:27:00 AM
MB	mblk	1	EPA-8260	6/11/2025 9:53:00 AM
250602010-016a	samp	1	EPA-8260	6/11/2025 3:31:00 PM
250602010-016ams	ms	1	EPA-8260	6/11/2025 3:52:00 PM
250602010-016amsd	msd	1	EPA-8260	6/11/2025 4:13:00 PM
250602010-033a	samp	1	EPA-8260	6/11/2025 4:34:00 PM
250602010-034a	samp	1	EPA-8260	6/11/2025 4:55:00 PM
250602010-026a	samp	1	EPA-8260	6/11/2025 5:16:00 PM
250602010-038a	samp	1	EPA-8260	6/11/2025 5:37:00 PM
250602010-022a	samp	25	EPA-8260	6/11/2025 5:59:00 PM
250602010-021a	samp	100	EPA-8260	6/11/2025 6:21:00 PM

QC Batch Summary Report

Batch: R246788

Analyst: DZ

SampID	SampType	DF	TestName:	Analysis Date/Time:
bfb@50	tune	1	EPA-8260	6/5/2025 9:37:00 AM
vstd002.5	ical	1	EPA-8260	6/5/2025 11:29:00 AM
vstd005	ical	1	EPA-8260	6/5/2025 11:49:00 AM
vstd010	ical	1	EPA-8260	6/5/2025 12:09:00 PM
vstd001	ical	1	EPA-8260	6/5/2025 12:55:00 PM
vstd025	ical	1	EPA-8260	6/5/2025 2:24:00 PM
vstd050	ical	1	EPA-8260	6/5/2025 2:43:00 PM
vstd100	ical	1	EPA-8260	6/5/2025 3:06:00 PM
vstd200	ical	1	EPA-8260	6/5/2025 3:25:00 PM
BFB	tune	1	EPA-8260	6/9/2025 8:46:00 AM
ccv	ccv	1	EPA-8260	6/9/2025 9:05:00 AM
lcs	lcs	1	EPA-8260	6/9/2025 9:25:00 AM
vblk	mblk	1	EPA-8260	6/9/2025 10:07:00 AM
250602010-017a	samp	1	EPA-8260	6/9/2025 12:50:00 PM
250602010-018a	samp	1	EPA-8260	6/9/2025 1:10:00 PM
250602010-037a	samp	1	EPA-8260	6/9/2025 3:09:00 PM
250602010-013a	samp	1	EPA-8260	6/9/2025 3:48:00 PM
250602010-011a	samp	10	EPA-8260	6/9/2025 4:10:00 PM
BFB	tune	1	EPA-8260	6/10/2025 9:21:00 AM
ccv	LCS	1	EPA-8260	6/10/2025 10:50:00 AM
ccv	ccv	1	EPA-8260	6/10/2025 10:50:00 AM
vblk	mblk	1	EPA-8260	6/10/2025 11:49:00 AM
250602010-023a	samp	50	EPA-8260	6/10/2025 12:11:00 PM
250602010-024a	samp	50	EPA-8260	6/10/2025 12:33:00 PM
250602010-010a	samp	50	EPA-8260	6/10/2025 12:55:00 PM
250602010-029a	samp	1	EPA-8260	6/10/2025 1:35:00 PM

SampID	SampType	DF	TestName:	Analysis Date/Time:
250602010-040a	samp	1	EPA-8260	6/10/2025 1:55:00 PM
250602010-003a	samp	1	EPA-8260	6/10/2025 2:14:00 PM
250602010-006a	samp	1	EPA-8260	6/10/2025 2:34:00 PM
250602010-023ams	ms	50	EPA-8260	6/10/2025 3:14:00 PM
250602010-025a	samp	1	EPA-8260	6/10/2025 4:12:00 PM
250602010-009a	samp	2	EPA-8260	6/10/2025 4:34:00 PM
250602010-012a	samp	1	EPA-8260	6/10/2025 4:54:00 PM
250602010-014a	samp	1	EPA-8260	6/10/2025 5:14:00 PM
250602010-015a	samp	1	EPA-8260	6/10/2025 5:34:00 PM
250602010-019a	samp	1	EPA-8260	6/10/2025 5:53:00 PM
250602010-041a	samp	1	EPA-8260	6/10/2025 7:17:00 PM
250602010-042a	samp	1	EPA-8260	6/10/2025 7:39:00 PM
250602010-027a	samp	1	EPA-8260	6/10/2025 8:01:00 PM
250602010-020a	samp	1	EPA-8260	6/10/2025 8:23:00 PM
250602010-023amsd	msd	50	EPA-8260	6/10/2025 8:43:00 PM

Client: Central Hudson Gas & Electric
WorkOrder 250602010
Project: Little Britain Road Site
Test: VCLP-LOW

Internal Standard
Summary Report

Batch: R246636

SampID	Analysis Time	1,4-Dichlorobenzene-d4		1,4-Difluorobenzene		Chlorobenzene-d5		Fluorobenzene	
ccv	6/4/2025 5:48:00 PM	207139	RT: 11.8	0	RT: 0	298751	RT: 9.67	374029	RT: 5.84
lcs	6/4/2025 6:09:00 PM	202602	RT: 11.8			293602	RT: 9.68	381314	RT: 5.84
vblk	6/4/2025 6:30:00 PM	188688	RT: 11.8			301188	RT: 9.68	378985	RT: 5.84
250602010-002A	6/4/2025 6:51:00 PM	182496	RT: 11.8			291823	RT: 9.68	369750	RT: 5.84
250602010-035A	6/4/2025 7:12:00 PM	182562	RT: 11.8			289261	RT: 9.68	368534	RT: 5.84
250602010-036A	6/4/2025 7:33:00 PM	179560	RT: 11.8			292218	RT: 9.68	362617	RT: 5.84
250602010-044A	6/4/2025 7:54:00 PM	182368	RT: 11.8			283439	RT: 9.68	359877	RT: 5.84
250602010-004A	6/4/2025 8:15:00 PM	177037	RT: 11.8			286020	RT: 9.67	356379	RT: 5.84
250602010-005A	6/4/2025 8:36:00 PM	176191	RT: 11.8			276494	RT: 9.67	358142	RT: 5.84
250602010-008A	6/4/2025 8:57:00 PM	174354	RT: 11.8			284081	RT: 9.68	355250	RT: 5.84
250602010-028A	6/4/2025 9:18:00 PM	175980	RT: 11.8			284462	RT: 9.67	352934	RT: 5.84
250602010-030A	6/4/2025 9:39:00 PM	177314	RT: 11.8			281008	RT: 9.68	355802	RT: 5.84
250602010-031A	6/4/2025 10:00:00 PM	169384	RT: 11.8			277684	RT: 9.67	344825	RT: 5.84
250602010-039A	6/4/2025 10:21:00 PM	174164	RT: 11.8			281434	RT: 9.68	350108	RT: 5.84
250602010-043A	6/4/2025 10:42:00 PM	171541	RT: 11.8			273150	RT: 9.68	345067	RT: 5.84
250602010-001A	6/4/2025 11:03:00 PM	171962	RT: 11.8			277069	RT: 9.67	342248	RT: 5.84
250602010-007A	6/4/2025 11:24:00 PM	170053	RT: 11.8			274088	RT: 9.67	347555	RT: 5.84
ccv	6/9/2025 9:05:00 AM	227838	RT: 11.86	0	RT: 0	410294	RT: 9.74	606957	RT: 5.9
lcs	6/9/2025 9:25:00 AM	224761	RT: 11.86			400172	RT: 9.74	591064	RT: 5.9
vblk	6/9/2025 10:07:00 AM	214227	RT: 11.86			409365	RT: 9.74	617481	RT: 5.9
250602010-017A	6/9/2025 12:50:00 PM	191721	RT: 11.86			369891	RT: 9.74	567613	RT: 5.9
250602010-018A	6/9/2025 1:10:00 PM	192573	RT: 11.86			376178	RT: 9.74	570115	RT: 5.9
250602010-037A	6/9/2025 3:09:00 PM	144059	RT: 11.86			278390	RT: 9.74	433855	RT: 5.9

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
250602010-013A	6/9/2025 3:48:00 PM	176549 RT: 11.86		345047 RT: 9.74	521776 RT: 5.9
250602010-011A	6/9/2025 4:10:00 PM	180633 RT: 11.86		336061 RT: 9.74	518638 RT: 5.9
ccv	6/10/2025 10:50:00 AM	205901 RT: 11.86	0 RT: 0	370617 RT: 9.74	562491 RT: 5.9
ccv	6/10/2025 10:50:00 AM	205901 RT: 11.86		370617 RT: 9.74	562491 RT: 5.9
vblk	6/10/2025 11:49:00 AM	166261 RT: 11.86		325102 RT: 9.74	503223 RT: 5.9
250602010-023A	6/10/2025 12:11:00 PM	186985 RT: 11.86		363136 RT: 9.74	551186 RT: 5.9
250602010-024A	6/10/2025 12:33:00 PM	178412 RT: 11.86		347922 RT: 9.74	534553 RT: 5.9
250602010-010A	6/10/2025 12:55:00 PM	178029 RT: 11.86		348789 RT: 9.74	529266 RT: 5.9
250602010-029A	6/10/2025 1:35:00 PM	164039 RT: 11.86		322563 RT: 9.74	486051 RT: 5.9
250602010-040A	6/10/2025 1:55:00 PM	163877 RT: 11.86		322322 RT: 9.74	479699 RT: 5.9
250602010-003A	6/10/2025 2:14:00 PM	161348 RT: 11.86		311401 RT: 9.74	469814 RT: 5.9
250602010-006A	6/10/2025 2:34:00 PM	170582 RT: 11.86		329608 RT: 9.74	491888 RT: 5.9
250602010-023ams	6/10/2025 3:14:00 PM	199572 RT: 11.86		349329 RT: 9.74	520879 RT: 5.9
250602010-025A	6/10/2025 4:12:00 PM	156449 RT: 11.86		305633 RT: 9.74	460034 RT: 5.9
250602010-009A	6/10/2025 4:34:00 PM	164418 RT: 11.86		310193 RT: 9.74	461715 RT: 5.9
250602010-012A	6/10/2025 4:54:00 PM	168219 RT: 11.86		314845 RT: 9.74	472465 RT: 5.9
250602010-014A	6/10/2025 5:14:00 PM	168325 RT: 11.86		329115 RT: 9.74	495285 RT: 5.9
250602010-015A	6/10/2025 5:34:00 PM	170199 RT: 11.86		329078 RT: 9.74	495500 RT: 5.9
250602010-019A	6/10/2025 5:53:00 PM	167829 RT: 11.86		318431 RT: 9.74	473257 RT: 5.9
250602010-041A	6/10/2025 7:17:00 PM	155556 RT: 11.86		298072 RT: 9.74	445366 RT: 5.9
250602010-042A	6/10/2025 7:39:00 PM	147367 RT: 11.86		278871 RT: 9.74	419220 RT: 5.9
250602010-027A	6/10/2025 8:01:00 PM	159386 RT: 11.86		308786 RT: 9.74	457827 RT: 5.9
250602010-020A	6/10/2025 8:23:00 PM	164280 RT: 11.86		307782 RT: 9.74	449928 RT: 5.9
250602010-023amsd	6/10/2025 8:43:00 PM	183181 RT: 11.86		319496 RT: 9.74	475879 RT: 5.9
lcs	6/11/2025 9:06:00 AM	175557 RT: 11.8		248425 RT: 9.68	337631 RT: 5.84
ccv	6/11/2025 9:27:00 AM	179448 RT: 11.8		251586 RT: 9.67	353025 RT: 5.84
MB	6/11/2025 9:53:00 AM	147287 RT: 11.8		239231 RT: 9.67	335170 RT: 5.84
250602010-016A	6/11/2025 3:31:00 PM	134360 RT: 11.8		226188 RT: 9.67	0 RT: 0
250602010-016ams	6/11/2025 3:52:00 PM	161172 RT: 11.8		240377 RT: 9.67	324033 RT: 5.84

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
250602010-016amsd	6/11/2025 4:13:00 PM	172880	RT: 11.8	247570 RT: 9.68	340911 RT: 5.84
250602010-033A	6/11/2025 4:34:00 PM	140902	RT: 11.8	228782 RT: 9.67	313533 RT: 5.84
250602010-034A	6/11/2025 4:55:00 PM	135830	RT: 11.8	218808 RT: 9.68	299873 RT: 5.84
250602010-026A	6/11/2025 5:16:00 PM	138984	RT: 11.8	223080 RT: 9.67	305828 RT: 5.84
250602010-038A	6/11/2025 5:37:00 PM	134601	RT: 11.8	221250 RT: 9.67	296431 RT: 5.84
250602010-022A	6/11/2025 5:59:00 PM	136153	RT: 11.8	219863 RT: 9.67	295438 RT: 5.84
250602010-021A	6/11/2025 6:21:00 PM	136537	RT: 11.8	217898 RT: 9.68	292151 RT: 5.84

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	1,1,1,2-Tetrachloroethane	0.39	0.5
A	1,1,1-Trichloroethane	0.19	0.5
A	1,1,2,2-Tetrachloroethane	0.34	0.5
A	1,1,2-Trichloro-1,2,2-trifluoroethane	0.38	0.5
A	1,1,2-Trichloroethane	0.35	0.5
A	1,1-Dichloroethane	0.27	0.5
A	1,1-Dichloroethene	0.46	0.5
A	1,1-Dichloropropene	0.41	0.5
A	1,2,3-Trichlorobenzene	0.4	0.5
A	1,2,3-Trichloropropane	0.41	0.5
A	1,2,4-Trichlorobenzene	0.5	0.5
A	1,2,4-Trimethylbenzene	0.43	0.5
A	1,2-Dibromo-3-chloropropane	0.88	1
A	1,2-Dibromoethane	0.44	0.5
A	1,2-Dichlorobenzene	0.42	0.5
A	1,2-Dichloroethane	0.29	0.5
A	1,2-Dichloropropane	0.27	0.5
A	1,3,5-Trimethylbenzene	0.3	0.5
A	1,3-Dichlorobenzene	0.42	0.5
A	1,3-Dichloropropane	0.41	0.5
A	1,4-Dichlorobenzene	0.41	0.5
A	1,4-Dioxane	11.1	50
A	1-Bromopropane		
A	1-Propanol		
A	2,2-Dichloropropane	0.48	0.5
A	2-Butanone	4.62	5
A	2-Chloroethanol		0.5
A	2-Chloroethyl vinyl ether		0.5
A	2-Chlorotoluene	0.5	0.5
A	2-Hexanone	4.85	5
A	2-Hydroxypropionitrile		0.5
A	2-Methyl-1,3-dioxolane		0.5
A	2-Nitropropane		0.5
A	2-Pentanone		0.5
A	2-Picoline		0.5
A	2-Propanol		0.5
A	3-Chloropropionitrile		0.5
A	3-Methyl Thiophene		0.5
A	4-Chlorotoluene	0.46	0.5
A	4-Isopropyltoluene	0.4	0.5
A	4-Methyl-2-pentanone	3.78	5
A	Acetone	4.9	5

Adirondack Environmental Services, Inc

Date: 26-Feb-25

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

METHOD DETECTION / REPORTING LIMITS

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	Acetonitrile	6.47	25
A	Acrolein	24.2	25
A	Acrylonitrile	8.06	10
A	Allyl alcohol		0.5
A	Allyl chloride		5
A	Benzene	0.25	0.5
A	Benzyl chloride		0.5
A	beta-Propiolactone		0.5
A	bis-(2-Chloroethyl) Sulfide		0.5
A	Bromoacetone		0.5
A	Bromobenzene	0.4	0.5
A	Bromochloromethane	0.5	0.5
A	Bromodichloromethane	0.37	0.5
A	Bromoform	0.45	0.5
A	Bromomethane	0.48	0.5
A	Carbon disulfide	0.27	0.5
A	Carbon tetrachloride	0.27	0.5
A	Chlorobenzene	0.28	0.5
A	Chloroethane	0.43	0.5
A	Chloroform	0.4	0.5
A	Chloromethane	0.5	0.5
A	Chloroprene	0	1
A	cis-1,2-Dichloroethene	0.24	0.5
A	cis-1,3-Dichloropropene	0.49	0.5
A	cis-1,4-Dichloro-2-butene		0.5
A	Cyclohexane	0.5	0.5
A	Cyclohexanone		0.5
A	Dibromochloromethane	0.49	0.5
A	Dibromomethane	0.38	0.5
A	Dichlorodifluoromethane	0.32	0.5
A	Diethyl Ether		0.5
A	Diisobutylene		0.5
A	Ethanol	10.97	25
A	Ethyl acetate		0.5
A	Ethyl Ether		0.5
A	Ethyl methacrylate		0.5
A	Ethylbenzene	0.34	0.5
A	Fluorobenzene		0.5
A	Heptane		0.5
A	Hexachlorobutadiene	0.5	0.5
A	Hexachloroethane		0.5
A	Hexane		0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	Iodomethane		0.5
A	Isobutyl Alcohol	15.56	25
A	Isopropyl Alcohol		0.5
A	Isopropyl ether		0.5
A	Isopropylbenzene	0.3	0.5
A	m,p-Xylene	0.49	0.5
A	Malononitrile		0.5
A	Methacrylonitrile		10
A	Methanol		0.5
A	Methyl Acetate	0.47	0.5
A	Methyl Cyclohexane	0.25	0.5
A	Methyl Formate		0.5
A	Methyl methacrylate	0.38	0.5
A	Methyl tert-butyl ether	0.35	0.5
A	Methylene chloride	0.31	0.5
A	Naphthalene	0.45	1
A	n-Butanol		0.5
A	n-Butylbenzene	0.39	0.5
A	Nitrobenzene		0.5
A	N-Nitroso-di-n-butylamine		0.5
A	n-Propylamine		0.5
A	n-Propylbenzene	0.43	0.5
A	o-Toluidine		0.5
A	o-Xylene	0.35	0.5
A	Paraldehyde		0.5
A	Pentachloroethane		0.5
A	Propionitrile		25
A	Pyridine		0.5
A	sec-Butylbenzene	0.42	0.5
A	Styrene	0.41	0.5
A	t-Amyl Methyl Ether		0.5
A	t-Butyl alcohol		0.5
A	tert-Butylbenzene	0.5	0.5
A	Tetrachloroethene	0.44	0.5
A	Tetrahydrofuran		0.5
A	Toluene	0.34	0.5
A	Total Volatiles		0.5
A	trans-1,2-Dichloroethene	0.29	0.5
A	trans-1,3-Dichloropropene	0.5	0.5
A	trans-1,4-Dichloro-2-butene		0.5
A	Trichloroethene	0.37	0.5
A	Trichlorofluoromethane	0.48	0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	Vinyl acetate	0	0.5
A	Vinyl chloride	0.31	0.5
A	Xylenes, Total		0.5
I	1,4-Dichlorobenzene-d4		0.5
I	1,4-Difluorobenzene		0.5
I	Chlorobenzene-d5		0.5
S	1,2-Dichloroethane-d4		0.5
S	4-Bromofluorobenzene		0.5
S	Toluene-d8		0.5

Method Path : C:\msdchem\1\QTmethods\
 Method File : VCLP_LOW_052925.M
 Title : Voa Calibration 524/8260 Water
 Last Update : Thu Jun 05 08:40:59 2025
 Response Via : Initial Calibration

Calibration Files

1 =d3454.D 2.5 =d3455.D 5 =d3456.D 10 =d3457.D 25 =d3458.D 50 =d3459.D 100 =d3460.D

Compound		1	2.5	5	10	25	50	100	200	Avg	%RSD


1) I	Fluorobenzene	-----ISTD-----									
2)	Dichlorodifluo...	0.146	0.190	0.178	0.222	0.167	0.167	0.183	0.174	0.178	12.37
3)	Chloromethane	0.608	0.467	0.434	0.489	0.336	0.331	0.331	0.310	0.413	25.45
4)	Vinyl Chloride	0.192	0.228	0.226	0.286	0.216	0.212	0.217	0.226	0.225	12.00
5)	Bromomethane	0.138	0.140	0.128	0.162	0.118	0.125	0.145	0.136	0.137	9.98
6)	Chloroethane	0.150	0.167	0.162	0.234	0.165	0.143	0.143	0.146	0.164	18.38
7)	Trichlorofluor...	0.324	0.363	0.338	0.445	0.346	0.324	0.356	0.343	0.355	10.98
8)	Freon113	0.243	0.221	0.203	0.254	0.182	0.168	0.193	0.192	0.207	14.54
9)	1,1-Dichloroet...	0.253	0.247	0.251	0.287	0.201	0.194	0.205	0.215	0.232	14.14
10)	Carbon Disulfide	0.558	0.616	0.680	0.774	0.453	0.549	0.487	0.587	0.588	17.57
11)	Acetone			0.180	0.168	0.121	0.114	0.105	0.100	0.131	26.08
12)	Methyl Acetate		0.344	0.311	0.309	0.227	0.228	0.218	0.216	0.265	20.55
13)	Methylene Chlo...	1.316	0.585	0.388	0.398	0.288	0.275	0.283	0.286	0.477	74.28
14)	trans-1,2-Dich...	0.290	0.298	0.298	0.353	0.232	0.257	0.255	0.270	0.282	13.18
15)	Mtbe	1.498	1.157	1.093	1.140	0.856	0.847	0.844	0.842	1.035	22.66
16)	1,1-Dichloroet...	0.749	0.588	0.586	0.644	0.480	0.456	0.462	0.444	0.551	19.84
17)	cis-1,2-Dichlo...	0.616	0.543	0.539	0.618	0.422	0.428	0.416	0.408	0.499	18.19
18)	Bromochloromet...	0.210	0.204	0.202	0.222	0.164	0.176	0.178	0.182	0.192	10.42
19)	Chloroform	0.861	0.677	0.611	0.702	0.520	0.510	0.511	0.491	0.610	21.32
20)	Cyclohexane	0.394	0.356	0.366	0.413	0.333	0.313	0.335	0.311	0.353	10.45
21)	1,2-Dichloroet...	0.611	0.529	0.543	0.609	0.425	0.411	0.394	0.382	0.488	19.66
22)	2-Butanone			0.187	0.191	0.137	0.139	0.129	0.129	0.152	19.14
23) s	1,2-Dichloroet...	0.291	0.293	0.283	0.275	0.278	0.264	0.259	0.250	0.274	5.63
24) I	Chlorobenzene-d5	-----ISTD-----									
25)	1,1,1-Trichlor...	0.736	0.708	0.727	0.817	0.581	0.574	0.561	0.543	0.656	15.73
26)	Carbon Tetrach...	0.311	0.374	0.404	0.511	0.378	0.413	0.423	0.430	0.406	14.03
27)	Benzene	1.959	1.773	1.894	2.063	1.455	1.456	1.413	1.384	1.675	16.56
28)	Trichloroethene	0.454	0.513	0.572	0.646	0.438	0.449	0.420	0.443	0.492	16.19
29)	Methyl Cyclohe...	0.598	0.538	0.594	0.698	0.524	0.515	0.522	0.501	0.561	11.76
30)	1,2-Dichloropr...	0.520	0.508	0.497	0.548	0.378	0.374	0.349	0.340	0.439	19.68
31)	1,4-Dioxane	0.005	0.006	0.007	0.007	0.006	0.006	0.006	0.006	0.006	14.75
32)	Bromodichlorom...	0.652	0.592	0.604	0.698	0.486	0.499	0.487	0.483	0.563	15.14
33)	cis-1,3-Dichlo...	0.697	0.717	0.739	0.845	0.566	0.595	0.557	0.563	0.660	16.04
34)	trans-1,3-Dich...	0.637	0.651	0.690	0.769	0.528	0.566	0.519	0.540	0.612	14.63
35)	1,1,2-Trichlor...	0.600	0.491	0.499	0.577	0.394	0.399	0.382	0.388	0.466	18.92
36)	1,3-Dichloropr...	0.960	0.793	0.809	0.887	0.622	0.626	0.594	0.594	0.736	19.69
37)	1,2-Dibromoethane	0.541	0.516	0.547	0.605	0.423	0.439	0.422	0.436	0.491	14.31
38)	Dibromochlorom...	0.461	0.497	0.487	0.561	0.405	0.431	0.424	0.446	0.464	10.81
39)	Bromoform	0.357	0.370	0.367	0.427	0.322	0.337	0.347	0.388	0.364	8.95
40)	4-Methyl-2-Pen...		0.474	0.506	0.520	0.373	0.376	0.341	0.344	0.419	18.62
41) s	Toluene-d8	1.250	1.268	1.316	1.319	1.250	1.291	1.214	1.233	1.268	3.02
42)	Toluene	1.388	1.192	1.250	1.425	1.004	1.009	0.996	0.988	1.157	15.84
43)	Tetrachloroethene	0.467	0.437	0.427	0.501	0.366	0.369	0.373	0.380	0.415	12.30
44)	2-Hexanone	0.382	0.344	0.345	0.369	0.262	0.272	0.246	0.250	0.309	18.33
45) I	1,4-Dichlorobenzen...	-----ISTD-----									
46)	Chlorobenzene	2.239	2.186	2.371	2.482	1.676	1.723	1.587	1.629	1.987	18.54
47)	1,1,1,2-Tetrac...	0.758	0.739	0.781	0.777	0.572	0.585	0.547	0.563	0.665	16.03
48)	Ethylbenzene	1.277	1.049	1.171	1.307	0.903	0.948	0.880	0.869	1.051	17.09
49)	m,p-Xylene	2.710	2.597	2.797	3.086	2.152	2.231	2.033	2.019	2.453	16.23
50)	o-Xylene	1.401	1.428	1.439	1.618	1.141	1.180	1.092	1.103	1.300	15.06
51)	Styrene	2.387	2.085	2.368	2.624	1.864	2.003	1.864	1.967	2.145	13.08
52)	Isopropylbenzene	3.051	3.172	3.256	3.750	2.744	2.808	2.651	2.639	3.009	12.64
53) S	Bromofluoroben...	0.821	0.815	0.832	0.784	0.763	0.770	0.720	0.704	0.776	6.00
54)	1,1,2,2-Tetrac...	1.277	1.085	1.165	1.148	0.800	0.872	0.774	0.797	0.990	20.23

55)	1,3-Dichlorobe...	1.760	1.812	1.971	2.193	1.513	1.727	1.561	1.670	1.776	12.46
56)	1,4-Dichlorobe...	1.908	1.859	2.009	2.253	1.576	1.727	1.600	1.736	1.833	12.28
57)	1,2-Dichlorobe...	2.213	1.888	2.079	2.214	1.611	1.728	1.612	1.737	1.885	13.44
58)	1,2-Dibromo-3-...	0.272	0.274	0.295	0.307	0.216	0.237	0.230	0.252	0.260	12.29
59)	1,2,4-Trichlor...	1.132	1.146	1.285	1.407	1.026	1.123	1.059	1.078	1.157	11.03
60)	1,2,3-Trichlor...	1.181	1.148	1.214	1.323	0.980	1.062	1.022	1.006	1.117	10.70
61) s	1,2-Dichlorobe...	0.969	0.970	0.989	0.982	0.963	0.955	0.946	0.981	0.969	1.49

(#) = Out of Range

Chloromethane

Response Ratio




$$\text{Response} = 3.086\text{e-}001 * \text{Amt} + 1.842\text{e-}002$$

Coef of Det (r^2)= 0.999 Curve Fit: Linear

Method Name: C:\msdchem\1\QTmethods\VCLP_LOW_052925.M

Calibration Table Last Updated: Thu Jun 05 08:40:59 2025


Acetone



Response = $9.733\text{e-}002 \cdot \text{Amt} + 1.259\text{e-}002$
 Coef of Det (r^2) = 1.000 Curve Fit: Linear
 Method Name: C:\msdchem\1\QTmethods\VCPLP_LOW_052925.M
 Calibration Table Last Updated: Thu Jun 05 08:40:59 2025

Chloroform

Response Ratio




$$\text{Response} = 4.888\text{e-}001 * \text{Amt} + 1.994\text{e-}002$$

Coef of Det (r^2)= 1.000 Curve Fit: Linear
 Method Name: C:\msdchem\1\QTmethods\VCPL_LOW_052925.M
 Calibration Table Last Updated: Thu Jun 05 08:40:59 2025

Mtbe

Response Ratio



$$\text{Response} = 8.349\text{e-}001 * \text{Amt} + 4.643\text{e-}002$$

Coef of Det (r^2)= 1.000 Curve Fit: Linear
Method Name: C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Calibration Table Last Updated: Thu Jun 05 08:40:59 2025

Method Path : D:\MassHunter\GCMS\2\QtMethods\
 Method File : VCPL_LOW_060525.M
 Title : Voa Calibration 524/8260 Water
 Last Update : Sat Jun 07 09:40:48 2025
 Response Via : Initial Calibration

Calibration Files

1 =g0009.D 2.5 =g0005.D 5 =g0006.D 10 =g0007.D 25 =g0010.D 50 =g0011.D 100 =g0012.D

Compound		1	2.5	5	10	25	50	100	200	Avg	%RSD

1) I	Fluorobenzene	-----ISTD-----									
2)	Dichlorodifluo...	0.297	0.338	0.323	0.262	0.287	0.365	0.266	0.251	0.299	13.45
3)	Chloromethane	0.366	0.384	0.384	0.304	0.331	0.393	0.293	0.287	0.343	12.94
4)	Vinyl Chloride	0.283	0.349	0.341	0.271	0.305	0.371	0.270	0.269	0.307	13.32
5)	Bromomethane	0.298	0.297	0.274	0.246	0.245	0.249	0.195	0.169	0.247	18.52
6)	Chloroethane	0.174	0.211	0.198	0.174	0.203	0.239	0.180	0.172	0.194	12.15
7)	Trichlorofluor...	0.356	0.448	0.423	0.338	0.463	0.548	0.428	0.417	0.427	15.18
8)	Freon113	0.210	0.175	0.151	0.178	0.183	0.169	0.228	0.226	0.190	14.81
9)	1,1-Dichloroet...	0.226	0.165	0.170	0.173	0.187	0.172	0.233	0.239	0.196	16.08
10)	Carbon Disulfide	0.560	0.476	0.516	0.547	0.574	0.526	0.574	0.681	0.557	10.80
11)	Acetone	0.280	0.232	0.170	0.152	0.125	0.093	0.100	0.099	0.156	43.72
12)	Methyl Acetate	0.327	0.286	0.286	0.310	0.258	0.241	0.271	0.277	0.282	9.70
13)	Methylene Chlo...	0.542	0.444	0.377	0.345	0.300	0.262	0.292	0.295	0.357	26.56
14)	trans-1,2-Dich...	0.237	0.232	0.225	0.246	0.241	0.223	0.262	0.275	0.242	7.44
15)	Mtbe	0.861	0.834	0.819	0.866	0.797	0.717	0.849	0.832	0.822	5.85
16)	1,1-Dichloroet...	0.532	0.469	0.445	0.493	0.488	0.434	0.506	0.496	0.483	6.67
17)	cis-1,2-Dichlo...	0.442	0.413	0.422	0.455	0.449	0.410	0.455	0.456	0.438	4.50
18)	Bromochloromet...	0.075	0.098	0.105	0.118	0.121	0.117	0.141	0.145	0.115	19.67
19)	Chloroform	0.516	0.476	0.472	0.515	0.505	0.438	0.503	0.491	0.489	5.43
20)	Cyclohexane	0.395	0.335	0.315	0.356	0.376	0.328	0.473	0.455	0.379	15.48
21)	1,2-Dichloroet...	0.396	0.376	0.395	0.415	0.406	0.355	0.407	0.400	0.394	4.91
22)	2-Butanone			0.333	0.420	0.444	0.436	0.598	0.619	0.475	23.35
23) s	1,2-Dichloroet...	0.337	0.330	0.331	0.330	0.311	0.306	0.301	0.298	0.318	4.86
24) I	Chlorobenzene-d5	-----ISTD-----									
25)	1,1,1-Trichlor...	0.618	0.564	0.603	0.629	0.642	0.572	0.647	0.623	0.612	5.01
26)	Carbon Tetrach...	0.410	0.439	0.423	0.484	0.514	0.461	0.545	0.525	0.475	10.50
27)	Benzene	1.708	1.599	1.610	1.716	1.698	1.470	1.669	1.603	1.634	5.03
28)	Trichloroethene	0.361	0.345	0.372	0.392	0.399	0.349	0.396	0.398	0.377	6.00
29)	Methyl Cyclohe...	0.850	0.751	0.703	0.777	0.819	0.691	0.743	0.707	0.755	7.54
30)	1,2-Dichloropr...	0.512	0.442	0.417	0.473	0.457	0.400	0.456	0.445	0.450	7.59
31)	Dibromomethane	0.181	0.210	0.221	0.248	0.244	0.222	0.259	0.276	0.232	12.98
32)	1,4-Dioxane	0.006	0.008	0.008	0.008	0.006	0.006	0.005	0.006	0.007	18.15
33)	Bromodichlorom...	0.596	0.542	0.562	0.628	0.622	0.543	0.613	0.600	0.588	5.89
34)	cis-1,3-Dichlo...	0.604	0.630	0.627	0.712	0.720	0.635	0.711	0.711	0.669	7.26
35)	trans-1,3-Dich...	0.531	0.514	0.581	0.679	0.645	0.584	0.659	0.679	0.609	10.74
36)	1,1,2-Trichlor...	0.412	0.366	0.392	0.431	0.405	0.363	0.411	0.409	0.398	5.93
37)	1,3-Dichloropr...	0.705	0.694	0.698	0.782	0.725	0.633	0.733	0.710	0.710	5.89
38)	1,2-Dibromoethane	0.348	0.367	0.367	0.420	0.406	0.368	0.423	0.429	0.391	8.15
39)	Dibromochlorom...	0.322	0.377	0.370	0.399	0.412	0.378	0.451	0.461	0.396	11.44
40)	Bromoform	0.236	0.251	0.243	0.286	0.284	0.269	0.327	0.345	0.280	13.94
41)	4-Methyl-2-Pen...	0.516	0.563	0.505	0.577	0.490	0.448	0.508	0.518	0.516	7.80
42) s	Toluene-d8	1.539	1.552	1.562	1.545	1.517	1.509	1.479	1.454	1.519	2.48
43)	Toluene	1.081	0.990	1.009	1.096	1.079	0.944	1.043	1.025	1.033	5.01
44)	Tetrachloroethene	0.315	0.292	0.279	0.332	0.316	0.288	0.321	0.327	0.309	6.38
45)	2-Hexanone	0.331	0.328	0.358	0.388	0.324	0.298	0.355	0.367	0.344	8.31
46) I	1,4-Dichlorobenzen...	-----ISTD-----									
47)	Chlorobenzene	1.990	1.928	2.001	2.135	2.087	1.829	1.966	1.973	1.989	4.70
48)	1,1,1,2-Tetrac...	0.610	0.604	0.615	0.663	0.671	0.587	0.666	0.667	0.635	5.43
49)	Ethylbenzene	1.072	1.038	1.137	1.219	1.191	1.034	1.108	1.075	1.109	6.18
50)	m,p-Xylene	2.975	2.904	2.799	3.106	2.995	2.545	2.698	2.605	2.828	7.07
51)	o-Xylene	1.399	1.353	1.378	1.449	1.423	1.242	1.324	1.311	1.360	4.93
52)	Styrene	1.956	1.877	2.050	2.261	2.314	2.036	2.218	2.246	2.120	7.58
53)	Isopropylbenzene	3.546	3.481	3.416	3.809	3.672	3.187	3.374	3.286	3.471	5.84
54) S	Bromofluoroben...	1.089	1.073	1.074	1.037	1.027	0.990	0.970	0.963	1.028	4.78


55)	1,1,2,2-Tetrac...	1.052	1.094	1.126	1.252	1.101	0.970	1.090	1.110	1.099	7.13
56)	1,3-Dichlorobe...	1.380	1.399	1.548	1.683	1.664	1.436	1.508	1.608	1.528	7.69
57)	1,4-Dichlorobe...	1.380	1.399	1.548	1.683	1.664	1.436	1.508	1.608	1.528	7.69
58)	1,2-Dichlorobe...	1.592	1.490	1.553	1.665	1.672	1.423	1.535	1.612	1.568	5.46
59)	1,2-Dibromo-3-...	0.122	0.197	0.210	0.218	0.198	0.191	0.227	0.240	0.200	17.80
60)	1,2,4-Trichlor...	1.031	1.094	1.103	1.174	1.138	1.007	1.089	1.182	1.102	5.65
61)	1,2,3-Trichlor...	1.118	1.005	1.017	1.143	1.126	0.981	1.069	1.151	1.076	6.28
62) s	1,2-Dichlorobe...	1.566	1.535	1.549	1.536	1.614	1.637	1.802	2.166	1.676	12.94

(#) = Out of Range

VCPL_LOW_060525.M Mon Jun 09 13:23:03 2025

Acetone

Response Ratio



$$\text{Response} = 9.666\text{e-}002 * \text{Amt} + 7.467\text{e-}003$$


Coef of Det (r^2) = 0.998157 Curve Fit: Linear

Method Name: D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M

Calibration Table Last Updated: Sat Jun 07 09:40:48 2025

Methylene Chloride

Response Ratio



$$\text{Response} = 2.921\text{e-}001 * \text{Amt} + 1.839\text{e-}003$$


Coef of Det (r^2) = 0.998895 Curve Fit: Linear

Method Name: D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M

Calibration Table Last Updated: Sat Jun 07 09:40:48 2025

2-Butanone

Response Ratio



$$\text{Response} = 6.344\text{e-}001 * \text{Amt} - 8.363\text{e-}002$$

Coef of Det (r^2) = 0.995899 Curve Fit: Linear

Method Name: D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M

Calibration Table Last Updated: Mon Jun 09 13:25:17 2025

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-D
 Lab File ID: D3648

Case No.: 250602010

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 6/4/25 Time: 17:48
 Init. Calib. Date(s): 5/29/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.413	0.284	0.010	31.1
Bromomethane	0.137	0.099	0.100	27.5
Vinyl chloride	0.225	0.193	0.100	14.1
Chloroethane	0.164	0.146	0.010	10.7
Methylene chloride	0.477	0.333	0.010	30.1
Acetone	0.131	0.104	0.010	20.3
Carbon disulfide	0.588	0.645	0.010	9.7
1,1-Dichloroethene	0.232	0.243	0.100	4.9
1,1-Dichloroethane	0.551	0.522	0.200	5.2
trans-1,2-Dichloroethene	0.282	0.296	0.010	5.1
cis-1,2-Dichloroethene	0.499	0.488	0.010	2.2
Bromochloromethane	0.192	0.190	0.050	0.8
Chloroform	0.610	0.586	0.200	3.9
1,2-Dichloroethane	0.488	0.459	0.100	5.9
2-Butanone	0.152	0.134	0.010	11.7
1,1,1-Trichloroethane	0.656	0.671	0.100	2.4
Carbon tetrachloride	0.406	0.440	0.100	8.3
Bromodichloromethane	0.563	0.547	0.200	2.8
1,2-Dichloropropane	0.439	0.420	0.010	4.2
cis-1,3-Dichloropropene	0.660	0.664	0.200	0.5
Trichloroethene	0.492	0.474	0.300	3.6
Dibromochloromethane	0.464	0.447	0.100	3.7
1,1,2-Trichloroethane	0.466	0.434	0.100	6.8
Benzene	1.675	1.629	0.400	2.7
trans-1,3-Dichloropropene	0.612	0.604	0.100	1.4
Bromoform	0.364	0.338	0.050	7.2
4-Methyl-2-pentanone	0.419	0.370	0.010	11.6
2-Hexanone	0.309	0.255	0.010	17.4
Tetrachloroethene	0.415	0.440	0.100	6.1
1,1,2,2-Tetrachloroethane	0.990	0.898	0.300	9.3
Toluene	1.157	1.104	0.400	4.6
Chlorobenzene	1.987	1.910	0.500	3.9
Ethylbenzene	1.051	1.041	0.100	0.9
Styrene	2.145	2.131	0.300	0.7
m,p-Xylene	2.453	2.469	0.300	0.7
o-Xylene	1.300	1.268	0.300	2.5
Methyl tert-butyl ether	1.035	0.923	0.010	10.8
Dichlorodifluoromethane	0.178	0.095	0.010	46.6
Methyl Acetate	0.265	0.236	0.010	11.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.207	0.247	0.010	19.1
Trichlorofluoromethane	0.355	0.370	0.010	4.2
Cyclohexane	0.353	0.427	0.010	21.0
Methyl Cyclohexane	0.561	0.705	0.010	25.6
1,2-Dibromoethane	0.491	0.460	0.010	6.4
1,3-Dichlorobenzene	1.776	1.888	0.600	6.3
Isopropylbenzene	3.009	3.141	0.010	4.4
1,2-Dichlorobenzene	1.885	1.873	0.400	0.7
1,4-Dichlorobenzene	1.833	1.888	0.500	3.0
1,2-Dibromo-3-chloropropane	0.260	0.221	0.010	14.8
1,2,4-Trichlorobenzene	1.157	1.193	0.200	3.1
1,4-Dioxane	0.006	0.007	0.010	11.8
1,2,3-Trichlorobenzene	1.117	1.043	0.200	6.6

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-D
 Lab File ID: D3836

Case No.: 250602010

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 6/11/25 Time: 9:27
 Init. Calib. Date(s): 5/29/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.413	0.393	0.010	4.9
Bromomethane	0.137	0.162	0.100	18.3
Vinyl chloride	0.225	0.274	0.100	22.0
Chloroethane	0.164	0.178	0.010	8.3
Methylene chloride	0.477	0.303	0.010	36.4
Acetone	0.131	0.114	0.010	12.7
Carbon disulfide	0.588	0.626	0.010	6.5
1,1-Dichloroethene	0.232	0.239	0.100	3.0
1,1-Dichloroethane	0.551	0.508	0.200	7.8
trans-1,2-Dichloroethene	0.282	0.273	0.010	3.2
cis-1,2-Dichloroethene	0.499	0.471	0.010	5.6
Bromochloromethane	0.192	0.171	0.050	11.0
Chloroform	0.610	0.542	0.200	11.2
1,2-Dichloroethane	0.488	0.443	0.100	9.1
2-Butanone	0.152	0.142	0.010	6.3
1,1,1-Trichloroethane	0.656	0.674	0.100	2.8
Carbon tetrachloride	0.406	0.473	0.100	16.5
Bromodichloromethane	0.563	0.569	0.200	1.0
1,2-Dichloropropane	0.439	0.435	0.010	0.9
cis-1,3-Dichloropropene	0.660	0.669	0.200	1.4
Trichloroethene	0.492	0.495	0.300	0.5
Dibromochloromethane	0.464	0.454	0.100	2.2
1,1,2-Trichloroethane	0.466	0.437	0.100	6.3
Benzene	1.675	1.705	0.400	1.8
trans-1,3-Dichloropropene	0.612	0.631	0.100	3.0
Bromoform	0.364	0.352	0.050	3.3
4-Methyl-2-pentanone	0.419	0.401	0.010	4.3
2-Hexanone	0.309	0.287	0.010	7.2
Tetrachloroethene	0.415	0.421	0.100	1.5
1,1,2,2-Tetrachloroethane	0.990	0.878	0.300	11.3
Toluene	1.157	1.126	0.400	2.6
Chlorobenzene	1.987	1.768	0.500	11.0
Ethylbenzene	1.051	0.971	0.100	7.6
Styrene	2.145	1.942	0.300	9.5
m,p-Xylene	2.453	2.326	0.300	5.2
o-Xylene	1.300	1.198	0.300	7.8
Methyl tert-butyl ether	1.035	0.847	0.010	18.2
Dichlorodifluoromethane	0.178	0.194	0.010	9.1
Methyl Acetate	0.265	0.220	0.010	16.9
1,1,2-Trichloro-1,2,2-trifluoroethane	0.207	0.241	0.010	16.6
Trichlorofluoromethane	0.355	0.467	0.010	31.6
Cyclohexane	0.353	0.484	0.010	37.2
Methyl Cyclohexane	0.561	0.698	0.010	24.5
1,2-Dibromoethane	0.491	0.485	0.010	1.1
1,3-Dichlorobenzene	1.776	1.836	0.600	3.4
Isopropylbenzene	3.009	2.922	0.010	2.9
1,2-Dichlorobenzene	1.885	1.784	0.400	5.4
1,4-Dichlorobenzene	1.833	1.836	0.500	0.2
1,2-Dibromo-3-chloropropane	0.260	0.221	0.010	15.2
1,2,4-Trichlorobenzene	1.157	1.195	0.200	3.3
1,4-Dioxane	0.006	0.008	0.010	30.6
1,2,3-Trichlorobenzene	1.117	1.066	0.200	4.5

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G0073

Case No.: 250602010

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 6/9/25 Time: 9:05
 Init. Calib. Date(s): 6/5/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.343	0.293	0.010	14.6
Bromomethane	0.247	0.208	0.100	15.9
Vinyl chloride	0.307	0.295	0.100	3.9
Chloroethane	0.194	0.195	0.010	0.6
Methylene chloride	0.357	0.319	0.010	10.6
Acetone	0.156	0.120	0.010	22.9
Carbon disulfide	0.557	0.631	0.010	13.2
1,1-Dichloroethene	0.196	0.218	0.100	11.2
1,1-Dichloroethane	0.483	0.488	0.200	1.1
trans-1,2-Dichloroethene	0.242	0.268	0.010	10.9
cis-1,2-Dichloroethene	0.438	0.451	0.010	2.9
Bromochloromethane	0.115	0.134	0.050	16.2
Chloroform	0.489	0.507	0.200	3.6
1,2-Dichloroethane	0.394	0.399	0.100	1.3
2-Butanone	0.475	0.492	0.010	3.7
1,1,1-Trichloroethane	0.612	0.615	0.100	0.5
Carbon tetrachloride	0.475	0.463	0.100	2.4
Bromodichloromethane	0.588	0.569	0.200	3.2
1,2-Dichloropropane	0.450	0.445	0.010	1.1
cis-1,3-Dichloropropene	0.669	0.670	0.200	0.2
Trichloroethene	0.377	0.397	0.300	5.2
Dibromochloromethane	0.396	0.416	0.100	5.0
1,1,2-Trichloroethane	0.398	0.402	0.100	1.0
Benzene	1.634	1.600	0.400	2.1
trans-1,3-Dichloropropene	0.609	0.618	0.100	1.5
Bromoform	0.280	0.278	0.050	0.8
4-Methyl-2-pentanone	0.516	0.508	0.010	1.5
2-Hexanone	0.344	0.332	0.010	3.5
Tetrachloroethene	0.309	0.303	0.100	2.0
1,1,2,2-Tetrachloroethane	1.099	1.074	0.300	2.3
Toluene	1.033	1.011	0.400	2.1
Chlorobenzene	1.989	1.954	0.500	1.8
Ethylbenzene	1.109	1.062	0.100	4.3
Styrene	2.120	2.110	0.300	0.5
m,p-Xylene	2.828	2.633	0.300	6.9
o-Xylene	1.360	1.285	0.300	5.5
Methyl tert-butyl ether	0.822	0.823	0.010	0.1
Dichlorodifluoromethane	0.299	0.226	0.010	24.4
Methyl Acetate	0.282	0.277	0.010	1.9
1,1,2-Trichloro-1,2,2-trifluoroethane	0.190	0.209	0.010	10.1
Trichlorofluoromethane	0.427	0.477	0.010	11.8
Cyclohexane	0.379	0.451	0.010	19.0
Methyl Cyclohexane	0.755	0.687	0.010	9.1
1,2-Dibromoethane	0.391	0.394	0.010	0.7
1,3-Dichlorobenzene	1.528	1.514	0.600	0.9
Isopropylbenzene	3.471	3.207	0.010	7.6
1,2-Dichlorobenzene	1.568	1.494	0.400	4.7
1,4-Dichlorobenzene	1.528	1.514	0.500	0.9
1,2-Dibromo-3-chloropropane	0.200	0.201	0.010	0.7
1,2,4-Trichlorobenzene	1.102	1.054	0.200	4.4
1,4-Dioxane	0.007	0.008	0.010	9.9
1,2,3-Trichlorobenzene	1.076	0.990	0.200	8.0

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G0105

Case No.: 250602010


Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 6/10/25 Time: 10:50
 Init. Calib. Date(s): 6/5/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.343	0.264	0.010	23.1
Bromomethane	0.247	0.199	0.100	19.3
Vinyl chloride	0.307	0.242	0.100	21.2
Chloroethane	0.194	0.179	0.010	7.6
Methylene chloride	0.357	0.306	0.010	14.3
Acetone	0.156	0.105	0.010	32.7
Carbon disulfide	0.557	0.570	0.010	2.3
1,1-Dichloroethene	0.196	0.195	0.100	0.4
1,1-Dichloroethane	0.483	0.481	0.200	0.5
trans-1,2-Dichloroethene	0.242	0.241	0.010	0.4
cis-1,2-Dichloroethene	0.438	0.444	0.010	1.4
Bromochloromethane	0.115	0.131	0.050	13.6
Chloroform	0.489	0.503	0.200	2.8
1,2-Dichloroethane	0.394	0.422	0.100	7.0
2-Butanone	0.475	0.531	0.010	11.8
1,1,1-Trichloroethane	0.612	0.588	0.100	3.9
Carbon tetrachloride	0.475	0.448	0.100	5.7
Bromodichloromethane	0.588	0.621	0.200	5.6
1,2-Dichloropropane	0.450	0.475	0.010	5.5
cis-1,3-Dichloropropene	0.669	0.711	0.200	6.3
Trichloroethene	0.377	0.378	0.300	0.3
Dibromochloromethane	0.396	0.442	0.100	11.6
1,1,2-Trichloroethane	0.398	0.435	0.100	9.4
Benzene	1.634	1.645	0.400	0.7
trans-1,3-Dichloropropene	0.609	0.675	0.100	10.8
Bromoform	0.280	0.301	0.050	7.3
4-Methyl-2-pentanone	0.516	0.509	0.010	1.4
2-Hexanone	0.344	0.350	0.010	1.6
Tetrachloroethene	0.309	0.289	0.100	6.6
1,1,2,2-Tetrachloroethane	1.099	1.208	0.300	9.9
Toluene	1.033	1.029	0.400	0.4
Chlorobenzene	1.989	2.017	0.500	1.4
Ethylbenzene	1.109	1.110	0.100	0.1
Styrene	2.120	2.248	0.300	6.0
m,p-Xylene	2.828	2.725	0.300	3.7
o-Xylene	1.360	1.352	0.300	0.6
Methyl tert-butyl ether	0.822	0.817	0.010	0.6
Dichlorodifluoromethane	0.299	0.150	0.010	49.9
Methyl Acetate	0.282	0.266	0.010	5.7
1,1,2-Trichloro-1,2,2-trifluoroethane	0.190	0.188	0.010	0.8
Trichlorofluoromethane	0.427	0.354	0.010	17.0
Cyclohexane	0.379	0.421	0.010	11.0
Methyl Cyclohexane	0.755	0.648	0.010	14.1
1,2-Dibromoethane	0.391	0.418	0.010	6.8
1,3-Dichlorobenzene	1.528	1.590	0.600	4.1
Isopropylbenzene	3.471	3.295	0.010	5.1
1,2-Dichlorobenzene	1.568	1.608	0.400	2.5
1,4-Dichlorobenzene	1.528	1.590	0.500	4.1
1,2-Dibromo-3-chloropropane	0.200	0.215	0.010	7.7
1,2,4-Trichlorobenzene	1.102	1.085	0.200	1.5
1,4-Dioxane	0.007	0.005	0.010	24.8
1,2,3-Trichlorobenzene	1.076	1.061	0.200	1.4

Data Path : C:\msdchem\1\data\052925\
Data File : d3451.D
Acq On : 29 May 2025 7:41 pm
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Title : Voa Calibration 524/8260 Water
Last Update : Wed Jun 18 10:19:03 2025



Spectrum Information: Average of 10.843 to 10.854 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.3	17546	PASS
75	95	30	60	46.0	46603	PASS
95	95	100	100	100.0	101219	PASS
96	95	5	9	6.3	6345	PASS
173	174	0.00	2	0.9	858	PASS
174	95	50	100	90.5	91563	PASS
175	174	5	9	8.4	7718	PASS
176	174	95	101	99.7	91283	PASS
177	176	5	9	6.8	6245	PASS

Data Path : C:\msdchem\1\data\052925\
 Data File : d3454.D
 Acq On : 29 May 2025 8:47 pm
 Operator :
 Sample : std001
 Misc : ical
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: Jun 18 10:19:06 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	350786	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	282966	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	180051	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	102069	53.05	ug	0.00
41) Toluene-d8	7.850	98	353686	49.30	ug	0.12
53) Bromofluorobenzene	10.849	95	147733	52.86	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	174487	49.98	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.201	85	1023	0.82	ug	# 76
3) Chloromethane	1.337	50	4268	1.47	ug	91
4) Vinyl Chloride	1.425	62	1349	0.85	ug	82
5) Bromomethane	1.687	94	970	1.01	ug	97
6) Chloroethane	1.765	64	1055	0.92	ug	71
7) Trichlorofluoromethane	1.983	101	2272	0.91	ug	89
8) Freon113	2.439	101	1707	1.18	ug	84
9) 1,1-Dichloroethene	2.439	96	1772	1.09	ug	95
10) Carbon Disulfide	2.638	76	3915	0.95	ug	100
12) Methyl Acetate	2.853	43	3569	1.92	ug	# 83
13) Methylene Chloride	2.947	84	9234	2.76	ug	86
14) trans-1,2-Dichloroethene	3.257	96	2032	1.03	ug	# 78
15) Mtbe	3.278	73	21023	0.81	ug	99
16) 1,1-Dichloroethane	3.750	63	5257	1.36	ug	92
17) cis-1,2-Dichloroethene	4.431	61	4324	1.24	ug	# 73
18) Bromochloromethane	4.730	128	1475	1.09	ug	85
19) Chloroform	4.840	83	6042	1.41	ug	97
20) Cyclohexane	5.081	84	2766	1.12	ug	# 84
21) 1,2-Dichloroethane	5.527	62	4286	1.25	ug	96
22) 2-Butanone	4.499	43	667	0.62	ug	93
25) 1,1,1-Trichloroethane	5.034	97	4166	1.12	ug	99
26) Carbon Tetrachloride	5.233	117	1761	0.77	ug	89
27) Benzene	5.490	78	11088	1.17	ug	100
28) Trichloroethene	6.293	130	2567	0.92	ug	90
29) Methyl Cyclohexane	6.507	83	3384	1.07	ug	93
30) 1,2-Dichloropropane	6.586	63	2945	1.18	ug	96
31) 1,4-Dioxane	6.806	88	511	14.99	ug	# 1
32) Bromodichloromethane	6.948	83	3692	1.16	ug	# 54
33) cis-1,3-Dichloropropene	7.519	75	3942	1.06	ug	98
34) trans-1,3-Dichloropropene	8.259	75	3605	1.04	ug	93
35) 1,1,2-Trichloroethane	8.484	97	3394	1.29	ug	95
36) 1,3-Dichloropropane	8.704	76	5431	1.30	ug	90
37) 1,2-Dibromoethane	9.124	107	3063	1.10	ug	99
38) Dibromochloromethane	8.998	129	2608	0.99	ug	85
39) Bromoform	10.550	173	2018	0.98	ug	96
40) 4-Methyl-2-Pentanone	7.761	43	2951	1.24	ug	82
42) Toluene	7.939	92	7857	1.20	ug	95
43) Tetrachloroethene	8.636	164	2643	1.13	ug	96
44) 2-Hexanone	8.877	43	2161	1.24	ug	79
46) Chlorobenzene	9.716	112	8062	1.13	ug	96
47) 1,1,1,2-Tetrachloroethane	9.816	133	2728	1.14	ug	# 1
48) Ethylbenzene	9.853	106	4600	1.22	ug	# 79
49) m,p-Xylene	9.978	91	19518	2.21	ug	98
50) o-Xylene	10.372	106	5046	1.08	ug	96
51) Styrene	10.382	104	8597	1.11	ug	# 67
52) Isopropylbenzene	10.723	105	10987	1.01	ug	91

Data Path : C:\msdchem\1\data\052925\
Data File : d3454.D
Acq On : 29 May 2025 8:47 pm
Operator :
Sample : std001
Misc : ical
ALS Vial : 29 Sample Multiplier: 1

Quant Time: Jun 18 10:19:06 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
54)	1,1,2,2-Tetrachloroethane	11.001	83	4597	1.29	ug	93
55)	1,3-Dichlorobenzene	11.751	146	6337	0.99	ug	# 93
56)	1,4-Dichlorobenzene	11.819	146	6870	1.04	ug	# 1
57)	1,2-Dichlorobenzene	12.102	146	7968	1.17	ug	# 1
58)	1,2-Dibromo-3-Chloropr	12.673	157	981	1.05	ug	# 66
59)	1,2,4-Trichlorobenzene	13.234	180	4076	0.98	ug	97
60)	1,2,3-Trichlorobenzene	13.559	180	4253	1.06	ug	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
 Data File : d3455.D
 Acq On : 29 May 2025 9:10 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 30 Sample Multiplier: 1

Quant Time: Jun 18 10:29:47 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	355311	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	284827	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	185931	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	104215	53.48	ug	0.00
41) Toluene-d8	7.850	98	361224	50.02	ug	0.12
53) Bromofluorobenzene	10.854	95	151564	52.51	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	180389	50.04	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	3379	2.67	ug	# 76
3) Chloromethane	1.337	50	8291	2.82	ug	100
4) Vinyl Chloride	1.424	62	4047	2.53	ug	91
5) Bromomethane	1.677	94	2490	2.57	ug	93
6) Chloroethane	1.765	64	2967	2.55	ug	91
7) Trichlorofluoromethane	1.983	101	6445	2.55	ug	97
8) Freon113	2.444	101	3920	2.66	ug	89
9) 1,1-Dichloroethene	2.444	96	4396	2.67	ug	95
10) Carbon Disulfide	2.638	76	10938	2.62	ug	100
11) Acetone	2.512	43	5782	1.89	ug	75
12) Methyl Acetate	2.858	43	6112	3.25	ug	# 65
13) Methylene Chloride	2.947	84	10398	3.06	ug	# 93
14) trans-1,2-Dichloroethene	3.257	96	5301	2.65	ug	# 86
15) Mtbe	3.278	73	41100	4.15	ug	100
16) 1,1-Dichloroethane	3.755	63	10443	2.67	ug	99
17) cis-1,2-Dichloroethene	4.447	61	9640	2.72	ug	# 80
18) Bromochloromethane	4.735	128	3619	2.65	ug	# 73
19) Chloroform	4.840	83	12025	2.77	ug	97
20) Cyclohexane	5.086	84	6319	2.52	ug	# 86
21) 1,2-Dichloroethane	5.527	62	9403	2.71	ug	99
22) 2-Butanone	4.510	43	3247	3.00	ug	97
25) 1,1,1-Trichloroethane	5.034	97	10086	2.70	ug	97
26) Carbon Tetrachloride	5.228	117	5326	2.31	ug	99
27) Benzene	5.490	78	25252	2.65	ug	100
28) Trichloroethene	6.303	130	7302	2.61	ug	94
29) Methyl Cyclohexane	6.513	83	7660	2.40	ug	93
30) 1,2-Dichloropropane	6.586	63	7236	2.89	ug	98
31) 1,4-Dioxane	6.801	88	1728	50.36	ug	# 1
32) Bromodichloromethane	6.942	83	8432	2.63	ug	# 40
33) cis-1,3-Dichloropropene	7.524	75	10212	2.72	ug	95
34) trans-1,3-Dichloropropene	8.258	75	9266	2.66	ug	92
35) 1,1,2-Trichloroethane	8.489	97	6993	2.63	ug	93
36) 1,3-Dichloropropane	8.704	76	11296	2.70	ug	94
37) 1,2-Dibromoethane	9.118	107	7352	2.63	ug	91
38) Dibromochloromethane	8.992	129	7081	2.68	ug	100
39) Bromoform	10.550	173	5274	2.54	ug	98
40) 4-Methyl-2-Pentanone	7.766	43	6750	2.83	ug	75
42) Toluene	7.928	92	16979	2.58	ug	96
43) Tetrachloroethene	8.636	164	6220	2.63	ug	93
44) 2-Hexanone	8.872	43	4893	2.78	ug	# 66
46) Chlorobenzene	9.711	112	20319	2.75	ug	99
47) 1,1,1,2-Tetrachloroethane	9.821	133	6872	2.78	ug	94
48) Ethylbenzene	9.852	106	9749	2.50	ug	94
49) m,p-Xylene	9.973	91	48290	5.29	ug	95
50) o-Xylene	10.371	106	13275	2.75	ug	94
51) Styrene	10.387	104	19381	2.43	ug	78

Data Path : C:\msdchem\1\data\052925\
 Data File : d3455.D
 Acq On : 29 May 2025 9:10 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 30 Sample Multiplier: 1


Quant Time: Jun 18 10:29:47 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	29485	2.64	ug	97
54)	1,1,2,2-Tetrachloroethane	11.006	83	10088	2.74	ug	95
55)	1,3-Dichlorobenzene	11.750	146	16849	2.55	ug	93
56)	1,4-Dichlorobenzene	11.819	146	17282	2.53	ug	90
57)	1,2-Dichlorobenzene	12.102	146	17552	2.50	ug	# 15
58)	1,2-Dibromo-3-Chloropr	12.673	157	2547	2.63	ug	# 77
59)	1,2,4-Trichlorobenzene	13.234	180	10656	2.48	ug	98
60)	1,2,3-Trichlorobenzene	13.564	180	10675	2.57	ug	# 86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3455.D
Acq On : 29 May 2025 9:10 pm
Operator :
Sample : std002.5
Misc : ical
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Jun 18 10:29:47 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3456.D
 Acq On : 29 May 2025 9:31 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 30 Sample Multiplier: 1

Quant Time: Jun 18 10:30:07 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	368839	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	282697	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	178042	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	104476	51.64	ug	0.00
41) Toluene-d8	7.850	98	371910	51.89	ug	0.12
53) Bromofluorobenzene	10.854	95	148084	53.58	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	176011	50.99	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	6548	4.98	ug	# 91
3) Chloromethane	1.337	50	16025	5.26	ug	90
4) Vinyl Chloride	1.424	62	8353	5.02	ug	98
5) Bromomethane	1.677	94	4712	4.68	ug	92
6) Chloroethane	1.765	64	5959	4.93	ug	89
7) Trichlorofluoromethane	1.977	101	12477	4.76	ug	98
8) Freon113	2.444	101	7498	4.91	ug	82
9) 1,1-Dichloroethene	2.439	96	9242	5.41	ug	# 87
10) Carbon Disulfide	2.643	76	25086	5.78	ug	100
11) Acetone	2.517	43	6647	2.79	ug	92
12) Methyl Acetate	2.858	43	11029	5.65	ug	# 42
13) Methylene Chloride	2.953	84	14298	4.06	ug	92
14) trans-1,2-Dichloroethene	3.262	96	11001	5.29	ug	# 87
15) Mtbe	3.278	73	80618	10.31	ug	99
16) 1,1-Dichloroethane	3.755	63	21612	5.32	ug	98
17) cis-1,2-Dichloroethene	4.452	61	19869	5.40	ug	86
18) Bromochloromethane	4.730	128	7452	5.25	ug	79
19) Chloroform	4.845	83	22522	5.00	ug	96
20) Cyclohexane	5.087	84	13511	5.19	ug	# 89
21) 1,2-Dichloroethane	5.532	62	20019	5.56	ug	97
22) 2-Butanone	4.505	43	6460	5.75	ug	53
25) 1,1,1-Trichloroethane	5.034	97	20565	5.55	ug	96
26) Carbon Tetrachloride	5.223	117	11425	4.98	ug	94
27) Benzene	5.490	78	53543	5.66	ug	100
28) Trichloroethene	6.298	130	16157	5.81	ug	97
29) Methyl Cyclohexane	6.513	83	16797	5.29	ug	96
30) 1,2-Dichloropropane	6.581	63	14038	5.65	ug	98
31) 1,4-Dioxane	6.796	88	3938	115.63	ug	# 1
32) Bromodichloromethane	6.943	83	17086	5.37	ug	# 37
33) cis-1,3-Dichloropropene	7.519	75	20900	5.60	ug	95
34) trans-1,3-Dichloropropene	8.264	75	19515	5.64	ug	92
35) 1,1,2-Trichloroethane	8.495	97	14106	5.35	ug	99
36) 1,3-Dichloropropane	8.704	76	22878	5.50	ug	97
37) 1,2-Dibromoethane	9.124	107	15475	5.57	ug	97
38) Dibromochloromethane	8.993	129	13772	5.25	ug	90
39) Bromoform	10.550	173	10376	5.04	ug	99
40) 4-Methyl-2-Pentanone	7.760	43	14308	6.04	ug	74
42) Toluene	7.934	92	35328	5.40	ug	98
43) Tetrachloroethene	8.636	164	12067	5.14	ug	95
44) 2-Hexanone	8.862	43	9739	5.58	ug	# 58
46) Chlorobenzene	9.711	112	42209	5.97	ug	99
47) 1,1,1,2-Tetrachloroethane	9.816	133	13905	5.87	ug	92
48) Ethylbenzene	9.847	106	20840	5.57	ug	94
49) m,p-Xylene	9.978	91	99587	11.40	ug	100
50) o-Xylene	10.366	106	25627	5.53	ug	98
51) Styrene	10.387	104	42154	5.52	ug	76

Data Path : C:\msdchem\1\data\052925\
 Data File : d3456.D
 Acq On : 29 May 2025 9:31 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 30 Sample Multiplier: 1


Quant Time: Jun 18 10:30:07 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.718	105	57974	5.41	ug	93
54)	1,1,2,2-Tetrachloroethane	11.006	83	20733	5.88	ug	96
55)	1,3-Dichlorobenzene	11.750	146	35087	5.55	ug	93
56)	1,4-Dichlorobenzene	11.824	146	35777	5.48	ug #	74
57)	1,2-Dichlorobenzene	12.102	146	37019	5.51	ug #	65
58)	1,2-Dibromo-3-Chloropr	12.673	157	5255	5.67	ug #	79
59)	1,2,4-Trichlorobenzene	13.234	180	22871	5.55	ug	99
60)	1,2,3-Trichlorobenzene	13.559	180	21612	5.43	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3456.D
Acq On : 29 May 2025 9:31 pm
Operator :
Sample : std005
Misc : ical
ALS Vial : 30 Sample Multiplier: 1

Quant Time: Jun 18 10:30:07 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3457.D
 Acq On : 29 May 2025 9:52 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jun 18 10:30:25 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	376219	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	287951	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	193452	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	103591	50.20	ug	0.00
41) Toluene-d8	7.850	98	379943	52.05	ug	0.12
53) Bromofluorobenzene	10.849	95	151677	50.51	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	189951	50.64	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	16713	12.46	ug	100
3) Chloromethane	1.337	50	36828	11.84	ug	94
4) Vinyl Chloride	1.424	62	21532	12.69	ug	99
5) Bromomethane	1.677	94	12227	11.90	ug	99
6) Chloroethane	1.765	64	17619	14.30	ug	91
7) Trichlorofluoromethane	1.977	101	33513	12.55	ug	98
8) Freon113	2.449	101	19144	12.29	ug	92
9) 1,1-Dichloroethene	2.439	96	21615	12.40	ug	# 88
10) Carbon Disulfide	2.643	76	58231	13.16	ug	100
11) Acetone	2.517	43	12623	10.77	ug	79
12) Methyl Acetate	2.858	43	22179	11.14	ug	# 60
13) Methylene Chloride	2.947	84	29944	8.33	ug	89
14) trans-1,2-Dichloroethene	3.262	96	26564	12.53	ug	# 88
15) Mtbe	3.278	73	171524	24.52	ug	99
16) 1,1-Dichloroethane	3.749	63	48427	11.68	ug	99
17) cis-1,2-Dichloroethene	4.442	61	46503	12.39	ug	82
18) Bromochloromethane	4.730	128	16710	11.55	ug	# 73
19) Chloroform	4.845	83	52858	11.51	ug	99
20) Cyclohexane	5.086	84	31039	11.70	ug	# 90
21) 1,2-Dichloroethane	5.527	62	45840	12.48	ug	94
22) 2-Butanone	4.510	43	13894	12.13	ug	52
25) 1,1,1-Trichloroethane	5.039	97	47069	12.46	ug	95
26) Carbon Tetrachloride	5.233	117	29406	12.59	ug	91
27) Benzene	5.490	78	118791	12.32	ug	100
28) Trichloroethene	6.298	130	37228	13.14	ug	99
29) Methyl Cyclohexane	6.513	83	40209	12.44	ug	98
30) 1,2-Dichloropropane	6.581	63	31560	12.47	ug	97
31) 1,4-Dioxane	6.785	88	8542	246.25	ug	# 1
32) Bromodichloromethane	6.942	83	40185	12.40	ug	# 34
33) cis-1,3-Dichloropropene	7.519	75	48673	12.81	ug	95
34) trans-1,3-Dichloropropene	8.264	75	44314	12.56	ug	94
35) 1,1,2-Trichloroethane	8.489	97	33219	12.37	ug	99
36) 1,3-Dichloropropane	8.704	76	51060	12.05	ug	98
37) 1,2-Dibromoethane	9.118	107	34853	12.32	ug	96
38) Dibromochloromethane	8.987	129	32309	12.09	ug	94
39) Bromoform	10.550	173	24585	11.71	ug	98
40) 4-Methyl-2-Pentanone	7.760	43	29934	12.41	ug	72
42) Toluene	7.933	92	82080	12.32	ug	99
43) Tetrachloroethene	8.636	164	28853	12.07	ug	97
44) 2-Hexanone	8.861	43	21248	11.96	ug	# 63
46) Chlorobenzene	9.711	112	96033	12.49	ug	98
47) 1,1,1,2-Tetrachloroethane	9.816	133	30065	11.68	ug	# 91
48) Ethylbenzene	9.847	106	50568	12.44	ug	91
49) m,p-Xylene	9.973	91	238761	25.16	ug	96
50) o-Xylene	10.371	106	62595	12.44	ug	98
51) Styrene	10.387	104	101528	12.23	ug	75

Data Path : C:\msdchem\1\data\052925\
Data File : d3457.D
Acq On : 29 May 2025 9:52 pm
Operator :
Sample : std010
Misc : ical
ALS Vial : 31 Sample Multiplier: 1


Quant Time: Jun 18 10:30:25 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	145080	12.46	ug	95
54)	1,1,2,2-Tetrachloroethane	11.001	83	44431	11.60	ug	94
55)	1,3-Dichlorobenzene	11.750	146	84844	12.35	ug #	91
56)	1,4-Dichlorobenzene	11.824	146	87152	12.29	ug #	55
57)	1,2-Dichlorobenzene	12.102	146	85644	11.74	ug #	87
58)	1,2-Dibromo-3-Chloropr	12.673	157	11871	11.78	ug #	80
59)	1,2,4-Trichlorobenzene	13.234	180	54456	12.17	ug	99
60)	1,2,3-Trichlorobenzene	13.559	180	51183	11.84	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3457.D
Acq On : 29 May 2025 9:52 pm
Operator :
Sample : std010
Misc : ical
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jun 18 10:30:25 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3458.D
 Acq On : 29 May 2025 10:15 pm
 Operator :
 Sample : std025
 Misc : ical
 ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:30:46 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.841	96	397455	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	319453	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	222869	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	110535	50.71	ug	0.00
41) Toluene-d8	7.849	98	399428	49.32	ug	0.12
53) Bromofluorobenzene	10.854	95	170088	49.16	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	214689	49.68	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	33178	23.41	ug	97
3) Chloromethane	1.337	50	66791	20.33	ug	91
4) Vinyl Chloride	1.424	62	42991	23.99	ug	100
5) Bromomethane	1.677	94	23525	21.68	ug	95
6) Chloroethane	1.765	64	32736	25.16	ug	99
7) Trichlorofluoromethane	1.972	101	68823	24.39	ug	95
8) Freon113	2.444	101	36114	21.94	ug	88
9) 1,1-Dichloroethene	2.433	96	39892	21.67	ug	89
10) Carbon Disulfide	2.638	76	90064	19.27	ug	100
11) Acetone	2.512	43	23962	24.51	ug	83
12) Methyl Acetate	2.858	43	44403	21.11	ug	# 50
13) Methylene Chloride	2.947	84	57225	15.08	ug	# 89
14) trans-1,2-Dichloroethene	3.262	96	46039	20.56	ug	# 85
15) Mtbe	3.272	73	340132	48.47	ug	100
16) 1,1-Dichloroethane	3.749	63	95468	21.79	ug	98
17) cis-1,2-Dichloroethene	4.447	61	83800	21.14	ug	84
18) Bromochloromethane	4.730	128	32574	21.31	ug	# 73
19) Chloroform	4.845	83	103296	21.29	ug	100
20) Cyclohexane	5.086	84	66185	23.61	ug	96
21) 1,2-Dichloroethane	5.532	62	84528	21.79	ug	99
22) 2-Butanone	4.499	43	28163	23.28	ug	53
25) 1,1,1-Trichloroethane	5.034	97	92729	22.13	ug	98
26) Carbon Tetrachloride	5.228	117	60448	23.33	ug	93
27) Benzene	5.490	78	232340	21.72	ug	100
28) Trichloroethene	6.298	130	69948	22.26	ug	97
29) Methyl Cyclohexane	6.513	83	83668	23.33	ug	97
30) 1,2-Dichloropropane	6.581	63	60416	21.52	ug	100
31) 1,4-Dioxane	6.790	88	17771	461.78	ug	# 1
32) Bromodichloromethane	6.942	83	77649	21.59	ug	# 33
33) cis-1,3-Dichloropropene	7.519	75	90349	21.43	ug	94
34) trans-1,3-Dichloropropene	8.258	75	84258	21.53	ug	94
35) 1,1,2-Trichloroethane	8.489	97	62936	21.12	ug	99
36) 1,3-Dichloropropane	8.704	76	99354	21.14	ug	92
37) 1,2-Dibromoethane	9.118	107	67624	21.55	ug	97
38) Dibromochloromethane	8.992	129	64666	21.82	ug	93
39) Bromoform	10.550	173	51456	22.10	ug	98
40) 4-Methyl-2-Pentanone	7.755	43	59548	22.24	ug	79
42) Toluene	7.933	92	160438	21.71	ug	100
43) Tetrachloroethene	8.641	164	58430	22.04	ug	97
44) 2-Hexanone	8.861	43	41818	21.21	ug	# 58
46) Chlorobenzene	9.711	112	186817	21.10	ug	98
47) 1,1,1,2-Tetrachloroethane	9.816	133	63728	21.49	ug	# 93
48) Ethylbenzene	9.847	106	100652	21.49	ug	92
49) m,p-Xylene	9.978	91	479664	43.87	ug	96
50) o-Xylene	10.371	106	127183	21.94	ug	99
51) Styrene	10.387	104	207755	21.73	ug	# 74

Data Path : C:\msdchem\1\data\052925\
Data File : d3458.D
Acq On : 29 May 2025 10:15 pm
Operator :
Sample : std025
Misc : ical
ALS Vial : 32 Sample Multiplier: 1


Quant Time: Jun 18 10:30:46 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	305824	22.80	ug	95
54)	1,1,2,2-Tetrachloroethane	11.006	83	89169	20.21	ug	95
55)	1,3-Dichlorobenzene	11.750	146	168551	21.30	ug	91
56)	1,4-Dichlorobenzene	11.824	146	175569	21.48	ug #	47
57)	1,2-Dichlorobenzene	12.102	146	179472	21.36	ug	96
58)	1,2-Dibromo-3-Chloropr	12.673	157	24086	20.75	ug #	72
59)	1,2,4-Trichlorobenzene	13.234	180	114277	22.16	ug	98
60)	1,2,3-Trichlorobenzene	13.564	180	109207	21.93	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3458.D
Acq On : 29 May 2025 10:15 pm
Operator :
Sample : std025
Misc : ical
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:30:46 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3459.D
 Acq On : 29 May 2025 10:36 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:31:00 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	409485	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	319785	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	220098	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	108040	48.10	ug	0.00
41) Toluene-d8	7.850	98	412844	50.92	ug	0.12
53) Bromofluorobenzene	10.849	95	169566	49.63	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	210210	49.26	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	68426	46.85	ug	99
3) Chloromethane	1.337	50	135511	40.04	ug	93
4) Vinyl Chloride	1.424	62	86837	47.03	ug	99
5) Bromomethane	1.668	94	51158	45.75	ug	96
6) Chloroethane	1.765	64	58410	43.57	ug	98
7) Trichlorofluoromethane	1.977	101	132827	45.68	ug	97
8) Freon113	2.444	101	68836	40.59	ug	83
9) 1,1-Dichloroethene	2.439	96	79302	41.81	ug	89
10) Carbon Disulfide	2.643	76	224668	46.67	ug	100
11) Acetone	2.517	43	46487	51.86	ug	85
12) Methyl Acetate	2.858	43	94062	43.41	ug	# 50
13) Methylene Chloride	2.947	84	112575	28.79	ug	93
14) trans-1,2-Dichloroethene	3.262	96	105299	45.64	ug	90
15) Mtbe	3.272	73	693780	98.69	ug	99
16) 1,1-Dichloroethane	3.755	63	186744	41.37	ug	99
17) cis-1,2-Dichloroethene	4.447	61	175307	42.93	ug	87
18) Bromochloromethane	4.735	128	72077	45.77	ug	# 62
19) Chloroform	4.845	83	208673	41.75	ug	100
20) Cyclohexane	5.092	84	128154	44.38	ug	95
21) 1,2-Dichloroethane	5.527	62	168420	42.14	ug	100
22) 2-Butanone	4.499	43	56465	45.31	ug	# 48
25) 1,1,1-Trichloroethane	5.039	97	183700	43.79	ug	99
26) Carbon Tetrachloride	5.233	117	132112	50.93	ug	94
27) Benzene	5.490	78	465586	43.47	ug	100
28) Trichloroethene	6.292	130	143562	45.64	ug	98
29) Methyl Cyclohexane	6.513	83	164533	45.84	ug	94
30) 1,2-Dichloropropane	6.581	63	119757	42.62	ug	100
31) 1,4-Dioxane	6.785	88	39258	1019.05	ug	# 1
32) Bromodichloromethane	6.948	83	159692	44.37	ug	# 36
33) cis-1,3-Dichloropropene	7.519	75	190314	45.10	ug	94
34) trans-1,3-Dichloropropene	8.259	75	180906	46.18	ug	96
35) 1,1,2-Trichloroethane	8.494	97	127708	42.82	ug	96
36) 1,3-Dichloropropane	8.704	76	200252	42.57	ug	91
37) 1,2-Dibromoethane	9.118	107	140283	44.66	ug	96
38) Dibromochloromethane	8.993	129	137705	46.41	ug	96
39) Bromoform	10.550	173	107616	46.17	ug	99
40) 4-Methyl-2-Pentanone	7.755	43	120119	44.82	ug	76
42) Toluene	7.933	92	322552	43.60	ug	100
43) Tetrachloroethene	8.636	164	118030	44.48	ug	100
44) 2-Hexanone	8.861	43	86918	44.04	ug	# 64
46) Chlorobenzene	9.711	112	379141	43.36	ug	99
47) 1,1,1,2-Tetrachloroethane	9.816	133	128687	43.95	ug	# 94
48) Ethylbenzene	9.847	106	208738	45.14	ug	# 90
49) m,p-Xylene	9.978	91	982202	90.96	ug	97
50) o-Xylene	10.371	106	259778	45.38	ug	99
51) Styrene	10.387	104	440895	46.69	ug	# 71

Data Path : C:\msdchem\1\data\052925\
Data File : d3459.D
Acq On : 29 May 2025 10:36 pm
Operator :
Sample : std050
Misc : ical
ALS Vial : 32 Sample Multiplier: 1


Quant Time: Jun 18 10:31:00 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	617981	46.66	ug	93
54)	1,1,2,2-Tetrachloroethane	11.001	83	191901	44.05	ug	96
55)	1,3-Dichlorobenzene	11.824	146	380003	48.62	ug	92
56)	1,4-Dichlorobenzene	11.824	146	380003	47.09	ug #	41
57)	1,2-Dichlorobenzene	12.102	146	380408	45.84	ug	95
58)	1,2-Dibromo-3-Chloropr	12.673	157	52210	45.54	ug #	73
59)	1,2,4-Trichlorobenzene	13.234	180	247219	48.54	ug	98
60)	1,2,3-Trichlorobenzene	13.559	180	233735	47.54	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3459.D
Acq On : 29 May 2025 10:36 pm
Operator :
Sample : std050
Misc : ical
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:31:00 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3460.D
 Acq On : 29 May 2025 10:58 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jun 18 10:31:16 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	424036	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	346711	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	254693	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	109913	47.26	ug	0.00
41) Toluene-d8	7.850	98	420805	47.87	ug	0.12
53) Bromofluorobenzene	10.854	95	183323	46.37	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	240923	48.79	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	154847	102.39	ug	98
3) Chloromethane	1.337	50	280382	79.99	ug	95
4) Vinyl Chloride	1.424	62	184177	96.32	ug	99
5) Bromomethane	1.668	94	122700	105.97	ug	91
6) Chloroethane	1.755	64	121603	87.59	ug	98
7) Trichlorofluoromethane	1.972	101	302061	100.32	ug	97
8) Freon113	2.444	101	163965	93.37	ug	87
9) 1,1-Dichloroethene	2.434	96	174241	88.72	ug	# 86
10) Carbon Disulfide	2.638	76	412693	82.78	ug	100
11) Acetone	2.512	43	88634	100.92	ug	78
12) Methyl Acetate	2.853	43	187439	83.54	ug	# 47
13) Methylene Chloride	2.953	84	240320	59.35	ug	99
14) trans-1,2-Dichloroethene	3.257	96	216450	90.60	ug	94
15) Mtbe	3.272	73	1432135	199.49	ug	99
16) 1,1-Dichloroethane	3.750	63	392136	83.89	ug	100
17) cis-1,2-Dichloroethene	4.447	61	352748	83.41	ug	89
18) Bromochloromethane	4.735	128	151297	92.79	ug	# 58
19) Chloroform	4.845	83	433052	83.68	ug	99
20) Cyclohexane	5.087	84	283770	94.90	ug	99
21) 1,2-Dichloroethane	5.532	62	334076	80.71	ug	99
22) 2-Butanone	4.499	43	109905	85.16	ug	# 42
25) 1,1,1-Trichloroethane	5.039	97	388784	85.47	ug	99
26) Carbon Tetrachloride	5.228	117	293418	104.32	ug	94
27) Benzene	5.490	78	979779	84.38	ug	100
28) Trichloroethene	6.298	130	291408	85.45	ug	97
29) Methyl Cyclohexane	6.513	83	362207	93.07	ug	94
30) 1,2-Dichloropropane	6.581	63	241682	79.33	ug	99
31) 1,4-Dioxane	6.785	88	77570	1857.18	ug	# 1
32) Bromodichloromethane	6.943	83	337498	86.48	ug	# 38
33) cis-1,3-Dichloropropene	7.519	75	385925	84.35	ug	93
34) trans-1,3-Dichloropropene	8.259	75	359976	84.76	ug	94
35) 1,1,2-Trichloroethane	8.494	97	265222	82.02	ug	96
36) 1,3-Dichloropropane	8.704	76	411854	80.75	ug	88
37) 1,2-Dibromoethane	9.124	107	292409	85.85	ug	95
38) Dibromochloromethane	8.993	129	294095	91.41	ug	96
39) Bromoform	10.555	173	240793	95.29	ug	100
40) 4-Methyl-2-Pentanone	7.755	43	236555	81.42	ug	72
42) Toluene	7.933	92	690917	86.14	ug	98
43) Tetrachloroethene	8.636	164	258307	89.78	ug	98
44) 2-Hexanone	8.867	43	170552	79.71	ug	# 58
46) Chlorobenzene	9.711	112	808225	79.87	ug	98
47) 1,1,1,2-Tetrachloroethane	9.816	133	278638	82.24	ug	95
48) Ethylbenzene	9.852	106	448367	83.78	ug	# 87
49) m,p-Xylene	9.978	91	2070990	165.74	ug	97
50) o-Xylene	10.371	106	556371	83.99	ug	97
51) Styrene	10.387	104	949375	86.88	ug	# 70

Data Path : C:\msdchem\1\data\052925\
Data File : d3460.D
Acq On : 29 May 2025 10:58 pm
Operator :
Sample : std100
Misc : ical
ALS Vial : 33 Sample Multiplier: 1


Quant Time: Jun 18 10:31:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	1350421	88.11	ug	94
54)	1,1,2,2-Tetrachloroethane	11.006	83	394208	78.20	ug	95
55)	1,3-Dichlorobenzene	11.750	146	795092	87.90	ug #	86
56)	1,4-Dichlorobenzene	11.824	146	814983	87.27	ug #	38
57)	1,2-Dichlorobenzene	12.102	146	820906	85.49	ug	92
58)	1,2-Dibromo-3-Chloropr	12.673	157	117219	88.35	ug #	63
59)	1,2,4-Trichlorobenzene	13.234	180	539505	91.54	ug	98
60)	1,2,3-Trichlorobenzene	13.565	180	520364	91.45	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3460.D
Acq On : 29 May 2025 10:58 pm
Operator :
Sample : std100
Misc : ical
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jun 18 10:31:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\052925\
 Data File : d3461.D
 Acq On : 29 May 2025 11:19 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jun 18 10:31:35 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 18 10:19:03 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.842	96	435857	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	352465	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.808	152	259027	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	108903	45.56	ug	0.00
41) Toluene-d8	7.850	98	434477	48.62	ug	0.12
53) Bromofluorobenzene	10.854	95	182460	45.38	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	254213	50.62	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	303852	195.47	ug	99
3) Chloromethane	1.337	50	540119	149.92	ug	92
4) Vinyl Chloride	1.425	62	393161	200.03	ug	100
5) Bromomethane	1.668	94	236368	198.60	ug	98
6) Chloroethane	1.745	64	254201	178.13	ug	95
7) Trichlorofluoromethane	1.967	101	598204	193.29	ug	98
8) Freon113	2.439	101	334076	185.09	ug	84
9) 1,1-Dichloroethene	2.434	96	374650	185.59	ug	# 82
10) Carbon Disulfide	2.638	76	1022809	199.59	ug	100
11) Acetone	2.512	43	174449	199.16	ug	74
12) Methyl Acetate	2.853	43	378396	164.07	ug	# 41
13) Methylene Chloride	2.947	84	499356	119.97	ug	95
14) trans-1,2-Dichloroethene	3.257	96	471155	191.87	ug	96
15) Mtbe	3.273	73	2935271	400.55	ug	98
16) 1,1-Dichloroethane	3.755	63	774375	161.16	ug	100
17) cis-1,2-Dichloroethene	4.442	61	711216	163.61	ug	92
18) Bromochloromethane	4.735	128	316878	189.06	ug	# 54
19) Chloroform	4.851	83	855430	160.81	ug	100
20) Cyclohexane	5.087	84	542787	176.60	ug	99
21) 1,2-Dichloroethane	5.532	62	665563	156.44	ug	98
22) 2-Butanone	4.499	43	223965	168.84	ug	# 43
25) 1,1,1-Trichloroethane	5.034	97	765356	165.52	ug	98
26) Carbon Tetrachloride	5.228	117	606713	212.19	ug	93
27) Benzene	5.490	78	1951219	165.29	ug	100
28) Trichloroethene	6.298	130	624637	180.17	ug	96
29) Methyl Cyclohexane	6.513	83	706253	178.52	ug	92
30) 1,2-Dichloropropane	6.581	63	479984	154.98	ug	98
31) 1,4-Dioxane	6.791	88	167215	3938.09	ug	# 1
32) Bromodichloromethane	6.948	83	681643	171.82	ug	# 37
33) cis-1,3-Dichloropropene	7.525	75	793473	170.60	ug	95
34) trans-1,3-Dichloropropene	8.259	75	761013	176.27	ug	95
35) 1,1,2-Trichloroethane	8.495	97	547636	166.58	ug	99
36) 1,3-Dichloropropane	8.704	76	836773	161.38	ug	85
37) 1,2-Dibromoethane	9.124	107	614040	177.35	ug	96
38) Dibromochloromethane	8.993	129	628594	192.20	ug	94
39) Bromoform	10.555	173	547684	213.21	ug	99
40) 4-Methyl-2-Pentanone	7.761	43	484395	164.00	ug	71
42) Toluene	7.934	92	1393147	170.86	ug	99
43) Tetrachloroethene	8.636	164	536374	183.37	ug	100
44) 2-Hexanone	8.867	43	352682	162.13	ug	# 55
46) Chlorobenzene	9.716	112	1687872	164.01	ug	99
47) 1,1,1,2-Tetrachloroethane	9.816	133	583106	169.22	ug	95
48) Ethylbenzene	9.847	106	900853	165.51	ug	# 87
49) m,p-Xylene	9.978	91	4183751	329.21	ug	95
50) o-Xylene	10.372	106	1142900	169.65	ug	95
51) Styrene	10.387	104	2038031	183.38	ug	# 68

Data Path : C:\msdchem\1\data\052925\
Data File : d3461.D
Acq On : 29 May 2025 11:19 pm
Operator :
Sample : std200
Misc : ical
ALS Vial : 33 Sample Multiplier: 1


Quant Time: Jun 18 10:31:35 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	2734670	175.44	ug	93
54)	1,1,2,2-Tetrachloroethane	11.006	83	825665	161.04	ug	96
55)	1,3-Dichlorobenzene	11.756	146	1729857	188.05	ug #	85
56)	1,4-Dichlorobenzene	11.824	146	1798382	189.35	ug #	36
57)	1,2-Dichlorobenzene	12.107	146	1799566	184.27	ug #	89
58)	1,2-Dibromo-3-Chloropr	12.673	157	260973	193.41	ug #	60
59)	1,2,4-Trichlorobenzene	13.234	180	1116677	186.31	ug	99
60)	1,2,3-Trichlorobenzene	13.565	180	1042729	180.20	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\052925\
Data File : d3461.D
Acq On : 29 May 2025 11:19 pm
Operator :
Sample : std200
Misc : ical
ALS Vial : 33 Sample Multiplier: 1



Quant Time: Jun 18 10:31:35 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0001.D
Acq On : 05 Jun 2025 09:37 am
Operator :
Sample : bfb@50
Misc : tune
ALS Vial : 8 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Title : Voa Calibration 524/8260 Water
Last Update : Sat Jun 07 09:40:48 2025



Spectrum Information: Average of 10.902 to 10.913 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	20.8	34116	PASS
75	95	30	60	51.4	84374	PASS
95	95	100	100	100.0	164160	PASS
96	95	5	9	6.8	11243	PASS
173	174	0.00	2	0.7	863	PASS
174	95	50	100	72.2	118464	PASS
175	174	5	9	7.2	8575	PASS
176	174	95	101	98.0	116093	PASS
177	176	5	9	6.5	7495	PASS

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0005.D
 Acq On : 05 Jun 2025 11:29 am
 Operator :
 Sample : vstd002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 09 13:19:11 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	686715	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	438706	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	234767	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	226347	51.84	ug	0.00
42) Toluene-d8	7.914	98	680848	51.07	ug	0.00
54) Bromofluorobenzene	10.908	95	251869	52.18	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	360414	45.80	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	11599	2.83	ug	# 92
3) Chloromethane	1.384	50	13202	2.80	ug	99
4) Vinyl Chloride	1.470	62	11975	2.84	ug	87
5) Bromomethane	1.721	94	10198	3.01	ug	# 78
6) Chloroethane	1.812	64	7254	2.72	ug	96
7) Trichlorofluoromethane	2.023	101	15375	2.62	ug	96
8) Freon113	2.498	101	5992	2.30	ug	# 71
9) 1,1-Dichloroethene	2.498	96	5677	2.11	ug	# 74
10) Carbon Disulfide	2.702	76	16329	2.14	ug	100
11) Acetone	2.582	43	7958	3.71	ug	99
12) Methyl Acetate	2.922	43	9821	2.53	ug	99
13) Methylene Chloride	3.006	84	15247	3.11	ug	# 64
14) trans-1,2-Dichloroethene	3.316	96	7960	2.39	ug	# 80
15) Mtbe	3.347	73	57269	5.07	ug	98
16) 1,1-Dichloroethane	3.809	63	16100	2.43	ug	97
17) cis-1,2-Dichloroethene	4.506	61	14195	2.36	ug	# 75
18) Bromochloromethane	4.794	128	3354	2.12	ug	# 44
19) Chloroform	4.899	83	16356	2.43	ug	97
20) Cyclohexane	5.146	84	11501	2.21	ug	# 67
21) 1,2-Dichloroethane	5.591	62	12896	2.38	ug	93
22) 2-Butanone	3.908	43	11422	1.75	ug	97
25) 1,1,1-Trichloroethane	5.098	97	12371	2.30	ug	91
26) Carbon Tetrachloride	5.292	117	9629	2.31	ug	89
27) Benzene	5.549	78	35084	2.45	ug	100
28) Trichloroethene	6.357	130	7573	2.29	ug	# 82
29) Methyl Cyclohexane	6.582	83	16479	2.49	ug	91
30) 1,2-Dichloropropane	6.640	63	9685	2.45	ug	96
31) Dibromomethane	6.792	174	4602	2.26	ug	# 66
32) 1,4-Dioxane	6.865	88	3686	64.05	ug	# 1
33) Bromodichloromethane	7.002	83	11884	2.30	ug	# 31
34) cis-1,3-Dichloropropene	7.584	75	13822	2.36	ug	86
35) trans-1,3-Dichloropropene	8.328	75	11281	2.11	ug	89
36) 1,1,2-Trichloroethane	8.554	97	8030	2.30	ug	90
37) 1,3-Dichloropropane	8.769	76	15218	2.44	ug	86
38) 1,2-Dibromoethane	9.188	107	8048	2.35	ug	100
39) Dibromochloromethane	9.057	129	8273	2.38	ug	99
40) Bromoform	10.609	173	5508	2.24	ug	98
41) 4-Methyl-2-Pentanone	7.830	43	12339	2.73	ug	98
43) Toluene	7.998	92	21726	2.40	ug	94
44) Tetrachloroethene	8.711	164	6408	2.36	ug	96
45) 2-Hexanone	8.942	43	7187	2.38	ug	88

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0005.D
 Acq On : 05 Jun 2025 11:29 am
 Operator :
 Sample : vstd002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 09 13:19:11 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

47) Chlorobenzene	9.775	112	22627	2.42	ug	99
48) 1,1,1,2-Tetrachloroethane	9.875	133	7090	2.38	ug	# 86
49) Ethylbenzene	9.906	106	12182	2.34	ug	# 81
50) m,p-Xylene	10.037	91	68169	5.13	ug	90
51) o-Xylene	10.425	106	15884	2.49	ug	# 85
52) Styrene	10.446	104	22035	2.21	ug	91
53) Isopropylbenzene	10.782	105	40865	2.51	ug	99
55) 1,1,2,2-Tetrachloroethane	11.055	83	12844	2.49	ug	94
56) 1,3-Dichlorobenzene	11.815	146	16427	2.29	ug	# 87
57) 1,4-Dichlorobenzene	11.815	146	16427	2.29	ug	# 82
58) 1,2-Dichlorobenzene	12.166	146	17492	2.38	ug	# 1
59) 1,2-Dibromo-3-Chloropr	12.732	157	2308	2.45	ug	# 88
60) 1,2,4-Trichlorobenzene	13.304	180	12846	2.48	ug	96
61) 1,2,3-Trichlorobenzene	13.629	180	11800	2.34	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0005.D
Acq On : 05 Jun 2025 11:29 am
Operator :
Sample : vstd002.5
Misc : ical
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 09 13:19:11 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0006.D
 Acq On : 05 Jun 2025 11:49 am
 Operator :
 Sample : vstd005
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 09 13:19:26 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	702666	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	450645	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	239826	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	232426	52.03	ug	0.01
42) Toluene-d8	7.914	98	703727	51.39	ug	0.00
54) Bromofluorobenzene	10.913	95	257678	52.26	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	371579	46.23	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	22678	5.40	ug	# 95
3) Chloromethane	1.384	50	26979	5.60	ug	94
4) Vinyl Chloride	1.470	62	23936	5.54	ug	91
5) Bromomethane	1.721	94	19242	5.55	ug	86
6) Chloroethane	1.812	64	13910	5.10	ug	82
7) Trichlorofluoromethane	2.028	101	29700	4.94	ug	93
8) Freon113	2.498	101	10578	3.97	ug	# 79
9) 1,1-Dichloroethene	2.498	96	11930	4.34	ug	# 82
10) Carbon Disulfide	2.702	76	36272	4.64	ug	100
11) Acetone	2.576	43	11967	5.45	ug	99
12) Methyl Acetate	2.922	43	20129	5.07	ug	99
13) Methylene Chloride	3.012	84	26489	5.28	ug	# 59
14) trans-1,2-Dichloroethene	3.321	96	15836	4.65	ug	# 78
15) Mtbe	3.347	73	115164	9.97	ug	99
16) 1,1-Dichloroethane	3.814	63	31236	4.61	ug	99
17) cis-1,2-Dichloroethene	4.506	61	29624	4.82	ug	# 73
18) Bromochloromethane	4.789	128	7402	4.58	ug	# 53
19) Chloroform	4.904	83	33159	4.82	ug	97
20) Cyclohexane	5.151	84	22156	4.16	ug	# 76
21) 1,2-Dichloroethane	5.591	62	27734	5.01	ug	96
22) 2-Butanone	5.913	43	23403	3.51	ug	92
25) 1,1,1-Trichloroethane	5.098	97	27181	4.92	ug	98
26) Carbon Tetrachloride	5.292	117	19073	4.45	ug	97
27) Benzene	5.549	78	72575	4.93	ug	100
28) Trichloroethene	6.362	130	16776	4.94	ug	# 89
29) Methyl Cyclohexane	6.582	83	31697	4.66	ug	96
30) 1,2-Dichloropropane	6.640	63	18788	4.63	ug	94
31) Dibromomethane	6.792	174	9945	4.75	ug	# 58
32) 1,4-Dioxane	6.865	88	7018	118.72	ug	# 1
33) Bromodichloromethane	7.002	83	25336	4.78	ug	# 36
34) cis-1,3-Dichloropropene	7.589	75	28238	4.69	ug	95
35) trans-1,3-Dichloropropene	8.328	75	26183	4.77	ug	95
36) 1,1,2-Trichloroethane	8.559	97	17648	4.91	ug	99
37) 1,3-Dichloropropane	8.769	76	31452	4.92	ug	85
38) 1,2-Dibromoethane	9.188	107	16539	4.69	ug	95
39) Dibromochloromethane	9.062	129	16655	4.66	ug	94
40) Bromoform	10.609	173	10957	4.34	ug	98
41) 4-Methyl-2-Pentanone	7.830	43	22758	4.90	ug	91
43) Toluene	7.998	92	45479	4.88	ug	98
44) Tetrachloroethene	8.711	164	12577	4.52	ug	96
45) 2-Hexanone	8.942	43	16128	5.21	ug	94

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0006.D
 Acq On : 05 Jun 2025 11:49 am
 Operator :
 Sample : vstd005
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 09 13:19:26 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	48001	5.03	ug	97
48) 1,1,1,2-Tetrachloroethane	9.875	133	14741	4.84	ug	# 91
49) Ethylbenzene	9.912	106	27269	5.13	ug	95
50) m,p-Xylene	10.037	91	134273	9.90	ug	95
51) o-Xylene	10.431	106	33037	5.07	ug	# 87
52) Styrene	10.446	104	49162	4.84	ug	84
53) Isopropylbenzene	10.782	105	81924	4.92	ug	100
55) 1,1,2,2-Tetrachloroethane	11.060	83	26993	5.12	ug	94
56) 1,3-Dichlorobenzene	11.815	146	37126	5.06	ug	97
57) 1,4-Dichlorobenzene	11.815	146	37126	5.06	ug	93
58) 1,2-Dichlorobenzene	12.166	146	37235	4.95	ug	# 18
59) 1,2-Dibromo-3-Chloropr	12.738	157	5027	5.23	ug	96
60) 1,2,4-Trichlorobenzene	13.304	180	26459	5.00	ug	98
61) 1,2,3-Trichlorobenzene	13.629	180	24387	4.72	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

TIC: g0006.D\data.ms

Abundance

Time-->

1,4-Dichlorobenzene-d4,l
1,2-Dichlorobenzene-d4,s
1,2-Dichlorobenzene
1,2,4-Trichlorobenzene
1,2,3-Trichlorobenzene
1,2-Dibromo-3-Chloropr
1,1,2,2-Tetrachloroethane
Isopropylbenzene
Styrene
Bromoform
m,p-Xylene
1,1,1,2-Tetrafluoroethane
Chlorobenzene
Chlorobenzene-d5,l
Bromofluorobenzene S
Toluene-d8,s
Toluene
4-Methyl-2-Pentanone
cis-1,3-Dichloropropene
Bromodichloromethane
Diphenylmethane
1,2-Methylenecyclohexane
Trichloroethene
1,2-Dichloroethane
1,2-Dichloroethane-d4,s
Carbon Tetrachloride
1,3-Dichloropropane
Bromochloromethane
cis-1,2-Dichloroethene
trans-1,2-Dichloroethene
1,1-Dichloroethane
2-Butanone
Methylene Chloride
Carbon Disulfide
Acetone
Trichlorofluoromethane
Chloroethane
Dichlorodifluoromethane
Vinyl Chloride

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0007.D
 Acq On : 05 Jun 2025 12:09 pm
 Operator :
 Sample : vstd010
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 09 13:19:44 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	723302	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	468608	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	256432	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	238428	51.85	ug	0.01
42) Toluene-d8	7.914	98	723968	50.84	ug	0.00
54) Bromofluorobenzene	10.913	95	265979	50.45	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	393770	45.81	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	37933	8.78	ug	# 95
3) Chloromethane	1.384	50	43959	8.86	ug	94
4) Vinyl Chloride	1.470	62	39214	8.82	ug	91
5) Bromomethane	1.721	94	35571	9.97	ug	82
6) Chloroethane	1.812	64	25233	9.00	ug	91
7) Trichlorofluoromethane	2.028	101	48845	7.90	ug	100
8) Freon113	2.503	101	25788	9.39	ug	# 76
9) 1,1-Dichloroethene	2.498	96	25090	8.87	ug	# 77
10) Carbon Disulfide	2.702	76	79160	9.83	ug	100
11) Acetone	2.576	43	21965	9.72	ug	96
12) Methyl Acetate	2.922	43	44889	10.99	ug	98
13) Methylene Chloride	3.012	84	49888	9.66	ug	# 71
14) trans-1,2-Dichloroethene	3.321	96	35525	10.13	ug	# 83
15) Mtbe	3.347	73	250442	21.07	ug	99
16) 1,1-Dichloroethane	3.814	63	71259	10.21	ug	98
17) cis-1,2-Dichloroethene	4.506	61	65796	10.39	ug	# 77
18) Bromochloromethane	4.789	128	17050	10.25	ug	# 67
19) Chloroform	4.899	83	74515	10.53	ug	98
20) Cyclohexane	5.151	84	51509	9.39	ug	# 80
21) 1,2-Dichloroethane	5.591	62	59977	10.53	ug	95
22) 2-Butanone	3.913	43	60759	8.84	ug	89
25) 1,1,1-Trichloroethane	5.098	97	58957	10.27	ug	96
26) Carbon Tetrachloride	5.292	117	45395	10.19	ug	98
27) Benzene	5.549	78	160856	10.50	ug	100
28) Trichloroethene	6.362	130	36699	10.40	ug	# 86
29) Methyl Cyclohexane	6.582	83	72788	10.28	ug	95
30) 1,2-Dichloropropane	6.640	63	44332	10.50	ug	97
31) Dibromomethane	6.792	174	23208	10.65	ug	# 55
32) 1,4-Dioxane	6.860	88	14338	233.24	ug	# 1
33) Bromodichloromethane	7.002	83	58867	10.68	ug	# 40
34) cis-1,3-Dichloropropene	7.589	75	66708	10.64	ug	98
35) trans-1,3-Dichloropropene	8.328	75	63657	11.15	ug	96
36) 1,1,2-Trichloroethane	8.554	97	40365	10.81	ug	100
37) 1,3-Dichloropropane	8.768	76	73272	11.01	ug	91
38) 1,2-Dibromoethane	9.188	107	39378	10.75	ug	96
39) Dibromochloromethane	9.062	129	37411	10.07	ug	91
40) Bromoform	10.609	173	26816	10.22	ug	100
41) 4-Methyl-2-Pentanone	7.830	43	54072	11.19	ug	93
43) Toluene	7.998	92	102735	10.61	ug	97
44) Tetrachloroethene	8.711	164	31115	10.75	ug	96
45) 2-Hexanone	8.942	43	36334	11.28	ug	84


Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0007.D
 Acq On : 05 Jun 2025 12:09 pm
 Operator :
 Sample : vstd010
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 09 13:19:44 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	109520	10.74	ug	97
48) 1,1,1,2-Tetrachloroethane	9.875	133	33996	10.43	ug	# 89
49) Ethylbenzene	9.911	106	62512	10.99	ug	94
50) m,p-Xylene	10.037	91	318556	21.96	ug	94
51) o-Xylene	10.431	106	74305	10.65	ug	# 82
52) Styrene	10.446	104	115946	10.67	ug	84
53) Isopropylbenzene	10.782	105	195375	10.97	ug	99
55) 1,1,2,2-Tetrachloroethane	11.060	83	64205	11.39	ug	95
56) 1,3-Dichlorobenzene	11.815	146	86300	11.01	ug	94
57) 1,4-Dichlorobenzene	11.815	146	86300	11.01	ug	# 90
58) 1,2-Dichlorobenzene	12.166	146	85403	10.62	ug	# 59
59) 1,2-Dibromo-3-Chloropr	12.738	157	11160	10.87	ug	92
60) 1,2,4-Trichlorobenzene	13.304	180	60216	10.65	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	58625	10.62	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0009.D
 Acq On : 05 Jun 2025 12:55 pm
 Operator :
 Sample : vstd001
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 09 13:20:08 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.905	96	664377	50.00	ug	0.00
24) Chlorobenzene-d5	9.743	117	437711	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	227703	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.491	65	223970	53.02	ug	0.00
42) Toluene-d8	7.914	98	673517	50.63	ug	0.00
54) Bromofluorobenzene	10.913	95	247966	52.96	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	356633	46.73	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	3948	0.99	ug	# 95
3) Chloromethane	1.384	50	4866	1.07	ug	96
4) Vinyl Chloride	1.469	62	3762	0.92	ug	89
5) Bromomethane	1.726	94	3959	1.21	ug	# 78
6) Chloroethane	1.812	64	2312	0.90	ug	78
7) Trichlorofluoromethane	2.028	101	4726	0.83	ug	96
8) Freon113	2.503	101	2791	1.11	ug	83
9) 1,1-Dichloroethene	2.497	96	2998	1.15	ug	# 77
10) Carbon Disulfide	2.702	76	7435	1.01	ug	100
11) Acetone	2.576	43	3718	1.79	ug	94
12) Methyl Acetate	2.927	43	4349	1.16	ug	# 89
13) Methylene Chloride	3.006	84	7206	1.52	ug	# 65
14) trans-1,2-Dichloroethene	3.315	96	3143	0.98	ug	# 68
15) Mtbe	3.352	73	22888	2.10	ug	93
16) 1,1-Dichloroethane	3.813	63	7063	1.10	ug	94
17) cis-1,2-Dichloroethene	4.511	61	5878	1.01	ug	# 70
18) Bromochloromethane	4.794	128	999	0.65	ug	# 1
19) Chloroform	4.899	83	6854	1.05	ug	95
20) Cyclohexane	5.150	84	5251	1.04	ug	# 62
21) 1,2-Dichloroethane	5.591	62	5264	1.01	ug	87
22) 2-Butanone	3.918	43	4124	0.65	ug	100
25) 1,1,1-Trichloroethane	5.098	97	5412	1.01	ug	98
26) Carbon Tetrachloride	5.292	117	3585	0.86	ug	98
27) Benzene	5.549	78	14956	1.05	ug	100
28) Trichloroethene	6.356	130	3163	0.96	ug	# 74
29) Methyl Cyclohexane	6.582	83	7438	1.12	ug	95
30) 1,2-Dichloropropane	6.639	63	4485	1.14	ug	98
31) Dibromomethane	6.792	174	1586	0.78	ug	# 34
32) 1,4-Dioxane	6.875	88	1048	18.25	ug	# 1
33) Bromodichloromethane	7.007	83	5219	1.01	ug	# 52
34) cis-1,3-Dichloropropene	7.588	75	5290	0.90	ug	89
35) trans-1,3-Dichloropropene	8.333	75	4652	0.87	ug	88
36) 1,1,2-Trichloroethane	8.553	97	3606	1.03	ug	86
37) 1,3-Dichloropropane	8.768	76	6172	0.99	ug	# 81
38) 1,2-Dibromoethane	9.188	107	3044	0.89	ug	99
39) Dibromochloromethane	9.057	129	2819	0.81	ug	94
40) Bromoform	10.609	173	2065	0.84	ug	93
41) 4-Methyl-2-Pentanone	7.830	43	4521	1.00	ug	79
43) Toluene	8.003	92	9464	1.05	ug	93
44) Tetrachloroethene	8.711	164	2761	1.02	ug	93
45) 2-Hexanone	8.952	43	2896	0.96	ug	81

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0009.D
 Acq On : 05 Jun 2025 12:55 pm
 Operator :
 Sample : vstd001
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 09 13:20:08 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

47) Chlorobenzene	9.775	112	9061	1.00	ug	96
48) 1,1,1,2-Tetrachloroethane	9.874	133	2778	0.96	ug #	1
49) Ethylbenzene	9.906	106	4884	0.97	ug #	72
50) m,p-Xylene	10.037	91	27097	2.10	ug	93
51) o-Xylene	10.425	106	6373	1.03	ug #	86
52) Styrene	10.446	104	8909	0.92	ug	90
53) Isopropylbenzene	10.782	105	16147	1.02	ug	99
55) 1,1,2,2-Tetrachloroethane	11.059	83	4792	0.96	ug	87
56) 1,3-Dichlorobenzene	11.814	146	6285	0.90	ug #	90
57) 1,4-Dichlorobenzene	11.814	146	6285	0.90	ug #	85
58) 1,2-Dichlorobenzene	12.166	146	7251	1.02	ug #	1
59) 1,2-Dibromo-3-Chloropr	12.737	157	557	0.61	ug #	20
60) 1,2,4-Trichlorobenzene	13.303	180	4695	0.94	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	5091	1.04	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0009.D
Acq On : 05 Jun 2025 12:55 pm
Operator :
Sample : vstd001
Misc : ical
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 09 13:20:08 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0010.D
 Acq On : 05 Jun 2025 02:24 pm
 Operator :
 Sample : vstd025
 Misc : ical
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 13:21:09 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	715671	50.00	ug	0.00
24) Chlorobenzene-d5	9.738	117	466804	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	256884	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.486	65	222285	48.85	ug	0.00
42) Toluene-d8	7.909	98	708293	49.93	ug	0.00
54) Bromofluorobenzene	10.908	95	263898	49.96	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	414723	48.17	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	102618	24.00	ug	# 95
3) Chloromethane	1.384	50	118489	24.14	ug	96
4) Vinyl Chloride	1.470	62	109023	24.79	ug	93
5) Bromomethane	1.721	94	87606	24.82	ug	81
6) Chloroethane	1.812	64	72506	26.12	ug	92
7) Trichlorofluoromethane	2.023	101	165791	27.10	ug	86
8) Freon113	2.498	101	65356	24.05	ug	81
9) 1,1-Dichloroethene	2.492	96	66758	23.85	ug	# 77
10) Carbon Disulfide	2.702	76	205458	25.79	ug	100
11) Acetone	2.571	43	44573	19.93	ug	99
12) Methyl Acetate	2.917	43	92427	22.88	ug	98
13) Methylene Chloride	3.006	84	107272	20.99	ug	# 66
14) trans-1,2-Dichloroethene	3.316	96	86112	24.82	ug	# 77
15) Mtbe	3.342	73	570284	48.48	ug	97
16) 1,1-Dichloroethane	3.808	63	174570	25.27	ug	100
17) cis-1,2-Dichloroethene	4.501	61	160636	25.64	ug	# 76
18) Bromochloromethane	4.784	128	43434	26.38	ug	# 72
19) Chloroform	4.894	83	180656	25.79	ug	100
20) Cyclohexane	5.145	84	134462	24.77	ug	# 77
21) 1,2-Dichloroethane	5.581	62	145439	25.80	ug	96
22) 2-Butanone	3.903	43	158884	23.37	ug	85
25) 1,1,1-Trichloroethane	5.093	97	149929	26.22	ug	99
26) Carbon Tetrachloride	5.287	117	120064	27.07	ug	98
27) Benzene	5.544	78	396391	25.98	ug	100
28) Trichloroethene	6.351	130	93025	26.46	ug	90
29) Methyl Cyclohexane	6.577	83	191217	27.12	ug	95
30) 1,2-Dichloropropane	6.635	63	106702	25.38	ug	98
31) Dibromomethane	6.781	174	56844	26.19	ug	# 62
32) 1,4-Dioxane	6.849	88	28263	461.55	ug	# 1
33) Bromodichloromethane	6.996	83	145099	26.42	ug	# 37
34) cis-1,3-Dichloropropene	7.578	75	167957	26.90	ug	98
35) trans-1,3-Dichloropropene	8.318	75	150429	26.45	ug	97
36) 1,1,2-Trichloroethane	8.548	97	94467	25.39	ug	94
37) 1,3-Dichloropropane	8.763	76	169319	25.55	ug	90
38) 1,2-Dibromoethane	9.183	107	94787	25.97	ug	100
39) Dibromochloromethane	9.057	129	96141	25.99	ug	93
40) Bromoform	10.609	173	66172	25.31	ug	99
41) 4-Methyl-2-Pentanone	7.819	43	114312	23.75	ug	93
43) Toluene	7.992	92	251822	26.10	ug	100
44) Tetrachloroethene	8.706	164	73844	25.61	ug	98
45) 2-Hexanone	8.931	43	75571	23.56	ug	86

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0010.D
 Acq On : 05 Jun 2025 02:24 pm
 Operator :
 Sample : vstd025
 Misc : ical
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Jun 09 13:21:09 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.770	112	268041	26.23	ug	97
48) 1,1,1,2-Tetrachloroethane	9.875	133	86189	26.40	ug	# 90
49) Ethylbenzene	9.906	106	153015	26.85	ug	95
50) m,p-Xylene	10.032	91	769259	52.94	ug	95
51) o-Xylene	10.425	106	182757	26.16	ug	87
52) Styrene	10.441	104	297245	27.29	ug	81
53) Isopropylbenzene	10.777	105	471588	26.44	ug	99
55) 1,1,2,2-Tetrachloroethane	11.054	83	141449	25.04	ug	93
56) 1,3-Dichlorobenzene	11.815	146	213768	27.22	ug	96
57) 1,4-Dichlorobenzene	11.815	146	213768	27.22	ug	92
58) 1,2-Dichlorobenzene	12.166	146	214810	26.67	ug	# 84
59) 1,2-Dibromo-3-Chloropr	12.732	157	25376	24.66	ug	90
60) 1,2,4-Trichlorobenzene	13.304	180	146207	25.81	ug	98
61) 1,2,3-Trichlorobenzene	13.629	180	144564	26.15	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0010.D
Acq On : 05 Jun 2025 02:24 pm
Operator :
Sample : vstd025
Misc : ical
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 13:21:09 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0011.D
 Acq On : 05 Jun 2025 02:43 pm
 Operator :
 Sample : vstd050
 Misc : ical
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 09 13:21:35 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.905	96	762481	50.00	ug	0.00
24) Chlorobenzene-d5	9.743	117	501334	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	280716	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.496	65	233536	48.17	ug	0.01
42) Toluene-d8	7.913	98	756413	49.65	ug	0.00
54) Bromofluorobenzene	10.913	95	277938	48.15	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	459659	48.85	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	278450	61.13	ug	# 93
3) Chloromethane	1.389	50	299967	57.37	ug	94
4) Vinyl Chloride	1.474	62	283106	60.42	ug	89
5) Bromomethane	1.716	94	190044	50.54	ug	82
6) Chloroethane	1.806	64	182282	61.64	ug	92
7) Trichlorofluoromethane	2.023	101	417482	64.05	ug	95
8) Freon113	2.503	101	128929	44.54	ug	# 80
9) 1,1-Dichloroethene	2.492	96	130851	43.88	ug	# 80
10) Carbon Disulfide	2.702	76	400977	47.24	ug	100
11) Acetone	2.576	43	70626	29.64	ug	99
12) Methyl Acetate	2.922	43	183972	42.74	ug	100
13) Methylene Chloride	3.011	84	199564	36.65	ug	# 71
14) trans-1,2-Dichloroethene	3.320	96	169846	45.94	ug	# 83
15) Mtbe	3.347	73	1092639	87.19	ug	98
16) 1,1-Dichloroethane	3.813	63	330876	44.95	ug	99
17) cis-1,2-Dichloroethene	4.505	61	312293	46.79	ug	# 77
18) Bromochloromethane	4.789	128	89367	50.94	ug	86
19) Chloroform	4.899	83	333635	44.71	ug	98
20) Cyclohexane	5.150	84	249967	43.23	ug	# 80
21) 1,2-Dichloroethane	5.585	62	271061	45.14	ug	100
22) 2-Butanone	3.908	43	332126	45.86	ug	85
25) 1,1,1-Trichloroethane	5.098	97	286712	46.70	ug	100
26) Carbon Tetrachloride	5.292	117	231253	48.54	ug	99
27) Benzene	5.549	78	736805	44.96	ug	100
28) Trichloroethene	6.356	130	174982	46.34	ug	89
29) Methyl Cyclohexane	6.582	83	346661	45.78	ug	95
30) 1,2-Dichloropropane	6.639	63	200590	44.42	ug	99
31) Dibromomethane	6.786	174	111067	47.65	ug	# 62
32) 1,4-Dioxane	6.854	88	55842	849.11	ug	# 1
33) Bromodichloromethane	7.001	83	272323	46.17	ug	# 36
34) cis-1,3-Dichloropropene	7.583	75	318511	47.51	ug	99
35) trans-1,3-Dichloropropene	8.322	75	292939	47.97	ug	97
36) 1,1,2-Trichloroethane	8.553	97	181840	45.51	ug	97
37) 1,3-Dichloropropane	8.768	76	317404	44.59	ug	90
38) 1,2-Dibromoethane	9.188	107	184498	47.06	ug	99
39) Dibromochloromethane	9.056	129	189526	47.70	ug	94
40) Bromoform	10.608	173	135008	48.08	ug	100
41) 4-Methyl-2-Pentanone	7.824	43	224810	43.49	ug	94
43) Toluene	7.997	92	473508	45.69	ug	100
44) Tetrachloroethene	8.710	164	144259	46.59	ug	99
45) 2-Hexanone	8.936	43	149591	43.42	ug	83

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0011.D
 Acq On : 05 Jun 2025 02:43 pm
 Operator :
 Sample : vstd050
 Misc : ical
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Jun 09 13:21:35 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	513491	45.99	ug	97
48) 1,1,1,2-Tetrachloroethane	9.874	133	164919	46.23	ug	# 92
49) Ethylbenzene	9.906	106	290236	46.61	ug	99
50) m,p-Xylene	10.037	91	1429116	90.00	ug	98
51) o-Xylene	10.430	106	348579	45.66	ug	90
52) Styrene	10.446	104	571515	48.02	ug	79
53) Isopropylbenzene	10.781	105	894701	45.91	ug	98
55) 1,1,2,2-Tetrachloroethane	11.059	83	272428	44.13	ug	93
56) 1,3-Dichlorobenzene	11.814	146	403134	46.98	ug	97
57) 1,4-Dichlorobenzene	11.814	146	403134	46.98	ug	93
58) 1,2-Dichlorobenzene	12.166	146	399335	45.37	ug	# 91
59) 1,2-Dibromo-3-Chloropr	12.732	157	53629	47.70	ug	92
60) 1,2,4-Trichlorobenzene	13.303	180	282801	45.69	ug	100
61) 1,2,3-Trichlorobenzene	13.628	180	275280	45.56	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0011.D
Acq On : 05 Jun 2025 02:43 pm
Operator :
Sample : vstd050
Misc : ical
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 09 13:21:35 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0012.D
 Acq On : 05 Jun 2025 03:06 pm
 Operator :
 Sample : vstd100
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 09 13:21:50 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	737443	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	496125	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	282886	50.00	ug	# 0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.491	65	221878	47.32	ug	0.00
42) Toluene-d8	7.914	98	733577	48.66	ug	0.00
54) Bromofluorobenzene	10.913	95	274503	47.19	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.155	150	509876	53.78	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	392549	89.11	ug	# 93
3) Chloromethane	1.384	50	432024	85.43	ug	94
4) Vinyl Chloride	1.470	62	398334	87.90	ug	90
5) Bromomethane	1.771	94	14063	3.87	ug	87
6) Chloroethane	1.802	64	265785	92.93	ug	91
7) Trichlorofluoromethane	2.023	101	631804	100.22	ug	94
8) Freon113	2.498	101	336163	120.07	ug	# 81
9) 1,1-Dichloroethene	2.492	96	343502	119.09	ug	# 84
10) Carbon Disulfide	2.697	76	846003	103.05	ug	100
11) Acetone	2.576	43	147555	64.03	ug	99
12) Methyl Acetate	2.917	43	400304	96.15	ug	100
13) Methylene Chloride	3.006	84	430517	81.76	ug	# 69
14) trans-1,2-Dichloroethene	3.316	96	385792	107.89	ug	# 86
15) Mtbe	3.342	73	2503960	206.60	ug	98
16) 1,1-Dichloroethane	3.808	63	746746	104.90	ug	100
17) cis-1,2-Dichloroethene	4.500	61	671095	103.95	ug	# 81
18) Bromochloromethane	4.789	128	207762	122.46	ug	89
19) Chloroform	4.899	83	741587	102.75	ug	99
20) Cyclohexane	5.145	84	698355	124.86	ug	# 79
21) 1,2-Dichloroethane	5.586	62	600899	103.46	ug	99
22) 2-Butanone	3.903	43	882121	125.93	ug	80
25) 1,1,1-Trichloroethane	5.093	97	641987	105.66	ug	99
26) Carbon Tetrachloride	5.292	117	540474	114.64	ug	99
27) Benzene	5.549	78	1655805	102.10	ug	100
28) Trichloroethene	6.357	130	393424	105.28	ug	92
29) Methyl Cyclohexane	6.577	83	737491	98.41	ug	95
30) 1,2-Dichloropropane	6.640	63	452908	101.35	ug	100
31) Dibromomethane	6.786	174	257048	111.44	ug	# 66
32) 1,4-Dioxane	6.855	88	105606	1622.67	ug	# 1
33) Bromodichloromethane	7.001	83	608353	104.21	ug	# 38
34) cis-1,3-Dichloropropene	7.583	75	705185	106.29	ug	97
35) trans-1,3-Dichloropropene	8.323	75	653871	108.20	ug	96
36) 1,1,2-Trichloroethane	8.553	97	408161	103.23	ug	97
37) 1,3-Dichloropropane	8.768	76	727015	103.21	ug	92
38) 1,2-Dibromoethane	9.188	107	419750	108.19	ug	95
39) Dibromochloromethane	9.057	129	447277	113.76	ug	94
40) Bromoform	10.609	173	324137	116.64	ug	100
41) 4-Methyl-2-Pentanone	7.825	43	503681	98.46	ug	93
43) Toluene	7.998	92	1034935	100.92	ug	99
44) Tetrachloroethene	8.711	164	318541	103.96	ug	99
45) 2-Hexanone	8.936	43	352682	103.43	ug	83

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0012.D
 Acq On : 05 Jun 2025 03:06 pm
 Operator :
 Sample : vstd100
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1


Quant Time: Jun 09 13:21:50 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	1112390	98.87	ug	98
48) 1,1,1,2-Tetrachloroethane	9.875	133	377075	104.88	ug #	92
49) Ethylbenzene	9.906	106	626691	99.86	ug	99
50) m,p-Xylene	10.037	91	3053215	190.80	ug	97
51) o-Xylene	10.430	106	748895	97.34	ug	90
52) Styrene	10.446	104	1254643	104.62	ug	78
53) Isopropylbenzene	10.782	105	1908640	97.18	ug	98
55) 1,1,2,2-Tetrachloroethane	11.060	83	616704	99.14	ug	93
56) 1,3-Dichlorobenzene	11.815	146	852950	98.64	ug	97
57) 1,4-Dichlorobenzene	11.815	146	852950	98.64	ug	93
58) 1,2-Dichlorobenzene	12.166	146	868491	97.92	ug	97
59) 1,2-Dibromo-3-Chloropr	12.732	157	128374	113.30	ug	99
60) 1,2,4-Trichlorobenzene	13.304	180	616359	98.81	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	604970	99.36	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0012.D
Acq On : 05 Jun 2025 03:06 pm
Operator :
Sample : vstd100
Misc : ical
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 09 13:21:50 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0013.D
 Acq On : 05 Jun 2025 03:25 pm
 Operator :
 Sample : vstd200
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 09 13:22:03 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	749792	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	510480	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	292850	50.00	ug	# 0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	223654	46.92	ug	0.01
42) Toluene-d8	7.914	98	742067	47.84	ug	0.00
54) Bromofluorobenzene	10.913	95	282063	46.84	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.155	150	634376	64.63	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	754165	168.38	ug	# 93
3) Chloromethane	1.384	50	861269	167.50	ug	94
4) Vinyl Chloride	1.470	62	805278	174.77	ug	90
5) Bromomethane	1.716	94	507614	137.27	ug	82
6) Chloroethane	1.797	64	515219	177.18	ug	88
7) Trichlorofluoromethane	2.018	101	1249444	194.92	ug	93
8) Freon113	2.498	101	676519	237.66	ug	83
9) 1,1-Dichloroethene	2.492	96	717453	244.65	ug	# 86
10) Carbon Disulfide	2.697	76	2042450	244.68	ug	100
11) Acetone	2.582	43	297162	126.82	ug	100
12) Methyl Acetate	2.922	43	831403	196.40	ug	100
13) Methylene Chloride	3.006	84	883715	165.06	ug	# 70
14) trans-1,2-Dichloroethene	3.316	96	825394	227.03	ug	# 87
15) Mtbe	3.342	73	4987648	404.75	ug	98
16) 1,1-Dichloroethane	3.808	63	1486261	205.35	ug	99
17) cis-1,2-Dichloroethene	4.501	61	1367478	208.34	ug	# 81
18) Bromochloromethane	4.789	128	434071	251.64	ug	89
19) Chloroform	4.899	83	1471216	200.48	ug	99
20) Cyclohexane	5.151	84	1364767	240.00	ug	# 79
21) 1,2-Dichloroethane	5.586	62	1199493	203.12	ug	100
22) 2-Butanone	3.903	43	1855806	260.58	ug	79
25) 1,1,1-Trichloroethane	5.098	97	1272547	203.54	ug	99
26) Carbon Tetrachloride	5.292	117	1071152	220.82	ug	99
27) Benzene	5.549	78	3273899	196.21	ug	100
28) Trichloroethene	6.357	130	813433	211.56	ug	91
29) Methyl Cyclohexane	6.577	83	1444063	187.27	ug	94
30) 1,2-Dichloropropane	6.640	63	909243	197.75	ug	100
31) Dibromomethane	6.787	174	563988	237.64	ug	# 71
32) 1,4-Dioxane	6.860	88	232904	3478.00	ug	# 1
33) Bromodichloromethane	7.002	83	1225647	204.06	ug	# 38
34) cis-1,3-Dichloropropene	7.583	75	1451574	212.63	ug	98
35) trans-1,3-Dichloropropene	8.323	75	1386045	222.90	ug	97
36) 1,1,2-Trichloroethane	8.559	97	834391	205.10	ug	98
37) 1,3-Dichloropropane	8.768	76	1448748	199.88	ug	91
38) 1,2-Dibromoethane	9.188	107	876094	219.47	ug	96
39) Dibromochloromethane	9.062	129	942038	232.86	ug	94
40) Bromoform	10.609	173	703884	246.18	ug	99
41) 4-Methyl-2-Pentanone	7.830	43	1057063	200.83	ug	94
43) Toluene	7.998	92	2092020	198.27	ug	99
44) Tetrachloroethene	8.711	164	667200	211.62	ug	99
45) 2-Hexanone	8.936	43	750372	213.88	ug	84

Data Path : D:\MassHunter\GCMS\2\data\060525\
 Data File : g0013.D
 Acq On : 05 Jun 2025 03:25 pm
 Operator :
 Sample : vstd200
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1


Quant Time: Jun 09 13:22:03 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Sat Jun 07 09:40:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	2311324	198.43	ug	97
48) 1,1,1,2-Tetrachloroethane	9.875	133	781295	209.93	ug #	92
49) Ethylbenzene	9.911	106	1258784	193.76	ug	100
50) m,p-Xylene	10.037	91	6102326	368.37	ug	98
51) o-Xylene	10.430	106	1535649	192.82	ug	92
52) Styrene	10.446	104	2630660	211.89	ug	77
53) Isopropylbenzene	10.782	105	3849191	189.32	ug	97
55) 1,1,2,2-Tetrachloroethane	11.060	83	1300449	201.95	ug	94
56) 1,3-Dichlorobenzene	11.815	146	1883934	210.46	ug	100
57) 1,4-Dichlorobenzene	11.815	146	1883934	210.46	ug	97
58) 1,2-Dichlorobenzene	12.166	146	1887732	205.59	ug	99
59) 1,2-Dibromo-3-Chloropr	12.732	157	281615	240.10	ug	99
60) 1,2,4-Trichlorobenzene	13.304	180	1384682	214.44	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	1348141	213.88	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060525\
Data File : g0013.D
Acq On : 05 Jun 2025 03:25 pm
Operator :
Sample : vstd200
Misc : ical
ALS Vial : 4 Sample Multiplier: 1


Quant Time: Jun 09 13:22:03 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Sat Jun 07 09:40:48 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3646.D
Acq On : 4 Jun 2025 5:06 pm
Operator :
Sample : BFB
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Title : Voa Calibration 524/8260 Water
Last Update : Wed Jun 18 10:19:03 2025



Spectrum Information: Average of 10.828 to 10.849 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.5	8922	PASS
75	95	30	60	48.2	23235	PASS
95	95	100	100	100.0	48219	PASS
96	95	5	9	6.5	3135	PASS
173	174	0.00	2	1.0	415	PASS
174	95	50	100	86.0	41450	PASS
175	174	5	9	8.0	3335	PASS
176	174	95	101	96.4	39952	PASS
177	176	5	9	7.4	2942	PASS

Data Path : C:\msdchem\1\data\060425\
 Data File : d3648.D
 Acq On : 4 Jun 2025 5:48 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Jun 05 07:39:43 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 04 16:11:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	374029	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	298751	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	207139	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.443	65	101488	48.90	ug	0.00
41) Toluene-d8	7.850	98	375537	49.67	ug	0.12
53) Bromofluorobenzene	10.849	95	160304	49.66	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	195627	48.76	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.201	85	17791	13.72	ug	96
3) Chloromethane	1.347	50	53188	20.05	ug	94
4) Vinyl Chloride	1.424	62	36138	22.36	ug	95
5) Bromomethane	1.677	94	18566	17.96	ug	99
6) Chloroethane	1.765	64	27375	22.47	ug	99
7) Trichlorofluoromethane	1.977	101	69194	26.31	ug	96
8) Freon113	2.444	101	46113	30.02	ug	91
9) 1,1-Dichloroethene	2.439	96	45501	25.21	ug	# 86
10) Carbon Disulfide	2.643	76	120591	27.00	ug	100
11) Acetone	2.512	43	19533	20.36	ug	85
12) Methyl Acetate	2.853	43	44091	22.28	ug	# 46
13) Methylene Chloride	2.953	84	62322	27.60	ug	90
14) trans-1,2-Dichloroethene	3.257	96	55448	26.27	ug	93
15) Mtbe	3.278	73	345320	52.77	ug	100
16) 1,1-Dichloroethane	3.755	63	97647	23.02	ug	99
17) cis-1,2-Dichloroethene	4.447	61	91250	24.11	ug	86
18) Bromochloromethane	4.735	128	35603	24.24	ug	# 68
19) Chloroform	4.845	83	109649	27.95	ug	98
20) Cyclohexane	5.087	84	79859	30.33	ug	97
21) 1,2-Dichloroethane	5.532	62	85842	22.85	ug	100
22) 2-Butanone	4.499	43	25088	22.04	ug	62
25) 1,1,1-Trichloroethane	5.039	97	100301	24.80	ug	98
26) Carbon Tetrachloride	5.228	117	65655	28.03	ug	93
27) Benzene	5.490	78	243385	23.48	ug	100
28) Trichloroethene	6.298	130	70818	23.90	ug	97
29) Methyl Cyclohexane	6.513	83	105259	31.06	ug	94
30) 1,2-Dichloropropane	6.581	63	62803	23.69	ug	99
31) 1,4-Dioxane	6.791	88	20046	549.59	ug	# 1
32) Bromodichloromethane	6.943	83	81770	23.79	ug	# 35
33) cis-1,3-Dichloropropene	7.519	75	99121	24.96	ug	94
34) trans-1,3-Dichloropropene	8.259	75	90167	24.26	ug	93
35) 1,1,2-Trichloroethane	8.495	97	64854	22.62	ug	95
36) 1,3-Dichloropropane	8.704	76	101153	22.73	ug	90
37) 1,2-Dibromoethane	9.118	107	68682	23.18	ug	93
38) Dibromochloromethane	8.993	129	66740	23.94	ug	94
39) Bromoform	10.550	173	50461	23.44	ug	100
40) 4-Methyl-2-Pentanone	7.761	43	55321	22.10	ug	76
42) Toluene	7.934	92	164947	23.33	ug	99
43) Tetrachloroethene	8.636	164	65752	25.84	ug	100
44) 2-Hexanone	8.867	43	38141	20.21	ug	# 60
46) Chlorobenzene	9.711	112	197774	23.36	ug	97
47) 1,1,1,2-Tetrachloroethane	9.816	133	62856	22.24	ug	# 94
48) Ethylbenzene	9.847	106	107829	24.64	ug	92
49) m,p-Xylene	9.973	91	511435	49.07	ug	99
50) o-Xylene	10.372	106	131327	24.05	ug	99
51) Styrene	10.387	104	220665	24.49	ug	# 74

Data Path : C:\msdchem\1\data\060425\
 Data File : d3648.D
 Acq On : 4 Jun 2025 5:48 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Jun 05 07:39:43 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 04 16:11:38 2025
 Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.718	105	325294	25.78	ug	93
54)	1,1,2,2-Tetrachloroethane	11.006	83	93028	22.03	ug	95
55)	1,3-Dichlorobenzene	11.824	146	195536	26.17	ug	93
56)	1,4-Dichlorobenzene	11.824	146	195536	25.32	ug	# 45
57)	1,2-Dichlorobenzene	12.107	146	193954	24.17	ug	96
58)	1,2-Dibromo-3-Chloropr	12.673	157	22934	20.98	ug	# 69
59)	1,2,4-Trichlorobenzene	13.234	180	123535	25.50	ug	97
60)	1,2,3-Trichlorobenzene	13.559	180	108073	22.95	ug	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

```

Data Path   : C:\msdchem\1\data\060425\
Data File   : d3648.D
Acq On      : 4 Jun 2025    5:48 pm
Operator    :
Sample      : ccv
Misc        : ccv
ALS Vial    : 24    Sample Multiplier: 1

```

Quant Time: Jun 05 07:39:43 2025
Quant Method : C:\msdchem\1\QMethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 04 16:11:38 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
 Data File : d3649.D
 Acq On : 4 Jun 2025 6:09 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Jun 05 07:40:19 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 04 16:11:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	381314	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	293602	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	202602	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	101438	47.94	ug	0.00
41) Toluene-d8	7.850	98	379219	51.03	ug	0.12
53) Bromofluorobenzene	10.849	95	156973	49.72	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	193137	49.22	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	16383	12.39	ug	99
3) Chloromethane	1.337	50	54387	20.12	ug	93
4) Vinyl Chloride	1.424	62	35838	21.75	ug	100
5) Bromomethane	1.677	94	18426	17.48	ug	95
6) Chloroethane	1.765	64	26285	21.16	ug	96
7) Trichlorofluoromethane	1.977	101	70437	26.27	ug	100
8) Freon113	2.444	101	48214	30.79	ug	90
9) 1,1-Dichloroethene	2.439	96	48495	26.36	ug	# 82
10) Carbon Disulfide	2.648	76	125868	27.64	ug	100
11) Acetone	2.512	43	18100	17.92	ug	79
12) Methyl Acetate	2.853	43	43706	21.66	ug	# 51
13) Methylene Chloride	2.953	84	64050	27.84	ug	93
14) trans-1,2-Dichloroethene	3.262	96	57415	26.69	ug	90
15) Mtbe	3.272	73	353073	52.93	ug	100
16) 1,1-Dichloroethane	3.755	63	99520	23.01	ug	98
17) cis-1,2-Dichloroethene	4.442	61	94842	24.58	ug	86
18) Bromochloromethane	4.730	128	36634	24.46	ug	# 65
19) Chloroform	4.845	83	111097	27.77	ug	98
20) Cyclohexane	5.086	84	83143	30.98	ug	98
21) 1,2-Dichloroethane	5.532	62	87323	22.80	ug	99
22) 2-Butanone	4.505	43	24161	20.82	ug	# 42
25) 1,1,1-Trichloroethane	5.039	97	102667	25.83	ug	96
26) Carbon Tetrachloride	5.233	117	70910	30.80	ug	94
27) Benzene	5.490	78	247805	24.33	ug	100
28) Trichloroethene	6.298	130	74459	25.56	ug	98
29) Methyl Cyclohexane	6.518	83	107091	32.16	ug	93
30) 1,2-Dichloropropane	6.581	63	62768	24.09	ug	98
31) 1,4-Dioxane	6.790	88	18207	507.93	ug	# 1
32) Bromodichloromethane	6.943	83	85006	25.17	ug	# 38
33) cis-1,3-Dichloropropene	7.519	75	100616	25.78	ug	95
34) trans-1,3-Dichloropropene	8.259	75	92978	25.46	ug	97
35) 1,1,2-Trichloroethane	8.494	97	65274	23.17	ug	96
36) 1,3-Dichloropropane	8.704	76	102209	23.37	ug	91
37) 1,2-Dibromoethane	9.124	107	71028	24.39	ug	98
38) Dibromochloromethane	8.993	129	70096	25.59	ug	95
39) Bromoform	10.555	173	52208	24.68	ug	95
40) 4-Methyl-2-Pentanone	7.755	43	54909	22.32	ug	76
42) Toluene	7.933	92	170684	24.57	ug	100
43) Tetrachloroethene	8.636	164	64904	25.95	ug	98
44) 2-Hexanone	8.861	43	37098	20.00	ug	# 57
46) Chlorobenzene	9.716	112	202228	24.42	ug	98
47) 1,1,1,2-Tetrachloroethane	9.816	133	65114	23.55	ug	# 94
48) Ethylbenzene	9.847	106	112070	26.18	ug	# 89
49) m,p-Xylene	9.978	91	517525	50.77	ug	97
50) o-Xylene	10.371	106	135185	25.31	ug	99
51) Styrene	10.387	104	226996	25.76	ug	# 73

Data Path : C:\msdchem\1\data\060425\
 Data File : d3649.D
 Acq On : 4 Jun 2025 6:09 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Jun 05 07:40:19 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 04 16:11:38 2025
 Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	331718	26.88	ug	94
54)	1,1,2,2-Tetrachloroethane	11.006	83	95220	23.06	ug	96
55)	1,3-Dichlorobenzene	11.824	146	204058	27.92	ug	92
56)	1,4-Dichlorobenzene	11.824	146	204058	27.01	ug	# 43
57)	1,2-Dichlorobenzene	12.102	146	194170	24.74	ug	96
58)	1,2-Dibromo-3-Chloropr	12.673	157	22818	21.34	ug	# 66
59)	1,2,4-Trichlorobenzene	13.234	180	126268	26.65	ug	99
60)	1,2,3-Trichlorobenzene	13.559	180	111280	24.16	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3650.D
Acq On : 4 Jun 2025 6:30 pm
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Jun 05 07:41:02 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 04 16:11:38 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	378985	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	301188	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	188688	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	105755	50.29	ug	0.00
41) Toluene-d8	7.850	98	379935	49.84	ug	0.12
53) Bromofluorobenzene	10.854	95	153841	52.32	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	180171	49.30	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3650.D
Acq On : 4 Jun 2025 6:30 pm
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Jun 05 07:41:02 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 04 16:11:38 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3651.D
Acq On : 4 Jun 2025 6:51 pm
Operator :
Sample : 250602010-002a
Misc : samp
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Jun 05 08:13:05 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	369750	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	291823	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	182496	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	103458	50.42	ug	0.00
41) Toluene-d8	7.850	98	373510	50.57	ug	0.12
53) Bromofluorobenzene	10.854	95	150769	53.01	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	175758	49.72	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3651.D
Acq On : 4 Jun 2025 6:51 pm
Operator :
Sample : 250602010-002a
Misc : samp
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Jun 05 08:13:05 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
 Data File : d3652.D
 Acq On : 4 Jun 2025 7:12 pm
 Operator :
 Sample : 250602010-035a
 Misc : samp
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: Jun 05 08:15:09 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	368534	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	289261	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	182562	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	103189	50.46	ug	0.00
41) Toluene-d8	7.849	98	373633	51.04	ug	0.12
53) Bromofluorobenzene	10.849	95	151590	53.28	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	175576	49.65	ug	0.00
Target Compounds						Qvalue
17) cis-1,2-Dichloroethene	4.447	61	25187	6.76	ug	97
28) Trichloroethene	6.298	130	45189	15.75	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3652.D
Acq On : 4 Jun 2025 7:12 pm
Operator :
Sample : 250602010-035a
Misc : samp
ALS Vial : 29 Sample Multiplier: 1





Quant Time: Jun 05 08:15:09 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 6.76 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3652.D
 Acq: 4 Jun 2025 7:12 pm

Tgt Ion: 61 Resp: 25187
 Ion Ratio Lower Upper
 61 100
 96 82.5 68.2 102.4



#28
 Trichloroethene
 Concen: 15.75 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3652.D
 Acq: 4 Jun 2025 7:12 pm

Tgt Ion: 130 Resp: 45189
 Ion Ratio Lower Upper
 130 100
 132 98.2 74.3 114.3
 95 90.8 70.6 110.6



Data Path : C:\msdchem\1\data\060425\
 Data File : d3653.D
 Acq On : 4 Jun 2025 7:33 pm
 Operator :
 Sample : 250602010-036a
 Misc : samp
 ALS Vial : 30 Sample Multiplier: 1

Quant Time: Jun 05 08:15:58 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	362617	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	292218	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	179560	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	100865	50.13	ug	0.00
41) Toluene-d8	7.850	98	368770	49.86	ug	0.12
53) Bromofluorobenzene	10.849	95	149614	53.47	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	172120	49.49	ug	0.00
Target Compounds						
4) Vinyl Chloride	1.434	62	2309	1.47	ug	Qvalue 81
9) 1,1-Dichloroethene	2.449	96	4296	2.46	ug	# 87
16) 1,1-Dichloroethane	3.760	63	4286	1.04	ug	98
17) cis-1,2-Dichloroethene	4.447	61	724043	197.35	ug	95
28) Trichloroethene	6.298	130	534718	184.46	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3653.D
Acq On : 4 Jun 2025 7:33 pm
Operator :
Sample : 250602010-036a
Misc : samp
ALS Vial : 30 Sample Multiplier: 1





Quant Time: Jun 05 08:15:58 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 1.47 ug
 RT: 1.434 min Scan# 46
 Delta R.T. 0.011 min
 Lab File: d3653.D
 Acq: 4 Jun 2025 7:33 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	20.8	11.6	51.6



#9
 1,1-Dichloroethene
 Concen: 2.46 ug
 RT: 2.449 min Scan# 200
 Delta R.T. 0.006 min
 Lab File: d3653.D
 Acq: 4 Jun 2025 7:33 pm





Tgt Ion	Ratio	Lower	Upper
96	100		
61	160.0	161.9	201.9#
98	62.8	47.0	87.0








#16
 1,1-Dichloroethane
 Concen: 1.04 ug
 RT: 3.760 min Scan# 450
 Delta R.T. 0.001 min
 Lab File: d3653.D
 Acq: 4 Jun 2025 7:33 pm


Tgt Ion: 63 Resp: 4286
 Ion Ratio Lower Upper
 63 100
 65 33.2 12.1 52.1



#17
 cis-1,2-Dichloroethene
 Concen: 197.35 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3653.D
 Acq: 4 Jun 2025 7:33 pm




Tgt Ion: 61 Resp: 724043
 Ion Ratio Lower Upper
 61 100
 96 80.5 68.2 102.4





#28
 Trichloroethene
 Concen: 184.46 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3653.D
 Acq: 4 Jun 2025 7:33 pm

Tgt Ion:	130	Resp:	534718
Ion Ratio	Lower	Upper	
130	100		
132	96.4	74.3	114.3
95	89.7	70.6	110.6



Data Path : C:\msdchem\1\data\060425\
Data File : d3654.D
Acq On : 4 Jun 2025 7:54 pm
Operator :
Sample : 250602010-044a
Misc : samp
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jun 05 08:17:36 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	359877	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	283439	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	182368	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	101656	50.91	ug	0.00
41) Toluene-d8	7.850	98	364168	50.77	ug	0.12
53) Bromofluorobenzene	10.849	95	146254	51.46	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	176675	50.02	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3654.D
Acq On : 4 Jun 2025 7:54 pm
Operator :
Sample : 250602010-044a
Misc : samp
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Jun 05 08:17:36 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3655.D
Acq On : 4 Jun 2025 8:15 pm
Operator :
Sample : 250602010-004a
Misc : samp
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:39:47 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	356379	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	286020	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	177037	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.443	65	99626	50.97	ug	0.00
41) Toluene-d8	7.850	98	359707	49.61	ug	0.12
53) Bromofluorobenzene	10.849	95	151194	55.02	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	170612	49.70	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3655.D
Acq On : 4 Jun 2025 8:15 pm
Operator :
Sample : 250602010-004a
Misc : samp
ALS Vial : 32 Sample Multiplier: 1

Quant Time: Jun 18 10:39:47 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3656.D
Acq On : 4 Jun 2025 8:36 pm
Operator :
Sample : 250602010-005a
Misc : samp
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jun 05 08:19:33 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	358142	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	276494	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	176191	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	99835	50.24	ug	0.00
41) Toluene-d8	7.850	98	357842	51.14	ug	0.12
53) Bromofluorobenzene	10.849	95	144316	52.56	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	173916	50.96	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3656.D
Acq On : 4 Jun 2025 8:36 pm
Operator :
Sample : 250602010-005a
Misc : samp
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Jun 05 08:19:33 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
 Data File : d3657.D
 Acq On : 4 Jun 2025 8:57 pm
 Operator :
 Sample : 250602010-008a
 Misc : samp
 ALS Vial : 34 Sample Multiplier: 1

Quant Time: Jun 05 08:20:17 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	355250	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	284081	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	174354	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	100501	50.98	ug	0.00
41) Toluene-d8	7.850	98	360357	50.12	ug	0.12
53) Bromofluorobenzene	10.849	95	144319	53.11	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	166438	49.28	ug	0.00
Target Compounds						Qvalue
17) cis-1,2-Dichloroethene	4.447	61	3979	1.11	ug	93
28) Trichloroethene	6.298	130	8674	3.08	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3657.D
Acq On : 4 Jun 2025 8:57 pm
Operator :
Sample : 250602010-008a
Misc : samp
ALS Vial : 34 Sample Multiplier: 1





Quant Time: Jun 05 08:20:17 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 1.11 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3657.D
 Acq: 4 Jun 2025 8:57 pm

Tgt Ion: 61 Resp: 3979
 Ion Ratio Lower Upper
 61 100
 96 79.0 68.2 102.4



#28
 Trichloroethene
 Concen: 3.08 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3657.D
 Acq: 4 Jun 2025 8:57 pm

Tgt Ion: 130 Resp: 8674
 Ion Ratio Lower Upper
 130 100
 132 101.5 74.3 114.3
 95 91.2 70.6 110.6



Data Path : C:\msdchem\1\data\060425\
Data File : d3658.D
Acq On : 4 Jun 2025 9:18 pm
Operator :
Sample : 250602010-028a
Misc : samp
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Jun 05 08:21:14 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	352934	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	284462	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	175980	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	99411	50.76	ug	0.00
41) Toluene-d8	7.850	98	358315	49.77	ug	0.12
53) Bromofluorobenzene	10.849	95	145278	52.97	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	167326	49.09	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3658.D
Acq On : 4 Jun 2025 9:18 pm
Operator :
Sample : 250602010-028a
Misc : samp
ALS Vial : 35 Sample Multiplier: 1

Quant Time: Jun 05 08:21:14 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3659.D
Acq On : 4 Jun 2025 9:39 pm
Operator :
Sample : 250602010-030a
Misc : samp
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Jun 05 08:22:11 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	355802	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	281008	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	177314	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	102157	51.74	ug	0.00
41) Toluene-d8	7.850	98	358981	50.48	ug	0.12
53) Bromofluorobenzene	10.854	95	144312	52.23	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	171783	50.02	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3659.D
Acq On : 4 Jun 2025 9:39 pm
Operator :
Sample : 250602010-030a
Misc : samp
ALS Vial : 36 Sample Multiplier: 1

Quant Time: Jun 05 08:22:11 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3660.D
Acq On : 4 Jun 2025 10:00 pm
Operator :
Sample : 250602010-031a
Misc : samp
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Jun 18 10:41:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	344825	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	277684	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	169384	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	98974	52.33	ug	0.00
41) Toluene-d8	7.850	98	348240	49.47	ug	0.12
53) Bromofluorobenzene	10.854	95	146443	55.70	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	163469	49.78	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3660.D
Acq On : 4 Jun 2025 10:00 pm
Operator :
Sample : 250602010-031a
Misc : samp
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Jun 18 10:41:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 18 10:19:03 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
Data File : d3661.D
Acq On : 4 Jun 2025 10:21 pm
Operator :
Sample : 250602010-039a
Misc : samp
ALS Vial : 38 Sample Multiplier: 1

Quant Time: Jun 05 08:23:42 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	350108	50.00	ug	0.00
24) Chlorobenzene-d5	9.685	117	281434	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	174164	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	101407	52.20	ug	0.00
41) Toluene-d8	7.850	98	354056	49.71	ug	0.12
53) Bromofluorobenzene	10.854	95	143105	52.73	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	168567	49.97	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3661.D
Acq On : 4 Jun 2025 10:21 pm
Operator :
Sample : 250602010-039a
Misc : samp
ALS Vial : 38 Sample Multiplier: 1

Quant Time: Jun 05 08:23:42 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\060425\
 Data File : d3662.D
 Acq On : 4 Jun 2025 10:42 pm
 Operator :
 Sample : 250602010-043a
 Misc : samp
 ALS Vial : 39 Sample Multiplier: 1

Quant Time: Jun 05 08:24:26 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	345067	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	273150	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	171541	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	96106	50.19	ug	0.00
41) Toluene-d8	7.850	98	349348	50.53	ug	0.12
53) Bromofluorobenzene	10.849	95	139457	52.17	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	164204	49.42	ug	0.00
Target Compounds						Qvalue
17) cis-1,2-Dichloroethene	4.447	61	23677	6.78	ug	94
28) Trichloroethene	6.298	130	127136	46.92	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3662.D
Acq On : 4 Jun 2025 10:42 pm
Operator :
Sample : 250602010-043a
Misc : samp
ALS Vial : 39 Sample Multiplier: 1





Quant Time: Jun 05 08:24:26 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 6.78 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3662.D
 Acq: 4 Jun 2025 10:42 pm

Tgt Ion	61	96	Ratio	100	Lower	Upper
61	100					
96	80.1		68.2		102.4	



#28
 Trichloroethene
 Concen: 46.92 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3662.D
 Acq: 4 Jun 2025 10:42 pm

Tgt Ion	130	132	95	Ratio	100	Lower	Upper
130	100						
132	96.4		74.3		114.3		
95	91.2		70.6		110.6		



Data Path : C:\msdchem\1\data\060425\
 Data File : d3663.D
 Acq On : 4 Jun 2025 11:03 pm
 Operator :
 Sample : 250602010-001a
 Misc : samp
 ALS Vial : 40 Sample Multiplier: 1

Quant Time: Jun 05 08:25:21 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	342248	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	277069	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	171962	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	98669	51.95	ug	0.00
41) Toluene-d8	7.850	98	343151	48.94	ug	0.12
53) Bromofluorobenzene	10.849	95	146305	54.59	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	165913	49.81	ug	0.00
Target Compounds						Qvalue
17) cis-1,2-Dichloroethene	4.452	61	11002	3.18	ug	99
28) Trichloroethene	6.298	130	32956	11.99	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3663.D
Acq On : 4 Jun 2025 11:03 pm
Operator :
Sample : 250602010-001a
Misc : samp
ALS Vial : 40 Sample Multiplier: 1





Quant Time: Jun 05 08:25:21 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 3.18 ug
 RT: 4.452 min Scan# 582
 Delta R.T. 0.001 min
 Lab File: d3663.D
 Acq: 4 Jun 2025 11:03 pm

Tgt Ion: 61 Resp: 11002
 Ion Ratio Lower Upper
 61 100
 96 84.1 68.2 102.4



#28
 Trichloroethene
 Concen: 11.99 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3663.D
 Acq: 4 Jun 2025 11:03 pm

Tgt Ion: 130 Resp: 32956
 Ion Ratio Lower Upper
 130 100
 132 98.9 74.3 114.3
 95 91.0 70.6 110.6



Data Path : C:\msdchem\1\data\060425\
 Data File : d3664.D
 Acq On : 4 Jun 2025 11:24 pm
 Operator :
 Sample : 250602010-007A
 Misc : samp
 ALS Vial : 41 Sample Multiplier: 1

Quant Time: Jun 05 08:26:11 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Jun 05 08:01:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	347555	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	274088	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	170053	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	100523	52.12	ug	0.00
41) Toluene-d8	7.850	98	352466	50.81	ug	0.12
53) Bromofluorobenzene	10.849	95	140943	53.18	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	164712	50.01	ug	0.00
Target Compounds						Qvalue
17) cis-1,2-Dichloroethene	4.447	61	7767	2.21	ug	87
28) Trichloroethene	6.292	130	6090	2.24	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\060425\
Data File : d3664.D
Acq On : 4 Jun 2025 11:24 pm
Operator :
Sample : 250602010-007A
Misc : samp
ALS Vial : 41 Sample Multiplier: 1





Quant Time: Jun 05 08:26:11 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:01:37 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 2.21 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3664.D
 Acq: 4 Jun 2025 11:24 pm

Tgt Ion: 61 Resp: 7767
 Ion Ratio Lower Upper
 61 100
 96 73.1 68.2 102.4



#28
 Trichloroethene
 Concen: 2.24 ug
 RT: 6.292 min Scan# 933
 Delta R.T. 0.164 min
 Lab File: d3664.D
 Acq: 4 Jun 2025 11:24 pm


Tgt Ion: 130 Resp: 6090
 Ion Ratio Lower Upper
 130 100
 132 101.8 74.3 114.3
 95 88.0 70.6 110.6



Data Path : C:\msdchem\1\data\061125\
Data File : d3834.D
Acq On : 11 Jun 2025 8:45 am
Operator :
Sample : BFB
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\8260-053025.M
Title : Voa Calibration 524/8260 Water
Last Update : Wed Jun 18 09:25:10 2025



Spectrum Information: Average of 10.838 to 10.859 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.7	11597	PASS
75	95	30	60	46.3	30399	PASS
95	95	100	100	100.0	65683	PASS
96	95	5	9	6.5	4302	PASS
173	174	0.00	2	1.2	749	PASS
174	95	50	100	94.3	61925	PASS
175	174	5	9	8.4	5223	PASS
176	174	95	101	96.8	59944	PASS
177	176	5	9	6.7	3998	PASS

Data Path : C:\msdchem\1\data\061125\
 Data File : d3835.D
 Acq On : 11 Jun 2025 9:06 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 11 16:11:55 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.842	96	337631	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	248425	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	175557	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.433	65	95025	51.31	ug	0.00
41) Toluene-d8	7.844	98	335692	53.30	ug	0.11
53) Bromofluorobenzene	10.849	95	135524	49.73	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	170803	50.18	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	27443	22.79	ug	99
3) Chloromethane	1.337	50	58480	25.08	ug	91
4) Vinyl Chloride	1.425	62	39199	25.75	ug	100
5) Bromomethane	1.668	94	24724	26.82	ug	92
6) Chloroethane	1.765	64	26153	23.66	ug	88
7) Trichlorofluoromethane	1.972	101	66055	27.55	ug	97
8) Freon113	2.444	101	46103	32.97	ug	83
9) 1,1-Dichloroethene	2.439	96	44540	28.48	ug	92
10) Carbon Disulfide	2.643	76	119744	30.17	ug	100
11) Acetone	2.512	43	22806	28.24	ug	86
12) Methyl Acetate	2.853	43	41743	23.36	ug	# 51
13) Methylene Chloride	2.953	84	56848	27.91	ug	# 85
14) trans-1,2-Dichloroethene	3.257	96	52243	27.46	ug	# 86
15) Mtbe	3.278	73	328231	55.44	ug	98
16) 1,1-Dichloroethane	3.750	63	93203	25.04	ug	98
17) cis-1,2-Dichloroethene	4.442	61	90156	26.77	ug	82
18) Bromochloromethane	4.725	128	33845	26.07	ug	# 72
19) Chloroform	4.845	83	102863	24.96	ug	99
20) Cyclohexane	5.087	84	98541	41.39	ug	# 89
21) 1,2-Dichloroethane	5.527	62	85292	25.88	ug	98
22) 2-Butanone	4.499	43	27051	26.33	ug	52
25) 1,1,1-Trichloroethane	5.034	97	94435	28.98	ug	96
26) Carbon Tetrachloride	5.228	117	70321	34.89	ug	93
27) Benzene	5.490	78	233043	28.01	ug	100
28) Trichloroethene	6.293	130	67325	27.55	ug	98
29) Methyl Cyclohexane	6.513	83	102103	36.62	ug	96
30) 1,2-Dichloropropane	6.576	63	59240	27.14	ug	99
31) 1,4-Dioxane	6.785	88	15880	530.62	ug	# 1
32) Bromodichloromethane	6.943	83	79278	28.35	ug	# 41
33) cis-1,3-Dichloropropene	7.525	75	92278	28.15	ug	94
34) trans-1,3-Dichloropropene	8.259	75	88861	29.20	ug	96
35) 1,1,2-Trichloroethane	8.489	97	59531	25.69	ug	96
36) 1,3-Dichloropropane	8.699	76	94955	25.98	ug	97
37) 1,2-Dibromoethane	9.119	107	65558	26.86	ug	97
38) Dibromochloromethane	8.987	129	62779	27.23	ug	91
39) Bromoform	10.550	173	49615	27.40	ug	99
40) 4-Methyl-2-Pentanone	7.755	43	57207	27.48	ug	82
42) Toluene	7.928	92	156204	27.18	ug	98
43) Tetrachloroethene	8.636	164	60628	29.41	ug	100
44) 2-Hexanone	8.862	43	41014	26.75	ug	# 66
46) Chlorobenzene	9.711	112	182604	26.18	ug	99
47) 1,1,1,2-Tetrachloroethane	9.816	133	61041	26.14	ug	# 94
48) Ethylbenzene	9.847	106	99975	27.10	ug	92
49) m,p-Xylene	9.973	91	481158	55.86	ug	100
50) o-Xylene	10.372	106	123410	27.03	ug	100
51) Styrene	10.387	104	189583	25.17	ug	# 74

Data Path : C:\msdchem\1\data\061125\
Data File : d3835.D
Acq On : 11 Jun 2025 9:06 am
Operator :
Sample : lcs
Misc : lcs
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 11 16:11:55 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.718	105	306250	28.99	ug	94
54)	1,1,2,2-Tetrachloroethane	11.006	83	91475	26.32	ug	96
55)	1,3-Dichlorobenzene	11.819	146	192081	30.81	ug	92
56)	1,4-Dichlorobenzene	11.819	146	192081	29.84	ug #	44
57)	1,2-Dichlorobenzene	12.102	146	188628	28.50	ug	97
58)	1,2-Dibromo-3-Chloropr	12.673	157	23436	25.63	ug #	68
59)	1,2,4-Trichlorobenzene	13.234	180	119926	29.52	ug	96
60)	1,2,3-Trichlorobenzene	13.559	180	108628	27.70	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
 Data File : d3836.D
 Acq On : 11 Jun 2025 9:27 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 11 16:11:40 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.841	96	353025	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	251586	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	179448	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	97680	50.45	ug	0.00
41) Toluene-d8	7.844	98	353124	55.36	ug	0.11
53) Bromofluorobenzene	10.849	95	135128	48.51	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	166263	47.79	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	34294	27.24	ug	99
3) Chloromethane	1.347	50	69320	28.83	ug	96
4) Vinyl Chloride	1.424	62	48437	30.43	ug	98
5) Bromomethane	1.668	94	28617	29.69	ug	95
6) Chloroethane	1.765	64	31341	27.11	ug	96
7) Trichlorofluoromethane	1.972	101	82484	32.91	ug	96
8) Freon113	2.444	101	42591	29.13	ug	87
9) 1,1-Dichloroethene	2.434	96	42168	25.79	ug	91
10) Carbon Disulfide	2.638	76	110493	26.62	ug	100
11) Acetone	2.517	43	20189	22.91	ug	78
12) Methyl Acetate	2.853	43	38873	20.81	ug	# 54
13) Methylene Chloride	2.947	84	53511	24.93	ug	# 84
14) trans-1,2-Dichloroethene	3.257	96	48175	24.22	ug	# 85
15) Mtbe	3.278	73	298858	47.92	ug	100
16) 1,1-Dichloroethane	3.750	63	89630	23.03	ug	99
17) cis-1,2-Dichloroethene	4.447	61	83110	23.61	ug	# 79
18) Bromochloromethane	4.730	128	30148	22.21	ug	# 74
19) Chloroform	4.845	83	95597	22.19	ug	97
20) Cyclohexane	5.087	84	85486	34.34	ug	# 91
21) 1,2-Dichloroethane	5.532	62	78263	22.71	ug	98
22) 2-Butanone	4.499	43	25145	23.40	ug	56
25) 1,1,1-Trichloroethane	5.039	97	84813	25.70	ug	96
26) Carbon Tetrachloride	5.233	117	59514	29.16	ug	94
27) Benzene	5.485	78	214483	25.45	ug	100
28) Trichloroethene	6.298	130	62212	25.14	ug	98
29) Methyl Cyclohexane	6.513	83	87839	31.11	ug	96
30) 1,2-Dichloropropane	6.581	63	54699	24.74	ug	99
31) 1,4-Dioxane	6.785	88	19711	650.35	ug	# 1
32) Bromodichloromethane	6.943	83	71548	25.27	ug	# 40
33) cis-1,3-Dichloropropene	7.519	75	84213	25.37	ug	95
34) trans-1,3-Dichloropropene	8.259	75	79324	25.74	ug	93
35) 1,1,2-Trichloroethane	8.489	97	54911	23.40	ug	96
36) 1,3-Dichloropropane	8.704	76	88306	23.86	ug	95
37) 1,2-Dibromoethane	9.118	107	61056	24.70	ug	100
38) Dibromochloromethane	8.993	129	57079	24.45	ug	94
39) Bromoform	10.550	173	44268	24.14	ug	98
40) 4-Methyl-2-Pentanone	7.755	43	50446	23.93	ug	76
42) Toluene	7.933	92	141703	24.35	ug	99
43) Tetrachloroethene	8.641	164	52993	25.38	ug	99
44) 2-Hexanone	8.867	43	36080	23.24	ug	# 64
46) Chlorobenzene	9.711	112	158641	22.25	ug	98
47) 1,1,1,2-Tetrachloroethane	9.816	133	53176	22.28	ug	95
48) Ethylbenzene	9.847	106	87151	23.11	ug	92
49) m,p-Xylene	9.973	91	417455	47.42	ug	98
50) o-Xylene	10.366	106	107525	23.04	ug	100
51) Styrene	10.387	104	174245	22.63	ug	# 74

Data Path : C:\msdchem\1\data\061125\
Data File : d3836.D
Acq On : 11 Jun 2025 9:27 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 2 Sample Multiplier: 1


Quant Time: Jun 11 16:11:40 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.718	105	262135	24.27	ug	96
54)	1,1,2,2-Tetrachloroethane	11.001	83	78774	22.18	ug	96
55)	1,3-Dichlorobenzene	11.824	146	164741	25.85	ug	91
56)	1,4-Dichlorobenzene	11.824	146	164741	25.04	ug #	44
57)	1,2-Dichlorobenzene	12.102	146	160062	23.66	ug	96
58)	1,2-Dibromo-3-Chloropr	12.673	157	19792	21.17	ug #	72
59)	1,2,4-Trichlorobenzene	13.234	180	107196	25.82	ug	95
60)	1,2,3-Trichlorobenzene	13.564	180	95666	23.86	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3836.D
Acq On : 11 Jun 2025 9:27 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 11 16:11:40 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
 Data File : d3837.D
 Acq On : 11 Jun 2025 9:53 am
 Operator :
 Sample : MB
 Misc : mblk
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 11 16:12:07 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.841	96	335170	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	239231	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	147287	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.432	65	96917	52.72	ug	0.00
41) Toluene-d8	7.850	98	327971	54.08	ug	0.12
53) Bromofluorobenzene	10.849	95	122600	53.62	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	146043	51.14	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3837.D
Acq On : 11 Jun 2025 9:53 am
Operator :
Sample : MB
Misc : mblk
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 11 16:12:07 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
Data File : d3853.D
Acq On : 11 Jun 2025 3:31 pm
Operator :
Sample : 250602010-016a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 19 11:34:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:40:59 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	301319	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	226188	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	134360	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	88383	53.48	ug	0.00
41) Toluene-d8	7.850	98	301912	52.65	ug	0.12
53) Bromofluorobenzene	10.849	95	118310	56.72	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	134145	51.49	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3853.D
Acq On : 11 Jun 2025 3:31 pm
Operator :
Sample : 250602010-016a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 19 11:34:16 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Jun 05 08:40:59 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
 Data File : d3854.D
 Acq On : 11 Jun 2025 3:52 pm
 Operator :
 Sample : 250602010-016ams
 Misc : ms
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Jun 11 16:13:47 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	324033	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	240377	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	161172	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	93638	52.69	ug	0.00
41) Toluene-d8	7.844	98	322392	52.90	ug	0.11
53) Bromofluorobenzene	10.849	95	130668	52.23	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	157109	50.28	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.201	85	27444	23.75	ug	99
3) Chloromethane	1.337	50	55433	24.73	ug	93
4) Vinyl Chloride	1.424	62	40404	27.65	ug	100
5) Bromomethane	1.668	94	24194	27.34	ug	95
6) Chloroethane	1.755	64	28840	27.18	ug	90
7) Trichlorofluoromethane	1.972	101	73014	31.73	ug	98
8) Freon113	2.444	101	39255	29.25	ug	87
9) 1,1-Dichloroethene	2.439	96	36885	24.58	ug	93
10) Carbon Disulfide	2.643	76	102136	26.81	ug	100
11) Acetone	2.512	43	14838	17.06	ug	92
12) Methyl Acetate	2.853	43	34048	19.86	ug	# 55
13) Methylene Chloride	2.947	84	44329	22.30	ug	86
14) trans-1,2-Dichloroethene	3.257	96	44469	24.36	ug	88
15) Mtbe	3.272	73	270794	47.27	ug	99
16) 1,1-Dichloroethane	3.755	63	79688	22.31	ug	98
17) cis-1,2-Dichloroethene	4.447	61	76325	23.62	ug	82
18) Bromochloromethane	4.730	128	28354	22.76	ug	# 70
19) Chloroform	4.851	83	85914	21.72	ug	99
20) Cyclohexane	5.086	84	82564	36.13	ug	92
21) 1,2-Dichloroethane	5.527	62	71437	22.59	ug	98
22) 2-Butanone	4.505	43	20025	20.31	ug	54
25) 1,1,1-Trichloroethane	5.034	97	80002	25.37	ug	98
26) Carbon Tetrachloride	5.228	117	59837	30.69	ug	92
27) Benzene	5.490	78	196920	24.46	ug	100
28) Trichloroethene	6.292	130	57714	24.41	ug	99
29) Methyl Cyclohexane	6.513	83	81571	30.23	ug	95
30) 1,2-Dichloropropane	6.575	63	49535	23.45	ug	98
31) 1,4-Dioxane	6.790	88	15647	540.34	ug	# 1
32) Bromodichloromethane	6.943	83	65042	24.04	ug	# 36
33) cis-1,3-Dichloropropene	7.519	75	78449	24.73	ug	93
34) trans-1,3-Dichloropropene	8.259	75	72379	24.58	ug	96
35) 1,1,2-Trichloroethane	8.489	97	49249	21.97	ug	94
36) 1,3-Dichloropropane	8.704	76	80880	22.87	ug	96
37) 1,2-Dibromoethane	9.118	107	53672	22.73	ug	97
38) Dibromochloromethane	8.993	129	51904	23.27	ug	96
39) Bromoform	10.550	173	39386	22.48	ug	99
40) 4-Methyl-2-Pentanone	7.755	43	45908	22.79	ug	78
42) Toluene	7.928	92	130936	23.55	ug	99
43) Tetrachloroethene	8.636	164	50979	25.56	ug	97
44) 2-Hexanone	8.861	43	32445	21.87	ug	# 67
46) Chlorobenzene	9.711	112	148868	23.25	ug	100
47) 1,1,1,2-Tetrachloroethane	9.816	133	49072	22.89	ug	# 93
48) Ethylbenzene	9.847	106	83236	24.58	ug	92
49) m,p-Xylene	9.973	91	395657	50.04	ug	100
50) o-Xylene	10.366	106	98917	23.60	ug	96
51) Styrene	10.387	104	151081	21.85	ug	# 75

Data Path : C:\msdchem\1\data\061125\
 Data File : d3854.D
 Acq On : 11 Jun 2025 3:52 pm
 Operator :
 Sample : 250602010-016ams
 Misc : ms
 ALS Vial : 20 Sample Multiplier: 1


Quant Time: Jun 11 16:13:47 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	250282	25.80	ug	94
54)	1,1,2,2-Tetrachloroethane	11.001	83	73234	22.96	ug	93
55)	1,3-Dichlorobenzene	11.750	146	144721	25.28	ug	91
56)	1,4-Dichlorobenzene	11.824	146	152014	25.72	ug	# 45
57)	1,2-Dichlorobenzene	12.102	146	146968	24.19	ug	94
58)	1,2-Dibromo-3-Chloropr	12.673	157	17237	20.53	ug	# 70
59)	1,2,4-Trichlorobenzene	13.234	180	92226	24.73	ug	99
60)	1,2,3-Trichlorobenzene	13.559	180	84244	23.40	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3854.D
Acq On : 11 Jun 2025 3:52 pm
Operator :
Sample : 250602010-016ams
Misc : ms
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Jun 11 16:13:47 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
 Data File : d3855.D
 Acq On : 11 Jun 2025 4:13 pm
 Operator :
 Sample : 250602010-016amsd
 Misc : msd
 ALS Vial : 21 Sample Multiplier: 1

Quant Time: Jun 11 16:39:25 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	340911	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	247570	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	172880	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	94553	50.57	ug	0.00
41) Toluene-d8	7.850	98	327388	52.16	ug	0.12
53) Bromofluorobenzene	10.849	95	132132	49.24	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	164632	49.12	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.201	85	28033	23.06	ug	96
3) Chloromethane	1.337	50	60392	25.72	ug	95
4) Vinyl Chloride	1.425	62	42220	27.46	ug	97
5) Bromomethane	1.668	94	25875	27.80	ug	94
6) Chloroethane	1.755	64	27565	24.70	ug	94
7) Trichlorofluoromethane	1.972	101	72907	30.12	ug	97
8) Freon113	2.444	101	44635	31.62	ug	92
9) 1,1-Dichloroethene	2.439	96	44574	28.23	ug	# 88
10) Carbon Disulfide	2.643	76	116123	28.97	ug	100
11) Acetone	2.518	43	16159	17.89	ug	88
12) Methyl Acetate	2.858	43	35784	19.84	ug	# 52
13) Methylene Chloride	2.953	84	50219	24.17	ug	86
14) trans-1,2-Dichloroethene	3.257	96	50546	26.32	ug	90
15) Mtbe	3.273	73	301841	50.25	ug	100
16) 1,1-Dichloroethane	3.755	63	91483	24.34	ug	98
17) cis-1,2-Dichloroethene	4.447	61	85979	25.29	ug	81
18) Bromochloromethane	4.725	128	30792	23.49	ug	74
19) Chloroform	4.845	83	97779	23.50	ug	98
20) Cyclohexane	5.092	84	92026	38.28	ug	92
21) 1,2-Dichloroethane	5.532	62	77972	23.43	ug	97
22) 2-Butanone	4.505	43	22992	22.16	ug	57
25) 1,1,1-Trichloroethane	5.039	97	90152	27.76	ug	97
26) Carbon Tetrachloride	5.228	117	66546	33.13	ug	94
27) Benzene	5.490	78	218985	26.41	ug	100
28) Trichloroethene	6.293	130	64423	26.46	ug	97
29) Methyl Cyclohexane	6.513	83	90944	32.73	ug	96
30) 1,2-Dichloropropane	6.581	63	56169	25.82	ug	99
31) 1,4-Dioxane	6.791	88	16888	566.25	ug	# 1
32) Bromodichloromethane	6.943	83	73035	26.21	ug	# 40
33) cis-1,3-Dichloropropene	7.519	75	85047	26.03	ug	95
34) trans-1,3-Dichloropropene	8.259	75	80777	26.64	ug	93
35) 1,1,2-Trichloroethane	8.489	97	55602	24.08	ug	95
36) 1,3-Dichloropropane	8.704	76	89160	24.48	ug	95
37) 1,2-Dibromoethane	9.119	107	58860	24.20	ug	93
38) Dibromochloromethane	8.993	129	57936	25.22	ug	95
39) Bromoform	10.550	173	42751	23.69	ug	98
40) 4-Methyl-2-Pentanone	7.761	43	50555	24.37	ug	78
42) Toluene	7.928	92	147852	25.82	ug	99
43) Tetrachloroethene	8.636	164	56437	27.47	ug	99
44) 2-Hexanone	8.862	43	36060	23.60	ug	# 64
46) Chlorobenzene	9.711	112	168032	24.46	ug	99
47) 1,1,1,2-Tetrachloroethane	9.816	133	56499	24.57	ug	95
48) Ethylbenzene	9.847	106	93457	25.73	ug	94
49) m,p-Xylene	9.973	91	448436	52.87	ug	100
50) o-Xylene	10.366	106	115381	25.66	ug	98
51) Styrene	10.387	104	172376	23.24	ug	# 75

Data Path : C:\msdchem\1\data\061125\
Data File : d3855.D
Acq On : 11 Jun 2025 4:13 pm
Operator :
Sample : 250602010-016amsd
Misc : msd
ALS Vial : 21 Sample Multiplier: 1


Quant Time: Jun 11 16:39:25 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52)	Isopropylbenzene	10.723	105	280300	26.94	ug	94
54)	1,1,2,2-Tetrachloroethane	11.006	83	82116	24.00	ug	96
55)	1,3-Dichlorobenzene	11.819	146	172217	28.05	ug	92
56)	1,4-Dichlorobenzene	11.819	146	172217	27.17	ug #	45
57)	1,2-Dichlorobenzene	12.102	146	165777	25.43	ug	96
58)	1,2-Dibromo-3-Chloropr	12.673	157	19195	21.31	ug #	71
59)	1,2,4-Trichlorobenzene	13.234	180	106055	26.51	ug	96
60)	1,2,3-Trichlorobenzene	13.559	180	95218	24.65	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3855.D
Acq On : 11 Jun 2025 4:13 pm
Operator :
Sample : 250602010-016amsd
Misc : msd
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Jun 11 16:39:25 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
Data File : d3856.D
Acq On : 11 Jun 2025 4:34 pm
Operator :
Sample : 250602010-033a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1

Quant Time: Jun 11 17:37:17 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	313533	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	228782	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	140902	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	92802	53.97	ug	0.00
41) Toluene-d8	7.850	98	311389	53.69	ug	0.12
53) Bromofluorobenzene	10.849	95	117119	53.55	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	134479	49.23	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3856.D
Acq On : 11 Jun 2025 4:34 pm
Operator :
Sample : 250602010-033a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1

Quant Time: Jun 11 17:37:17 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
Data File : d3857.D
Acq On : 11 Jun 2025 4:55 pm
Operator :
Sample : 250602010-034a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1

Quant Time: Jun 11 17:38:00 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	299873	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	218808	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	135830	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	85958	52.26	ug	0.00
41) Toluene-d8	7.850	98	297075	53.55	ug	0.12
53) Bromofluorobenzene	10.849	95	114221	54.17	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	132169	50.19	ug	0.00
Target Compounds						
19) Chloroform	4.840	83	6919	1.89	ug	Qvalue 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3857.D
Acq On : 11 Jun 2025 4:55 pm
Operator :
Sample : 250602010-034a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1




Quant Time: Jun 11 17:38:00 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration





#19
 Chloroform
 Concen: 1.89 ug
 RT: 4.840 min Scan# 656
 Delta R.T. -0.009 min
 Lab File: d3857.D
 Acq: 11 Jun 2025 4:55 pm

Tgt Ion: 83 Resp: 6919
 Ion Ratio Lower Upper
 83 100
 85 58.8 45.2 85.2



Data Path : C:\msdchem\1\data\061125\
 Data File : d3858.D
 Acq On : 11 Jun 2025 5:16 pm
 Operator :
 Sample : 250602010-026a
 Misc : samp
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Jun 11 17:38:33 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	305828	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	223080	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	138984	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	90089	53.71	ug	0.00
41) Toluene-d8	7.850	98	302043	53.41	ug	0.12
53) Bromofluorobenzene	10.854	95	112362	52.08	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	136505	50.66	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.424	62	16814	12.19	ug	97
11) Acetone	2.517	43	6565	4.56	ug	87
17) cis-1,2-Dichloroethene	4.452	61	84477	27.70	ug	90
28) Trichloroethene	6.298	130	18275	8.33	ug	95
42) Toluene	7.933	92	9336	1.81	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3858.D
Acq On : 11 Jun 2025 5:16 pm
Operator :
Sample : 250602010-026a
Misc : samp
ALS Vial : 24 Sample Multiplier: 1





Quant Time: Jun 11 17:38:33 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 12.19 ug
RT: 1.424 min Scan# 45
Delta R.T. 0.001 min
Lab File: d3858.D
Acq: 11 Jun 2025 5:16 pm


Tgt Ion:	62	Resp:	16814
Ion Ratio	Lower	Upper	
62	100		
64	33.4	11.6	51.6



#11
Acetone
Concen: 4.56 ug
RT: 2.517 min Scan# 213
Delta R.T. -0.003 min
Lab File: d3858.D
Acq: 11 Jun 2025 5:16 pm





Tgt Ion:	43	Resp:	6565
Ion Ratio	Lower	Upper	
43	100		
58	33.6	6.9	46.9








#17
 cis-1,2-Dichloroethene
 Concen: 27.70 ug
 RT: 4.452 min Scan# 582
 Delta R.T. 0.001 min
 Lab File: d3858.D
 Acq: 11 Jun 2025 5:16 pm


Tgt Ion	Ratio	Resp	Lower	Upper
61	100	84477		
96	76.4	68.2	102.4	



#28
 Trichloroethene
 Concen: 8.33 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3858.D
 Acq: 11 Jun 2025 5:16 pm




Tgt Ion	Ratio	Resp	Lower	Upper
130	100	18275		
132	100.6	74.3	114.3	
95	93.0	70.6	110.6	





#42
Toluene
Concen: 1.81 ug
RT: 7.933 min Scan# 1246
Delta R.T. 0.104 min
Lab File: d3858.D
Acq: 11 Jun 2025 5:16 pm

Tgt Ion	Ratio	Lower	Upper
92	100		
91	176.3	153.8	193.8



Data Path : C:\msdchem\1\data\061125\
Data File : d3859.D
Acq On : 11 Jun 2025 5:37 pm
Operator :
Sample : 250602010-038a
Misc : samp
ALS Vial : 25 Sample Multiplier: 1

Quant Time: Jun 11 18:01:08 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.847	96	296431	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	221250	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	134601	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.438	65	87825	54.02	ug	0.00
41) Toluene-d8	7.850	98	297658	53.07	ug	0.12
53) Bromofluorobenzene	10.849	95	116500	55.76	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	135102	51.77	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3859.D
Acq On : 11 Jun 2025 5:37 pm
Operator :
Sample : 250602010-038a
Misc : samp
ALS Vial : 25 Sample Multiplier: 1

Quant Time: Jun 11 18:01:08 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\061125\
 Data File : d3860.D
 Acq On : 11 Jun 2025 5:59 pm
 Operator :
 Sample : 250602010-022a
 Misc : samp
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Jun 12 08:55:27 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	295438	50.00	ug	0.00
24) Chlorobenzene-d5	9.679	117	219863	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	136153	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.433	65	88160	54.41	ug	0.00
41) Toluene-d8	7.850	98	293363	52.63	ug	0.12
53) Bromofluorobenzene	10.849	95	113226	53.57	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	133187	50.45	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.424	62	23690	17.78	ug	97
17) cis-1,2-Dichloroethene	4.447	61	162497	55.15	ug	92
28) Trichloroethene	6.303	130	3355	1.55	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3860.D
Acq On : 11 Jun 2025 5:59 pm
Operator :
Sample : 250602010-022a
Misc : samp
ALS Vial : 26 Sample Multiplier: 1





Quant Time: Jun 12 08:55:27 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 17.78 ug
RT: 1.424 min Scan# 45
Delta R.T. 0.001 min
Lab File: d3860.D
Acq: 11 Jun 2025 5:59 pm


Tgt Ion: 62 Resp: 23690
Ion Ratio Lower Upper
62 100
64 29.8 11.6 51.6



#17
cis-1,2-Dichloroethene
Concen: 55.15 ug
RT: 4.447 min Scan# 581
Delta R.T. -0.004 min
Lab File: d3860.D
Acq: 11 Jun 2025 5:59 pm




Tgt Ion: 61 Resp: 162497
Ion Ratio Lower Upper
61 100
96 77.9 68.2 102.4





#28
 Trichloroethene
 Concen: 1.55 ug
 RT: 6.303 min Scan# 935
 Delta R.T. 0.175 min
 Lab File: d3860.D
 Acq: 11 Jun 2025 5:59 pm

Tgt Ion:	130	Resp:	3355
Ion Ratio	Lower	Upper	
130	100		
132	90.0	74.3	114.3
95	82.8	70.6	110.6



Data Path : C:\msdchem\1\data\061125\
 Data File : d3861.D
 Acq On : 11 Jun 2025 6:21 pm
 Operator :
 Sample : 250602010-021a
 Misc : samp
 ALS Vial : 27 Sample Multiplier: 1

Quant Time: Jun 12 08:56:33 2025
 Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 16:11:37 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.847	96	292151	50.00	ug	0.00
24) Chlorobenzene-d5	9.680	117	217898	50.00	ug	0.00
45) 1,4-Dichlorobenzene-d4	11.803	152	136537	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.433	65	89231	55.69	ug	0.00
41) Toluene-d8	7.850	98	289996	52.50	ug	0.12
53) Bromofluorobenzene	10.849	95	113275	53.44	ug	0.00
61) 1,2-Dichlorobenzene-d4	12.091	152	130231	49.19	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.425	62	15814	12.00	ug	100
17) cis-1,2-Dichloroethene	4.447	61	238979	82.02	ug	91
28) Trichloroethene	6.298	130	16091	7.51	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\061125\
Data File : d3861.D
Acq On : 11 Jun 2025 6:21 pm
Operator :
Sample : 250602010-021a
Misc : samp
ALS Vial : 27 Sample Multiplier: 1





Quant Time: Jun 12 08:56:33 2025
Quant Method : C:\msdchem\1\QTmethods\VCLP_LOW_052925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 16:11:37 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 12.00 ug
 RT: 1.425 min Scan# 45
 Delta R.T. 0.002 min
 Lab File: d3861.D
 Acq: 11 Jun 2025 6:21 pm


Tgt Ion: 62 Resp: 15814
 Ion Ratio Lower Upper
 62 100
 64 31.8 11.6 51.6



#17
 cis-1,2-Dichloroethene
 Concen: 82.02 ug
 RT: 4.447 min Scan# 581
 Delta R.T. -0.004 min
 Lab File: d3861.D
 Acq: 11 Jun 2025 6:21 pm




Tgt Ion: 61 Resp: 238979
 Ion Ratio Lower Upper
 61 100
 96 77.1 68.2 102.4





#28
 Trichloroethene
 Concen: 7.51 ug
 RT: 6.298 min Scan# 934
 Delta R.T. 0.170 min
 Lab File: d3861.D
 Acq: 11 Jun 2025 6:21 pm



Tgt Ion:	130	Resp:	16091
Ion Ratio	Lower	Upper	
130	100		
132	100.6	74.3	114.3
95	95.5	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0072.D
Acq On : 09 Jun 2025 08:46 am
Operator :
Sample : BFB
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Title : Voa Calibration 524/8260 Water
Last Update : Mon Jun 09 13:26:15 2025



Spectrum Information: Average of 10.871 to 10.934 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	21.9	11893	PASS
75	95	30	60	51.9	28139	PASS
95	95	100	100	100.0	54218	PASS
96	95	5	9	6.9	3718	PASS
173	174	0.00	2	0.8	311	PASS
174	95	50	100	73.9	40051	PASS
175	174	5	9	7.0	2803	PASS
176	174	95	101	98.6	39484	PASS
177	176	5	9	6.3	2476	PASS

Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0073.D
 Acq On : 09 Jun 2025 09:05 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 13:30:13 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	606957	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	410294	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	227838	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	185095	47.96	ug	0.00
42) Toluene-d8	7.914	98	609569	48.89	ug	0.00
54) Bromofluorobenzene	10.908	95	225065	48.04	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	363776	47.64	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	68631	18.93	ug	# 96
3) Chloromethane	1.389	50	88844	21.34	ug	95
4) Vinyl Chloride	1.470	62	89509	24.00	ug	88
5) Bromomethane	1.721	94	63060	21.07	ug	83
6) Chloroethane	1.812	64	59219	25.16	ug	90
7) Trichlorofluoromethane	2.023	101	144889	27.92	ug	96
8) Freon113	2.503	101	63488	27.55	ug	# 79
9) 1,1-Dichloroethene	2.498	96	66153	27.87	ug	# 82
10) Carbon Disulfide	2.702	76	191434	28.33	ug	100
11) Acetone	2.576	43	36495	27.24	ug	97
12) Methyl Acetate	2.923	43	83944	24.50	ug	99
13) Methylene Chloride	3.006	84	96877	27.00	ug	# 67
14) trans-1,2-Dichloroethene	3.321	96	81432	27.67	ug	# 86
15) Mtbe	3.347	73	499427	50.07	ug	98
16) 1,1-Dichloroethane	3.809	63	148176	25.29	ug	99
17) cis-1,2-Dichloroethene	4.506	61	136823	25.75	ug	# 78
18) Bromochloromethane	4.789	128	40558	29.05	ug	81
19) Chloroform	4.899	83	153716	25.88	ug	98
20) Cyclohexane	5.151	84	136878	29.74	ug	# 77
21) 1,2-Dichloroethane	5.586	62	121184	25.35	ug	100
22) 2-Butanone	3.908	43	149462	26.00	ug	85
25) 1,1,1-Trichloroethane	5.098	97	126235	25.12	ug	100
26) Carbon Tetrachloride	5.292	117	95078	24.39	ug	97
27) Benzene	5.549	78	328213	24.47	ug	100
28) Trichloroethene	6.357	130	81369	26.33	ug	92
29) Methyl Cyclohexane	6.577	83	140868	22.73	ug	94
30) 1,2-Dichloropropane	6.640	63	91301	24.71	ug	99
31) Dibromomethane	6.787	174	48986	25.68	ug	# 63
32) 1,4-Dioxane	6.855	88	31561	586.39	ug	# 1
33) Bromodichloromethane	7.002	83	116769	24.19	ug	# 34
34) cis-1,3-Dichloropropene	7.584	75	137510	25.06	ug	99
35) trans-1,3-Dichloropropene	8.323	75	126815	25.37	ug	97
36) 1,1,2-Trichloroethane	8.554	97	82472	25.22	ug	100
37) 1,3-Dichloropropane	8.769	76	144037	24.73	ug	91
38) 1,2-Dibromoethane	9.188	107	80736	25.16	ug	95
39) Dibromochloromethane	9.057	129	85317	26.24	ug	96
40) Bromoform	10.609	173	57007	24.81	ug	99
41) 4-Methyl-2-Pentanone	7.825	43	104228	24.64	ug	96
43) Toluene	7.998	92	207490	24.47	ug	99
44) Tetrachloroethene	8.711	164	62136	24.52	ug	98
45) 2-Hexanone	8.936	43	68103	24.15	ug	82

Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0073.D
 Acq On : 09 Jun 2025 09:05 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Jun 09 13:30:13 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.770	112	222557	24.56	ug	96
48) 1,1,1,2-Tetrachloroethane	9.875	133	69628	24.05	ug #	89
49) Ethylbenzene	9.906	106	120955	23.93	ug	96
50) m,p-Xylene	10.032	91	599887	46.55	ug	96
51) o-Xylene	10.425	106	146434	23.63	ug	91
52) Styrene	10.446	104	240390	24.89	ug	79
53) Isopropylbenzene	10.777	105	365344	23.10	ug	98
55) 1,1,2,2-Tetrachloroethane	11.055	83	122360	24.42	ug	93
56) 1,3-Dichlorobenzene	11.815	146	172449	24.76	ug	98
57) 1,4-Dichlorobenzene	11.815	146	172449	24.76	ug	94
58) 1,2-Dichlorobenzene	12.166	146	170150	23.82	ug #	83
59) 1,2-Dibromo-3-Chloropr	12.732	157	22945	25.14	ug	92
60) 1,2,4-Trichlorobenzene	13.304	180	120071	23.90	ug	98
61) 1,2,3-Trichlorobenzene	13.629	180	112748	22.99	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0073.D
Acq On : 09 Jun 2025 09:05 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 13:30:13 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0074.D
 Acq On : 09 Jun 2025 09:25 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 09 13:31:24 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	591064	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	400172	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	224761	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	180993	48.16	ug	0.01
42) Toluene-d8	7.914	98	592686	48.74	ug	0.00
54) Bromofluorobenzene	10.908	95	218553	47.29	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	362411	48.11	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	66257	18.77	ug	# 94
3) Chloromethane	1.389	50	86688	21.39	ug	95
4) Vinyl Chloride	1.470	62	84773	23.34	ug	90
5) Bromomethane	1.721	94	64118	22.00	ug	82
6) Chloroethane	1.812	64	56340	24.58	ug	89
7) Trichlorofluoromethane	2.028	101	141875	28.08	ug	86
8) Freon113	2.503	101	72114	32.14	ug	83
9) 1,1-Dichloroethene	2.493	96	74809	32.36	ug	# 81
10) Carbon Disulfide	2.702	76	217754	33.09	ug	100
11) Acetone	2.576	43	40169	31.29	ug	99
12) Methyl Acetate	2.922	43	97861	29.33	ug	100
13) Methylene Chloride	3.012	84	108711	31.17	ug	# 69
14) trans-1,2-Dichloroethene	3.321	96	91256	31.84	ug	# 86
15) Mtbe	3.347	73	562213	57.88	ug	98
16) 1,1-Dichloroethane	3.814	63	166846	29.24	ug	100
17) cis-1,2-Dichloroethene	4.506	61	151660	29.31	ug	# 79
18) Bromochloromethane	4.789	128	45151	33.20	ug	82
19) Chloroform	4.899	83	171494	29.64	ug	99
20) Cyclohexane	5.151	84	158752	35.41	ug	# 80
21) 1,2-Dichloroethane	5.586	62	135469	29.10	ug	99
22) 2-Butanone	3.908	43	177713	30.29	ug	80
25) 1,1,1-Trichloroethane	5.098	97	141511	28.87	ug	100
26) Carbon Tetrachloride	5.292	117	109443	28.78	ug	96
27) Benzene	5.549	78	372540	28.48	ug	100
28) Trichloroethene	6.362	130	93547	31.04	ug	94
29) Methyl Cyclohexane	6.582	83	165886	27.44	ug	94
30) 1,2-Dichloropropane	6.640	63	103377	28.68	ug	99
31) Dibromomethane	6.787	174	56975	30.62	ug	# 65
32) 1,4-Dioxane	6.855	88	25953	494.39	ug	# 1
33) Bromodichloromethane	7.002	83	135504	28.78	ug	# 35
34) cis-1,3-Dichloropropene	7.584	75	154256	28.82	ug	97
35) trans-1,3-Dichloropropene	8.323	75	141263	28.98	ug	96
36) 1,1,2-Trichloroethane	8.554	97	92569	29.03	ug	98
37) 1,3-Dichloropropane	8.769	76	163547	28.78	ug	91
38) 1,2-Dibromoethane	9.188	107	95496	30.52	ug	97
39) Dibromochloromethane	9.057	129	96407	30.40	ug	94
40) Bromoform	10.609	173	66097	29.49	ug	100
41) 4-Methyl-2-Pentanone	7.825	43	116288	28.18	ug	94
43) Toluene	7.998	92	237250	28.68	ug	98
44) Tetrachloroethene	8.711	164	72568	29.36	ug	98
45) 2-Hexanone	8.936	43	81223	29.53	ug	83

Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0074.D
 Acq On : 09 Jun 2025 09:25 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Jun 09 13:31:24 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	255563	28.59	ug	98
48) 1,1,1,2-Tetrachloroethane	9.875	133	82556	28.90	ug	# 92
49) Ethylbenzene	9.906	106	144227	28.93	ug	99
50) m,p-Xylene	10.037	91	692529	54.47	ug	97
51) o-Xylene	10.425	106	169736	27.77	ug	91
52) Styrene	10.446	104	277405	29.11	ug	80
53) Isopropylbenzene	10.782	105	429618	27.53	ug	97
55) 1,1,2,2-Tetrachloroethane	11.055	83	141859	28.70	ug	94
56) 1,3-Dichlorobenzene	11.815	146	203127	29.57	ug	99
57) 1,4-Dichlorobenzene	11.815	146	203127	29.57	ug	95
58) 1,2-Dichlorobenzene	12.166	146	198279	28.14	ug	# 86
59) 1,2-Dibromo-3-Chloropr	12.732	157	28060	31.17	ug	95
60) 1,2,4-Trichlorobenzene	13.304	180	141932	28.64	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	138994	28.73	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0074.D
Acq On : 09 Jun 2025 09:25 am
Operator :
Sample : lcs
Misc : lcs
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Jun 09 13:31:24 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0076.D
 Acq On : 09 Jun 2025 10:07 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 09 13:31:58 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	617481	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	409365	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	214227	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	198976	50.68	ug	0.01
42) Toluene-d8	7.914	98	621999	50.00	ug	0.00
54) Bromofluorobenzene	10.913	95	223903	50.83	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	324960	45.26	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0076.D
Acq On : 09 Jun 2025 10:07 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 09 13:31:58 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0084.D
 Acq On : 09 Jun 2025 12:50 pm
 Operator :
 Sample : 250602010-017a
 Misc : samp
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jun 09 13:33:46 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	567613	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	369891	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	191721	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	188944	52.36	ug	0.01
42) Toluene-d8	7.914	98	563398	50.12	ug	0.00
54) Bromofluorobenzene	10.913	95	204621	51.91	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	297625	46.32	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0084.D
Acq On : 09 Jun 2025 12:50 pm
Operator :
Sample : 250602010-017a
Misc : samp
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jun 09 13:33:46 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0085.D
 Acq On : 09 Jun 2025 01:10 pm
 Operator :
 Sample : 250602010-018a
 Misc : samp
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jun 09 13:37:05 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	570115	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	376178	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	192573	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	190841	52.65	ug	0.01
42) Toluene-d8	7.914	98	572631	50.09	ug	0.00
54) Bromofluorobenzene	10.913	95	206542	52.16	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	294845	45.68	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	33822	9.65	ug	87
17) cis-1,2-Dichloroethene	4.506	61	481783	96.53	ug	84
28) Trichloroethene	6.362	130	24677	8.71	ug	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0085.D
Acq On : 09 Jun 2025 01:10 pm
Operator :
Sample : 250602010-018a
Misc : samp
ALS Vial : 13 Sample Multiplier: 1





Quant Time: Jun 09 13:37:05 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 9.65 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0085.D
 Acq: 09 Jun 2025 01:10 pm


Tgt Ion: 62 Resp: 33822
 Ion Ratio Lower Upper
 62 100
 64 29.9 17.8 57.8



#17
 cis-1,2-Dichloroethene
 Concen: 96.53 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g0085.D
 Acq: 09 Jun 2025 01:10 pm




Tgt Ion: 61 Resp: 481783
 Ion Ratio Lower Upper
 61 100
 96 71.0 68.2 102.4





#28
 Trichloroethene
 Concen: 8.71 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g0085.D
 Acq: 09 Jun 2025 01:10 pm

Tgt Ion:130 Resp: 24677
 Ion Ratio Lower Upper
 130 100
 132 96.9 74.3 114.3
 95 117.7 70.6 110.6#



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0091.D
 Acq On : 09 Jun 2025 03:09 pm
 Operator :
 Sample : 250602010-037a
 Misc : samp
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 09 15:26:36 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	433855	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	278390	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	144059	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	147613	53.51	ug	0.01
42) Toluene-d8	7.914	98	433173	51.20	ug	0.00
54) Bromofluorobenzene	10.913	95	154936	52.31	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	227846	47.19	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	10311	3.87	ug	89
11) Acetone	2.582	43	14038	12.88	ug	94
17) cis-1,2-Dichloroethene	4.506	61	44800	11.80	ug	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0091.D
Acq On : 09 Jun 2025 03:09 pm
Operator :
Sample : 250602010-037a
Misc : samp
ALS Vial : 9 Sample Multiplier: 1





Quant Time: Jun 09 15:26:36 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 3.87 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0091.D
 Acq: 09 Jun 2025 03:09 pm


Tgt Ion: 62 Resp: 10311
 Ion Ratio Lower Upper
 62 100
 64 30.9 17.8 57.8



#11
 Acetone
 Concen: 12.88 ug
 RT: 2.582 min Scan# 298
 Delta R.T. 0.011 min
 Lab File: g0091.D
 Acq: 09 Jun 2025 03:09 pm




Tgt Ion: 43 Resp: 14038
 Ion Ratio Lower Upper
 43 100
 58 28.5 11.8 51.8





#17
 cis-1,2-Dichloroethene
 Concen: 11.80 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g0091.D
 Acq: 09 Jun 2025 03:09 pm

Tgt Ion: 61 Resp: 44800
 Ion Ratio Lower Upper
 61 100
 96 71.2 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0093.D
 Acq On : 09 Jun 2025 03:48 pm
 Operator :
 Sample : 250602010-013a
 Misc : samp
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 09 16:26:34 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	521776	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	345047	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	176549	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	169509	51.10	ug	0.01
42) Toluene-d8	7.914	98	519529	49.55	ug	0.00
54) Bromofluorobenzene	10.913	95	190279	52.42	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	273399	46.20	ug	0.00
Target Compounds						Qvalue
11) Acetone	2.581	43	5029	1.12	ug	97
17) cis-1,2-Dichloroethene	4.511	61	8286	1.81	ug	# 67

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0093.D
Acq On : 09 Jun 2025 03:48 pm
Operator :
Sample : 250602010-013a
Misc : samp
ALS Vial : 11 Sample Multiplier: 1





Quant Time: Jun 09 16:26:34 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#11
Acetone
Concen: 1.12 ug
RT: 2.581 min Scan# 298
Delta R.T. 0.010 min
Lab File: g0093.D
Acq: 09 Jun 2025 03:48 pm

Tgt Ion: 43 Resp: 5029
Ion Ratio Lower Upper
43 100
58 33.7 11.8 51.8



#17
cis-1,2-Dichloroethene
Concen: 1.81 ug
RT: 4.511 min Scan# 666
Delta R.T. 0.010 min
Lab File: g0093.D
Acq: 09 Jun 2025 03:48 pm

Tgt Ion: 61 Resp: 8286
Ion Ratio Lower Upper
61 100
96 54.9 68.2 102.4#



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0094.D
 Acq On : 09 Jun 2025 04:10 pm
 Operator :
 Sample : 250602010-011a
 Misc : samp
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 09 16:28:03 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	518638	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	336061	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	180633	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	172865	52.42	ug	0.00
42) Toluene-d8	7.914	98	513190	50.25	ug	0.00
54) Bromofluorobenzene	10.913	95	186668	50.26	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	276995	45.75	ug	0.00
Target Compounds						
4) Vinyl Chloride	1.470	62	96086	30.15	ug	Qvalue 88
13) Methylene Chloride	3.006	84	5622	1.54	ug	# 78
17) cis-1,2-Dichloroethene	4.501	61	449693	99.05	ug	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0094.D
Acq On : 09 Jun 2025 04:10 pm
Operator :
Sample : 250602010-011a
Misc : samp
ALS Vial : 10 Sample Multiplier: 1





Quant Time: Jun 09 16:28:03 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 30.15 ug
RT: 1.470 min Scan# 85
Delta R.T. -0.000 min
Lab File: g0094.D
Acq: 09 Jun 2025 04:10 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	30.8	17.8	57.8



#13
Methylene Chloride
Concen: 1.54 ug
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g0094.D
Acq: 09 Jun 2025 04:10 pm

Tgt Ion	Ratio	Lower	Upper
84	100		
49	125.1	82.9	122.9#








#17
 cis-1,2-Dichloroethene
 Concen: 99.05 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0094.D
 Acq: 09 Jun 2025 04:10 pm

Tgt Ion: 61 Resp: 449693

Ion	Ratio	Lower	Upper
61	100		
96	71.0	68.2	102.4



Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0095.D
 Acq On : 09 Jun 2025 04:33 pm
 Operator :
 Sample : 250602010-037ams
 Misc : ms
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Jun 09 17:17:24 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	536459	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	357707	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	205272	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	177995	52.19	ug	0.00
42) Toluene-d8	7.914	98	537031	49.40	ug	0.00
54) Bromofluorobenzene	10.908	95	206267	48.87	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	327631	47.62	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	50578	15.78	ug	# 93
3) Chloromethane	1.389	50	68925	18.73	ug	96
4) Vinyl Chloride	1.470	62	84448	25.62	ug	90
5) Bromomethane	1.716	94	62157	23.49	ug	83
6) Chloroethane	1.807	64	48513	23.32	ug	88
7) Trichlorofluoromethane	2.023	101	111425	24.30	ug	94
8) Freon113	2.498	101	65847	32.33	ug	83
9) 1,1-Dichloroethene	2.493	96	67631	32.23	ug	# 78
10) Carbon Disulfide	2.697	76	195993	32.82	ug	100
11) Acetone	2.576	43	44572	39.12	ug	100
12) Methyl Acetate	2.923	43	93362	30.83	ug	99
13) Methylene Chloride	3.006	84	83840	26.43	ug	# 63
14) trans-1,2-Dichloroethene	3.316	96	77210	29.68	ug	# 81
15) Mtbe	3.347	73	491591	55.76	ug	98
16) 1,1-Dichloroethane	3.809	63	153523	29.65	ug	100
17) cis-1,2-Dichloroethene	4.501	61	188419	40.12	ug	# 80
18) Bromochloromethane	4.789	128	37893	30.70	ug	76
19) Chloroform	4.899	83	149702	28.51	ug	100
20) Cyclohexane	5.151	84	145194	35.69	ug	# 78
21) 1,2-Dichloroethane	5.586	62	122304	28.95	ug	97
22) 2-Butanone	3.908	43	177662	32.70	ug	76
25) 1,1,1-Trichloroethane	5.098	97	127517	29.11	ug	98
26) Carbon Tetrachloride	5.292	117	97319	28.63	ug	100
27) Benzene	5.549	78	331592	28.36	ug	100
28) Trichloroethene	6.357	130	76051	28.23	ug	# 88
29) Methyl Cyclohexane	6.577	83	149944	27.75	ug	93
30) 1,2-Dichloropropane	6.640	63	88937	27.60	ug	99
31) Dibromomethane	6.787	174	48464	29.14	ug	# 62
32) 1,4-Dioxane	6.860	88	22255	474.28	ug	# 1
33) Bromodichloromethane	7.002	83	117765	27.98	ug	# 39
34) cis-1,3-Dichloropropene	7.584	75	133637	27.94	ug	97
35) trans-1,3-Dichloropropene	8.323	75	125901	28.89	ug	99
36) 1,1,2-Trichloroethane	8.554	97	81506	28.59	ug	98
37) 1,3-Dichloropropane	8.769	76	146493	28.84	ug	91
38) 1,2-Dibromoethane	9.188	107	81087	28.99	ug	94
39) Dibromochloromethane	9.057	129	80058	28.24	ug	93
40) Bromoform	10.609	173	59278	29.59	ug	100
41) 4-Methyl-2-Pentanone	7.825	43	118029	32.00	ug	95
43) Toluene	7.998	92	208867	28.25	ug	100
44) Tetrachloroethene	8.711	164	60942	27.58	ug	97
45) 2-Hexanone	8.936	43	82250	33.46	ug	81

Data Path : D:\MassHunter\GCMS\2\data\060925\
 Data File : g0095.D
 Acq On : 09 Jun 2025 04:33 pm
 Operator :
 Sample : 250602010-037ams
 Misc : ms
 ALS Vial : 19 Sample Multiplier: 1


Quant Time: Jun 09 17:17:24 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	219936	26.94	ug	98
48) 1,1,1,2-Tetrachloroethane	9.875	133	69267	26.55	ug #	92
49) Ethylbenzene	9.906	106	124773	27.40	ug	98
50) m,p-Xylene	10.037	91	626809	53.98	ug	95
51) o-Xylene	10.425	106	148162	26.54	ug #	87
52) Styrene	10.446	104	240386	27.62	ug	81
53) Isopropylbenzene	10.782	105	389239	27.31	ug	100
55) 1,1,2,2-Tetrachloroethane	11.055	83	140187	31.06	ug	95
56) 1,3-Dichlorobenzene	11.815	146	174069	27.74	ug	94
57) 1,4-Dichlorobenzene	11.815	146	174069	27.74	ug #	90
58) 1,2-Dichlorobenzene	12.166	146	175836	27.32	ug #	86
59) 1,2-Dibromo-3-Chloropr	12.732	157	25648	31.20	ug #	80
60) 1,2,4-Trichlorobenzene	13.304	180	125630	27.76	ug	98
61) 1,2,3-Trichlorobenzene	13.629	180	119155	26.97	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\060925\
Data File : g0095.D
Acq On : 09 Jun 2025 04:33 pm
Operator :
Sample : 250602010-037ams
Misc : ms
ALS Vial : 19 Sample Multiplier: 1



Quant Time: Jun 09 17:17:24 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0103.D
Acq On : 10 Jun 2025 09:21 am
Operator :
Sample : BFB
Misc : tune
ALS Vial : 3 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Title : Voa Calibration 524/8260 Water
Last Update : Mon Jun 09 13:26:15 2025



Spectrum Information: Average of 10.902 to 10.944 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	22.0	14027	PASS
75	95	30	60	53.2	33937	PASS
95	95	100	100	100.0	63769	PASS
96	95	5	9	6.9	4408	PASS
173	174	0.00	2	0.7	344	PASS
174	95	50	100	76.8	48983	PASS
175	174	5	9	7.0	3442	PASS
176	174	95	101	95.7	46893	PASS
177	176	5	9	6.7	3130	PASS

Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0105.D
 Acq On : 10 Jun 2025 10:50 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 10 11:08:38 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	562491	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	370617	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	205901	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	174424	48.77	ug	0.00
42) Toluene-d8	7.909	98	562776	49.97	ug	0.00
54) Bromofluorobenzene	10.908	95	207023	48.90	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	330508	47.89	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	42119	12.53	ug	# 92
3) Chloromethane	1.384	50	74165	19.23	ug	94
4) Vinyl Chloride	1.470	62	68022	19.68	ug	90
5) Bromomethane	1.721	94	56026	20.20	ug	83
6) Chloroethane	1.812	64	50407	23.11	ug	92
7) Trichlorofluoromethane	2.023	101	99674	20.73	ug	94
8) Freon113	2.498	101	52988	24.81	ug	# 78
9) 1,1-Dichloroethene	2.492	96	54886	24.95	ug	# 78
10) Carbon Disulfide	2.702	76	160258	25.59	ug	100
11) Acetone	2.571	43	29537	23.30	ug	99
12) Methyl Acetate	2.917	43	74809	23.56	ug	98
13) Methylene Chloride	3.006	84	86020	25.86	ug	# 65
14) trans-1,2-Dichloroethene	3.316	96	67777	24.85	ug	# 81
15) Mtbe	3.342	73	459400	49.69	ug	98
16) 1,1-Dichloroethane	3.808	63	135183	24.90	ug	100
17) cis-1,2-Dichloroethene	4.501	61	124865	25.36	ug	# 79
18) Bromochloromethane	4.784	128	36744	28.39	ug	80
19) Chloroform	4.894	83	141367	25.68	ug	98
20) Cyclohexane	5.145	84	118326	27.74	ug	# 79
21) 1,2-Dichloroethane	5.581	62	118586	26.77	ug	97
22) 2-Butanone	3.903	43	149292	27.51	ug	79
25) 1,1,1-Trichloroethane	5.093	97	108988	24.01	ug	99
26) Carbon Tetrachloride	5.287	117	82994	23.57	ug	99
27) Benzene	5.544	78	304782	25.16	ug	100
28) Trichloroethene	6.357	130	70091	25.11	ug	91
29) Methyl Cyclohexane	6.577	83	120132	21.46	ug	91
30) 1,2-Dichloropropane	6.635	63	87938	26.34	ug	99
31) Dibromomethane	6.781	174	46747	27.13	ug	# 60
32) 1,4-Dioxane	6.849	88	19504	401.17	ug	# 1
33) Bromodichloromethane	6.996	83	115011	26.37	ug	# 38
34) cis-1,3-Dichloropropene	7.578	75	131728	26.58	ug	98
35) trans-1,3-Dichloropropene	8.323	75	125039	27.70	ug	97
36) 1,1,2-Trichloroethane	8.553	97	80695	27.32	ug	99
37) 1,3-Dichloropropane	8.768	76	140853	26.77	ug	89
38) 1,2-Dibromoethane	9.183	107	77404	26.71	ug	96
39) Dibromochloromethane	9.057	129	81904	27.89	ug	96
40) Bromoform	10.609	173	55700	26.83	ug	98
41) 4-Methyl-2-Pentanone	7.819	43	94289	24.67	ug	95
43) Toluene	7.998	92	190686	24.89	ug	99
44) Tetrachloroethene	8.706	164	53491	23.37	ug	98
45) 2-Hexanone	8.931	43	64791	25.44	ug	87

Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0105.D
 Acq On : 10 Jun 2025 10:50 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Jun 10 11:08:38 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.770	112	207679	25.36	ug	95
48) 1,1,1,2-Tetrachloroethane	9.875	133	68537	26.19	ug #	91
49) Ethylbenzene	9.906	106	114265	25.02	ug	98
50) m,p-Xylene	10.032	91	561019	48.17	ug	97
51) o-Xylene	10.425	106	139229	24.86	ug	88
52) Styrene	10.441	104	231419	26.51	ug	79
53) Isopropylbenzene	10.777	105	339257	23.73	ug	96
55) 1,1,2,2-Tetrachloroethane	11.054	83	124380	27.47	ug	95
56) 1,3-Dichlorobenzene	11.815	146	163728	26.01	ug	95
57) 1,4-Dichlorobenzene	11.815	146	163728	26.01	ug	91
58) 1,2-Dichlorobenzene	12.166	146	165500	25.64	ug #	84
59) 1,2-Dibromo-3-Chloropr	12.732	157	22183	26.90	ug	93
60) 1,2,4-Trichlorobenzene	13.304	180	111698	24.60	ug	98
61) 1,2,3-Trichlorobenzene	13.629	180	109258	24.65	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0105.D
Acq On : 10 Jun 2025 10:50 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 10 11:08:38 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0107.D
 Acq On : 10 Jun 2025 11:49 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Jun 10 12:50:48 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	503223	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	325102	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	166261	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	161179	50.38	ug	0.00
42) Toluene-d8	7.914	98	494654	50.07	ug	0.00
54) Bromofluorobenzene	10.913	95	177871	52.03	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	256956	46.11	ug	0.00
Target Compounds						
11) Acetone	2.576	43	1070	Below Cal		Qvalue 72

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0107.D
Acq On : 10 Jun 2025 11:49 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 3 Sample Multiplier: 1




Quant Time: Jun 10 12:50:48 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration





#11
 Acetone
 Concen: Below Cal
 RT: 2.576 min Scan# 297
 Delta R.T. 0.005 min
 Lab File: g0107.D
 Acq: 10 Jun 2025 11:49 am

Tgt Ion: 43 Resp: 1070
 Ion Ratio Lower Upper
 43 100
 58 16.4 11.8 51.8



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0108.D
 Acq On : 10 Jun 2025 12:11 pm
 Operator :
 Sample : 250602010-023a
 Misc : samp
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Jun 10 12:51:23 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	551186	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	363136	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	186985	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	181508	51.79	ug	0.00
42) Toluene-d8	7.914	98	552596	50.08	ug	0.00
54) Bromofluorobenzene	10.908	95	199226	51.82	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	282849	45.13	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	129364	38.19	ug	89
13) Methylene Chloride	3.006	84	5646	1.44	ug	# 45
17) cis-1,2-Dichloroethene	4.501	61	401467	83.20	ug	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0108.D
Acq On : 10 Jun 2025 12:11 pm
Operator :
Sample : 250602010-023a
Misc : samp
ALS Vial : 4 Sample Multiplier: 1





Quant Time: Jun 10 12:51:23 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 38.19 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0108.D
 Acq: 10 Jun 2025 12:11 pm


Tgt Ion: 62 Resp: 129364
 Ion Ratio Lower Upper
 62 100
 64 31.4 17.8 57.8



#13
 Methylene Chloride
 Concen: 1.44 ug
 RT: 3.006 min Scan# 379
 Delta R.T. 0.000 min
 Lab File: g0108.D
 Acq: 10 Jun 2025 12:11 pm




Tgt Ion: 84 Resp: 5646
 Ion Ratio Lower Upper
 84 100
 49 158.7 82.9 122.9#





#17
 cis-1,2-Dichloroethene
 Concen: 83.20 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0108.D
 Acq: 10 Jun 2025 12:11 pm

Tgt Ion: 61 Resp: 401467
 Ion Ratio Lower Upper
 61 100
 96 71.8 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0109.D
 Acq On : 10 Jun 2025 12:33 pm
 Operator :
 Sample : 250602010-024a
 Misc : samp
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Jun 10 12:52:33 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	534553	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	347922	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	178412	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.491	65	174755	51.42	ug	0.00
42) Toluene-d8	7.914	98	530478	50.17	ug	0.00
54) Bromofluorobenzene	10.908	95	189795	51.74	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	277320	46.38	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	106637	32.46	ug	90
13) Methylene Chloride	3.006	84	5827	1.55	ug	# 56
17) cis-1,2-Dichloroethene	4.501	61	311357	66.54	ug	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0109.D
Acq On : 10 Jun 2025 12:33 pm
Operator :
Sample : 250602010-024a
Misc : samp
ALS Vial : 5 Sample Multiplier: 1





Quant Time: Jun 10 12:52:33 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 32.46 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0109.D
 Acq: 10 Jun 2025 12:33 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	31.6	17.8	57.8



#13
 Methylene Chloride
 Concen: 1.55 ug
 RT: 3.006 min Scan# 379
 Delta R.T. 0.000 min
 Lab File: g0109.D
 Acq: 10 Jun 2025 12:33 pm




Tgt Ion	Ratio	Lower	Upper
84	100		
49	147.4	82.9	122.9#





#17
 cis-1,2-Dichloroethene
 Concen: 66.54 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0109.D
 Acq: 10 Jun 2025 12:33 pm

Tgt Ion: 61 Resp: 311357
 Ion Ratio Lower Upper
 61 100
 96 71.3 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0110.D
 Acq On : 10 Jun 2025 12:55 pm
 Operator :
 Sample : 250602010-010a
 Misc : samp
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 10 13:20:46 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	529266	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	348789	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	178029	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	175512	52.16	ug	0.00
42) Toluene-d8	7.914	98	535025	50.48	ug	0.00
54) Bromofluorobenzene	10.913	95	191833	52.41	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	278449	46.66	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	104958	32.27	ug	88
13) Methylene Chloride	3.006	84	6303	1.72	ug	# 63
17) cis-1,2-Dichloroethene	4.501	61	539559	116.45	ug	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0110.D
Acq On : 10 Jun 2025 12:55 pm
Operator :
Sample : 250602010-010a
Misc : samp
ALS Vial : 6 Sample Multiplier: 1





Quant Time: Jun 10 13:20:46 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 32.27 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0110.D
 Acq: 10 Jun 2025 12:55 pm


Tgt Ion: 62 Resp: 104958
 Ion Ratio Lower Upper
 62 100
 64 30.7 17.8 57.8



#13
 Methylene Chloride
 Concen: 1.72 ug
 RT: 3.006 min Scan# 379
 Delta R.T. 0.000 min
 Lab File: g0110.D
 Acq: 10 Jun 2025 12:55 pm




Tgt Ion: 84 Resp: 6303
 Ion Ratio Lower Upper
 84 100
 49 141.0 82.9 122.9#





#17
 cis-1,2-Dichloroethene
 Concen: 116.45 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0110.D
 Acq: 10 Jun 2025 12:55 pm

Tgt Ion: 61 Resp: 539559
 Ion Ratio Lower Upper
 61 100
 96 72.2 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0112.D
 Acq On : 10 Jun 2025 01:35 pm
 Operator :
 Sample : 250602010-029a
 Misc : samp
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 10 13:55:48 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	486051	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	322563	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	164039	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	163953	53.05	ug	0.01
42) Toluene-d8	7.914	98	492110	50.20	ug	0.00
54) Bromofluorobenzene	10.913	95	178438	52.90	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	260870	47.45	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0112.D
Acq On : 10 Jun 2025 01:35 pm
Operator :
Sample : 250602010-029a
Misc : samp
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Jun 10 13:55:48 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0113.D
 Acq On : 10 Jun 2025 01:55 pm
 Operator :
 Sample : 250602010-040a
 Misc : samp
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 10 14:19:31 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	479699	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	322322	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	163877	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	161940	53.10	ug	0.01
42) Toluene-d8	7.914	98	488049	49.83	ug	0.00
54) Bromofluorobenzene	10.913	95	174985	51.93	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	254887	46.40	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0113.D
Acq On : 10 Jun 2025 01:55 pm
Operator :
Sample : 250602010-040a
Misc : samp
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Jun 10 14:19:31 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0114.D
 Acq On : 10 Jun 2025 02:14 pm
 Operator :
 Sample : 250602010-003a
 Misc : samp
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 10 14:32:57 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	469814	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	311401	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	161348	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	161294	54.00	ug	0.01
42) Toluene-d8	7.914	98	477773	50.49	ug	0.00
54) Bromofluorobenzene	10.913	95	171150	51.59	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	249179	46.08	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0114.D
Acq On : 10 Jun 2025 02:14 pm
Operator :
Sample : 250602010-003a
Misc : samp
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Jun 10 14:32:57 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0115.D
 Acq On : 10 Jun 2025 02:34 pm
 Operator :
 Sample : 250602010-006a
 Misc : samp
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: Jun 10 14:58:20 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc Units	Dev(Min)


Internal Standards					
1) Fluorobenzene	5.906	96	491888	50.00 ug	0.00
24) Chlorobenzene-d5	9.744	117	329608	50.00 ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	170582	50.00 ug	0.00
System Monitoring Compounds					
23) 1,2-Dichloroethane-d4	5.497	65	166210	53.15 ug	0.01
42) Toluene-d8	7.914	98	494643	49.38 ug	0.00
54) Bromofluorobenzene	10.913	95	179031	51.04 ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	265864	46.50 ug	0.00
Target Compounds					Qvalue
4) Vinyl Chloride	1.475	62	11788	3.90 ug	94
17) cis-1,2-Dichloroethene	4.506	61	29444	6.84 ug	82
28) Trichloroethene	6.362	130	4444	1.79 ug	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0115.D
Acq On : 10 Jun 2025 02:34 pm
Operator :
Sample : 250602010-006a
Misc : samp
ALS Vial : 11 Sample Multiplier: 1





Quant Time: Jun 10 14:58:20 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 3.90 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g0115.D
 Acq: 10 Jun 2025 02:34 pm


Tgt Ion: 62 Resp: 11788
 Ion Ratio Lower Upper
 62 100
 64 34.4 17.8 57.8



#17
 cis-1,2-Dichloroethene
 Concen: 6.84 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g0115.D
 Acq: 10 Jun 2025 02:34 pm

Tgt Ion: 61 Resp: 29444
 Ion Ratio Lower Upper
 61 100
 96 69.0 68.2 102.4








#28
 Trichloroethene
 Concen: 1.79 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g0115.D
 Acq: 10 Jun 2025 02:34 pm

Tgt Ion:130 Resp: 4444

Ion	Ratio	Lower	Upper
130	100		
132	88.7	74.3	114.3
95	109.4	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0117.D
 Acq On : 10 Jun 2025 03:14 pm
 Operator :
 Sample : 250602010-023ams
 Misc : ms
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jun 10 15:30:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	520879	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	349329	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	199572	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	161700	48.83	ug	0.01
42) Toluene-d8	7.914	98	519757	48.96	ug	0.00
54) Bromofluorobenzene	10.908	95	197567	48.15	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	319646	47.79	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	45199	14.53	ug	# 95
3) Chloromethane	1.389	50	74835	20.95	ug	96
4) Vinyl Chloride	1.475	62	242073	75.62	ug	90
5) Bromomethane	1.721	94	61458	23.92	ug	82
6) Chloroethane	1.812	64	54110	26.79	ug	91
7) Trichlorofluoromethane	2.028	101	124996	28.07	ug	86
8) Freon113	2.503	101	58745	29.71	ug	82
9) 1,1-Dichloroethene	2.498	96	64554	31.69	ug	# 78
10) Carbon Disulfide	2.702	76	183524	31.65	ug	100
11) Acetone	2.576	43	31001	26.93	ug	100
12) Methyl Acetate	2.922	43	80378	27.33	ug	96
13) Methylene Chloride	3.012	84	89302	29.03	ug	# 61
14) trans-1,2-Dichloroethene	3.321	96	77597	30.72	ug	# 80
15) Mtbe	3.347	73	478709	55.92	ug	98
16) 1,1-Dichloroethane	3.814	63	150668	29.97	ug	99
17) cis-1,2-Dichloroethene	4.506	61	681569	149.47	ug	85
18) Bromochloromethane	4.789	128	37403	31.21	ug	# 69
19) Chloroform	4.899	83	152057	29.83	ug	100
20) Cyclohexane	5.151	84	131931	33.40	ug	# 74
21) 1,2-Dichloroethane	5.591	62	123910	30.20	ug	100
22) 2-Butanone	3.908	43	162051	31.11	ug	79
25) 1,1,1-Trichloroethane	5.098	97	125833	29.41	ug	99
26) Carbon Tetrachloride	5.292	117	94754	28.54	ug	99
27) Benzene	5.549	78	333734	29.23	ug	100
28) Trichloroethene	6.362	130	77789	29.56	ug	# 87
29) Methyl Cyclohexane	6.582	83	139952	26.52	ug	93
30) 1,2-Dichloropropane	6.640	63	91159	28.97	ug	100
31) Dibromomethane	6.787	174	47134	29.02	ug	# 57
32) 1,4-Dioxane	6.855	88	19425	423.89	ug	# 1
33) Bromodichloromethane	7.002	83	118151	28.75	ug	# 36
34) cis-1,3-Dichloropropene	7.584	75	135139	28.93	ug	100
35) trans-1,3-Dichloropropene	8.323	75	125249	29.43	ug	97
36) 1,1,2-Trichloroethane	8.554	97	80232	28.82	ug	96
37) 1,3-Dichloropropane	8.769	76	144037	29.04	ug	91
38) 1,2-Dibromoethane	9.188	107	80068	29.31	ug	99
39) Dibromochloromethane	9.057	129	79710	28.79	ug	93
40) Bromoform	10.609	173	55306	28.27	ug	100
41) 4-Methyl-2-Pentanone	7.825	43	100149	27.80	ug	95
43) Toluene	7.998	92	206950	28.66	ug	100
44) Tetrachloroethene	8.711	164	58162	26.96	ug	96
45) 2-Hexanone	8.936	43	69087	28.78	ug	84

Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0117.D
 Acq On : 10 Jun 2025 03:14 pm
 Operator :
 Sample : 250602010-023ams
 Misc : ms
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jun 10 15:30:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

47) Chlorobenzene	9.775	112	220418	27.77	ug	97
48) 1,1,1,2-Tetrachloroethane	9.875	133	67761	26.72	ug	# 91
49) Ethylbenzene	9.906	106	121587	27.46	ug	98
50) m,p-Xylene	10.037	91	610199	54.05	ug	96
51) o-Xylene	10.431	106	148963	27.45	ug	89
52) Styrene	10.446	104	240755	28.46	ug	81
53) Isopropylbenzene	10.782	105	368663	26.61	ug	98
55) 1,1,2,2-Tetrachloroethane	11.060	83	125244	28.54	ug	93
56) 1,3-Dichlorobenzene	11.815	146	169986	27.87	ug	95
57) 1,4-Dichlorobenzene	11.815	146	169986	27.87	ug	91
58) 1,2-Dichlorobenzene	12.166	146	173402	27.71	ug	# 85
59) 1,2-Dibromo-3-Chloropr	12.732	157	23679	29.62	ug	92
60) 1,2,4-Trichlorobenzene	13.304	180	118580	26.95	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	114536	26.66	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0117.D
Acq On : 10 Jun 2025 03:14 pm
Operator :
Sample : 250602010-023ams
Misc : ms
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Jun 10 15:30:29 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0120.D
 Acq On : 10 Jun 2025 04:12 pm
 Operator :
 Sample : 250602010-025a
 Misc : samp
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 10 16:38:55 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	460034	50.00	ug	0.00
24) Chlorobenzene-d5	9.743	117	305633	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	156449	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	152620	52.18	ug	0.01
42) Toluene-d8	7.914	98	456846	49.19	ug	0.00
54) Bromofluorobenzene	10.913	95	168559	52.40	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	244753	46.68	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0120.D
Acq On : 10 Jun 2025 04:12 pm
Operator :
Sample : 250602010-025a
Misc : samp
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 10 16:38:55 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0121.D
 Acq On : 10 Jun 2025 04:34 pm
 Operator :
 Sample : 250602010-009a
 Misc : samp
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jun 10 16:54:06 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Jun 10 16:54:02 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	461715	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	310193	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	164418	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	158225	53.90	ug	0.00
42) Toluene-d8	7.914	98	466619	49.50	ug	0.00
54) Bromofluorobenzene	10.908	95	173429	51.30	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	255614	46.38	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	108415	38.21	ug	89
11) Acetone	2.571	43	161773	177.38	ug	99
17) cis-1,2-Dichloroethene	4.501	61	356952	88.31	ug	85
28) Trichloroethene	6.357	130	79342	33.96	ug	# 83
45) 2-Hexanone	8.942	43	2810	1.32	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0121.D
Acq On : 10 Jun 2025 04:34 pm
Operator :
Sample : 250602010-009a
Misc : samp
ALS Vial : 12 Sample Multiplier: 1





Quant Time: Jun 10 16:54:06 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Jun 10 16:54:02 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 38.21 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0121.D
 Acq: 10 Jun 2025 04:34 pm


Tgt Ion: 62 Resp: 108415
 Ion Ratio Lower Upper
 62 100
 64 31.1 17.8 57.8



#11
 Acetone
 Concen: 177.38 ug
 RT: 2.571 min Scan# 296
 Delta R.T. 0.000 min
 Lab File: g0121.D
 Acq: 10 Jun 2025 04:34 pm





Tgt Ion: 43 Resp: 161773
 Ion Ratio Lower Upper
 43 100
 58 31.1 11.8 51.8








#17
 cis-1,2-Dichloroethene
 Concen: 88.31 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0121.D
 Acq: 10 Jun 2025 04:34 pm


Tgt Ion: 61 Resp: 356952
 Ion Ratio Lower Upper
 61 100
 96 71.3 68.2 102.4



#28
 Trichloroethene
 Concen: 33.96 ug
 RT: 6.357 min Scan# 1018
 Delta R.T. 0.006 min
 Lab File: g0121.D
 Acq: 10 Jun 2025 04:34 pm




Tgt Ion:130 Resp: 79342
 Ion Ratio Lower Upper
 130 100
 132 97.9 74.3 114.3
 95 118.8 70.6 110.6#





#45
 2-Hexanone
 Concen: 1.32 ug
 RT: 8.942 min Scan# 1511
 Delta R.T. 0.011 min
 Lab File: g0121.D
 Acq: 10 Jun 2025 04:34 pm

Tgt Ion:	43	Resp:	2810
Ion	Ratio	Lower	Upper
43	100		
58	42.8	22.6	62.6
100	6.0	0.0	20.0



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0122.D
 Acq On : 10 Jun 2025 04:54 pm
 Operator :
 Sample : 250602010-012a
 Misc : samp
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Jun 10 17:11:55 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Jun 10 16:54:02 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	472465	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	314845	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	168219	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	158300	52.70	ug	0.01
42) Toluene-d8	7.914	98	480495	50.22	ug	0.00
54) Bromofluorobenzene	10.913	95	176390	51.00	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	256416	45.48	ug	0.00
Target Compounds						
17) cis-1,2-Dichloroethene	4.506	61	11851	2.87	ug	Qvalue # 81
28) Trichloroethene	6.362	130	2398	1.01	ug	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0122.D
Acq On : 10 Jun 2025 04:54 pm
Operator :
Sample : 250602010-012a
Misc : samp
ALS Vial : 15 Sample Multiplier: 1





Quant Time: Jun 10 17:11:55 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Jun 10 16:54:02 2025
Response via : Initial Calibration








#17
cis-1,2-Dichloroethene
Concen: 2.87 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g0122.D
Acq: 10 Jun 2025 04:54 pm

Tgt Ion: 61 Resp: 11851
Ion Ratio Lower Upper
61 100
96 67.9 68.2 102.4#



#28
Trichloroethene
Concen: 1.01 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g0122.D
Acq: 10 Jun 2025 04:54 pm

Tgt Ion:130 Resp: 2398
Ion Ratio Lower Upper
130 100
132 88.4 74.3 114.3
95 100.8 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0123.D
 Acq On : 10 Jun 2025 05:14 pm
 Operator :
 Sample : 250602010-014a
 Misc : samp
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Jun 11 08:04:40 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc Units	Dev(Min)


Internal Standards					
1) Fluorobenzene	5.906	96	495285	50.00 ug	0.00
24) Chlorobenzene-d5	9.744	117	329115	50.00 ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	168325	50.00 ug	0.00
System Monitoring Compounds					
23) 1,2-Dichloroethane-d4	5.497	65	168900	53.64 ug	0.01
42) Toluene-d8	7.914	98	502804	50.27 ug	0.00
54) Bromofluorobenzene	10.913	95	181102	52.33 ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	265871	47.13 ug	0.00
Target Compounds					Qvalue
17) cis-1,2-Dichloroethene	4.506	61	19923	4.59 ug	84
28) Trichloroethene	6.362	130	7108	2.87 ug	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0123.D
Acq On : 10 Jun 2025 05:14 pm
Operator :
Sample : 250602010-014a
Misc : samp
ALS Vial : 16 Sample Multiplier: 1





Quant Time: Jun 11 08:04:40 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#17
 cis-1,2-Dichloroethene
 Concen: 4.59 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g0123.D
 Acq: 10 Jun 2025 05:14 pm

Tgt Ion: 61 Resp: 19923
 Ion Ratio Lower Upper
 61 100
 96 70.9 68.2 102.4



#28
 Trichloroethene
 Concen: 2.87 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g0123.D
 Acq: 10 Jun 2025 05:14 pm

Tgt Ion: 130 Resp: 7108
 Ion Ratio Lower Upper
 130 100
 132 84.9 74.3 114.3
 95 102.2 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0124.D
 Acq On : 10 Jun 2025 05:34 pm
 Operator :
 Sample : 250602010-015a
 Misc : samp
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Jun 11 08:13:16 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	495500	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	329078	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	170199	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	164875	52.34	ug	0.01
42) Toluene-d8	7.914	98	500446	50.04	ug	0.00
54) Bromofluorobenzene	10.913	95	177049	50.59	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	266933	46.79	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0124.D
Acq On : 10 Jun 2025 05:34 pm
Operator :
Sample : 250602010-015a
Misc : samp
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Jun 11 08:13:16 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0125.D
 Acq On : 10 Jun 2025 05:53 pm
 Operator :
 Sample : 250602010-019a
 Misc : samp
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Jun 11 08:15:04 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	473257	50.00	ug	0.00
24) Chlorobenzene-d5	9.743	117	318431	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	167829	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	161077	53.53	ug	0.01
42) Toluene-d8	7.914	98	478831	49.48	ug	0.00
54) Bromofluorobenzene	10.913	95	176786	51.23	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	256795	45.65	ug	0.00
Target Compounds						
28) Trichloroethene	6.362	130	5672	2.36	ug	Qvalue # 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0125.D
Acq On : 10 Jun 2025 05:53 pm
Operator :
Sample : 250602010-019a
Misc : samp
ALS Vial : 18 Sample Multiplier: 1




Quant Time: Jun 11 08:15:04 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration





#28
 Trichloroethene
 Concen: 2.36 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g0125.D
 Acq: 10 Jun 2025 05:53 pm

Tgt Ion:130 Resp: 5672
 Ion Ratio Lower Upper
 130 100
 132 95.5 74.3 114.3
 95 117.8 70.6 110.6#



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0129.D
 Acq On : 10 Jun 2025 07:17 pm
 Operator :
 Sample : 250602010-041a
 Misc : samp
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Jun 11 08:17:04 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	445366	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	298072	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	155556	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	150130	53.02	ug	0.00
42) Toluene-d8	7.914	98	450573	49.74	ug	0.00
54) Bromofluorobenzene	10.913	95	164278	51.36	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	237110	45.48	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	64974	23.74	ug	92
9) 1,1-Dichloroethene	2.493	96	2889	1.66	ug	# 80
13) Methylene Chloride	3.006	84	5784	1.91	ug	# 58
17) cis-1,2-Dichloroethene	4.501	61	648121	166.24	ug	84
28) Trichloroethene	6.357	130	95535	42.55	ug	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0129.D
Acq On : 10 Jun 2025 07:17 pm
Operator :
Sample : 250602010-041a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1





Quant Time: Jun 11 08:17:04 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 23.74 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g0129.D
 Acq: 10 Jun 2025 07:17 pm


Tgt Ion: 62 Resp: 64974
 Ion Ratio Lower Upper
 62 100
 64 33.2 17.8 57.8



#9
 1,1-Dichloroethene
 Concen: 1.66 ug
 RT: 2.493 min Scan# 281
 Delta R.T. 0.001 min
 Lab File: g0129.D
 Acq: 10 Jun 2025 07:17 pm





Tgt Ion: 96 Resp: 2889
 Ion Ratio Lower Upper
 96 100
 61 185.3 140.6 180.6#
 98 68.3 69.4 109.4#








#13
Methylene Chloride
Concen: 1.91 ug
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g0129.D
Acq: 10 Jun 2025 07:17 pm


Tgt Ion: 84 Resp: 5784
Ion Ratio Lower Upper
84 100
49 145.3 82.9 122.9#



#17
cis-1,2-Dichloroethene
Concen: 166.24 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.000 min
Lab File: g0129.D
Acq: 10 Jun 2025 07:17 pm




Tgt Ion: 61 Resp: 648121
Ion Ratio Lower Upper
61 100
96 71.1 68.2 102.4





#28
 Trichloroethene
 Concen: 42.55 ug
 RT: 6.357 min Scan# 1018
 Delta R.T. 0.006 min
 Lab File: g0129.D
 Acq: 10 Jun 2025 07:17 pm

Tgt Ion:	130	Resp:	95535
Ion	Ratio	Lower	Upper
130	100		
132	95.0	74.3	114.3
95	110.3	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0130.D
 Acq On : 10 Jun 2025 07:39 pm
 Operator :
 Sample : 250602010-042a
 Misc : samp
 ALS Vial : 23 Sample Multiplier: 1

Quant Time: Jun 11 08:18:01 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	419220	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	278871	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	147367	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	144200	54.10	ug	0.00
42) Toluene-d8	7.914	98	425645	50.23	ug	0.00
54) Bromofluorobenzene	10.908	95	154428	50.97	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	229291	46.42	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	24285	9.43	ug	89
13) Methylene Chloride	3.012	84	5785	2.05	ug	# 63
17) cis-1,2-Dichloroethene	4.501	61	335973	91.55	ug	84
28) Trichloroethene	6.362	130	4293	2.04	ug	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0130.D
Acq On : 10 Jun 2025 07:39 pm
Operator :
Sample : 250602010-042a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1





Quant Time: Jun 11 08:18:01 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 9.43 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g0130.D
 Acq: 10 Jun 2025 07:39 pm


Tgt Ion: 62 Resp: 24285
 Ion Ratio Lower Upper
 62 100
 64 31.2 17.8 57.8



#13
 Methylene Chloride
 Concen: 2.05 ug
 RT: 3.012 min Scan# 380
 Delta R.T. 0.006 min
 Lab File: g0130.D
 Acq: 10 Jun 2025 07:39 pm





Tgt Ion: 84 Resp: 5785
 Ion Ratio Lower Upper
 84 100
 49 140.8 82.9 122.9#








#17
 cis-1,2-Dichloroethene
 Concen: 91.55 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0130.D
 Acq: 10 Jun 2025 07:39 pm

Tgt Ion: 61 Resp: 335973
 Ion Ratio Lower Upper
 61 100
 96 70.7 68.2 102.4



#28
 Trichloroethene
 Concen: 2.04 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g0130.D
 Acq: 10 Jun 2025 07:39 pm

Tgt Ion:130 Resp: 4293
 Ion Ratio Lower Upper
 130 100
 132 95.9 74.3 114.3
 95 118.5 70.6 110.6#



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0131.D
 Acq On : 10 Jun 2025 08:01 pm
 Operator :
 Sample : 250602010-027a
 Misc : samp
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Jun 11 08:23:50 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Wed Jun 11 08:23:45 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	457827	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	308786	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	159386	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.492	65	155066	53.27	ug	0.00
42) Toluene-d8	7.914	98	469528	50.04	ug	0.00
54) Bromofluorobenzene	10.908	95	165980	50.65	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	243715	45.62	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	31104	11.06	ug	90
13) Methylene Chloride	3.006	84	5999	1.93	ug	# 55
17) cis-1,2-Dichloroethene	4.501	61	334975	83.58	ug	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0131.D
Acq On : 10 Jun 2025 08:01 pm
Operator :
Sample : 250602010-027a
Misc : samp
ALS Vial : 24 Sample Multiplier: 1





Quant Time: Jun 11 08:23:50 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Wed Jun 11 08:23:45 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 11.06 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0131.D
 Acq: 10 Jun 2025 08:01 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	32.1	17.8	57.8



#13
 Methylene Chloride
 Concen: 1.93 ug
 RT: 3.006 min Scan# 379
 Delta R.T. 0.000 min
 Lab File: g0131.D
 Acq: 10 Jun 2025 08:01 pm

Tgt Ion	Ratio	Lower	Upper
84	100		
49	148.3	82.9	122.9#








#17
 cis-1,2-Dichloroethene
 Concen: 83.58 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0131.D
 Acq: 10 Jun 2025 08:01 pm

Tgt Ion: 61 Resp: 334975

Ion	Ratio	Lower	Upper
61	100		
96	71.1	68.2	102.4



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0132.D
 Acq On : 10 Jun 2025 08:23 pm
 Operator :
 Sample : 250602010-020a
 Misc : samp
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Jun 11 08:19:34 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	449928	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	307782	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	164280	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.491	65	153294	53.59	ug	0.00
42) Toluene-d8	7.914	98	458718	49.04	ug	0.00
54) Bromofluorobenzene	10.908	95	168985	50.03	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	248846	45.19	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	32373	11.71	ug	91
13) Methylene Chloride	3.011	84	6048	1.99	ug	# 63
17) cis-1,2-Dichloroethene	4.501	61	389297	98.84	ug	82
28) Trichloroethene	6.357	130	53491	23.07	ug	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\061025\
Data File : g0132.D
Acq On : 10 Jun 2025 08:23 pm
Operator :
Sample : 250602010-020a
Misc : samp
ALS Vial : 25 Sample Multiplier: 1





Quant Time: Jun 11 08:19:34 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Jun 09 13:26:15 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 11.71 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g0132.D
 Acq: 10 Jun 2025 08:23 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	32.5	17.8	57.8



#13
 Methylene Chloride
 Concen: 1.99 ug
 RT: 3.011 min Scan# 380
 Delta R.T. 0.005 min
 Lab File: g0132.D
 Acq: 10 Jun 2025 08:23 pm





Tgt Ion	Ratio	Lower	Upper
84	100		
49	140.6	82.9	122.9#








#17
 cis-1,2-Dichloroethene
 Concen: 98.84 ug
 RT: 4.501 min Scan# 664
 Delta R.T. -0.000 min
 Lab File: g0132.D
 Acq: 10 Jun 2025 08:23 pm

Tgt Ion: 61 Resp: 389297
 Ion Ratio Lower Upper
 61 100
 96 69.2 68.2 102.4



#28
 Trichloroethene
 Concen: 23.07 ug
 RT: 6.357 min Scan# 1018
 Delta R.T. 0.006 min
 Lab File: g0132.D
 Acq: 10 Jun 2025 08:23 pm

Tgt Ion:130 Resp: 53491
 Ion Ratio Lower Upper
 130 100
 132 92.3 74.3 114.3
 95 109.7 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0133.D
 Acq On : 10 Jun 2025 08:43 pm
 Operator :
 Sample : 250602010-023amsd
 Misc : msd
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Jun 11 08:05:41 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	475879	50.00	ug	0.00
24) Chlorobenzene-d5	9.744	117	319496	50.00	ug	0.00
46) 1,4-Dichlorobenzene-d4	11.867	152	183181	50.00	ug	0.00
System Monitoring Compounds						
23) 1,2-Dichloroethane-d4	5.497	65	149438	49.39	ug	0.01
42) Toluene-d8	7.914	98	483896	49.84	ug	0.00
54) Bromofluorobenzene	10.913	95	178715	47.45	ug	0.00
62) 1,2-Dichlorobenzene-d4	12.150	150	292461	47.63	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	36531	12.85	ug	96
3) Chloromethane	1.389	50	67285	20.62	ug	95
4) Vinyl Chloride	1.475	62	197646	67.58	ug	89
5) Bromomethane	1.721	94	54279	23.13	ug	84
6) Chloroethane	1.812	64	50698	27.47	ug	91
7) Trichlorofluoromethane	2.028	101	98661	24.25	ug	94
8) Freon113	2.503	101	52450	29.03	ug	82
9) 1,1-Dichloroethene	2.498	96	57920	31.12	ug	# 80
10) Carbon Disulfide	2.702	76	160729	30.34	ug	100
11) Acetone	2.576	43	27517	26.05	ug	96
12) Methyl Acetate	2.922	43	72099	26.84	ug	97
13) Methylene Chloride	3.011	84	80963	28.81	ug	# 63
14) trans-1,2-Dichloroethene	3.321	96	69314	30.04	ug	# 81
15) Mtbe	3.347	73	423335	54.13	ug	98
16) 1,1-Dichloroethane	3.814	63	135679	29.54	ug	100
17) cis-1,2-Dichloroethene	4.506	61	563438	135.25	ug	85
18) Bromochloromethane	4.789	128	33812	30.88	ug	# 67
19) Chloroform	4.899	83	142012	30.49	ug	97
20) Cyclohexane	5.151	84	121744	33.73	ug	# 77
21) 1,2-Dichloroethane	5.591	62	113021	30.16	ug	98
22) 2-Butanone	3.908	43	144575	30.54	ug	85
25) 1,1,1-Trichloroethane	5.098	97	113380	28.98	ug	97
26) Carbon Tetrachloride	5.292	117	87339	28.77	ug	99
27) Benzene	5.549	78	307414	29.44	ug	100
28) Trichloroethene	6.362	130	73036	30.35	ug	90
29) Methyl Cyclohexane	6.582	83	125663	26.04	ug	93
30) 1,2-Dichloropropane	6.640	63	82618	28.71	ug	100
31) Dibromomethane	6.787	174	44058	29.66	ug	# 61
32) 1,4-Dioxane	6.855	88	25790	615.34	ug	# 1
33) Bromodichloromethane	7.001	83	107592	28.62	ug	# 37
34) cis-1,3-Dichloropropene	7.583	75	121510	28.44	ug	99
35) trans-1,3-Dichloropropene	8.323	75	110664	28.43	ug	99
36) 1,1,2-Trichloroethane	8.553	97	73053	28.69	ug	100
37) 1,3-Dichloropropane	8.768	76	131825	29.06	ug	88
38) 1,2-Dibromoethane	9.188	107	73697	29.50	ug	98
39) Dibromochloromethane	9.057	129	72620	28.68	ug	94
40) Bromoform	10.609	173	49856	27.86	ug	100
41) 4-Methyl-2-Pentanone	7.825	43	90375	27.43	ug	95
43) Toluene	7.998	92	191046	28.93	ug	100
44) Tetrachloroethene	8.711	164	54191	27.46	ug	98
45) 2-Hexanone	8.936	43	62492	28.46	ug	85

Data Path : D:\MassHunter\GCMS\2\data\061025\
 Data File : g0133.D
 Acq On : 10 Jun 2025 08:43 pm
 Operator :
 Sample : 250602010-023amsd
 Misc : msd
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Jun 11 08:05:41 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\VCPL_LOW_060525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Jun 09 13:26:15 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) Chlorobenzene	9.775	112	200864	27.57	ug	95
48) 1,1,1,2-Tetrachloroethane	9.875	133	63607	27.32	ug #	92
49) Ethylbenzene	9.906	106	113998	28.05	ug	98
50) m,p-Xylene	10.037	91	566720	54.69	ug	96
51) o-Xylene	10.430	106	135162	27.13	ug	89
52) Styrene	10.446	104	223576	28.79	ug	82
53) Isopropylbenzene	10.782	105	343619	27.02	ug	99
55) 1,1,2,2-Tetrachloroethane	11.060	83	116736	28.98	ug	94
56) 1,3-Dichlorobenzene	11.815	146	159088	28.41	ug	95
57) 1,4-Dichlorobenzene	11.815	146	159088	28.41	ug	91
58) 1,2-Dichlorobenzene	12.166	146	160278	27.91	ug #	85
59) 1,2-Dibromo-3-Chloropr	12.732	157	21095	28.75	ug #	83
60) 1,2,4-Trichlorobenzene	13.304	180	108913	26.96	ug	99
61) 1,2,3-Trichlorobenzene	13.629	180	107927	27.37	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g0133.D\data.ms

Time-->

Analyst:

DZ/MCN

Standards:

VOA17-46A(11/15)

#9894C

Date:

6/4/25

VOA18-6A, 6C

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
24	D364748	CCV			① VCEP-LOW	✓	✓	OK	OK	OK	VCEP-LOW
25	4849	LCS			052925 +20	✓	✓	OK	OK	OK	381/1293/203
27	50	NbIK			① ②	✓	✓	OK	OK		
28	51	0602-10-2A		1		✓	✓	OK	OK	N	
29	52	35A		1		✓	✓	OK	OK	N	
30	53	36A		1		✓	✓	OK	OK	N	
31	546	44A		1		✓	✓	OK	OK	N	
32	55	4A		1		✓	✓	OK	OK	N	
33	56	5A		1		✓	✓	OK	OK	N	
34	57	8A		1		✓	✓	OK	OK	N	
35	58	28A		1		✓	✓	OK	OK	N	
36	59	30A		1		✓	✓	OK	OK	N	
37	60	31A		1		✓	✓	OK	OK	N	
38	61	39A		1		✓	✓	OK	OK	N	
39	62	43A		1		✓	✓	OK	OK	N	
40	63	1A 39A		1		✓	✓	OK	OK	N	
41	64	7A		1		✓	✓	OK	OK	N	
42	65	0604-69-5A		1	② 624-FOU	✓	✓	OK	OK	N	es260w
43	66	3C			053025	✓	✓	OK	OK	N	
44	67	2C		1		✓	✓	OK	OK	N	
45	68	4C		1		✓	✓	OK	OK	N	
46	69	1C		1		✓	✓	OK	OK	N	
47	70	1CMS				✓	✓	OK	OK		
48	71	1CMSD				✓	✓	OK	OK		
49	72	0604-97-1A		1		✓	✓	OK	OK	N	

REVIEW

DATE

Analyst:

DZ/MCN

Standards:

VOA17-48B (3/11/15)

#9894D

Date:

6/11/25

VOA18-7A, 7C

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
3	D3834	BFB			① 93BASE-VOA	✓	✓	✓			8:45am saved
1	35	~~ccv~~ LCS			05325 ②	✓	✓	OK	OK		338/248/176 as LCS
2	36	~~ccv~~ ccv			① ②	✓	✓	OK	OK		93 BASE VOA
3	37	✓ 51K			① ②	✓	✓	OK	OK		
4	38	0603-4-13H		1		✓	✓	OK	OK	N	
5	39	17H		1		✓	✓	OK	OK	N	
6	40	18H		1		✓	✓	OK	OK	N	
7	41	19H		1		✓	✓	OK	OK	N	
8	42	20A		1		✓	✓	OK	OK	N	
9	43	0606-29-1H		1		✓	✓	OK	OK	N	
10	44	2H		1		✓	✓	OK	OK	N	
11	45	3H		1		✓	✓	OK	OK	N	has 6-Me-5-hepten-2-one
12	46	4H		1		✓	✓	OK	OK	N	
13	47	5H		1		✓	✓	OK	OK	N	
14	48	0603-4B HNS 6H				✓	✓	OK	OK		
15	49	13HMSD 2H				✓	✓	OK	OK		
16	50	0606-29-8H		1		✓	✓	OK	OK	N	
17	51	9H		1		✓	✓	OK	OK	N	
18	52	6H		1		✓	✓	OK	OK	N	93 BASE VOA
19	53	0270-16A 7A		1	VCLP LOW	✓	✓	OK	OK	N	VCLP-LOW
20	54	060210-16AMS 12H			② 052925	✓	✓	OK	OK		
21	55	0602-10-16AMS D				✓	✓	OK	OK		VCLP-LOW
22	56	33A		1		✓	✓	OK	OK	N	
23	57	34A		1		✓	✓	OK	OK	N	
24	58	26A		1		✓	✓	OK	OK	N	
25	59	38A		1		✓	✓	OK	OK	N	
26	60	22A	x25	1		✓	✓	OK	OK	N	
27	61	21A	x100	1		✓	✓	OK	OK	N	
28	62	8213-1									culd ₃ 27.18
29	63	8213-2			as BFB						27.05
3	64	BFB									
30	65	ccv			624-052925	✓	✓	OK	OK		322/241/173

REVIEW

DATE

Analyst:

DZ/MUN

Standards:

VOA17-48B (3/1/15)

#9894P

Date:

6/9/25 - 6/10/25

VOA18-6B, 7A

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
11	60093	0602-10-13A	x1	1	VCLP-Low-060925	✓	✓	OK	OK	✓	VCLP-Low
10	94	11A	X10	1	↓	✓	✓	OK	OK	✓	↓
19	95	0602-10-37AMS			↓	✓	✓	OK	OK		too high
19	96	37AMS			↓	✓	✓	OK	OK		too high
20	98947	0606-72-1AMS				✓	✓	OK	OK		ES260W
20	9898	1AMS				✓	✓	OK	OK		↓
B	97B	VbLK									
B	100	6/10				✓	✓	OK	OK		8:21am saved
1	101	BFB									good as LCS
2	102	LCS									521/346/194
3	103	VbLK BFB		1		✓	✓				9:21am saved
3	104	VbLK				✓	✓				IS/SURR Added.
1	05	ecv			VCLP-Low-060925	✓	✓	OK	OK		562/371/206
2	06	LCS				✓	✓	OK	OK		some high
3	07	VbLK				✓	✓	OK	OK		VCLP-Low
4	08	0602-10-23A	X50	1		✓	✓	OK	OK	✓	
5	09	24A	X50	1		✓	✓	OK	OK	✓	
6	10	10A	X50	1		✓	✓	OK	OK	✓	
7	11	25A		1	rerun						carryover?
8	12	29A		1		✓	✓	OK	OK	✓	
9	13	40A		1		✓	✓	OK	OK	✓	
10	14	3A		1		✓	✓	OK	OK	✓	
11	15	6A		1		✓	✓	OK	OK	✓	
12	16	9A			rerun X2	✓	✓	OK	OK		
13	17	23AMS	XSDM			✓	✓	OK	OK		
14	18	23AMS	XSDM			✓	✓	OK	OK		high
B	19	VbLK									
7	20	25A		1		✓	✓	OK	OK	✓	
12	21	9A	X2	1		✓	✓	OK	OK	✓	
15	22	12A		1		✓	✓	OK	OK	✓	

REVIEW

DATE

Analyst: DZ/MLN

Standards: VOA17-48B (3/1/5)

Vial 1 used for samples

Date: 6/10/23

VOA 18-7A, 7C.

unless otherwise noted below

REVIEW

DATE _____



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.

Groundwater Sampling Water Chemistry Data (Field Notes)



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-1B

Sample Date: 5/29/25

Sample Time: 15:15

Sample ID: MW- 94-1B

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	12.19	Water Column Height	12.31
LNAPL	—	1 Purge Volume	7.3 gal.
DNAPL	—	Purge Rate	200 gal/min
Well Depth	24.5	Approximate Volume Purged	8.5 gal

Volume Removed	Initial							Stabilization Criteria
Time	12:40	1415	1450	1455	1500	1505	1510	
Static Water Level	12.19	20.02	21.92	21.96	21.96	21.91	21.91	< 0.3 feet
Purge Rate	200	200	200	200	200	200	200	
Temperature	12.9	12.6	13.1	13.0	13.0	13.0	13.0	+/- 1 °C
Specific Conductance	1984	1532	1257	1237	1222	1208	1186	+/- 3 %
Dissolved Oxygen	4.54	4.13	2.82	2.55	2.33	2.12	2.24	+/- 10 % or <1
pH	7.31	7.42	7.47	7.46	7.45	7.44	7.46	+/- 0.1 s.u.
Redox Potential	286.7	278.9	196.5	197.1	200.7	203.6	206.4	+/- 10 mV
Turbidity	21.3	35.6	115	94.9	55.1	37.9	37.0	+/- 10 % or <10
Observation	clear no odor	clear no odor	cloudy no odor	cloudy no odor	cloudy no odor	cloudy no odor	cloudy no odor	

Comments: Stabilization achieved, Sample Collected

page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-1B

Sample Date: 5/29/25

Sample Time: 15:15

Sample ID: MW - 94-1B

Sampler(s) Name: Dr

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	12.19	Water Column Height	12.31
LNAPL	—	1 Purge Volume	7.3 gal
DNAPL	—	Purge Rate	200 mL/min
Well Depth	24.5	Approximate Volume Purged	8.5 gal

Volume Removed	1515	DC	Stabilization Criteria
Time	Sample		
Static Water Level	21.91		< 0.3 feet
Purge Rate	200		
Temperature	13.0		+/- 1 °C
Specific Conductance	1183		+/- 3 %
Dissolved Oxygen	2.24		+/- 10 % or <1
pH	7.45		+/- 0.1 s.u.
Redox Potential	208.2		+/- 10 mV
Turbidity	37.3		+/- 10 % or <10
Observation	clean		

Comments: Stabilization achieved, Sample collected

page 2 of 2

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-2

Sample Date: 5/28/25

Sample Time: 11:00

Sample ID: MW 94-2

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/28/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>11.34</u>	Water Column Height	<u>2.66</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>0.49 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300</u>
Well Depth	<u>14.00</u>	Approximate Volume Purged	<u>2.45 gal</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>10:35</u>	<u>10:50</u>	<u>10:55</u>	<u>11:00</u>				< 0.3 feet
Static Water Level	<u>11.34</u>	<u>11.71</u>	<u>11.77</u>	<u>11.81</u>				
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>				
Temperature	<u>13.2</u>	<u>13.2</u>	<u>13.1</u>	<u>13.0</u>				+/- 1 °C
Specific Conductance	<u>1275</u>	<u>1358</u>	<u>1345</u>	<u>1335</u>				+/- 3 %
Dissolved Oxygen	<u>9.15</u>	<u>9.50</u>	<u>10.21</u>	<u>9.69</u>				+/- 10 % or <1
pH	<u>6.67</u>	<u>6.81</u>	<u>6.85</u>	<u>6.87</u>				+/- 0.1 s.u.
Redox Potential	<u>321.8</u>	<u>322.8</u>	<u>322.9</u>	<u>323.6</u>				+/- 10 mV
Turbidity	<u>13.5</u>	<u>10.3</u>	<u>7.48</u>	<u>6.51</u>				+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>	<u>Clear no odor</u>	<u>Clear no odor</u>				

Comments: Stabilization achieved, sample collected.

MS / MSD Collected?

YES / ☒

Duplicate Collected?

YES / ☒



Central Hudson Gas and Electric - Little Britain Road Site

Sample Location: MW 94-2B

Sample Date: 5/28/25

Sample Time: 10:30

Sample ID: MW 94-2B

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Missing Casing Cap and Cover 4"

Purge Date: 5/28/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>12.14</u>	Water Column Height	<u>17.36</u>
LNAPL		1 Purge Volume	<u>10.2 gal</u>
DNAPL		Purge Rate	<u>300 mL/hr</u>
Well Depth	<u>22.5</u>	Approximate Volume Purged	<u>2.4 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>0935</u>	<u>0940</u>	<u>0945</u>	<u>0950</u>	<u>0955</u>	<u>1000</u>	<u>1005</u>	
Static Water Level	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	
Temperature	<u>12.3</u>	<u>12.4</u>	<u>12.3</u>	<u>12.3</u>	<u>12.3</u>	<u>12.2</u>	<u>12.2</u>	+/- 1 °C
Specific Conductance	<u>435.6</u>	<u>435.5</u>	<u>436.7</u>	<u>439.2</u>	<u>442.6</u>	<u>444.8</u>	<u>446.1</u>	+/- 3 %
Dissolved Oxygen	<u>8.27</u>	<u>8.45</u>	<u>8.83</u>	<u>9.12</u>	<u>9.56</u>	<u>9.46</u>	<u>9.34</u>	+/- 10 % or <1
pH	<u>7.08</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	+/- 0.1 s.u.
Redox Potential	<u>196.7</u>	<u>202.9</u>	<u>214.9</u>	<u>227.7</u>	<u>243.8</u>	<u>253.8</u>	<u>260.6</u>	+/- 10 mV
Turbidity	<u>56.5</u>	<u>32.7</u>	<u>23.9</u>	<u>14.0</u>	<u>9.41</u>	<u>8.54</u>	<u>8.23</u>	+/- 10 % or <10
Observation	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-2B

Sample Date: 5/28/25

Sample Time: 1030

Sample ID: MW 94-2B

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Missing Casing Cap and Cover 4"

Purge Date: 5/28/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>12.14</u>	Water Column Height	<u>17.36</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>10.25</u>
DNAPL	<u>—</u>	Purge Rate	<u>320 mL/min</u>
Well Depth	<u>295</u>	Approximate Volume Purged	<u>2.42</u>

Volume Removed						Sample	Stabilization Criteria
Time	<u>1005</u>	<u>1010</u>	<u>1015</u>	<u>1020</u>	<u>1025</u>	<u>1030</u>	
Static Water Level	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	<u>12.14</u>	< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	
Temperature	<u>12.2</u>	<u>12.2</u>	<u>12.2</u>	<u>12.2</u>	<u>12.2</u>	<u>12.2</u>	+/- 1 °C
Specific Conductance	<u>446.1</u>	<u>445.2</u>	<u>445.3</u>	<u>446.0</u>	<u>445.5</u>	<u>445.5</u>	+/- 3 %
Dissolved Oxygen	<u>9.34</u>	<u>9.60</u>	<u>9.56</u>	<u>9.56</u>	<u>9.50</u>	<u>9.44</u>	+/- 10 % or <1
pH	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.09</u>	<u>7.10</u>	+/- 0.1 s.u.
Redox Potential	<u>260.6</u>	<u>268.4</u>	<u>275.6</u>	<u>281.6</u>	<u>287.1</u>	<u>291.4</u>	+/- 10 mV
Turbidity	<u>8.23</u>	<u>18.0</u>	<u>7.49</u>	<u>7.87</u>	<u>6.59</u>	<u>8.23</u>	+/- 10 % or <10
Observation	<u>Clear</u>						

Comments: Stabilization achieved Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-94-3

Sample Date: 5/27/25

Sample Time: 1445

Sample ID: MW-94-3

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/27/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	8.50	Water Column Height	11.5
LNAPL	—	1 Purge Volume	1.9 gal
DNAPL	—	Purge Rate	300 mL/min
Well Depth	20.00	Approximate Volume Purged	2.8 gal

Volume Removed	Initial						Sample	Stabilization Criteria
Time	1415	1420	1425	1430	1435	1440	1445	
Static Water Level	8.70	8.82	8.92	9.00	9.08	9.13	9.18	< 0.3 feet
Purge Rate	300	300	300	300	300	300	300	
Temperature	13.0	13.0	13.0	12.9	12.9	12.9	12.8	+/- 1 °C
Specific Conductance	736	736	738	731	732	743	756	+/- 3 %
Dissolved Oxygen	5.57	5.08	4.94	4.85	4.63	4.50	4.59	+/- 10 % or <1
pH	6.65	6.63	6.62	6.62	6.63	6.64	6.65	+/- 0.1 s.u.
Redox Potential	188.2	205.8	220.7	231.9	240.3	245.0	249.6	+/- 10 mV
Turbidity	12.5	10.3	7.73	7.72	8.77	9.10	8.63	+/- 10 % or <10
Observation	Clear no odor	Clear no odor	Clear no odor	Clear no odor	Clear no odor	Clear no odor	Clear no odor	

Comments: Stabilization achieved Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW94-4B2

Sample Date: 5/28/25

Sample Time: 10:25

Sample ID: MW94-4B2

Sampler(s) Name: DL

Weather Conditions: Sunny/60's

Field Observation(s)/Well Condition: Good

Purge Date: 5/28/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>12.28</u>	Water Column Height	<u>70.52</u>
LNAPL	<u> </u>	1 Purge Volume	<u>25.99 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>500</u>
Well Depth	<u>82.80</u>	Approximate Volume Purged	<u>6.69 gal</u>

Volume Removed	Initial				Sample		Stabilization Criteria
Time	09:40	10:10	10:15	10:20	10:25		
Static Water Level	12.28	21.23	21.56	21.75	21.77		< 0.3 feet
Purge Rate	500	500	500	500	500		
Temperature	15	16	16	16	16		+/- 1 °C
Specific Conductance	690	633	625	614	607		+/- 3 %
Dissolved Oxygen	1.05	0.90	0.91	0.87	0.80		+/- 10 % or <1
pH	7.7	7.7	7.8	7.8	7.8		+/- 0.1 s.u.
Redox Potential	-199.2	-183.5	-186.8	-190.7	-194.6		+/- 10 mV
Turbidity	108	38.9	31.4	30.1	28.9		+/- 10 % or <10
Observation	Cloudy						

Comments: Stabilization achieved, sample collected

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-94-5

Sample Date: 5/30/25

Sample Time: 0855

Sample ID: MW-94-5

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>6.45</u>	Water Column Height	<u>11.55</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.9 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>18.00</u>	Approximate Volume Purged	<u>3.3 gal</u>

Volume Removed	Initial				Sample			Stabilization Criteria
Time	<u>0835</u>	<u>0840</u>	<u>0845</u>	<u>0850</u>	<u>0855</u>			
Static Water Level	<u>6.45</u>	<u>8.14</u>	<u>8.17</u>	<u>8.17</u>	<u>8.17</u>			< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>			
Temperature	<u>13.3</u>	<u>13.3</u>	<u>13.4</u>	<u>13.4</u>	<u>13.3</u>			+/- 1 °C
Specific Conductance	<u>603</u>	<u>617</u>	<u>634</u>	<u>645</u>	<u>636</u>			+/- 3 %
Dissolved Oxygen	<u>0.20</u>	<u>0.15</u>	<u>0.13</u>	<u>0.12</u>	<u>0.11</u>			+/- 10 % or <1
pH	<u>8.44</u>	<u>8.44</u>	<u>8.46</u>	<u>8.47</u>	<u>8.51</u>			+/- 0.1 s.u.
Redox Potential	<u>88.1</u>	<u>81.8</u>	<u>84.7</u>	<u>85.0</u>	<u>84.1</u>			+/- 10 mV
Turbidity	<u>92.7</u>	<u>268</u>	<u>345</u>	<u>321</u>	<u>377</u>			+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Cloudy no odor</u>	<u>Cloudy no odor</u>	<u>Cloudy no odor</u>	<u>Cloudy no odor</u>			

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-96-6

Sample Date: 5/28/25

Sample Time: 1320

Sample ID: MW-96-6

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/28/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	10.95	Water Column Height	19.55
LNAPL	—	1 Purge Volume	3.2 gal
DNAPL	—	Purge Rate	300 mL/min
Well Depth	30.50	Approximate Volume Purged	7.1 gal

Volume Removed	Initial				Sample			Stabilization Criteria
Time	1155	1305	1310	1315	1320			
Static Water Level	10.95	25.25	25.30	25.35	25.42			< 0.3 feet
Purge Rate	300	300	300	300	300			
Temperature	13.7	14.3	14.3	14.3	14.4			+/- 1 °C
Specific Conductance	887	859	859	859	859			+/- 3 %
Dissolved Oxygen	2.60	0.42	0.38	0.36	0.36			+/- 10 % or <1
pH	7.31	7.28	7.28	7.29	7.29			+/- 0.1 s.u.
Redox Potential	84.8	101.2	94.4	86.0	85.9			+/- 10 mV
Turbidity	14.5	14.1	9.71	8.33	7.89			+/- 10 % or <10
Observation	clear no odor	clear no odor	clear no odor	clear no odor	clear no odor			

Comments: Stabilization achieved Sample collected

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-96-7B

Sample Date: 5/28/25

Sample Time: 1120

Sample ID: MW-96-7B

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/27/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.33</u>	Water Column Height	<u>3.67</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>2.4 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300 mL/min</u>
Well Depth	<u>18.00</u>	Approximate Volume Purged	<u>2.4 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1345</u>	<u>1120</u>						
Static Water Level	<u>15.16</u>	<u>16.54</u>						< 0.3 feet
Purge Rate	<u>300</u>	<u>Bailer</u>						
Temperature	<u>15.4</u>	<u>15.5</u>						+/- 1 °C
Specific Conductance	<u>4856</u>	<u>6695</u>						+/- 3 %
Dissolved Oxygen	<u>1.01</u>	<u>5.54</u>						+/- 10 % or <1
pH	<u>7.49</u>	<u>7.28</u>						+/- 0.1 s.u.
Redox Potential	<u>85.9</u>	<u>110.7</u>						+/- 10 mV
Turbidity	<u>42.4</u>	<u>18.5</u>						+/- 10 % or <10
Observation	<u>clear no odor</u>	<u>clear no odor</u>						

Comments: Unable to control drawdown. Sample collected on recovery with a
bailer. FWL- 16.54 ft

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 01-83

Sample Date: 5/30/25

Sample Time: 1120

Sample ID: Mw 01-83

Sampler(s) Name: OC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.93</u>	Water Column Height	<u>35.07</u>
LNAPL	<u>-</u>	1 Purge Volume	<u>20.791</u>
DNAPL	<u>-</u>	Purge Rate	<u>200 ml/min</u>
Well Depth	<u>50.00</u>	Approximate Volume Purged	<u>5.3 gal</u>

Volume Removed	Inches							Stabilization Criteria
Time	<u>1525</u>	<u>1530</u>	<u>1535</u>	<u>1540</u>	<u>1635</u>	<u>1640</u>	<u>1645</u>	
Static Water Level	<u>14.93</u>	<u>15.82</u>	<u>16.32</u>	<u>16.84</u>	<u>23.10</u>	<u>23.35</u>	<u>23.65</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>12.6</u>	<u>12.6</u>	<u>12.6</u>	<u>12.9</u>	<u>12.9</u>	<u>13.1</u>	<u>13.1</u>	+/- 1 °C
Specific Conductance	<u>812</u>	<u>800</u>	<u>800</u>	<u>800</u>	<u>793</u>	<u>793</u>	<u>793</u>	+/- 3 %
Dissolved Oxygen	<u>1.07</u>	<u>0.61</u>	<u>0.49</u>	<u>0.65</u>	<u>0.22</u>	<u>0.21</u>	<u>0.19</u>	+/- 10 % or <1.
pH	<u>7.88</u>	<u>8.00</u>	<u>8.02</u>	<u>8.01</u>	<u>7.92</u>	<u>7.96</u>	<u>7.96</u>	+/- 0.1 s.u.
Redox Potential	<u>-111.4</u>	<u>-182.1</u>	<u>-145.2</u>	<u>-200.3</u>	<u>-199.1</u>	<u>-198.3</u>	<u>-198.6</u>	+/- 10 mV
Turbidity	<u>45.7</u>	<u>96.7</u>	<u>204</u>	<u>183</u>	<u>112</u>	<u>94.7</u>	<u>98.4</u>	+/- 10 % or <10
Observation	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	

Comments: Unable to control drawdown. Well purged to top of screened interval.
Sample collected upon recovery with a Bailer Page 1 of 2 FW-15.91

MS / MSD Collected? YES / NO
 Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-01-83

Sample Date: 5/30/25

Sample Time: 1120

Sample ID: MW01-83

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.93</u>	Water Column Height	<u>35.07</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>20.7 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 ml/min</u>
Well Depth	<u>50.00</u>	Approximate Volume Purged	<u>53 gal</u>

Volume Removed				Sample				Stabilization Criteria
Time	<u>1650</u>	<u>1655</u>	<u>1700</u>	<u>1120</u>				
Static Water Level	<u>23.88</u>	<u>24.15</u>	<u>24.38</u>	<u>15.91</u>				< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>—</u>				
Temperature	<u>13.0</u>	<u>12.9</u>	<u>13.0</u>	<u>13.9</u>				+/- 1 °C
Specific Conductance	<u>793</u>	<u>794</u>	<u>792</u>	<u>745</u>				+/- 3 %
Dissolved Oxygen	<u>0.19</u>	<u>0.19</u>	<u>0.19</u>	<u>1.10</u>				+/- 10 % or <1
pH	<u>7.96</u>	<u>7.96</u>	<u>7.95</u>	<u>8.40</u>				+/- 0.1 s.u.
Redox Potential	<u>-199.2</u>	<u>-199.5</u>	<u>-199.8</u>	<u>-199.6</u>				+/- 10 mV
Turbidity	<u>93.9</u>	<u>90.3</u>	<u>92.5</u>	<u>32.1</u>				+/- 10 % or <10
Observation	<u>clear no odor</u>	<u>clear no odor</u>	<u>clear no odor</u>	<u>clear no odor</u>				

Comments: Unable to control drawdown. Well purged to top of Screened interval.
Sample collected upon recovery with a Bailer. Page 2 of 2. FWL 15.91

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-2C

Sample Date: 5/29/25

Sample Time: 09:10

Sample ID: MW06-2C

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Missing J plug 4 1/4"

Purge Date: 5/28/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump Bailer

Static Water Level	30.60	Water Column Height	94.4
LNAPL	_____	1 Purge Volume	47.2 gal
DNAPL	_____	Purge Rate	500 mL/min
Well Depth	125.00	Approximate Volume Purged	19.7 gal.

Volume Removed	Initial	Sample					Stabilization Criteria
Time	11:00	09:10					
Static Water Level	30.60	47.94					< 0.3 feet
Purge Rate	500	gal					
Temperature	14	14					+/- 1 °C
Specific Conductance	2392	1299					+/- 3 %
Dissolved Oxygen	0.33	1.13					+/- 10 % or <1
pH	7.3	8.1					+/- 0.1 s.u.
Redox Potential	-95.9	-51.2					+/- 10 mV
Turbidity	79.4	32.1					+/- 10 % or <10
Observation	cloudy	clear					

Comments: Unable to control draw down. Sample collected next day with a Bailer
FWL - 47.94.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-4C

Sample Date: 5/29/25

Sample Time: 08:40

Sample ID: MW06-4C

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/28/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	35.22	Water Column Height	89.78
LNAPL	—	1 Purge Volume	44.25 gal
DNAPL	—	Purge Rate	500
Well Depth	125.00	Approximate Volume Purged	17.4 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	08:50	08:40						
Static Water Level	35.22	69.48						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	19	19						+/- 1 °C
Specific Conductance	481	474						+/- 3 %
Dissolved Oxygen	0.26	1.21						+/- 10 % or <1
pH	11.1	11.0						+/- 0.1 s.u.
Redox Potential	-37.0	162.1						+/- 10 mV
Turbidity	20.8	16.5						+/- 10 % or <10
Observation	Cloudy	Clear						

Comments: Unable to control draw down. Sample collected next day with a Bailer.
FWL - 69.48

MS / MSD Collected?

YES / ☒

Duplicate Collected?

YES / ☒



Central Hudson Gas and Electric - Little Britain Road Site

Sample Location: MW06-9C

Sample Date: 5/28/25

Sample Time: 13:50

Sample ID: MW06-96

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Broken Casing Cap 6"

Purge Date: 5/28/25 Purge Method: Submersible Pump Peristaltic Pump/Bailer Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>49.67</u>	Water Column Height	<u>75.33</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>37.7 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	<u>11.9 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>12:25</u>	<u>12:50</u>	<u>12:55</u>	<u>13:00</u>	<u>13:05</u>	<u>13:10</u>	<u>13:15</u>	
Static Water Level	<u>49.67</u>	<u>49.75</u>	<u>49.75</u>	<u>49.76</u>	<u>49.76</u>	<u>49.76</u>	<u>49.76</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>18</u>	<u>19</u>	<u>20</u>	<u>19</u>	<u>19</u>	<u>19</u>	<u>19</u>	+/- 1 °C
Specific Conductance	<u>1118</u>	<u>840</u>	<u>834</u>	<u>840</u>	<u>819</u>	<u>811</u>	<u>846</u>	+/- 3 %
Dissolved Oxygen	<u>4.14</u>	<u>1.57</u>	<u>1.46</u>	<u>1.44</u>	<u>1.34</u>	<u>1.35</u>	<u>1.53</u>	+/- 10 % or <1
pH	<u>7.5</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.6</u>	<u>7.6</u>	+/- 0.1 s.u.
Redox Potential	<u>293.3</u>	<u>200.0</u>	<u>153.0</u>	<u>63.0</u>	<u>-13.4</u>	<u>-45.1</u>	<u>-52.4</u>	+/- 10 mV
Turbidity	<u>58.5</u>	<u>57.4</u>	<u>56.8</u>	<u>54.2</u>	<u>58.2</u>	<u>53.2</u>	<u>52.4</u>	+/- 10 % or <10
Observation	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>clear</u>	

Comments: Page 1 of 2 Stabilization achieved, sample collected

MS / MSD Collected? YES / NO
Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-9C

Sample Date: 5/28/25

Sample Time: 13:50

Sample ID: MW06-9C

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Broken Casing cap 6"

Purge Date: 5/28/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>49.67</u>	Water Column Height	<u>75.33</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>37.751</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	<u>11.9 gal</u>

Volume Removed							Sample	Stabilization Criteria
Time	<u>13:20</u>	<u>13:25</u>	<u>13:30</u>	<u>13:35</u>	<u>13:40</u>	<u>13:45</u>	<u>13:50</u>	
Static Water Level	<u>49.77</u>	<u>49.77</u>	<u>49.77</u>	<u>49.78</u>	<u>49.78</u>	<u>49.78</u>	<u>49.78</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>19</u>	<u>20</u>	<u>20</u>	<u>22</u>	<u>21</u>	<u>21</u>	<u>21</u>	+/- 1 °C
Specific Conductance	<u>863</u>	<u>845</u>	<u>878</u>	<u>889</u>	<u>911</u>	<u>892</u>	<u>902</u>	+/- 3 %
Dissolved Oxygen	<u>1.86</u>	<u>2.19</u>	<u>2.52</u>	<u>2.77</u>	<u>3.82</u>	<u>3.92</u>	<u>4.16</u>	+/- 10 % or <1
pH	<u>7.7</u>	<u>7.8</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	+/- 0.1 s.u.
Redox Potential	<u>-6.5</u>	<u>42.9</u>	<u>84.0</u>	<u>109.8</u>	<u>186.7</u>	<u>185.0</u>	<u>170.1</u>	+/- 10 mV
Turbidity	<u>51.7</u>	<u>50.3</u>	<u>48.7</u>	<u>44.3</u>	<u>42.1</u>	<u>40.8</u>	<u>39.4</u>	+/- 10 % or <10
Observation	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	

Comments: Page 2 of 2. Stabilization achieved, sample collected

MS / MSD Collected?

YES / ☒

Duplicate Collected?

YES / ☒



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-8D

Sample Date: 5/30/25

Sample Time: 11:15

Sample ID: MW18-8D

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.34</u>	Water Column Height	<u>68.66</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>11.2 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>83.00</u>	Approximate Volume Purged	<u>9.6 gal</u>

Volume Removed	<u>Initial</u>	<u>Sample</u>						Stabilization Criteria
Time	<u>11:00</u>	<u>11:15</u>						
Static Water Level	<u>14.34</u>	<u>71.58</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>13.7</u>	<u>15.2</u>						+/- 1 °C
Specific Conductance	<u>7277</u>	<u>6953</u>						+/- 3 %
Dissolved Oxygen	<u>4.05</u>	<u>4.94</u>						+/- 10 % or <1
pH	<u>12.55</u>	<u>12.59</u>						+/- 0.1 s.u.
Redox Potential	<u>132.0</u>	<u>-189.5</u>						+/- 10 mV
Turbidity	<u>10.2</u>	<u>8.86</u>						+/- 10 % or <10
Observation	<u>Clear water</u>	<u>Clear water</u>						

Comments: Unable to control downflow. Well purged to top of Screened interval.

Sample collected next day with a Bailer. FWL - 71.58

MS / MSD Collected?

YES / ☒

Duplicate Collected?

YES / ☒



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-8E

Sample Date: 5/29/25

Sample Time: 1515

Sample ID: MW18-8E

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>26.52</u>	Water Column Height	<u>120.48</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>3 gallons</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>147.0</u>	Approximate Volume Purged	<u>3 gallons</u>

Volume Removed	<u>Initial</u>	<u>Sample</u>						Stabilization Criteria
Time	<u>1220</u>	<u>1515</u>						
Static Water Level	<u>26.52</u>	<u>2812</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>13.4</u>	<u>15.0</u>						+/- 1 °C
Specific Conductance	<u>832</u>	<u>830</u>						+/- 3 %
Dissolved Oxygen	<u>7.40</u>	<u>2.34</u>						+/- 10 % or <1
pH	<u>8.06</u>	<u>7.55</u>						+/- 0.1 s.u.
Redox Potential	<u>251.3</u>	<u>102.7</u>						+/- 10 mV
Turbidity	<u>26.3</u>	<u>555</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>twisty no odor</u>						

Comments: Well purged with Wattera, Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-8F

Sample Date: 5/27/25

Sample Time: 15:40

Sample ID: MW-18-8F

Sampler(s) Name: DM

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/27/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>26.76</u>	Water Column Height	<u>158.24</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>15 Gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>15 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>13.45</u>	<u>15.40</u>						
Static Water Level	<u>26.76</u>	<u>27.43</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>16</u>	<u>15</u>						+/- 1 °C
Specific Conductance	<u>810</u>	<u>871</u>						+/- 3 %
Dissolved Oxygen	<u>3.98</u>	<u>1.59</u>						+/- 10 % or <1
pH	<u>7.7</u>	<u>7.2</u>						+/- 0.1 s.u.
Redox Potential	<u>179.4</u>	<u>-11.7</u>						+/- 10 mV
Turbidity	<u>18.5</u>	<u>79.6</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Well purged with Wattera, sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-10A

Sample Date: 5/30/25

Sample Time: 1220

Sample ID: MW18-10A

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>4.06</u>	Water Column Height	<u>10.94</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.8 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>15.00</u>	Approximate Volume Purged	<u>5.3 gal</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>1145</u>	<u>1210</u>	<u>1215</u>	<u>1220</u>				
Static Water Level	<u>4.06</u>	<u>6.02</u>	<u>6.08</u>	<u>6.14</u>				< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>				
Temperature	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>				+/- 1 °C
Specific Conductance	<u>940</u>	<u>1023</u>	<u>1037</u>	<u>1052</u>				+/- 3 %
Dissolved Oxygen	<u>0.86</u>	<u>0.79</u>	<u>0.75</u>	<u>0.90</u>				+/- 10 % or <1
pH	<u>7.2</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>				+/- 0.1 s.u.
Redox Potential	<u>220.6</u>	<u>207.3</u>	<u>201.8</u>	<u>200.2</u>				+/- 10 mV
Turbidity	<u>9.37</u>	<u>8.74</u>	<u>9.28</u>	<u>9.17</u>				+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>				

Comments: Stabilization achieved, Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-10B

Sample Date: 5/29/25

Sample Time: 13:05

Sample ID: MW18-10B

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>22.99</u>	Water Column Height	<u>28.01</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>4.6 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>51.00</u>	Approximate Volume Purged	<u>4.0 gal</u>

Volume Removed	Initial					Sample	Stabilization Criteria
Time	<u>12:30</u>	<u>12:45</u>	<u>12:50</u>	<u>12:55</u>	<u>13:00</u>	<u>13:05</u>	
Static Water Level	<u>22.99</u>	<u>24.01</u>	<u>24.08</u>	<u>24.22</u>	<u>24.28</u>	<u>24.30</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>13</u>	<u>14</u>	<u>14</u>	<u>14</u>	<u>14</u>	<u>14</u>	+/- 1 °C
Specific Conductance	<u>780</u>	<u>866</u>	<u>849</u>	<u>840</u>	<u>835</u>	<u>832</u>	+/- 3 %
Dissolved Oxygen	<u>1.70</u>	<u>0.26</u>	<u>0.21</u>	<u>0.19</u>	<u>0.18</u>	<u>0.17</u>	+/- 10 % or <1
pH	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	+/- 0.1 s.u.
Redox Potential	<u>150.6</u>	<u>-55.3</u>	<u>-66.1</u>	<u>-73.9</u>	<u>-79.3</u>	<u>-83.2</u>	+/- 10 mV
Turbidity	<u>59.2</u>	<u>33.8</u>	<u>25.6</u>	<u>20.2</u>	<u>19.0</u>	<u>18.4</u>	+/- 10 % or <10
Observation							

Comments: Stabilization achieved, sample collected

MS / MSD Collected?

YES / ☒

Duplicate Collected?

YES / ☒



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-10C

Sample Date: 5/30/25

Sample Time: 12:45

Sample ID: MW18-10C

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>24.98</u>	Water Column Height	<u>160.02</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>26.1961</u>
DNAPL	<u>---</u>	Purge Rate	<u>500 gal/min</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>24.5 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>11:50</u>	<u>12:45</u>						
Static Water Level	<u>24.98</u>	<u>164.71</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>13</u>	<u>15</u>						+/- 1 °C
Specific Conductance	<u>794</u>	<u>781</u>						+/- 3 %
Dissolved Oxygen	<u>0.97</u>	<u>1.70</u>						+/- 10 % or <1
pH	<u>7.6</u>	<u>7.5</u>						+/- 0.1 s.u.
Redox Potential	<u>134.6</u>	<u>283.3</u>						+/- 10 mV
Turbidity	<u>65.4</u>	<u>15.9</u>						+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Clear</u>						

Comments: Unable to control drawdown, Well purged down to top of screened interval.

Sample collected next day with a Bailer. FWL - 164.71

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11A

Sample Date: 5/30/25

Sample Time: 13:35

Sample ID: MW18-11A

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>5.60</u>	Water Column Height	<u>11.4</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.9 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>17.00</u>	Approximate Volume Purged	<u>8.6 gal</u>

Volume Removed	Initial					Sample	Stabilization Criteria
Time	<u>12:35</u>	<u>13:15</u>	<u>13:20</u>	<u>13:25</u>	<u>13:30</u>	<u>13:35</u>	
Static Water Level	<u>5.60</u>	<u>12.37</u>	<u>12.56</u>	<u>12.76</u>	<u>12.82</u>	<u>12.85</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>14</u>	<u>12</u>	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>	+/- 1 °C
Specific Conductance	<u>4214</u>	<u>464</u>	<u>466</u>	<u>470</u>	<u>471</u>	<u>468</u>	+/- 3 %
Dissolved Oxygen	<u>0.59</u>	<u>2.21</u>	<u>2.33</u>	<u>2.57</u>	<u>2.69</u>	<u>2.61</u>	+/- 10 % or <1
pH	<u>7.0</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>	+/- 0.1 s.u.
Redox Potential	<u>206.3</u>	<u>55.9</u>	<u>58.7</u>	<u>62.0</u>	<u>64.2</u>	<u>62.8</u>	+/- 10 mV
Turbidity	<u>57.5</u>	<u>34.6</u>	<u>28.7</u>	<u>20.1</u>	<u>14.4</u>	<u>18.9</u>	+/- 10 % or <10
Observation	<u>Cloudy</u>						

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11B

Sample Date: 5/29/25

Sample Time: 1515

Sample ID: MW18-11B

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	23.10	Water Column Height	20.9
LNAPL	—	1 Purge Volume	3.49 gal
DNAPL	—	Purge Rate	500
Well Depth	44.00	Approximate Volume Purged	3.35 gal

Volume Removed	Initial			Sample				Stabilization Criteria
Time	1455	1505	1510	1515				
Static Water Level	23.10	24.58	24.72	24.86				< 0.3 feet
Purge Rate	500	500	500	500				
Temperature	13	14	14	15				+/- 1 °C
Specific Conductance	771	785	785	787				+/- 3 %
Dissolved Oxygen	0.45	0.27	0.23	0.20				+/- 10 % or <1
pH	7.6	7.6	7.6	7.6				+/- 0.1 s.u.
Redox Potential	-113.9	-140.5	-145.8	-148.7				+/- 10 mV
Turbidity	10.2	8.91	8.42	7.80				+/- 10 % or <10
Observation	clear	clear	clear	clear.				

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11C

Sample Date: 5/29/25

Sample Time: 14:35

Sample ID: MW18-11C

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>25.45</u>	Water Column Height	<u>159.55</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>26.0 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 ml/min</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>5.9 gal</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>13:55</u>	<u>14:25</u>	<u>14:30</u>	<u>14:35</u>				
Static Water Level	<u>25.45</u>	<u>71.98</u>	<u>71.88</u>	<u>72.02</u>				< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>				
Temperature	<u>13</u>	<u>14</u>	<u>14</u>	<u>14</u>				+/- 1 °C
Specific Conductance	<u>716</u>	<u>643</u>	<u>643</u>	<u>645</u>				+/- 3 %
Dissolved Oxygen	<u>0.32</u>	<u>0.16</u>	<u>0.15</u>	<u>0.15</u>				+/- 10 % or <1
pH	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>				+/- 0.1 s.u.
Redox Potential	<u>40.3</u>	<u>-73.7</u>	<u>-74.9</u>	<u>-75.4</u>				+/- 10 mV
Turbidity	<u>34.8</u>	<u>24.8</u>	<u>24.2</u>	<u>23.7</u>				+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>clear</u>	<u>clear</u>	<u>Clear</u>				

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-18-12A

Sample Date: 5/30/25

Sample Time: 1425

Sample ID: MW-18-12A

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>9.70</u>	Water Column Height	<u>5.3</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>0.9541</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>15.00</u>	Approximate Volume Purged	<u>1.3541</u>

Volume Removed	Initial				Sample		Stabilization Criteria
Time	<u>1335</u>	<u>1340</u>	<u>1415</u>	<u>1420</u>	<u>1425</u>		
Static Water Level	<u>9.70</u>	<u>10.23</u>	<u>11.43</u>	<u>11.48</u>	<u>11.52</u>		< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>		
Temperature	<u>15.2</u>	<u>15.4</u>	<u>16.1</u>	<u>16.1</u>	<u>16.3</u>		+/- 1 °C
Specific Conductance	<u>3148</u>	<u>3027</u>	<u>3217</u>	<u>3216</u>	<u>3225</u>		+/- 3 %
Dissolved Oxygen	<u>9.01</u>	<u>8.18</u>	<u>8.11</u>	<u>7.91</u>	<u>7.78</u>		+/- 10 % or <1
pH	<u>7.06</u>	<u>7.14</u>	<u>7.08</u>	<u>7.08</u>	<u>7.08</u>		+/- 0.1 s.u.
Redox Potential	<u>253.2</u>	<u>249.6</u>	<u>260.8</u>	<u>2590</u>	<u>256.4</u>		+/- 10 mV
Turbidity	<u>13.8</u>	<u>14.5</u>	<u>9.9</u>	<u>9.13</u>	<u>8.32</u>		+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>	<u>Clear no odor</u>	<u>Clear no odor</u>	<u>Clear no odor</u>		

Comments: Stabilization achieved, Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-123

Sample Date: 5/29/25

Sample Time: 1640

Sample ID: MW 18-123

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	29.66	Water Column Height	60.34
LNAPL	—	1 Purge Volume	9.9 gal
DNAPL	—	Purge Rate	500 mL/min
Well Depth	90.00	Approximate Volume Purged	7.3 gal

Volume Removed	Initial						Sample	Stabilization Criteria
Time	1550	1615	1620	1625	1630	1635	1640	
Static Water Level	29.66	72.90	72.90	72.68	72.25	72.15	72.08	< 0.3 feet
Purge Rate	500	500	500	500	500	500	500	
Temperature	15	17	17	17	17	17	17	+/- 1 °C
Specific Conductance	1273	1171	1166	1158	1156	1155	1156	+/- 3 %
Dissolved Oxygen	0.38	0.17	0.16	0.15	0.14	0.13	0.12	+/- 10 % or <1
pH	7.3	7.2	7.2	7.2	7.2	7.2	7.2	+/- 0.1 s.u.
Redox Potential	138.9	34.3	18.5	7.2	-1.7	-6.9	-11.6	+/- 10 mV
Turbidity	64.2	10.5	8.43	8.91	5.57	5.12	4.88	+/- 10 % or <10
Observation								

Comments: Stabilization achieved sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12C

Sample Date: 5/30/25

Sample Time: 10:00

Sample ID: MW18-12C

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: _____

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump Bailer

Static Water Level	28.52	Water Column Height	156.48
LNAPL		1 Purge Volume	25.5 gal
DNAPL		Purge Rate	500 mL/min
Well Depth	185.00	Approximate Volume Purged	23.9 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	15:50	10:00						
Static Water Level	28.52	81.25						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	14	18						+/- 1 °C
Specific Conductance	1605	1571						+/- 3 %
Dissolved Oxygen	0.36	2.10						+/- 10 % or <1
pH	7.5	7.5						+/- 0.1 s.u.
Redox Potential	-55.7	269.8						+/- 10 mV
Turbidity	5.00	9.21						+/- 10 % or <10
Observation	Clear	Clear						

Comments: Obstruction @ 107.93, unable to control draw down. Sample collected up
recovery with a Bailer. FWL 81.25

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-13B

Sample Date: 5/30/25

Sample Time: 11:00

Sample ID: MW-18-13B

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: _____

Purge Date: 5/29/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>17.69</u>	Water Column Height	<u>34.31</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>5.6 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>52.00</u>	Approximate Volume Purged	<u>4.02 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>10:05</u>	<u>11:00</u>						
Static Water Level	<u>17.69</u>	<u>40.35</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>15.2</u>	<u>17</u>						+/- 1 °C
Specific Conductance	<u>402 u</u>	<u>2122</u>						+/- 3 %
Dissolved Oxygen	<u>1.52</u>	<u>5.54</u>						+/- 10 % or <1
pH	<u>7.42</u>	<u>7.7</u>						+/- 0.1 s.u.
Redox Potential	<u>282 u</u>	<u>183.6</u>						+/- 10 mV
Turbidity	<u>75.5</u>	<u>118</u>						+/- 10 % or <10
Observation	<u>clear no odor</u>	<u>cloudy</u>						

Comments: Unable to control drawdown. Sample collected next day with a bailer.
Fwl 40.35 ft

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO

42.00



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-13C

Sample Date: 5/28/25

Sample Time: 15:10

Sample ID: MW18-13C

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: _____

Purge Date: 5/28/25 Purge Method: Submersible Pump Peristaltic Pump/Bailer Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>26.95</u>	Water Column Height	<u>158.05</u>
LNAPL	<u> </u>	1 Purge Volume	<u>25.8 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>1.4 L/min</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>14.8 gal</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>19:35</u>	<u>15:00</u>	<u>15:05</u>	<u>15:10</u>	DC			
Static Water Level	<u>26.95</u>	<u>50.78</u>	<u>50.92</u>	<u>50.98</u>				
Purge Rate	<u>1.4</u>	<u>1.4</u>	<u>1.4</u>	<u>1.4</u>				
Temperature	<u>15</u>	<u>16</u>	<u>16</u>	<u>16</u>				
Specific Conductance	<u>3867</u>	<u>1799</u>	<u>1788</u>	<u>1778</u>				
Dissolved Oxygen	<u>0.37</u>	<u>0.14</u>	<u>0.13</u>	<u>0.12</u>				
pH	<u>7.3</u>	<u>7.2</u>	<u>7.2</u>	<u>7.2</u>				
Redox Potential	<u>-80.0</u>	<u>-111.9</u>	<u>-111.9</u>	<u>-111.0</u>				
Turbidity	<u>34.6</u>	<u>24.0</u>	<u>22.5</u>	<u>22.8</u>				
Observation	<u>cloudy</u>							

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-14A

Sample Date: 5/29/25

Sample Time: 1445

Sample ID: MW18-14A

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/28/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>7.06</u>	Water Column Height	<u>8.94</u>
LNAPL	<u>—</u>	I Purge Volume	<u>1.5991</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>16</u>	Approximate Volume Purged	<u>3.2301</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1335</u>	<u>1445</u>						
Static Water Level	<u>7.06</u>	<u>6.45</u>						< 0.3 feet
Purge Rate	<u>200</u>	<u>Bailer</u>						
Temperature	<u>12.7</u>	<u>14.2</u>						+/- 1 °C
Specific Conductance	<u>1190</u>	<u>1743</u>						+/- 3 %
Dissolved Oxygen	<u>1.74</u>	<u>2.75</u>						+/- 10 % or <1
pH	<u>7.08</u>	<u>7.04</u>						+/- 0.1 s.u.
Redox Potential	<u>232.8</u>	<u>187.3</u>						+/- 10 mV
Turbidity	<u>12.3</u>	<u>178</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>turbid no odor</u>						

Comments: Unable to control downflow. Sample collected next day with a Bailer.

FWI - 6.45 ft

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-1AB

Sample Date: 5/30/25

Sample Time: 1040

Sample ID: MW18-1AB

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Broken collar 6"

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>17.42</u>	Water Column Height	<u>37.58</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>6.1991</u>
DNAPL	<u>—</u>	Purge Rate	<u>500ml/min</u>
Well Depth	<u>55.0</u>	Approximate Volume Purged	<u>4.5921</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1145</u>	<u>1040</u>						
Static Water Level	<u>17.42</u>	<u>21.48</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>15.7</u>	<u>15.1</u>						+/- 1 °C
Specific Conductance	<u>3084</u>	<u>3115</u>						+/- 3 %
Dissolved Oxygen	<u>2.86</u>	<u>1.74</u>						+/- 10 % or <1
pH	<u>12.10</u>	<u>12.1</u>						+/- 0.1 s.u.
Redox Potential	<u>83.2</u>	<u>-32.7</u>						+/- 10 mV
Turbidity	<u>21100</u>	<u>7.44</u>						+/- 10 % or <10
Observation	<u>Cloudy no. 2</u>	<u>Clear</u>						

Comments: Unable to control downflow. Sample collected next day with a Bailer.

FWL - 21.48 ft.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-14C

Sample Date: 5/30/25

Sample Time: 10:30

Sample ID: MW-18-14C

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: _____

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattery

Wattery

Static Water Level	46.38	Water Column Height	139.62
LNAPL	—	1 Purge Volume	23 Gal
DNAPL	—	Purge Rate	Wattery
Well Depth	186.00	Approximate Volume Purged	23 Gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	10:00	10:30						
Static Water Level	46.38	148.54						< 0.3 feet
Purge Rate	Wattery	Wattery						
Temperature	15	15						+/- 1 °C
Specific Conductance	962	968						+/- 3 %
Dissolved Oxygen	0.77	0.91						+/- 10 % or <1
pH	7.3	7.3						+/- 0.1 s.u.
Redox Potential	-66.0	303.5						+/- 10 mV
Turbidity	7.08	20.7						+/- 10 % or <10
Observation	Clear	Clear						

Comments: Obstruction @ 150.00' Unable to control drawdown, Return to Sample
With Wattery, Final water level - 148.54

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW21-15C

Sample Date: 5/27/25

Sample Time: 1655

Sample ID: MW21-15C

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/27/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	40.25	Water Column Height	63.75
LNAPL	—	1 Purge Volume	3gal
DNAPL	—	Purge Rate	Watters
Well Depth	104.00	Approximate Volume Purged	3gal

Volume Removed	From	Sample						Stabilization Criteria
Time	1645	1655						
Static Water Level	40.25	75.80						< 0.3 feet
Purge Rate	—	—						
Temperature	15.3	14.5						+/- 1 °C
Specific Conductance	1096	1104						+/- 3 %
Dissolved Oxygen	5.46	5.33						+/- 10 % or <1
pH	7.52	7.53						+/- 0.1 s.u.
Redox Potential	259.2	244.3						+/- 10 mV
Turbidity	105	406						+/- 10 % or <10
Observation	Cloudy no odor	Cloudy no odor						

Comments: Well purged with Watters. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-15D

Sample Date: 8/27/25

Sample Time: 1635

Sample ID: MW 21-15D

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 8/27/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Static Water Level	<u>43.34</u>	Water Column Height	<u>136.66 ft</u>
LNAPL	—	1 Purge Volume	<u>13 gallons</u>
DNAPL	—	Purge Rate	<u>1.3 gpm</u>
Well Depth	<u>180.02</u>	Approximate Volume Purged	<u>13 gallons</u>

Volume Removed	Inlet	Sample						Stabilization Criteria
Time	<u>1550</u>	<u>1635</u>						
Static Water Level	<u>43.34</u>	<u>45.35</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>16.0</u>	<u>16.0</u>						+/- 1 °C
Specific Conductance	<u>1436</u>	<u>1341</u>						+/- 3 %
Dissolved Oxygen	<u>4.70</u>	<u>8.91</u>						+/- 10 % or <1
pH	<u>7.76</u>	<u>7.47</u>						+/- 0.1 s.u.
Redox Potential	<u>267.8</u>	<u>226.5</u>						+/- 10 mV
Turbidity	<u>7.12</u>	<u>9.26</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>						

Comments: Well purged with a watters. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-16

Sample Date: 5/27/25

Sample Time: 14:55

Sample ID: MW-21-16

Sampler(s) Name: DM

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/27/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Bladder Pump

Bladder Pump

Static Water Level	<u>16.23</u>	Water Column Height	<u>207.37</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>123.2 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>223.60</u>	Approximate Volume Purged	<u>5.0 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>13:15</u>	<u>14:05</u>	<u>14:10</u>	<u>14:15</u>	<u>14:20</u>	<u>14:35</u>	<u>14:40</u>	
Static Water Level	<u>16.23</u>	<u>18.70</u>	<u>18.89</u>	<u>19.05</u>	<u>19.26</u>	<u>19.92</u>	<u>20.57</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>17</u>	<u>18</u>	<u>18</u>	<u>18</u>	<u>18</u>	<u>15</u>	<u>15</u>	+/- 1 °C
Specific Conductance	<u>178</u>	<u>176</u>	<u>177</u>	<u>177</u>	<u>173</u>	<u>178</u>	<u>176</u>	+/- 3 %
Dissolved Oxygen	<u>1.00</u>	<u>0.87</u>	<u>0.91</u>	<u>0.80</u>	<u>0.77</u>	<u>0.56</u>	<u>0.97</u>	+/- 10 % or <1
pH	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>	+/- 0.1 s.u.
Redox Potential	<u>-72.7</u>	<u>-106.5</u>	<u>-111.2</u>	<u>-140.4</u>	<u>-212.1</u>	<u>-257.4</u>	<u>-177.4</u>	+/- 10 mV
Turbidity	<u>47.1</u>	<u>32.7</u>	<u>35.9</u>	<u>41.8</u>	<u>32.7</u>	<u>48.7</u>	<u>51.5</u>	+/- 10 % or <10
Observation								

Comments: Stabilization achieved sample collected

MS / MSD Collected?

YES ☒ NO

Duplicate Collected?

YES ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MU21-16

Sample Date: 5/27/25

Sample Time: 14:55

Sample ID: MW-21-16

Sampler(s) Name: DM

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: _____

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Bladder Pump

Bladder pump

Static Water Level	16.23	Water Column Height	207.37
LNAPL	—	1 Purge Volume	123.1 gal
DNAPL	—	Purge Rate	200 mL/min
Well Depth	223.60	Approximate Volume Purged	5.0 gal

Volume Removed			Sample					Stabilization Criteria
Time	14:45	14:50	14:55					
Static Water Level	21.00	21.14	21.27					< 0.3 feet
Purge Rate	200	200	200					
Temperature	15	15	15					+/- 1 °C
Specific Conductance	177	171	170					+/- 3 %
Dissolved Oxygen	1.18	1.15	1.19					+/- 10 % or <1
pH	10.8	10.8	10.8					+/- 0.1 s.u.
Redox Potential	-154.9	-149.6	146.7					+/- 10 mV
Turbidity	57.9	60.4	58.1					+/- 10 % or <10
Observation	Cloudy	Cloudy	Cloudy					

Comments: Stabilization achieved Sample collected.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO

Page 2 of 2



Central Hudson Gas and Electric - Little Britain Road Site

Sample Location: MW-21-17DSample Date: 5/30/25Sample Time: 13:10Sample ID: MW-21-17DSampler(s) Name: DK

Weather Conditions: _____

Field Observation(s)/Well Condition: GoodPurge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

WatteraWattera

Static Water Level	<u>23.85</u>	Water Column Height	<u>160.95</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>14.8 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>184.8</u>	Approximate Volume Purged	<u>14.8 gal</u>

Volume Removed	<u>11.95</u>	Sample	<u>1310</u>					Stabilization Criteria
Time	<u>23.85</u>	<u>63.27</u>						
Static Water Level	<u>—</u>	<u>—</u>						< 0.3 feet
Purge Rate	<u>13.9</u>	<u>18.4</u>						
Temperature	<u>653</u>	<u>665</u>						+/- 1 °C
Specific Conductance	<u>4.06</u>	<u>3.87</u>						+/- 3 %
Dissolved Oxygen	<u>7.70</u>	<u>7.48</u>						+/- 10 % or <1
pH	<u>225.1</u>	<u>127.0</u>						+/- 0.1 s.u.
Redox Potential	<u>11.3</u>	<u>31.1</u>						+/- 10 mV
Turbidity	<u>Clear no color</u>	<u>Clear no color</u>						+/- 10 % or <10
Observation								

Comments: Well was purged with a wattera, sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW21-18C

Sample Date: 5/28/25

Sample Time: 16:15

Sample ID: MW21-18C

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Broken Casing cap

Purge Date: 5/28/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>38.90</u>	Water Column Height	<u>93.1 ft</u>
LNAPL		1 Purge Volume	<u>4 gallons</u>
DNAPL		Purge Rate	<u>Watters</u>
Well Depth	<u>132.0</u>	Approximate Volume Purged	<u>4 gallons</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>15:55</u>	<u>16:15</u>						
Static Water Level	<u>38.90</u>	<u>39.44</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>13.3</u>	<u>13.8</u>						+/- 1 °C
Specific Conductance	<u>731</u>	<u>810</u>						+/- 3 %
Dissolved Oxygen	<u>13.92</u>	<u>2.63</u>						+/- 10 % or <1
pH	<u>7.61</u>	<u>7.14</u>						+/- 0.1 s.u.
Redox Potential	<u>185.7</u>	<u>250.5</u>						+/- 10 mV
Turbidity	<u>180</u>	<u>>1100</u>						+/- 10 % or <10
Observation	<u>turbid water</u>	<u>turbid water</u>						

Comments: Well purged with a Watters. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-18D

Sample Date: 5/24/25

Sample Time: 09:30

Sample ID: MW 21-18D

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Broken casing cap

Purge Date: 5/24/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>36.18</u>	Water Column Height	<u>158.32</u>
LNAPL	<u> </u>	1 Purge Volume	<u>15gal</u>
DNAPL	<u> </u>	Purge Rate	<u>Watters</u>
Well Depth	<u>194.50</u>	Approximate Volume Purged	<u>15gal</u>

Volume Removed	Final	Sample					Stabilization Criteria
Time	<u>0810</u>	<u>0930</u>					
Static Water Level	<u>29.55</u>	<u>40.27</u>					< 0.3 feet
Purge Rate							
Temperature	<u>14.4</u>	<u>13.9</u>					+/- 1 °C
Specific Conductance	<u>598</u>	<u>735</u>					+/- 3 %
Dissolved Oxygen	<u>8.13</u>	<u>3.35</u>					+/- 10 % or <1
pH	<u>7.60</u>	<u>7.12</u>					+/- 0.1 s.u.
Redox Potential	<u>358.2</u>	<u>282.7</u>					+/- 10 mV
Turbidity	<u>126</u>	<u>>100</u>					+/- 10 % or <10
Observation	<u>turbid, no odor</u>	<u>turbid, no odor</u>					

Comments: Well purged with a watters. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW4H9C

Sample Date: 5/30/25

Sample Time: 0920

Sample ID: MW-21-196

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Watter

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Static Water Level	38.56	Water Column Height	93.44
LNAPL	—	1 Purge Volume	38 gal
DNAPL	—	Purge Rate	Wattera
Well Depth	132.00	Approximate Volume Purged	38 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	0825	0920						
Static Water Level	38.56	53.13						< 0.3 feet
Purge Rate	—	—						
Temperature	14.7	16.0						+/- 1 °C
Specific Conductance	993	1002						+/- 3 %
Dissolved Oxygen	1.69	1.02						+/- 10 % or <1
pH	7.15	7.21						+/- 0.1 s.u.
Redox Potential	293.1	129.1						+/- 10 mV
Turbidity	16.8	31.7						+/- 10 % or <10
Observation	clear no odor	clear no odor						

Comments: Well purged with a Wattera tube. Sample collected on recovery with a Wattera.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-21-19D

Sample Date: 5/30/25

Sample Time: 1055

Sample ID: MW-21-19D

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/30/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>38.88</u>	Water Column Height	<u>141.9</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>14.3 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Watters</u>
Well Depth	<u>195.00</u>	Approximate Volume Purged	<u>14.3 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>0830</u>	<u>1055</u>						
Static Water Level	<u>38.88</u>	<u>174.85</u>						< 0.3 feet
Purge Rate	<u>Watters</u>	<u>Watters</u>						
Temperature	<u>14.6</u>	<u>25.7</u>						+/- 1 °C
Specific Conductance	<u>926</u>	<u>941</u>						+/- 3 %
Dissolved Oxygen	<u>2.32</u>	<u>7.30</u>						+/- 10 % or <1
pH	<u>7.26</u>	<u>7.77</u>						+/- 0.1 s.u.
Redox Potential	<u>279.2</u>	<u>194.6</u>						+/- 10 mV
Turbidity	<u>24.3</u>	<u>33.1</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>						

Comments: Well purged with a Watters tube, sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric - Little Britain Road Site

Sample Location: MW 21 20D

Sample Date: 5/28/25

Sample Time: 09:10

Sample ID: MW 21-20D

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 5/29/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>53.71</u>	Water Column Height	<u>155.09 ft</u>
LNAPL	<u> </u>	1 Purge Volume	<u>14 Gallon</u>
DNAPL	<u> </u>	Purge Rate	<u>Watters</u>
Well Depth	<u>208.8</u>	Approximate Volume Purged	<u>14 gallons</u>

Volume Removed	Initial	Sample					Stabilization Criteria
Time	<u>0800</u>	<u>0910</u>					
Static Water Level	<u>53.71</u>	<u>53.93</u>					< 0.3 feet
Purge Rate	<u> </u>	<u> </u>					
Temperature	<u>15.9</u>	<u>15.4</u>					+/- 1 ° C
Specific Conductance	<u>1754</u>	<u>2912</u>					+/- 3 %
Dissolved Oxygen	<u>13.37</u>	<u>5.71</u>					+/- 10 % or <1
pH	<u>7.53</u>	<u>7.36</u>					+/- 0.1 s.u.
Redox Potential	<u>279.4</u>	<u>291.2</u>					+/- 10 mV
Turbidity	<u>27.2</u>	<u>27.7</u>					+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>turbid no odor</u>					

Comments: Well purged with a Bailer, Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: SG-1

Sample Date: 5/30/25

Sample Time: 13:10

Sample ID: SG-1

Sampler(s) Name: DC

Weather Conditions: _____

Field Observation(s)/Well Condition: _____

Purge Date: _____ Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	~~DC~~	Water Column Height	~~DC~~
LNAPL		1 Purge Volume	
DNAPL		Purge Rate	
Well Depth		Approximate Volume Purged	

Volume Removed	Sample							Stabilization Criteria
Time	13:10							
Static Water Level	—							< 0.3 feet
Purge Rate	—							
Temperature	22							+/- 1 °C
Specific Conductance	630							+/- 3 %
Dissolved Oxygen	9.64							+/- 10 % or <1
pH	9.0							+/- 0.1 s.u.
Redox Potential	121.7							+/- 10 mV
Turbidity	11.3							+/- 10 % or <10
Observation	Clear							

Comments: _____

MS / MSD Collected?

YES / ~~NO~~

Duplicate Collected?

YES / ~~NO~~