



Submitted via email

November 19, 2025

Justin Starr
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, NY 12233-7014

Re: Little Britain Road Service Center
610 Little Britain Road, New Windsor, New York
Brownfield Cleanup Agreement # C336031
Third Quarter 2025 Groundwater Sampling Results

Dear Mr. Starr:

This letter serves to document the results of the quarterly sampling event conducted at Central Hudson Gas & Electric Corporation's (Central Hudson) Little Britain Road Service Center located at 610 Little Britain Road, New Windsor, New York (the Property) (**Figure 1**). Adirondack Environmental Services, Inc. (Adirondack) gauged and sampled the monitoring well network in September 2025.

Groundwater Sampling Event

The monitoring wells were purged by utilizing either low-flow or volume purge method. Purge water was placed in a properly labeled 55-gallon drum for proper disposal. Water chemistry parameters collected during the sampling event include temperature, pH, turbidity, dissolved oxygen, oxidation-reduction potential, and electromagnetic conductance. Immediately following purging, groundwater samples were collected from each well. The samples were containerized in laboratory-supplied bottleware and couriered under chain of custody to Adirondack for analysis. The samples were analyzed for volatile organic compounds (VOCs) via United States Environmental Protection Agency (USEPA) Method 8260. Copies of the groundwater sampling water chemistry data (field notes) are attached.

Results

Monitoring wells MW01-8A and MW-94-02 contained an insufficient amount of water to collect a sample for laboratory analysis. No samples or water quality parameters were collected.

Depth to water ranged from 6.89 feet below top of casing (fbtoc) in monitoring well MW-18-10A to 57.09 fbtoc in monitoring well MW-21-20D (**Table 1**). Non-aqueous phase liquid (NAPL) was not observed in any well during the gauging event. Groundwater elevation maps are attached as **Figures 2** through **5**.

Laboratory analysis indicated that one or more of the following VOC constituents were detected above the New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values in monitoring wells sampled. The minimum and maximum detections that exceed the applicable standard in micrograms per liter (ug/L) are presented below (a 'C' indicates low recovery):

- 1,1,1-Trichloroethane (110 ug/L in MW18-12B),
- 1,1-Dichloroethene (54 ug/L in MW21-19C),
- Acetone (230 C ug/L in MW18-8D),
- cis-1,2-Dichloroethene (6.2 ug/L in MW21-15C to 6,700 ug/L in MW21-19C),
- Trichloroethene (5.8 ug/L in MW18-14B to 2,000 ug/l in MW18-12B), and
- Vinyl Chloride (5.5 ug/L in MW18-14B and MW21-16 to 1,400 ug/L in MW18-8E).

A summary of the laboratory sample results from the September 2025 sampling event are included in **Table 2** and historical groundwater data is presented in **Table 3**.

The next groundwater sampling event is scheduled to be completed in December 2025. Please contact me at (845) 486-5641 or jgallo@cenhud.com if you have any questions.

Sincerely,



Jesse N. Gallo
Environmental Coordinator

Attachments

EC: Kristin Kulow, New York State Department of Health
Mark McLean, Central Hudson

Tables

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-1B	Bedrock Open hole	295.57	11-24.5 bgs	284.57 - 271.07	295.24	8/21/1995	9.94	285.30	8.1 / 287.47
						9/18/1995	11.69	283.55	
						6/14/1996	4.58	290.66	
						12/6/2001	5.40	289.84	
						9/26/2001	10.52	284.72	
						12/17/2001	12.79	282.45	
						3/19/2002	12.20	283.04	
						6/19/2002	7.25	287.99	
						9/26/2002	12.72	282.52	
						12/16/2002	3.81	291.43	
					297.54 ^a	6/18/2003	7.23	290.31	
						3/3/2012	6.06	291.48	
						8/6/2004	9.35	288.19	
						12/16/2004	7.22	290.32	
						6/22/2005	8.98	288.56	
						12/5/2012	7.02	290.52	
						8/28/2006	10.91	286.63	
						12/18/2006	8.69	288.85	
						3/27/2007	6.47	291.07	
						11/6/2007	9.43	288.11	
					296.67 ^b	5/22/2017	10.21	286.46	
		294.39	25.45	271.33	296.78	10/29/2018	10.16	286.62	
					296.78	12/10/2019	12.05	284.73	
					296.78	3/17/2020	12.46	284.32	
					296.78	6/16/2020	13.37	283.41	
					296.78	9/22/2020	13.70	283.08	
					296.78	12/14/2020	13.71	283.07	
					296.78	3/1/2021	10.52	286.26	
					296.78	6/21/2021	13.45	283.33	
					296.78	9/20/2021	11.84	284.94	
					296.78	12/6/2021	13.09	283.69	
					296.78	3/14/2022	11.85	284.93	
					296.78	6/3/2022	12.25	284.53	
					296.78	9/13/2022	14.81	281.97	
					296.78	11/29/2022	14.58	282.20	
					296.78	3/22/2023	12.15	284.63	
			24.5		296.78	6/19/2023	14.27	282.51	
			24.5		296.78	9/21/2023	13.26	283.52	
			24.5		296.78	12/11/2023	11.62	285.16	
			24.5	269.89	296.78	3/18/2024	10.59	286.19	
			24.5	269.89	296.78	6/10/2024	13.14	283.64	
			24.5	269.89	296.78	9/25/2024	14.89	281.89	
			24.5	269.89	296.78	12/9/2024	14.94	281.84	
			24.5	269.89	296.78	2/24/2025	13.70	283.08	
			24.5	269.89	296.78	5/27/2025	11.88	284.90	
			24.5	269.89	296.78	9/2/2025	14.37	282.41	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2	Overburden	298.2	4-14 bgs	294.2 - 284.2	297.87	12/17/2001	Dry	> 297.87	14 / 284.2
						3/19/2002	Dry	> 297.87	
						6/19/2002	10.71	287.16	
						9/26/2002	Dry	> 297.87	
						12/16/2002	7.43	290.44	
						6/18/2003	8.14	289.73	
						3/3/2012	7.36	290.51	
						8/6/2004	10.12	287.75	
						12/16/2004	8.07	289.80	
						6/22/2005	10.04	287.83	
						12/13/2005	7.97	289.90	
						8/28/2006	11.47	286.40	
						12/18/2006	9.14	288.73	
						3/27/2007	6.70	291.17	
						11/6/2007	10.12	287.75	
					297.23 ^b	5/22/2017	9.53	287.70	
		297.61	13.28	283.96	297.24	10/29/2018	10.06	287.18	
					297.24	12/10/2019	Dry	Dry	Dry
					297.24	3/17/2020	Dry	Dry	Dry
					297.24	6/16/2020	Dry	Dry	Dry
					297.24	9/22/2020	Dry	Dry	Dry
					297.24	12/14/2020	Dry	Dry	Dry
					297.24	3/1/2021	10.81	286.43	
					297.24	6/21/2021	Dry	Dry	Dry
					297.24	9/20/2021	11.85	285.39	
					297.24	12/6/2021	13.04	284.20	
					297.24	3/14/2022	11.83	285.41	
					297.24	6/3/2022	12.39	284.85	
					297.24	9/13/2022	Dry	Dry	Dry
					297.24	3/21/2023	11.72	285.52	
			14		297.24	6/19/2023	Dry	Dry	Dry
			14		297.24	9/18/2023	Dry	Dry	Dry
			14		297.24	12/11/2023	10.52	286.72	
			14		297.24	3/18/2024	8.21	289.03	
			14		297.24	6/10/2024	13.03	284.21	
			14		297.24	9/25/2024	Dry	Dry	Dry
			14		297.24	12/9/2024	Dry	Dry	Dry
			14		297.24	2/24/2025	Dry	Dry	Dry
			14		297.24	5/27/2025	11.16	286.08	
			14		297.24	9/2/2025	Dry	Dry	Dry

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2B	Bedrock Open hole	298.7	13.5-29.5 bgs	285.2 - 269.2	298.61	12/17/2001	19.17	279.44	12 / 286.7
						3/19/2002	17.11	281.50	
						6/19/2002	11.44	287.17	
						9/26/2002	18.85	279.76	
						12/16/2002	8.21	290.40	
						6/18/2003	8.90	289.71	
						3/3/2012	8.13	290.48	
						8/6/2004	10.86	287.75	
						12/16/2004	8.50	290.11	
						6/22/2005	10.82	287.79	
						12/13/2005	8.72	289.89	
						8/28/2006	12.21	286.40	
						12/18/2006	9.87	288.74	
						3/27/2007	7.45	291.16	
						11/6/2007	10.88	287.73	
					297.87 ^b	5/22/2017	10.30	287.57	
		297.89	17.65	280.35	298.00	10/29/2018	10.83	287.17	
					298.00	12/10/2019	13.06	284.94	
					298.00	3/17/2020	13.25	284.75	
					298.00	6/16/2020	14.04	283.96	
					298.00	9/22/2020	15.75	282.25	
					298.00	12/14/2020	14.44	283.56	
					298.00	3/1/2021	4.99	293.01	
					298.00	6/21/2021	Dry	Dry	Dry
					298.00	9/20/2021	12.64	285.36	
					298.00	12/6/2021	13.80	284.20	
					298.00	3/14/2022	12.60	285.40	
					298.00	6/6/2022	13.16	284.84	
					298.00	9/13/2022	15.52	282.48	
					298.00	11/29/2022	15.89	282.11	
					298.00	3/21/2023	12.52	285.48	
			29.5		298.00	6/19/2023	14.68	283.32	
			29.5		298.00	9/18/2023	13.13	284.87	
			29.5		298.00	12/11/2023	11.23	286.77	
			29.5		298.00	3/18/2024	9.03	288.97	
			17.15		298.00	12/10/2024	16.44	281.56	
			29.5		298.00	6/10/2024	13.81	284.19	
			29.5		298.00	9/25/2024	15.58	282.42	
			29.5		298.00	12/9/2024	16.44	281.56	
			29.5		298.00	2/24/2025	14.57	283.43	
			29.5		298.00	5/27/2025	11.94	286.06	
			29.5		298.00	9/2/2025	14.95	283.05	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-3	Overburden	304.1	5-20 bgs	299.1 - 284.1	303.89	12/17/2001	18.11	285.78	>45 deep
						3/19/2002	18.25	285.64	
						6/19/2002	12.34	291.55	
						9/26/2002	15.88	288.01	
						12/16/2002	7.20	296.69	
						6/18/2003	10.11	293.78	
						3/3/2012	7.90	295.99	
						8/6/2004	12.10	291.79	
						12/16/2004	9.67	294.22	
						6/22/2005	9.67	294.22	
						12/13/2005	8.24	295.65	
						8/28/2006	12.95	290.94	
						12/18/2006	10.32	293.57	
						3/27/2007	6.67	297.22	
						11/6/2007	11.54	292.35	
					303.27 ^b	5/22/2017	9.86	293.41	
		303.20	18.91	284.39	303.30	10/29/2018	9.80	293.50	
					303.30	12/10/2019	11.50	291.80	
					303.30	3/17/2020	10.85	292.45	
					303.30	6/16/2020	12.03	291.27	
					303.30	9/22/2020	14.82	288.48	
					303.30	12/14/2020	12.76	290.54	
					303.30	3/1/2021	8.33	294.97	
					303.30	6/21/2021	12.20	291.10	
					303.30	9/20/2021	9.70	293.60	
					303.30	12/6/2021	11.29	292.01	
					303.30	3/14/2022	9.92	293.38	
					303.30	6/2/2022	11.08	292.22	
					303.30	9/12/2022	15.83	287.47	
					303.30	11/29/2022	16.07	287.23	
					303.30	3/21/2023	8.72	294.58	
			20		303.30	6/19/2023	11.92	291.38	
			20		303.30	9/18/2023	12.00	291.30	
			20		303.30	12/11/2023	10.50	292.80	
			20		303.30	3/18/2024	7.65	295.65	
			20		303.30	6/10/2024	11.53	291.77	
			20		303.30	9/25/2024	14.82	288.48	
			20		303.30	12/9/2024	15.43	287.87	
			20		303.30	2/24/2025	11.73	291.57	
			20		303.30	5/27/2025	8.50	294.80	
			20		303.30	9/2/2025	12.66	290.64	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-4B2	Bedrock Open hole	299.7	62.8-82.8 bgs	236.9 - 216.9	299.42	12/17/2001	15.89	283.53	58.8 / 240.9
					299.42	3/19/2002	15.70	283.72	
					299.42	6/19/2002	9.44	289.98	
					299.42	9/26/2002	13.92	285.50	
					299.42	12/16/2002	5.93	293.49	
					299.42	6/18/2003	8.59	290.83	
					299.42	3/3/2012	6.85	292.57	
					299.42	8/6/2004	11.21	288.21	
					299.42	12/16/2004	8.77	290.65	
					299.42	6/22/2005	11.53	287.89	
					299.42	12/13/2005	8.85	290.57	
					299.42	8/28/2006	12.35	287.07	
					299.42	12/18/2006	10.86	288.56	
					299.42	3/27/2007	7.35	292.07	
					299.42	11/6/2007	11.20	288.22	
					299.42	5/22/2017	Well Previously Inaccessible		
					299.42	6/21/2021	11.82	287.60	
					299.42	9/20/2021	12.10	287.32	
					299.42	12/6/2021	13.53	285.89	
					299.42	3/14/2022	13.00	286.42	
					299.42	6/1/2022	13.69	285.73	
					299.42	9/12/2022	15.61	283.81	
					299.42	11/30/2022	15.64	283.78	
					299.42	3/21/2023	13.00	286.42	
			82.8		299.42	6/19/2023	14.77	284.65	
			82.8		299.42	9/18/2023	14.10	285.32	
			82.8		299.42	12/11/2023	12.73	286.69	
			82.8		299.42	3/18/2024	9.62	289.80	
			82.8		299.42	6/10/2024	13.97	285.45	
			82.8		299.42	9/25/2024	15.46	283.96	
			82.8		299.42	12/9/2024	15.69	283.73	
			82.8		299.42	2/24/2025	14.29	285.13	
			82.8		299.42	5/27/2025	12.42	287.00	
			82.8		299.42	9/2/2025	14.72	284.70	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-5	Overburden	298.19	8-18 bgs	290.19 - 280.19	297.62	8/21/1995	9.65	287.97	>18 deep
						9/18/1995	10.88	286.74	
						6/14/1996	5.20	292.42	
						12/6/2001	5.74	291.88	
						9/26/2001	10.75	286.87	
						12/17/2001	11.44	286.18	
						3/19/2002	10.31	287.31	
						6/19/2002	5.44	292.18	
						9/26/2002	9.81	287.81	
						12/16/2002	2.61	295.01	
					300.86 ^a	6/18/2003	8.05	292.81	
						3/3/2012	6.55	294.31	
						8/6/2004	9.60	291.26	
						12/16/2004	7.85	293.01	
						6/22/2005	9.68	291.18	
						12/13/2005	6.78	294.08	
						8/28/2006	9.60	291.26	
						12/18/2006	8.42	292.44	
						3/27/2007	5.44	295.42	
						11/6/2007	9.19	291.67	
					300.41 ^b	5/22/2017	7.98	292.43	
		297.95	20.44	279.95	300.39	10/29/2018	7.88	292.51	
					300.39	12/10/2019	7.66	292.73	
					300.39	3/17/2020	9.10	291.29	
					300.39	6/16/2020	9.82	290.57	
					300.39	9/22/2020	11.36	289.03	
					300.39	12/14/2020	9.58	290.81	
					300.39	3/1/2021	7.04	293.35	
					300.39	6/21/2021	9.58	290.81	
					300.39	9/20/2021	8.08	292.31	
					300.39	12/6/2021	9.21	291.18	
					300.39	3/14/2022	8.13	292.26	
					300.39	6/2/2022	8.57	291.82	
					300.39	9/12/2022	10.62	289.77	
					300.39	11/28/2022	9.87	290.52	
					300.39	3/24/2023	7.45	292.94	
			18		300.39	6/19/2023	9.50	290.89	
			18		300.39	9/21/2023	7.51	292.88	
			18		300.39	12/11/2023	7.20	293.19	
			18		300.39	3/18/2024	5.15	292.80	
			18		300.39	6/10/2024	5.53	294.86	
			18		300.39	9/25/2024	8.52	291.87	
			18		300.39	12/9/2024	9.36	291.03	
			18		300.39	2/24/2025	6.46	293.93	
			18		300.39	5/27/2025	6.26	294.13	
			18		300.39	9/2/2025	7.90	292.49	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-6	Overburden (till)		23.75-33.75 TIC	279.38 - 269.38	301.02	6/14/1996	9.11	291.91	>34 deep
						12/6/2001	9.93	291.09	
						9/26/2001	13.35	287.67	
						12/17/2001	15.62	285.40	
						3/19/2002	14.15	286.87	
						6/19/2002	9.09	291.93	
						9/26/2002	14.29	286.73	
						12/16/2002	7.15	293.87	
						6/18/2003	11.35	292.60	
					303.95 ^a	3/3/2012	9.88	294.07	
						8/6/2004	13.28	290.67	
						12/16/2004	9.05	294.90	
						6/22/2005	12.81	291.14	
						12/13/2005	10.92	293.03	
						8/28/2006	13.40	290.55	
						12/18/2006	11.84	292.11	
						3/27/2007	9.31	294.64	
						11/6/2007	13.33	290.62	
					303.50 ^b	5/22/2017	11.14	292.36	
		300.76	33.75	269.38	303.13	10/29/2018	11.00	292.13	
					303.13	12/10/2019	11.11	292.02	
					303.13	3/17/2020	12.42	290.71	
					303.13	6/16/2020	13.20	289.93	
					303.13	9/22/2020	16.15	286.98	
					303.13	12/14/2020	13.40	289.73	
					303.13	3/1/2021	9.43	293.70	
					303.13	6/21/2021	13.79	289.34	
					303.13	9/20/2021	12.90	290.23	
					303.13	12/6/2021	12.68	290.45	
					303.13	3/14/2022	10.12	293.01	
					303.13	6/3/2022	11.86	291.27	
					303.13	9/12/2022	15.11	288.02	
					303.13	11/28/2022	15.07	288.06	
					303.13	3/27/2023	11.52	291.61	
			30.5		303.13	6/19/2023	13.84	289.29	
			30.5		303.13	9/19/2023	12.40	290.73	
			30.5		303.13	12/11/2023	10.13	293.00	
			30.5		303.13	3/18/2024	9.64	293.49	
			30.5		303.13	6/10/2024	12.68	290.45	
			30.5		303.13	9/25/2024	16.40	286.73	
			30.5		303.13	12/9/2024	15.50	287.63	
			30.5		303.13	2/24/2025	12.52	290.61	
			30.5		303.13	5/27/2025	10.89	292.24	
			30.5		303.13	9/2/2025	14.78	288.35	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-7B	Bedrock open hole		3-15 bgs	291.76 - 279.76	295.23	6/14/1996	5.70	289.53	3 / 291.76
						12/6/2001	8.00	287.23	
						9/26/2001	12.60	282.63	
						12/17/2001	14.91	280.32	
						3/19/2002	15.22	280.01	
						6/19/2002	9.96	285.27	
						9/26/2002	15.03	280.20	
						12/16/2002	4.80	290.43	
						6/18/2003	7.17	288.06	
						3/3/2012	4.86	290.37	
						8/6/2004	9.37	285.86	
						12/16/2004	6.89	288.34	
						6/22/2005	9.12	286.11	
						12/13/2005	6.78	288.45	
						8/28/2006	9.71	285.52	
						12/18/2006	9.63	285.60	
						3/27/2007	5.68	289.55	
						11/6/2007	10.02	285.21	
					294.52 ^b	5/22/2017	10.77	283.75	
		294.76	17.84	276.78	294.62	10/29/2018	9.72	284.90	
					294.62	12/10/2019	12.99	281.63	
					294.62	3/17/2020	14.67	279.95	
					294.62	6/16/2020	14.95	279.67	
					294.62	9/22/2020	14.74	279.88	
					294.62	12/14/2020	15.40	279.22	
					294.62	3/1/2021	11.07	283.55	
					294.62	6/21/2021	14.82	279.80	
					294.62	9/20/2021	14.42	280.20	
					294.62	12/6/2021	14.61	280.01	
					294.62	3/14/2022	14.82	279.80	
					294.62	6/3/2022	14.42	280.20	
					294.62	9/13/2022	14.50	280.12	
					294.62	11/29/2022	15.81	278.81	
					294.62	3/23/2023	14.43	280.19	
			18		294.62	6/19/2023	15.90	278.72	
			18		294.62	9/19/2023	14.21	280.41	
			18		294.62	12/11/2023	11.20	283.42	
			18		294.62	3/18/2024	9.53	285.09	
			18		294.62	6/10/2024	14.80	279.82	
			18		294.62	9/25/2024	14.80	279.82	
			18		294.62	12/9/2024	14.33	280.29	
			18		294.62	2/24/2025	14.35	280.27	
			18		294.62	5/27/2025	14.33	280.29	
			18		294.62	9/2/2025	14.57	280.05	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8A	Overburden		3.8-8.8 bgs	290.45 - 285.45	297.39	12/6/2001	7.92	289.47	NA
						9/26/2001		Dry	
						12/17/2001		Dry	
						3/19/2002		Dry	
						6/19/2002	9.57	287.82	
						9/26/2002		Dry	
						12/16/2002	6.13	291.26	
						6/18/2003	7.30	290.09	
						3/3/2012	6.06	291.33	
						8/6/2004	9.51	287.88	
						12/16/2004	7.27	290.12	
						6/22/2005	9.11	288.28	
						12/13/2005	7.00	290.39	
						8/28/2006	10.73	286.66	
						12/18/2006	8.84	288.55	
						3/27/2007	6.44	290.95	
						11/6/2007	9.62	287.77	
						5/22/2017		Dry	
		294.25	10.84	285.92	296.76	10/29/2018	10.76	286.00	
					296.76	12/10/2019	Dry	Dry	Dry
					296.76	3/17/2020	Dry	Dry	Dry
					296.76	6/16/2020	Dry	Dry	Dry
					296.76	9/22/2020	Dry	Dry	Dry
					296.76	12/14/2020	Dry	Dry	Dry
					296.76	3/1/2021	Dry	Dry	Dry
					296.76	6/21/2021	Dry	Dry	Dry
					296.76	9/20/2021	Dry	Dry	Dry
					296.76	12/6/2021	Dry	Dry	Dry
					296.76	3/14/2022	Dry	Dry	Dry
					296.76	9/12/2022	Dry	Dry	Dry
			8.8		296.76	6/19/2023	Dry	Dry	Dry
			8.8		296.76	9/18/2023	Dry	Dry	Dry
			8.8		296.76	12/11/2023	Dry	Dry	Dry
			8.8		296.76	3/18/2024	Dry	Dry	Dry
			8.8		296.76	6/10/2024	Dry	Dry	Dry
			8.8		296.76	9/25/2024	Dry	Dry	Dry
			8.8		296.76	12/9/2024	Dry	Dry	Dry
			8.8		296.76	2/24/2025	Dry	Dry	Dry
			8.8		296.76	5/27/2025	Dry	Dry	Dry
			8.8		296.76	9/2/2025	Dry	Dry	Dry

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8B	Bedrock open hole		25-50 bgs	269.2 - 244.2	297.35	12/6/2001	9.08	288.27	~25 / ~269.2
						9/26/2001	14.14	283.21	
						12/17/2001	17.12	280.23	
						3/19/2002	15.73	281.62	
						6/19/2002	10.41	286.94	
						9/26/2002	17.50	279.85	
						12/16/2002	7.02	290.33	
						6/18/2003	8.04	289.31	
						3/3/2012	6.93	290.42	
						8/6/2004	10.51	286.84	
						12/16/2004	10.05	287.30	
						6/22/2005	9.95	287.40	
						12/13/2005	8.40	288.95	
						8/28/2006	12.03	285.32	
						12/18/2006	10.23	287.12	
						3/27/2007	7.80	289.55	
						11/6/2007	10.99	286.36	
					296.70 ^b	5/22/2017	11.38	285.32	
		294.2	27.15	269.67	296.82	10/29/2018	11.48	285.34	
					296.82	12/10/2019	13.34	283.48	
					296.82	3/17/2020	15.24	281.58	
					296.82	6/16/2020	16.29	280.53	
					296.82	9/22/2020	17.48	279.34	
					296.82	12/14/2020	16.40	280.42	
					296.82	3/1/2021	12.36	284.46	
					296.82	6/21/2021	15.40	281.42	
					296.82	9/20/2021	14.50	282.32	
					296.82	12/6/2021	15.59	281.23	
					296.82	3/14/2022	15.59	281.23	
					296.82	6/6/2022	14.59	282.23	
					296.82	9/13/2022	17.43	279.39	
					296.82	11/30/2022	16.31	280.51	
					296.82	3/23/2023	13.98	282.84	
			50		296.82	6/19/2023	16.54	280.28	
			50		296.82	9/19/2023	14.87	281.95	
			50		296.82	12/11/2023	0.27	296.55	
			50		296.82	3/18/2024	10.59	286.23	
			50		296.82	6/10/2024	15.71	281.11	
			50		296.82	9/25/2024	17.60	279.22	
			50		296.82	12/9/2024	17.43	279.39	
			50		296.82	2/24/2025	16.48	280.34	
			50		296.82	5/27/2025	14.29	282.53	
			50		296.82	9/2/2025	17.24	279.58	
MW05-8C	Bedrock				296.89	12/13/2005	18.76	278.13	6 / 288.08
						8/28/2006	20.58	276.31	
						12/18/2006	18.87	278.02	
						3/27/2007	14.61	282.28	
						11/6/2007	18.86	278.03	
					295.95 ^b	5/22/2017	20.92	275.03	
		294.08	Well Converted			10/29/2018	Well Converted to MW18-8E/8F		

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8D	Bedrock	294.04	73-83	221.04-211.04	296.44	10/29/2018	40.35	256.09	7 / 287.04
					296.44	12/10/2019	15.26	281.18	
					296.44	3/17/2020	14.77	281.67	
					296.44	6/16/2020	15.98	280.46	
					296.44	9/22/2020	17.28	279.16	
					296.44	12/14/2020	16.18	280.26	
					296.44	3/1/2021	14.04	282.40	
					296.44	6/21/2021	15.94	280.50	
					296.44	9/20/2021	13.02	283.42	
					296.44	12/6/2021	14.80	281.64	
					296.44	3/14/2022	14.22	282.22	
					296.44	6/6/2022	14.77	281.67	
					296.44	9/14/2022	17.30	279.14	
					294.44	12/2/2022	18.38	276.06	
					294.44	3/23/2023	14.08	280.36	
			83		294.44	6/19/2023	16.28	278.16	
			83		294.44	9/20/2023	26.36	268.08	
			83		294.44	12/11/2023	16.95	277.49	
			83		294.44	3/18/2024	11.42	283.02	
			83		294.44	6/10/2024	15.82	278.62	
			83		294.44	9/25/2024	17.60	276.84	
MW18-8E	Bedrock	294.08	132-147	162.08-147.08	295.97	10/29/2018	18.80	277.17	6 / 288.08
					295.97	12/10/2019	28.90	267.07	
					295.97	3/17/2020	28.93	267.04	
					295.97	6/16/2020	Obstruction could not gauge		
					295.97	9/22/2020	34.40	261.57	
					295.97	12/14/2020	30.65	265.32	
					295.97	3/1/2021	25.64	270.33	
					295.97	6/21/2021	30.40	265.57	
					295.97	9/20/2021	28.57	267.40	
					295.97	12/6/2021	47.04	248.93	
					295.97	3/14/2022	60.75	235.22	
					295.97	6/8/2022	58.24	237.73	
					295.97	9/13/2022	29.62	266.35	
					295.97	11/30/2022	33.18	262.79	
					295.97	3/22/2023	26.62	269.35	
			185		295.97	6/21/2023	32.07	263.90	
			185		295.97	9/9/2023	31.10	264.87	
			185		295.97	12/11/2023	26.82	269.15	
			185		295.97	3/18/2024	22.73	273.24	
			185		295.97	6/10/2024	22.31	273.66	
			185		295.97	9/25/2024	28.12	267.85	
			147		295.97	12/9/2024	33.80	262.17	
			185		295.97	2/24/2025	31.28	264.69	
			185		295.97	5/27/2025	26.52	269.45	
			185		295.97	9/2/2025	32.76	263.21	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8F	Bedrock	294.08	175-185	119.08-109.08	296.02	10/29/2018	21.11	274.91	6 / 288.08
					296.02	12/10/2019	28.50	267.52	
					296.02	3/17/2020	29.07	266.95	
					296.02	6/16/2020	30.00	266.02	
					296.02	9/22/2020	33.58	262.44	
					296.02	12/14/2020	30.65	265.37	
					296.02	3/1/2021	25.79	270.23	
					296.02	6/21/2021	30.54	265.48	
					296.02	9/20/2021	29.23	266.79	
					296.02	12/6/2021	31.27	264.75	
					296.02	3/14/2022	28.29	267.73	
					296.02	6/8/2022	29.44	266.58	
					296.02	9/13/2022	33.94	262.08	
					296.02	11/30/2022	66.62	229.40	
					296.02	3/23/2023	26.90	269.12	
			185		296.02	6/19/2023	32.42	263.60	
			185		296.02	9/21/2023	30.70	265.32	
			185		296.02	12/11/2023	26.17	269.85	
			185		296.02	3/18/2024	22.00	274.02	
			185		296.02	6/10/2024	30.74	265.28	
			185		296.02	9/25/2024	34.00	262.02	
			185		296.02	12/9/2024	33.90	262.12	
			185		296.02	2/24/2025	31.41	264.61	
			185		296.02	5/27/2025	26.76	269.26	
			185		296.02	9/2/2025	32.84	263.18	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-2C	Bedrock open hole		70-125 bgs	228.57 - 173.57	298.70	8/28/2006	32.52	266.18	10 / 288.57
						12/18/2006	31.70	267.00	
						3/27/2007	24.57	274.13	
						11/6/2007	33.09	265.61	
					298.01 ^b	5/22/2017	30.40	267.61	
		298.57	131.4	166.61	298.01	10/29/2018	31.38	266.63	
					298.01	12/10/2019	34.91	263.10	
					298.01	3/17/2020	35.00	263.01	
					298.01	6/16/2020	35.81	262.20	
					298.01	9/22/2020	38.72	259.29	
					298.01	12/14/2020	36.50	261.51	
					298.01	3/1/2021	32.76	265.25	
					298.01	6/21/2021	36.20	261.81	
					298.01	9/20/2021	33.41	264.60	
					298.01	12/6/2021	36.00	262.01	
					298.01	3/14/2022	32.18	265.83	
					298.01	6/2/2022	33.62	264.39	
					298.01	9/12/2022	37.27	260.74	
					298.01	11/30/2022	37.20	260.81	
					298.01	3/22/2023	31.48	266.53	
		125			298.01	6/19/2023	36.52	261.49	
		125			298.01	9/19/2023	33.72	264.29	
		125			298.01	12/11/2023	33.20	264.81	
		125			298.01	3/18/2024	25.71	272.30	
		125			298.01	6/10/2024	34.32	263.69	
		125			298.01	9/25/2024	27.90	270.11	
		125			298.01	12/9/2024	38.09	259.92	
		125			298.01	2/24/2025	35.40	262.61	
		125			298.01	5/27/2025	29.99	268.02	
		125			298.01	9/2/2025	36.50	261.51	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-4C	Bedrock open hole	299.92	70-125 bgs	229.92 - 174.92	299.92	8/28/2006	44.05	255.87	59.2 / 240.72
						12/18/2006	26.54	273.38	
						3/27/2007	23.62	276.30	
						11/6/2007	24.42	275.50	
						5/22/2017	Well Previously Inaccessible		
						6/21/2021	26.14	271.87	
						9/20/2021	40.15	257.86	
						12/6/2021	41.60	258.32	
						3/14/2022	36.23	263.69	
						6/1/2022	35.62	264.30	
						9/12/2022	38.27	261.65	
						12/2/2022	40.68	259.24	
						3/22/2023	38.80	261.12	
			125			6/19/2023	40.37	259.55	
			125			9/19/2023	39.31	260.61	
			125			12/11/2023	40.07	259.85	
			125			3/18/2024	33.60	266.32	
			125			6/10/2024	39.19	260.73	
			125			9/25/2024	38.05	261.87	
			125			12/9/2024	44.48	255.44	
			125			2/24/2025	42.50	257.42	
			125			5/27/2025	35.26	264.66	
			125			9/2/2025	39.02	260.90	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-9C	Bedrock open hole		68-125 bgs	244.71 - 187.71	315.27	8/28/2006	51.50	263.77	20 / 292.71
						12/18/2006	49.11	266.16	
						3/27/2007	36.88	278.39	
						11/6/2007	53.71	261.56	
					314.53 ^b	5/22/2017	47.02	267.51	
		312.71	128	186.5	314.50	10/29/2018	45.10	269.40	
					314.50	12/10/2019	52.70	261.80	
					314.50	3/17/2020	54.50	260.00	
					314.50	6/16/2020	54.85	259.65	
					314.50	9/22/2020	58.31	256.19	
					314.50	12/14/2020	56.17	258.33	
					314.50	3/1/2021	47.50	267.00	
					314.50	6/21/2021	55.05	259.45	
					314.50	9/20/2021	46.83	267.67	
					314.50	12/6/2021	52.80	261.70	
					314.50	3/14/2022	41.18	273.32	
					314.50	6/2/2022	49.30	265.20	
					314.50	9/12/2022	56.85	257.65	
					314.50	12/1/2022	55.55	258.95	
					314.50	3/21/2023	48.69	265.81	
			125		314.50	6/19/2023	55.36	259.14	
			125		314.50	9/18/2023	51.72	262.78	
			125		314.50	12/11/2023	47.45	267.05	
			125		314.50	3/18/2024	38.51	275.99	
			125		314.50	6/10/2024	53.59	260.91	
			125		314.50	9/25/2024	57.48	257.02	
			125		314.50	12/9/2024	57.42	257.08	
			125		314.50	2/24/2025	55.30	259.20	
			125		314.50	5/27/2025	48.77	265.73	
			125		314.50	9/2/2025	56.48	258.02	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10A	Overburden	293.08	5-15	288.08-278.08	295.42	10/29/2018	3.75	291.67	NA
					295.42	12/10/2019	3.00	292.42	
					295.42	3/17/2020	4.10	291.32	
					295.42	6/16/2020	6.07	289.35	
					295.42	9/22/2020	7.73	287.69	
					295.42	12/14/2020	4.16	291.26	
					295.42	3/1/2021	2.59	292.83	
					295.42	6/21/2021	5.78	289.64	
					295.42	9/20/2021	5.10	290.32	
					295.42	12/6/2021	4.00	291.42	
					295.42	3/14/2022	3.00	292.42	
					295.42	6/3/2022	4.55	290.87	
					295.42	9/12/2022	6.38	289.04	
					295.42	11/29/2022	4.68	290.74	
					295.42	3/27/2023	3.53	291.89	
			15		295.42	6/19/2023	6.01	289.41	
			15		295.42	9/20/2023	4.22	291.20	
			15		295.42	12/11/2023	2.75	292.67	
			15		295.42	3/18/2024	3.39	292.03	
			15		295.42	6/10/2024	5.24	290.18	
			15		295.42	9/25/2024	7.88	287.54	
			15		295.42	12/9/2024	5.68	289.74	
			15		295.42	2/24/2025	3.41	292.01	
			15		295.42	5/27/2025	4.20	291.22	
			15		295.42	9/2/2025	6.89	288.53	
MW18-10B	Bedrock	293.07	31-51	262.07-242.07	295.82	10/29/2018	24.99	270.83	27 / 266.07
					295.82	12/10/2019	26.85	268.97	
					295.82	3/17/2020	27.48	268.34	
					295.82	6/16/2020	28.39	267.43	
					295.82	9/22/2020	31.98	263.84	
					295.82	12/14/2020	28.88	266.94	
					295.82	3/1/2021	24.09	271.73	
					295.82	6/21/2021	28.82	267.00	
					295.82	9/20/2021	25.41	270.41	
					295.82	12/6/2021	27.22	268.60	
					295.82	3/14/2022	23.18	272.64	
					295.82	6/2/2022	25.44	270.38	
					295.82	9/13/2022	30.24	265.58	
					295.82	12/2/2022	29.68	266.14	
					295.82	3/27/2023	22.83	272.99	
			51		295.82	6/19/2023	28.59	267.23	
			51		295.82	9/20/2023	26.95	268.87	
			51		295.82	12/11/2023	22.30	273.52	
			51		295.82	3/18/2024	17.73	278.09	
			51		295.82	6/10/2024	26.75	269.07	
			51		295.82	9/25/2024	30.24	265.58	
			51		295.82	12/9/2024	29.42	266.40	
			51		295.82	2/24/2025	27.25	268.57	
			51		295.82	5/27/2025	22.45	273.37	
			51		295.82	9/2/2025	29.02	266.80	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10C	Bedrock	293.07	175-185	118.07-108.07	295.82	10/29/2018	141.90	153.92	27 / 266.07
					295.82	12/10/2019	28.77	267.05	
					295.82	3/17/2020	27.16	268.66	
					295.82	6/16/2020	27.39	268.43	
					295.82	9/22/2020	31.36	264.46	
					295.82	12/14/2020	29.20	266.62	
					295.82	3/1/2021	27.91	267.91	
					295.82	6/21/2021	27.75	268.07	
					295.82	9/20/2021	25.44	270.38	
					295.82	12/6/2021	29.48	266.34	
					295.82	3/14/2022	27.42	268.40	
					295.82	6/7/2022	27.58	268.24	
					295.82	9/21/2022	32.67	263.15	
					295.82	12/1/2022	36.18	259.64	
					295.82	3/23/2023	27.30	268.52	
			185		295.82	6/19/2023	29.63	266.19	
			185		295.82	9/21/2023	30.28	265.54	
			185		295.82	12/11/2023	29.40	266.42	
			185		295.82	3/18/2024	21.90	273.92	
			185		295.82	6/10/2024	29.20	266.62	
			185		295.82	9/25/2024	31.96	263.86	
			185		295.82	12/9/2024	35.75	260.07	
			185		295.82	2/24/2025	33.61	262.21	
			185		295.82	5/27/2025	24.98	270.84	
			185		295.82	9/2/2025	30.81	265.01	
MW18-11A	Overburden	292.99	7-17	285.99-275.99	295.39	10/29/2018	4.84	290.55	NA
					295.39	12/10/2019	3.62	291.77	
					295.39	3/17/2020	5.64	289.75	
					295.39	6/16/2020	7.18	288.21	
					295.39	9/22/2020	8.85	286.54	
					295.39	12/14/2020	5.38	290.01	
					295.39	3/1/2021	3.12	292.27	
					295.39	6/21/2021	6.71	288.68	
					295.39	9/20/2021	5.92	289.47	
					295.39	12/6/2021	5.69	289.70	
					295.39	3/14/2022	4.56	290.83	
					295.39	6/6/2022	5.85	289.54	
					295.39	9/13/2022	7.16	288.23	
					295.39	11/29/2022	6.02	289.37	
					295.39	3/27/2023	4.75	290.64	
			17		295.39	6/19/2023	7.84	287.55	
			17		295.39	9/20/2023	5.86	289.53	
			17		295.39	12/11/2023	3.12	292.27	
			17		295.39	3/18/2024	4.62	290.77	
			17		295.39	6/10/2024	6.44	288.95	
			17		295.39	9/25/2024	8.85	286.54	
			17		295.39	12/9/2024	6.37	289.02	
			17		295.39	2/24/2025	4.82	290.57	
			17		295.39	5/27/2025	5.50	289.89	
			17		295.39	9/2/2025	7.74	287.65	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-11B	Bedrock	293.13	34-44	259.13-249.13	295.54	10/29/2018	28.05	267.49	31 / 262.13
					295.54	12/10/2019	26.31	269.23	
					295.54	3/17/2020	26.91	268.63	
					295.54	6/16/2020	27.83	267.71	
					295.54	9/22/2020	31.38	264.16	
					295.54	12/14/2020	28.25	267.29	
					295.54	3/1/2021	23.52	272.02	
					295.54	6/21/2021	28.21	267.33	
					295.54	9/20/2021	24.95	270.59	
					295.54	12/6/2021	26.72	268.82	
					295.54	3/14/2022	22.68	272.86	
					295.54	6/3/2022	24.96	270.58	
					295.54	9/13/2022	29.65	265.89	
					295.54	12/2/2022	29.02	266.52	
					295.54	3/27/2023	22.32	273.22	
			44		295.54	6/19/2023	28.11	267.43	
			44		295.54	9/20/2023	27.45	268.09	
			44		295.54	12/11/2023	21.89	273.65	
			44		295.54	3/18/2024	23.15	272.39	
			44		295.54	6/10/2024	26.27	269.27	
			44		295.54	9/25/2024	29.72	265.82	
			44		295.54	12/9/2024	29.38	266.16	
			44		295.54	2/24/2025	26.75	268.79	
			44		295.54	5/27/2025	21.98	273.56	
			44		295.54	9/2/2025	28.51	267.03	
MW18-11C	Bedrock	293.13	175-185	118.13-108.13	295.51	10/29/2018	24.68	270.83	31 / 262.13
					295.51	12/10/2019	29.83	265.68	
					295.51	3/17/2020	30.31	265.20	
					295.51	6/16/2020	31.26	264.25	
					295.51	9/22/2020	34.02	261.49	
					295.51	12/14/2020	31.80	263.71	
					295.51	3/1/2021	27.80	267.71	
					295.51	6/21/2021	31.92	263.59	
					295.51	9/20/2021	29.55	265.96	
					295.51	12/6/2021	31.22	264.29	
					295.51	3/14/2022	29.01	266.50	
					295.51	6/7/2022	30.01	265.50	
					295.51	9/21/2022	34.18	261.33	
					295.51	12/2/2022	33.87	261.64	
					295.51	3/22/2023	27.62	267.89	
			185		295.51	6/19/2023	32.72	262.79	
			185		295.51	9/20/2023	31.23	264.28	
			185		295.51	12/11/2023	26.93	268.58	
			185		295.51	3/18/2024	17.26	278.25	
			185		295.51	6/10/2024	31.10	264.41	
			185		295.51	9/25/2024	34.09	261.42	
			185		295.51	12/9/2024	33.90	261.61	
			185		295.51	2/24/2025	31.47	264.04	
			185		295.51	5/27/2025	27.29	268.22	
			185		295.51	9/2/2025	32.85	262.66	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12A	Overburden	295.02	5-15	290.02-280.02	294.66	10/29/2018	7.81	286.85	NA
					294.66	12/10/2019	9.92	284.74	
					294.66	3/17/2020	10.22	284.44	
					294.66	6/16/2020	10.62	284.04	
					294.66	9/22/2020	11.58	283.08	
					294.66	12/14/2020	10.75	283.91	
					294.66	3/1/2021	7.60	287.06	
					294.66	6/21/2021	10.56	284.10	
					294.66	9/20/2021	9.27	285.39	
					294.66	12/6/2021	10.40	284.26	
					294.66	3/14/2022	9.40	285.26	
					294.66	6/2/2022	9.89	284.77	
					294.66	9/13/2022	11.50	283.16	
					294.66	11/29/2022	11.74	282.92	
					294.66	3/22/2023	9.55	285.11	
			15		294.66	6/19/2023	11.21	283.45	
			15		294.66	9/21/2023	10.60	284.06	
			15		294.66	12/11/2023	9.87	284.79	
			15		294.66	3/18/2024	6.96	287.70	
			15		294.66	6/10/2024	10.27	284.39	
			15		294.66	9/25/2024	11.60	283.06	
			15		294.66	12/9/2024	12.03	282.63	
			15		294.66	2/24/2025	10.98	283.68	
			15		294.66	5/27/2025	9.20	285.46	
			15		294.66	9/2/2025	11.29	283.37	
MW18-12B	Bedrock	295.15	80-90	215.15-205.15	294.87	10/29/2018	31.21	263.66	18 / 277.15
					294.87	12/10/2019	29.17	265.70	
					294.87	3/17/2020	31.30	263.57	
					294.87	6/16/2020	31.85	263.02	
					294.87	9/22/2020	34.80	260.07	
					294.87	12/14/2020	32.55	262.32	
					294.87	3/1/2021	28.90	265.97	
					294.87	6/21/2021	32.75	262.12	
					294.87	9/20/2021	30.64	264.23	
					294.87	12/6/2021	32.54	262.33	
					294.87	3/14/2022	30.13	264.74	
					294.87	6/2/2022	31.60	263.27	
					294.87	9/13/2022	34.77	260.10	
					294.87	12/2/2022	34.46	260.41	
					294.87	3/24/2023	29.49	265.38	
			90		294.87	6/19/2023	33.82	261.05	
			90		294.87	9/19/2023	32.68	262.19	
			90		294.87	12/11/2023	29.29	265.58	
			90		294.87	3/18/2024	25.55	269.32	
			90		294.87	6/10/2024	32.41	262.46	
			90		294.87	9/25/2024	34.75	260.12	
			90		294.87	12/9/2024	34.68	260.19	
			90		294.87	2/24/2025	32.84	262.03	
			90		294.87	5/27/2025	29.60	265.27	
			90		294.87	9/2/2025	34.16	260.71	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12C	Bedrock	295.15	175-185	120.15-110.15	294.88	10/29/2018	73.50	221.38	18 / 277.15
					294.88	12/10/2019	31.29	263.59	
					294.88	3/17/2020	30.83	264.05	
					294.88	6/16/2020	31.07	263.81	
					294.88	9/22/2020	34.78	260.10	
					294.88	12/14/2020	30.65	264.23	
					294.88	3/1/2021	30.70	264.18	
					294.88	6/21/2021	31.64	263.24	
					294.88	9/20/2021	30.50	264.38	
					294.88	12/6/2021	32.17	262.71	
					294.88	3/14/2022	30.14	264.74	
					294.88	6/7/2022	31.39	263.49	
					294.88	9/21/2022	37.76	257.12	
					294.88	12/1/2022	34.62	260.26	
					294.88	3/23/2023	28.84	266.04	
			185		294.88	6/19/2023	33.48	261.40	
			185		294.88	9/20/2023	33.22	261.66	
			185		294.88	12/11/2023	31.04	263.84	
			185		294.88	3/18/2024	23.51	271.37	
			185		294.88	6/10/2024	31.65	263.23	
			185		294.88	9/25/2024	34.29	260.59	
			185		294.88	12/9/2024	33.21	261.67	
			185		294.88	2/24/2025	31.94	262.94	
			185		294.88	5/27/2025	28.52	266.36	
			185		294.88	9/2/2025	32.74	262.14	
MW18-13B	Bedrock	294.24	42-52	252.24-242.24	293.97	10/29/2018	27.02	266.95	5 / 289.24
					293.97	12/10/2019	21.55	272.42	
					293.97	3/17/2020	29.74	264.23	
					293.97	6/16/2020	31.03	262.94	
					293.97	9/22/2020	34.62	259.35	
					293.97	12/14/2020	27.81	266.16	
					293.97	3/1/2021	27.21	266.76	
					293.97	6/21/2021	29.35	264.62	
					293.97	9/20/2021	24.00	269.97	
					293.97	12/6/2021	29.97	264.00	
					293.97	3/14/2022	27.71	266.26	
					293.97	6/3/2022	29.00	264.97	
					293.97	9/14/2022	33.84	260.13	
					293.97	12/2/2022	41.42	252.55	
					293.97	3/23/2023	27.18	266.79	
			52		293.97	6/19/2023	27.36	266.61	
			52		293.97	9/19/2023	22.06	271.91	
			52		293.97	12/11/2023	25.12	268.85	
			52		293.97	3/18/2024	8.49	285.48	
			52		293.97	6/10/2024	21.02	272.95	
			52		293.97	9/25/2024	25.30	268.67	
			52		293.97	12/9/2024	28.34	265.63	
			52		293.97	2/24/2025	26.83	267.14	
			52		293.97	5/27/2025	17.69	276.28	
			52		293.97	9/2/2025	29.19	264.78	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-13C	Bedrock	294.24	175-185	119.24-109.24	293.97	10/29/2018	28.89	265.08	5 / 289.24
					293.97	12/10/2019	28.79	265.18	
					293.97	3/17/2020	30.77	263.20	
					293.97	6/16/2020	32.85	261.12	
					293.97	9/22/2020	34.82	259.15	
					293.97	12/14/2020	32.02	261.95	
					293.97	3/1/2021	30.28	263.69	
					293.97	6/21/2021	34.85	259.12	
					293.97	9/20/2021	29.88	264.09	
					293.97	12/6/2021	31.78	262.19	
					293.97	3/14/2022	30.90	263.07	
					293.97	6/6/2022	30.29	263.68	
					293.97	9/21/2022	38.41	255.56	
					293.97	11/30/2022	34.54	259.43	
					293.97	3/22/2023	28.89	265.08	
			185		293.97	6/19/2023	33.44	260.53	
			185		293.97	9/19/2023	31.25	262.72	
			185		293.97	12/11/2023	26.87	267.10	
			185		293.97	3/18/2024	20.79	273.18	
			185		293.97	6/10/2024	31.72	262.25	
			185		293.97	9/25/2024	34.60	259.37	
			185		293.97	12/9/2024	34.55	259.42	
			185		293.97	2/24/2025	30.97	263.00	
			185		293.97	5/27/2025	28.07	265.90	
			185		293.97	9/2/2025	33.74	260.23	
MW18-14A	Overburden	296.23	6-16	290.23-280.23	297.55	10/29/2018	7.05	290.50	NA
					297.55	12/10/2019	6.81	290.74	
					297.55	3/17/2020	7.53	290.02	
					297.55	6/16/2020	8.94	288.61	
					297.55	9/22/2020	11.08	286.47	
					297.55	12/14/2020	8.48	289.07	
					297.55	3/1/2021	4.33	293.22	
					297.55	6/21/2021	7.39	290.16	
					297.55	9/20/2021	8.85	288.70	
					297.55	12/6/2021	7.49	290.06	
					297.55	3/14/2022	5.05	292.50	
					297.55	6/6/2022	7.56	289.99	
					297.55	9/13/2022	9.09	288.46	
					297.55	11/28/2022	7.04	290.51	
					297.55	3/24/2023	6.24	291.31	
			16		297.55	6/19/2023	8.33	289.22	
			16		297.55	9/19/2023	5.03	292.52	
			16		297.55	12/11/2023	3.80	293.75	
			16		297.55	3/18/2024	5.83	291.72	
			16		297.55	6/10/2024	7.46	290.09	
			16		297.55	9/25/2024	11.20	286.35	
			16		297.55	12/9/2024	8.21	289.34	
			16		297.55	2/24/2025	5.78	291.77	
			16		297.55	5/27/2025	6.77	290.78	
			16		297.55	9/2/2025	9.96	287.59	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-14B	Bedrock	294.97	45-55	249.97-239.97	297.63	10/29/2018	13.06	284.57	43 / 251.97
					297.63	12/10/2019	16.62	281.01	
					297.63	3/17/2020	19.98	277.65	
					297.63	6/16/2020	21.36	276.27	
					297.63	9/22/2020	25.65	271.98	
					297.63	12/14/2020	22.70	274.93	
					297.63	3/1/2021	14.83	282.80	
					297.63	6/21/2021	22.73	274.90	
					297.63	9/20/2021	18.00	279.63	
					297.63	12/6/2021	21.66	275.97	
					297.63	3/14/2022	16.72	280.91	
					297.63	6/3/2022	19.71	277.92	
					297.63	9/13/2022	24.14	273.49	
					297.63	12/2/2022	22.53	275.10	
					297.63	3/23/2023	17.38	280.25	
			55		297.63	6/19/2023	22.44	275.19	
			55		297.63	9/20/2023	21.26	276.37	
			55		297.63	12/11/2023	17.22	280.41	
			55		297.63	3/18/2024	12.15	285.48	
			55		297.63	6/10/2024	21.92	275.71	
			55		297.63	9/25/2024	25.04	272.59	
			55		297.63	12/9/2024	23.68	273.95	
			55		297.63	2/24/2025	21.90	275.73	
			55		297.63	5/27/2025	17.42	280.21	
			55		297.63	9/2/2025	24.35	273.28	
MW18-14C	Bedrock	294.97	175-185	119.97-109.97	297.65	10/29/2018	91.66	205.99	43 / 251.97
					297.65	12/10/2019	33.00	264.65	
					297.65	3/17/2020	31.35	266.30	
					297.65	6/16/2020	31.46	266.19	
					297.65	9/22/2020	35.45	262.20	
					297.65	12/14/2020	34.51	263.14	
					297.65	3/1/2021	32.78	264.87	
					297.65	6/21/2021	31.84	265.81	
					297.65	9/20/2021	36.33	261.32	
					297.65	12/6/2021	44.27	253.38	
					297.65	3/14/2022	41.42	256.23	
					297.65	6/7/2022	46.72	250.93	
					297.65	9/14/2022	47.27	250.38	
					297.65	12/5/2022	31.04	266.61	
					297.65	3/23/2023	38.11	259.54	
			186		297.65	6/19/2023	41.85	255.80	
			186		297.65	9/21/2023	43.64	254.01	
			186		297.65	12/11/2023	44.86	252.79	
			186		297.65	3/18/2024	37.31	260.34	
			186		297.65	6/10/2024	44.31	253.34	
			186		297.65	9/25/2024	46.65	251.00	
			186		297.65	12/9/2024	55.92	241.73	
			186		297.65	2/24/2025	55.19	242.46	
			186		297.65	5/27/2025	46.38	251.27	
			186		297.65	9/2/2025	47.73	249.92	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-15C	Bedrock	298.78	84-104	214.78-194.78	300.12	12/6/2021	43.60	256.52	32 / 266.78
					300.12	3/14/2022	51.57	248.55	
					300.12	6/6/2022	41.33	258.79	
					300.12	9/13/2022	41.44	258.68	
					300.12	11/29/2022	66.98	233.14	
					300.12	3/22/2023	38.89	261.23	
			104		300.12	6/19/2023	42.39	257.73	
			104		300.12	9/19/2023	41.79	258.33	
			104		300.12	12/11/2023	39.98	260.14	
			104		300.12	3/18/2024	36.94	263.18	
			104		300.12	6/10/2024	42.05	258.07	
			104		300.12	9/25/2024	24.97	275.15	
			104		300.12	12/9/2024	43.80	256.32	
			104		300.12	2/24/2025	41.74	258.38	
MW21-15D	Bedrock	298.78	160-180	138.78-118.78	300.14	12/6/2021	45.38	254.76	32 / 266.78
					300.14	3/14/2022	61.70	238.44	
					300.14	6/7/2022	45.02	255.12	
					300.14	9/13/2022	46.42	253.72	
					300.14	11/29/2022	46.31	253.83	
					300.14	3/24/2023	43.46	256.68	
			180		300.14	6/19/2023	46.05	254.09	
			180		300.14	9/18/2023	45.12	255.02	
			180		300.14	12/11/2023	42.43	257.71	
			180		300.14	3/18/2024	40.54	259.60	
			180		300.14	6/10/2024	45.10	255.04	
			180		300.14	9/25/2024	46.18	253.96	
			180		300.14	12/9/2024	46.08	254.06	
			180		300.14	2/24/2025	44.86	255.28	
MW21-16	Bedrock (Open Hole)	293.8	195.4-223.6	98.40-70.20	293.42	12/6/2021	28.86	264.56	16 / 277.80
					293.42	3/14/2022	16.98	276.44	
					293.42	6/8/2022	28.91	264.51	
					293.42	9/20/2022	32.98	260.44	
					293.42	12/1/2022	32.36	261.06	
					293.42	3/23/2023	26.28	267.14	
			223.6		293.42	6/19/2023	31.34	262.08	
			223.6		293.42	9/19/2023	27.85	265.57	
			223.6		293.42	12/11/2023	25.66	267.76	
			223.6		293.42	3/18/2024	21.84	271.58	
			223.6		293.42	6/10/2024	8.68	284.74	
			223.6		293.42	9/25/2024	23.40	270.02	
			223.6		293.42	12/9/2024	27.00	266.42	
			223.6		293.42	2/24/2025	19.68	273.74	
			223.6		293.42	5/27/2025	16.23	277.19	
			223.6		293.42	9/2/2025	28.24	265.18	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-17D	Bedrock	291.43	174.8-184.8	116.63-106.63	293.73	12/6/2021	26.46	267.27	34.7 / 256.73
					293.73	3/14/2022	23.60	270.13	
					293.73	6/7/2022	25.27	268.46	
					293.73	9/14/2022	29.81	263.92	
					293.73	12/5/2022	29.46	264.27	
					293.73	3/27/2023	22.40	271.33	
			184.8		293.73	6/19/2023	28.05	265.68	
			184.8		293.73	9/21/2023	26.67	267.06	
			184.8		293.73	12/11/2023	22.34	271.39	
			184.8		293.73	3/18/2024	17.54	276.19	
			184.8		293.73	6/10/2024	26.49	267.24	
			184.8		293.73	9/25/2024	29.68	264.05	
			184.8		293.73	12/9/2024	29.81	263.92	
			184.8		293.73	2/24/2025	27.13	266.60	
MW21-18C	Bedrock	307.03	118-138	189.03-169.03	308.54	12/6/2021	43.60	264.94	65 / 242.03
					308.54	3/14/2022	39.64	268.90	
					308.54	6/3/2022	35.61	272.93	
					308.54	9/13/2022	43.81	264.73	
					308.54	12/2/2022	47.01	261.53	
					308.54	3/24/2023	39.23	269.31	
			138		308.54	6/19/2023	45.60	262.94	
			138		308.54	9/21/2023	43.76	264.78	
			138		308.54	12/11/2023	38.22	270.32	
			138		308.54	3/18/2024	33.13	275.41	
			138		308.54	6/10/2024	43.43	265.11	
			138		308.54	9/25/2024	47.45	261.09	
			138		308.54	12/9/2024	47.60	260.94	
			138		308.54	2/24/2025	44.70	263.84	
MW21-18D	Bedrock	307.03	194.5		308.53	12/6/2021	44.13	264.4	65 / 242.03
			194.5		308.53	3/14/2022	43.29	265.24	
			194.5		308.53	6/3/2022	42.54	265.99	
					308.53	9/14/2022	47.93	260.60	
					308.53	12/2/2022	47.61	260.92	
					308.53	3/27/2023	39.62	268.91	
					308.53	6/19/2023	46.06	262.47	
					308.53	9/21/2023	43.05	265.48	
					308.53	12/11/2023	28.54	279.99	
					308.53	3/18/2024	33.67	274.86	
					308.53	6/10/2024	40.5	268.03	
					308.53	9/25/2024	47.93	260.60	
					308.53	12/9/2024	45.81	262.72	
			194.5		308.53	2/24/2025	43.18	265.35	
			194.5		308.53	5/27/2025	36.18	272.35	
			194.5		308.53	9/2/2025	46.12	262.41	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-19C	Bedrock	297.37	112-132	185.37-165.37	299.30	12/6/2021	40.45	258.85	59.5 / 237.87
					299.30	3/14/2022	38.67	260.63	
					299.30	6/8/2022	39.98	259.32	
					299.30	9/13/2022	41.80	257.50	
					299.30	11/30/2022	41.74	257.56	
					299.30	3/24/2023	38.04	261.26	
			132		299.30	6/19/2023	41.27	258.03	
			132		299.30	9/21/2023	40.51	258.79	
			132		299.30	12/11/2023	37.55	261.75	
			132		299.30	3/18/2024	31.18	268.12	
			132		299.30	6/10/2024	40.34	258.96	
			132		299.30	9/25/2024	41.59	257.71	
			132		299.30	12/9/2024	41.42	257.88	
			132		299.30	2/24/2025	40.14	259.16	
MW21-19D	Bedrock	297.37	175-195	122.37-102.37	299.28	12/6/2021	40.93	258.35	59.5 / 237.87
					299.28	3/14/2022	63.68	235.60	
					299.28	6/2/2022	40.20	259.08	
					299.28	9/14/2022	42.00	257.28	
					299.28	12/2/2022	42.93	256.35	
					299.28	3/24/2023	38.20	261.08	
			195		299.28	3/18/2024	39.36	259.92	
			195		299.28	6/10/2024	40.63	258.65	
			195		299.28	9/25/2024	41.96	257.32	
			195		299.28	12/9/2024	41.70	257.58	
			195		299.28	2/24/2025	40.40	258.88	
			195		299.28	5/27/2025	34.43	264.85	
			195		299.28	9/2/2025	41.36	257.92	
MW21-20D	Bedrock				313.52	3/14/2022	57.55	255.97	
					313.52	12/2/2022	57.13	256.39	
					313.52	3/21/2023	53.42	260.10	
			208		313.52	6/19/2023	56.88	256.64	
			208		313.52	9/19/2023	55.51	258.01	
			208		313.52	12/12/2023	51.46	262.06	
			208		313.52	3/18/2024	49.81	263.71	
			208		313.52	6/10/2024	55.76	257.76	
			208		313.52	9/25/2024	57.68	255.84	
			208		313.52	12/9/2024	57.62	255.90	
			208		313.52	2/24/2025	56.28	257.24	
			208		313.52	5/27/2025	53.51	260.01	
			208		313.52	9/2/2025	57.09	256.43	

Table 1
Groundwater Elevations
 Little Britain Road Service Center
 610 Little Britain Road
 New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
SG-1					313.52	3/14/2022	57.55	255.97	19.5 / 292.82
					313.52	6/7/2022	55.02	258.50	
					313.52	9/14/2022	57.60	255.92	
					313.52	3/27/2023	NM	NM	
					313.52	6/19/2023	NM	NM	
					313.52	9/21/2023	NM	NM	
					313.52	12/11/2023	NM	NM	
					313.52	3/18/2024	NM	NM	
					313.52	6/10/2024	NM	NM	
					313.52	9/25/2024	NM	NM	
					313.52	12/9/2024	NM	NM	
					313.52	2/24/2025	NM	NM	
					313.52	5/27/2025	NM	NM	
					313.52	9/2/2025	NM	NM	

Notes:

AMSL = Above mean sea level

a. Wells MW94-1B, MW94-5, and MW96-6 were converted from flush-mounts to stick-ups following the December 2002 monitoring event. b. Wells resurveyed in May 2017. New measuring point elevations are used to calculate groundwater elevations beginning in June 2003.

b. Wells resurveyed in May 2017.

c. The measuring point for the Lake Washington Stilling Basin is a 3/4-inch diameter iron pipe located along the east side of the basin.

d. The measuring point for Lake Washington is a chiseled mark on the concrete pump house foundation (on left side of metal walkway when facing the pump house).

e. Measurements could not be obtained due to the presence of ice.

f. Unable to locate Lake Washington Stilling Basin gauge.

Table 2
3rd Quarter 2025 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW94-1B			MW94-3			MW94-5			MW96-6			MW96-7B			MW01-8A			MW01-8B			MW06-2C			MW06-9C			MW18-8D			MW18-8E		
Sampling Date	Criteria	9/3/2025			9/2/2025			9/4/2025			9/2/2025			9/5/2025			9/2/2025			9/5/2025			9/3/2025			9/4/2025			9/5/2025			9/3/2025		
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water			Water		
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l		
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL			
WATER BY 8260C																																		
1,1,1-Trichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,1,2,2-Tetrachloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<1	SC	1.0	<2		1.0	<50	C	50
1,1,2-Trichloroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,1-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,1-Dichloroethene	5	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<1	C	1.0	<1	C	1.0	<1		1.0	<1		1.0	<1	C	1.0	<1	SC	1.0	<2		1.0	<50	C	50
1,2,3-Trichlorobenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2,4-Trichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2-Dibromo-3-chloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2-Dibromoethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2-Dichlorobenzene	4.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,2-Dichloropropane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,3-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,4-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
1,4-Dioxane	NA	<100		100	<100		100	<100	C	100	<100		100	<100		100	<100		100	<100		100	<100		100	<100	C	100	<200		100	<5000		5000
2-Butanone	50	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5		5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<10	C	5.0	<250		250
2-Hexanone	NA	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<10		5.0	<250		250
4-Methyl-2-pentanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<10		5.0	<250		250
Acetone	50	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	230	C	5.0	<250	C	250
Benzene	0.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Bromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Bromodichloromethane	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Bromoform	50	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Bromomethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Chlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Chloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Chloroform	7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Chloromethane	NA	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<2		1.0	<50		50
cis-1,2-Dichloroethene	5	3.7		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	140		1.0	4500		50
cis-1,3-Dichloropropene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Cyclohexane	NA	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<1	C	1.0	<2		1.0	<50		50
Dibromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	<50		50
Dichlorodifluoromethane	NA	<1		1.0	<1		1.0	<1	SC	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	SC	1.0	<1	SC	1.0	<2		1.0	<50	C	50
Isopropylbenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<2		1.0	&		

Table 2
3rd Quarter 2025 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW18-8F			MW18-10A			MW18-10B			MW18-10C			MW18-11A			MW18-11B			MW18-11B Dup			MW18-11C			MW18-12A			MW18-12B			MW18-12C					
Sampling Date	Criteria	9/3/2025			9/3/2025			9/3/2025			9/4/2025			9/3/2025			9/3/2025			9/3/2025			9/3/2025			9/4/2025			9/4/2025			9/5/2025					
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water			Water					
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l					
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL			
WATER BY 8260C																																					
1,1,1-Trichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,1,2,2-Tetrachloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<10	SC	10	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<100	SC	200	<100		100			
1,1,2-Trichloroethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,1-Dichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,1-Dichloroethene	5	<10	SC	10	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	SC	1.0	<100	SC	200	<100		100			
1,2,3-Trichlorobenzene	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2,4-Trichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2-Dibromo-3-chloropropane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2-Dibromoethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2-Dichlorobenzene	4.7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2-Dichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,2-Dichloropropane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,3-Dichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,4-Dichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		100			
1,4-Dioxane	NA	<1000		1000	<100		100	<100		100	<100	C	100	<100		100	<100		100	<100		100	<100		100	<100	C	100	<10000	C	20000	<10000		10000			
2-Butanone	50	<50		50	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5		5.0	<5	C	5.0	<5	C	5.0	<500	C	1000	<500	C	500
2-Hexanone	NA	<50		50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<500		1000	<500		500
4-Methyl-2-pentanone	50	<50		50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<500		1000	<500		500
Acetone	50	<50	C	50	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<5	C	5.0	<500	C	1000	<500	C	500
Benzene	0.7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Bromochloromethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Bromodichloromethane	50	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Bromoform	50	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Bromomethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Chlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Chloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Chloroform	7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Chloromethane	NA	<10		10	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<100	C	200	<100		100
cis-1,2-Dichloroethene	5	640		10	2.4		1.0	3.5		1.0	3.7		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	73		1.0	<1		1.0	6500		200	4100		100
cis-1,3-Dichloropropene	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200	<100		100
Cyclohexane	NA	<10		10	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<100	C	200	<100		100
Dibromochloromethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<100		200			

Table 2
3rd Quarter 2025 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW18-13B			MW18-13C			MW18-13C Dup			MW18-14A			MW18-14B			MW18-14C			MW94-4B2			MW06-4C			MW94-2			MW94-2B				
Sampling Date	Criteria	9/4/2025			9/3/2025			9/3/2025			5/29/2025			9/3/2025			9/5/2025			9/2/2025			9/3/2025			9/2/2025			9/2/2025				
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water				
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l				
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL		
WATER BY 8260C																																	
1,1,1-Trichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,1,2,2-Tetrachloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<25	SC	1.0	<50	NC	50	<50	C	50	<1		1.0	<1	C	1.0	<100		100	<1	C	1.0	<1	C	1.0	<1	C	1.0			<1	C	1.0
1,1,2-Trichloroethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,1-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,1-Dichloroethene	5	<25		1.0	<50	C	50	<50	C	50	<1		1.0	<1	C	1.0	<100		100	<1	C	1.0	<1	C	1.0	<1	C	1.0			<1	C	1.0
1,2,3-Trichlorobenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2,4-Trichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2-Dibromo-3-chloropropane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2-Dibromoethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2-Dichlorobenzene	4.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,2-Dichloropropane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,3-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,4-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
1,4-Dioxane	NA	<2500	C	100	<5000		5000	<5000		5000	<100		100	<100		100	<10000		10000	<100		100	<100		100	<100		100			<100		100
2-Butanone	50	<120	C	5.0	<250		250	<250		250	<5	C	5.0	<5		5.0	<500	C	500	<5	C	5.0	<5		5.0	<5		5.0			<5	C	5.0
2-Hexanone	NA	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0			<5		5.0
4-Methyl-2-pentanone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0			<5		5.0
Acetone	50	<120	C	5.0	<250	C	250	<250	C	250	<5	C	5.0	40	C	5.0	<500	C	500	<5	C	5.0	6.8	C	5.0	<5	C	5.0			<5	C	5.0
Benzene	0.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Bromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Bromodichloromethane	50	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Bromoform	50	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Bromomethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Chlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Chloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Chloroform	7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Chloromethane	NA	<25	C	1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
cis-1,2-Dichloroethene	5	370	SC	1.0	1800	N+	50	1600		50	1.3		1.0	21		1.0	4800		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
cis-1,3-Dichloropropene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Cyclohexane	NA	<25	C	1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Dibromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Dichlorodifluoromethane	NA	<25	SC	1.0	<50	C	50	<50	C	50	<1		1.0	<1	C	1.0	<100		100	<1		1.0	<1		1.0	<1	C	1.0			<1		1.0
Isopropylbenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
m,p-Xylene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Methyl Acetate	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Methyl Cyclohexane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0			<1		1.0
Methyl tert-butyl ether	10	<25	C	1.0	<50	C	50	<50	C	50	<1		1.0	<1	C	1.0</																	

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Concentrations shown in bold were detected
Highlighted Concentrations shown in bold exceed limits
* : LCS or LCSD is outside acceptance limits.
J : Result is less than the RL but greater than or equal to the MDL
and the concentration is an approximate value.
U : Indicates the analyte was analyzed for but not detected.
C, N, SC, NSC: Indicates low recovery.
N+: Indicates high recovery.
C+: Denotes high recovery on samples
with this compound present

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-1B	Bedrock	Sep-95	PND	PND	PND	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	110 JD / 114 JD	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	130 JD / 130 JD	11 J / 10 J	1.0 U / 1.0 U
		Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	280	0.5 U	0.5 U	PND	21 J	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	190 / 190	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	1.0 J / 1.4 J	5.0 U / 5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	78	5.0 U	5.0 U	PND	13	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	160	5.0 U	5.0 U	PND	86	9.0	5.0 U
		Dec-01	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	340 / 330	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	180 / 180	240 / 240	5.0 U / 5.0 U
		Mar-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	33 / 31	5.0 U / 5.0 U	5.0 U / 5.0 U
		Jun-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	48 / 46	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	22 / 22	5.0 U / 5.0 U	5.0 U / 5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	31	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	7.8	5.0 U	5.0 U	PND	9.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	9.6	5.0 U	5.0 U	PND	5.2	2.0 U	6.0
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	24	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	35	5.0 U	5.0 U	PND	6.3	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	16	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	18	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	19	5.0 U	5.0 U	PND	5.5	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	9.2	5.0 U	5.0 U	PND	7.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	7.1	PND	1.0 U	1.0 U	1.0 U	1.0 U	0.57J	1.0 U	1.0 U	PND	2.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	2.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.48 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	6.0	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.5	0.91 J	0.38 U	0.24 U	4.2	0.17 U	0.30 U
		Sep-20	6.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	5.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.3	0.24 U	0.38 U	0.24 U	0.85 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	2.1	<1	<1	<1	9.6	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	24	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	5.3	<1	<1	<1	18	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	4.0	<1	<1	<1	13	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	19	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.9	<1	<1	<1	17	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	6	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	2	<1	<1	<1	7	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	4.6	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1	<1	<1	<1	5	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	4.7	<1	<1	<1	16	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.0	<1	<1	<1	10	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.1	<1	<1	<1	13	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	12	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	3.7	<1	<1	<1	14	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-2	Overburden	May-17	3.8 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.26 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.65 U
		Dec-19	Dry												
		Mar-20	Dry												
		Jun-20	Dry												
		Sep-20	Dry												
		Dec-20	Dry												
		Mar-21	Dry												
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	1.6	<1	<1	<1	0.6 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	Dry												
		Dec-22	Dry												
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	Dry												
		Sep-23	Dry												
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 SC	<1	<1	<1	<1	<1	2.8	<1	<1	<1	<1	1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	Dry												
		Dec-24	Dry												
		Feb-25	Dry												
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	Dry												
MW94-2B	Bedrock	May-17	4.1 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.40 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.77 J	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.37 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.42 J	0.38 U	0.24 U	0.53 J	0.17 U	0.30 U
		Sep-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.68 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.48 J	0.17 U	0.30 U
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.6	<1	<1
		Dec-22	9.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	1.4	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	0.6 J	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-3	Overburden	May-17	4.4 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 UF1	0.43 U	0.22 U	0.24 UF1	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 J	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Jun-20	5.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.59 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	17	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
MW94-4B2	Bedrock	Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	1.0 J	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.1 C+	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-5	Overburden	Sep-95	PND	PND	PND	0.5 J	1.0 U	PND	1.6 J	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Nov-00	PND	PND	PND	1.1 J	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	6.4	PND	1.0 U	1.0 U	1.0 U	1.0 U	7.8	1.0 U	1.0 U	PND	0.68 J	0.82 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.29 J	0.26 U	0.43 U	0.22 U	0.84 J	0.38 U	0.45 J	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.54 J	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.77 J	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.56 J	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	37	0.33 J	0.38 U	0.24 U	0.31 U	1.0	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-6	Overburden	Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	0.84 U	0.5 U	0.5 U	PND	0.5 U	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	4.6 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	2.0	0.24 U	0.38 U	0.24 U	0.53 J	0.23 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.50 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-7B	Bedrock	Aug-96	PND	PND	PND	8.5 J	5.0 U	PND	120	5.0 U	5.0 U	PND	14 J	7.4 U	8.0 U
		Nov-00	PND	PND	PND	12	5.0 U	PND	58	1.9 J	5.0 U	PND	15	38	5.0 U
		Jun-01	PND	PND	PND	14	5.0 U	PND	62	5.0 U	5.0 U	PND	21	35	5.0 U
		Sep-01	PND	PND	PND	14	5.0 U	PND	120	5.0 U	5.0 U	PND	34	86	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	8.9	5.0 U	5.0 U	PND	5.0	5.0 U	5.0 U
		Jun-02	PND	PND	PND	7.2	5.0 U	PND	130	5.0 U	5.0 U	PND	8.6	45	5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	35	5.0 U
		Jun-03	PND	PND	PND	7.8 / 8.3	5.0 U / 5.0 U	PND	25 / 27	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	9.2 / 8.9	11 / 11	5.0 U / 5.0 U
		Dec-03	PND	PND	PND	12	5.0 U	PND	85	5.0 U	5.0 U	PND	6.0	42	5.0 U
		Jun-04	PND	PND	PND	8.7	5.0 U	PND	46	5.0 U	5.0 U	PND	8.1	18	5.0 U
		Dec-04	PND	PND	PND	7.4 / 7.3	5.0 U / 5.0 U	PND	36 / 39	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.3 / 6.7	16 / 17	5.0 U / 5.0 U
		Jun-05	PND	PND	PND	11	5.0 U	PND	47	5.0 U	5.0 U	PND	15	18	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	3.1	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.3	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	5.0 U	4.3	5.0 U
		May-17	6.1	PND	0.85 J	1.0 U	1.0 U	1.0 U	1.5	1.0 U	1.0 U	PND	2.3	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	1.9	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.87 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.68 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	Unable to sample due to insufficient water after purging												
		Sep-20	8.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.4	0.24 U	0.38 U	0.24 U	4.2	0.58 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	0.90 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	3.1	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	7.4	<1	<1
		Dec-21	Unable to sample due to insufficient water after purging												
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.9 J	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	2.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.4	<1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8A	Overburden	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	21	5.0 U	5.0 U	PND	28	5.0 U	5.0 U
		Sep-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Mar-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	23	5.0 U	5.0 U
		Sep-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.3
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	11	5.0 U	5.0 U	PND	7.4	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	8.4	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	7.0	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	DRY												
		Oct-18	DRY												
		Dec-19	DRY												
		Mar-20	DRY												
		Jun-20	DRY												
		Sep-20	DRY												
		Dec-20	DRY												
		Mar-21	DRY												
		Jun-21	DRY												
		Sep-21	DRY												
		Dec-21	DRY												
		Mar-22	DRY												
		Sep-22	DRY												
		Dec-22	DRY												
		Mar-23	DRY												
		Jun-23	DRY												
		Sep-23	DRY												
		Dec-23	DRY												
		Mar-24	DRY												
		Jun-24	DRY												
		Sep-24	DRY												
		Dec-24	DRY												
		Feb-25	DRY												
		May-25	DRY												
		Sep-25	DRY												

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8B	25-37.5' 37.5-50' 45-50' - 1 45-50' - 2 45-50' - 3 Bedrock	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	740	5.4	11	PND	640	80	5.0 U
		Sep-01	PND	PND	PND	25 U / 5.0 U	25 U / 5.0 U	PND	590 / 440	25 U / 5.0 U	25 U / 6.0	PND	300 / 200	37 / 26	25 U / 5.0 U
		Dec-01	PND	PND	PND	10 U	10 U	PND	200	10 U	10 U	PND	80	12	10 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	96	5.0 U	5.0 U	PND	12	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	5.0 U	PND	22	5.0 U	5.0 U
		Sep-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	100 / 110	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	5.0 U / 5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	71 / 71	5.0 U	5.0 U	PND	28 / 28	2.0 U	5.0 U
		Jun-03 ⁵	PND	PND	PND	5.0 U	5.0 U	PND	140	5.0 U	5.0 U	PND	12	5.7	6.9
		Jun-03 ⁵	PND	PND	PND	25 U	25 U	PND	990 D	25 U	25 U	PND	480	130	25 U
		Dec-03	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	480 D / 500 D	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	290 D / 300 D	36 / 37	5.0 U / 5.0 U
		Jun-04	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	130 / 140	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	12 / 12	3.7 / 3.9	5.0 U / 5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	41	5.0 U	26	PND	21	2.0 U	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	37	3.1	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	69	5.0 U	21	PND	37	3.5	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	59	PND	32	13	5.0 U
		Dec-04 ⁶	PND	PND	PND	10 U	10 U	PND	180	10 U	59	PND	26	24	10 U
		Dec-04 ⁷	PND	PND	PND	5.0 U	5.0 U	PND	150	5.0 U	37	PND	23	18	5.0 U
		Jun-05	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	120 / 120	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.1 / 6.4	9.1 / 9.2	5.0 U / 5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	180	5.0 U	5.0 U	PND	21	18	5.0 U
		Aug-05	PND	PND	PND	5.0 U	5.0 U	PND	30	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	33	5.0 U	5.0 U	PND	28	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	39	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	6.6	PND	1.0 U	1.0 U	0.62 J	0.26 J	21	1.2	17	PND	8.6	3.6	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	9.1	1.7	0.38 U	0.24 U	0.40 J	5.5	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	6.8	0.31 J	0.38 U	0.24 U	0.68 J	14	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.29 J	0.38 U	0.24 U	0.72 J	1.7	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.37 J	0.43 U	11	2.4	0.38 U	0.24 U	2.7	4.5	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.1	0.37 J	0.38 U	0.24 U	0.45 J	7.1	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.4	0.24 U	0.38 U	0.24 U	0.31 U	7.5	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	8.1	0.37 J	0.38 U	0.24 U	0.64 J	1.9	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.5	<1	<1	<1	1.6	5.4	<1
		Sep-21	<5	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.9	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.3	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	2.5	<1
		Jun-22	<5	<1	<1	<1	0.4 J	<1	9.1	0.4 J	<1	<1	1.1	5.9	<1
		Sep-22	<5	<1	<1	<1	0.4 J	<1	3	<1	<1	<1	0.4 J	3.4	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.2	<1	<1	<1	5.0	2.9	<1
		Mar-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	1.3	<1
		Jun-23	<5	<1	<1	<1	<1	<1	8.1	<1	<1	<1	<1	4.3	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.8	<1
		Dec-23	<5	<1	<1	<1	<1	<1	13.0	<1	<1	<1	4	5.1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	5.6	<1	<1	<1	4	3.8	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	2.1	<1	<1	<1	<1	4.8	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.4	4.1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	1.8	3.9 C	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	3.6	<1	<1	<1	1.4	2	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW05-8C	50-75' 75-100' 100-125'	Aug-05 ⁸	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Aug-05 ⁸	PND	PND	PND	130 U	130 U	PND	4100 D	53 J	17 J	PND	260	210	130 U
		Aug-05 ⁸	PND	PND	PND	50 U	50 U	PND	1,500	17 J	6.4 J	PND	57	82	50 U
	Bedrock	Dec-05	PND	PND	PND	25 U / 250 U	11 J / 250 U	PND	5700 D / 6100	21 J / 24 J	9 J / 250 U	PND	13 J / 250 U	400 / 490	25 U / 250 U
		Aug-06	PND	PND	PND	100 U / 5.0 U	100 U / 7.0	PND	2700 / 2700 D	100 U / 7.2	100 U / 5.0 U	PND	100 U / 5.0 U	180 / 190	100 U / 5.0 U
		Dec-06	PND	PND	PND	100 U	100 U	PND	2,300	100 U	100 U	PND	100 U	210	100 U
		Jun-07	PND	PND	PND	100 U / 25 U	100 U / 25 U	PND	3900 D / 3800 D	100 U / 27	100 U / 25 U	PND	100 U / 25 U	380 / 340	100 U / 25 U
		May-17	500 U	PND	100 U	100 U	120	100 U	34,000	80 J	170	PND	2,100	4,100	100 U
		Jun-17	250 U	PND	50 U	50 U	52	50 U	11,000	15 J	31 J	PND	3,400	850	50 U
		Jun-18	Well Converted to MW18-8E/8F												
MW18-8D	Bedrock	Oct-18	70	2.1 U	2.3 J	1.3 U	5.3	2.2 U	1600	2.7 J	1.9 U	1.2 U	150	130	3.3 U
		Dec-19	140	0.41 U	0.65 U	0.53 U	2.5	0.86 U	960	1.2 J	0.76 U	0.48 U	73	65	0.59 U
		Mar-20	130	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	750	1.0 J	0.76 U	0.48 U	69	56	0.59 U
		Jun-20	120	0.41 U	0.65 U	0.53 U	1.5	0.86 U	590	1.3 J	0.76 U	0.48 U	55	35	0.59 U
		Sep-20	150	0.41 U	0.65 U	0.53 U	1.3 J	0.86 U	500	0.69 J	0.76 U	0.48 U	33	37	0.59 U
		Dec-20	130	0.41 U	0.65 U	0.53 U	1.2 J	0.86 U	380	0.63 J	0.76 U	0.48 U	28	24	0.59 U
		Mar-21	150	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	420	2.3	0.76 U	0.48 U	32	32	0.59 U
		Jun-21	95	<5	<5	<5	<5	<5	240	<5	<5	<5	23	22	<5
		Sep-21	<10	<2	<2	<2	<2	<2	200	<2	<2	<2	13	19	<2
		Dec-21	63	<2	<2	<2	<2	<2	170	<2	<2	<2	12	19	<2
		Mar-22	140	<5	<5	<5	<5	<5	110	<5	<5	<5	18	13	<5
		Jun-22	100	<2	<2	<2	<2	<2	130	<2	<2	<2	30	11	<2
		Sep-22	99	<1	<1	<1	0.4 J	<1	99	<1	<1	<1	31	7.1	<1
		Dec-22	75 C	<1	<1	<1	0.9 J	<1	120	0.5 J	<1	<1	60	10	<1
		Mar-23	140	<1	<1	<1	1.1	<1	160	0.7 J	<1	<1	80	17	<1
		Jun-23	100 C	<2	<2	<2	<2	<2	78	<2	<2	<2	62	7.8 C	<2
		Sep-23	140 SC	<1	<1	<1	2.1	<1	100	0.7 J	<1	<1	72	11	<1
		Dec-23	120 C	<1	<1	<1	<1 C	<1	100	<1	<1 C	<1	60	8.7	<1
		Mar-24	120 C	<1	<1	<1	<1	<1	72	<1	<1	<1	57	12	<1
		Jun-24	130 SC	<1	<1	<1	<1	<1	110	<1	<1	<1	92	17	<1
		Sep-24	180	<1	<1	<1	0.8 J	<1	92	0.7 J	<1	<1	43	16	<1
		Dec-24	100C	<1	<1	<1	<1	<1	69	<1	<1	<1	41	16C	<1
		Feb-25	150 C	<1	<1	<1	<1	<1	140	1.5	<1	<1	54	72	<1
		May-25	350	<2	<2	<2	<2	<2	180	<2	<2	<2	68	76 C	<2
		Sep-25	230 C	<2	<2	<2	<2	<2	140	<2	<2	<2	68	61	<2

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-8E	Bedrock	Oct-18	100 U	8.6 U	6.5 U	5.3 U	7.2 J	8.6 U	6100	4.7 U	8.7 J	4.8 U	6.3 U	1300	13 U
		Dec-19	Unable to sample due to obstruction												
		Mar-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	310	3.7 J	1.9 U	1.2 U	1.6 U	1700	1.5 U
		Jun-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	240	3.3 J	1.9 U	1.2 U	1.6 U	870	1.5 U
		Sep-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	300	3.3 J	1.9 U	1.2 U	1.6 U	1200	1.5 U
		Dec-20	9.8	0.20 U	0.33 U	0.38 J	0.26 U	0.43 U	280	3.2	0.82 J	0.24 U	0.31 U	840	0.30 U
		Mar-21	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	260	4.6 J	1.9 U	1.2 U	1.6 U	810	1.5 U
		Jun-21	<10	<10	<10	<10	<10	<10	63	<10	<10	<10	<10	150	<10
		Sep-21	<10	<10	7.1 J	<10	<10	<10	600	<10	<10	<10	8.2 J	220	<10
		Dec-21	<10	<10	<10	<10	<10	<10	1500	5.2 J	<10	<10	<10	440	<10
		Mar-22	<500	<100	<100	<100	<100	<100	8500	<100	<100	<100	51 J	2400	<100
		Jun-22	<500	<100	<100	<100	<100	<100	7200	<100	<100	<100	<100	2200	<100
		Sep-22	<250	<50	<50	<50	21 J	<50	7900	<50	<50	<50	<50	2100	<50
		Dec-22	<250	<50	<50	<50	28 J	<50	9600	30 J	23 J	<50	17 J	2500	<50
		Mar-23	<500	<100	<100	<100	<100	<100	11000	<100	<100	<100	<100	4500	<100
		Jun-23	<250	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1400	<50
		Sep-23	<250 C	<50	<50	<50	42 J	<50	6300	<50	<50	<50	<50	1800	<50
		Dec-23	<250 C	<50	<50	<50	<50	<50	6200	<50	<50	<50	<50	1900	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	4700	<50	<50	<50	<50	1800	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1700	<50
		Sep-24	<250	<50	<50	<50	<50	<50	6300	<50	<50	<50	<50	2000	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	5000	<50	<50	<50	<50 C	1700 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	6000	<50	<50	<50	<50	2100	<50
		May-25	<250	<50	<50	<50	<50	<50	5800	<50	<50	<50	<50	1600 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 C	<50	4500	<50 C	<50	<50	<50	1400	<50
MW18-8F	Bedrock	Oct-18	50 U	4.3 U	3.3 U	2.6 U	1.2 U	4.8 J	1800	5.3 J	3.8 U	2.4 U	7.7 J	420	6.5 U
		Dec-19	22	4.6	15	0.53 U	0.97 J	0.86 U	600	1.0 J	0.76 U	0.48 U	1.4 J	58	0.59 U
		Mar-20	6.6	1.6	6.4	0.26 U	0.54 J	0.43 U	370	4.5	0.77 J	0.24 U	0.62 J	120	0.30 U
		Jun-20	10	2.0	4.8	0.53 U	0.78 J	0.86 U	500	3.6	0.76 U	0.48 U	0.85 J	150	0.59 U
		Sep-20	8.8 U	1.0 J	11	0.53 U	0.53 U	0.86 U	530	1.1 J	0.76 U	0.48 U	1.2 J	54	0.59 U
		Dec-20	6.3	0.90 J	2.8	0.28 J	0.26 U	0.43 U	120	3.6	0.71 J	0.24 U	0.31 U	34	0.38 J
		Mar-21	4.4 U	0.74 J	2.4	0.26 U	0.26 U	0.43 U	81	4.0	0.41 J	0.24 U	0.31 U	25	0.30 U
		Jun-21	35	<1	0.7 J	<1	<1	<1	38	<1	<1	<1	<1	3.6	<1
		Sep-21	<120	<25	<25	<25	<25	<1	4500	<25	<25	<25	<25	1900	<25
		Dec-21	<25	14	<5	<5	<5	<5	390	<5	<5	<5	<5	68	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	<10	<10	<10	3.2 J	540	<10
		Jun-22	<50	<10	<10	<10	<10	<10	1800	<10	<10	<10	<10	620	<10
		Sep-22	<50	<10	<10	<10	<10	<10	990	4.3 J	<10	<10	<10	520	<10
		Dec-22	<50	<10	<10	<10	<10	<10	1000	4.0 J	<10	<10	<10	530	<10
		Mar-23	<50	<10	<10	<10	<10	<10	1500	4.9 J	<10	<10	<10	750	<10
		Jun-23	<120	<25	<25	<25	<25	<25	770	<25	<25	<25	<25	360	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	960	<10	<10	<10	<10	460	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	560	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	1100	<10	<10	<10	<10	530	<10
		Jun-24	<50 SC	<10	<10	<10	<10 C	<10	930	<10	<10	<10	<10	450	<10
		Sep-24	<50	<10	<10	<10	<10	<10	810	<10	<10	<10	<10	320	<10
		Dec-24	58 C	<10	<10	<10	<10	<10	860	<10	<10	<10	<10 C	420 C	<10
		Feb-25	<50 C	<10	<10	<10	<10	<10	710	<10	<10	<10	<10	270	<10
		May-25	<50 C	<10	<10	<10	<10	<10	990	<10	<10	<10	<10	300	<10
		Sep-25	<50 C	<10	<10	<10	<10 SC	<10	640	<10 C	<10	<10	<10	260	<10

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-2C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	32	PND	6.6	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	6.2	5.0 U	7.6	PND	9.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	8.8	5.0 U	5.0 U	PND	11	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	10	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		May-17	5.7	PND	1.0 U	1.0 U	1.0 U	1.0 U	5.6	1.0 U	1.0 U	PND	6.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	8.1	0.24 J	0.38 U	0.24 U	3.5	0.28 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.31 J	0.26 U	0.43 U	27	0.48 J	0.38 U	0.24 U	3.0	0.66 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	0.45 J	0.38 U	0.24 U	3.3	0.37 J	0.30 U
		Jun-20	5.7	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	1.2	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	23	0.34 J	0.38 U	0.24 U	1.9	0.43 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.35 J	0.43 U	15	0.43 J	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.34 J	0.26 U	0.43 U	22	0.48 J	0.38 U	0.24 U	0.31 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	14	<1	7.4	<1	2.2	1.8	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	8.8	<1	<1	<1	5.6	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	5.6	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	12	<1	<1	<1	4.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9	<1	<1	<1	6.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	8.3	<1	<1
		Mar-23	8.2	<1	<1	<1	<1	<1	2.5	<1	<1	<1	1.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.0	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	1.4	<1	<1	<1	1.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.7	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.7	<1	<1	<1	3.3	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	4.2	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	2.1	<1	<1C	<1	2.6	<1	<1
		Feb-25	< 5 C	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.9	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.2	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	1.4	<1	<1	<1	2.6	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-4C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	10	PND	5.0 U	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	220	<2	<2	<2	<2	<2	<2	<2	7.8	<2	<2	<2	<2
		Sep-21	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1
		Dec-21	<5	2.4	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1
		Jun-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J
		Mar-23	5.4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	6.8 C	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-9C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	130	5.0 U	5.0 U	PND	7.1	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	95	5.0 U	5.0 U	PND	8.6	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	92 / 90	5.0 U / 5.0 U	9.2 / 9.5	PND	5.3 / 5.0 U	2.0 U / 2.0 U	5.0 U / 5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	8.6	PND	1.0 U	0.33 J	1.0 U	1.0 U	130	1.1	0.50 J	PND	3.5	0.38 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	56	0.24 U	0.38 U	0.24 U	7.0	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	51	0.24 U	0.38 U	0.24 U	2.3	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	65	0.55 J	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	63	0.62 J	0.38 U	0.24 U	2.6	0.17 U	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	0.24 U	0.38 U	0.24 U	2.2	1.6	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	50	0.24 U	0.38 U	0.24 U	1.8	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	310	1.0	0.38 U	0.24 U	18	0.17 U	0.30 U
		Jun-21	<10	<2	<2	<2	<2	<2	46	<2	5.6	<2	1.9 J	<2	<2
		Sep-21	<5	<1	1.6	<1	<1	<1	7.8	<1	0.4 J	<1	5.1	0.5 J	<1
		Dec-21	<5	0.6 J	0.6 J	<1	<1	<1	19	<1	<1	<1	3.2	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.4	<1	<1	<1	5.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	8.1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	5.8	<1	<1	<1	3.9	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	5.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	5.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	2.6	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	2	<1	<1	<1	5.0	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.4 C+	<1	<1	<1	1.8	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	5.5	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	2.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	1.1	<1	<1	<1	3.1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1 SC	<1	<1	<1	2.2	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10A	Overburden	Oct-18	5.0 U	0.43 U	3.0	0.26 U	0.12 U	0.43 U	4.0	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.6	0.24 U	0.38 U	0.24 U	1.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.4	0.24 U	0.38 U	0.24 U	0.76 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.6	0.24 U	0.38 U	0.24 U	0.98 J	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	1.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.4	0.24 U	0.38 U	0.24 U	0.90 J	0.17 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	0.8 J	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	7	<1	<1	<1	2.0	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	1.4	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1.4	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	0.9 J	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	3.0	<1	<1	<1	0.7 J	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.3	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.0	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.3	0.7 J	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	2.6	<1	<1 C	<1	1.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	1.9	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1	<1	0.9 J	<1	<1
MW18-10B	Bedrock	Sep-24	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	1.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.9	<1	<1	<1	1.0	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	2.4	<1	<1	<1	1.1	<1	<1
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	3.0	0.24 U	0.38 U	0.24 U	0.31 U	0.63 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.65 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.52 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.51 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.36 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.0	<1
		Dec-21	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	<1	3.2	<1
		Mar-22	<5	<1	<1	<1	<1	<1	2.5	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	<1	3.4	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9.7	<1	<1	<1	4.0	3.0	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	3.6	2.3 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	1.7	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	2.2 C	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.2	<1	<1	<1	<1	2.6	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	2.1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	2.5	<1	<1	<1	<1	1.9	<1
		Sep-24	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.9	<1	<1	<1	<1	1.3	<1
		May-25	<5 C	<1	<1	<1	<1	<1	1.8	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	3.5	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10C	Bedrock	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	12	0.24 U	0.38 U	0.24 U	3.8	1.0	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	3.5	0.46 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	2.7	0.61 J	0.30 U
		Jun-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.7	0.24 U	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.7	0.24 U	0.38 U	0.24 U	1.9	0.42 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	9.0	0.24 U	0.38 U	0.24 U	0.82 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	10.0	0.24 U	0.38 U	0.24 U	1.1	0.41 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.1	<1	1.0 J	<1	1.6	<1	<1
		Sep-21	12	<1	<1	<1	<1	<1	9.0	<1	<1	<1	0.9 J	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	9.0	<1	<1	<1	2.1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	7.2	<1	<1	<1	1.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	8.3	<1	<1	<1	2.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	3.8	<1	<1
		Dec-22	<5 C	<1	<1	<1	<1	<1	6.0	<1	<1	<1	3.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	7.9	<1	<1	<1	4.2	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.2	<1	<1	<1	3.0	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	4.2	<1	<1	<1	2.9	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	4.1	<1	<1 C	<1	2.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	5.4	<1	<1	<1	3.1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	3.5	<1	<1	<1	3.1	<1	<1
MW18-11A	Overburden	Sep-24	<5	<1	<1	<1	<1	<1	3.6	<1	<1	<1	3.2	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	1.4	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.8	<1	<1	<1	2.4	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	2.9	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	3.7	<1 C	<1	<1	2.2	<1 C	<1
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.34 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.64 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.86 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.88 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-11B	Bedrock	Oct-18	5.0 U	0.43 U	0.58 J	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.78 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.94 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.83 J	0.65 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.97 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.1	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	1.1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	1.1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 NC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<25 SC	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
MW18-11C	Bedrock	Oct-18	5.0 U	0.43 U	0.4 J	0.26 U	0.12 U	0.43 U	79	0.79 J	0.38 U	0.24 U	5.1	23	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	60	1.2	0.38 U	0.24 U	0.33 J	81	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	11	1.2	0.3 8U	0.24 U	0.31 U	13	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	1.2	0.38 U	0.24 U	0.31 J	28	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	57	1.2	0.38 U	0.24 U	0.31 U	57	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	24	0.91 J	0.38 U	0.24 U	0.31 U	27	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	42	1.3	0.38 U	0.24 U	0.83 J	34	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	67	1.1	2.3	<1	2.9	28	<1
		Sep-21	<10	<2	<2	<2	1.0 J	<2	240	1.6 J	<2	<2	19	27	<2
		Dec-21	<10	<2	<2	<2	<2	<2	170	<2	<2	<2	27	13	<2
		Mar-22	<25	<5	<5	<5	<5	<5	140	<5	<5	<5	14	20	<5
		Jun-22	<10	<2	<2	<2	<2	<2	160	<2	<2	<2	14	18	<2
		Dec-22	<10 C	<2	<2	<2	<2	<2	150	<2	<2	<2	14	17	<2
		Mar-23	<5	<0.5	<0.5	<0.5	0.6	<0.5	190	1.0	<0.5	<0.5	14	28	<0.5
		Jun-23	<10	<2	<2	<2	<2	<2	84	<2	<2	<2	8.2	12	<2
		Sep-23	<5 C	<1	<1	<1	1	<1	120	0.9 J	<1	<1	8.3	13	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	79	<1	<1 C	<1	2.6	20	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	95	<1	<1	<1	3.7	17	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	100	<1	<1	<1	8.9	15	<1
		Sep-24	<5	<1	<1	<1	<1	<1	110	0.6 J	<1	<1	9.4	10	<1
		Dec-24	<5	<1	<1	<1	<1	<1	93	<1	<1 C	<1	6.2	13	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	65	<1	<1	<1	6	9	<1
		May-25	<5 C	<1	<1	<1	<1	<1	97	<1	<1	<1	8.7	9.6	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	73	<1 C	<1	<1	6	8	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	4.6	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	5.9	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	3.8	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.3	0.24 U	0.38 U	0.24 U	4.8	0.17 U	0.30 U
		Sep-20	5.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.6	0.24 U	0.38 U	0.24 U	8.2	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.9	0.24 U	0.38 U	0.24 U	4.9	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.74 J	0.24 U	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.8	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.4	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.0	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.5	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.4	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	3.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.0	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	4.4	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.4	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	3.7	<1	<1
MW18-12B	Bedrock	Oct-18	100 U	8.6 U	6.5 U	48	74	8.6 U	9100	24	7.6 U	160	3600	650	13 U
		Dec-19	88 U	4.1 U	6.5 U	32	27	8.6 U	5800	8.4	7.6 U	58	110	4.1 J	5.9 U
		Mar-20	88 U	4.1 U	6.5 U	32	34	8.6 U	7200	13	7.6 U	52	7.7	140	5.9 U
		Jun-20	88 U	4.1 U	6.5 U	34	22	8.6 U	6500	20	7.6 U	43	13	19	5.9 U
		Sep-20	88 U	4.1 U	6.5 U	32	30	8.6 U	8200	13	7.6 U	25	12	370	5.9 U
		Dec-20	88 U	4.1 U	6.5 U	32	36	8.6 U	7800	10	7.6 U	33	12	330	5.9 U
		Mar-21	220 U	10 U	16 U	38 J	36 J	22 U	9800	81	19 U	32 J	69	340	15 U
		Jun-21	<500	<100	<100	74 J	130	<100	17000	<100	<100	200	4000	1800	<100
		Sep-21	<500	<100	<100	53 J	150	<100	17000	59 J	<100	74 J	2900	2800	<100
		Dec-21	<500	<100	<100	66 J	<100	<100	16000	53 J	<100	240	6900	1600	<100
		Mar-22	<1000	<200	<200	<200	88 J	<200	17000	<200	<200	96 J	3900	2000	<200
		Jun-22	<1000	<200	<200	<200	100 J	<200	21000	<200	<200	<200	1800	2400	<200
		Sep-22	<1000	<200	<200	68 J	140 J	<200	23000	<200	<200	260	7100	1800	<200
		Dec-22	<1000	<200	<200	90 J	170 J	<200	22000	<200	<200	410	8400	1600	<200
		Mar-23	1200	<200	<200	86 J	190 J	<200	31000	<200	<200	160 J	6100	3200	<200
		Jun-23	<1200	<250	<250	<250	<250	<250	15000	<250	<250	<250	5500	1400 C	<250
		Sep-23	<1000 C	<200	<200	<200	270	<200	15000	<200	<200	<200	4800	1500	<200
		Dec-23	<1000 C	<200	<200	<200	<200 C	<200	20000	<200	<200 C	<200	4000	2200	<200
		Mar-24	<1000 SC	<200	<200	<200	<200	<200	14000	<200	<200 C	<200	1700	3500	<200
		Jun-24	<1000 SC	<200	<200	<200	240	<200	22000	<200	<200 C	230	4800	3300	<200
		Sep-24	<1000	<200	<200	<200	150 J	<200	17000	<200	<200	400	5200	1800	<200
		Dec-24	<1000 C	<200	<200	<200	<200	<200	17000	<200	<200	370	5500 C	1800 C	<200
		Feb-25	<1000	<200	<200	<200	<200	<200	17000	<200	<200	280	6600	1700	<200
		May-25	<1000	<200	<200	<200	<200	<200	20000	<200	<200	<200	4600	2300 C	<200
		Sep-25	<500 C	<100	<100	<100	<100 SC	<100	6500	<100 C	<100	110	2000	890	<100

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12C	Bedrock	Oct-18	25 U	2.1 U	1.6 U	1.4 J	8.6	2.2 U	2400	10	1.9 U	1.2 U	250	480	3.3 U
		Dec-19	37	1.0 U	1.6 U	2.6 J	3.4 J	2.2 U	1100	7.3	1.9 U	1.2 U	9.5	1000	1.5 U
		Mar-20	8.8 U	1.0 U	0.41 U	3.1	1.3 J	0.86 U	630	7.2	1.4 J	0.97 J	50	480	0.59 U
		Jun-20	8.8 U	0.41 U	0.65 U	2.8	1.3 J	0.86 U	980	8.1	1.9 J	0.48 U	59	290	0.59 U
		Sep-20	8.8 U	0.41 U	0.65 U	2.4	1.1 J	0.86 U	950	5.7	1.2 J	0.48 U	580	180	0.59 U
		Dec-20	8.8 U	0.41 U	0.65 U	2.7	1.3 J	0.86 U	510	5.1	1.4 J	0.76 J	630	96	0.59 U
		Mar-21	8.8 U	0.41 U	0.65 U	3.6	1.1 J	0.86 U	690	8.2	1.7 J	1.3 J	870	250	0.59 U
		Jun-21	<25	<5	<5	3.0 J	<5	<5	520	7.2	<5	<5	34	300	<5
		Sep-21	<25	<5	<5	3.8 J	<5	<5	860	8.5	<5	<5	470	430	<5
		Dec-21	<120	<25	<25	<25	<25	<25	2900	16 J	<25	13 J	520	340	<25
		Mar-22	<120	<25	<25	9 J	12 J	<25	3500	<25	<25	10 J	310	660	<25
		Jun-22	<120	<25	<25	<25	<25	<25	2300	<25	<25	<25	130	890	<25
		Sep-22	<120	<25	<25	<25	<25	<25	2000	<25	<25	<25	150	690	<25
		Dec-22	<500	<100	<100	<100	<100	<100	12000	<100	<100	89 J	2200	<100 C	<100
		Mar-23	<500	<100	<100	<100	53	<100	9300	<100	<100	<100	690	2600	<100
		Jun-23	<120	<25	<25	<25	35	<25	6700	52	<25	32	280	1000	<25
		Sep-23	<120 C	<25	<25	<25	47	<25	5000	<25	<25	<25	950	780	<25
		Dec-23	<250 C	<50	<50	<50	<50	<50	5800	<50	<50 C	<50	620	940	<50
		Mar-24	<500 SC	<50	<50	<50	<50	<50	7600	<50	<50	<50	1100	810	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	5900	<50	<50	<50	1000	580	<50
MW18-13B	Bedrock	Sep-24	<250	<50	<50	<50	41 J	<50	9000	<50	<50	61	670	1300	<50
		Dec-24	<500 C	<100	<100	<100	140	<100	16000	<100	<100	120	1000	1200	<100
		Feb-25	<500 SC	<100	<100	<100	<100	<100	9500	<100	<100	<100	2100	480 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8200	<100	<100	<100	750	1200 C+	<100
		Sep-25	<500 C	<100	<100	<100	<100	<100	4100	<100	<100	<100	260	450	<100
		Oct-18	5.0 U	0.75 J	7.9	22	33	0.43 U	460	2.0	0.38 U	30	370	65	0.65 U
		Dec-19	8.8 U	0.41 U	0.65 U	52	31	0.86 U	900	6.1	0.76 U	15	170	280	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	47	27	0.86 U	610	4.0	0.76 U	13	210	110	0.59 U
		Jun-20	8.8 U	0.83 J	0.65 U	44	24	0.86 U	680	6.2	0.76 U	16	100	90	0.59 U
		Sep-20	22 U	1.0 U	1.6 U	55	36	2.2 U	1400	6.2	1.9 U	34	190	440	1.5 U
		Dec-20	22 U	1.0 U	1.6 U	42	36	2.2 U	2000	7.4	1.9 U	29	42	330	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	55	41	4.3 U	2800	7.4 J	3.8 U	22	130	390	3.0 U
		Jun-21	<120	<25	<25	53	34	<25	1900	<25	<25	18 J	67	750	<25
		Sep-21	<10	<10	5.6 J	19	23	<10	1000	<10	<10	11	47	210	<10
		Dec-21	<25	<5	<5	5.8	<5	<5	220	<5	<5	3.8 J	17	64	<5
		Mar-22	11	<1	<1	0.8 J	0.7 J	<1	26	<1	<1	1.0	1.8	8.1	<1
		Jun-22	<10	<2	<2	7.6	3.1	<2	320	3.0	<2	3.0	4.4	110	<2
		Sep-22	<10	0.8 J	<2	3.9	1.1 J	<2	100	<2	<2	3.4	2.5	31	<2
		Dec-22	<25	<5	<5	15	6.6	<5	490	<5	<5	12	22	250	<5
		Mar-23	12	<1	<1	3.8	5.6	<1	190	0.7 J	<1	3	13	48	<1
		Jun-23	<25	<5	<5	44	45	<5	1900	27	<5	35	110	380	<5
		Sep-23	<5 C	<1	<1	1.9	2.4	<1	62	<1	<1	1.5	8.9	21	<1
		Dec-23	<5 C	<1	<1	4.8	2.5 C	<1	250	1.1	<1 C	<1	9.0	77	<1
		Mar-24	<5	<1	<1	1.0 J	<1	<1	170	<1	<1	<1	9.0	38	<1
		Jun-24	<10 SC	<2	<2	<2	<2	<2	300	<2	<2	<2	7.0	110	<2
		Sep-24	<5	<1	<1	1.2 C+	<1	<1	36	<1	<1	0.6 J	7.0	7.6	<1
		Dec-24	<5	<1	<1	5.7	6.6	<1	170	<1	<1	4.2	17	73	<1
		Feb-25	<25 SC	<5	<5	13	14	<5	480	<5	<5	12	33	180 C	<5
		May-25	<120	<25	<25	<25	<25	<25	1400	<25	<25	<25	39	440 C+	<25
		Sep-25	<120 C	<25	<25	<25	<25 SC	<25	370	<25 C	<25	<25	56	100	<25

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-13C	Bedrock	Oct-18	25 U	2.1 U	13	1.4 J	3.5 J	2.2 U	1300	2.6 J	1.9 U	1.2 U	43	480	3.3 U
		Dec-19	11	0.41 U	0.65 U	31	27	0.86 U	730	3.3	0.76 U	20	48	130	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	44	20	0.86 U	730	4.8	0.76 U	12	14	180	0.59 U
		Jun-20	8.8 U	0.72 J	0.65 U	41	11	0.86 U	530	5.8	0.76 U	10	10	120	0.59 U
		Sep-20	8.8 U	0.64 J	0.65 U	45	7.2	0.86 U	630	3.1	0.76 U	11	3.9	330	0.59 U
		Dec-20	22 U	1.0 U	1.6 U	42	12	2.2 U	1000	4.2 J	1.9 U	18	6.1	400	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	49	25	4.3 U	1900	8.3 J	3.8 U	17	6.0 J	490	3.0 U
		Jun-21	<250	<50	52	<50	<50	<50	4300	<50	<50	<50	84	1400	<50
		Sep-21	<250	<50	<50	<50	40 J	<50	10000	<50	<50	<50	110	5600	<50
		Dec-21	<250	<50	28 J	<50	<50	<50	7500	<50	<50	<50	120	2900	<50
		Mar-22	<500	<100	<100	<100	36 J	<100	12000 N	<100	<100	<100	310	4800 N	<100
		Jun-22	<500	<100	<100	<100	38 J	<100	9100	<100	<100	<100	85 J	3700	<100
		Sep-22	<500	<100	<100	<100	<100	<100	5300	<100	<100	<100	45 J	1900	<100
		Dec-22	<500	<100	<100	<100	<100	<100	6100 N	<100	<100	<100	190	1800	<100
		Mar-23	<500	<100	<100	<100	<100	<100	12000	<100	<100	<100	100	5700	<100
		Jun-23	<50	<10	<10	<10	19	<10	3800 N+	55	<10	<11	64	1500 C	<10
		Sep-23	<120 C	<25	<25	<25	42	<25	5000	<25	<25	<25	46	2000	<25
		Dec-23	<120	<25	<25	<25	23 J	<25	6300 N+	<25	<25	<25	29	2800	<25
		Mar-24	<250 SNC	<50	<50	<50	<50	<50	6600 N+	<50	<50	<50	<50	3600 N+	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4700 N+	<50	<50	<50	49	2500N+	<50
		Sep-24	<250C	<50	<50	<50	<50	<50	4600	<50	<50	<50	54	1600	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	3300 N+	<50	<50	<50	<50 C	1500 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	2600 N	<50	<50	<50	41 J	1400	<50
		May-25	<250	<50	<50	<50	<50	<50	4200 N+	<50	<50	<50	<50	1900 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 C	<50	1800 N+	<50 C	<50	<50	<50	770	<50
MW18-14A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.66 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.8	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	1.3	<1	<1	<1	<1	<1 C	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-14B	Bedrock	Oct-18	53	4.3 U	3.3 U	2.6 U	8.7 J	4.3 U	3300	4.7 J	77	2.4 U	590	680	20
		Dec-19	89	1.0 U	1.6 U	1.3 U	2.5 J	2.2 U	1600	2.7 J	16	1.2 U	170	110	1.5 U
		Mar-20	75	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	1000	1.2 U	7.0	1.2 U	83	52	1.5 U
		Jun-20	70	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	820	1.7 J	3.7	0.48 U	46	34	0.59 U
		Sep-20	85	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	690	0.69 J	2.4	0.48 U	26	35	0.59 U
		Dec-20	65	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	430	0.73 J	2.2	0.48 U	20	15	0.59 U
		Mar-21	54	0.20 U	0.33 U	0.26 U	0.39 J	0.43 U	300	2.4	2.6	0.24 U	23	0.17 U	0.35 J
		Jun-21	35	<2	<2	<2	<2	<2	340	<2	2.5	<2	15	41	<2
		Sep-21	67	<1	<1	<1	<1	<1	160	1.0 J	3.2	<1	8.4	16	<1
		Dec-21	<10	<2	<2	<2	<2	<2	82	1.2 J	3.8	<2	14	8.1	<2
		Mar-22	34	<1	<1	<1	<1	<1	48	0.5 J	3	<1	14	10	0.7
		Jun-22	37	<1	<1	<1	<1	<1	61	0.4 J	2.8	<1	13	9.3	0.6 J
		Sep-22	30	<1	<1	<1	<1	<1	46	<1	1.7	<1	11	5.4	<1
		Dec-22	12 C	<1	<1	<1	<1	<1	35	<1	2.0	<1	12	6.8	0.8 J
		Mar-23	29	<1	<1	<1	<1	<1	41	<1	2.3	<1	16	10	0.6 J
		Jun-23	19 BC	<1	<1	<1	<1	<1	27	<1	1.6	<1	9.8	5.2	<1
		Sep-23	16 C	<1	<1	<1	<1	<1	26	<1	1.5	<1	8.7	3.9	<1
		Dec-23	12 C	<1	<1	<1	<1	<1	24	<1	2.2 C	<1	14	5.4	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	23	<1	1.9	<1	12	6.6	<1
		Jun-24	28 SC	<1	<1	<1	<1	<1	29	<1	<1	<1	13	6.2	<1
MW18-14C	Bedrock	Sep-24	19	<1	<1	<1	<1	<1	27	<1	1.5	<1	10	4.2	<1
		Dec-24	13 C	<1	<1	<1	<1	<1	13	<1	<1	<1	3.9	3	<1
		Feb-25	7.2 BC	<1	<1	<1	<1	<1	12	<1	<1	<1	3.4	3.2	<1
		May-25	<5	<1	<1	<1	<1	<1	28	<1	1.8	<1	8.3	12 C+	<1
		Sep-25	40 C	<1	<1	<1	<1 C	<1	21	<1 C	1	<1	5.8	5.5	<1
		Oct-18	1200 U	110 U	82	66 U	29 U	110 U	26000	61 J	1400	60 U	70000	3500	160 U
		Dec-19	880 U	41 U	65 U	53 U	340	86 U	72000	47 U	76 U	48 U	2300	2700	59 U
		Mar-20	880 U	41 U	65 U	53 U	230	86 U	66000	64	76 U	48 U	750	2400	59 U
		Jun-20	880 U	41 U	65 U	53 U	100	86 U	49000	75	76 U	48 U	130	810	59 U
		Sep-20	880 U	41 U	65 U	53 U	190 J	86 U	68000	50 J	76 U	48 U	63 U	1700	59 U
		Dec-20	880 U	41 U	65 U	53 U	150 J	86 U	50000	58 J	76 U	48 U	63 U	1500	59 U
		Mar-21	880 U	41 U	65 U	53 U	74	86 U	44000	380	76 U	48 U	63 U	1100	59 U
		Jun-21	<2000	<400	<400	<400	<400	<400	57000	<400	250 J	<400	<400	12000	<400
		Sep-21	<2000	<400	<400	<400	<400	<400	42000	<400	<400	<400	510	10000	<400
		Dec-21	<1000	<200	<200	<200	<200	<200	30000	<200	170 J	<200	350	5900	<200
		Mar-22	<1000	<200	<200	<200	72 J	<200	22000	<200	110 J	<200	<200	5200	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	26000	<200	92 J	<200	<200	4600	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	20000	100 J	<200	<200	<200	3300	<200
		Dec-22	<120	<25	22 J	<25	8.2 J	<25	2100	<25	<25	<25	24 J	410	<25
		Mar-23	<120	<25	<25	<25	<25	<25	4600	<25	<25	<25	<25	1100	<25
		Jun-23	<2000	<400	<400	<400	<400	<400	9800	<400	<400	<400	<400	1900	<400
		Sep-23	<500 C	<100	<100	<100	<100	<100	6800	<100	<100	<100	<100	1500	<100
		Dec-23	<500 C	<100	<100	<100	<100	<100	6600	<100	<100 C	<100	<100	1400	<100
		Mar-24	520 SC	<100	<100	<100	<100	<100	8600	<100	<100 C	<100	<100	2000	<100
		Jun-24	<500 SC	<100	<100	<100	<100	<100	8100	<100	<100 C	<100	<100	1000	<100
		Sep-24	<500	<100	<100	<100	<100	<100	9900	<100	<100	<100	<100	1100	<100
		Dec-24	<500 C	<100	<100	<100	<100	<100	18000	<100	<100	<100	<100 C	2400	<100
		Feb-25	<500 C	<100	<100	<100	<100	<100	9300	<100	<100	<100	110	1100 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8400	<100	<100	<100	<100	1100 C	<100
		Sep-25	<500 C	<100	<100	<100	<100	<100	4800	<100	<100	<100	<100	550	<100

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-15C	Bedrock	Dec-21	<5	<1	<1	0.7 J	<1	<1	93	<1	<1	0.6 J	100	3.2	<1
		Mar-22	1700	<10	<10	<10	<10	<10	4.3 J	<10	<10	<10	<10	<10	<10
		Jun-22	9.8	<1	<1	<1	<1	<1	12	<1	<1	<1	16	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	2.6	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.2	<1	<1	<1	18	<1	0.5 J
		Mar-23	<50	<10	<10	<10	<10	<10	16	<10	<10	<10	5.7 J	<10	<10
		Jun-23	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	7.4	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	6.4	<1	<1	<1	7	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	10	<1	<1 C	<1	21	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	7.6	<1	<1	<1	14	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	8.7	<1	<1	<1	8.6	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	6.2	<1	<1	<1	13	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.2	<1	<1	<1	2.3	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.7	<1	<1	<1	4.1	<1	<1
MW21-15D	Bedrock	May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	16	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	6.2	<1	<1	<1	19	<1	<1
		Dec-21	<5	<1	1.8	<1	<1	<1	8.8	<1	0.7 J	<1	7.5	<1	<1
		Mar-22	<5	<1	0.5 J	<1	<1	<1	35	<1	<1	<1	42	<1	<1
		Jun-22	<5	<1	0.6 J	<1	<1	<1	35	<1	<1	<1	30	0.7	<1
		Sep-22	<5	<1	<1	<1	<1	<1	13	<1	<1	<1	20	<1	0.5 J
		Dec-22	<5	<1	<1	0.4 J	0.9 J	<1	95	<1	<1	0.3 J	120	0.6 J	<1
		Mar-23	<5	<1	<1	1.4	2.8	<1	370	<1	<1	<1	320	11	<1
		Jun-23	<5	<1	<1	1.3	2.6	<1	160	1.6	<1	<1	160	6.2 C	<1
		Sep-23	<5 SC	<1	<1	0.5 J	1.9	<1	100	0.5 J	<1	0.5 J	96	7.6	<1
		Dec-23	<5	<1	<1	<1	<1	<1	87	<1	<1	<1	97	6.6	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	68	<1	<1	<1	63	11	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	35	<1	<1	<1	38	6.7	<1
		Sep-24	<5	<1	<1	<1	<1	<1	17	<1	<1	<1	23	4.2	<1
MW21-16	Bedrock	Dec-24	<5	<1	<1	<1	<1	<1	25	<1	<1 C	<1	27	4.2	<1
		Feb-25	<5 C	<1	<1	<1	1.9	<1	120	1.4	<1	<1	130	3	<1
		May-25	<5	<1	<1	1.0	2.5	<1	200	<1	<1	<1	180	1.5	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	25	<1	<1	<1	32	<1	<1
		Dec-21	<25	<5	41	<5	<5	<5	520	<5	2.6 J	<5	11	66	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	7.9 J	<10	<10	67	310	<10
		Jun-22	980	<10	<10	<10	<10	<10	1300	<10	<10	<10	7.8 J	240	<10
		Sep-22	<50	<10	<10	<10	<10	<10	1900	5.2 J	<10	<10	12	470	<10
		Dec-22	6.6	<1	<1	<1	<1	<1	23	<1	0.4 J	<1	0.4 J	3.1 C	<1
		Mar-23	<120	<12	<12	<12	<12	<12	2600	<12	<12	<12	20	930	<12
		Jun-23	<120	<25	<25	<25	<25	<25	640	<25	<25	<25	<25	1000	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	650	<10	<10	<10	7.8 J	1300	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	380	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	250	<10	<10	<10	<10	120	<10
		Jun-24	<25 SC	<10	<10	<10	<10 C	<10	160	<10	<10	<10	<10	93	<10
		Sep-24	<5	<1	<1	<1	<1	<1	110	<1	1.5	<1	<1	43	0.8 J
		Dec-24	<5 C	<1	<1	<1	<1	<1	98	<1	1.5	<1	<1	50	0.8 J
		Feb-25	<5 SC	<1	<1	<1	<1	<1	9.3	<1	<1	<1	<1	4 C	<1
		May-25	13 C	<1	<1	<1	<1	<1	12	<1	<1	<1	<1	3.9	<1
		Sep-25	5.8 C	<1	<1	<1	<1 SC	<1	7.9	<1 C	<1	<1	<1	7.7	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-17D	Bedrock	Dec-21	<5	<1	1.6	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
MW21-18C	Bedrock	May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-21	<5	<1	0.6 J	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW21-18D	Bedrock	Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-21	<5	<1	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York


Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-19C	Bedrock	Dec-21	<1000	<200	<200	<200	<200	<200	12000	<200	<200	<200	4100	1200	<200
		Mar-22	<1000	<200	<200	<200	<200	<200	11000	160 J	<200	<200	1700	1300	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	16000	160 J	<200	<200	1700	1100	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	11000	<200	<200	<200	2900	940	<200
		Dec-22	<1000	<200	<200	<200	<200	<200	9300	<200	<200	<200	2600	990	<200
		Mar-23	1300	<200	<200	<200	<200	<200	15000	<200	<200	<200	2900	2100	<200
		Jun-23	<1000	<200	<200	<200	<200	<200	7600	<200	<200	<200	1800	970	<200
		Sep-23	<250 C	<50	<50	<50	120	<50	7800	<50	<50	38 J	2100	1000	<50
		Dec-23	<250 C	<50	<50	<50	71 C	<50	6800	<50	<50 C	<50	1700	1000	<50
		Mar-24	<250 SC	<50	<50	<50	76 S+C+	<50	8500	<50	<50	52	2200	1600	<50
		Jun-24	<250 SC	<50	<50	<50	140	<50	9300	44 J	<50	56	2900	1500	<50
		Sep-24	<250C	<50	<50	41 J	76	<50	8000	<50	<50	44 J	2200	960	<50
		Dec-24	<250 C	<50	<50	<50	130	<50	8500	<50	<50	<50	2400	1200	<50
		Feb-25	<250 SC	<50	<50	<50	100	<50	6100	<50	<50	<50	3000	910 C	<50
MW21-19D	Bedrock	May-25	<250	<50	<50	<50	83	<50	8300	<50	<50	<50	2100	1200 C	<50
		Sep-25	<250 C	<50	<50	<50	54 SC	<50	6700	<50 C	<50	<50	1900	1000	<50
		Dec-21	<500	<100	<100	<100	<100	<100	4100	<100	<100	<100	1600	320	<100
		Mar-22	<500	<100	<100	<100	<100	<100	4300	<100	<100	<100	780	440	<100
		Jun-22	<500	<100	57 J	<100	<100	<100	6000	<100	<100	<100	240	460	<100
		Sep-22	<500	<100	<100	<100	<100	<100	6700	<100	<100	<100	140	610	<100
		Dec-22	<500 C	<100	<100	<100	32 J	<100	7300	<100	<100	<100	450	1200 C	<100
		Mar-23	<500 C	<100	<100	<100	<100	<100	9500	<100	<100	<100	47 J	3100	<100
		Jun-23	<500 C	<100	<100	<100	<100	<100	3500	<100	<100	<100	<100	1200	<100
		Sep-23	<250 C	<50	<50	<50	52	<50	5800	<50	<50	<50	86	1200	<50
		Dec-23	<250 C	<50	<50	<50	<50 C	<50	4500	<50	<50 C	<50	120	950	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	5100	<50	<50	<50	70	1500	<50
		Jun-24	<250 SC	<50	<50	<50	62	<50	6600	<50	<50	<50	82	1500	<50
		Sep-24	<250	<50	<50	28 J	30 J	<50	5100	<50	<50	<50	78	1100	<50
MW21-20D	Bedrock	Dec-24	<250 C	<50	<50	<50	52	<50	6400	<50	<50	<50	52 C	1600	<50
		Feb-25	<250 SC	<50	<50	<50	92	<50	8900	56	<50	<50	510	2100 C	<50
		May-25	<250	<50	<50	<50	<50	<50	4600	<50	<50	<50	100	470 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 SC	<50	4400	<50 C	<50	<50	60	870	<50
		Dec-21	<120	<25	<25	<25	<25	<25	430	<25	<25	<25	160	<25	<25
		Mar-22	<5	<1	0.6 J	<1	<1	<1	130	1.1	<1	<1	80	<1	<1
		Jun-22	<5	<1	0.5 J	<1	<1	<1	95	0.9 J	<1	<1	61	<1	<1
		Sep-22	<10	<2	<2	<2	<2	<2	210	1.0 J	<2	<2	75	<2	<2
		Dec-22	<10	<2	<2	<2	1.0 J	<2	350	1.7 J	<2	<2	110	<2	<2
		Mar-23	<10	<2	0.4 J	<2	1.0 J	<2	110	1.3	<2	<2	100	2.5	<2
		Jun-23	<5	<1	<1	<1	<1	<1	45	<1	<1	<1	37	1.4 C	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	81	1.3	<1	<1	56	1.8	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	49	<1	<1 C	<1	69	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	4.8	<1	<1	<1	25	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	8.4	<1	<1	<1	45	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	36	0.7 J	<1	<1	61	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	50	<1	<1	<1	42	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	9.8	<1	<1	<1	55	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	47	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	9	<1	<1	<1	59	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1-Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
SG-1	Surface	Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	6.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.7	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1


Notes:
All results are presented in micrograms per liter (ug/L).
/ Separates original and duplicate sample results
Bold indicates detected value
Shading indicates exceedance of NYSDEC TOGS 1.1.1 Criteria
U = Constituent not detected; specified value is laboratory reporting limit
J = Estimated value
D = Result obtained from analysis of a secondary dilution
N = Matrix spike below accepted limits
F1 = MS and/or MSD Recovery is outside of acceptable limits.
PND = Previously not detected/included in table
1. Only VOCs that have been detected at concentrations exceeding TOGS 1.1.1 standards in one or more samples during one or more monitoring events are included in this table.
2. Remediation activities were conducted at the site in March and April 2001.
3. Monitoring wells MW01-8A and MW01-8B were installed in May 2001, following the completion of remediation activities.
4. Monitoring well MW01-8A was dry (or had minimal water) during the 9/01, 12/01, 3/02, 9/02, and 8/06 monitoring events, and could not be sampled.
5. Two samples were collected from MW01-8B during the June 2003 monitoring event. During purging of the well prior to collecting the first sample, the water level would not stabilize and the turbidity remained elevated (and slightly increasing). Therefore, following collection of the first sample, the well was bailed dry and a second sample was collected after the well had recharged.
6. Packers were used to collect samples from discrete intervals within well MW01-8B; sample intervals included 25-37.5', 37.5-50', and 45-50'. One sample was collected from the 25-37.5' interval and the 37.5-50' interval. From the 45-50' interval, three samples were collected; the first was collected after 61 minutes of pumping, the second was collected after 171 minutes of pumping, and the third was collected after 261 minutes of pumping.
7. Following collection of the discrete interval samples (see note 6), a sixth sample was collected using the standard sampling techniques.
8. Three samples were collected from MW05-8C in August 2005 during well installation (packers were used to collect the 75-100' and 100-125' interval samples).
9. Using packers, samples were collected from the 100-125' interval at MW06-2C, MW06-4C, and MW06-9C during installation in August 2006.
10. Indicates samples that were collected from packered intervals (refer to Notes 6, 8, and 9).

Figures



- LEGEND:
- OVERBURDEN MONITORING WELL
 - UPPER BEDROCK MONITORING WELL
 - INTERMEDIATE BEDROCK MONITORING WELL
 - DEEP BEDROCK MONITORING WELL
 - SITE PROPERTY LINE
 - ADJACENT PROPERTY LINE
 - PROPERTY EASEMENT
 - FENCE
 - STONE WALL
 - WATER COURSE
 - OVERHEAD WIRES
 - UNDERGROUND ELECTRIC LINE
 - UNDERGROUND COMMUNICATIONS LINE
 - UNDERGROUND SEWER LINE
 - EXISTING UNDERGROUND STORM LINE

- NOTES:
1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
 2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
 3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
 4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.




The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



PROJECT NO. 20222614	SITE PLAN	FIGURE 1
DRAWN BY CTH		
CHECKED BY KB	CENTRAL HUDSON GAS & ELECTRIC CORPORATION LITTLE BRITAIN ROAD SERVICE CENTER NEW WINDSOR, NEW YORK	
DATE: 05/23/2022		
REVISED:		

CAD FILE: \\nazrgisstor01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0925.dwg LAYOUT: F2 PLOTTED: 11/5/2025 1:58 PM BY: chris hait




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- (288.35) GROUNDWATER ELEVATION (FEET AMSL)
- 288 GROUNDWATER CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- MW18-12A WELL ID
- 3.7 ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- BOLD CONCENTRATIONS WERE DETECTED

µg/L - MICROGRAMS PER LITER




The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 11/5/2025
REVISED:

OVERBURDEN GROUNDWATER
HYDROCARBON DISTRIBUTION MAP
(09/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
2



CAD FILE: \\azrgisstor01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0925.dwg LAYOUT: F4 PLOTTED: 11/14/2025 10:54 AM BY: chris hait



NOTES:


- 1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
- 2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
- 3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
- 4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- WELL ID
- ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED

C, SC - INDICATES LOW RECOVERY
N+ - INDICATES HIGH RECOVERY
µg/L - MICROGRAMS PER LITER

NOTE:
WELL ME-94-4B2 NOT INCLUDED IN THE IN THE GROUNDWATER CONTOURING DUE TO INCONGRUOUS DATA.



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 11/5/2025
REVISED:

INTERMEDIATE BEDROCK GROUNDWATER HYDROCARBON DISTRIBUTION MAP (09/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
4

CAD FILE: \\nazrgisstor01\GIS_Projects\Client\Central_Hudson\20190147_Little_Britain_Rd\2025\20222614_0925.dwg LAYOUT: F5 PLOTTED: 11/5/2025 2:12 PM BY: chris hait




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- WELL ID
- ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED
- C - INDICATES LOW RECOVERY
- µg/L - MICROGRAMS PER LITER



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 11/5/2025
REVISED:

DEEP BEDROCK GROUNDWATER
POTENTIOMETRIC SURFACE AND
HYDROCARBON DISTRIBUTION MAP
(09/2025)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
5

Adirondack Laboratory Analytical Data Package # 250905090



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

October 15, 2025

Jesse Gallo
Central Hudson Gas & Electric
284 South Avenue
Poughkeepsie, NY 12601
TEL: (845) 486-5691

Work Order No: 250905090
PO#: 37681

RE: Little Britain Road Site
Little Britain Road

Dear Jesse Gallo:

"I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed in the Case Narrative. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature."

A handwritten signature in black ink, appearing to read "Tara Daniels".

Tara Daniels
Laboratory Director

Workorder Sample Summary

Client: Central Hudson Gas & Electric

Work Order: 250905090

ProjectName: Little Britain Road Site

ProjLocation: Little Britain Road

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
250905090-001	MW94-1B	Groundwater	9/3/2025 12:05:00 PM	9/5/2025 5:20:00 PM
250905090-002	MW94-3	Groundwater	9/2/2025 12:20:00 PM	9/5/2025 5:20:00 PM
250905090-003	MW94-5	Groundwater	9/4/2025 2:15:00 PM	9/5/2025 5:20:00 PM
250905090-004	MW96-6	Groundwater	9/2/2025 3:25:00 PM	9/5/2025 5:20:00 PM
250905090-005	MW96-7B	Groundwater	9/5/2025 12:15:00 PM	9/5/2025 5:20:00 PM
250905090-006	MW01-8B	Groundwater	9/5/2025 11:40:00 AM	9/5/2025 5:20:00 PM
250905090-007	MW06-2C	Groundwater	9/3/2025 11:10:00 AM	9/5/2025 5:20:00 PM
250905090-008	MW06-9C	Groundwater	9/4/2025 11:35:00 AM	9/5/2025 5:20:00 PM
250905090-009	MW18-8D	Groundwater	9/5/2025 11:50:00 AM	9/5/2025 5:20:00 PM
250905090-010	MW18-8E	Groundwater	9/3/2025 9:20:00 AM	9/5/2025 5:20:00 PM
250905090-011	MW18-8F	Groundwater	9/3/2025 11:15:00 AM	9/5/2025 5:20:00 PM
250905090-012	MW18-10A	Groundwater	9/3/2025 1:25:00 PM	9/5/2025 5:20:00 PM
250905090-013	MW18-10B	Groundwater	9/3/2025 10:30:00 AM	9/5/2025 5:20:00 PM
250905090-014	MW18-10C	Groundwater	9/4/2025 10:00:00 AM	9/5/2025 5:20:00 PM
250905090-015	MW18-11A	Groundwater	9/3/2025 2:55:00 PM	9/5/2025 5:20:00 PM
250905090-016	MW18-11B	Groundwater	9/3/2025 12:55:00 PM	9/5/2025 5:20:00 PM
250905090-017	MW18-11B Dup	Groundwater	9/3/2025 12:55:00 PM	9/5/2025 5:20:00 PM
250905090-018	MW18-11C	Groundwater	9/3/2025 12:05:00 PM	9/5/2025 5:20:00 PM
250905090-019	MW18-12A	Groundwater	9/4/2025 10:55:00 AM	9/5/2025 5:20:00 PM
250905090-020	MW18-12B	Groundwater	9/4/2025 1:55:00 PM	9/5/2025 5:20:00 PM
250905090-021	MW18-12C	Groundwater	9/5/2025 11:30:00 AM	9/5/2025 5:20:00 PM
250905090-022	MW18-13B	Groundwater	9/4/2025 10:25:00 AM	9/5/2025 5:20:00 PM
250905090-023	MW18-13C	Groundwater	9/3/2025 3:15:00 PM	9/5/2025 5:20:00 PM
250905090-024	MW18-13C Dup	Groundwater	9/3/2025 3:15:00 PM	9/5/2025 5:20:00 PM
250905090-025	MW18-14A	Groundwater	9/5/2025 11:00:00 AM	9/5/2025 5:20:00 PM
250905090-026	MW18-14B	Groundwater	9/3/2025 2:10:00 PM	9/5/2025 5:20:00 PM
250905090-027	MW18-14C	Groundwater	9/5/2025 11:15:00 AM	9/5/2025 5:20:00 PM
250905090-028	MW94-4B2	Groundwater	9/2/2025 1:15:00 PM	9/5/2025 5:20:00 PM
250905090-029	MW06-4C	Groundwater	9/3/2025 1:50:00 PM	9/5/2025 5:20:00 PM
250905090-030	MW94-2	Groundwater	9/2/2025 10:30:00 AM	9/5/2025 5:20:00 PM
250905090-031	MW94-2B	Groundwater	9/2/2025 12:30:00 PM	9/5/2025 5:20:00 PM
250905090-032	MW01-8A	Groundwater	9/2/2025 11:00:00 AM	9/5/2025 5:20:00 PM
250905090-033	SG-1	Groundwater	9/4/2025 11:10:00 AM	9/5/2025 5:20:00 PM

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
250905090-034	Equipment Blank	Groundwater	9/4/2025 2:50:00 PM	9/5/2025 5:20:00 PM
250905090-035	MW21-15C	Groundwater	9/2/2025 2:15:00 PM	9/5/2025 5:20:00 PM
250905090-036	MW21-15D	Groundwater	9/2/2025 1:30:00 PM	9/5/2025 5:20:00 PM
250905090-037	MW21-16	Groundwater	9/4/2025 11:40:00 AM	9/5/2025 5:20:00 PM
250905090-038	MW21-17D	Groundwater	9/3/2025 3:30:00 PM	9/5/2025 5:20:00 PM
250905090-039	MW21-18C	Groundwater	9/4/2025 11:55:00 AM	9/5/2025 5:20:00 PM
250905090-040	MW21-18D	Groundwater	9/4/2025 1:15:00 PM	9/5/2025 5:20:00 PM
250905090-041	MW21-19C	Groundwater	9/4/2025 3:00:00 PM	9/5/2025 5:20:00 PM
250905090-042	MW21-19D	Groundwater	9/4/2025 2:40:00 PM	9/5/2025 5:20:00 PM
250905090-043	MW21-20D	Groundwater	9/2/2025 3:10:00 PM	9/5/2025 5:20:00 PM
250905090-044	Trip Blank	Groundwater	9/2/2025	9/5/2025 5:20:00 PM



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

Case Narrative

Client: Central Hudson – Little Britain Rd

Case: 250905090

SDG: MW01-8B

Volatile Organics

- 1) The samples were analyzed using EPA Method 8260 following the criteria for NYSDEC ASP.
- 2) The samples received on 9/5/25 had a temperature of 4 °C.
- 3) The water samples were preserved with HCl to a pH of less than 2. All samples were analyzed within the required holding times.
- 4) The %RSD's for the compounds Methyl Acetate, Methylene Chloride, trans-1,3-Dichloropropene and Bromoform in the initial calibration analyzed on 8/13/25 were outside the criteria established by the method. The %RSD's for these compounds were 29.62 %, 77.84 %, 26.20 % and 20.55 %, respectively. These compounds were quantitated using linear regression. No further action was taken.
- 5) The %D's for the compounds Vinyl chloride, Methylene Chloride, Acetone, Carbon disulfide, 1,1-Dichloroethene, 2-Butanone, trans-1,3-Dichloropropene and 1,1,2-Trichloro-1,2,2-trifluoroethane in the continuing calibrations analyzed on 9/15/25 were outside the criteria established by the method. The %D's for these compounds were 21.7 %, 53.1 %, 35.3 %, 25.5 %, 27.4 %, 20.1 %, 24.6 % and 26.3 %, respectively. The compounds Methylene Chloride, Acetone, Carbon disulfide, 1,1-Dichloroethene, 2-Butanone and 1,1,2-Trichloro-1,2,2-trifluoroethane had a low recovery. These compounds are flagged with a "C" to denote the low recovery. The compounds Vinyl chloride and trans-1,3-Dichloropropene had a high recovery and are not flagged with a "C+" since the sample results were below the reporting limit. No further action was taken.
- 6) The %D's for the compounds Methylene Chloride, Acetone, Carbon disulfide, 1,1-Dichloroethene, trans-1,2-Dichloroethene, Methyl tert-butyl ether, Dichlorodifluoromethane and 1,1,2-Trichloro-1,2,2-trifluoroethane in the continuing calibration analyzed on 9/16/25 at 11:21 am were outside the criteria established by the method. The %D's for these compounds were 53.9 %, 35.9 %, 29.9 %, 29.3 %, 20.9 %, 25.5 %, 29.1 % and 31.6 %, respectively. These compounds for the samples associated with this continuing calibration had a low recovery and are flagged with a "C" to denote the low recovery. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

- 7) The %D's for the compounds Chloromethane, Methylene Chloride, Acetone, Carbon disulfide, 1,1-Dichloroethene, trans-1,2-Dichloroethene, 2-Butanone, Methyl tert-butyl ether, Dichlorodifluoromethane, 1,1,2-Trichloro-1,2,2-trifluoroethane, Cyclohexane and 1,4-Dioxane in the continuing calibration analyzed on 9/16/25 at 9:39 pm were outside the criteria established by the method. The %D's for these compounds were 22.3 %, 51.4 %, 36.9 %, 31.5 %, 33.0 %, 22.6 %, 30.7 %, 26.0 %, 52.4 %, 38.6 %, 20.5 % and 21.9 %, respectively. These compounds for the samples associated with this continuing calibration are flagged with a "C" to denote the low recovery. No further action was taken.
- 8) The %D's for the compounds Methylene Chloride, Acetone and 2-Butanone in the continuing calibration analyzed on 9/18/25 were outside the criteria established by the method. The %D's for these compounds were 48.9 %, 31.2 % and 21.5 %, respectively. The compounds Acetone and 2-Butanone for the samples associated with this continuing calibration are flagged with a "C" to denote the low recovery. The compound Methylene Chloride is not flagged since this was quantitated using linear regression and the actual recovery was within acceptable limits. No further action was taken.
- 9) Sample MW18-11B (AES sample number 250905090-016) was used for the water matrix spike analysis. The recoveries between the matrix spike and matrix spike duplicate were within acceptable limits.
- 10) Sample MW018-13C (AES sample number 250905090-023) was used for the water matrix spike and matrix spike duplicate analysis. The recovery in the matrix spike and matrix spike duplicate for the compounds 1,1,2-Trichloro-1,2,2-trifluoroethane, cis-1,2-Dichloroethene, Styrene and trans-1,3-Dichloropropene were outside the specified limit. The compound 1,1,2-Trichloro-1,2,2-trifluoroethane is flagged with an "N" to denote the low recovery. The compound cis-1,2-Dichloroethene is flagged with an "N+" to denote the high recovery. The compounds Styrene and trans-1,3-Dichloropropene had a high recovery and are not flagged since the sample results were below the reporting limit. No further action is necessary.
- 11) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 9/15/25 had a high recovery for the compound Dichlorodifluoromethane. This compound is not flagged since it was not present in the samples. No further action was taken.
- 12) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 9/16/25 at 9:39 pm had low recoveries for the compounds Methylene Chloride, 1,1-Dichloroethene, Dichlorodifluoromethane and 1,1,2-Trichloro-1,2,2-trifluoroethane. These compounds are flagged with an "S" to denote the low recovery. No further action was taken.
- 13) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 9/18/25 had a high recovery for the compound Dichlorodifluoromethane. This compound is not flagged since it was not present in the samples. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

14) The following samples were diluted prior to analysis due to the high levels of compounds present.

<u>Client ID</u>	<u>Laboratory ID</u>	<u>Final Dilution</u>
MW18-8D	250905090-009	1:2
MW18-8E	250905090-010	1:50
MW18-8F	250905090-011	1:10
MW18-12B	250905090-020	1:100
MW18-12C	250905090-021	1:100
MW18-13B	250905090-022	1:25
MW18-13C	250905090-023	1:50
MW18-13C Dup	250905090-024	1:50
MW18-14C	250905090-027	1:100
MW21-19C	250905090-041	1:50
MW21-19D	250905090-042	1:50

15) The column used in Instrument D for analysis was a DB-624, 20 meters long with an internal diameter of 0.18 mm. The trap used for this instrument is a Teledyne/Techmar #9.

“I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.”

A handwritten signature in cursive script, appearing to read "Tara Davis", is written above a horizontal line.

Laboratory Director

Date: 10/15/2025



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250905090

1/4 CF

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>David Camarillo</i>			
Client Phone No:		PO #:			Samplers Signatures: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
001	MW94-1B	9/3/25	1205	A P	GW		2	TCL 8260 Low Level
002	MW94-3	9/2/25	1220	A P	GW		2	Field pH, Temperature, Cond, eH, Turb,
003	MW94-5	9/4/25	1415	A P	GW		2	Diss_Oxygen, Static Water
004	MW96-6	9/2/25	1525	A P	GW		2	Beginning Depth, End Depth
005	MW96-7B	9/5/25	1215	A P	GW		2	
006	MW01-8B	9/5/25	1140	A P	GW		2	
007	MW06-2C	9/3/25	1110	A P	GW		2	
008	MW06-9C	9/4/25	1135	A P	GW		2	
009	MW18-8D	9/5/25	1150	A P	GW		2	
010	MW18-8E	9/3/25	920	A P	GW		2	
011	MW18-8F	9/3/25	1115	A P	GW		2	
012	MW18-10A	9/3/25	1325	A P	GW		2	
Shipment Arrived Via: FedEx UPS Client AES Other: _____				Special Instructions/Remarks: CLP <i>C</i> Drums Delivered to Site Page 1 of 4				
Turnaround Time Requested:								
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received for Laboratory by:			Date	Time		
<i>[Signature]</i>		<i>Carly Gnd</i>			9/5	5:20		
Sample Temperature Ambient <i>Chilled</i> Chilling Process begun 5/10		Properly Preserved (Y) N			Received Within Holding Times (Y) N			
Notes: _____		Notes: _____			Notes: _____			



250905090



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250905090

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to:		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>Dan'l Cameron</i>			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
013	MW18-10B	9/3/25	1030	A P	GW		2	TCL 8260 Low Level
014	MW18-10C	9/4/25	1000	A P	GW		2	Field pH, Temperature, Cond, eH, Turb,
015	MW18-11A	9/3/25	1455	A P	GW		2	Diss_Oxygen, Static Water
016	MW18-11B	9/3/25	1255	A P	GW		6	Beginning Depth, End Depth
017	MW18-11B Dup	9/3/25	1255	A P	GW		2	
018	MW18-11C	9/3/25	1205	A P	GW		2	
019	MW18-12A	9/4/25	1055	A P	GW		2	
020	MW18-12B	9/4/25	1355	A P	GW		2	
021	MW18-12C	9/5/25	1130	A P	GW		2	
022	MW18-13B	9/4/25	1025	A P	GW		2	
023	MW18-13C	9/3/25	1515	A P	GW		6	
024	MW18-13C Dup	9/3/25	1515	A P	GW		2	
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: CLP Extra volume taken at MW18-11B and MW18-13C for MS/MSD				
Turnaround Time Requested:				PAGE 2 OF 4				
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received for Laboratory by:			Date	Time		
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun <u>5/10</u>		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N			
Notes: _____		Notes: _____			Notes: _____			



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250905090

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:							
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly				Samplers Name: <i>David Camarillo</i>			
Client Phone No:		PO #:				Samplers Signature: <i>[Signature]</i>			
Client Fax No:									
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis	
				Matrix	C	G			
025	MW18-14A	9/5/25	1100	A P	GW			2	TCL 8260 Low Level
026	MW18-14B	9/3/25	1410	A P	GW			2	Field pH, Temperature, Cond, eH, Turb,
027	MW18-14C	9/5/25	1115	A P	GW			2	Diss_Oxygen, Static Water
028	MW94-4B2	9/2/25	1315	A P	GW			2	Beginning Depth, End Depth
029	MW06-4C	9/3/25	1350	A P	GW			2	
030	MW94-2	9/2/25	1030	A P	GW			20	Observation only / Dry
031	MW94-2B	9/2/25	1230	A P	GW			2	
032	MW01-8A	9/2/25	1100	A P	GW			20	Observation only / Dry
033	SG-1	9/4/25	1110	A P	SF			2	
034	Equipment Blank	9/4/25	1450	A P	WA			2	
				A P					
				A P					
				A P					
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____					Special Instructions/Remarks:				
Turnaround Time Requested:					PAGE 3 OF 4				
Relinquished by: (Signature)		Received by: (Signature)				Date	Time		
Relinquished by: (Signature)		Received by: (Signature)				Date	Time		
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>Carly</i>				Date 9/5	Time 5:20		
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun <i>4/0</i>		Properly Preserved <u>(Y)</u> N				Received Within Holding Times <u>(Y)</u> N			
Notes: _____		Notes: _____				Notes: _____			



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

250905090

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly				Samplers Name: <i>David Camarillo</i>		
Client Phone No:		PO #:				Samplers Signature: <i>[Signature]</i>		
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
035	MW21-15C	9/2/25	1415	A	GW		2	TCL 8260 Low Level
036	MW21-15D	9/2/25	1330	A	GW		2	Field pH, Temperature, Cond, eH, Turb,
037	MW21-16	9/4/25	1140	A	GW		2	Diss_Oxygen, Static Water
038	MW21-17D	9/3/25	1530	A	GW		2	Beginning Depth, End Depth
039	MW21-18C	9/4/25	1155	A	GW		2	
040	MW21-18D	9/4/25	1315	A	GW		2	
041	MW21-19C	9/4/25	1500	A	GW		2	
042	MW21-19D	9/4/25	1440	A	GW		2	
043	MW21-20D	9/2/25	1510	A	GW		2	
044	Trip Blank Lot #	9/2/25		A	WA		2	
				A				
				P				
				A				
				P				
Shipment Arrived Via: FedEx UPS Client <u>(AES)</u> Other: _____				Special Instructions/Remarks:				
Turnaround Time Requested:				PAGE 4 OF 4				
Relinquished by: (Signature)		Received by: (Signature)				Date	Time	
Relinquished by: (Signature)		Received by: (Signature)				Date	Time	
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by: <i>Carroll</i>				Date 9/5	Time 5:20	
Sample Temperature Ambient <u>Cooled</u> Chilling Process begun Notes: <u>4/2</u>		Properly Preserved <u>(Y)</u> N Notes: _____				Received Within Holding Times <u>(Y)</u> N Notes: _____		

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	14.31			ft		9/3/2025 12:05:00 PM
Cond (E120.1)	846			umhos/cm		9/3/2025 12:05:00 PM
diss_oxygen (E360.1)	1.69			mg/L		9/3/2025 12:05:00 PM
eH (Orion)	78.9			millivolts		9/3/2025 12:05:00 PM
End Depth	22.45			ft		9/3/2025 12:05:00 PM
pH (E150.1)	7.2			su		9/3/2025 12:05:00 PM
Static Water Level	14.37			ft		9/3/2025 12:05:00 PM
Temp (E170.1)	16			deg C		9/3/2025 12:05:00 PM
Turb (E180.1)	41.0			ntu		9/3/2025 12:05:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:07:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
cis-1,2-Dichloroethene	3.7	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Trichloroethene	14	1.0		µg/L	1	9/15/2025 6:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:07:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Surr: 1,2-Dichloroethane-d4	116	80.3-122		%REC	1	9/15/2025 6:07:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	9/15/2025 6:07:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 6:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 9/2/2025 12:20:00 PM
Lab Sample ID: 250905090-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	12.66			ft		9/2/2025 12:20:00 PM
Cond (E120.1)	1345			umhos/cm		9/2/2025 12:20:00 PM
diss_oxygen (E360.1)	3.57			mg/L		9/2/2025 12:20:00 PM
eH (Orion)	140.4			millivolts		9/2/2025 12:20:00 PM
End Depth	13.38			ft		9/2/2025 12:20:00 PM
pH (E150.1)	6.9			su		9/2/2025 12:20:00 PM
Static Water Level	12.66			ft		9/2/2025 12:20:00 PM
Temp (E170.1)	16			deg C		9/2/2025 12:20:00 PM
Turb (E180.1)	3.62			ntu		9/2/2025 12:20:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 12:58:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 12:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 9/2/2025 12:20:00 PM
Lab Sample ID: 250905090-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 12:58:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 12:58:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 12:58:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 12:58:00 PM
Surr: Toluene-d8	111	79.6-115		%REC	1	9/15/2025 12:58:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 9/4/2025 2:15:00 PM
Lab Sample ID: 250905090-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	7.86			ft		9/4/2025 2:15:00 PM
Cond (E120.1)	551			umhos/cm		9/4/2025 2:15:00 PM
diss_oxygen (E360.1)	0.37			mg/L		9/4/2025 2:15:00 PM
eH (Orion)	164.3			millivolts		9/4/2025 2:15:00 PM
End Depth	9.06			ft		9/4/2025 2:15:00 PM
pH (E150.1)	8.7			su		9/4/2025 2:15:00 PM
Static Water Level	7.40			ft		9/4/2025 2:15:00 PM
Temp (E170.1)	17			deg C		9/4/2025 2:15:00 PM
Turb (E180.1)	36.1			ntu		9/4/2025 2:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:15:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:15:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 9/4/2025 2:15:00 PM
Lab Sample ID: 250905090-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:15:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:15:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	9/17/2025 3:15:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	9/17/2025 3:15:00 AM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/17/2025 3:15:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 9/2/2025 3:25:00 PM
Lab Sample ID: 250905090-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	14.78			ft		9/2/2025 3:25:00 PM
Cond (E120.1)	891			umhos/cm		9/2/2025 3:25:00 PM
diss_oxygen (E360.1)	0.96			mg/L		9/2/2025 3:25:00 PM
eH (Orion)	137.8			millivolts		9/2/2025 3:25:00 PM
End Depth	24.39			ft		9/2/2025 3:25:00 PM
pH (E150.1)	7.0			su		9/2/2025 3:25:00 PM
Static Water Level	14.78			ft		9/2/2025 3:25:00 PM
Temp (E170.1)	16			deg C		9/2/2025 3:25:00 PM
Turb (E180.1)	6.21			ntu		9/2/2025 3:25:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:18:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 9/2/2025 3:25:00 PM
Lab Sample ID: 250905090-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Surr: 1,2-Dichloroethane-d4	115	80.3-122		%REC	1	9/15/2025 1:18:00 PM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	9/15/2025 1:18:00 PM
Surr: Toluene-d8	112	79.6-115		%REC	1	9/15/2025 1:18:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 9/5/2025 12:15:00 PM
Lab Sample ID: 250905090-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	15.31			ft		9/5/2025 12:15:00 PM
Cond (E120.1)	4853			umhos/cm		9/5/2025 12:15:00 PM
diss_oxygen (E360.1)	5.75			mg/L		9/5/2025 12:15:00 PM
eH (Orion)	222			millivolts		9/5/2025 12:15:00 PM
End Depth	14.25			ft		9/5/2025 12:15:00 PM
pH (E150.1)	8.5			su		9/5/2025 12:15:00 PM
Static Water Level	14.57			ft		9/5/2025 12:15:00 PM
Temp (E170.1)	19			deg C		9/5/2025 12:15:00 PM
Turb (E180.1)	33.2			ntu		9/5/2025 12:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 10:06:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 10:06:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 10:06:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 9/5/2025 12:15:00 PM
Lab Sample ID: 250905090-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 10:06:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 10:06:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	9/18/2025 10:06:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/18/2025 10:06:00 AM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/18/2025 10:06:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 9/5/2025 11:40:00 AM
Lab Sample ID: 250905090-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	17.27			ft		9/5/2025 11:40:00 AM
Cond (E120.1)	765			umhos/cm		9/5/2025 11:40:00 AM
diss_oxygen (E360.1)	2.05			mg/L		9/5/2025 11:40:00 AM
eH (Orion)	278.8			millivolts		9/5/2025 11:40:00 AM
End Depth	16.17			ft		9/5/2025 11:40:00 AM
pH (E150.1)	7.4			su		9/5/2025 11:40:00 AM
Static Water Level	17.24			ft		9/5/2025 11:40:00 AM
Temp (E170.1)	16			deg C		9/5/2025 11:40:00 AM
Turb (E180.1)	30.0			ntu		9/5/2025 11:40:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Vinyl chloride	2.0	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 10:26:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
cis-1,2-Dichloroethene	3.6	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 10:26:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Trichloroethene	1.4	1.0		µg/L	1	9/18/2025 10:26:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 10:26:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 9/5/2025 11:40:00 AM
Lab Sample ID: 250905090-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 10:26:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 10:26:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	9/18/2025 10:26:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/18/2025 10:26:00 AM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/18/2025 10:26:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 9/3/2025 11:10:00 AM
Lab Sample ID: 250905090-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	38.06			ft		9/3/2025 11:10:00 AM
Cond (E120.1)	1880			umhos/cm		9/3/2025 11:10:00 AM
diss_oxygen (E360.1)	0.84			mg/L		9/3/2025 11:10:00 AM
eH (Orion)	- 143.1			millivolts		9/3/2025 11:10:00 AM
End Depth	52.37			ft		9/3/2025 11:10:00 AM
pH (E150.1)	8.1			su		9/3/2025 11:10:00 AM
Static Water Level	36.50			ft		9/3/2025 11:10:00 AM
Temp (E170.1)	14			deg C		9/3/2025 11:10:00 AM
Turb (E180.1)	41.1			ntu		9/3/2025 11:10:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:27:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
cis-1,2-Dichloroethene	1.4	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Trichloroethene	2.6	1.0		µg/L	1	9/15/2025 6:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:27:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 9/3/2025 11:10:00 AM
Lab Sample ID: 250905090-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 6:27:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 6:27:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 6:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 9/4/2025 11:35:00 AM
Lab Sample ID: 250905090-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	56.72			ft		9/4/2025 11:35:00 AM
Cond (E120.1)	986			umhos/cm		9/4/2025 11:35:00 AM
diss_oxygen (E360.1)	0.39			mg/L		9/4/2025 11:35:00 AM
eH (Orion)	- 121			millivolts		9/4/2025 11:35:00 AM
End Depth	56.73			ft		9/4/2025 11:35:00 AM
pH (E150.1)	8.5			su		9/4/2025 11:35:00 AM
Static Water Level	56.48			ft		9/4/2025 11:35:00 AM
Temp (E170.1)	19			deg C		9/4/2025 11:35:00 AM
Turb (E180.1)	57.4			ntu		9/4/2025 11:35:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:35:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:35:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Trichloroethene	2.2	1.0		µg/L	1	9/17/2025 3:35:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:35:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 9/4/2025 11:35:00 AM
Lab Sample ID: 250905090-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:35:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:35:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/17/2025 3:35:00 AM
Surr: 4-Bromofluorobenzene	115	74.1-124		%REC	1	9/17/2025 3:35:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 3:35:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 9/5/2025 11:50:00 AM
Lab Sample ID: 250905090-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	17.13			ft		9/5/2025 11:50:00 AM
Cond (E120.1)	7159			umhos/cm		9/5/2025 11:50:00 AM
diss_oxygen (E360.1)	5.66			mg/L		9/5/2025 11:50:00 AM
eH (Orion)	59.1			millivolts		9/5/2025 11:50:00 AM
End Depth	66.84			ft		9/5/2025 11:50:00 AM
pH (E150.1)	12.3			su		9/5/2025 11:50:00 AM
Static Water Level	17.09			ft		9/5/2025 11:50:00 AM
Temp (E170.1)	14			deg C		9/5/2025 11:50:00 AM
Turb (E180.1)	13.6			ntu		9/5/2025 11:50:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromomethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Vinyl chloride	61	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methylene chloride	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Acetone	230	10	C	µg/L	2	9/18/2025 10:48:00 AM
Carbon disulfide	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1-Dichloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
cis-1,2-Dichloroethene	140	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloroform	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
2-Butanone	ND	10	C	µg/L	2	9/18/2025 10:48:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Carbon tetrachloride	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromodichloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Trichloroethene	68	2.0		µg/L	2	9/18/2025 10:48:00 AM
Dibromochloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Benzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromoform	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	2	9/18/2025 10:48:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 9/5/2025 11:50:00 AM
Lab Sample ID: 250905090-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	10		µg/L	2	9/18/2025 10:48:00 AM
Tetrachloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Toluene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Ethylbenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Styrene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
m,p-Xylene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
o-Xylene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Dichlorodifluoromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methyl Acetate	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Cyclohexane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methyl Cyclohexane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Isopropylbenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,4-Dioxane	ND	200		µg/L	2	9/18/2025 10:48:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	2	9/18/2025 10:48:00 AM
Surr: 4-Bromofluorobenzene	111	74.1-124		%REC	2	9/18/2025 10:48:00 AM
Surr: Toluene-d8	103	79.6-115		%REC	2	9/18/2025 10:48:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 9/3/2025 9:20:00 AM
Lab Sample ID: 250905090-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	32.97			ft		9/3/2025 9:20:00 AM
Cond (E120.1)	854			umhos/cm		9/3/2025 9:20:00 AM
diss_oxygen (E360.1)	3.8			mg/L		9/3/2025 9:20:00 AM
eH (Orion)	98.8			millivolts		9/3/2025 9:20:00 AM
End Depth	34.35			ft		9/3/2025 9:20:00 AM
pH (E150.1)	7.4			su		9/3/2025 9:20:00 AM
Static Water Level	35.76			ft		9/3/2025 9:20:00 AM
Temp (E170.1)	18			deg C		9/3/2025 9:20:00 AM
Turb (E180.1)	809			ntu		9/3/2025 9:20:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Vinyl chloride	1400	50		µg/L	50	9/16/2025 4:00:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:00:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
cis-1,2-Dichloroethene	4500	50		µg/L	50	9/16/2025 4:00:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:00:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 9/3/2025 9:20:00 AM
Lab Sample ID: 250905090-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:00:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	50	9/16/2025 4:00:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	50	9/16/2025 4:00:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	50	9/16/2025 4:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 9/3/2025 11:15:00 AM
Lab Sample ID: 250905090-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	33.32			ft		9/3/2025 11:15:00 AM
Cond (E120.1)	920			umhos/cm		9/3/2025 11:15:00 AM
diss_oxygen (E360.1)	2.75			mg/L		9/3/2025 11:15:00 AM
eH (Orion)	1.5			millivolts		9/3/2025 11:15:00 AM
End Depth	36.00			ft		9/3/2025 11:15:00 AM
pH (E150.1)	7.2			su		9/3/2025 11:15:00 AM
Static Water Level	32.84			ft		9/3/2025 11:15:00 AM
Temp (E170.1)	17			deg C		9/3/2025 11:15:00 AM
Turb (E180.1)	283			ntu		9/3/2025 11:15:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Chloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromomethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Vinyl chloride	260	10		µg/L	10	9/16/2025 8:02:00 PM
Chloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methylene chloride	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
Acetone	ND	50	C	µg/L	10	9/16/2025 8:02:00 PM
Carbon disulfide	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
1,1-Dichloroethene	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
trans-1,2-Dichloroethene	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
cis-1,2-Dichloroethene	640	10		µg/L	10	9/16/2025 8:02:00 PM
Chloroform	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
2-Butanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Carbon tetrachloride	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromodichloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Trichloroethene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Dibromochloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Benzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromoform	ND	10		µg/L	10	9/16/2025 8:02:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 9/3/2025 11:15:00 AM
Lab Sample ID: 250905090-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM
Tetrachloroethene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Toluene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Chlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Ethylbenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Styrene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
m,p-Xylene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
o-Xylene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methyl tert-butyl ether	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
Dichlorodifluoromethane	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
Methyl Acetate	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Cyclohexane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Isopropylbenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,4-Dioxane	ND	1000		µg/L	10	9/16/2025 8:02:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	10	9/16/2025 8:02:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	10	9/16/2025 8:02:00 PM
Surr: Toluene-d8	108	79.6-115		%REC	10	9/16/2025 8:02:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 9/3/2025 1:25:00 PM
Lab Sample ID: 250905090-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	6.89			ft		9/3/2025 1:25:00 PM
Cond (E120.1)	1459			umhos/cm		9/3/2025 1:25:00 PM
diss_oxygen (E360.1)	0.95			mg/L		9/3/2025 1:25:00 PM
eH (Orion)	137.6			millivolts		9/3/2025 1:25:00 PM
End Depth	8.80			ft		9/3/2025 1:25:00 PM
pH (E150.1)	7.0			su		9/3/2025 1:25:00 PM
Static Water Level	6.89			ft		9/3/2025 1:25:00 PM
Temp (E170.1)	16			deg C		9/3/2025 1:25:00 PM
Turb (E180.1)	4.12			ntu		9/3/2025 1:25:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:47:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
cis-1,2-Dichloroethene	2.4	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Trichloroethene	1.1	1.0		µg/L	1	9/15/2025 6:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 9/3/2025 1:25:00 PM
Lab Sample ID: 250905090-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 6:47:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 6:47:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/15/2025 6:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 9/3/2025 10:30:00 AM
Lab Sample ID: 250905090-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	29.02			ft		9/3/2025 10:30:00 AM
Cond (E120.1)	1064			umhos/cm		9/3/2025 10:30:00 AM
diss_oxygen (E360.1)	0.46			mg/L		9/3/2025 10:30:00 AM
eH (Orion)	- 99			millivolts		9/3/2025 10:30:00 AM
End Depth	30.19			ft		9/3/2025 10:30:00 AM
pH (E150.1)	7.3			su		9/3/2025 10:30:00 AM
Static Water Level	29.02			ft		9/3/2025 10:30:00 AM
Temp (E170.1)	14			deg C		9/3/2025 10:30:00 AM
Turb (E180.1)	44.7			ntu		9/3/2025 10:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:07:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
cis-1,2-Dichloroethene	3.5	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 9/3/2025 10:30:00 AM
Lab Sample ID: 250905090-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 7:07:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 7:07:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 7:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 9/4/2025 10:00:00 AM
Lab Sample ID: 250905090-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	30.81			ft		9/4/2025 10:00:00 AM
Cond (E120.1)	925			umhos/cm		9/4/2025 10:00:00 AM
diss_oxygen (E360.1)	3.07			mg/L		9/4/2025 10:00:00 AM
eH (Orion)	228.3			millivolts		9/4/2025 10:00:00 AM
End Depth	140.01			ft		9/4/2025 10:00:00 AM
pH (E150.1)	7.3			su		9/4/2025 10:00:00 AM
Static Water Level	30.81			ft		9/4/2025 10:00:00 AM
Temp (E170.1)	14			deg C		9/4/2025 10:00:00 AM
Turb (E180.1)	11.3			ntu		9/4/2025 10:00:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:55:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
cis-1,2-Dichloroethene	3.7	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:55:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Trichloroethene	2.2	1.0		µg/L	1	9/17/2025 3:55:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:55:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 9/4/2025 10:00:00 AM
Lab Sample ID: 250905090-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:55:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:55:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	9/17/2025 3:55:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/17/2025 3:55:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/17/2025 3:55:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 9/3/2025 2:55:00 PM
Lab Sample ID: 250905090-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	7.76			ft		9/3/2025 2:55:00 PM
Cond (E120.1)	758			umhos/cm		9/3/2025 2:55:00 PM
diss_oxygen (E360.1)	5.03			mg/L		9/3/2025 2:55:00 PM
eH (Orion)	- 34.3			millivolts		9/3/2025 2:55:00 PM
End Depth	15.65			ft		9/3/2025 2:55:00 PM
pH (E150.1)	7.2			su		9/3/2025 2:55:00 PM
Static Water Level	7.74			ft		9/3/2025 2:55:00 PM
Temp (E170.1)	17			deg C		9/3/2025 2:55:00 PM
Turb (E180.1)	22.9			ntu		9/3/2025 2:55:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:27:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:27:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 9/3/2025 2:55:00 PM
Lab Sample ID: 250905090-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 7:27:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 7:27:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 7:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	28.51			ft		9/3/2025 12:55:00 PM
Cond (E120.1)	978			umhos/cm		9/3/2025 12:55:00 PM
diss_oxygen (E360.1)	0.36			mg/L		9/3/2025 12:55:00 PM
eH (Orion)	- 234.9			millivolts		9/3/2025 12:55:00 PM
End Depth	30.58			ft		9/3/2025 12:55:00 PM
pH (E150.1)	7.7			su		9/3/2025 12:55:00 PM
Static Water Level	28.51			ft		9/3/2025 12:55:00 PM
Temp (E170.1)	16			deg C		9/3/2025 12:55:00 PM
Turb (E180.1)	6.43			ntu		9/3/2025 12:55:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:46:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:46:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:46:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:46:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/15/2025 7:46:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/15/2025 7:46:00 PM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/15/2025 7:46:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	28.51			ft		9/3/2025 12:55:00 PM
Cond (E120.1)	978			umhos/cm		9/3/2025 12:55:00 PM
diss_oxygen (E360.1)	0.36			mg/L		9/3/2025 12:55:00 PM
eH (Orion)	- 234.9			millivolts		9/3/2025 12:55:00 PM
End Depth	30.58			ft		9/3/2025 12:55:00 PM
pH (E150.1)	7.7			su		9/3/2025 12:55:00 PM
Static Water Level	28.51			ft		9/3/2025 12:55:00 PM
Temp (E170.1)	16			deg C		9/3/2025 12:55:00 PM
Turb (E180.1)	6.43			ntu		9/3/2025 12:55:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 2:19:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:19:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/16/2025 2:19:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	9/16/2025 2:19:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 2:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	32.85			ft		9/3/2025 12:05:00 PM
Cond (E120.1)	793			umhos/cm		9/3/2025 12:05:00 PM
diss_oxygen (E360.1)	0.19			mg/L		9/3/2025 12:05:00 PM
eH (Orion)	- 92.6			millivolts		9/3/2025 12:05:00 PM
End Depth	74.38			ft		9/3/2025 12:05:00 PM
pH (E150.1)	7.5			su		9/3/2025 12:05:00 PM
Static Water Level	32.85			ft		9/3/2025 12:05:00 PM
Temp (E170.1)	15			deg C		9/3/2025 12:05:00 PM
Turb (E180.1)	19.2			ntu		9/3/2025 12:05:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Vinyl chloride	8.0	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 2:38:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
cis-1,2-Dichloroethene	73	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Trichloroethene	6.0	1.0		µg/L	1	9/16/2025 2:38:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:38:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/16/2025 2:38:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/16/2025 2:38:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/16/2025 2:38:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 9/4/2025 10:55:00 AM
Lab Sample ID: 250905090-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	11.30			ft		9/4/2025 10:55:00 AM
Cond (E120.1)	3241			umhos/cm		9/4/2025 10:55:00 AM
diss_oxygen (E360.1)	4.45			mg/L		9/4/2025 10:55:00 AM
eH (Orion)	136.9			millivolts		9/4/2025 10:55:00 AM
End Depth	13.86			ft		9/4/2025 10:55:00 AM
pH (E150.1)	7.0			su		9/4/2025 10:55:00 AM
Static Water Level	11.29			ft		9/4/2025 10:55:00 AM
Temp (E170.1)	20			deg C		9/4/2025 10:55:00 AM
Turb (E180.1)	3.94			ntu		9/4/2025 10:55:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:15:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:15:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Trichloroethene	3.7	1.0		µg/L	1	9/17/2025 4:15:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:15:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 9/4/2025 10:55:00 AM
Lab Sample ID: 250905090-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:15:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:15:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/17/2025 4:15:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/17/2025 4:15:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 4:15:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 9/4/2025 1:55:00 PM
Lab Sample ID: 250905090-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	33.66			ft		9/4/2025 1:55:00 PM
Cond (E120.1)	1334			umhos/cm		9/4/2025 1:55:00 PM
diss_oxygen (E360.1)	0.14			mg/L		9/4/2025 1:55:00 PM
eH (Orion)	- 36.7			millivolts		9/4/2025 1:55:00 PM
End Depth	72.53			ft		9/4/2025 1:55:00 PM
pH (E150.1)	7.1			su		9/4/2025 1:55:00 PM
Static Water Level	34.16			ft		9/4/2025 1:55:00 PM
Temp (E170.1)	22			deg C		9/4/2025 1:55:00 PM
Turb (E180.1)	5.44			ntu		9/4/2025 1:55:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Chloromethane	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Bromomethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Vinyl chloride	890	100		µg/L	100	9/17/2025 7:22:00 AM
Chloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Methylene chloride	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
Acetone	ND	500	C	µg/L	100	9/17/2025 7:22:00 AM
Carbon disulfide	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
1,1-Dichloroethene	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
trans-1,2-Dichloroethene	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
cis-1,2-Dichloroethene	6500	100		µg/L	100	9/17/2025 7:22:00 AM
Chloroform	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
2-Butanone	ND	500	C	µg/L	100	9/17/2025 7:22:00 AM
1,1,1-Trichloroethane	110	100		µg/L	100	9/17/2025 7:22:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Trichloroethene	2000	100		µg/L	100	9/17/2025 7:22:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Benzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Bromoform	ND	100		µg/L	100	9/17/2025 7:22:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/17/2025 7:22:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 9/4/2025 1:55:00 PM
Lab Sample ID: 250905090-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	500		µg/L	100	9/17/2025 7:22:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Toluene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Chlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Ethylbenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Styrene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
m,p-Xylene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
o-Xylene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Methyl tert-butyl ether	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Dichlorodifluoromethane	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
Methyl Acetate	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Cyclohexane	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,4-Dioxane	ND	10000	C	µg/L	100	9/17/2025 7:22:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	100	9/17/2025 7:22:00 AM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	100	9/17/2025 7:22:00 AM
Surr: Toluene-d8	106	79.6-115		%REC	100	9/17/2025 7:22:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 9/5/2025 11:30:00 AM
Lab Sample ID: 250905090-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	33.16			ft		9/5/2025 11:30:00 AM
Cond (E120.1)	1776			umhos/cm		9/5/2025 11:30:00 AM
diss_oxygen (E360.1)	3.96			mg/L		9/5/2025 11:30:00 AM
eH (Orion)	286			millivolts		9/5/2025 11:30:00 AM
End Depth	91.20			ft		9/5/2025 11:30:00 AM
pH (E150.1)	7.7			su		9/5/2025 11:30:00 AM
Static Water Level	32.74			ft		9/5/2025 11:30:00 AM
Temp (E170.1)	16			deg C		9/5/2025 11:30:00 AM
Turb (E180.1)	17.5			ntu		9/5/2025 11:30:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Chloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromomethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Vinyl chloride	450	100		µg/L	100	9/18/2025 11:10:00 AM
Chloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methylene chloride	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Acetone	ND	500	C	µg/L	100	9/18/2025 11:10:00 AM
Carbon disulfide	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
cis-1,2-Dichloroethene	4100	100		µg/L	100	9/18/2025 11:10:00 AM
Chloroform	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
2-Butanone	ND	500	C	µg/L	100	9/18/2025 11:10:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Trichloroethene	260	100		µg/L	100	9/18/2025 11:10:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Benzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromoform	ND	100		µg/L	100	9/18/2025 11:10:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/18/2025 11:10:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 9/5/2025 11:30:00 AM
Lab Sample ID: 250905090-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	500		µg/L	100	9/18/2025 11:10:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Toluene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Chlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Ethylbenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Styrene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
m,p-Xylene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
o-Xylene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methyl Acetate	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Cyclohexane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,4-Dioxane	ND	10000		µg/L	100	9/18/2025 11:10:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	9/18/2025 11:10:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	100	9/18/2025 11:10:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	100	9/18/2025 11:10:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 9/4/2025 10:25:00 AM
Lab Sample ID: 250905090-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	29.23			ft		9/4/2025 10:25:00 AM
Cond (E120.1)	616			umhos/cm		9/4/2025 10:25:00 AM
diss_oxygen (E360.1)	3.17			mg/L		9/4/2025 10:25:00 AM
eH (Orion)	188			millivolts		9/4/2025 10:25:00 AM
End Depth	36.79			ft		9/4/2025 10:25:00 AM
pH (E150.1)	7.6			su		9/4/2025 10:25:00 AM
Static Water Level	29.19			ft		9/4/2025 10:25:00 AM
Temp (E170.1)	16			deg C		9/4/2025 10:25:00 AM
Turb (E180.1)	51.0			ntu		9/4/2025 10:25:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Chloromethane	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Bromomethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Vinyl chloride	100	25		µg/L	25	9/17/2025 7:00:00 AM
Chloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Methylene chloride	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
Acetone	ND	120	C	µg/L	25	9/17/2025 7:00:00 AM
Carbon disulfide	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
1,1-Dichloroethene	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
1,1-Dichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
trans-1,2-Dichloroethene	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
cis-1,2-Dichloroethene	370	25		µg/L	25	9/17/2025 7:00:00 AM
Chloroform	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
2-Butanone	ND	120	C	µg/L	25	9/17/2025 7:00:00 AM
1,1,1-Trichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Carbon tetrachloride	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Bromodichloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichloropropane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
cis-1,3-Dichloropropene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Trichloroethene	56	25		µg/L	25	9/17/2025 7:00:00 AM
Dibromochloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2-Trichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Benzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
trans-1,3-Dichloropropene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Bromoform	ND	25		µg/L	25	9/17/2025 7:00:00 AM
4-Methyl-2-pentanone	ND	120		µg/L	25	9/17/2025 7:00:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 9/4/2025 10:25:00 AM
Lab Sample ID: 250905090-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	120		µg/L	25	9/17/2025 7:00:00 AM
Tetrachloroethene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Toluene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Chlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Ethylbenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Styrene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
m,p-Xylene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
o-Xylene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Methyl tert-butyl ether	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Dichlorodifluoromethane	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
Methyl Acetate	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
Trichlorofluoromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Cyclohexane	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Methyl Cyclohexane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dibromoethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,3-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Isopropylbenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,4-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,4-Dioxane	ND	2500	C	µg/L	25	9/17/2025 7:00:00 AM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	25	9/17/2025 7:00:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	25	9/17/2025 7:00:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	25	9/17/2025 7:00:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	32.62			ft		9/3/2025 3:15:00 PM
Cond (E120.1)	1138			umhos/cm		9/3/2025 3:15:00 PM
diss_oxygen (E360.1)	0.26			mg/L		9/3/2025 3:15:00 PM
eH (Orion)	- 105.4			millivolts		9/3/2025 3:15:00 PM
End Depth	52.50			ft		9/3/2025 3:15:00 PM
pH (E150.1)	7.3			su		9/3/2025 3:15:00 PM
Static Water Level	33.74			ft		9/3/2025 3:15:00 PM
Temp (E170.1)	17			deg C		9/3/2025 3:15:00 PM
Turb (E180.1)	43.6			ntu		9/3/2025 3:15:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Vinyl chloride	770	50		µg/L	50	9/16/2025 4:22:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:22:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
cis-1,2-Dichloroethene	1800	50	N+	µg/L	50	9/16/2025 4:22:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:22:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	NC	µg/L	50	9/16/2025 4:22:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:22:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	50	9/16/2025 4:22:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	50	9/16/2025 4:22:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/16/2025 4:22:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	32.62			ft		9/3/2025 3:15:00 PM
Cond (E120.1)	1138			umhos/cm		9/3/2025 3:15:00 PM
diss_oxygen (E360.1)	0.26			mg/L		9/3/2025 3:15:00 PM
eH (Orion)	- 105.4			millivolts		9/3/2025 3:15:00 PM
End Depth	52.50			ft		9/3/2025 3:15:00 PM
pH (E150.1)	7.3			su		9/3/2025 3:15:00 PM
Static Water Level	33.74			ft		9/3/2025 3:15:00 PM
Temp (E170.1)	17			deg C		9/3/2025 3:15:00 PM
Turb (E180.1)	43.6			ntu		9/3/2025 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Vinyl chloride	720	50		µg/L	50	9/16/2025 4:44:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:44:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
cis-1,2-Dichloroethene	1600	50		µg/L	50	9/16/2025 4:44:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:44:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:44:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	50	9/16/2025 4:44:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	50	9/16/2025 4:44:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/16/2025 4:44:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 9/5/2025 11:00:00 AM
Lab Sample ID: 250905090-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	10.20			ft		9/5/2025 11:00:00 AM
Cond (E120.1)	1704			umhos/cm		9/5/2025 11:00:00 AM
diss_oxygen (E360.1)	1.86			mg/L		9/5/2025 11:00:00 AM
eH (Orion)	349.6			millivolts		9/5/2025 11:00:00 AM
End Depth	6.85			ft		9/5/2025 11:00:00 AM
pH (E150.1)	6.8			su		9/5/2025 11:00:00 AM
Static Water Level	9.96			ft		9/5/2025 11:00:00 AM
Temp (E170.1)	19			deg C		9/5/2025 11:00:00 AM
Turb (E180.1)	41.4			ntu		9/5/2025 11:00:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 11:30:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
cis-1,2-Dichloroethene	1.3	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 11:30:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 11:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 9/5/2025 11:00:00 AM
Lab Sample ID: 250905090-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 11:30:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 11:30:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/18/2025 11:30:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/18/2025 11:30:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/18/2025 11:30:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 9/3/2025 2:10:00 PM
Lab Sample ID: 250905090-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	23.81			ft		9/3/2025 2:10:00 PM
Cond (E120.1)	3778			umhos/cm		9/3/2025 2:10:00 PM
diss_oxygen (E360.1)	2.43			mg/L		9/3/2025 2:10:00 PM
eH (Orion)	- 87.5			millivolts		9/3/2025 2:10:00 PM
End Depth	30.21			ft		9/3/2025 2:10:00 PM
pH (E150.1)	11.9			su		9/3/2025 2:10:00 PM
Static Water Level	24.35			ft		9/3/2025 2:10:00 PM
Temp (E170.1)	17			deg C		9/3/2025 2:10:00 PM
Turb (E180.1)	10.2			ntu		9/3/2025 2:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Vinyl chloride	5.5	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Acetone	40	5.0	C	µg/L	1	9/16/2025 2:58:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
cis-1,2-Dichloroethene	21	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Trichloroethene	5.8	1.0		µg/L	1	9/16/2025 2:58:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 9/3/2025 2:10:00 PM
Lab Sample ID: 250905090-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Toluene	1.0	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:58:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/16/2025 2:58:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/16/2025 2:58:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/16/2025 2:58:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 9/5/2025 11:15:00 AM
Lab Sample ID: 250905090-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	47.34			ft		9/5/2025 11:15:00 AM
Cond (E120.1)	1117			umhos/cm		9/5/2025 11:15:00 AM
diss_oxygen (E360.1)	3.77			mg/L		9/5/2025 11:15:00 AM
eH (Orion)	301.3			millivolts		9/5/2025 11:15:00 AM
End Depth	127.16			ft		9/5/2025 11:15:00 AM
pH (E150.1)	7.4			su		9/5/2025 11:15:00 AM
Static Water Level	47.73			ft		9/5/2025 11:15:00 AM
Temp (E170.1)	17			deg C		9/5/2025 11:15:00 AM
Turb (E180.1)	17.3			ntu		9/5/2025 11:15:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Chloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromomethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Vinyl chloride	550	100		µg/L	100	9/18/2025 11:52:00 AM
Chloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methylene chloride	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Acetone	ND	500	C	µg/L	100	9/18/2025 11:52:00 AM
Carbon disulfide	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
cis-1,2-Dichloroethene	4800	100		µg/L	100	9/18/2025 11:52:00 AM
Chloroform	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
2-Butanone	ND	500	C	µg/L	100	9/18/2025 11:52:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Trichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Benzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromoform	ND	100		µg/L	100	9/18/2025 11:52:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/18/2025 11:52:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 9/5/2025 11:15:00 AM
Lab Sample ID: 250905090-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	500		µg/L	100	9/18/2025 11:52:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Toluene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Chlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Ethylbenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Styrene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
m,p-Xylene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
o-Xylene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methyl Acetate	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Cyclohexane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,4-Dioxane	ND	10000		µg/L	100	9/18/2025 11:52:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	9/18/2025 11:52:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	100	9/18/2025 11:52:00 AM
Surr: Toluene-d8	106	79.6-115		%REC	100	9/18/2025 11:52:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 9/2/2025 1:15:00 PM
Lab Sample ID: 250905090-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	14.68			ft		9/2/2025 1:15:00 PM
Cond (E120.1)	698			umhos/cm		9/2/2025 1:15:00 PM
diss_oxygen (E360.1)	0.05			mg/L		9/2/2025 1:15:00 PM
eH (Orion)	- 233.8			millivolts		9/2/2025 1:15:00 PM
End Depth	23.98			ft		9/2/2025 1:15:00 PM
pH (E150.1)	7.7			su		9/2/2025 1:15:00 PM
Static Water Level	14.72			ft		9/2/2025 1:15:00 PM
Temp (E170.1)	25			deg C		9/2/2025 1:15:00 PM
Turb (E180.1)	38.9			ntu		9/2/2025 1:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:37:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 9/2/2025 1:15:00 PM
Lab Sample ID: 250905090-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:37:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:37:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Surr: 1,2-Dichloroethane-d4	114	80.3-122		%REC	1	9/15/2025 1:37:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/15/2025 1:37:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/15/2025 1:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 9/3/2025 1:50:00 PM
Lab Sample ID: 250905090-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	41.33			ft		9/3/2025 1:50:00 PM
Cond (E120.1)	587			umhos/cm		9/3/2025 1:50:00 PM
diss_oxygen (E360.1)	1.11			mg/L		9/3/2025 1:50:00 PM
eH (Orion)	- 126.1			millivolts		9/3/2025 1:50:00 PM
End Depth	69.30			ft		9/3/2025 1:50:00 PM
pH (E150.1)	10.9			su		9/3/2025 1:50:00 PM
Static Water Level	39.02			ft		9/3/2025 1:50:00 PM
Temp (E170.1)	16			deg C		9/3/2025 1:50:00 PM
Turb (E180.1)	10.1			ntu		9/3/2025 1:50:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Acetone	6.8	5.0	C	µg/L	1	9/16/2025 3:18:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 9/3/2025 1:50:00 PM
Lab Sample ID: 250905090-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 3:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/16/2025 3:18:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/16/2025 3:18:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 3:18:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25**CLIENT:** Central Hudson Gas & Electric**Client Sample ID:** MW94-2**Work Order:** 250905090**Collection Date:** 9/2/2025 10:30:00 AM**Reference:** Little Britain Road Site / Little Britain Road**Lab Sample ID:** 250905090-030**PO#:** 37681**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Observation	Dry			NA		9/2/2025 10:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 9/2/2025 12:30:00 PM
Lab Sample ID: 250905090-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	14.94			ft		9/2/2025 12:30:00 PM
Cond (E120.1)	2053			umhos/cm		9/2/2025 12:30:00 PM
diss_oxygen (E360.1)	1.93			mg/L		9/2/2025 12:30:00 PM
eH (Orion)	112.1			millivolts		9/2/2025 12:30:00 PM
End Depth	14.94			ft		9/2/2025 12:30:00 PM
pH (E150.1)	7.0			su		9/2/2025 12:30:00 PM
Static Water Level	14.95			ft		9/2/2025 12:30:00 PM
Temp (E170.1)	16			deg C		9/2/2025 12:30:00 PM
Turb (E180.1)	14.0			ntu		9/2/2025 12:30:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:57:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Trichloroethene	0.6	1.0	J	µg/L	1	9/15/2025 1:57:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:57:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 9/2/2025 12:30:00 PM
Lab Sample ID: 250905090-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:57:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:57:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 1:57:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/15/2025 1:57:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 1:57:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25**CLIENT:** Central Hudson Gas & Electric**Client Sample ID:** MW01-8A**Work Order:** 250905090**Collection Date:** 9/2/2025 11:00:00 AM**Reference:** Little Britain Road Site / Little Britain Road**Lab Sample ID:** 250905090-032**PO#:** 37681**Matrix:** GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Observation	Dry			NA		9/2/2025 11:00:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 9/4/2025 11:10:00 AM
Lab Sample ID: 250905090-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	0.00			ft		9/4/2025 11:10:00 AM
Cond (E120.1)	577			umhos/cm		9/4/2025 11:10:00 AM
diss_oxygen (E360.1)	8.50			mg/L		9/4/2025 11:10:00 AM
eH (Orion)	115.4			millivolts		9/4/2025 11:10:00 AM
End Depth	0.00			ft		9/4/2025 11:10:00 AM
pH (E150.1)	8.9			su		9/4/2025 11:10:00 AM
Static Water Level	0.00			ft		9/4/2025 11:10:00 AM
Temp (E170.1)	23			deg C		9/4/2025 11:10:00 AM
Turb (E180.1)	14.1			ntu		9/4/2025 11:10:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:34:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:34:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:34:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 9/4/2025 11:10:00 AM
Lab Sample ID: 250905090-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:34:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:34:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/17/2025 4:34:00 AM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	9/17/2025 4:34:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/17/2025 4:34:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 9/4/2025 2:50:00 PM
Lab Sample ID: 250905090-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:54:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:54:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:54:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:54:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 9/4/2025 2:50:00 PM
Lab Sample ID: 250905090-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:54:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 4:54:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/17/2025 4:54:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/17/2025 4:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 9/2/2025 2:15:00 PM
Lab Sample ID: 250905090-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	43.61			ft		9/2/2025 2:15:00 PM
Cond (E120.1)	962			umhos/cm		9/2/2025 2:15:00 PM
diss_oxygen (E360.1)	3.88			mg/L		9/2/2025 2:15:00 PM
eH (Orion)	137.5			millivolts		9/2/2025 2:15:00 PM
End Depth	86.13			ft		9/2/2025 2:15:00 PM
pH (E150.1)	7.4			su		9/2/2025 2:15:00 PM
Static Water Level	43.01			ft		9/2/2025 2:15:00 PM
Temp (E170.1)	17			deg C		9/2/2025 2:15:00 PM
Turb (E180.1)	264			ntu		9/2/2025 2:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 4:48:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
cis-1,2-Dichloroethene	6.2	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Trichloroethene	19	1.0		µg/L	1	9/15/2025 4:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 4:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 9/2/2025 2:15:00 PM
Lab Sample ID: 250905090-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 4:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 4:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/15/2025 4:48:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/15/2025 4:48:00 PM
Surr: Toluene-d8	113	79.6-115		%REC	1	9/15/2025 4:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 9/2/2025 1:30:00 PM
Lab Sample ID: 250905090-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	45.65			ft		9/2/2025 1:30:00 PM
Cond (E120.1)	1042			umhos/cm		9/2/2025 1:30:00 PM
diss_oxygen (E360.1)	3.65			mg/L		9/2/2025 1:30:00 PM
eH (Orion)	139.7			millivolts		9/2/2025 1:30:00 PM
End Depth	76.25			ft		9/2/2025 1:30:00 PM
pH (E150.1)	7.4			su		9/2/2025 1:30:00 PM
Static Water Level	45.65			ft		9/2/2025 1:30:00 PM
Temp (E170.1)	17			deg C		9/2/2025 1:30:00 PM
Turb (E180.1)	4.90			ntu		9/2/2025 1:30:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:08:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
cis-1,2-Dichloroethene	25	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Trichloroethene	32	1.0		µg/L	1	9/15/2025 5:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 9/2/2025 1:30:00 PM
Lab Sample ID: 250905090-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/15/2025 5:08:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 5:08:00 PM
Surr: Toluene-d8	112	79.6-115		%REC	1	9/15/2025 5:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 9/4/2025 11:40:00 AM
Lab Sample ID: 250905090-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	28.47			ft		9/4/2025 11:40:00 AM
Cond (E120.1)	178			umhos/cm		9/4/2025 11:40:00 AM
diss_oxygen (E360.1)	0.36			mg/L		9/4/2025 11:40:00 AM
eH (Orion)	- 142.2			millivolts		9/4/2025 11:40:00 AM
End Depth	33.30			ft		9/4/2025 11:40:00 AM
pH (E150.1)	10.5			su		9/4/2025 11:40:00 AM
Static Water Level	28.24			ft		9/4/2025 11:40:00 AM
Temp (E170.1)	18			deg C		9/4/2025 11:40:00 AM
Turb (E180.1)	11.7			ntu		9/4/2025 11:40:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Vinyl chloride	7.7	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
Acetone	5.8	5.0	C	µg/L	1	9/17/2025 5:14:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
cis-1,2-Dichloroethene	7.9	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:14:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:14:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 9/4/2025 11:40:00 AM
Lab Sample ID: 250905090-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:14:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:14:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 5:14:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/17/2025 5:14:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/17/2025 5:14:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 9/3/2025 3:30:00 PM
Lab Sample ID: 250905090-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	30.41			ft		9/3/2025 3:30:00 PM
Cond (E120.1)	673			umhos/cm		9/3/2025 3:30:00 PM
diss_oxygen (E360.1)	4.85			mg/L		9/3/2025 3:30:00 PM
eH (Orion)	80.3			millivolts		9/3/2025 3:30:00 PM
End Depth	58.71			ft		9/3/2025 3:30:00 PM
pH (E150.1)	7.4			su		9/3/2025 3:30:00 PM
Static Water Level	30.41			ft		9/3/2025 3:30:00 PM
Temp (E170.1)	17			deg C		9/3/2025 3:30:00 PM
Turb (E180.1)	995			ntu		9/3/2025 3:30:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 3:38:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - LCS Spike below accepted limits (+ above)
J - Analyte detected below quantitation limits Z - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank N - Matrix Spike below accepted limits (+ above)
X - Value exceeds Maximum Contaminant Level T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range-Estimate

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 9/3/2025 3:30:00 PM
Lab Sample ID: 250905090-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 3:38:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/16/2025 3:38:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	9/16/2025 3:38:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 3:38:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 9/4/2025 11:55:00 AM
Lab Sample ID: 250905090-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	46.31			ft		9/4/2025 11:55:00 AM
Cond (E120.1)	840			umhos/cm		9/4/2025 11:55:00 AM
diss_oxygen (E360.1)	1.16			mg/L		9/4/2025 11:55:00 AM
eH (Orion)	151.9			millivolts		9/4/2025 11:55:00 AM
End Depth	46.40			ft		9/4/2025 11:55:00 AM
pH (E150.1)	7.0			su		9/4/2025 11:55:00 AM
Static Water Level	46.17			ft		9/4/2025 11:55:00 AM
Temp (E170.1)	14			deg C		9/4/2025 11:55:00 AM
Turb (E180.1)	> 1100			ntu		9/4/2025 11:55:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 5:34:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:34:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:34:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 9/4/2025 11:55:00 AM
Lab Sample ID: 250905090-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:34:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:34:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/17/2025 5:34:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	9/17/2025 5:34:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 5:34:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 9/4/2025 1:15:00 PM
Lab Sample ID: 250905090-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	46.90			ft		9/4/2025 1:15:00 PM
Cond (E120.1)	758			umhos/cm		9/4/2025 1:15:00 PM
diss_oxygen (E360.1)	1.63			mg/L		9/4/2025 1:15:00 PM
eH (Orion)	149.1			millivolts		9/4/2025 1:15:00 PM
End Depth	47.12			ft		9/4/2025 1:15:00 PM
pH (E150.1)	7.1			su		9/4/2025 1:15:00 PM
Static Water Level	46.12			ft		9/4/2025 1:15:00 PM
Temp (E170.1)	18			deg C		9/4/2025 1:15:00 PM
Turb (E180.1)	> 1100			ntu		9/4/2025 1:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 5:53:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:53:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:53:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 9/4/2025 1:15:00 PM
Lab Sample ID: 250905090-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:53:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:53:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 5:53:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/17/2025 5:53:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 5:53:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 9/4/2025 3:00:00 PM
Lab Sample ID: 250905090-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	41.34			ft		9/4/2025 3:00:00 PM
Cond (E120.1)	1152			umhos/cm		9/4/2025 3:00:00 PM
diss_oxygen (E360.1)	0.98			mg/L		9/4/2025 3:00:00 PM
eH (Orion)	196.7			millivolts		9/4/2025 3:00:00 PM
End Depth	61.54			ft		9/4/2025 3:00:00 PM
pH (E150.1)	7.6			su		9/4/2025 3:00:00 PM
Static Water Level	41.12			ft		9/4/2025 3:00:00 PM
Temp (E170.1)	15			deg C		9/4/2025 3:00:00 PM
Turb (E180.1)	16.4			ntu		9/4/2025 3:00:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Chloromethane	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Bromomethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Vinyl chloride	1000	50		µg/L	50	9/17/2025 6:15:00 AM
Chloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Methylene chloride	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM
Acetone	ND	250	C	µg/L	50	9/17/2025 6:15:00 AM
Carbon disulfide	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
1,1-Dichloroethene	54	50	SC	µg/L	50	9/17/2025 6:15:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
cis-1,2-Dichloroethene	6700	50		µg/L	50	9/17/2025 6:15:00 AM
Chloroform	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
2-Butanone	ND	250	C	µg/L	50	9/17/2025 6:15:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Carbon tetrachloride	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Bromodichloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Trichloroethene	1900	50		µg/L	50	9/17/2025 6:15:00 AM
Dibromochloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Benzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Bromoform	ND	50		µg/L	50	9/17/2025 6:15:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/17/2025 6:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 9/4/2025 3:00:00 PM
Lab Sample ID: 250905090-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	9/17/2025 6:15:00 AM
Tetrachloroethene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Toluene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Chlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Ethylbenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Styrene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
m,p-Xylene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
o-Xylene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM
Methyl Acetate	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Cyclohexane	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Isopropylbenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,4-Dioxane	ND	5000	C	µg/L	50	9/17/2025 6:15:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	50	9/17/2025 6:15:00 AM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	50	9/17/2025 6:15:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	50	9/17/2025 6:15:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 9/4/2025 2:40:00 PM
Lab Sample ID: 250905090-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	41.55			ft		9/4/2025 2:40:00 PM
Cond (E120.1)	1080			umhos/cm		9/4/2025 2:40:00 PM
diss_oxygen (E360.1)	3.24			mg/L		9/4/2025 2:40:00 PM
eH (Orion)	156.9			millivolts		9/4/2025 2:40:00 PM
End Depth	176.12			ft		9/4/2025 2:40:00 PM
pH (E150.1)	7.8			su		9/4/2025 2:40:00 PM
Static Water Level	41.36			ft		9/4/2025 2:40:00 PM
Temp (E170.1)	15			deg C		9/4/2025 2:40:00 PM
Turb (E180.1)	19.0			ntu		9/4/2025 2:40:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Chloromethane	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Bromomethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Vinyl chloride	870	50		µg/L	50	9/17/2025 6:38:00 AM
Chloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Methylene chloride	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
Acetone	ND	250	C	µg/L	50	9/17/2025 6:38:00 AM
Carbon disulfide	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
1,1-Dichloroethene	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
cis-1,2-Dichloroethene	4400	50		µg/L	50	9/17/2025 6:38:00 AM
Chloroform	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
2-Butanone	ND	250	C	µg/L	50	9/17/2025 6:38:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Carbon tetrachloride	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Bromodichloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Trichloroethene	60	50		µg/L	50	9/17/2025 6:38:00 AM
Dibromochloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Benzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Bromoform	ND	50		µg/L	50	9/17/2025 6:38:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/17/2025 6:38:00 AM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 9/4/2025 2:40:00 PM
Lab Sample ID: 250905090-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	9/17/2025 6:38:00 AM
Tetrachloroethene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Toluene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Chlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Ethylbenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Styrene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
m,p-Xylene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
o-Xylene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
Methyl Acetate	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Cyclohexane	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Isopropylbenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,4-Dioxane	ND	5000	C	µg/L	50	9/17/2025 6:38:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	50	9/17/2025 6:38:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	50	9/17/2025 6:38:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/17/2025 6:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 9/2/2025 3:10:00 PM
Lab Sample ID: 250905090-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	57.09			ft		9/2/2025 3:10:00 PM
Cond (E120.1)	1576			umhos/cm		9/2/2025 3:10:00 PM
diss_oxygen (E360.1)	2.74			mg/L		9/2/2025 3:10:00 PM
eH (Orion)	27.8			millivolts		9/2/2025 3:10:00 PM
End Depth	57.13			ft		9/2/2025 3:10:00 PM
pH (E150.1)	7.5			su		9/2/2025 3:10:00 PM
Static Water Level	57.09			ft		9/2/2025 3:10:00 PM
Temp (E170.1)	18			deg C		9/2/2025 3:10:00 PM
Turb (E180.1)	419			ntu		9/2/2025 3:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:28:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
cis-1,2-Dichloroethene	9.0	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Trichloroethene	59	1.0		µg/L	1	9/15/2025 5:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 9/2/2025 3:10:00 PM
Lab Sample ID: 250905090-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Surr: 1,2-Dichloroethane-d4	115	80.3-122		%REC	1	9/15/2025 5:28:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	9/15/2025 5:28:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 5:28:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 9/2/2025
Lab Sample ID: 250905090-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:48:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 9/2/2025
Lab Sample ID: 250905090-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 5:48:00 PM
Surr: 4-Bromofluorobenzene	116	74.1-124		%REC	1	9/15/2025 5:48:00 PM
Surr: Toluene-d8	113	79.6-115		%REC	1	9/15/2025 5:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:07:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
cis-1,2-Dichloroethene	3.7	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Trichloroethene	14	1.0		µg/L	1	9/15/2025 6:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:07:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:07:00 PM
Surr: 1,2-Dichloroethane-d4	116	80.3-122		%REC	1	9/15/2025 6:07:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	9/15/2025 6:07:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 6:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 9/2/2025 12:20:00 PM
Lab Sample ID: 250905090-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 12:58:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 12:58:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 12:58:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 12:58:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 9/2/2025 12:20:00 PM
Lab Sample ID: 250905090-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 12:58:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 12:58:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 12:58:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 12:58:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 12:58:00 PM
Surr: Toluene-d8	111	79.6-115		%REC	1	9/15/2025 12:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 9/4/2025 2:15:00 PM
Lab Sample ID: 250905090-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:15:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:15:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:15:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:15:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 9/4/2025 2:15:00 PM
Lab Sample ID: 250905090-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:15:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:15:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:15:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:15:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	9/17/2025 3:15:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	9/17/2025 3:15:00 AM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/17/2025 3:15:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 9/2/2025 3:25:00 PM
Lab Sample ID: 250905090-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:18:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:18:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 9/2/2025 3:25:00 PM
Lab Sample ID: 250905090-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:18:00 PM
Surr: 1,2-Dichloroethane-d4	115	80.3-122		%REC	1	9/15/2025 1:18:00 PM
Surr: 4-Bromofluorobenzene	113	74.1-124		%REC	1	9/15/2025 1:18:00 PM
Surr: Toluene-d8	112	79.6-115		%REC	1	9/15/2025 1:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 9/5/2025 12:15:00 PM
Lab Sample ID: 250905090-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 10:06:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 10:06:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 10:06:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 10:06:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 9/5/2025 12:15:00 PM
Lab Sample ID: 250905090-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 10:06:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:06:00 AM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	9/18/2025 10:06:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/18/2025 10:06:00 AM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/18/2025 10:06:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 9/5/2025 11:40:00 AM
Lab Sample ID: 250905090-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Vinyl chloride	2.0	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 10:26:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
cis-1,2-Dichloroethene	3.6	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 10:26:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Trichloroethene	1.4	1.0		µg/L	1	9/18/2025 10:26:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 10:26:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 10:26:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 9/5/2025 11:40:00 AM
Lab Sample ID: 250905090-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 10:26:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 10:26:00 AM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	1	9/18/2025 10:26:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/18/2025 10:26:00 AM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/18/2025 10:26:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 9/3/2025 11:10:00 AM
Lab Sample ID: 250905090-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:27:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
cis-1,2-Dichloroethene	1.4	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Trichloroethene	2.6	1.0		µg/L	1	9/15/2025 6:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:27:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 9/3/2025 11:10:00 AM
Lab Sample ID: 250905090-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:27:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 6:27:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 6:27:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 6:27:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 9/4/2025 11:35:00 AM
Lab Sample ID: 250905090-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:35:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:35:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Trichloroethene	2.2	1.0		µg/L	1	9/17/2025 3:35:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:35:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:35:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 9/4/2025 11:35:00 AM
Lab Sample ID: 250905090-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:35:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:35:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:35:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:35:00 AM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/17/2025 3:35:00 AM
Surr: 4-Bromofluorobenzene	115	74.1-124		%REC	1	9/17/2025 3:35:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 3:35:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 9/5/2025 11:50:00 AM
Lab Sample ID: 250905090-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromomethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Vinyl chloride	61	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methylene chloride	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Acetone	230	10	C	µg/L	2	9/18/2025 10:48:00 AM
Carbon disulfide	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1-Dichloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1-Dichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
cis-1,2-Dichloroethene	140	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chloroform	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
2-Butanone	ND	10	C	µg/L	2	9/18/2025 10:48:00 AM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Carbon tetrachloride	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromodichloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichloropropane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Trichloroethene	68	2.0		µg/L	2	9/18/2025 10:48:00 AM
Dibromochloromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Benzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Bromoform	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	2	9/18/2025 10:48:00 AM
2-Hexanone	ND	10		µg/L	2	9/18/2025 10:48:00 AM
Tetrachloroethene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Toluene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Chlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Ethylbenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Styrene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
m,p-Xylene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
o-Xylene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methyl tert-butyl ether	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Dichlorodifluoromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 9/5/2025 11:50:00 AM
Lab Sample ID: 250905090-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Trichlorofluoromethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Cyclohexane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Methyl Cyclohexane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dibromoethane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Isopropylbenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
1,4-Dioxane	ND	200		µg/L	2	9/18/2025 10:48:00 AM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	9/18/2025 10:48:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	2	9/18/2025 10:48:00 AM
Surr: 4-Bromofluorobenzene	111	74.1-124		%REC	2	9/18/2025 10:48:00 AM
Surr: Toluene-d8	103	79.6-115		%REC	2	9/18/2025 10:48:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 9/3/2025 9:20:00 AM
Lab Sample ID: 250905090-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Vinyl chloride	1400	50		µg/L	50	9/16/2025 4:00:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:00:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
cis-1,2-Dichloroethene	4500	50		µg/L	50	9/16/2025 4:00:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:00:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:00:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 9/3/2025 9:20:00 AM
Lab Sample ID: 250905090-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	C	µg/L	50	9/16/2025 4:00:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:00:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:00:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	50	9/16/2025 4:00:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	50	9/16/2025 4:00:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	50	9/16/2025 4:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 9/3/2025 11:15:00 AM
Lab Sample ID: 250905090-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Chloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromomethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Vinyl chloride	260	10		µg/L	10	9/16/2025 8:02:00 PM
Chloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methylene chloride	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
Acetone	ND	50	C	µg/L	10	9/16/2025 8:02:00 PM
Carbon disulfide	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
1,1-Dichloroethene	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
trans-1,2-Dichloroethene	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
cis-1,2-Dichloroethene	640	10		µg/L	10	9/16/2025 8:02:00 PM
Chloroform	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
2-Butanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Carbon tetrachloride	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromodichloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Trichloroethene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Dibromochloromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Benzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Bromoform	ND	10		µg/L	10	9/16/2025 8:02:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM
2-Hexanone	ND	50		µg/L	10	9/16/2025 8:02:00 PM
Tetrachloroethene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Toluene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Chlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Ethylbenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Styrene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
m,p-Xylene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
o-Xylene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methyl tert-butyl ether	ND	10	C	µg/L	10	9/16/2025 8:02:00 PM
Dichlorodifluoromethane	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 9/3/2025 11:15:00 AM
Lab Sample ID: 250905090-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10	SC	µg/L	10	9/16/2025 8:02:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Cyclohexane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Isopropylbenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
1,4-Dioxane	ND	1000		µg/L	10	9/16/2025 8:02:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	9/16/2025 8:02:00 PM
Surr: 1,2-Dichloroethane-d4	106	80.3-122		%REC	10	9/16/2025 8:02:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	10	9/16/2025 8:02:00 PM
Surr: Toluene-d8	108	79.6-115		%REC	10	9/16/2025 8:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 9/3/2025 1:25:00 PM
Lab Sample ID: 250905090-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 6:47:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
cis-1,2-Dichloroethene	2.4	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 6:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Trichloroethene	1.1	1.0		µg/L	1	9/15/2025 6:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 6:47:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 6:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 9/3/2025 1:25:00 PM
Lab Sample ID: 250905090-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 6:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 6:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 6:47:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 6:47:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 6:47:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/15/2025 6:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 9/3/2025 10:30:00 AM
Lab Sample ID: 250905090-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:07:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
cis-1,2-Dichloroethene	3.5	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:07:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 9/3/2025 10:30:00 AM
Lab Sample ID: 250905090-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:07:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 7:07:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/15/2025 7:07:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 7:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 9/4/2025 10:00:00 AM
Lab Sample ID: 250905090-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 3:55:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
cis-1,2-Dichloroethene	3.7	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 3:55:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Trichloroethene	2.2	1.0		µg/L	1	9/17/2025 3:55:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 3:55:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 3:55:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 9/4/2025 10:00:00 AM
Lab Sample ID: 250905090-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 3:55:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 3:55:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 3:55:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 3:55:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	9/17/2025 3:55:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/17/2025 3:55:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/17/2025 3:55:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 9/3/2025 2:55:00 PM
Lab Sample ID: 250905090-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:27:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:27:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 9/3/2025 2:55:00 PM
Lab Sample ID: 250905090-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:27:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 7:27:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 7:27:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 7:27:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 7:46:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 7:46:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 7:46:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 7:46:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 7:46:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 7:46:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 7:46:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/15/2025 7:46:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/15/2025 7:46:00 PM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/15/2025 7:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 2:19:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:19:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B Dup
Collection Date: 9/3/2025 12:55:00 PM
Lab Sample ID: 250905090-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:19:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:19:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:19:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/16/2025 2:19:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	9/16/2025 2:19:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 2:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Vinyl chloride	8.0	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 2:38:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
cis-1,2-Dichloroethene	73	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Trichloroethene	6.0	1.0		µg/L	1	9/16/2025 2:38:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:38:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 9/3/2025 12:05:00 PM
Lab Sample ID: 250905090-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:38:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:38:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:38:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/16/2025 2:38:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/16/2025 2:38:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/16/2025 2:38:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 9/4/2025 10:55:00 AM
Lab Sample ID: 250905090-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:15:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:15:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Trichloroethene	3.7	1.0		µg/L	1	9/17/2025 4:15:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:15:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:15:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 9/4/2025 10:55:00 AM
Lab Sample ID: 250905090-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:15:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:15:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:15:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:15:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/17/2025 4:15:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/17/2025 4:15:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 4:15:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 9/4/2025 1:55:00 PM
Lab Sample ID: 250905090-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Chloromethane	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Bromomethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Vinyl chloride	890	100		µg/L	100	9/17/2025 7:22:00 AM
Chloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Methylene chloride	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
Acetone	ND	500	C	µg/L	100	9/17/2025 7:22:00 AM
Carbon disulfide	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
1,1-Dichloroethene	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
trans-1,2-Dichloroethene	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
cis-1,2-Dichloroethene	6500	100		µg/L	100	9/17/2025 7:22:00 AM
Chloroform	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
2-Butanone	ND	500	C	µg/L	100	9/17/2025 7:22:00 AM
1,1,1-Trichloroethane	110	100		µg/L	100	9/17/2025 7:22:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Trichloroethene	2000	100		µg/L	100	9/17/2025 7:22:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Benzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Bromoform	ND	100		µg/L	100	9/17/2025 7:22:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/17/2025 7:22:00 AM
2-Hexanone	ND	500		µg/L	100	9/17/2025 7:22:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Toluene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Chlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Ethylbenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Styrene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
m,p-Xylene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
o-Xylene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Methyl tert-butyl ether	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Dichlorodifluoromethane	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 9/4/2025 1:55:00 PM
Lab Sample ID: 250905090-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100	SC	µg/L	100	9/17/2025 7:22:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Cyclohexane	ND	100	C	µg/L	100	9/17/2025 7:22:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
1,4-Dioxane	ND	10000	C	µg/L	100	9/17/2025 7:22:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/17/2025 7:22:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	100	9/17/2025 7:22:00 AM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	100	9/17/2025 7:22:00 AM
Surr: Toluene-d8	106	79.6-115		%REC	100	9/17/2025 7:22:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 9/5/2025 11:30:00 AM
Lab Sample ID: 250905090-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Chloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromomethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Vinyl chloride	450	100		µg/L	100	9/18/2025 11:10:00 AM
Chloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methylene chloride	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Acetone	ND	500	C	µg/L	100	9/18/2025 11:10:00 AM
Carbon disulfide	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
cis-1,2-Dichloroethene	4100	100		µg/L	100	9/18/2025 11:10:00 AM
Chloroform	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
2-Butanone	ND	500	C	µg/L	100	9/18/2025 11:10:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Trichloroethene	260	100		µg/L	100	9/18/2025 11:10:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Benzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Bromoform	ND	100		µg/L	100	9/18/2025 11:10:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/18/2025 11:10:00 AM
2-Hexanone	ND	500		µg/L	100	9/18/2025 11:10:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Toluene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Chlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Ethylbenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Styrene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
m,p-Xylene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
o-Xylene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 9/5/2025 11:30:00 AM
Lab Sample ID: 250905090-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Cyclohexane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
1,4-Dioxane	ND	10000		µg/L	100	9/18/2025 11:10:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:10:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	9/18/2025 11:10:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	100	9/18/2025 11:10:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	100	9/18/2025 11:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 9/4/2025 10:25:00 AM
Lab Sample ID: 250905090-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Chloromethane	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Bromomethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Vinyl chloride	100	25		µg/L	25	9/17/2025 7:00:00 AM
Chloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Methylene chloride	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
Acetone	ND	120	C	µg/L	25	9/17/2025 7:00:00 AM
Carbon disulfide	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
1,1-Dichloroethene	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
1,1-Dichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
trans-1,2-Dichloroethene	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
cis-1,2-Dichloroethene	370	25		µg/L	25	9/17/2025 7:00:00 AM
Chloroform	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
2-Butanone	ND	120	C	µg/L	25	9/17/2025 7:00:00 AM
1,1,1-Trichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Carbon tetrachloride	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Bromodichloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichloropropane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
cis-1,3-Dichloropropene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Trichloroethene	56	25		µg/L	25	9/17/2025 7:00:00 AM
Dibromochloromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2-Trichloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Benzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
trans-1,3-Dichloropropene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Bromoform	ND	25		µg/L	25	9/17/2025 7:00:00 AM
4-Methyl-2-pentanone	ND	120		µg/L	25	9/17/2025 7:00:00 AM
2-Hexanone	ND	120		µg/L	25	9/17/2025 7:00:00 AM
Tetrachloroethene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Toluene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Chlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Ethylbenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Styrene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
m,p-Xylene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
o-Xylene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Methyl tert-butyl ether	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Dichlorodifluoromethane	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 9/4/2025 10:25:00 AM
Lab Sample ID: 250905090-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25	SC	µg/L	25	9/17/2025 7:00:00 AM
Trichlorofluoromethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Cyclohexane	ND	25	C	µg/L	25	9/17/2025 7:00:00 AM
Methyl Cyclohexane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dibromoethane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,3-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Isopropylbenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,4-Dichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
1,4-Dioxane	ND	2500	C	µg/L	25	9/17/2025 7:00:00 AM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	9/17/2025 7:00:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	25	9/17/2025 7:00:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	25	9/17/2025 7:00:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	25	9/17/2025 7:00:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Vinyl chloride	770	50		µg/L	50	9/16/2025 4:22:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:22:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
cis-1,2-Dichloroethene	1800	50	N+	µg/L	50	9/16/2025 4:22:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:22:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:22:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	NC	µg/L	50	9/16/2025 4:22:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:22:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:22:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	50	9/16/2025 4:22:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	50	9/16/2025 4:22:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/16/2025 4:22:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Chloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromomethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Vinyl chloride	720	50		µg/L	50	9/16/2025 4:44:00 PM
Chloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methylene chloride	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Acetone	ND	250	C	µg/L	50	9/16/2025 4:44:00 PM
Carbon disulfide	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
1,1-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
cis-1,2-Dichloroethene	1600	50		µg/L	50	9/16/2025 4:44:00 PM
Chloroform	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
2-Butanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Carbon tetrachloride	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromodichloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichloropropane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Trichloroethene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Dibromochloromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Benzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Bromoform	ND	50		µg/L	50	9/16/2025 4:44:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM
2-Hexanone	ND	250		µg/L	50	9/16/2025 4:44:00 PM
Tetrachloroethene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Toluene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Chlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Ethylbenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Styrene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
m,p-Xylene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
o-Xylene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C Dup
Collection Date: 9/3/2025 3:15:00 PM
Lab Sample ID: 250905090-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	C	µg/L	50	9/16/2025 4:44:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Cyclohexane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Isopropylbenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
1,4-Dioxane	ND	5000		µg/L	50	9/16/2025 4:44:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/16/2025 4:44:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	50	9/16/2025 4:44:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	50	9/16/2025 4:44:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/16/2025 4:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 9/5/2025 11:00:00 AM
Lab Sample ID: 250905090-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromomethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methylene chloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Acetone	ND	5.0	C	µg/L	1	9/18/2025 11:30:00 AM
Carbon disulfide	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
cis-1,2-Dichloroethene	1.3	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chloroform	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/18/2025 11:30:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Benzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Bromoform	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/18/2025 11:30:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/18/2025 11:30:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Toluene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Styrene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
o-Xylene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 9/5/2025 11:00:00 AM
Lab Sample ID: 250905090-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Cyclohexane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
1,4-Dioxane	ND	100		µg/L	1	9/18/2025 11:30:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/18/2025 11:30:00 AM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/18/2025 11:30:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/18/2025 11:30:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/18/2025 11:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 9/3/2025 2:10:00 PM
Lab Sample ID: 250905090-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Vinyl chloride	5.5	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Acetone	40	5.0	C	µg/L	1	9/16/2025 2:58:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
cis-1,2-Dichloroethene	21	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Trichloroethene	5.8	1.0		µg/L	1	9/16/2025 2:58:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 2:58:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Toluene	1.0	1.0		µg/L	1	9/16/2025 2:58:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 9/3/2025 2:10:00 PM
Lab Sample ID: 250905090-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 2:58:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 2:58:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 2:58:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/16/2025 2:58:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/16/2025 2:58:00 PM
Surr: Toluene-d8	105	79.6-115		%REC	1	9/16/2025 2:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 9/5/2025 11:15:00 AM
Lab Sample ID: 250905090-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Chloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromomethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Vinyl chloride	550	100		µg/L	100	9/18/2025 11:52:00 AM
Chloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methylene chloride	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Acetone	ND	500	C	µg/L	100	9/18/2025 11:52:00 AM
Carbon disulfide	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
cis-1,2-Dichloroethene	4800	100		µg/L	100	9/18/2025 11:52:00 AM
Chloroform	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
2-Butanone	ND	500	C	µg/L	100	9/18/2025 11:52:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Carbon tetrachloride	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromodichloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Trichloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Dibromochloromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Benzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Bromoform	ND	100		µg/L	100	9/18/2025 11:52:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	9/18/2025 11:52:00 AM
2-Hexanone	ND	500		µg/L	100	9/18/2025 11:52:00 AM
Tetrachloroethene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Toluene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Chlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Ethylbenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Styrene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
m,p-Xylene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
o-Xylene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 9/5/2025 11:15:00 AM
Lab Sample ID: 250905090-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Cyclohexane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Isopropylbenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
1,4-Dioxane	ND	10000		µg/L	100	9/18/2025 11:52:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	9/18/2025 11:52:00 AM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	100	9/18/2025 11:52:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	100	9/18/2025 11:52:00 AM
Surr: Toluene-d8	106	79.6-115		%REC	100	9/18/2025 11:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 9/2/2025 1:15:00 PM
Lab Sample ID: 250905090-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:37:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:37:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:37:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:37:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 9/2/2025 1:15:00 PM
Lab Sample ID: 250905090-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:37:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:37:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:37:00 PM
Surr: 1,2-Dichloroethane-d4	114	80.3-122		%REC	1	9/15/2025 1:37:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/15/2025 1:37:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/15/2025 1:37:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 9/3/2025 1:50:00 PM
Lab Sample ID: 250905090-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Acetone	6.8	5.0	C	µg/L	1	9/16/2025 3:18:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 3:18:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 9/3/2025 1:50:00 PM
Lab Sample ID: 250905090-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 3:18:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 3:18:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:18:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	9/16/2025 3:18:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/16/2025 3:18:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 3:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 9/2/2025 12:30:00 PM
Lab Sample ID: 250905090-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 1:57:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 1:57:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Trichloroethene	0.6	1.0	J	µg/L	1	9/15/2025 1:57:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 1:57:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 1:57:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 9/2/2025 12:30:00 PM
Lab Sample ID: 250905090-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 1:57:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 1:57:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 1:57:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	9/15/2025 1:57:00 PM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/15/2025 1:57:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 1:57:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 9/4/2025 11:10:00 AM
Lab Sample ID: 250905090-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:34:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:34:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:34:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:34:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 9/4/2025 11:10:00 AM
Lab Sample ID: 250905090-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:34:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:34:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:34:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:34:00 AM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/17/2025 4:34:00 AM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	9/17/2025 4:34:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/17/2025 4:34:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 9/4/2025 2:50:00 PM
Lab Sample ID: 250905090-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 4:54:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 4:54:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 4:54:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 4:54:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 9/4/2025 2:50:00 PM
Lab Sample ID: 250905090-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 4:54:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 4:54:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 4:54:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 4:54:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 4:54:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	1	9/17/2025 4:54:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	1	9/17/2025 4:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 9/2/2025 2:15:00 PM
Lab Sample ID: 250905090-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 4:48:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
cis-1,2-Dichloroethene	6.2	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 4:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Trichloroethene	19	1.0		µg/L	1	9/15/2025 4:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 4:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 4:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 9/2/2025 2:15:00 PM
Lab Sample ID: 250905090-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 4:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 4:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 4:48:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/15/2025 4:48:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	9/15/2025 4:48:00 PM
Surr: Toluene-d8	113	79.6-115		%REC	1	9/15/2025 4:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 9/2/2025 1:30:00 PM
Lab Sample ID: 250905090-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:08:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
cis-1,2-Dichloroethene	25	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Trichloroethene	32	1.0		µg/L	1	9/15/2025 5:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:08:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 9/2/2025 1:30:00 PM
Lab Sample ID: 250905090-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:08:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	9/15/2025 5:08:00 PM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/15/2025 5:08:00 PM
Surr: Toluene-d8	112	79.6-115		%REC	1	9/15/2025 5:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 9/4/2025 11:40:00 AM
Lab Sample ID: 250905090-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Vinyl chloride	7.7	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
Acetone	5.8	5.0	C	µg/L	1	9/17/2025 5:14:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
cis-1,2-Dichloroethene	7.9	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:14:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:14:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:14:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 9/4/2025 11:40:00 AM
Lab Sample ID: 250905090-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:14:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:14:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:14:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:14:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 5:14:00 AM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	9/17/2025 5:14:00 AM
Surr: Toluene-d8	108	79.6-115		%REC	1	9/17/2025 5:14:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 9/3/2025 3:30:00 PM
Lab Sample ID: 250905090-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromomethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Acetone	ND	5.0	C	µg/L	1	9/16/2025 3:38:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chloroform	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
2-Butanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Benzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Bromoform	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/16/2025 3:38:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Toluene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Styrene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
o-Xylene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 9/3/2025 3:30:00 PM
Lab Sample ID: 250905090-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/16/2025 3:38:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/16/2025 3:38:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/16/2025 3:38:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/16/2025 3:38:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	9/16/2025 3:38:00 PM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/16/2025 3:38:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 9/4/2025 11:55:00 AM
Lab Sample ID: 250905090-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 5:34:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:34:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:34:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:34:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 9/4/2025 11:55:00 AM
Lab Sample ID: 250905090-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:34:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:34:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:34:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:34:00 AM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	9/17/2025 5:34:00 AM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	1	9/17/2025 5:34:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 5:34:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 9/4/2025 1:15:00 PM
Lab Sample ID: 250905090-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloromethane	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Bromomethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Vinyl chloride	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Methylene chloride	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
Acetone	ND	5.0	C	µg/L	1	9/17/2025 5:53:00 AM
Carbon disulfide	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
1,1-Dichloroethene	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
trans-1,2-Dichloroethene	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chloroform	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
2-Butanone	ND	5.0	C	µg/L	1	9/17/2025 5:53:00 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Carbon tetrachloride	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Trichloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Benzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Bromoform	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/17/2025 5:53:00 AM
2-Hexanone	ND	5.0		µg/L	1	9/17/2025 5:53:00 AM
Tetrachloroethene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Toluene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Chlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Ethylbenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Styrene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
m,p-Xylene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
o-Xylene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Methyl tert-butyl ether	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Dichlorodifluoromethane	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 9/4/2025 1:15:00 PM
Lab Sample ID: 250905090-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	SC	µg/L	1	9/17/2025 5:53:00 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Cyclohexane	ND	1.0	C	µg/L	1	9/17/2025 5:53:00 AM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
1,4-Dioxane	ND	100	C	µg/L	1	9/17/2025 5:53:00 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/17/2025 5:53:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	9/17/2025 5:53:00 AM
Surr: 4-Bromofluorobenzene	108	74.1-124		%REC	1	9/17/2025 5:53:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	1	9/17/2025 5:53:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 9/4/2025 3:00:00 PM
Lab Sample ID: 250905090-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Chloromethane	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Bromomethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Vinyl chloride	1000	50		µg/L	50	9/17/2025 6:15:00 AM
Chloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Methylene chloride	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM
Acetone	ND	250	C	µg/L	50	9/17/2025 6:15:00 AM
Carbon disulfide	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
1,1-Dichloroethene	54	50	SC	µg/L	50	9/17/2025 6:15:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
cis-1,2-Dichloroethene	6700	50		µg/L	50	9/17/2025 6:15:00 AM
Chloroform	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
2-Butanone	ND	250	C	µg/L	50	9/17/2025 6:15:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Carbon tetrachloride	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Bromodichloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Trichloroethene	1900	50		µg/L	50	9/17/2025 6:15:00 AM
Dibromochloromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Benzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Bromoform	ND	50		µg/L	50	9/17/2025 6:15:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/17/2025 6:15:00 AM
2-Hexanone	ND	250		µg/L	50	9/17/2025 6:15:00 AM
Tetrachloroethene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Toluene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Chlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Ethylbenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Styrene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
m,p-Xylene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
o-Xylene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 9/4/2025 3:00:00 PM
Lab Sample ID: 250905090-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	SC	µg/L	50	9/17/2025 6:15:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Cyclohexane	ND	50	C	µg/L	50	9/17/2025 6:15:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Isopropylbenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
1,4-Dioxane	ND	5000	C	µg/L	50	9/17/2025 6:15:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:15:00 AM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	50	9/17/2025 6:15:00 AM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	50	9/17/2025 6:15:00 AM
Surr: Toluene-d8	107	79.6-115		%REC	50	9/17/2025 6:15:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 9/4/2025 2:40:00 PM
Lab Sample ID: 250905090-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Chloromethane	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Bromomethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Vinyl chloride	870	50		µg/L	50	9/17/2025 6:38:00 AM
Chloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Methylene chloride	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
Acetone	ND	250	C	µg/L	50	9/17/2025 6:38:00 AM
Carbon disulfide	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
1,1-Dichloroethene	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
trans-1,2-Dichloroethene	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
cis-1,2-Dichloroethene	4400	50		µg/L	50	9/17/2025 6:38:00 AM
Chloroform	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
2-Butanone	ND	250	C	µg/L	50	9/17/2025 6:38:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Carbon tetrachloride	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Bromodichloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Trichloroethene	60	50		µg/L	50	9/17/2025 6:38:00 AM
Dibromochloromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Benzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Bromoform	ND	50		µg/L	50	9/17/2025 6:38:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	9/17/2025 6:38:00 AM
2-Hexanone	ND	250		µg/L	50	9/17/2025 6:38:00 AM
Tetrachloroethene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Toluene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Chlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Ethylbenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Styrene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
m,p-Xylene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
o-Xylene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Methyl tert-butyl ether	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Dichlorodifluoromethane	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 9/4/2025 2:40:00 PM
Lab Sample ID: 250905090-042
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	SC	µg/L	50	9/17/2025 6:38:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Cyclohexane	ND	50	C	µg/L	50	9/17/2025 6:38:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Isopropylbenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
1,4-Dioxane	ND	5000	C	µg/L	50	9/17/2025 6:38:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/17/2025 6:38:00 AM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	50	9/17/2025 6:38:00 AM
Surr: 4-Bromofluorobenzene	109	74.1-124		%REC	50	9/17/2025 6:38:00 AM
Surr: Toluene-d8	109	79.6-115		%REC	50	9/17/2025 6:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 9/2/2025 3:10:00 PM
Lab Sample ID: 250905090-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:28:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
cis-1,2-Dichloroethene	9.0	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Trichloroethene	59	1.0		µg/L	1	9/15/2025 5:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:28:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 9/2/2025 3:10:00 PM
Lab Sample ID: 250905090-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:28:00 PM
Surr: 1,2-Dichloroethane-d4	115	80.3-122		%REC	1	9/15/2025 5:28:00 PM
Surr: 4-Bromofluorobenzene	105	74.1-124		%REC	1	9/15/2025 5:28:00 PM
Surr: Toluene-d8	110	79.6-115		%REC	1	9/15/2025 5:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 9/2/2025
Lab Sample ID: 250905090-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromomethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methylene chloride	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
Acetone	ND	5.0	C	µg/L	1	9/15/2025 5:48:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1-Dichloroethene	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chloroform	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
2-Butanone	ND	5.0	C	µg/L	1	9/15/2025 5:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Benzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Bromoform	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	9/15/2025 5:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	9/15/2025 5:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Toluene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Styrene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
o-Xylene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date:** 15-Oct-25

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 9/2/2025
Lab Sample ID: 250905090-044
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	C	µg/L	1	9/15/2025 5:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	9/15/2025 5:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/15/2025 5:48:00 PM
Surr: 1,2-Dichloroethane-d4	113	80.3-122		%REC	1	9/15/2025 5:48:00 PM
Surr: 4-Bromofluorobenzene	116	74.1-124		%REC	1	9/15/2025 5:48:00 PM
Surr: Toluene-d8	113	79.6-115		%REC	1	9/15/2025 5:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT**BatchID: R250378**

mblk	SeqNo: 4129701	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,2,3-Trichlorobenzene	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3-Dichlorobenzene	ND	0.50									
1,4-Dichlorobenzene	ND	0.50									
1,4-Dioxane	ND	50									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	0.50									
Bromochloromethane	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon disulfide	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mblk	SeqNo: 4129701	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	0.50									
cis-1,3-Dichloropropene	ND	0.50									
Cyclohexane	ND	0.50									
Dibromochloromethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethylbenzene	ND	0.50									
Isopropylbenzene	ND	0.50									
m,p-Xylene	ND	0.50									
Methyl Acetate	ND	0.50									
Methyl Cyclohexane	ND	0.50									
Methyl tert-butyl ether	ND	0.50									
Methylene chloride	ND	0.50									
o-Xylene	ND	0.50									
Styrene	ND	0.50									
Tetrachloroethene	ND	0.50									
Toluene	ND	0.50									
trans-1,2-Dichloroethene	ND	0.50									
trans-1,3-Dichloropropene	ND	0.50									
Trichloroethene	ND	0.50									
Trichlorofluoromethane	ND	0.50									
Vinyl chloride	ND	0.50									
Surr: 1,2-Dichloroethane-d4	55.77	0.50	50	0	112	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	54.36	0.50	50	0	109	74.1	124	0	0		
Surr: Toluene-d8	55.86	0.50	50	0	112	79.6	115	0	0		

mblk	SeqNo: 4130683	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mbk	SeqNo: 4130683	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mblk	SeqNo: 4130683	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	52.99	1.0	50	0	106	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	53.38	1.0	50	0	107	74.1	124	0	0		
Surr: Toluene-d8	53.93	1.0	50	0	108	79.6	115	0	0		

mblk	SeqNo: 4131208	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/17/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mbk	SeqNo: 4131208	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/17/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mblk	SeqNo: 4131208	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/17/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	54.23	1.0	50	0	108	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	53.89	1.0	50	0	108	74.1	124	0	0		
Surr: Toluene-d8	54.81	1.0	50	0	110	79.6	115	0	0		

mblk	SeqNo: 4133297	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mbk	SeqNo: 4133297	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

mbk	SeqNo: 4133297	TestNo: SW8260C	RunNo: 250378
	Samp ID: vblk	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	52.43	1.0	50	0	105	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	55.57	1.0	50	0	111	74.1	124	0	0		
Surr: Toluene-d8	53.8	1.0	50	0	108	79.6	115	0	0		

lcs	SeqNo: 4129700	TestNo: SW8260C	RunNo: 250378
	Samp ID: lcs	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	26.51	1.0	25	0	106	74.5	124	0	0		
1,1,2,2-Tetrachloroethane	28.45	1.0	25	0	114	72.1	126	0	0		
1,1,2-Trichloro-1,2,2-trifluoroethane	18.34	1.0	25	0	73.4	67.5	132	0	0		
1,1,2-Trichloroethane	26.69	1.0	25	0	107	74.3	124	0	0		
1,1-Dichloroethane	23.53	1.0	25	0	94.1	73.8	127	0	0		
1,1-Dichloroethene	18.8	1.0	25	0	75.2	68.1	134	0	0		
1,2,3-Trichlorobenzene	25.68	1.0	25	0	103	71.4	130	0	0		
1,2,4-Trichlorobenzene	26.77	1.0	25	0	107	74	126	0	0		
1,2-Dibromo-3-chloropropane	23.41	1.0	25	0	93.6	72.6	126	0	0		
1,2-Dibromoethane	27.53	1.0	25	0	110	73.6	122	0	0		
1,2-Dichlorobenzene	27.18	1.0	25	0	109	73.1	123	0	0		
1,2-Dichloroethane	26.37	1.0	25	0	105	73.9	124	0	0		
1,2-Dichloropropane	27.09	1.0	25	0	108	72	125	0	0		
1,3-Dichlorobenzene	27.05	1.0	25	0	108	71.1	123	0	0		
1,4-Dichlorobenzene	26.97	1.0	25	0	108	72.5	120	0	0		
1,4-Dioxane	490.5	100	500	0	98.1	70	130	0	0		
2-Butanone	20.07	5.0	25	0	80.3	63.4	129	0	0		
2-Hexanone	23.98	5.0	25	0	95.9	65	137	0	0		
4-Methyl-2-pentanone	26.36	5.0	25	0	105	68.2	126	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ICS	SeqNo: 4129700	TestNo: SW8260C	RunNo: 250378
	Samp ID: ICS	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Acetone	16.43	5.0	25	0	65.7	59.8	139		0	0	
Benzene	25.47	1.0	25	0	102	71.6	120		0	0	
Bromochloromethane	23.26	1.0	25	0	93	59.7	140		0	0	
Bromodichloromethane	27.23	1.0	25	0	109	73.6	127		0	0	
Bromoform	24.66	1.0	25	0	98.6	65.8	120		0	0	
Bromomethane	24.84	1.0	25	0	99.4	64	120		0	0	
Carbon disulfide	20.26	1.0	25	0	81	62	134		0	0	
Carbon tetrachloride	25.12	1.0	25	0	100	71.4	130		0	0	
Chlorobenzene	27.13	1.0	25	0	109	69.8	125		0	0	
Chloroethane	28.35	1.0	25	0	113	56.8	139		0	0	
Chloroform	23.62	1.0	25	0	94.5	74.1	122		0	0	
Chloromethane	27.47	1.0	25	0	110	46.7	123		0	0	
cis-1,2-Dichloroethene	24.57	1.0	25	0	98.3	71.5	128		0	0	
cis-1,3-Dichloropropene	28.97	1.0	25	0	116	67	128		0	0	
Cyclohexane	24.26	1.0	25	0	97	72.6	130		0	0	
Dibromochloromethane	25.15	1.0	25	0	101	70.6	124		0	0	
Dichlorodifluoromethane	31.67	1.0	25	0	127	52	116		0	0	S
Ethylbenzene	27.93	1.0	25	0	112	74.2	127		0	0	
Isopropylbenzene	28.8	1.0	25	0	115	72.4	128		0	0	
m,p-Xylene	60.02	1.0	50	0	120	69.7	129		0	0	
Methyl Acetate	22.39	1.0	25	0	89.6	66.5	131		0	0	
Methyl Cyclohexane	27.65	1.0	25	0	111	70	127		0	0	
Methyl tert-butyl ether	41.69	1.0	50	0	83.4	70.2	125		0	0	
Methylene chloride	20.11	1.0	25	0	80.4	62.1	127		0	0	
o-Xylene	28.68	1.0	25	0	115	72.7	131		0	0	
Styrene	29.72	1.0	25	0	119	70	126		0	0	
Tetrachloroethene	23.41	1.0	25	0	93.6	71.8	129		0	0	
Toluene	27.65	1.0	25	0	111	74	127		0	0	
trans-1,2-Dichloroethene	22.09	1.0	25	0	88.4	72.1	127		0	0	
trans-1,3-Dichloropropene	30.68	1.0	25	0	123	70.9	126		0	0	
Trichloroethene	23.55	1.0	25	0	94.2	71.3	124		0	0	
Trichlorofluoromethane	23.85	1.0	25	0	95.4	63	140		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ICS	SeqNo: 4129700	TestNo: SW8260C	RunNo: 250378
	Samp ID: ICS	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Vinyl chloride	30.19	1.0	25	0	121	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	51.88	1.0	50	0	104	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	54.46	1.0	50	0	109	74.1	124		0	0	
Surr: Toluene-d8	54.29	1.0	50	0	109	79.6	115		0	0	

ICS	SeqNo: 4130682	TestNo: SW8260C	RunNo: 250378
	Samp ID: ICS	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	24.53	1.0	25	0	98.1	74.5	124		0	0	
1,1,2,2-Tetrachloroethane	28.8	1.0	25	0	115	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	17.67	1.0	25	0	70.7	67.5	132		0	0	
1,1,2-Trichloroethane	25.87	1.0	25	0	103	74.3	124		0	0	
1,1-Dichloroethane	22.73	1.0	25	0	90.9	73.8	127		0	0	
1,1-Dichloroethene	17.63	1.0	25	0	70.5	68.1	134		0	0	
1,2,3-Trichlorobenzene	26.46	1.0	25	0	106	71.4	130		0	0	
1,2,4-Trichlorobenzene	26.25	1.0	25	0	105	74	126		0	0	
1,2-Dibromo-3-chloropropane	23.8	1.0	25	0	95.2	72.6	126		0	0	
1,2-Dibromoethane	26.48	1.0	25	0	106	73.6	122		0	0	
1,2-Dichlorobenzene	26.1	1.0	25	0	104	73.1	123		0	0	
1,2-Dichloroethane	24.09	1.0	25	0	96.4	73.9	124		0	0	
1,2-Dichloropropane	25.67	1.0	25	0	103	72	125		0	0	
1,3-Dichlorobenzene	25.61	1.0	25	0	102	71.1	123		0	0	
1,4-Dichlorobenzene	25.54	1.0	25	0	102	72.5	120		0	0	
1,4-Dioxane	471.8	100	500	0	94.4	70	130		0	0	
2-Butanone	19.68	5.0	25	0	78.7	63.4	129		0	0	
2-Hexanone	24.66	5.0	25	0	98.6	65	137		0	0	
4-Methyl-2-pentanone	26.55	5.0	25	0	106	68.2	126		0	0	
Acetone	15.84	5.0	25	0	63.4	59.8	139		0	0	
Benzene	25.38	1.0	25	0	102	71.6	120		0	0	
Bromochloromethane	20.95	1.0	25	0	83.8	59.7	140		0	0	
Bromodichloromethane	27.14	1.0	25	0	109	73.6	127		0	0	
Bromoform	24.51	1.0	25	0	98	65.8	120		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ICS	SeqNo: 4130682	TestNo: SW8260C	RunNo: 250378
	Samp ID: Ics	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Bromomethane	22.86	1.0	25	0	91.4	64	120		0	0	
Carbon disulfide	18.6	1.0	25	0	74.4	62	134		0	0	
Carbon tetrachloride	23.83	1.0	25	0	95.3	71.4	130		0	0	
Chlorobenzene	26.1	1.0	25	0	104	69.8	125		0	0	
Chloroethane	26.14	1.0	25	0	105	56.8	139		0	0	
Chloroform	22.22	1.0	25	0	88.9	74.1	122		0	0	
Chloromethane	22.27	1.0	25	0	89.1	46.7	123		0	0	
cis-1,2-Dichloroethene	22.68	1.0	25	0	90.7	71.5	128		0	0	
cis-1,3-Dichloropropene	27.4	1.0	25	0	110	67	128		0	0	
Cyclohexane	22.61	1.0	25	0	90.4	72.6	130		0	0	
Dibromochloromethane	24.04	1.0	25	0	96.2	70.6	124		0	0	
Dichlorodifluoromethane	17.71	1.0	25	0	70.8	52	116		0	0	
Ethylbenzene	27.1	1.0	25	0	108	74.2	127		0	0	
Isopropylbenzene	28.08	1.0	25	0	112	72.4	128		0	0	
m,p-Xylene	56.62	1.0	50	0	113	69.7	129		0	0	
Methyl Acetate	23.27	1.0	25	0	93.1	66.5	131		0	0	
Methyl Cyclohexane	26.26	1.0	25	0	105	70	127		0	0	
Methyl tert-butyl ether	38.64	1.0	50	0	77.3	70.2	125		0	0	
Methylene chloride	19.95	1.0	25	0	79.8	62.1	127		0	0	
o-Xylene	27.67	1.0	25	0	111	72.7	131		0	0	
Styrene	28.53	1.0	25	0	114	70	126		0	0	
Tetrachloroethene	22.02	1.0	25	0	88.1	71.8	129		0	0	
Toluene	26.37	1.0	25	0	105	74	127		0	0	
trans-1,2-Dichloroethene	21.24	1.0	25	0	85	72.1	127		0	0	
trans-1,3-Dichloropropene	30.1	1.0	25	0	120	70.9	126		0	0	
Trichloroethene	22.99	1.0	25	0	92	71.3	124		0	0	
Trichlorofluoromethane	21.77	1.0	25	0	87.1	63	140		0	0	
Vinyl chloride	24.83	1.0	25	0	99.3	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	53.52	1.0	50	0	107	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	53.54	1.0	50	0	107	74.1	124		0	0	
Surr: Toluene-d8	54.67	1.0	50	0	109	79.6	115		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ICS	SeqNo: 4131207	TestNo: SW8260C	RunNo: 250378
	Samp ID: ICS	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	22.54	1.0	25	0	90.2	74.5	124		0	0	
1,1,2,2-Tetrachloroethane	25.71	1.0	25	0	103	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	15.36	1.0	25	0	61.4	67.5	132		0	0	S
1,1,2-Trichloroethane	23.77	1.0	25	0	95.1	74.3	124		0	0	
1,1-Dichloroethane	20.78	1.0	25	0	83.1	73.8	127		0	0	
1,1-Dichloroethene	16.77	1.0	25	0	67.1	68.1	134		0	0	S
1,2,3-Trichlorobenzene	24.06	1.0	25	0	96.2	71.4	130		0	0	
1,2,4-Trichlorobenzene	24.58	1.0	25	0	98.3	74	126		0	0	
1,2-Dibromo-3-chloropropane	23.24	1.0	25	0	93	72.6	126		0	0	
1,2-Dibromoethane	24.16	1.0	25	0	96.6	73.6	122		0	0	
1,2-Dichlorobenzene	24.38	1.0	25	0	97.5	73.1	123		0	0	
1,2-Dichloroethane	22.8	1.0	25	0	91.2	73.9	124		0	0	
1,2-Dichloropropane	24.38	1.0	25	0	97.5	72	125		0	0	
1,3-Dichlorobenzene	24.59	1.0	25	0	98.4	71.1	123		0	0	
1,4-Dichlorobenzene	24.51	1.0	25	0	98	72.5	120		0	0	
1,4-Dioxane	407.2	100	500	0	81.4	70	130		0	0	
2-Butanone	20.38	5.0	25	0	81.5	63.4	129		0	0	
2-Hexanone	20.82	5.0	25	0	83.3	65	137		0	0	
4-Methyl-2-pentanone	22.32	5.0	25	0	89.3	68.2	126		0	0	
Acetone	17.34	5.0	25	0	69.4	59.8	139		0	0	
Benzene	23.47	1.0	25	0	93.9	71.6	120		0	0	
Bromochloromethane	20.74	1.0	25	0	83	59.7	140		0	0	
Bromodichloromethane	24	1.0	25	0	96	73.6	127		0	0	
Bromoform	21.48	1.0	25	0	85.9	65.8	120		0	0	
Bromomethane	21.02	1.0	25	0	84.1	64	120		0	0	
Carbon disulfide	17.12	1.0	25	0	68.5	62	134		0	0	
Carbon tetrachloride	21.49	1.0	25	0	86	71.4	130		0	0	
Chlorobenzene	24.78	1.0	25	0	99.1	69.8	125		0	0	
Chloroethane	25.23	1.0	25	0	101	56.8	139		0	0	
Chloroform	21.17	1.0	25	0	84.7	74.1	122		0	0	
Chloromethane	19.41	1.0	25	0	77.6	46.7	123		0	0	
cis-1,2-Dichloroethene	21.62	1.0	25	0	86.5	71.5	128		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

Ics	SeqNo: 4131207	TestNo: SW8260C	RunNo: 250378
	Samp ID: Ics	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,3-Dichloropropene	24.6	1.0	25	0	98.4	67	128		0	0	
Cyclohexane	19.86	1.0	25	0	79.4	72.6	130		0	0	
Dibromochloromethane	22.91	1.0	25	0	91.6	70.6	124		0	0	
Dichlorodifluoromethane	11.92	1.0	25	0	47.7	52	116		0	0	S
Ethylbenzene	25.18	1.0	25	0	101	74.2	127		0	0	
Isopropylbenzene	26.35	1.0	25	0	105	72.4	128		0	0	
m,p-Xylene	53.89	1.0	50	0	108	69.7	129		0	0	
Methyl Acetate	20.67	1.0	25	0	82.7	66.5	131		0	0	
Methyl Cyclohexane	22.17	1.0	25	0	88.7	70	127		0	0	
Methyl tert-butyl ether	36.99	1.0	50	0	74	70.2	125		0	0	
Methylene chloride	12.16	1.0	25	0	48.6	62.1	127		0	0	S
o-Xylene	26.16	1.0	25	0	105	72.7	131		0	0	
Styrene	27.07	1.0	25	0	108	70	126		0	0	
Tetrachloroethene	21.03	1.0	25	0	84.1	71.8	129		0	0	
Toluene	24.01	1.0	25	0	96	74	127		0	0	
trans-1,2-Dichloroethene	19.5	1.0	25	0	78	72.1	127		0	0	
trans-1,3-Dichloropropene	26.2	1.0	25	0	105	70.9	126		0	0	
Trichloroethene	21.16	1.0	25	0	84.6	71.3	124		0	0	
Trichlorofluoromethane	20.42	1.0	25	0	81.7	63	140		0	0	
Vinyl chloride	22.41	1.0	25	0	89.6	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	51.62	1.0	50	0	103	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	53.62	1.0	50	0	107	74.1	124		0	0	
Surr: Toluene-d8	53.66	1.0	50	0	107	79.6	115		0	0	

Ics	SeqNo: 4133305	TestNo: SW8260C	RunNo: 250378
	Samp ID: Ics	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	26.34	1.0	25	0	105	74.5	124		0	0	
1,1,2,2-Tetrachloroethane	28.15	1.0	25	0	113	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	24.77	1.0	25	0	99.1	67.5	132		0	0	
1,1,2-Trichloroethane	26.38	1.0	25	0	106	74.3	124		0	0	
1,1-Dichloroethane	24.01	1.0	25	0	96	73.8	127		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ICS	SeqNo: 4133305	TestNo: SW8260C	RunNo: 250378
	Samp ID: ICS	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethene	22.43	1.0	25	0	89.7	68.1	134		0	0	
1,2,3-Trichlorobenzene	26.44	1.0	25	0	106	71.4	130		0	0	
1,2,4-Trichlorobenzene	26.77	1.0	25	0	107	74	126		0	0	
1,2-Dibromo-3-chloropropane	26.57	1.0	25	0	106	72.6	126		0	0	
1,2-Dibromoethane	27.02	1.0	25	0	108	73.6	122		0	0	
1,2-Dichlorobenzene	26.88	1.0	25	0	108	73.1	123		0	0	
1,2-Dichloroethane	26.28	1.0	25	0	105	73.9	124		0	0	
1,2-Dichloropropane	25.46	1.0	25	0	102	72	125		0	0	
1,3-Dichlorobenzene	27.32	1.0	25	0	109	71.1	123		0	0	
1,4-Dichlorobenzene	27.24	1.0	25	0	109	72.5	120		0	0	
1,4-Dioxane	481.7	100	500	0	96.3	70	130		0	0	
2-Butanone	22.98	5.0	25	0	91.9	63.4	129		0	0	
2-Hexanone	24.95	5.0	25	0	99.8	65	137		0	0	
4-Methyl-2-pentanone	26.61	5.0	25	0	106	68.2	126		0	0	
Acetone	17.38	5.0	25	0	69.5	59.8	139		0	0	
Benzene	25.68	1.0	25	0	103	71.6	120		0	0	
Bromochloromethane	25.36	1.0	25	0	101	59.7	140		0	0	
Bromodichloromethane	26.75	1.0	25	0	107	73.6	127		0	0	
Bromoform	26.19	1.0	25	0	105	65.8	120		0	0	
Bromomethane	24.92	1.0	25	0	99.7	64	120		0	0	
Carbon disulfide	24.19	1.0	25	0	96.8	62	134		0	0	
Carbon tetrachloride	25.68	1.0	25	0	103	71.4	130		0	0	
Chlorobenzene	28.13	1.0	25	0	113	69.8	125		0	0	
Chloroethane	27.06	1.0	25	0	108	56.8	139		0	0	
Chloroform	23.47	1.0	25	0	93.9	74.1	122		0	0	
Chloromethane	27.88	1.0	25	0	112	46.7	123		0	0	
cis-1,2-Dichloroethene	25.53	1.0	25	0	102	71.5	128		0	0	
cis-1,3-Dichloropropene	28.16	1.0	25	0	113	67	128		0	0	
Cyclohexane	29.64	1.0	25	0	119	72.6	130		0	0	
Dibromochloromethane	26.4	1.0	25	0	106	70.6	124		0	0	
Dichlorodifluoromethane	31.49	1.0	25	0	126	52	116		0	0	S
Ethylbenzene	29.08	1.0	25	0	116	74.2	127		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ics	SeqNo: 4133305	TestNo: SW8260C	RunNo: 250378
	Samp ID: ics	Units: µg/L	Analysis Date: 9/18/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Isopropylbenzene	29.29	1.0	25	0	117	72.4	128		0	0	
m,p-Xylene	58.56	1.0	50	0	117	69.7	129		0	0	
Methyl Acetate	26.01	1.0	25	0	104	66.5	131		0	0	
Methyl Cyclohexane	30.66	1.0	25	0	123	70	127		0	0	
Methyl tert-butyl ether	44.6	1.0	50	0	89.2	70.2	125		0	0	
Methylene chloride	23.1	1.0	25	0	92.4	62.1	127		0	0	
o-Xylene	29.2	1.0	25	0	117	72.7	131		0	0	
Styrene	30.47	1.0	25	0	122	70	126		0	0	
Tetrachloroethene	25	1.0	25	0	100	71.8	129		0	0	
Toluene	26.76	1.0	25	0	107	74	127		0	0	
trans-1,2-Dichloroethene	23.96	1.0	25	0	95.8	72.1	127		0	0	
trans-1,3-Dichloropropene	29.77	1.0	25	0	119	70.9	126		0	0	
Trichloroethene	25.64	1.0	25	0	103	71.3	124		0	0	
Trichlorofluoromethane	29.37	1.0	25	0	117	63	140		0	0	
Vinyl chloride	29.01	1.0	25	0	116	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	50.09	1.0	50	0	100	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	54.67	1.0	50	0	109	74.1	124		0	0	
Surr: Toluene-d8	52.42	1.0	50	0	105	79.6	115		0	0	

ms	SeqNo: 4129859	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	25.88	1.0	25	0	104	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	26.06	1.0	25	0	104	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	20.59	1.0	25	0	82.4	65.5	128		0	0	
1,1,2-Trichloroethane	25.54	1.0	25	0	102	68.3	131		0	0	
1,1-Dichloroethane	22.41	1.0	25	0	89.6	69.4	128		0	0	
1,1-Dichloroethene	21.48	1.0	25	0	85.9	63.4	134		0	0	
1,2,3-Trichlorobenzene	24.63	1.0	25	0	98.5	63.6	134		0	0	
1,2,4-Trichlorobenzene	24.11	1.0	25	0	96.4	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	21.42	1.0	25	0	85.7	67.4	121		0	0	
1,2-Dibromoethane	24.94	1.0	25	0	99.8	70.1	123		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ms	SeqNo: 4129859	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dichlorobenzene	24.97	1.0	25	0	99.9	68	130		0	0	
1,2-Dichloroethane	24.38	1.0	25	0	97.5	70.8	129		0	0	
1,2-Dichloropropane	26.2	1.0	25	0	105	69	125		0	0	
1,3-Dichlorobenzene	24.51	1.0	25	0	98	73.6	124		0	0	
1,4-Dichlorobenzene	25.36	1.0	25	0	101	73.4	123		0	0	
1,4-Dioxane	396.4	100	500	0	79.3	75	125		0	0	
2-Butanone	20.09	5.0	25	0	80.4	58.6	113		0	0	
2-Hexanone	22.97	5.0	25	0	91.9	60.9	130		0	0	
4-Methyl-2-pentanone	20.59	5.0	25	0	82.4	49.2	122		0	0	
Acetone	24.67	5.0	25	0	98.7	54.7	134		0	0	
Benzene	24.99	1.0	25	0	100	69.6	129		0	0	
Bromochloromethane	20.45	1.0	25	0	81.8	68.1	125		0	0	
Bromodichloromethane	26.27	1.0	25	0	105	75.7	125		0	0	
Bromoform	22.58	1.0	25	0	90.3	72.7	120		0	0	
Bromomethane	16.01	1.0	25	0	64	54.7	140		0	0	
Carbon disulfide	21.16	1.0	25	0	84.6	63.8	120		0	0	
Carbon tetrachloride	24.94	1.0	25	0	99.8	74.1	143		0	0	
Chlorobenzene	24.69	1.0	25	0	98.8	73.5	129		0	0	
Chloroethane	29.64	1.0	25	0	119	68	141		0	0	
Chloroform	22.92	1.0	25	0	91.7	72.6	128		0	0	
Chloromethane	24.28	1.0	25	0	97.1	52.3	124		0	0	
cis-1,2-Dichloroethene	23.6	1.0	25	0	94.4	65	133		0	0	
cis-1,3-Dichloropropene	24.96	1.0	25	0	99.8	71	122		0	0	
Cyclohexane	26.14	1.0	25	0	105	70.4	127		0	0	
Dibromochloromethane	23.54	1.0	25	0	94.2	69.4	125		0	0	
Dichlorodifluoromethane	20.63	1.0	25	0	82.5	41.6	130		0	0	
Ethylbenzene	25.7	1.0	25	0	103	65.1	121		0	0	
Isopropylbenzene	26.79	1.0	25	0	107	66.2	129		0	0	
m,p-Xylene	54.18	1.0	50	0	108	72.6	124		0	0	
Methyl Acetate	15.31	1.0	25	0	61.2	56.6	116		0	0	
Methyl Cyclohexane	28.06	1.0	25	0	112	60.2	118		0	0	
Methyl tert-butyl ether	36.3	1.0	50	0	72.6	66.2	108		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ms	SeqNo: 4129859	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methylene chloride	18.75	1.0	25	0	75	62.3	113		0	0	
o-Xylene	25.85	1.0	25	0	103	70	122		0	0	
Styrene	27.47	1.0	25	0	110	63.8	112		0	0	
Tetrachloroethene	23.58	1.0	25	0	94.3	74	122		0	0	
Toluene	26.32	1.0	25	0	105	73.6	119		0	0	
trans-1,2-Dichloroethene	21.1	1.0	25	0	84.4	66.7	119		0	0	
trans-1,3-Dichloropropene	28.64	1.0	25	0	115	67.8	105		0	0	S
Trichloroethene	23.8	1.0	25	0	95.2	72.1	129		0	0	
Trichlorofluoromethane	24.64	1.0	25	0	98.6	67	145		0	0	
Vinyl chloride	27.86	1.0	25	0	111	57.5	139		0	0	
Surr: 1,2-Dichloroethane-d4	51.22	1.0	50	0	102	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	51.9	1.0	50	0	104	74.1	124		0	0	
Surr: Toluene-d8	55.42	1.0	50	0	111	79.6	115		0	0	

ms	SeqNo: 4131089	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-023a (MW18-13C)	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	1170	50	1250	0	93.6	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	1380	50	1250	0	110	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	767	50	1250	0	61.4	65.5	128		0	0	S
1,1,2-Trichloroethane	1266	50	1250	0	101	68.3	131		0	0	
1,1-Dichloroethane	1120	50	1250	0	89.6	69.4	128		0	0	
1,1-Dichloroethene	828.5	50	1250	0	66.3	63.4	134		0	0	
1,2,3-Trichlorobenzene	1250	50	1250	0	100	63.6	134		0	0	
1,2,4-Trichlorobenzene	1275	50	1250	0	102	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	1212	50	1250	0	97	67.4	121		0	0	
1,2-Dibromoethane	1306	50	1250	0	104	70.1	123		0	0	
1,2-Dichlorobenzene	1302	50	1250	0	104	68	130		0	0	
1,2-Dichloroethane	1279	50	1250	0	102	70.8	129		0	0	
1,2-Dichloropropane	1268	50	1250	0	101	69	125		0	0	
1,3-Dichlorobenzene	1244	50	1250	0	99.6	73.6	124		0	0	
1,4-Dichlorobenzene	1240	50	1250	0	99.2	73.4	123		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ms	SeqNo: 4131089	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-023a (MW18-13C)	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dioxane	21110	5000	25000	0	84.4	75	125		0	0	
2-Butanone	1020	250	1250	0	81.6	58.6	113		0	0	
2-Hexanone	1122	250	1250	0	89.8	60.9	130		0	0	
4-Methyl-2-pentanone	1233	250	1250	0	98.6	49.2	122		0	0	
Acetone	885.5	250	1250	0	70.8	54.7	134		0	0	
Benzene	1226	50	1250	0	98.1	69.6	129		0	0	
Bromochloromethane	1095	50	1250	0	87.6	68.1	125		0	0	
Bromodichloromethane	1269	50	1250	0	102	75.7	125		0	0	
Bromoform	1142	50	1250	0	91.3	72.7	120		0	0	
Bromomethane	1078	50	1250	0	86.2	54.7	140		0	0	
Carbon disulfide	817	50	1250	0	65.4	63.8	120		0	0	
Carbon tetrachloride	1131	50	1250	0	90.5	74.1	143		0	0	
Chlorobenzene	1265	50	1250	0	101	73.5	129		0	0	
Chloroethane	1284	50	1250	0	103	68	141		0	0	
Chloroform	1148	50	1250	0	91.8	72.6	128		0	0	
Chloromethane	921	50	1250	0	73.7	52.3	124		0	0	
cis-1,2-Dichloroethene	4071	50	1250	1781	183	65	133		0	0	S
cis-1,3-Dichloropropene	1331	50	1250	0	106	71	122		0	0	
Cyclohexane	1156	50	1250	0	92.5	70.4	127		0	0	
Dibromochloromethane	1214	50	1250	0	97.1	69.4	125		0	0	
Dichlorodifluoromethane	665.5	50	1250	0	53.2	41.6	130		0	0	
Ethylbenzene	1338	50	1250	0	107	65.1	121		0	0	
Isopropylbenzene	1396	50	1250	0	112	66.2	129		0	0	
m,p-Xylene	2794	50	2500	0	112	72.6	124		0	0	
Methyl Acetate	1126	50	1250	0	90	56.6	116		0	0	
Methyl Cyclohexane	1232	50	1250	0	98.6	60.2	118		0	0	
Methyl tert-butyl ether	1902	50	2500	0	76.1	66.2	108		0	0	
Methylene chloride	1042	50	1250	0	83.4	62.3	113		0	0	
o-Xylene	1318	50	1250	0	105	70	122		0	0	
Styrene	1423	50	1250	0	114	63.8	112		0	0	S
Tetrachloroethene	1118	50	1250	0	89.5	74	122		0	0	
Toluene	1313	50	1250	0	105	73.6	119		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

ms	SeqNo: 4131089	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-023a (MW18-13C)	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
trans-1,2-Dichloroethene	990	50	1250	0	79.2	66.7	119	0	0		
trans-1,3-Dichloropropene	1408	50	1250	0	113	67.8	105	0	0		S
Trichloroethene	1131	50	1250	0	90.5	72.1	129	0	0		
Trichlorofluoromethane	1084	50	1250	0	86.7	67	145	0	0		
Vinyl chloride	2266	50	1250	768.5	120	57.5	139	0	0		
Surr: 1,2-Dichloroethane-d4	2580	50	2500	0	103	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	2660	50	2500	0	106	74.1	124	0	0		
Surr: Toluene-d8	2674	50	2500	0	107	79.6	115	0	0		

msd	SeqNo: 4129860	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	23.51	1.0	25	0	94	74.1	131	25.88	9.60	20.4	
1,1,2,2-Tetrachloroethane	24.7	1.0	25	0	98.8	68.1	133	26.06	5.36	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	19.18	1.0	25	0	76.7	65.5	128	20.59	7.09	20	
1,1,2-Trichloroethane	23.58	1.0	25	0	94.3	68.3	131	25.54	7.98	20	
1,1-Dichloroethane	20.9	1.0	25	0	83.6	69.4	128	22.41	6.97	19.2	
1,1-Dichloroethene	18.4	1.0	25	0	73.6	63.4	134	21.48	15.4	16.1	
1,2,3-Trichlorobenzene	24.14	1.0	25	0	96.6	63.6	134	24.63	2.01	20	
1,2,4-Trichlorobenzene	24.59	1.0	25	0	98.4	63.4	134	24.11	1.97	20	
1,2-Dibromo-3-chloropropane	21.8	1.0	25	0	87.2	67.4	121	21.42	1.76	20.6	
1,2-Dibromoethane	23.29	1.0	25	0	93.2	70.1	123	24.94	6.84	18.7	
1,2-Dichlorobenzene	24.41	1.0	25	0	97.6	68	130	24.97	2.27	17.9	
1,2-Dichloroethane	21.55	1.0	25	0	86.2	70.8	129	24.38	12.3	15.6	
1,2-Dichloropropane	24.27	1.0	25	0	97.1	69	125	26.2	7.65	21.8	
1,3-Dichlorobenzene	23.68	1.0	25	0	94.7	73.6	124	24.51	3.44	14.3	
1,4-Dichlorobenzene	23.6	1.0	25	0	94.4	73.4	123	25.36	7.19	14.4	
1,4-Dioxane	442.8	100	500	0	88.6	75	125	396.4	11.1	30	
2-Butanone	21.3	5.0	25	0	85.2	58.6	113	20.09	5.85	15	
2-Hexanone	21.53	5.0	25	0	86.1	60.9	130	22.97	6.47	11.6	
4-Methyl-2-pentanone	19.48	5.0	25	0	77.9	49.2	122	20.59	5.54	11.9	
Acetone	15.73	5.0	25	0	62.9	54.7	134	24.67	44.3	10.6	Z

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

msd	SeqNo: 4129860	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Benzene	23.03	1.0	25	0	92.1	69.6	129	24.99	8.16	18.4	
Bromochloromethane	18.34	1.0	25	0	73.4	68.1	125	20.45	10.9	20	
Bromodichloromethane	23.51	1.0	25	0	94	75.7	125	26.27	11.1	25.6	
Bromoform	20.25	1.0	25	0	81	72.7	120	22.58	10.9	12	
Bromomethane	15.32	1.0	25	0	61.3	54.7	140	16.01	4.40	16.9	
Carbon disulfide	19.8	1.0	25	0	79.2	63.8	120	21.16	6.64	13.1	
Carbon tetrachloride	22.95	1.0	25	0	91.8	74.1	143	24.94	8.31	20.3	
Chlorobenzene	24.37	1.0	25	0	97.5	73.5	129	24.69	1.30	19.6	
Chloroethane	31.08	1.0	25	0	124	68	141	29.64	4.74	27.8	
Chloroform	20.77	1.0	25	0	83.1	72.6	128	22.92	9.84	20.3	
Chloromethane	25.98	1.0	25	0	104	52.3	124	24.28	6.76	18.4	
cis-1,2-Dichloroethene	21.66	1.0	25	0	86.6	65	133	23.6	8.57	11.3	
cis-1,3-Dichloropropene	24.57	1.0	25	0	98.3	71	122	24.96	1.57	21.5	
Cyclohexane	23.01	1.0	25	0	92	70.4	127	26.14	12.7	19.1	
Dibromochloromethane	22.07	1.0	25	0	88.3	69.4	125	23.54	6.45	18.8	
Dichlorodifluoromethane	24.98	1.0	25	0	99.9	41.6	130	20.63	19.1	27.3	
Ethylbenzene	25.4	1.0	25	0	102	65.1	121	25.7	1.17	16.3	
Isopropylbenzene	27.06	1.0	25	0	108	66.2	129	26.79	1.00	20	
m,p-Xylene	53.07	1.0	50	0	106	72.6	124	54.18	2.07	16.1	
Methyl Acetate	14.01	1.0	25	0	56	56.6	116	15.31	8.87	15	S
Methyl Cyclohexane	26.42	1.0	25	0	106	60.2	118	28.06	6.02	25.4	
Methyl tert-butyl ether	33.72	1.0	50	0	67.4	66.2	108	36.3	7.37	17.9	
Methylene chloride	17.25	1.0	25	0	69	62.3	113	18.75	8.33	21.4	
o-Xylene	25.48	1.0	25	0	102	70	122	25.85	1.44	13	
Styrene	26.3	1.0	25	0	105	63.8	112	27.47	4.35	21.4	
Tetrachloroethene	21.28	1.0	25	0	85.1	74	122	23.58	10.3	20.9	
Toluene	24.09	1.0	25	0	96.4	73.6	119	26.32	8.85	19.4	
trans-1,2-Dichloroethene	19.42	1.0	25	0	77.7	66.7	119	21.1	8.29	16.1	
trans-1,3-Dichloropropene	25.85	1.0	25	0	103	67.8	105	28.64	10.2	20.3	
Trichloroethene	21.91	1.0	25	0	87.6	72.1	129	23.8	8.27	16.6	
Trichlorofluoromethane	23.59	1.0	25	0	94.4	67	145	24.64	4.35	22.8	
Vinyl chloride	27.7	1.0	25	0	111	57.5	139	27.86	0.576	20.5	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

msd	SeqNo: 4129860	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-016a (MW18-11B)	Units: µg/L	Analysis Date: 9/15/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	49.13	1.0	50	0	98.3	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	54.82	1.0	50	0	110	74.1	124	0	0	0	
Surr: Toluene-d8	54.43	1.0	50	0	109	79.6	115	0	0	0	

msd	SeqNo: 4131090	TestNo: SW8260C	RunNo: 250378
	Samp ID: 250905090-023a (MW18-13C)	Units: µg/L	Analysis Date: 9/16/2025

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	1212	50	1250	0	97	74.1	131	1170	3.57	20.4	
1,1,2,2-Tetrachloroethane	1488	50	1250	0	119	68.1	133	1380	7.57	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	733.5	50	1250	0	58.7	65.5	128	767	4.47	20	S
1,1,2-Trichloroethane	1301	50	1250	0	104	68.3	131	1266	2.73	20	
1,1-Dichloroethane	1133	50	1250	0	90.6	69.4	128	1120	1.11	19.2	
1,1-Dichloroethene	852.5	50	1250	0	68.2	63.4	134	828.5	2.86	16.1	
1,2,3-Trichlorobenzene	1384	50	1250	0	111	63.6	134	1250	10.2	20	
1,2,4-Trichlorobenzene	1388	50	1250	0	111	63.4	134	1275	8.45	20	
1,2-Dibromo-3-chloropropane	1274	50	1250	0	102	67.4	121	1212	4.99	20.6	
1,2-Dibromoethane	1258	50	1250	0	101	70.1	123	1306	3.70	18.7	
1,2-Dichlorobenzene	1378	50	1250	0	110	68	130	1302	5.75	17.9	
1,2-Dichloroethane	1226	50	1250	0	98	70.8	129	1279	4.27	15.6	
1,2-Dichloropropane	1288	50	1250	0	103	69	125	1268	1.49	21.8	
1,3-Dichlorobenzene	1380	50	1250	0	110	73.6	124	1244	10.3	14.3	
1,4-Dichlorobenzene	1376	50	1250	0	110	73.4	123	1240	10.3	14.4	
1,4-Dioxane	21670	5000	25000	0	86.7	75	125	21110	2.59	30	
2-Butanone	960	250	1250	0	76.8	58.6	113	1020	6.01	15	
2-Hexanone	1106	250	1250	0	88.4	60.9	130	1122	1.48	11.6	
4-Methyl-2-pentanone	1228	250	1250	0	98.2	49.2	122	1233	0.406	11.9	
Acetone	792	250	1250	0	63.4	54.7	134	885.5	11.1	10.6	Z
Benzene	1259	50	1250	0	101	69.6	129	1226	2.62	18.4	
Bromochloromethane	1034	50	1250	0	82.7	68.1	125	1095	5.73	20	
Bromodichloromethane	1313	50	1250	0	105	75.7	125	1269	3.41	25.6	
Bromoform	1174	50	1250	0	94	72.7	120	1142	2.85	12	
Bromomethane	1060	50	1250	0	84.8	54.7	140	1078	1.73	16.9	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 250905090
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R250378

msd	SeqNo: 4131090										
	Samp ID: 250905090-023a (MW18-13C)										
					TestNo: SW8260C			RunNo: 250378			
					Units: µg/L			Analysis Date: 9/16/2025			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Carbon disulfide	859	50	1250	0	68.7	63.8	120	817	5.01	13.1	
Carbon tetrachloride	1132	50	1250	0	90.6	74.1	143	1131	0.133	20.3	
Chlorobenzene	1374	50	1250	0	110	73.5	129	1265	8.22	19.6	
Chloroethane	1286	50	1250	0	103	68	141	1284	0.0778	27.8	
Chloroform	1136	50	1250	0	90.9	72.6	128	1148	1.05	20.3	
Chloromethane	992	50	1250	0	79.4	52.3	124	921	7.42	18.4	
cis-1,2-Dichloroethene	4197	50	1250	1781	193	65	133	4071	3.05	11.3	S
cis-1,3-Dichloropropene	1356	50	1250	0	108	71	122	1331	1.82	21.5	
Cyclohexane	1042	50	1250	0	83.4	70.4	127	1156	10.3	19.1	
Dibromochloromethane	1242	50	1250	0	99.4	69.4	125	1214	2.36	18.8	
Dichlorodifluoromethane	683.5	50	1250	0	54.7	41.6	130	665.5	2.67	27.3	
Ethylbenzene	1404	50	1250	0	112	65.1	121	1338	4.85	16.3	
Isopropylbenzene	1522	50	1250	0	122	66.2	129	1396	8.64	20	
m,p-Xylene	3036	50	2500	0	121	72.6	124	2794	8.30	16.1	
Methyl Acetate	1102	50	1250	0	88.1	56.6	116	1126	2.16	15	
Methyl Cyclohexane	1190	50	1250	0	95.2	60.2	118	1232	3.55	25.4	
Methyl tert-butyl ether	1951	50	2500	0	78	66.2	108	1902	2.57	17.9	
Methylene chloride	1029	50	1250	0	82.3	62.3	113	1042	1.26	21.4	
o-Xylene	1470	50	1250	0	118	70	122	1318	10.9	13	
Styrene	1558	50	1250	0	125	63.8	112	1423	9.03	21.4	S
Tetrachloroethene	1115	50	1250	0	89.2	74	122	1118	0.313	20.9	
Toluene	1345	50	1250	0	108	73.6	119	1313	2.41	19.4	
trans-1,2-Dichloroethene	1014	50	1250	0	81.2	66.7	119	990	2.44	16.1	
trans-1,3-Dichloropropene	1420	50	1250	0	114	67.8	105	1408	0.849	20.3	S
Trichloroethene	1200	50	1250	0	96	72.1	129	1131	5.92	16.6	
Trichlorofluoromethane	1039	50	1250	0	83.1	67	145	1084	4.19	22.8	
Vinyl chloride	2336	50	1250	768.5	125	57.5	139	2266	3.04	20.5	
Surr: 1,2-Dichloroethane-d4	2582	50	2500	0	103	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	2849	50	2500	0	114	74.1	124	0	0	0	
Surr: Toluene-d8	2706	50	2500	0	108	79.6	115	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

QC Batch Summary Report

Batch: R250378

Analyst: CC

SampID	SampType	DF	TestName:	Analysis Date/Time:
std000.5	ical	1	EPA-8260	8/13/2025 1:09:00 PM
std001	ical	1	EPA-8260	8/13/2025 1:53:00 PM
std002.5	ical	1	EPA-8260	8/13/2025 2:15:00 PM
std005	ical	1	EPA-8260	8/13/2025 2:35:00 PM
std010	ical	1	EPA-8260	8/13/2025 2:55:00 PM
std025	ical	1	EPA-8260	8/13/2025 3:17:00 PM
std050	ical	1	EPA-8260	8/13/2025 3:37:00 PM
std100	ical	1	EPA-8260	8/13/2025 3:59:00 PM
std200	ical	1	EPA-8260	8/13/2025 4:19:00 PM
bfb	tune	1	EPA-8260	9/15/2025 9:39:00 AM
ccv	ccv	1	EPA-8260	9/15/2025 9:58:00 AM
lcs	lcs	1	EPA-8260	9/15/2025 10:38:00 AM
vblk	mblk	1	EPA-8260	9/15/2025 10:58:00 AM
250905090-002a	samp	1	EPA-8260	9/15/2025 12:58:00 PM
250905090-004a	samp	1	EPA-8260	9/15/2025 1:18:00 PM
250905090-028a	samp	1	EPA-8260	9/15/2025 1:37:00 PM
250905090-031a	samp	1	EPA-8260	9/15/2025 1:57:00 PM
250905090-035a	samp	1	EPA-8260	9/15/2025 4:48:00 PM
250905090-036a	samp	1	EPA-8260	9/15/2025 5:08:00 PM
250905090-043a	samp	1	EPA-8260	9/15/2025 5:28:00 PM
250905090-044a	samp	1	EPA-8260	9/15/2025 5:48:00 PM
250905090-001a	samp	1	EPA-8260	9/15/2025 6:07:00 PM
250905090-007a	samp	1	EPA-8260	9/15/2025 6:27:00 PM
250905090-012a	samp	1	EPA-8260	9/15/2025 6:47:00 PM
250905090-013a	samp	1	EPA-8260	9/15/2025 7:07:00 PM
250905090-015a	samp	1	EPA-8260	9/15/2025 7:27:00 PM

SampID	SampType	DF	TestName:	Analysis Date/Time:
250905090-016a	samp	1	EPA-8260	9/15/2025 7:46:00 PM
250905090-016ams	ms	1	EPA-8260	9/15/2025 8:06:00 PM
250905090-016amsd	msd	1	EPA-8260	9/15/2025 8:26:00 PM
bfb	tune	1	EPA-8260	9/16/2025 8:43:00 AM
ccv	ccv	1	EPA-8260	9/16/2025 11:21:00 AM
lcs	lcs	1	EPA-8260	9/16/2025 12:00:00 PM
vblk	mblk	1	EPA-8260	9/16/2025 12:20:00 PM
250905090-017a	samp	1	EPA-8260	9/16/2025 2:19:00 PM
250905090-018a	samp	1	EPA-8260	9/16/2025 2:38:00 PM
250905090-026a	samp	1	EPA-8260	9/16/2025 2:58:00 PM
250905090-029a	samp	1	EPA-8260	9/16/2025 3:18:00 PM
250905090-038a	samp	1	EPA-8260	9/16/2025 3:38:00 PM
250905090-010a	samp	50	EPA-8260	9/16/2025 4:00:00 PM
250905090-023a	samp	50	EPA-8260	9/16/2025 4:22:00 PM
250905090-024a	samp	50	EPA-8260	9/16/2025 4:44:00 PM
250905090-023ams	ms	50	EPA-8260	9/16/2025 5:04:00 PM
250905090-023amsd	msd	50	EPA-8260	9/16/2025 5:23:00 PM
250905090-011a	samp	10	EPA-8260	9/16/2025 8:02:00 PM
bfb	tune	1	EPA-8260	9/16/2025 8:39:00 PM
lcs	CCV	1	EPA-8260	9/16/2025 9:39:00 PM
lcs	lcs	1	EPA-8260	9/16/2025 9:39:00 PM
vblk	mblk	1	EPA-8260	9/17/2025 2:16:00 AM
250905090-003a	samp	1	EPA-8260	9/17/2025 3:15:00 AM
250905090-008a	samp	1	EPA-8260	9/17/2025 3:35:00 AM
250905090-014a	samp	1	EPA-8260	9/17/2025 3:55:00 AM
250905090-019a	samp	1	EPA-8260	9/17/2025 4:15:00 AM
250905090-033a	samp	1	EPA-8260	9/17/2025 4:34:00 AM
250905090-034a	samp	1	EPA-8260	9/17/2025 4:54:00 AM

SampID	SampType	DF	TestName:	Analysis Date/Time:
250905090-037a	samp	1	EPA-8260	9/17/2025 5:14:00 AM
250905090-039a	samp	1	EPA-8260	9/17/2025 5:34:00 AM
250905090-040a	samp	1	EPA-8260	9/17/2025 5:53:00 AM
250905090-041a	samp	50	EPA-8260	9/17/2025 6:15:00 AM
250905090-042a	samp	50	EPA-8260	9/17/2025 6:38:00 AM
250905090-022a	samp	25	EPA-8260	9/17/2025 7:00:00 AM
250905090-020a	samp	100	EPA-8260	9/17/2025 7:22:00 AM
bfb	tune	1	EPA-8260	9/18/2025 8:24:00 AM
vblk	mbk	1	EPA-8260	9/18/2025 9:42:00 AM
250905090-005a	samp	1	EPA-8260	9/18/2025 10:06:00 AM
250905090-006a	samp	1	EPA-8260	9/18/2025 10:26:00 AM
250905090-009a	samp	2	EPA-8260	9/18/2025 10:48:00 AM
250905090-021a	samp	100	EPA-8260	9/18/2025 11:10:00 AM
250905090-025a	samp	1	EPA-8260	9/18/2025 11:30:00 AM
250905090-027a	samp	100	EPA-8260	9/18/2025 11:52:00 AM
ccv	ccv	1	EPA-8260	9/18/2025 1:58:00 PM
lcs	lcs	1	EPA-8260	9/18/2025 2:17:00 PM

Client: Central Hudson Gas & Electric
WorkOrder 250905090
Project: Little Britain Road Site
Test: VCLP-LOW

Internal Standard
Summary Report

Batch: R250378

SampID	Analysis Time	1,4-Dichlorobenzene-d4		1,4-Difluorobenzene		Chlorobenzene-d5		Fluorobenzene	
ccv	9/15/2025 9:58:00 AM	91356	RT: 11.86	0	RT: 0	148293	RT: 9.73	211634	RT: 5.9
lcs	9/15/2025 10:38:00 AM	88478	RT: 11.86			151908	RT: 9.74	228374	RT: 5.9
vblk	9/15/2025 10:58:00 AM	73630	RT: 11.86			137566	RT: 9.74	205206	RT: 5.9
250905090-002A	9/15/2025 12:58:00 PM	62481	RT: 11.86			114716	RT: 9.74	171661	RT: 5.9
250905090-004A	9/15/2025 1:18:00 PM	58169	RT: 11.86			111579	RT: 9.74	167562	RT: 5.9
250905090-028A	9/15/2025 1:37:00 PM	58443	RT: 11.86			113031	RT: 9.74	167439	RT: 5.9
250905090-031A	9/15/2025 1:57:00 PM	58639	RT: 11.86			110952	RT: 9.74	164073	RT: 5.9
250905090-035A	9/15/2025 4:48:00 PM	59048	RT: 11.86			112469	RT: 9.73	170345	RT: 5.9
250905090-036A	9/15/2025 5:08:00 PM	57451	RT: 11.86			106847	RT: 9.74	159466	RT: 5.9
250905090-043A	9/15/2025 5:28:00 PM	60014	RT: 11.86			107759	RT: 9.74	157037	RT: 5.9
250905090-044A	9/15/2025 5:48:00 PM	55091	RT: 11.86			108663	RT: 9.74	164416	RT: 5.9
250905090-001A	9/15/2025 6:07:00 PM	55970	RT: 11.86			107054	RT: 9.74	154351	RT: 5.9
250905090-007A	9/15/2025 6:27:00 PM	55833	RT: 11.86			108471	RT: 9.74	155945	RT: 5.9
250905090-012A	9/15/2025 6:47:00 PM	57385	RT: 11.86			106703	RT: 9.73	154120	RT: 5.9
250905090-013A	9/15/2025 7:07:00 PM	58104	RT: 11.86			106519	RT: 9.74	155751	RT: 5.9
250905090-015A	9/15/2025 7:27:00 PM	54573	RT: 11.86			104805	RT: 9.74	153146	RT: 5.9
250905090-016A	9/15/2025 7:46:00 PM	56517	RT: 11.86			105825	RT: 9.74	150452	RT: 5.9
250905090-016ams	9/15/2025 8:06:00 PM	75234	RT: 11.86			122734	RT: 9.74	181300	RT: 5.9
250905090-016amsd	9/15/2025 8:26:00 PM	74871	RT: 11.86			132230	RT: 9.74	198986	RT: 5.9
ccv	9/16/2025 11:21:00 AM	78157	RT: 11.86	0	RT: 0	123364	RT: 9.74	177317	RT: 5.9
lcs	9/16/2025 12:00:00 PM	78436	RT: 11.86			134311	RT: 9.74	202097	RT: 5.9
vblk	9/16/2025 12:20:00 PM	69647	RT: 11.86			126109	RT: 9.74	187168	RT: 5.9
250905090-017A	9/16/2025 2:19:00 PM	57734	RT: 11.86			106586	RT: 9.74	156478	RT: 5.9

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
250905090-018A	9/16/2025 2:38:00 PM	54165 RT: 11.86		106275 RT: 9.74	158452 RT: 5.9
250905090-026A	9/16/2025 2:58:00 PM	60431 RT: 11.86		109671 RT: 9.74	155628 RT: 5.9
250905090-029A	9/16/2025 3:18:00 PM	57090 RT: 11.86		107192 RT: 9.74	158319 RT: 5.9
250905090-038A	9/16/2025 3:38:00 PM	58213 RT: 11.86		105424 RT: 9.74	153782 RT: 5.9
250905090-010A	9/16/2025 4:00:00 PM	61067 RT: 11.86		113021 RT: 9.74	167206 RT: 5.9
250905090-023A	9/16/2025 4:22:00 PM	59642 RT: 11.86		111507 RT: 9.73	162634 RT: 5.9
250905090-024A	9/16/2025 4:44:00 PM	58911 RT: 11.86		109997 RT: 9.74	163911 RT: 5.9
250905090-023ams	9/16/2025 5:04:00 PM	75386 RT: 11.86		128725 RT: 9.74	182158 RT: 5.9
250905090-023amsd	9/16/2025 5:23:00 PM	72554 RT: 11.86		133285 RT: 9.74	196552 RT: 5.9
250905090-011A	9/16/2025 8:02:00 PM	76349 RT: 11.86		140047 RT: 9.73	208197 RT: 5.9
lcs	9/16/2025 9:39:00 PM	82701 RT: 11.86		145980 RT: 9.74	214900 RT: 5.9
lcs	9/16/2025 9:39:00 PM	82701 RT: 11.86	0 RT: 0	145980 RT: 9.74	214900 RT: 5.9
vblk	9/17/2025 2:16:00 AM	70576 RT: 11.86		132486 RT: 9.74	197953 RT: 5.9
250905090-003A	9/17/2025 3:15:00 AM	68916 RT: 11.86		133881 RT: 9.74	201611 RT: 5.9
250905090-008A	9/17/2025 3:35:00 AM	63425 RT: 11.86		128104 RT: 9.74	187532 RT: 5.9
250905090-014A	9/17/2025 3:55:00 AM	66656 RT: 11.86		125421 RT: 9.74	182975 RT: 5.9
250905090-019A	9/17/2025 4:15:00 AM	64666 RT: 11.86		123320 RT: 9.74	181720 RT: 5.9
250905090-033A	9/17/2025 4:34:00 AM	61429 RT: 11.86		122007 RT: 9.74	174646 RT: 5.9
250905090-034A	9/17/2025 4:54:00 AM	64529 RT: 11.86		122135 RT: 9.74	176574 RT: 5.9
250905090-037A	9/17/2025 5:14:00 AM	65195 RT: 11.86		119148 RT: 9.74	173864 RT: 5.9
250905090-039A	9/17/2025 5:34:00 AM	58885 RT: 11.86		117668 RT: 9.74	172735 RT: 5.9
250905090-040A	9/17/2025 5:53:00 AM	63732 RT: 11.86		117208 RT: 9.74	172963 RT: 5.9
250905090-041A	9/17/2025 6:15:00 AM	66042 RT: 11.86		122324 RT: 9.74	181440 RT: 5.9
250905090-042A	9/17/2025 6:38:00 AM	63782 RT: 11.86		120098 RT: 9.73	174812 RT: 5.9
250905090-022A	9/17/2025 7:00:00 AM	61406 RT: 11.86		117327 RT: 9.73	170672 RT: 5.9
250905090-020A	9/17/2025 7:22:00 AM	64711 RT: 11.86		121860 RT: 9.73	174839 RT: 5.9
vblk	9/18/2025 9:42:00 AM	110285 RT: 11.86		208468 RT: 9.74	307634 RT: 5.9
250905090-005A	9/18/2025 10:06:00 AM	113824 RT: 11.86		208782 RT: 9.73	296619 RT: 5.9
250905090-006A	9/18/2025 10:26:00 AM	110928 RT: 11.86		206258 RT: 9.74	294409 RT: 5.9

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
250905090-009A	9/18/2025 10:48:00 AM	103680 RT: 11.86		191134 RT: 9.73	267460 RT: 5.9
250905090-021A	9/18/2025 11:10:00 AM	108842 RT: 11.86		200996 RT: 9.74	294000 RT: 5.9
250905090-025A	9/18/2025 11:30:00 AM	107605 RT: 11.86		194153 RT: 9.74	281394 RT: 5.9
250905090-027A	9/18/2025 11:52:00 AM	105285 RT: 11.86		199502 RT: 9.74	293511 RT: 5.9
ccv	9/18/2025 1:58:00 PM	127997 RT: 11.86	0 RT: 0	227449 RT: 9.73	323713 RT: 5.9
lcs	9/18/2025 2:17:00 PM	124729 RT: 11.86		222960 RT: 9.73	318913 RT: 5.9

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	1,1,1,2-Tetrachloroethane	0.39	0.5
A	1,1,1-Trichloroethane	0.19	0.5
A	1,1,2,2-Tetrachloroethane	0.34	0.5
A	1,1,2-Trichloro-1,2,2-trifluoroethane	0.38	0.5
A	1,1,2-Trichloroethane	0.35	0.5
A	1,1-Dichloroethane	0.27	0.5
A	1,1-Dichloroethene	0.46	0.5
A	1,1-Dichloropropene	0.41	0.5
A	1,2,3-Trichlorobenzene	0.4	0.5
A	1,2,3-Trichloropropane	0.41	0.5
A	1,2,4-Trichlorobenzene	0.5	0.5
A	1,2,4-Trimethylbenzene	0.43	0.5
A	1,2-Dibromo-3-chloropropane	0.88	1
A	1,2-Dibromoethane	0.44	0.5
A	1,2-Dichlorobenzene	0.42	0.5
A	1,2-Dichloroethane	0.29	0.5
A	1,2-Dichloropropane	0.27	0.5
A	1,3,5-Trimethylbenzene	0.3	0.5
A	1,3-Dichlorobenzene	0.42	0.5
A	1,3-Dichloropropane	0.41	0.5
A	1,4-Dichlorobenzene	0.41	0.5
A	1,4-Dioxane	11.1	50
A	1-Bromopropane		
A	1-Propanol		
A	2,2-Dichloropropane	0.48	0.5
A	2-Butanone	4.62	5
A	2-Chloroethanol		0.5
A	2-Chloroethyl vinyl ether		0.5
A	2-Chlorotoluene	0.5	0.5
A	2-Hexanone	4.85	5
A	2-Hydroxypropionitrile		0.5
A	2-Methyl-1,3-dioxolane		0.5
A	2-Nitropropane		0.5
A	2-Pentanone		0.5
A	2-Picoline		0.5
A	2-Propanol		0.5
A	3-Chloropropionitrile		0.5
A	3-Methyl Thiophene		0.5
A	4-Chlorotoluene	0.46	0.5
A	4-Isopropyltoluene	0.4	0.5
A	4-Methyl-2-pentanone	3.78	5
A	Acetone	4.9	5

Adirondack Environmental Services, Inc**Date:** 26-Feb-25**Test Code:** VCLP-LOW**Test Number:** SW8260C**Test Name:** EPA-8260**Matrix:** Water**Units:** µg/L**METHOD DETECTION /
REPORTING LIMITS****Updated:** 17-Jan-25

Type	Analyte	MDL	PQL
A	Acetonitrile	6.47	25
A	Acrolein	24.2	25
A	Acrylonitrile	8.06	10
A	Allyl alcohol		0.5
A	Allyl chloride		5
A	Benzene	0.25	0.5
A	Benzyl chloride		0.5
A	beta-Propiolactone		0.5
A	bis-(2-Chloroethyl) Sulfide		0.5
A	Bromoacetone		0.5
A	Bromobenzene	0.4	0.5
A	Bromochloromethane	0.5	0.5
A	Bromodichloromethane	0.37	0.5
A	Bromoform	0.45	0.5
A	Bromomethane	0.48	0.5
A	Carbon disulfide	0.27	0.5
A	Carbon tetrachloride	0.27	0.5
A	Chlorobenzene	0.28	0.5
A	Chloroethane	0.43	0.5
A	Chloroform	0.4	0.5
A	Chloromethane	0.5	0.5
A	Chloroprene	0	1
A	cis-1,2-Dichloroethene	0.24	0.5
A	cis-1,3-Dichloropropene	0.49	0.5
A	cis-1,4-Dichloro-2-butene		0.5
A	Cyclohexane	0.5	0.5
A	Cyclohexanone		0.5
A	Dibromochloromethane	0.49	0.5
A	Dibromomethane	0.38	0.5
A	Dichlorodifluoromethane	0.32	0.5
A	Diethyl Ether		0.5
A	Diisobutylene		0.5
A	Ethanol	10.97	25
A	Ethyl acetate		0.5
A	Ethyl Ether		0.5
A	Ethyl methacrylate		0.5
A	Ethylbenzene	0.34	0.5
A	Fluorobenzene		0.5
A	Heptane		0.5
A	Hexachlorobutadiene	0.5	0.5
A	Hexachloroethane		0.5
A	Hexane		0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	Iodomethane		0.5
A	Isobutyl Alcohol	15.56	25
A	Isopropyl Alcohol		0.5
A	Isopropyl ether		0.5
A	Isopropylbenzene	0.3	0.5
A	m,p-Xylene	0.49	0.5
A	Malononitrile		0.5
A	Methacrylonitrile		10
A	Methanol		0.5
A	Methyl Acetate	0.47	0.5
A	Methyl Cyclohexane	0.25	0.5
A	Methyl Formate		0.5
A	Methyl methacrylate	0.38	0.5
A	Methyl tert-butyl ether	0.35	0.5
A	Methylene chloride	0.31	0.5
A	Naphthalene	0.45	1
A	n-Butanol		0.5
A	n-Butylbenzene	0.39	0.5
A	Nitrobenzene		0.5
A	N-Nitroso-di-n-butylamine		0.5
A	n-Propylamine		0.5
A	n-Propylbenzene	0.43	0.5
A	o-Toluidine		0.5
A	o-Xylene	0.35	0.5
A	Paraldehyde		0.5
A	Pentachloroethane		0.5
A	Propionitrile		25
A	Pyridine		0.5
A	sec-Butylbenzene	0.42	0.5
A	Styrene	0.41	0.5
A	t-Amyl Methyl Ether		0.5
A	t-Butyl alcohol		0.5
A	tert-Butylbenzene	0.5	0.5
A	Tetrachloroethene	0.44	0.5
A	Tetrahydrofuran		0.5
A	Toluene	0.34	0.5
A	Total Volatiles		0.5
A	trans-1,2-Dichloroethene	0.29	0.5
A	trans-1,3-Dichloropropene	0.5	0.5
A	trans-1,4-Dichloro-2-butene		0.5
A	Trichloroethene	0.37	0.5
A	Trichlorofluoromethane	0.48	0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 17-Jan-25

Type	Analyte	MDL	PQL
A	Vinyl acetate	0	0.5
A	Vinyl chloride	0.31	0.5
A	Xylenes, Total		0.5
I	1,4-Dichlorobenzene-d4		0.5
I	1,4-Difluorobenzene		0.5
I	Chlorobenzene-d5		0.5
S	1,2-Dichloroethane-d4		0.5
S	4-Bromofluorobenzene		0.5
S	Toluene-d8		0.5

Method Path : D:\MassHunter\GCMS\2\QtMethods\
 Method File : Full081325.M
 Title : Voa Calibration 524/8260 Water
 Last Update : Thu Sep 18 14:14:25 2025
 Response Via : Initial Calibration

Calibration Files

0.5 =g1303.D 1 =g1305.D 2.5 =g1306.D 5 =g1307.D 10 =g1308.D 25 =g1309.D 50 =g1310.D 100 =g1311.D 200 =g1312.D

Compound	0.5	1	2.5	5	10	25	50	100	200	Avg	%RSD

1) I Fluorobenzene	-----ISTD-----										
2) Dichlorodifluo...	0.194	0.263	0.283	0.295	0.227	0.282	0.254	0.271	0.242	0.257	12.39
3) Chloromethane	0.372	0.423	0.503	0.480	0.357	0.397	0.371	0.382	0.356	0.404	13.26
4) Vinyl Chloride	0.295	0.404	0.447	0.458	0.358	0.395	0.378	0.377	0.356	0.385	12.79
5) Bromomethane	0.346	0.375	0.423	0.377	0.264	0.283	0.261	0.289	0.279	0.322	18.36
6) Chloroethane	0.190	0.295	0.335	0.323	0.246	0.276	0.255	0.262	0.253	0.271	16.11
7) Acrolein	0.014	0.012	0.018	0.018	0.014	0.013	0.013	0.014	0.013	0.014	14.15
8) Trichlorofluor...	0.443	0.638	0.690	0.682	0.505	0.693	0.643	0.666	0.615	0.620	14.16
9) Ethanol	0.016	0.012	0.010	0.010	0.008	0.006	0.007	0.007	0.007	0.009	35.29
10) Freon113	0.281	0.212	0.287	0.282	0.274	0.339	0.312	0.324	0.296	0.290	12.49
11) 1,1-Dichloroet...	0.325	0.210	0.319	0.340	0.291	0.329	0.322	0.325	0.308	0.308	12.72
12) Allyl Chloride	1.263	1.293	1.323	1.307	1.105	0.972	0.937	1.000	0.960	1.129	14.73
13) Carbon Disulfide	0.987	0.640	0.921	1.008	0.886	0.865	0.964	0.829	0.918	0.891	12.36
14) Acetone				0.182	0.134	0.208	0.194	0.200	0.193	0.185	14.34
15) Iodomethane	0.079	0.087	0.173	0.248	0.287	0.406	0.430	0.486	0.481	0.297	54.31
16) Acetonitrile	0.048	0.056	0.049	0.047	0.042	0.035	0.034	0.035	0.034	0.042	19.16
17) Methyl Acetate	0.093	0.431	0.456	0.431	0.338	0.404	0.385	0.393	0.377	0.367	29.62
18) Methylene Chlo...	1.930	1.037	0.626	0.472	0.388	0.425	0.386	0.383	0.362	0.668	77.84
19) Acrylonitrile			0.041	0.037	0.035	0.033	0.033	0.035	0.033	0.035	8.23
20) trans-1,2-Dich...	0.318	0.261	0.372	0.367	0.328	0.365	0.361	0.346	0.346	0.340	10.26
21) Mtbe	1.516	1.056	1.139	1.113	0.905	1.096	1.039	1.065	1.009	1.104	15.27
22) 1,1-Dichloroet...	0.566	0.478	0.659	0.700	0.587	0.666	0.650	0.658	0.618	0.620	10.88
23) Hexane	0.695	0.466	0.548	0.527	0.426	0.519	0.489	0.496	0.477	0.516	14.80
24) cis-1,2-Dichlo...	0.456	0.432	0.572	0.585	0.527	0.606	0.594	0.589	0.575	0.548	11.58
25) 2,2-Dichloropr...	0.388	0.357	0.463	0.465	0.411	0.534	0.505	0.521	0.497	0.460	13.47
26) Propionitrile			0.075	0.078	0.068	0.062	0.061	0.066	0.064	0.068	9.62
27) Bromochloromet...	0.149	0.097	0.196	0.182	0.166	0.196	0.196	0.193	0.188	0.174	18.92
28) Methacrylonitrile	0.189	0.180	0.217	0.226	0.201	0.170	0.167	0.182	0.177	0.190	10.87
29) Tetrahydrofuran	0.211	0.157	0.157	0.175	0.126	0.146	0.136	0.143	0.135	0.154	16.87
30) Chloroform	0.817	0.581	0.688	0.646	0.585	0.668	0.635	0.652	0.611	0.654	10.85
31) Cyclohexane	0.512	0.481	0.560	0.569	0.529	0.670	0.624	0.640	0.581	0.574	10.83
32) 1,1-Dichloro-1...	0.410	0.284	0.430	0.447	0.416	0.481	0.462	0.461	0.443	0.426	13.61
33) 1,2-Dichloroet...	0.429	0.370	0.519	0.513	0.457	0.542	0.514	0.522	0.507	0.486	11.50
34) 2-Butanone			0.194	0.204	0.169	0.220	0.228	0.230	0.227	0.210	10.91
35) s 1,2-Dichloroet...	0.303	0.306	0.302	0.305	0.301	0.301	0.304	0.303	0.295	0.302	1.07
36) I Chlorobenzene-d5	-----ISTD-----										
37) 1,1,1-Trichlor...	0.641	0.606	0.703	0.756	0.681	0.790	0.744	0.757	0.732	0.712	8.40
38) Carbon Tetrach...	0.602	0.486	0.623	0.590	0.571	0.700	0.659	0.665	0.638	0.615	10.22
39) Benzene	1.970	1.555	2.056	2.103	1.815	2.051	1.937	1.910	1.840	1.915	8.71

Method Path : D:\MassHunter\GCMS\2\QtMethods\												
Method File : Full081325.M												
40)	Isobutanol	0.005	0.004	0.006	0.005	0.005	0.006	0.005	0.005	0.005	0.005	13.43
41)	Heptane	0.101	0.073	0.118	0.107	0.091	0.116	0.107	0.104	0.098	0.102	13.43
42)	Trichloroethene	0.460	0.384	0.489	0.497	0.449	0.503	0.506	0.498	0.493	0.475	8.27
43)	Methyl Cyclohe...	0.840	0.604	0.718	0.724	0.733	0.902	0.860	0.894	0.845	0.791	12.70
44)	1,2-Dichloropr...	0.484	0.406	0.568	0.548	0.501	0.563	0.530	0.522	0.519	0.516	9.58
45)	Vinyl Acetate	0.742	0.648	0.896	1.070	0.862	1.100	1.062	1.082	1.048	0.946	17.60
46)	Dibromomethane	0.263	0.176	0.347	0.347	0.314	0.370	0.373	0.364	0.370	0.325	20.38
47)	1,4-Dioxane	0.008	0.007	0.008	0.006	0.006	0.006	0.006	0.006	0.006	0.007	13.97
48)	Methyl Methacr...	0.361	0.433	0.424	0.473	0.422	0.368	0.375	0.402	0.401	0.407	8.86
49)	Bromodichlorom...	0.651	0.463	0.661	0.704	0.596	0.696	0.695	0.690	0.685	0.649	11.91
50)	Ceve	0.163	0.215	0.239	0.236	0.178	0.178	0.208	0.189	0.201		14.08
51)	cis-1,3-Dichlo...	0.498	0.434	0.697	0.725	0.661	0.778	0.784	0.787	0.801	0.685	19.47
52)	trans-1,3-Dich...	0.462	0.288	0.507	0.610	0.560	0.681	0.725	0.735	0.761	0.592	26.20
53)	1,1,2-Trichlor...	0.371	0.333	0.503	0.528	0.436	0.501	0.482	0.476	0.467	0.455	14.16
54)	1,3-Dichloropr...	0.725	0.601	0.843	0.852	0.722	0.857	0.819	0.810	0.800	0.781	10.76
55)	1,2-Dibromoethane	0.350	0.298	0.443	0.471	0.424	0.503	0.501	0.497	0.491	0.442	16.62
56)	Dibromochlorom...	0.398	0.372	0.470	0.490	0.436	0.547	0.543	0.544	0.542	0.483	14.07
57)	Bromoform	0.286	0.215	0.355	0.341	0.309	0.393	0.413	0.422	0.433	0.352	20.55
58)	4-Methyl-2-Pen...	0.663	0.623	0.758	0.830	0.663	0.798	0.813	0.828	0.816	0.755	10.91
59) s	Toluene-d8	1.415	1.368	1.358	1.417	1.393	1.385	1.379	1.363	1.378	1.384	1.52
60)	Toluene	1.211	0.914	1.142	1.186	1.133	1.285	1.204	1.212	1.175	1.162	8.88
61)	Ethyl Metacrylate	0.841	0.603	0.759	0.895	0.812	0.704	0.689	0.771	0.771	0.761	11.43
62)	Tetrachloroethene	0.488	0.296	0.379	0.404	0.385	0.449	0.437	0.443	0.427	0.412	13.39
63)	2-Hexanone	0.372	0.402	0.320	0.427	0.460	0.453	0.451	0.412			12.51
64) I	1,4-Dichlorobenzen...	-----ISTD-----										
65)	Chlorobenzene	2.249	1.739	2.098	2.373	2.090	2.293	2.193	2.216	2.184	2.159	8.37
66)	1,1,1,2-Tetrac...	0.783	0.565	0.737	0.769	0.665	0.766	0.748	0.774	0.756	0.729	9.71
67)	Ethylbenzene	1.103	0.939	1.042	1.195	1.087	1.259	1.201	1.232	1.199	1.140	9.16
68)	m,p-Xylene	2.812	2.184	2.558	2.880	2.627	3.041	2.920	2.997	2.956	2.775	9.91
69)	o-Xylene	1.313	1.000	1.380	1.400	1.290	1.500	1.439	1.489	1.446	1.362	11.28
70)	Styrene	2.092	1.274	1.963	2.236	2.097	2.398	2.391	2.479	2.480	2.157	17.60
71)	Isopropylbenzene	3.078	2.425	3.115	3.492	3.231	3.757	3.613	3.764	3.644	3.347	12.99
72)	Chloroprene	0.239	0.193	0.240	0.244	0.229	0.191	0.196	0.215	0.221	0.219	9.70
73)	trans-1,4-Dich...	0.344	0.320	0.390	0.457	0.379	0.358	0.382	0.438	0.457	0.392	12.60
74)	Bromobenzene	1.425	1.098	1.351	1.452	1.358	1.432	1.437	1.426	1.432	1.379	8.07
75)	1,2,3-Trichlor...	1.626	1.329	1.330	1.405	1.232	1.312	1.319	1.368	1.382	1.367	7.97
76)	2-Chlorotoluene	2.414	1.973	2.367	2.564	2.382	2.610	2.563	2.599	2.528	2.445	8.18
77)	4-Chlorotoluene	3.069	2.119	2.654	2.963	2.739	3.037	3.004	3.060	3.099	2.860	11.13
78)	1,3,5-Trimethy...	2.769	2.173	2.639	2.831	2.652	3.092	3.005	3.123	3.042	2.814	10.75
79)	tert-Butylbenzene	2.470	1.806	2.165	2.368	2.276	2.667	2.561	2.647	2.500	2.384	11.44
80)	1,2,4-Trimethy...	2.596	1.961	2.492	2.718	2.633	3.058	2.980	3.057	2.944	2.715	12.99
81) S	Bromofluoroben...	0.892	0.888	0.874	0.907	0.882	0.873	0.841	0.871	0.855	0.876	2.23
82)	1,1,2,2-Tetrac...	1.199	1.081	1.259	1.400	1.149	1.276	1.220	1.207	1.199	1.221	7.22
83)	n-Propylbenzene	4.347	3.460	4.067	4.265	4.109	4.684	4.577	4.640	4.474	4.291	8.91
84)	1,3-Dichlorobe...	1.829	1.289	1.704	1.868	1.688	1.818	1.822	1.795	1.800	1.735	10.20
85)	sec-Butylbenzene	3.457	2.717	3.364	3.652	3.447	4.093	3.962	4.057	3.850	3.622	12.05
86)	4-Isopropyltol...	2.861	2.191	2.673	2.946	2.796	3.326	3.288	3.355	3.207	2.960	12.91
87)	1,4-Dichlorobe...	1.829	1.289	1.704	1.868	1.688	1.818	1.822	1.814	1.829	1.740	10.31
88)	1,2-Dichlorobe...	1.949	1.396	1.669	1.845	1.658	1.821	1.783	1.791	1.757	1.741	9.00

Method Path : D:\MassHunter\GCMS\2\QtMethods\

Method File : Full081325.M

89)	n-Butylbenzene	3.412	2.228	2.651	2.950	2.789	3.206	3.200	3.249	3.180	2.985	12.48
90)	1,2-Dibromo-3-...	0.177	0.186	0.216	0.233	0.209	0.257	0.254	0.267	0.275	0.231	15.40
91)	1,2,4-Trichlor...	1.123	0.819	0.958	1.158	1.072	1.279	1.312	1.332	1.328	1.154	15.66
92)	Hexachlorobuta...	0.578	0.366	0.500	0.585	0.541	0.626	0.634	0.620	0.592	0.560	15.07
93)	Naphthalene	2.359	1.873	2.378	2.758	2.604	3.188	3.218	3.341	3.289	2.779	18.55
94)	1,2,3-Trichlor...	1.137	0.884	0.976	1.088	1.070	1.258	1.262	1.273	1.270	1.135	12.58
95) s	1,2-Dichlorobe...	0.994	0.978	0.953	0.972	0.955	0.970	0.941	0.943	0.943	0.961	1.93

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G2064

Case No.: 250905090

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 9/15/25 Time: 9:58
 Init. Calib. Date(s): 8/13/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.404	0.421	0.010	4.3
Bromomethane	0.322	0.326	0.100	1.3
Vinyl chloride	0.385	0.469	0.100	21.7
Chloroethane	0.271	0.318	0.010	17.5
Methylene chloride	0.668	0.314	0.010	53.1
Acetone	0.185	0.120	0.010	35.3
Carbon disulfide	0.891	0.664	0.010	25.5
1,1-Dichloroethene	0.308	0.224	0.100	27.4
1,1-Dichloroethane	0.620	0.573	0.200	7.6
trans-1,2-Dichloroethene	0.340	0.287	0.010	15.5
cis-1,2-Dichloroethene	0.548	0.543	0.010	1.0
Bromochloromethane	0.174	0.151	0.050	13.2
Chloroform	0.654	0.624	0.200	4.6
1,2-Dichloroethane	0.486	0.525	0.100	8.0
2-Butanone	0.210	0.168	0.010	20.1
1,1,1-Trichloroethane	0.712	0.729	0.100	2.4
Carbon tetrachloride	0.615	0.598	0.100	2.7
Bromodichloromethane	0.649	0.701	0.200	8.0
1,2-Dichloropropane	0.516	0.537	0.010	4.1
cis-1,3-Dichloropropene	0.685	0.757	0.200	10.4
Trichloroethene	0.475	0.437	0.300	8.1
Dibromochloromethane	0.483	0.478	0.100	1.0
1,1,2-Trichloroethane	0.455	0.486	0.100	6.7
Benzene	1.915	1.959	0.400	2.3
trans-1,3-Dichloropropene	0.592	0.737	0.100	24.6
Bromoform	0.352	0.346	0.050	1.7
4-Methyl-2-pentanone	0.755	0.764	0.010	1.2
2-Hexanone	0.412	0.383	0.010	7.1
Tetrachloroethene	0.412	0.375	0.100	8.9
1,1,2,2-Tetrachloroethane	1.221	1.268	0.300	3.8
Toluene	1.162	1.270	0.400	9.3
Chlorobenzene	2.159	2.148	0.500	0.5
Ethylbenzene	1.140	1.197	0.100	5.0
Styrene	2.157	2.390	0.300	10.8
m,p-Xylene	2.775	3.101	0.300	11.7
o-Xylene	1.362	1.443	0.300	5.9
Methyl tert-butyl ether	1.104	0.892	0.010	19.2
Dichlorodifluoromethane	0.257	0.294	0.010	14.4
Methyl Acetate	0.367	0.339	0.010	7.7
1,1,2-Trichloro-1,2,2-trifluoroethane	0.290	0.214	0.010	26.3
Trichlorofluoromethane	0.620	0.602	0.010	2.9
Cyclohexane	0.574	0.594	0.010	3.5
Methyl Cyclohexane	0.791	0.854	0.010	8.0
1,2-Dibromoethane	0.442	0.449	0.010	1.6
1,3-Dichlorobenzene	1.735	1.717	0.600	1.0
Isopropylbenzene	3.347	3.660	0.010	9.4
1,2-Dichlorobenzene	1.741	1.727	0.400	0.8
1,4-Dichlorobenzene	1.740	1.717	0.500	1.3
1,2-Dibromo-3-chloropropane	0.231	0.198	0.010	14.1
1,2,4-Trichlorobenzene	1.154	1.144	0.200	0.8
1,4-Dioxane	0.007	0.006	0.010	16.4
1,2,3-Trichlorobenzene	1.135	1.116	0.200	1.7

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G2130

Case No.: 250905090

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 9/16/25 Time: 11:21
 Init. Calib. Date(s): 8/13/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.404	0.337	0.010	16.5
Bromomethane	0.322	0.304	0.100	5.5
Vinyl chloride	0.385	0.394	0.100	2.3
Chloroethane	0.271	0.304	0.010	12.2
Methylene chloride	0.668	0.308	0.010	53.9
Acetone	0.185	0.119	0.010	35.9
Carbon disulfide	0.891	0.625	0.010	29.9
1,1-Dichloroethene	0.308	0.218	0.100	29.3
1,1-Dichloroethane	0.620	0.541	0.200	12.8
trans-1,2-Dichloroethene	0.340	0.269	0.010	20.9
cis-1,2-Dichloroethene	0.548	0.496	0.010	9.5
Bromochloromethane	0.174	0.149	0.050	14.3
Chloroform	0.654	0.589	0.200	10.0
1,2-Dichloroethane	0.486	0.486	0.100	0.1
2-Butanone	0.210	0.180	0.010	14.1
1,1,1-Trichloroethane	0.712	0.663	0.100	6.8
Carbon tetrachloride	0.615	0.551	0.100	10.3
Bromodichloromethane	0.649	0.675	0.200	4.0
1,2-Dichloropropane	0.516	0.518	0.010	0.4
cis-1,3-Dichloropropene	0.685	0.689	0.200	0.6
Trichloroethene	0.475	0.411	0.300	13.5
Dibromochloromethane	0.483	0.447	0.100	7.5
1,1,2-Trichloroethane	0.455	0.458	0.100	0.7
Benzene	1.915	1.798	0.400	6.1
trans-1,3-Dichloropropene	0.592	0.656	0.100	10.8
Bromoform	0.352	0.322	0.050	8.4
4-Methyl-2-pentanone	0.755	0.769	0.010	1.9
2-Hexanone	0.412	0.386	0.010	6.3
Tetrachloroethene	0.412	0.359	0.100	12.8
1,1,2,2-Tetrachloroethane	1.221	1.259	0.300	3.1
Toluene	1.162	1.183	0.400	1.8
Chlorobenzene	2.159	1.960	0.500	9.2
Ethylbenzene	1.140	1.072	0.100	6.0
Styrene	2.157	2.206	0.300	2.3
m,p-Xylene	2.775	2.818	0.300	1.5
o-Xylene	1.362	1.316	0.300	3.3
Methyl tert-butyl ether	1.104	0.822	0.010	25.5
Dichlorodifluoromethane	0.257	0.182	0.010	29.1
Methyl Acetate	0.367	0.331	0.010	9.9
1,1,2-Trichloro-1,2,2-trifluoroethane	0.290	0.198	0.010	31.6
Trichlorofluoromethane	0.620	0.576	0.010	7.1
Cyclohexane	0.574	0.544	0.010	5.2
Methyl Cyclohexane	0.791	0.797	0.010	0.8
1,2-Dibromoethane	0.442	0.439	0.010	0.7
1,3-Dichlorobenzene	1.735	1.613	0.600	7.1
Isopropylbenzene	3.347	3.304	0.010	1.3
1,2-Dichlorobenzene	1.741	1.665	0.400	4.4
1,4-Dichlorobenzene	1.740	1.613	0.500	7.3
1,2-Dibromo-3-chloropropane	0.231	0.206	0.010	11.0
1,2,4-Trichlorobenzene	1.154	1.071	0.200	7.2
1,4-Dioxane	0.007	0.006	0.010	19.7
1,2,3-Trichlorobenzene	1.135	1.064	0.200	6.3

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G2161

Case No.: 250905090

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 9/16/25 Time: 21:39
 Init. Calib. Date(s): 8/13/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.404	0.314	0.010	22.3
Bromomethane	0.322	0.271	0.100	16.0
Vinyl chloride	0.385	0.345	0.100	10.3
Chloroethane	0.271	0.273	0.010	0.7
Methylene chloride	0.668	0.325	0.010	51.4
Acetone	0.185	0.117	0.010	36.9
Carbon disulfide	0.891	0.610	0.010	31.5
1,1-Dichloroethene	0.308	0.206	0.100	33.0
1,1-Dichloroethane	0.620	0.516	0.200	16.8
trans-1,2-Dichloroethene	0.340	0.263	0.010	22.6
cis-1,2-Dichloroethene	0.548	0.474	0.010	13.5
Bromochloromethane	0.174	0.144	0.050	17.1
Chloroform	0.654	0.553	0.200	15.4
1,2-Dichloroethane	0.486	0.443	0.100	8.8
2-Butanone	0.210	0.146	0.010	30.7
1,1,1-Trichloroethane	0.712	0.642	0.100	9.8
Carbon tetrachloride	0.615	0.529	0.100	14.1
Bromodichloromethane	0.649	0.623	0.200	4.0
1,2-Dichloropropane	0.516	0.503	0.010	2.5
cis-1,3-Dichloropropene	0.685	0.674	0.200	1.6
Trichloroethene	0.475	0.402	0.300	15.3
Dibromochloromethane	0.483	0.442	0.100	8.5
1,1,2-Trichloroethane	0.455	0.433	0.100	4.9
Benzene	1.915	1.798	0.400	6.1
trans-1,3-Dichloropropene	0.592	0.620	0.100	4.8
Bromoform	0.352	0.302	0.050	14.1
4-Methyl-2-pentanone	0.755	0.674	0.010	10.7
2-Hexanone	0.412	0.343	0.010	16.7
Tetrachloroethene	0.412	0.346	0.100	15.9
1,1,2,2-Tetrachloroethane	1.221	1.255	0.300	2.8
Toluene	1.162	1.116	0.400	3.9
Chlorobenzene	2.159	2.140	0.500	0.9
Ethylbenzene	1.140	1.148	0.100	0.7
Styrene	2.157	2.335	0.300	8.3
m,p-Xylene	2.775	2.991	0.300	7.8
o-Xylene	1.362	1.425	0.300	4.6
Methyl tert-butyl ether	1.104	0.817	0.010	26.0
Dichlorodifluoromethane	0.257	0.122	0.010	52.4
Methyl Acetate	0.367	0.321	0.010	12.4
1,1,2-Trichloro-1,2,2-trifluoroethane	0.290	0.178	0.010	38.6
Trichlorofluoromethane	0.620	0.506	0.010	18.4
Cyclohexane	0.574	0.456	0.010	20.5
Methyl Cyclohexane	0.791	0.701	0.010	11.3
1,2-Dibromoethane	0.442	0.427	0.010	3.4
1,3-Dichlorobenzene	1.735	1.706	0.600	1.7
Isopropylbenzene	3.347	3.527	0.010	5.4
1,2-Dichlorobenzene	1.741	1.698	0.400	2.5
1,4-Dichlorobenzene	1.740	1.706	0.500	2.0
1,2-Dibromo-3-chloropropane	0.231	0.214	0.010	7.2
1,2,4-Trichlorobenzene	1.154	1.134	0.200	1.7
1,4-Dioxane	0.007	0.005	0.010	21.9
1,2,3-Trichlorobenzene	1.135	1.093	0.200	3.7

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G2238

Case No.: 250905090



Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 9/18/25 Time: 13:58
 Init. Calib. Date(s): 8/13/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.404	0.399	0.010	1.3
Bromomethane	0.322	0.309	0.100	4.1
Vinyl chloride	0.385	0.409	0.100	6.3
Chloroethane	0.271	0.283	0.010	4.5
Methylene chloride	0.668	0.341	0.010	48.9
Acetone	0.185	0.127	0.010	31.2
Carbon disulfide	0.891	0.798	0.010	10.5
1,1-Dichloroethene	0.308	0.252	0.100	18.1
1,1-Dichloroethane	0.620	0.571	0.200	7.9
trans-1,2-Dichloroethene	0.340	0.302	0.010	11.3
cis-1,2-Dichloroethene	0.548	0.549	0.010	0.1
Bromochloromethane	0.174	0.165	0.050	5.1
Chloroform	0.654	0.602	0.200	8.0
1,2-Dichloroethane	0.486	0.494	0.100	1.6
2-Butanone	0.210	0.165	0.010	21.5
1,1,1-Trichloroethane	0.712	0.715	0.100	0.4
Carbon tetrachloride	0.615	0.605	0.100	1.6
Bromodichloromethane	0.649	0.666	0.200	2.6
1,2-Dichloropropane	0.516	0.512	0.010	0.7
cis-1,3-Dichloropropene	0.685	0.747	0.200	9.0
Trichloroethene	0.475	0.461	0.300	3.0
Dibromochloromethane	0.483	0.464	0.100	3.9
1,1,2-Trichloroethane	0.455	0.458	0.100	0.7
Benzene	1.915	1.847	0.400	3.6
trans-1,3-Dichloropropene	0.592	0.683	0.100	15.4
Bromoform	0.352	0.334	0.050	5.1
4-Methyl-2-pentanone	0.755	0.705	0.010	6.6
2-Hexanone	0.412	0.360	0.010	12.6
Tetrachloroethene	0.412	0.378	0.100	8.3
1,1,2,2-Tetrachloroethane	1.221	1.271	0.300	4.1
Toluene	1.162	1.182	0.400	1.7
Chlorobenzene	2.159	2.284	0.500	5.8
Ethylbenzene	1.140	1.243	0.100	9.0
Styrene	2.157	2.473	0.300	14.6
m,p-Xylene	2.775	3.104	0.300	11.9
o-Xylene	1.362	1.524	0.300	11.9
Methyl tert-butyl ether	1.104	0.931	0.010	15.7
Dichlorodifluoromethane	0.257	0.297	0.010	15.6
Methyl Acetate	0.367	0.370	0.010	0.8
1,1,2-Trichloro-1,2,2-trifluoroethane	0.290	0.277	0.010	4.4
Trichlorofluoromethane	0.620	0.672	0.010	8.4
Cyclohexane	0.574	0.645	0.010	12.3
Methyl Cyclohexane	0.791	0.947	0.010	19.7
1,2-Dibromoethane	0.442	0.436	0.010	1.3
1,3-Dichlorobenzene	1.735	1.797	0.600	3.6
Isopropylbenzene	3.347	3.762	0.010	12.4
1,2-Dichlorobenzene	1.741	1.770	0.400	1.7
1,4-Dichlorobenzene	1.740	1.797	0.500	3.3
1,2-Dibromo-3-chloropropane	0.231	0.215	0.010	7.1
1,2,4-Trichlorobenzene	1.154	1.160	0.200	0.6
1,4-Dioxane	0.007	0.006	0.010	19.9
1,2,3-Trichlorobenzene	1.135	1.108	0.200	2.3

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1296.D
Acq On : 13 Aug 2025 08:54 am
Operator :
Sample : BFB
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Sep 18 14:14:25 2025



Spectrum Information: Average of 10.876 to 11.013 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	23.3	3777	PASS
75	95	30	60	51.9	8396	PASS
95	95	100	100	100.0	16190	PASS
96	95	5	9	6.5	1046	PASS
173	174	0.00	2	0.9	121	PASS
174	95	50	100	87.9	14224	PASS
175	174	5	9	7.1	1016	PASS
176	174	95	101	97.5	13868	PASS
177	176	5	9	6.9	952	PASS

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1303.D
 Acq On : 13 Aug 2025 01:09 pm
 Operator :
 Sample : std000.5
 Misc : ical
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:49:31 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	372866	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	264547	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	150256	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	113161	50.18	ug	0.00
59) Toluene-d8	7.914	98	374436	51.13	ug	0.00
81) Bromofluorobenzene	10.908	95	134000	50.91	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	149426	51.73	ug	0.00
Target Compounds						
						Qvalue
7) Acrolein	2.419	56	202	1.90	ug	90
9) Ethanol	2.225	45	1191	17.44	ug	# 79
14) Acetone	2.576	43	3967	2.83	ug	94
16) Acetonitrile	2.865	40	1789	5.69	ug	100
17) Methyl Acetate	2.760	43	345	Below Cal		92
21) Mtbe	3.347	73	11303	1.37	ug	98
26) Propionitrile	4.658	54	2343	4.65	ug	96
28) Methacrylonitrile	4.810	67	7052	4.98	ug	# 91
40) Isobutanol	5.156	43	268	9.95	ug	# 100
47) 1,4-Dioxane	6.876	88	198	5.57	ug	# 1
68) m,p-Xylene	10.032	91	8450	1.01	ug	93
72) Chloroprene	10.855	53	718	1.09	ug	# 61

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1303.D
Acq On : 13 Aug 2025 01:09 pm
Operator :
Sample : std000.5
Misc : ical
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:49:31 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1305.D
 Acq On : 13 Aug 2025 01:53 pm
 Operator :
 Sample : std001
 Misc : ical
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 19 11:49:34 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	341466	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	251793	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	142596	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	104585	50.64	ug	0.00
59) Toluene-d8	7.914	98	344535	49.43	ug	0.00
81) Bromofluorobenzene	10.908	95	126656	50.70	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	139466	50.88	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.244	85	1793	1.02	ug	# 88
3) Chloromethane	1.384	50	2887	1.05	ug	93
4) Vinyl Chloride	1.470	62	2759	1.05	ug	97
5) Bromomethane	1.726	94	2558	1.16	ug	# 77
6) Chloroethane	1.812	64	2015	1.09	ug	92
7) Acrolein	2.414	56	340	3.49	ug	# 70
8) Trichlorofluoromethane	2.028	101	4358	1.03	ug	84
9) Ethanol	2.225	45	1660	26.55	ug	# 68
12) Allyl Chloride	2.865	41	8827	1.15	ug	90
14) Acetone	2.576	43	4241	3.29	ug	88
16) Acetonitrile	2.870	40	3791	13.17	ug	# 83
19) Acrylonitrile	3.326	53	970	4.03	ug	# 68
21) Mtbe	3.347	73	14423	1.91	ug	98
26) Propionitrile	4.648	54	3482	7.55	ug	94
28) Methacrylonitrile	4.810	67	12302	9.48	ug	# 83
29) Tetrahydrofuran	4.894	42	1075	1.02	ug	# 64
40) Isobutanol	5.140	43	367	14.31	ug	# 100
47) 1,4-Dioxane	6.881	88	764	22.60	ug	# 1
48) Methyl Methacrylate	6.850	69	2183	1.07	ug	# 79
68) m,p-Xylene	10.032	91	12456	1.57	ug	100
72) Chloroprene	10.850	53	1102	1.77	ug	# 71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1305.D
Acq On : 13 Aug 2025 01:53 pm
Operator :
Sample : std001
Misc : ical
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 19 11:49:34 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1306.D
 Acq On : 13 Aug 2025 02:15 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:49:37 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	346054	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	253066	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	146081	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	104427	49.90	ug	0.00
59) Toluene-d8	7.914	98	343767	49.07	ug	0.00
81) Bromofluorobenzene	10.908	95	127695	49.90	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	139244	49.59	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	4895	2.75	ug	# 87
3) Chloromethane	1.384	50	8695	3.11	ug	92
4) Vinyl Chloride	1.470	62	7732	2.90	ug	98
5) Bromomethane	1.726	94	7320	3.29	ug	# 78
6) Chloroethane	1.812	64	5791	3.09	ug	88
7) Acrolein	2.419	56	1240	12.54	ug	91
8) Trichlorofluoromethane	2.028	101	11938	2.78	ug	96
9) Ethanol	2.225	45	3458	54.57	ug	99
10) Freon113	2.503	101	4971	2.48	ug	94
11) 1,1-Dichloroethene	2.492	96	5521	2.59	ug	# 85
12) Allyl Chloride	2.865	41	22884	2.93	ug	96
13) Carbon Disulfide	2.702	76	15930	2.58	ug	100
14) Acetone	2.582	43	4810	3.67	ug	97
15) Iodomethane	2.639	142	2990	1.45	ug	98
16) Acetonitrile	2.865	40	8462	29.00	ug	96
17) Methyl Acetate	2.922	43	7886	2.47	ug	97
18) Methylene Chloride	3.006	84	10837	1.86	ug	# 65
19) Acrylonitrile	3.321	53	2838	11.62	ug	91
20) trans-1,2-Dichloroethene	3.321	96	6442	2.73	ug	# 83
21) Mtbe	3.347	73	39430	5.16	ug	92
22) 1,1-Dichloroethane	3.809	63	11395	2.65	ug	100
23) Hexane	3.347	43	9480	2.65	ug	# 74
24) cis-1,2-Dichloroethene	4.506	61	9899	2.61	ug	82
25) 2,2-Dichloropropane	4.495	77	8013	2.52	ug	# 67
26) Propionitrile	4.642	54	12917	27.64	ug	93
27) Bromochloromethane	4.789	128	3388	2.82	ug	99
28) Methacrylonitrile	4.810	67	37608	28.60	ug	# 76
29) Tetrahydrofuran	4.894	42	2717	2.55	ug	97
30) Chloroform	4.899	83	11910	2.63	ug	96
31) Cyclohexane	5.151	84	9695	2.44	ug	# 76
32) 1,1-Dichloro-1-propene	5.303	75	7444	2.52	ug	# 71
33) 1,2-Dichloroethane	5.591	62	8972	2.67	ug	97
34) 2-Butanone	4.584	43	3350	2.30	ug	73
37) 1,1,1-Trichloroethane	5.098	97	8894	2.47	ug	97
38) Carbon Tetrachloride	5.298	117	7884	2.53	ug	94
39) Benzene	5.549	78	26010	2.68	ug	100
40) Isobutanol	5.151	43	1496	58.05	ug	# 100
41) Heptane	5.151	43	1496	2.90	ug	# 1
42) Trichloroethene	6.357	130	6189	2.57	ug	98
43) Methyl Cyclohexane	6.577	83	9081	2.27	ug	87
44) 1,2-Dichloropropane	6.645	63	7189	2.75	ug	98

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1306.D
 Acq On : 13 Aug 2025 02:15 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1


Quant Time: Sep 19 11:49:37 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.913	43	11343	2.37	ug	95
46) Dibromomethane	6.797	174	4395	2.67	ug #	81
47) 1,4-Dioxane	6.881	88	1850	54.45	ug #	1
48) Methyl Methacrylate	6.855	69	5371	2.61	ug #	60
49) Bromodichloromethane	7.002	83	8369	2.55	ug #	35
50) Ceve	7.437	63	2716	2.67	ug	98
51) cis-1,3-Dichloropropene	7.589	75	8814	2.54	ug	93
52) trans-1,3-Dichloropropene	8.328	75	6416	2.14	ug	90
53) 1,1,2-Trichloroethane	8.553	97	6359	2.76	ug	94
54) 1,3-Dichloropropane	8.768	76	10671	2.70	ug #	84
55) 1,2-Dibromoethane	9.183	107	5610	2.51	ug	98
56) Dibromochloromethane	9.057	129	5945	2.43	ug	94
57) Bromoform	10.609	173	4492	2.52	ug	95
58) 4-Methyl-2-Pentanone	7.830	43	9597	2.51	ug	84
60) Toluene	7.998	92	14453	2.46	ug	96
61) Ethyl Metacrylate	8.491	69	9599	2.49	ug #	79
62) Tetrachloroethene	8.711	164	4794	2.30	ug	100
63) 2-Hexanone	8.941	43	4702	2.25	ug	98
65) Chlorobenzene	9.770	112	15323	2.43	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	5380	2.53	ug #	88
67) Ethylbenzene	9.906	106	7609	2.29	ug #	86
68) m,p-Xylene	10.032	91	37374	4.61	ug	99
69) o-Xylene	10.425	106	10080	2.53	ug	96
70) Styrene	10.446	104	14338	2.28	ug	78
71) Isopropylbenzene	10.777	105	22754	2.33	ug	99
72) Chloroprene	10.850	53	3512	5.49	ug #	69
73) trans-1,4-Dichloro-2-b...	10.850	88	2845	2.49	ug #	62
74) Bromobenzene	11.028	77	9868	2.45	ug	93
75) 1,2,3-Trichloropropane	11.081	75	9718	2.43	ug #	82
76) 2-Chlorotoluene	11.201	91	17291	2.42	ug	94
77) 4-Chlorotoluene	11.296	91	19386	2.32	ug	97
78) 1,3,5-Trimethylbenzene	11.296	105	19277	2.34	ug	96
79) tert-Butylbenzene	11.558	119	15816	2.27	ug	91
80) 1,2,4-Trimethylbenzene	11.595	105	18204	2.29	ug	94
82) 1,1,2,2-Tetrachloroethane	11.054	83	9195	2.58	ug	91
83) n-Propylbenzene	11.138	91	29705	2.37	ug	99
84) 1,3-Dichlorobenzene	11.809	146	12443	2.46	ug	96
85) sec-Butylbenzene	11.731	105	24573	2.32	ug	96
86) 4-Isopropyltoluene	11.846	119	19522	2.26	ug	97
87) 1,4-Dichlorobenzene	11.809	146	12443	2.45	ug	98
88) 1,2-Dichlorobenzene	12.166	146	12192	2.40	ug #	1
89) n-Butylbenzene	12.156	91	19363	2.22	ug #	88
90) 1,2-Dibromo-3-Chloropr	12.732	157	1579	2.34	ug #	87
91) 1,2,4-Trichlorobenzene	13.299	180	6998	2.08	ug	98
92) Hexachlorobutadiene	13.414	225	3653	2.23	ug	95
93) Naphthalene	13.466	128	17367	2.14	ug	97
94) 1,2,3-Trichlorobenzene	13.629	180	7126	2.15	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1306.D
Acq On : 13 Aug 2025 02:15 pm
Operator :
Sample : std002.5
Misc : ical
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:49:37 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1307.D
 Acq On : 13 Aug 2025 02:35 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:49:40 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	353771	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	252944	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	142933	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	108029	50.49	ug	0.01
59) Toluene-d8	7.914	98	358300	51.17	ug	0.00
81) Bromofluorobenzene	10.908	95	129641	51.77	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	138986	50.59	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	10452	5.75	ug	# 94
3) Chloromethane	1.384	50	16978	5.93	ug	97
4) Vinyl Chloride	1.475	62	16212	5.95	ug	93
5) Bromomethane	1.726	94	13323	5.85	ug	# 79
6) Chloroethane	1.812	64	11424	5.97	ug	89
7) Acrolein	2.424	56	2481	24.55	ug	90
8) Trichlorofluoromethane	2.028	101	24125	5.50	ug	97
9) Ethanol	2.225	45	6871	106.07	ug	93
10) Freon113	2.503	101	9993	4.87	ug	88
11) 1,1-Dichloroethene	2.498	96	12015	5.52	ug	# 89
12) Allyl Chloride	2.870	41	46234	5.79	ug	96
13) Carbon Disulfide	2.708	76	35648	5.65	ug	100
14) Acetone	2.582	43	6452	4.79	ug	99
15) Iodomethane	2.645	142	8788	4.18	ug	98
16) Acetonitrile	2.860	40	16697	55.98	ug	93
17) Methyl Acetate	2.922	43	15235	5.14	ug	99
18) Methylene Chloride	3.012	84	16700	4.06	ug	# 70
19) Acrylonitrile	3.326	53	5222	20.92	ug	# 72
20) trans-1,2-Dichloroethene	3.326	96	12982	5.39	ug	86
21) Mtbe	3.347	73	78758	10.08	ug	97
22) 1,1-Dichloroethane	3.814	63	24763	5.64	ug	94
23) Hexane	3.352	43	18645	5.11	ug	# 67
24) cis-1,2-Dichloroethene	4.506	61	20712	5.34	ug	# 76
25) 2,2-Dichloropropane	4.495	77	16447	5.05	ug	# 66
26) Propionitrile	4.642	54	27576	57.72	ug	95
27) Bromochloromethane	4.794	128	6449	5.24	ug	# 74
28) Methacrylonitrile	4.810	67	79899	59.44	ug	82
29) Tetrahydrofuran	4.889	42	6189	5.68	ug	89
30) Chloroform	4.904	83	22844	4.94	ug	98
31) Cyclohexane	5.151	84	20147	4.96	ug	# 83
32) 1,1-Dichloro-1-propene	5.303	75	15809	5.24	ug	# 79
33) 1,2-Dichloroethane	5.591	62	18160	5.28	ug	95
34) 2-Butanone	4.579	43	7207	4.84	ug	76
37) 1,1,1-Trichloroethane	5.098	97	19121	5.31	ug	99
38) Carbon Tetrachloride	5.292	117	14922	4.80	ug	98
39) Benzene	5.549	78	53197	5.49	ug	100
40) Isobutanol	5.151	43	2708	105.13	ug	# 100
41) Heptane	5.151	43	2708	5.26	ug	# 1
42) Trichloroethene	6.362	130	12565	5.22	ug	91
43) Methyl Cyclohexane	6.582	83	18322	4.58	ug	92
44) 1,2-Dichloropropane	6.640	63	13869	5.32	ug	93


Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1307.D
 Acq On : 13 Aug 2025 02:35 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:49:40 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.913	43	27061	5.66	ug	93
46) Dibromomethane	6.792	174	8768	5.33	ug	# 80
47) 1,4-Dioxane	6.871	88	4248	125.09	ug	# 1
48) Methyl Methacrylate	6.850	69	11971	5.82	ug	# 66
49) Bromodichloromethane	7.002	83	17807	5.42	ug	# 44
50) Ceve	7.437	63	6046	5.95	ug	99
51) cis-1,3-Dichloropropene	7.589	75	18343	5.29	ug	99
52) trans-1,3-Dichloropropene	8.328	75	15435	5.15	ug	97
53) 1,1,2-Trichloroethane	8.554	97	13351	5.80	ug	98
54) 1,3-Dichloropropane	8.769	76	21546	5.45	ug	87
55) 1,2-Dibromoethane	9.188	107	11916	5.33	ug	97
56) Dibromochloromethane	9.057	129	12397	5.08	ug	92
57) Bromoform	10.609	173	8630	4.85	ug	95
58) 4-Methyl-2-Pentanone	7.830	43	20993	5.50	ug	84
60) Toluene	7.998	92	30007	5.10	ug	96
61) Ethyl Metacrylate	8.491	69	22649	5.89	ug	# 83
62) Tetrachloroethene	8.711	164	10209	4.90	ug	100
63) 2-Hexanone	8.942	43	10166	4.88	ug	86
65) Chlorobenzene	9.775	112	33911	5.49	ug	100
66) 1,1,1,2-Tetrachloroethane	9.875	133	10986	5.27	ug	# 92
67) Ethylbenzene	9.906	106	17080	5.24	ug	98
68) m,p-Xylene	10.032	91	82325	10.38	ug	95
69) o-Xylene	10.425	106	20004	5.14	ug	91
70) Styrene	10.446	104	31965	5.18	ug	77
71) Isopropylbenzene	10.777	105	49912	5.22	ug	100
72) Chloroprene	10.850	53	6989	11.17	ug	81
73) trans-1,4-Dichloro-2-b...	10.850	88	6537	5.84	ug	# 63
74) Bromobenzene	11.028	77	20752	5.26	ug	94
75) 1,2,3-Trichloropropane	11.081	75	20079	5.14	ug	# 79
76) 2-Chlorotoluene	11.201	91	36648	5.24	ug	90
77) 4-Chlorotoluene	11.296	91	42349	5.18	ug	99
78) 1,3,5-Trimethylbenzene	11.296	105	40459	5.03	ug	99
79) tert-Butylbenzene	11.558	119	33842	4.96	ug	97
80) 1,2,4-Trimethylbenzene	11.595	105	38845	5.00	ug	94
82) 1,1,2,2-Tetrachloroethane	11.055	83	20004	5.73	ug	93
83) n-Propylbenzene	11.138	91	60958	4.97	ug	100
84) 1,3-Dichlorobenzene	11.810	146	26704	5.38	ug	96
85) sec-Butylbenzene	11.731	105	52193	5.04	ug	97
86) 4-Isopropyltoluene	11.846	119	42105	4.98	ug	95
87) 1,4-Dichlorobenzene	11.810	146	26704	5.37	ug	98
88) 1,2-Dichlorobenzene	12.166	146	26375	5.30	ug	# 47
89) n-Butylbenzene	12.156	91	42163	4.94	ug	90
90) 1,2-Dibromo-3-Chloropr	12.732	157	3326	5.05	ug	90
91) 1,2,4-Trichlorobenzene	13.299	180	16555	5.02	ug	93
92) Hexachlorobutadiene	13.414	225	8364	5.22	ug	96
93) Naphthalene	13.466	128	39419	4.96	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	15556	4.79	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1308.D
 Acq On : 13 Aug 2025 02:55 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 19 11:49:43 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	362994	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	264562	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.867	152	155227	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	109310	49.79	ug	0.01
59) Toluene-d8	7.914	98	368433	50.31	ug	0.00
81) Bromofluorobenzene	10.908	95	136869	50.33	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	148240	49.68	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	16512	8.86	ug	# 93
3) Chloromethane	1.384	50	25894	8.82	ug	94
4) Vinyl Chloride	1.470	62	25977	9.29	ug	91
5) Bromomethane	1.726	94	19200	8.22	ug	# 80
6) Chloroethane	1.812	64	17832	9.08	ug	96
7) Acrolein	2.419	56	4013	38.70	ug	85
8) Trichlorofluoromethane	2.028	101	36666	8.15	ug	93
9) Ethanol	2.225	45	11763	176.98	ug	98
10) Freon113	2.503	101	19875	9.45	ug	88
11) 1,1-Dichloroethene	2.498	96	21125	9.46	ug	# 86
12) Allyl Chloride	2.865	41	80202	9.79	ug	98
13) Carbon Disulfide	2.702	76	64346	9.95	ug	100
14) Acetone	2.582	43	9715	6.98	ug	99
15) Iodomethane	2.644	142	20868	9.66	ug	100
16) Acetonitrile	2.865	40	30438	99.46	ug	100
17) Methyl Acetate	2.922	43	24522	8.38	ug	99
18) Methylene Chloride	3.011	84	28162	8.26	ug	# 70
19) Acrylonitrile	3.321	53	10226	39.92	ug	# 86
20) trans-1,2-Dichloroethene	3.321	96	23819	9.64	ug	# 87
21) Mtbe	3.347	73	131411	16.39	ug	96
22) 1,1-Dichloroethane	3.814	63	42610	9.46	ug	99
23) Hexane	3.347	43	30906	8.25	ug	# 69
24) cis-1,2-Dichloroethene	4.506	61	38284	9.62	ug	# 78
25) 2,2-Dichloropropane	4.495	77	29804	8.92	ug	# 70
26) Propionitrile	4.637	54	49126	100.21	ug	97
27) Bromochloromethane	4.794	128	12019	9.52	ug	84
28) Methacrylonitrile	4.805	67	145983	105.84	ug	# 83
29) Tetrahydrofuran	4.883	42	9121	8.15	ug	91
30) Chloroform	4.899	83	42459	8.95	ug	99
31) Cyclohexane	5.151	84	38408	9.22	ug	# 76
32) 1,1-Dichloro-1-propene	5.303	75	30221	9.77	ug	# 80
33) 1,2-Dichloroethane	5.591	62	33144	9.40	ug	100
34) 2-Butanone	4.579	43	12265	8.03	ug	75
37) 1,1,1-Trichloroethane	5.098	97	36055	9.57	ug	98
38) Carbon Tetrachloride	5.297	117	30236	9.29	ug	99
39) Benzene	5.549	78	96046	9.48	ug	100
40) Isobutanol	5.151	43	4833	179.38	ug	# 100
41) Heptane	5.151	43	4833	8.97	ug	# 1
42) Trichloroethene	6.362	130	23779	9.45	ug	94
43) Methyl Cyclohexane	6.582	83	38808	9.27	ug	92
44) 1,2-Dichloropropane	6.640	63	26505	9.71	ug	98

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1308.D
 Acq On : 13 Aug 2025 02:55 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1


Quant Time: Sep 19 11:49:43 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	45627	9.12	ug	96
46) Dibromomethane	6.792	174	16621	9.66	ug	83
47) 1,4-Dioxane	6.865	88	6722	189.25	ug #	1
48) Methyl Methacrylate	6.849	69	22329	10.38	ug #	67
49) Bromodichloromethane	7.001	83	31537	9.18	ug #	38
50) Ceve	7.431	63	12499	11.77	ug	96
51) cis-1,3-Dichloropropene	7.589	75	34957	9.64	ug	99
52) trans-1,3-Dichloropropene	8.328	75	29638	9.46	ug	96
53) 1,1,2-Trichloroethane	8.553	97	23050	9.57	ug	98
54) 1,3-Dichloropropane	8.768	76	38225	9.25	ug	85
55) 1,2-Dibromoethane	9.188	107	22421	9.59	ug	95
56) Dibromochloromethane	9.057	129	23072	9.04	ug	90
57) Bromoform	10.609	173	16360	8.79	ug	97
58) 4-Methyl-2-Pentanone	7.825	43	35071	8.78	ug	90
60) Toluene	7.998	92	59931	9.74	ug	99
61) Ethyl Metacrylate	8.491	69	42971	10.68	ug #	80
62) Tetrachloroethene	8.711	164	20361	9.34	ug	100
63) 2-Hexanone	8.941	43	16927	7.76	ug	86
65) Chlorobenzene	9.775	112	64891	9.68	ug	95
66) 1,1,1,2-Tetrachloroethane	9.875	133	20637	9.12	ug #	92
67) Ethylbenzene	9.906	106	33736	9.54	ug	97
68) m,p-Xylene	10.032	91	163093	18.93	ug	99
69) o-Xylene	10.425	106	40048	9.47	ug	95
70) Styrene	10.446	104	65096	9.72	ug	76
71) Isopropylbenzene	10.777	105	100323	9.66	ug	95
72) Chloroprene	10.850	53	14208	20.91	ug #	71
73) trans-1,4-Dichloro-2-b...	10.850	88	11753	9.66	ug #	52
74) Bromobenzene	11.028	77	42153	9.85	ug	100
75) 1,2,3-Trichloropropane	11.086	75	38240	9.01	ug #	80
76) 2-Chlorotoluene	11.201	91	73955	9.74	ug	93
77) 4-Chlorotoluene	11.296	91	85026	9.57	ug	99
78) 1,3,5-Trimethylbenzene	11.296	105	82338	9.42	ug	97
79) tert-Butylbenzene	11.558	119	70664	9.55	ug	99
80) 1,2,4-Trimethylbenzene	11.594	105	81750	9.70	ug	94
82) 1,1,2,2-Tetrachloroethane	11.054	83	35676	9.41	ug	95
83) n-Propylbenzene	11.138	91	127565	9.57	ug	99
84) 1,3-Dichlorobenzene	11.815	146	52408	9.73	ug	95
85) sec-Butylbenzene	11.731	105	107003	9.52	ug	95
86) 4-Isopropyltoluene	11.851	119	86804	9.45	ug	96
87) 1,4-Dichlorobenzene	11.815	146	52408	9.70	ug	98
88) 1,2-Dichlorobenzene	12.166	146	51481	9.52	ug #	73
89) n-Butylbenzene	12.155	91	86572	9.34	ug	93
90) 1,2-Dibromo-3-Chloropr	12.732	157	6489	9.07	ug	87
91) 1,2,4-Trichlorobenzene	13.298	180	33289	9.30	ug	98
92) Hexachlorobutadiene	13.414	225	16807	9.66	ug	96
93) Naphthalene	13.466	128	80836	9.37	ug	98
94) 1,2,3-Trichlorobenzene	13.629	180	33231	9.43	ug	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1308.D
Acq On : 13 Aug 2025 02:55 pm
Operator :
Sample : std010
Misc : ical
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 19 11:49:43 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1309.D
 Acq On : 13 Aug 2025 03:17 pm
 Operator :
 Sample : std025
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 19 11:49:46 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	340890	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	253913	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	154316	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	102670	49.80	ug	0.00
59) Toluene-d8	7.914	98	351677	50.03	ug	0.00
81) Bromofluorobenzene	10.908	95	134727	49.83	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	149631	50.44	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	48101	27.47	ug	# 94
3) Chloromethane	1.384	50	67659	24.54	ug	94
4) Vinyl Chloride	1.470	62	67290	25.61	ug	93
5) Bromomethane	1.721	94	48273	22.00	ug	82
6) Chloroethane	1.812	64	47075	25.52	ug	94
7) Acrolein	2.419	56	9147	93.93	ug	94
8) Trichlorofluoromethane	2.023	101	118192	27.98	ug	93
9) Ethanol	2.225	45	21610	346.22	ug	98
10) Freon113	2.503	101	57786	29.25	ug	90
11) 1,1-Dichloroethene	2.492	96	56032	26.71	ug	# 86
12) Allyl Chloride	2.865	41	165647	21.52	ug	97
13) Carbon Disulfide	2.702	76	147496	24.28	ug	100
14) Acetone	2.576	43	35490	26.88	ug	100
15) Iodomethane	2.639	142	69201	34.13	ug	95
16) Acetonitrile	2.859	40	59412	206.73	ug	92
17) Methyl Acetate	2.922	43	68856	26.12	ug	98
18) Methylene Chloride	3.006	84	72399	26.91	ug	# 67
19) Acrylonitrile	3.321	53	22697	94.34	ug	# 79
20) trans-1,2-Dichloroethene	3.321	96	62266	26.82	ug	89
21) Mtbe	3.342	73	373640	49.63	ug	96
22) 1,1-Dichloroethane	3.808	63	113567	26.86	ug	98
23) Hexane	3.342	43	88540	25.17	ug	# 69
24) cis-1,2-Dichloroethene	4.506	61	103210	27.60	ug	# 79
25) 2,2-Dichloropropane	4.495	77	90972	29.00	ug	# 78
26) Propionitrile	4.632	54	105409	228.97	ug	96
27) Bromochloromethane	4.789	128	33406	28.19	ug	90
28) Methacrylonitrile	4.805	67	290299	224.11	ug	# 80
29) Tetrahydrofuran	4.878	42	24919	23.72	ug	93
30) Chloroform	4.899	83	113885	25.55	ug	99
31) Cyclohexane	5.151	84	114151	29.17	ug	# 78
32) 1,1-Dichloro-1-propene	5.303	75	82001	28.23	ug	83
33) 1,2-Dichloroethane	5.586	62	92358	27.88	ug	97
34) 2-Butanone	4.569	43	37544	26.17	ug	71
37) 1,1,1-Trichloroethane	5.098	97	100266	27.72	ug	99
38) Carbon Tetrachloride	5.292	117	88861	28.46	ug	99
39) Benzene	5.549	78	260361	26.77	ug	100
40) Isobutanol	5.145	43	14769	571.17	ug	# 100
41) Heptane	5.145	43	14769	28.56	ug	# 1
42) Trichloroethene	6.357	130	63876	26.45	ug	92
43) Methyl Cyclohexane	6.577	83	114485	28.50	ug	92
44) 1,2-Dichloropropane	6.640	63	71421	27.27	ug	98

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1309.D
 Acq On : 13 Aug 2025 03:17 pm
 Operator :
 Sample : std025
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 19 11:49:46 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	139651	29.08	ug	94
46) Dibromomethane	6.786	174	47014	28.48	ug	88
47) 1,4-Dioxane	6.860	88	14749	432.67	ug	# 1
48) Methyl Methacrylate	6.849	69	46734	22.63	ug	# 69
49) Bromodichloromethane	7.001	83	88386	26.82	ug	# 35
50) Ceve	7.431	63	22542	22.11	ug	97
51) cis-1,3-Dichloropropene	7.583	75	98740	28.39	ug	99
52) trans-1,3-Dichloropropene	8.323	75	86407	28.74	ug	96
53) 1,1,2-Trichloroethane	8.553	97	63570	27.51	ug	99
54) 1,3-Dichloropropane	8.768	76	108829	27.44	ug	92
55) 1,2-Dibromoethane	9.188	107	63847	28.45	ug	94
56) Dibromochloromethane	9.057	129	69499	28.36	ug	96
57) Bromoform	10.609	173	49895	27.92	ug	100
58) 4-Methyl-2-Pentanone	7.825	43	101329	26.44	ug	89
60) Toluene	7.998	92	163160	27.64	ug	97
61) Ethyl Metacrylate	8.485	69	89363	23.14	ug	# 81
62) Tetrachloroethene	8.705	164	57001	27.25	ug	99
63) 2-Hexanone	8.936	43	54178	25.89	ug	83
65) Chlorobenzene	9.770	112	176934	26.55	ug	96
66) 1,1,1,2-Tetrachloroethane	9.875	133	59136	26.28	ug	# 91
67) Ethylbenzene	9.906	106	97161	27.62	ug	98
68) m,p-Xylene	10.032	91	469348	54.80	ug	98
69) o-Xylene	10.425	106	115758	27.54	ug	94
70) Styrene	10.446	104	185014	27.79	ug	76
71) Isopropylbenzene	10.776	105	289879	28.06	ug	97
72) Chloroprene	10.850	53	29425	43.57	ug	81
73) trans-1,4-Dichloro-2-b...	10.850	88	27656	22.88	ug	# 57
74) Bromobenzene	11.028	77	110481	25.96	ug	90
75) 1,2,3-Trichloropropane	11.081	75	101255	24.00	ug	# 81
76) 2-Chlorotoluene	11.201	91	201381	26.69	ug	95
77) 4-Chlorotoluene	11.296	91	234358	26.55	ug	99
78) 1,3,5-Trimethylbenzene	11.296	105	238609	27.47	ug	96
79) tert-Butylbenzene	11.558	119	205755	27.96	ug	99
80) 1,2,4-Trimethylbenzene	11.594	105	235943	28.15	ug	92
82) 1,1,2,2-Tetrachloroethane	11.054	83	98420	26.12	ug	95
83) n-Propylbenzene	11.138	91	361406	27.29	ug	100
84) 1,3-Dichlorobenzene	11.809	146	140250	26.20	ug	97
85) sec-Butylbenzene	11.731	105	315824	28.25	ug	97
86) 4-Isopropyltoluene	11.846	119	256633	28.09	ug	97
87) 1,4-Dichlorobenzene	11.809	146	140250	26.11	ug	99
88) 1,2-Dichlorobenzene	12.161	146	140543	26.15	ug	# 92
89) n-Butylbenzene	12.155	91	247351	26.85	ug	94
90) 1,2-Dibromo-3-Chloropr	12.732	157	19809	27.85	ug	91
91) 1,2,4-Trichlorobenzene	13.298	180	98680	27.72	ug	99
92) Hexachlorobutadiene	13.414	225	48291	27.92	ug	96
93) Naphthalene	13.466	128	246018	28.69	ug	98
94) 1,2,3-Trichlorobenzene	13.629	180	97045	27.70	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g1309.D\data.ms

Time-->

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1310.D
 Acq On : 13 Aug 2025 03:37 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 19 11:49:49 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	366841	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	269308	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	163385	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	111490	50.25	ug	0.01
59) Toluene-d8	7.914	98	371506	49.83	ug	0.00
81) Bromofluorobenzene	10.908	95	137450	48.02	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	153714	48.94	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	93018	49.37	ug	# 92
3) Chloromethane	1.384	50	136265	45.92	ug	94
4) Vinyl Chloride	1.470	62	138824	49.11	ug	89
5) Bromomethane	1.716	94	95757	40.55	ug	84
6) Chloroethane	1.807	64	93701	47.21	ug	92
7) Acrolein	2.419	56	18625	177.72	ug	100
8) Trichlorofluoromethane	2.023	101	235820	51.88	ug	93
9) Ethanol	2.230	45	48007	714.71	ug	98
10) Freon113	2.503	101	114392	53.81	ug	92
11) 1,1-Dichloroethene	2.492	96	118221	52.37	ug	# 87
12) Allyl Chloride	2.865	41	343820	41.52	ug	97
13) Carbon Disulfide	2.702	76	353808	54.12	ug	100
14) Acetone	2.576	43	71128	49.97	ug	98
15) Iodomethane	2.639	142	157788	72.31	ug	97
16) Acetonitrile	2.860	40	124147	401.41	ug	93
17) Methyl Acetate	2.922	43	141200	50.27	ug	98
18) Methylene Chloride	3.012	84	141602	50.93	ug	# 66
19) Acrylonitrile	3.316	53	48017	185.47	ug	# 84
20) trans-1,2-Dichloroethene	3.321	96	132256	52.94	ug	# 87
21) Mtbe	3.342	73	762624	94.12	ug	96
22) 1,1-Dichloroethane	3.814	63	238315	52.37	ug	98
23) Hexane	3.342	43	179509	47.42	ug	# 69
24) cis-1,2-Dichloroethene	4.506	61	217760	54.12	ug	# 80
25) 2,2-Dichloropropane	4.495	77	185150	54.85	ug	# 77
26) Propionitrile	4.632	54	223043	450.21	ug	98
27) Bromochloromethane	4.789	128	71996	56.45	ug	93
28) Methacrylonitrile	4.805	67	611416	438.62	ug	# 79
29) Tetrahydrofuran	4.873	42	50019	44.25	ug	92
30) Chloroform	4.899	83	232985	48.58	ug	100
31) Cyclohexane	5.151	84	229073	54.39	ug	# 79
32) 1,1-Dichloro-1-propene	5.303	75	169563	54.24	ug	# 81
33) 1,2-Dichloroethane	5.586	62	188728	52.94	ug	99
34) 2-Butanone	4.569	43	83821	54.30	ug	70
37) 1,1,1-Trichloroethane	5.098	97	200271	52.20	ug	97
38) Carbon Tetrachloride	5.292	117	177506	53.59	ug	98
39) Benzene	5.549	78	521632	50.57	ug	100
40) Isobutanol	5.151	43	28690	1046.11	ug	# 100
41) Heptane	5.151	43	28690	52.31	ug	# 1
42) Trichloroethene	6.357	130	136217	53.19	ug	95
43) Methyl Cyclohexane	6.582	83	231708	54.38	ug	91
44) 1,2-Dichloropropane	6.640	63	142818	51.42	ug	99

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1310.D
 Acq On : 13 Aug 2025 03:37 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1


Quant Time: Sep 19 11:49:49 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	286004	56.16	ug	95
46) Dibromomethane	6.787	174	100493	57.40	ug	86
47) 1,4-Dioxane	6.860	88	32337	894.39	ug #	1
48) Methyl Methacrylate	6.849	69	100949	46.08	ug #	72
49) Bromodichloromethane	7.002	83	187065	53.51	ug #	38
50) Ceve	7.426	63	47877	44.28	ug	96
51) cis-1,3-Dichloropropene	7.584	75	211206	57.25	ug	97
52) trans-1,3-Dichloropropene	8.323	75	195187	61.22	ug	97
53) 1,1,2-Trichloroethane	8.554	97	129837	52.97	ug	97
54) 1,3-Dichloropropane	8.768	76	220599	52.44	ug	90
55) 1,2-Dibromoethane	9.183	107	134995	56.71	ug	97
56) Dibromochloromethane	9.057	129	146248	56.27	ug	96
57) Bromoform	10.609	173	111323	58.73	ug	99
58) 4-Methyl-2-Pentanone	7.825	43	219024	53.88	ug	89
60) Toluene	7.998	92	324147	51.77	ug	99
61) Ethyl Metacrylate	8.485	69	185646	45.32	ug #	84
62) Tetrachloroethene	8.706	164	117636	53.03	ug	99
63) 2-Hexanone	8.936	43	123882	55.82	ug	85
65) Chlorobenzene	9.770	112	358262	50.77	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	122273	51.32	ug #	91
67) Ethylbenzene	9.906	106	196237	52.69	ug	99
68) m,p-Xylene	10.032	91	954062	105.22	ug	98
69) o-Xylene	10.425	106	235049	52.82	ug	93
70) Styrene	10.446	104	390690	55.43	ug	77
71) Isopropylbenzene	10.777	105	590384	53.99	ug	97
72) Chloroprene	10.850	53	64129	89.69	ug	84
73) trans-1,4-Dichloro-2-b...	10.850	88	62449	48.79	ug #	53
74) Bromobenzene	11.028	77	234804	52.11	ug	92
75) 1,2,3-Trichloropropane	11.081	75	215581	48.26	ug #	78
76) 2-Chlorotoluene	11.201	91	418822	52.43	ug	94
77) 4-Chlorotoluene	11.296	91	490812	52.51	ug	98
78) 1,3,5-Trimethylbenzene	11.296	105	490958	53.39	ug	98
79) tert-Butylbenzene	11.558	119	418430	53.70	ug	98
80) 1,2,4-Trimethylbenzene	11.595	105	486830	54.87	ug	93
82) 1,1,2,2-Tetrachloroethane	11.054	83	199318	49.96	ug	94
83) n-Propylbenzene	11.144	91	747807	53.33	ug	99
84) 1,3-Dichlorobenzene	11.809	146	297731	52.52	ug	96
85) sec-Butylbenzene	11.731	105	647388	54.70	ug	96
86) 4-Isopropyltoluene	11.846	119	537214	55.54	ug	99
87) 1,4-Dichlorobenzene	11.809	146	297731	52.36	ug	99
88) 1,2-Dichlorobenzene	12.166	146	291237	51.19	ug	96
89) n-Butylbenzene	12.156	91	522770	53.60	ug	93
90) 1,2-Dibromo-3-Chloropr	12.732	157	41580	55.20	ug	91
91) 1,2,4-Trichlorobenzene	13.299	180	214351	56.87	ug	97
92) Hexachlorobutadiene	13.414	225	103660	56.61	ug	96
93) Naphthalene	13.466	128	525711	57.90	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	206228	55.59	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1310.D
 Acq On : 13 Aug 2025 03:37 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 19 11:49:49 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1311.D
 Acq On : 13 Aug 2025 03:59 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 19 11:49:52 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	354670	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	266504	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	161274	50.00	ug	# 0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	107551	50.14	ug	0.00
59) Toluene-d8	7.914	98	363177	49.23	ug	0.00
81) Bromofluorobenzene	10.908	95	140461	49.71	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	152117	49.07	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.243	85	192335	105.58	ug	# 93
3) Chloromethane	1.384	50	271092	94.49	ug	95
4) Vinyl Chloride	1.470	62	267178	97.75	ug	90
5) Bromomethane	1.716	94	204938	89.75	ug	83
6) Chloroethane	1.802	64	185975	96.91	ug	93
7) Acrolein	2.414	56	40071	395.49	ug	98
8) Trichlorofluoromethane	2.023	101	472470	107.51	ug	95
9) Ethanol	2.236	45	94886	1461.11	ug	99
10) Freon113	2.498	101	229740	111.78	ug	92
11) 1,1-Dichloroethene	2.492	96	230712	105.71	ug	# 88
12) Allyl Chloride	2.865	41	709620	88.62	ug	97
13) Carbon Disulfide	2.697	76	587980	93.03	ug	100
14) Acetone	2.571	43	141758	102.91	ug	98
15) Iodomethane	2.639	142	344737	163.39	ug	97
16) Acetonitrile	2.859	40	250897	839.08	ug	89
17) Methyl Acetate	2.917	43	278566	103.15	ug	100
18) Methylene Chloride	3.006	84	271560	103.45	ug	# 66
19) Acrylonitrile	3.310	53	98383	393.05	ug	# 85
20) trans-1,2-Dichloroethene	3.316	96	245496	101.65	ug	# 86
21) Mtbe	3.342	73	1511147	192.91	ug	97
22) 1,1-Dichloroethane	3.808	63	466801	106.11	ug	100
23) Hexane	3.337	43	351536	96.05	ug	# 69
24) cis-1,2-Dichloroethene	4.501	61	418124	107.48	ug	# 81
25) 2,2-Dichloropropane	4.490	77	369633	113.26	ug	# 80
26) Propionitrile	4.626	54	467470	975.97	ug	97
27) Bromochloromethane	4.789	128	137198	111.26	ug	87
28) Methacrylonitrile	4.805	67	1292987	959.40	ug	# 79
29) Tetrahydrofuran	4.868	42	101162	92.56	ug	91
30) Chloroform	4.899	83	462399	99.72	ug	99
31) Cyclohexane	5.145	84	453900	111.46	ug	# 77
32) 1,1-Dichloro-1-propene	5.298	75	326799	108.12	ug	# 82
33) 1,2-Dichloroethane	5.586	62	370364	107.45	ug	100
34) 2-Butanone	4.564	43	163416	109.49	ug	72
37) 1,1,1-Trichloroethane	5.093	97	403670	106.33	ug	99
38) Carbon Tetrachloride	5.292	117	354546	108.17	ug	100
39) Benzene	5.549	78	1018281	99.75	ug	100
40) Isobutanol	5.145	43	55648	2050.41	ug	# 100
41) Heptane	5.145	43	55648	102.52	ug	# 1
42) Trichloroethene	6.357	130	265580	104.79	ug	96
43) Methyl Cyclohexane	6.577	83	476364	112.97	ug	93
44) 1,2-Dichloropropane	6.640	63	278290	101.25	ug	98

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1311.D
 Acq On : 13 Aug 2025 03:59 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1


Quant Time: Sep 19 11:49:52 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.903	43	576553	114.40	ug	96
46) Dibromomethane	6.787	174	194229	112.12	ug	87
47) 1,4-Dioxane	6.855	88	63489	1774.47	ug	# 1
48) Methyl Methacrylate	6.844	69	214473	98.94	ug	# 69
49) Bromodichloromethane	7.002	83	367849	106.33	ug	# 37
50) Ceve	7.426	63	110924	103.68	ug	98
51) cis-1,3-Dichloropropene	7.584	75	419331	114.85	ug	97
52) trans-1,3-Dichloropropene	8.323	75	391576	124.10	ug	97
53) 1,1,2-Trichloroethane	8.553	97	253730	104.61	ug	98
54) 1,3-Dichloropropane	8.768	76	431824	103.73	ug	90
55) 1,2-Dibromoethane	9.183	107	265015	112.51	ug	97
56) Dibromochloromethane	9.057	129	289841	112.70	ug	94
57) Bromoform	10.609	173	224758	119.83	ug	99
58) 4-Methyl-2-Pentanone	7.819	43	441167	109.66	ug	88
60) Toluene	7.998	92	645761	104.23	ug	99
61) Ethyl Metacrylate	8.485	69	411162	101.42	ug	# 84
62) Tetrachloroethene	8.706	164	236123	107.56	ug	99
63) 2-Hexanone	8.931	43	241419	109.93	ug	83
65) Chlorobenzene	9.770	112	714741	102.62	ug	96
66) 1,1,1,2-Tetrachloroethane	9.875	133	249711	106.18	ug	# 92
67) Ethylbenzene	9.906	106	397396	108.11	ug	100
68) m,p-Xylene	10.032	91	1933446	216.01	ug	98
69) o-Xylene	10.425	106	480265	109.34	ug	93
70) Styrene	10.446	104	799589	114.94	ug	78
71) Isopropylbenzene	10.777	105	1214062	112.47	ug	96
72) Chloroprene	10.850	53	139008	196.95	ug	88
73) trans-1,4-Dichloro-2-b...	10.850	88	141331	111.86	ug	# 54
74) Bromobenzene	11.028	77	459810	103.39	ug	93
75) 1,2,3-Trichloropropane	11.086	75	441133	100.05	ug	# 76
76) 2-Chlorotoluene	11.207	91	838386	106.33	ug	94
77) 4-Chlorotoluene	11.296	91	987051	106.98	ug	100
78) 1,3,5-Trimethylbenzene	11.296	105	1007314	110.98	ug	99
79) tert-Butylbenzene	11.558	119	853879	111.02	ug	98
80) 1,2,4-Trimethylbenzene	11.595	105	986061	112.58	ug	94
82) 1,1,2,2-Tetrachloroethane	11.054	83	389426	98.88	ug	94
83) n-Propylbenzene	11.144	91	1496698	108.13	ug	100
84) 1,3-Dichlorobenzene	11.815	146	578944	103.47	ug	97
85) sec-Butylbenzene	11.731	105	1308619	112.01	ug	97
86) 4-Isopropyltoluene	11.851	119	1082033	113.32	ug	98
87) 1,4-Dichlorobenzene	11.883	146	585145	104.25	ug	96
88) 1,2-Dichlorobenzene	12.166	146	577562	102.85	ug	97
89) n-Butylbenzene	12.156	91	1047920	108.85	ug	93
90) 1,2-Dibromo-3-Chloropr	12.732	157	86123	115.84	ug	88
91) 1,2,4-Trichlorobenzene	13.299	180	429777	115.51	ug	95
92) Hexachlorobutadiene	13.414	225	200061	110.68	ug	97
93) Naphthalene	13.466	128	1077614	120.24	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	410706	112.15	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1311.D
Acq On : 13 Aug 2025 03:59 pm
Operator :
Sample : std100
Misc : ical
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 19 11:49:52 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1312.D
 Acq On : 13 Aug 2025 04:19 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 19 11:49:55 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	378516	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	274980	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.867	152	165549	50.00	ug	# 0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	111737	48.81	ug	0.01
59) Toluene-d8	7.914	98	378943	49.78	ug	0.00
81) Bromofluorobenzene	10.908	95	141609	48.83	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	156184	49.08	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.243	85	366682	188.61	ug	# 92
3) Chloromethane	1.384	50	538641	175.92	ug	94
4) Vinyl Chloride	1.470	62	538980	184.78	ug	89
5) Bromomethane	1.716	94	423171	173.66	ug	82
6) Chloroethane	1.797	64	382417	186.72	ug	91
7) Acrolein	2.414	56	79115	731.65	ug	96
8) Trichlorofluoromethane	2.018	101	931559	198.62	ug	94
9) Ethanol	2.257	45	208813	3012.86	ug	99
10) Freon113	2.498	101	447604	204.06	ug	94
11) 1,1-Dichloroethene	2.493	96	465975	200.06	ug	# 87
12) Allyl Chloride	2.865	41	1452795	170.01	ug	97
13) Carbon Disulfide	2.697	76	1390253	206.12	ug	100
14) Acetone	2.576	43	291925	198.48	ug	99
15) Iodomethane	2.639	142	727685	323.17	ug	98
16) Acetonitrile	2.865	40	511679	1603.42	ug	# 89
17) Methyl Acetate	2.917	43	570123	198.30	ug	99
18) Methylene Chloride	3.006	84	548328	197.93	ug	# 66
19) Acrylonitrile	3.316	53	201084	752.74	ug	# 86
20) trans-1,2-Dichloroethene	3.316	96	523755	203.20	ug	# 87
21) Mtbe	3.342	73	3055452	365.48	ug	96
22) 1,1-Dichloroethane	3.809	63	935617	199.27	ug	99
23) Hexane	3.342	43	722752	185.05	ug	# 68
24) cis-1,2-Dichloroethene	4.501	61	870476	209.66	ug	# 79
25) 2,2-Dichloropropane	4.495	77	752611	216.09	ug	# 82
26) Propionitrile	4.637	54	966838	1891.37	ug	97
27) Bromochloromethane	4.789	128	285371	216.84	ug	87
28) Methacrylonitrile	4.815	67	2681709	1864.49	ug	# 77
29) Tetrahydrofuran	4.873	42	204671	175.47	ug	91
30) Chloroform	4.899	83	925563	187.02	ug	99
31) Cyclohexane	5.151	84	879995	202.49	ug	# 76
32) 1,1-Dichloro-1-propene	5.303	75	671484	208.17	ug	# 82
33) 1,2-Dichloroethane	5.586	62	767619	208.68	ug	98
34) 2-Butanone	4.569	43	344383	216.20	ug	72
37) 1,1,1-Trichloroethane	5.098	97	805292	205.58	ug	99
38) Carbon Tetrachloride	5.292	117	701434	207.41	ug	99
39) Benzene	5.549	78	2023826	192.14	ug	100
40) Isobutanol	5.146	43	108289	3867.04	ug	# 100
41) Heptane	5.146	43	108289	193.35	ug	# 1
42) Trichloroethene	6.357	130	542045	207.28	ug	95
43) Methyl Cyclohexane	6.577	83	929241	213.57	ug	92
44) 1,2-Dichloropropane	6.640	63	570369	201.12	ug	100

Data Path : D:\MassHunter\GCMS\2\data\081325\
 Data File : g1312.D
 Acq On : 13 Aug 2025 04:19 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1


Quant Time: Sep 19 11:49:55 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.903	43	1152861	221.70	ug	95
46) Dibromomethane	6.787	174	407346	227.89	ug	86
47) 1,4-Dioxane	6.860	88	138329	3747.03	ug #	1
48) Methyl Methacrylate	6.850	69	441202	197.26	ug #	70
49) Bromodichloromethane	7.002	83	753458	211.08	ug #	37
50) Ceve	7.426	63	208347	188.74	ug	97
51) cis-1,3-Dichloropropene	7.584	75	881008	233.87	ug	98
52) trans-1,3-Dichloropropene	8.323	75	836847	257.05	ug	97
53) 1,1,2-Trichloroethane	8.554	97	513152	205.04	ug	97
54) 1,3-Dichloropropane	8.769	76	879618	204.79	ug	90
55) 1,2-Dibromoethane	9.188	107	539599	222.01	ug	96
56) Dibromochloromethane	9.057	129	596249	224.69	ug	94
57) Bromoform	10.609	173	475893	245.90	ug	99
58) 4-Methyl-2-Pentanone	7.825	43	897793	216.29	ug	89
60) Toluene	7.998	92	1292259	202.14	ug	100
61) Ethyl Metacrylate	8.491	69	847580	202.62	ug #	83
62) Tetrachloroethene	8.711	164	469326	207.21	ug	100
63) 2-Hexanone	8.936	43	496079	218.93	ug	82
65) Chlorobenzene	9.775	112	1446387	202.30	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	500337	207.26	ug #	92
67) Ethylbenzene	9.906	106	794206	210.48	ug	100
68) m,p-Xylene	10.037	91	3914514	426.05	ug	97
69) o-Xylene	10.431	106	957398	212.34	ug	91
70) Styrene	10.446	104	1642575	230.01	ug	78
71) Isopropylbenzene	10.782	105	2413040	217.77	ug	97
72) Chloroprene	10.850	53	292791	404.13	ug	90
73) trans-1,4-Dichloro-2-b...	10.850	88	302612	233.32	ug #	52
74) Bromobenzene	11.034	77	948029	207.66	ug	94
75) 1,2,3-Trichloropropane	11.086	75	914924	202.14	ug #	75
76) 2-Chlorotoluene	11.207	91	1673968	206.82	ug	94
77) 4-Chlorotoluene	11.301	91	2051973	216.67	ug	100
78) 1,3,5-Trimethylbenzene	11.296	105	2014486	216.21	ug	99
79) tert-Butylbenzene	11.558	119	1655643	209.71	ug	98
80) 1,2,4-Trimethylbenzene	11.600	105	1949367	216.82	ug	94
82) 1,1,2,2-Tetrachloroethane	11.060	83	793919	196.38	ug	95
83) n-Propylbenzene	11.144	91	2962982	208.53	ug	100
84) 1,3-Dichlorobenzene	11.815	146	1191704	207.48	ug	98
85) sec-Butylbenzene	11.736	105	2549413	212.58	ug	96
86) 4-Isopropyltoluene	11.851	119	2123421	216.65	ug	98
87) 1,4-Dichlorobenzene	11.883	146	1210971	210.18	ug	97
88) 1,2-Dichlorobenzene	12.166	146	1163669	201.86	ug	98
89) n-Butylbenzene	12.161	91	2105562	213.05	ug	92
90) 1,2-Dibromo-3-Chloropr	12.732	157	182209	238.75	ug	89
91) 1,2,4-Trichlorobenzene	13.304	180	879122	230.18	ug	97
92) Hexachlorobutadiene	13.414	225	392037	211.28	ug	97
93) Naphthalene	13.466	128	2177714	236.71	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	840838	223.68	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\081325\
Data File : g1312.D
Acq On : 13 Aug 2025 04:19 pm
Operator :
Sample : std200
Misc : ical
ALS Vial : 6 Sample Multiplier: 1



Quant Time: Sep 19 11:49:55 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2063.D
Acq On : 15 Sep 2025 09:39 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Sep 18 14:14:25 2025



Spectrum Information: Average of 10.876 to 10.939 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	26.6	4242	PASS
75	95	30	60	58.3	9312	PASS
95	95	100	100	100.0	15976	PASS
96	95	5	9	7.2	1146	PASS
173	174	0.00	2	1.0	128	PASS
174	95	50	100	81.5	13028	PASS
175	174	5	9	7.3	956	PASS
176	174	95	101	97.8	12741	PASS
177	176	5	9	6.2	785	PASS

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2064.D
 Acq On : 15 Sep 2025 09:58 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:37:22 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	211634	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	148293	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	91356	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	67804	52.97	ug	0.01
59) Toluene-d8	7.914	98	218315	53.18	ug	0.00
81) Bromofluorobenzene	10.908	95	82819	51.75	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	84791	48.28	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	31111	28.62	ug	# 95
3) Chloromethane	1.389	50	44600	26.05	ug	97
4) Vinyl Chloride	1.470	62	49597	30.41	ug	90
5) Bromomethane	1.721	94	34528	25.34	ug	85
6) Chloroethane	1.812	64	33697	29.43	ug	87
7) Acrolein	2.419	56	2620	43.34	ug	97
8) Trichlorofluoromethane	2.028	101	63720	24.30	ug	93
9) Ethanol	2.225	45	14083	363.43	ug	99
10) Freon113	2.498	101	22617	18.44	ug	84
11) 1,1-Dichloroethene	2.498	96	23660	18.17	ug	# 78
12) Allyl Chloride	2.870	41	89581	18.75	ug	98
13) Carbon Disulfide	2.702	76	70222	18.62	ug	100
14) Acetone	2.576	43	12667	15.49	ug	99
15) Iodomethane	2.639	142	27753	22.04	ug	# 87
16) Acetonitrile	2.860	40	31458	176.31	ug	# 88
17) Methyl Acetate	2.922	43	35836	21.81	ug	96
18) Methylene Chloride	3.012	84	33183	19.22	ug	# 58
19) Acrylonitrile	3.321	53	7886	52.80	ug	# 63
20) trans-1,2-Dichloroethene	3.321	96	30409	21.10	ug	# 81
21) Mtbe	3.347	73	188761	40.38	ug	97
22) 1,1-Dichloroethane	3.814	63	60620	23.09	ug	100
23) Hexane	3.342	43	45126	20.66	ug	# 67
24) cis-1,2-Dichloroethene	4.506	61	57407	24.73	ug	# 74
25) 2,2-Dichloropropane	4.495	77	49832	25.59	ug	# 71
26) Propionitrile	4.632	54	55610	194.57	ug	100
27) Bromochloromethane	4.789	128	15975	21.71	ug	# 68
28) Methacrylonitrile	4.805	67	176663	219.68	ug	# 83
29) Tetrahydrofuran	4.878	42	14506	22.24	ug	89
30) Chloroform	4.899	83	65989	23.85	ug	100
31) Cyclohexane	5.151	84	62835	25.86	ug	# 77
32) 1,1-Dichloro-1-propene	5.303	75	46568	25.82	ug	# 77
33) 1,2-Dichloroethane	5.586	62	55562	27.02	ug	94
34) 2-Butanone	4.569	43	17761	19.94	ug	76
37) 1,1,1-Trichloroethane	5.098	97	54078	25.60	ug	100
38) Carbon Tetrachloride	5.292	117	44353	24.32	ug	100
39) Benzene	5.549	78	145228	25.57	ug	100
40) Isobutanol	5.151	43	8157	540.14	ug	# 100
41) Heptane	5.151	43	8157	27.01	ug	# 1
42) Trichloroethene	6.362	130	32371	22.95	ug	# 87
43) Methyl Cyclohexane	6.577	83	63319	26.99	ug	90
44) 1,2-Dichloropropane	6.640	63	39817	26.03	ug	98

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2064.D
 Acq On : 15 Sep 2025 09:58 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Sep 19 11:37:22 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	60218	21.47	ug	95
46) Dibromomethane	6.787	174	20384	21.15	ug	# 52
47) 1,4-Dioxane	6.855	88	8679	435.94	ug	# 1
48) Methyl Methacrylate	6.850	69	28594	23.71	ug	# 71
49) Bromodichloromethane	7.002	83	51966	26.99	ug	# 38
50) Ceve	7.432	63	6500	10.92	ug	91
51) cis-1,3-Dichloropropene	7.584	75	56093	27.61	ug	96
52) trans-1,3-Dichloropropene	8.323	75	54678	31.14	ug	98
53) 1,1,2-Trichloroethane	8.554	97	36009	26.68	ug	99
54) 1,3-Dichloropropane	8.769	76	61003	26.34	ug	85
55) 1,2-Dibromoethane	9.183	107	33300	25.41	ug	94
56) Dibromochloromethane	9.057	129	35463	24.78	ug	93
57) Bromoform	10.609	173	25667	24.59	ug	95
58) 4-Methyl-2-Pentanone	7.825	43	56666	25.31	ug	88
60) Toluene	7.998	92	94132	27.30	ug	98
61) Ethyl Metacrylate	8.485	69	50489	22.38	ug	# 82
62) Tetrachloroethene	8.706	164	27823	22.78	ug	99
63) 2-Hexanone	8.936	43	28371	23.22	ug	87
65) Chlorobenzene	9.770	112	98103	24.86	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	30410	22.83	ug	# 90
67) Ethylbenzene	9.906	106	54691	26.26	ug	98
68) m,p-Xylene	10.032	91	283294	55.87	ug	94
69) o-Xylene	10.425	106	65900	26.49	ug	# 87
70) Styrene	10.441	104	109178	27.70	ug	82
71) Isopropylbenzene	10.777	105	167202	27.34	ug	99
72) Chloroprene	10.850	53	17799	44.52	ug	81
73) trans-1,4-Dichloro-2-b...	10.850	88	16702	23.34	ug	# 56
74) Bromobenzene	11.028	77	70009	27.79	ug	92
75) 1,2,3-Trichloropropane	11.081	75	60809	24.35	ug	# 79
76) 2-Chlorotoluene	11.201	91	123619	27.68	ug	89
77) 4-Chlorotoluene	11.296	91	149037	28.52	ug	97
78) 1,3,5-Trimethylbenzene	11.296	105	141944	27.61	ug	100
79) tert-Butylbenzene	11.558	119	115040	26.41	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	142140	28.65	ug	91
82) 1,1,2,2-Tetrachloroethane	11.055	83	57918	25.96	ug	94
83) n-Propylbenzene	11.138	91	218265	27.84	ug	97
84) 1,3-Dichlorobenzene	11.810	146	78432	24.75	ug	96
85) sec-Butylbenzene	11.731	105	184158	27.83	ug	100
86) 4-Isopropyltoluene	11.846	119	150788	27.88	ug	96
87) 1,4-Dichlorobenzene	11.810	146	78432	24.67	ug	93
88) 1,2-Dichlorobenzene	12.161	146	78883	24.80	ug	# 83
89) n-Butylbenzene	12.156	91	161069	29.53	ug	# 89
90) 1,2-Dibromo-3-Chloropr	12.732	157	9060	21.51	ug	90
91) 1,2,4-Trichlorobenzene	13.299	180	52266	24.80	ug	97
92) Hexachlorobutadiene	13.409	225	24263	23.70	ug	99
93) Naphthalene	13.466	128	132250	26.05	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	50956	24.56	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2064.D
Acq On : 15 Sep 2025 09:58 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:37:22 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2065.D
 Acq On : 15 Sep 2025 10:18 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 19 11:37:25 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	221648	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	150255	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	88622	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	71537	53.37	ug	0.01
59) Toluene-d8	7.914	98	222055	53.39	ug	0.00
81) Bromofluorobenzene	10.908	95	83765	53.95	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	83127	48.80	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	37341	32.80	ug	# 93
3) Chloromethane	1.389	50	51666	28.82	ug	96
4) Vinyl Chloride	1.470	62	55545	32.52	ug	90
5) Bromomethane	1.721	94	36929	25.88	ug	# 80
6) Chloroethane	1.812	64	36279	30.25	ug	90
7) Acrolein	2.419	56	3016	47.63	ug	99
8) Trichlorofluoromethane	2.028	101	68685	25.01	ug	94
9) Ethanol	2.225	45	14811	364.94	ug	96
10) Freon113	2.503	101	25029	19.49	ug	82
11) 1,1-Dichloroethene	2.498	96	27528	20.18	ug	# 82
12) Allyl Chloride	2.865	41	101874	20.36	ug	100
13) Carbon Disulfide	2.702	76	82098	20.79	ug	100
14) Acetone	2.576	43	14004	16.35	ug	97
15) Iodomethane	2.639	142	34240	25.97	ug	92
16) Acetonitrile	2.865	40	34677	185.57	ug	# 83
17) Methyl Acetate	2.922	43	39949	23.25	ug	98
18) Methylene Chloride	3.006	84	38800	21.75	ug	# 64
19) Acrylonitrile	3.321	53	9668	61.80	ug	# 79
20) trans-1,2-Dichloroethene	3.321	96	34406	22.80	ug	# 81
21) Mtbe	3.342	73	215785	44.08	ug	98
22) 1,1-Dichloroethane	3.814	63	68004	24.73	ug	99
23) Hexane	3.342	43	50338	22.01	ug	# 67
24) cis-1,2-Dichloroethene	4.506	61	63153	25.98	ug	# 78
25) 2,2-Dichloropropane	4.495	77	55025	26.98	ug	# 74
26) Propionitrile	4.632	54	60621	202.52	ug	99
27) Bromochloromethane	4.789	128	19136	24.83	ug	80
28) Methacrylonitrile	4.805	67	194424	230.84	ug	86
29) Tetrahydrofuran	4.878	42	14882	21.79	ug	95
30) Chloroform	4.899	83	73148	25.24	ug	98
31) Cyclohexane	5.151	84	66027	25.95	ug	# 77
32) 1,1-Dichloro-1-propene	5.303	75	49749	26.34	ug	# 80
33) 1,2-Dichloroethane	5.591	62	59118	27.45	ug	98
34) 2-Butanone	4.574	43	20917	22.43	ug	76
37) 1,1,1-Trichloroethane	5.098	97	59119	27.62	ug	98
38) Carbon Tetrachloride	5.292	117	47426	25.66	ug	98
39) Benzene	5.549	78	158360	27.52	ug	100
40) Isobutanol	5.151	43	8642	564.78	ug	# 100
41) Heptane	5.151	43	8642	28.24	ug	# 1
42) Trichloroethene	6.362	130	36031	25.22	ug	90
43) Methyl Cyclohexane	6.582	83	66360	27.91	ug	91
44) 1,2-Dichloropropane	6.640	63	45184	29.16	ug	98

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2065.D
 Acq On : 15 Sep 2025 10:18 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Sep 19 11:37:25 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	72085	25.37	ug	93
46) Dibromomethane	6.792	174	23132	23.68	ug	# 59
47) 1,4-Dioxane	6.860	88	9871	489.34	ug	# 1
48) Methyl Methacrylate	6.850	69	30782	25.19	ug	# 67
49) Bromodichloromethane	7.002	83	57121	29.29	ug	# 37
50) Ceve	7.432	63	9619	15.95	ug	98
51) cis-1,3-Dichloropropene	7.584	75	64360	31.27	ug	99
52) trans-1,3-Dichloropropene	8.323	75	56604	31.82	ug	95
53) 1,1,2-Trichloroethane	8.554	97	39181	28.65	ug	99
54) 1,3-Dichloropropane	8.769	76	68018	28.98	ug	93
55) 1,2-Dibromoethane	9.188	107	36940	27.81	ug	97
56) Dibromochloromethane	9.057	129	39717	27.39	ug	95
57) Bromoform	10.609	173	28727	27.16	ug	96
58) 4-Methyl-2-Pentanone	7.825	43	61446	27.09	ug	90
60) Toluene	7.998	92	100672	28.82	ug	98
61) Ethyl Metacrylate	8.485	69	56482	24.71	ug	# 80
62) Tetrachloroethene	8.706	164	29579	23.90	ug	100
63) 2-Hexanone	8.936	43	31670	25.58	ug	90
65) Chlorobenzene	9.770	112	105860	27.66	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	32478	25.13	ug	# 87
67) Ethylbenzene	9.906	106	59422	29.42	ug	100
68) m,p-Xylene	10.032	91	297309	60.45	ug	98
69) o-Xylene	10.425	106	70450	29.19	ug	87
70) Styrene	10.441	104	118220	30.92	ug	81
71) Isopropylbenzene	10.777	105	177420	29.91	ug	99
72) Chloroprene	10.850	53	19856	51.20	ug	# 78
73) trans-1,4-Dichloro-2-b...	10.850	88	17870	25.74	ug	# 48
74) Bromobenzene	11.028	77	73809	30.20	ug	95
75) 1,2,3-Trichloropropane	11.081	75	65265	26.94	ug	# 77
76) 2-Chlorotoluene	11.201	91	131523	30.36	ug	91
77) 4-Chlorotoluene	11.296	91	158955	31.35	ug	97
78) 1,3,5-Trimethylbenzene	11.296	105	153549	30.79	ug	99
79) tert-Butylbenzene	11.558	119	122008	28.87	ug	98
80) 1,2,4-Trimethylbenzene	11.595	105	149985	31.16	ug	91
82) 1,1,2,2-Tetrachloroethane	11.055	83	64317	29.72	ug	94
83) n-Propylbenzene	11.138	91	233238	30.66	ug	96
84) 1,3-Dichlorobenzene	11.810	146	84674	27.54	ug	97
85) sec-Butylbenzene	11.731	105	196704	30.64	ug	99
86) 4-Isopropyltoluene	11.846	119	157919	30.10	ug	96
87) 1,4-Dichlorobenzene	11.810	146	84674	27.45	ug	94
88) 1,2-Dichlorobenzene	12.161	146	84691	27.44	ug	# 85
89) n-Butylbenzene	12.156	91	168389	31.83	ug	90
90) 1,2-Dibromo-3-Chloropr	12.732	157	10212	25.00	ug	96
91) 1,2,4-Trichlorobenzene	13.299	180	54995	26.90	ug	97
92) Hexachlorobutadiene	13.414	225	25974	26.15	ug	100
93) Naphthalene	13.466	128	139755	28.38	ug	98
94) 1,2,3-Trichlorobenzene	13.629	180	54246	26.96	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2065.D
Acq On : 15 Sep 2025 10:18 am
Operator :
Sample : lcs
Misc : lcs
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Sep 19 11:37:25 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2067.D
 Acq On : 15 Sep 2025 10:58 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 19 11:38:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	205206	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	137566	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	73630	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	69219	55.77	ug	0.01
59) Toluene-d8	7.914	98	212721	55.86	ug	0.00
81) Bromofluorobenzene	10.908	95	70122	54.36	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	71751	50.69	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.230	45	98	2.61	ug	# 35
14) Acetone	2.582	43	1110	1.49	ug	98
16) Acetonitrile	2.859	40	211	1.22	ug	# 8
17) Methyl Acetate	2.938	43	272	Below Cal	#	54
18) Methylene Chloride	3.012	84	928	Below Cal	#	72
73) trans-1,4-Dichloro-2-b...	10.908	88	3001	5.20	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2067.D
Acq On : 15 Sep 2025 10:58 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 4 Sample Multiplier: 1




Quant Time: Sep 19 11:38:29 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.61 ug
RT: 2.230 min Scan# 231
Delta R.T. 0.010 min
Lab File: g2067.D
Acq: 15 Sep 2025 10:58 am


Tgt Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#



#14
Acetone
Concen: 1.49 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.011 min
Lab File: g2067.D
Acq: 15 Sep 2025 10:58 am





Tgt Ion	Ratio	Lower	Upper
43	100		
58	32.7	11.8	51.8








#16
Acetonitrile
Concen: 1.22 ug
RT: 2.859 min Scan# 351
Delta R.T. 0.005 min
Lab File: g2067.D
Acq: 15 Sep 2025 10:58 am


Tgt Ion: 40 Resp: 211
Ion Ratio Lower Upper
40 100
41 96.7 243.5 283.5#




#18
Methylene Chloride
Concen: Below Cal
RT: 3.012 min Scan# 380
Delta R.T. 0.006 min
Lab File: g2067.D
Acq: 15 Sep 2025 10:58 am

Tgt Ion: 84 Resp: 928
Ion Ratio Lower Upper
84 100
49 131.6 82.9 122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.20 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2067.D
 Acq: 15 Sep 2025 10:58 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	6.1	6.6	10.0#
75	1344.2	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2073.D
 Acq On : 15 Sep 2025 12:58 pm
 Operator :
 Sample : 250905090-002a
 Misc : samp
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 11:38:33 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	171661	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	114716	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	62481	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57581	55.46	ug	0.01
59) Toluene-d8	7.914	98	176477	55.57	ug	0.00
81) Bromofluorobenzene	10.908	95	59275	54.15	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	62063	51.67	ug	0.00
Target Compounds						
9) Ethanol	2.220	45	38	1.21	ug	98
17) Methyl Acetate	2.760	43	170	Below Cal	#	54
73) trans-1,4-Dichloro-2-b...	10.908	88	2825	5.77	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2073.D
Acq On : 15 Sep 2025 12:58 pm
Operator :
Sample : 250905090-002a
Misc : samp
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 11:38:33 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.21 ug
RT: 2.220 min Scan# 229
Delta R.T. -0.000 min
Lab File: g2073.D
Acq: 15 Sep 2025 12:58 pm

Tgt Ion: 45 Resp: 38




Ion	Ratio	Lower	Upper
45	100		
46	42.1	32.5	48.7



#73
trans-1,4-Dichloro-2-butene
Concen: 5.77 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2073.D
Acq: 15 Sep 2025 12:58 pm

Tgt Ion: 88 Resp: 2825

Ion	Ratio	Lower	Upper
88	100		
52	7.9	6.6	10.0
75	1223.4	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2074.D
 Acq On : 15 Sep 2025 01:18 pm
 Operator :
 Sample : 250905090-004a
 Misc : samp
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 19 11:38:36 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	167562	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	111579	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58169	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	58136	57.37	ug	0.01
59) Toluene-d8	7.914	98	172821	55.95	ug	0.00
81) Bromofluorobenzene	10.908	95	57738	56.66	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	59676	53.37	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.283	45	71	2.31	ug	# 35
17) Methyl Acetate	2.954	43	33	Below Cal		# 54
18) Methylene Chloride	3.001	84	18	Below Cal		# 26
73) trans-1,4-Dichloro-2-b...	10.908	88	2205	4.84	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2074.D
Acq On : 15 Sep 2025 01:18 pm
Operator :
Sample : 250905090-004a
Misc : samp
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 19 11:38:36 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.31 ug
RT: 2.283 min Scan# 241
Delta R.T. 0.063 min
Lab File: g2074.D
Acq: 15 Sep 2025 01:18 pm

Tgt Ion: 45 Resp: 71




Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#




#18
Methylene Chloride
Concen: Below Cal
RT: 3.001 min Scan# 378
Delta R.T. -0.005 min
Lab File: g2074.D
Acq: 15 Sep 2025 01:18 pm


Tgt Ion: 84 Resp: 18

Ion	Ratio	Lower	Upper
84	100		
49	177.8	82.9	122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.84 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2074.D
 Acq: 15 Sep 2025 01:18 pm



Tgt Ion: 88 Resp: 2205
 Ion Ratio Lower Upper
 88 100
 52 4.6 6.6 10.0#
 75 1476.0 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2075.D
 Acq On : 15 Sep 2025 01:37 pm
 Operator :
 Sample : 250905090-028a
 Misc : samp
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Sep 19 11:38:39 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	167439	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	113031	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58443	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57465	56.75	ug	0.01
59) Toluene-d8	7.914	98	170851	54.61	ug	0.00
81) Bromofluorobenzene	10.908	95	55572	54.28	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	59601	53.05	ug	0.00
Target Compounds						
						Qvalue
6) Chloroethane	1.661	64	5478	6.05	ug	# 60
9) Ethanol	2.073	45	74	2.41	ug	# 35
14) Acetone	2.582	43	1719	2.74	ug	80
17) Methyl Acetate	2.938	43	101	Below Cal	#	54
18) Methylene Chloride	3.038	84	59	Below Cal	#	28
73) trans-1,4-Dichloro-2-b...	10.913	88	2428	5.30	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2075.D
Acq On : 15 Sep 2025 01:37 pm
Operator :
Sample : 250905090-028a
Misc : samp
ALS Vial : 12 Sample Multiplier: 1





Quant Time: Sep 19 11:38:39 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration







#6
Chloroethane
Concen: 6.05 ug
RT: 1.661 min Scan# 123
Delta R.T. -0.151 min
Lab File: g2075.D
Acq: 15 Sep 2025 01:37 pm


Tgt Ion: 64 Resp: 5478
Ion Ratio Lower Upper
64 100
66 6.7 7.6 47.6#



#9
Ethanol
Concen: 2.41 ug
RT: 2.073 min Scan# 205
Delta R.T. -0.147 min
Lab File: g2075.D
Acq: 15 Sep 2025 01:37 pm





Tgt Ion: 45 Resp: 74
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#








#14
Acetone
Concen: 2.74 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.011 min
Lab File: g2075.D
Acq: 15 Sep 2025 01:37 pm


Tgt Ion: 43 Resp: 1719
Ion Ratio Lower Upper
43 100
58 20.9 11.8 51.8




#18
Methylene Chloride
Concen: Below Cal
RT: 3.038 min Scan# 385
Delta R.T. 0.032 min
Lab File: g2075.D
Acq: 15 Sep 2025 01:37 pm

Tgt Ion: 84 Resp: 59
Ion Ratio Lower Upper
84 100
49 176.3 82.9 122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.30 ug
 RT: 10.913 min Scan# 1887
 Delta R.T. 0.063 min
 Lab File: g2075.D
 Acq: 15 Sep 2025 01:37 pm



Tgt Ion: 88 Resp: 2428
 Ion Ratio Lower Upper
 88 100
 52 5.9 6.6 10.0#
 75 1347.1 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2076.D
 Acq On : 15 Sep 2025 01:57 pm
 Operator :
 Sample : 250905090-031a
 Misc : samp
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Sep 19 11:38:42 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	164073	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	110952	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58639	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	55071	55.50	ug	0.01
59) Toluene-d8	7.914	98	168447	54.85	ug	0.00
81) Bromofluorobenzene	10.908	95	55778	54.30	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	57834	51.31	ug	0.00
Target Compounds						
17) Methyl Acetate	2.928	43	81	Below Cal	#	54
40) Isobutanol	5.334	43	18	1.59 ug	#	100
73) trans-1,4-Dichloro-2-b...	10.908	88	2580	5.62 ug	#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2076.D
Acq On : 15 Sep 2025 01:57 pm
Operator :
Sample : 250905090-031a
Misc : samp
ALS Vial : 13 Sample Multiplier: 1





Quant Time: Sep 19 11:38:42 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#40
Isobutanol
Concen: 1.59 ug
RT: 5.334 min Scan# 823
Delta R.T. 0.194 min
Lab File: g2076.D
Acq: 15 Sep 2025 01:57 pm

Tgt Ion: 43 Resp: 18
Ion Ratio Lower Upper
43 100
77 0.0 0.0 0.0



#73
trans-1,4-Dichloro-2-butene
Concen: 5.62 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2076.D
Acq: 15 Sep 2025 01:57 pm

Tgt Ion: 88 Resp: 2580
Ion Ratio Lower Upper
88 100
52 3.6 6.6 10.0#
75 1261.2 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2084.D
 Acq On : 15 Sep 2025 04:48 pm
 Operator :
 Sample : 250905090-035a
 Misc : samp
 ALS Vial : 21 Sample Multiplier: 1

Quant Time: Sep 19 11:38:45 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	170345	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	112469	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	59048	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	57808	56.11	ug	0.00
59) Toluene-d8	7.914	98	175141	56.26	ug	0.00
81) Bromofluorobenzene	10.908	95	55559	53.71	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	58357	51.41	ug	0.00
Target Compounds						
						Qvalue
14) Acetone	2.576	43	905	1.46	ug	# 46
17) Methyl Acetate	2.917	43	36	Below Cal		# 54
24) cis-1,2-Dichloroethene	4.506	61	11539	6.18	ug	# 79
40) Isobutanol	4.967	43	18	1.57	ug	# 100
42) Trichloroethene	6.357	130	20279	18.96	ug	91
73) trans-1,4-Dichloro-2-b...	10.908	88	2044	4.42	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2084.D
Acq On : 15 Sep 2025 04:48 pm
Operator :
Sample : 250905090-035a
Misc : samp
ALS Vial : 21 Sample Multiplier: 1





Quant Time: Sep 19 11:38:45 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#14
Acetone
Concen: 1.46 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2084.D
Acq: 15 Sep 2025 04:48 pm


Tgt Ion: 43 Resp: 905
Ion Ratio Lower Upper
43 100
58 2.0 11.8 51.8#



#24
cis-1,2-Dichloroethene
Concen: 6.18 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2084.D
Acq: 15 Sep 2025 04:48 pm





Tgt Ion: 61 Resp: 11539
Ion Ratio Lower Upper
61 100
96 65.7 68.2 102.4#








#40
Isobutanol
Concen: 1.57 ug
RT: 4.967 min Scan# 753
Delta R.T. -0.173 min
Lab File: g2084.D
Acq: 15 Sep 2025 04:48 pm


Tgt Ion: 43 Resp: 18
Ion Ratio Lower Upper
43 100
77 0.0 0.0 0.0



#42
Trichloroethene
Concen: 18.96 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g2084.D
Acq: 15 Sep 2025 04:48 pm




Tgt Ion: 130 Resp: 20279
Ion Ratio Lower Upper
130 100
132 96.6 74.3 114.3
95 104.8 70.6 110.6





#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.42 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2084.D
 Acq: 15 Sep 2025 04:48 pm

Tgt Ion: 88 Resp: 2044
 Ion Ratio Lower Upper
 88 100
 52 16.1 6.6 10.0#
 75 1638.4 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2085.D
 Acq On : 15 Sep 2025 05:08 pm
 Operator :
 Sample : 250905090-036a
 Misc : samp
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Sep 19 11:38:48 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	159466	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	106847	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	57451	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	54199	56.20	ug	0.01
59) Toluene-d8	7.914	98	165020	55.79	ug	0.00
81) Bromofluorobenzene	10.908	95	54335	53.98	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56697	51.34	ug	0.00
Target Compounds						
17) Methyl Acetate	2.922	43	123	Below Cal	#	54
24) cis-1,2-Dichloroethene	4.506	61	43403	24.81	ug	86
40) Isobutanol	5.235	43	43	3.95	ug	# 100
42) Trichloroethene	6.357	130	32810	32.29	ug	92
73) trans-1,4-Dichloro-2-b...	10.908	88	1983	4.41	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2085.D
Acq On : 15 Sep 2025 05:08 pm
Operator :
Sample : 250905090-036a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1





Quant Time: Sep 19 11:38:48 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#24
 cis-1,2-Dichloroethene
 Concen: 24.81 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2085.D
 Acq: 15 Sep 2025 05:08 pm


Tgt Ion: 61 Resp: 43403
 Ion Ratio Lower Upper
 61 100
 96 72.4 68.2 102.4



#40
 Isobutanol
 Concen: 3.95 ug
 RT: 5.235 min Scan# 804
 Delta R.T. 0.095 min
 Lab File: g2085.D
 Acq: 15 Sep 2025 05:08 pm





Tgt Ion: 43 Resp: 43
 Ion Ratio Lower Upper
 43 100
 77 0.0 0.0 0.0








#42
Trichloroethene
Concen: 32.29 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g2085.D
Acq: 15 Sep 2025 05:08 pm

Tgt Ion	Ratio	Lower	Upper
130	100		
132	93.5	74.3	114.3
95	105.8	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 4.41 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2085.D
Acq: 15 Sep 2025 05:08 pm

Tgt Ion	Ratio	Lower	Upper
88	100		
52	11.5	6.6	10.0#
75	1542.1	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2086.D
 Acq On : 15 Sep 2025 05:28 pm
 Operator :
 Sample : 250905090-043a
 Misc : samp
 ALS Vial : 23 Sample Multiplier: 1

Quant Time: Sep 19 11:38:51 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	157037	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	107759	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	60014	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	54752	57.65	ug	0.01
59) Toluene-d8	7.914	98	163736	54.89	ug	0.00
81) Bromofluorobenzene	10.908	95	55422	52.71	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	57673	49.99	ug	0.00
Target Compounds						
17) Methyl Acetate	2.933	43	139	Below Cal	#	54
24) cis-1,2-Dichloroethene	4.506	61	15429	8.96	ug	80
42) Trichloroethene	6.362	130	60502	59.04	ug	90
73) trans-1,4-Dichloro-2-b...	10.908	88	2366	5.03	ug	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2086.D
Acq On : 15 Sep 2025 05:28 pm
Operator :
Sample : 250905090-043a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1





Quant Time: Sep 19 11:38:51 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#24
 cis-1,2-Dichloroethene
 Concen: 8.96 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2086.D
 Acq: 15 Sep 2025 05:28 pm


Tgt Ion: 61 Resp: 15429
 Ion Ratio Lower Upper
 61 100
 96 66.9 68.2 102.4#




#42
 Trichloroethene
 Concen: 59.04 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g2086.D
 Acq: 15 Sep 2025 05:28 pm

Tgt Ion: 130 Resp: 60502
 Ion Ratio Lower Upper
 130 100
 132 96.2 74.3 114.3
 95 108.8 70.6 110.6







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.03 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2086.D
 Acq: 15 Sep 2025 05:28 pm



Tgt Ion: 88 Resp: 2366
 Ion Ratio Lower Upper
 88 100
 52 9.5 6.6 10.0
 75 1361.1 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2087.D
 Acq On : 15 Sep 2025 05:48 pm
 Operator :
 Sample : 250905090-044a
 Misc : samp
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Sep 19 11:38:54 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	164416	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	108663	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	55091	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	56397	56.72	ug	0.01
59) Toluene-d8	7.914	98	170629	56.73	ug	0.00
81) Bromofluorobenzene	10.908	95	56056	58.08	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56818	53.65	ug	0.00
Target Compounds						
16) Acetonitrile	2.844	40	156	1.13	ug	# 1
17) Methyl Acetate	2.928	43	182	Below Cal	#	54
18) Methylene Chloride	3.012	84	540	Below Cal	#	1
40) Isobutanol	4.910	43	17	1.54	ug	# 100
73) trans-1,4-Dichloro-2-b...	10.908	88	2808	6.51	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2087.D
Acq On : 15 Sep 2025 05:48 pm
Operator :
Sample : 250905090-044a
Misc : samp
ALS Vial : 24 Sample Multiplier: 1





Quant Time: Sep 19 11:38:54 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#16
Acetonitrile
Concen: 1.13 ug
RT: 2.844 min Scan# 348
Delta R.T. -0.010 min
Lab File: g2087.D
Acq: 15 Sep 2025 05:48 pm


Tgt Ion: 40 Resp: 156
Ion Ratio Lower Upper
40 100
41 0.0 243.5 283.5#



#18
Methylene Chloride
Concen: Below Cal
RT: 3.012 min Scan# 380
Delta R.T. 0.006 min
Lab File: g2087.D
Acq: 15 Sep 2025 05:48 pm





Tgt Ion: 84 Resp: 540
Ion Ratio Lower Upper
84 100
49 235.7 82.9 122.9#








#40
Isobutanol
Concen: 1.54 ug
RT: 4.910 min Scan# 742
Delta R.T. -0.230 min
Lab File: g2087.D
Acq: 15 Sep 2025 05:48 pm

Tgt Ion: 43 Resp: 17
Ion Ratio Lower Upper
43 100
77 0.0 0.0 0.0



#73
trans-1,4-Dichloro-2-butene
Concen: 6.51 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2087.D
Acq: 15 Sep 2025 05:48 pm

Tgt Ion: 88 Resp: 2808
Ion Ratio Lower Upper
88 100
52 7.5 6.6 10.0
75 1159.4 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2088.D
 Acq On : 15 Sep 2025 06:07 pm
 Operator :
 Sample : 250905090-001a
 Misc : samp
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Sep 19 11:38:57 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	154351	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	107054	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	55970	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	53936	57.78	ug	0.01
59) Toluene-d8	7.914	98	163689	55.24	ug	0.00
81) Bromofluorobenzene	10.908	95	53766	54.83	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	55754	51.82	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.225	45	67	2.37	ug	# 35
17) Methyl Acetate	2.928	43	169	Below Cal		# 54
24) cis-1,2-Dichloroethene	4.511	61	6311	3.73	ug	84
42) Trichloroethene	6.362	130	14072	13.82	ug	92
73) trans-1,4-Dichloro-2-b...	10.913	88	2677	6.11	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2088.D
Acq On : 15 Sep 2025 06:07 pm
Operator :
Sample : 250905090-001a
Misc : samp
ALS Vial : 25 Sample Multiplier: 1




Quant Time: Sep 19 11:38:57 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.37 ug
RT: 2.225 min Scan# 230
Delta R.T. 0.005 min
Lab File: g2088.D
Acq: 15 Sep 2025 06:07 pm


Tgt Ion: 45 Resp: 67
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#24
cis-1,2-Dichloroethene
Concen: 3.73 ug
RT: 4.511 min Scan# 666
Delta R.T. 0.010 min
Lab File: g2088.D
Acq: 15 Sep 2025 06:07 pm





Tgt Ion: 61 Resp: 6311
Ion Ratio Lower Upper
61 100
96 70.7 68.2 102.4








#42
Trichloroethene
Concen: 13.82 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2088.D
Acq: 15 Sep 2025 06:07 pm

Tgt Ion	Ratio	Lower	Upper
130	100		
132	91.0	74.3	114.3
95	103.3	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 6.11 ug
RT: 10.913 min Scan# 1887
Delta R.T. 0.063 min
Lab File: g2088.D
Acq: 15 Sep 2025 06:07 pm

Tgt Ion	Ratio	Lower	Upper
88	100		
52	6.6	6.6	10.0#
75	1171.0	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2089.D
 Acq On : 15 Sep 2025 06:27 pm
 Operator :
 Sample : 250905090-007a
 Misc : samp
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Sep 19 11:39:00 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	155945	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	108471	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	55833	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	53068	56.27	ug	0.01
59) Toluene-d8	7.914	98	165252	55.04	ug	0.00
81) Bromofluorobenzene	10.908	95	51756	52.91	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56700	52.83	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.230	45	57	2.00	ug	# 35
14) Acetone	2.576	43	1436	2.47	ug	92
17) Methyl Acetate	2.923	43	160	Below Cal	#	54
18) Methylene Chloride	3.033	84	68	Below Cal	#	1
24) cis-1,2-Dichloroethene	4.506	61	2414	1.41	ug	93
42) Trichloroethene	6.362	130	2652	2.57	ug	94
73) trans-1,4-Dichloro-2-b...	10.908	88	2282	5.22	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2089.D
Acq On : 15 Sep 2025 06:27 pm
Operator :
Sample : 250905090-007a
Misc : samp
ALS Vial : 26 Sample Multiplier: 1

Quant Time: Sep 19 11:39:00 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.00 ug
RT: 2.230 min Scan# 231
Delta R.T. 0.010 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm

Tgt Ion: 45 Resp: 57




Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#




#14
Acetone
Concen: 2.47 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm

Tgt Ion: 43 Resp: 1436





Ion	Ratio	Lower	Upper
43	100		
58	27.4	11.8	51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.033 min Scan# 384
Delta R.T. 0.027 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm


Tgt Ion: 84 Resp: 68
Ion Ratio Lower Upper
84 100
49 263.2 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 1.41 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm





Tgt Ion: 61 Resp: 2414
Ion Ratio Lower Upper
61 100
96 78.9 68.2 102.4








#42
Trichloroethene
Concen: 2.57 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm

Tgt Ion:	130	Resp:	2652
Ion	Ratio	Lower	Upper
130	100		
132	95.7	74.3	114.3
95	101.7	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 5.22 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2089.D
Acq: 15 Sep 2025 06:27 pm

Tgt Ion:	88	Resp:	2282
Ion	Ratio	Lower	Upper
88	100		
52	9.7	6.6	10.0
75	1357.7	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2090.D
 Acq On : 15 Sep 2025 06:47 pm
 Operator :
 Sample : 250905090-012a
 Misc : samp
 ALS Vial : 27 Sample Multiplier: 1

Quant Time: Sep 19 11:39:04 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	154120	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	106703	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	57385	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	51812	55.59	ug	0.01
59) Toluene-d8	7.914	98	161684	54.74	ug	0.00
81) Bromofluorobenzene	10.908	95	53089	52.81	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56933	51.61	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.262	45	37	1.31	ug	# 35
14) Acetone	2.587	43	585	1.07	ug	# 53
17) Methyl Acetate	2.943	43	138	Below Cal		# 54
18) Methylene Chloride	3.012	84	39	Below Cal		# 1
24) cis-1,2-Dichloroethene	4.511	61	4096	2.42	ug	82
42) Trichloroethene	6.362	130	1160	1.14	ug	# 79
73) trans-1,4-Dichloro-2-b...	10.908	88	2487	5.53	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2090.D
Acq On : 15 Sep 2025 06:47 pm
Operator :
Sample : 250905090-012a
Misc : samp
ALS Vial : 27 Sample Multiplier: 1




Quant Time: Sep 19 11:39:04 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.31 ug
RT: 2.262 min Scan# 237
Delta R.T. 0.042 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm


Tgt Ion: 45 Resp: 37
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#14
Acetone
Concen: 1.07 ug
RT: 2.587 min Scan# 299
Delta R.T. 0.016 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm





Tgt Ion: 43 Resp: 585
Ion Ratio Lower Upper
43 100
58 5.8 11.8 51.8#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.012 min Scan# 380
Delta R.T. 0.006 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm


Tgt Ion: 84 Resp: 39
Ion Ratio Lower Upper
84 100
49 302.6 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 2.42 ug
RT: 4.511 min Scan# 666
Delta R.T. 0.010 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm





Tgt Ion: 61 Resp: 4096
Ion Ratio Lower Upper
61 100
96 68.9 68.2 102.4








#42
Trichloroethene
Concen: 1.14 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm

Tgt Ion:130 Resp: 1160
Ion Ratio Lower Upper
130 100
132 115.6 74.3 114.3#
95 108.9 70.6 110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 5.53 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2090.D
Acq: 15 Sep 2025 06:47 pm

Tgt Ion: 88 Resp: 2487
Ion Ratio Lower Upper
88 100
52 5.6 6.6 10.0#
75 1218.1 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2091.D
 Acq On : 15 Sep 2025 07:07 pm
 Operator :
 Sample : 250905090-013a
 Misc : samp
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Sep 19 11:39:07 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	155751	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	106519	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58104	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	53200	56.48	ug	0.01
59) Toluene-d8	7.914	98	162502	55.11	ug	0.00
81) Bromofluorobenzene	10.908	95	53781	52.83	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56968	51.00	ug	0.00
Target Compounds						
						Qvalue
3) Chloromethane	1.389	50	1368	1.09	ug	# 48
4) Vinyl Chloride	1.475	62	2587	2.16	ug	# 1
6) Chloroethane	1.661	64	19202	22.79	ug	64
17) Methyl Acetate	2.938	43	45	Below Cal	#	54
18) Methylene Chloride	2.587	84	36	Below Cal	#	21
24) cis-1,2-Dichloroethene	4.511	61	5943	3.48	ug	# 77
73) trans-1,4-Dichloro-2-b...	10.908	88	2073	4.55	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2091.D
Acq On : 15 Sep 2025 07:07 pm
Operator :
Sample : 250905090-013a
Misc : samp
ALS Vial : 28 Sample Multiplier: 1





Quant Time: Sep 19 11:39:07 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#3
Chloromethane
Concen: 1.09 ug
RT: 1.389 min Scan# 69
Delta R.T. 0.005 min
Lab File: g2091.D
Acq: 15 Sep 2025 07:07 pm


Tgt Ion: 50 Resp: 1368
Ion Ratio Lower Upper
50 100
52 5.1 28.2 42.2#



#4
Vinyl Chloride
Concen: 2.16 ug
RT: 1.475 min Scan# 86
Delta R.T. 0.005 min
Lab File: g2091.D
Acq: 15 Sep 2025 07:07 pm





Tgt Ion: 62 Resp: 2587
Ion Ratio Lower Upper
62 100
64 7631.5 17.8 57.8#








#6
Chloroethane
Concen: 22.79 ug
RT: 1.661 min Scan# 123
Delta R.T. -0.151 min
Lab File: g2091.D
Acq: 15 Sep 2025 07:07 pm


Tgt Ion: 64 Resp: 19202
Ion Ratio Lower Upper
64 100
66 8.9 7.6 47.6



#18
Methylene Chloride
Concen: Below Cal
RT: 2.587 min Scan# 299
Delta R.T. -0.419 min
Lab File: g2091.D
Acq: 15 Sep 2025 07:07 pm





Tgt Ion: 84 Resp: 36
Ion Ratio Lower Upper
84 100
49 183.3 82.9 122.9#








#24
 cis-1,2-Dichloroethene
 Concen: 3.48 ug
 RT: 4.511 min Scan# 666
 Delta R.T. 0.010 min
 Lab File: g2091.D
 Acq: 15 Sep 2025 07:07 pm

Tgt Ion: 61 Resp: 5943
 Ion Ratio Lower Upper
 61 100
 96 64.5 68.2 102.4#



#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.55 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2091.D
 Acq: 15 Sep 2025 07:07 pm

Tgt Ion: 88 Resp: 2073
 Ion Ratio Lower Upper
 88 100
 52 5.6 6.6 10.0#
 75 1495.9 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2092.D
 Acq On : 15 Sep 2025 07:27 pm
 Operator :
 Sample : 250905090-015a
 Misc : samp
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: Sep 19 11:39:10 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	153146	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	104805	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	54573	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	52454	56.63	ug	0.01
59) Toluene-d8	7.914	98	159516	54.98	ug	0.00
81) Bromofluorobenzene	10.908	95	51838	54.22	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	54585	52.03	ug	0.00
Target Compounds						
17) Methyl Acetate	2.928	43	122	Below Cal	#	54
18) Methylene Chloride	3.022	84	17	Below Cal	#	1
73) trans-1,4-Dichloro-2-b...	10.908	88	2141	5.01	ug	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2092.D
Acq On : 15 Sep 2025 07:27 pm
Operator :
Sample : 250905090-015a
Misc : samp
ALS Vial : 29 Sample Multiplier: 1





Quant Time: Sep 19 11:39:10 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#18
Methylene Chloride
Concen: Below Cal
RT: 3.022 min Scan# 382
Delta R.T. 0.016 min
Lab File: g2092.D
Acq: 15 Sep 2025 07:27 pm

Tgt Ion: 84 Resp: 17
Ion Ratio Lower Upper
84 100
49 405.9 82.9 122.9#



#73
trans-1,4-Dichloro-2-butene
Concen: 5.01 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2092.D
Acq: 15 Sep 2025 07:27 pm

Tgt Ion: 88 Resp: 2141
Ion Ratio Lower Upper
88 100
52 9.9 6.6 10.0
75 1415.2 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2093.D
 Acq On : 15 Sep 2025 07:46 pm
 Operator :
 Sample : 250905090-016a
 Misc : samp
 ALS Vial : 30 Sample Multiplier: 1

Quant Time: Sep 19 11:39:13 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	150452	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	105825	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	56517	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	50137	55.10	ug	0.01
59) Toluene-d8	7.914	98	158743	54.19	ug	0.00
81) Bromofluorobenzene	10.908	95	53035	53.56	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56005	51.55	ug	0.00
Target Compounds						
						Qvalue
3) Chloromethane	1.394	50	4487	3.69	ug	# 40
7) Acrolein	2.304	56	79	1.84	ug	90
9) Ethanol	2.220	45	95	3.45	ug	# 35
17) Methyl Acetate	2.928	43	17	Below Cal		# 54
73) trans-1,4-Dichloro-2-b...	10.913	88	2217	5.01	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2093.D
Acq On : 15 Sep 2025 07:46 pm
Operator :
Sample : 250905090-016a
Misc : samp
ALS Vial : 30 Sample Multiplier: 1





Quant Time: Sep 19 11:39:13 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#3
Chloromethane
Concen: 3.69 ug
RT: 1.394 min Scan# 70
Delta R.T. 0.010 min
Lab File: g2093.D
Acq: 15 Sep 2025 07:46 pm


Tgt Ion: 50 Resp: 4487
Ion Ratio Lower Upper
50 100
52 0.0 28.2 42.2#



#7
Acrolein
Concen: 1.84 ug
RT: 2.304 min Scan# 245
Delta R.T. -0.110 min
Lab File: g2093.D
Acq: 15 Sep 2025 07:46 pm




Tgt Ion: 56 Resp: 79
Ion Ratio Lower Upper
56 100
55 75.9 54.0 81.0








#9
Ethanol
Concen: 3.45 ug
RT: 2.220 min Scan# 229
Delta R.T. -0.000 min
Lab File: g2093.D
Acq: 15 Sep 2025 07:46 pm

Tgt Ion: 45 Resp: 95
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#73
trans-1,4-Dichloro-2-butene
Concen: 5.01 ug
RT: 10.913 min Scan# 1887
Delta R.T. 0.063 min
Lab File: g2093.D
Acq: 15 Sep 2025 07:46 pm

Tgt Ion: 88 Resp: 2217
Ion Ratio Lower Upper
88 100
52 5.7 6.6 10.0#
75 1388.8 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2094.D
 Acq On : 15 Sep 2025 08:06 pm
 Operator :
 Sample : 250905090-016ams
 Misc : ms
 ALS Vial : 31 Sample Multiplier: 1

Quant Time: Sep 19 11:37:28 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	181300	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	122734	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	75234	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	56165	51.22	ug	0.01
59) Toluene-d8	7.914	98	188298	55.42	ug	0.00
81) Bromofluorobenzene	10.908	95	68410	51.90	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	72618	50.21	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.243	85	19210	20.63	ug	# 90
3) Chloromethane	1.384	50	35616	24.28	ug	89
4) Vinyl Chloride	1.470	62	38925	27.86	ug	# 53
5) Bromomethane	1.731	94	18682	16.01	ug	# 80
6) Chloroethane	1.812	64	29079	29.64	ug	94
7) Acrolein	2.414	56	1169	22.57	ug	94
8) Trichlorofluoromethane	2.023	101	55352	24.64	ug	93
9) Ethanol	2.257	45	1164	35.06	ug	# 81
10) Freon113	2.498	101	21635	20.59	ug	# 80
11) 1,1-Dichloroethene	2.492	96	23958	21.48	ug	# 82
12) Allyl Chloride	2.870	41	46628	11.39	ug	95
13) Carbon Disulfide	2.702	76	68377	21.16	ug	100
14) Acetone	2.587	43	2915	4.23	ug	92
15) Iodomethane	2.639	142	26511	24.58	ug	94
16) Acetonitrile	2.880	40	15959	104.41	ug	# 84
17) Methyl Acetate	2.928	43	21774	15.31	ug	96
18) Methylene Chloride	3.006	84	27814	18.75	ug	# 62
19) Acrylonitrile	3.337	53	5349	41.80	ug	# 61
20) trans-1,2-Dichloroethene	3.321	96	26045	21.10	ug	# 83
21) Mtbe	3.347	73	145368	36.30	ug	98
22) 1,1-Dichloroethane	3.808	63	50397	22.41	ug	98
23) Hexane	3.342	43	33032	17.66	ug	# 70
24) cis-1,2-Dichloroethene	4.501	61	46936	23.60	ug	# 75
25) 2,2-Dichloropropane	4.495	77	40782	24.45	ug	# 76
26) Propionitrile	4.658	54	29533	120.62	ug	# 83
27) Bromochloromethane	4.789	128	12889	20.45	ug	# 72
28) Methacrylonitrile	4.805	67	119925	174.08	ug	82
29) Tetrahydrofuran	4.805	42	5310	9.50	ug	92
30) Chloroform	4.899	83	54328	22.92	ug	100
31) Cyclohexane	5.151	84	54421	26.14	ug	# 73
32) 1,1-Dichloro-1-propene	5.298	75	39877	25.81	ug	# 77
33) 1,2-Dichloroethane	5.586	62	42959	24.38	ug	98
34) 2-Butanone	4.590	43	9352	12.26	ug	70
37) 1,1,1-Trichloroethane	5.098	97	45252	25.88	ug	98
38) Carbon Tetrachloride	5.292	117	37650	24.94	ug	98
39) Benzene	5.549	78	117498	24.99	ug	100
40) Isobutanol	5.151	43	7009	560.77	ug	# 100
41) Heptane	5.151	43	7009	28.04	ug	# 1
42) Trichloroethene	6.357	130	27776	23.80	ug	93
43) Methyl Cyclohexane	6.582	83	54483	28.06	ug	94
44) 1,2-Dichloropropane	6.640	63	33161	26.20	ug	100

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2094.D
 Acq On : 15 Sep 2025 08:06 pm
 Operator :
 Sample : 250905090-016ams
 Misc : ms
 ALS Vial : 31 Sample Multiplier: 1


Quant Time: Sep 19 11:37:28 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	49706	21.42	ug	94
46) Dibromomethane	6.787	174	16868	21.14	ug	# 58
47) 1,4-Dioxane	6.891	88	1942	117.86	ug	# 1
48) Methyl Methacrylate	6.849	69	19862	19.90	ug	# 70
49) Bromodichloromethane	7.002	83	41847	26.27	ug	# 42
51) cis-1,3-Dichloropropene	7.583	75	41960	24.96	ug	97
52) trans-1,3-Dichloropropene	8.323	75	41620	28.64	ug	97
53) 1,1,2-Trichloroethane	8.553	97	28528	25.54	ug	99
54) 1,3-Dichloropropane	8.768	76	49876	26.02	ug	89
55) 1,2-Dibromoethane	9.183	107	27053	24.94	ug	98
56) Dibromochloromethane	9.057	129	27887	23.54	ug	93
57) Bromoform	10.609	173	19507	22.58	ug	97
58) 4-Methyl-2-Pentanone	7.830	43	38144	20.59	ug	89
60) Toluene	7.998	92	75089	26.32	ug	98
61) Ethyl Metacrylate	8.491	69	38747	20.75	ug	# 79
62) Tetrachloroethene	8.706	164	23837	23.58	ug	98
63) 2-Hexanone	8.936	43	23233	22.97	ug	85
65) Chlorobenzene	9.770	112	80237	24.69	ug	98
66) 1,1,1,2-Tetrachloroethane	9.875	133	25174	22.95	ug	# 90
67) Ethylbenzene	9.906	106	44065	25.70	ug	94
68) m,p-Xylene	10.032	91	226211	54.18	ug	96
69) o-Xylene	10.425	106	52970	25.85	ug	# 86
70) Styrene	10.446	104	89162	27.47	ug	82
71) Isopropylbenzene	10.777	105	134913	26.79	ug	99
72) Chloroprene	10.850	53	11443	34.75	ug	80
73) trans-1,4-Dichloro-2-b...	10.850	88	10549	17.90	ug	# 53
74) Bromobenzene	11.028	77	56493	27.23	ug	91
75) 1,2,3-Trichloropropane	11.086	75	45979	22.35	ug	# 81
76) 2-Chlorotoluene	11.201	91	101343	27.55	ug	90
77) 4-Chlorotoluene	11.296	91	120398	27.97	ug	98
78) 1,3,5-Trimethylbenzene	11.296	105	119808	28.30	ug	97
79) tert-Butylbenzene	11.558	119	96324	26.85	ug	99
80) 1,2,4-Trimethylbenzene	11.594	105	116953	28.62	ug	90
82) 1,1,2,2-Tetrachloroethane	11.054	83	47883	26.06	ug	94
83) n-Propylbenzene	11.138	91	177591	27.50	ug	98
84) 1,3-Dichlorobenzene	11.809	146	63973	24.51	ug	96
85) sec-Butylbenzene	11.731	105	151387	27.78	ug	97
86) 4-Isopropyltoluene	11.846	119	126523	28.41	ug	97
87) 1,4-Dichlorobenzene	11.883	146	66388	25.36	ug	# 78
88) 1,2-Dichlorobenzene	12.161	146	65422	24.97	ug	# 85
89) n-Butylbenzene	12.155	91	133031	29.62	ug	# 88
90) 1,2-Dibromo-3-Chloropr	12.732	157	7428	21.42	ug	# 88
91) 1,2,4-Trichlorobenzene	13.298	180	41855	24.11	ug	98
92) Hexachlorobutadiene	13.414	225	19888	23.59	ug	99
93) Naphthalene	13.466	128	108879	26.04	ug	99
94) 1,2,3-Trichlorobenzene	13.624	180	42074	24.63	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
Data File : g2094.D
Acq On : 15 Sep 2025 08:06 pm
Operator :
Sample : 250905090-016ams
Misc : ms
ALS Vial : 31 Sample Multiplier: 1

Quant Time: Sep 19 11:37:28 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2095.D
 Acq On : 15 Sep 2025 08:26 pm
 Operator :
 Sample : 250905090-016amsd
 Misc : msd
 ALS Vial : 32 Sample Multiplier: 1

Quant Time: Sep 19 11:37:31 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	198986	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	132230	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	74871	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	59125	49.13	ug	0.01
59) Toluene-d8	7.914	98	199225	54.43	ug	0.00
81) Bromofluorobenzene	10.908	95	71903	54.82	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	71909	49.96	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.243	85	25528	24.98	ug	# 92
3) Chloromethane	1.384	50	41820	25.98	ug	88
4) Vinyl Chloride	1.470	62	42475	27.70	ug	# 1
5) Bromomethane	1.731	94	19626	15.32	ug	83
6) Chloroethane	1.812	64	33464	31.08	ug	99
7) Acrolein	2.419	56	1294	22.76	ug	100
8) Trichlorofluoromethane	2.023	101	58164	23.59	ug	94
9) Ethanol	2.257	45	2961	81.27	ug	# 74
10) Freon113	2.498	101	22116	19.18	ug	# 81
11) 1,1-Dichloroethene	2.493	96	22527	18.40	ug	# 81
12) Allyl Chloride	2.870	41	61060	13.59	ug	97
13) Carbon Disulfide	2.702	76	70202	19.80	ug	100
14) Acetone	2.576	43	6508	8.51	ug	93
15) Iodomethane	2.639	142	29063	24.55	ug	91
16) Acetonitrile	2.870	40	19000	113.26	ug	# 68
17) Methyl Acetate	2.928	43	21937	14.01	ug	99
18) Methylene Chloride	3.006	84	28370	17.25	ug	# 66
19) Acrylonitrile	3.326	53	5640	40.16	ug	# 66
20) trans-1,2-Dichloroethene	3.316	96	26311	19.42	ug	# 80
21) Mtbe	3.342	73	148192	33.72	ug	99
22) 1,1-Dichloroethane	3.809	63	51596	20.90	ug	98
23) Hexane	3.342	43	32888	16.02	ug	# 70
24) cis-1,2-Dichloroethene	4.506	61	47285	21.66	ug	# 78
25) 2,2-Dichloropropane	4.495	77	40469	22.10	ug	# 77
26) Propionitrile	4.642	54	31759	118.18	ug	97
27) Bromochloromethane	4.789	128	12688	18.34	ug	# 72
28) Methacrylonitrile	4.805	67	124774	165.02	ug	# 81
29) Tetrahydrofuran	4.889	42	7432	12.12	ug	100
30) Chloroform	4.899	83	54038	20.77	ug	99
31) Cyclohexane	5.151	84	52563	23.01	ug	# 73
32) 1,1-Dichloro-1-propene	5.303	75	39287	23.17	ug	79
33) 1,2-Dichloroethane	5.586	62	41681	21.55	ug	97
34) 2-Butanone	4.579	43	9354	11.17	ug	53
37) 1,1,1-Trichloroethane	5.098	97	44278	23.51	ug	96
38) Carbon Tetrachloride	5.292	117	37319	22.95	ug	99
39) Benzene	5.549	78	116654	23.03	ug	100
40) Isobutanol	5.146	43	6924	514.19	ug	# 100
41) Heptane	5.146	43	6924	25.71	ug	# 1
42) Trichloroethene	6.357	130	27551	21.91	ug	91
43) Methyl Cyclohexane	6.577	83	55277	26.42	ug	95
44) 1,2-Dichloropropane	6.640	63	33104	24.27	ug	97

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2095.D
 Acq On : 15 Sep 2025 08:26 pm
 Operator :
 Sample : 250905090-016amsd
 Misc : msd
 ALS Vial : 32 Sample Multiplier: 1


Quant Time: Sep 19 11:37:31 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	49272	19.70	ug	92
46) Dibromomethane	6.787	174	16924	19.69	ug	# 56
47) 1,4-Dioxane	6.876	88	2242	126.29	ug	# 1
48) Methyl Methacrylate	6.850	69	21015	19.54	ug	# 58
49) Bromodichloromethane	7.002	83	40352	23.51	ug	# 38
51) cis-1,3-Dichloropropene	7.584	75	44517	24.57	ug	99
52) trans-1,3-Dichloropropene	8.323	75	40473	25.85	ug	93
53) 1,1,2-Trichloroethane	8.554	97	28378	23.58	ug	98
54) 1,3-Dichloropropane	8.769	76	50493	24.45	ug	91
55) 1,2-Dibromoethane	9.188	107	27217	23.29	ug	97
56) Dibromochloromethane	9.057	129	28161	22.07	ug	95
57) Bromoform	10.609	173	18845	20.25	ug	100
58) 4-Methyl-2-Pentanone	7.825	43	38876	19.48	ug	92
60) Toluene	7.998	92	74064	24.09	ug	99
61) Ethyl Metacrylate	8.491	69	44494	22.12	ug	# 78
62) Tetrachloroethene	8.706	164	23181	21.28	ug	99
63) 2-Hexanone	8.942	43	23459	21.53	ug	85
65) Chlorobenzene	9.770	112	78806	24.37	ug	98
66) 1,1,1,2-Tetrachloroethane	9.875	133	24364	22.32	ug	# 89
67) Ethylbenzene	9.906	106	43351	25.40	ug	96
68) m,p-Xylene	10.032	91	220517	53.07	ug	97
69) o-Xylene	10.425	106	51949	25.48	ug	89
70) Styrene	10.446	104	84935	26.30	ug	81
71) Isopropylbenzene	10.777	105	135607	27.06	ug	99
72) Chloroprene	10.850	53	11343	34.62	ug	83
73) trans-1,4-Dichloro-2-b...	10.850	88	10942	18.65	ug	# 48
74) Bromobenzene	11.028	77	54989	26.63	ug	93
75) 1,2,3-Trichloropropane	11.086	75	44400	21.69	ug	# 82
76) 2-Chlorotoluene	11.201	91	99068	27.06	ug	89
77) 4-Chlorotoluene	11.296	91	117926	27.53	ug	97
78) 1,3,5-Trimethylbenzene	11.296	105	114930	27.27	ug	99
79) tert-Butylbenzene	11.558	119	93870	26.29	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	110412	27.15	ug	93
82) 1,1,2,2-Tetrachloroethane	11.055	83	45162	24.70	ug	94
83) n-Propylbenzene	11.138	91	175663	27.34	ug	97
84) 1,3-Dichlorobenzene	11.810	146	61505	23.68	ug	97
85) sec-Butylbenzene	11.731	105	149438	27.55	ug	99
86) 4-Isopropyltoluene	11.846	119	121141	27.33	ug	96
87) 1,4-Dichlorobenzene	11.810	146	61505	23.60	ug	94
88) 1,2-Dichlorobenzene	12.166	146	63635	24.41	ug	# 83
89) n-Butylbenzene	12.156	91	131964	29.53	ug	# 86
90) 1,2-Dibromo-3-Chloropr	12.732	157	7523	21.80	ug	# 90
91) 1,2,4-Trichlorobenzene	13.299	180	42469	24.59	ug	95
92) Hexachlorobutadiene	13.414	225	20596	24.54	ug	97
93) Naphthalene	13.466	128	105368	25.32	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	41040	24.14	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091525\
 Data File : g2095.D
 Acq On : 15 Sep 2025 08:26 pm
 Operator :
 Sample : 250905090-016amsd
 Misc : msd
 ALS Vial : 32 Sample Multiplier: 1



Quant Time: Sep 19 11:37:31 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2123.D
Acq On : 16 Sep 2025 08:43 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 2 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Sep 18 14:14:25 2025



Spectrum Information: Scan 1887

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	26.1	4847	PASS
75	95	30	60	56.0	10409	PASS
95	95	100	100	100.0	18600	PASS
96	95	5	9	7.3	1360	PASS
173	174	0.00	2	1.8	288	PASS
174	95	50	100	87.0	16174	PASS
175	174	5	9	8.1	1308	PASS
176	174	95	101	97.2	15719	PASS
177	176	5	9	6.8	1074	PASS

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2128.D
 Acq On : 16 Sep 2025 10:42 am
 Operator :
 Sample : vblk
 Misc : tune
 ALS Vial : 75 Sample Multiplier: 1

Quant Time: Sep 19 11:28:15 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.900	96	155885	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	108047	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	57288	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	52978	56.19	ug	0.00
59) Toluene-d8	7.909	98	163245	54.58	ug	0.00
81) Bromofluorobenzene	10.908	95	54520	54.32	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	59306	53.85	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	1.887	45	32	1.12	ug	# 85
14) Acetone	2.576	43	1141	1.98	ug	92
17) Methyl Acetate	2.922	43	229	Below Cal	#	54
18) Methylene Chloride	3.006	84	1845	Below Cal	#	30
73) trans-1,4-Dichloro-2-b...	10.908	88	2455	5.47	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2128.D
Acq On : 16 Sep 2025 10:42 am
Operator :
Sample : vblk
Misc : tune
ALS Vial : 75 Sample Multiplier: 1




Quant Time: Sep 19 11:28:15 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.12 ug
RT: 1.887 min Scan# 168
Delta R.T. -0.333 min
Lab File: g2128.D
Acq: 16 Sep 2025 10:42 am


Tgt Ion: 45 Resp: 32
Ion Ratio Lower Upper
45 100
46 50.0 32.5 48.7#




#14
Acetone
Concen: 1.98 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2128.D
Acq: 16 Sep 2025 10:42 am

Tgt Ion: 43 Resp: 1141
Ion Ratio Lower Upper
43 100
58 36.4 11.8 51.8







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.47 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2128.D
 Acq: 16 Sep 2025 10:42 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	6.1	6.6	10.0#
75	1256.5	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2130.D
 Acq On : 16 Sep 2025 11:21 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:32:26 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	177317	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	123364	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	78157	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57487	53.61	ug	0.01
59) Toluene-d8	7.914	98	184360	53.99	ug	0.00
81) Bromofluorobenzene	10.908	95	69870	51.03	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	71046	47.29	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	16149	17.73	ug	# 95
3) Chloromethane	1.389	50	29903	20.85	ug	98
4) Vinyl Chloride	1.470	62	34916	25.55	ug	89
5) Bromomethane	1.721	94	26978	23.63	ug	85
6) Chloroethane	1.812	64	26949	28.09	ug	90
7) Acrolein	2.419	56	2233	44.08	ug	91
8) Trichlorofluoromethane	2.028	101	51078	23.25	ug	91
9) Ethanol	2.225	45	10439	321.52	ug	95
10) Freon113	2.503	101	17597	17.13	ug	# 80
11) 1,1-Dichloroethene	2.492	96	19316	17.70	ug	# 83
12) Allyl Chloride	2.865	41	72447	18.10	ug	96
13) Carbon Disulfide	2.702	76	55369	17.52	ug	100
14) Acetone	2.576	43	10511	15.35	ug	89
15) Iodomethane	2.644	142	18981	17.99	ug	92
16) Acetonitrile	2.859	40	25714	172.01	ug	90
17) Methyl Acetate	2.922	43	29306	21.28	ug	97
18) Methylene Chloride	3.011	84	27308	18.83	ug	# 59
19) Acrylonitrile	3.321	53	7313	58.44	ug	# 79
20) trans-1,2-Dichloroethene	3.321	96	23839	19.74	ug	# 85
21) Mtbe	3.342	73	145831	37.24	ug	96
22) 1,1-Dichloroethane	3.814	63	47925	21.79	ug	99
23) Hexane	3.342	43	35391	19.34	ug	# 67
24) cis-1,2-Dichloroethene	4.506	61	43959	22.60	ug	# 74
25) 2,2-Dichloropropane	4.495	77	37330	22.88	ug	# 73
26) Propionitrile	4.632	54	44821	187.17	ug	98
27) Bromochloromethane	4.789	128	13222	21.45	ug	# 73
28) Methacrylonitrile	4.805	67	137866	204.62	ug	# 80
29) Tetrahydrofuran	4.878	42	11391	20.85	ug	91
30) Chloroform	4.899	83	52197	22.51	ug	96
31) Cyclohexane	5.151	84	48255	23.70	ug	# 77
32) 1,1-Dichloro-1-propene	5.303	75	37256	24.66	ug	# 78
33) 1,2-Dichloroethane	5.586	62	43117	25.02	ug	97
34) 2-Butanone	4.569	43	15990	21.43	ug	79
37) 1,1,1-Trichloroethane	5.098	97	40920	23.28	ug	100
38) Carbon Tetrachloride	5.292	117	34015	22.42	ug	98
39) Benzene	5.549	78	110915	23.47	ug	100
40) Isobutanol	5.151	43	6244	497.02	ug	# 100
41) Heptane	5.151	43	6244	24.85	ug	# 1
42) Trichloroethene	6.362	130	25357	21.61	ug	89
43) Methyl Cyclohexane	6.582	83	49168	25.19	ug	91
44) 1,2-Dichloropropane	6.640	63	31968	25.13	ug	98

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2130.D
 Acq On : 16 Sep 2025 11:21 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Sep 19 11:32:26 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	53488	22.93	ug	94
46) Dibromomethane	6.787	174	17744	22.13	ug	# 63
47) 1,4-Dioxane	6.860	88	6931	418.49	ug	# 1
48) Methyl Methacrylate	6.849	69	22190	22.11	ug	# 71
49) Bromodichloromethane	7.002	83	41637	26.00	ug	# 39
50) Ceve	7.384	63	545	1.10	ug	94
51) cis-1,3-Dichloropropene	7.583	75	42504	25.15	ug	95
52) trans-1,3-Dichloropropene	8.323	75	40468	27.71	ug	98
53) 1,1,2-Trichloroethane	8.553	97	28270	25.18	ug	95
54) 1,3-Dichloropropane	8.768	76	50295	26.10	ug	92
55) 1,2-Dibromoethane	9.188	107	27073	24.83	ug	98
56) Dibromochloromethane	9.057	129	27569	23.16	ug	90
57) Bromoform	10.609	173	19886	22.90	ug	98
58) 4-Methyl-2-Pentanone	7.825	43	47438	25.47	ug	86
60) Toluene	7.998	92	72976	25.44	ug	100
61) Ethyl Metacrylate	8.485	69	39976	21.30	ug	# 80
62) Tetrachloroethene	8.711	164	22165	21.81	ug	100
63) 2-Hexanone	8.936	43	23805	23.42	ug	91
65) Chlorobenzene	9.775	112	76587	22.69	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	24328	21.35	ug	# 91
67) Ethylbenzene	9.906	106	41887	23.51	ug	94
68) m,p-Xylene	10.032	91	220234	50.77	ug	95
69) o-Xylene	10.425	106	51443	24.17	ug	90
70) Styrene	10.446	104	86190	25.56	ug	81
71) Isopropylbenzene	10.777	105	129098	24.68	ug	99
72) Chloroprene	10.850	53	13766	40.25	ug	82
73) trans-1,4-Dichloro-2-b...	10.850	88	13042	21.30	ug	# 49
74) Bromobenzene	11.028	77	55470	25.74	ug	94
75) 1,2,3-Trichloropropane	11.081	75	49503	23.17	ug	# 81
76) 2-Chlorotoluene	11.201	91	98251	25.71	ug	91
77) 4-Chlorotoluene	11.296	91	119664	26.76	ug	97
78) 1,3,5-Trimethylbenzene	11.296	105	111749	25.40	ug	97
79) tert-Butylbenzene	11.558	119	90680	24.33	ug	99
80) 1,2,4-Trimethylbenzene	11.594	105	112600	26.53	ug	92
82) 1,1,2,2-Tetrachloroethane	11.054	83	49196	25.78	ug	94
83) n-Propylbenzene	11.138	91	175272	26.13	ug	97
84) 1,3-Dichlorobenzene	11.809	146	63015	23.24	ug	97
85) sec-Butylbenzene	11.731	105	147100	25.98	ug	100
86) 4-Isopropyltoluene	11.846	119	117892	25.48	ug	# 95
87) 1,4-Dichlorobenzene	11.809	146	63015	23.17	ug	93
88) 1,2-Dichlorobenzene	12.166	146	65058	23.91	ug	# 82
89) n-Butylbenzene	12.155	91	128962	27.64	ug	# 89
90) 1,2-Dibromo-3-Chloropr	12.732	157	8037	22.31	ug	# 86
91) 1,2,4-Trichlorobenzene	13.298	180	41841	23.20	ug	97
92) Hexachlorobutadiene	13.414	225	20312	23.19	ug	99
93) Naphthalene	13.466	128	107416	24.73	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	41581	23.43	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g2130.D\data.ms

Time-->

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2132.D
 Acq On : 16 Sep 2025 12:00 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:32:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	202097	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	134311	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	78436	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	65417	53.52	ug	0.00
59) Toluene-d8	7.914	98	203242	54.67	ug	0.00
81) Bromofluorobenzene	10.908	95	73568	53.54	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	74821	49.62	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.244	85	18382	17.71	ug	# 93
3) Chloromethane	1.384	50	36408	22.27	ug	95
4) Vinyl Chloride	1.470	62	38669	24.83	ug	90
5) Bromomethane	1.721	94	29748	22.86	ug	83
6) Chloroethane	1.812	64	28584	26.14	ug	90
7) Acrolein	2.414	56	2739	47.44	ug	89
8) Trichlorofluoromethane	2.023	101	54516	21.77	ug	92
9) Ethanol	2.225	45	13267	358.52	ug	98
10) Freon113	2.503	101	20692	17.67	ug	# 80
11) 1,1-Dichloroethene	2.498	96	21928	17.63	ug	# 78
12) Allyl Chloride	2.865	41	88688	19.44	ug	99
13) Carbon Disulfide	2.702	76	66996	18.60	ug	100
14) Acetone	2.576	43	11858	15.19	ug	98
15) Iodomethane	2.639	142	22050	18.34	ug	93
16) Acetonitrile	2.860	40	31343	183.96	ug	89
17) Methyl Acetate	2.922	43	36461	23.27	ug	98
18) Methylene Chloride	3.006	84	32760	19.95	ug	# 61
19) Acrylonitrile	3.316	53	8366	58.66	ug	# 73
20) trans-1,2-Dichloroethene	3.321	96	29236	21.24	ug	# 86
21) Mtbe	3.342	73	172462	38.64	ug	96
22) 1,1-Dichloroethane	3.814	63	56968	22.73	ug	97
23) Hexane	3.342	43	40110	19.23	ug	# 71
24) cis-1,2-Dichloroethene	4.506	61	50278	22.68	ug	# 81
25) 2,2-Dichloropropane	4.495	77	43483	23.38	ug	# 75
26) Propionitrile	4.632	54	54718	200.48	ug	99
27) Bromochloromethane	4.789	128	14723	20.95	ug	# 68
28) Methacrylonitrile	4.805	67	158561	206.48	ug	# 82
29) Tetrahydrofuran	4.878	42	11359	18.24	ug	98
30) Chloroform	4.899	83	58700	22.22	ug	98
31) Cyclohexane	5.151	84	52473	22.61	ug	# 74
32) 1,1-Dichloro-1-propene	5.303	75	41542	24.12	ug	79
33) 1,2-Dichloroethane	5.586	62	47314	24.09	ug	97
34) 2-Butanone	4.569	43	16740	19.68	ug	68
37) 1,1,1-Trichloroethane	5.098	97	46935	24.53	ug	99
38) Carbon Tetrachloride	5.292	117	39359	23.83	ug	98
39) Benzene	5.549	78	130567	25.38	ug	100
40) Isobutanol	5.151	43	7026	513.68	ug	# 100
41) Heptane	5.151	43	7026	25.68	ug	# 1
42) Trichloroethene	6.362	130	29361	22.99	ug	90
43) Methyl Cyclohexane	6.582	83	55807	26.26	ug	91
44) 1,2-Dichloropropane	6.640	63	35558	25.67	ug	100

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2132.D
 Acq On : 16 Sep 2025 12:00 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:32:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	63264	24.91	ug	95
46) Dibromomethane	6.787	174	19391	22.21	ug	# 59
47) 1,4-Dioxane	6.860	88	8508	471.84	ug	# 1
48) Methyl Methacrylate	6.850	69	25758	23.58	ug	# 71
49) Bromodichloromethane	7.002	83	47316	27.14	ug	# 40
50) Ceve	7.432	63	4409	8.18	ug	92
51) cis-1,3-Dichloropropene	7.584	75	50421	27.40	ug	97
52) trans-1,3-Dichloropropene	8.323	75	47860	30.10	ug	98
53) 1,1,2-Trichloroethane	8.554	97	31625	25.87	ug	99
54) 1,3-Dichloropropane	8.769	76	56831	27.09	ug	92
55) 1,2-Dibromoethane	9.183	107	31439	26.48	ug	96
56) Dibromochloromethane	9.057	129	31161	24.04	ug	88
57) Bromoform	10.604	173	23173	24.51	ug	100
58) 4-Methyl-2-Pentanone	7.825	43	53820	26.55	ug	88
60) Toluene	7.998	92	82337	26.37	ug	100
61) Ethyl Metacrylate	8.485	69	45877	22.45	ug	# 80
62) Tetrachloroethene	8.706	164	24366	22.02	ug	92
63) 2-Hexanone	8.936	43	27294	24.66	ug	88
65) Chlorobenzene	9.770	112	88411	26.10	ug	99
66) 1,1,1,2-Tetrachloroethane	9.875	133	27356	23.92	ug	# 90
67) Ethylbenzene	9.906	106	48443	27.10	ug	95
68) m,p-Xylene	10.032	91	246456	56.62	ug	98
69) o-Xylene	10.425	106	59118	27.67	ug	90
70) Styrene	10.441	104	96539	28.53	ug	80
71) Isopropylbenzene	10.777	105	147396	28.08	ug	97
72) Chloroprene	10.850	53	15608	45.47	ug	87
73) trans-1,4-Dichloro-2-b...	10.850	88	15629	25.43	ug	# 58
74) Bromobenzene	11.028	77	61003	28.20	ug	93
75) 1,2,3-Trichloropropane	11.081	75	54727	25.52	ug	# 77
76) 2-Chlorotoluene	11.201	91	109865	28.65	ug	91
77) 4-Chlorotoluene	11.296	91	130793	29.15	ug	98
78) 1,3,5-Trimethylbenzene	11.296	105	125814	28.50	ug	99
79) tert-Butylbenzene	11.558	119	101982	27.26	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	126421	29.68	ug	90
82) 1,1,2,2-Tetrachloroethane	11.055	83	55172	28.80	ug	94
83) n-Propylbenzene	11.138	91	195856	29.09	ug	98
84) 1,3-Dichlorobenzene	11.810	146	69704	25.61	ug	96
85) sec-Butylbenzene	11.731	105	165036	29.05	ug	99
86) 4-Isopropyltoluene	11.846	119	133075	28.66	ug	97
87) 1,4-Dichlorobenzene	11.810	146	69704	25.54	ug	92
88) 1,2-Dichlorobenzene	12.161	146	71278	26.10	ug	# 85
89) n-Butylbenzene	12.156	91	140568	30.02	ug	# 88
90) 1,2-Dibromo-3-Chloropr	12.732	157	8607	23.80	ug	# 89
91) 1,2,4-Trichlorobenzene	13.299	180	47499	26.25	ug	97
92) Hexachlorobutadiene	13.414	225	22878	26.02	ug	98
93) Naphthalene	13.466	128	125886	28.88	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	47126	26.46	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g2132.D\data.ms

Time-->

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2139.D
 Acq On : 16 Sep 2025 02:19 pm
 Operator :
 Sample : 250905090-017a
 Misc : samp
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Sep 19 11:28:19 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	156478	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	106586	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	57734	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	52835	55.83	ug	0.01
59) Toluene-d8	7.914	98	160806	54.50	ug	0.00
81) Bromofluorobenzene	10.908	95	52885	52.29	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	57566	51.87	ug	0.00
Target Compounds						
						Qvalue
3) Chloromethane	1.369	50	4137	3.27	ug	# 40
9) Ethanol	2.309	45	61	2.13	ug	# 77
17) Methyl Acetate	2.917	43	112	Below Cal		# 54
73) trans-1,4-Dichloro-2-b...	10.908	88	2139	4.73	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2139.D
Acq On : 16 Sep 2025 02:19 pm
Operator :
Sample : 250905090-017a
Misc : samp
ALS Vial : 10 Sample Multiplier: 1





Quant Time: Sep 19 11:28:19 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration







#3
Chloromethane
Concen: 3.27 ug
RT: 1.369 min Scan# 65
Delta R.T. -0.015 min
Lab File: g2139.D
Acq: 16 Sep 2025 02:19 pm


Tgt Ion: 50 Resp: 4137
Ion Ratio Lower Upper
50 100
52 0.0 28.2 42.2#




#9
Ethanol
Concen: 2.13 ug
RT: 2.309 min Scan# 246
Delta R.T. 0.089 min
Lab File: g2139.D
Acq: 16 Sep 2025 02:19 pm

Tgt Ion: 45 Resp: 61
Ion Ratio Lower Upper
45 100
46 26.2 32.5 48.7#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.73 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2139.D
 Acq: 16 Sep 2025 02:19 pm



Tgt Ion: 88 Resp: 2139
 Ion Ratio Lower Upper
 88 100
 52 5.8 6.6 10.0#
 75 1478.3 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2140.D
 Acq On : 16 Sep 2025 02:38 pm
 Operator :
 Sample : 250905090-018a
 Misc : samp
 ALS Vial : 11 Sample Multiplier: 1

Quant Time: Sep 19 11:28:22 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	158452	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	106275	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	54165	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	51669	53.92	ug	0.01
59) Toluene-d8	7.914	98	162210	55.14	ug	0.00
81) Bromofluorobenzene	10.908	95	51558	54.33	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	52239	50.17	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	9789	8.02	ug	97
17) Methyl Acetate	2.933	43	232	Below Cal	#	54
24) cis-1,2-Dichloroethene	4.506	61	127078	73.12	ug	86
42) Trichloroethene	6.362	130	6025	5.96	ug	# 74
73) trans-1,4-Dichloro-2-b...	10.908	88	1898	4.47	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2140.D
Acq On : 16 Sep 2025 02:38 pm
Operator :
Sample : 250905090-018a
Misc : samp
ALS Vial : 11 Sample Multiplier: 1





Quant Time: Sep 19 11:28:22 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 8.02 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g2140.D
 Acq: 16 Sep 2025 02:38 pm


Tgt Ion: 62 Resp: 9789
 Ion Ratio Lower Upper
 62 100
 64 39.7 17.8 57.8



#24
 cis-1,2-Dichloroethene
 Concen: 73.12 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2140.D
 Acq: 16 Sep 2025 02:38 pm





Tgt Ion: 61 Resp: 127078
 Ion Ratio Lower Upper
 61 100
 96 72.3 68.2 102.4








#42
Trichloroethene
Concen: 5.96 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2140.D
Acq: 16 Sep 2025 02:38 pm

Tgt Ion	Ratio	Lower	Upper
130	100		
132	111.3	74.3	114.3
95	124.4	70.6	110.6#



#73
trans-1,4-Dichloro-2-butene
Concen: 4.47 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2140.D
Acq: 16 Sep 2025 02:38 pm

Tgt Ion	Ratio	Lower	Upper
88	100		
52	11.5	6.6	10.0#
75	1541.1	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2141.D
 Acq On : 16 Sep 2025 02:58 pm
 Operator :
 Sample : 250905090-026a
 Misc : samp
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Sep 19 11:28:25 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	155628	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	109671	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	60431	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	52193	55.45	ug	0.01
59) Toluene-d8	7.914	98	159908	52.67	ug	0.00
81) Bromofluorobenzene	10.908	95	56402	53.28	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	57788	49.75	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	6565	5.47	ug	79
6) Chloroethane	1.656	64	1728	2.05	ug	# 59
14) Acetone	2.571	43	22833	37.84	ug	99
16) Acetonitrile	2.880	40	289	2.20	ug	# 1
18) Methylene Chloride	3.017	84	40	Below Cal		# 1
24) cis-1,2-Dichloroethene	4.506	61	36673	21.48	ug	88
34) 2-Butanone	4.579	43	1014	1.55	ug	77
42) Trichloroethene	6.362	130	6014	5.77	ug	93
60) Toluene	8.003	92	2579	1.01	ug	89
73) trans-1,4-Dichloro-2-b...	10.908	88	2417	5.11	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2141.D
Acq On : 16 Sep 2025 02:58 pm
Operator :
Sample : 250905090-026a
Misc : samp
ALS Vial : 12 Sample Multiplier: 1





Quant Time: Sep 19 11:28:25 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 5.47 ug
RT: 1.470 min Scan# 85
Delta R.T. -0.000 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm


Tgt Ion: 62 Resp: 6565
Ion Ratio Lower Upper
62 100
64 50.2 17.8 57.8



#6
Chloroethane
Concen: 2.05 ug
RT: 1.656 min Scan# 122
Delta R.T. -0.156 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm





Tgt Ion: 64 Resp: 1728
Ion Ratio Lower Upper
64 100
66 6.3 7.6 47.6#








#14
Acetone
Concen: 37.84 ug
RT: 2.571 min Scan# 296
Delta R.T. -0.000 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm


Tgt Ion: 43 Resp: 22833
Ion Ratio Lower Upper
43 100
58 32.2 11.8 51.8



#16
Acetonitrile
Concen: 2.20 ug
RT: 2.880 min Scan# 355
Delta R.T. 0.026 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm





Tgt Ion: 40 Resp: 289
Ion Ratio Lower Upper
40 100
41 0.0 243.5 283.5#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.017 min Scan# 381
Delta R.T. 0.011 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm


Tgt Ion: 84 Resp: 40
Ion Ratio Lower Upper
84 100
49 0.0 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 21.48 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm





Tgt Ion: 61 Resp: 36673
Ion Ratio Lower Upper
61 100
96 74.6 68.2 102.4








#34
2-Butanone
Concen: 1.55 ug
RT: 4.579 min Scan# 679
Delta R.T. 0.009 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm


Tgt Ion: 43 Resp: 1014
Ion Ratio Lower Upper
43 100
72 3.6 0.0 32.6



#42
Trichloroethene
Concen: 5.77 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm





Tgt Ion: 130 Resp: 6014
Ion Ratio Lower Upper
130 100
132 92.3 74.3 114.3
95 102.2 70.6 110.6








#60
Toluene
Concen: 1.01 ug
RT: 8.003 min Scan# 1332
Delta R.T. 0.011 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm

Tgt Ion: 92 Resp: 2579
Ion Ratio Lower Upper
92 100
91 189.1 153.8 193.8



#73
trans-1,4-Dichloro-2-butene
Concen: 5.11 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2141.D
Acq: 16 Sep 2025 02:58 pm

Tgt Ion: 88 Resp: 2417
Ion Ratio Lower Upper
88 100
52 6.3 6.6 10.0#
75 1345.4 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2142.D
 Acq On : 16 Sep 2025 03:18 pm
 Operator :
 Sample : 250905090-029a
 Misc : samp
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Sep 19 11:28:29 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	158319	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	107192	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	57090	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	51646	53.94	ug	0.01
59) Toluene-d8	7.914	98	161034	54.27	ug	0.00
81) Bromofluorobenzene	10.908	95	53971	53.96	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	58294	53.12	ug	0.00
Target Compounds						Qvalue
14) Acetone	2.582	43	4000	6.60	ug	91
17) Methyl Acetate	2.922	43	154	Below Cal		94
73) trans-1,4-Dichloro-2-b...	10.908	88	1970	4.40	ug #	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2142.D
Acq On : 16 Sep 2025 03:18 pm
Operator :
Sample : 250905090-029a
Misc : samp
ALS Vial : 13 Sample Multiplier: 1





Quant Time: Sep 19 11:28:29 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#14
Acetone
Concen: 6.60 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.010 min
Lab File: g2142.D
Acq: 16 Sep 2025 03:18 pm

Tgt Ion: 43 Resp: 4000
Ion Ratio Lower Upper
43 100
58 26.7 11.8 51.8



#73
trans-1,4-Dichloro-2-butene
Concen: 4.40 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2142.D
Acq: 16 Sep 2025 03:18 pm

Tgt Ion: 88 Resp: 1970
Ion Ratio Lower Upper
88 100
52 8.5 6.6 10.0
75 1573.8 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2143.D
 Acq On : 16 Sep 2025 03:38 pm
 Operator :
 Sample : 250905090-038a
 Misc : samp
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 19 11:28:32 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	153782	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	105424	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58213	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	50875	54.70	ug	0.01
59) Toluene-d8	7.914	98	158351	54.26	ug	0.00
81) Bromofluorobenzene	10.908	95	52774	51.75	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	56883	50.83	ug	0.00
Target Compounds						
						Qvalue
3) Chloromethane	1.344	50	1786	1.44	ug	# 40
9) Ethanol	2.241	45	70	2.49	ug	# 35
14) Acetone	2.571	43	579	1.07	ug	# 56
16) Acetonitrile	2.870	40	155	1.20	ug	# 1
17) Methyl Acetate	2.927	43	123	Below Cal		# 54
73) trans-1,4-Dichloro-2-b...	10.908	88	2119	4.65	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2143.D
Acq On : 16 Sep 2025 03:38 pm
Operator :
Sample : 250905090-038a
Misc : samp
ALS Vial : 14 Sample Multiplier: 1





Quant Time: Sep 19 11:28:32 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration







#3
Chloromethane
Concen: 1.44 ug
RT: 1.344 min Scan# 60
Delta R.T. -0.040 min
Lab File: g2143.D
Acq: 16 Sep 2025 03:38 pm


Tgt Ion: 50 Resp: 1786
Ion Ratio Lower Upper
50 100
52 0.0 28.2 42.2#



#9
Ethanol
Concen: 2.49 ug
RT: 2.241 min Scan# 233
Delta R.T. 0.021 min
Lab File: g2143.D
Acq: 16 Sep 2025 03:38 pm





Tgt Ion: 45 Resp: 70
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#








#14
Acetone
Concen: 1.07 ug
RT: 2.571 min Scan# 296
Delta R.T. -0.000 min
Lab File: g2143.D
Acq: 16 Sep 2025 03:38 pm


Tgt Ion: 43 Resp: 579
Ion Ratio Lower Upper
43 100
58 7.1 11.8 51.8#



#16
Acetonitrile
Concen: 1.20 ug
RT: 2.870 min Scan# 353
Delta R.T. 0.016 min
Lab File: g2143.D
Acq: 16 Sep 2025 03:38 pm




Tgt Ion: 40 Resp: 155
Ion Ratio Lower Upper
40 100
41 0.0 243.5 283.5#





#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.65 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2143.D
 Acq: 16 Sep 2025 03:38 pm

Tgt Ion: 88 Resp: 2119
 Ion Ratio Lower Upper
 88 100
 52 9.6 6.6 10.0
 75 1449.8 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2144.D
 Acq On : 16 Sep 2025 04:00 pm
 Operator :
 Sample : 250905090-010a
 Misc : samp
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Sep 19 11:28:35 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	167206	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	113021	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	61067	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	53919	53.32	ug	0.00
59) Toluene-d8	7.914	98	172862	55.25	ug	0.00
81) Bromofluorobenzene	10.908	95	56546	52.85	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	58971	50.24	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	35897	27.86	ug	91
14) Acetone	2.571	43	963	1.58	ug	# 55
17) Methyl Acetate	2.922	43	99	Below Cal	#	54
18) Methylene Chloride	3.017	84	1072	Below Cal	#	25
24) cis-1,2-Dichloroethene	4.501	61	165772	90.39	ug	84
73) trans-1,4-Dichloro-2-b...	10.908	88	2445	5.11	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2144.D
Acq On : 16 Sep 2025 04:00 pm
Operator :
Sample : 250905090-010a
Misc : samp
ALS Vial : 15 Sample Multiplier: 1





Quant Time: Sep 19 11:28:35 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 27.86 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g2144.D
 Acq: 16 Sep 2025 04:00 pm


Tgt Ion: 62 Resp: 35897
 Ion Ratio Lower Upper
 62 100
 64 32.3 17.8 57.8



#14
 Acetone
 Concen: 1.58 ug
 RT: 2.571 min Scan# 296
 Delta R.T. 0.000 min
 Lab File: g2144.D
 Acq: 16 Sep 2025 04:00 pm





Tgt Ion: 43 Resp: 963
 Ion Ratio Lower Upper
 43 100
 58 6.5 11.8 51.8#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.017 min Scan# 381
Delta R.T. 0.011 min
Lab File: g2144.D
Acq: 16 Sep 2025 04:00 pm


Tgt Ion: 84 Resp: 1072
Ion Ratio Lower Upper
84 100
49 179.2 82.9 122.9#




#24
cis-1,2-Dichloroethene
Concen: 90.39 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.000 min
Lab File: g2144.D
Acq: 16 Sep 2025 04:00 pm

Tgt Ion: 61 Resp: 165772
Ion Ratio Lower Upper
61 100
96 70.6 68.2 102.4







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.11 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2144.D
 Acq: 16 Sep 2025 04:00 pm



Tgt Ion: 88 Resp: 2445
 Ion Ratio Lower Upper
 88 100
 52 5.6 6.6 10.0#
 75 1360.7 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2145.D
 Acq On : 16 Sep 2025 04:22 pm
 Operator :
 Sample : 250905090-023a
 Misc : samp
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Sep 19 11:28:38 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	162634	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	111507	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	59642	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	54191	55.09	ug	0.00
59) Toluene-d8	7.914	98	168024	54.44	ug	0.00
81) Bromofluorobenzene	10.908	95	56011	53.61	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	58900	51.37	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	19261	15.37	ug	88
6) Chloroethane	1.470	64	5892	6.70	ug	# 50
9) Ethanol	2.456	45	35	1.18	ug	# 35
17) Methyl Acetate	2.928	43	112	Below	Cal	# 54
18) Methylene Chloride	3.011	84	264	Below	Cal	# 61
24) cis-1,2-Dichloroethene	4.506	61	63548	35.62	ug	86
73) trans-1,4-Dichloro-2-b...	10.908	88	2547	5.45	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2145.D
Acq On : 16 Sep 2025 04:22 pm
Operator :
Sample : 250905090-023a
Misc : samp
ALS Vial : 16 Sample Multiplier: 1





Quant Time: Sep 19 11:28:38 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 15.37 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g2145.D
 Acq: 16 Sep 2025 04:22 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	30.6	17.8	57.8



#6
 Chloroethane
 Concen: 6.70 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.342 min
 Lab File: g2145.D
 Acq: 16 Sep 2025 04:22 pm




Tgt Ion	Ratio	Lower	Upper
64	100		
66	1.6	7.6	47.6#








#9
Ethanol
Concen: 1.18 ug
RT: 2.456 min Scan# 274
Delta R.T. 0.236 min
Lab File: g2145.D
Acq: 16 Sep 2025 04:22 pm


Tgt Ion: 45 Resp: 35
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#18
Methylene Chloride
Concen: Below Cal
RT: 3.011 min Scan# 380
Delta R.T. 0.005 min
Lab File: g2145.D
Acq: 16 Sep 2025 04:22 pm





Tgt Ion: 84 Resp: 264
Ion Ratio Lower Upper
84 100
49 142.8 82.9 122.9#








#24
cis-1,2-Dichloroethene
Concen: 35.62 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2145.D
Acq: 16 Sep 2025 04:22 pm

Tgt Ion: 61 Resp: 63548
Ion Ratio Lower Upper
61 100
96 72.1 68.2 102.4



#73
trans-1,4-Dichloro-2-butene
Concen: 5.45 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2145.D
Acq: 16 Sep 2025 04:22 pm

Tgt Ion: 88 Resp: 2547
Ion Ratio Lower Upper
88 100
52 5.7 6.6 10.0#
75 1285.0 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2146.D
 Acq On : 16 Sep 2025 04:44 pm
 Operator :
 Sample : 250905090-024a
 Misc : samp
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Sep 19 11:28:41 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	163911	50.00	ug	0.00
36) Chlorobenzene-d5	9.743	117	109997	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58911	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	54640	55.12	ug	0.00
59) Toluene-d8	7.914	98	165740	54.43	ug	0.00
81) Bromofluorobenzene	10.907	95	55112	53.40	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	58287	51.47	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	18225	14.43	ug	92
6) Chloroethane	1.475	64	5989	6.75	ug	# 51
9) Ethanol	2.283	45	33	1.10	ug	# 35
16) Acetonitrile	2.849	40	139	1.01	ug	# 1
17) Methyl Acetate	2.927	43	302	Below Cal	#	79
18) Methylene Chloride	3.011	84	351	Below Cal	#	28
24) cis-1,2-Dichloroethene	4.506	61	58168	32.35	ug	86
73) trans-1,4-Dichloro-2-b...	10.907	88	2451	5.31	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2146.D
Acq On : 16 Sep 2025 04:44 pm
Operator :
Sample : 250905090-024a
Misc : samp
ALS Vial : 17 Sample Multiplier: 1





Quant Time: Sep 19 11:28:41 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 14.43 ug
RT: 1.475 min Scan# 86
Delta R.T. 0.005 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm


Tgt Ion: 62 Resp: 18225
Ion Ratio Lower Upper
62 100
64 32.9 17.8 57.8



#6
Chloroethane
Concen: 6.75 ug
RT: 1.475 min Scan# 86
Delta R.T. -0.337 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm




Tgt Ion: 64 Resp: 5989
Ion Ratio Lower Upper
64 100
66 2.1 7.6 47.6#








#9
Ethanol
Concen: 1.10 ug
RT: 2.283 min Scan# 241
Delta R.T. 0.063 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm


Tgt Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#



#16
Acetonitrile
Concen: 1.01 ug
RT: 2.849 min Scan# 349
Delta R.T. -0.005 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm





Tgt Ion	Ratio	Lower	Upper
40	100		
41	0.0	243.5	283.5#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.011 min Scan# 380
Delta R.T. 0.005 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm


Tgt Ion: 84 Resp: 351
Ion Ratio Lower Upper
84 100
49 175.8 82.9 122.9#




#24
cis-1,2-Dichloroethene
Concen: 32.35 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2146.D
Acq: 16 Sep 2025 04:44 pm

Tgt Ion: 61 Resp: 58168
Ion Ratio Lower Upper
61 100
96 72.4 68.2 102.4







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.31 ug
 RT: 10.907 min Scan# 1886
 Delta R.T. 0.057 min
 Lab File: g2146.D
 Acq: 16 Sep 2025 04:44 pm



Tgt Ion	Ratio	Lower	Upper
88	100		
52	4.4	6.6	10.0#
75	1282.7	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2147.D
 Acq On : 16 Sep 2025 05:04 pm
 Operator :
 Sample : 250905090-023ams
 Misc : ms
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Sep 19 11:32:32 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	182158	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	128725	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	75386	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	56849	51.60	ug	0.01
59) Toluene-d8	7.914	98	190605	53.49	ug	0.00
81) Bromofluorobenzene	10.908	95	70261	53.20	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	72175	49.81	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	12453	13.31	ug	# 96
3) Chloromethane	1.389	50	27145	18.42	ug	94
4) Vinyl Chloride	1.470	62	63639	45.33	ug	89
5) Bromomethane	1.721	94	25279	21.56	ug	83
6) Chloroethane	1.812	64	25317	25.69	ug	89
7) Acrolein	2.419	56	2022	38.86	ug	99
8) Trichlorofluoromethane	2.028	101	48905	21.67	ug	95
9) Ethanol	2.225	45	10634	318.83	ug	95
10) Freon113	2.503	101	16197	15.34	ug	82
11) 1,1-Dichloroethene	2.492	96	18569	16.57	ug	# 80
12) Allyl Chloride	2.865	41	75568	18.38	ug	98
13) Carbon Disulfide	2.702	76	53042	16.34	ug	100
14) Acetone	2.576	43	11947	16.97	ug	95
15) Iodomethane	2.639	142	16054	14.82	ug	96
16) Acetonitrile	2.859	40	27341	178.03	ug	93
17) Methyl Acetate	2.922	43	31802	22.51	ug	95
18) Methylene Chloride	3.011	84	30689	20.84	ug	# 67
19) Acrylonitrile	3.326	53	6771	52.67	ug	# 62
20) trans-1,2-Dichloroethene	3.321	96	24562	19.80	ug	# 82
21) Mtbe	3.342	73	152991	38.03	ug	96
22) 1,1-Dichloroethane	3.814	63	50628	22.41	ug	97
23) Hexane	3.342	43	37163	19.77	ug	# 66
24) cis-1,2-Dichloroethene	4.506	61	162683	81.42	ug	82
25) 2,2-Dichloropropane	4.495	77	39124	23.34	ug	# 74
26) Propionitrile	4.632	54	45987	186.94	ug	96
27) Bromochloromethane	4.789	128	13873	21.90	ug	# 70
28) Methacrylonitrile	4.805	67	142953	206.53	ug	# 82
29) Tetrahydrofuran	4.873	42	10993	19.58	ug	93
30) Chloroform	4.899	83	54671	22.96	ug	98
31) Cyclohexane	5.151	84	48346	23.12	ug	# 80
32) 1,1-Dichloro-1-propene	5.303	75	37228	23.98	ug	# 75
33) 1,2-Dichloroethane	5.591	62	45288	25.58	ug	99
34) 2-Butanone	4.569	43	15628	20.39	ug	68
37) 1,1,1-Trichloroethane	5.098	97	42905	23.40	ug	99
38) Carbon Tetrachloride	5.292	117	35817	22.62	ug	98
39) Benzene	5.549	78	120932	24.53	ug	100
40) Isobutanol	5.151	43	5953	454.12	ug	# 100
41) Heptane	5.151	43	5953	22.71	ug	# 1
42) Trichloroethene	6.362	130	27686	22.62	ug	# 87
43) Methyl Cyclohexane	6.582	83	50200	24.65	ug	92
44) 1,2-Dichloropropane	6.640	63	33677	25.37	ug	98

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2147.D
 Acq On : 16 Sep 2025 05:04 pm
 Operator :
 Sample : 250905090-023ams
 Misc : ms
 ALS Vial : 18 Sample Multiplier: 1


Quant Time: Sep 19 11:32:32 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	55662	22.87	ug	93
46) Dibromomethane	6.787	174	18553	22.17	ug	# 64
47) 1,4-Dioxane	6.860	88	7297	422.24	ug	# 1
48) Methyl Methacrylate	6.849	69	23226	22.18	ug	# 67
49) Bromodichloromethane	7.002	83	42413	25.38	ug	# 37
50) Ceve	7.437	63	1297	2.51	ug	96
51) cis-1,3-Dichloropropene	7.583	75	46942	26.62	ug	100
52) trans-1,3-Dichloropropene	8.323	75	42902	28.15	ug	98
53) 1,1,2-Trichloroethane	8.553	97	29669	25.32	ug	98
54) 1,3-Dichloropropane	8.768	76	51751	25.74	ug	88
55) 1,2-Dibromoethane	9.188	107	29722	26.12	ug	99
56) Dibromochloromethane	9.057	129	30147	24.27	ug	95
57) Bromoform	10.604	173	20682	22.83	ug	93
58) 4-Methyl-2-Pentanone	7.825	43	47915	24.66	ug	86
60) Toluene	7.998	92	78599	26.26	ug	99
61) Ethyl Metacrylate	8.485	69	41708	21.30	ug	# 79
62) Tetrachloroethene	8.711	164	23724	22.37	ug	99
63) 2-Hexanone	8.936	43	23806	22.44	ug	86
65) Chlorobenzene	9.770	112	82370	25.30	ug	99
66) 1,1,1,2-Tetrachloroethane	9.875	133	25724	23.40	ug	# 89
67) Ethylbenzene	9.906	106	45958	26.75	ug	98
68) m,p-Xylene	10.032	91	233807	55.88	ug	95
69) o-Xylene	10.425	106	54130	26.36	ug	# 86
70) Styrene	10.441	104	92557	28.46	ug	79
71) Isopropylbenzene	10.777	105	140839	27.91	ug	97
72) Chloroprene	10.850	53	14600	44.25	ug	# 75
73) trans-1,4-Dichloro-2-b...	10.850	88	12744	21.58	ug	# 44
74) Bromobenzene	11.028	77	57079	27.46	ug	96
75) 1,2,3-Trichloropropane	11.081	75	51427	24.95	ug	# 77
76) 2-Chlorotoluene	11.201	91	103926	28.20	ug	91
77) 4-Chlorotoluene	11.296	91	124319	28.83	ug	98
78) 1,3,5-Trimethylbenzene	11.296	105	119355	28.13	ug	98
79) tert-Butylbenzene	11.558	119	98774	27.47	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	117161	28.62	ug	92
82) 1,1,2,2-Tetrachloroethane	11.054	83	50785	27.59	ug	93
83) n-Propylbenzene	11.138	91	184219	28.47	ug	96
84) 1,3-Dichlorobenzene	11.809	146	65095	24.89	ug	96
85) sec-Butylbenzene	11.731	105	157502	28.84	ug	100
86) 4-Isopropyltoluene	11.846	119	125481	28.11	ug	97
87) 1,4-Dichlorobenzene	11.809	146	65095	24.81	ug	92
88) 1,2-Dichlorobenzene	12.161	146	68332	26.03	ug	# 85
89) n-Butylbenzene	12.155	91	133488	29.66	ug	# 86
90) 1,2-Dibromo-3-Chloropr	12.732	157	8424	24.24	ug	94
91) 1,2,4-Trichlorobenzene	13.298	180	44356	25.50	ug	93
92) Hexachlorobutadiene	13.414	225	21775	25.77	ug	95
93) Naphthalene	13.466	128	109618	26.17	ug	98
94) 1,2,3-Trichlorobenzene	13.629	180	42799	25.00	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2147.D
Acq On : 16 Sep 2025 05:04 pm
Operator :
Sample : 250905090-023ams
Misc : ms
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Sep 19 11:32:32 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2148.D
 Acq On : 16 Sep 2025 05:23 pm
 Operator :
 Sample : 250905090-023amsd
 Misc : msd
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Sep 19 11:32:35 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	196552	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	133285	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	72554	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	61372	51.63	ug	0.01
59) Toluene-d8	7.914	98	199627	54.11	ug	0.00
81) Bromofluorobenzene	10.908	95	72422	56.98	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	73186	52.48	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	13804	13.67	ug	# 96
3) Chloromethane	1.389	50	31538	19.84	ug	96
4) Vinyl Chloride	1.470	62	70788	46.73	ug	89
5) Bromomethane	1.721	94	26809	21.19	ug	84
6) Chloroethane	1.812	64	27342	25.71	ug	91
7) Acrolein	2.419	56	2106	37.51	ug	96
8) Trichlorofluoromethane	2.028	101	50617	20.78	ug	94
9) Ethanol	2.225	45	11431	317.62	ug	93
10) Freon113	2.503	101	16713	14.67	ug	87
11) 1,1-Dichloroethene	2.492	96	20619	17.05	ug	# 79
12) Allyl Chloride	2.865	41	83277	18.77	ug	97
13) Carbon Disulfide	2.702	76	60163	17.18	ug	100
14) Acetone	2.576	43	11526	15.18	ug	97
15) Iodomethane	2.639	142	20342	17.40	ug	92
16) Acetonitrile	2.859	40	29445	177.69	ug	89
17) Methyl Acetate	2.917	43	33601	22.03	ug	99
18) Methylene Chloride	3.011	84	32754	20.58	ug	# 65
19) Acrylonitrile	3.326	53	6986	50.36	ug	# 72
20) trans-1,2-Dichloroethene	3.321	96	27162	20.29	ug	# 84
21) Mtbe	3.342	73	169382	39.02	ug	97
22) 1,1-Dichloroethane	3.814	63	55235	22.66	ug	98
23) Hexane	3.342	43	38494	18.98	ug	# 71
24) cis-1,2-Dichloroethene	4.506	61	180971	83.94	ug	84
25) 2,2-Dichloropropane	4.495	77	42075	23.26	ug	# 77
26) Propionitrile	4.632	54	50614	190.68	ug	99
27) Bromochloromethane	4.789	128	14132	20.68	ug	# 62
28) Methacrylonitrile	4.805	67	151965	203.47	ug	# 81
29) Tetrahydrofuran	4.878	42	11381	18.79	ug	96
30) Chloroform	4.899	83	58385	22.72	ug	98
31) Cyclohexane	5.151	84	47061	20.85	ug	# 75
32) 1,1-Dichloro-1-propene	5.303	75	39831	23.78	ug	# 78
33) 1,2-Dichloroethane	5.591	62	46812	24.51	ug	96
34) 2-Butanone	4.574	43	15880	19.20	ug	62
37) 1,1,1-Trichloroethane	5.098	97	46039	24.25	ug	99
38) Carbon Tetrachloride	5.292	117	37121	22.65	ug	98
39) Benzene	5.549	78	128553	25.18	ug	100
40) Isobutanol	5.151	43	6097	449.19	ug	# 100
41) Heptane	5.151	43	6097	22.46	ug	# 1
42) Trichloroethene	6.356	130	30415	24.00	ug	90
43) Methyl Cyclohexane	6.582	83	50161	23.79	ug	94
44) 1,2-Dichloropropane	6.640	63	35400	25.75	ug	100

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2148.D
 Acq On : 16 Sep 2025 05:23 pm
 Operator :
 Sample : 250905090-023amsd
 Misc : msd
 ALS Vial : 19 Sample Multiplier: 1


Quant Time: Sep 19 11:32:35 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	59289	23.52	ug	97
46) Dibromomethane	6.786	174	20018	23.10	ug	# 65
47) 1,4-Dioxane	6.860	88	7754	433.33	ug	# 1
48) Methyl Methacrylate	6.849	69	24666	22.75	ug	# 69
49) Bromodichloromethane	7.001	83	45428	26.26	ug	# 38
50) Ceve	7.437	63	1011	1.89	ug	92
51) cis-1,3-Dichloropropene	7.583	75	49502	27.11	ug	99
52) trans-1,3-Dichloropropene	8.323	75	44801	28.39	ug	96
53) 1,1,2-Trichloroethane	8.553	97	31560	26.02	ug	95
54) 1,3-Dichloropropane	8.768	76	56852	27.31	ug	93
55) 1,2-Dibromoethane	9.188	107	29649	25.17	ug	98
56) Dibromochloromethane	9.057	129	31960	24.85	ug	93
57) Bromoform	10.609	173	22037	23.49	ug	99
58) 4-Methyl-2-Pentanone	7.825	43	49416	24.56	ug	87
60) Toluene	7.998	92	83364	26.90	ug	96
61) Ethyl Metacrylate	8.485	69	44629	22.01	ug	# 80
62) Tetrachloroethene	8.711	164	24483	22.30	ug	99
63) 2-Hexanone	8.936	43	24287	22.11	ug	84
65) Chlorobenzene	9.770	112	86087	27.47	ug	99
66) 1,1,1,2-Tetrachloroethane	9.875	133	27129	25.64	ug	# 90
67) Ethylbenzene	9.906	106	46438	28.08	ug	92
68) m,p-Xylene	10.032	91	244488	60.72	ug	97
69) o-Xylene	10.425	106	58121	29.41	ug	90
70) Styrene	10.446	104	97477	31.15	ug	80
71) Isopropylbenzene	10.776	105	147755	30.43	ug	99
72) Chloroprene	10.850	53	16360	51.52	ug	# 75
73) trans-1,4-Dichloro-2-b...	10.850	88	14215	25.01	ug	# 51
74) Bromobenzene	11.028	77	62510	31.24	ug	91
75) 1,2,3-Trichloropropane	11.081	75	52378	26.40	ug	# 77
76) 2-Chlorotoluene	11.201	91	106673	30.07	ug	92
77) 4-Chlorotoluene	11.296	91	128960	31.07	ug	100
78) 1,3,5-Trimethylbenzene	11.296	105	123168	30.16	ug	99
79) tert-Butylbenzene	11.558	119	101890	29.45	ug	100
80) 1,2,4-Trimethylbenzene	11.594	105	125208	31.78	ug	91
82) 1,1,2,2-Tetrachloroethane	11.054	83	52722	29.76	ug	94
83) n-Propylbenzene	11.138	91	192240	30.87	ug	96
84) 1,3-Dichlorobenzene	11.809	146	69463	27.59	ug	98
85) sec-Butylbenzene	11.731	105	161003	30.63	ug	100
86) 4-Isopropyltoluene	11.846	119	131048	30.51	ug	97
87) 1,4-Dichlorobenzene	11.809	146	69463	27.51	ug	95
88) 1,2-Dichlorobenzene	12.161	146	69644	27.57	ug	# 83
89) n-Butylbenzene	12.155	91	140883	32.53	ug	# 87
90) 1,2-Dibromo-3-Chloropr	12.732	157	8523	25.48	ug	90
91) 1,2,4-Trichlorobenzene	13.298	180	46443	27.75	ug	97
92) Hexachlorobutadiene	13.414	225	21541	26.49	ug	99
93) Naphthalene	13.466	128	118665	29.43	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	45613	27.69	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2148.D
Acq On : 16 Sep 2025 05:23 pm
Operator :
Sample : 250905090-023amsd
Misc : msd
ALS Vial : 19 Sample Multiplier: 1



Quant Time: Sep 19 11:32:35 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2158.D
Acq On : 16 Sep 2025 08:39 pm
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Sep 18 14:14:25 2025



Spectrum Information: Average of 10.913 to 10.929 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	23.5	5442	PASS
75	95	30	60	55.4	12857	PASS
95	95	100	100	100.0	23199	PASS
96	95	5	9	6.1	1405	PASS
173	174	0.00	2	1.1	229	PASS
174	95	50	100	92.9	21543	PASS
175	174	5	9	7.1	1538	PASS
176	174	95	101	98.2	21148	PASS
177	176	5	9	6.2	1302	PASS

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2161.D
 Acq On : 16 Sep 2025 09:39 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Sep 19 11:32:38 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	214900	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	145980	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	82701	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	67090	51.62	ug	0.01
59) Toluene-d8	7.914	98	216829	53.66	ug	0.00
81) Bromofluorobenzene	10.908	95	77684	53.62	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	79970	50.30	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	13153	11.92	ug	# 93
3) Chloromethane	1.389	50	33745	19.41	ug	99
4) Vinyl Chloride	1.470	62	37115	22.41	ug	94
5) Bromomethane	1.721	94	29079	21.02	ug	85
6) Chloroethane	1.812	64	29336	25.23	ug	93
7) Acrolein	2.419	56	2282	37.17	ug	# 74
8) Trichlorofluoromethane	2.023	101	54379	20.42	ug	93
9) Ethanol	2.225	45	11878	301.86	ug	97
10) Freon113	2.503	101	19131	15.36	ug	83
11) 1,1-Dichloroethene	2.492	96	22174	16.77	ug	# 83
12) Allyl Chloride	2.865	41	86762	17.88	ug	99
13) Carbon Disulfide	2.702	76	65568	17.12	ug	100
14) Acetone	2.576	43	12552	15.12	ug	100
15) Iodomethane	2.639	142	23618	18.47	ug	95
16) Acetonitrile	2.860	40	31331	172.93	ug	93
17) Methyl Acetate	2.922	43	34530	20.67	ug	99
18) Methylene Chloride	3.012	84	34895	19.99	ug	# 65
19) Acrylonitrile	3.326	53	7801	51.44	ug	# 84
20) trans-1,2-Dichloroethene	3.321	96	28266	19.32	ug	# 84
21) Mtbe	3.347	73	175549	36.99	ug	98
22) 1,1-Dichloroethane	3.814	63	55404	20.78	ug	98
23) Hexane	3.342	43	39930	18.01	ug	# 69
24) cis-1,2-Dichloroethene	4.506	61	50955	21.62	ug	# 74
25) 2,2-Dichloropropane	4.495	77	41856	21.17	ug	# 76
26) Propionitrile	4.632	54	50889	175.35	ug	96
27) Bromochloromethane	4.789	128	15493	20.74	ug	78
28) Methacrylonitrile	4.805	67	160878	197.01	ug	86
29) Tetrahydrofuran	4.883	42	10901	16.46	ug	99
30) Chloroform	4.899	83	59469	21.17	ug	98
31) Cyclohexane	5.151	84	49005	19.86	ug	# 78
32) 1,1-Dichloro-1-propene	5.303	75	40775	22.26	ug	# 79
33) 1,2-Dichloroethane	5.591	62	47617	22.80	ug	98
34) 2-Butanone	4.574	43	15646	17.30	ug	64
37) 1,1,1-Trichloroethane	5.098	97	46872	22.54	ug	98
38) Carbon Tetrachloride	5.292	117	38581	21.49	ug	97
39) Benzene	5.549	78	131224	23.47	ug	100
40) Isobutanol	5.146	43	6080	408.98	ug	# 100
41) Heptane	5.146	43	6080	20.45	ug	# 1
42) Trichloroethene	6.362	130	29378	21.16	ug	90
43) Methyl Cyclohexane	6.577	83	51198	22.17	ug	93
44) 1,2-Dichloropropane	6.640	63	36706	24.38	ug	97

Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2161.D
 Acq On : 16 Sep 2025 09:39 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 28 Sample Multiplier: 1


Quant Time: Sep 19 11:32:38 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	60010	21.74	ug	91
46) Dibromomethane	6.787	174	19653	20.71	ug	# 63
47) 1,4-Dioxane	6.860	88	7980	407.18	ug	# 1
48) Methyl Methacrylate	6.850	69	26185	22.05	ug	# 73
49) Bromodichloromethane	7.002	83	45476	24.00	ug	# 39
50) Ceve	7.431	63	4509	7.69	ug	93
51) cis-1,3-Dichloropropene	7.584	75	49200	24.60	ug	96
52) trans-1,3-Dichloropropene	8.323	75	45284	26.20	ug	94
53) 1,1,2-Trichloroethane	8.554	97	31585	23.77	ug	100
54) 1,3-Dichloropropane	8.768	76	57032	25.01	ug	93
55) 1,2-Dibromoethane	9.183	107	31170	24.16	ug	100
56) Dibromochloromethane	9.057	129	32272	22.91	ug	96
57) Bromoform	10.609	173	22064	21.48	ug	97
58) 4-Methyl-2-Pentanone	7.825	43	49188	22.32	ug	89
60) Toluene	7.998	92	81479	24.01	ug	99
61) Ethyl Metacrylate	8.485	69	45186	20.35	ug	# 81
62) Tetrachloroethene	8.711	164	25282	21.03	ug	98
63) 2-Hexanone	8.936	43	25042	20.82	ug	86
65) Chlorobenzene	9.770	112	88497	24.78	ug	97
66) 1,1,1,2-Tetrachloroethane	9.875	133	26895	22.30	ug	# 84
67) Ethylbenzene	9.906	106	47470	25.18	ug	94
68) m,p-Xylene	10.032	91	247354	53.89	ug	95
69) o-Xylene	10.425	106	58915	26.16	ug	90
70) Styrene	10.446	104	96566	27.07	ug	80
71) Isopropylbenzene	10.777	105	145860	26.35	ug	99
72) Chloroprene	10.850	53	15920	43.99	ug	# 74
73) trans-1,4-Dichloro-2-b...	10.850	88	13731	21.19	ug	# 49
74) Bromobenzene	11.028	77	59765	26.21	ug	96
75) 1,2,3-Trichloropropane	11.081	75	53375	23.61	ug	# 76
76) 2-Chlorotoluene	11.201	91	108157	26.75	ug	92
77) 4-Chlorotoluene	11.296	91	131193	27.73	ug	98
78) 1,3,5-Trimethylbenzene	11.296	105	126433	27.16	ug	99
79) tert-Butylbenzene	11.558	119	102167	25.90	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	122955	27.38	ug	92
82) 1,1,2,2-Tetrachloroethane	11.054	83	51913	25.71	ug	95
83) n-Propylbenzene	11.138	91	191884	27.03	ug	97
84) 1,3-Dichlorobenzene	11.810	146	70542	24.59	ug	97
85) sec-Butylbenzene	11.731	105	159723	26.66	ug	98
86) 4-Isopropyltoluene	11.846	119	129274	26.40	ug	96
87) 1,4-Dichlorobenzene	11.810	146	70542	24.51	ug	93
88) 1,2-Dichlorobenzene	12.161	146	70208	24.38	ug	# 85
89) n-Butylbenzene	12.156	91	136567	27.66	ug	90
90) 1,2-Dibromo-3-Chloropr	12.732	157	8861	23.24	ug	93
91) 1,2,4-Trichlorobenzene	13.299	180	46900	24.58	ug	97
92) Hexachlorobutadiene	13.414	225	21652	23.36	ug	95
93) Naphthalene	13.466	128	120618	26.25	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	45186	24.06	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2161.D
Acq On : 16 Sep 2025 09:39 pm
Operator :
Sample : lcs
Misc : lcs
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Sep 19 11:32:38 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2175.D
 Acq On : 17 Sep 2025 02:16 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 41 Sample Multiplier: 1

Quant Time: Sep 19 11:28:45 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	197953	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	132486	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	70576	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	64926	54.23	ug	0.01
59) Toluene-d8	7.914	98	201021	54.81	ug	0.00
81) Bromofluorobenzene	10.908	95	66625	53.89	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	67232	49.56	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.149	45	42	1.16	ug	# 35
14) Acetone	2.581	43	1841	2.49	ug	83
16) Acetonitrile	2.749	40	191	1.14	ug	96
17) Methyl Acetate	2.938	43	423	Below Cal	#	54
18) Methylene Chloride	3.006	84	805	Below Cal	#	36
73) trans-1,4-Dichloro-2-b...	10.913	88	2634	4.76	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2175.D
Acq On : 17 Sep 2025 02:16 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 41 Sample Multiplier: 1




Quant Time: Sep 19 11:28:45 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.16 ug
RT: 2.149 min Scan# 220
Delta R.T. -0.071 min
Lab File: g2175.D
Acq: 17 Sep 2025 02:16 am


Tgt Ion: 45 Resp: 42
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#14
Acetone
Concen: 2.49 ug
RT: 2.581 min Scan# 298
Delta R.T. 0.010 min
Lab File: g2175.D
Acq: 17 Sep 2025 02:16 am





Tgt Ion: 43 Resp: 1841
Ion Ratio Lower Upper
43 100
58 22.2 11.8 51.8








#16
Acetonitrile
Concen: 1.14 ug
RT: 2.749 min Scan# 330
Delta R.T. -0.105 min
Lab File: g2175.D
Acq: 17 Sep 2025 02:16 am


Tgt Ion: 40 Resp: 191
Ion Ratio Lower Upper
40 100
41 271.2 243.5 283.5



#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g2175.D
Acq: 17 Sep 2025 02:16 am




Tgt Ion: 84 Resp: 805
Ion Ratio Lower Upper
84 100
49 167.6 82.9 122.9#





#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.76 ug
 RT: 10.913 min Scan# 1887
 Delta R.T. 0.063 min
 Lab File: g2175.D
 Acq: 17 Sep 2025 02:16 am

Tgt Ion: 88 Resp: 2634
 Ion Ratio Lower Upper
 88 100
 52 10.9 6.6 10.0#
 75 1399.8 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2178.D
 Acq On : 17 Sep 2025 03:15 am
 Operator :
 Sample : 250905090-003a
 Misc : samp
 ALS Vial : 44 Sample Multiplier: 1

Quant Time: Sep 19 11:28:48 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	201611	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	133881	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	68916	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	65160	53.44	ug	0.01
59) Toluene-d8	7.914	98	202918	54.75	ug	0.00
81) Bromofluorobenzene	10.908	95	67525	55.93	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	68172	51.46	ug	0.00
Target Compounds						
14) Acetone	2.582	43	1112	1.52	ug	83
17) Methyl Acetate	2.928	43	408	Below Cal	#	54
18) Methylene Chloride	3.011	84	113	Below Cal	#	74
73) trans-1,4-Dichloro-2-b...	10.908	88	3017	5.59	ug	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2178.D
Acq On : 17 Sep 2025 03:15 am
Operator :
Sample : 250905090-003a
Misc : samp
ALS Vial : 44 Sample Multiplier: 1





Quant Time: Sep 19 11:28:48 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#14
Acetone
Concen: 1.52 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.011 min
Lab File: g2178.D
Acq: 17 Sep 2025 03:15 am


Tgt Ion: 43 Resp: 1112
Ion Ratio Lower Upper
43 100
58 41.2 11.8 51.8




#18
Methylene Chloride
Concen: Below Cal
RT: 3.011 min Scan# 380
Delta R.T. 0.006 min
Lab File: g2178.D
Acq: 17 Sep 2025 03:15 am

Tgt Ion: 84 Resp: 113
Ion Ratio Lower Upper
84 100
49 129.2 82.9 122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.59 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2178.D
 Acq: 17 Sep 2025 03:15 am



Tgt Ion: 88 Resp: 3017
 Ion Ratio Lower Upper
 88 100
 52 6.0 6.6 10.0#
 75 1264.3 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2179.D
 Acq On : 17 Sep 2025 03:35 am
 Operator :
 Sample : 250905090-008a
 Misc : samp
 ALS Vial : 45 Sample Multiplier: 1

Quant Time: Sep 19 11:28:51 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	187532	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	128104	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	63425	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	62790	55.36	ug	0.01
59) Toluene-d8	7.914	98	192874	54.39	ug	0.00
81) Bromofluorobenzene	10.908	95	63981	57.58	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	65358	53.61	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.225	45	186	5.42	ug	# 35
14) Acetone	2.582	43	1403	2.02	ug	# 73
17) Methyl Acetate	2.928	43	224	Below Cal	#	54
18) Methylene Chloride	2.996	84	62	Below Cal	#	1
42) Trichloroethene	6.362	130	2709	2.22	ug	# 87
73) trans-1,4-Dichloro-2-b...	10.908	88	2547	5.13	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2179.D
Acq On : 17 Sep 2025 03:35 am
Operator :
Sample : 250905090-008a
Misc : samp
ALS Vial : 45 Sample Multiplier: 1




Quant Time: Sep 19 11:28:51 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
 Ethanol
 Concen: 5.42 ug
 RT: 2.225 min Scan# 230
 Delta R.T. 0.005 min
 Lab File: g2179.D
 Acq: 17 Sep 2025 03:35 am


Tgt Ion: 45 Resp: 186
 Ion Ratio Lower Upper
 45 100
 46 0.0 32.5 48.7#



#14
 Acetone
 Concen: 2.02 ug
 RT: 2.582 min Scan# 298
 Delta R.T. 0.011 min
 Lab File: g2179.D
 Acq: 17 Sep 2025 03:35 am





Tgt Ion: 43 Resp: 1403
 Ion Ratio Lower Upper
 43 100
 58 17.0 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 2.996 min Scan# 377
Delta R.T. -0.010 min
Lab File: g2179.D
Acq: 17 Sep 2025 03:35 am


Tgt Ion: 84 Resp: 62
Ion Ratio Lower Upper
84 100
49 0.0 82.9 122.9#




#42
Trichloroethene
Concen: 2.22 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2179.D
Acq: 17 Sep 2025 03:35 am

Tgt Ion:130 Resp: 2709
Ion Ratio Lower Upper
130 100
132 89.1 74.3 114.3
95 111.0 70.6 110.6#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.13 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2179.D
 Acq: 17 Sep 2025 03:35 am



Tgt Ion: 88 Resp: 2547
 Ion Ratio Lower Upper
 88 100
 52 4.6 6.6 10.0#
 75 1417.4 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2180.D
 Acq On : 17 Sep 2025 03:55 am
 Operator :
 Sample : 250905090-014a
 Misc : samp
 ALS Vial : 46 Sample Multiplier: 1

Quant Time: Sep 19 11:28:54 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	182975	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	125421	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	66656	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	58967	53.29	ug	0.01
59) Toluene-d8	7.914	98	187637	54.05	ug	0.00
81) Bromofluorobenzene	10.908	95	61877	52.99	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	65633	51.22	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.225	45	66	1.97	ug	# 35
16) Acetonitrile	2.854	40	222	1.44	ug	# 1
17) Methyl Acetate	2.917	43	251	Below Cal		# 54
24) cis-1,2-Dichloroethene	4.511	61	7498	3.74	ug	85
40) Isobutanol	4.946	43	17	1.33	ug	# 100
42) Trichloroethene	6.367	130	2593	2.17	ug	81
73) trans-1,4-Dichloro-2-b...	10.908	88	2526	4.84	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2180.D
Acq On : 17 Sep 2025 03:55 am
Operator :
Sample : 250905090-014a
Misc : samp
ALS Vial : 46 Sample Multiplier: 1




Quant Time: Sep 19 11:28:54 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.97 ug
RT: 2.225 min Scan# 230
Delta R.T. 0.005 min
Lab File: g2180.D
Acq: 17 Sep 2025 03:55 am


Tgt Ion: 45 Resp: 66
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#16
Acetonitrile
Concen: 1.44 ug
RT: 2.854 min Scan# 350
Delta R.T. 0.000 min
Lab File: g2180.D
Acq: 17 Sep 2025 03:55 am





Tgt Ion: 40 Resp: 222
Ion Ratio Lower Upper
40 100
41 20.3 243.5 283.5#








#24
 cis-1,2-Dichloroethene
 Concen: 3.74 ug
 RT: 4.511 min Scan# 666
 Delta R.T. 0.010 min
 Lab File: g2180.D
 Acq: 17 Sep 2025 03:55 am


Tgt Ion: 61 Resp: 7498
 Ion Ratio Lower Upper
 61 100
 96 71.6 68.2 102.4



#40
 Isobutanol
 Concen: 1.33 ug
 RT: 4.946 min Scan# 749
 Delta R.T. -0.194 min
 Lab File: g2180.D
 Acq: 17 Sep 2025 03:55 am





Tgt Ion: 43 Resp: 17
 Ion Ratio Lower Upper
 43 100
 77 0.0 0.0 0.0








#42
Trichloroethene
Concen: 2.17 ug
RT: 6.367 min Scan# 1020
Delta R.T. 0.016 min
Lab File: g2180.D
Acq: 17 Sep 2025 03:55 am

Tgt Ion:	130	Resp:	2593
Ion	Ratio	Lower	Upper
130	100		
132	110.8	74.3	114.3
95	110.3	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 4.84 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2180.D
Acq: 17 Sep 2025 03:55 am

Tgt Ion:	88	Resp:	2526
Ion	Ratio	Lower	Upper
88	100		
52	8.3	6.6	10.0
75	1429.7	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2181.D
 Acq On : 17 Sep 2025 04:15 am
 Operator :
 Sample : 250905090-019a
 Misc : samp
 ALS Vial : 47 Sample Multiplier: 1

Quant Time: Sep 19 11:28:57 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	181720	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	123320	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	64666	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	59095	53.77	ug	0.01
59) Toluene-d8	7.914	98	186669	54.68	ug	0.00
81) Bromofluorobenzene	10.908	95	60934	53.79	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	64076	51.55	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.241	45	72	2.16	ug	# 35
17) Methyl Acetate	2.933	43	318	Below Cal		# 65
42) Trichloroethene	6.362	130	4308	3.67	ug	# 87
73) trans-1,4-Dichloro-2-b...	10.908	88	2773	5.47	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2181.D
Acq On : 17 Sep 2025 04:15 am
Operator :
Sample : 250905090-019a
Misc : samp
ALS Vial : 47 Sample Multiplier: 1

Quant Time: Sep 19 11:28:57 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.16 ug
RT: 2.241 min Scan# 233
Delta R.T. 0.021 min
Lab File: g2181.D
Acq: 17 Sep 2025 04:15 am

Tgt Ion: 45 Resp: 72




Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#




#42
Trichloroethene
Concen: 3.67 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2181.D
Acq: 17 Sep 2025 04:15 am


Tgt Ion: 130 Resp: 4308

Ion	Ratio	Lower	Upper
130	100		
132	99.2	74.3	114.3
95	111.4	70.6	110.6#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.47 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2181.D
 Acq: 17 Sep 2025 04:15 am



Tgt Ion: 88 Resp: 2773
 Ion Ratio Lower Upper
 88 100
 52 3.5 6.6 10.0#
 75 1286.9 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2182.D
 Acq On : 17 Sep 2025 04:34 am
 Operator :
 Sample : 250905090-033a
 Misc : samp
 ALS Vial : 48 Sample Multiplier: 1

Quant Time: Sep 19 11:29:00 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	174646	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	122007	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	61429	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57896	54.81	ug	0.01
59) Toluene-d8	7.914	98	181501	53.74	ug	0.00
81) Bromofluorobenzene	10.908	95	59224	55.03	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	60875	51.55	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.314	45	37	1.16	ug	# 35
14) Acetone	2.576	43	2387	3.61	ug	86
17) Methyl Acetate	2.922	43	335	Below Cal	#	54
18) Methylene Chloride	3.027	84	72	Below Cal		88
73) trans-1,4-Dichloro-2-b...	10.908	88	2516	5.23	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2182.D
Acq On : 17 Sep 2025 04:34 am
Operator :
Sample : 250905090-033a
Misc : samp
ALS Vial : 48 Sample Multiplier: 1




Quant Time: Sep 19 11:29:00 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
 Ethanol
 Concen: 1.16 ug
 RT: 2.314 min Scan# 247
 Delta R.T. 0.094 min
 Lab File: g2182.D
 Acq: 17 Sep 2025 04:34 am


Tgt Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#



#14
 Acetone
 Concen: 3.61 ug
 RT: 2.576 min Scan# 297
 Delta R.T. 0.005 min
 Lab File: g2182.D
 Acq: 17 Sep 2025 04:34 am





Tgt Ion	Ratio	Lower	Upper
43	100		
58	23.8	11.8	51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.027 min Scan# 383
Delta R.T. 0.021 min
Lab File: g2182.D
Acq: 17 Sep 2025 04:34 am

Tgt Ion: 84 Resp: 72
Ion Ratio Lower Upper
84 100
49 90.3 82.9 122.9



#73
trans-1,4-Dichloro-2-butene
Concen: 5.23 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2182.D
Acq: 17 Sep 2025 04:34 am

Tgt Ion: 88 Resp: 2516
Ion Ratio Lower Upper
88 100
52 8.3 6.6 10.0
75 1327.7 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2183.D
 Acq On : 17 Sep 2025 04:54 am
 Operator :
 Sample : 250905090-034a
 Misc : samp
 ALS Vial : 49 Sample Multiplier: 1

Quant Time: Sep 19 11:29:03 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.905	96	176574	50.00	ug	0.00
36) Chlorobenzene-d5	9.743	117	122135	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	64529	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.496	65	58440	54.72	ug	0.01
59) Toluene-d8	7.914	98	181297	53.62	ug	0.00
81) Bromofluorobenzene	10.907	95	61706	54.58	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	64519	52.01	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.251	45	33	1.02	ug	# 35
14) Acetone	2.576	43	1612	2.45	ug	80
16) Acetonitrile	2.817	40	153	1.03	ug	# 1
17) Methyl Acetate	2.927	43	236	Below Cal		# 54
18) Methylene Chloride	3.006	84	878	Below Cal		# 67
73) trans-1,4-Dichloro-2-b...	10.907	88	2422	4.79	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2183.D
Acq On : 17 Sep 2025 04:54 am
Operator :
Sample : 250905090-034a
Misc : samp
ALS Vial : 49 Sample Multiplier: 1




Quant Time: Sep 19 11:29:03 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 1.02 ug
RT: 2.251 min Scan# 235
Delta R.T. 0.031 min
Lab File: g2183.D
Acq: 17 Sep 2025 04:54 am


Tgt Ion: 45 Resp: 33
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#



#14
Acetone
Concen: 2.45 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2183.D
Acq: 17 Sep 2025 04:54 am





Tgt Ion: 43 Resp: 1612
Ion Ratio Lower Upper
43 100
58 20.5 11.8 51.8








#16
Acetonitrile
Concen: 1.03 ug
RT: 2.817 min Scan# 343
Delta R.T. -0.037 min
Lab File: g2183.D
Acq: 17 Sep 2025 04:54 am


Tgt Ion: 40 Resp: 153
Ion Ratio Lower Upper
40 100
41 39.2 243.5 283.5#




#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.000 min
Lab File: g2183.D
Acq: 17 Sep 2025 04:54 am

Tgt Ion: 84 Resp: 878
Ion Ratio Lower Upper
84 100
49 136.2 82.9 122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.79 ug
 RT: 10.907 min Scan# 1886
 Delta R.T. 0.057 min
 Lab File: g2183.D
 Acq: 17 Sep 2025 04:54 am



Tgt Ion: 88 Resp: 2422
 Ion Ratio Lower Upper
 88 100
 52 8.9 6.6 10.0
 75 1494.5 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2184.D
 Acq On : 17 Sep 2025 05:14 am
 Operator :
 Sample : 250905090-037a
 Misc : samp
 ALS Vial : 50 Sample Multiplier: 1

Quant Time: Sep 19 11:29:06 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	173864	50.00	ug	0.00
36) Chlorobenzene-d5	9.743	117	119148	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	65195	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57385	54.57	ug	0.01
59) Toluene-d8	7.914	98	178607	54.15	ug	0.00
81) Bromofluorobenzene	10.907	95	60486	52.96	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	64449	51.43	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	10276	7.67	ug	94
14) Acetone	2.581	43	3723	5.61	ug	90
17) Methyl Acetate	2.912	43	127	Below Cal	#	54
24) cis-1,2-Dichloroethene	4.506	61	15149	7.94	ug	84
73) trans-1,4-Dichloro-2-b...	10.907	88	2639	5.17	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2184.D
Acq On : 17 Sep 2025 05:14 am
Operator :
Sample : 250905090-037a
Misc : samp
ALS Vial : 50 Sample Multiplier: 1





Quant Time: Sep 19 11:29:06 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 7.67 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g2184.D
 Acq: 17 Sep 2025 05:14 am


Tgt Ion: 62 Resp: 10276
 Ion Ratio Lower Upper
 62 100
 64 41.3 17.8 57.8



#14
 Acetone
 Concen: 5.61 ug
 RT: 2.581 min Scan# 298
 Delta R.T. 0.010 min
 Lab File: g2184.D
 Acq: 17 Sep 2025 05:14 am





Tgt Ion: 43 Resp: 3723
 Ion Ratio Lower Upper
 43 100
 58 26.5 11.8 51.8








#24
 cis-1,2-Dichloroethene
 Concen: 7.94 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2184.D
 Acq: 17 Sep 2025 05:14 am

Tgt Ion: 61 Resp: 15149
 Ion Ratio Lower Upper
 61 100
 96 70.6 68.2 102.4



#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.17 ug
 RT: 10.907 min Scan# 1886
 Delta R.T. 0.057 min
 Lab File: g2184.D
 Acq: 17 Sep 2025 05:14 am

Tgt Ion: 88 Resp: 2639
 Ion Ratio Lower Upper
 88 100
 52 8.8 6.6 10.0
 75 1316.9 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2185.D
 Acq On : 17 Sep 2025 05:34 am
 Operator :
 Sample : 250905090-039a
 Misc : samp
 ALS Vial : 51 Sample Multiplier: 1

Quant Time: Sep 19 11:29:09 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	172735	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	117668	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	58885	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	57655	55.19	ug	0.01
59) Toluene-d8	7.914	98	178093	54.68	ug	0.00
81) Bromofluorobenzene	10.908	95	57943	56.17	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	60041	53.04	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.230	45	134	4.24	ug	# 35
14) Acetone	2.582	43	1160	1.82	ug	73
16) Acetonitrile	2.839	40	153	1.05	ug	# 1
17) Methyl Acetate	2.928	43	247	Below Cal		# 54
73) trans-1,4-Dichloro-2-b...	10.908	88	2419	5.24	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2185.D
Acq On : 17 Sep 2025 05:34 am
Operator :
Sample : 250905090-039a
Misc : samp
ALS Vial : 51 Sample Multiplier: 1




Quant Time: Sep 19 11:29:09 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 4.24 ug
RT: 2.230 min Scan# 231
Delta R.T. 0.010 min
Lab File: g2185.D
Acq: 17 Sep 2025 05:34 am


Tgt Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#



#14
Acetone
Concen: 1.82 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.011 min
Lab File: g2185.D
Acq: 17 Sep 2025 05:34 am





Tgt Ion	Ratio	Lower	Upper
43	100		
58	16.6	11.8	51.8








#16
Acetonitrile
Concen: 1.05 ug
RT: 2.839 min Scan# 347
Delta R.T. -0.015 min
Lab File: g2185.D
Acq: 17 Sep 2025 05:34 am

Tgt Ion: 40 Resp: 153
Ion Ratio Lower Upper
40 100
41 0.0 243.5 283.5#



#73
trans-1,4-Dichloro-2-butene
Concen: 5.24 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2185.D
Acq: 17 Sep 2025 05:34 am

Tgt Ion: 88 Resp: 2419
Ion Ratio Lower Upper
88 100
52 3.6 6.6 10.0#
75 1332.3 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2186.D
 Acq On : 17 Sep 2025 05:53 am
 Operator :
 Sample : 250905090-040a
 Misc : samp
 ALS Vial : 52 Sample Multiplier: 1

Quant Time: Sep 19 11:29:12 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	172963	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	117208	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	63732	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	56757	54.26	ug	0.01
59) Toluene-d8	7.914	98	177446	54.69	ug	0.00
81) Bromofluorobenzene	10.908	95	60384	54.08	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	62349	50.89	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.220	45	76	2.40	ug	# 35
14) Acetone	2.582	43	1037	1.64	ug	71
17) Methyl Acetate	2.912	43	71	Below Cal		# 54
73) trans-1,4-Dichloro-2-b...	10.908	88	2459	4.92	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2186.D
Acq On : 17 Sep 2025 05:53 am
Operator :
Sample : 250905090-040a
Misc : samp
ALS Vial : 52 Sample Multiplier: 1

Quant Time: Sep 19 11:29:12 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
Ethanol
Concen: 2.40 ug
RT: 2.220 min Scan# 229
Delta R.T. -0.000 min
Lab File: g2186.D
Acq: 17 Sep 2025 05:53 am

Tgt Ion: 45 Resp: 76




Ion	Ratio	Lower	Upper
45	100		
46	0.0	32.5	48.7#




#14
Acetone
Concen: 1.64 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.010 min
Lab File: g2186.D
Acq: 17 Sep 2025 05:53 am


Tgt Ion: 43 Resp: 1037

Ion	Ratio	Lower	Upper
43	100		
58	15.8	11.8	51.8







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.92 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2186.D
 Acq: 17 Sep 2025 05:53 am



Tgt Ion: 88 Resp: 2459
 Ion Ratio Lower Upper
 88 100
 52 8.9 6.6 10.0
 75 1402.4 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2187.D
 Acq On : 17 Sep 2025 06:15 am
 Operator :
 Sample : 250905090-041a
 Misc : samp
 ALS Vial : 53 Sample Multiplier: 1

Quant Time: Sep 19 11:29:15 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.905	96	181440	50.00	ug	0.00
36) Chlorobenzene-d5	9.743	117	122324	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	66042	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.496	65	57858	52.73	ug	0.01
59) Toluene-d8	7.914	98	180539	53.32	ug	0.00
81) Bromofluorobenzene	10.907	95	60971	52.70	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	65453	51.56	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.469	62	28560	20.43	ug	91
11) 1,1-Dichloroethene	2.497	96	1197	1.07	ug	# 77
17) Methyl Acetate	2.938	43	276	Below Cal	#	54
18) Methylene Chloride	3.011	84	818	Below Cal	#	50
24) cis-1,2-Dichloroethene	4.500	61	265392	133.35	ug	86
42) Trichloroethene	6.356	130	44129	37.94	ug	89
73) trans-1,4-Dichloro-2-b...	10.907	88	2595	5.02	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2187.D
Acq On : 17 Sep 2025 06:15 am
Operator :
Sample : 250905090-041a
Misc : samp
ALS Vial : 53 Sample Multiplier: 1





Quant Time: Sep 19 11:29:15 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 20.43 ug
 RT: 1.469 min Scan# 85
 Delta R.T. -0.001 min
 Lab File: g2187.D
 Acq: 17 Sep 2025 06:15 am


Tgt Ion	Ratio	Lower	Upper
62	100		
64	32.6	17.8	57.8



#11
 1,1-Dichloroethene
 Concen: 1.07 ug
 RT: 2.497 min Scan# 282
 Delta R.T. 0.005 min
 Lab File: g2187.D
 Acq: 17 Sep 2025 06:15 am





Tgt Ion	Ratio	Lower	Upper
96	100		
61	194.7	140.6	180.6#
98	73.5	69.4	109.4








#18
Methylene Chloride
Concen: Below Cal
RT: 3.011 min Scan# 380
Delta R.T. 0.005 min
Lab File: g2187.D
Acq: 17 Sep 2025 06:15 am


Tgt Ion: 84 Resp: 818
Ion Ratio Lower Upper
84 100
49 153.3 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 133.35 ug
RT: 4.500 min Scan# 664
Delta R.T. -0.001 min
Lab File: g2187.D
Acq: 17 Sep 2025 06:15 am





Tgt Ion: 61 Resp: 265392
Ion Ratio Lower Upper
61 100
96 72.1 68.2 102.4








#42
Trichloroethene
Concen: 37.94 ug
RT: 6.356 min Scan# 1018
Delta R.T. 0.005 min
Lab File: g2187.D
Acq: 17 Sep 2025 06:15 am

Tgt Ion:	130	Resp:	44129
Ion	Ratio	Lower	Upper
130	100		
132	96.5	74.3	114.3
95	109.9	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 5.02 ug
RT: 10.907 min Scan# 1886
Delta R.T. 0.057 min
Lab File: g2187.D
Acq: 17 Sep 2025 06:15 am

Tgt Ion:	88	Resp:	2595
Ion	Ratio	Lower	Upper
88	100		
52	5.0	6.6	10.0#
75	1310.1	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2188.D
 Acq On : 17 Sep 2025 06:38 am
 Operator :
 Sample : 250905090-042a
 Misc : samp
 ALS Vial : 54 Sample Multiplier: 1

Quant Time: Sep 19 11:29:18 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	174812	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	120098	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	63782	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	59570	56.34	ug	0.00
59) Toluene-d8	7.914	98	180569	54.32	ug	0.00
81) Bromofluorobenzene	10.908	95	60894	54.50	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	63928	52.14	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	23474	17.43	ug	92
16) Acetonitrile	2.881	40	254	1.72	ug	# 1
17) Methyl Acetate	2.912	43	114	Below Cal	#	54
18) Methylene Chloride	3.006	84	687	Below Cal	#	2
24) cis-1,2-Dichloroethene	4.506	61	166886	87.04	ug	86
40) Isobutanol	5.125	43	39	3.19	ug	# 100
42) Trichloroethene	6.362	130	1382	1.21	ug	88
73) trans-1,4-Dichloro-2-b...	10.908	88	2468	4.94	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2188.D
Acq On : 17 Sep 2025 06:38 am
Operator :
Sample : 250905090-042a
Misc : samp
ALS Vial : 54 Sample Multiplier: 1





Quant Time: Sep 19 11:29:18 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 17.43 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g2188.D
 Acq: 17 Sep 2025 06:38 am


Tgt Ion: 62 Resp: 23474
 Ion Ratio Lower Upper
 62 100
 64 33.1 17.8 57.8



#16
 Acetonitrile
 Concen: 1.72 ug
 RT: 2.881 min Scan# 355
 Delta R.T. 0.027 min
 Lab File: g2188.D
 Acq: 17 Sep 2025 06:38 am





Tgt Ion: 40 Resp: 254
 Ion Ratio Lower Upper
 40 100
 41 27.6 243.5 283.5#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g2188.D
Acq: 17 Sep 2025 06:38 am


Tgt Ion: 84 Resp: 687
Ion Ratio Lower Upper
84 100
49 202.2 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 87.04 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2188.D
Acq: 17 Sep 2025 06:38 am





Tgt Ion: 61 Resp: 166886
Ion Ratio Lower Upper
61 100
96 72.4 68.2 102.4








#40
Isobutanol
Concen: 3.19 ug
RT: 5.125 min Scan# 783
Delta R.T. -0.015 min
Lab File: g2188.D
Acq: 17 Sep 2025 06:38 am


Tgt Ion: 43 Resp: 39
Ion Ratio Lower Upper
43 100
77 0.0 0.0 0.0




#42
Trichloroethene
Concen: 1.21 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2188.D
Acq: 17 Sep 2025 06:38 am

Tgt Ion: 130 Resp: 1382
Ion Ratio Lower Upper
130 100
132 90.2 74.3 114.3
95 110.3 70.6 110.6







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.94 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2188.D
 Acq: 17 Sep 2025 06:38 am



Tgt Ion: 88 Resp: 2468
 Ion Ratio Lower Upper
 88 100
 52 4.7 6.6 10.0#
 75 1421.2 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2189.D
 Acq On : 17 Sep 2025 07:00 am
 Operator :
 Sample : 250905090-022a
 Misc : samp
 ALS Vial : 55 Sample Multiplier: 1

Quant Time: Sep 19 11:29:21 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	170672	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	117327	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	61406	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	55812	54.07	ug	0.00
59) Toluene-d8	7.914	98	175629	54.08	ug	0.00
81) Bromofluorobenzene	10.908	95	59975	55.75	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	63209	53.55	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	5325	4.05	ug	87
16) Acetonitrile	2.838	40	186	1.29	ug	# 1
17) Methyl Acetate	2.933	43	92	Below Cal	#	54
18) Methylene Chloride	3.001	84	803	Below Cal	#	59
24) cis-1,2-Dichloroethene	4.506	61	27800	14.85	ug	85
42) Trichloroethene	6.362	130	2516	2.25	ug	# 83
73) trans-1,4-Dichloro-2-b...	10.908	88	2198	4.57	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2189.D
Acq On : 17 Sep 2025 07:00 am
Operator :
Sample : 250905090-022a
Misc : samp
ALS Vial : 55 Sample Multiplier: 1





Quant Time: Sep 19 11:29:21 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 4.05 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g2189.D
 Acq: 17 Sep 2025 07:00 am


Tgt Ion: 62 Resp: 5325
 Ion Ratio Lower Upper
 62 100
 64 30.1 17.8 57.8



#16
 Acetonitrile
 Concen: 1.29 ug
 RT: 2.838 min Scan# 347
 Delta R.T. -0.016 min
 Lab File: g2189.D
 Acq: 17 Sep 2025 07:00 am





Tgt Ion: 40 Resp: 186
 Ion Ratio Lower Upper
 40 100
 41 0.0 243.5 283.5#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.001 min Scan# 378
Delta R.T. -0.005 min
Lab File: g2189.D
Acq: 17 Sep 2025 07:00 am


Tgt Ion: 84 Resp: 803
Ion Ratio Lower Upper
84 100
49 145.0 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 14.85 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.005 min
Lab File: g2189.D
Acq: 17 Sep 2025 07:00 am





Tgt Ion: 61 Resp: 27800
Ion Ratio Lower Upper
61 100
96 71.2 68.2 102.4








#42
Trichloroethene
Concen: 2.25 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g2189.D
Acq: 17 Sep 2025 07:00 am

Tgt Ion	Ratio	Lower	Upper
130	100		
132	100.1	74.3	114.3
95	118.0	70.6	110.6#



#73
trans-1,4-Dichloro-2-butene
Concen: 4.57 ug
RT: 10.908 min Scan# 1886
Delta R.T. 0.058 min
Lab File: g2189.D
Acq: 17 Sep 2025 07:00 am

Tgt Ion	Ratio	Lower	Upper
88	100		
52	10.4	6.6	10.0#
75	1552.7	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091625\
 Data File : g2190.D
 Acq On : 17 Sep 2025 07:22 am
 Operator :
 Sample : 250905090-020a
 Misc : samp
 ALS Vial : 56 Sample Multiplier: 1

Quant Time: Sep 19 11:29:24 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	174839	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	121860	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	64711	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	57148	54.04	ug	0.00
59) Toluene-d8	7.914	98	178347	52.87	ug	0.00
81) Bromofluorobenzene	10.907	95	60631	53.48	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	62948	50.60	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	12003	8.91	ug	90
9) Ethanol	2.028	45	36	1.12	ug	# 35
16) Acetonitrile	2.870	40	189	1.28	ug	# 11
17) Methyl Acetate	2.922	43	188	Below Cal		# 54
18) Methylene Chloride	3.006	84	792	Below Cal		# 21
24) cis-1,2-Dichloroethene	4.500	61	124853	65.10	ug	83
37) 1,1,1-Trichloroethane	5.098	97	1901	1.10	ug	100
42) Trichloroethene	6.356	130	23657	20.41	ug	90
73) trans-1,4-Dichloro-2-b...	10.907	88	2655	5.24	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091625\
Data File : g2190.D
Acq On : 17 Sep 2025 07:22 am
Operator :
Sample : 250905090-020a
Misc : samp
ALS Vial : 56 Sample Multiplier: 1





Quant Time: Sep 19 11:29:24 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration







#4
 Vinyl Chloride
 Concen: 8.91 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g2190.D
 Acq: 17 Sep 2025 07:22 am


Tgt Ion: 62 Resp: 12003
 Ion Ratio Lower Upper
 62 100
 64 32.0 17.8 57.8



#9
 Ethanol
 Concen: 1.12 ug
 RT: 2.028 min Scan# 196
 Delta R.T. -0.192 min
 Lab File: g2190.D
 Acq: 17 Sep 2025 07:22 am





Tgt Ion: 45 Resp: 36
 Ion Ratio Lower Upper
 45 100
 46 0.0 32.5 48.7#








#16
Acetonitrile
Concen: 1.28 ug
RT: 2.870 min Scan# 353
Delta R.T. 0.016 min
Lab File: g2190.D
Acq: 17 Sep 2025 07:22 am


Tgt Ion: 40 Resp: 189
Ion Ratio Lower Upper
40 100
41 102.6 243.5 283.5#



#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g2190.D
Acq: 17 Sep 2025 07:22 am





Tgt Ion: 84 Resp: 792
Ion Ratio Lower Upper
84 100
49 183.7 82.9 122.9#








#24
 cis-1,2-Dichloroethene
 Concen: 65.10 ug
 RT: 4.500 min Scan# 664
 Delta R.T. -0.001 min
 Lab File: g2190.D
 Acq: 17 Sep 2025 07:22 am


Tgt Ion: 61 Resp: 124853
 Ion Ratio Lower Upper
 61 100
 96 69.8 68.2 102.4



#37
 1,1,1-Trichloroethane
 Concen: 1.10 ug
 RT: 5.098 min Scan# 778
 Delta R.T. 0.005 min
 Lab File: g2190.D
 Acq: 17 Sep 2025 07:22 am





Tgt Ion: 97 Resp: 1901
 Ion Ratio Lower Upper
 97 100
 99 63.3 43.3 83.3








#42
Trichloroethene
Concen: 20.41 ug
RT: 6.356 min Scan# 1018
Delta R.T. 0.005 min
Lab File: g2190.D
Acq: 17 Sep 2025 07:22 am

Tgt Ion:	130	Resp:	23657
Ion	Ratio	Lower	Upper
130	100		
132	97.2	74.3	114.3
95	106.3	70.6	110.6



#73
trans-1,4-Dichloro-2-butene
Concen: 5.24 ug
RT: 10.907 min Scan# 1886
Delta R.T. 0.057 min
Lab File: g2190.D
Acq: 17 Sep 2025 07:22 am



Tgt Ion:	88	Resp:	2655
Ion	Ratio	Lower	Upper
88	100		
52	8.9	6.6	10.0
75	1305.7	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2223.D
Acq On : 18 Sep 2025 08:24 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Sep 18 14:14:25 2025



Spectrum Information: Average of 10.913 to 10.929 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	21.7	7060	PASS
75	95	30	60	50.6	16421	PASS
95	95	100	100	100.0	32468	PASS
96	95	5	9	6.7	2164	PASS
173	174	0.00	2	1.1	353	PASS
174	95	50	100	96.8	31420	PASS
175	174	5	9	7.9	2495	PASS
176	174	95	101	99.9	31374	PASS
177	176	5	9	6.8	2147	PASS

Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2227.D
 Acq On : 18 Sep 2025 09:42 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Sep 19 11:16:45 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	307634	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	208468	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	110285	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	97555	52.43	ug	0.01
59) Toluene-d8	7.914	98	310438	53.80	ug	0.00
81) Bromofluorobenzene	10.908	95	107370	55.57	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	111526	52.61	ug	0.00
Target Compounds						
14) Acetone	2.576	43	1378	1.25	ug	92
17) Methyl Acetate	2.933	43	645	Below Cal	#	68
18) Methylene Chloride	3.006	84	2509	Below Cal	#	80
73) trans-1,4-Dichloro-2-b...	10.908	88	4519	5.23	ug	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2227.D
Acq On : 18 Sep 2025 09:42 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 3 Sample Multiplier: 1





Quant Time: Sep 19 11:16:45 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#14
Acetone
Concen: 1.25 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2227.D
Acq: 18 Sep 2025 09:42 am


Tgt Ion: 43 Resp: 1378
Ion Ratio Lower Upper
43 100
58 27.1 11.8 51.8




#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g2227.D
Acq: 18 Sep 2025 09:42 am

Tgt Ion: 84 Resp: 2509
Ion Ratio Lower Upper
84 100
49 123.6 82.9 122.9#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.23 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2227.D
 Acq: 18 Sep 2025 09:42 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	9.6	6.6	10.0
75	1258.2	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2228.D
 Acq On : 18 Sep 2025 10:06 am
 Operator :
 Sample : 250905090-005a
 Misc : samp
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Sep 19 11:16:48 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.901	96	296619	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	208782	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	113824	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	92816	51.74	ug	0.00
59) Toluene-d8	7.914	98	304573	52.70	ug	0.00
81) Bromofluorobenzene	10.908	95	106073	53.19	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	112178	51.27	ug	0.00
Target Compounds						
						Qvalue
9) Ethanol	2.272	45	69	1.27	ug	# 35
14) Acetone	2.571	43	2127	1.94	ug	90
17) Methyl Acetate	2.917	43	595	Below Cal	#	54
18) Methylene Chloride	3.017	84	198	Below Cal	#	28
58) 4-Methyl-2-Pentanone	7.830	43	3390	1.08	ug	84
73) trans-1,4-Dichloro-2-b...	10.908	88	4458	5.00	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2228.D
Acq On : 18 Sep 2025 10:06 am
Operator :
Sample : 250905090-005a
Misc : samp
ALS Vial : 4 Sample Multiplier: 1




Quant Time: Sep 19 11:16:48 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#9
 Ethanol
 Concen: 1.27 ug
 RT: 2.272 min Scan# 239
 Delta R.T. 0.052 min
 Lab File: g2228.D
 Acq: 18 Sep 2025 10:06 am


Tgt Ion: 45 Resp: 69
 Ion Ratio Lower Upper
 45 100
 46 0.0 32.5 48.7#



#14
 Acetone
 Concen: 1.94 ug
 RT: 2.571 min Scan# 296
 Delta R.T. 0.000 min
 Lab File: g2228.D
 Acq: 18 Sep 2025 10:06 am





Tgt Ion: 43 Resp: 2127
 Ion Ratio Lower Upper
 43 100
 58 26.3 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.017 min Scan# 381
Delta R.T. 0.011 min
Lab File: g2228.D
Acq: 18 Sep 2025 10:06 am


Tgt Ion: 84 Resp: 198
Ion Ratio Lower Upper
84 100
49 176.3 82.9 122.9#




#58
4-Methyl-2-Pentanone
Concen: 1.08 ug
RT: 7.830 min Scan# 1299
Delta R.T. 0.011 min
Lab File: g2228.D
Acq: 18 Sep 2025 10:06 am

Tgt Ion: 43 Resp: 3390
Ion Ratio Lower Upper
43 100
58 43.3 14.3 54.3







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.00 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2228.D
 Acq: 18 Sep 2025 10:06 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	6.6	6.6	10.0#
75	1266.8	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2229.D
 Acq On : 18 Sep 2025 10:26 am
 Operator :
 Sample : 250905090-006a
 Misc : samp
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Sep 19 11:16:51 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	294409	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	206258	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	110928	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	94346	52.99	ug	0.01
59) Toluene-d8	7.914	98	298375	52.26	ug	0.00
81) Bromofluorobenzene	10.908	95	102522	52.76	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	110287	51.72	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	4624	2.04	ug	90
9) Ethanol	2.225	45	69	1.28	ug	# 35
14) Acetone	2.582	43	1040	1.01	ug	86
17) Methyl Acetate	2.922	43	517	Below Cal	#	69
18) Methylene Chloride	3.017	84	210	Below Cal	#	41
24) cis-1,2-Dichloroethene	4.506	61	11781	3.65	ug	87
42) Trichloroethene	6.362	130	2785	1.42	ug	89
73) trans-1,4-Dichloro-2-b...	10.908	88	4352	5.01	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2229.D
Acq On : 18 Sep 2025 10:26 am
Operator :
Sample : 250905090-006a
Misc : samp
ALS Vial : 5 Sample Multiplier: 1





Quant Time: Sep 19 11:16:51 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration







#4
Vinyl Chloride
Concen: 2.04 ug
RT: 1.475 min Scan# 86
Delta R.T. 0.005 min
Lab File: g2229.D
Acq: 18 Sep 2025 10:26 am


Tgt Ion: 62 Resp: 4624
Ion Ratio Lower Upper
62 100
64 32.0 17.8 57.8



#9
Ethanol
Concen: 1.28 ug
RT: 2.225 min Scan# 230
Delta R.T. 0.005 min
Lab File: g2229.D
Acq: 18 Sep 2025 10:26 am





Tgt Ion: 45 Resp: 69
Ion Ratio Lower Upper
45 100
46 0.0 32.5 48.7#








#14
Acetone
Concen: 1.01 ug
RT: 2.582 min Scan# 298
Delta R.T. 0.011 min
Lab File: g2229.D
Acq: 18 Sep 2025 10:26 am


Tgt Ion: 43 Resp: 1040
Ion Ratio Lower Upper
43 100
58 24.1 11.8 51.8



#18
Methylene Chloride
Concen: Below Cal
RT: 3.017 min Scan# 381
Delta R.T. 0.011 min
Lab File: g2229.D
Acq: 18 Sep 2025 10:26 am





Tgt Ion: 84 Resp: 210
Ion Ratio Lower Upper
84 100
49 43.3 82.9 122.9#








#24
 cis-1,2-Dichloroethene
 Concen: 3.65 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2229.D
 Acq: 18 Sep 2025 10:26 am


Tgt Ion: 61 Resp: 11781
 Ion Ratio Lower Upper
 61 100
 96 73.6 68.2 102.4




#42
 Trichloroethene
 Concen: 1.42 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g2229.D
 Acq: 18 Sep 2025 10:26 am

Tgt Ion: 130 Resp: 2785
 Ion Ratio Lower Upper
 130 100
 132 101.1 74.3 114.3
 95 104.6 70.6 110.6







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.01 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2229.D
 Acq: 18 Sep 2025 10:26 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	7.0	6.6	10.0
75	1301.6	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2230.D
 Acq On : 18 Sep 2025 10:48 am
 Operator :
 Sample : 250905090-009a
 Misc : samp
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Sep 19 11:16:55 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	267460	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	191134	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	103680	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	86588	53.53	ug	0.00
59) Toluene-d8	7.914	98	271406	51.30	ug	0.00
81) Bromofluorobenzene	10.908	95	100635	55.40	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	103179	51.77	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.470	62	63154	30.64	ug	89
14) Acetone	2.571	43	112404	108.20	ug	99
18) Methylene Chloride	3.006	84	2139	Below Cal	#	67
24) cis-1,2-Dichloroethene	4.501	61	203666	69.42	ug	86
34) 2-Butanone	4.579	43	3102	2.76	ug	95
42) Trichloroethene	6.357	130	62068	34.15	ug	92
73) trans-1,4-Dichloro-2-b...	10.908	88	4117	5.07	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2230.D
Acq On : 18 Sep 2025 10:48 am
Operator :
Sample : 250905090-009a
Misc : samp
ALS Vial : 6 Sample Multiplier: 1





Quant Time: Sep 19 11:16:55 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 30.64 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.000 min
 Lab File: g2230.D
 Acq: 18 Sep 2025 10:48 am


Tgt Ion: 62 Resp: 63154
 Ion Ratio Lower Upper
 62 100
 64 31.2 17.8 57.8



#14
 Acetone
 Concen: 108.20 ug
 RT: 2.571 min Scan# 296
 Delta R.T. 0.000 min
 Lab File: g2230.D
 Acq: 18 Sep 2025 10:48 am





Tgt Ion: 43 Resp: 112404
 Ion Ratio Lower Upper
 43 100
 58 31.0 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. 0.000 min
Lab File: g2230.D
Acq: 18 Sep 2025 10:48 am


Tgt Ion: 84 Resp: 2139
Ion Ratio Lower Upper
84 100
49 136.1 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 69.42 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.000 min
Lab File: g2230.D
Acq: 18 Sep 2025 10:48 am





Tgt Ion: 61 Resp: 203666
Ion Ratio Lower Upper
61 100
96 72.3 68.2 102.4








#34
2-Butanone
Concen: 2.76 ug
RT: 4.579 min Scan# 679
Delta R.T. 0.009 min
Lab File: g2230.D
Acq: 18 Sep 2025 10:48 am


Tgt Ion: 43 Resp: 3102
Ion Ratio Lower Upper
43 100
72 14.4 0.0 32.6




#42
Trichloroethene
Concen: 34.15 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g2230.D
Acq: 18 Sep 2025 10:48 am

Tgt Ion: 130 Resp: 62068
Ion Ratio Lower Upper
130 100
132 96.2 74.3 114.3
95 104.6 70.6 110.6







#73
 trans-1,4-Dichloro-2-butene
 Concen: 5.07 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2230.D
 Acq: 18 Sep 2025 10:48 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	6.1	6.6	10.0#
75	1315.2	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2231.D
 Acq On : 18 Sep 2025 11:10 am
 Operator :
 Sample : 250905090-021a
 Misc : samp
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Sep 19 11:16:59 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	294000	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	200996	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	108842	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	95412	53.66	ug	0.00
59) Toluene-d8	7.914	98	298340	53.62	ug	0.00
81) Bromofluorobenzene	10.908	95	104138	54.61	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	107705	51.48	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	10105	4.46	ug	93
6) Chloroethane	1.470	64	3375	2.12	ug	# 49
14) Acetone	2.571	43	1472	1.39	ug	96
16) Acetonitrile	2.870	40	371	1.50	ug	# 1
17) Methyl Acetate	2.922	43	574	Below Cal	#	54
18) Methylene Chloride	3.006	84	3976	Below Cal	#	64
24) cis-1,2-Dichloroethene	4.500	61	131761	40.86	ug	87
42) Trichloroethene	6.357	130	4997	2.61	ug	88
73) trans-1,4-Dichloro-2-b...	10.908	88	3897	4.57	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2231.D
Acq On : 18 Sep 2025 11:10 am
Operator :
Sample : 250905090-021a
Misc : samp
ALS Vial : 7 Sample Multiplier: 1





Quant Time: Sep 19 11:16:59 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 4.46 ug
 RT: 1.475 min Scan# 86
 Delta R.T. 0.005 min
 Lab File: g2231.D
 Acq: 18 Sep 2025 11:10 am


Tgt Ion: 62 Resp: 10105
 Ion Ratio Lower Upper
 62 100
 64 33.4 17.8 57.8



#6
 Chloroethane
 Concen: 2.12 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.342 min
 Lab File: g2231.D
 Acq: 18 Sep 2025 11:10 am





Tgt Ion: 64 Resp: 3375
 Ion Ratio Lower Upper
 64 100
 66 0.9 7.6 47.6#








#14
Acetone
Concen: 1.39 ug
RT: 2.571 min Scan# 296
Delta R.T. -0.000 min
Lab File: g2231.D
Acq: 18 Sep 2025 11:10 am


Tgt Ion: 43 Resp: 1472
Ion Ratio Lower Upper
43 100
58 34.2 11.8 51.8



#16
Acetonitrile
Concen: 1.50 ug
RT: 2.870 min Scan# 353
Delta R.T. 0.016 min
Lab File: g2231.D
Acq: 18 Sep 2025 11:10 am





Tgt Ion: 40 Resp: 371
Ion Ratio Lower Upper
40 100
41 80.6 243.5 283.5#








#24
cis-1,2-Dichloroethene
Concen: 40.86 ug
RT: 4.500 min Scan# 664
Delta R.T. -0.001 min
Lab File: g2231.D
Acq: 18 Sep 2025 11:10 am


Tgt Ion: 61 Resp: 131761
Ion Ratio Lower Upper
61 100
96 73.0 68.2 102.4




#42
Trichloroethene
Concen: 2.61 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g2231.D
Acq: 18 Sep 2025 11:10 am

Tgt Ion:130 Resp: 4997
Ion Ratio Lower Upper
130 100
132 85.6 74.3 114.3
95 105.8 70.6 110.6







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.57 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2231.D
 Acq: 18 Sep 2025 11:10 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	10.0	6.6	10.0#
75	1457.6	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2232.D
 Acq On : 18 Sep 2025 11:30 am
 Operator :
 Sample : 250905090-025a
 Misc : samp
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Sep 19 11:17:03 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	281394	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	194153	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	107605	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	91485	53.76	ug	0.01
59) Toluene-d8	7.914	98	287339	53.46	ug	0.00
81) Bromofluorobenzene	10.908	95	101524	53.86	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	105299	50.91	ug	0.00
Target Compounds						
14) Acetone	2.576	43	4180	3.92	ug	95
17) Methyl Acetate	2.928	43	468	Below Cal	#	54
24) cis-1,2-Dichloroethene	4.511	61	4046	1.31	ug	73
73) trans-1,4-Dichloro-2-b...	10.908	88	4078	4.84	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2232.D
Acq On : 18 Sep 2025 11:30 am
Operator :
Sample : 250905090-025a
Misc : samp
ALS Vial : 8 Sample Multiplier: 1





Quant Time: Sep 19 11:17:03 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#14
Acetone
Concen: 3.92 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.005 min
Lab File: g2232.D
Acq: 18 Sep 2025 11:30 am


Tgt Ion: 43 Resp: 4180
Ion Ratio Lower Upper
43 100
58 29.0 11.8 51.8




#24
cis-1,2-Dichloroethene
Concen: 1.31 ug
RT: 4.511 min Scan# 666
Delta R.T. 0.010 min
Lab File: g2232.D
Acq: 18 Sep 2025 11:30 am

Tgt Ion: 61 Resp: 4046
Ion Ratio Lower Upper
61 100
96 60.9 68.2 102.4#







#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.84 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2232.D
 Acq: 18 Sep 2025 11:30 am



Tgt Ion	Ratio	Lower	Upper
88	100		
52	10.2	6.6	10.0#
75	1363.1	44.7	67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2233.D
 Acq On : 18 Sep 2025 11:52 am
 Operator :
 Sample : 250905090-027a
 Misc : samp
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Sep 19 11:17:06 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	293511	50.00	ug	0.00
36) Chlorobenzene-d5	9.744	117	199502	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	105285	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	94541	53.26	ug	0.00
59) Toluene-d8	7.914	98	293876	53.21	ug	0.00
81) Bromofluorobenzene	10.908	95	99423	53.90	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	105874	52.31	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	12527	5.54	ug	89
6) Chloroethane	1.475	64	3923	2.47	ug	# 49
14) Acetone	2.581	43	1144	1.10	ug	97
16) Acetonitrile	2.865	40	289	1.17	ug	# 1
17) Methyl Acetate	2.928	43	529	Below Cal	#	54
18) Methylene Chloride	3.006	84	3813	Below Cal	#	48
24) cis-1,2-Dichloroethene	4.506	61	154725	48.06	ug	89
73) trans-1,4-Dichloro-2-b...	10.908	88	4117	4.99	ug	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\091825\
Data File : g2233.D
Acq On : 18 Sep 2025 11:52 am
Operator :
Sample : 250905090-027a
Misc : samp
ALS Vial : 9 Sample Multiplier: 1





Quant Time: Sep 19 11:17:06 2025
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Sep 18 14:14:25 2025
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 5.54 ug
RT: 1.475 min Scan# 86
Delta R.T. 0.005 min
Lab File: g2233.D
Acq: 18 Sep 2025 11:52 am


Tgt Ion: 62 Resp: 12527
Ion Ratio Lower Upper
62 100
64 31.3 17.8 57.8



#6
Chloroethane
Concen: 2.47 ug
RT: 1.475 min Scan# 86
Delta R.T. -0.337 min
Lab File: g2233.D
Acq: 18 Sep 2025 11:52 am





Tgt Ion: 64 Resp: 3923
Ion Ratio Lower Upper
64 100
66 0.9 7.6 47.6#








#14
Acetone
Concen: 1.10 ug
RT: 2.581 min Scan# 298
Delta R.T. 0.010 min
Lab File: g2233.D
Acq: 18 Sep 2025 11:52 am


Tgt Ion: 43 Resp: 1144
Ion Ratio Lower Upper
43 100
58 33.7 11.8 51.8



#16
Acetonitrile
Concen: 1.17 ug
RT: 2.865 min Scan# 352
Delta R.T. 0.011 min
Lab File: g2233.D
Acq: 18 Sep 2025 11:52 am





Tgt Ion: 40 Resp: 289
Ion Ratio Lower Upper
40 100
41 34.6 243.5 283.5#








#24
 cis-1,2-Dichloroethene
 Concen: 48.06 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.005 min
 Lab File: g2233.D
 Acq: 18 Sep 2025 11:52 am

Tgt Ion: 61 Resp: 154725
 Ion Ratio Lower Upper
 61 100
 96 75.6 68.2 102.4



#73
 trans-1,4-Dichloro-2-butene
 Concen: 4.99 ug
 RT: 10.908 min Scan# 1886
 Delta R.T. 0.058 min
 Lab File: g2233.D
 Acq: 18 Sep 2025 11:52 am

Tgt Ion: 88 Resp: 4117
 Ion Ratio Lower Upper
 88 100
 52 8.2 6.6 10.0
 75 1314.2 44.7 67.1#



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2238.D
 Acq On : 18 Sep 2025 01:58 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Sep 19 11:16:17 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.901	96	323713	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	227449	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	127997	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	102025	52.11	ug	0.00
59) Toluene-d8	7.909	98	332701	52.84	ug	0.00
81) Bromofluorobenzene	10.908	95	123117	54.90	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	123107	50.03	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	48074	28.91	ug	# 94
3) Chloromethane	1.389	50	64564	24.66	ug	95
4) Vinyl Chloride	1.475	62	66229	26.55	ug	90
5) Bromomethane	1.721	94	49987	23.99	ug	83
6) Chloroethane	1.812	64	45830	26.17	ug	91
7) Acrolein	2.414	56	5837	63.12	ug	89
8) Trichlorofluoromethane	2.028	101	108777	27.12	ug	85
9) Ethanol	2.225	45	16450	277.53	ug	91
10) Freon113	2.498	101	44854	23.91	ug	83
11) 1,1-Dichloroethene	2.493	96	40850	20.51	ug	# 82
12) Allyl Chloride	2.865	41	158179	21.64	ug	99
13) Carbon Disulfide	2.702	76	129111	22.38	ug	100
14) Acetone	2.571	43	20598	16.46	ug	98
15) Iodomethane	2.639	142	40187	20.87	ug	91
16) Acetonitrile	2.860	40	54902	201.17	ug	# 86
17) Methyl Acetate	2.917	43	59901	23.89	ug	100
18) Methylene Chloride	3.006	84	55268	21.15	ug	# 65
19) Acrylonitrile	3.316	53	17894	78.32	ug	# 86
20) trans-1,2-Dichloroethene	3.316	96	48838	22.15	ug	# 84
21) Mtbe	3.337	73	301281	42.14	ug	99
22) 1,1-Dichloroethane	3.809	63	92466	23.03	ug	99
24) cis-1,2-Dichloroethene	4.501	61	88783	25.00	ug	# 76
25) 2,2-Dichloropropane	4.490	77	74471	25.00	ug	# 77
26) Propionitrile	4.627	54	89817	205.45	ug	95
27) Bromochloromethane	4.784	128	26740	23.76	ug	86
28) Methacrylonitrile	4.800	67	271663	220.85	ug	# 83
29) Tetrahydrofuran	4.868	42	21551	21.60	ug	91
30) Chloroform	4.894	83	97409	23.01	ug	98
31) Cyclohexane	5.146	84	104317	28.07	ug	# 76
32) 1,1-Dichloro-1-propene	5.298	75	69168	25.07	ug	82
33) 1,2-Dichloroethane	5.581	62	79921	25.41	ug	96
34) 2-Butanone	4.564	43	26697	19.60	ug	68
37) 1,1,1-Trichloroethane	5.093	97	81314	25.10	ug	99
38) Carbon Tetrachloride	5.287	117	68822	24.60	ug	99
39) Benzene	5.544	78	210008	24.10	ug	100
40) Isobutanol	5.146	43	12368	533.96	ug	# 100
41) Heptane	5.146	43	12368	26.70	ug	# 1
42) Trichloroethene	6.357	130	52391	24.22	ug	92
43) Methyl Cyclohexane	6.577	83	107655	29.91	ug	92
44) 1,2-Dichloropropane	6.635	63	58250	24.83	ug	99
45) Vinyl Acetate	3.903	43	101252	23.54	ug	95


Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2238.D
 Acq On : 18 Sep 2025 01:58 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Sep 19 11:16:17 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.781	174	32487	21.97	ug	# 64
47) 1,4-Dioxane	6.855	88	12760	417.87	ug	# 1
48) Methyl Methacrylate	6.844	69	44541	24.08	ug	# 73
49) Bromodichloromethane	6.996	83	75696	25.64	ug	# 37
50) Ceve	7.426	63	3932	4.31	ug	89
51) cis-1,3-Dichloropropene	7.578	75	84927	27.26	ug	99
52) trans-1,3-Dichloropropene	8.318	75	77718	28.86	ug	98
53) 1,1,2-Trichloroethane	8.548	97	52093	25.16	ug	95
54) 1,3-Dichloropropane	8.763	76	91024	25.62	ug	95
55) 1,2-Dibromoethane	9.183	107	49632	24.69	ug	98
56) Dibromochloromethane	9.052	129	52781	24.05	ug	93
57) Bromoform	10.604	173	38000	23.74	ug	100
58) 4-Methyl-2-Pentanone	7.820	43	80228	23.37	ug	90
60) Toluene	7.993	92	134378	25.41	ug	99
61) Ethyl Metacrylate	8.485	69	80720	23.33	ug	# 81
62) Tetrachloroethene	8.706	164	42955	22.93	ug	99
63) 2-Hexanone	8.931	43	40952	21.85	ug	86
65) Chlorobenzene	9.770	112	146179	26.44	ug	99
66) 1,1,1,2-Tetrachloroethane	9.870	133	47498	25.45	ug	# 92
67) Ethylbenzene	9.906	106	79540	27.26	ug	98
68) m,p-Xylene	10.032	91	397359	55.94	ug	97
69) o-Xylene	10.425	106	97551	27.98	ug	93
70) Styrene	10.441	104	158258	28.66	ug	79
71) Isopropylbenzene	10.777	105	240742	28.10	ug	98
72) Chloroprene	10.850	53	26764	47.78	ug	82
73) trans-1,4-Dichloro-2-b...	10.850	88	25489	25.42	ug	# 53
74) Bromobenzene	11.028	77	99139	28.09	ug	98
75) 1,2,3-Trichloropropane	11.081	75	86100	24.60	ug	# 79
76) 2-Chlorotoluene	11.201	91	176700	28.24	ug	93
77) 4-Chlorotoluene	11.296	91	205586	28.08	ug	98
78) 1,3,5-Trimethylbenzene	11.290	105	200953	27.90	ug	99
79) tert-Butylbenzene	11.558	119	165461	27.11	ug	100
80) 1,2,4-Trimethylbenzene	11.595	105	194459	27.97	ug	93
82) 1,1,2,2-Tetrachloroethane	11.055	83	81340	26.02	ug	93
83) n-Propylbenzene	11.138	91	301369	27.43	ug	99
84) 1,3-Dichlorobenzene	11.810	146	115016	25.90	ug	98
85) sec-Butylbenzene	11.731	105	254310	27.43	ug	97
86) 4-Isopropyltoluene	11.846	119	209459	27.64	ug	98
87) 1,4-Dichlorobenzene	11.810	146	115016	25.82	ug	94
88) 1,2-Dichlorobenzene	12.161	146	113307	25.42	ug	# 87
89) n-Butylbenzene	12.156	91	206604	27.04	ug	90
90) 1,2-Dibromo-3-Chloropr	12.732	157	13740	23.29	ug	94
91) 1,2,4-Trichlorobenzene	13.299	180	74268	25.15	ug	98
92) Hexachlorobutadiene	13.409	225	35513	24.75	ug	97
93) Naphthalene	13.466	128	190675	26.81	ug	100
94) 1,2,3-Trichlorobenzene	13.629	180	70932	24.41	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance



Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2239.D
 Acq On : 18 Sep 2025 02:17 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 19 11:16:21 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	318913	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	222960	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	124729	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	96615	50.09	ug	0.01
59) Toluene-d8	7.914	98	323522	52.42	ug	0.00
81) Bromofluorobenzene	10.907	95	119458	54.67	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.150	152	118217	49.31	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.248	85	51582	31.49	ug	# 91
3) Chloromethane	1.389	50	71922	27.88	ug	97
4) Vinyl Chloride	1.475	62	71295	29.01	ug	90
5) Bromomethane	1.721	94	51171	24.92	ug	# 80
6) Chloroethane	1.812	64	46687	27.06	ug	91
7) Acrolein	2.419	56	7207	79.11	ug	91
8) Trichlorofluoromethane	2.028	101	116052	29.37	ug	85
9) Ethanol	2.225	45	20037	343.14	ug	99
10) Freon113	2.503	101	45778	24.77	ug	91
11) 1,1-Dichloroethene	2.498	96	44011	22.43	ug	# 86
12) Allyl Chloride	2.865	41	166127	23.07	ug	99
13) Carbon Disulfide	2.702	76	137446	24.19	ug	100
14) Acetone	2.576	43	21430	17.38	ug	98
15) Iodomethane	2.644	142	49257	25.96	ug	93
16) Acetonitrile	2.859	40	56100	208.65	ug	# 82
17) Methyl Acetate	2.922	43	64156	26.01	ug	98
18) Methylene Chloride	3.011	84	58939	23.10	ug	# 67
19) Acrylonitrile	3.315	53	18008	80.01	ug	# 83
20) trans-1,2-Dichloroethene	3.321	96	52035	23.96	ug	# 88
21) Mtbe	3.342	73	314179	44.60	ug	98
22) 1,1-Dichloroethane	3.814	63	94984	24.01	ug	99
23) Hexane	3.342	43	72839	22.13	ug	# 68
24) cis-1,2-Dichloroethene	4.506	61	89314	25.53	ug	# 80
25) 2,2-Dichloropropane	4.495	77	78104	26.62	ug	# 80
26) Propionitrile	4.631	54	95215	221.08	ug	96
27) Bromochloromethane	4.789	128	28123	25.36	ug	88
28) Methacrylonitrile	4.805	67	283244	233.73	ug	# 84
29) Tetrahydrofuran	4.873	42	22490	22.88	ug	91
30) Chloroform	4.899	83	97849	23.47	ug	100
31) Cyclohexane	5.151	84	108521	29.64	ug	# 78
32) 1,1-Dichloro-1-propene	5.303	75	72268	26.59	ug	82
33) 1,2-Dichloroethane	5.591	62	81454	26.28	ug	98
34) 2-Butanone	4.569	43	30834	22.98	ug	71
37) 1,1,1-Trichloroethane	5.098	97	83674	26.34	ug	99
38) Carbon Tetrachloride	5.292	117	70410	25.68	ug	98
39) Benzene	5.549	78	219349	25.68	ug	100
40) Isobutanol	5.145	43	12761	562.02	ug	# 100
41) Heptane	5.145	43	12761	28.10	ug	# 1
42) Trichloroethene	6.362	130	54367	25.64	ug	93
43) Methyl Cyclohexane	6.577	83	108171	30.66	ug	91
44) 1,2-Dichloropropane	6.640	63	58546	25.46	ug	98

Data Path : D:\MassHunter\GCMS\2\data\091825\
 Data File : g2239.D
 Acq On : 18 Sep 2025 02:17 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Sep 19 11:16:21 2025
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full081325.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Sep 18 14:14:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	106053	25.15	ug	96
46) Dibromomethane	6.786	174	34484	23.79	ug	# 69
47) 1,4-Dioxane	6.855	88	14420	481.74	ug	# 1
48) Methyl Methacrylate	6.849	69	46111	25.43	ug	# 73
49) Bromodichloromethane	7.001	83	77410	26.75	ug	# 35
50) Ceve	7.431	63	3840	4.29	ug	97
51) cis-1,3-Dichloropropene	7.583	75	86013	28.16	ug	99
52) trans-1,3-Dichloropropene	8.323	75	78592	29.77	ug	97
53) 1,1,2-Trichloroethane	8.553	97	53522	26.38	ug	97
54) 1,3-Dichloropropane	8.768	76	92591	26.59	ug	94
55) 1,2-Dibromoethane	9.183	107	53253	27.02	ug	98
56) Dibromochloromethane	9.057	129	56803	26.40	ug	93
57) Bromoform	10.603	173	41097	26.19	ug	99
58) 4-Methyl-2-Pentanone	7.825	43	89573	26.61	ug	91
60) Toluene	7.998	92	138693	26.76	ug	99
61) Ethyl Metacrylate	8.485	69	82573	24.35	ug	# 82
62) Tetrachloroethene	8.705	164	45908	25.00	ug	95
63) 2-Hexanone	8.936	43	45837	24.95	ug	85
65) Chlorobenzene	9.770	112	151552	28.13	ug	98
66) 1,1,1,2-Tetrachloroethane	9.875	133	49577	27.26	ug	# 92
67) Ethylbenzene	9.906	106	82660	29.08	ug	99
68) m,p-Xylene	10.032	91	405356	58.56	ug	97
69) o-Xylene	10.425	106	99184	29.20	ug	91
70) Styrene	10.441	104	163946	30.47	ug	78
71) Isopropylbenzene	10.776	105	244543	29.29	ug	98
72) Chloroprene	10.850	53	28138	51.55	ug	80
73) trans-1,4-Dichloro-2-b...	10.850	88	26176	26.79	ug	# 54
74) Bromobenzene	11.028	77	100421	29.20	ug	100
75) 1,2,3-Trichloropropane	11.081	75	88774	26.03	ug	# 79
76) 2-Chlorotoluene	11.201	91	178692	29.30	ug	92
77) 4-Chlorotoluene	11.295	91	210716	29.53	ug	100
78) 1,3,5-Trimethylbenzene	11.290	105	202487	28.84	ug	98
79) tert-Butylbenzene	11.558	119	168839	28.38	ug	99
80) 1,2,4-Trimethylbenzene	11.594	105	200007	29.53	ug	92
82) 1,1,2,2-Tetrachloroethane	11.054	83	85729	28.15	ug	94
83) n-Propylbenzene	11.138	91	309829	28.94	ug	98
84) 1,3-Dichlorobenzene	11.809	146	118246	27.32	ug	99
85) sec-Butylbenzene	11.731	105	259043	28.67	ug	98
86) 4-Isopropyltoluene	11.846	119	209982	28.44	ug	98
87) 1,4-Dichlorobenzene	11.809	146	118246	27.24	ug	96
88) 1,2-Dichlorobenzene	12.161	146	116747	26.88	ug	# 88
89) n-Butylbenzene	12.155	91	209460	28.13	ug	91
90) 1,2-Dibromo-3-Chloropr	12.732	157	15276	26.57	ug	93
91) 1,2,4-Trichlorobenzene	13.298	180	77037	26.77	ug	99
92) Hexachlorobutadiene	13.414	225	37927	27.13	ug	97
93) Naphthalene	13.466	128	197359	28.47	ug	99
94) 1,2,3-Trichlorobenzene	13.629	180	74876	26.44	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

[illegible]

Analyst: CEStandards: VOA 18-1032 B 11/5 #10069BDate: 9/15

Vial 1 used for samples

unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
62	B	BFB									@ 9:20
63	B	BFB									@ 9:39
64	1	CEV			Full 08 B 25	✓	✓	OK	OK		211/148/91
65	2	LCS				✓	✓	OK	OK		221/150/88
66	3	LCS				✓	✓	OK	OK		228/151/88
67	4	~~Vol 1000~~				✓	✓	OK	OK		
5	508	0904040-1M		1		✓	✓	OK	OK	N	93 Base 100A
6	609	-2H		1		✓	✓	OK	OK	N	
7	70	-3H		1		✓	✓	OK	OK	N	
8	71	-4H		1		✓	✓	OK	OK	N	
9	72	-5H		1		✓	✓	OK	OK	N	
10	73	3905016-2A		1		✓	✓	OK	OK	N	VCLP-Low
11	74	-4A		1		✓	✓	OK	OK	N	
12	75	-28A		1		✓	✓	OK	OK	N	
13	76	-31A		1		✓	✓	OK	OK	N	
14	77	250915026-1A		6		✓	✓	OK	OK	N	1502600 + TICS CHCl ₃
15	78	-2A		6		✓	✓	OK	OK	N	CHCl ₃
16	79	-3A		6		✓	✓	OK	OK	N	CHCl ₃
17	80	-4A		6		✓	✓	OK	OK	N	CHCl ₃
18	81	-5A		6		✓	✓	OK	OK	N	CHCl ₃
19	82	-6A		6		✓	✓	OK	OK	N	CHCl ₃
20	83	-7A		6		✓	✓	OK	OK	N	CHCl ₃
21	84	0905040-35A		1		✓	✓	OK	OK	N	VCLPLOW
22	85	-36A		1		✓	✓	OK	OK	N	
23	86	-43A		1		✓	✓	OK	OK	N	
24	87	-44A		1		✓	✓	OK	OK	N	
25	88	-1A		1		✓	✓	OK	OK	N	
26	89	-7A		1		✓	✓	OK	OK	N	
27	90	-12A		1		✓	✓	OK	OK	N	
28	91	-13A		1		✓	✓	OK	OK	N	
29	92	-5A		1		✓	✓	OK	OK	N	
30	93	-16A		1		✓	✓	OK	OK	N	
31	94	-16A MS		1		✓	✓	OK	OK	N	
32	95	-16A MSP		1		✓	✓	OK	OK	N	

REVIEW

DATE

Analyst: CL

Standards: _____

Date: 9/1/16Vial 1 used for samples
unless otherwise noted belowVOA18-14A (501)

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
1	9212	BFB									
2	23	BFB									@ 8:43
3	24	CEU			S 9260-905	✓		OK	OK		136194/58
4	25	LCS-119272				✓	✓	OK	OK		1491102162
5	26	MB-119272				✓	✓	OK	OK		
6	27	250914062-1A				✓	✓	OK	OK		TCLP-VT
B	28	VBK									@ 10:42
B	29	BFB									@ 11:01
1	3625	CEU				✓	✓	OK	OK		1171123178
2	3126	LES				✓	✓	OK	OK		1941130178
3	3127	LES				✓	✓	OK	OK		2021134178
4	3331	VBK				✓	✓	OK	OK		
5	3432	0904040-6H		1		✓	✓	OK	OK	N	93 Base 107
6	3533	-7H		1		✓	✓	OK	OK	N	
7	3634	-8H		1		✓	✓	OK	OK	N	
8	3735	-9H		1		✓	✓	OK	OK	N	
9	3836	-10A		1		✓	✓	OK	OK	N	
10	39	0905090-17A		1		✓	✓	OK	OK	N	VCLP-LOW
11	40	-18A		1		✓	✓	OK	OK	N	
12	41	-20A		1		✓	✓	OK	OK	N	
13	42	-29A		1		✓	✓	OK	OK	N	
14	43	-38A		1		✓	✓	OK	OK	N	
15	4448	-10A X501				✓	✓	OK	OK	N	
16	4546	-23A X501				✓	✓	OK	OK	N	
17	4647	-24A X501				✓	✓	OK	OK	N	
18	4748	-23AMS X50M1				✓	✓	OK	OK	N	
19	4849	-23AMS X50M1				✓	✓	OK	OK	N	
B	4950	VBK									
20	5051	0904040-9HM		1		✓	✓	OK	OK	N	93 Base 107
21	5152	-4HMS		1		✓	✓	OK	OK	N	
22	5253	-4HMSD		1		✓	✓	OK	OK	N	
23	5354	-6HMS		1		✓	✓	OK	OK	N	
24	5455	-6HMSD		1		✓	✓	OK	OK	N	
25	5556	0905090-11A		1		✓	✓	OK	OK	N	VCLP-LOW

REVIEW

DATE

insert

VBK-B

5/5

Analyst: _____

Standards: _____

Vial 1 used for samples
unless otherwise noted belowDate: 9/1/16 cont

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
13	9457	VBK									
13	58	BRB									@ 8:35
26	59	CCV				✓		anal			198/137/81
27	60	LCS				✓		on ac			209/143/84
28	61	LCS				✓	✓	on on			
29	62	0904040-114		1		✓	✓	on ac		N	93 Box 10A
30	63	-124		1		✓	✓	on ac		N	
31	64	-134		1		✓	✓	on on		N	
32	65	-14A		1		✓	✓	on on		N	
33	66	-154		1		✓	✓	on on		N	
34	67	-164		1		✓	✓	on on		N	
35	68	-174		1		✓	✓	on on		N	
36	69	-184		1		✓	✓	on on		N	
37	70	-194		1		✓	✓	on on		N	
38	71	-204		1		✓	✓	on on		N	
39	72	-21A		1		✓	✓	on on		N	
40	73	-11AUS		1		✓	✓	on on		N	
40	74	MSD		1		✓	✓	on on		N	
41	75	VBK				✓	✓	on on			
42	76	CCV				✓	✓	on on			
43	77	LCS				✓		on on			
44	78	0905090-319 X1		1		✓	✓	on on		N	VCLP-low
45	79	-8A X1		1		✓	✓	on on		N	
46	80	-14A X1		1		✓	✓	on on		N	
47	81	-19A X1		1		✓	✓	on on		N	
48	82	-33A -X		1		✓	✓	on on		N	
49	83	-34A X1		1		✓	✓	on on		N	
50	84	-37A X1		1		✓	✓	on on		N	
51	85	-31A X1		1		✓	✓	on on		N	
52	86	-40A X1		1		✓	✓	on on		N	
53	87	-41A X50		1		✓	✓	on on		N	
54	88	-41A X50		1		✓	✓	on on		N	
55	89	-22A-43B X25				✓	✓	on on		N	
56	90	-20A X200				✓	✓	on on		N	

REVIEW

DATE

Analyst: CE

Standards: _____

Date: 9/18Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
B	✓ 23	BFB									@ 8124
B	✓ 24	BFB									@ 8143
1	✓ 25	CEO				✓		OK	OK		334/231/138
2	✓ 24	LCS				✓		OK	OK		323/229/135 low
3	22	UBLK				✓	✓	OK	OK		
4	✓ 28	09650905A	X1	1		✓	✓	OK	OK	N	VCEP-LOW
5	✓ 29	-6A	X1	1		✓	✓	OK	OK	N	
6	✓ 30	-9A	X2	1		✓	✓	OK	OK	N	
7	✓ 31	-7A	X100	1		✓	✓	OK	OK	N	
8	✓ 32	25A	X1	1		✓	✓	OK	OK	N	
9	33	-27A	X100	1		✓	✓	OK	OK	N	
10	34	UBLK		1							
10	35	0912071C		1		✓	✓	OK	OK	N	601/602 BTEX NO 24E
11	36	0917032-1B		1		✓	✓	OK	OK	N	
12	37	-2B		1		✓	✓	OK	OK	N	
13	38	CEO				✓	✓	OK	OK		
14	39	LCS				✓	✓	OK	OK		323/227/127 good
15	40	0910143		1		✓	✓	OK	OK	N	EDGELOW
16	41	2A		1		✓	✓	OK	OK	N	
17	42	3A		1		✓	✓	OK	OK	N	
18	43	-4A		1		✓	✓	OK	OK	N	
19	44	5A		1		✓	✓	OK	OK	N	
20	45	-6A		1		✓	✓	OK	OK	N	
21	46	-7A		1		✓	✓	OK	OK	N	
22	47	-8A		1		✓	✓	OK	OK	N	Remn
23	48	-9A		1		✓	✓	OK	OK	N	
24	49	-10A		1		✓	✓	OK	OK	N	
25	50	-11A		1		✓	✓	OK	OK	N	
26	51	+12A		1		✓	✓	OK	OK	N	
27	52	-13A		1		✓	✓	OK	OK	N	
28	53	-14A		1		✓	✓	OK	OK	N	
29	54	-15A	X2	1		✓	✓	OK	OK	N	sediment
30	56	-14MS		1		✓	✓	OK	OK	N	
30	57	MSD		1		✓	✓	OK	OK	N	

REVIEW

DATE



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.

Groundwater Sampling Water Chemistry Data (Field Notes)



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-1B

Sample Date: 9/3/25

Sample Time: 1205

Sample ID: MW 94-1B

Sampler(s) Name: G6

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.31</u>	Water Column Height	<u>10.19</u>
LNAPL		1 Purge Volume	<u>6.09 gal</u>
DNAPL		Purge Rate	<u>200 mL/min</u>
Well Depth	<u>24.50</u>	Approximate Volume Purged	<u>7.19 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>9:55</u>	<u>10:00</u>	<u>11:25</u>	<u>11:30</u>	<u>11:35</u>	<u>11:40</u>	<u>11:45</u>	
Static Water Level	<u>14.31</u>	<u>15.10</u>	<u>21.71</u>	<u>21.71</u>	<u>22.12</u>	<u>22.24</u>	<u>22.30</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>15.9</u>	<u>15.9</u>	<u>16.0</u>	<u>16.1</u>	<u>16.0</u>	<u>16.2</u>	<u>16.4</u>	+/- 1 °C
Specific Conductance	<u>995</u>	<u>971</u>	<u>852</u>	<u>847</u>	<u>844</u>	<u>847</u>	<u>854</u>	+/- 3 %
Dissolved Oxygen	<u>5.69</u>	<u>5.13</u>	<u>2.58</u>	<u>3.00</u>	<u>2.91</u>	<u>2.80</u>	<u>2.66</u>	+/- 10 % or <1
pH	<u>7.06</u>	<u>7.14</u>	<u>7.17</u>	<u>7.19</u>	<u>7.20</u>	<u>7.20</u>	<u>7.19</u>	+/- 0.1 s.u.
Redox Potential	<u>190.2</u>	<u>175.9</u>	<u>7.4</u>	<u>36.0</u>	<u>53.3</u>	<u>63.7</u>	<u>68.7</u>	+/- 10 mV
Turbidity	<u>8.11</u>	<u>7.34</u>	<u>36.3</u>	<u>24.9</u>	<u>22.5</u>	<u>22.1</u>	<u>21.8</u>	+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>	<u>Cloudy</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	

Comments: Stabilization achieved. Sample collected

Page 10 of 20

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-1B

Sample Date: 9/3/25

Sample Time: 12:05

Sample ID: MW 94-1B

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.31</u>	Water Column Height	<u>10.19</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>6.05 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>290 mL/min</u>
Well Depth	<u>24.50</u>	Approximate Volume Purged	<u>7.1 gal</u>

Volume Removed				Sample				Stabilization Criteria
Time	<u>11:50</u>	<u>11:55</u>	<u>12:00</u>	<u>12:05</u>				< 0.3 feet
Static Water Level	<u>22.35</u>	<u>22.41</u>	<u>22.43</u>	<u>22.45</u>				
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>				+/- 1 °C
Temperature	<u>16.4</u>	<u>16.3</u>	<u>16.2</u>	<u>16.1</u>				+/- 3 %
Specific Conductance	<u>853</u>	<u>851</u>	<u>847</u>	<u>846</u>				+/- 10 % or <1
Dissolved Oxygen	<u>2.37</u>	<u>1.87</u>	<u>1.74</u>	<u>1.69</u>				+/- 0.1 s.u.
pH	<u>7.19</u>	<u>7.20</u>	<u>7.20</u>	<u>7.21</u>				+/- 10 mV
Redox Potential	<u>72.1</u>	<u>75.1</u>	<u>78.0</u>	<u>78.9</u>				+/- 10 % or <10
Turbidity	<u>41.6</u>	<u>40.6</u>	<u>40.3</u>	<u>41.0</u>				
Observation	<u>cloudy No odor</u>	<u>cloudy No odor</u>	<u>cloudy No odor</u>	<u>cloudy No odor</u>				

Comments: Stabilization achieved, Sample collected

Page 2 of 2.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-94-2BSample Date: 9/2/25Sample Time: 1230Sample ID: MW-94-2BSampler(s) Name: SLWeather Conditions: Sunny 75°

Field Observation(s)/Well Condition: _____

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.95</u>	Water Column Height	<u>14.55</u>
LNAPL		1 Purge Volume	<u>8.6 gal</u>
DNAPL		Purge Rate	<u>300 mL/min</u>
Well Depth	<u>29.5</u>	Approximate Volume Purged	<u>3.2 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>1150</u>	<u>1155</u>	<u>1200</u>	<u>1205</u>	<u>1210</u>	<u>1215</u>	<u>1220</u>	
Static Water Level	<u>14.94</u>	<u>14.94</u>	<u>14.94</u>	<u>14.94</u>	<u>14.94</u>	<u>14.94</u>	<u>14.94</u>	< 0.3 feet
Purge Rate	<u>300 mL/min</u>	<u>300 mL/min</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	
Temperature	<u>16</u>	<u>16</u>	<u>16</u>	<u>16</u>	<u>16</u>	<u>16</u>	<u>16</u>	+/- 1 °C
Specific Conductance	<u>1821</u>	<u>1824</u>	<u>1831</u>	<u>1873</u>	<u>1911</u>	<u>1968</u>	<u>2004</u>	+/- 3 %
Dissolved Oxygen	<u>2.77</u>	<u>2.35</u>	<u>2.33</u>	<u>2.33</u>	<u>2.27</u>	<u>2.15</u>	<u>2.05</u>	+/- 10 % or <1
pH	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	+/- 0.1 s.u.
Redox Potential	<u>-4.7</u>	<u>45.4</u>	<u>59.6</u>	<u>78.2</u>	<u>87.9</u>	<u>96.3</u>	<u>102.3</u>	+/- 10 mV
Turbidity	<u>35.6</u>	<u>13.7</u>	<u>14.1</u>	<u>14.2</u>	<u>14.0</u>	<u>13.8</u>	<u>13.7</u>	+/- 10 % or <10
Observation	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	<u>Clear water</u>	

Comments: _____

1052

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: Mw 94-2B

Sample Date: 9/2/25

Sample Time: 1230

Sample ID: Mw 94-2B

Sampler(s) Name: DL

Weather Conditions: Sunny 75°

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.95</u>	Water Column Height	<u>14.55</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>8.6 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>30 gpm/min</u>
Well Depth	<u>29.5</u>	Approximate Volume Purged	<u>3.2 gal</u>

Volume Removed	Time	Static Water Level	Purge Rate	Temperature	Specific Conductance	Dissolved Oxygen	pH	Redox Potential	Turbidity	Observation	Stabilization Criteria
	<u>1225</u>	<u>14.94</u>	<u>300</u>	<u>16</u>	<u>2034</u>	<u>1.96</u>	<u>7.0</u>	<u>107.4</u>	<u>13.9</u>	<u>clear</u>	
	<u>1230</u>	<u>14.94</u>	<u>300</u>	<u>16</u>	<u>2053</u>	<u>1.93</u>	<u>7.0</u>	<u>112.1</u>	<u>14.0</u>	<u>clear</u>	

Comments: Stabilization achieved Sample collected

2022

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-3

Sample Date: 9/2/25

Sample Time: 12:20

Sample ID: MW 94-3

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>12.66</u>	Water Column Height	<u>7.34</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.2 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300 mL/min</u>
Well Depth	<u>20.0</u>	Approximate Volume Purged	<u>2.0 gal</u>

Volume Removed	Inch				Sample		Stabilization Criteria
Time	<u>12:00</u>	<u>12:05</u>	<u>12:10</u>	<u>12:15</u>	<u>12:20</u>		
Static Water Level	<u>12.66</u>	<u>13.17</u>	<u>13.30</u>	<u>13.37</u>	<u>13.38</u>		< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>		
Temperature	<u>12.61</u>	<u>16.02</u>	<u>15.80</u>	<u>15.89</u>	<u>15.92</u>		+/- 1 °C
Specific Conductance	<u>1283</u>	<u>1299</u>	<u>1331</u>	<u>1347</u>	<u>1345</u>		+/- 3 %
Dissolved Oxygen	<u>3.84</u>	<u>3.70</u>	<u>3.58</u>	<u>3.63</u>	<u>3.57</u>		+/- 10 % or <1
pH	<u>6.72</u>	<u>6.81</u>	<u>6.83</u>	<u>6.85</u>	<u>6.86</u>		+/- 0.1 s.u.
Redox Potential	<u>166.4</u>	<u>159.0</u>	<u>150.1</u>	<u>145.0</u>	<u>140.4</u>		+/- 10 mV
Turbidity	<u>6.01</u>	<u>4.98</u>	<u>4.62</u>	<u>3.78</u>	<u>3.62</u>		+/- 10 % or <10
Observation	<u>clear no odor</u>	<u>clear no odor</u>	<u>clear no odor</u>	<u>clear no odor</u>	<u>clear no odor</u>		

Comments: Stabilization achieved. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW94-482

Sample Date: 9/2/25

Sample Time: 1315

Sample ID: MW94-482

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.68</u>	Water Column Height	<u>68.12</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>40.1 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 ml/min</u>
Well Depth	<u>82.80</u>	Approximate Volume Purged	<u>8.6 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>1215</u>	<u>1240</u>	<u>1245</u>	<u>1250</u>	<u>1255</u>	<u>1300</u>	<u>1305</u>	
Static Water Level	<u>14.68</u>	<u>22.35</u>	<u>22.68</u>	<u>23.01</u>	<u>23.29</u>	<u>23.52</u>	<u>23.69</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>18</u>	<u>22</u>	<u>23</u>	<u>23</u>	<u>23</u>	<u>24</u>	<u>24</u>	+/- 1 °C
Specific Conductance	<u>846</u>	<u>797</u>	<u>786</u>	<u>774</u>	<u>756</u>	<u>733</u>	<u>713</u>	+/- 3 %
Dissolved Oxygen	<u>0.18</u>	<u>0.09</u>	<u>0.08</u>	<u>0.08</u>	<u>0.07</u>	<u>0.06</u>	<u>0.06</u>	+/- 10 % or <1
pH	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	<u>7.7</u>	+/- 0.1 s.u.
Redox Potential	<u>-128.0</u>	<u>-188.3</u>	<u>-195.7</u>	<u>-201.0</u>	<u>-202.6</u>	<u>-216.5</u>	<u>-224.0</u>	+/- 10 mV
Turbidity	<u>188</u>	<u>65.7</u>	<u>42.3</u>	<u>40.1</u>	<u>47.8</u>	<u>41.8</u>	<u>40.4</u>	+/- 10 % or <10
Observation	<u>cloudy</u>	<u>cloudy</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	

Comments: Page 1 of 2

MS / MSD Collected? YES / NO
Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW94-4B2

Sample Date: 9/2/25

Sample Time: 1315

Sample ID: MW94-4B2

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.68</u>	Water Column Height	<u>68.12</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>40.1 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>82.80</u>	Approximate Volume Purged	<u>8.6 gal</u>

Volume Removed		Sample						Stabilization Criteria
Time	<u>1310</u>	<u>1315</u>						
Static Water Level	<u>23.87</u>	<u>23.98</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>						
Temperature	<u>24</u>	<u>25</u>						+/- 1 °C
Specific Conductance	<u>699</u>	<u>698</u>						+/- 3 %
Dissolved Oxygen	<u>0.06</u>	<u>0.05</u>						+/- 10 % or <1
pH	<u>7.8</u>	<u>7.7</u>						+/- 0.1 s.u.
Redox Potential	<u>-230.4</u>	<u>-233.8</u>						+/- 10 mV
Turbidity	<u>39.2</u>	<u>38.9</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Page 2 of 2 Stabilization achieved Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-5

Sample Date: 9/4/25

Sample Time: 1415

Sample ID: MW 94-5

Sampler(s) Name: G6

Weather Conditions: Sunny 75° F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	7.86	Water Column Height	10.14
LNAPL	—	1 Purge Volume	1.7 gal
DNAPL	—	Purge Rate	500 mL/min
Well Depth	18.00	Approximate Volume Purged	4.5 gal

Volume Removed	Initial						Sample	Stabilization Criteria
Time	13:45	13:50	13:55	14:00	14:05	14:10	14:15	
Static Water Level	7.86	9.04	9.04	9.04	9.07	9.07	9.06	< 0.3 feet
Purge Rate	500	500	500	500	500	500	500	
Temperature	16.70	16.39	16.63	17.19	17.11	17.04	16.95	+/- 1 °C
Specific Conductance	566	550	549	548	547	548	551	+/- 3 %
Dissolved Oxygen	3.67	0.54	0.40	0.31	0.34	0.27	0.37	+/- 10 % or <1
pH	7.22	8.60	8.69	8.49	8.67	8.69	8.73	+/- 0.1 s.u.
Redox Potential	176.4	180.7	177.6	172.9	169.3	167.2	164.3	+/- 10 mV
Turbidity	61.1	86.9	84.5	37.7	38.9	36.9	36.1	+/- 10 % or <10
Observation	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 96-6

Sample Date: 9/2/25

Sample Time: 15:25

Sample ID: MW 96-6

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.78</u>	Water Column Height	<u>15.72</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>2.69 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300 mL/min</u>
Well Depth	<u>30.5</u>	Approximate Volume Purged	<u>3.69 gal</u>

Volume Removed	Inch				Sample			Stabilization Criteria
Time	<u>2:45</u>	<u>2:50</u>	<u>3:15</u>	<u>3:20</u>	<u>3:25</u>			
Static Water Level	<u>14.78</u>	<u>21.21</u>	<u>24.18</u>	<u>24.31</u>	<u>24.39</u>			< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>			
Temperature	<u>13.92</u>	<u>14.94</u>	<u>15.58</u>	<u>15.51</u>	<u>15.48</u>			+/- 1 °C
Specific Conductance	<u>898</u>	<u>896</u>	<u>896</u>	<u>893</u>	<u>891</u>			+/- 3 %
Dissolved Oxygen	<u>0.49</u>	<u>0.52</u>	<u>0.79</u>	<u>0.86</u>	<u>0.96</u>			+/- 10 % or <1
pH	<u>6.97</u>	<u>7.01</u>	<u>7.02</u>	<u>7.02</u>	<u>7.03</u>			+/- 0.1 s.u.
Redox Potential	<u>146.7</u>	<u>146.2</u>	<u>138.8</u>	<u>138.2</u>	<u>137.8</u>			+/- 10 mV
Turbidity	<u>3.45</u>	<u>8.43</u>	<u>5.21</u>	<u>5.27</u>	<u>6.21</u>			+/- 10 % or <10
Observation	<u>Clear No odor</u>	<u>Clear No odor</u>	<u>Clear No odor</u>	<u>Clear No odor</u>	<u>Clear No odor</u>			

Comments: Stabilization achieved Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-96-7B

Sample Date: 9/5/25

Sample Time: 1215

Sample ID: MW-96-7B

Sampler(s) Name: DL

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: _____

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.57</u>	Water Column Height	<u>3.43</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>2.0 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>18.0</u>	Approximate Volume Purged	<u>2.0 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1025</u>	<u>1215</u>						
Static Water Level	<u>15.31</u>	<u>14.25</u>						< 0.3 feet
Purge Rate	<u>500 mL</u>	<u>Bailer</u>						
Temperature	<u>19</u>	<u>19</u>						+/- 1 °C
Specific Conductance	<u>5535</u>	<u>4853</u>						+/- 3 %
Dissolved Oxygen	<u>2.78</u>	<u>5.75</u>						+/- 10 % or <1
pH	<u>7.2</u>	<u>8.5</u>						+/- 0.1 s.u.
Redox Potential	<u>220</u>	<u>222</u>						+/- 10 mV
Turbidity	<u>13.4</u>	<u>33.2</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Cloudy</u>						

Comments: Unable to control drawdown Sample collected upon recovery. Water level checked 9/3/25 @ 10:25 - No recovery. Sample collected. 9/5/25.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-06-2C

Sample Date: 9/13/25

Sample Time: 1110

Sample ID: MW-06-2C

Sampler(s) Name: DM

Weather Conditions: Sunny 75°

Field Observation(s)/Well Condition: _____

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>36.50</u>	Water Column Height	<u>88.5</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>44 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1115</u>	<u>1110</u>						
Static Water Level	<u>38.06</u>	<u>52.37</u>						< 0.3 feet
Purge Rate	<u>500 mL</u>	<u>Bailer</u>						
Temperature	<u>14</u>	<u>14</u>						+/- 1 °C
Specific Conductance	<u>3121</u>	<u>1880</u>						+/- 3 %
Dissolved Oxygen	<u>3.08</u>	<u>0.84</u>						+/- 10 % or <1
pH	<u>7.1</u>	<u>8.1</u>						+/- 0.1 s.u.
Redox Potential	<u>71.8</u>	<u>-143.1</u>						+/- 10 mV
Turbidity	<u>59.3</u>	<u>41.1</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Cloudy</u>						

Comments: Unable to control draw down. Sample collected upon recovery.
Well purged to the top of the open interval.

MS / MSD Collected? YES / NO
Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-06-4C

Sample Date: 9/3/25

Sample Time: 1350

Sample ID: MW-06-4C

Sampler(s) Name: DM

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>39.02</u>	Water Column Height	<u>85.98</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>42.93</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	<u>10 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1405</u>	<u>1350</u>						
Static Water Level	<u>41.33</u>	<u>40.30</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>15</u>	<u>16</u>						+/- 1 °C
Specific Conductance	<u>544</u>	<u>587</u>						+/- 3 %
Dissolved Oxygen	<u>0.79</u>	<u>1.11</u>						+/- 10 % or <1
pH	<u>10.7</u>	<u>10.9</u>						+/- 0.1 s.u.
Redox Potential	<u>-23</u>	<u>-126.1</u>						+/- 10 mV
Turbidity	<u>52.0</u>	<u>10.1</u>						+/- 10 % or <10
Observation	<u>turbid</u>	<u>clear</u>						

Comments: Unable to control draw down. Well purged to top of screened interval. Sample collected after recovery, next day.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-6-9C

Sample Date: 9/4/25

Sample Time: 1135

Sample ID: MW6-9C

Sampler(s) Name: DC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>56.64</u>	Water Column Height	<u>68.36</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>34.2 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	<u>4.6 gal</u>

Volume Removed	Initial						Sample	Stabilization Criteria
Time	<u>1105</u>	<u>1110</u>	<u>1115</u>	<u>1120</u>	<u>1125</u>	<u>1130</u>	<u>1135</u>	
Static Water Level	<u>56.72</u>	<u>56.73</u>	<u>56.73</u>	<u>56.73</u>	<u>56.73</u>	<u>56.73</u>	<u>56.73</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>19</u>	<u>17</u>	<u>19</u>	<u>19</u>	<u>19</u>	<u>19</u>	<u>19</u>	+/- 1 °C
Specific Conductance	<u>1045</u>	<u>1024</u>	<u>1017</u>	<u>1014</u>	<u>989</u>	<u>978</u>	<u>986</u>	+/- 3 %
Dissolved Oxygen	<u>1.71</u>	<u>0.57</u>	<u>0.32</u>	<u>0.28</u>	<u>0.27</u>	<u>0.25</u>	<u>0.39</u>	+/- 10 % or <1
pH	<u>8.1</u>	<u>8.2</u>	<u>8.3</u>	<u>8.3</u>	<u>8.5</u>	<u>8.54</u>	<u>8.5</u>	+/- 0.1 s.u.
Redox Potential	<u>136</u>	<u>130</u>	<u>-87.4</u>	<u>-111.7</u>	<u>-129</u>	<u>-133</u>	<u>-121</u>	+/- 10 mV
Turbidity	<u>50.4</u>	<u>55.9</u>	<u>71.0</u>	<u>69.6</u>	<u>55.1</u>	<u>52.3</u>	<u>57.4</u>	+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-8D

Sample Date: 9/5/25

Sample Time: 1150

Sample ID: MW18-8D

Sampler(s) Name: DL

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>17.13</u>	Water Column Height	<u>65.87</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>10.7 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500</u>
Well Depth	<u>83.00</u>	Approximate Volume Purged	<u>9.1 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1250</u>	<u>1150</u>						
Static Water Level	<u>17.13</u>	<u>66.84</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>16"</u>	<u>14"</u>						+/- 1 °C
Specific Conductance	<u>7651</u>	<u>7159</u>						+/- 3 %
Dissolved Oxygen	<u>0.73</u>	<u>5.66</u>						+/- 10 % or <1
pH	<u>12.29</u>	<u>12.32</u>						+/- 0.1 s.u.
Redox Potential	<u>-141.4</u>	<u>59.1</u>						+/- 10 mV
Turbidity	<u>3.61</u>	<u>13.6</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>						

Comments: Unable to control draw down. Sample collected next day.
Well purged to the top of the screen interval.

MS / MSD Collected? YES / NO
Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-8E

Sample Date: 9/3/25

Sample Time: 9:20

Sample ID: MW18-8E

Sampler(s) Name: G6

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: G202

Purge Date: 9/3/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	32.97	Water Column Height	114.03
LNAPL	—	1 Purge Volume	2.62 gal
DNAPL	—	Purge Rate	Wattson
Well Depth	147.0	Approximate Volume Purged	2.62

Volume Removed	Initial	Sample						Stabilization Criteria
Time	9:00	9:20						
Static Water Level	32.97	34.35						< 0.3 feet
Purge Rate	—	—						
Temperature	12.1	18.3						+/- 1 °C
Specific Conductance	856	854						+/- 3 %
Dissolved Oxygen	6.70	3.80						+/- 10 % or <1
pH	7.53	7.37						+/- 0.1 s.u.
Redox Potential	229.2	98.8						+/- 10 mV
Turbidity	24.1	309						+/- 10 % or <10
Observation	Clear No odor	Turbid No odor						

Comments: Well purged with a wattson. Sample collected on recovery.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-8F

Sample Date: 9/3/25

Sample Time: 1115

Sample ID: MW 18-8F

Sampler(s) Name: Glen

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>33.32</u>	Water Column Height	<u>151.68</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>13.92 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Watters</u>
Well Depth	<u>185.0</u>	Approximate Volume Purged	<u>13.92</u>

Volume Removed	<u>In/Lin</u>	<u>Sample</u>						Stabilization Criteria
Time	<u>10:10</u>	<u>11:15</u>						
Static Water Level	<u>33.32</u>	<u>36.00</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>16.8</u>	<u>16.8</u>						+/- 1 ° C
Specific Conductance	<u>952</u>	<u>920</u>						+/- 3 %
Dissolved Oxygen	<u>4.84</u>	<u>2.75</u>						+/- 10 % or <1
pH	<u>7.49</u>	<u>7.18</u>						+/- 0.1 s.u.
Redox Potential	<u>147.9</u>	<u>1.5</u>						+/- 10 mV
Turbidity	<u>17.2</u>	<u>283</u>						+/- 10 % or <10
Observation	<u>clear no odor</u>	<u>turbid no odor</u>						

Comments: Well purged with a bailer. Sample collected upon recovery.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-10A

Sample Date: 9/3/25

Sample Time: 1325

Sample ID: MW 18-10A

Sampler(s) Name: GG

Weather Conditions: Sunny 75°¹²

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>6.89</u>	Water Column Height	<u>8.11</u>
LNAPL	<u> </u>	1 Purge Volume	<u>1.3 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>15.0</u>	Approximate Volume Purged	<u>6.6 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>12:40</u>	<u>12:45</u>	<u>12:50</u>	<u>12:55</u>	<u>1:00</u>	<u>1:05</u>	<u>1:10</u>	
Static Water Level	<u>6.89</u>	<u>8.44</u>	<u>8.90</u>	<u>8.95</u>	<u>8.90</u>	<u>8.85</u>	<u>8.84</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>15.7</u>	<u>16.1</u>	<u>16.2</u>	<u>16.2</u>	<u>16.2</u>	<u>16.3</u>	<u>16.2</u>	+/- 1 °C
Specific Conductance	<u>1483</u>	<u>1161</u>	<u>1075</u>	<u>1197</u>	<u>1330</u>	<u>1357</u>	<u>1389</u>	+/- 3 %
Dissolved Oxygen	<u>2.03</u>	<u>1.25</u>	<u>1.35</u>	<u>1.34</u>	<u>1.21</u>	<u>0.97</u>	<u>0.89</u>	+/- 10 % or <1
pH	<u>6.96</u>	<u>7.05</u>	<u>7.04</u>	<u>7.02</u>	<u>7.02</u>	<u>7.01</u>	<u>7.00</u>	+/- 0.1 s.u.
Redox Potential	<u>184.8</u>	<u>168.6</u>	<u>162.8</u>	<u>158.0</u>	<u>154.0</u>	<u>149.6</u>	<u>147.4</u>	+/- 10 mV
Turbidity	<u>74.4</u>	<u>19.0</u>	<u>9.15</u>	<u>8.71</u>	<u>8.00</u>	<u>7.94</u>	<u>6.29</u>	+/- 10 % or <10
Observation	<u>cloudy No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>	

Comments: Stabilization achieved Sample collected

Page 1 of 2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-10A

Sample Date: 9/3/25

Sample Time: 1325

Sample ID: MW 18-10A

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>6.89</u>	Water Column Height	<u>8.11</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.3 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>15.0</u>	Approximate Volume Purged	<u>6.6 gal</u>

Volume Removed			<u>Sample</u>					Stabilization Criteria
Time	<u>1:15</u>	<u>1:20</u>	<u>1:25</u>					
Static Water Level	<u>8.82</u>	<u>8.80</u>	<u>8.80</u>					< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>					
Temperature	<u>16.1</u>	<u>16.0</u>	<u>16.1</u>					+/- 1 °C
Specific Conductance	<u>1425</u>	<u>1448</u>	<u>1459</u>					+/- 3 %
Dissolved Oxygen	<u>0.94</u>	<u>0.98</u>	<u>0.95</u>					+/- 10 % or <1
pH	<u>7.00</u>	<u>7.00</u>	<u>7.00</u>					+/- 0.1 s.u.
Redox Potential	<u>143.7</u>	<u>141.6</u>	<u>137.6</u>					+/- 10 mV
Turbidity	<u>6.47</u>	<u>3.34</u>	<u>4.12</u>					+/- 10 % or <10
Observation	<u>clear No odor</u>	<u>clear No odor</u>	<u>clear No odor</u>					

Comments: Stabilization achieved, Sample collected

Page 2 of 2

MS / MSD Collected?

YES ☒ NO

Duplicate Collected?

YES ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-10B

Sample Date: 9/3/25

Sample Time: 10:30

Sample ID: MW18-10B

Sampler(s) Name: DM

Weather Conditions: Sunny/70's

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	29.02	Water Column Height	21.98
LNAPL	—	1 Purge Volume	3.6 gal
DNAPL	—	Purge Rate	500 mL/min
Well Depth	51.00	Approximate Volume Purged	3.3 gal

Volume Removed	Initial			Sample				Stabilization Criteria
Time	10:10	10:20	10:25	10:30				
Static Water Level	29.02	29.93	30.07	30.19				< 0.3 feet
Purge Rate	500	500	500	500				
Temperature	14	14	14	14				+/- 1 °C
Specific Conductance	957	1075	1068	1064				+/- 3 %
Dissolved Oxygen	2.01	0.73	0.60	0.46				+/- 10 % or <1
pH	7.8	7.3	7.3	7.3				+/- 0.1 s.u.
Redox Potential	-125.0	-102.0	-98.7	-99.0				+/- 10 mV
Turbidity	63.3	44.4	45.2	44.7				+/- 10 % or <10
Observation	Cloudy	Cloudy	Cloudy	Cloudy				

Comments: Stabilization achieved. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-10C

Sample Date: 9/4/25

Sample Time: 1000

Sample ID: MW-18-10C

Sampler(s) Name: DL

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	30.81	Water Column Height	154.19
LNAPL	—	1 Purge Volume	25.2 gal
DNAPL	—	Purge Rate	500 ml/min
Well Depth	185	Approximate Volume Purged	24 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	09:20	1000						
Static Water Level	30.81	140.01						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	13	14						+/- 1 °C
Specific Conductance	934	925						+/- 3 %
Dissolved Oxygen	0.65	3.07						+/- 10 % or <1
pH	7.4	7.3						+/- 0.1 s.u.
Redox Potential	-46.6	228.3						+/- 10 mV
Turbidity	3.61	15.3						+/- 10 % or <10
Observation	Clear	Clear						

Comments: Unable to control draw down, well purged to the top of the screened interval. Sample collected upon recovery.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-11A

Sample Date: 9/3/25

Sample Time: 1455

Sample ID: MW18-11A

Sampler(s) Name: GC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	7.76	Water Column Height	9.24
LNAPL	—	1 Purge Volume	1.5 gal
DNAPL	—	Purge Rate	500-300 mL/min
Well Depth	17.0	Approximate Volume Purged	7.0 gal

Volume Removed	Initial							Stabilization Criteria
Time	1345	1350	1355	1400	1405	1410	1415	
Static Water Level	7.76	11.24	12.53	13.62	13.91	14.07	14.25	< 0.3 feet
Purge Rate	500	500	500	500	300	300	300	
Temperature	15.4	15.6	16.1	15.9	15.9	15.9	16.1	+/- 1 °C
Specific Conductance	705	703	598	657	761	731	740	+/- 3 %
Dissolved Oxygen	1.23	0.50	1.27	2.61	2.55	3.05	3.19	+/- 10 % or <1
pH	7.03	7.04	7.00	7.09	7.14	7.16	7.18	+/- 0.1 s.u.
Redox Potential	162.9	127.5	59.9	30.8	-1.9	-17.9	-27.2	+/- 10 mV
Turbidity	232	134	37.8	156	226	85.3	52.8	+/- 10 % or <10
Observation	Turbid No odor	Turbid No odor	Clear No odor	Cloudy No odor	Cloudy No odor	Cloudy No odor	Cloudy No odor	

Comments: Stabilization achieved. Sample collected.

Page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-11A

Sample Date: 9/3/25

Sample Time: 14:55

Sample ID: MW 18-11A

Sampler(s) Name: GG

Weather Conditions: unny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>7.76</u>	Water Column Height	<u>9.24</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.5 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500-300 mL/min</u>
Well Depth	<u>17.0</u>	Approximate Volume Purged	<u>7.0 gal</u>

Volume Removed							Sample	Stabilization Criteria
Time	<u>14:25</u>	<u>14:30</u>	<u>14:35</u>	<u>14:40</u>	<u>14:45</u>	<u>14:50</u>	<u>14:55</u>	
Static Water Level	<u>14.66</u>	<u>14.81</u>	<u>15.00</u>	<u>15.20</u>	<u>15.37</u>	<u>15.52</u>	<u>15.65</u>	< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	
Temperature	<u>16.1</u>	<u>16.7</u>	<u>16.8</u>	<u>16.8</u>	<u>16.9</u>	<u>16.9</u>	<u>16.9</u>	+/- 1 °C
Specific Conductance	<u>752</u>	<u>754</u>	<u>755</u>	<u>754</u>	<u>761</u>	<u>761</u>	<u>758</u>	+/- 3 %
Dissolved Oxygen	<u>4.07</u>	<u>4.23</u>	<u>3.94</u>	<u>4.11</u>	<u>4.99</u>	<u>4.98</u>	<u>5.03</u>	+/- 10 % or <1
pH	<u>7.18</u>	<u>7.18</u>	<u>7.18</u>	<u>7.18</u>	<u>7.18</u>	<u>7.18</u>	<u>7.18</u>	+/- 0.1 s.u.
Redox Potential	<u>-30.0</u>	<u>-29.4</u>	<u>-32.1</u>	<u>-32.4</u>	<u>-38.6</u>	<u>-36.1</u>	<u>-34.3</u>	+/- 10 mV
Turbidity	<u>48.6</u>	<u>35.3</u>	<u>32.4</u>	<u>24.2</u>	<u>22.1</u>	<u>23.6</u>	<u>22.9</u>	+/- 10 % or <10
Observation	<u>cloudy</u>							

Comments: Stabilization achieved Sample collected

Page 2 of 2

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11B

Sample Date: 9/3/25

Sample Time: 12:55

Sample ID: MW18-11B

Sampler(s) Name: DM

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	28.51	Water Column Height	15.44
LNAPL	/	1 Purge Volume	2.53 gal
DNAPL	/	Purge Rate	500 ml/min
Well Depth	44.00	Approximate Volume Purged	3.9 gal

Volume Removed	Initial			Sample				Stabilization Criteria
Time	12:30	12:45	12:50	12:55				
Static Water Level	28.51	30.34	30.47	30.58				< 0.3 feet
Purge Rate	500	500	500	500				
Temperature	15	16	16	16				+/- 1 °C
Specific Conductance	950	976	978	978				+/- 3 %
Dissolved Oxygen	2.47	0.41	0.37	0.36				+/- 10 % or <1
pH	8.0	7.8	7.7	7.7				+/- 0.1 s.u.
Redox Potential	-200.1	-235.0	-235.0	-234.9				+/- 10 mV
Turbidity	38.7	8.41	6.92	6.93				+/- 10 % or <10
Observation	Cloudy	Clear	Clear	Clear				

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11C

Sample Date: 9/3/25

Sample Time: 1205

Sample ID: MW-18-11C

Sampler(s) Name: DM

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25 Purge Method: Submersible Pump Peristaltic Pump/Bailer Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>32.85</u>	Water Column Height	<u>152.15</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>24.8 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>1.4 Lpm</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>4.6 gal</u>

Volume Removed	<u>Initial</u>			<u>Sample</u>				Stabilization Criteria
Time	<u>1135</u>	<u>1155</u>	<u>1200</u>	<u>1205</u>				
Static Water Level	<u>32.85</u>	<u>74.14</u>	<u>74.28</u>	<u>74.38</u>				< 0.3 feet
Purge Rate	<u>1.4 Lpm</u>	<u>1.4 Lpm</u>	<u>1.4 Lpm</u>	<u>1.4 Lpm</u>				
Temperature	<u>13</u>	<u>14</u>	<u>15</u>	<u>15</u>				+/- 1 °C
Specific Conductance	<u>857</u>	<u>795</u>	<u>794</u>	<u>793</u>				+/- 3 %
Dissolved Oxygen	<u>0.70</u>	<u>0.22</u>	<u>0.20</u>	<u>0.19</u>				+/- 10 % or <1
pH	<u>7.5</u>	<u>7.5</u>	<u>7.5</u>	<u>7.5</u>				+/- 0.1 s.u.
Redox Potential	<u>-83.8</u>	<u>-92.4</u>	<u>-92.2</u>	<u>-92.6</u>				+/- 10 mV
Turbidity	<u>7999</u>	<u>19.5</u>	<u>19.8</u>	<u>19.2</u>				+/- 10 % or <10
Observation	<u>turbid</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>				

Comments: Stabilization achieved. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-12A

Sample Date: 9/4/25

Sample Time: 10:55

Sample ID: MW 18-12A

Sampler(s) Name: 66

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>11.30</u>	Water Column Height	<u>3.70</u>
LNAPL	<u> </u>	1 Purge Volume	<u>0.6 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>15.0</u>	Approximate Volume Purged	<u>2.9 gal</u>

Volume Removed	<u>Initial</u>							Stabilization Criteria
Time	<u>10:05</u>	<u>10:10</u>	<u>10:15</u>	<u>10:20</u>	<u>10:25</u>	<u>10:30</u>	<u>10:35</u>	
Static Water Level	<u>11.30</u>	<u>11.95</u>	<u>12.23</u>	<u>12.49</u>	<u>12.76</u>	<u>13.02</u>	<u>13.28</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>21.07</u>	<u>21.06</u>	<u>20.80</u>	<u>20.49</u>	<u>20.41</u>	<u>20.24</u>	<u>20.02</u>	+/- 1 °C
Specific Conductance	<u>3260</u>	<u>3222</u>	<u>3150</u>	<u>3225</u>	<u>3144</u>	<u>3180</u>	<u>3206</u>	+/- 3 %
Dissolved Oxygen	<u>5.47</u>	<u>6.04</u>	<u>4.38</u>	<u>4.50</u>	<u>5.27</u>	<u>4.84</u>	<u>5.15</u>	+/- 10 % or <1
pH	<u>6.53</u>	<u>6.82</u>	<u>6.88</u>	<u>6.91</u>	<u>6.94</u>	<u>6.91</u>	<u>6.90</u>	+/- 0.1 s.u.
Redox Potential	<u>178.6</u>	<u>167.3</u>	<u>157.9</u>	<u>152.8</u>	<u>147.8</u>	<u>145.5</u>	<u>142.9</u>	+/- 10 mV
Turbidity	<u>3.57</u>	<u>4.19</u>	<u>4.04</u>	<u>4.70</u>	<u>4.23</u>	<u>4.91</u>	<u>3.12</u>	+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	

Comments: Stabilization achieved, Sample collected

Page 1/2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-12A

Sample Date: 9/4/25

Sample Time: 1055

Sample ID: MW 18-12A

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>11.30</u>	Water Column Height	<u>3.70</u>
LNAPL	<u> </u>	1 Purge Volume	<u>0.6 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>200 ml/min</u>
Well Depth	<u>15.0</u>	Approximate Volume Purged	<u>2.9 gal</u>

Volume Removed				Sample				Stabilization Criteria
Time	<u>10:40</u>	<u>10:45</u>	<u>10:50</u>	<u>10:55</u>	GG			
Static Water Level	<u>13.62</u>	<u>13.68</u>	<u>13.76</u>	<u>13.86</u>				
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>				
Temperature	<u>19.88</u>	<u>19.66</u>	<u>19.55</u>	<u>19.50</u>				
Specific Conductance	<u>3213</u>	<u>3222</u>	<u>3230</u>	<u>3241</u>				
Dissolved Oxygen	<u>5.35</u>	<u>4.66</u>	<u>4.57</u>	<u>4.45</u>				
pH	<u>6.91</u>	<u>6.91</u>	<u>6.92</u>	<u>6.95</u>				
Redox Potential	<u>140.9</u>	<u>139.0</u>	<u>138.4</u>	<u>136.9</u>				
Turbidity	<u>6.04</u>	<u>5.27</u>	<u>3.31</u>	<u>3.94</u>				
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>				

Comments: Stabilization achieved, Sample collected

Page 2/2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12B

Sample Date: 9/4/25

Sample Time: 1355

Sample ID: MW18-12B

Sampler(s) Name: DC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump Peristaltic Pump/Bailer Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>33.66</u>	Water Column Height	<u>56.34</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>9.3 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500</u>
Well Depth	<u>90.00</u>	Approximate Volume Purged	<u>7.9 gal</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>1300</u>	<u>1345</u>	<u>1350</u>	<u>1355</u>				
Static Water Level	<u>33.66</u>	<u>72.55</u>	<u>72.50</u>	<u>72.53</u>				< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>				
Temperature	<u>20</u>	<u>21</u>	<u>22</u>	<u>22</u>				+/- 1 ° C
Specific Conductance	<u>1385</u>	<u>1335</u>	<u>1335</u>	<u>1334</u>				+/- 3 %
Dissolved Oxygen	<u>2.12</u>	<u>0.20</u>	<u>0.16</u>	<u>0.14</u>				+/- 10 % or <1
pH	<u>7.2</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>				+/- 0.1 s.u.
Redox Potential	<u>14.0</u>	<u>-37.0</u>	<u>-36.3</u>	<u>-36.7</u>				+/- 10 mV
Turbidity	<u>>999</u>	<u>6.71</u>	<u>5.92</u>	<u>5.44</u>				+/- 10 % or <10
Observation	<u>Turbid</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>				

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12C

Sample Date: 9/5/25

Sample Time: 1130

Sample ID: MW18-12C

Sampler(s) Name: DC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/11/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>32.74</u>	Water Column Height	<u>152.26</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>24.9 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>23.2 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1240</u>	<u>1130</u>						
Static Water Level	<u>33.16</u>	<u>91.20</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>16</u>	<u>16</u>						+/- 1 °C
Specific Conductance	<u>1678</u>	<u>1776</u>						+/- 3 %
Dissolved Oxygen	<u>0.60</u>	<u>3.96</u>						+/- 10 % or <1
pH	<u>7.3</u>	<u>7.7</u>						+/- 0.1 s.u.
Redox Potential	<u>-102.8</u>	<u>286.0</u>						+/- 10 mV
Turbidity	<u>8.62</u>	<u>17.5</u>						+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>						

Comments: Unable to control drawdown, well purged to obstruction at 107.93
Returned to sample with a bailer. Final water level = 91.20

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-18-13B

Sample Date: 9/4/25

Sample Time: 1025

Sample ID: MW-18-13B

Sampler(s) Name: PL

Weather Conditions: Sunny 75 °F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>29.23</u>	Water Column Height	<u>22.77</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>3.7 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>52.00</u>	Approximate Volume Purged	<u>2.1 gal</u>

Volume Removed	Final	Sample						Stabilization Criteria
Time	<u>1530</u>	<u>1025</u>						
Static Water Level	<u>29.23</u>	<u>36.79</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>18</u>	<u>16</u>						+/- 1 °C
Specific Conductance	<u>1288</u>	<u>616</u>						+/- 3 %
Dissolved Oxygen	<u>0.31</u>	<u>3.17</u>						+/- 10 % or <1
pH	<u>7.5</u>	<u>7.56</u>						+/- 0.1 s.u.
Redox Potential	<u>-123.6</u>	<u>188</u>						+/- 10 mV
Turbidity	<u>152.</u>	<u>51.0</u>						+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Cloudy</u>						

Comments: Unable to control drawdown. Well purged to the top of the screen interval. Sample collected upon recovery.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-13C

Sample Date: 9/3/25

Sample Time: 15:15

Sample ID: MW18-13C

Sampler(s) Name: DM

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	32.62	Water Column Height	152.38
LNAPL	—	1 Purge Volume	24.9 gal
DNAPL	—	Purge Rate	1.4 LPM
Well Depth	185.00	Approximate Volume Purged	12.9 gal

Volume Removed	Initial				Sample			Stabilization Criteria
Time	14:45	15:00	15:05	15:10	15:15			
Static Water Level	32.62	51.85	52.28	52.48	52.50			< 0.3 feet
Purge Rate	1.4	1.4	1.4	1.4	1.4			
Temperature	15	17	17	17	17			+/- 1 °C
Specific Conductance	1258	1153	1145	1141	1138			+/- 3 %
Dissolved Oxygen	0.80	0.26	0.20	0.29	0.26			+/- 10 % or <1
pH	7.9	7.4	7.4	7.4	7.3			+/- 0.1 s.u.
Redox Potential	-141.9	-118.4	-111.9	-108.1	-105.4			+/- 10 mV
Turbidity	43.4	42.4	43.9	43.0	43.6			+/- 10 % or <10
Observation	cloudy	cloudy	cloudy	cloudy	cloudy			

Comments: Stabilization achieved. Sample collected.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW-18-14A

Sample Date: 9/5/25

Sample Time: 1100

Sample ID: MW18-14A

Sampler(s) Name: DL

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	10.20	Water Column Height	5.80
LNAPL	—	1 Purge Volume	1.0 gal
DNAPL	—	Purge Rate	200 mL/min
Well Depth	16.0	Approximate Volume Purged	1.0 gal

Volume Removed	Initial		Sample					Stabilization Criteria
Time	0915	0920	1100					
Static Water Level	10.20	12.10	6.85					< 0.3 feet
Purge Rate	200	200	Bailer					
Temperature	17.3	17.7	19.2					+/- 1 °C
Specific Conductance	1637	1691	1704					+/- 3 %
Dissolved Oxygen	0.63	0.84	1.86					+/- 10 % or <1
pH	6.72	6.74	6.78					+/- 0.1 s.u.
Redox Potential	182.5	169.6	349.6					+/- 10 mV
Turbidity	17.4	10.3	41.4					+/- 10 % or <10
Observation	Clear	Clear	Clear					

Comments: Unable to control drawdown. Sample collected next day.

Well purged to the top of the open interval

MS / MSD Collected? YES / NO

Duplicate Collected? YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

MW18-14B

Sample Location: _____

Sample Date: 9/3/25

Sample Time: 14:10

Sample ID: MW18-14B

Sampler(s) Name: DA

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: G002

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	23.81	Water Column Height	31.19
LNAPL	---	1 Purge Volume	5.1 gal
DNAPL	---	Purge Rate	500 mL/min
Well Depth	55.00	Approximate Volume Purged	3.5 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	15:35	14:10						
Static Water Level	23.81	30.21						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	17	17						+/- 1 °C
Specific Conductance	3901	3778						+/- 3 %
Dissolved Oxygen	2.16	2.43						+/- 10 % or <1
pH	11.8	11.9						+/- 0.1 s.u.
Redox Potential	-28.3	-87.5						+/- 10 mV
Turbidity	80.8	10.2						+/- 10 % or <10
Observation	Cloudy	Clear						

Comments: Unable to control drawdown. Sample collected next day.
Well purged to the top of the open interval

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-14C

Sample Date: 9/5/25

Sample Time: 1115

Sample ID: MW18-14C

Sampler(s) Name: DC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>47.34</u>	Water Column Height	<u>138.66</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>17 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>186.00</u>	Approximate Volume Purged	<u>17 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1005</u>	<u>1115</u>						
Static Water Level	<u>47.34</u>	<u>127.16</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>16</u>	<u>17</u>						+/- 1 °C
Specific Conductance	<u>1078</u>	<u>1117</u>						+/- 3 %
Dissolved Oxygen	<u>1.62</u>	<u>3.77</u>						+/- 10 % or <1
pH	<u>7.1</u>	<u>7.4</u>						+/- 0.1 s.u.
Redox Potential	<u>-58.5</u>	<u>301.3</u>						+/- 10 mV
Turbidity	<u>22.0</u>	<u>17.3</u>						+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>						

Comments: Obstruction @ 150'. Unable to control draw down, Returned to
Sample with Wattera, Final Water level - 127.16.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-15C

Sample Date: 9/2/25

Sample Time: 2:15

Sample ID: MW 21-15C

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watters

Watters

Static Water Level	<u>43.01</u>	Water Column Height	<u>60.99</u>
LNAPL	<u> </u>	1 Purge Volume	<u>2.49 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>Watters</u>
Well Depth	<u>104.0</u>	Approximate Volume Purged	<u>2.49 gallons</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>1:55</u>	<u>2:15</u>						
Static Water Level	<u>43.61</u>	<u>86.13</u>						< 0.3 feet
Purge Rate	<u> </u>	<u> </u>						
Temperature	<u>17.8</u>	<u>17.16</u>						+/- 1 °C
Specific Conductance	<u>1170</u>	<u>962</u>						+/- 3 %
Dissolved Oxygen	<u>10.43</u>	<u>3.88</u>						+/- 10 % or <1
pH	<u>7.46</u>	<u>7.44</u>						+/- 0.1 s.u.
Redox Potential	<u>118.7</u>	<u>137.5</u>						+/- 10 mV
Turbidity	<u>42.7</u>	<u>264</u>						+/- 10 % or <10
Observation	<u>Cloudy No odor</u>	<u>Cloudy No odor</u>						

Comments: Well purged with 9 Watters. Sample collected on recovery

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-15D

Sample Date: 9/2/25

Sample Time: 13:30

Sample ID: MW 21-15

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>45.65</u>	Water Column Height	<u>134.35</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>12.3 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Water</u>
Well Depth	<u>180.0</u>	Approximate Volume Purged	<u>12.3 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>12:50</u>	<u>13:30</u>						
Static Water Level	<u>45.65</u>	<u>76.25</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>19.1</u>	<u>17.0</u>						+/- 1 °C
Specific Conductance	<u>1266</u>	<u>1042</u>						+/- 3 %
Dissolved Oxygen	<u>1.39</u>	<u>3.65</u>						+/- 10 % or <1
pH	<u>7.62</u>	<u>7.39</u>						+/- 0.1 s.u.
Redox Potential	<u>154.0</u>	<u>139.7</u>						+/- 10 mV
Turbidity	<u>7.34</u>	<u>4.90</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Well purged with a water. Sample collected on recovery.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-16

Sample Date: 9/4/25

Sample Time: 11:40

Sample ID: MW 21-16

Sampler(s) Name: DM

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Bladder pump

Bladder pump

Static Water Level	28.47	Water Column Height	195.13
LNAPL	—	1 Purge Volume	115.0
DNAPL	—	Purge Rate	200 mL/min
Well Depth	223.6	Approximate Volume Purged	6.1 gal

Volume Removed	Initial			Sample				Stabilization Criteria
Time	9:50	11:30	11:35	11:40				
Static Water Level	28.47	33.01	33.21	33.30				< 0.3 feet
Purge Rate	200	200	200	200				
Temperature	18	18	18	18				+/- 1 °C
Specific Conductance	179	179	178	178				+/- 3 %
Dissolved Oxygen	0.49	0.42	0.42	0.36				+/- 10 % or <1
pH	10.4	10.4	10.5	10.5				+/- 0.1 s.u.
Redox Potential	-162.0	-151.9	-144.7	-142.2				+/- 10 mV
Turbidity	78.5	12.2	12.0	11.7				+/- 10 % or <10
Observation	Cloudy	Clear	Clear	Clear				

Comments: Stabilization achieved, sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-17D

Sample Date: 9/3/25

Sample Time: 15:30

Sample ID: MW 21-17D

Sampler(s) Name: GG

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/3/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	30.41	Water Column Height	154.39
LNAPL	—	1 Purge Volume	14.17 gal
DNAPL	—	Purge Rate	Wattera
Well Depth	184.8	Approximate Volume Purged	14.17 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	14:40	15:30						
Static Water Level	30.41	58.71						< 0.3 feet
Purge Rate	—	—						
Temperature	16.9	17.0						+/- 1 °C
Specific Conductance	663	673						+/- 3 %
Dissolved Oxygen	3.20	4.85						+/- 10 % or <1
pH	7.6	7.4						+/- 0.1 s.u.
Redox Potential	-47.9	80.3						+/- 10 mV
Turbidity	9.67	995						+/- 10 % or <10
Observation	Clear	Turbid						

Comments: Well was purged with a wattera, sample collected.

MS / MSD Collected?

YES / ☒ NO

Duplicate Collected?

YES / ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-18C

Sample Date: 9/4/25

Sample Time: 1155

Sample ID: MW 21-18C

Sampler(s) Name: GG

Weather Conditions: Sunny 75°

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>46.31</u>	Water Column Height	<u>91.69</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>3.74 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>Wattens</u>
Well Depth	<u>138.0</u>	Approximate Volume Purged	<u>3.74 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>11:30</u>	<u>11:55</u>						
Static Water Level	<u>46.31</u>	<u>46.40</u>						< 0.3 feet
Purge Rate	<u>---</u>	<u>---</u>						
Temperature	<u>16.26</u>	<u>14.39</u>						+/- 1 ° C
Specific Conductance	<u>740</u>	<u>840</u>						+/- 3 %
Dissolved Oxygen	<u>6.69</u>	<u>1.16</u>						+/- 10 % or <1
pH	<u>6.94</u>	<u>6.98</u>						+/- 0.1 s.u.
Redox Potential	<u>130.6</u>	<u>151.9</u>						+/- 10 mV
Turbidity	<u>145</u>	<u>71100</u>						+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Turbid</u>						

Comments: Well purged with a wattens. Sample collected on recovery.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-18D

Sample Date: 9/4/25

Sample Time: 13:15

Sample ID: MW 21-18D

Sampler(s) Name: GG

Weather Conditions: Sunny 75° F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Waters

Waters

Static Water Level	<u>46.90</u>	Water Column Height	<u>147.6</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>13.55 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Waters</u>
Well Depth	<u>194.5</u>	Approximate Volume Purged	<u>13.55 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>12:10</u>	<u>13:15</u>						
Static Water Level	<u>46.90</u>	<u>47.12</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>20.56</u>	<u>18.77</u>						+/- 1 ° C
Specific Conductance	<u>595</u>	<u>758</u>						+/- 3 %
Dissolved Oxygen	<u>4.86</u>	<u>1.63</u>						+/- 10 % or <1
pH	<u>7.75</u>	<u>7.11</u>						+/- 0.1 s.u.
Redox Potential	<u>134.2</u>	<u>149.1</u>						+/- 10 mV
Turbidity	<u>154</u>	<u>> 1100</u>						+/- 10 % or <10
Observation	<u>Turbid</u>	<u>Turbid</u>						

Comments: Well purged with a Waters. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: NW21-19C

Sample Date: 9/11/25

Sample Time: 1500

Sample ID: NW21-19C

Sampler(s) Name: DL

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/11/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>41.34</u>	Water Column Height	
LNAPL	<u>---</u>	1 Purge Volume	<u>4 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>Wattara</u>
Well Depth	<u>132.00</u>	Approximate Volume Purged	<u>4 gal</u>

Volume Removed	<u>1500</u>							Stabilization Criteria
Time	<u>1500</u>							
Static Water Level	<u>41.34</u>	<u>61.54</u>						< 0.3 feet
Purge Rate	<u>Wattara</u>	<u>Wattara</u>						
Temperature	<u>17"</u>	<u>15"</u>						+/- 1 °C
Specific Conductance	<u>1169</u>	<u>1152</u>						+/- 3 %
Dissolved Oxygen	<u>3.15</u>	<u>0.98</u>						+/- 10 % or <1
pH	<u>7.65</u>	<u>7.63</u>						+/- 0.1 s.u.
Redox Potential	<u>233.6</u>	<u>196.7</u>						+/- 10 mV
Turbidity	<u>27.1</u>	<u>16.4</u>						+/- 10 % or <10
Observation	<u>Clear no odor</u>	<u>Clear no odor</u>						

Comments: Well purged with a Wattara. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW21-19D

Sample Date: 9/4/25

Sample Time: 1440

Sample ID: MW21-190

Sampler(s) Name: DC

Weather Conditions: Sunny 75°F

Field Observation(s)/Well Condition: Good

Purge Date: 9/4/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>41.55</u>	Water Column Height	<u>153.45</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>14.1 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>195.00</u>	Approximate Volume Purged	<u>14.1 gal</u>

Volume Removed	<u>1340</u>	<u>1440</u>						Stabilization Criteria
Time	<u>Initial</u>	<u>Sample</u>						
Static Water Level	<u>41.55</u>	<u>176.12</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>16</u>	<u>15</u>						+/- 1 °C
Specific Conductance	<u>1075</u>	<u>1080</u>						+/- 3 %
Dissolved Oxygen	<u>8.40</u>	<u>3.24</u>						+/- 10 % or <1
pH	<u>8.00</u>	<u>7.79</u>						+/- 0.1 s.u.
Redox Potential	<u>212.8</u>	<u>156.9</u>						+/- 10 mV
Turbidity	<u>17.1</u>	<u>19.0</u>						+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>						

Comments: Well purged with a Wattera. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW21-20D

Sample Date: 9/2/25

Sample Time: 15:10

Sample ID: MW21-20D

Sampler(s) Name: DM

Weather Conditions: Sunny 75°12

Field Observation(s)/Well Condition: Good

Purge Date: 9/2/25

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>57.09</u>	Water Column Height	<u>150.91</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>14 Gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>208.00</u>	Approximate Volume Purged	<u>14 Gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>14:10</u>	<u>15:10</u>						
Static Water Level	<u>57.09</u>	<u>57.13</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>18</u>	<u>18</u>						+/- 1 °C
Specific Conductance	<u>1713</u>	<u>1576</u>						+/- 3 %
Dissolved Oxygen	<u>4.68</u>	<u>2.74</u>						+/- 10 % or <1
pH	<u>7.6</u>	<u>7.5</u>						+/- 0.1 s.u.
Redox Potential	<u>29.7</u>	<u>27.8</u>						+/- 10 mV
Turbidity	<u>83.0</u>	<u>419</u>						+/- 10 % or <10
Observation	<u>cloudy</u>	<u>cloudy</u>						

Comments: Sample collected. Well purged with a Wattera.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: SG-1

Sample Date: 9/4/25

Sample Time: 11:10

Sample ID: SG-1

Sampler(s) Name: GG

Weather Conditions: Sunny 75° F

Field Observation(s)/Well Condition: —

Purge Date: — Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>—</u>	Water Column Height	<u>—</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>—</u>
DNAPL	<u>—</u>	Purge Rate	<u>—</u>
Well Depth	<u>—</u>	Approximate Volume Purged	<u>—</u>

Volume Removed	<u>Sample</u>							Stabilization Criteria
Time	<u>11:10</u>							
Static Water Level	<u>—</u>							< 0.3 feet
Purge Rate	<u>—</u>							
Temperature	<u>23.19</u>							+/- 1 ° C
Specific Conductance	<u>577</u>							+/- 3 %
Dissolved Oxygen	<u>8.50</u>							+/- 10 % or <1
pH	<u>8.87</u>							+/- 0.1 s.u.
Redox Potential	<u>115.4</u>							+/- 10 mV
Turbidity	<u>14.1</u>							+/- 10 % or <10
Observation	<u>Clear</u>							

Comments: —

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO