



Submitted via email

May 4, 2026

Justin Starr
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, NY 12233-7014

Re: Little Britain Road Service Center
610 Little Britain Road, New Windsor, New York
Brownfield Cleanup Agreement # C336031
First Quarter 2026 Groundwater Sampling Results

Dear Mr. Starr:

This letter serves to document the results of the quarterly sampling event conducted at Central Hudson Gas & Electric Corporation's (Central Hudson) Little Britain Road Service Center located at 610 Little Britain Road, New Windsor, New York (the Property) (**Figure 1**). Adirondack Environmental Services, Inc. (Adirondack) gauged and sampled the monitoring well network in February 2026.

Groundwater Sampling Event

The monitoring wells were purged by utilizing either low-flow or volume purge method. Purge water was placed in a labeled 55-gallon drum for proper disposal. Water chemistry parameters collected during the sampling event include temperature, pH, turbidity, dissolved oxygen, oxidation-reduction potential, and electromagnetic conductance. Immediately following purging, groundwater samples were collected from each well. The samples were containerized in laboratory-supplied bottleware and couriered under chain of custody to Adirondack for analysis. The samples were analyzed for volatile organic compounds (VOCs) via United States Environmental Protection Agency (USEPA) Method 8260. Copies of the groundwater sampling water chemistry data (field notes) are attached.

Results

Monitoring wells MW01-8A and MW-94-02 contained an insufficient amount of water to collect a sample for laboratory analysis. No samples or water quality parameters were collected.

Depth to water ranged from 5.29 feet below top of casing (fbtoc) in monitoring well MW-18-10A to 63.73 fbtoc in monitoring well MW18-14C (**Table 1**). Non-aqueous phase liquid (NAPL) was

not observed in any well during the gauging event. Groundwater elevation maps are attached as **Figures 2** through **5**.

Laboratory analysis indicated that one or more of the following VOC constituents were detected above the New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values in monitoring wells sampled. The minimum and maximum detections that exceed the applicable standard in micrograms per liter (ug/L) are presented below (a 'J' indicates an estimated value):

- 1,1,1-Trichloroethane (410 ug/L in MW18-12B),
- 1,1-Dichloroethene (23 J ug/L in MW18-13B),
- Acetone (92 J ug/L in MW18-13B to 350 J ug/L in MW18-12C),
- cis-1,2-Dichloroethene (5.3 ug/L in MW18-10B to 24,000 ug/L in MW18-12B),
- Methylene chloride (240 ug/L in MW21-19C and MW21-19D ug/L to 460 ug/L in MW18-14C),
- Trichloroethene (10 ug/L in MW18-11C to 6,300 ug/L in MW18-12B), and
- Vinyl Chloride (2.1 ug/L in MW18-10B to ug/L in 2,000 MW18-12B).

A summary of the laboratory sample results from the February 2026 sampling event are included in **Table 2** and historical groundwater data is presented in **Table 3**.

The next groundwater sampling event is scheduled to be completed in the second quarter of 2026. Please contact me at (845) 486-5641 or jgallo@cenhud.com if you have any questions.

Sincerely,



Jesse N. Gallo
Environmental Coordinator

Attachments

EC:

Kristin Kulow, New York State Department of Health
Mark McLean, Central Hudson

Tables

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-1B	Bedrock Open hole	295.57	11-24.5 bgs	284.57 - 271.07	295.24	8/21/1995	9.94	285.30	8.1 / 287.47
						9/18/1995	11.69	283.55	
						6/14/1996	4.58	290.66	
						12/6/2001	5.40	289.84	
						9/26/2001	10.52	284.72	
						12/17/2001	12.79	282.45	
						3/19/2002	12.20	283.04	
						6/19/2002	7.25	287.99	
						9/26/2002	12.72	282.52	
						12/16/2002	3.81	291.43	
					297.54 ^a	6/18/2003	7.23	290.31	
						3/3/2012	6.06	291.48	
						8/6/2004	9.35	288.19	
						12/16/2004	7.22	290.32	
						6/22/2005	8.98	288.56	
						12/5/2012	7.02	290.52	
						8/28/2006	10.91	286.63	
						12/18/2006	8.69	288.85	
						3/27/2007	6.47	291.07	
						11/6/2007	9.43	288.11	
					296.67 ^b	5/22/2017	10.21	286.46	
		294.39	25.45	271.33	296.78	10/29/2018	10.16	286.62	
					296.78	12/10/2019	12.05	284.73	
					296.78	3/17/2020	12.46	284.32	
					296.78	6/16/2020	13.37	283.41	
					296.78	9/22/2020	13.70	283.08	
					296.78	12/14/2020	13.71	283.07	
					296.78	3/1/2021	10.52	286.26	
					296.78	6/21/2021	13.45	283.33	
					296.78	9/20/2021	11.84	284.94	
					296.78	12/6/2021	13.09	283.69	
					296.78	3/14/2022	11.85	284.93	
					296.78	6/3/2022	12.25	284.53	
					296.78	9/13/2022	14.81	281.97	
					296.78	11/29/2022	14.58	282.20	
					296.78	3/22/2023	12.15	284.63	
		24.5			296.78	6/19/2023	14.27	282.51	
		24.5			296.78	9/21/2023	13.26	283.52	
		24.5			296.78	12/11/2023	11.62	285.16	
		24.5		269.89	296.78	3/18/2024	10.59	286.19	
		24.5		269.89	296.78	6/10/2024	13.14	283.64	
		24.5		269.89	296.78	9/25/2024	14.89	281.89	
		24.5		269.89	296.78	12/9/2024	14.94	281.84	
		24.5		269.89	296.78	2/24/2025	13.70	283.08	
		24.5		269.89	296.78	5/27/2025	11.88	284.90	
		24.5		269.89	296.78	9/2/2025	14.37	282.41	
		24.5		269.89	296.78	12/8/2025	14.50	282.28	
		24.5		269.89	296.78	2/18/2026	14.50	282.28	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2	Overburden	298.2	4-14 bgs	294.2 - 284.2	297.87	12/17/2001	Dry	> 297.87	14 / 284.2
						3/19/2002	Dry	> 297.87	
						6/19/2002	10.71	287.16	
						9/26/2002	Dry	> 297.87	
						12/16/2002	7.43	290.44	
						6/18/2003	8.14	289.73	
						3/3/2012	7.36	290.51	
						8/6/2004	10.12	287.75	
						12/16/2004	8.07	289.80	
						6/22/2005	10.04	287.83	
						12/13/2005	7.97	289.90	
						8/28/2006	11.47	286.40	
						12/18/2006	9.14	288.73	
						3/27/2007	6.70	291.17	
						11/6/2007	10.12	287.75	
					297.23 ^b	5/22/2017	9.53	287.70	
		297.61	13.28	283.96	297.24	10/29/2018	10.06	287.18	
					297.24	12/10/2019	Dry	Dry	Dry
					297.24	3/17/2020	Dry	Dry	Dry
					297.24	6/16/2020	Dry	Dry	Dry
					297.24	9/22/2020	Dry	Dry	Dry
					297.24	12/14/2020	Dry	Dry	Dry
					297.24	3/1/2021	10.81	286.43	
					297.24	6/21/2021	Dry	Dry	Dry
					297.24	9/20/2021	11.85	285.39	
					297.24	12/6/2021	13.04	284.20	
					297.24	3/14/2022	11.83	285.41	
					297.24	6/3/2022	12.39	284.85	
					297.24	9/13/2022	Dry	Dry	Dry
					297.24	3/21/2023	11.72	285.52	
			14		297.24	6/19/2023	Dry	Dry	Dry
			14		297.24	9/18/2023	Dry	Dry	Dry
			14		297.24	12/11/2023	10.52	286.72	
			14		297.24	3/18/2024	8.21	289.03	
			14		297.24	6/10/2024	13.03	284.21	
			14		297.24	9/25/2024	Dry	Dry	Dry
			14		297.24	12/9/2024	Dry	Dry	Dry
			14		297.24	2/24/2025	Dry	Dry	Dry
			14		297.24	5/27/2025	11.16	286.08	
			14		297.24	9/2/2025	Dry	Dry	Dry
			14		297.24	12/8/2025	Dry	Dry	Dry
			14		297.24	2/18/2026	Dry	Dry	Dry

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-2B	Bedrock Open hole	298.7	13.5-29.5 bgs	285.2 - 269.2	298.61	12/17/2001	19.17	279.44	12 / 286.7
						3/19/2002	17.11	281.50	
						6/19/2002	11.44	287.17	
						9/26/2002	18.85	279.76	
						12/16/2002	8.21	290.40	
						6/18/2003	8.90	289.71	
						3/3/2012	8.13	290.48	
						8/6/2004	10.86	287.75	
						12/16/2004	8.50	290.11	
						6/22/2005	10.82	287.79	
						12/13/2005	8.72	289.89	
						8/28/2006	12.21	286.40	
						12/18/2006	9.87	288.74	
						3/27/2007	7.45	291.16	
						11/6/2007	10.88	287.73	
					297.87 ^b	5/22/2017	10.30	287.57	
		297.89	17.65	280.35	298.00	10/29/2018	10.83	287.17	
					298.00	12/10/2019	13.06	284.94	
					298.00	3/17/2020	13.25	284.75	
					298.00	6/16/2020	14.04	283.96	
					298.00	9/22/2020	15.75	282.25	
					298.00	12/14/2020	14.44	283.56	
					298.00	3/1/2021	4.99	293.01	
					298.00	6/21/2021	Dry	Dry	Dry
					298.00	9/20/2021	12.64	285.36	
					298.00	12/6/2021	13.80	284.20	
					298.00	3/14/2022	12.60	285.40	
					298.00	6/6/2022	13.16	284.84	
					298.00	9/13/2022	15.52	282.48	
					298.00	11/29/2022	15.89	282.11	
					298.00	3/21/2023	12.52	285.48	
		29.5			298.00	6/19/2023	14.68	283.32	
		29.5			298.00	9/18/2023	13.13	284.87	
		29.5			298.00	12/11/2023	11.23	286.77	
		29.5			298.00	3/18/2024	9.03	288.97	
		17.15			298.00	12/10/2024	16.44	281.56	
		29.5			298.00	6/10/2024	13.81	284.19	
		29.5			298.00	9/25/2024	15.58	282.42	
		29.5			298.00	12/9/2024	16.44	281.56	
		29.5			298.00	2/24/2025	14.57	283.43	
		29.5			298.00	5/27/2025	11.94	286.06	
		29.5			298.00	9/2/2025	14.95	283.05	
		29.5			298.00	12/8/2025	15.47	282.53	
		29.5			298.00	2/18/2026	15.46	282.54	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-3	Overburden	304.1	5-20 bgs	299.1 - 284.1	303.89	12/17/2001	18.11	285.78	>45 deep
						3/19/2002	18.25	285.64	
						6/19/2002	12.34	291.55	
						9/26/2002	15.88	288.01	
						12/16/2002	7.20	296.69	
						6/18/2003	10.11	293.78	
						3/3/2012	7.90	295.99	
						8/6/2004	12.10	291.79	
						12/16/2004	9.67	294.22	
						6/22/2005	9.67	294.22	
						12/13/2005	8.24	295.65	
						8/28/2006	12.95	290.94	
						12/18/2006	10.32	293.57	
						3/27/2007	6.67	297.22	
						11/6/2007	11.54	292.35	
					303.27 ^b	5/22/2017	9.86	293.41	
		303.20	18.91	284.39	303.30	10/29/2018	9.80	293.50	
					303.30	12/10/2019	11.50	291.80	
					303.30	3/17/2020	10.85	292.45	
					303.30	6/16/2020	12.03	291.27	
					303.30	9/22/2020	14.82	288.48	
					303.30	12/14/2020	12.76	290.54	
					303.30	3/1/2021	8.33	294.97	
					303.30	6/21/2021	12.20	291.10	
					303.30	9/20/2021	9.70	293.60	
					303.30	12/6/2021	11.29	292.01	
					303.30	3/14/2022	9.92	293.38	
					303.30	6/2/2022	11.08	292.22	
					303.30	9/12/2022	15.83	287.47	
					303.30	11/29/2022	16.07	287.23	
					303.30	3/21/2023	8.72	294.58	
			20		303.30	6/19/2023	11.92	291.38	
			20		303.30	9/18/2023	12.00	291.30	
			20		303.30	12/11/2023	10.50	292.80	
			20		303.30	3/18/2024	7.65	295.65	
			20		303.30	6/10/2024	11.53	291.77	
			20		303.30	9/25/2024	14.82	288.48	
			20		303.30	12/9/2024	15.43	287.87	
			20		303.30	2/24/2025	11.73	291.57	
			20		303.30	5/27/2025	8.50	294.80	
			20		303.30	9/2/2025	12.66	290.64	
			20		303.30	12/8/2025	14.31	288.99	
			20		303.30	2/18/2026	13.32	289.98	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-4B2	Bedrock Open hole	299.7	62.8-82.8 bgs	236.9 - 216.9	299.42	12/17/2001	15.89	283.53	58.8 / 240.9
					299.42	3/19/2002	15.70	283.72	
					299.42	6/19/2002	9.44	289.98	
					299.42	9/26/2002	13.92	285.50	
					299.42	12/16/2002	5.93	293.49	
					299.42	6/18/2003	8.59	290.83	
					299.42	3/3/2012	6.85	292.57	
					299.42	8/6/2004	11.21	288.21	
					299.42	12/16/2004	8.77	290.65	
					299.42	6/22/2005	11.53	287.89	
					299.42	12/13/2005	8.85	290.57	
					299.42	8/28/2006	12.35	287.07	
					299.42	12/18/2006	10.86	288.56	
					299.42	3/27/2007	7.35	292.07	
					299.42	11/6/2007	11.20	288.22	
					299.42	5/22/2017	Well Previously Inaccessible		
					299.42	6/21/2021	11.82	287.60	
					299.42	9/20/2021	12.10	287.32	
					299.42	12/6/2021	13.53	285.89	
					299.42	3/14/2022	13.00	286.42	
					299.42	6/1/2022	13.69	285.73	
					299.42	9/12/2022	15.61	283.81	
					299.42	11/30/2022	15.64	283.78	
					299.42	3/21/2023	13.00	286.42	
			82.8		299.42	6/19/2023	14.77	284.65	
			82.8		299.42	9/18/2023	14.10	285.32	
			82.8		299.42	12/11/2023	12.73	286.69	
			82.8		299.42	3/18/2024	9.62	289.80	
			82.8		299.42	6/10/2024	13.97	285.45	
			82.8		299.42	9/25/2024	15.46	283.96	
			82.8		299.42	12/9/2024	15.69	283.73	
			82.8		299.42	2/24/2025	14.29	285.13	
			82.8		299.42	5/27/2025	12.42	287.00	
			82.8		299.42	9/2/2025	14.72	284.70	
			82.8		299.42	12/8/2025	15.61	283.81	
			82.8		299.42	2/18/2026	14.65	284.77	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW94-5	Overburden	298.19	8-18 bgs	290.19 - 280.19	297.62	8/21/1995	9.65	287.97	>18 deep
						9/18/1995	10.88	286.74	
						6/14/1996	5.20	292.42	
						12/6/2001	5.74	291.88	
						9/26/2001	10.75	286.87	
						12/17/2001	11.44	286.18	
						3/19/2002	10.31	287.31	
						6/19/2002	5.44	292.18	
						9/26/2002	9.81	287.81	
						12/16/2002	2.61	295.01	
					300.86 ^a	6/18/2003	8.05	292.81	
						3/3/2012	6.55	294.31	
						8/6/2004	9.60	291.26	
						12/16/2004	7.85	293.01	
						6/22/2005	9.68	291.18	
						12/13/2005	6.78	294.08	
						8/28/2006	9.60	291.26	
						12/18/2006	8.42	292.44	
						3/27/2007	5.44	295.42	
						11/6/2007	9.19	291.67	
					300.41 ^b	5/22/2017	7.98	292.43	
		297.95	20.44	279.95	300.39	10/29/2018	7.88	292.51	
					300.39	12/10/2019	7.66	292.73	
					300.39	3/17/2020	9.10	291.29	
					300.39	6/16/2020	9.82	290.57	
					300.39	9/22/2020	11.36	289.03	
					300.39	12/14/2020	9.58	290.81	
					300.39	3/1/2021	7.04	293.35	
					300.39	6/21/2021	9.58	290.81	
					300.39	9/20/2021	8.08	292.31	
					300.39	12/6/2021	9.21	291.18	
					300.39	3/14/2022	8.13	292.26	
					300.39	6/2/2022	8.57	291.82	
					300.39	9/12/2022	10.62	289.77	
					300.39	11/28/2022	9.87	290.52	
					300.39	3/24/2023	7.45	292.94	
		18			300.39	6/19/2023	9.50	290.89	
		18			300.39	9/21/2023	7.51	292.88	
		18			300.39	12/11/2023	7.20	293.19	
		18			300.39	3/18/2024	5.15	292.80	
		18			300.39	6/10/2024	5.53	294.86	
		18			300.39	9/25/2024	8.52	291.87	
		18			300.39	12/9/2024	9.36	291.03	
		18			300.39	2/24/2025	6.46	293.93	
		18			300.39	5/27/2025	6.26	294.13	
		18			300.39	9/2/2025	7.90	292.49	
		18			300.39	12/8/2025	8.00	292.39	
		18			300.39	2/18/2026	8.04	292.35	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-6	Overburden (till)		23.75-33.75 TIC	279.38 - 269.38	301.02	6/14/1996	9.11	291.91	>34 deep
						12/6/2001	9.93	291.09	
						9/26/2001	13.35	287.67	
						12/17/2001	15.62	285.40	
						3/19/2002	14.15	286.87	
						6/19/2002	9.09	291.93	
						9/26/2002	14.29	286.73	
						12/16/2002	7.15	293.87	
						6/18/2003	11.35	292.60	
						3/3/2012	9.88	294.07	
					303.95 ^a	8/6/2004	13.28	290.67	
						12/16/2004	9.05	294.90	
						6/22/2005	12.81	291.14	
						12/13/2005	10.92	293.03	
						8/28/2006	13.40	290.55	
						12/18/2006	11.84	292.11	
						3/27/2007	9.31	294.64	
						11/6/2007	13.33	290.62	
					303.50 ^b	5/22/2017	11.14	292.36	
		300.76	33.75	269.38	303.13	10/29/2018	11.00	292.13	
					303.13	12/10/2019	11.11	292.02	
					303.13	3/17/2020	12.42	290.71	
					303.13	6/16/2020	13.20	289.93	
					303.13	9/22/2020	16.15	286.98	
					303.13	12/14/2020	13.40	289.73	
					303.13	3/1/2021	9.43	293.70	
					303.13	6/21/2021	13.79	289.34	
					303.13	9/20/2021	12.90	290.23	
					303.13	12/6/2021	12.68	290.45	
					303.13	3/14/2022	10.12	293.01	
					303.13	6/3/2022	11.86	291.27	
					303.13	9/12/2022	15.11	288.02	
					303.13	11/28/2022	15.07	288.06	
					303.13	3/27/2023	11.52	291.61	
					303.13	6/19/2023	13.84	289.29	
			30.5		303.13	9/19/2023	12.40	290.73	
			30.5		303.13	12/11/2023	10.13	293.00	
			30.5		303.13	3/18/2024	9.64	293.49	
			30.5		303.13	6/10/2024	12.68	290.45	
			30.5		303.13	9/25/2024	16.40	286.73	
			30.5		303.13	12/9/2024	15.50	287.63	
			30.5		303.13	2/24/2025	12.52	290.61	
			30.5		303.13	5/27/2025	10.89	292.24	
			30.5		303.13	9/2/2025	14.78	288.35	
			30.5		303.13	12/8/2025	14.08	289.05	
			30.5		303.13	2/18/2026	13.89	289.24	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW96-7B	Bedrock open hole		3-15 bgs	291.76 - 279.76	295.23	6/14/1996	5.70	289.53	3 / 291.76
						12/6/2001	8.00	287.23	
						9/26/2001	12.60	282.63	
						12/17/2001	14.91	280.32	
						3/19/2002	15.22	280.01	
						6/19/2002	9.96	285.27	
						9/26/2002	15.03	280.20	
						12/16/2002	4.80	290.43	
						6/18/2003	7.17	288.06	
						3/3/2012	4.86	290.37	
						8/6/2004	9.37	285.86	
						12/16/2004	6.89	288.34	
						6/22/2005	9.12	286.11	
						12/13/2005	6.78	288.45	
						8/28/2006	9.71	285.52	
						12/18/2006	9.63	285.60	
						3/27/2007	5.68	289.55	
						11/6/2007	10.02	285.21	
					294.52 ^b	5/22/2017	10.77	283.75	
		294.76	17.84	276.78	294.62	10/29/2018	9.72	284.90	
					294.62	12/10/2019	12.99	281.63	
					294.62	3/17/2020	14.67	279.95	
					294.62	6/16/2020	14.95	279.67	
					294.62	9/22/2020	14.74	279.88	
					294.62	12/14/2020	15.40	279.22	
					294.62	3/1/2021	11.07	283.55	
					294.62	6/21/2021	14.82	279.80	
					294.62	9/20/2021	14.42	280.20	
					294.62	12/6/2021	14.61	280.01	
					294.62	3/14/2022	14.82	279.80	
					294.62	6/3/2022	14.42	280.20	
					294.62	9/13/2022	14.50	280.12	
					294.62	11/29/2022	15.81	278.81	
					294.62	3/23/2023	14.43	280.19	
			18		294.62	6/19/2023	15.90	278.72	
			18		294.62	9/19/2023	14.21	280.41	
			18		294.62	12/11/2023	11.20	283.42	
			18		294.62	3/18/2024	9.53	285.09	
			18		294.62	6/10/2024	14.80	279.82	
			18		294.62	9/25/2024	14.80	279.82	
			18		294.62	12/9/2024	14.33	280.29	
			18		294.62	2/24/2025	14.35	280.27	
			18		294.62	5/27/2025	14.33	280.29	
			18		294.62	9/2/2025	14.57	280.05	
			18		294.62	12/8/2025	14.48	280.14	
			18		294.62	2/18/2026	14.19	280.43	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8A	Overburden		3.8-8.8 bgs	290.45 - 285.45	297.39	12/6/2001	7.92	289.47	NA
						9/26/2001		Dry	
						12/17/2001		Dry	
						3/19/2002		Dry	
						6/19/2002	9.57	287.82	
						9/26/2002		Dry	
						12/16/2002	6.13	291.26	
						6/18/2003	7.30	290.09	
						3/3/2012	6.06	291.33	
						8/6/2004	9.51	287.88	
						12/16/2004	7.27	290.12	
						6/22/2005	9.11	288.28	
						12/13/2005	7.00	290.39	
						8/28/2006	10.73	286.66	
						12/18/2006	8.84	288.55	
						3/27/2007	6.44	290.95	
						11/6/2007	9.62	287.77	
						5/22/2017		Dry	
		294.25	10.84	285.92	296.76	10/29/2018	10.76	286.00	
					296.76	12/10/2019	Dry	Dry	Dry
					296.76	3/17/2020	Dry	Dry	Dry
					296.76	6/16/2020	Dry	Dry	Dry
					296.76	9/22/2020	Dry	Dry	Dry
					296.76	12/14/2020	Dry	Dry	Dry
					296.76	3/1/2021	Dry	Dry	Dry
					296.76	6/21/2021	Dry	Dry	Dry
					296.76	9/20/2021	Dry	Dry	Dry
					296.76	12/6/2021	Dry	Dry	Dry
					296.76	3/14/2022	Dry	Dry	Dry
					296.76	9/12/2022	Dry	Dry	Dry
			8.8		296.76	6/19/2023	Dry	Dry	Dry
			8.8		296.76	9/18/2023	Dry	Dry	Dry
			8.8		296.76	12/11/2023	Dry	Dry	Dry
			8.8		296.76	3/18/2024	Dry	Dry	Dry
			8.8		296.76	6/10/2024	Dry	Dry	Dry
			8.8		296.76	9/25/2024	Dry	Dry	Dry
			8.8		296.76	12/9/2024	Dry	Dry	Dry
			8.8		296.76	2/24/2025	Dry	Dry	Dry
			8.8		296.76	5/27/2025	Dry	Dry	Dry
			8.8		296.76	9/2/2025	Dry	Dry	Dry
			8.8		296.76	12/8/2025	Dry	Dry	Dry
			8.8		296.76	2/18/2026	Dry	Dry	Dry

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW01-8B	Bedrock open hole		25-50 bgs	269.2 - 244.2	297.35	12/6/2001	9.08	288.27	~25 / ~269.2
						9/26/2001	14.14	283.21	
						12/17/2001	17.12	280.23	
						3/19/2002	15.73	281.62	
						6/19/2002	10.41	286.94	
						9/26/2002	17.50	279.85	
						12/16/2002	7.02	290.33	
						6/18/2003	8.04	289.31	
						3/3/2012	6.93	290.42	
						8/6/2004	10.51	286.84	
						12/16/2004	10.05	287.30	
						6/22/2005	9.95	287.40	
						12/13/2005	8.40	288.95	
						8/28/2006	12.03	285.32	
						12/18/2006	10.23	287.12	
						3/27/2007	7.80	289.55	
						11/6/2007	10.99	286.36	
					296.70 ^b	5/22/2017	11.38	285.32	
		294.2	27.15	269.67	296.82	10/29/2018	11.48	285.34	
					296.82	12/10/2019	13.34	283.48	
					296.82	3/17/2020	15.24	281.58	
					296.82	6/16/2020	16.29	280.53	
					296.82	9/22/2020	17.48	279.34	
					296.82	12/14/2020	16.40	280.42	
					296.82	3/1/2021	12.36	284.46	
					296.82	6/21/2021	15.40	281.42	
					296.82	9/20/2021	14.50	282.32	
					296.82	12/6/2021	15.59	281.23	
					296.82	3/14/2022	15.59	281.23	
					296.82	6/6/2022	14.59	282.23	
					296.82	9/13/2022	17.43	279.39	
					296.82	11/30/2022	16.31	280.51	
					296.82	3/23/2023	13.98	282.84	
			50		296.82	6/19/2023	16.54	280.28	
			50		296.82	9/19/2023	14.87	281.95	
			50		296.82	12/11/2023	0.27	296.55	
			50		296.82	3/18/2024	10.59	286.23	
			50		296.82	6/10/2024	15.71	281.11	
			50		296.82	9/25/2024	17.60	279.22	
			50		296.82	12/9/2024	17.43	279.39	
			50		296.82	2/24/2025	16.48	280.34	
			50		296.82	5/27/2025	14.29	282.53	
			50		296.82	9/2/2025	17.24	279.58	
			50		296.82	12/8/2025	16.67	280.15	
			50		296.82	2/18/2026	17.09	279.73	
MW05-8C	Bedrock				296.89	12/13/2005	18.76	278.13	6 / 288.08
						8/28/2006	20.58	276.31	
						12/18/2006	18.87	278.02	
						3/27/2007	14.61	282.28	
						11/6/2007	18.86	278.03	
					295.95 ^b	5/22/2017	20.92	275.03	
		294.08	Well Converted			10/29/2018	Well Converted to MW18-8E/8F		

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8D	Bedrock	294.04	73-83	221.04-211.04	296.44	10/29/2018	40.35	256.09	7 / 287.04
					296.44	12/10/2019	15.26	281.18	
					296.44	3/17/2020	14.77	281.67	
					296.44	6/16/2020	15.98	280.46	
					296.44	9/22/2020	17.28	279.16	
					296.44	12/14/2020	16.18	280.26	
					296.44	3/1/2021	14.04	282.40	
					296.44	6/21/2021	15.94	280.50	
					296.44	9/20/2021	13.02	283.42	
					296.44	12/6/2021	14.80	281.64	
					296.44	3/14/2022	14.22	282.22	
					296.44	6/6/2022	14.77	281.67	
					296.44	9/14/2022	17.30	279.14	
					294.44	12/2/2022	18.38	276.06	
					294.44	3/23/2023	14.08	280.36	
			83		294.44	6/19/2023	16.28	278.16	
			83		294.44	9/20/2023	26.36	268.08	
			83		294.44	12/11/2023	16.95	277.49	
			83		294.44	3/18/2024	11.42	283.02	
			83		294.44	6/10/2024	15.82	278.62	
			83		294.44	9/25/2024	17.60	276.84	
			83		294.44	12/9/2024	22.40	272.04	
			83		294.44	2/24/2025	18.89	275.55	
			83		294.44	5/27/2025	14.34	280.10	
			83		294.44	9/2/2025	17.09	277.35	
			83		294.44	12/8/2025	19.82	274.62	
			83		294.44	2/18/2026	28.95	265.49	
MW18-8E	Bedrock	294.08	132-147	162.08-147.08	295.97	10/29/2018	18.80	277.17	6 / 288.08
					295.97	12/10/2019	28.90	267.07	
					295.97	3/17/2020	28.93	267.04	
					295.97	6/16/2020	Obstruction could not gauge		
					295.97	9/22/2020	34.40	261.57	
					295.97	12/14/2020	30.65	265.32	
					295.97	3/1/2021	25.64	270.33	
					295.97	6/21/2021	30.40	265.57	
					295.97	9/20/2021	28.57	267.40	
					295.97	12/6/2021	47.04	248.93	
					295.97	3/14/2022	60.75	235.22	
					295.97	6/8/2022	58.24	237.73	
					295.97	9/13/2022	29.62	266.35	
					295.97	11/30/2022	33.18	262.79	
					295.97	3/22/2023	26.62	269.35	
			185		295.97	6/21/2023	32.07	263.90	
			185		295.97	9/9/2023	31.10	264.87	
			185		295.97	12/11/2023	26.82	269.15	
			185		295.97	3/18/2024	22.73	273.24	
			185		295.97	6/10/2024	22.31	273.66	
			185		295.97	9/25/2024	28.12	267.85	
			147		295.97	12/9/2024	33.80	262.17	
			185		295.97	2/24/2025	31.28	264.69	
			185		295.97	5/27/2025	26.52	269.45	
			185		295.97	9/2/2025	32.76	263.21	
			185		295.97	12/8/2025	32.73	263.24	
			185		295.97	2/18/2026	32.46	263.51	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-8F	Bedrock	294.08	175-185	119.08-109.08	296.02	10/29/2018	21.11	274.91	6 / 288.08
					296.02	12/10/2019	28.50	267.52	
					296.02	3/17/2020	29.07	266.95	
					296.02	6/16/2020	30.00	266.02	
					296.02	9/22/2020	33.58	262.44	
					296.02	12/14/2020	30.65	265.37	
					296.02	3/1/2021	25.79	270.23	
					296.02	6/21/2021	30.54	265.48	
					296.02	9/20/2021	29.23	266.79	
					296.02	12/6/2021	31.27	264.75	
					296.02	3/14/2022	28.29	267.73	
					296.02	6/8/2022	29.44	266.58	
					296.02	9/13/2022	33.94	262.08	
					296.02	11/30/2022	66.62	229.40	
					296.02	3/23/2023	26.90	269.12	
			185		296.02	6/19/2023	32.42	263.60	
			185		296.02	9/21/2023	30.70	265.32	
			185		296.02	12/11/2023	26.17	269.85	
			185		296.02	3/18/2024	22.00	274.02	
			185		296.02	6/10/2024	30.74	265.28	
			185		296.02	9/25/2024	34.00	262.02	
			185		296.02	12/9/2024	33.90	262.12	
			185		296.02	2/24/2025	31.41	264.61	
			185		296.02	5/27/2025	26.76	269.26	
			185		296.02	9/2/2025	32.84	263.18	
			185		296.02	12/8/2025	32.95	263.07	
			185		296.02	2/18/2026	33.03	262.99	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-2C	Bedrock open hole		70-125 bgs	228.57 - 173.57	298.70	8/28/2006	32.52	266.18	10 / 288.57
						12/18/2006	31.70	267.00	
						3/27/2007	24.57	274.13	
						11/6/2007	33.09	265.61	
					298.01 ^b	5/22/2017	30.40	267.61	
		298.57	131.4	166.61	298.01	10/29/2018	31.38	266.63	
					298.01	12/10/2019	34.91	263.10	
					298.01	3/17/2020	35.00	263.01	
					298.01	6/16/2020	35.81	262.20	
					298.01	9/22/2020	38.72	259.29	
					298.01	12/14/2020	36.50	261.51	
					298.01	3/1/2021	32.76	265.25	
					298.01	6/21/2021	36.20	261.81	
					298.01	9/20/2021	33.41	264.60	
					298.01	12/6/2021	36.00	262.01	
					298.01	3/14/2022	32.18	265.83	
					298.01	6/2/2022	33.62	264.39	
					298.01	9/12/2022	37.27	260.74	
					298.01	11/30/2022	37.20	260.81	
					298.01	3/22/2023	31.48	266.53	
			125		298.01	6/19/2023	36.52	261.49	
			125		298.01	9/19/2023	33.72	264.29	
			125		298.01	12/11/2023	33.20	264.81	
			125		298.01	3/18/2024	25.71	272.30	
			125		298.01	6/10/2024	34.32	263.69	
			125		298.01	9/25/2024	27.90	270.11	
			125		298.01	12/9/2024	38.09	259.92	
			125		298.01	2/24/2025	35.40	262.61	
			125		298.01	5/27/2025	29.99	268.02	
			125		298.01	9/2/2025	36.50	261.51	
			125		298.01	12/8/2025	16.90	281.11	
			125		298.01	2/18/2026	37.09	260.92	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-4C	Bedrock open hole	299.92	70-125 bgs	229.92 - 174.92	299.92	8/28/2006	44.05	255.87	59.2 / 240.72
						12/18/2006	26.54	273.38	
						3/27/2007	23.62	276.30	
						11/6/2007	24.42	275.50	
						5/22/2017	Well Previously Inaccessible		
						6/21/2021	26.14	271.87	
						9/20/2021	40.15	257.86	
						12/6/2021	41.60	258.32	
						3/14/2022	36.23	263.69	
						6/1/2022	35.62	264.30	
						9/12/2022	38.27	261.65	
						12/2/2022	40.68	259.24	
						3/22/2023	38.80	261.12	
			125			6/19/2023	40.37	259.55	
			125			9/19/2023	39.31	260.61	
			125			12/11/2023	40.07	259.85	
			125			3/18/2024	33.60	266.32	
			125			6/10/2024	39.19	260.73	
			125			9/25/2024	38.05	261.87	
			125			12/9/2024	44.48	255.44	
			125			2/24/2025	42.50	257.42	
			125			5/27/2025	35.26	264.66	
			125			9/2/2025	39.02	260.90	
			125			12/8/2025	42.46	257.46	
			125			2/18/2026	46.02	253.90	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW06-9C	Bedrock open hole		68-125 bgs	244.71 - 187.71	315.27	8/28/2006	51.50	263.77	20 / 292.71
						12/18/2006	49.11	266.16	
						3/27/2007	36.88	278.39	
						11/6/2007	53.71	261.56	
					314.53 ^b	5/22/2017	47.02	267.51	
		312.71	128	186.5	314.50	10/29/2018	45.10	269.40	
					314.50	12/10/2019	52.70	261.80	
					314.50	3/17/2020	54.50	260.00	
					314.50	6/16/2020	54.85	259.65	
					314.50	9/22/2020	58.31	256.19	
					314.50	12/14/2020	56.17	258.33	
					314.50	3/1/2021	47.50	267.00	
					314.50	6/21/2021	55.05	259.45	
					314.50	9/20/2021	46.83	267.67	
					314.50	12/6/2021	52.80	261.70	
					314.50	3/14/2022	41.18	273.32	
					314.50	6/2/2022	49.30	265.20	
					314.50	9/12/2022	56.85	257.65	
					314.50	12/1/2022	55.55	258.95	
					314.50	3/21/2023	48.69	265.81	
		125			314.50	6/19/2023	55.36	259.14	
		125			314.50	9/18/2023	51.72	262.78	
		125			314.50	12/11/2023	47.45	267.05	
		125			314.50	3/18/2024	38.51	275.99	
		125			314.50	6/10/2024	53.59	260.91	
		125			314.50	9/25/2024	57.48	257.02	
		125			314.50	12/9/2024	57.42	257.08	
		125			314.50	2/24/2025	55.30	259.20	
		125			314.50	5/27/2025	48.77	265.73	
		125			314.50	9/2/2025	56.48	258.02	
		125			314.50	12/8/2025	56.72	257.78	
		125			314.50	2/18/2026	56.88	257.62	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10A	Overburden	293.08	5-15	288.08-278.08	295.42	10/29/2018	3.75	291.67	NA
					295.42	12/10/2019	3.00	292.42	
					295.42	3/17/2020	4.10	291.32	
					295.42	6/16/2020	6.07	289.35	
					295.42	9/22/2020	7.73	287.69	
					295.42	12/14/2020	4.16	291.26	
					295.42	3/1/2021	2.59	292.83	
					295.42	6/21/2021	5.78	289.64	
					295.42	9/20/2021	5.10	290.32	
					295.42	12/6/2021	4.00	291.42	
					295.42	3/14/2022	3.00	292.42	
					295.42	6/3/2022	4.55	290.87	
					295.42	9/12/2022	6.38	289.04	
					295.42	11/29/2022	4.68	290.74	
					295.42	3/27/2023	3.53	291.89	
			15		295.42	6/19/2023	6.01	289.41	
			15		295.42	9/20/2023	4.22	291.20	
			15		295.42	12/11/2023	2.75	292.67	
			15		295.42	3/18/2024	3.39	292.03	
			15		295.42	6/10/2024	5.24	290.18	
			15		295.42	9/25/2024	7.88	287.54	
			15		295.42	12/9/2024	5.68	289.74	
			15		295.42	2/24/2025	3.41	292.01	
			15		295.42	5/27/2025	4.20	291.22	
			15		295.42	9/2/2025	6.89	288.53	
			15		295.42	12/8/2025	4.43	290.99	
			15		295.42	2/18/2026	5.29	290.13	
MW18-10B	Bedrock	293.07	31-51	262.07-242.07	295.82	10/29/2018	24.99	270.83	27 / 266.07
					295.82	12/10/2019	26.85	268.97	
					295.82	3/17/2020	27.48	268.34	
					295.82	6/16/2020	28.39	267.43	
					295.82	9/22/2020	31.98	263.84	
					295.82	12/14/2020	28.88	266.94	
					295.82	3/1/2021	24.09	271.73	
					295.82	6/21/2021	28.82	267.00	
					295.82	9/20/2021	25.41	270.41	
					295.82	12/6/2021	27.22	268.60	
					295.82	3/14/2022	23.18	272.64	
					295.82	6/2/2022	25.44	270.38	
					295.82	9/13/2022	30.24	265.58	
					295.82	12/2/2022	29.68	266.14	
					295.82	3/27/2023	22.83	272.99	
			51		295.82	6/19/2023	28.59	267.23	
			51		295.82	9/20/2023	26.95	268.87	
			51		295.82	12/11/2023	22.30	273.52	
			51		295.82	3/18/2024	17.73	278.09	
			51		295.82	6/10/2024	26.75	269.07	
			51		295.82	9/25/2024	30.24	265.58	
			51		295.82	12/9/2024	29.42	266.40	
			51		295.82	2/24/2025	27.25	268.57	
			51		295.82	5/27/2025	22.45	273.37	
			51		295.82	9/2/2025	29.02	266.80	
			51		295.82	12/8/2025	28.72	267.10	
			51		295.82	2/18/2026	29.82	266.00	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-10C	Bedrock	293.07	175-185	118.07-108.07	295.82	10/29/2018	141.90	153.92	27 / 266.07
					295.82	12/10/2019	28.77	267.05	
					295.82	3/17/2020	27.16	268.66	
					295.82	6/16/2020	27.39	268.43	
					295.82	9/22/2020	31.36	264.46	
					295.82	12/14/2020	29.20	266.62	
					295.82	3/1/2021	27.91	267.91	
					295.82	6/21/2021	27.75	268.07	
					295.82	9/20/2021	25.44	270.38	
					295.82	12/6/2021	29.48	266.34	
					295.82	3/14/2022	27.42	268.40	
					295.82	6/7/2022	27.58	268.24	
					295.82	9/21/2022	32.67	263.15	
					295.82	12/1/2022	36.18	259.64	
					295.82	3/23/2023	27.30	268.52	
			185		295.82	6/19/2023	29.63	266.19	
			185		295.82	9/21/2023	30.28	265.54	
			185		295.82	12/11/2023	29.40	266.42	
			185		295.82	3/18/2024	21.90	273.92	
			185		295.82	6/10/2024	29.20	266.62	
			185		295.82	9/25/2024	31.96	263.86	
			185		295.82	12/9/2024	35.75	260.07	
			185		295.82	2/24/2025	33.61	262.21	
			185		295.82	5/27/2025	24.98	270.84	
			185		295.82	9/2/2025	30.81	265.01	
			185		295.82	12/8/2025	32.05	263.77	
			185		295.82	2/18/2026	35.64	260.18	
MW18-11A	Overburden	292.99	7-17	285.99-275.99	295.39	10/29/2018	4.84	290.55	NA
					295.39	12/10/2019	3.62	291.77	
					295.39	3/17/2020	5.64	289.75	
					295.39	6/16/2020	7.18	288.21	
					295.39	9/22/2020	8.85	286.54	
					295.39	12/14/2020	5.38	290.01	
					295.39	3/1/2021	3.12	292.27	
					295.39	6/21/2021	6.71	288.68	
					295.39	9/20/2021	5.92	289.47	
					295.39	12/6/2021	5.69	289.70	
					295.39	3/14/2022	4.56	290.83	
					295.39	6/6/2022	5.85	289.54	
					295.39	9/13/2022	7.16	288.23	
					295.39	11/29/2022	6.02	289.37	
					295.39	3/27/2023	4.75	290.64	
			17		295.39	6/19/2023	7.84	287.55	
			17		295.39	9/20/2023	5.86	289.53	
			17		295.39	12/11/2023	3.12	292.27	
			17		295.39	3/18/2024	4.62	290.77	
			17		295.39	6/10/2024	6.44	288.95	
			17		295.39	9/25/2024	8.85	286.54	
			17		295.39	12/9/2024	6.37	289.02	
			17		295.39	2/24/2025	4.82	290.57	
			17		295.39	5/27/2025	5.50	289.89	
			17		295.39	9/2/2025	7.74	287.65	
			17		295.39	12/8/2025	5.79	289.60	
			17		295.39	2/18/2026	6.58	288.81	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-11B	Bedrock	293.13	34-44	259.13-249.13	295.54	10/29/2018	28.05	267.49	31 / 262.13
					295.54	12/10/2019	26.31	269.23	
					295.54	3/17/2020	26.91	268.63	
					295.54	6/16/2020	27.83	267.71	
					295.54	9/22/2020	31.38	264.16	
					295.54	12/14/2020	28.25	267.29	
					295.54	3/1/2021	23.52	272.02	
					295.54	6/21/2021	28.21	267.33	
					295.54	9/20/2021	24.95	270.59	
					295.54	12/6/2021	26.72	268.82	
					295.54	3/14/2022	22.68	272.86	
					295.54	6/3/2022	24.96	270.58	
					295.54	9/13/2022	29.65	265.89	
					295.54	12/2/2022	29.02	266.52	
					295.54	3/27/2023	22.32	273.22	
			44		295.54	6/19/2023	28.11	267.43	
			44		295.54	9/20/2023	27.45	268.09	
			44		295.54	12/11/2023	21.89	273.65	
			44		295.54	3/18/2024	23.15	272.39	
			44		295.54	6/10/2024	26.27	269.27	
			44		295.54	9/25/2024	29.72	265.82	
			44		295.54	12/9/2024	29.38	266.16	
			44		295.54	2/24/2025	26.75	268.79	
			44		295.54	5/27/2025	21.98	273.56	
			44		295.54	9/2/2025	28.51	267.03	
			44		295.54	12/8/2025	28.10	267.44	
			44		295.54	2/18/2026	29.28	266.26	
MW18-11C	Bedrock	293.13	175-185	118.13-108.13	295.51	10/29/2018	24.68	270.83	31 / 262.13
					295.51	12/10/2019	29.83	265.68	
					295.51	3/17/2020	30.31	265.20	
					295.51	6/16/2020	31.26	264.25	
					295.51	9/22/2020	34.02	261.49	
					295.51	12/14/2020	31.80	263.71	
					295.51	3/1/2021	27.80	267.71	
					295.51	6/21/2021	31.92	263.59	
					295.51	9/20/2021	29.55	265.96	
					295.51	12/6/2021	31.22	264.29	
					295.51	3/14/2022	29.01	266.50	
					295.51	6/7/2022	30.01	265.50	
					295.51	9/21/2022	34.18	261.33	
					295.51	12/2/2022	33.87	261.64	
					295.51	3/22/2023	27.62	267.89	
			185		295.51	6/19/2023	32.72	262.79	
			185		295.51	9/20/2023	31.23	264.28	
			185		295.51	12/11/2023	26.93	268.58	
			185		295.51	3/18/2024	17.26	278.25	
			185		295.51	6/10/2024	31.10	264.41	
			185		295.51	9/25/2024	34.09	261.42	
			185		295.51	12/9/2024	33.90	261.61	
			185		295.51	2/24/2025	31.47	264.04	
			185		295.51	5/27/2025	27.29	268.22	
			185		295.51	9/2/2025	32.85	262.66	
			185		295.51	12/8/2025	32.82	262.69	
			185		295.51	2/18/2026	33.04	262.47	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12A	Overburden	295.02	5-15	290.02-280.02	294.66	10/29/2018	7.81	286.85	NA
					294.66	12/10/2019	9.92	284.74	
					294.66	3/17/2020	10.22	284.44	
					294.66	6/16/2020	10.62	284.04	
					294.66	9/22/2020	11.58	283.08	
					294.66	12/14/2020	10.75	283.91	
					294.66	3/1/2021	7.60	287.06	
					294.66	6/21/2021	10.56	284.10	
					294.66	9/20/2021	9.27	285.39	
					294.66	12/6/2021	10.40	284.26	
					294.66	3/14/2022	9.40	285.26	
					294.66	6/2/2022	9.89	284.77	
					294.66	9/13/2022	11.50	283.16	
					294.66	11/29/2022	11.74	282.92	
					294.66	3/22/2023	9.55	285.11	
			15		294.66	6/19/2023	11.21	283.45	
			15		294.66	9/21/2023	10.60	284.06	
			15		294.66	12/11/2023	9.87	284.79	
			15		294.66	3/18/2024	6.96	287.70	
			15		294.66	6/10/2024	10.27	284.39	
			15		294.66	9/25/2024	11.60	283.06	
			15		294.66	12/9/2024	12.03	282.63	
			15		294.66	2/24/2025	10.98	283.68	
			15		294.66	5/27/2025	9.20	285.46	
			15		294.66	9/2/2025	11.29	283.37	
			15		294.66	12/8/2025	11.64	283.02	
			15		294.66	2/18/2026	11.70	282.96	
MW18-12B	Bedrock	295.15	80-90	215.15-205.15	294.87	10/29/2018	31.21	263.66	18 / 277.15
					294.87	12/10/2019	29.17	265.70	
					294.87	3/17/2020	31.30	263.57	
					294.87	6/16/2020	31.85	263.02	
					294.87	9/22/2020	34.80	260.07	
					294.87	12/14/2020	32.55	262.32	
					294.87	3/1/2021	28.90	265.97	
					294.87	6/21/2021	32.75	262.12	
					294.87	9/20/2021	30.64	264.23	
					294.87	12/6/2021	32.54	262.33	
					294.87	3/14/2022	30.13	264.74	
					294.87	6/2/2022	31.60	263.27	
					294.87	9/13/2022	34.77	260.10	
					294.87	12/2/2022	34.46	260.41	
					294.87	3/24/2023	29.49	265.38	
			90		294.87	6/19/2023	33.82	261.05	
			90		294.87	9/19/2023	32.68	262.19	
			90		294.87	12/11/2023	29.29	265.58	
			90		294.87	3/18/2024	25.55	269.32	
			90		294.87	6/10/2024	32.41	262.46	
			90		294.87	9/25/2024	34.75	260.12	
			90		294.87	12/9/2024	34.68	260.19	
			90		294.87	2/24/2025	32.84	262.03	
			90		294.87	5/27/2025	29.60	265.27	
			90		294.87	9/2/2025	34.16	260.71	
			90		294.87	12/8/2025	34.11	260.76	
			90		294.87	2/18/2026	33.02	261.85	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-12C	Bedrock	295.15	175-185	120.15-110.15	294.88	10/29/2018	73.50	221.38	18 / 277.15
					294.88	12/10/2019	31.29	263.59	
					294.88	3/17/2020	30.83	264.05	
					294.88	6/16/2020	31.07	263.81	
					294.88	9/22/2020	34.78	260.10	
					294.88	12/14/2020	30.65	264.23	
					294.88	3/1/2021	30.70	264.18	
					294.88	6/21/2021	31.64	263.24	
					294.88	9/20/2021	30.50	264.38	
					294.88	12/6/2021	32.17	262.71	
					294.88	3/14/2022	30.14	264.74	
					294.88	6/7/2022	31.39	263.49	
					294.88	9/21/2022	37.76	257.12	
					294.88	12/1/2022	34.62	260.26	
					294.88	3/23/2023	28.84	266.04	
		185			294.88	6/19/2023	33.48	261.40	
		185			294.88	9/20/2023	33.22	261.66	
		185			294.88	12/11/2023	31.04	263.84	
		185			294.88	3/18/2024	23.51	271.37	
		185			294.88	6/10/2024	31.65	263.23	
		185			294.88	9/25/2024	34.29	260.59	
		185			294.88	12/9/2024	33.21	261.67	
		185			294.88	2/24/2025	31.94	262.94	
		185			294.88	5/27/2025	28.52	266.36	
		185			294.88	9/2/2025	32.74	262.14	
		185			294.88	12/8/2025	33.25	261.63	
		185			294.88	2/18/2026	33.17	261.71	
MW18-13B	Bedrock	294.24	42-52	252.24-242.24	293.97	10/29/2018	27.02	266.95	5 / 289.24
					293.97	12/10/2019	21.55	272.42	
					293.97	3/17/2020	29.74	264.23	
					293.97	6/16/2020	31.03	262.94	
					293.97	9/22/2020	34.62	259.35	
					293.97	12/14/2020	27.81	266.16	
					293.97	3/1/2021	27.21	266.76	
					293.97	6/21/2021	29.35	264.62	
					293.97	9/20/2021	24.00	269.97	
					293.97	12/6/2021	29.97	264.00	
					293.97	3/14/2022	27.71	266.26	
					293.97	6/3/2022	29.00	264.97	
					293.97	9/14/2022	33.84	260.13	
					293.97	12/2/2022	41.42	252.55	
					293.97	3/23/2023	27.18	266.79	
		52			293.97	6/19/2023	27.36	266.61	
		52			293.97	9/19/2023	22.06	271.91	
		52			293.97	12/11/2023	25.12	268.85	
		52			293.97	3/18/2024	8.49	285.48	
		52			293.97	6/10/2024	21.02	272.95	
		52			293.97	9/25/2024	25.30	268.67	
		52			293.97	12/9/2024	28.34	265.63	
		52			293.97	2/24/2025	26.83	267.14	
		52			293.97	5/27/2025	17.69	276.28	
		52			293.97	9/2/2025	29.19	264.78	
		52			293.97	12/8/2025	25.73	268.24	
		52			293.97	2/18/2026	33.51	260.46	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-13C	Bedrock	294.24	175-185	119.24-109.24	293.97	10/29/2018	28.89	265.08	5 / 289.24
					293.97	12/10/2019	28.79	265.18	
					293.97	3/17/2020	30.77	263.20	
					293.97	6/16/2020	32.85	261.12	
					293.97	9/22/2020	34.82	259.15	
					293.97	12/14/2020	32.02	261.95	
					293.97	3/1/2021	30.28	263.69	
					293.97	6/21/2021	34.85	259.12	
					293.97	9/20/2021	29.88	264.09	
					293.97	12/6/2021	31.78	262.19	
					293.97	3/14/2022	30.90	263.07	
					293.97	6/6/2022	30.29	263.68	
					293.97	9/21/2022	38.41	255.56	
					293.97	11/30/2022	34.54	259.43	
					293.97	3/22/2023	28.89	265.08	
		185			293.97	6/19/2023	33.44	260.53	
		185			293.97	9/19/2023	31.25	262.72	
		185			293.97	12/11/2023	26.87	267.10	
		185			293.97	3/18/2024	20.79	273.18	
		185			293.97	6/10/2024	31.72	262.25	
		185			293.97	9/25/2024	34.60	259.37	
		185			293.97	12/9/2024	34.55	259.42	
		185			293.97	2/24/2025	30.97	263.00	
		185			293.97	5/27/2025	28.07	265.90	
		185			293.97	9/2/2025	33.74	260.23	
		185			293.97	12/8/2025	32.58	261.39	
		185			293.97	2/18/2026	33.54	260.43	
MW18-14A	Overburden	296.23	6-16	290.23-280.23	297.55	10/29/2018	7.05	290.50	NA
					297.55	12/10/2019	6.81	290.74	
					297.55	3/17/2020	7.53	290.02	
					297.55	6/16/2020	8.94	288.61	
					297.55	9/22/2020	11.08	286.47	
					297.55	12/14/2020	8.48	289.07	
					297.55	3/1/2021	4.33	293.22	
					297.55	6/21/2021	7.39	290.16	
					297.55	9/20/2021	8.85	288.70	
					297.55	12/6/2021	7.49	290.06	
					297.55	3/14/2022	5.05	292.50	
					297.55	6/6/2022	7.56	289.99	
					297.55	9/13/2022	9.09	288.46	
					297.55	11/28/2022	7.04	290.51	
					297.55	3/24/2023	6.24	291.31	
		16			297.55	6/19/2023	8.33	289.22	
		16			297.55	9/19/2023	5.03	292.52	
		16			297.55	12/11/2023	3.80	293.75	
		16			297.55	3/18/2024	5.83	291.72	
		16			297.55	6/10/2024	7.46	290.09	
		16			297.55	9/25/2024	11.20	286.35	
		16			297.55	12/9/2024	8.21	289.34	
		16			297.55	2/24/2025	5.78	291.77	
		16			297.55	5/27/2025	6.77	290.78	
		16			297.55	9/2/2025	9.96	287.59	
		16			297.55	12/8/2025	6.68	290.87	
		16			297.55	2/18/2026	6.35	291.20	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW18-14B	Bedrock	294.97	45-55	249.97-239.97	297.63	10/29/2018	13.06	284.57	43 / 251.97
					297.63	12/10/2019	16.62	281.01	
					297.63	3/17/2020	19.98	277.65	
					297.63	6/16/2020	21.36	276.27	
					297.63	9/22/2020	25.65	271.98	
					297.63	12/14/2020	22.70	274.93	
					297.63	3/1/2021	14.83	282.80	
					297.63	6/21/2021	22.73	274.90	
					297.63	9/20/2021	18.00	279.63	
					297.63	12/6/2021	21.66	275.97	
					297.63	3/14/2022	16.72	280.91	
					297.63	6/3/2022	19.71	277.92	
					297.63	9/13/2022	24.14	273.49	
					297.63	12/2/2022	22.53	275.10	
					297.63	3/23/2023	17.38	280.25	
			55		297.63	6/19/2023	22.44	275.19	
			55		297.63	9/20/2023	21.26	276.37	
			55		297.63	12/11/2023	17.22	280.41	
			55		297.63	3/18/2024	12.15	285.48	
			55		297.63	6/10/2024	21.92	275.71	
			55		297.63	9/25/2024	25.04	272.59	
			55		297.63	12/9/2024	23.68	273.95	
			55		297.63	2/24/2025	21.90	275.73	
			55		297.63	5/27/2025	17.42	280.21	
			55		297.63	9/2/2025	24.35	273.28	
			55		297.63	12/8/2025	22.28	275.35	
			55		297.63	2/18/2026	22.88	274.75	
MW18-14C	Bedrock	294.97	175-185	119.97-109.97	297.65	10/29/2018	91.66	205.99	43 / 251.97
					297.65	12/10/2019	33.00	264.65	
					297.65	3/17/2020	31.35	266.30	
					297.65	6/16/2020	31.46	266.19	
					297.65	9/22/2020	35.45	262.20	
					297.65	12/14/2020	34.51	263.14	
					297.65	3/1/2021	32.78	264.87	
					297.65	6/21/2021	31.84	265.81	
					297.65	9/20/2021	36.33	261.32	
					297.65	12/6/2021	44.27	253.38	
					297.65	3/14/2022	41.42	256.23	
					297.65	6/7/2022	46.72	250.93	
					297.65	9/14/2022	47.27	250.38	
					297.65	12/5/2022	31.04	266.61	
					297.65	3/23/2023	38.11	259.54	
			186		297.65	6/19/2023	41.85	255.80	
			186		297.65	9/21/2023	43.64	254.01	
			186		297.65	12/11/2023	44.86	252.79	
			186		297.65	3/18/2024	37.31	260.34	
			186		297.65	6/10/2024	44.31	253.34	
			186		297.65	9/25/2024	46.65	251.00	
			186		297.65	12/9/2024	55.92	241.73	
			186		297.65	2/24/2025	55.19	242.46	
			186		297.65	5/27/2025	46.38	251.27	
			186		297.65	9/2/2025	47.73	249.92	
			186		297.65	12/8/2025	48.28	249.37	
			186		297.65	2/18/2026	63.73	233.92	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-15C	Bedrock	298.78	84-104	214.78-194.78	300.12	12/6/2021	43.60	256.52	32 / 266.78
					300.12	3/14/2022	51.57	248.55	
					300.12	6/6/2022	41.33	258.79	
					300.12	9/13/2022	41.44	258.68	
					300.12	11/29/2022	66.98	233.14	
					300.12	3/22/2023	38.89	261.23	
			104		300.12	6/19/2023	42.39	257.73	
			104		300.12	9/19/2023	41.79	258.33	
			104		300.12	12/11/2023	39.98	260.14	
			104		300.12	3/18/2024	36.94	263.18	
			104		300.12	6/10/2024	42.05	258.07	
			104		300.12	9/25/2024	24.97	275.15	
			104		300.12	12/9/2024	43.80	256.32	
			104		300.12	2/24/2025	41.74	258.38	
			104		300.12	5/27/2025	40.25	259.87	
			104		300.12	9/2/2025	43.01	257.11	
			104		300.12	12/8/2025	42.39	257.73	
			104		300.12	2/18/2026	42.16	257.96	
MW21-15D	Bedrock	298.78	160-180	138.78-118.78	300.14	12/6/2021	45.38	254.76	32 / 266.78
					300.14	3/14/2022	61.70	238.44	
					300.14	6/7/2022	45.02	255.12	
					300.14	9/13/2022	46.42	253.72	
					300.14	11/29/2022	46.31	253.83	
					300.14	3/24/2023	43.46	256.68	
			180		300.14	6/19/2023	46.05	254.09	
			180		300.14	9/18/2023	45.12	255.02	
			180		300.14	12/11/2023	42.43	257.71	
			180		300.14	3/18/2024	40.54	259.60	
			180		300.14	6/10/2024	45.10	255.04	
			180		300.14	9/25/2024	46.18	253.96	
			180		300.14	12/9/2024	46.08	254.06	
			180		300.14	2/24/2025	44.86	255.28	
			180		300.14	5/27/2025	43.34	256.80	
			180		300.14	9/2/2025	45.65	254.49	
			180		300.14	12/8/2025	45.56	254.58	
			180		300.14	2/18/2026	45.54	254.60	
MW21-16	Bedrock (Open Hole)	293.8	195.4-223.6	98.40-70.20	293.42	12/6/2021	28.86	264.56	16 / 277.80
					293.42	3/14/2022	16.98	276.44	
					293.42	6/8/2022	28.91	264.51	
					293.42	9/20/2022	32.98	260.44	
					293.42	12/1/2022	32.36	261.06	
					293.42	3/23/2023	26.28	267.14	
			223.6		293.42	6/19/2023	31.34	262.08	
			223.6		293.42	9/19/2023	27.85	265.57	
			223.6		293.42	12/11/2023	25.66	267.76	
			223.6		293.42	3/18/2024	21.84	271.58	
			223.6		293.42	6/10/2024	8.68	284.74	
			223.6		293.42	9/25/2024	23.40	270.02	
			223.6		293.42	12/9/2024	27.00	266.42	
			223.6		293.42	2/24/2025	19.68	273.74	
			223.6		293.42	5/27/2025	16.23	277.19	
			223.6		293.42	9/2/2025	28.24	265.18	
			223.6		293.42	12/8/2025	29.22	264.2	
			223.6		293.42	2/18/2026	25.92	267.5	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-17D	Bedrock	291.43	174.8-184.8	116.63-106.63	293.73	12/6/2021	26.46	267.27	34.7 / 256.73
					293.73	3/14/2022	23.60	270.13	
					293.73	6/7/2022	25.27	268.46	
					293.73	9/14/2022	29.81	263.92	
					293.73	12/5/2022	29.46	264.27	
					293.73	3/27/2023	22.40	271.33	
			184.8		293.73	6/19/2023	28.05	265.68	
			184.8		293.73	9/21/2023	26.67	267.06	
			184.8		293.73	12/11/2023	22.34	271.39	
			184.8		293.73	3/18/2024	17.54	276.19	
			184.8		293.73	6/10/2024	26.49	267.24	
			184.8		293.73	9/25/2024	29.68	264.05	
			184.8		293.73	12/9/2024	29.81	263.92	
			184.8		293.73	2/24/2025	27.13	266.60	
			184.8		293.73	5/27/2025	22.42	271.31	
			184.8		293.73	9/2/2025	30.41	263.32	
			184.8		293.73	12/8/2025	28.78	264.95	
			184.8		293.73	2/18/2026	28.79	264.94	
MW21-18C	Bedrock	307.03	118-138	189.03-169.03	308.54	12/6/2021	43.60	264.94	65 / 242.03
					308.54	3/14/2022	39.64	268.90	
					308.54	6/3/2022	35.61	272.93	
					308.54	9/13/2022	43.81	264.73	
					308.54	12/2/2022	47.01	261.53	
					308.54	3/24/2023	39.23	269.31	
			138		308.54	6/19/2023	45.60	262.94	
			138		308.54	9/21/2023	43.76	264.78	
			138		308.54	12/11/2023	38.22	270.32	
			138		308.54	3/18/2024	33.13	275.41	
			138		308.54	6/10/2024	43.43	265.11	
			138		308.54	9/25/2024	47.45	261.09	
			138		308.54	12/9/2024	47.60	260.94	
			138		308.54	2/24/2025	44.70	263.84	
			138		308.54	5/27/2025	38.90	269.64	
			138		308.54	9/2/2025	46.17	262.37	
			138		308.54	12/8/2025	46.54	262	
			138		308.54	2/18/2026	42.50	266.04	
MW21-18D	Bedrock	307.03	194.5		308.53	12/6/2021	44.13	264.4	65 / 242.03
			194.5		308.53	3/14/2022	43.29	265.24	
			194.5		308.53	6/3/2022	42.54	265.99	
					308.53	9/14/2022	47.93	260.60	
					308.53	12/2/2022	47.61	260.92	
					308.53	3/27/2023	39.62	268.91	
					308.53	6/19/2023	46.06	262.47	
					308.53	9/21/2023	43.05	265.48	
					308.53	12/11/2023	28.54	279.99	
					308.53	3/18/2024	33.67	274.86	
					308.53	6/10/2024	40.5	268.03	
					308.53	9/25/2024	47.93	260.60	
					308.53	12/9/2024	45.81	262.72	
			194.5		308.53	2/24/2025	43.18	265.35	
			194.5		308.53	5/27/2025	36.18	272.35	
			194.5		308.53	9/2/2025	46.12	262.41	
			194.5		308.53	12/8/2025	44.20	264.33	
			194.5		308.53	2/18/2026	42.68	265.85	

Table 1
Groundwater Elevations
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
MW21-19C	Bedrock	297.37	112-132	185.37-165.37	299.30	12/6/2021	40.45	258.85	59.5 / 237.87
					299.30	3/14/2022	38.67	260.63	
					299.30	6/8/2022	39.98	259.32	
					299.30	9/13/2022	41.80	257.50	
					299.30	11/30/2022	41.74	257.56	
					299.30	3/24/2023	38.04	261.26	
			132		299.30	6/19/2023	41.27	258.03	
			132		299.30	9/21/2023	40.51	258.79	
			132		299.30	12/11/2023	37.55	261.75	
			132		299.30	3/18/2024	31.18	268.12	
			132		299.30	6/10/2024	40.34	258.96	
			132		299.30	9/25/2024	41.59	257.71	
			132		299.30	12/9/2024	41.42	257.88	
			132		299.30	2/24/2025	40.14	259.16	
			132		299.30	5/27/2025	38.26	261.04	
			132		299.30	9/2/2025	41.12	258.18	
			132		299.30	12/8/2025	41.00	258.30	
			132		299.30	2/18/2026	40.96	258.34	
MW21-19D	Bedrock	297.37	175-195	122.37-102.37	299.28	12/6/2021	40.93	258.35	59.5 / 237.87
					299.28	3/14/2022	63.68	235.60	
					299.28	6/2/2022	40.20	259.08	
					299.28	9/14/2022	42.00	257.28	
					299.28	12/2/2022	42.93	256.35	
					299.28	3/24/2023	38.20	261.08	
			195		299.28	3/18/2024	39.36	259.92	
			195		299.28	6/10/2024	40.63	258.65	
			195		299.28	9/25/2024	41.96	257.32	
			195		299.28	12/9/2024	41.70	257.58	
			195		299.28	2/24/2025	40.40	258.88	
			195		299.28	5/27/2025	34.43	264.85	
			195		299.28	9/2/2025	41.36	257.92	
			195		299.28	12/8/2025	41.35	257.93	
			195		299.28	2/18/2026	41.29	257.99	
MW21-20D	Bedrock				313.52	3/14/2022	57.55	255.97	
					313.52	12/2/2022	57.13	256.39	
					313.52	3/21/2023	53.42	260.10	
			208		313.52	6/19/2023	56.88	256.64	
			208		313.52	9/19/2023	55.51	258.01	
			208		313.52	12/12/2023	51.46	262.06	
			208		313.52	3/18/2024	49.81	263.71	
			208		313.52	6/10/2024	55.76	257.76	
			208		313.52	9/25/2024	57.68	255.84	
			208		313.52	12/9/2024	57.62	255.90	
			208		313.52	2/24/2025	56.28	257.24	
			208		313.52	5/27/2025	53.51	260.01	
			208		313.52	9/2/2025	57.09	256.43	
			208		313.52	12/8/2025	57.24	256.28	
			208		313.52	2/18/2026	57.27	256.25	

Table 1
Groundwater Elevations
 Little Britain Road Service Center
 610 Little Britain Road
 New Windsor, New York

Monitoring Point	Screened Formation	Ground Elevation	Well Depth/Screened Interval	Well Bottom or Screened Interval Elevation	Measuring Point Elev. (ft AMSL)	Date	Depth to Water (feet)	Groundwater Elev. (feet AMSL)	Top of Bedrock Depth/Elevation
SG-1					313.52	3/14/2022	57.55	255.97	19.5 / 292.82
					313.52	6/7/2022	55.02	258.50	
					313.52	9/14/2022	57.60	255.92	
					313.52	3/27/2023	NM	NM	
					313.52	6/19/2023	NM	NM	
					313.52	9/21/2023	NM	NM	
					313.52	12/11/2023	NM	NM	
					313.52	3/18/2024	NM	NM	
					313.52	6/10/2024	NM	NM	
					313.52	9/25/2024	NM	NM	
					313.52	12/9/2024	NM	NM	
					313.52	2/24/2025	NM	NM	
					313.52	5/27/2025	NM	NM	
					313.52	9/2/2025	NM	NM	
					313.52	12/8/2025	NM	NM	
					313.52	2/18/2026	NM	NM	

Notes:

AMSL = Above mean sea level

a. Wells MW94-1B, MW94-5, and MW96-6 were converted from flush-mounts to stick-ups following the December 2002 monitoring event. b. Wells resurveyed in May 2017.

New measuring point elevations are used to calculate groundwater elevations beginning in June 2003.

b. Wells resurveyed in May 2017.

c. The measuring point for the Lake Washington Stilling Basin is a 3/4-inch diameter iron pipe located along the east side of the basin.

d. The measuring point for Lake Washington is a chiseled mark on the concrete pump house foundation (on left side of metal walkway when facing the pump house).

e. Measurements could not be obtained due to the presence of ice.

f. Unable to locate Lake Washington Stilling Basin gauge.

Table 2

1st Quarter 2026 Groundwater Sampling Event

Volatile Organic Compounds

Little Britain Road Service Center

610 Little Britain Road

New Windsor, New York

Client ID	NY NYSDEC	MW94-1B			MW94-3			MW94-5			MW96-6			MW96-7B			MW01-8A			MW01-8B			MW06-2C			MW06-9C			MW18-8D			MW18-8E		
Sampling Date	Criteria	2/19/2026			2/18/2026			2/24/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026		
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water			Water		
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l		
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL			
WATER BY 8260C																																		
1,1,1-Trichloroethane	5	<1		1.0	<1		1.0	<1	SN	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,1,2,2-Tetrachloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<1		1.0	<1		1.0	<1	N	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,1,2-Trichloroethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,1-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,1-Dichloroethene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2,3-Trichlorobenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2,4-Trichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2-Dibromo-3-chloropropane	NA	<1		1.0	<1		1.0	<1	NC	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2-Dibromoethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2-Dichlorobenzene	4.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2-Dichloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,2-Dichloropropane	NA	<1		1.0	<1		1.0	<1	S	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,3-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,4-Dichlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
1,4-Dioxane	NA	<100		100	<100		100	<100	S	100	<100		100	<100		100	<100			<100		100	<100		100	<100		100	<200		200	<5000		5000
2-Butanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5			<5		5.0	<5		5.0	<5		5.0	<10		10.0	<250		250
2-Hexanone	NA	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5			<5		5.0	<5		5.0	<5		5.0	<10		10.0	<250		250
4-Methyl-2-pentanone	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5			<5		5.0	<5		5.0	<5		5.0	<10		10.0	<250		250
Acetone	50	<5		5.0	<5		5.0	38	N	5.0	<5		5.0	<5		5.0	<5			<5		5.0	<5		5.0	<5		5.0	170		10.0	180	J	250
Benzene	0.7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Bromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Bromodichloromethane	50	<1		1.0	<1		1.0	<1	SN	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Bromoform	50	<1		1.0	<1		1.0	<1	NC	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Bromomethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Chlorobenzene	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Chloroethane	5	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Chloroform	7	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Chloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
cis-1,2-Dichloroethene	5	5.6		1.0	<1		1.0	2.3		1.0	<1		1.0	<1		1.0	<1			2.7		1.0	4.7		1.0	<1		1.0	120		2.0	5100		50
cis-1,3-Dichloropropene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Cyclohexane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Dibromochloromethane	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Dichlorodifluoromethane	NA	<1	C	1.0	<1		1.0	<1	NC	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Isopropylbenzene	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
m,p-Xylene	5	<1		1.0	<1		1.0	<1	NC	1.0	<1		1.0	<1		1.0	<1			<1		1.0	<1		1.0	<1		1.0	<2		2.0	<50		50
Methyl Acetate	NA	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1																	

Table 2
1st Quarter 2026 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW18-8F			MW18-10A			MW18-10B			MW18-10C			MW18-11A			MW18-11B			MW18-11B Dup			MW18-11C			MW18-12A			MW18-12B			MW18-12C				
Sampling Date	Criteria	2/18/2026			2/19/2026			2/19/2026			2/18/2026			2/19/2026			2/19/2026			2/19/2026			2/20/2026			2/20/2026			2/20/2026			2/18/2026				
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water			Water				
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l				
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL		
WATER BY 8260C																																				
1,1,1-Trichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	S	1.0	<1	S	1.0	410	S	200	<100		100					
1,1,2,2-Tetrachloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	N	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,1,2-Trichloroethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,1-Dichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,1-Dichloroethene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2,3-Trichlorobenzene	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2,4-Trichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2-Dibromo-3-chloropropane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	C	1.0	<1		1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1		100		
1,2-Dibromoethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2-Dichlorobenzene	4.7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2-Dichloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,2-Dichloropropane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	SN	1.0	<1		1.0	<1	S	1.0	<1	S	1.0	<1	S	1.0	<1		100		
1,3-Dichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,4-Dichlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
1,4-Dioxane	NA	<1000		1000	<100		100	<100		100	<100		100	<100		100	<100	SN	100	<100		100	<100	S	100	<100	S	100	<100	S	100	<1000	S	10000		
2-Butanone	50	<50		50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		500		
2-Hexanone	NA	<50		50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		500		
4-Methyl-2-pentanone	50	<50		50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		500		
Acetone	50	38	J	50	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5		5.0	<5	1000	350	J	500
Benzene	0.7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	N	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Bromochloromethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Bromodichloromethane	50	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	SN	1.0	<1		1.0	<1	S	1.0	<1	S	1.0	<1	S	1.0	<1		100		
Bromoform	50	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	NC	1.0	<1		1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1		100		
Bromomethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Chlorobenzene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Chloroethane	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Chloroform	7	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	2.9		1.0	<1		1.0	<1		100		
Chloromethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
cis-1,2-Dichloroethene	5	750		10	2.3		1.0	5.3		1.0	4.9		1.0	<1		1.0	18	N	1.0	<1		1.0	120		1.0	<1		1.0	24000		1.0	4500		100		
cis-1,3-Dichloropropene	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Cyclohexane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Dibromochloromethane	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	N	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Dichlorodifluoromethane	NA	<10		10	<1	C	1.0	<1	C	1.0	<1		1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1	C	1.0	<1		100		
Isopropylbenzene	NA	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
m,p-Xylene	5	<10		10	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1	N	1.0	<1		1.0	<1		1.0	<1		1.0	<1		1.0	<1		100		
Methyl Acetate	NA	<10		10	<1																															

Table 2
1st Quarter 2026 Groundwater Sampling Event
Volatile Organic Compounds

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Client ID	NY NYSDEC	MW18-13B			MW18-13C			MW18-13C Dup			MW18-14A			MW18-14B			MW18-14C			MW94-4B2			MW06-4C			MW94-2			MW94-2B		
Sampling Date	Criteria	2/18/2026			2/20/2026			2/20/2026			2/17/2026			2/18/2026			2/19/2026			2/18/2026			2/18/2026			2/18/2026			2/18/2026		
Matrix		Water			Water			Water			Water			Water			Water			Water			Water			Water			Water		
Unit	ug/l	ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l			ug/l		
		Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL	Result	Q	MDL
WATER BY 8260C																															
1,1,1-Trichloroethane	5	<25		1.0	<50	S	50	<50	S	50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2,2-Tetrachloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	NA	<25		1.0	<50	N	50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1,2-Trichloroethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,1-Dichloroethene	5	23	J	1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2,3-Trichlorobenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2,4-Trichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dibromo-3-chloropropane	NA	<25		1.0	<50	C	50	<50	C	50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dibromoethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichlorobenzene	4.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,2-Dichloropropane	NA	<25		1.0	<50	S	50	<50	S	50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,3-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,4-Dichlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
1,4-Dioxane	NA	<2500		100	<5000		5000	<5000	S	5000	<100		100	<100		100	<10000		10000	<100		100	<100		100	<100		100	<100		100
2-Butanone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
2-Hexanone	NA	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
4-Methyl-2-pentanone	50	<120		5.0	<250		250	<250		250	<5		5.0	<5		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
Acetone	50	92	J	5.0	<250		250	<250		250	<5		5.0	37		5.0	<500		500	<5		5.0	<5		5.0	<5		5.0	<5		5.0
Benzene	0.7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromodichloromethane	50	<25		1.0	<50	S	50	<50	S	50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromoform	50	<25		1.0	<50		50	<50	C	50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Bromomethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chlorobenzene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chloroethane	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chloroform	7	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Chloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
cis-1,2-Dichloroethene	5	880		1.0	2700		50	2700		50	<1		1.0	26		1.0	18000		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
cis-1,3-Dichloropropene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Cyclohexane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Dibromochloromethane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Dichlorodifluoromethane	NA	<25		1.0	<50	C	50	<50	C	50	<1		1.0	<1		1.0	<100	C	100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Isopropylbenzene	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
m,p-Xylene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl Acetate	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl Cyclohexane	NA	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methyl tert-butyl ether	10	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
Methylene chloride	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	460		100	<1		1.0	<1		1.0	<1		1.0	<1		1.0
o-Xylene	5	<25		1.0	<50		50	<50		50	<1		1.0	<1		1.0	<100		100	<1		1.0	<1		1.0	<1		1.0	<		

Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Concentrations shown in bold were detected
Highlighted Concentrations shown in bold exceed limits
* : LCS or LCSD : is outside acceptance limits.
J : Result is less than the RL but greater than or equal to the MDL
and the concentration is an approximate value.
U : Indicates the analyte was analyzed for but not detected.
C, N, SC, NSC: Indicates low recovery.
S: LCS Spike below accepted limits (+above)
N+: Indicates high recovery.
C+: Denotes high recovery on samples
with this compound present

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-1B	Bedrock	Sep-95	PND	PND	PND	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	110 JD / 114 JD	1.0 U / 1.0 U	1.0 U / 1.0 U	PND	130 JD / 130 JD	11 J / 10 J	1.0 U / 1.0 U
		Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	280	0.5 U	0.5 U	PND	21 J	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	190 / 190	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	1.0 J / 1.4 J	5.0 U / 5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	78	5.0 U	5.0 U	PND	13	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	160	5.0 U	5.0 U	PND	86	9.0	5.0 U
		Dec-01	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	340 / 330	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	180 / 180	240 / 240	5.0 U / 5.0 U
		Mar-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	59 / 59	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	33 / 31	5.0 U / 5.0 U	5.0 U / 5.0 U
		Jun-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	48 / 46	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	22 / 22	5.0 U / 5.0 U	5.0 U / 5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	31	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	7.8	5.0 U	5.0 U	PND	9.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	9.6	5.0 U	5.0 U	PND	5.2	2.0 U	6.0
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	24	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	35	5.0 U	5.0 U	PND	6.3	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	16	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	18	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	19	5.0 U	5.0 U	PND	5.5	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	9.2	5.0 U	5.0 U	PND	7.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	7.1	PND	1.0 U	1.0 U	1.0 U	1.0 U	0.57J	1.0 U	1.0 U	PND	2.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	2.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.48 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	6.0	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.5	0.91 J	0.38 U	0.24 U	4.2	0.17 U	0.30 U
		Sep-20	6.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	5.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.3	0.24 U	0.38 U	0.24 U	0.85 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	2.1	<1	<1	<1	9.6	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	24	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	5.3	<1	<1	<1	18	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	4.0	<1	<1	<1	13	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	19	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.9	<1	<1	<1	17	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	6	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	2	<1	<1	<1	7	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	4.6	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1	<1	<1	<1	5	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	4.7	<1	<1	<1	16	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.0	<1	<1	<1	10	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.1	<1	<1	<1	13	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	12	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	3.7	<1	<1	<1	14	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	6.9	<1	<1	<1	21	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	5.6	<1	<1	<1	24	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-2	Overburden	May-17	3.8 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.26 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.65 U
		Dec-19	Dry												
		Mar-20	Dry												
		Jun-20	Dry												
		Sep-20	Dry												
		Dec-20	Dry												
		Mar-21	Dry												
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	1.6	<1	<1	<1	0.6 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	Dry												
		Dec-22	Dry												
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	Dry												
		Sep-23	Dry												
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 SC	<1	<1	<1	<1	<1	2.8	<1	<1	<1	<1	1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	Dry												
		Dec-24	Dry												
		Feb-25	Dry												
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	Dry												
		Dec-25	Dry												
		Feb-26	Dry												
MW94-2B	Bedrock	May-17	4.1 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	0.40 J	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.77 J	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.57 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.37 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.42 J	0.38 U	0.24 U	0.53 J	0.17 U	0.30 U
		Sep-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	2.0	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.68 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.48 J	0.17 U	0.30 U
		Jun-21	Dry												
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.6	<1	<1
		Dec-22	9.1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	1.4	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	0.6 J	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	1.5 B	<1	<1	<1	1.8	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-3	Overburden	May-17	4.4 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 UF1	0.43 U	0.22 U	0.24 UF1	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 J	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.29 J	0.31 U	0.17 U	0.30 U
		Jun-20	5.9	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.59 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		June-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	17	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW94-4B2	Bedrock	Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	1.0 J	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.1 C+	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW94-5	Overburden	Sep-95	PND	PND	PND	0.5 J	1.0 U	PND	1.6 J	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Nov-00	PND	PND	PND	1.1 J	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	6.4	PND	1.0 U	1.0 U	1.0 U	1.0 U	7.8	1.0 U	1.0 U	PND	0.68 J	0.82 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.29 J	0.26 U	0.43 U	0.22 U	0.84 J	0.38 U	0.45 J	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.54 J	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.77 J	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.56 J	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	37	0.33 J	0.38 U	0.24 U	0.31 U	1.0	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	38 N	<1	<1	<1	<1	<1	2.3	<1	<1	<1 SN	<1	<1	<1 N

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-6	Overburden	Aug-96	PND	PND	PND	0.5 U	0.5 U	PND	0.84 U	0.5 U	0.5 U	PND	0.5 U	0.74 U	0.8 U
		Nov-00	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Sep-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		May-17	4.6 J	PND	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	PND	1.0 U	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	2.0	0.24 U	0.38 U	0.24 U	0.53 J	0.23 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.50 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW96-7B	Bedrock	Aug-96	PND	PND	PND	8.5 J	5.0 U	PND	120	5.0 U	5.0 U	PND	14 J	7.4 U	8.0 U
		Nov-00	PND	PND	PND	12	5.0 U	PND	58	1.9 J	5.0 U	PND	15	38	5.0 U
		Jun-01	PND	PND	PND	14	5.0 U	PND	62	5.0 U	5.0 U	PND	21	35	5.0 U
		Sep-01	PND	PND	PND	14	5.0 U	PND	120	5.0 U	5.0 U	PND	34	86	5.0 U
		Dec-01	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	8.9	5.0 U	5.0 U	PND	5.0	5.0 U	5.0 U
		Jun-02	PND	PND	PND	7.2	5.0 U	PND	130	5.0 U	5.0 U	PND	8.6	45	5.0 U
		Sep-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	5.0 U	5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	35	5.0 U
		Jun-03	PND	PND	PND	7.8 / 8.3	5.0 U / 5.0 U	PND	25 / 27	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	9.2 / 8.9	11 / 11	5.0 U / 5.0 U
		Dec-03	PND	PND	PND	12	5.0 U	PND	85	5.0 U	5.0 U	PND	6.0	42	5.0 U
		Jun-04	PND	PND	PND	8.7	5.0 U	PND	46	5.0 U	5.0 U	PND	8.1	18	5.0 U
		Dec-04	PND	PND	PND	7.4 / 7.3	5.0 U / 5.0 U	PND	36 / 39	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.3 / 6.7	16 / 17	5.0 U / 5.0 U
		Jun-05	PND	PND	PND	11	5.0 U	PND	47	5.0 U	5.0 U	PND	15	18	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	3.1	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.3	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	5.0 U	4.3	5.0 U
		May-17	6.1	PND	0.85 J	1.0 U	1.0 U	1.0 U	1.5	1.0 U	1.0 U	PND	2.3	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	1.9	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.87 J	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.68 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	Unable to sample due to insufficient water after purging												
		Sep-20	8.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.4	0.24 U	0.38 U	0.24 U	4.2	0.58 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.9	0.24 U	0.38 U	0.24 U	0.90 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	3.1	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	1	<1	<1	<1	1.5	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	7.4	<1	<1
		Dec-21	Unable to sample due to insufficient water after purging												
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.9 J	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.9 J	<1	<1	<1	2.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.4	<1	<1
		Jun-24	No recovery due to poor recharge of monitoring well												
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8A	Overburden	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	21	5.0 U	5.0 U	PND	28	5.0 U	5.0 U
		Sep-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-01	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Mar-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	23	5.0 U	5.0 U
		Sep-02	PND	PND	PND	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴	PND	NS ⁴	NS ⁴	NS ⁴
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.0	2.0 U	5.0 U
		Jun-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.3
		Dec-03	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-04	PND	PND	PND	5.0 U	5.0 U	PND	11	5.0 U	5.0 U	PND	7.4	2.0 U	5.0 U
		Dec-04	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-05	PND	PND	PND	5.0 U	5.0 U	PND	12	5.0 U	5.0 U	PND	8.4	2.0 U	5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	9.0	5.0 U	5.0 U	PND	7.0	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	8.2	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	DRY												
		Oct-18	DRY												
		Dec-19	DRY												
		Mar-20	DRY												
		Jun-20	DRY												
		Sep-20	DRY												
		Dec-20	DRY												
		Mar-21	DRY												
		Jun-21	DRY												
		Sep-21	DRY												
		Dec-21	DRY												
		Mar-22	DRY												
		Sep-22	DRY												
		Dec-22	DRY												
		Mar-23	DRY												
		Jun-23	DRY												
		Sep-23	DRY												
		Dec-23	DRY												
		Mar-24	DRY												
		Jun-24	DRY												
		Sep-24	DRY												
		Dec-24	DRY												
		Feb-25	DRY												
		May-25	DRY												
		Sep-25	DRY												
		Dec-25	DRY												
		Feb-26	DRY												

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW01-8B	25-37.5' 37.5-50' 45-50' - 1 45-50' - 2 45-50' - 3 Bedrock	Jun-01	PND	PND	PND	5.0 U	5.0 U	PND	740	5.4	11	PND	640	80	5.0 U
		Sep-01	PND	PND	PND	25 U / 5.0 U	25 U / 5.0 U	PND	590 / 440	25 U / 5.0 U	25 U / 6.0	PND	300 / 200	37 / 26	25 U / 5.0 U
		Dec-01	PND	PND	PND	10 U	10 U	PND	200	10 U	10 U	PND	80	12	10 U
		Mar-02	PND	PND	PND	5.0 U	5.0 U	PND	96	5.0 U	5.0 U	PND	12	5.0 U	5.0 U
		Jun-02	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	5.0 U	PND	22	5.0 U	5.0 U
		Sep-02	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	100 / 110	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	5.0 U / 5.0 U
		Dec-02	PND	PND	PND	5.0 U	5.0 U	PND	71 / 71	5.0 U	5.0 U	PND	28 / 28	2.0 U	5.0 U
		Jun-03 ⁵	PND	PND	PND	5.0 U	5.0 U	PND	140	5.0 U	5.0 U	PND	12	5.7	6.9
		Jun-03 ⁵	PND	PND	PND	25 U	25 U	PND	990 D	25 U	25 U	PND	480	130	25 U
		Dec-03	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	480 D / 500 D	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	290 D / 300 D	36 / 37	5.0 U / 5.0 U
		Jun-04	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	130 / 140	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	12 / 12	3.7 / 3.9	5.0 U / 5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	41	5.0 U	26	PND	21	2.0 U	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	65	5.0 U	5.0 U	PND	37	3.1	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	69	5.0 U	21	PND	37	3.5	5.0 U
		Dec-04 ⁶	PND	PND	PND	5.0 U	5.0 U	PND	120	5.0 U	59	PND	32	13	5.0 U
		Dec-04 ⁶	PND	PND	PND	10 U	10 U	PND	180	10 U	59	PND	26	24	10 U
		Dec-04 ⁷	PND	PND	PND	5.0 U	5.0 U	PND	150	5.0 U	37	PND	23	18	5.0 U
		Jun-05	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	120 / 120	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	6.1 / 6.4	9.1 / 9.2	5.0 U / 5.0 U
		Dec-05	PND	PND	PND	5.0 U	5.0 U	PND	180	5.0 U	5.0 U	PND	21	18	5.0 U
		Aug-05	PND	PND	PND	5.0 U	5.0 U	PND	30	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	33	5.0 U	5.0 U	PND	28	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	39	5.0 U	5.0 U	PND	6.5	2.0 U	5.0 U
		May-17	6.6	PND	1.0 U	1.0 U	0.62 J	0.26 J	21	1.2	17	PND	8.6	3.6	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	9.1	1.7	0.38 U	0.24 U	0.40 J	5.5	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	4.4 U	6.8	0.31 J	0.38 U	0.24 U	0.68 J	14	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.29 J	0.38 U	0.24 U	0.72 J	1.7	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.37 J	0.43 U	11	2.4	0.38 U	0.24 U	2.7	4.5	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	5.1	0.37 J	0.38 U	0.24 U	0.45 J	7.1	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.4	0.24 U	0.38 U	0.24 U	0.31 U	7.5	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	8.1	0.37 J	0.38 U	0.24 U	0.64 J	1.9	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.5	<1	<1	<1	1.6	5.4	<1
		Sep-21	<5	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.9	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.3	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	2.5	<1
		Jun-22	<5	<1	<1	<1	0.4 J	<1	9.1	0.4 J	<1	<1	1.1	5.9	<1
		Sep-22	<5	<1	<1	<1	0.4 J	<1	3	<1	<1	<1	0.4 J	3.4	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.2	<1	<1	<1	5.0	2.9	<1
		Mar-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	1.3	<1
		Jun-23	<5	<1	<1	<1	<1	<1	8.1	<1	<1	<1	<1	4.3	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.1	<1	<1	<1	<1	7.8	<1
		Dec-23	<5	<1	<1	<1	<1	<1	13.0	<1	<1	<1	4	5.1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	5.6	<1	<1	<1	4	3.8	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	2.1	<1	<1	<1	<1	4.8	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.4	4.1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	1.8	3.9 C	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	3.6	<1	<1	<1	1.4	2	<1
		Dec-25	<5	<1	<1	<1	<1	<1	6.7	<1	<1	<1	4.9	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	2.4	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW05-8C	50-75' 75-100' 100-125'	Aug-05 ⁸	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Aug-05 ⁸	PND	PND	PND	130 U	130 U	PND	4100 D	53 J	17 J	PND	260	210	130 U
		Aug-05 ⁸	PND	PND	PND	50 U	50 U	PND	1,500	17 J	6.4 J	PND	57	82	50 U
	Bedrock	Dec-05	PND	PND	PND	25 U / 250 U	11 J / 250 U	PND	5700 D / 6100	21 J / 24 J	9 J / 250 U	PND	13 J / 250 U	400 / 490	25 U / 250 U
		Aug-06	PND	PND	PND	100 U / 5.0 U	100 U / 7.0	PND	2700 / 2700 D	100 U / 7.2	100 U / 5.0 U	PND	100 U / 5.0 U	180 / 190	100 U / 5.0 U
		Dec-06	PND	PND	PND	100 U	100 U	PND	2,300	100 U	100 U	PND	100 U	210	100 U
		Jun-07	PND	PND	PND	100 U / 25 U	100 U / 25 U	PND	3900 D / 3800 D	100 U / 27	100 U / 25 U	PND	100 U / 25 U	380 / 340	100 U / 25 U
		May-17	500 U	PND	100 U	100 U	120	100 U	34,000	80 J	170	PND	2,100	4,100	100 U
		Jun-17	250 U	PND	50 U	50 U	52	50 U	11,000	15 J	31 J	PND	3,400	850	50 U
		Jun-18	Well Converted to MW18-8E/8F												
MW18-8D	Bedrock	Oct-18	70	2.1 U	2.3 J	1.3 U	5.3	2.2 U	1600	2.7 J	1.9 U	1.2 U	150	130	3.3 U
		Dec-19	140	0.41 U	0.65 U	0.53 U	2.5	0.86 U	960	1.2 J	0.76 U	0.48 U	73	65	0.59 U
		Mar-20	130	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	750	1.0 J	0.76 U	0.48 U	69	56	0.59 U
		Jun-20	120	0.41 U	0.65 U	0.53 U	1.5	0.86 U	590	1.3 J	0.76 U	0.48 U	55	35	0.59 U
		Sep-20	150	0.41 U	0.65 U	0.53 U	1.3 J	0.86 U	500	0.69 J	0.76 U	0.48 U	33	37	0.59 U
		Dec-20	130	0.41 U	0.65 U	0.53 U	1.2 J	0.86 U	380	0.63 J	0.76 U	0.48 U	28	24	0.59 U
		Mar-21	150	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	420	2.3	0.76 U	0.48 U	32	32	0.59 U
		Jun-21	95	<5	<5	<5	<5	<5	240	<5	<5	<5	23	22	<5
		Sep-21	<10	<2	<2	<2	<2	<2	200	<2	<2	<2	13	19	<2
		Dec-21	63	<2	<2	<2	<2	<2	170	<2	<2	<2	12	19	<2
		Mar-22	140	<5	<5	<5	<5	<5	110	<5	<5	<5	18	13	<5
		Jun-22	100	<2	<2	<2	<2	<2	130	<2	<2	<2	30	11	<2
		Sep-22	99	<1	<1	<1	0.4 J	<1	99	<1	<1	<1	31	7.1	<1
		Dec-22	75 C	<1	<1	<1	0.9 J	<1	120	0.5 J	<1	<1	60	10	<1
		Mar-23	140	<1	<1	<1	1.1	<1	160	0.7 J	<1	<1	80	17	<1
		Jun-23	100 C	<2	<2	<2	<2	<2	78	<2	<2	<2	62	7.8 C	<2
		Sep-23	140 SC	<1	<1	<1	2.1	<1	100	0.7 J	<1	<1	72	11	<1
		Dec-23	120 C	<1	<1	<1	<1 C	<1	100	<1	<1 C	<1	60	8.7	<1
		Mar-24	120 C	<1	<1	<1	<1	<1	72	<1	<1	<1	57	12	<1
		Jun-24	130 SC	<1	<1	<1	<1	<1	110	<1	<1	<1	92	17	<1
		Sep-24	180	<1	<1	<1	0.8 J	<1	92	0.7 J	<1	<1	43	16	<1
		Dec-24	100C	<1	<1	<1	<1	<1	69	<1	<1	<1	41	16C	<1
		Feb-25	150 C	<1	<1	<1	<1	<1	140	1.5	<1	<1	54	72	<1
		May-25	350	<2	<2	<2	<2	<2	180	<2	<2	<2	68	76 C	<2
		Sep-25	230 C	<2	<2	<2	<2	<2	140	<2	<2	<2	68	61	<2
		Dec-25	240	<2	<2	<2	<2	<2	140	<2	<2	<2	50	<2	<2
		Feb-26	170	<2	<2	<2	<2	<2	120	<2	<2	<2	34	67	<2

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-8E	Bedrock	Oct-18	100 U	8.6 U	6.5 U	5.3 U	7.2 J	8.6 U	6100	4.7 U	8.7 J	4.8 U	6.3 U	1300	13 U
		Dec-19	Unable to sample due to obstruction												
		Mar-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	310	3.7 J	1.9 U	1.2 U	1.6 U	1700	1.5 U
		Jun-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	240	3.3 J	1.9 U	1.2 U	1.6 U	870	1.5 U
		Sep-20	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	300	3.3 J	1.9 U	1.2 U	1.6 U	1200	1.5 U
		Dec-20	9.8	0.20 U	0.33 U	0.38 J	0.26 U	0.43 U	280	3.2	0.82 J	0.24 U	0.31 U	840	0.30 U
		Mar-21	22 U	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	260	4.6 J	1.9 U	1.2 U	1.6 U	810	1.5 U
		Jun-21	<10	<10	<10	<10	<10	<10	63	<10	<10	<10	<10	150	<10
		Sep-21	<10	<10	7.1 J	<10	<10	<10	600	<10	<10	<10	8.2 J	220	<10
		Dec-21	<10	<10	<10	<10	<10	<10	1500	5.2 J	<10	<10	<10	440	<10
		Mar-22	<500	<100	<100	<100	<100	<100	8500	<100	<100	<100	51 J	2400	<100
		Jun-22	<500	<100	<100	<100	<100	<100	7200	<100	<100	<100	<100	2200	<100
		Sep-22	<250	<50	<50	<50	21 J	<50	7900	<50	<50	<50	<50	2100	<50
		Dec-22	<250	<50	<50	<50	28 J	<50	9600	30 J	23 J	<50	17 J	2500	<50
		Mar-23	<500	<100	<100	<100	<100	<100	11000	<100	<100	<100	<100	4500	<100
		Jun-23	<250	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1400	<50
		Sep-23	<250 C	<50	<50	<50	42 J	<50	6300	<50	<50	<50	<50	1800	<50
		Dec-23	<250 C	<50	<50	<50	<50	<50	6200	<50	<50	<50	<50	1900	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	4700	<50	<50	<50	<50	1800	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4900	<50	<50	<50	<50	1700	<50
		Sep-24	<250	<50	<50	<50	<50	<50	6300	<50	<50	<50	<50	2000	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	5000	<50	<50	<50	<50 C	1700 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	6000	<50	<50	<50	<50	2100	<50
		May-25	<250	<50	<50	<50	<50	<50	5800	<50	<50	<50	<50	1600 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 C	<50	4500	<50 C	<50	<50	<50	1400	<50
		Dec-25	<250	<50	<50	<50	<50	<50	5300	<50	<50	<50	<50	<50	<50
		Feb-26	180 J	<50	<50	<50	<50	<50	5100	<50	<50	<50	<50	1600	<50
MW18-8F	Bedrock	Oct-18	50 U	4.3 U	3.3 U	2.6 U	1.2 U	4.8 J	1800	5.3 J	3.8 U	2.4 U	7.7 J	420	6.5 U
		Dec-19	22	4.6	15	0.53 U	0.97 J	0.86 U	600	1.0 J	0.76 U	0.48 U	1.4 J	58	0.59 U
		Mar-20	6.6	1.6	6.4	0.26 U	0.54 J	0.43 U	370	4.5	0.77 J	0.24 U	0.62 J	120	0.30 U
		Jun-20	10	2.0	4.8	0.53 U	0.78 J	0.86 U	500	3.6	0.78 U	0.48 U	0.85 J	150	0.59 U
		Sep-20	8.8 U	1.0 J	11	0.53 U	0.53 U	0.86 U	530	1.1 J	0.76 U	0.48 U	1.2 J	54	0.59 U
		Dec-20	6.3	0.90 J	2.8	0.28 J	0.26 U	0.43 U	120	3.6	0.71 J	0.24 U	0.31 U	34	0.38 J
		Mar-21	4.4 U	0.74 J	2.4	0.26 U	0.26 U	0.43 U	81	4.0	0.41 J	0.24 U	0.31 U	25	0.30 U
		Jun-21	35	<1	0.7 J	<1	<1	<1	38	<1	<1	<1	<1	3.6	<1
		Sep-21	<120	<25	<25	<25	<25	<1	4500	<25	<25	<25	<25	1900	<25
		Dec-21	<25	14	<5	<5	<5	<5	390	<5	<5	<5	<5	68	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	<10	<10	<10	3.2 J	540	<10
		Jun-22	<50	<10	<10	<10	<10	<10	1800	<10	<10	<10	<10	620	<10
		Sep-22	<50	<10	<10	<10	<10	<10	990	4.3 J	<10	<10	<10	520	<10
		Dec-22	<50	<10	<10	<10	<10	<10	1000	4.0 J	<10	<10	<10	530	<10
		Mar-23	<50	<10	<10	<10	<10	<10	1500	4.9 J	<10	<10	<10	750	<10
		Jun-23	<120	<25	<25	<25	<25	<25	770	<25	<25	<25	<25	360	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	960	<10	<10	<10	<10	460	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	560	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	1100	<10	<10	<10	<10	530	<10
		Jun-24	<50 SC	<10	<10	<10	<10 C	<10	930	<10	<10	<10	<10	450	<10
		Sep-24	<50	<10	<10	<10	<10	<10	810	<10	<10	<10	<10	320	<10
		Dec-24	58 C	<10	<10	<10	<10	<10	860	<10	<10	<10	<10 C	420 C	<10
		Feb-25	<50 C	<10	<10	<10	<10	<10	710	<10	<10	<10	<10	270	<10
		May-25	<50 C	<10	<10	<10	<10	<10	990	<10	<10	<10	<10	300	<10
		Sep-25	<50 C	<10	<10	<10	<10 SC	<10	640	<10 C	<10	<10	<10	260	<10
		Dec-25	<50	<10	<10	<10	<10	<10	780	<10	<10	<10	<10	<10	<10
		Feb-26	38 J	<10	<10	<10	<10	<10	750	<10	<10	<10	<10	240	<10

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-2C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	32	PND	6.6	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	6.2	5.0 U	7.6	PND	9.8	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	8.8	5.0 U	5.0 U	PND	11	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	10	5.0 U	5.0 U	PND	14	2.0 U	5.0 U
		May-17	5.7	PND	1.0 U	1.0 U	1.0 U	1.0 U	5.6	1.0 U	1.0 U	PND	6.2	1.0 U	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	8.1	0.24 J	0.38 U	0.24 U	3.5	0.28 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.31 J	0.26 U	0.43 U	27	0.48 J	0.38 U	0.24 U	3.0	0.66 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	0.45 J	0.38 U	0.24 U	3.3	0.37 J	0.30 U
		Jun-20	5.7	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	22	1.2	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	23	0.34 J	0.38 U	0.24 U	1.9	0.43 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.35 J	0.43 U	15	0.43 J	0.38 U	0.24 U	3.6	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.34 J	0.26 U	0.43 U	22	0.48 J	0.38 U	0.24 U	0.31 J	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	14	<1	7.4	<1	2.2	1.8	<1
		Sep-21	Sample not collected												
		Dec-21	<5	<1	<1	<1	<1	<1	8.8	<1	<1	<1	5.6	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	5.6	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	12	<1	<1	<1	4.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9	<1	<1	<1	6.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	8.3	<1	<1
		Mar-23	8.2	<1	<1	<1	<1	<1	2.5	<1	<1	<1	1.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.0	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	1.4	<1	<1	<1	1.9	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.7	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.7	<1	<1	<1	3.3	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	4.2	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	2.1	<1	<1C	<1	2.6	<1	<1
		Feb-25	< 5 C	<1	<1	<1	<1	<1	1.9	<1	<1	<1	2.9	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.2	<1	<1	<1	2.2	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1 C	1.4	<1	<1	<1	2.6	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	5.5	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	4.7	<1	<1	<1	4.3	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-4C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	10	PND	5.0 U	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	5.0 U	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	Well Previously Inaccessible												
		Jun-21	220	<2	<2	<2	<2	<2	<2	<2	7.8	<2	<2	<2	<2
		Sep-21	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1
		Dec-21	<5	2.4	<1	<1	<1	<1	0.7 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	0.6 J	<1	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1
		Jun-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.6 J
		Mar-23	5.4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	6.8 C	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-25	5.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW06-9C	100-125' Bedrock	Aug-06 ⁹	PND	PND	PND	5.0 U	5.0 U	PND	130	5.0 U	5.0 U	PND	7.1	2.0 U	5.0 U
		Aug-06	PND	PND	PND	5.0 U	5.0 U	PND	95	5.0 U	5.0 U	PND	8.6	2.0 U	5.0 U
		Dec-06	PND	PND	PND	5.0 U / 5.0 U	5.0 U / 5.0 U	PND	92 / 90	5.0 U / 5.0 U	9.2 / 9.5	PND	5.3 / 5.0 U	2.0 U / 2.0 U	5.0 U / 5.0 U
		Jun-07	PND	PND	PND	5.0 U	5.0 U	PND	75	5.0 U	5.0 U	PND	5.0 U	2.0 U	5.0 U
		May-17	8.6	PND	1.0 U	0.33 J	1.0 U	1.0 U	130	1.1	0.50 J	PND	3.5	0.38 J	1.0 U
		Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	56	0.24 U	0.38 U	0.24 U	7.0	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	51	0.24 U	0.38 U	0.24 U	2.3	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	65	0.55 J	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	63	0.62 J	0.38 U	0.24 U	2.6	0.17 U	0.30 U
		Sep-20	5.6	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	0.24 U	0.38 U	0.24 U	2.2	1.6	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	50	0.24 U	0.38 U	0.24 U	1.8	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.59 J	0.43 U	310	1.0	0.38 U	0.24 U	18	0.17 U	0.30 U
		Jun-21	<10	<2	<2	<2	<2	<2	46	<2	5.6	<2	1.9 J	<2	<2
		Sep-21	<5	<1	1.6	<1	<1	<1	7.8	<1	0.4 J	<1	5.1	0.5 J	<1
		Dec-21	<5	0.6 J	0.6 J	<1	<1	<1	19	<1	<1	<1	3.2	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	3.4	<1	<1	<1	5.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	11	<1	<1	<1	8.1	<1	<1
		Sep-22	<5	0.7 J	<1	<1	<1	<1	5.8	<1	<1	<1	3.9	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	5.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	5.9	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	2.4	<1	<1	<1	2.6	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	2	<1	<1	<1	5.0	<1	<1
		Dec-23	<5	<1	<1	<1	<1	<1	1.4 C+	<1	<1	<1	1.8	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	5.5	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	1.3	<1	<1	<1	1.1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	1.3	<1	<1	<1	2.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	1.1	<1	<1	<1	3.1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1 SC	<1	<1	<1	2.2	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.0 J	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.9	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10A	Overburden	Oct-18	5.0 U	0.43 U	3.0	0.26 U	0.12 U	0.43 U	4.0	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.6	0.24 U	0.38 U	0.24 U	1.0	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.4	0.24 U	0.38 U	0.24 U	0.76 J	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.6	0.24 U	0.38 U	0.24 U	0.98 J	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.7	0.24 U	0.38 U	0.24 U	1.6	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	3.9	0.24 U	0.38 U	0.24 U	1.4	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.4	0.24 U	0.38 U	0.24 U	0.90 J	0.17 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	0.8 J	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	7	<1	<1	<1	2.0	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	1.4	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	1.4	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	0.9 J	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	3.0	<1	<1	<1	0.7 J	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	2.7	<1	<1	<1	1.3	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	2.0	<1	<1	<1	0.8 J	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	1.9	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.3	0.7 J	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	2.6	<1	<1 C	<1	1.3	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	1.9	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1	<1	0.9 J	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	2.6	<1	<1	<1	1.2	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	2.9	<1	<1	<1	1.0	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	2.4	<1	<1	<1	1.1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	2.0 B	<1	<1	<1	1.2	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	2.3	<1	<1	<1	<1	<1	<1
MW18-10B	Bedrock	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	3.0	0.24 U	0.38 U	0.24 U	0.31 U	0.63 J	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.65 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.4	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.52 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.51 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.36 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	4.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	3.7	<1	<1	<1	<1	2.0	<1
		Dec-21	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	<1	3.2	<1
		Mar-22	<5	<1	<1	<1	<1	<1	2.5	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	<1	3.4	<1
		Sep-22	<5	<1	<1	<1	<1	<1	9.7	<1	<1	<1	4.0	3.0	<1
		Dec-22	<5	<1	<1	<1	<1	<1	8.7	<1	<1	<1	3.6	2.3 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	3.5	<1	<1	<1	<1	1.7	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	<1	2.2 C	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	4.2	<1	<1	<1	<1	2.6	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	1.6	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1 C	<1	2.1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1 C	<1	2.5	<1	<1	<1	<1	1.9	<1
		Sep-24	<5	<1	<1	<1	<1	<1	3.8	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.9	<1	<1	<1	<1	1.3	<1
		May-25	<5 C	<1	<1	<1	<1	<1	1.8	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	3.5	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	3.2 B	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	5.3	<1	<1	<1	<1	2.1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-10C	Bedrock	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	12	0.24 U	0.38 U	0.24 U	3.8	1.0	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	3.5	0.46 J	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.9	0.24 U	0.38 U	0.24 U	2.7	0.61 J	0.30 U
		Jun-20	5.8	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	6.7	0.24 U	0.38 U	0.24 U	2.7	0.17 U	0.30 U
		Sep-20	7.2	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.7	0.24 U	0.38 U	0.24 U	1.9	0.42 J	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	9.0	0.24 U	0.38 U	0.24 U	0.82 J	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	10.0	0.24 U	0.38 U	0.24 U	1.1	0.41 J	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	7.1	<1	1.0 J	<1	1.6	<1	<1
		Sep-21	12	<1	<1	<1	<1	<1	9.0	<1	<1	<1	0.9 J	0.5 J	<1
		Dec-21	<5	<1	<1	<1	<1	<1	9.0	<1	<1	<1	2.1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	7.2	<1	<1	<1	1.3	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	8.3	<1	<1	<1	2.8	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	5.8	<1	<1	<1	3.8	<1	<1
		Dec-22	<5 C	<1	<1	<1	<1	<1	6.0	<1	<1	<1	3.0	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	7.9	<1	<1	<1	4.2	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	4.2	<1	<1	<1	3.0	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	4.2	<1	<1	<1	2.9	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	4.1	<1	<1 C	<1	2.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	5.4	<1	<1	<1	3.1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	3.5	<1	<1	<1	3.1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	3.6	<1	<1	<1	3.2	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	1.6	<1	<1	<1	1.4	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	2.8	<1	<1	<1	2.4	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	4.6	<1	<1	<1	2.9	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	3.7	<1 C	<1	<1	2.2	<1 C	<1
		Dec-25	<5	<1	<1	<1	<1	<1	6.0	<1	<1	<1	3.4	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	4.9	<1	<1	<1	2.4	<1	<1
MW18-11A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.35 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.34 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.64 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.86 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.88 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	0.4 J	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-11B	Bedrock	Oct-18	5.0 U	0.43 U	0.58 J	0.26 U	0.12 U	0.43 U	0.99 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.78 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.94 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.83 J	0.65 J	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.0	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.97 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.0	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.1	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	9.5	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	3.2	<1	<1	<1	1.1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	1.1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	0.8 J	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1 C	1.1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5 NC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<25 SC	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5	<1	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1
		Feb-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1 C	<1	<1	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1 N	<1	<1	<1	<1	18 N	<1	<1 N	<1 SN	4.3 N	2.0	<1 N
MW18-11C	Bedrock	Oct-18	5.0 U	0.43 U	0.4 J	0.26 U	0.12 U	0.43 U	79	0.79 J	0.38 U	0.24 U	5.1	23	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	60	1.2	0.38 U	0.24 U	0.33 J	81	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	11	1.2	0.3 8U	0.24 U	0.31 U	13	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	66	1.2	0.38 U	0.24 U	0.31 J	28	0.30 U
		Sep-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	57	1.2	0.38 U	0.24 U	0.31 U	57	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	24	0.91 J	0.38 U	0.24 U	0.31 U	27	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	42	1.3	0.38 U	0.24 U	0.83 J	34	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	67	1.1	2.3	<1	2.9	28	<1
		Sep-21	<10	<2	<2	<2	1.0 J	<2	240	1.6 J	<2	<2	19	27	<2
		Dec-21	<10	<2	<2	<2	<2	<2	170	<2	<2	<2	27	13	<2
		Mar-22	<25	<5	<5	<5	<5	<5	140	<5	<5	<5	14	20	<5
		Jun-22	<10	<2	<2	<2	<2	<2	160	<2	<2	<2	14	18	<2
		Dec-22	<10 C	<2	<2	<2	<2	<2	150	<2	<2	<2	14	17	<2
		Mar-23	<5	<0.5	<0.5	<0.5	0.6	<0.5	190	1.0	<0.5	<0.5	14	28	<0.5
		Jun-23	<10	<2	<2	<2	<2	<2	84	<2	<2	<2	8.2	12	<2
		Sep-23	<5 C	<1	<1	<1	1	<1	120	0.9 J	<1	<1	8.3	13	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	79	<1	<1 C	<1	2.6	20	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	95	<1	<1	<1	3.7	17	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	100	<1	<1	<1	8.9	15	<1
		Sep-24	<5	<1	<1	<1	<1	<1	110	0.6 J	<1	<1	9.4	10	<1
		Dec-24	<5	<1	<1	<1	<1	<1	93	<1	<1 C	<1	6.2	13	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	65	<1	<1	<1	6	9	<1
		May-25	<5 C	<1	<1	<1	<1	<1	97	<1	<1	<1	8.7	9.6	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	73	<1 C	<1	<1	6	8	<1
		Dec-25	<5	<1	<1	<1	<1	<1	110	<1	<1	<1	12	<1	<1
		Feb-26	<5	<1	2.9	<1	<1	<1	120	<1	<1	<1	10	8.2	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	4.6	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	5.9	0.17 U	0.30 U
		Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	3.8	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	1.3	0.24 U	0.38 U	0.24 U	4.8	0.17 U	0.30 U
		Sep-20	5.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.6	0.24 U	0.38 U	0.24 U	8.2	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.9	0.24 U	0.38 U	0.24 U	4.9	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.74 J	0.24 U	0.38 U	0.24 U	2.5	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.8	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.4	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.0	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	5.3	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.9	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.5	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.4	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	3.2	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.0	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	0.6 J	<1	<1	<1	4.4	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	3.1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.3	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	2.4	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	3.7	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	4.0	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW18-12B	Bedrock	Oct-18	100 U	8.6 U	6.5 U	48	74	8.6 U	9100	24	7.6 U	160	3600	650	13 U
		Dec-19	88 U	4.1 U	6.5 U	32	27	8.6 U	5800	8.4	7.6 U	58	110	4.1 J	5.9 U
		Mar-20	88 U	4.1 U	6.5 U	32	34	8.6 U	7200	13	7.6 U	52	7.7	140	5.9 U
		Jun-20	88 U	4.1 U	6.5 U	34	22	8.6 U	6500	20	7.6 U	43	13	19	5.9 U
		Sep-20	88 U	4.1 U	6.5 U	32	30	8.6 U	8200	13	7.6 U	25	12	370	5.9 U
		Dec-20	88 U	4.1 U	6.5 U	32	36	8.6 U	7800	10	7.6 U	33	12	330	5.9 U
		Mar-21	220 U	10 U	16 U	38 J	36 J	22 U	9800	81	19 U	32 J	69	340	15 U
		Jun-21	<500	<100	<100	74 J	130	<100	17000	<100	<100	200	4000	1800	<100
		Sep-21	<500	<100	<100	53 J	150	<100	17000	59 J	<100	74 J	2900	2800	<100
		Dec-21	<500	<100	<100	66 J	<100	<100	16000	53 J	<100	240	6900	1600	<100
		Mar-22	<1000	<200	<200	<200	88 J	<200	17000	<200	<200	96 J	3900	2000	<200
		Jun-22	<1000	<200	<200	<200	100 J	<200	21000	<200	<200	<200	1800	2400	<200
		Sep-22	<1000	<200	<200	68 J	140 J	<200	23000	<200	<200	260	7100	1800	<200
		Dec-22	<1000	<200	<200	90 J	170 J	<200	22000	<200	<200	410	8400	1600	<200
		Mar-23	1200	<200	<200	86 J	190 J	<200	31000	<200	<200	160 J	6100	3200	<200
		Jun-23	<1200	<250	<250	<250	<250	<250	15000	<250	<250	<250	5500	1400 C	<250
		Sep-23	<1000 C	<200	<200	<200	270	<200	15000	<200	<200	<200	4800	1500	<200
		Dec-23	<1000 C	<200	<200	<200	<200 C	<200	20000	<200	<200 C	<200	4000	2200	<200
		Mar-24	<1000 SC	<200	<200	<200	<200	<200	14000	<200	<200 C	<200	1700	3500	<200
		Jun-24	<1000 SC	<200	<200	<200	240	<200	22000	<200	<200 C	230	4800	3300	<200
		Sep-24	<1000	<200	<200	<200	150 J	<200	17000	<200	<200	400	5200	1800	<200
		Dec-24	<1000 C	<200	<200	<200	<200	<200	17000	<200	<200	370	5500 C	1800 C	<200
		Feb-25	<1000	<200	<200	<200	<200	<200	17000	<200	<200	280	6600	1700	<200
		May-25	<1000	<200	<200	<200	<200	<200	20000	<200	<200	<200	4600	2300 C	<200
		Sep-25	<500 C	<100	<100	<100	<100 SC	<100	6500	<100 C	<100	110	2000	890	<100
		Dec-25	<500	<100	<100	<100	91 J	<100	8700	<100	<100	160	3000	<100	<100
		Feb-26	<1000	<200	<200	<200	<200	<200	24000	<200	<200	410 S	6300	2000	<200

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-12C	Bedrock	Oct-18	25 U	2.1 U	1.6 U	1.4 J	8.6	2.2 U	2400	10	1.9 U	1.2 U	250	480	3.3 U
		Dec-19	37	1.0 U	1.6 U	2.6 J	3.4 J	2.2 U	1100	7.3	1.9 U	1.2 U	9.5	1000	1.5 U
		Mar-20	8.8 U	1.0 U	0.41 U	3.1	1.3 J	0.86 U	630	7.2	1.4 J	0.97 J	50	480	0.59 U
		Jun-20	8.8 U	0.41 U	0.65 U	2.8	1.3 J	0.86 U	980	8.1	1.9 J	0.48 U	59	290	0.59 U
		Sep-20	8.8 U	0.41 U	0.65 U	2.4	1.1 J	0.86 U	950	5.7	1.2 J	0.48 U	580	180	0.59 U
		Dec-20	8.8 U	0.41 U	0.65 U	2.7	1.3 J	0.86 U	510	5.1	1.4 J	0.76 J	630	96	0.59 U
		Mar-21	8.8 U	0.41 U	0.65 U	3.6	1.1 J	0.86 U	690	8.2	1.7 J	1.3 J	870	250	0.59 U
		Jun-21	<25	<5	<5	3.0 J	<5	<5	520	7.2	<5	<5	34	300	<5
		Sep-21	<25	<5	<5	3.8 J	<5	<5	860	8.5	<5	<5	470	430	<5
		Dec-21	<120	<25	<25	<25	<25	<25	2900	16 J	<25	13 J	520	340	<25
		Mar-22	<120	<25	<25	9 J	12 J	<25	3500	<25	<25	10 J	310	660	<25
		Jun-22	<120	<25	<25	<25	<25	<25	2300	<25	<25	<25	130	890	<25
		Sep-22	<120	<25	<25	<25	<25	<25	2000	<25	<25	<25	150	690	<25
		Dec-22	<500	<100	<100	<100	<100	<100	12000	<100	<100	89 J	2200	<100 C	<100
		Mar-23	<500	<100	<100	<100	53	<100	9300	<100	<100	<100	690	2600	<100
		Jun-23	<120	<25	<25	<25	35	<25	6700	52	<25	32	280	1000	<25
		Sep-23	<120 C	<25	<25	<25	47	<25	5000	<25	<25	<25	950	780	<25
		Dec-23	<250 C	<50	<50	<50	<50	<50	5800	<50	<50 C	<50	620	940	<50
		Mar-24	<500 SC	<50	<50	<50	<50	<50	7600	<50	<50	<50	1100	810	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	5900	<50	<50	<50	1000	580	<50
		Sep-24	<250	<50	<50	<50	41 J	<50	9000	<50	<50	61	670	1300	<50
		Dec-24	<500 C	<100	<100	<100	140	<100	16000	<100	<100	120	1000	1200	<100
		Feb-25	<500 SC	<100	<100	<100	<100	<100	9500	<100	<100	<100	2100	480 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8200	<100	<100	<100	750	1200 C+	<100
		Sep-25	<500 C	<100	<100	<100	<100	<100	4100	<100	<100	<100	260	450	<100
		Dec-25	<500	<100	<100	<100	<100	<100	6100	<100	<100	<100	610	620	<100
		Feb-26	350 J	<100	<100	<100	<100	<100	4500	<100	<100	<100	500	560	<100
MW18-13B	Bedrock	Oct-18	5.0 U	0.75 J	7.9	22	33	0.43 U	460	2.0	0.38 U	30	370	65	0.65 U
		Dec-19	8.8 U	0.41 U	0.65 U	52	31	0.86 U	900	6.1	0.76 U	15	170	280	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	47	27	0.86 U	610	4.0	0.76 U	13	210	110	0.59 U
		Jun-20	8.8 U	0.83 J	0.65 U	44	24	0.86 U	680	6.2	0.76 U	16	100	90	0.59 U
		Sep-20	22 U	1.0 U	1.6 U	55	36	2.2 U	1400	6.2	1.9 U	34	190	440	1.5 U
		Dec-20	22 U	1.0 U	1.6 U	42	36	2.2 U	2000	7.4	1.9 U	29	42	330	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	55	41	4.3 U	2800	7.4 J	3.8 U	22	130	390	3.0 U
		Jun-21	<120	<25	<25	53	34	<25	1900	<25	<25	18 J	67	750	<25
		Sep-21	<10	<10	5.6 J	19	23	<10	1000	<10	<10	11	47	210	<10
		Dec-21	<25	<5	<5	5.8	<5	<5	220	<5	<5	3.8 J	17	64	<5
		Mar-22	11	<1	<1	0.8 J	0.7 J	<1	26	<1	<1	1.0	1.8	8.1	<1
		Jun-22	<10	<2	<2	7.6	3.1	<2	320	3.0	<2	3.0	4.4	110	<2
		Sep-22	<10	0.8 J	<2	3.9	1.1 J	<2	100	<2	<2	3.4	2.5	31	<2
		Dec-22	<25	<5	<5	15	6.6	<5	490	<5	<5	12	22	250	<5
		Mar-23	12	<1	<1	3.8	5.6	<1	190	0.7 J	<1	3	13	48	<1
		Jun-23	<25	<5	<5	44	45	<5	1900	27	<5	35	110	380	<5
		Sep-23	<5 C	<1	<1	1.9	2.4	<1	62	<1	<1	1.5	8.9	21	<1
		Dec-23	<5 C	<1	<1	4.8	2.5 C	<1	250	1.1	<1 C	<1	9.0	77	<1
		Mar-24	<5	<1	<1	1.0 J	<1	<1	170	<1	<1	<1	9.0	38	<1
		Jun-24	<10 SC	<2	<2	<2	<2	<2	300	<2	<2	<2	7.0	110	<2
		Sep-24	<5	<1	<1	1.2 C+	<1	<1	36	<1	<1	0.6 J	7.0	7.6	<1
		Dec-24	<5	<1	<1	5.7	6.6	<1	170	<1	<1	4.2	17	73	<1
		Feb-25	<25 SC	<5	<5	13	14	<5	480	<5	<5	12	33	180 C	<5
		May-25	<120	<25	<25	<25	<25	<25	1400	<25	<25	<25	39	440 C+	<25
		Sep-25	<120 C	<25	<25	<25	<25 SC	<25	370	<25 C	<25	<25	56	100	<25
		Dec-25	<120	<25	<25	<25	<25	<25	160	<25	<25	<25	24 J	<25	<25
		Feb-26	92 J	<25	<25	<25	23 J	<25	880	<25	<25	<25	75	110	<25

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-13C	Bedrock	Oct-18	25 U	2.1 U	13	1.4 J	3.5 J	2.2 U	1300	2.6 J	1.9 U	1.2 U	43	480	3.3 U
		Dec-19	11	0.41 U	0.65 U	31	27	0.86 U	730	3.3	0.76 U	20	48	130	0.59 U
		Mar-20	8.8 U	0.41 U	0.65 U	44	20	0.86 U	730	4.8	0.76 U	12	14	180	0.59 U
		Jun-20	8.8 U	0.72 J	0.65 U	41	11	0.86 U	530	5.8	0.76 U	10	10	120	0.59 U
		Sep-20	8.8 U	0.64 J	0.65 U	45	7.2	0.86 U	630	3.1	0.76 U	11	3.9	330	0.59 U
		Dec-20	22 U	1.0 U	1.6 U	42	12	2.2 U	1000	4.2 J	1.9 U	18	6.1	400	1.5 U
		Mar-21	44 U	2.0 U	3.3 U	49	25	4.3 U	1900	8.3 J	3.8 U	17	6.0 J	490	3.0 U
		Jun-21	<250	<50	52	<50	<50	<50	4300	<50	<50	<50	84	1400	<50
		Sep-21	<250	<50	<50	<50	40 J	<50	10000	<50	<50	<50	110	5600	<50
		Dec-21	<250	<50	28 J	<50	<50	<50	7500	<50	<50	<50	120	2900	<50
		Mar-22	<500	<100	<100	<100	36 J	<100	12000 N	<100	<100	<100	310	4800 N	<100
		Jun-22	<500	<100	<100	<100	38 J	<100	9100	<100	<100	<100	85 J	3700	<100
		Sep-22	<500	<100	<100	<100	<100	<100	5300	<100	<100	<100	45 J	1900	<100
		Dec-22	<500	<100	<100	<100	<100	<100	6100 N	<100	<100	<100	190	1800	<100
		Mar-23	<500	<100	<100	<100	<100	<100	12000	<100	<100	<100	100	5700	<100
		Jun-23	<50	<10	<10	<10	19	<10	3800 N+	55	<10	<11	64	1500 C	<10
		Sep-23	<120 C	<25	<25	<25	42	<25	5000	<25	<25	<25	46	2000	<25
		Dec-23	<120	<25	<25	<25	23 J	<25	6300 N+	<25	<25	<25	29	2800	<25
		Mar-24	<250 SNC	<50	<50	<50	<50	<50	6600 N+	<50	<50	<50	<50	3600 N+	<50
		Jun-24	<250 SC	<50	<50	<50	<50	<50	4700 N+	<50	<50	<50	49	2500N+	<50
		Sep-24	<250C	<50	<50	<50	<50	<50	4600	<50	<50	<50	54	1600	<50
		Dec-24	<250 C	<50	<50	<50	<50	<50	3300 N+	<50	<50	<50	<50 C	1500 C	<50
		Feb-25	<250 C	<50	<50	<50	<50	<50	2600 N	<50	<50	<50	41 J	1400	<50
		May-25	<250	<50	<50	<50	<50	<50	4200 N+	<50	<50	<50	<50	1900 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 C	<50	1800 N+	<50 C	<50	<50	<50	770	<50
		Dec-25	<250	<50	<50	<50	<50	<50	2000 N	<50	<50	<50	<50	<50	<50
		Feb-26	<250	<50	<50	<50	<50	<50	2700	<50	<50	<50 S	<50	1000	<50
MW18-14A	Overburden	Oct-18	5.0 U	0.43 U	0.33 U	0.26 U	0.12 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.65 U
		Dec-19	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-20	5.1	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	7.3	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	5.3	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.66 J	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	2.8	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	0.5 J
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1	<1	1.3	<1	<1	<1	<1	<1 C	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW18-14B	Bedrock	Oct-18	53	4.3 U	3.3 U	2.6 U	8.7 J	4.3 U	3300	4.7 J	77	2.4 U	590	680	20
		Dec-19	89	1.0 U	1.6 U	1.3 U	2.5 J	2.2 U	1600	2.7 J	16	1.2 U	170	110	1.5 U
		Mar-20	75	1.0 U	1.6 U	1.3 U	1.3 U	2.2 U	1000	1.2 U	7.0	1.2 U	83	52	1.5 U
		Jun-20	70	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	820	1.7 J	3.7	0.48 U	46	34	0.59 U
		Sep-20	85	0.41 U	0.65 U	0.53 U	1.1 J	0.86 U	690	0.69 J	2.4	0.48 U	26	35	0.59 U
		Dec-20	65	0.41 U	0.65 U	0.53 U	0.53 U	0.86 U	430	0.73 J	2.2	0.48 U	20	15	0.59 U
		Mar-21	54	0.20 U	0.33 U	0.26 U	0.39 J	0.43 U	300	2.4	2.6	0.24 U	23	0.17 U	0.35 J
		Jun-21	35	<2	<2	<2	<2	<2	340	<2	2.5	<2	15	41	<2
		Sep-21	67	<1	<1	<1	<1	<1	160	1.0 J	3.2	<1	8.4	16	<1
		Dec-21	<10	<2	<2	<2	<2	<2	82	1.2 J	3.8	<2	14	8.1	<2
		Mar-22	34	<1	<1	<1	<1	<1	48	0.5 J	3	<1	14	10	0.7
		Jun-22	37	<1	<1	<1	<1	<1	61	0.4 J	2.8	<1	13	9.3	0.6 J
		Sep-22	30	<1	<1	<1	<1	<1	46	<1	1.7	<1	11	5.4	<1
		Dec-22	12 C	<1	<1	<1	<1	<1	35	<1	2.0	<1	12	6.8	0.8 J
		Mar-23	29	<1	<1	<1	<1	<1	41	<1	2.3	<1	16	10	0.6 J
		Jun-23	19 BC	<1	<1	<1	<1	<1	27	<1	1.6	<1	9.8	5.2	<1
		Sep-23	16 C	<1	<1	<1	<1	<1	26	<1	1.5	<1	8.7	3.9	<1
		Dec-23	12 C	<1	<1	<1	<1	<1	24	<1	2.2 C	<1	14	5.4	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	23	<1	1.9	<1	12	6.6	<1
		Jun-24	28 SC	<1	<1	<1	<1	<1	29	<1	<1	<1	13	6.2	<1
		Sep-24	19	<1	<1	<1	<1	<1	27	<1	1.5	<1	10	4.2	<1
		Dec-24	13 C	<1	<1	<1	<1	<1	13	<1	<1	<1	3.9	3	<1
		Feb-25	7.2 BC	<1	<1	<1	<1	<1	12	<1	<1	<1	3.4	3.2	<1
		May-25	<5	<1	<1	<1	<1	<1	28	<1	1.8	<1	8.3	12 C+	<1
		Sep-25	40 C	<1	<1	<1	<1 C	<1	21	<1 C	1	<1	5.8	5.5	<1
		Dec-25	48	<1	<1	<1	<1	<1	23	<1	1.1	<1	5.5	<1	<1
		Feb-26	37	<1	<1	<1	<1	<1	26	<1	1.2	<1	4.6	8.4	<1
MW18-14C	Bedrock	Oct-18	1200 U	110 U	82	66 U	29 U	110 U	26000	61 J	1400	60 U	70000	3500	160 U
		Dec-19	880 U	41 U	65 U	53 U	340	86 U	72000	47 U	76 U	48 U	2300	2700	59 U
		Mar-20	880 U	41 U	65 U	53 U	230	86 U	66000	64	76 U	48 U	750	2400	59 U
		Jun-20	880 U	41 U	65 U	53 U	100	86 U	49000	75	76 U	48 U	130	810	59 U
		Sep-20	880 U	41 U	65 U	53 U	190 J	86 U	68000	50 J	76 U	48 U	63 U	1700	59 U
		Dec-20	880 U	41 U	65 U	53 U	150 J	86 U	50000	58 J	76 U	48 U	63 U	1500	59 U
		Mar-21	880 U	41 U	65 U	53 U	74	86 U	44000	380	76 U	48 U	63 U	1100	59 U
		Jun-21	<2000	<400	<400	<400	<400	<400	57000	<400	250 J	<400	<400	12000	<400
		Sep-21	<2000	<400	<400	<400	<400	<400	42000	<400	<400	<400	510	10000	<400
		Dec-21	<1000	<200	<200	<200	<200	<200	30000	<200	170 J	<200	350	5900	<200
		Mar-22	<1000	<200	<200	<200	72 J	<200	22000	<200	110 J	<200	<200	5200	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	26000	<200	92 J	<200	<200	4600	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	20000	100 J	<200	<200	<200	3300	<200
		Dec-22	<120	<25	22 J	<25	8.2 J	<25	2100	<25	<25	<25	24 J	410	<25
		Mar-23	<120	<25	<25	<25	<25	<25	4600	<25	<25	<25	<25	1100	<25
		Jun-23	<2000	<400	<400	<400	<400	<400	9800	<400	<400	<400	<400	1900	<400
		Sep-23	<500 C	<100	<100	<100	<100	<100	6800	<100	<100	<100	<100	1500	<100
		Dec-23	<500 C	<100	<100	<100	<100	<100	6600	<100	<100 C	<100	<100	1400	<100
		Mar-24	520 SC	<100	<100	<100	<100	<100	8600	<100	<100 C	<100	<100	2000	<100
		Jun-24	<500 SC	<100	<100	<100	<100	<100	8100	<100	<100 C	<100	<100	1000	<100
		Sep-24	<500	<100	<100	<100	<100	<100	9900	<100	<100	<100	<100	1100	<100
		Dec-24	<500 C	<100	<100	<100	<100	<100	18000	<100	<100	<100	<100 C	2400	<100
		Feb-25	<500 C	<100	<100	<100	<100	<100	9300	<100	<100	<100	110	1100 C	<100
		May-25	<500	<100	<100	<100	<100	<100	8400	<100	<100	<100	<100	1100 C	<100
		Sep-25	<500 C	<100	<100	<100	<100	<100	4800	<100	<100	<100	<100	550	<100
		Dec-25	<500	<100	<100	<100	<100	<100	5300	<100	<100	<100	<100	<100	<100
		Feb-26	<500	<100	<100	<100	<100	<100	18000	<100	<100	<100	<100	1700	<100

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-15C	Bedrock	Dec-21	<5	<1	<1	0.7 J	<1	<1	93	<1	<1	0.6 J	100	3.2	<1
		Mar-22	1700	<10	<10	<10	<10	<10	4.3 J	<10	<10	<10	<10	<10	<10
		Jun-22	9.8	<1	<1	<1	<1	<1	12	<1	<1	<1	16	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	4.8	<1	<1	<1	2.6	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	9.2	<1	<1	<1	18	<1	0.5 J
		Mar-23	<50	<10	<10	<10	<10	<10	16	<10	<10	<10	5.7 J	<10	<10
		Jun-23	<5	<1	<1	<1	<1	<1	5.9	<1	<1	<1	7.4	<1	<1
		Sep-23	<5 SC	<1	<1	<1	<1	<1	6.4	<1	<1	<1	7	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	10	<1	<1 C	<1	21	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	7.6	<1	<1	<1	14	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	8.7	<1	<1	<1	8.6	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	6.2	<1	<1	<1	13	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	3.2	<1	<1	<1	2.3	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	3.7	<1	<1	<1	4.1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	16	<1	<1
MW21-15D	Bedrock	Sep-25	<5 C	<1	<1	<1	<1 C	<1	6.2	<1	<1	<1	19	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	7.8	<1	<1	<1	23	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	8.3	<1	<1	<1	22	<1	<1
		Dec-21	<5	<1	1.8	<1	<1	<1	8.8	<1	0.7 J	<1	7.5	<1	<1
		Mar-22	<5	<1	0.5 J	<1	<1	<1	35	<1	<1	<1	42	<1	<1
		Jun-22	<5	<1	0.6 J	<1	<1	<1	35	<1	<1	<1	30	0.7	<1
		Sep-22	<5	<1	<1	<1	<1	<1	13	<1	<1	<1	20	<1	0.5 J
		Dec-22	<5	<1	<1	0.4 J	0.9 J	<1	95	<1	<1	0.3 J	120	0.6 J	<1
		Mar-23	<5	<1	<1	1.4	2.8	<1	370	<1	<1	<1	320	11	<1
		Jun-23	<5	<1	<1	1.3	2.6	<1	160	1.6	<1	<1	160	6.2 C	<1
		Sep-23	<5 SC	<1	<1	0.5 J	1.9	<1	100	0.5 J	<1	0.5 J	96	7.6	<1
		Dec-23	<5	<1	<1	<1	<1	<1	87	<1	<1	<1	97	6.6	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	68	<1	<1	<1	63	11	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	35	<1	<1	<1	38	6.7	<1
		Sep-24	<5	<1	<1	<1	<1	<1	17	<1	<1	<1	23	4.2	<1
MW21-16	Bedrock	Dec-24	<5	<1	<1	<1	<1	<1	25	<1	<1 C	<1	27	4.2	<1
		Feb-25	<5 C	<1	<1	<1	1.9	<1	120	1.4	<1	<1	130	3	<1
		May-25	<5	<1	<1	1.0	2.5	<1	200	<1	<1	<1	180	1.5	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	25	<1	<1	<1	32	<1	<1
		Dec-25	<5	<1	<1	<1	1.8	<1	170	<1	<1	<1	170	<1	<1
		Feb-26	<10	<2	<2	<2	3.3	<2	270	<2	<2	<2	260	<2	<2
		Dec-21	<25	<5	41	<5	<5	<5	520	<5	2.6 J	<5	11	66	<5
		Mar-22	<50	<10	<10	<10	<10	<10	1500	7.9 J	<10	<10	67	310	<10
		Jun-22	980	<10	<10	<10	<10	<10	1300	<10	<10	<10	7.8 J	240	<10
		Sep-22	<50	<10	<10	<10	<10	<10	1900	5.2 J	<10	<10	12	470	<10
		Dec-22	6.6	<1	<1	<1	<1	<1	23	<1	0.4 J	<1	0.4 J	3.1 C	<1
		Mar-23	<120	<12	<12	<12	<12	<12	2600	<12	<12	<12	20	930	<12
		Jun-23	<120	<25	<25	<25	<25	<25	640	<25	<25	<25	<25	1000	<25
		Sep-23	<50 C	<10	<10	<10	<10	<10	650	<10	<10	<10	7.8 J	1300	<10
		Dec-23	<50 C	<10	<10	<10	<10 C	<10	1200	<10	<10 C	<10	<10	380	<10
		Mar-24	<50 SC	<10	<10	<10	<10 C	<10	250	<10	<10	<10	<10	120	<10
		Jun-24	<25 SC	<10	<10	<10	<10 C	<10	160	<10	<10	<10	<10	93	<10
		Sep-24	<5	<1	<1	<1	<1	<1	110	<1	1.5	<1	<1	43	0.8 J
		Dec-24	<5 C	<1	<1	<1	<1	<1	98	<1	1.5	<1	<1	50	0.8 J
		Feb-25	<5 SC	<1	<1	<1	<1	<1	9.3	<1	<1	<1	<1	4 C	<1
		May-25	13 C	<1	<1	<1	<1	<1	12	<1	<1	<1	<1	3.9	<1
		Sep-25	5.8 C	<1	<1	<1	<1 SC	<1	7.9	<1 C	<1	<1	<1	7.7	<1
		Dec-25	5.3	<1	<1	<1	<1	<1	17	<1	<1	<1	<1	<1	<1
		Feb-26	10	<1	<1	<1	<1	<1	8.5	<1	<1	<1 S	<1	6.7	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-17D	Bedrock	Dec-21	<5	<1	1.6	<1	<1	<1	0.5 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	<1	<1 C	<1	<1	<1	<1	<1
MW21-18C	Bedrock	Dec-21	<5	<1	0.6 J	<1	<1	<1	0.6 J	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1
MW21-18D	Bedrock	Dec-21	<5	<1	1.0	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York


Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1- Dichloroethane	1,1- Dichloroethene	1,2- Dichloroethane	cis-1,2- Dichloroethene	trans-1,2- Dichloroethene	Toluene	1,1,1- Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
MW21-19C	Bedrock	Dec-21	<1000	<200	<200	<200	<200	<200	12000	<200	<200	<200	4100	1200	<200
		Mar-22	<1000	<200	<200	<200	<200	<200	11000	160 J	<200	<200	1700	1300	<200
		Jun-22	<1000	<200	<200	<200	<200	<200	16000	160 J	<200	<200	1700	1100	<200
		Sep-22	<1000	<200	<200	<200	<200	<200	11000	<200	<200	<200	2900	940	<200
		Dec-22	<1000	<200	<200	<200	<200	<200	9300	<200	<200	<200	2600	990	<200
		Mar-23	1300	<200	<200	<200	<200	<200	15000	<200	<200	<200	2900	2100	<200
		Jun-23	<1000	<200	<200	<200	<200	<200	7600	<200	<200	<200	1800	970	<200
		Sep-23	<250 C	<50	<50	<50	120	<50	7800	<50	<50	38 J	2100	1000	<50
		Dec-23	<250 C	<50	<50	<50	71 C	<50	6800	<50	<50 C	<50	1700	1000	<50
		Mar-24	<250 SC	<50	<50	<50	76 S+C+	<50	8500	<50	<50	52	2200	1600	<50
		Jun-24	<250 SC	<50	<50	<50	140	<50	9300	44 J	<50	56	2900	1500	<50
		Sep-24	<250C	<50	<50	41 J	76	<50	8000	<50	<50	44 J	2200	960	<50
		Dec-24	<250 C	<50	<50	<50	130	<50	8500	<50	<50	<50	2400	1200	<50
		Feb-25	<250 SC	<50	<50	<50	100	<50	6100	<50	<50	<50	3000	910 C	<50
		May-25	<250	<50	<50	<50	83	<50	8300	<50	<50	<50	2100	1200 C	<50
MW21-19D	Bedrock	Sep-25	<250 C	<50	<50	<50	54 SC	<50	6700	<50 C	<50	<50	1900	1000	<50
		Dec-25	<250	<50	<50	<50	60	<50	6300	<50	<50	<50	1900	<50	<50
		Feb-26	<250	<50	<50	<50	<50	<50	10000	<50	<50	<50 S	3500	1300	<50
		Dec-21	<500	<100	<100	<100	<100	<100	4100	<100	<100	<100	1600	320	<100
		Mar-22	<500	<100	<100	<100	<100	<100	4300	<100	<100	<100	780	440	<100
		Jun-22	<500	<100	57 J	<100	<100	<100	6000	<100	<100	<100	240	460	<100
		Sep-22	<500	<100	<100	<100	<100	<100	6700	<100	<100	<100	140	610	<100
		Dec-22	<500 C	<100	<100	<100	32 J	<100	7300	<100	<100	<100	450	1200 C	<100
		Mar-23	<500 C	<100	<100	<100	<100	<100	9500	<100	<100	<100	47 J	3100	<100
		Jun-23	<500 C	<100	<100	<100	<100	<100	3500	<100	<100	<100	<100	1200	<100
		Sep-23	<250 C	<50	<50	<50	52	<50	5800	<50	<50	<50	86	1200	<50
		Dec-23	<250 C	<50	<50	<50	<50 C	<50	4500	<50	<50 C	<50	120	950	<50
		Mar-24	<250 SC	<50	<50	<50	<50	<50	5100	<50	<50	<50	70	1500	<50
		Jun-24	<250 SC	<50	<50	<50	62	<50	6600	<50	<50	<50	82	1500	<50
		Sep-24	<250	<50	<50	28 J	30 J	<50	5100	<50	<50	<50	78	1100	<50
MW-21-20D	Bedrock	Dec-24	<250 C	<50	<50	<50	52	<50	6400	<50	<50	<50	52 C	1600	<50
		Feb-25	<250 SC	<50	<50	<50	92	<50	8900	56	<50	<50	510	2100 C	<50
		May-25	<250	<50	<50	<50	<50	<50	4600	<50	<50	<50	100	470 C	<50
		Sep-25	<250 C	<50	<50	<50	<50 SC	<50	4400	<50 C	<50	<50	60	870	<50
		Dec-25	<250	<50	<50	<50	<50	<50	4200	<50	<50	<50	120	<50	<50
		Feb-26	<250	<50	<50	<50	<50	<50	8100	<50	<50	<50 S	<50	1600	<50
		Mar-22	<5	<1	0.6 J	<1	<1	<1	130	1.1	<1	<1	80	<1	<1
		Jun-22	<5	<1	0.5 J	<1	<1	<1	95	0.9 J	<1	<1	61	<1	<1
		Sep-22	<10	<2	<2	<2	<2	<2	210	1.0 J	<2	<2	75	<2	<2
		Dec-22	<10	<2	<2	<2	1.0 J	<2	350	1.7 J	<2	<2	110	<2	<2
		Mar-23	<10	<2	0.4 J	<2	1.0 J	<2	110	1.3	<2	<2	100	2.5	<2
		Jun-23	<5	<1	<1	<1	<1	<1	45	<1	<1	<1	37	1.4 C	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	81	1.3	<1	<1	56	1.8	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	49	<1	<1 C	<1	69	<1	<1
		Mar-24	<5 C	<1	<1	<1	<1	<1	4.8	<1	<1	<1	25	<1	<1
		Jun-24	<5 C	<1	<1	<1	<1	<1	8.4	<1	<1	<1	45	<1	<1
		Sep-24	<5	<1	<1	<1	<1	<1	36	0.7 J	<1	<1	61	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	50	<1	<1	<1	42	<1	<1
		Feb-25	<5 C	<1	<1	<1	<1	<1	9.8	<1	<1	<1	55	<1	<1
		May-25	<5	<1	<1	<1	<1	<1	6.8	<1	<1	<1	47	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 C	<1	9	<1	<1	<1	59	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	16	<1	<1	<1	71	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	16	0.8 J	<1	<1	57	<1	<1

Table 3
Historical Groundwater Data for Contaminants of Concern
Little Britain Road Service Center
610 Little Britain Road
New Windsor, New York

Well ID	Depth Interval Sampled (See Note 10)	Date	Acetone	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Toluene	1,1,1-Trichloroethane	Trichloroethene	Vinyl Chloride	m+p Xylene
TOGS 1.1.1 Standard/Guidance Value:			50.0	0.7	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0	5.0
SG-1	Surface	Mar-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Sep-20	6.4	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Dec-20	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Mar-21	4.4 U	0.20 U	0.33 U	0.26 U	0.26 U	0.43 U	0.22 U	0.24 U	0.38 U	0.24 U	0.31 U	0.17 U	0.30 U
		Jun-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-21	<5	<1	<1	<1	<1	<1	1.7	<1	<1	<1	<1	<1	<1
		Dec-21	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-22	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Mar-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-23	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-23	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-23	<5 C	<1	<1	<1	<1 C	<1	<1	<1	<1 C	<1	<1	<1	<1
		Mar-24	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Jun-24	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-24	<5C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Dec-24	<5 C	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		Feb-25	<5 SC	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1 C	<1
		May-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Sep-25	<5 C	<1	<1	<1	<1 SC	<1	<1	<1 C	<1	<1	<1	<1	<1
		Dec-25	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
		Feb-26	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1 S	<1	<1	<1


Notes:
All results are presented in micrograms per liter (ug/L).
/ Separates original and duplicate sample results
Bold indicates detected value
Shading indicates exceedance of NYSDEC TOGS 1.1.1 Criteria
U = Constituent not detected; specified value is laboratory reporting limit
J = Estimated value
D = Result obtained from analysis of a secondary dilution
N = Matrix spike below accepted limits
S = LCS Spike below accepted limits (+ above)
F1 = MS and/or MSD Recovery is outside of acceptable limits.
PND = Previously not detected/included in table
1. Only VOCs that have been detected at concentrations exceeding TOGS 1.1.1 standards in one or more samples during one or more monitoring events are included in this table.
2. Remediation activities were conducted at the site in March and April 2001.
3. Monitoring wells MW01-8A and MW01-8B were installed in May 2001, following the completion of remediation activities.
4. Monitoring well MW01-8A was dry (or had minimal water) during the 9/01, 12/01, 3/02, 9/02, and 8/06 monitoring events, and could not be sampled.
5. Two samples were collected from MW01-8B during the June 2003 monitoring event. During purging of the well prior to collecting the first sample, the water level would not stabilize and the turbidity remained elevated (and slightly increasing). Therefore, following collection of the first sample, the well was bailed dry and a second sample was collected after the well had recharged.
6. Packers were used to collect samples from discrete intervals within well MW01-8B; sample intervals included 25-37.5', 37.5-50', and 45-50'. One sample was collected from the 25-37.5' interval and the 37.5-50' interval. From the 45-50' interval, three samples were collected; the first was collected after 61 minutes of pumping, the second was collected after 171 minutes of pumping, and the third was collected after 261 minutes of pumping.
7. Following collection of the discrete interval samples (see note 6), a sixth sample was collected using the standard sampling techniques.
8. Three samples were collected from MW05-8C in August 2005 during well installation (packers were used to collect the 75-100' and 100-125' interval samples).
9. Using packers, samples were collected from the 100-125' interval at MW06-2C, MW06-4C, and MW06-9C during installation in August 2006.
10. Indicates samples that were collected from packered intervals (refer to Notes 6, 8, and 9).

Figures



- LEGEND:
- OVERBURDEN MONITORING WELL
 - UPPER BEDROCK MONITORING WELL
 - INTERMEDIATE BEDROCK MONITORING WELL
 - DEEP BEDROCK MONITORING WELL
 - SITE PROPERTY LINE
 - ADJACENT PROPERTY LINE
 - PROPERTY EASEMENT
 - FENCE
 - STONE WALL
 - WATER COURSE
 - OVERHEAD WIRES
 - UNDERGROUND ELECTRIC LINE
 - UNDERGROUND COMMUNICATIONS LINE
 - UNDERGROUND SEWER LINE
 - EXISTING UNDERGROUND STORM LINE

- NOTES:
1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
 2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
 3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
 4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY KB
DATE: 05/23/2022
REVISED:

SITE PLAN
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
1

CAD FILE: \\lazrgisstor01\GIS_Projects\Central_Hudson\20190147_Little_Britain_Rd\2026\20222614_0226.dwg PLOTTED: 4/15/2026 11:35 AM BY: chris hait LAYOUT: F2




NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- (289.05) GROUNDWATER ELEVATION (FEET AMSL)
- 288 GROUNDWATER CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- NM NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- MW18-10A WELL ID
- 2.3 ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- BOLD CONCENTRATIONS WERE DETECTED
- N - INDICATES LOW RECOVERY
- µg/L - MICROGRAMS PER LITER




The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 4/15/2026
REVISED:

OVERBURDEN GROUNDWATER
HYDROCARBON DISTRIBUTION MAP
(02/2026)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
2



CAD FILE: \\lazrgisstor01\GIS_Projects\Central_Hudson\20190147_Little_Britain_Rat2026\20222614_0226.dwg LAYOUT: F4 PLOTTED: 4/28/2026 10:52 AM BY: chris hait



NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.

LEGEND:


- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE
- WELL ID
- ANALYTE/CONCENTRATION LEVEL (µg/L)
- CONCENTRATIONS EXCEED LIMITS
- CONCENTRATIONS WERE DETECTED

N - INDICATES LOW RECOVERY

J - INDICATES ESTIMATED VALUE

µg/L - MICROGRAMS PER LITER

NOTE:
WELLS MW94-4B2 AND MW18-14C NOT INCLUDED IN THE IN THE GROUNDWATER CONTOURING DUE TO INCONGRUOUS DATA.



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.




PROJECT NO. 20222614
DRAWN BY CTH
CHECKED BY LM
DATE: 4/15/2026
REVISED:

INTERMEDIATE BEDROCK GROUNDWATER
HYDROCARBON DISTRIBUTION MAP
(02/2026)
CENTRAL HUDSON GAS & ELECTRIC CORPORATION
LITTLE BRITAIN ROAD SERVICE CENTER
NEW WINDSOR, NEW YORK

FIGURE
4

CAD FILE: \\lazrgisstor01\GIS_Projects\Central_Hudson\20190147_Little_Britain_Rat2026\20222614_0226.dwg LAYOUT: F5 PLOTTED: 4/28/2026 10:37 AM BY: chris hait



NOTES:

1. BASE MAP PREPARED FROM SURVEY PERFORMED BY CHAZEN ENGINEERING, LAND SURVEYING & LANDSCAPE ARCHITECTURE, CO., D.P.C., DATED 09/14/2017 TITLED: MAP OF ENVIRONMENTAL EASEMENT SURVEY PREPARED FOR CENTRAL HUDSON GAS AND ELECTRIC CORP., AT A SCALE OF 1"=50'.
2. ALL UTILITY LOCATIONS ARE APPROXIMATE.
3. ALL INVESTIGATION LOCATIONS ARE APPROXIMATE.
4. GOOGLE AERIAL IMAGE DATED 9/18/2019 DOWNLOADED ON 10/26/2021.


LEGEND:

- OVERBURDEN MONITORING WELL
- UPPER BEDROCK MONITORING WELL
- INTERMEDIATE BEDROCK MONITORING WELL
- DEEP BEDROCK MONITORING WELL
- GAUGE POINT
- POTENTIOMETRIC SURFACE CONTOUR
- INFERRED GROUNDWATER FLOW DIRECTION
- GROUNDWATER ELEVATION (FEET AMSL)
- NOT MEASURED
- SITE PROPERTY LINE
- ADJACENT PROPERTY LINE
- PROPERTY EASEMENT
- FENCE
- STONE WALL
- WATER COURSE
- OVERHEAD WIRES
- UNDERGROUND ELECTRIC LINE
- UNDERGROUND COMMUNICATIONS LINE
- UNDERGROUND SEWER LINE
- EXISTING UNDERGROUND STORM LINE

Table 7: MW21-15D

	MW21-15D
WELL ID	3.3
ANALYTE/CONCENTRATION LEVEL (µg/L)	
CONCENTRATIONS EXCEED LIMITS	
CONCENTRATIONS WERE DETECTED	

µg/L - MICROGRAMS PER LITER



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information. This document is not intended for use as a land survey product nor is it designed or intended as a construction design document. The use or misuse of the information contained on this graphic representation is at the sole risk of the party using or misusing the information.



PROJECT NO. 20222614	DEEP BEDROCK GROUNDWATER POTENTIOMETRIC SURFACE AND HYDROCARBON DISTRIBUTION MAP (02/2026)	FIGURE
DRAWN BY CTH		
CHECKED BY LM		
DATE: 4/15/2026		
REVISED:		
	CENTRAL HUDSON GAS & ELECTRIC CORPORATION	5
	LITTLE BRITAIN ROAD SERVICE CENTER	
	NEW WINDSOR, NEW YORK	

Adirondack Laboratory Analytical Data Package # 260220005



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

March 24, 2026

Jesse Gallo
Central Hudson Gas & Electric
284 South Avenue
Poughkeepsie, NY 12601
TEL: (845) 486-5691

Work Order No: 260220005
PO#: 37681

RE: Little Britain Road Site
Little Britain Road

Dear Jesse Gallo:

"I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed in the Case Narrative. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature."

A handwritten signature in dark ink, appearing to read "Tara Daniels", is written over a horizontal line.

Tara Daniels
Laboratory Director

Workorder Sample Summary

Client: Central Hudson Gas & Electric

Work Order: 260220005

ProjectName: Little Britain Road Site

ProjLocation: Little Britain Road

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
260220005-001	MW94-1B	Groundwater	2/19/2026 9:50:00 AM	2/20/2026 9:00:00 AM
260220005-002	MW94-3	Groundwater	2/18/2026 10:25:00 AM	2/20/2026 9:00:00 AM
260220005-003	MW96-6	Groundwater	2/18/2026 3:10:00 PM	2/20/2026 9:00:00 AM
260220005-004	MW96-7B	Groundwater	2/18/2026 9:15:00 AM	2/20/2026 9:00:00 AM
260220005-005	MW01-8B	Groundwater	2/18/2026 7:30:00 AM	2/20/2026 9:00:00 AM
260220005-006	MW06-2C	Groundwater	2/18/2026 9:30:00 AM	2/20/2026 9:00:00 AM
260220005-007	MW06-9C	Groundwater	2/18/2026 3:15:00 PM	2/20/2026 9:00:00 AM
260220005-008	MW18-8D	Groundwater	2/18/2026 7:55:00 AM	2/20/2026 9:00:00 AM
260220005-009	MW18-8E	Groundwater	2/18/2026 4:00:00 PM	2/20/2026 9:00:00 AM
260220005-010	MW18-8F	Groundwater	2/18/2026 4:20:00 PM	2/20/2026 9:00:00 AM
260220005-011	MW18-10A	Groundwater	2/19/2026 11:50:00 AM	2/20/2026 9:00:00 AM
260220005-012	MW18-10B	Groundwater	2/19/2026 11:15:00 AM	2/20/2026 9:00:00 AM
260220005-013	MW18-11A	Groundwater	2/19/2026 2:05:00 PM	2/20/2026 9:00:00 AM
260220005-014	MW18-11B	Groundwater	2/19/2026 1:05:00 PM	2/20/2026 9:00:00 AM
260220005-015	MW18-11B DUP	Groundwater	2/19/2026 1:05:00 PM	2/20/2026 9:00:00 AM
260220005-016	MW18-12C	Groundwater	2/18/2026 10:55:00 AM	2/20/2026 9:00:00 AM
260220005-017	MW18-13B	Groundwater	2/18/2026 10:40:00 AM	2/20/2026 9:00:00 AM
260220005-018	MW18-10C	Groundwater	2/18/2026 8:30:00 AM	2/20/2026 9:00:00 AM
260220005-019	MW18-14A	Groundwater	2/17/2026 3:40:00 PM	2/20/2026 9:00:00 AM
260220005-020	MW18-14B	Groundwater	2/18/2026 10:10:00 AM	2/20/2026 9:00:00 AM
260220005-021	MW18-14C	Groundwater	2/19/2026 8:20:00 AM	2/20/2026 9:00:00 AM
260220005-022	MW94-4B2	Groundwater	2/18/2026 12:45:00 PM	2/20/2026 9:00:00 AM
260220005-023	MW06-4C	Groundwater	2/18/2026 11:20:00 AM	2/20/2026 9:00:00 AM
260220005-024	MW94-2B	Groundwater	2/18/2026 2:00:00 PM	2/20/2026 9:00:00 AM
260220005-025	MW21-15C	Groundwater	2/18/2026 11:15:00 AM	2/20/2026 9:00:00 AM
260220005-026	MW21-15D	Groundwater	2/18/2026 12:30:00 PM	2/20/2026 9:00:00 AM
260220005-027	MW21-17D	Groundwater	2/19/2026 3:00:00 PM	2/20/2026 9:00:00 AM
260220005-028	MW21-20D	Groundwater	2/18/2026 3:15:00 PM	2/20/2026 9:00:00 AM
260220005-029	Trip Blank	Groundwater	2/19/2026	2/20/2026 9:00:00 AM
260220005-030	MW94-5	Groundwater	2/24/2026 12:55:00 PM	2/25/2026 8:30:00 AM
260220005-031	MW94-5 DUP	Groundwater	2/24/2026 12:55:00 PM	2/25/2026 8:30:00 AM
260220005-032	MW18-13C	Groundwater	2/20/2026 3:25:00 PM	2/25/2026 8:30:00 AM
260220005-033	MW18-13C DUP	Groundwater	2/20/2026 3:25:00 PM	2/25/2026 8:30:00 AM

AES Sample No	ClientSampID	Matrix	CollectionDate	DateReceived
260220005-034	MW18-12B	Groundwater	2/20/2026 1:20:00 PM	2/25/2026 8:30:00 AM
260220005-035	MW18-12A	Groundwater	2/20/2026 2:50:00 PM	2/25/2026 8:30:00 AM
260220005-036	MW21-16	Groundwater	2/20/2026 12:40:00 PM	2/25/2026 8:30:00 AM
260220005-037	MW18-11C	Groundwater	2/20/2026 2:10:00 PM	2/25/2026 8:30:00 AM
260220005-038	MW21-18D	Groundwater	2/24/2026 11:00:00 AM	2/25/2026 8:30:00 AM
260220005-039	MW21-18C	Groundwater	2/24/2026 11:35:00 AM	2/25/2026 8:30:00 AM
260220005-040	MW21-19D	Groundwater	2/24/2026 2:10:00 PM	2/25/2026 8:30:00 AM
260220005-041	MW21-19C	Groundwater	2/24/2026 1:40:00 PM	2/25/2026 8:30:00 AM
260220005-042	SG-1	Surface Water	2/24/2026 2:50:00 PM	2/25/2026 8:30:00 AM
260220005-043	Equipment Blank	Groundwater	2/24/2026 12:45:00 PM	2/25/2026 8:30:00 AM
260220005-044	Trip blank	Trip Blank	2/24/2026	2/25/2026 8:30:00 AM



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

Case Narrative

Client: Central Hudson – Little Britain Rd

Case: 260220005

SDG: MW01-8B

Volatile Organics

- 1) The samples were analyzed using EPA Method 8260 following the criteria for NYSDEC ASP.
- 2) The samples received on 2/20/26 had a temperature of 4 °C. The samples received on 2/25/26 had a temperature of 4 °C
- 3) The water samples were preserved with HCl to a pH of less than 2. All samples were analyzed within the required holding times.
- 4) The %RSD's for the compounds Methylene Chloride and Acetone in the initial calibration analyzed on Instrument D on 12/30/25 were outside the criteria established by the method. The %RSD's for these compounds were 23.80 % and 25.88 %. These compounds were quantitated using linear regression. No further action was taken.
- 5) The %RSD's for the compounds Methylene Chloride and Acetone in the initial calibration analyzed on Instrument G on 2/26/26 were outside the criteria established by the method. The %RSD's for these compounds were 55.12 % and 21.11 %. These compounds were quantitated using linear regression. No further action was taken.
- 6) The %D's for the compounds Bromomethane, Carbon disulfide and Cyclohexane in the continuing calibrations analyzed on Instrument G on 3/2/26 were outside the criteria established by the method. The %D's for these compounds were 26.6 %, 20.3 % and 22.7 %, respectively. These compounds for the samples associated with this continuing calibration are not flagged with a "C+" since the recoveries were high and the sample results were below the reporting limit. The compound Methylene Chloride is not flagged since this was quantitated using linear regression and the actual recovery was within acceptable limits. No further action was taken.
- 7) The %D's for the compounds Carbon disulfide, Dichlorodifluoromethane, Trichlorofluoromethane and 1,4-Dioxane in the continuing calibration analyzed on Instrument D on 3/4/26 were outside the criteria established by the method. The %D's for these compounds were 35.4 %, 29.7 %, 31.0 % and 21.8 %, respectively. The compounds Carbon disulfide, Dichlorodifluoromethane and 1,4-Dioxane for the samples associated with this continuing calibration is flagged with a "C" to denote the low recovery. The compound Trichlorofluoromethane is not flagged since the recovery was high and the sample results were below the reporting limit. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

- 8) The %D's for the compounds Carbon disulfide, Carbon tetrachloride, Bromoform, Dichlorodifluoromethane, Trichlorofluoromethane, 1,2-Dibromo-3-chloropropane and 1,4-Dioxane in the continuing calibration analyzed on 3/5/26 were outside the criteria established by the method. The %D's for these compounds were 31.2 %, 29.1 %, 26.2 %, 31.8 %, 41.8 %, 31.3 % and 95.9 %, respectively. The compounds Carbon disulfide, Carbon tetrachloride, Bromoform, Dichlorodifluoromethane, 1,2-Dibromo-3-chloropropane and 1,4-Dioxane for the samples associated with this continuing calibration are flagged with a "C" to denote the low recovery. The compound Trichlorofluoromethane is not flagged since the recovery was high and the sample results were below the reporting limit. The compound 1,4-Dioxane is not flagged since this was quantitated using linear regression and the actual recovery was within acceptable limits. No further action was taken.
- 9) Sample MW18-11B (AES sample number 260220005-014) was used for the water matrix spike analysis. Several of the recoveries between the matrix spike and matrix spike duplicate were outside acceptable limits. These compounds are flagged with an "N" to denote the low recovery. No further action is necessary.
- 10) Sample MW94-5 (AES sample number 260220005-030) was used for the water matrix spike and matrix spike duplicate analysis. Several of the recoveries between the matrix spike and matrix spike duplicate were outside acceptable limits. These compounds are flagged with an "N" to denote the low recovery. No further action is necessary.
- 11) Sample MW018-13C (AES sample number 260220005-032) was used for the water matrix spike and matrix spike duplicate analysis. The recovery in the matrix spike and matrix spike duplicate for the compounds 1,1,2-Trichloro-1,2,2-trifluoroethane, Bromoform, Carbon disulfide and Carbon tetrachloride were outside the specified limit. These compounds are flagged with an "N" to denote the low recovery. No further action is necessary.
- 12) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 3/2/26 had high recovery for the compound Bromomethane. This compound is not flagged with an "S+" since the recovery was high and the sample results were below the reporting limit. No further action was taken.
- 13) A matrix spike blank (LCS) was analyzed each day of analysis. The LCS analyzed on 3/5/26 had low recoveries for the compounds 1,1,1-Trichloroethane, 1,2-Dichloropropane, 1,4-Dioxane, Bromodichloromethane and Carbon disulfide. These compounds are flagged with an "S" to denote the low recovery. No further action was taken.



Experience is the Solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891
www.adirondackenvironmental.com

14) The following samples were diluted prior to analysis due to the high levels of compounds present.

<u>Client ID</u>	<u>Laboratory ID</u>	<u>Final Dilution</u>
MW18-8D	260220005-008	1:2
MW18-8E	260220005-009	1:50
MW18-8F	260220005-010	1:10
MW18-12C	260220005-016	1:100
MW18-13B	260220005-017	1:25
MW18-14C	260220005-021	1:100
MW18-15D	260220005-026	1:2
MW18-13C	260220005-032	1:50
MW18-13C Dup	260220005-033	1:50
MW18-12B	260220005-034	1:200
MW21-19D	260220005-040	1:50
MW21-19C	260220005-041	1:50

15) The column used in Instrument D for analysis was a DB-624, 20 meters long with an internal diameter of 0.18 mm. The trap used for this instrument is a Teledyne/Techmar #9.

16) The column used in Instrument G for analysis was a DB-624, 20 meters long with an internal diameter of 0.18 mm. The trap used for this instrument is a Teledyne/Techmar #9.

"I certify that this data package is in compliance with the terms and conditions of the protocol, both technically and for completeness, to the best of my knowledge, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

A handwritten signature in black ink, appearing to read "Lana Davis", is written over a horizontal line.

Laboratory Director

Date: 3/24/2026



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD


AES Work Order#:

260220005

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>Derek Merker</i>			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Analysis
				Matrix	C	G		
001	MW94-1B	2-19-26	09:50	A P	GW		2	TCL 8260 Low Level
002	MW94-3	2-18-26	10:25	A P	GW		2	Field pH, Temperature, Cond, eH, Turb,
003	MW96-6	2-18-26	15:10	A P	GW		2	Diss_Oxygen, Static Water
004	MW96-7B	2-18-26	09:15	A P	GW		2	Beginning Depth, End Depth
005	MW01-8B	2-18-26	07:30	A P	GW		2	
006	MW06-2C	2-18-26	09:30	A P	GW		2	
007	MW06-9C	2-18-26	15:15	A P	GW		2	
008	MW18-8D	2-18-26	07:55	A P	GW		2	
009	MW18-8E	2-18-26	16:00	A P	GW		2	
010	MW18-8F	2-18-26	16:20	A P	GW		2	
011	MW18-10A	2-19-26	11:50	A P	GW		2	
				A P				
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: CLP _____ Drums Delivered to Site Page 1 of 4				
Turnaround Time Requested:								
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by:			Date <i>2/20/26</i>	Time <i>9:00 AM</i>		
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun <i>4°C</i> Notes: _____		Properly Preserved <u>Y</u> N Notes: _____			Received Within Holding Times <u>Y</u> N Notes: _____			



260220005

Client Name: Central Hudson Gas & Electric			Address:								
Send Report to: Jesse Gallo			Project Name (Location): Little Britain Rd Quarterly				Samplers Name: <i>Derek Merker</i>				
Client Phone No:							Samplers Signature: <i>[Signature]</i>				
Client Fax No:			PO #:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type Matrix C G			# of Cont's	Analysis			
019	MW18-14A	2-17-26	15:40	A	GW			2	TCL 8260 Low Level		
020	MW18-14B	2-18-26	10:10	A	GW			2	Field pH, Temperature, Cond, eH, Turb,		
021	MW18-14C	2-19-26	08:20	A	GW			2	Diss_Oxygen, Static Water		
022	MW94-4B2	2-18-26	12:45	A	GW			2	Beginning Depth, End Depth		
023	MW06-4C	2-18-26	11:20	A	GW			2			
024	MW94-2B	2-18-26	14:00	A	GW			2			
				P							
				P							
				P							
				P							
				P							
				P							
				P							
				P							
				P							
				P							
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: PAGE 3 OF 4							
Turnaround Time Requested:											
Relinquished by: (Signature)		Received by: (Signature)				Date		Time			
Relinquished by: (Signature)		Received by: (Signature)				Date		Time			
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by:				Date <i>2/20/26</i>		Time <i>9:00 AM</i>			
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun <i>4°C</i>		Properly Preserved <u>Y</u> N				Received Within Holding Times <u>Y</u> N					
Notes: _____		Notes: _____				Notes: _____					



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

266220005

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: Greg Gavitt			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type Matrix C G			# of Cont's	Analysis
030	MW94-5	2/24/26	12:55	A P	GW		6	TCL 8260 Low Level
031	MW94-5 DUP	2/24/26	12:55	A P	GW		2	Field pH, Temperature, Cond, eH, Turb,
032	MW18-13C	2/20/26	15:25	A P	GW		6	Diss_Oxygen, Static Water
033	MW18-13C Dup	2/20/26	15:25	A P	GW		2	Beginning Depth, End Depth
034	MW18-12B	2/20/26	13:20	A P	GW		2	
035	MW18-12A	2/20/26	14:50	A P	GW		2	
036	MW21-16	2/20/26	12:40	A P	GW		2	
037	MW18-11C	2/20/26	14:10	A P	GW		2	
038	MW21-18D	2/24/26	11:00	A P	GW		2	
039	MW21-18C	2/24/26	11:35	A P	GW		2	
040	MW21-19D	2/24/26	14:10	A P	GW		2	
041	MW21-19C	2/24/26	13:40	A P	GW		2	
Shipment Arrived Via: FedEx UPS Client <u>AES</u> Other: _____				Special Instructions/Remarks: CLP <u>6</u> Drums Delivered to Site				
Turnaround Time Requested:								
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received by: (Signature)			Date	Time		
Relinquished by: (Signature)		Received for Laboratory by:			Date	Time		
Sample Temperature Ambient <u>Chilled</u> Chilling Process begun		Properly Preserved <u>Y</u> N			Received Within Holding Times <u>Y</u> N			
Notes: <u>4°C</u>		Notes: _____			Notes: _____			



314 North Pearl Street
Albany, New York 12207
518-434-4546 ♦ Fax: 518-434-0891

CHAIN OF CUSTODY RECORD

AES Work Order#:

260220005

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Central Hudson Gas & Electric		Address:						
Send Report to: Jesse Gallo		Project Name (Location): Little Britain Rd Quarterly			Samplers Name: <i>Greg Gavi H</i>			
Client Phone No:		PO #:			Samplers Signature: <i>[Signature]</i>			
Client Fax No:								
AES Sample ID	Client Sample ID:	Date Sampled	Time A=am P=pm	Sample Type Matrix C G	# of Cont's	Analysis		
042	SG-1	2/24/26	14:50	☒ SF		X	2	TCL 8260 Low Level
				☐ A				Field pH, Temperature, Cond, eH, Turb,
				☐ P				Diss_Oxygen, Static Water
				☐ A				Beginning Depth, End Depth
				☐ P				
043	Equipment Blank	2/24/26	12:45	☒ WA		X	2	
				☐ A				
				☐ P				
				☐ A				
				☐ P				
044	Trip Blank	2/24/26		☐ A				
				☐ P				
				☐ A				
				☐ P				
				☐ A				
				☐ P				
Shipment Arrived Via: FedEx UPS Client ☒ AES Other: _____				Special Instructions/Remarks:				
Turnaround Time Requested:				PAGE 3 OF 4				
Relinquished by: (Signature)		Received by: (Signature)		Date	Time			
Relinquished by: (Signature)		Received by: (Signature)		Date	Time			
Relinquished by: (Signature) <i>[Signature]</i>		Received for Laboratory by:		Date 2/25/26	Time 8:30 AM			
Sample Temperature Ambient ☒ Chilled Chilling Process begun		Properly Preserved ☒ Y ☐ N		Received Within Holding Times ☒ Y ☐ N				
Notes: 4°C		Notes:		Notes:				

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 2/19/2026 9:50:00 AM
Lab Sample ID: 260220005-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	14.1			ft		2/19/2026 9:50:00 AM
Cond (E120.1)	1067			umhos/cm		2/19/2026 9:50:00 AM
diss_oxygen (E360.1)	1.70			mg/L		2/19/2026 9:50:00 AM
eH (Orion)	467.3			millivolts		2/19/2026 9:50:00 AM
End Depth	21.90			ft		2/19/2026 9:50:00 AM
pH (E150.1)	7.3			su		2/19/2026 9:50:00 AM
Static Water Level	14.50			ft		2/19/2026 9:50:00 AM
Temp (E170.1)	11			deg C		2/19/2026 9:50:00 AM
Turb (E180.1)	27.7			ntu		2/19/2026 9:50:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 4:49:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
cis-1,2-Dichloroethene	5.6	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Trichloroethene	24	1.0		µg/L	1	3/4/2026 4:49:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 2/19/2026 9:50:00 AM
Lab Sample ID: 260220005-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 4:49:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 4:49:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Surr: 1,2-Dichloroethane-d4	95.2	80.3-122		%REC	1	3/4/2026 4:49:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	3/4/2026 4:49:00 PM
Surr: Toluene-d8	97.4	79.6-115		%REC	1	3/4/2026 4:49:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 2/18/2026 10:25:00 AM
Lab Sample ID: 260220005-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	13.11			ft		2/18/2026 10:25:00 AM
Cond (E120.1)	1586			umhos/cm		2/18/2026 10:25:00 AM
diss_oxygen (E360.1)	2.29			mg/L		2/18/2026 10:25:00 AM
eH (Orion)	282.7			millivolts		2/18/2026 10:25:00 AM
End Depth	13.84			ft		2/18/2026 10:25:00 AM
pH (E150.1)	7.1			su		2/18/2026 10:25:00 AM
Static Water Level	13.32			ft		2/18/2026 10:25:00 AM
Temp (E170.1)	11			deg C		2/18/2026 10:25:00 AM
Turb (E180.1)	5.77			ntu		2/18/2026 10:25:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 2/18/2026 10:25:00 AM
Lab Sample ID: 260220005-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 6:09:00 PM
Surr: 4-Bromofluorobenzene	98.0	74.1-124		%REC	1	3/2/2026 6:09:00 PM
Surr: Toluene-d8	92.7	79.6-115		%REC	1	3/2/2026 6:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 2/18/2026 3:10:00 PM
Lab Sample ID: 260220005-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	13.00			ft		2/18/2026 3:10:00 PM
Cond (E120.1)	1023			umhos/cm		2/18/2026 3:10:00 PM
diss_oxygen (E360.1)	0.45			mg/L		2/18/2026 3:10:00 PM
eH (Orion)	338.4			millivolts		2/18/2026 3:10:00 PM
End Depth	24.67			ft		2/18/2026 3:10:00 PM
pH (E150.1)	7.1			su		2/18/2026 3:10:00 PM
Static Water Level	13.89			ft		2/18/2026 3:10:00 PM
Temp (E170.1)	12			deg C		2/18/2026 3:10:00 PM
Turb (E180.1)	6.86			ntu		2/18/2026 3:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 2/18/2026 3:10:00 PM
Lab Sample ID: 260220005-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:29:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	3/2/2026 6:29:00 PM
Surr: 4-Bromofluorobenzene	99.6	74.1-124		%REC	1	3/2/2026 6:29:00 PM
Surr: Toluene-d8	91.3	79.6-115		%REC	1	3/2/2026 6:29:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 2/18/2026 9:15:00 AM
Lab Sample ID: 260220005-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	14.22			ft		2/18/2026 9:15:00 AM
Cond (E120.1)	2424			umhos/cm		2/18/2026 9:15:00 AM
diss_oxygen (E360.1)	7.55			mg/L		2/18/2026 9:15:00 AM
eH (Orion)	286.8			millivolts		2/18/2026 9:15:00 AM
End Depth	14.42			ft		2/18/2026 9:15:00 AM
pH (E150.1)	8.6			su		2/18/2026 9:15:00 AM
Static Water Level	14.19			ft		2/18/2026 9:15:00 AM
Temp (E170.1)	10			deg C		2/18/2026 9:15:00 AM
Turb (E180.1)	16.0			ntu		2/18/2026 9:15:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 2/18/2026 9:15:00 AM
Lab Sample ID: 260220005-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:49:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	3/2/2026 6:49:00 PM
Surr: 4-Bromofluorobenzene	98.8	74.1-124		%REC	1	3/2/2026 6:49:00 PM
Surr: Toluene-d8	92.6	79.6-115		%REC	1	3/2/2026 6:49:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 2/18/2026 7:30:00 AM
Lab Sample ID: 260220005-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	16.95			ft		2/18/2026 7:30:00 AM
Cond (E120.1)	958			umhos/cm		2/18/2026 7:30:00 AM
diss_oxygen (E360.1)	0.80			mg/L		2/18/2026 7:30:00 AM
eH (Orion)	402.2			millivolts		2/18/2026 7:30:00 AM
End Depth	18.74			ft		2/18/2026 7:30:00 AM
pH (E150.1)	7.4			su		2/18/2026 7:30:00 AM
Static Water Level	17.09			ft		2/18/2026 7:30:00 AM
Temp (E170.1)	10			deg C		2/18/2026 7:30:00 AM
Turb (E180.1)	28.8			ntu		2/18/2026 7:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
cis-1,2-Dichloroethene	2.7	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Trichloroethene	2.4	1.0		µg/L	1	3/2/2026 7:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 2/18/2026 7:30:00 AM
Lab Sample ID: 260220005-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 7:09:00 PM
Surr: 4-Bromofluorobenzene	98.5	74.1-124		%REC	1	3/2/2026 7:09:00 PM
Surr: Toluene-d8	92.1	79.6-115		%REC	1	3/2/2026 7:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 2/18/2026 9:30:00 AM
Lab Sample ID: 260220005-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	40.59			ft		2/18/2026 9:30:00 AM
Cond (E120.1)	2263			umhos/cm		2/18/2026 9:30:00 AM
diss_oxygen (E360.1)	1.15			mg/L		2/18/2026 9:30:00 AM
eH (Orion)	154.7			millivolts		2/18/2026 9:30:00 AM
End Depth	52.36			ft		2/18/2026 9:30:00 AM
pH (E150.1)	7.8			su		2/18/2026 9:30:00 AM
Static Water Level	37.09			ft		2/18/2026 9:30:00 AM
Temp (E170.1)	11			deg C		2/18/2026 9:30:00 AM
Turb (E180.1)	24.0			ntu		2/18/2026 9:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
cis-1,2-Dichloroethene	4.7	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Trichloroethene	4.3	1.0		µg/L	1	3/2/2026 7:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 2/18/2026 9:30:00 AM
Lab Sample ID: 260220005-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 7:28:00 PM
Surr: 4-Bromofluorobenzene	99.1	74.1-124		%REC	1	3/2/2026 7:28:00 PM
Surr: Toluene-d8	93.0	79.6-115		%REC	1	3/2/2026 7:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	55.56			ft		2/18/2026 3:15:00 PM
Cond (E120.1)	1049			umhos/cm		2/18/2026 3:15:00 PM
diss_oxygen (E360.1)	5.74			mg/L		2/18/2026 3:15:00 PM
eH (Orion)	- 1.7			millivolts		2/18/2026 3:15:00 PM
End Depth	55.56			ft		2/18/2026 3:15:00 PM
pH (E150.1)	7.9			su		2/18/2026 3:15:00 PM
Static Water Level	56.88			ft		2/18/2026 3:15:00 PM
Temp (E170.1)	8			deg C		2/18/2026 3:15:00 PM
Turb (E180.1)	37.8			ntu		2/18/2026 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **CC**

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Trichloroethene	1.9	1.0		µg/L	1	3/2/2026 7:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 7:48:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	1	3/2/2026 7:48:00 PM
Surr: Toluene-d8	92.2	79.6-115		%REC	1	3/2/2026 7:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 2/18/2026 7:55:00 AM
Lab Sample ID: 260220005-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	25.50			ft		2/18/2026 7:55:00 AM
Cond (E120.1)	8893			umhos/cm		2/18/2026 7:55:00 AM
diss_oxygen (E360.1)	4.67			mg/L		2/18/2026 7:55:00 AM
eH (Orion)	177.4			millivolts		2/18/2026 7:55:00 AM
End Depth	52.06			ft		2/18/2026 7:55:00 AM
pH (E150.1)	12.7			su		2/18/2026 7:55:00 AM
Static Water Level	28.95			ft		2/18/2026 7:55:00 AM
Temp (E170.1)	10			deg C		2/18/2026 7:55:00 AM
Turb (E180.1)	23.6			ntu		2/18/2026 7:55:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromomethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Vinyl chloride	67	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methylene chloride	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Acetone	170	10		µg/L	2	3/2/2026 11:09:00 PM
Carbon disulfide	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1-Dichloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
cis-1,2-Dichloroethene	120	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloroform	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
2-Butanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Trichloroethene	34	2.0		µg/L	2	3/2/2026 11:09:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Benzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromoform	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 2/18/2026 7:55:00 AM
Lab Sample ID: 260220005-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Toluene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Ethylbenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Styrene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
m,p-Xylene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
o-Xylene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Dichlorodifluoromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methyl Acetate	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Cyclohexane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,4-Dioxane	ND	200		µg/L	2	3/2/2026 11:09:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	2	3/2/2026 11:09:00 PM
Surr: 4-Bromofluorobenzene	98.3	74.1-124		%REC	2	3/2/2026 11:09:00 PM
Surr: Toluene-d8	90.3	79.6-115		%REC	2	3/2/2026 11:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 2/18/2026 4:00:00 PM
Lab Sample ID: 260220005-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	32.23			ft		2/18/2026 4:00:00 PM
Cond (E120.1)	1001			umhos/cm		2/18/2026 4:00:00 PM
diss_oxygen (E360.1)	2.43			mg/L		2/18/2026 4:00:00 PM
eH (Orion)	326.7			millivolts		2/18/2026 4:00:00 PM
End Depth	39.88			ft		2/18/2026 4:00:00 PM
pH (E150.1)	7.6			su		2/18/2026 4:00:00 PM
Static Water Level	32.46			ft		2/18/2026 4:00:00 PM
Temp (E170.1)	10			deg C		2/18/2026 4:00:00 PM
Turb (E180.1)	443			ntu		2/18/2026 4:00:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Chloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromomethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Vinyl chloride	1600	50		µg/L	50	3/3/2026 12:15:00 AM
Chloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methylene chloride	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Acetone	180	250	J	µg/L	50	3/3/2026 12:15:00 AM
Carbon disulfide	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1-Dichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
cis-1,2-Dichloroethene	5100	50		µg/L	50	3/3/2026 12:15:00 AM
Chloroform	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
2-Butanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Carbon tetrachloride	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromodichloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Trichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Dibromochloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Benzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromoform	ND	50		µg/L	50	3/3/2026 12:15:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 2/18/2026 4:00:00 PM
Lab Sample ID: 260220005-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM
Tetrachloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Toluene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Chlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Ethylbenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Styrene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
m,p-Xylene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
o-Xylene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methyl tert-butyl ether	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Dichlorodifluoromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methyl Acetate	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Cyclohexane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Isopropylbenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,4-Dioxane	ND	5000		µg/L	50	3/3/2026 12:15:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	50	3/3/2026 12:15:00 AM
Surr: 4-Bromofluorobenzene	99.0	74.1-124		%REC	50	3/3/2026 12:15:00 AM
Surr: Toluene-d8	91.0	79.6-115		%REC	50	3/3/2026 12:15:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 2/18/2026 4:20:00 PM
Lab Sample ID: 260220005-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	32.13			ft		2/18/2026 4:20:00 PM
Cond (E120.1)	1047			umhos/cm		2/18/2026 4:20:00 PM
diss_oxygen (E360.1)	2.15			mg/L		2/18/2026 4:20:00 PM
eH (Orion)	302.6			millivolts		2/18/2026 4:20:00 PM
End Depth	40.32			ft		2/18/2026 4:20:00 PM
pH (E150.1)	7.4			su		2/18/2026 4:20:00 PM
Static Water Level	33.03			ft		2/18/2026 4:20:00 PM
Temp (E170.1)	10			deg C		2/18/2026 4:20:00 PM
Turb (E180.1)	266			ntu		2/18/2026 4:20:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Chloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromomethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Vinyl chloride	240	10		µg/L	10	3/2/2026 11:31:00 PM
Chloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methylene chloride	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Acetone	38	50	J	µg/L	10	3/2/2026 11:31:00 PM
Carbon disulfide	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
cis-1,2-Dichloroethene	750	10		µg/L	10	3/2/2026 11:31:00 PM
Chloroform	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
2-Butanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Carbon tetrachloride	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromodichloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Trichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Dibromochloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Benzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromoform	ND	10		µg/L	10	3/2/2026 11:31:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 2/18/2026 4:20:00 PM
Lab Sample ID: 260220005-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM
Tetrachloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Toluene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Chlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Ethylbenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Styrene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
m,p-Xylene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
o-Xylene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methyl tert-butyl ether	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Dichlorodifluoromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methyl Acetate	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Cyclohexane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Isopropylbenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,4-Dioxane	ND	1000		µg/L	10	3/2/2026 11:31:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	10	3/2/2026 11:31:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	10	3/2/2026 11:31:00 PM
Surr: Toluene-d8	90.9	79.6-115		%REC	10	3/2/2026 11:31:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 2/19/2026 11:50:00 AM
Lab Sample ID: 260220005-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	4.05			ft		2/19/2026 11:50:00 AM
Cond (E120.1)	2111			umhos/cm		2/19/2026 11:50:00 AM
diss_oxygen (E360.1)	1.39			mg/L		2/19/2026 11:50:00 AM
eH (Orion)	306.5			millivolts		2/19/2026 11:50:00 AM
End Depth	5.48			ft		2/19/2026 11:50:00 AM
pH (E150.1)	7.0			su		2/19/2026 11:50:00 AM
Static Water Level	5.29			ft		2/19/2026 11:50:00 AM
Temp (E170.1)	8			deg C		2/19/2026 11:50:00 AM
Turb (E180.1)	7.05			ntu		2/19/2026 11:50:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
cis-1,2-Dichloroethene	2.3	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 2/19/2026 11:50:00 AM
Lab Sample ID: 260220005-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:12:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Surr: 1,2-Dichloroethane-d4	99.0	80.3-122		%REC	1	3/4/2026 5:12:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/4/2026 5:12:00 PM
Surr: Toluene-d8	94.9	79.6-115		%REC	1	3/4/2026 5:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 2/19/2026 11:15:00 AM
Lab Sample ID: 260220005-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	27.99			ft		2/19/2026 11:15:00 AM
Cond (E120.1)	1072			umhos/cm		2/19/2026 11:15:00 AM
diss_oxygen (E360.1)	0.09			mg/L		2/19/2026 11:15:00 AM
eH (Orion)	253.8			millivolts		2/19/2026 11:15:00 AM
End Depth	29.90			ft		2/19/2026 11:15:00 AM
pH (E150.1)	7.2			su		2/19/2026 11:15:00 AM
Static Water Level	29.82			ft		2/19/2026 11:15:00 AM
Temp (E170.1)	12			deg C		2/19/2026 11:15:00 AM
Turb (E180.1)	7.54			ntu		2/19/2026 11:15:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Vinyl chloride	2.1	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
cis-1,2-Dichloroethene	5.3	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 2/19/2026 11:15:00 AM
Lab Sample ID: 260220005-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:35:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:35:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Surr: 1,2-Dichloroethane-d4	98.4	80.3-122		%REC	1	3/4/2026 5:35:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	3/4/2026 5:35:00 PM
Surr: Toluene-d8	96.5	79.6-115		%REC	1	3/4/2026 5:35:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 2/19/2026 2:05:00 PM
Lab Sample ID: 260220005-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	5.31			ft		2/19/2026 2:05:00 PM
Cond (E120.1)	852			umhos/cm		2/19/2026 2:05:00 PM
diss_oxygen (E360.1)	0.24			mg/L		2/19/2026 2:05:00 PM
eH (Orion)	56.2			millivolts		2/19/2026 2:05:00 PM
End Depth	8.98			ft		2/19/2026 2:05:00 PM
pH (E150.1)	6.8			su		2/19/2026 2:05:00 PM
Static Water Level	6.58			ft		2/19/2026 2:05:00 PM
Temp (E170.1)	8			deg C		2/19/2026 2:05:00 PM
Turb (E180.1)	12.7			ntu		2/19/2026 2:05:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 2/19/2026 2:05:00 PM
Lab Sample ID: 260220005-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:59:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:59:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	98.4	80.3-122		%REC	1	3/4/2026 5:59:00 PM
Surr: 4-Bromofluorobenzene	99.9	74.1-124		%REC	1	3/4/2026 5:59:00 PM
Surr: Toluene-d8	93.8	79.6-115		%REC	1	3/4/2026 5:59:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	27.83			ft		2/19/2026 1:05:00 PM
Cond (E120.1)	1000			umhos/cm		2/19/2026 1:05:00 PM
diss_oxygen (E360.1)	0.13			mg/L		2/19/2026 1:05:00 PM
eH (Orion)	- 81.3			millivolts		2/19/2026 1:05:00 PM
End Depth	28.85			ft		2/19/2026 1:05:00 PM
pH (E150.1)	7.4			su		2/19/2026 1:05:00 PM
Static Water Level	29.28			ft		2/19/2026 1:05:00 PM
Temp (E170.1)	12			deg C		2/19/2026 1:05:00 PM
Turb (E180.1)	3.47			ntu		2/19/2026 1:05:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Vinyl chloride	2.0	1.0		µg/L	1	3/5/2026 3:23:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
Carbon disulfide	ND	1.0	SNC	µg/L	1	3/5/2026 3:23:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
cis-1,2-Dichloroethene	18	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,1-Trichloroethane	ND	1.0	SN	µg/L	1	3/5/2026 3:23:00 PM
Carbon tetrachloride	ND	1.0	NC	µg/L	1	3/5/2026 3:23:00 PM
Bromodichloromethane	ND	1.0	SN	µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 3:23:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Trichloroethene	4.3	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Dibromochloromethane	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Benzene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Bromoform	ND	1.0	NC	µg/L	1	3/5/2026 3:23:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Toluene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
m,p-Xylene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 3:23:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 3:23:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,4-Dioxane	ND	100	SN	µg/L	1	3/5/2026 3:23:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	3/5/2026 3:23:00 PM
Surr: 4-Bromofluorobenzene	95.8	74.1-124		%REC	1	3/5/2026 3:23:00 PM
Surr: Toluene-d8	95.9	79.6-115		%REC	1	3/5/2026 3:23:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B DUP
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	27.83			ft		2/19/2026 1:05:00 PM
Cond (E120.1)	1000			umhos/cm		2/19/2026 1:05:00 PM
diss_oxygen (E360.1)	0.13			mg/L		2/19/2026 1:05:00 PM
eH (Orion)	- 81.3			millivolts		2/19/2026 1:05:00 PM
End Depth	28.85			ft		2/19/2026 1:05:00 PM
pH (E150.1)	7.4			su		2/19/2026 1:05:00 PM
Static Water Level	29.28			ft		2/19/2026 1:05:00 PM
Temp (E170.1)	12			deg C		2/19/2026 1:05:00 PM
Turb (E180.1)	3.47			ntu		2/19/2026 1:05:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 6:45:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B DUP
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 6:45:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 6:45:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Surr: 1,2-Dichloroethane-d4	93.9	80.3-122		%REC	1	3/4/2026 6:45:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/4/2026 6:45:00 PM
Surr: Toluene-d8	93.6	79.6-115		%REC	1	3/4/2026 6:45:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 2/18/2026 10:55:00 AM
Lab Sample ID: 260220005-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	32.32			ft		2/18/2026 10:55:00 AM
Cond (E120.1)	1686			umhos/cm		2/18/2026 10:55:00 AM
diss_oxygen (E360.1)	2.52			mg/L		2/18/2026 10:55:00 AM
eH (Orion)	113.7			millivolts		2/18/2026 10:55:00 AM
End Depth	87.38			ft		2/18/2026 10:55:00 AM
pH (E150.1)	7.6			su		2/18/2026 10:55:00 AM
Static Water Level	33.17			ft		2/18/2026 10:55:00 AM
Temp (E170.1)	11			deg C		2/18/2026 10:55:00 AM
Turb (E180.1)	8.55			ntu		2/18/2026 10:55:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Chloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromomethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Vinyl chloride	560	100		µg/L	100	3/3/2026 12:37:00 AM
Chloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methylene chloride	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Acetone	350	500	J	µg/L	100	3/3/2026 12:37:00 AM
Carbon disulfide	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
cis-1,2-Dichloroethene	4500	100		µg/L	100	3/3/2026 12:37:00 AM
Chloroform	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
2-Butanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Carbon tetrachloride	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromodichloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Trichloroethene	500	100		µg/L	100	3/3/2026 12:37:00 AM
Dibromochloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Benzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromoform	ND	100		µg/L	100	3/3/2026 12:37:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 2/18/2026 10:55:00 AM
Lab Sample ID: 260220005-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM
Tetrachloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Toluene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Chlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Ethylbenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Styrene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
m,p-Xylene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
o-Xylene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methyl Acetate	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Cyclohexane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Isopropylbenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,4-Dioxane	ND	10000		µg/L	100	3/3/2026 12:37:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	100	3/3/2026 12:37:00 AM
Surr: 4-Bromofluorobenzene	99.7	74.1-124		%REC	100	3/3/2026 12:37:00 AM
Surr: Toluene-d8	92.0	79.6-115		%REC	100	3/3/2026 12:37:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 2/18/2026 10:40:00 AM
Lab Sample ID: 260220005-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	34.00			ft		2/18/2026 10:40:00 AM
Cond (E120.1)	2460			umhos/cm		2/18/2026 10:40:00 AM
diss_oxygen (E360.1)	1.82			mg/L		2/18/2026 10:40:00 AM
eH (Orion)	110.1			millivolts		2/18/2026 10:40:00 AM
End Depth	32.72			ft		2/18/2026 10:40:00 AM
pH (E150.1)	7.7			su		2/18/2026 10:40:00 AM
Static Water Level	33.51			ft		2/18/2026 10:40:00 AM
Temp (E170.1)	13			deg C		2/18/2026 10:40:00 AM
Turb (E180.1)	11.2			ntu		2/18/2026 10:40:00 AM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Chloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromomethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Vinyl chloride	110	25		µg/L	25	3/2/2026 11:53:00 PM
Chloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methylene chloride	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Acetone	92	120	J	µg/L	25	3/2/2026 11:53:00 PM
Carbon disulfide	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1-Dichloroethene	23	25	J	µg/L	25	3/2/2026 11:53:00 PM
1,1-Dichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
trans-1,2-Dichloroethene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
cis-1,2-Dichloroethene	880	25		µg/L	25	3/2/2026 11:53:00 PM
Chloroform	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
2-Butanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM
1,1,1-Trichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Carbon tetrachloride	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromodichloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichloropropane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
cis-1,3-Dichloropropene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Trichloroethene	75	25		µg/L	25	3/2/2026 11:53:00 PM
Dibromochloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2-Trichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Benzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
trans-1,3-Dichloropropene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromoform	ND	25		µg/L	25	3/2/2026 11:53:00 PM
4-Methyl-2-pentanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 2/18/2026 10:40:00 AM
Lab Sample ID: 260220005-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM
Tetrachloroethene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Toluene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Chlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Ethylbenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Styrene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
m,p-Xylene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
o-Xylene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methyl tert-butyl ether	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Dichlorodifluoromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methyl Acetate	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Trichlorofluoromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Cyclohexane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methyl Cyclohexane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dibromoethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,3-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Isopropylbenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,4-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,4-Dioxane	ND	2500		µg/L	25	3/2/2026 11:53:00 PM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	25	3/2/2026 11:53:00 PM
Surr: 4-Bromofluorobenzene	98.9	74.1-124		%REC	25	3/2/2026 11:53:00 PM
Surr: Toluene-d8	91.0	79.6-115		%REC	25	3/2/2026 11:53:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 2/18/2026 8:30:00 AM
Lab Sample ID: 260220005-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	35.64			ft		2/18/2026 8:30:00 AM
Cond (E120.1)	963			umhos/cm		2/18/2026 8:30:00 AM
diss_oxygen (E360.1)	2.52			mg/L		2/18/2026 8:30:00 AM
eH (Orion)	258.0			millivolts		2/18/2026 8:30:00 AM
End Depth	167.44			ft		2/18/2026 8:30:00 AM
pH (E150.1)	7.8			su		2/18/2026 8:30:00 AM
Static Water Level	35.64			ft		2/18/2026 8:30:00 AM
Temp (E170.1)	9			deg C		2/18/2026 8:30:00 AM
Turb (E180.1)	11.6			ntu		2/18/2026 8:30:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **CC**

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
cis-1,2-Dichloroethene	4.9	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Trichloroethene	2.4	1.0		µg/L	1	3/2/2026 8:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 2/18/2026 8:30:00 AM
Lab Sample ID: 260220005-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 8:08:00 PM
Surr: 4-Bromofluorobenzene	97.9	74.1-124		%REC	1	3/2/2026 8:08:00 PM
Surr: Toluene-d8	92.3	79.6-115		%REC	1	3/2/2026 8:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 2/17/2026 3:40:00 PM
Lab Sample ID: 260220005-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	6.35			ft		2/17/2026 3:40:00 PM
Cond (E120.1)	10,432			umhos/cm		2/17/2026 3:40:00 PM
diss_oxygen (E360.1)	7.65			mg/L		2/17/2026 3:40:00 PM
eH (Orion)	198.6			millivolts		2/17/2026 3:40:00 PM
End Depth	7.45			ft		2/17/2026 3:40:00 PM
pH (E150.1)	7.8			su		2/17/2026 3:40:00 PM
Static Water Level	6.35			ft		2/17/2026 3:40:00 PM
Temp (E170.1)	8			deg C		2/17/2026 3:40:00 PM
Turb (E180.1)	17.6			ntu		2/17/2026 3:40:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **CC**

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 2/17/2026 3:40:00 PM
Lab Sample ID: 260220005-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 8:48:00 PM
Surr: 4-Bromofluorobenzene	99.6	74.1-124		%REC	1	3/2/2026 8:48:00 PM
Surr: Toluene-d8	92.5	79.6-115		%REC	1	3/2/2026 8:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 2/18/2026 10:10:00 AM
Lab Sample ID: 260220005-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	23.41			ft		2/18/2026 10:10:00 AM
Cond (E120.1)	4248			umhos/cm		2/18/2026 10:10:00 AM
diss_oxygen (E360.1)	3.89			mg/L		2/18/2026 10:10:00 AM
eH (Orion)	- 20.3			millivolts		2/18/2026 10:10:00 AM
End Depth	27.48			ft		2/18/2026 10:10:00 AM
pH (E150.1)	12.2			su		2/18/2026 10:10:00 AM
Static Water Level	22.88			ft		2/18/2026 10:10:00 AM
Temp (E170.1)	12			deg C		2/18/2026 10:10:00 AM
Turb (E180.1)	11.5			ntu		2/18/2026 10:10:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Vinyl chloride	8.4	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Acetone	37	5.0		µg/L	1	3/2/2026 8:28:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
cis-1,2-Dichloroethene	26	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Trichloroethene	4.6	1.0		µg/L	1	3/2/2026 8:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 2/18/2026 10:10:00 AM
Lab Sample ID: 260220005-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Toluene	1.2	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	3/2/2026 8:28:00 PM
Surr: 4-Bromofluorobenzene	97.3	74.1-124		%REC	1	3/2/2026 8:28:00 PM
Surr: Toluene-d8	91.8	79.6-115		%REC	1	3/2/2026 8:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 2/19/2026 8:20:00 AM
Lab Sample ID: 260220005-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	61.45			ft		2/19/2026 8:20:00 AM
Cond (E120.1)	1193			umhos/cm		2/19/2026 8:20:00 AM
diss_oxygen (E360.1)	3.34			mg/L		2/19/2026 8:20:00 AM
eH (Orion)	488.3			millivolts		2/19/2026 8:20:00 AM
End Depth	144.2			ft		2/19/2026 8:20:00 AM
pH (E150.1)	7.4			su		2/19/2026 8:20:00 AM
Static Water Level	63.71			ft		2/19/2026 8:20:00 AM
Temp (E170.1)	9			deg C		2/19/2026 8:20:00 AM
Turb (E180.1)	9.38			ntu		2/19/2026 8:20:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Chloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromomethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Vinyl chloride	1700	100		µg/L	100	3/4/2026 8:22:00 PM
Chloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methylene chloride	460	100		µg/L	100	3/4/2026 8:22:00 PM
Acetone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
Carbon disulfide	ND	100	C	µg/L	100	3/4/2026 8:22:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
cis-1,2-Dichloroethene	18000	100		µg/L	100	3/4/2026 8:22:00 PM
Chloroform	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
2-Butanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Carbon tetrachloride	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromodichloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Trichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Dibromochloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Benzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromoform	ND	100		µg/L	100	3/4/2026 8:22:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 2/19/2026 8:20:00 AM
Lab Sample ID: 260220005-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
Tetrachloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Toluene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Chlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Ethylbenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Styrene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
m,p-Xylene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
o-Xylene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Dichlorodifluoromethane	ND	100	C	µg/L	100	3/4/2026 8:22:00 PM
Methyl Acetate	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Cyclohexane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Isopropylbenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,4-Dioxane	ND	10000		µg/L	100	3/4/2026 8:22:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Surr: 1,2-Dichloroethane-d4	98.7	80.3-122		%REC	100	3/4/2026 8:22:00 PM
Surr: 4-Bromofluorobenzene	97.6	74.1-124		%REC	100	3/4/2026 8:22:00 PM
Surr: Toluene-d8	93.4	79.6-115		%REC	100	3/4/2026 8:22:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 2/18/2026 12:45:00 PM
Lab Sample ID: 260220005-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	14.45			ft		2/18/2026 12:45:00 PM
Cond (E120.1)	701			umhos/cm		2/18/2026 12:45:00 PM
diss_oxygen (E360.1)	0.16			mg/L		2/18/2026 12:45:00 PM
eH (Orion)	- 235.7			millivolts		2/18/2026 12:45:00 PM
End Depth	24.60			ft		2/18/2026 12:45:00 PM
pH (E150.1)	8.3			su		2/18/2026 12:45:00 PM
Static Water Level	14.65			ft		2/18/2026 12:45:00 PM
Temp (E170.1)	8			deg C		2/18/2026 12:45:00 PM
Turb (E180.1)	21.9			ntu		2/18/2026 12:45:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 2/18/2026 12:45:00 PM
Lab Sample ID: 260220005-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 9:07:00 PM
Surr: 4-Bromofluorobenzene	98.4	74.1-124		%REC	1	3/2/2026 9:07:00 PM
Surr: Toluene-d8	92.4	79.6-115		%REC	1	3/2/2026 9:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 2/18/2026 11:20:00 AM
Lab Sample ID: 260220005-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	46.02			ft		2/18/2026 11:20:00 AM
Cond (E120.1)	553			umhos/cm		2/18/2026 11:20:00 AM
diss_oxygen (E360.1)	2.37			mg/L		2/18/2026 11:20:00 AM
eH (Orion)	- 2.5			millivolts		2/18/2026 11:20:00 AM
End Depth	69.58			ft		2/18/2026 11:20:00 AM
pH (E150.1)	11.1			su		2/18/2026 11:20:00 AM
Static Water Level	46.02			ft		2/18/2026 11:20:00 AM
Temp (E170.1)	10			deg C		2/18/2026 11:20:00 AM
Turb (E180.1)	9.23			ntu		2/18/2026 11:20:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP) Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 2/18/2026 11:20:00 AM
Lab Sample ID: 260220005-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	3/2/2026 9:27:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	1	3/2/2026 9:27:00 PM
Surr: Toluene-d8	92.2	79.6-115		%REC	1	3/2/2026 9:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 2/18/2026 2:00:00 PM
Lab Sample ID: 260220005-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLEAnalyst: **FLD**

Begin Depth	14.43			ft		2/18/2026 2:00:00 PM
Cond (E120.1)	2433			umhos/cm		2/18/2026 2:00:00 PM
diss_oxygen (E360.1)	3.79			mg/L		2/18/2026 2:00:00 PM
eH (Orion)	361.0			millivolts		2/18/2026 2:00:00 PM
End Depth	15.47			ft		2/18/2026 2:00:00 PM
pH (E150.1)	7.1			su		2/18/2026 2:00:00 PM
Static Water Level	15.46			ft		2/18/2026 2:00:00 PM
Temp (E170.1)	11			deg C		2/18/2026 2:00:00 PM
Turb (E180.1)	12.1			ntu		2/18/2026 2:00:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)Analyst: **CC**

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 2/18/2026 2:00:00 PM
Lab Sample ID: 260220005-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	3/2/2026 9:47:00 PM
Surr: 4-Bromofluorobenzene	99.0	74.1-124		%REC	1	3/2/2026 9:47:00 PM
Surr: Toluene-d8	92.8	79.6-115		%REC	1	3/2/2026 9:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 2/18/2026 11:15:00 AM
Lab Sample ID: 260220005-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	41.98			ft		2/18/2026 11:15:00 AM
Cond (E120.1)	1419			umhos/cm		2/18/2026 11:15:00 AM
diss_oxygen (E360.1)	3.27			mg/L		2/18/2026 11:15:00 AM
eH (Orion)	286.9			millivolts		2/18/2026 11:15:00 AM
End Depth	86.80			ft		2/18/2026 11:15:00 AM
pH (E150.1)	7.7			su		2/18/2026 11:15:00 AM
Static Water Level	42.16			ft		2/18/2026 11:15:00 AM
Temp (E170.1)	9			deg C		2/18/2026 11:15:00 AM
Turb (E180.1)	165			ntu		2/18/2026 11:15:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
cis-1,2-Dichloroethene	8.3	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Trichloroethene	22	1.0		µg/L	1	3/2/2026 10:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 2/18/2026 11:15:00 AM
Lab Sample ID: 260220005-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 10:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	3/2/2026 10:07:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/2/2026 10:07:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/2/2026 10:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 2/18/2026 12:30:00 PM
Lab Sample ID: 260220005-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	46.42			ft		2/18/2026 12:30:00 PM
Cond (E120.1)	2022			umhos/cm		2/18/2026 12:30:00 PM
diss_oxygen (E360.1)	4.21			mg/L		2/18/2026 12:30:00 PM
eH (Orion)	312.6			millivolts		2/18/2026 12:30:00 PM
End Depth	65.70			ft		2/18/2026 12:30:00 PM
pH (E150.1)	7.5			su		2/18/2026 12:30:00 PM
Static Water Level	45.54			ft		2/18/2026 12:30:00 PM
Temp (E170.1)	9			deg C		2/18/2026 12:30:00 PM
Turb (E180.1)	28.2			ntu		2/18/2026 12:30:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromomethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Vinyl chloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methylene chloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Acetone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
Carbon disulfide	ND	2.0	C	µg/L	2	3/4/2026 7:57:00 PM
1,1-Dichloroethene	3.3	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
cis-1,2-Dichloroethene	270	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloroform	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
2-Butanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Trichloroethene	260	2.0		µg/L	2	3/4/2026 7:57:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Benzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromoform	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 2/18/2026 12:30:00 PM
Lab Sample ID: 260220005-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Toluene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Ethylbenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Styrene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
m,p-Xylene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
o-Xylene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Dichlorodifluoromethane	ND	2.0	C	µg/L	2	3/4/2026 7:57:00 PM
Methyl Acetate	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Cyclohexane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,4-Dioxane	ND	200		µg/L	2	3/4/2026 7:57:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	80.3-122		%REC	2	3/4/2026 7:57:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	2	3/4/2026 7:57:00 PM
Surr: Toluene-d8	98.7	79.6-115		%REC	2	3/4/2026 7:57:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 2/19/2026 3:00:00 PM
Lab Sample ID: 260220005-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	27.28			ft		2/19/2026 3:00:00 PM
Cond (E120.1)	787			umhos/cm		2/19/2026 3:00:00 PM
diss_oxygen (E360.1)	4.35			mg/L		2/19/2026 3:00:00 PM
eH (Orion)	174.3			millivolts		2/19/2026 3:00:00 PM
End Depth	54.95			ft		2/19/2026 3:00:00 PM
pH (E150.1)	7.5			su		2/19/2026 3:00:00 PM
Static Water Level	28.79			ft		2/19/2026 3:00:00 PM
Temp (E170.1)	11			deg C		2/19/2026 3:00:00 PM
Turb (E180.1)	216			ntu		2/19/2026 3:00:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 7:08:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 2/19/2026 3:00:00 PM
Lab Sample ID: 260220005-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 7:08:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 7:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Surr: 1,2-Dichloroethane-d4	99.1	80.3-122		%REC	1	3/4/2026 7:08:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	3/4/2026 7:08:00 PM
Surr: Toluene-d8	98.3	79.6-115		%REC	1	3/4/2026 7:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	56.73			ft		2/18/2026 3:15:00 PM
Cond (E120.1)	1824			umhos/cm		2/18/2026 3:15:00 PM
diss_oxygen (E360.1)	1.93			mg/L		2/18/2026 3:15:00 PM
eH (Orion)	14.6			millivolts		2/18/2026 3:15:00 PM
End Depth	56.93			ft		2/18/2026 3:15:00 PM
pH (E150.1)	7.4			su		2/18/2026 3:15:00 PM
Static Water Level	57.27			ft		2/18/2026 3:15:00 PM
Temp (E170.1)	10			deg C		2/18/2026 3:15:00 PM
Turb (E180.1)	199			ntu		2/18/2026 3:15:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
trans-1,2-Dichloroethene	0.8	1.0	J	µg/L	1	3/2/2026 10:47:00 PM
cis-1,2-Dichloroethene	16	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Trichloroethene	57	1.0		µg/L	1	3/2/2026 10:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 10:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	3/2/2026 10:47:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/2/2026 10:47:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/2/2026 10:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 2/19/2026
Lab Sample ID: 260220005-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 7:31:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 7:31:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 2/19/2026
Lab Sample ID: 260220005-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 7:31:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	3/4/2026 7:31:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	1	3/4/2026 7:31:00 PM
Surr: Toluene-d8	95.8	79.6-115		%REC	1	3/4/2026 7:31:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	8.03			ft		2/24/2026 12:55:00 PM
Cond (E120.1)	2027			umhos/cm		2/24/2026 12:55:00 PM
diss_oxygen (E360.1)	0.25			mg/L		2/24/2026 12:55:00 PM
eH (Orion)	54.6			millivolts		2/24/2026 12:55:00 PM
End Depth	8.21			ft		2/24/2026 12:55:00 PM
pH (E150.1)	8.5			su		2/24/2026 12:55:00 PM
Static Water Level	8.04			ft		2/24/2026 12:55:00 PM
Temp (E170.1)	7			deg C		2/24/2026 12:55:00 PM
Turb (E180.1)	21.4			ntu		2/24/2026 12:55:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Acetone	38	5.0	N	µg/L	1	3/5/2026 5:21:00 PM
Carbon disulfide	ND	1.0	SNC	µg/L	1	3/5/2026 5:21:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
cis-1,2-Dichloroethene	2.3	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,1-Trichloroethane	ND	1.0	SN	µg/L	1	3/5/2026 5:21:00 PM
Carbon tetrachloride	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
Bromodichloromethane	ND	1.0	SN	µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 5:21:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Bromoform	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
m,p-Xylene	ND	1.0	N	µg/L	1	3/5/2026 5:21:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Dichlorodifluoromethane	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	N	µg/L	1	3/5/2026 5:21:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 5:21:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Surr: 1,2-Dichloroethane-d4	97.3	80.3-122		%REC	1	3/5/2026 5:21:00 PM
Surr: 4-Bromofluorobenzene	97.9	74.1-124		%REC	1	3/5/2026 5:21:00 PM
Surr: Toluene-d8	97.2	79.6-115		%REC	1	3/5/2026 5:21:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5 DUP
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	8.03			ft		2/24/2026 12:55:00 PM
Cond (E120.1)	2027			umhos/cm		2/24/2026 12:55:00 PM
diss_oxygen (E360.1)	0.25			mg/L		2/24/2026 12:55:00 PM
eH (Orion)	54.6			millivolts		2/24/2026 12:55:00 PM
End Depth	8.21			ft		2/24/2026 12:55:00 PM
pH (E150.1)	8.5			su		2/24/2026 12:55:00 PM
Static Water Level	8.04			ft		2/24/2026 12:55:00 PM
Temp (E170.1)	7			deg C		2/24/2026 12:55:00 PM
Turb (E180.1)	21.4			ntu		2/24/2026 12:55:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Acetone	36	5.0		µg/L	1	3/5/2026 5:44:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 5:44:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5 DUP
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 5:44:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 5:44:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	3/5/2026 5:44:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	3/5/2026 5:44:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-032
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	31.04			ft		2/20/2026 3:25:00 PM
Cond (E120.1)	1330			umhos/cm		2/20/2026 3:25:00 PM
diss_oxygen (E360.1)	1.41			mg/L		2/20/2026 3:25:00 PM
eH (Orion)	- 88.8			millivolts		2/20/2026 3:25:00 PM
End Depth	51.75			ft		2/20/2026 3:25:00 PM
pH (E150.1)	7.3			su		2/20/2026 3:25:00 PM
Static Water Level	33.54			ft		2/20/2026 3:25:00 PM
Temp (E170.1)	13			deg C		2/20/2026 3:25:00 PM
Turb (E180.1)	12.0			ntu		2/20/2026 3:25:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Vinyl chloride	1000	50		µg/L	50	3/5/2026 1:47:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methylene chloride	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
Carbon disulfide	ND	50	SNC	µg/L	50	3/5/2026 1:47:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
cis-1,2-Dichloroethene	2700	50		µg/L	50	3/5/2026 1:47:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
Carbon tetrachloride	ND	50	NC	µg/L	50	3/5/2026 1:47:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Trichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Bromoform	ND	50	NC	µg/L	50	3/5/2026 1:47:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-032
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 1:47:00 PM
Methyl Acetate	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	N	µg/L	50	3/5/2026 1:47:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 1:47:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,4-Dioxane	ND	5000		µg/L	50	3/5/2026 1:47:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Surr: 1,2-Dichloroethane-d4	96.8	80.3-122		%REC	50	3/5/2026 1:47:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	50	3/5/2026 1:47:00 PM
Surr: Toluene-d8	94.1	79.6-115		%REC	50	3/5/2026 1:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C DUP
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	31.04			ft		2/20/2026 3:25:00 PM
Cond (E120.1)	1330			umhos/cm		2/20/2026 3:25:00 PM
diss_oxygen (E360.1)	1.41			mg/L		2/20/2026 3:25:00 PM
eH (Orion)	- 88.8			millivolts		2/20/2026 3:25:00 PM
End Depth	51.75			ft		2/20/2026 3:25:00 PM
pH (E150.1)	7.3			su		2/20/2026 3:25:00 PM
Static Water Level	33.54			ft		2/20/2026 3:25:00 PM
Temp (E170.1)	13			deg C		2/20/2026 3:25:00 PM
Turb (E180.1)	12.0			ntu		2/20/2026 3:25:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Vinyl chloride	1000	50		µg/L	50	3/5/2026 2:13:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methylene chloride	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 2:13:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
cis-1,2-Dichloroethene	2700	50		µg/L	50	3/5/2026 2:13:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Trichloroethene	54	50		µg/L	50	3/5/2026 2:13:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C DUP
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
Methyl Acetate	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 2:13:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	50	3/5/2026 2:13:00 PM
Surr: 4-Bromofluorobenzene	99.4	74.1-124		%REC	50	3/5/2026 2:13:00 PM
Surr: Toluene-d8	96.2	79.6-115		%REC	50	3/5/2026 2:13:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 2/20/2026 1:20:00 PM
Lab Sample ID: 260220005-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	32.15			ft		2/20/2026 1:20:00 PM
Cond (E120.1)	1482			umhos/cm		2/20/2026 1:20:00 PM
diss_oxygen (E360.1)	0.14			mg/L		2/20/2026 1:20:00 PM
eH (Orion)	284.2			millivolts		2/20/2026 1:20:00 PM
End Depth	73.11			ft		2/20/2026 1:20:00 PM
pH (E150.1)	7.3			su		2/20/2026 1:20:00 PM
Static Water Level	33.02			ft		2/20/2026 1:20:00 PM
Temp (E170.1)	14			deg C		2/20/2026 1:20:00 PM
Turb (E180.1)	6.10			ntu		2/20/2026 1:20:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Chloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Bromomethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Vinyl chloride	2000	200		µg/L	200	3/5/2026 9:04:00 PM
Chloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methylene chloride	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Acetone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
Carbon disulfide	ND	200	SC	µg/L	200	3/5/2026 9:04:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1-Dichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
cis-1,2-Dichloroethene	24000	200		µg/L	200	3/5/2026 9:04:00 PM
Chloroform	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
2-Butanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
1,1,1-Trichloroethane	410	200	S	µg/L	200	3/5/2026 9:04:00 PM
Carbon tetrachloride	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
Bromodichloromethane	ND	200	S	µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichloropropane	ND	200	S	µg/L	200	3/5/2026 9:04:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Trichloroethene	6300	200		µg/L	200	3/5/2026 9:04:00 PM
Dibromochloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Benzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Bromoform	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
4-Methyl-2-pentanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 2/20/2026 1:20:00 PM
Lab Sample ID: 260220005-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
Tetrachloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Toluene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Chlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Ethylbenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Styrene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
m,p-Xylene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
o-Xylene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methyl tert-butyl ether	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Dichlorodifluoromethane	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
Methyl Acetate	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Trichlorofluoromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Cyclohexane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methyl Cyclohexane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dibromoethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Isopropylbenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dibromo-3-chloropropane	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,4-Dioxane	ND	20000	S	µg/L	200	3/5/2026 9:04:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Surr: 1,2-Dichloroethane-d4	99.3	80.3-122		%REC	200	3/5/2026 9:04:00 PM
Surr: 4-Bromofluorobenzene	115	74.1-124		%REC	200	3/5/2026 9:04:00 PM
Surr: Toluene-d8	96.4	79.6-115		%REC	200	3/5/2026 9:04:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 2/20/2026 2:50:00 PM
Lab Sample ID: 260220005-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	11.21			ft		2/20/2026 2:50:00 PM
Cond (E120.1)	2772			umhos/cm		2/20/2026 2:50:00 PM
diss_oxygen (E360.1)	8.13			mg/L		2/20/2026 2:50:00 PM
eH (Orion)	316.6			millivolts		2/20/2026 2:50:00 PM
End Depth	14.40			ft		2/20/2026 2:50:00 PM
pH (E150.1)	7.4			su		2/20/2026 2:50:00 PM
Static Water Level	11.70			ft		2/20/2026 2:50:00 PM
Temp (E170.1)	11			deg C		2/20/2026 2:50:00 PM
Turb (E180.1)	6.14			ntu		2/20/2026 2:50:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 12:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 2/20/2026 2:50:00 PM
Lab Sample ID: 260220005-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 12:36:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 12:36:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	3/5/2026 12:36:00 PM
Surr: Toluene-d8	98.3	79.6-115		%REC	1	3/5/2026 12:36:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 2/20/2026 12:40:00 PM
Lab Sample ID: 260220005-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	23.97			ft		2/20/2026 12:40:00 PM
Cond (E120.1)	242			umhos/cm		2/20/2026 12:40:00 PM
diss_oxygen (E360.1)	1.08			mg/L		2/20/2026 12:40:00 PM
eH (Orion)	71.0			millivolts		2/20/2026 12:40:00 PM
End Depth	25.12			ft		2/20/2026 12:40:00 PM
pH (E150.1)	10.8			su		2/20/2026 12:40:00 PM
Static Water Level	25.92			ft		2/20/2026 12:40:00 PM
Temp (E170.1)	5			deg C		2/20/2026 12:40:00 PM
Turb (E180.1)	56.2			ntu		2/20/2026 12:40:00 PM
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Vinyl chloride	6.7	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Acetone	10	5.0		µg/L	1	3/5/2026 12:59:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 12:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
cis-1,2-Dichloroethene	8.5	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 2/20/2026 12:40:00 PM
Lab Sample ID: 260220005-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 12:59:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/5/2026 12:59:00 PM
Surr: 4-Bromofluorobenzene	99.1	74.1-124		%REC	1	3/5/2026 12:59:00 PM
Surr: Toluene-d8	97.1	79.6-115		%REC	1	3/5/2026 12:59:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 2/20/2026 2:10:00 PM
Lab Sample ID: 260220005-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	27.92			ft		2/20/2026 2:10:00 PM
Cond (E120.1)	753			umhos/cm		2/20/2026 2:10:00 PM
diss_oxygen (E360.1)	0.32			mg/L		2/20/2026 2:10:00 PM
eH (Orion)	- 82.6			millivolts		2/20/2026 2:10:00 PM
End Depth	71.05			ft		2/20/2026 2:10:00 PM
pH (E150.1)	7.5			su		2/20/2026 2:10:00 PM
Static Water Level	33.04			ft		2/20/2026 2:10:00 PM
Temp (E170.1)	12			deg C		2/20/2026 2:10:00 PM
Turb (E180.1)	18.2			ntu		2/20/2026 2:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Vinyl chloride	8.2	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 1:22:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
cis-1,2-Dichloroethene	120	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloroform	2.9	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Trichloroethene	10	1.0		µg/L	1	3/5/2026 1:22:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 2/20/2026 2:10:00 PM
Lab Sample ID: 260220005-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 1:22:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	3/5/2026 1:22:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/5/2026 1:22:00 PM
Surr: Toluene-d8	96.4	79.6-115		%REC	1	3/5/2026 1:22:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 2/24/2026 11:00:00 AM
Lab Sample ID: 260220005-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	42.68			ft		2/24/2026 11:00:00 AM
Cond (E120.1)	897			umhos/cm		2/24/2026 11:00:00 AM
diss_oxygen (E360.1)	1.90			mg/L		2/24/2026 11:00:00 AM
eH (Orion)	85.8			millivolts		2/24/2026 11:00:00 AM
End Depth	43.04			ft		2/24/2026 11:00:00 AM
pH (E150.1)	7.2			su		2/24/2026 11:00:00 AM
Static Water Level	42.68			ft		2/24/2026 11:00:00 AM
Temp (E170.1)	10			deg C		2/24/2026 11:00:00 AM
Turb (E180.1)	567			ntu		2/24/2026 11:00:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP) Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 2/24/2026 11:00:00 AM
Lab Sample ID: 260220005-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	3/5/2026 6:07:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	3/5/2026 6:07:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/5/2026 6:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 2/24/2026 11:35:00 AM
Lab Sample ID: 260220005-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE						Analyst: FLD
Begin Depth	42.50			ft		2/24/2026 11:35:00 AM
Cond (E120.1)	1028			umhos/cm		2/24/2026 11:35:00 AM
diss_oxygen (E360.1)	1.57			mg/L		2/24/2026 11:35:00 AM
eH (Orion)	80.3			millivolts		2/24/2026 11:35:00 AM
End Depth	42.58			ft		2/24/2026 11:35:00 AM
pH (E150.1)	7.0			su		2/24/2026 11:35:00 AM
Static Water Level	42.5			ft		2/24/2026 11:35:00 AM
Temp (E170.1)	10			deg C		2/24/2026 11:35:00 AM
Turb (E180.1)	> 999			ntu		2/24/2026 11:35:00 AM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP) Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:30:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 2/24/2026 11:35:00 AM
Lab Sample ID: 260220005-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:30:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 6:30:00 PM
Surr: 4-Bromofluorobenzene	96.9	74.1-124		%REC	1	3/5/2026 6:30:00 PM
Surr: Toluene-d8	95.9	79.6-115		%REC	1	3/5/2026 6:30:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 2/24/2026 2:10:00 PM
Lab Sample ID: 260220005-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	39.86			ft		2/24/2026 2:10:00 PM
Cond (E120.1)	1086			umhos/cm		2/24/2026 2:10:00 PM
diss_oxygen (E360.1)	1.76			mg/L		2/24/2026 2:10:00 PM
eH (Orion)	49.1			millivolts		2/24/2026 2:10:00 PM
End Depth	175.28			ft		2/24/2026 2:10:00 PM
pH (E150.1)	7.6			su		2/24/2026 2:10:00 PM
Static Water Level	41.29			ft		2/24/2026 2:10:00 PM
Temp (E170.1)	9			deg C		2/24/2026 2:10:00 PM
Turb (E180.1)	21.7			ntu		2/24/2026 2:10:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Vinyl chloride	1600	50		µg/L	50	3/5/2026 8:13:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methylene chloride	240	50		µg/L	50	3/5/2026 8:13:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 8:13:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
cis-1,2-Dichloroethene	8100	50		µg/L	50	3/5/2026 8:13:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Trichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 2/24/2026 2:10:00 PM
Lab Sample ID: 260220005-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
Methyl Acetate	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 8:13:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	50	3/5/2026 8:13:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	3/5/2026 8:13:00 PM
Surr: Toluene-d8	92.0	79.6-115		%REC	50	3/5/2026 8:13:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 2/24/2026 1:40:00 PM
Lab Sample ID: 260220005-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Begin Depth	39.33			ft		2/24/2026 1:40:00 PM
Cond (E120.1)	1154			umhos/cm		2/24/2026 1:40:00 PM
diss_oxygen (E360.1)	1.45			mg/L		2/24/2026 1:40:00 PM
eH (Orion)	124.4			millivolts		2/24/2026 1:40:00 PM
End Depth	54.91			ft		2/24/2026 1:40:00 PM
pH (E150.1)	7.5			su		2/24/2026 1:40:00 PM
Static Water Level	40.96			ft		2/24/2026 1:40:00 PM
Temp (E170.1)	9			deg C		2/24/2026 1:40:00 PM
Turb (E180.1)	10.4			ntu		2/24/2026 1:40:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Vinyl chloride	1300	50		µg/L	50	3/5/2026 8:38:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methylene chloride	240	50		µg/L	50	3/5/2026 8:38:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 8:38:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
cis-1,2-Dichloroethene	10000	50		µg/L	50	3/5/2026 8:38:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Trichloroethene	3500	50		µg/L	50	3/5/2026 8:38:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 2/24/2026 1:40:00 PM
Lab Sample ID: 260220005-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
2-Hexanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
Methyl Acetate	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 8:38:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Surr: 1,2-Dichloroethane-d4	95.0	80.3-122		%REC	50	3/5/2026 8:38:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	50	3/5/2026 8:38:00 PM
Surr: Toluene-d8	95.0	79.6-115		%REC	50	3/5/2026 8:38:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 2/24/2026 2:50:00 PM
Lab Sample ID: 260220005-042
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

FIELD-PH, RES CL2, AND TEMP ARE NOT ELAP CERTIFIABLE

Analyst: FLD

Cond (E120.1)	514			umhos/cm		2/24/2026 2:50:00 PM
diss_oxygen (E360.1)	11.4			mg/L		2/24/2026 2:50:00 PM
eH (Orion)	77.7			millivolts		2/24/2026 2:50:00 PM
pH (E150.1)	6.6			su		2/24/2026 2:50:00 PM
Temp (E170.1)	1			deg C		2/24/2026 2:50:00 PM
Turb (E180.1)	10.6			ntu		2/24/2026 2:50:00 PM

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 2/24/2026 2:50:00 PM
Lab Sample ID: 260220005-042
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Toluene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Surr: 1,2-Dichloroethane-d4	96.7	80.3-122		%REC	1	3/5/2026 6:54:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/5/2026 6:54:00 PM
Surr: Toluene-d8	96.0	79.6-115		%REC	1	3/5/2026 6:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 2/24/2026 12:45:00 PM
Lab Sample ID: 260220005-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 7:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 2/24/2026 12:45:00 PM
Lab Sample ID: 260220005-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 7:24:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Surr: 1,2-Dichloroethane-d4	93.7	80.3-122		%REC	1	3/5/2026 7:24:00 PM
Surr: 4-Bromofluorobenzene	98.9	74.1-124		%REC	1	3/5/2026 7:24:00 PM
Surr: Toluene-d8	95.3	79.6-115		%REC	1	3/5/2026 7:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip blank
Collection Date: 2/24/2026
Lab Sample ID: 260220005-044
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 7:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip blank
Collection Date: 2/24/2026
Lab Sample ID: 260220005-044
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 7:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	80.3-122		%REC	1	3/5/2026 7:48:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/5/2026 7:48:00 PM
Surr: Toluene-d8	94.8	79.6-115		%REC	1	3/5/2026 7:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 2/19/2026 9:50:00 AM
Lab Sample ID: 260220005-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 4:49:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
cis-1,2-Dichloroethene	5.6	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Trichloroethene	24	1.0		µg/L	1	3/4/2026 4:49:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 4:49:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 4:49:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-1B
Collection Date: 2/19/2026 9:50:00 AM
Lab Sample ID: 260220005-001
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 4:49:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 4:49:00 PM
Surr: 1,2-Dichloroethane-d4	95.2	80.3-122		%REC	1	3/4/2026 4:49:00 PM
Surr: 4-Bromofluorobenzene	107	74.1-124		%REC	1	3/4/2026 4:49:00 PM
Surr: Toluene-d8	97.4	79.6-115		%REC	1	3/4/2026 4:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 2/18/2026 10:25:00 AM
Lab Sample ID: 260220005-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentitively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-3
Collection Date: 2/18/2026 10:25:00 AM
Lab Sample ID: 260220005-002
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:09:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 6:09:00 PM
Surr: 4-Bromofluorobenzene	98.0	74.1-124		%REC	1	3/2/2026 6:09:00 PM
Surr: Toluene-d8	92.7	79.6-115		%REC	1	3/2/2026 6:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 2/18/2026 3:10:00 PM
Lab Sample ID: 260220005-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:29:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-6
Collection Date: 2/18/2026 3:10:00 PM
Lab Sample ID: 260220005-003
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:29:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:29:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	3/2/2026 6:29:00 PM
Surr: 4-Bromofluorobenzene	99.6	74.1-124		%REC	1	3/2/2026 6:29:00 PM
Surr: Toluene-d8	91.3	79.6-115		%REC	1	3/2/2026 6:29:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 2/18/2026 9:15:00 AM
Lab Sample ID: 260220005-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 6:49:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW96-7B
Collection Date: 2/18/2026 9:15:00 AM
Lab Sample ID: 260220005-004
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 6:49:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 6:49:00 PM
Surr: 1,2-Dichloroethane-d4	107	80.3-122		%REC	1	3/2/2026 6:49:00 PM
Surr: 4-Bromofluorobenzene	98.8	74.1-124		%REC	1	3/2/2026 6:49:00 PM
Surr: Toluene-d8	92.6	79.6-115		%REC	1	3/2/2026 6:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 2/18/2026 7:30:00 AM
Lab Sample ID: 260220005-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
cis-1,2-Dichloroethene	2.7	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Trichloroethene	2.4	1.0		µg/L	1	3/2/2026 7:09:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:09:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level
 E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
 Z - RPD outside accepted recovery limits
 N - Matrix Spike below accepted limits (+ above)
 T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW01-8B
Collection Date: 2/18/2026 7:30:00 AM
Lab Sample ID: 260220005-005
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:09:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:09:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 7:09:00 PM
Surr: 4-Bromofluorobenzene	98.5	74.1-124		%REC	1	3/2/2026 7:09:00 PM
Surr: Toluene-d8	92.1	79.6-115		%REC	1	3/2/2026 7:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 2/18/2026 9:30:00 AM
Lab Sample ID: 260220005-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
cis-1,2-Dichloroethene	4.7	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Trichloroethene	4.3	1.0		µg/L	1	3/2/2026 7:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-2C
Collection Date: 2/18/2026 9:30:00 AM
Lab Sample ID: 260220005-006
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:28:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 7:28:00 PM
Surr: 4-Bromofluorobenzene	99.1	74.1-124		%REC	1	3/2/2026 7:28:00 PM
Surr: Toluene-d8	93.0	79.6-115		%REC	1	3/2/2026 7:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Trichloroethene	1.9	1.0		µg/L	1	3/2/2026 7:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 7:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-9C
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-007
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 7:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 7:48:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/2/2026 7:48:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	1	3/2/2026 7:48:00 PM
Surr: Toluene-d8	92.2	79.6-115		%REC	1	3/2/2026 7:48:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 2/18/2026 7:55:00 AM
Lab Sample ID: 260220005-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromomethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Vinyl chloride	67	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methylene chloride	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Acetone	170	10		µg/L	2	3/2/2026 11:09:00 PM
Carbon disulfide	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1-Dichloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
cis-1,2-Dichloroethene	120	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chloroform	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
2-Butanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Trichloroethene	34	2.0		µg/L	2	3/2/2026 11:09:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Benzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Bromoform	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM
2-Hexanone	ND	10		µg/L	2	3/2/2026 11:09:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Toluene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Chlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Ethylbenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Styrene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
m,p-Xylene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
o-Xylene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Dichlorodifluoromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8D
Collection Date: 2/18/2026 7:55:00 AM
Lab Sample ID: 260220005-008
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Cyclohexane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
1,4-Dioxane	ND	200		µg/L	2	3/2/2026 11:09:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	3/2/2026 11:09:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	2	3/2/2026 11:09:00 PM
Surr: 4-Bromofluorobenzene	98.3	74.1-124		%REC	2	3/2/2026 11:09:00 PM
Surr: Toluene-d8	90.3	79.6-115		%REC	2	3/2/2026 11:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 2/18/2026 4:00:00 PM
Lab Sample ID: 260220005-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Chloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromomethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Vinyl chloride	1600	50		µg/L	50	3/3/2026 12:15:00 AM
Chloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methylene chloride	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Acetone	180	250	J	µg/L	50	3/3/2026 12:15:00 AM
Carbon disulfide	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1-Dichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1-Dichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
cis-1,2-Dichloroethene	5100	50		µg/L	50	3/3/2026 12:15:00 AM
Chloroform	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
2-Butanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Carbon tetrachloride	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromodichloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichloropropane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Trichloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Dibromochloromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Benzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Bromoform	ND	50		µg/L	50	3/3/2026 12:15:00 AM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM
2-Hexanone	ND	250		µg/L	50	3/3/2026 12:15:00 AM
Tetrachloroethene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Toluene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Chlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Ethylbenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Styrene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
m,p-Xylene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
o-Xylene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methyl tert-butyl ether	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Dichlorodifluoromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8E
Collection Date: 2/18/2026 4:00:00 PM
Lab Sample ID: 260220005-009
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Trichlorofluoromethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Cyclohexane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Methyl Cyclohexane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dibromoethane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Isopropylbenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2-Dibromo-3-chloropropane	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
1,4-Dioxane	ND	5000		µg/L	50	3/3/2026 12:15:00 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/3/2026 12:15:00 AM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	50	3/3/2026 12:15:00 AM
Surr: 4-Bromofluorobenzene	99.0	74.1-124		%REC	50	3/3/2026 12:15:00 AM
Surr: Toluene-d8	91.0	79.6-115		%REC	50	3/3/2026 12:15:00 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 2/18/2026 4:20:00 PM
Lab Sample ID: 260220005-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Chloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromomethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Vinyl chloride	240	10		µg/L	10	3/2/2026 11:31:00 PM
Chloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methylene chloride	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Acetone	38	50	J	µg/L	10	3/2/2026 11:31:00 PM
Carbon disulfide	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1-Dichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1-Dichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
trans-1,2-Dichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
cis-1,2-Dichloroethene	750	10		µg/L	10	3/2/2026 11:31:00 PM
Chloroform	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
2-Butanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM
1,1,1-Trichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Carbon tetrachloride	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromodichloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichloropropane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Trichloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Dibromochloromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2-Trichloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Benzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Bromoform	ND	10		µg/L	10	3/2/2026 11:31:00 PM
4-Methyl-2-pentanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM
2-Hexanone	ND	50		µg/L	10	3/2/2026 11:31:00 PM
Tetrachloroethene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Toluene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Chlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Ethylbenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Styrene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
m,p-Xylene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
o-Xylene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methyl tert-butyl ether	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Dichlorodifluoromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-8F
Collection Date: 2/18/2026 4:20:00 PM
Lab Sample ID: 260220005-010
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Trichlorofluoromethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Cyclohexane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Methyl Cyclohexane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dibromoethane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Isopropylbenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,4-Dichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2-Dibromo-3-chloropropane	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
1,4-Dioxane	ND	1000		µg/L	10	3/2/2026 11:31:00 PM
1,2,3-Trichlorobenzene	ND	10		µg/L	10	3/2/2026 11:31:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	10	3/2/2026 11:31:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	10	3/2/2026 11:31:00 PM
Surr: Toluene-d8	90.9	79.6-115		%REC	10	3/2/2026 11:31:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 2/19/2026 11:50:00 AM
Lab Sample ID: 260220005-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
cis-1,2-Dichloroethene	2.3	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:12:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:12:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10A
Collection Date: 2/19/2026 11:50:00 AM
Lab Sample ID: 260220005-011
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:12:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:12:00 PM
Surr: 1,2-Dichloroethane-d4	99.0	80.3-122		%REC	1	3/4/2026 5:12:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/4/2026 5:12:00 PM
Surr: Toluene-d8	94.9	79.6-115		%REC	1	3/4/2026 5:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 2/19/2026 11:15:00 AM
Lab Sample ID: 260220005-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Vinyl chloride	2.1	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:35:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
cis-1,2-Dichloroethene	5.3	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:35:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:35:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10B
Collection Date: 2/19/2026 11:15:00 AM
Lab Sample ID: 260220005-012
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:35:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:35:00 PM
Surr: 1,2-Dichloroethane-d4	98.4	80.3-122		%REC	1	3/4/2026 5:35:00 PM
Surr: 4-Bromofluorobenzene	110	74.1-124		%REC	1	3/4/2026 5:35:00 PM
Surr: Toluene-d8	96.5	79.6-115		%REC	1	3/4/2026 5:35:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 2/19/2026 2:05:00 PM
Lab Sample ID: 260220005-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 5:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 5:59:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 5:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11A
Collection Date: 2/19/2026 2:05:00 PM
Lab Sample ID: 260220005-013
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 5:59:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 5:59:00 PM
Surr: 1,2-Dichloroethane-d4	98.4	80.3-122		%REC	1	3/4/2026 5:59:00 PM
Surr: 4-Bromofluorobenzene	99.9	74.1-124		%REC	1	3/4/2026 5:59:00 PM
Surr: Toluene-d8	93.8	79.6-115		%REC	1	3/4/2026 5:59:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Vinyl chloride	2.0	1.0		µg/L	1	3/5/2026 3:23:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
Carbon disulfide	ND	1.0	SNC	µg/L	1	3/5/2026 3:23:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
cis-1,2-Dichloroethene	18	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,1-Trichloroethane	ND	1.0	SN	µg/L	1	3/5/2026 3:23:00 PM
Carbon tetrachloride	ND	1.0	NC	µg/L	1	3/5/2026 3:23:00 PM
Bromodichloromethane	ND	1.0	SN	µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 3:23:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Trichloroethene	4.3	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Dibromochloromethane	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Benzene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Bromoform	ND	1.0	NC	µg/L	1	3/5/2026 3:23:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 3:23:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Toluene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
m,p-Xylene	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 3:23:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-014
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	N	µg/L	1	3/5/2026 3:23:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 3:23:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
1,4-Dioxane	ND	100	SN	µg/L	1	3/5/2026 3:23:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 3:23:00 PM
Surr: 1,2-Dichloroethane-d4	103	80.3-122		%REC	1	3/5/2026 3:23:00 PM
Surr: 4-Bromofluorobenzene	95.8	74.1-124		%REC	1	3/5/2026 3:23:00 PM
Surr: Toluene-d8	95.9	79.6-115		%REC	1	3/5/2026 3:23:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B DUP
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 6:45:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 6:45:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 6:45:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11B DUP
Collection Date: 2/19/2026 1:05:00 PM
Lab Sample ID: 260220005-015
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 6:45:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 6:45:00 PM
Surr: 1,2-Dichloroethane-d4	93.9	80.3-122		%REC	1	3/4/2026 6:45:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/4/2026 6:45:00 PM
Surr: Toluene-d8	93.6	79.6-115		%REC	1	3/4/2026 6:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 2/18/2026 10:55:00 AM
Lab Sample ID: 260220005-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Chloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromomethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Vinyl chloride	560	100		µg/L	100	3/3/2026 12:37:00 AM
Chloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methylene chloride	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Acetone	350	500	J	µg/L	100	3/3/2026 12:37:00 AM
Carbon disulfide	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1-Dichloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1-Dichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
trans-1,2-Dichloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
cis-1,2-Dichloroethene	4500	100		µg/L	100	3/3/2026 12:37:00 AM
Chloroform	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
2-Butanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM
1,1,1-Trichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Carbon tetrachloride	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromodichloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichloropropane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
cis-1,3-Dichloropropene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Trichloroethene	500	100		µg/L	100	3/3/2026 12:37:00 AM
Dibromochloromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2-Trichloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Benzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
trans-1,3-Dichloropropene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Bromoform	ND	100		µg/L	100	3/3/2026 12:37:00 AM
4-Methyl-2-pentanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM
2-Hexanone	ND	500		µg/L	100	3/3/2026 12:37:00 AM
Tetrachloroethene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Toluene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Chlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Ethylbenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Styrene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
m,p-Xylene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
o-Xylene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methyl tert-butyl ether	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Dichlorodifluoromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12C
Collection Date: 2/18/2026 10:55:00 AM
Lab Sample ID: 260220005-016
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Trichlorofluoromethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Cyclohexane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Methyl Cyclohexane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dibromoethane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,3-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Isopropylbenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,4-Dichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
1,4-Dioxane	ND	10000		µg/L	100	3/3/2026 12:37:00 AM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	3/3/2026 12:37:00 AM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	100	3/3/2026 12:37:00 AM
Surr: 4-Bromofluorobenzene	99.7	74.1-124		%REC	100	3/3/2026 12:37:00 AM
Surr: Toluene-d8	92.0	79.6-115		%REC	100	3/3/2026 12:37:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 2/18/2026 10:40:00 AM
Lab Sample ID: 260220005-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Chloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromomethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Vinyl chloride	110	25		µg/L	25	3/2/2026 11:53:00 PM
Chloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methylene chloride	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Acetone	92	120	J	µg/L	25	3/2/2026 11:53:00 PM
Carbon disulfide	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1-Dichloroethene	23	25	J	µg/L	25	3/2/2026 11:53:00 PM
1,1-Dichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
trans-1,2-Dichloroethene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
cis-1,2-Dichloroethene	880	25		µg/L	25	3/2/2026 11:53:00 PM
Chloroform	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
2-Butanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM
1,1,1-Trichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Carbon tetrachloride	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromodichloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichloropropane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
cis-1,3-Dichloropropene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Trichloroethene	75	25		µg/L	25	3/2/2026 11:53:00 PM
Dibromochloromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2-Trichloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Benzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
trans-1,3-Dichloropropene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Bromoform	ND	25		µg/L	25	3/2/2026 11:53:00 PM
4-Methyl-2-pentanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM
2-Hexanone	ND	120		µg/L	25	3/2/2026 11:53:00 PM
Tetrachloroethene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2,2-Tetrachloroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Toluene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Chlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Ethylbenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Styrene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
m,p-Xylene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
o-Xylene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methyl tert-butyl ether	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Dichlorodifluoromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13B
Collection Date: 2/18/2026 10:40:00 AM
Lab Sample ID: 260220005-017
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Trichlorofluoromethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Cyclohexane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Methyl Cyclohexane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dibromoethane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,3-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Isopropylbenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,4-Dichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2-Dibromo-3-chloropropane	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,2,4-Trichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
1,4-Dioxane	ND	2500		µg/L	25	3/2/2026 11:53:00 PM
1,2,3-Trichlorobenzene	ND	25		µg/L	25	3/2/2026 11:53:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	25	3/2/2026 11:53:00 PM
Surr: 4-Bromofluorobenzene	98.9	74.1-124		%REC	25	3/2/2026 11:53:00 PM
Surr: Toluene-d8	91.0	79.6-115		%REC	25	3/2/2026 11:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 2/18/2026 8:30:00 AM
Lab Sample ID: 260220005-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
cis-1,2-Dichloroethene	4.9	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Trichloroethene	2.4	1.0		µg/L	1	3/2/2026 8:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-10C
Collection Date: 2/18/2026 8:30:00 AM
Lab Sample ID: 260220005-018
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:08:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 8:08:00 PM
Surr: 4-Bromofluorobenzene	97.9	74.1-124		%REC	1	3/2/2026 8:08:00 PM
Surr: Toluene-d8	92.3	79.6-115		%REC	1	3/2/2026 8:08:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 2/17/2026 3:40:00 PM
Lab Sample ID: 260220005-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14A
Collection Date: 2/17/2026 3:40:00 PM
Lab Sample ID: 260220005-019
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:48:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 8:48:00 PM
Surr: 4-Bromofluorobenzene	99.6	74.1-124		%REC	1	3/2/2026 8:48:00 PM
Surr: Toluene-d8	92.5	79.6-115		%REC	1	3/2/2026 8:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 2/18/2026 10:10:00 AM
Lab Sample ID: 260220005-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed

VOLATILE ORGANICS EPA 8260C (SW5030C PREP)

Analyst: CC

Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Vinyl chloride	8.4	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Acetone	37	5.0		µg/L	1	3/2/2026 8:28:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
cis-1,2-Dichloroethene	26	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Trichloroethene	4.6	1.0		µg/L	1	3/2/2026 8:28:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 8:28:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Toluene	1.2	1.0		µg/L	1	3/2/2026 8:28:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14B
Collection Date: 2/18/2026 10:10:00 AM
Lab Sample ID: 260220005-020
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 8:28:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 8:28:00 PM
Surr: 1,2-Dichloroethane-d4	109	80.3-122		%REC	1	3/2/2026 8:28:00 PM
Surr: 4-Bromofluorobenzene	97.3	74.1-124		%REC	1	3/2/2026 8:28:00 PM
Surr: Toluene-d8	91.8	79.6-115		%REC	1	3/2/2026 8:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 2/19/2026 8:20:00 AM
Lab Sample ID: 260220005-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Chloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromomethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Vinyl chloride	1700	100		µg/L	100	3/4/2026 8:22:00 PM
Chloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methylene chloride	460	100		µg/L	100	3/4/2026 8:22:00 PM
Acetone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
Carbon disulfide	ND	100	C	µg/L	100	3/4/2026 8:22:00 PM
1,1-Dichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1-Dichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
trans-1,2-Dichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
cis-1,2-Dichloroethene	18000	100		µg/L	100	3/4/2026 8:22:00 PM
Chloroform	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
2-Butanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
1,1,1-Trichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Carbon tetrachloride	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromodichloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichloropropane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
cis-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Trichloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Dibromochloromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2-Trichloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Benzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
trans-1,3-Dichloropropene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Bromoform	ND	100		µg/L	100	3/4/2026 8:22:00 PM
4-Methyl-2-pentanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
2-Hexanone	ND	500		µg/L	100	3/4/2026 8:22:00 PM
Tetrachloroethene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Toluene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Chlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Ethylbenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Styrene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
m,p-Xylene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
o-Xylene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methyl tert-butyl ether	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Dichlorodifluoromethane	ND	100	C	µg/L	100	3/4/2026 8:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-14C
Collection Date: 2/19/2026 8:20:00 AM
Lab Sample ID: 260220005-021
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Trichlorofluoromethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Cyclohexane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Methyl Cyclohexane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dibromoethane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,3-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Isopropylbenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,4-Dichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,2,4-Trichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
1,4-Dioxane	ND	10000		µg/L	100	3/4/2026 8:22:00 PM
1,2,3-Trichlorobenzene	ND	100		µg/L	100	3/4/2026 8:22:00 PM
Surr: 1,2-Dichloroethane-d4	98.7	80.3-122		%REC	100	3/4/2026 8:22:00 PM
Surr: 4-Bromofluorobenzene	97.6	74.1-124		%REC	100	3/4/2026 8:22:00 PM
Surr: Toluene-d8	93.4	79.6-115		%REC	100	3/4/2026 8:22:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 2/18/2026 12:45:00 PM
Lab Sample ID: 260220005-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-4B2
Collection Date: 2/18/2026 12:45:00 PM
Lab Sample ID: 260220005-022
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:07:00 PM
Surr: 1,2-Dichloroethane-d4	108	80.3-122		%REC	1	3/2/2026 9:07:00 PM
Surr: 4-Bromofluorobenzene	98.4	74.1-124		%REC	1	3/2/2026 9:07:00 PM
Surr: Toluene-d8	92.4	79.6-115		%REC	1	3/2/2026 9:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 2/18/2026 11:20:00 AM
Lab Sample ID: 260220005-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:27:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW06-4C
Collection Date: 2/18/2026 11:20:00 AM
Lab Sample ID: 260220005-023
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:27:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:27:00 PM
Surr: 1,2-Dichloroethane-d4	111	80.3-122		%REC	1	3/2/2026 9:27:00 PM
Surr: 4-Bromofluorobenzene	101	74.1-124		%REC	1	3/2/2026 9:27:00 PM
Surr: Toluene-d8	92.2	79.6-115		%REC	1	3/2/2026 9:27:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 2/18/2026 2:00:00 PM
Lab Sample ID: 260220005-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 9:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-2B
Collection Date: 2/18/2026 2:00:00 PM
Lab Sample ID: 260220005-024
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 9:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 9:47:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	3/2/2026 9:47:00 PM
Surr: 4-Bromofluorobenzene	99.0	74.1-124		%REC	1	3/2/2026 9:47:00 PM
Surr: Toluene-d8	92.8	79.6-115		%REC	1	3/2/2026 9:47:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 2/18/2026 11:15:00 AM
Lab Sample ID: 260220005-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
cis-1,2-Dichloroethene	8.3	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Trichloroethene	22	1.0		µg/L	1	3/2/2026 10:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 10:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15C
Collection Date: 2/18/2026 11:15:00 AM
Lab Sample ID: 260220005-025
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 10:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:07:00 PM
Surr: 1,2-Dichloroethane-d4	112	80.3-122		%REC	1	3/2/2026 10:07:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/2/2026 10:07:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/2/2026 10:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 2/18/2026 12:30:00 PM
Lab Sample ID: 260220005-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromomethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Vinyl chloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methylene chloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Acetone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
Carbon disulfide	ND	2.0	C	µg/L	2	3/4/2026 7:57:00 PM
1,1-Dichloroethene	3.3	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
cis-1,2-Dichloroethene	270	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chloroform	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
2-Butanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Carbon tetrachloride	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromodichloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
cis-1,3-Dichloropropene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Trichloroethene	260	2.0		µg/L	2	3/4/2026 7:57:00 PM
Dibromochloromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Benzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
trans-1,3-Dichloropropene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Bromoform	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
2-Hexanone	ND	10		µg/L	2	3/4/2026 7:57:00 PM
Tetrachloroethene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Toluene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Chlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Ethylbenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Styrene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
m,p-Xylene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
o-Xylene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Dichlorodifluoromethane	ND	2.0	C	µg/L	2	3/4/2026 7:57:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-15D
Collection Date: 2/18/2026 12:30:00 PM
Lab Sample ID: 260220005-026
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Cyclohexane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Methyl Cyclohexane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Isopropylbenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
1,4-Dioxane	ND	200		µg/L	2	3/4/2026 7:57:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	2	3/4/2026 7:57:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	80.3-122		%REC	2	3/4/2026 7:57:00 PM
Surr: 4-Bromofluorobenzene	112	74.1-124		%REC	2	3/4/2026 7:57:00 PM
Surr: Toluene-d8	98.7	79.6-115		%REC	2	3/4/2026 7:57:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 2/19/2026 3:00:00 PM
Lab Sample ID: 260220005-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 7:08:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 7:08:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 7:08:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-17D
Collection Date: 2/19/2026 3:00:00 PM
Lab Sample ID: 260220005-027
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 7:08:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:08:00 PM
Surr: 1,2-Dichloroethane-d4	99.1	80.3-122		%REC	1	3/4/2026 7:08:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	3/4/2026 7:08:00 PM
Surr: Toluene-d8	98.3	79.6-115		%REC	1	3/4/2026 7:08:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromomethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Acetone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
Carbon disulfide	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
trans-1,2-Dichloroethene	0.8	1.0	J	µg/L	1	3/2/2026 10:47:00 PM
cis-1,2-Dichloroethene	16	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chloroform	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
2-Butanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Trichloroethene	57	1.0		µg/L	1	3/2/2026 10:47:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Benzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Bromoform	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/2/2026 10:47:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Toluene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Styrene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
o-Xylene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-20D
Collection Date: 2/18/2026 3:15:00 PM
Lab Sample ID: 260220005-028
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/2/2026 10:47:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/2/2026 10:47:00 PM
Surr: 1,2-Dichloroethane-d4	110	80.3-122		%REC	1	3/2/2026 10:47:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/2/2026 10:47:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/2/2026 10:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 2/19/2026
Lab Sample ID: 260220005-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromomethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Acetone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
Carbon disulfide	ND	1.0	C	µg/L	1	3/4/2026 7:31:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chloroform	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
2-Butanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Carbon tetrachloride	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Benzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Bromoform	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/4/2026 7:31:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Toluene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Styrene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
o-Xylene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/4/2026 7:31:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip Blank
Collection Date: 2/19/2026
Lab Sample ID: 260220005-029
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
1,4-Dioxane	ND	100		µg/L	1	3/4/2026 7:31:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/4/2026 7:31:00 PM
Surr: 1,2-Dichloroethane-d4	102	80.3-122		%REC	1	3/4/2026 7:31:00 PM
Surr: 4-Bromofluorobenzene	98.6	74.1-124		%REC	1	3/4/2026 7:31:00 PM
Surr: Toluene-d8	95.8	79.6-115		%REC	1	3/4/2026 7:31:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Acetone	38	5.0	N	µg/L	1	3/5/2026 5:21:00 PM
Carbon disulfide	ND	1.0	SNC	µg/L	1	3/5/2026 5:21:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
cis-1,2-Dichloroethene	2.3	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,1-Trichloroethane	ND	1.0	SN	µg/L	1	3/5/2026 5:21:00 PM
Carbon tetrachloride	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
Bromodichloromethane	ND	1.0	SN	µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 5:21:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Bromoform	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 5:21:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
m,p-Xylene	ND	1.0	N	µg/L	1	3/5/2026 5:21:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Dichlorodifluoromethane	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-030
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	N	µg/L	1	3/5/2026 5:21:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	NC	µg/L	1	3/5/2026 5:21:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 5:21:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:21:00 PM
Surr: 1,2-Dichloroethane-d4	97.3	80.3-122		%REC	1	3/5/2026 5:21:00 PM
Surr: 4-Bromofluorobenzene	97.9	74.1-124		%REC	1	3/5/2026 5:21:00 PM
Surr: Toluene-d8	97.2	79.6-115		%REC	1	3/5/2026 5:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5 DUP
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Acetone	36	5.0		µg/L	1	3/5/2026 5:44:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 5:44:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 5:44:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 5:44:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW94-5 DUP
Collection Date: 2/24/2026 12:55:00 PM
Lab Sample ID: 260220005-031
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 5:44:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 5:44:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 5:44:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 5:44:00 PM
Surr: 4-Bromofluorobenzene	102	74.1-124		%REC	1	3/5/2026 5:44:00 PM
Surr: Toluene-d8	100	79.6-115		%REC	1	3/5/2026 5:44:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-032
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Vinyl chloride	1000	50		µg/L	50	3/5/2026 1:47:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methylene chloride	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
Carbon disulfide	ND	50	SNC	µg/L	50	3/5/2026 1:47:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
cis-1,2-Dichloroethene	2700	50		µg/L	50	3/5/2026 1:47:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
Carbon tetrachloride	ND	50	NC	µg/L	50	3/5/2026 1:47:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 1:47:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Trichloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Bromoform	ND	50	NC	µg/L	50	3/5/2026 1:47:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
2-Hexanone	ND	250		µg/L	50	3/5/2026 1:47:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 1:47:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-032
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50	N	µg/L	50	3/5/2026 1:47:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 1:47:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
1,4-Dioxane	ND	5000		µg/L	50	3/5/2026 1:47:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 1:47:00 PM
Surr: 1,2-Dichloroethane-d4	96.8	80.3-122		%REC	50	3/5/2026 1:47:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	50	3/5/2026 1:47:00 PM
Surr: Toluene-d8	94.1	79.6-115		%REC	50	3/5/2026 1:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C DUP
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Vinyl chloride	1000	50		µg/L	50	3/5/2026 2:13:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methylene chloride	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 2:13:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
cis-1,2-Dichloroethene	2700	50		µg/L	50	3/5/2026 2:13:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 2:13:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Trichloroethene	54	50		µg/L	50	3/5/2026 2:13:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
2-Hexanone	ND	250		µg/L	50	3/5/2026 2:13:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc**Date: 23-Mar-26**

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-13C DUP
Collection Date: 2/20/2026 3:25:00 PM
Lab Sample ID: 260220005-033
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 2:13:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 2:13:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 2:13:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	50	3/5/2026 2:13:00 PM
Surr: 4-Bromofluorobenzene	99.4	74.1-124		%REC	50	3/5/2026 2:13:00 PM
Surr: Toluene-d8	96.2	79.6-115		%REC	50	3/5/2026 2:13:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 2/20/2026 1:20:00 PM
Lab Sample ID: 260220005-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Chloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Bromomethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Vinyl chloride	2000	200		µg/L	200	3/5/2026 9:04:00 PM
Chloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methylene chloride	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Acetone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
Carbon disulfide	ND	200	SC	µg/L	200	3/5/2026 9:04:00 PM
1,1-Dichloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1-Dichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
trans-1,2-Dichloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
cis-1,2-Dichloroethene	24000	200		µg/L	200	3/5/2026 9:04:00 PM
Chloroform	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
2-Butanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
1,1,1-Trichloroethane	410	200	S	µg/L	200	3/5/2026 9:04:00 PM
Carbon tetrachloride	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
Bromodichloromethane	ND	200	S	µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichloropropane	ND	200	S	µg/L	200	3/5/2026 9:04:00 PM
cis-1,3-Dichloropropene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Trichloroethene	6300	200		µg/L	200	3/5/2026 9:04:00 PM
Dibromochloromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2-Trichloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Benzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
trans-1,3-Dichloropropene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Bromoform	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
4-Methyl-2-pentanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
2-Hexanone	ND	1000		µg/L	200	3/5/2026 9:04:00 PM
Tetrachloroethene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2,2-Tetrachloroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Toluene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Chlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Ethylbenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Styrene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
m,p-Xylene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
o-Xylene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methyl tert-butyl ether	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Dichlorodifluoromethane	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12B
Collection Date: 2/20/2026 1:20:00 PM
Lab Sample ID: 260220005-034
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Trichlorofluoromethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Cyclohexane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Methyl Cyclohexane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dibromoethane	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,3-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Isopropylbenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,4-Dichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,2-Dibromo-3-chloropropane	ND	200	C	µg/L	200	3/5/2026 9:04:00 PM
1,2,4-Trichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
1,4-Dioxane	ND	20000	S	µg/L	200	3/5/2026 9:04:00 PM
1,2,3-Trichlorobenzene	ND	200		µg/L	200	3/5/2026 9:04:00 PM
Surr: 1,2-Dichloroethane-d4	99.3	80.3-122		%REC	200	3/5/2026 9:04:00 PM
Surr: 4-Bromofluorobenzene	115	74.1-124		%REC	200	3/5/2026 9:04:00 PM
Surr: Toluene-d8	96.4	79.6-115		%REC	200	3/5/2026 9:04:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 2/20/2026 2:50:00 PM
Lab Sample ID: 260220005-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 12:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 12:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 12:36:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-12A
Collection Date: 2/20/2026 2:50:00 PM
Lab Sample ID: 260220005-035
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 12:36:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 12:36:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:36:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 12:36:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	1	3/5/2026 12:36:00 PM
Surr: Toluene-d8	98.3	79.6-115		%REC	1	3/5/2026 12:36:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 2/20/2026 12:40:00 PM
Lab Sample ID: 260220005-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Vinyl chloride	6.7	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Acetone	10	5.0		µg/L	1	3/5/2026 12:59:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 12:59:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
cis-1,2-Dichloroethene	8.5	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 12:59:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 12:59:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-16
Collection Date: 2/20/2026 12:40:00 PM
Lab Sample ID: 260220005-036
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 12:59:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 12:59:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 12:59:00 PM
Surr: 1,2-Dichloroethane-d4	105	80.3-122		%REC	1	3/5/2026 12:59:00 PM
Surr: 4-Bromofluorobenzene	99.1	74.1-124		%REC	1	3/5/2026 12:59:00 PM
Surr: Toluene-d8	97.1	79.6-115		%REC	1	3/5/2026 12:59:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 2/20/2026 2:10:00 PM
Lab Sample ID: 260220005-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Vinyl chloride	8.2	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 1:22:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
cis-1,2-Dichloroethene	120	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chloroform	2.9	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 1:22:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Trichloroethene	10	1.0		µg/L	1	3/5/2026 1:22:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 1:22:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW18-11C
Collection Date: 2/20/2026 2:10:00 PM
Lab Sample ID: 260220005-037
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 1:22:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 1:22:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 1:22:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	3/5/2026 1:22:00 PM
Surr: 4-Bromofluorobenzene	100	74.1-124		%REC	1	3/5/2026 1:22:00 PM
Surr: Toluene-d8	96.4	79.6-115		%REC	1	3/5/2026 1:22:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 2/24/2026 11:00:00 AM
Lab Sample ID: 260220005-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:07:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18D
Collection Date: 2/24/2026 11:00:00 AM
Lab Sample ID: 260220005-038
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:07:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:07:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:07:00 PM
Surr: 1,2-Dichloroethane-d4	100	80.3-122		%REC	1	3/5/2026 6:07:00 PM
Surr: 4-Bromofluorobenzene	106	74.1-124		%REC	1	3/5/2026 6:07:00 PM
Surr: Toluene-d8	92.9	79.6-115		%REC	1	3/5/2026 6:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 2/24/2026 11:35:00 AM
Lab Sample ID: 260220005-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:30:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:30:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:30:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-18C
Collection Date: 2/24/2026 11:35:00 AM
Lab Sample ID: 260220005-039
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:30:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:30:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:30:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	1	3/5/2026 6:30:00 PM
Surr: 4-Bromofluorobenzene	96.9	74.1-124		%REC	1	3/5/2026 6:30:00 PM
Surr: Toluene-d8	95.9	79.6-115		%REC	1	3/5/2026 6:30:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 2/24/2026 2:10:00 PM
Lab Sample ID: 260220005-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Vinyl chloride	1600	50		µg/L	50	3/5/2026 8:13:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methylene chloride	240	50		µg/L	50	3/5/2026 8:13:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 8:13:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
cis-1,2-Dichloroethene	8100	50		µg/L	50	3/5/2026 8:13:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 8:13:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Trichloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
2-Hexanone	ND	250		µg/L	50	3/5/2026 8:13:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19D
Collection Date: 2/24/2026 2:10:00 PM
Lab Sample ID: 260220005-040
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 8:13:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 8:13:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:13:00 PM
Surr: 1,2-Dichloroethane-d4	101	80.3-122		%REC	50	3/5/2026 8:13:00 PM
Surr: 4-Bromofluorobenzene	103	74.1-124		%REC	50	3/5/2026 8:13:00 PM
Surr: Toluene-d8	92.0	79.6-115		%REC	50	3/5/2026 8:13:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate

S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 2/24/2026 1:40:00 PM
Lab Sample ID: 260220005-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Chloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Bromomethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Vinyl chloride	1300	50		µg/L	50	3/5/2026 8:38:00 PM
Chloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methylene chloride	240	50		µg/L	50	3/5/2026 8:38:00 PM
Acetone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
Carbon disulfide	ND	50	SC	µg/L	50	3/5/2026 8:38:00 PM
1,1-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
trans-1,2-Dichloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
cis-1,2-Dichloroethene	10000	50		µg/L	50	3/5/2026 8:38:00 PM
Chloroform	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
2-Butanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
1,1,1-Trichloroethane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
Carbon tetrachloride	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
Bromodichloromethane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichloropropane	ND	50	S	µg/L	50	3/5/2026 8:38:00 PM
cis-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Trichloroethene	3500	50		µg/L	50	3/5/2026 8:38:00 PM
Dibromochloromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2-Trichloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Benzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
trans-1,3-Dichloropropene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Bromoform	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
4-Methyl-2-pentanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
2-Hexanone	ND	250		µg/L	50	3/5/2026 8:38:00 PM
Tetrachloroethene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2,2-Tetrachloroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Toluene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Chlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Ethylbenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Styrene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
m,p-Xylene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
o-Xylene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methyl tert-butyl ether	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Dichlorodifluoromethane	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: MW21-19C
Collection Date: 2/24/2026 1:40:00 PM
Lab Sample ID: 260220005-041
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Trichlorofluoromethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Cyclohexane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Methyl Cyclohexane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dibromoethane	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,3-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Isopropylbenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,4-Dichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,2-Dibromo-3-chloropropane	ND	50	C	µg/L	50	3/5/2026 8:38:00 PM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
1,4-Dioxane	ND	5000	S	µg/L	50	3/5/2026 8:38:00 PM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	3/5/2026 8:38:00 PM
Surr: 1,2-Dichloroethane-d4	95.0	80.3-122		%REC	50	3/5/2026 8:38:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	50	3/5/2026 8:38:00 PM
Surr: Toluene-d8	95.0	79.6-115		%REC	50	3/5/2026 8:38:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 2/24/2026 2:50:00 PM
Lab Sample ID: 260220005-042
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 6:54:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 6:54:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 6:54:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: SG-1
Collection Date: 2/24/2026 2:50:00 PM
Lab Sample ID: 260220005-042
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 6:54:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 6:54:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 6:54:00 PM
Surr: 1,2-Dichloroethane-d4	96.7	80.3-122		%REC	1	3/5/2026 6:54:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/5/2026 6:54:00 PM
Surr: Toluene-d8	96.0	79.6-115		%REC	1	3/5/2026 6:54:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 2/24/2026 12:45:00 PM
Lab Sample ID: 260220005-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 7:24:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 7:24:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 7:24:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Equipment Blank
Collection Date: 2/24/2026 12:45:00 PM
Lab Sample ID: 260220005-043
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 7:24:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 7:24:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:24:00 PM
Surr: 1,2-Dichloroethane-d4	93.7	80.3-122		%REC	1	3/5/2026 7:24:00 PM
Surr: 4-Bromofluorobenzene	98.9	74.1-124		%REC	1	3/5/2026 7:24:00 PM
Surr: Toluene-d8	95.3	79.6-115		%REC	1	3/5/2026 7:24:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentitively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip blank
Collection Date: 2/24/2026
Lab Sample ID: 260220005-044
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Bromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Bromomethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Vinyl chloride	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methylene chloride	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Acetone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
Carbon disulfide	ND	1.0	SC	µg/L	1	3/5/2026 7:48:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
trans-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
cis-1,2-Dichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chloroform	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
2-Butanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,1-Trichloroethane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
Carbon tetrachloride	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
Bromodichloromethane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichloropropane	ND	1.0	S	µg/L	1	3/5/2026 7:48:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Trichloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Benzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Bromoform	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
4-Methyl-2-pentanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
2-Hexanone	ND	5.0		µg/L	1	3/5/2026 7:48:00 PM
Tetrachloroethene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2,2-Tetrachloroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Toluene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Chlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Ethylbenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Styrene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
m,p-Xylene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
o-Xylene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methyl tert-butyl ether	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Dichlorodifluoromethane	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
X - Value exceeds Maximum Contaminant Level
E - Value above quantitation range-Estimate
S - LCS Spike below accepted limits (+ above)
Z - RPD outside accepted recovery limits
N - Matrix Spike below accepted limits (+ above)
T - Tentatively Identified Compound-Estimated Conc.

Adirondack Environmental Services, Inc

Date: 23-Mar-26

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Reference: Little Britain Road Site / Little Britain Road
PO#: 37681

Client Sample ID: Trip blank
Collection Date: 2/24/2026
Lab Sample ID: 260220005-044
Matrix: TRIP BLANK

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS EPA 8260C (SW5030C PREP)						Analyst: CC
Methyl Acetate	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Methyl Cyclohexane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dibromoethane	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,2-Dibromo-3-chloropropane	ND	1.0	C	µg/L	1	3/5/2026 7:48:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
1,4-Dioxane	ND	100	S	µg/L	1	3/5/2026 7:48:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	3/5/2026 7:48:00 PM
Surr: 1,2-Dichloroethane-d4	99.4	80.3-122		%REC	1	3/5/2026 7:48:00 PM
Surr: 4-Bromofluorobenzene	104	74.1-124		%REC	1	3/5/2026 7:48:00 PM
Surr: Toluene-d8	94.8	79.6-115		%REC	1	3/5/2026 7:48:00 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - LCS Spike below accepted limits (+ above)
	J - Analyte detected below quantitation limits	Z - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	N - Matrix Spike below accepted limits (+ above)
	X - Value exceeds Maximum Contaminant Level	T - Tentatively Identified Compound-Estimated Conc.
	E - Value above quantitation range-Estimate	

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT**BatchID: R256116**

mbk	SeqNo: 4249353	TestNo: SW8260C	RunNo: 256116
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/2/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	1.28	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

mblk	SeqNo: 4249353	TestNo: SW8260C	RunNo: 256116
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/2/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	51.97	1.0	50	0	104	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	48.66	1.0	50	0	97.3	74.1	124	0	0		
Surr: Toluene-d8	46.07	1.0	50	0	92.1	79.6	115	0	0		

lcs	SeqNo: 4245457	TestNo: SW8260C	RunNo: 256116
	Samp ID: lcs	Units: µg/L	Analysis Date: 3/2/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	26.17	1.0	25	0	105	74.5	124	0	0		
1,1,2,2-Tetrachloroethane	25.29	1.0	25	0	101	72.1	126	0	0		
1,1,2-Trichloro-1,2,2-trifluoroethane	30.21	1.0	25	0	121	67.5	132	0	0		
1,1,2-Trichloroethane	25.12	1.0	25	0	100	74.3	124	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

ICS	SeqNo: 4245457	TestNo: SW8260C	RunNo: 256116
	Samp ID: ics	Units: µg/L	Analysis Date: 3/2/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethane	27.93	1.0	25	0	112	73.8	127		0	0	
1,1-Dichloroethene	28.22	1.0	25	0	113	68.1	134		0	0	
1,2,3-Trichlorobenzene	26.18	1.0	25	0	105	71.4	130		0	0	
1,2,4-Trichlorobenzene	25.64	1.0	25	0	103	74	126		0	0	
1,2-Dibromo-3-chloropropane	25.38	1.0	25	0	102	72.6	126		0	0	
1,2-Dibromoethane	25.33	1.0	25	0	101	73.6	122		0	0	
1,2-Dichlorobenzene	25.03	1.0	25	0	100	73.1	123		0	0	
1,2-Dichloroethane	27.95	1.0	25	0	112	73.9	124		0	0	
1,2-Dichloropropane	25.77	1.0	25	0	103	72	125		0	0	
1,3-Dichlorobenzene	26.55	1.0	25	0	106	71.1	123		0	0	
1,4-Dichlorobenzene	25.87	1.0	25	0	103	72.5	120		0	0	
1,4-Dioxane	451.1	100	500	0	90.2	70	130		0	0	
2-Butanone	27.3	5.0	25	0	109	63.4	129		0	0	
2-Hexanone	26.03	5.0	25	0	104	65	137		0	0	
4-Methyl-2-pentanone	25.1	5.0	25	0	100	68.2	126		0	0	
Acetone	24.94	5.0	25	0	99.8	59.8	139		0	0	
Benzene	25.27	1.0	25	0	101	71.6	120		0	0	
Bromochloromethane	26.81	1.0	25	0	107	59.7	140		0	0	
Bromodichloromethane	25.87	1.0	25	0	103	73.6	127		0	0	
Bromoform	26.06	1.0	25	0	104	65.8	120		0	0	
Bromomethane	31.05	1.0	25	0	124	64	120		0	0	S
Carbon disulfide	30.77	1.0	25	0	123	62	134		0	0	
Carbon tetrachloride	27.51	1.0	25	0	110	71.4	130		0	0	
Chlorobenzene	26.03	1.0	25	0	104	69.8	125		0	0	
Chloroethane	26.59	1.0	25	0	106	56.8	139		0	0	
Chloroform	27.01	1.0	25	0	108	74.1	122		0	0	
Chloromethane	22.27	1.0	25	0	89.1	46.7	123		0	0	
cis-1,2-Dichloroethene	29.77	1.0	25	0	119	71.5	128		0	0	
cis-1,3-Dichloropropene	27.29	1.0	25	0	109	67	128		0	0	
Cyclohexane	31.27	1.0	25	0	125	72.6	130		0	0	
Dibromochloromethane	26.4	1.0	25	0	106	70.6	124		0	0	
Dichlorodifluoromethane	22.77	1.0	25	0	91.1	52	116		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

ICS	SeqNo: 4245457	TestNo: SW8260C	RunNo: 256116
	Samp ID: ICS	Units: µg/L	Analysis Date: 3/2/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Ethylbenzene	27.83	1.0	25	0	111	74.2	127		0	0	
Isopropylbenzene	28.03	1.0	25	0	112	72.4	128		0	0	
m,p-Xylene	55.89	1.0	50	0	112	69.7	129		0	0	
Methyl Acetate	24.96	1.0	25	0	99.8	66.5	131		0	0	
Methyl Cyclohexane	27.92	1.0	25	0	112	70	127		0	0	
Methyl tert-butyl ether	50.19	1.0	50	0	100	70.2	125		0	0	
Methylene chloride	28.85	1.0	25	0	115	62.1	127		0	0	
o-Xylene	27.7	1.0	25	0	111	72.7	131		0	0	
Styrene	29.28	1.0	25	0	117	70	126		0	0	
Tetrachloroethene	26.69	1.0	25	0	107	71.8	129		0	0	
Toluene	26.36	1.0	25	0	105	74	127		0	0	
trans-1,2-Dichloroethene	29.51	1.0	25	0	118	72.1	127		0	0	
trans-1,3-Dichloropropene	25.79	1.0	25	0	103	70.9	126		0	0	
Trichloroethene	25.84	1.0	25	0	103	71.3	124		0	0	
Trichlorofluoromethane	26.9	1.0	25	0	108	63	140		0	0	
Vinyl chloride	25.91	1.0	25	0	104	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	49.54	1.0	50	0	99.1	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	51.69	1.0	50	0	103	74.1	124		0	0	
Surr: Toluene-d8	48.53	1.0	50	0	97.1	79.6	115		0	0	

MS	SeqNo: 4245478	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	23.58	1.0	25	0	94.3	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	21.45	1.0	25	0	85.8	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	28.82	1.0	25	0	115	65.5	128		0	0	
1,1,2-Trichloroethane	22.15	1.0	25	0	88.6	68.3	131		0	0	
1,1-Dichloroethane	26.8	1.0	25	0	107	69.4	128		0	0	
1,1-Dichloroethene	27.06	1.0	25	0	108	63.4	134		0	0	
1,2,3-Trichlorobenzene	21.42	1.0	25	0	85.7	63.6	134		0	0	
1,2,4-Trichlorobenzene	20.69	1.0	25	0	82.8	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	21.65	1.0	25	0	86.6	67.4	121		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

ms	SeqNo: 4245478	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dibromoethane	21.98	1.0	25	0	87.9	70.1	123		0	0	
1,2-Dichlorobenzene	20.95	1.0	25	0	83.8	68	130		0	0	
1,2-Dichloroethane	26.87	1.0	25	0	107	70.8	129		0	0	
1,2-Dichloropropane	22.61	1.0	25	0	90.4	69	125		0	0	
1,3-Dichlorobenzene	21.84	1.0	25	0	87.4	73.6	124		0	0	
1,4-Dichlorobenzene	21.52	1.0	25	0	86.1	73.4	123		0	0	
1,4-Dioxane	399.1	100	500	0	79.8	75	125		0	0	
2-Butanone	25.91	5.0	25	0	104	58.6	113		0	0	
2-Hexanone	23.58	5.0	25	0	94.3	60.9	130		0	0	
4-Methyl-2-pentanone	21.94	5.0	25	0	87.8	49.2	122		0	0	
Acetone	21.98	5.0	25	0	87.9	54.7	134		0	0	
Benzene	22.53	1.0	25	0	90.1	69.6	129		0	0	
Bromochloromethane	24.86	1.0	25	0	99.4	68.1	125		0	0	
Bromodichloromethane	22.83	1.0	25	0	91.3	75.7	125		0	0	
Bromoform	22.45	1.0	25	0	89.8	72.7	120		0	0	
Bromomethane	31.43	1.0	25	0	126	54.7	140		0	0	
Carbon disulfide	29.36	1.0	25	0	117	63.8	120		0	0	
Carbon tetrachloride	24.42	1.0	25	0	97.7	74.1	143		0	0	
Chlorobenzene	21.17	1.0	25	0	84.7	73.5	129		0	0	
Chloroethane	24.8	1.0	25	0	99.2	68	141		0	0	
Chloroform	25.69	1.0	25	0	103	72.6	128		0	0	
Chloromethane	20.05	1.0	25	0	80.2	52.3	124		0	0	
cis-1,2-Dichloroethene	28.32	1.0	25	0	113	65	133		0	0	
cis-1,3-Dichloropropene	21.57	1.0	25	0	86.3	71	122		0	0	
Cyclohexane	30.23	1.0	25	0	121	70.4	127		0	0	
Dibromochloromethane	22.63	1.0	25	0	90.5	69.4	125		0	0	
Dichlorodifluoromethane	21.7	1.0	25	0	86.8	41.6	130		0	0	
Ethylbenzene	22.65	1.0	25	0	90.6	65.1	121		0	0	
Isopropylbenzene	23.45	1.0	25	0	93.8	66.2	129		0	0	
m,p-Xylene	46.03	1.0	50	0	92.1	72.6	124		0	0	
Methyl Acetate	20.89	1.0	25	0	83.6	56.6	116		0	0	
Methyl Cyclohexane	24.77	1.0	25	0	99.1	60.2	118		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

ms	SeqNo: 4245478	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methyl tert-butyl ether	46.34	1.0	50	0	92.7	66.2	108		0	0	
Methylene chloride	25.77	1.0	25	0	103	62.3	113		0	0	
o-Xylene	22.49	1.0	25	0	90	70	122		0	0	
Styrene	23.33	1.0	25	0	93.3	63.8	112		0	0	
Tetrachloroethene	23.55	1.0	25	0	94.2	74	122		0	0	
Toluene	22.95	1.0	25	0	91.8	73.6	119		0	0	
trans-1,2-Dichloroethene	27.75	1.0	25	0	111	66.7	119		0	0	
trans-1,3-Dichloropropene	21.19	1.0	25	0	84.8	67.8	105		0	0	
Trichloroethene	23.06	1.0	25	0	92.2	72.1	129		0	0	
Trichlorofluoromethane	26.2	1.0	25	0	105	67	145		0	0	
Vinyl chloride	24.73	1.0	25	0	98.9	57.5	139		0	0	
Surr: 1,2-Dichloroethane-d4	51.79	1.0	50	0	104	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	50.21	1.0	50	0	100	74.1	124		0	0	
Surr: Toluene-d8	46.87	1.0	50	0	93.7	79.6	115		0	0	

msd	SeqNo: 4245479	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	23.87	1.0	25	0	95.5	74.1	131	23.58	1.22	20.4	
1,1,2,2-Tetrachloroethane	22.43	1.0	25	0	89.7	68.1	133	21.45	4.47	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	28.76	1.0	25	0	115	65.5	128	28.82	0.208	20	
1,1,2-Trichloroethane	22.81	1.0	25	0	91.2	68.3	131	22.15	2.94	20	
1,1-Dichloroethane	26.75	1.0	25	0	107	69.4	128	26.8	0.187	19.2	
1,1-Dichloroethene	27.14	1.0	25	0	109	63.4	134	27.06	0.295	16.1	
1,2,3-Trichlorobenzene	22.69	1.0	25	0	90.8	63.6	134	21.42	5.76	20	
1,2,4-Trichlorobenzene	21.56	1.0	25	0	86.2	63.4	134	20.69	4.12	20	
1,2-Dibromo-3-chloropropane	21.96	1.0	25	0	87.8	67.4	121	21.65	1.42	20.6	
1,2-Dibromoethane	22.56	1.0	25	0	90.2	70.1	123	21.98	2.60	18.7	
1,2-Dichlorobenzene	21.4	1.0	25	0	85.6	68	130	20.95	2.13	17.9	
1,2-Dichloroethane	27.38	1.0	25	0	110	70.8	129	26.87	1.88	15.6	
1,2-Dichloropropane	21.87	1.0	25	0	87.5	69	125	22.61	3.33	21.8	
1,3-Dichlorobenzene	22.27	1.0	25	0	89.1	73.6	124	21.84	1.95	14.3	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

msd	SeqNo: 4245479	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dichlorobenzene	22	1.0	25	0	88	73.4	123	21.52	2.21	14.4	
1,4-Dioxane	404.2	100	500	0	80.8	75	125	399.1	1.27	30	
2-Butanone	26.72	5.0	25	0	107	58.6	113	25.91	3.08	15	
2-Hexanone	24.29	5.0	25	0	97.2	60.9	130	23.58	2.97	11.6	
4-Methyl-2-pentanone	22.88	5.0	25	0	91.5	49.2	122	21.94	4.19	11.9	
Acetone	22.37	5.0	25	0	89.5	54.7	134	21.98	1.76	10.6	
Benzene	22.65	1.0	25	0	90.6	69.6	129	22.53	0.531	18.4	
Bromochloromethane	25.54	1.0	25	0	102	68.1	125	24.86	2.70	20	
Bromodichloromethane	23.33	1.0	25	0	93.3	75.7	125	22.83	2.17	25.6	
Bromoform	23.12	1.0	25	0	92.5	72.7	120	22.45	2.94	12	
Bromomethane	30.41	1.0	25	0	122	54.7	140	31.43	3.30	16.9	
Carbon disulfide	29.69	1.0	25	0	119	63.8	120	29.36	1.12	13.1	
Carbon tetrachloride	24.77	1.0	25	0	99.1	74.1	143	24.42	1.42	20.3	
Chlorobenzene	21.68	1.0	25	0	86.7	73.5	129	21.17	2.38	19.6	
Chloroethane	25.63	1.0	25	0	103	68	141	24.8	3.29	27.8	
Chloroform	26.32	1.0	25	0	105	72.6	128	25.69	2.42	20.3	
Chloromethane	20.41	1.0	25	0	81.6	52.3	124	20.05	1.78	18.4	
cis-1,2-Dichloroethene	28.59	1.0	25	0	114	65	133	28.32	0.949	11.3	
cis-1,3-Dichloropropene	21.94	1.0	25	0	87.8	71	122	21.57	1.70	21.5	
Cyclohexane	30.24	1.0	25	0	121	70.4	127	30.23	0.0331	19.1	
Dibromochloromethane	23.39	1.0	25	0	93.6	69.4	125	22.63	3.30	18.8	
Dichlorodifluoromethane	21.53	1.0	25	0	86.1	41.6	130	21.7	0.786	27.3	
Ethylbenzene	23.06	1.0	25	0	92.2	65.1	121	22.65	1.79	16.3	
Isopropylbenzene	23.76	1.0	25	0	95	66.2	129	23.45	1.31	20	
m,p-Xylene	47.04	1.0	50	0	94.1	72.6	124	46.03	2.17	16.1	
Methyl Acetate	21.33	1.0	25	0	85.3	56.6	116	20.89	2.08	15	
Methyl Cyclohexane	24.76	1.0	25	0	99	60.2	118	24.77	0.0404	25.4	
Methyl tert-butyl ether	47.85	1.0	50	0	95.7	66.2	108	46.34	3.21	17.9	
Methylene chloride	26.05	1.0	25	0	104	62.3	113	25.77	1.08	21.4	
o-Xylene	23.21	1.0	25	0	92.8	70	122	22.49	3.15	13	
Styrene	23.8	1.0	25	0	95.2	63.8	112	23.33	1.99	21.4	
Tetrachloroethene	23.73	1.0	25	0	94.9	74	122	23.55	0.761	20.9	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256116

msd	SeqNo: 4245479	TestNo: SW8260C	RunNo: 256116
	Samp ID: 260220005-002a (MW94-3)	Units: µg/L	Analysis Date: 3/3/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Toluene	23.38	1.0	25	0	93.5	73.6	119	22.95	1.86	19.4	
trans-1,2-Dichloroethene	27.96	1.0	25	0	112	66.7	119	27.75	0.754	16.1	
trans-1,3-Dichloropropene	21.42	1.0	25	0	85.7	67.8	105	21.19	1.08	20.3	
Trichloroethene	23.4	1.0	25	0	93.6	72.1	129	23.06	1.46	16.6	
Trichlorofluoromethane	25.91	1.0	25	0	104	67	145	26.2	1.11	22.8	
Vinyl chloride	25.07	1.0	25	0	100	57.5	139	24.73	1.37	20.5	
Surr: 1,2-Dichloroethane-d4	51.8	1.0	50	0	104	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	50.14	1.0	50	0	100	74.1	124	0	0	0	
Surr: Toluene-d8	46.57	1.0	50	0	93.1	79.6	115	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

mbk	SeqNo: 4247440	TestNo: SW8260C	RunNo: 256216
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/4/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	ND	1.0									
1,2,4-Trichlorobenzene	ND	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

mblk	SeqNo: 4247440	TestNo: SW8260C	RunNo: 256216
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/4/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	49.9	1.0	50	0	99.8	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	49.87	1.0	50	0	99.7	74.1	124	0	0		
Surr: Toluene-d8	50.28	1.0	50	0	101	79.6	115	0	0		

mblk	SeqNo: 4249634	TestNo: SW8260C	RunNo: 256216
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	ND	1.0									
1,1,2,2-Tetrachloroethane	ND	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0									
1,1,2-Trichloroethane	ND	1.0									
1,1-Dichloroethane	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

mbk	SeqNo: 4249634	TestNo: SW8260C	RunNo: 256216
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethene	ND	1.0									
1,2,3-Trichlorobenzene	3.47	1.0									
1,2,4-Trichlorobenzene	2.23	1.0									
1,2-Dibromo-3-chloropropane	ND	1.0									
1,2-Dibromoethane	ND	1.0									
1,2-Dichlorobenzene	ND	1.0									
1,2-Dichloroethane	ND	1.0									
1,2-Dichloropropane	ND	1.0									
1,3-Dichlorobenzene	ND	1.0									
1,4-Dichlorobenzene	ND	1.0									
1,4-Dioxane	ND	100									
2-Butanone	ND	5.0									
2-Hexanone	ND	5.0									
4-Methyl-2-pentanone	ND	5.0									
Acetone	ND	5.0									
Benzene	ND	1.0									
Bromochloromethane	ND	1.0									
Bromodichloromethane	ND	1.0									
Bromoform	ND	1.0									
Bromomethane	ND	1.0									
Carbon disulfide	ND	1.0									
Carbon tetrachloride	ND	1.0									
Chlorobenzene	ND	1.0									
Chloroethane	ND	1.0									
Chloroform	ND	1.0									
Chloromethane	ND	1.0									
cis-1,2-Dichloroethene	ND	1.0									
cis-1,3-Dichloropropene	ND	1.0									
Cyclohexane	ND	1.0									
Dibromochloromethane	ND	1.0									
Dichlorodifluoromethane	ND	1.0									
Ethylbenzene	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

mbk	SeqNo: 4249634	TestNo: SW8260C	RunNo: 256216
	Samp ID: vblk	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Isopropylbenzene	ND	1.0									
m,p-Xylene	ND	1.0									
Methyl Acetate	ND	1.0									
Methyl Cyclohexane	ND	1.0									
Methyl tert-butyl ether	ND	1.0									
Methylene chloride	ND	1.0									
o-Xylene	ND	1.0									
Styrene	ND	1.0									
Tetrachloroethene	ND	1.0									
Toluene	ND	1.0									
trans-1,2-Dichloroethene	ND	1.0									
trans-1,3-Dichloropropene	ND	1.0									
Trichloroethene	ND	1.0									
Trichlorofluoromethane	ND	1.0									
Vinyl chloride	ND	1.0									
Surr: 1,2-Dichloroethane-d4	51.46	1.0	50	0	103	80.3	122	0	0		
Surr: 4-Bromofluorobenzene	52.08	1.0	50	0	104	74.1	124	0	0		
Surr: Toluene-d8	45.71	1.0	50	0	91.4	79.6	115	0	0		

lcs	SeqNo: 4247439	TestNo: SW8260C	RunNo: 256216
	Samp ID: lcs	Units: µg/L	Analysis Date: 3/4/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	21.19	1.0	25	0	84.8	74.5	124	0	0		
1,1,2,2-Tetrachloroethane	23.83	1.0	25	0	95.3	72.1	126	0	0		
1,1,2-Trichloro-1,2,2-trifluoroethane	20.52	1.0	25	0	82.1	67.5	132	0	0		
1,1,2-Trichloroethane	23.95	1.0	25	0	95.8	74.3	124	0	0		
1,1-Dichloroethane	21.12	1.0	25	0	84.5	73.8	127	0	0		
1,1-Dichloroethene	20.61	1.0	25	0	82.4	68.1	134	0	0		
1,2,3-Trichlorobenzene	25.15	1.0	25	0	101	71.4	130	0	0		
1,2,4-Trichlorobenzene	24.65	1.0	25	0	98.6	74	126	0	0		
1,2-Dibromo-3-chloropropane	19.41	1.0	25	0	77.6	72.6	126	0	0		
1,2-Dibromoethane	25.53	1.0	25	0	102	73.6	122	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ICS	SeqNo: 4247439	TestNo: SW8260C	RunNo: 256216
	Samp ID: ics	Units: µg/L	Analysis Date: 3/4/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dichlorobenzene	25.38	1.0	25	0	102	73.1	123		0	0	
1,2-Dichloroethane	22.69	1.0	25	0	90.8	73.9	124		0	0	
1,2-Dichloropropane	21	1.0	25	0	84	72	125		0	0	
1,3-Dichlorobenzene	25.59	1.0	25	0	102	71.1	123		0	0	
1,4-Dichlorobenzene	24.77	1.0	25	0	99.1	72.5	120		0	0	
1,4-Dioxane	357.2	100	500	0	71.4	70	130		0	0	
2-Butanone	21.49	5.0	25	0	86	63.4	129		0	0	
2-Hexanone	19.28	5.0	25	0	77.1	65	137		0	0	
4-Methyl-2-pentanone	21.27	5.0	25	0	85.1	68.2	126		0	0	
Acetone	20.4	5.0	25	0	81.6	59.8	139		0	0	
Benzene	21.13	1.0	25	0	84.5	71.6	120		0	0	
Bromochloromethane	23.35	1.0	25	0	93.4	59.7	140		0	0	
Bromodichloromethane	20.2	1.0	25	0	80.8	73.6	127		0	0	
Bromoform	20.05	1.0	25	0	80.2	65.8	120		0	0	
Bromomethane	23.57	1.0	25	0	94.3	64	120		0	0	
Carbon disulfide	17.13	1.0	25	0	68.5	62	134		0	0	
Carbon tetrachloride	19.43	1.0	25	0	77.7	71.4	130		0	0	
Chlorobenzene	22.78	1.0	25	0	91.1	69.8	125		0	0	
Chloroethane	23.83	1.0	25	0	95.3	56.8	139		0	0	
Chloroform	22.4	1.0	25	0	89.6	74.1	122		0	0	
Chloromethane	22	1.0	25	0	88	46.7	123		0	0	
cis-1,2-Dichloroethene	20.89	1.0	25	0	83.6	71.5	128		0	0	
cis-1,3-Dichloropropene	21.64	1.0	25	0	86.6	67	128		0	0	
Cyclohexane	21.27	1.0	25	0	85.1	72.6	130		0	0	
Dibromochloromethane	19.36	1.0	25	0	77.4	70.6	124		0	0	
Dichlorodifluoromethane	15.05	1.0	25	0	60.2	52	116		0	0	
Ethylbenzene	21.37	1.0	25	0	85.5	74.2	127		0	0	
Isopropylbenzene	21.5	1.0	25	0	86	72.4	128		0	0	
m,p-Xylene	41.65	1.0	50	0	83.3	69.7	129		0	0	
Methyl Acetate	20.39	1.0	25	0	81.6	66.5	131		0	0	
Methyl Cyclohexane	22.38	1.0	25	0	89.5	70	127		0	0	
Methyl tert-butyl ether	40.59	1.0	50	0	81.2	70.2	125		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

Ics	SeqNo: 4247439	TestNo: SW8260C	RunNo: 256216
	Samp ID: Ics	Units: µg/L	Analysis Date: 3/4/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methylene chloride	21.51	1.0	25	0	86	62.1	127		0	0	
o-Xylene	20.38	1.0	25	0	81.5	72.7	131		0	0	
Styrene	21.11	1.0	25	0	84.4	70	126		0	0	
Tetrachloroethene	26.49	1.0	25	0	106	71.8	129		0	0	
Toluene	22.09	1.0	25	0	88.4	74	127		0	0	
trans-1,2-Dichloroethene	20.62	1.0	25	0	82.5	72.1	127		0	0	
trans-1,3-Dichloropropene	23.14	1.0	25	0	92.6	70.9	126		0	0	
Trichloroethene	24.89	1.0	25	0	99.6	71.3	124		0	0	
Trichlorofluoromethane	33.33	1.0	25	0	133	63	140		0	0	
Vinyl chloride	23.88	1.0	25	0	95.5	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	50.45	1.0	50	0	101	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	44.66	1.0	50	0	89.3	74.1	124		0	0	
Surr: Toluene-d8	48.37	1.0	50	0	96.7	79.6	115		0	0	

Ics	SeqNo: 4248389	TestNo: SW8260C	RunNo: 256216
	Samp ID: Ics	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	18.01	1.0	25	0	72	74.5	124		0	0	S
1,1,2,2-Tetrachloroethane	23.13	1.0	25	0	92.5	72.1	126		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	18.82	1.0	25	0	75.3	67.5	132		0	0	
1,1,2-Trichloroethane	22.51	1.0	25	0	90	74.3	124		0	0	
1,1-Dichloroethane	20.37	1.0	25	0	81.5	73.8	127		0	0	
1,1-Dichloroethene	20.19	1.0	25	0	80.8	68.1	134		0	0	
1,2,3-Trichlorobenzene	23.89	1.0	25	0	95.6	71.4	130		0	0	
1,2,4-Trichlorobenzene	26.23	1.0	25	0	105	74	126		0	0	
1,2-Dibromo-3-chloropropane	19.47	1.0	25	0	77.9	72.6	126		0	0	
1,2-Dibromoethane	23.2	1.0	25	0	92.8	73.6	122		0	0	
1,2-Dichlorobenzene	25.48	1.0	25	0	102	73.1	123		0	0	
1,2-Dichloroethane	20.76	1.0	25	0	83	73.9	124		0	0	
1,2-Dichloropropane	17.36	1.0	25	0	69.4	72	125		0	0	S
1,3-Dichlorobenzene	24.02	1.0	25	0	96.1	71.1	123		0	0	
1,4-Dichlorobenzene	24.8	1.0	25	0	99.2	72.5	120		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ICS	SeqNo: 4248389	TestNo: SW8260C	RunNo: 256216
	Samp ID: ics	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dioxane	17.11	100	25	0	68.4	70	130		0	0	JS
2-Butanone	19.81	5.0	25	0	79.2	63.4	129		0	0	
2-Hexanone	19.23	5.0	25	0	76.9	65	137		0	0	
4-Methyl-2-pentanone	22.94	5.0	25	0	91.8	68.2	126		0	0	
Acetone	19.77	5.0	25	0	79.1	59.8	139		0	0	
Benzene	19.79	1.0	25	0	79.2	71.6	120		0	0	
Bromochloromethane	20.57	1.0	25	0	82.3	59.7	140		0	0	
Bromodichloromethane	17.4	1.0	25	0	69.6	73.6	127		0	0	S
Bromoform	17.78	1.0	25	0	71.1	65.8	120		0	0	
Bromomethane	24.5	1.0	25	0	98	64	120		0	0	
Carbon disulfide	14.74	1.0	25	0	59	62	134		0	0	S
Carbon tetrachloride	20.07	1.0	25	0	80.3	71.4	130		0	0	
Chlorobenzene	23.26	1.0	25	0	93	69.8	125		0	0	
Chloroethane	26.8	1.0	25	0	107	56.8	139		0	0	
Chloroform	21.21	1.0	25	0	84.8	74.1	122		0	0	
Chloromethane	21.79	1.0	25	0	87.2	46.7	123		0	0	
cis-1,2-Dichloroethene	20.35	1.0	25	0	81.4	71.5	128		0	0	
cis-1,3-Dichloropropene	19.7	1.0	25	0	78.8	67	128		0	0	
Cyclohexane	18.91	1.0	25	0	75.6	72.6	130		0	0	
Dibromochloromethane	18.59	1.0	25	0	74.4	70.6	124		0	0	
Dichlorodifluoromethane	14.7	1.0	25	0	58.8	52	116		0	0	
Ethylbenzene	21.46	1.0	25	0	85.8	74.2	127		0	0	
Isopropylbenzene	20.89	1.0	25	0	83.6	72.4	128		0	0	
m,p-Xylene	40.7	1.0	50	0	81.4	69.7	129		0	0	
Methyl Acetate	17.28	1.0	25	0	69.1	66.5	131		0	0	
Methyl Cyclohexane	18.55	1.0	25	0	74.2	70	127		0	0	
Methyl tert-butyl ether	39.79	1.0	50	0	79.6	70.2	125		0	0	
Methylene chloride	19.35	1.0	25	0	77.4	62.1	127		0	0	
o-Xylene	20.19	1.0	25	0	80.8	72.7	131		0	0	
Styrene	21.54	1.0	25	0	86.2	70	126		0	0	
Tetrachloroethene	20.46	1.0	25	0	81.8	71.8	129		0	0	
Toluene	19.67	1.0	25	0	78.7	74	127		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ICS	SeqNo: 4248389	TestNo: SW8260C	RunNo: 256216
	Samp ID: ICS	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
trans-1,2-Dichloroethene	18.78	1.0	25	0	75.1	72.1	127		0	0	
trans-1,3-Dichloropropene	20.95	1.0	25	0	83.8	70.9	126		0	0	
Trichloroethene	22.43	1.0	25	0	89.7	71.3	124		0	0	
Trichlorofluoromethane	34.27	1.0	25	0	137	63	140		0	0	
Vinyl chloride	23.93	1.0	25	0	95.7	63	137		0	0	
Surr: 1,2-Dichloroethane-d4	48.22	1.0	50	0	96.4	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	48.88	1.0	50	0	97.8	74.1	124		0	0	
Surr: Toluene-d8	48.96	1.0	50	0	97.9	79.6	115		0	0	

MS	SeqNo: 4248189	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	16.31	1.0	25	0	65.2	74.1	131		0	0	S
1,1,2,2-Tetrachloroethane	23.69	1.0	25	0	94.8	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	14.9	1.0	25	0	59.6	65.5	128		0	0	S
1,1,2-Trichloroethane	20.9	1.0	25	0	83.6	68.3	131		0	0	
1,1-Dichloroethane	20.28	1.0	25	0	81.1	69.4	128		0	0	
1,1-Dichloroethene	17.9	1.0	25	0	71.6	63.4	134		0	0	
1,2,3-Trichlorobenzene	18.17	1.0	25	0	72.7	63.6	134		0	0	
1,2,4-Trichlorobenzene	20.05	1.0	25	0	80.2	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	18.55	1.0	25	0	74.2	67.4	121		0	0	
1,2-Dibromoethane	23.94	1.0	25	0	95.8	70.1	123		0	0	
1,2-Dichlorobenzene	21.01	1.0	25	0	84	68	130		0	0	
1,2-Dichloroethane	19.94	1.0	25	0	79.8	70.8	129		0	0	
1,2-Dichloropropane	18.18	1.0	25	0	72.7	69	125		0	0	
1,3-Dichlorobenzene	20.99	1.0	25	0	84	73.6	124		0	0	
1,4-Dichlorobenzene	20.32	1.0	25	0	81.3	73.4	123		0	0	
1,4-Dioxane	357.1	100	500	0	71.4	75	125		0	0	S
2-Butanone	20.4	5.0	25	0	81.6	58.6	113		0	0	
2-Hexanone	19.41	5.0	25	0	77.6	60.9	130		0	0	
4-Methyl-2-pentanone	18.54	5.0	25	0	74.2	49.2	122		0	0	
Acetone	18.19	5.0	25	0	72.8	54.7	134		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ms	SeqNo: 4248189	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Benzene	17.36	1.0	25	0	69.4	69.6	129		0	0	S
Bromochloromethane	19.04	1.0	25	0	76.2	68.1	125		0	0	
Bromodichloromethane	16.76	1.0	25	0	67	75.7	125		0	0	S
Bromoform	15.99	1.0	25	0	64	72.7	120		0	0	S
Bromomethane	21.89	1.0	25	0	87.6	54.7	140		0	0	
Carbon disulfide	11.17	1.0	25	0	44.7	63.8	120		0	0	S
Carbon tetrachloride	14.35	1.0	25	0	57.4	74.1	143		0	0	S
Chlorobenzene	19.65	1.0	25	0	78.6	73.5	129		0	0	
Chloroethane	24.45	1.0	25	0	97.8	68	141		0	0	
Chloroform	19.41	1.0	25	0	77.6	72.6	128		0	0	
Chloromethane	20.39	1.0	25	0	81.6	52.3	124		0	0	
cis-1,2-Dichloroethene	24.16	1.0	25	17.72	25.8	65	133		0	0	S
cis-1,3-Dichloropropene	18.78	1.0	25	0	75.1	71	122		0	0	
Cyclohexane	18.84	1.0	25	0	75.4	70.4	127		0	0	
Dibromochloromethane	16.95	1.0	25	0	67.8	69.4	125		0	0	S
Dichlorodifluoromethane	12.39	1.0	25	0	49.6	41.6	130		0	0	
Ethylbenzene	17.29	1.0	25	0	69.2	65.1	121		0	0	
Isopropylbenzene	17.99	1.0	25	0	72	66.2	129		0	0	
m,p-Xylene	34.87	1.0	50	0	69.7	72.6	124		0	0	S
Methyl Acetate	19.47	1.0	25	0	77.9	56.6	116		0	0	
Methyl Cyclohexane	15.67	1.0	25	0	62.7	60.2	118		0	0	
Methyl tert-butyl ether	38.51	1.0	50	0	77	66.2	108		0	0	
Methylene chloride	17.2	1.0	25	0	68.8	62.3	113		0	0	
o-Xylene	18.13	1.0	25	0	72.5	70	122		0	0	
Styrene	18.28	1.0	25	0	73.1	63.8	112		0	0	
Tetrachloroethene	19.69	1.0	25	0	78.8	74	122		0	0	
Toluene	18.18	1.0	25	0	72.7	73.6	119		0	0	S
trans-1,2-Dichloroethene	19.74	1.0	25	0	79	66.7	119		0	0	
trans-1,3-Dichloropropene	20.35	1.0	25	0	81.4	67.8	105		0	0	
Trichloroethene	21.81	1.0	25	4.26	70.2	72.1	129		0	0	S
Trichlorofluoromethane	30.28	1.0	25	0	121	67	145		0	0	
Vinyl chloride	22.96	1.0	25	1.95	84	57.5	139		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ms	SeqNo: 4248189	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	46.72	1.0	50	0	93.4	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	46.72	1.0	50	0	93.4	74.1	124		0	0	
Surr: Toluene-d8	47.51	1.0	50	0	95	79.6	115		0	0	

ms	SeqNo: 4248391	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-030a (MW94-5)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	16.13	1.0	25	0	64.5	74.1	131		0	0	S
1,1,2,2-Tetrachloroethane	22.27	1.0	25	0	89.1	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	13.34	1.0	25	0	53.4	65.5	128		0	0	S
1,1,2-Trichloroethane	21.11	1.0	25	0	84.4	68.3	131		0	0	
1,1-Dichloroethane	18.42	1.0	25	0	73.7	69.4	128		0	0	
1,1-Dichloroethene	16.09	1.0	25	0	64.4	63.4	134		0	0	
1,2,3-Trichlorobenzene	19.45	1.0	25	0	77.8	63.6	134		0	0	
1,2,4-Trichlorobenzene	20.52	1.0	25	0	82.1	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	14.81	1.0	25	0	59.2	67.4	121		0	0	S
1,2-Dibromoethane	21.96	1.0	25	0	87.8	70.1	123		0	0	
1,2-Dichlorobenzene	21.14	1.0	25	0	84.6	68	130		0	0	
1,2-Dichloroethane	19.35	1.0	25	0	77.4	70.8	129		0	0	
1,2-Dichloropropane	17.28	1.0	25	0	69.1	69	125		0	0	
1,3-Dichlorobenzene	20.47	1.0	25	0	81.9	73.6	124		0	0	
1,4-Dichlorobenzene	20.64	1.0	25	0	82.6	73.4	123		0	0	
1,4-Dioxane	406.4	100	500	0	81.3	75	125		0	0	
2-Butanone	18.3	5.0	25	0	73.2	58.6	113		0	0	
2-Hexanone	19.08	5.0	25	0	76.3	60.9	130		0	0	
4-Methyl-2-pentanone	23.1	5.0	25	0	92.4	49.2	122		0	0	
Acetone	42.28	5.0	25	38.08	16.8	54.7	134		0	0	S
Benzene	18.29	1.0	25	0	73.2	69.6	129		0	0	
Bromochloromethane	19.45	1.0	25	0	77.8	68.1	125		0	0	
Bromodichloromethane	18.11	1.0	25	0	72.4	75.7	125		0	0	S
Bromoform	14.65	1.0	25	0	58.6	72.7	120		0	0	S
Bromomethane	21.15	1.0	25	0	84.6	54.7	140		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ms	SeqNo: 4248391	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-030a (MW94-5)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Carbon disulfide	11.02	1.0	25	0	44.1	63.8	120		0	0	S
Carbon tetrachloride	14.04	1.0	25	0	56.2	74.1	143		0	0	S
Chlorobenzene	19.53	1.0	25	0	78.1	73.5	129		0	0	
Chloroethane	22.82	1.0	25	0	91.3	68	141		0	0	
Chloroform	18.69	1.0	25	0	74.8	72.6	128		0	0	
Chloromethane	17.31	1.0	25	0	69.2	52.3	124		0	0	
cis-1,2-Dichloroethene	22.44	1.0	25	2.32	80.5	65	133		0	0	
cis-1,3-Dichloropropene	18.27	1.0	25	0	73.1	71	122		0	0	
Cyclohexane	18.54	1.0	25	0	74.2	70.4	127		0	0	
Dibromochloromethane	15.26	1.0	25	0	61	69.4	125		0	0	S
Dichlorodifluoromethane	9.98	1.0	25	0	39.9	41.6	130		0	0	S
Ethylbenzene	16.13	1.0	25	0	64.5	65.1	121		0	0	S
Isopropylbenzene	18.11	1.0	25	0	72.4	66.2	129		0	0	
m,p-Xylene	33.33	1.0	50	0	66.7	72.6	124		0	0	S
Methyl Acetate	16.86	1.0	25	0	67.4	56.6	116		0	0	
Methyl Cyclohexane	13.21	1.0	25	0	52.8	60.2	118		0	0	S
Methyl tert-butyl ether	37.02	1.0	50	0	74	66.2	108		0	0	
Methylene chloride	16.08	1.0	25	0	64.3	62.3	113		0	0	
o-Xylene	17.5	1.0	25	0	70	70	122		0	0	
Styrene	17.85	1.0	25	0	71.4	63.8	112		0	0	
Tetrachloroethene	17.89	1.0	25	0	71.6	74	122		0	0	S
Toluene	18.75	1.0	25	0	75	73.6	119		0	0	
trans-1,2-Dichloroethene	17.24	1.0	25	0	69	66.7	119		0	0	
trans-1,3-Dichloropropene	19.97	1.0	25	0	79.9	67.8	105		0	0	
Trichloroethene	21.94	1.0	25	0	87.8	72.1	129		0	0	
Trichlorofluoromethane	26.98	1.0	25	0	108	67	145		0	0	
Vinyl chloride	21.95	1.0	25	0	87.8	57.5	139		0	0	
Surr: 1,2-Dichloroethane-d4	50.38	1.0	50	0	101	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	44.91	1.0	50	0	89.8	74.1	124		0	0	
Surr: Toluene-d8	47.83	1.0	50	0	95.7	79.6	115		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ms	SeqNo: 4249136	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-032a (MW18-13C)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	942.5	50	1250	0	75.4	74.1	131		0	0	
1,1,2,2-Tetrachloroethane	1209	50	1250	0	96.7	68.1	133		0	0	
1,1,2-Trichloro-1,2,2-trifluoroethane	735.5	50	1250	0	58.8	65.5	128		0	0	S
1,1,2-Trichloroethane	1173	50	1250	0	93.8	68.3	131		0	0	
1,1-Dichloroethane	1100	50	1250	0	88	69.4	128		0	0	
1,1-Dichloroethene	959	50	1250	0	76.7	63.4	134		0	0	
1,2,3-Trichlorobenzene	1276	50	1250	0	102	63.6	134		0	0	
1,2,4-Trichlorobenzene	1317	50	1250	0	105	63.4	134		0	0	
1,2-Dibromo-3-chloropropane	1011	50	1250	0	80.9	67.4	121		0	0	
1,2-Dibromoethane	1186	50	1250	0	94.9	70.1	123		0	0	
1,2-Dichlorobenzene	1253	50	1250	0	100	68	130		0	0	
1,2-Dichloroethane	1080	50	1250	0	86.4	70.8	129		0	0	
1,2-Dichloropropane	1000	50	1250	0	80	69	125		0	0	
1,3-Dichlorobenzene	1299	50	1250	0	104	73.6	124		0	0	
1,4-Dichlorobenzene	1226	50	1250	0	98.1	73.4	123		0	0	
1,4-Dioxane	16500	5000	25000	0	66	75	125		0	0	S
2-Butanone	1059	250	1250	0	84.7	58.6	113		0	0	
2-Hexanone	1014	250	1250	0	81.2	60.9	130		0	0	
4-Methyl-2-pentanone	943	250	1250	0	75.4	49.2	122		0	0	
Acetone	1294	250	1250	0	103	54.7	134		0	0	
Benzene	953.5	50	1250	0	76.3	69.6	129		0	0	
Bromochloromethane	904.5	50	1250	0	72.4	68.1	125		0	0	
Bromodichloromethane	932	50	1250	0	74.6	75.7	125		0	0	S
Bromoform	887.5	50	1250	0	71	72.7	120		0	0	S
Bromomethane	1320	50	1250	0	106	54.7	140		0	0	
Carbon disulfide	769.5	50	1250	0	61.6	63.8	120		0	0	S
Carbon tetrachloride	901	50	1250	0	72.1	74.1	143		0	0	S
Chlorobenzene	1171	50	1250	0	93.7	73.5	129		0	0	
Chloroethane	1411	50	1250	0	113	68	141		0	0	
Chloroform	1158	50	1250	0	92.7	72.6	128		0	0	
Chloromethane	1212	50	1250	0	96.9	52.3	124		0	0	
cis-1,2-Dichloroethene	3845	50	1250	2718	90.2	65	133		0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

ms	SeqNo: 4249136	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-032a (MW18-13C)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
cis-1,3-Dichloropropene	1030	50	1250	0	82.4	71	122		0	0	
Cyclohexane	1062	50	1250	0	85	70.4	127		0	0	
Dibromochloromethane	863.5	50	1250	0	69.1	69.4	125		0	0	S
Dichlorodifluoromethane	724.5	50	1250	0	58	41.6	130		0	0	
Ethylbenzene	1004	50	1250	0	80.3	65.1	121		0	0	
Isopropylbenzene	1046	50	1250	0	83.6	66.2	129		0	0	
m,p-Xylene	2042	50	2500	0	81.7	72.6	124		0	0	
Methyl Acetate	1031	50	1250	0	82.5	56.6	116		0	0	
Methyl Cyclohexane	883	50	1250	0	70.6	60.2	118		0	0	
Methyl tert-butyl ether	2004	50	2500	0	80.1	66.2	108		0	0	
Methylene chloride	1260	50	1250	0	101	62.3	113		0	0	
o-Xylene	1037	50	1250	0	83	70	122		0	0	
Styrene	1076	50	1250	0	86.1	63.8	112		0	0	
Tetrachloroethene	1058	50	1250	0	84.7	74	122		0	0	
Toluene	1010	50	1250	0	80.8	73.6	119		0	0	
trans-1,2-Dichloroethene	911.5	50	1250	0	72.9	66.7	119		0	0	
trans-1,3-Dichloropropene	1080	50	1250	0	86.4	67.8	105		0	0	
Trichloroethene	1244	50	1250	0	99.6	72.1	129		0	0	
Trichlorofluoromethane	1685	50	1250	0	135	67	145		0	0	
Vinyl chloride	2252	50	1250	1048	96.2	57.5	139		0	0	
Surr: 1,2-Dichloroethane-d4	2468	50	2500	0	98.7	80.3	122		0	0	
Surr: 4-Bromofluorobenzene	2262	50	2500	0	90.5	74.1	124		0	0	
Surr: Toluene-d8	2273	50	2500	0	90.9	79.6	115		0	0	

msd	SeqNo: 4248190	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	15.96	1.0	25	0	63.8	74.1	131	16.31	2.17	20.4	S
1,1,2,2-Tetrachloroethane	24.03	1.0	25	0	96.1	68.1	133	23.69	1.42	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	13.97	1.0	25	0	55.9	65.5	128	14.9	6.44	20	S
1,1,2-Trichloroethane	20.38	1.0	25	0	81.5	68.3	131	20.9	2.52	20	
1,1-Dichloroethane	21.11	1.0	25	0	84.4	69.4	128	20.28	4.01	19.2	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4248190	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1-Dichloroethene	18.08	1.0	25	0	72.3	63.4	134	17.9	1.00	16.1	
1,2,3-Trichlorobenzene	20.43	1.0	25	0	81.7	63.6	134	18.17	11.7	20	
1,2,4-Trichlorobenzene	22.89	1.0	25	0	91.6	63.4	134	20.05	13.2	20	
1,2-Dibromo-3-chloropropane	18.37	1.0	25	0	73.5	67.4	121	18.55	0.975	20.6	
1,2-Dibromoethane	21.42	1.0	25	0	85.7	70.1	123	23.94	11.1	18.7	
1,2-Dichlorobenzene	21.2	1.0	25	0	84.8	68	130	21.01	0.900	17.9	
1,2-Dichloroethane	20.74	1.0	25	0	83	70.8	129	19.94	3.93	15.6	
1,2-Dichloropropane	18.23	1.0	25	0	72.9	69	125	18.18	0.275	21.8	
1,3-Dichlorobenzene	22.46	1.0	25	0	89.8	73.6	124	20.99	6.77	14.3	
1,4-Dichlorobenzene	21.87	1.0	25	0	87.5	73.4	123	20.32	7.35	14.4	
1,4-Dioxane	349.3	100	500	0	69.9	75	125	357.1	2.20	30	S
2-Butanone	19.08	5.0	25	0	76.3	58.6	113	20.4	6.69	15	
2-Hexanone	20.24	5.0	25	0	81	60.9	130	19.41	4.19	11.6	
4-Methyl-2-pentanone	23.45	5.0	25	0	93.8	49.2	122	18.54	23.4	11.9	Z
Acetone	20.7	5.0	25	0	82.8	54.7	134	18.19	12.9	10.6	Z
Benzene	16.89	1.0	25	0	67.6	69.6	129	17.36	2.74	18.4	S
Bromochloromethane	20.68	1.0	25	0	82.7	68.1	125	19.04	8.26	20	
Bromodichloromethane	16.3	1.0	25	0	65.2	75.7	125	16.76	2.78	25.6	S
Bromoform	16.19	1.0	25	0	64.8	72.7	120	15.99	1.24	12	S
Bromomethane	21.64	1.0	25	0	86.6	54.7	140	21.89	1.15	16.9	
Carbon disulfide	12.36	1.0	25	0	49.4	63.8	120	11.17	10.1	13.1	S
Carbon tetrachloride	14.72	1.0	25	0	58.9	74.1	143	14.35	2.55	20.3	S
Chlorobenzene	20.54	1.0	25	0	82.2	73.5	129	19.65	4.43	19.6	
Chloroethane	24.76	1.0	25	0	99	68	141	24.45	1.26	27.8	
Chloroform	19.06	1.0	25	0	76.2	72.6	128	19.41	1.82	20.3	
Chloromethane	19.95	1.0	25	0	79.8	52.3	124	20.39	2.18	18.4	
cis-1,2-Dichloroethene	19.46	1.0	25	17.72	6.96	65	133	24.16	21.5	11.3	SZ
cis-1,3-Dichloropropene	18.28	1.0	25	0	73.1	71	122	18.78	2.70	21.5	
Cyclohexane	20.36	1.0	25	0	81.4	70.4	127	18.84	7.76	19.1	
Dibromochloromethane	16.71	1.0	25	0	66.8	69.4	125	16.95	1.43	18.8	S
Dichlorodifluoromethane	12.61	1.0	25	0	50.4	41.6	130	12.39	1.76	27.3	
Ethylbenzene	17.66	1.0	25	0	70.6	65.1	121	17.29	2.12	16.3	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4248190	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-014a (MW18-11B)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Isopropylbenzene	18.94	1.0	25	0	75.8	66.2	129	17.99	5.14	20	
m,p-Xylene	36.09	1.0	50	0	72.2	72.6	124	34.87	3.44	16.1	S
Methyl Acetate	18.21	1.0	25	0	72.8	56.6	116	19.47	6.69	15	
Methyl Cyclohexane	14.46	1.0	25	0	57.8	60.2	118	15.67	8.03	25.4	S
Methyl tert-butyl ether	38.18	1.0	50	0	76.4	66.2	108	38.51	0.861	17.9	
Methylene chloride	17.23	1.0	25	0	68.9	62.3	113	17.2	0.174	21.4	
o-Xylene	17.06	1.0	25	0	68.2	70	122	18.13	6.08	13	S
Styrene	18.86	1.0	25	0	75.4	63.8	112	18.28	3.12	21.4	
Tetrachloroethene	18.59	1.0	25	0	74.4	74	122	19.69	5.75	20.9	
Toluene	18.8	1.0	25	0	75.2	73.6	119	18.18	3.35	19.4	
trans-1,2-Dichloroethene	19.42	1.0	25	0	77.7	66.7	119	19.74	1.63	16.1	
trans-1,3-Dichloropropene	19.53	1.0	25	0	78.1	67.8	105	20.35	4.11	20.3	
Trichloroethene	19.96	1.0	25	4.26	62.8	72.1	129	21.81	8.86	16.6	S
Trichlorofluoromethane	30.74	1.0	25	0	123	67	145	30.28	1.51	22.8	
Vinyl chloride	23.7	1.0	25	1.95	87	57.5	139	22.96	3.17	20.5	
Surr: 1,2-Dichloroethane-d4	52.92	1.0	50	0	106	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	47.27	1.0	50	0	94.5	74.1	124	0	0	0	
Surr: Toluene-d8	47.04	1.0	50	0	94.1	79.6	115	0	0	0	

msd	SeqNo: 4248392	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-030a (MW94-5)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	15.14	1.0	25	0	60.6	74.1	131	16.13	6.33	20.4	S
1,1,2,2-Tetrachloroethane	21.01	1.0	25	0	84	68.1	133	22.27	5.82	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	11.99	1.0	25	0	48	65.5	128	13.34	10.7	20	S
1,1,2-Trichloroethane	19.98	1.0	25	0	79.9	68.3	131	21.11	5.50	20	
1,1-Dichloroethane	18.72	1.0	25	0	74.9	69.4	128	18.42	1.62	19.2	
1,1-Dichloroethene	15.45	1.0	25	0	61.8	63.4	134	16.09	4.06	16.1	S
1,2,3-Trichlorobenzene	20.76	1.0	25	0	83	63.6	134	19.45	6.52	20	
1,2,4-Trichlorobenzene	22.38	1.0	25	0	89.5	63.4	134	20.52	8.67	20	
1,2-Dibromo-3-chloropropane	16.15	1.0	25	0	64.6	67.4	121	14.81	8.66	20.6	S
1,2-Dibromoethane	21.07	1.0	25	0	84.3	70.1	123	21.96	4.14	18.7	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4248392	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-030a (MW94-5)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,2-Dichlorobenzene	21.69	1.0	25	0	86.8	68	130	21.14	2.57	17.9	
1,2-Dichloroethane	21.51	1.0	25	0	86	70.8	129	19.35	10.6	15.6	
1,2-Dichloropropane	18.87	1.0	25	0	75.5	69	125	17.28	8.80	21.8	
1,3-Dichlorobenzene	21.02	1.0	25	0	84.1	73.6	124	20.47	2.65	14.3	
1,4-Dichlorobenzene	21.04	1.0	25	0	84.2	73.4	123	20.64	1.92	14.4	
1,4-Dioxane	323	100	500	0	64.6	75	125	406.4	22.9	30	S
2-Butanone	20.15	5.0	25	0	80.6	58.6	113	18.3	9.62	15	
2-Hexanone	18.8	5.0	25	0	75.2	60.9	130	19.08	1.48	11.6	
4-Methyl-2-pentanone	21.85	5.0	25	0	87.4	49.2	122	23.1	5.56	11.9	
Acetone	44.46	5.0	25	38.08	25.5	54.7	134	42.28	5.03	10.6	S
Benzene	17.78	1.0	25	0	71.1	69.6	129	18.29	2.83	18.4	
Bromochloromethane	19.03	1.0	25	0	76.1	68.1	125	19.45	2.18	20	
Bromodichloromethane	16.1	1.0	25	0	64.4	75.7	125	18.11	11.8	25.6	S
Bromoform	15.3	1.0	25	0	61.2	72.7	120	14.65	4.34	12	S
Bromomethane	20.29	1.0	25	0	81.2	54.7	140	21.15	4.15	16.9	
Carbon disulfide	10.58	1.0	25	0	42.3	63.8	120	11.02	4.07	13.1	S
Carbon tetrachloride	14.25	1.0	25	0	57	74.1	143	14.04	1.48	20.3	S
Chlorobenzene	19.18	1.0	25	0	76.7	73.5	129	19.53	1.81	19.6	
Chloroethane	22.52	1.0	25	0	90.1	68	141	22.82	1.32	27.8	
Chloroform	20.35	1.0	25	0	81.4	72.6	128	18.69	8.50	20.3	
Chloromethane	19.69	1.0	25	0	78.8	52.3	124	17.31	12.9	18.4	
cis-1,2-Dichloroethene	20.54	1.0	25	2.32	72.9	65	133	22.44	8.84	11.3	
cis-1,3-Dichloropropene	19.16	1.0	25	0	76.6	71	122	18.27	4.76	21.5	
Cyclohexane	18.17	1.0	25	0	72.7	70.4	127	18.54	2.02	19.1	
Dibromochloromethane	17.4	1.0	25	0	69.6	69.4	125	15.26	13.1	18.8	
Dichlorodifluoromethane	8.82	1.0	25	0	35.3	41.6	130	9.98	12.3	27.3	S
Ethylbenzene	17.36	1.0	25	0	69.4	65.1	121	16.13	7.35	16.3	
Isopropylbenzene	17.88	1.0	25	0	71.5	66.2	129	18.11	1.28	20	
m,p-Xylene	34.54	1.0	50	0	69.1	72.6	124	33.33	3.57	16.1	S
Methyl Acetate	15.52	1.0	25	0	62.1	56.6	116	16.86	8.28	15	
Methyl Cyclohexane	17.97	1.0	25	0	71.9	60.2	118	13.21	30.5	25.4	Z
Methyl tert-butyl ether	35.87	1.0	50	0	71.7	66.2	108	37.02	3.16	17.9	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4248392	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-030a (MW94-5)	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
Methylene chloride	17.4	1.0	25	0	69.6	62.3	113	16.08	7.89	21.4	
o-Xylene	17.85	1.0	25	0	71.4	70	122	17.5	1.98	13	
Styrene	18.45	1.0	25	0	73.8	63.8	112	17.85	3.31	21.4	
Tetrachloroethene	20.04	1.0	25	0	80.2	74	122	17.89	11.3	20.9	
Toluene	18.88	1.0	25	0	75.5	73.6	119	18.75	0.691	19.4	
trans-1,2-Dichloroethene	18.04	1.0	25	0	72.2	66.7	119	17.24	4.54	16.1	
trans-1,3-Dichloropropene	18.73	1.0	25	0	74.9	67.8	105	19.97	6.41	20.3	
Trichloroethene	19.89	1.0	25	0	79.6	72.1	129	21.94	9.80	16.6	
Trichlorofluoromethane	26.17	1.0	25	0	105	67	145	26.98	3.05	22.8	
Vinyl chloride	20.33	1.0	25	0	81.3	57.5	139	21.95	7.66	20.5	
Surr: 1,2-Dichloroethane-d4	48.64	1.0	50	0	97.3	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	48.41	1.0	50	0	96.8	74.1	124	0	0	0	
Surr: Toluene-d8	47.31	1.0	50	0	94.6	79.6	115	0	0	0	

msd	SeqNo: 4249137	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-032s	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,1,1-Trichloroethane	872.5	50	1250	0	69.8	74.1	131	942.5	7.71	20.4	S
1,1,2,2-Tetrachloroethane	1152	50	1250	0	92.2	68.1	133	1209	4.79	18.6	
1,1,2-Trichloro-1,2,2-trifluoroethane	814.5	50	1250	0	65.2	65.5	128	735.5	10.2	20	S
1,1,2-Trichloroethane	1076	50	1250	0	86.1	68.3	131	1173	8.58	20	
1,1-Dichloroethane	972	50	1250	0	77.8	69.4	128	1100	12.4	19.2	
1,1-Dichloroethene	1032	50	1250	0	82.5	63.4	134	959	7.28	16.1	
1,2,3-Trichlorobenzene	1295	50	1250	0	104	63.6	134	1276	1.48	20	
1,2,4-Trichlorobenzene	1320	50	1250	0	106	63.4	134	1317	0.190	20	
1,2-Dibromo-3-chloropropane	954.5	50	1250	0	76.4	67.4	121	1011	5.75	20.6	
1,2-Dibromoethane	1196	50	1250	0	95.7	70.1	123	1186	0.839	18.7	
1,2-Dichlorobenzene	1226	50	1250	0	98	68	130	1253	2.22	17.9	
1,2-Dichloroethane	1058	50	1250	0	84.7	70.8	129	1080	1.96	15.6	
1,2-Dichloropropane	948.5	50	1250	0	75.9	69	125	1000	5.34	21.8	
1,3-Dichlorobenzene	1186	50	1250	0	94.9	73.6	124	1299	9.09	14.3	
1,4-Dichlorobenzene	1184	50	1250	0	94.8	73.4	123	1226	3.44	14.4	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4249137	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-032s	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
1,4-Dioxane	18880	5000	25000	0	75.5	75	125	16500	13.5	30	
2-Butanone	982	250	1250	0	78.6	58.6	113	1059	7.55	15	
2-Hexanone	993.5	250	1250	0	79.5	60.9	130	1014	2.09	11.6	
4-Methyl-2-pentanone	960	250	1250	0	76.8	49.2	122	943	1.79	11.9	
Acetone	1110	250	1250	0	88.8	54.7	134	1294	15.3	10.6	Z
Benzene	998	50	1250	0	79.8	69.6	129	953.5	4.56	18.4	
Bromochloromethane	1000	50	1250	0	80	68.1	125	904.5	10.0	20	
Bromodichloromethane	968	50	1250	0	77.4	75.7	125	932	3.79	25.6	
Bromoform	869	50	1250	0	69.5	72.7	120	887.5	2.11	12	S
Bromomethane	1242	50	1250	0	99.4	54.7	140	1320	6.01	16.9	
Carbon disulfide	723	50	1250	0	57.8	63.8	120	769.5	6.23	13.1	S
Carbon tetrachloride	907.5	50	1250	0	72.6	74.1	143	901	0.719	20.3	S
Chlorobenzene	1118	50	1250	0	89.4	73.5	129	1171	4.68	19.6	
Chloroethane	1350	50	1250	0	108	68	141	1411	4.42	27.8	
Chloroform	1123	50	1250	0	89.8	72.6	128	1158	3.11	20.3	
Chloromethane	1106	50	1250	0	88.5	52.3	124	1212	9.06	18.4	
cis-1,2-Dichloroethene	3849	50	1250	2718	90.5	65	133	3845	0.104	11.3	
cis-1,3-Dichloropropene	1022	50	1250	0	81.7	71	122	1030	0.877	21.5	
Cyclohexane	1042	50	1250	0	83.4	70.4	127	1062	1.95	19.1	
Dibromochloromethane	932.5	50	1250	0	74.6	69.4	125	863.5	7.68	18.8	
Dichlorodifluoromethane	691.5	50	1250	0	55.3	41.6	130	724.5	4.66	27.3	
Ethylbenzene	1036	50	1250	0	82.9	65.1	121	1004	3.24	16.3	
Isopropylbenzene	1007	50	1250	0	80.6	66.2	129	1046	3.75	20	
m,p-Xylene	1912	50	2500	0	76.5	72.6	124	2042	6.57	16.1	
Methyl Acetate	925	50	1250	0	74	56.6	116	1031	10.8	15	
Methyl Cyclohexane	891	50	1250	0	71.3	60.2	118	883	0.902	25.4	
Methyl tert-butyl ether	1967	50	2500	0	78.7	66.2	108	2004	1.84	17.9	
Methylene chloride	1097	50	1250	0	87.8	62.3	113	1260	13.9	21.4	
o-Xylene	958.5	50	1250	0	76.7	70	122	1037	7.87	13	
Styrene	1047	50	1250	0	83.8	63.8	112	1076	2.78	21.4	
Tetrachloroethene	1094	50	1250	0	87.5	74	122	1058	3.30	20.9	
Toluene	978.5	50	1250	0	78.3	73.6	119	1010	3.12	19.4	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: Central Hudson Gas & Electric
Work Order: 260220005
Project: Little Britain Road Site

ANALYTICAL QC SUMMARY REPORT

BatchID: R256216

msd	SeqNo: 4249137	TestNo: SW8260C	RunNo: 256216
	Samp ID: 260220005-032s	Units: µg/L	Analysis Date: 3/5/2026

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref	%RPD(SD-%D)	RPDLimit	Qual
trans-1,2-Dichloroethene	981.5	50	1250	0	78.5	66.7	119	911.5	7.40	16.1	
trans-1,3-Dichloropropene	981.5	50	1250	0	78.5	67.8	105	1080	9.51	20.3	
Trichloroethene	1155	50	1250	0	92.4	72.1	129	1244	7.46	16.6	
Trichlorofluoromethane	1679	50	1250	0	134	67	145	1685	0.357	22.8	
Vinyl chloride	2197	50	1250	1048	91.9	57.5	139	2252	2.45	20.5	
Surr: 1,2-Dichloroethane-d4	2448	50	2500	0	97.9	80.3	122	0	0	0	
Surr: 4-Bromofluorobenzene	2276	50	2500	0	91.1	74.1	124	0	0	0	
Surr: Toluene-d8	2369	50	2500	0	94.8	79.6	115	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

QC Batch Summary Report

Batch: R256116

Analyst: CC

SampID	SampType	DF	TestName:	Analysis Date/Time:
std000.5	ical	1	EPA-8260	2/26/2026 1:00:00 PM
std001	ical	1	EPA-8260	2/26/2026 1:44:00 PM
std002.5	ical	1	EPA-8260	2/26/2026 2:07:00 PM
std005	ical	1	EPA-8260	2/26/2026 2:27:00 PM
std010	ical	1	EPA-8260	2/26/2026 2:46:00 PM
std025	ical	1	EPA-8260	2/26/2026 3:09:00 PM
std050	ical	1	EPA-8260	2/26/2026 3:47:00 PM
std100	ical	1	EPA-8260	2/26/2026 4:28:00 PM
std200	ical	1	EPA-8260	2/26/2026 5:26:00 PM
mblk	tune	1	EPA-8260	3/2/2026 2:39:00 PM
ccv	ccv	1	EPA-8260	3/2/2026 3:34:00 PM
lcs	lcs	1	EPA-8260	3/2/2026 3:53:00 PM
vblk	mblk	1	EPA-8260	3/2/2026 4:13:00 PM
260220005-002a	samp	1	EPA-8260	3/2/2026 6:09:00 PM
260220005-003a	samp	1	EPA-8260	3/2/2026 6:29:00 PM
260220005-004a	samp	1	EPA-8260	3/2/2026 6:49:00 PM
260220005-005a	samp	1	EPA-8260	3/2/2026 7:09:00 PM
260220005-006a	samp	1	EPA-8260	3/2/2026 7:28:00 PM
260220005-007a	samp	1	EPA-8260	3/2/2026 7:48:00 PM
260220005-018a	samp	1	EPA-8260	3/2/2026 8:08:00 PM
260220005-020a	samp	1	EPA-8260	3/2/2026 8:28:00 PM
260220005-019a	samp	1	EPA-8260	3/2/2026 8:48:00 PM
260220005-022a	samp	1	EPA-8260	3/2/2026 9:07:00 PM
260220005-023a	samp	1	EPA-8260	3/2/2026 9:27:00 PM
260220005-024a	samp	1	EPA-8260	3/2/2026 9:47:00 PM
260220005-025a	samp	1	EPA-8260	3/2/2026 10:07:00 PM

SampID	SampType	DF	TestName:	Analysis Date/Time:
260220005-028a	samp	1	EPA-8260	3/2/2026 10:47:00 PM
260220005-008a	samp	2	EPA-8260	3/2/2026 11:09:00 PM
260220005-010a	samp	10	EPA-8260	3/2/2026 11:31:00 PM
260220005-017a	samp	25	EPA-8260	3/2/2026 11:53:00 PM
260220005-009a	samp	50	EPA-8260	3/3/2026 12:15:00 AM
260220005-016a	samp	100	EPA-8260	3/3/2026 12:37:00 AM
260220005-002ams	ms	1	EPA-8260	3/3/2026 1:16:00 AM
260220005-002amsd	msd	1	EPA-8260	3/3/2026 1:36:00 AM

QC Batch Summary Report

Batch: R256216

Analyst: CC

SampID	SampType	DF	TestName:	Analysis Date/Time:
std001	ical	1	EPA-8260	12/30/2025 1:18:00 PM
std002.5	ical	1	EPA-8260	12/30/2025 1:40:00 PM
std005	ical	1	EPA-8260	12/30/2025 2:02:00 PM
vstd010	ical	1	EPA-8260	12/30/2025 2:23:00 PM
vstd025	ical	1	EPA-8260	12/30/2025 2:46:00 PM
std050	ical	1	EPA-8260	12/30/2025 3:07:00 PM
std100	ical	1	EPA-8260	12/30/2025 3:29:00 PM
std200	ical	1	EPA-8260	12/30/2025 3:51:00 PM
bfb	tune	1	EPA-8260	3/4/2026 10:35:00 AM
ccv	ccv	1	EPA-8260	3/4/2026 11:43:00 AM
lcs	lcs	1	EPA-8260	3/4/2026 12:06:00 PM
vblk	mblk	1	EPA-8260	3/4/2026 12:29:00 PM
260220005-001a	samp	1	EPA-8260	3/4/2026 4:49:00 PM
260220005-011a	samp	1	EPA-8260	3/4/2026 5:12:00 PM
260220005-012a	samp	1	EPA-8260	3/4/2026 5:35:00 PM
260220005-013a	samp	1	EPA-8260	3/4/2026 5:59:00 PM
260220005-014a	samp	1	EPA-8260	3/4/2026 6:22:00 PM
260220005-015a	samp	1	EPA-8260	3/4/2026 6:45:00 PM
260220005-027a	samp	1	EPA-8260	3/4/2026 7:08:00 PM
260220005-029a	samp	1	EPA-8260	3/4/2026 7:31:00 PM
260220005-026a	samp	2	EPA-8260	3/4/2026 7:57:00 PM
260220005-021a	samp	100	EPA-8260	3/4/2026 8:22:00 PM
260220005-014ams	ms	1	EPA-8260	3/4/2026 10:16:00 PM
260220005-014amsd	msd	1	EPA-8260	3/4/2026 10:39:00 PM
bfb	tune	1	EPA-8260	3/5/2026 9:08:00 AM
ccv	ccv	1	EPA-8260	3/5/2026 10:18:00 AM

SampID	SampType	DF	TestName:	Analysis Date/Time:
lcs	lcs	1	EPA-8260	3/5/2026 10:41:00 AM
vblk	mblk	1	EPA-8260	3/5/2026 11:04:00 AM
260220005-035a	samp	1	EPA-8260	3/5/2026 12:36:00 PM
260220005-036a	samp	1	EPA-8260	3/5/2026 12:59:00 PM
260220005-037a	samp	1	EPA-8260	3/5/2026 1:22:00 PM
260202005-037a	samp	1	EPA-8260	3/5/2026 1:22:00 PM
260220005-032a	samp	50	EPA-8260	3/5/2026 1:47:00 PM
260220005-033a	samp	50	EPA-8260	3/5/2026 2:13:00 PM
260220005-014a	samp	1	EPA-8260	3/5/2026 3:23:00 PM
260220005-014ams	ms	1	EPA-8260	3/5/2026 3:46:00 PM
260220005-014amsd	msd	1	EPA-8260	3/5/2026 4:10:00 PM
260220005-030a	samp	1	EPA-8260	3/5/2026 5:21:00 PM
260220005-031a	samp	1	EPA-8260	3/5/2026 5:44:00 PM
260220005-038a	samp	1	EPA-8260	3/5/2026 6:07:00 PM
260220005-039a	samp	1	EPA-8260	3/5/2026 6:30:00 PM
260220005-042a	samp	1	EPA-8260	3/5/2026 6:54:00 PM
260220005-043a	samp	1	EPA-8260	3/5/2026 7:24:00 PM
260220005-044a	samp	1	EPA-8260	3/5/2026 7:48:00 PM
260220005-040a	samp	50	EPA-8260	3/5/2026 8:13:00 PM
260220005-041a	samp	50	EPA-8260	3/5/2026 8:38:00 PM
260220005-034a	samp	200	EPA-8260	3/5/2026 9:04:00 PM
260220005-030ams	ms	1	EPA-8260	3/5/2026 9:27:00 PM
260220005-030amsd	msd	1	EPA-8260	3/5/2026 9:50:00 PM
260220005-032ams	ms	50	EPA-8260	3/5/2026 10:13:00 PM
260220005-032smsd	msd	50	EPA-8260	3/5/2026 10:36:00 PM

Client: Central Hudson Gas & Electric
WorkOrder 260220005
Project: Little Britain Road Site
Test: VCLP-LOW

Internal Standard
Summary Report

Batch: R256116

SampID	Analysis Time	1,4-Dichlorobenzene-d4		1,4-Difluorobenzene		Chlorobenzene-d5		Fluorobenzene	
ccv	3/2/2026 3:34:00 PM	85602	RT: 11.86	0	RT: 0	125054	RT: 9.73	111910	RT: 5.9
lcs	3/2/2026 3:53:00 PM	82738	RT: 11.86			123564	RT: 9.73	108604	RT: 5.9
vblk	3/2/2026 4:13:00 PM	83438	RT: 11.86			125713	RT: 9.73	104667	RT: 5.9
260220005-002A	3/2/2026 6:09:00 PM	83617	RT: 11.86			124466	RT: 9.73	103953	RT: 5.9
260220005-003A	3/2/2026 6:29:00 PM	81653	RT: 11.86			125183	RT: 9.73	104674	RT: 5.9
260220005-004A	3/2/2026 6:49:00 PM	81350	RT: 11.86			122106	RT: 9.73	102677	RT: 5.9
260220005-005A	3/2/2026 7:09:00 PM	82943	RT: 11.86			124061	RT: 9.73	105038	RT: 5.9
260220005-006A	3/2/2026 7:28:00 PM	78119	RT: 11.86			120740	RT: 9.73	101910	RT: 5.9
260220005-007A	3/2/2026 7:48:00 PM	79728	RT: 11.86			121284	RT: 9.73	102224	RT: 5.9
260220005-018A	3/2/2026 8:08:00 PM	81405	RT: 11.86			122219	RT: 9.73	103169	RT: 5.9
260220005-020A	3/2/2026 8:28:00 PM	85409	RT: 11.86			126129	RT: 9.73	104213	RT: 5.9
260220005-019A	3/2/2026 8:48:00 PM	78904	RT: 11.86			119929	RT: 9.73	100228	RT: 5.9
260220005-022A	3/2/2026 9:07:00 PM	80161	RT: 11.86			120750	RT: 9.73	100583	RT: 5.9
260220005-023A	3/2/2026 9:27:00 PM	77285	RT: 11.86			119724	RT: 9.73	98600	RT: 5.9
260220005-024A	3/2/2026 9:47:00 PM	78614	RT: 11.86			118592	RT: 9.73	98107	RT: 5.9
260220005-025A	3/2/2026 10:07:00 PM	76582	RT: 11.86			118176	RT: 9.73	98348	RT: 5.9
260220005-028A	3/2/2026 10:47:00 PM	74086	RT: 11.86			115516	RT: 9.73	95721	RT: 5.9
260220005-008A	3/2/2026 11:09:00 PM	75399	RT: 11.86			110830	RT: 9.73	91412	RT: 5.9
260220005-010A	3/2/2026 11:31:00 PM	77857	RT: 11.86			117314	RT: 9.73	96001	RT: 5.9
260220005-017A	3/2/2026 11:53:00 PM	79988	RT: 11.86			120864	RT: 9.73	98976	RT: 5.9
260220005-009A	3/3/2026 12:15:00 AM	81999	RT: 11.86			122877	RT: 9.73	100146	RT: 5.9
260220005-016A	3/3/2026 12:37:00 AM	77829	RT: 11.86			120586	RT: 9.73	101578	RT: 5.9
260220005-002ams	3/3/2026 1:16:00 AM	91355	RT: 11.86			128472	RT: 9.73	106208	RT: 5.9

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
260220005-002amsd	3/3/2026 1:36:00 AM	87567 RT: 11.86		122985 RT: 9.73	101318 RT: 5.9
ccv	3/4/2026 11:43:00 AM	163355 RT: 11.7	0 RT: 0	227472 RT: 9.54	326151 RT: 5.68
lcs	3/4/2026 12:06:00 PM	182308 RT: 11.7		239443 RT: 9.54	349952 RT: 5.69
vblk	3/4/2026 12:29:00 PM	131231 RT: 11.7		215375 RT: 9.54	308573 RT: 5.68
260220005-001A	3/4/2026 4:49:00 PM	109027 RT: 11.7		185167 RT: 9.54	266766 RT: 5.69
260220005-011A	3/4/2026 5:12:00 PM	116012 RT: 11.7		191960 RT: 9.54	268801 RT: 5.69
260220005-012A	3/4/2026 5:35:00 PM	104884 RT: 11.7		187636 RT: 9.54	273461 RT: 5.68
260220005-013A	3/4/2026 5:59:00 PM	122600 RT: 11.7		191151 RT: 9.54	277065 RT: 5.69
260220005-015A	3/4/2026 6:45:00 PM	127119 RT: 11.7		209679 RT: 9.54	287019 RT: 5.68
260220005-027A	3/4/2026 7:08:00 PM	112231 RT: 11.7		185838 RT: 9.54	261017 RT: 5.69
260220005-029A	3/4/2026 7:31:00 PM	119463 RT: 11.7		192541 RT: 9.54	273776 RT: 5.69
260220005-026A	3/4/2026 7:57:00 PM	94017 RT: 11.7		178510 RT: 9.54	261987 RT: 5.69
260220005-021A	3/4/2026 8:22:00 PM	118715 RT: 11.7		187480 RT: 9.54	263849 RT: 5.69
ccv	3/5/2026 10:18:00 AM	159454 RT: 11.7	0 RT: 0	215481 RT: 9.54	292351 RT: 5.69
lcs	3/5/2026 10:41:00 AM	159892 RT: 11.7		226534 RT: 9.54	314733 RT: 5.69
vblk	3/5/2026 11:04:00 AM	119442 RT: 11.7		201150 RT: 9.54	286342 RT: 5.69
260220005-035A	3/5/2026 12:36:00 PM	112833 RT: 11.7		185648 RT: 9.54	271070 RT: 5.69
260220005-036A	3/5/2026 12:59:00 PM	121148 RT: 11.7		186063 RT: 9.54	263432 RT: 5.69
260220005-037A	3/5/2026 1:22:00 PM	115982 RT: 11.7		187891 RT: 9.54	266519 RT: 5.69
260220005-032A	3/5/2026 1:47:00 PM	114918 RT: 11.7		187086 RT: 9.54	259180 RT: 5.69
260220005-033A	3/5/2026 2:13:00 PM	112738 RT: 11.7		189371 RT: 9.54	269410 RT: 5.69
260220005-014A	3/5/2026 3:23:00 PM	116720 RT: 11.7		187325 RT: 9.54	264873 RT: 5.69
260220005-014ams	3/5/2026 3:46:00 PM	140629 RT: 11.7		192633 RT: 9.54	275668 RT: 5.69
260220005-014amsd	3/5/2026 4:10:00 PM	142335 RT: 11.7		204624 RT: 9.54	281239 RT: 5.69
260220005-030A	3/5/2026 5:21:00 PM	120267 RT: 11.7		183558 RT: 9.54	256472 RT: 5.69
260220005-031A	3/5/2026 5:44:00 PM	108726 RT: 11.7		175318 RT: 9.54	258676 RT: 5.69
260220005-038A	3/5/2026 6:07:00 PM	110769 RT: 11.7		187020 RT: 9.54	261920 RT: 5.69
260220005-039A	3/5/2026 6:30:00 PM	117410 RT: 11.7		189511 RT: 9.54	264525 RT: 5.68
260220005-042A	3/5/2026 6:54:00 PM	108026 RT: 11.7		177818 RT: 9.54	254651 RT: 5.69

SampID	Analysis Time	1,4-Dichlorobenzene-d4	1,4-Difluorobenzene	Chlorobenzene-d5	Fluorobenzene
260220005-043A	3/5/2026 7:24:00 PM	110257 RT: 11.7		180535 RT: 9.54	262245 RT: 5.68
260220005-044A	3/5/2026 7:48:00 PM	109318 RT: 11.7		183266 RT: 9.54	260332 RT: 5.69
260220005-040A	3/5/2026 8:13:00 PM	108724 RT: 11.7		184795 RT: 9.54	252156 RT: 5.69
260220005-041A	3/5/2026 8:38:00 PM	106735 RT: 11.7		182880 RT: 9.54	259111 RT: 5.68
260220005-034A	3/5/2026 9:04:00 PM	90741 RT: 11.7		174719 RT: 9.54	254270 RT: 5.69
260220005-030ams	3/5/2026 9:27:00 PM	142377 RT: 11.7		192952 RT: 9.54	267452 RT: 5.69
260220005-030amsd	3/5/2026 9:50:00 PM	140507 RT: 11.7		194987 RT: 9.54	279520 RT: 5.68
260220005-032ams	3/5/2026 10:13:00 PM	141913 RT: 11.7		200201 RT: 9.54	282351 RT: 5.68
260220005-032smsd	3/5/2026 10:36:00 PM	145494 RT: 11.7		201203 RT: 9.54	283813 RT: 5.69

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 31-Dec-25

Type	Analyte	MDL	PQL
A	1,1,1,2-Tetrachloroethane	0.47	0.5
A	1,1,1-Trichloroethane	0.26	0.5
A	1,1,2,2-Tetrachloroethane	0.29	0.5
A	1,1,2-Trichloro-1,2,2-trifluoroethane	0.45	0.5
A	1,1,2-Trichloroethane	0.47	0.5
A	1,1-Dichloroethane	0.31	0.5
A	1,1-Dichloroethene	0.49	0.5
A	1,1-Dichloropropene	0.43	0.5
A	1,2,3-Trichlorobenzene	0.44	0.5
A	1,2,3-Trichloropropane	0.45	0.5
A	1,2,4-Trichlorobenzene	0.49	0.5
A	1,2,4-Trimethylbenzene	0.41	0.5
A	1,2-Dibromo-3-chloropropane	0.32	1
A	1,2-Dibromoethane	0.24	0.5
A	1,2-Dichlorobenzene	0.31	0.5
A	1,2-Dichloroethane	0.35	0.5
A	1,2-Dichloropropane	0.25	0.5
A	1,3,5-Trimethylbenzene	0.44	0.5
A	1,3-Dichlorobenzene	0.43	0.5
A	1,3-Dichloropropane	0.31	0.5
A	1,4-Dichlorobenzene	0.45	0.5
A	1,4-Dioxane	11.1	50
A	1-Bromopropane		
A	1-Propanol		
A	2,2-Dichloropropane	0.4	0.5
A	2-Butanone	1.03	5
A	2-Chloroethanol		0.5
A	2-Chloroethyl vinyl ether		0.5
A	2-Chlorotoluene	0.42	0.5
A	2-Hexanone	0.89	5
A	2-Hydroxypropionitrile		0.5
A	2-Methyl-1,3-dioxolane		0.5
A	2-Nitropropane		0.5
A	2-Pentanone		0.5
A	2-Picoline		0.5
A	2-Propanol		0.5
A	3-Chloropropionitrile		0.5
A	3-Methyl Thiophene		0.5
A	4-Chlorotoluene	0.43	0.5
A	4-Isopropyltoluene	0.47	0.5
A	4-Methyl-2-pentanone	0.75	5
A	Acetone	3.32	5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 31-Dec-25

Type	Analyte	MDL	PQL
A	Acetonitrile	6.47	25
A	Acrolein	24.2	25
A	Acrylonitrile	8.06	10
A	Allyl alcohol		0.5
A	Allyl chloride		5
A	Benzene	0.26	0.5
A	Benzyl chloride		0.5
A	beta-Propiolactone		0.5
A	bis-(2-Chloroethyl) Sulfide		0.5
A	Bromoacetone		0.5
A	Bromobenzene	0.33	0.5
A	Bromochloromethane	0.45	0.5
A	Bromodichloromethane	0.26	0.5
A	Bromoform	0.39	0.5
A	Bromomethane	0.48	0.5
A	Carbon disulfide	0.4	0.5
A	Carbon tetrachloride	0.4	0.5
A	Chlorobenzene	0.39	0.5
A	Chloroethane	0.44	0.5
A	Chloroform	0.37	0.5
A	Chloromethane	0.47	0.5
A	Chloroprene	0	1
A	cis-1,2-Dichloroethene	0.31	0.5
A	cis-1,3-Dichloropropene	0.27	0.5
A	cis-1,4-Dichloro-2-butene		0.5
A	Cyclohexane	0.48	0.5
A	Cyclohexanone		0.5
A	Dibromochloromethane	0.32	0.5
A	Dibromomethane	0.42	0.5
A	Dichlorodifluoromethane	0.32	0.5
A	Diethyl Ether		0.5
A	Diisobutylene		0.5
A	Ethanol	10.97	25
A	Ethyl acetate		0.5
A	Ethyl Ether		0.5
A	Ethyl methacrylate		0.5
A	Ethylbenzene	0.41	0.5
A	Fluorobenzene		0.5
A	Heptane		0.5
A	Hexachlorobutadiene	0.5	0.5
A	Hexachloroethane		0.5
A	Hexane		0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water

Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 31-Dec-25

Type	Analyte	MDL	PQL
A	Iodomethane		0.5
A	Isobutyl Alcohol	15.56	25
A	Isopropyl Alcohol		0.5
A	Isopropyl ether		0.5
A	Isopropylbenzene	0.5	0.5
A	m,p-Xylene	0.49	0.5
A	Malononitrile		0.5
A	Methacrylonitrile		10
A	Methanol		0.5
A	Methyl Acetate	0.47	0.5
A	Methyl Cyclohexane	0.31	0.5
A	Methyl Formate		0.5
A	Methyl methacrylate	0.38	0.5
A	Methyl tert-butyl ether	0.4	0.5
A	Methylene chloride	0.27	0.5
A	Naphthalene	0.3	1
A	n-Butanol		0.5
A	n-Butylbenzene	0.47	0.5
A	Nitrobenzene		0.5
A	N-Nitroso-di-n-butylamine		0.5
A	n-Propylamine		0.5
A	n-Propylbenzene	0.34	0.5
A	o-Toluidine		0.5
A	o-Xylene	0.44	0.5
A	Paraldehyde		0.5
A	Pentachloroethane		0.5
A	Propionitrile		25
A	Pyridine		0.5
A	sec-Butylbenzene	0.47	0.5
A	Styrene	0.32	0.5
A	t-Amyl Methyl Ether		0.5
A	t-Butyl alcohol		0.5
A	tert-Butylbenzene	0.49	0.5
A	Tetrachloroethene	0.46	0.5
A	Tetrahydrofuran		0.5
A	Toluene	0.29	0.5
A	Total Volatiles		0.5
A	trans-1,2-Dichloroethene	0.38	0.5
A	trans-1,3-Dichloropropene	0.47	0.5
A	trans-1,4-Dichloro-2-butene		0.5
A	Trichloroethene	0.4	0.5
A	Trichlorofluoromethane	0.38	0.5

Test Code: VCLP-LOW

Test Number: SW8260C

Test Name: EPA-8260

Matrix: Water Units: µg/L

**METHOD DETECTION /
REPORTING LIMITS**

Updated: 31-Dec-25

Type	Analyte	MDL	PQL
A	Vinyl acetate	0	0.5
A	Vinyl chloride	0.39	0.5
A	Xylenes, Total		0.5
I	1,4-Dichlorobenzene-d4		0.5
I	1,4-Difluorobenzene		0.5
I	Chlorobenzene-d5		0.5
S	1,2-Dichloroethane-d4		0.5
S	4-Bromofluorobenzene		0.5
S	Toluene-d8		0.5

Method Path : C:\msdchem\1\QTmethods\
 Method File : Voa123025-CH.M
 Title : Voa Calibration 524/8260 Water
 Last Update : Mon Mar 09 15:26:06 2026
 Response Via : Initial Calibration

Calibration Files

1 =d6609.D 2.5 =d6610.D 5 =d6611.D 10 =d6612.D 25 =d6613.D 50 =d6614.D 100 =d6615.D 200 =d6616.D

Compound		1	2.5	5	10	25	50	100	200	Avg	%RSD

1) I	Fluorobenzene	-----ISTD-----									
2)	Dichlorodifluo...	0.154	0.167	0.138	0.164	0.164	0.135	0.120	0.102	0.143	16.48
3)	Chloromethane	0.224	0.254	0.292	0.274	0.276	0.243	0.226	0.196	0.248	12.97
4)	Vinyl Chloride	0.210	0.243	0.259	0.270	0.266	0.239	0.219	0.184	0.236	12.68
5)	Bromomethane	0.504	0.547	0.619	0.705	0.712	0.758	0.818	0.638	0.663	15.95
6)	Chloroethane	0.177	0.226	0.206	0.246	0.248	0.238	0.264	0.318	0.240	17.26
7)	Acrolein			0.003	0.002	0.002	0.002	0.002	0.001	0.002	19.12
8)	Trichlorofluor...	0.546	0.565	0.652	0.610	0.660	0.619	0.693	0.600	0.618	7.98
9)	Ethanol				0.008	0.007	0.004	0.006	0.000	0.005	61.46
10)	Freon113	0.148	0.189	0.182	0.181	0.157	0.142	0.146		0.163	12.06
11)	1,1-Dichloroet...	0.177	0.183	0.187	0.166	0.157	0.147	0.144	0.130	0.162	12.56
12)	Allyl Chloride	0.878		0.756	0.731	0.726	0.675	0.762	0.868	0.771	9.78
13)	Carbon Disulfide	0.359	0.429	0.513	0.512	0.422	0.451	0.395	0.443	0.440	12.09
14)	Acetone			0.198	0.151	0.151	0.122	0.105	0.104	0.138	25.88
15)	Iodomethane			0.069	0.060	0.093	0.139	0.198	0.224	0.131	52.75
16)	Acetonitrile	0.020		0.032	0.024	0.025	0.024	0.026	0.030	0.026	15.22
17)	Methyl Acetate	0.308	0.322	0.294	0.290	0.276	0.235	0.259	0.279	0.283	9.74
18)	Methylene Chlo...	0.389	0.296	0.238	0.258	0.221	0.214	0.211	0.220	0.256	23.80
19)	Acrylonitrile			0.141	0.135	0.126	0.007	0.141	0.143	0.116	46.54
20)	trans-1,2-Dich...	0.225	0.205	0.199	0.214	0.190	0.192	0.177	0.189	0.199	7.70
21)	Mtbe	0.648	0.666	0.722	0.688	0.661	0.639	0.660	0.675	0.670	3.85
22)	1,1-Dichloroet...	0.272	0.352	0.318	0.359	0.375	0.318	0.338	0.321	0.332	9.61
23)	Hexane						0.233	0.243	0.258	0.245	5.15
24)	cis-1,2-Dichlo...	0.311	0.287	0.329	0.347	0.304	0.289	0.293	0.303	0.308	6.71
25)	2,2-Dichloropr...	0.272	0.263	0.288	0.293	0.274	0.259	0.264	0.258	0.271	4.88
26)	Propionitrile	0.051		0.050	0.048	0.048	0.044	0.057	0.057	0.051	9.36
27)	Bromochloromet...	0.114	0.083	0.096	0.101	0.100	0.102	0.112	0.119	0.103	11.29
28)	Methacrylonitrile			0.147	0.148	0.146	0.151	0.184	0.176	0.159	10.44
29)	Tetrahydrofuran				0.091	0.108	0.123	0.111	0.104	0.108	10.87
30)	Chloroform	0.351	0.370	0.366	0.414	0.396	0.400	0.459	0.394	0.394	8.49
31)	Cyclohexane	0.352	0.327	0.334	0.369	0.368	0.342	0.370	0.323	0.348	5.59
32)	1,1-Dichloro-1...	0.255	0.284	0.276	0.281	0.253	0.260	0.269	0.255	0.267	4.75
33)	1,2-Dichloroet...	0.208	0.249	0.214	0.277	0.261	0.283	0.323	0.293	0.263	14.80
34)	2-Butanone			0.151	0.166	0.170	0.150	0.160	0.164	0.160	5.00
35) s	1,2-Dichloroet...	0.207	0.221	0.218	0.221	0.207	0.230	0.219	0.229	0.219	3.84
36) I	Chlorobenzene-d5	-----ISTD-----									
37)	1,1,1-Trichlor...	0.540	0.560	0.474	0.516	0.531	0.515	0.553	0.502	0.524	5.40
38)	Carbon Tetrach...	0.438	0.427	0.424	0.386	0.415	0.395	0.410	0.398	0.412	4.30
39)	Benzene	1.352	1.385	1.517	1.488	1.530	1.467	1.521	1.369	1.454	5.06
40)	Isobutanol				0.002		0.002	0.003	0.003	0.002	37.56
41)	Heptane				0.497		0.518	0.665	0.636	0.579	14.48
42)	Trichloroethene	0.219	0.307	0.301	0.309	0.291	0.291	0.276	0.281	0.285	10.20
43)	Methyl Cyclohe...	0.671	0.564	0.602	0.578	0.572	0.501	0.495	0.470	0.557	11.85

Method Path : C:\msdchem\1\QTmethods\											
Method File : Voa123025-CH.M											
44)	1,2-Dichloropr...	0.495	0.388	0.366	0.393	0.398	0.387	0.365	0.338	0.391	11.84
45)	Vinyl Acetate			0.663	0.680	0.678	0.635	0.678	0.715	0.675	3.88
46)	Dibromomethane	0.221	0.215	0.258	0.235	0.233	0.248	0.231	0.252	0.237	6.39
47)	1,4-Dioxane			0.011	0.009	0.008	0.007	0.008	0.007	0.009	15.59
48)	Methyl Methacr...			0.409	0.395	0.401	0.389	0.439	0.430	0.411	4.86
49)	Bromodichlorom...	0.409	0.459	0.563	0.480	0.498	0.496	0.510	0.488	0.488	9.00
50)	Ceve			0.339	0.296	0.291	0.275	0.307	0.295	0.300	7.19
51)	cis-1,3-Dichlo...	0.622	0.475	0.525	0.544	0.552	0.550	0.556	0.549	0.547	7.40
52)	trans-1,3-Dich...	0.416	0.468	0.456	0.487	0.476	0.471	0.509	0.514	0.475	6.54
53)	1,1,2-Trichlor...	0.331	0.319	0.364	0.396	0.387	0.373	0.381	0.357	0.363	7.42
54)	1,3-Dichloropr...	0.588	0.545	0.657	0.611	0.645	0.608	0.589	0.568	0.601	6.21
55)	1,2-Dibromoethane	0.254	0.266	0.374	0.321	0.350	0.319	0.323	0.318	0.316	12.52
56)	Dibromochlorom...	0.335	0.288	0.360	0.304	0.329	0.339	0.369	0.378	0.338	9.23
57)	Bromoform	0.190	0.225	0.283	0.254	0.265	0.285	0.328	0.322	0.269	17.26
58)	4-Methyl-2-Pen...	0.352		0.587	0.475	0.498	0.493	0.519	0.502	0.489	14.35
59) s	Toluene-d8	1.508	1.522	1.539	1.535	1.539	1.536	1.478	1.437	1.512	2.44
60)	Toluene	0.817	0.939	1.022	0.964	0.960	0.924	1.027	0.929	0.948	6.95
61)	Ethyl Metacrylate	0.741		0.771	0.742	0.752	0.737	0.847	0.784	0.768	5.09
62)	Tetrachloroethene	0.281	0.302	0.288	0.272	0.264	0.244	0.272	0.271	0.274	6.19
63)	2-Hexanone			0.445	0.415	0.412	0.400	0.408	0.389	0.411	4.58
64) I	1,4-Dichlorobenzen...	-----ISTD-----									
65)	Chlorobenzene	1.366	1.297	1.624	1.482	1.449	1.139	1.252	1.139	1.343	12.70
66)	1,1,1,2-Tetrac...	0.050	0.404	0.372	0.432	0.418	0.326	0.365	0.346	0.339	36.05
67)	Ethylbenzene	0.858	0.877	0.936	0.881	0.848	0.650	0.733	0.650	0.804	13.80
68)	m,p-Xylene	1.882	2.152	2.189	2.212	2.147	1.781	2.027	1.906	2.037	7.99
69)	o-Xylene	1.246	0.963	1.073	1.068	1.044	0.845	0.990	0.935	1.021	11.65
70)	Styrene	1.451	1.663	1.766	1.812	1.748	1.532	1.706	1.700	1.672	7.32
71)	Isopropylbenzene	2.179	2.453	2.505	2.587	2.514	2.074	2.321	2.166	2.350	8.17
72)	Chloroprene	0.125		0.152	0.134	0.129	0.098	0.114	0.091	0.120	17.52
73)	trans-1,4-Dich...	0.472		0.343	0.346	0.314	0.259	0.283	0.238	0.322	24.09
74)	Bromobenzene	0.912	1.108	1.074	1.051	1.021	0.896	0.906	0.798	0.971	11.11
75)	1,2,3-Trichlor...	1.079	1.143	1.152	1.032	1.012	0.840	0.895	0.745	0.987	14.89
76)	2-Chlorotoluene	1.806	1.752	1.841	1.985	1.844	1.679	1.676	1.493	1.760	8.36
77)	4-Chlorotoluene	1.775	1.889	2.183	2.286	2.217	2.042	2.196	2.234	2.103	8.73
78)	1,3,5-Trimethy...	2.002	1.959	2.099	2.142	2.194	2.058	2.277	2.394	2.141	6.76
79)	tert-Butylbenzene	0.119	1.557	1.568	1.597	1.625	1.451	1.567	1.480	1.370	37.14
80)	1,2,4-Trimethy...	2.019	2.014	2.063	2.073	2.090	1.987	2.111	2.090	2.056	2.14
81) S	Bromofluoroben...	0.905	0.897	0.857	0.852	0.907	0.786	0.791	0.690	0.836	9.05
82)	1,1,2,2-Tetrac...	0.707	0.907	0.933	0.827	0.836	0.682	0.734	0.647	0.784	13.56
83)	n-Propylbenzene	2.644	3.186	3.387	3.204	3.203	2.782	2.874	2.547	2.978	10.30
84)	1,3-Dichlorobe...	1.041	1.052	1.195	1.072	1.123	1.079	1.093	1.097	1.094	4.42
85)	sec-Butylbenzene	2.261	2.279	2.567	2.513	2.507	2.323	2.406	2.334	2.399	4.89
86)	4-Isopropyltol...	1.922	1.840	2.018	2.075	2.058	1.914	2.108	2.124	2.007	5.16
87)	1,4-Dichlorobe...	1.233	1.150	1.305	1.247	1.205	1.144	1.183	1.180	1.206	4.47
88)	1,2-Dichlorobe...	1.202	1.225	1.181	1.124	1.202	1.127	1.249	1.340	1.206	5.76
89)	n-Butylbenzene	2.436	1.952	2.267	2.082	2.047	1.907	2.069	2.097	2.107	8.09
90)	1,2-Dibromo-3-...	0.088	0.160	0.166	0.140	0.144	0.121	0.137	0.128	0.136	18.05
91)	1,2,4-Trichlor...	0.679	0.465	0.614	0.591	0.609	0.532	0.632	0.598	0.590	11.01
92)	Hexachlorobuta...	0.304	0.206	0.227	0.180	0.164	0.145	0.154	0.144	0.190	28.66
93)	Naphthalene	1.178	1.109	1.081	1.100	1.186	0.991	1.319	1.157	1.140	8.40
94)	1,2,3-Trichlor...	0.490	0.486	0.480	0.468	0.464	0.410	0.505	0.449	0.469	6.31
95) s	1,2-Dichlorobe...	0.966	0.983	0.973	0.980	1.009	0.985	0.980	1.004	0.985	1.48

Method Path : C:\msdchem\1\QTmethods\
Method File : Voa123025-CH.M
(#) = Out of Range

Method Path : D:\MassHunter\GCMS\2\QtMethods\
 Method File : Full022625.M
 Title : Voa Calibration 524/8260 Water
 Last Update : Fri Mar 06 08:53:23 2026
 Response Via : Initial Calibration

Calibration Files

0.5 =g1049.D 1 =g1051.D 2.5 =g1052.D 5 =g1053.D 10 =g1054.D 25 =g1055.D 50 =g1057.D 100 =g1059.D 200 =g1062.D

Compound	0.5	1	2.5	5	10	25	50	100	200	Avg	%RSD

1) I Fluorobenzene	-----ISTD-----										
2) Dichlorodifluo...	0.163	0.197	0.276	0.249	0.277	0.307	0.282	0.272	0.249	0.252	17.91
3) Chloromethane	0.453	0.370	0.492	0.462	0.492	0.440	0.419	0.418	0.390	0.437	9.68
4) Vinyl Chloride	0.287	0.296	0.386	0.370	0.399	0.393	0.382	0.372	0.353	0.360	11.43
5) Bromomethane	0.376	0.294	0.341	0.302	0.309	0.263	0.234	0.230	0.203	0.284	19.81
6) Chloroethane	0.171	0.190	0.267	0.258	0.287	0.273	0.254	0.257	0.230	0.243	16.01
7) Acrolein				0.013	0.013	0.011	0.011	0.011	0.010	0.011	12.24
8) Trichlorofluor...	0.405	0.433	0.568	0.520	0.582	0.619	0.642	0.624	0.565	0.551	15.22
9) Ethanol	0.009	0.009		0.008	0.008	0.006	0.007	0.007	0.006	0.008	17.04
10) Freon113	0.376	0.248	0.416	0.371	0.376	0.393	0.371	0.378	0.350	0.364	12.91
11) 1,1-Dichloroet...	0.410	0.316	0.467	0.452	0.454	0.407	0.389	0.399	0.369	0.407	11.64
12) Allyl Chloride	1.466	1.382	1.664	1.541	1.437	1.200	1.182	1.213	1.099	1.354	14.06
13) Carbon Disulfide	1.066	0.750	1.163	1.281	1.261	0.947	1.071	0.938	1.017	1.055	15.91
14) Acetone		0.308	0.304	0.264	0.231	0.218	0.186	0.215	0.175	0.238	21.11
15) Iodomethane			0.541	0.497	0.605	0.583	0.600	0.661	0.597	0.583	8.90
16) Acetonitrile				0.059	0.053	0.043	0.042	0.042	0.038	0.046	17.40
17) Methyl Acetate	0.728	0.567	0.763	0.700	0.677	0.585	0.597	0.613	0.560	0.643	11.68
18) Methylene Chlo...	1.824	0.750	0.923	0.891	0.675	0.499	0.491	0.501	0.462	0.779	55.12
19) Acrylonitrile				0.221	0.225	0.204	0.202	0.208	0.193	0.209	5.82
20) trans-1,2-Dich...	0.410	0.308	0.526	0.528	0.530	0.437	0.446	0.441	0.424	0.450	15.91
21) Mtbe	2.052	1.333	1.770	1.655	1.653	1.410	1.401	1.471	1.350	1.566	15.22
22) 1,1-Dichloroet...	0.835	0.687	0.971	0.944	0.937	0.806	0.774	0.814	0.752	0.836	11.56
23) Hexane	0.725	0.464		0.633	0.635	0.529	0.528	0.556	0.509	0.572	14.88
24) cis-1,2-Dichlo...	0.602	0.488	0.802	0.795	0.817	0.702	0.694	0.726	0.672	0.700	15.09
25) 2,2-Dichloropr...	0.681	0.526	0.779	0.703	0.743	0.686	0.650	0.687	0.611	0.674	10.92
26) Propionitrile			0.087	0.085	0.089	0.076	0.077	0.081	0.072	0.081	7.60
27) Bromochloromet...			0.302	0.298	0.308	0.260	0.256	0.268	0.250	0.278	8.75
28) Methacrylonitrile				0.247	0.248	0.210	0.212	0.220	0.201	0.223	8.95
29) Tetrahydrofuran	0.222	0.162	0.248	0.210	0.210	0.178	0.167	0.170	0.145	0.190	17.70
30) Chloroform	0.981	0.700	1.005	0.940	0.935	0.798	0.768	0.803	0.723	0.850	13.57
31) Cyclohexane	0.587	0.403	0.703	0.643	0.667	0.695	0.648	0.665	0.611	0.625	14.53
32) 1,1-Dichloro-1...	0.446	0.361	0.590	0.595	0.618	0.564	0.557	0.567	0.528	0.536	15.29
33) 1,2-Dichloroet...	0.605	0.484	0.711	0.699	0.725	0.603	0.597	0.624	0.575	0.625	12.28
34) 2-Butanone		0.175	0.258	0.274	0.299	0.267	0.257	0.287	0.253	0.259	14.39
35) s 1,2-Dichloroet...	0.284	0.285	0.282	0.281	0.283	0.273	0.274	0.341	0.279	0.287	7.23
36) I Chlorobenzene-d5	-----ISTD-----										
37) 1,1,1-Trichlor...	0.694	0.533	0.810	0.749	0.772	0.681	0.634	0.663	0.588	0.681	13.01
38) Carbon Tetrach...	0.572	0.396	0.673	0.626	0.656	0.616	0.573	0.600	0.540	0.584	14.03
39) Benzene	1.930	1.481	2.171	2.058	2.100	1.741	1.666	1.742	1.545	1.826	13.64

Method Path : D:\MassHunter\GCMS\2\QtMethods\
 Method File : Full022625.M

40)	Isobutanol				0.028	0.030	0.025	0.025	0.026	0.024	0.027	8.05
41)	Heptane				0.074	0.079	0.083	0.076	0.073	0.069	0.076	6.55
42)	Trichloroethene	0.467	0.373	0.604	0.590	0.612	0.512	0.509	0.510	0.464	0.516	15.02
43)	Methyl Cyclohe...	0.713	0.459	0.704	0.650	0.679	0.709	0.668	0.674	0.641	0.655	11.86
44)	1,2-Dichloropr...	0.467	0.372	0.562	0.530	0.523	0.460	0.438	0.469	0.419	0.471	12.57
45)	Vinyl Acetate			0.411	0.367	0.451	0.414	0.387	0.514	0.499	0.435	12.80
46)	Dibromomethane	0.243	0.231	0.382	0.400	0.431	0.342	0.347	0.362	0.337	0.342	19.54
47)	1,4-Dioxane				0.007	0.007	0.006	0.006	0.006	0.005	0.006	11.08
48)	Methyl Methacr...			0.315	0.317	0.343	0.301	0.311	0.348	0.327	0.323	5.34
49)	Bromodichlorom...	0.578	0.459	0.676	0.670	0.711	0.593	0.581	0.616	0.558	0.605	12.48
50)	Ceve			0.199	0.226	0.265	0.240	0.255	0.277	0.264	0.247	10.94
51)	cis-1,3-Dichlo...	0.468	0.368	0.654	0.667	0.718	0.628	0.625	0.693	0.649	0.608	18.78
52)	trans-1,3-Dich...	0.315	0.701	0.573	0.565	0.620	0.534	0.557	0.604	0.585	0.562	18.55
53)	1,1,2-Trichlor...	0.411	0.367	0.531	0.514	0.526	0.434	0.414	0.435	0.394	0.447	13.60
54)	1,3-Dichloropr...	0.650	0.555	0.812	0.792	0.817	0.665	0.660	0.709	0.653	0.701	12.67
55)	1,2-Dibromoethane	0.330	0.280	0.432	0.412	0.424	0.361	0.346	0.378	0.356	0.369	13.27
56)	Dibromochlorom...	0.406	0.351	0.500	0.501	0.540	0.465	0.470	0.512	0.476	0.469	12.37
57)	Bromoform	0.288	0.230	0.353	0.343	0.374	0.329	0.330	0.368	0.348	0.329	13.64
58)	4-Methyl-2-Pen...	0.470	0.394	0.541	0.528	0.557	0.488	0.503	0.528	0.479	0.499	9.82
59) s	Toluene-d8	1.102	1.095	1.098	1.119	1.125	1.101	1.108	1.087	1.096	1.103	1.10
60)	Toluene	1.083	0.815	1.255	1.201	1.283	1.092	1.033	1.097	0.982	1.094	13.22
61)	Ethyl Metacrylate	0.339	0.372	0.504	0.513	0.572	0.497	0.521	0.611	0.594	0.502	18.53
62)	Tetrachloroethene	0.409	0.273	0.449	0.429	0.442	0.404	0.384	0.396	0.362	0.394	13.49
63)	2-Hexanone		0.213	0.326	0.320	0.345	0.326	0.331	0.370	0.335	0.321	14.43

64) I	1,4-Dichlorobenzen...	-----ISTD-----										
65)	Chlorobenzene	2.015	1.410	2.120	2.099	2.191	1.753	1.741	1.791	1.645	1.863	13.92
66)	1,1,1,2-Tetrac...	0.734	0.543	0.751	0.736	0.791	0.646	0.638	0.672	0.617	0.681	11.49
67)	Ethylbenzene	0.885	0.593	0.962	0.959	1.031	0.887	0.854	0.904	0.831	0.879	14.04
68)	m,p-Xylene	2.178	1.445	2.331	2.437	2.543	2.233	2.134	2.254	2.065	2.180	14.36
69)	o-Xylene	0.969	0.759	1.173	1.214	1.303	1.139	1.098	1.163	1.053	1.097	14.44
70)	Styrene	1.348	1.033	1.750	1.890	2.112	1.803	1.822	1.948	1.798	1.723	19.14
71)	Isopropylbenzene	2.560	1.697	2.848	2.876	3.016	2.774	2.642	2.721	2.489	2.625	14.64
72)	Chloroprene	0.061	0.064	0.090	0.094	0.105	0.086	0.084	0.093	0.090	0.085	16.47
73)	trans-1,4-Dich...	0.125	0.145	0.184	0.190	0.219	0.180	0.180	0.216	0.218	0.184	17.72
74)	Bromobenzene	1.279	0.875	1.242	1.250	1.325	1.072	1.055	1.111	1.027	1.137	12.89
75)	1,2,3-Trichlor...	1.485	0.940	1.115	1.040	1.082	0.895	0.859	0.911	0.869	1.022	19.33
76)	2-Chlorotoluene	2.155	1.489	2.347	2.261	2.368	2.023	1.925	2.004	1.834	2.045	13.66
77)	4-Chlorotoluene	2.423	1.495	2.605	2.497	2.658	2.258	2.208	2.294	2.135	2.286	15.14
78)	1,3,5-Trimethy...	2.172	1.397	2.405	2.518	2.624	2.393	2.324	2.410	2.218	2.274	15.69
79)	tert-Butylbenzene	1.900	1.293	2.096	2.127	2.187	2.035	1.996	2.025	1.886	1.949	13.60
80)	1,2,4-Trimethy...	1.992	1.316	2.334	2.468	2.604	2.317	2.268	2.360	2.167	2.203	17.01
81) S	Bromofluoroben...	0.784	0.792	0.782	0.798	0.804	0.792	0.793	0.791	0.791	0.792	0.84
82)	1,1,2,2-Tetrac...	0.963	0.775	1.035	0.980	1.030	0.845	0.832	0.878	0.831	0.908	10.57
83)	n-Propylbenzene	3.340	2.022	3.406	3.407	3.522	3.213	3.093	3.185	2.933	3.124	14.44
84)	1,3-Dichlorobe...	1.631	1.042	1.656	1.659	1.718	1.411	1.394	1.441	1.368	1.480	14.34
85)	sec-Butylbenzene	2.738	1.635	2.946	3.015	3.052	2.863	2.772	2.748	2.531	2.700	15.94
86)	4-Isopropyltol...	2.347	1.428	2.481	2.609	2.667	2.495	2.420	2.443	2.237	2.347	15.67
87)	1,4-Dichlorobe...	1.896	1.209	1.791	1.784	1.831	1.513	1.486	1.500	1.422	1.603	14.39
88)	1,2-Dichlorobe...	1.837	1.204	1.736	1.720	1.773	1.466	1.427	1.484	1.392	1.560	13.70

Method Path : D:\MassHunter\GCMS\2\QtMethods\

Method File : Full022625.M

89)	n-Butylbenzene	2.867	1.571	2.344	2.355	2.349	2.135	2.120	2.069	1.935	2.194	16.16
90)	1,2-Dibromo-3-...	0.190	0.163	0.209	0.193	0.210	0.178	0.179	0.196	0.187	0.189	7.87
91)	1,2,4-Trichlor...	1.190	0.677	1.024	1.036	1.071	0.942	0.968	1.014	0.934	0.984	14.11
92)	Hexachlorobuta...		0.361	0.543	0.525	0.516	0.481	0.469	0.448	0.399	0.468	13.54
93)	Naphthalene	2.220	1.415	2.141	2.175	2.405	2.271	2.337	2.463	2.279	2.190	14.08
94)	1,2,3-Trichlor...	1.077	0.625	0.960	0.947	0.985	0.896	0.888	0.910	0.829	0.902	13.88
95) s	1,2-Dichlorobe...	1.049	1.030	1.019	0.995	1.011	0.997	1.014	1.013	1.038	1.018	1.77

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-D
 Lab File ID: D0495

Case No.: 260220005

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 3/4/26 Time: 11:43
 Init. Calib. Date(s): 12/30/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.248	0.226	0.010	9.0
Bromomethane	0.663	0.619	0.100	6.6
Vinyl chloride	0.236	0.233	0.100	1.5
Chloroethane	0.240	0.251	0.010	4.4
Methylene chloride	0.256	0.235	0.010	8.1
Acetone	0.138	0.130	0.010	6.0
Carbon disulfide	0.440	0.284	0.010	35.4
1,1-Dichloroethene	0.162	0.145	0.100	10.8
1,1-Dichloroethane	0.332	0.329	0.200	0.9
trans-1,2-Dichloroethene	0.199	0.190	0.010	4.7
cis-1,2-Dichloroethene	0.308	0.266	0.010	13.7
Bromochloromethane	0.103	0.086	0.050	16.4
Chloroform	0.394	0.393	0.200	0.2
1,2-Dichloroethane	0.263	0.261	0.100	0.8
2-Butanone	0.160	0.131	0.010	18.3
1,1,1-Trichloroethane	0.524	0.467	0.100	10.9
Carbon tetrachloride	0.412	0.337	0.100	18.3
Bromodichloromethane	0.488	0.396	0.200	18.9
1,2-Dichloropropane	0.391	0.350	0.010	10.6
cis-1,3-Dichloropropene	0.547	0.495	0.200	9.4
Trichloroethene	0.285	0.296	0.300	4.0
Dibromochloromethane	0.338	0.271	0.100	19.8
1,1,2-Trichloroethane	0.363	0.367	0.100	1.0
Benzene	1.454	1.280	0.400	12.0
trans-1,3-Dichloropropene	0.475	0.445	0.100	6.4
Bromoform	0.269	0.221	0.050	18.0
4-Methyl-2-pentanone	0.489	0.421	0.010	13.9
2-Hexanone	0.411	0.333	0.010	19.1
Tetrachloroethene	0.274	0.297	0.100	8.4
1,1,2,2-Tetrachloroethane	0.784	0.819	0.300	4.5
Toluene	0.948	0.881	0.400	7.1
Chlorobenzene	1.343	1.401	0.500	4.3
Ethylbenzene	0.804	0.779	0.100	3.1
Styrene	1.672	1.611	0.300	3.6
m,p-Xylene	2.037	1.868	0.300	8.3
o-Xylene	1.021	0.955	0.300	6.5
Methyl tert-butyl ether	0.670	0.574	0.010	14.3
Dichlorodifluoromethane	0.143	0.101	0.010	29.7
Methyl Acetate	0.283	0.237	0.010	16.4
1,1,2-Trichloro-1,2,2-trifluoroethane	0.163	0.152	0.010	6.7
Trichlorofluoromethane	0.618	0.809	0.010	31.0
Cyclohexane	0.348	0.326	0.010	6.4
Methyl Cyclohexane	0.557	0.523	0.010	6.1
1,2-Dibromoethane	0.316	0.343	0.010	8.6
1,3-Dichlorobenzene	1.094	1.232	0.600	12.6
Isopropylbenzene	2.350	2.284	0.010	2.8
1,2-Dichlorobenzene	1.206	1.339	0.400	11.1
1,4-Dichlorobenzene	1.206	1.284	0.500	6.4
1,2-Dibromo-3-chloropropane	0.136	0.122	0.010	10.3
1,2,4-Trichlorobenzene	0.590	0.662	0.200	12.2
1,4-Dioxane	0.009	0.007	0.010	21.8
1,2,3-Trichlorobenzene	0.469	0.475	0.200	1.3

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-D
 Lab File ID: D0529

Case No.: 260220005

Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 3/5/26 Time: 10:19
 Init. Calib. Date(s): 12/30/25

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.248	0.227	0.010	8.6
Bromomethane	0.663	0.619	0.100	6.7
Vinyl chloride	0.236	0.240	0.100	1.6
Chloroethane	0.240	0.255	0.010	6.3
Methylene chloride	0.256	0.206	0.010	19.6
Acetone	0.138	0.112	0.010	18.8
Carbon disulfide	0.440	0.303	0.010	31.2
1,1-Dichloroethene	0.162	0.150	0.100	7.7
1,1-Dichloroethane	0.332	0.299	0.200	9.9
trans-1,2-Dichloroethene	0.199	0.169	0.010	15.3
cis-1,2-Dichloroethene	0.308	0.256	0.010	16.7
Bromochloromethane	0.103	0.096	0.050	7.2
Chloroform	0.394	0.368	0.200	6.7
1,2-Dichloroethane	0.263	0.242	0.100	7.9
2-Butanone	0.160	0.140	0.010	12.4
1,1,1-Trichloroethane	0.524	0.424	0.100	19.1
Carbon tetrachloride	0.412	0.292	0.100	29.1
Bromodichloromethane	0.488	0.391	0.200	19.8
1,2-Dichloropropane	0.391	0.319	0.010	18.4
cis-1,3-Dichloropropene	0.547	0.463	0.200	15.3
Trichloroethene	0.285	0.266	0.300	6.7
Dibromochloromethane	0.338	0.273	0.100	19.4
1,1,2-Trichloroethane	0.363	0.355	0.100	2.3
Benzene	1.454	1.176	0.400	19.1
trans-1,3-Dichloropropene	0.475	0.409	0.100	13.8
Bromoform	0.269	0.199	0.050	26.2
4-Methyl-2-pentanone	0.489	0.400	0.010	18.2
2-Hexanone	0.411	0.331	0.010	19.6
Tetrachloroethene	0.274	0.248	0.100	9.5
1,1,2,2-Tetrachloroethane	0.784	0.770	0.300	1.8
Toluene	0.948	0.766	0.400	19.2
Chlorobenzene	1.343	1.231	0.500	8.4
Ethylbenzene	0.804	0.689	0.100	14.3
Styrene	1.672	1.456	0.300	12.9
m,p-Xylene	2.037	1.741	0.300	14.5
o-Xylene	1.021	0.844	0.300	17.3
Methyl tert-butyl ether	0.670	0.548	0.010	18.2
Dichlorodifluoromethane	0.143	0.098	0.010	31.8
Methyl Acetate	0.283	0.246	0.010	13.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.163	0.139	0.010	14.4
Trichlorofluoromethane	0.618	0.876	0.010	41.8
Cyclohexane	0.348	0.305	0.010	12.3
Methyl Cyclohexane	0.557	0.470	0.010	15.6
1,2-Dibromoethane	0.316	0.311	0.010	1.5
1,3-Dichlorobenzene	1.094	1.110	0.600	1.5
Isopropylbenzene	2.350	2.063	0.010	12.2
1,2-Dichlorobenzene	1.206	1.232	0.400	2.1
1,4-Dichlorobenzene	1.206	1.194	0.500	1.0
1,2-Dibromo-3-chloropropane	0.136	0.093	0.010	31.3
1,2,4-Trichlorobenzene	0.590	0.580	0.200	1.7
1,4-Dioxane	0.009	0.000	0.010	95.9
1,2,3-Trichlorobenzene	0.469	0.401	0.200	14.6

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: AES,INC.
 Lab Code: AES
 Instrument ID: MSVOA-G
 Lab File ID: G1114

Case No.: 260220005



Contract:
 SAS No.: SDG No.: MW01-8B
 Calibration Date: 3/2/26 Time: 15:34
 Init. Calib. Date(s): 2/26/26

COMPOUND	RRF	RRF25	MIN RRF	%D
Chloromethane	0.437	0.392	0.010	10.2
Bromomethane	0.284	0.360	0.100	26.6
Vinyl chloride	0.360	0.379	0.100	5.4
Chloroethane	0.243	0.265	0.010	9.2
Methylene chloride	0.779	0.581	0.010	25.4
Acetone	0.238	0.228	0.010	4.2
Carbon disulfide	1.055	1.269	0.010	20.3
1,1-Dichloroethene	0.407	0.456	0.100	12.1
1,1-Dichloroethane	0.836	0.907	0.200	8.5
trans-1,2-Dichloroethene	0.450	0.515	0.010	14.5
cis-1,2-Dichloroethene	0.700	0.805	0.010	15.1
Bromochloromethane	0.278	0.291	0.050	4.5
Chloroform	0.850	0.901	0.200	6.0
1,2-Dichloroethane	0.625	0.683	0.100	9.3
2-Butanone	0.259	0.261	0.010	0.6
1,1,1-Trichloroethane	0.681	0.701	0.100	2.9
Carbon tetrachloride	0.584	0.634	0.100	8.6
Bromodichloromethane	0.605	0.618	0.200	2.2
1,2-Dichloropropane	0.471	0.479	0.010	1.6
cis-1,3-Dichloropropene	0.608	0.650	0.200	6.9
Trichloroethene	0.516	0.537	0.300	4.1
Dibromochloromethane	0.469	0.482	0.100	2.8
1,1,2-Trichloroethane	0.447	0.441	0.100	1.3
Benzene	1.826	1.833	0.400	0.4
trans-1,3-Dichloropropene	0.562	0.575	0.100	2.3
Bromoform	0.329	0.330	0.050	0.3
4-Methyl-2-pentanone	0.499	0.467	0.010	6.3
2-Hexanone	0.321	0.312	0.010	2.7
Tetrachloroethene	0.394	0.415	0.100	5.4
1,1,2,2-Tetrachloroethane	0.908	0.857	0.300	5.6
Toluene	1.094	1.118	0.400	2.2
Chlorobenzene	1.863	1.830	0.500	1.8
Ethylbenzene	0.879	0.934	0.100	6.2
Styrene	1.723	1.908	0.300	10.7
m,p-Xylene	2.180	2.319	0.300	6.4
o-Xylene	1.097	1.156	0.300	5.3
Methyl tert-butyl ether	1.566	1.517	0.010	3.1
Dichlorodifluoromethane	0.252	0.244	0.010	3.3
Methyl Acetate	0.643	0.603	0.010	6.2
1,1,2-Trichloro-1,2,2-trifluoroethane	0.364	0.434	0.010	19.1
Trichlorofluoromethane	0.551	0.610	0.010	10.7
Cyclohexane	0.625	0.767	0.010	22.7
Methyl Cyclohexane	0.655	0.736	0.010	12.4
1,2-Dibromoethane	0.369	0.365	0.010	1.0
1,3-Dichlorobenzene	1.480	1.488	0.600	0.6
Isopropylbenzene	2.625	2.830	0.010	7.8
1,2-Dichlorobenzene	1.560	1.515	0.400	2.9
1,4-Dichlorobenzene	1.603	1.605	0.500	0.1
1,2-Dibromo-3-chloropropane	0.189	0.169	0.010	10.8
1,2,4-Trichlorobenzene	0.984	0.940	0.200	4.5
1,4-Dioxane	0.006	0.005	0.010	13.8
1,2,3-Trichlorobenzene	0.902	0.845	0.200	6.4

Data Path : D:\MassHunter\GCMS\2\data\022626\
Data File : g1040.D
Acq On : 26 Feb 2026 09:47 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full030526.M
Title : Voa Calibration 524/8260 Water
Last Update : Mon Mar 09 11:36:17 2026



AutoFind: Scans 1884, 1885, 1886; Background Corrected with Scan 1876

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	16.4	6323	PASS
75	95	30	60	46.7	17941	PASS
95	95	100	100	100.0	38453	PASS
96	95	5	9	6.9	2657	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	92.3	35475	PASS
175	174	5	9	7.7	2744	PASS
176	174	95	101	96.7	34288	PASS
177	176	5	9	6.7	2305	PASS

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1049.D
 Acq On : 26 Feb 2026 01:00 pm
 Operator :
 Sample : std000.5
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 26 14:17:47 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 11:02:35 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	131501	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	133517	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	88204	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	37349	54.57	ug	0.00
59) Toluene-d8	7.908	98	147157	48.50	ug	0.00
81) Bromofluorobenzene	10.908	95	69108	49.99	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	92545	51.96	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	215	0.20	ug	# 81
3) Chloromethane	1.384	50	596	0.45	ug	# 84
4) Vinyl Chloride	1.475	62	377	0.33	ug	77
5) Bromomethane	1.726	94	495	0.80	ug	83
6) Chloroethane	1.812	64	225	0.32	ug	88
8) Trichlorofluoromethane	2.028	101	532	0.34	ug	100
10) Freon113	2.503	101	494	0.61	ug	93
11) 1,1-Dichloroethene	2.492	96	539	0.61	ug	# 86
13) Carbon Disulfide	2.702	76	1402	0.62	ug	100
14) Acetone	2.576	43	3490	4.37	ug	96
15) Iodomethane	2.639	142	655	0.42	ug	# 84
16) Acetonitrile	2.859	40	939	8.09	ug	# 68
17) Methyl Acetate	2.922	43	957	0.65	ug	# 87
18) Methylene Chloride	3.006	84	2399	Below Cal		88
20) trans-1,2-Dichloroethene	3.321	96	539	0.52	ug	# 84
21) Mtbe	3.347	73	5397	1.39	ug	97
22) 1,1-Dichloroethane	3.808	63	1098	0.58	ug	91
23) Hexane	3.342	43	953	0.68	ug	# 83
24) cis-1,2-Dichloroethene	4.511	61	792	0.49	ug	82
25) 2,2-Dichloropropane	4.490	77	895	0.58	ug	92
27) Bromochloromethane	4.794	128	235	0.38	ug	91
28) Methacrylonitrile	4.815	67	2059	3.79	ug	# 76
29) Tetrahydrofuran	4.888	42	292	0.66	ug	# 36
30) Chloroform	4.899	83	1290	0.63	ug	98
31) Cyclohexane	5.145	84	772	0.48	ug	# 67
32) 1,1-Dichloro-1-propene	5.303	75	587	0.46	ug	82
33) 1,2-Dichloroethane	5.591	62	796	0.56	ug	73
34) 2-Butanone	4.595	43	129m	0.22	ug	
37) 1,1,1-Trichloroethane	5.093	97	927	0.53	ug	96
38) Carbon Tetrachloride	5.292	117	764	0.49	ug	100
39) Benzene	5.544	78	2577	0.54	ug	100
42) Trichloroethene	6.362	130	624	0.44	ug	89
43) Methyl Cyclohexane	6.577	83	952	0.50	ug	95
44) 1,2-Dichloropropane	6.640	63	623	0.50	ug	98
45) Vinyl Acetate	3.939	43	301	0.40	ug	# 69
46) Dibromomethane	6.802	174	324	0.35	ug	88
47) 1,4-Dioxane	6.860	88	70	3.70	ug	# 1
48) Methyl Methacrylate	6.855	69	202	0.23	ug	# 34
49) Bromodichloromethane	7.001	83	772	0.49	ug	# 43
51) cis-1,3-Dichloropropene	7.594	75	625	0.38	ug	79
52) trans-1,3-Dichloropropene	8.338	75	421	0.29	ug	66

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1049.D
 Acq On : 26 Feb 2026 01:00 pm
 Operator :
 Sample : std000.5
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Feb 26 14:17:47 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 11:02:35 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
53) 1,1,2-Trichloroethane	8.553	97	549	0.45	ug	94
54) 1,3-Dichloropropane	8.768	76	868	0.46	ug	96
55) 1,2-Dibromoethane	9.188	107	441	0.46	ug	97
56) Dibromochloromethane	9.057	129	542	0.43	ug	98
57) Bromoform	10.603	173	385	0.44	ug	95
58) 4-Methyl-2-Pentanone	7.819	43	627	0.47	ug	88
60) Toluene	7.998	92	1446	0.48	ug	95
61) Ethyl Metacrylate	8.485	69	452	0.33	ug	# 18
62) Tetrachloroethene	8.705	164	546	0.50	ug	99
63) 2-Hexanone	8.947	43	261m	0.33	ug	
65) Chlorobenzene	9.770	112	1777	0.51	ug	96
66) 1,1,1,2-Tetrachloroethane	9.869	133	647	0.50	ug	# 1
67) Ethylbenzene	9.906	106	781	0.47	ug	97
68) m,p-Xylene	10.032	91	3843	0.95	ug	100
69) o-Xylene	10.425	106	855	0.41	ug	# 79
70) Styrene	10.446	104	1189	0.37	ug	# 74
71) Isopropylbenzene	10.776	105	2258	0.44	ug	95
72) Chloroprene	10.850	53	108m	0.74	ug	
73) trans-1,4-Dichloro-2-b...	10.881	88	110m	0.35	ug	
74) Bromobenzene	11.028	77	1128	0.54	ug	97
75) 1,2,3-Trichloropropane	11.081	75	1310	0.74	ug	# 68
76) 2-Chlorotoluene	11.201	91	1901	0.50	ug	94
77) 4-Chlorotoluene	11.296	91	2137	0.50	ug	96
78) 1,3,5-Trimethylbenzene	11.290	105	1916	0.44	ug	99
79) tert-Butylbenzene	11.552	119	1676	0.43	ug	97
80) 1,2,4-Trimethylbenzene	11.594	105	1757	0.42	ug	99
82) 1,1,2,2-Tetrachloroethane	11.054	83	849	0.52	ug	# 91
83) n-Propylbenzene	11.138	91	2946	0.51	ug	98
84) 1,3-Dichlorobenzene	11.809	146	1439	0.51	ug	89
85) sec-Butylbenzene	11.725	105	2415	0.45	ug	# 91
86) 4-Isopropyltoluene	11.846	119	2070	0.45	ug	# 92
87) 1,4-Dichlorobenzene	11.877	146	1672	0.56	ug	# 1
88) 1,2-Dichlorobenzene	12.161	146	1620	0.54	ug	# 1
89) n-Butylbenzene	12.155	91	2529	0.61	ug	100
90) 1,2-Dibromo-3-Chloropr	12.727	157	168	0.46	ug	# 84
91) 1,2,4-Trichlorobenzene	13.298	180	1050	0.52	ug	95
92) Hexachlorobutadiene	13.408	225	676	0.68	ug	# 86
93) Naphthalene	13.466	128	1958	0.41	ug	# 93
94) 1,2,3-Trichlorobenzene	13.623	180	950	0.51	ug	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g1049.D\data.ms

Time-->

Chlorodifluoromethane
Vinyl Chloride
Chloroethane
Trichlorofluoromethane
1,1,1-Trichloroethane
Chloroethene
Ethyl Chloride
Methyl Acetate
trans-1,2-Dichloroethene
1,1-Dichloroethane
Vinyl Acetate
2,2-Dibromochloroethane
2-Butanone
Bromochloromethane
Bromochloroethane
1,1,1-Trichloroethane
1,1,2-Trichloroethane
1,1,2,2-Tetrachloroethane
1,2-Dichloroethane-d4,s
1,2-Dichloroethane
Fluorobenzene,l
Trichloroethene
1,2-Dichlorobenzene
1,2,3-Trichlorobenzene
Bromodichloromethane
cis-1,3-Dichloropropene
4-Methyl-2-Pentanone
Toluene
Toluene-d8,s
trans-1,3-Dichloropropene
1,2,3-Trichlorobenzene
1,2,4-Trichlorobenzene
1,2,5-Trichlorobenzene
2-Hexanone
Dibromochloromethane
1,2-Dibromoethane
Chlorobenzene
Ethylbenzene
Chloroethane
m,p-Xylene
Styrene
Bromoforn
Chlorobenzene
Chlorobenzene-d5,l
Bromofluorobenzene,S
Isopropylbenzene
1,3-Dichlorobenzene
1,4-Dichlorobenzene
1,2-Dichlorobenzene
1,2-Dichlorobenzene-d4,l
1,2-Dichlorobenzene-d4,s
n-Butylbenzene
1,2-Dibromo-3-Chloropr
1,2,4-Trichlorobenzene
1,2,4,5-Tetrachlorobenzene
1,2,3-Trichlorobenzene

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1051.D
 Acq On : 26 Feb 2026 01:44 pm
 Operator :
 Sample : std001
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 26 16:30:42 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:29:20 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.901	96	127665	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	132933	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	87455	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	36362	50.79	ug	0.00
59) Toluene-d8	7.909	98	145537	49.46	ug	0.00
81) Bromofluorobenzene	10.908	95	69246	49.98	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	90041	50.65	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	503	0.79	ug	# 81
3) Chloromethane	1.389	50	945	0.83	ug	92
4) Vinyl Chloride	1.475	62	757	0.83	ug	85
5) Bromomethane	1.721	94	751	0.97	ug	# 79
6) Chloroethane	1.812	64	484	0.78	ug	94
8) Trichlorofluoromethane	2.023	101	1105	0.80	ug	92
9) Ethanol	2.225	45	467	23.75	ug	94
10) Freon113	2.498	101	634	0.68	ug	98
11) 1,1-Dichloroethene	2.493	96	807	0.76	ug	# 86
12) Allyl Chloride	2.865	41	3528	0.98	ug	90
13) Carbon Disulfide	2.702	76	1916	0.70	ug	100
14) Acetone	2.576	43	786	1.22	ug	88
15) Iodomethane	2.639	142	896	0.67	ug	100
16) Acetonitrile	2.860	40	1716	12.71	ug	# 68
17) Methyl Acetate	2.923	43	1447	0.86	ug	96
18) Methylene Chloride	3.006	84	1914m	Below Cal		
19) Acrylonitrile	3.326	53	297	0.66	ug	# 1
20) trans-1,2-Dichloroethene	3.321	96	786	0.68	ug	# 80
21) Mtbe	3.342	73	6806	1.65	ug	97
22) 1,1-Dichloroethane	3.809	63	1754	0.81	ug	96
23) Hexane	3.342	43	1184	0.78	ug	# 85
24) cis-1,2-Dichloroethene	4.511	61	1246	0.70	ug	84
25) 2,2-Dichloropropane	4.490	77	1343	0.77	ug	100
26) Propionitrile	4.663	54	1469	7.32	ug	# 1
27) Bromochloromethane	4.794	128	374	0.59	ug	82
28) Methacrylonitrile	4.810	67	4812	8.79	ug	85
29) Tetrahydrofuran	4.883	42	413	0.77	ug	# 73
30) Chloroform	4.899	83	1788	0.80	ug	96
31) Cyclohexane	5.146	84	1030	0.65	ug	# 70
32) 1,1-Dichloro-1-propene	5.303	75	923	0.68	ug	84
33) 1,2-Dichloroethane	5.591	62	1235	0.77	ug	93
34) 2-Butanone	4.595	43	448	0.69	ug	62
37) 1,1,1-Trichloroethane	5.093	97	1418	0.77	ug	99
38) Carbon Tetrachloride	5.287	117	1054	0.67	ug	97
39) Benzene	5.549	78	3938	0.79	ug	100
41) Heptane	5.565	43	1072	5.17	ug	# 1
42) Trichloroethene	6.357	130	992	0.71	ug	97
43) Methyl Cyclohexane	6.577	83	1221	0.70	ug	96
44) 1,2-Dichloropropane	6.640	63	990	0.78	ug	98
45) Vinyl Acetate	3.919	43	592	0.59	ug	# 69
46) Dibromomethane	6.802	174	613	0.68	ug	100

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1051.D
 Acq On : 26 Feb 2026 01:44 pm
 Operator :
 Sample : std001
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Feb 26 16:30:42 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:29:20 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) 1,4-Dioxane	6.865	88	248	15.05	ug	# 1
48) Methyl Methacrylate	6.850	69	533	0.72	ug	# 57
49) Bromodichloromethane	7.002	83	1220	0.75	ug	# 46
50) Ceve	7.458	63	217	0.34	ug	# 42
51) cis-1,3-Dichloropropene	7.589	75	979	0.58	ug	92
52) trans-1,3-Dichloropropene	7.589	75	1864m	1.40	ug	
53) 1,1,2-Trichloroethane	8.554	97	977	0.80	ug	99
54) 1,3-Dichloropropane	8.769	76	1476	0.78	ug	96
55) 1,2-Dibromoethane	9.188	107	744	0.76	ug	98
56) Dibromochloromethane	9.057	129	932	0.76	ug	99
57) Bromoform	10.604	173	612	0.72	ug	94
58) 4-Methyl-2-Pentanone	7.820	43	1048	0.79	ug	94
60) Toluene	7.998	92	2167	0.74	ug	99
61) Ethyl Metacrylate	8.485	69	989	0.79	ug	# 79
62) Tetrachloroethene	8.706	164	725	0.68	ug	96
63) 2-Hexanone	8.947	43	566	0.72	ug	# 91
65) Chlorobenzene	9.770	112	2466	0.74	ug	99
66) 1,1,1,2-Tetrachloroethane	9.870	133	950	0.79	ug	# 57
67) Ethylbenzene	9.906	106	1038	0.67	ug	93
68) m,p-Xylene	10.032	91	5056	1.32	ug	100
69) o-Xylene	10.425	106	1327	0.69	ug	91
70) Styrene	10.441	104	1806	0.61	ug	76
71) Isopropylbenzene	10.777	105	2968	0.65	ug	98
72) Chloroprene	10.850	53	225	1.54	ug	84
73) trans-1,4-Dichloro-2-b...	10.850	88	253m	0.84	ug	
74) Bromobenzene	11.028	77	1530	0.76	ug	89
75) 1,2,3-Trichloropropane	11.081	75	1645	0.89	ug	# 81
76) 2-Chlorotoluene	11.201	91	2605	0.72	ug	93
77) 4-Chlorotoluene	11.296	91	2615	0.65	ug	99
78) 1,3,5-Trimethylbenzene	11.291	105	2443	0.62	ug	90
79) tert-Butylbenzene	11.553	119	2261	0.66	ug	97
80) 1,2,4-Trimethylbenzene	11.595	105	2301	0.60	ug	98
82) 1,1,2,2-Tetrachloroethane	11.055	83	1355	0.84	ug	93
83) n-Propylbenzene	11.138	91	3536	0.64	ug	100
84) 1,3-Dichlorobenzene	11.810	146	1823	0.69	ug	# 88
85) sec-Butylbenzene	11.731	105	2860	0.60	ug	96
86) 4-Isopropyltoluene	11.846	119	2497	0.61	ug	# 94
87) 1,4-Dichlorobenzene	11.878	146	2115	0.74	ug	# 1
88) 1,2-Dichlorobenzene	12.161	146	2106	0.76	ug	# 1
89) n-Butylbenzene	12.156	91	2747	0.70	ug	97
90) 1,2-Dibromo-3-Chloropr	12.727	157	285	0.86	ug	# 70
91) 1,2,4-Trichlorobenzene	13.299	180	1184	0.69	ug	94
92) Hexachlorobutadiene	13.409	225	631	0.69	ug	# 92
93) Naphthalene	13.466	128	2475	0.66	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	1093	0.69	ug	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

[illegible]

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1052.D
 Acq On : 26 Feb 2026 02:07 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 26 14:26:52 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:25:28 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	122592	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	125715	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	84773	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	34558	54.16	ug	0.00
59) Toluene-d8	7.909	98	138023	48.32	ug	0.00
81) Bromofluorobenzene	10.908	95	66316	49.91	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	86422	50.49	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	1692	1.68	ug	99
3) Chloromethane	1.389	50	3016	2.43	ug	93
4) Vinyl Chloride	1.470	62	2368	2.23	ug	88
5) Bromomethane	1.726	94	2090	3.61	ug	83
6) Chloroethane	1.812	64	1635	2.48	ug	88
7) Acrolein	2.419	56	284	10.85	ug	92
8) Trichlorofluoromethane	2.023	101	3479	2.38	ug	94
9) Ethanol	2.220	45	1248	70.60	ug	96
10) Freon113	2.498	101	2548	3.38	ug	99
11) 1,1-Dichloroethene	2.492	96	2863	3.50	ug	# 90
12) Allyl Chloride	2.865	41	10560m	3.30	ug	
13) Carbon Disulfide	2.702	76	7126	3.39	ug	100
14) Acetone	2.571	43	1866	2.51	ug	97
15) Iodomethane	2.639	142	3318	2.26	ug	98
16) Acetonitrile	2.859	40	4058	37.49	ug	93
17) Methyl Acetate	2.922	43	4677	3.39	ug	97
18) Methylene Chloride	3.006	84	5655	1.78	ug	# 80
19) Acrylonitrile	3.913	53	5514m	11.15	ug	
20) trans-1,2-Dichloroethene	3.321	96	3224	3.34	ug	89
21) Mtbe	3.342	73	21700	6.01	ug	98
22) 1,1-Dichloroethane	3.808	63	5954	3.39	ug	100
24) cis-1,2-Dichloroethene	4.506	61	4919	3.27	ug	85
25) 2,2-Dichloropropane	4.490	77	4772	3.33	ug	98
26) Propionitrile	4.642	54	5322	28.48	ug	# 82
27) Bromochloromethane	4.789	128	1854	3.23	ug	79
28) Methacrylonitrile	4.805	67	14674	28.97	ug	83
29) Tetrahydrofuran	4.878	42	1520m	3.71	ug	
30) Chloroform	4.899	83	6159	3.22	ug	99
31) Cyclohexane	5.145	84	4309	2.85	ug	# 79
32) 1,1-Dichloro-1-propene	5.303	75	3617	3.06	ug	84
33) 1,2-Dichloroethane	5.586	62	4361	3.27	ug	98
34) 2-Butanone	4.584	43	1580	2.86	ug	80
37) 1,1,1-Trichloroethane	5.093	97	5092	3.07	ug	100
38) Carbon Tetrachloride	5.287	117	4232	2.89	ug	98
39) Benzene	5.549	78	13644	3.05	ug	100
40) Isobutanol	5.145	43	532	8.05	ug	# 100
41) Heptane	5.145	43	532	2.92	ug	# 1
42) Trichloroethene	6.362	130	3796	2.81	ug	99
43) Methyl Cyclohexane	6.577	83	4426	2.47	ug	97
44) 1,2-Dichloropropane	6.635	63	3530	3.02	ug	99
45) Vinyl Acetate	3.913	43	2581	3.63	ug	81

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1052.D
 Acq On : 26 Feb 2026 02:07 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1


Quant Time: Feb 26 14:26:52 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:25:28 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.797	174	2403	2.74	ug	98
47) 1,4-Dioxane	6.860	88	894	50.14	ug	# 1
48) Methyl Methacrylate	6.849	69	1982	2.42	ug	# 76
49) Bromodichloromethane	7.002	83	4249	2.87	ug	# 37
50) Ceve	7.442	63	1251	1.96	ug	# 85
51) cis-1,3-Dichloropropene	7.589	75	4108	2.63	ug	97
52) trans-1,3-Dichloropropene	8.333	75	3600	2.66	ug	98
53) 1,1,2-Trichloroethane	8.553	97	3337	2.91	ug	94
54) 1,3-Dichloropropane	8.768	76	5103	2.85	ug	98
55) 1,2-Dibromoethane	9.188	107	2714	3.00	ug	97
56) Dibromochloromethane	9.052	129	3143	2.67	ug	94
57) Bromoform	10.604	173	2220	2.67	ug	99
58) 4-Methyl-2-Pentanone	7.819	43	3399	2.73	ug	93
60) Toluene	7.998	92	7890	2.80	ug	99
61) Ethyl Metacrylate	8.485	69	3169	2.48	ug	# 83
62) Tetrachloroethene	8.706	164	2820	2.74	ug	99
63) 2-Hexanone	8.936	43	2052	2.78	ug	95
65) Chlorobenzene	9.770	112	8987	2.68	ug	98
66) 1,1,1,2-Tetrachloroethane	9.870	133	3185	2.58	ug	# 81
67) Ethylbenzene	9.906	106	4076	2.57	ug	99
68) m,p-Xylene	10.032	91	19764	5.06	ug	100
69) o-Xylene	10.425	106	4971	2.46	ug	90
70) Styrene	10.441	104	7417	2.38	ug	76
71) Isopropylbenzene	10.777	105	12072	2.46	ug	98
72) Chloroprene	10.850	53	765	5.44	ug	88
73) trans-1,4-Dichloro-2-b...	10.850	88	779	2.55	ug	# 26
74) Bromobenzene	11.028	77	5264	2.63	ug	85
75) 1,2,3-Trichloropropane	11.081	75	4726	2.76	ug	# 87
76) 2-Chlorotoluene	11.201	91	9950	2.70	ug	94
77) 4-Chlorotoluene	11.296	91	11040	2.68	ug	99
78) 1,3,5-Trimethylbenzene	11.290	105	10195	2.44	ug	94
79) tert-Butylbenzene	11.553	119	8883	2.38	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	9894	2.44	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	4387	2.81	ug	96
83) n-Propylbenzene	11.138	91	14436	2.58	ug	99
84) 1,3-Dichlorobenzene	11.809	146	7019	2.59	ug	# 89
85) sec-Butylbenzene	11.726	105	12489	2.44	ug	95
86) 4-Isopropyltoluene	11.846	119	10516	2.37	ug	97
87) 1,4-Dichlorobenzene	11.878	146	7592	2.63	ug	95
88) 1,2-Dichlorobenzene	12.161	146	7358	2.56	ug	# 6
89) n-Butylbenzene	12.156	91	9935	2.50	ug	98
90) 1,2-Dibromo-3-Chloropr	12.727	157	884	2.51	ug	# 80
91) 1,2,4-Trichlorobenzene	13.299	180	4342	2.23	ug	98
92) Hexachlorobutadiene	13.409	225	2303	2.41	ug	94
93) Naphthalene	13.466	128	9077	1.97	ug	97
94) 1,2,3-Trichlorobenzene	13.624	180	4069	2.25	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\022626\
Data File : g1052.D
Acq On : 26 Feb 2026 02:07 pm
Operator :
Sample : std002.5
Misc : ical
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 26 14:26:52 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Feb 26 14:25:28 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1053.D
 Acq On : 26 Feb 2026 02:27 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 26 14:50:36 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:25:28 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	132387	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	134949	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	88824	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	37261	54.07	ug	0.00
59) Toluene-d8	7.909	98	151021	49.25	ug	0.00
81) Bromofluorobenzene	10.908	95	70900	50.93	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	88344	49.26	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	3298	3.03	ug	96
3) Chloromethane	1.389	50	6110	4.57	ug	93
4) Vinyl Chloride	1.475	62	4894	4.26	ug	91
5) Bromomethane	1.726	94	3992	6.38	ug	84
6) Chloroethane	1.812	64	3419	4.81	ug	94
7) Acrolein	2.419	56	711	25.14	ug	99
8) Trichlorofluoromethane	2.028	101	6886	4.37	ug	96
9) Ethanol	2.220	45	2227	116.67	ug	99
10) Freon113	2.503	101	4905	6.03	ug	99
11) 1,1-Dichloroethene	2.498	96	5982	6.76	ug	# 86
12) Allyl Chloride	2.865	41	20403	5.91	ug	96
13) Carbon Disulfide	2.702	76	16962	7.48	ug	100
14) Acetone	2.576	43	3489	4.34	ug	95
15) Iodomethane	2.639	142	6578	4.15	ug	99
16) Acetonitrile	2.860	40	7822	66.92	ug	99
17) Methyl Acetate	2.923	43	9268	6.21	ug	97
18) Methylene Chloride	3.012	84	11793	7.67	ug	84
19) Acrylonitrile	3.919	53	11719m	21.95	ug	
20) trans-1,2-Dichloroethene	3.321	96	6988	6.71	ug	91
21) Mtbe	3.342	73	43827	11.23	ug	99
22) 1,1-Dichloroethane	3.814	63	12502	6.59	ug	100
23) Hexane	3.342	43	8385	5.93	ug	# 82
24) cis-1,2-Dichloroethene	4.506	61	10524	6.47	ug	85
25) 2,2-Dichloropropane	4.495	77	9307	6.02	ug	93
26) Propionitrile	4.637	54	11302	56.00	ug	# 89
27) Bromochloromethane	4.794	128	3945	6.36	ug	82
28) Methacrylonitrile	4.805	67	32728	59.83	ug	88
29) Tetrahydrofuran	4.878	42	2777	6.28	ug	90
30) Chloroform	4.899	83	12443	6.02	ug	99
31) Cyclohexane	5.146	84	8507	5.20	ug	# 84
32) 1,1-Dichloro-1-propene	5.303	75	7875	6.17	ug	85
33) 1,2-Dichloroethane	5.591	62	9253	6.42	ug	98
34) 2-Butanone	4.579	43	3625	6.08	ug	75
37) 1,1,1-Trichloroethane	5.098	97	10110	5.68	ug	98
38) Carbon Tetrachloride	5.292	117	8444	5.38	ug	98
39) Benzene	5.549	78	27777	5.79	ug	100
40) Isobutanol	5.555	43	7567m	106.62	ug	
41) Heptane	5.146	43	999	5.10	ug	# 1
42) Trichloroethene	6.362	130	7964	5.50	ug	97
43) Methyl Cyclohexane	6.577	83	8766	4.56	ug	94
44) 1,2-Dichloropropane	6.640	63	7148	5.70	ug	99

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1053.D
 Acq On : 26 Feb 2026 02:27 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Feb 26 14:50:36 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:25:28 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.913	43	4953	6.49	ug	88
46) Dibromomethane	6.792	174	5395	5.74	ug	97
47) 1,4-Dioxane	6.855	88	1841	96.18	ug #	1
48) Methyl Methacrylate	6.850	69	4272	4.85	ug #	78
49) Bromodichloromethane	7.002	83	9038	5.68	ug #	39
50) Ceve	7.437	63	3048	4.45	ug	93
51) cis-1,3-Dichloropropene	7.584	75	8997	5.38	ug	98
52) trans-1,3-Dichloropropene	8.328	75	7625	5.25	ug	95
53) 1,1,2-Trichloroethane	8.548	97	6940	5.64	ug	98
54) 1,3-Dichloropropane	8.769	76	10690	5.56	ug	100
55) 1,2-Dibromoethane	9.188	107	5559	5.72	ug	99
56) Dibromochloromethane	9.057	129	6761	5.35	ug	96
57) Bromoform	10.604	173	4626	5.18	ug	99
58) 4-Methyl-2-Pentanone	7.820	43	7123	5.32	ug	92
60) Toluene	7.998	92	16213	5.36	ug	97
61) Ethyl Metacrylate	8.485	69	6922	5.06	ug #	82
62) Tetrachloroethene	8.706	164	5784	5.24	ug	98
63) 2-Hexanone	8.931	43	4315	5.45	ug	88
65) Chlorobenzene	9.770	112	18645	5.30	ug	97
66) 1,1,1,2-Tetrachloroethane	9.870	133	6534	5.05	ug #	91
67) Ethylbenzene	9.906	106	8515	5.13	ug	99
68) m,p-Xylene	10.032	91	43288	10.58	ug	100
69) o-Xylene	10.425	106	10784	5.09	ug	94
70) Styrene	10.441	104	16792	5.15	ug	76
71) Isopropylbenzene	10.777	105	25544	4.97	ug	97
72) Chloroprene	10.850	53	1676	11.38	ug	87
73) trans-1,4-Dichloro-2-b...	10.850	88	1685	5.27	ug #	50
74) Bromobenzene	11.028	77	11104	5.29	ug	85
75) 1,2,3-Trichloropropane	11.081	75	9240	5.16	ug	87
76) 2-Chlorotoluene	11.201	91	20087	5.20	ug	95
77) 4-Chlorotoluene	11.296	91	22176	5.14	ug	95
78) 1,3,5-Trimethylbenzene	11.291	105	22370	5.10	ug	97
79) tert-Butylbenzene	11.553	119	18891	4.83	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	21922	5.15	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	8708	5.32	ug	95
83) n-Propylbenzene	11.138	91	30262	5.16	ug	96
84) 1,3-Dichlorobenzene	11.810	146	14736	5.20	ug #	91
85) sec-Butylbenzene	11.726	105	26777	5.00	ug	96
86) 4-Isopropyltoluene	11.846	119	23175	4.99	ug	99
87) 1,4-Dichlorobenzene	11.878	146	15847	5.23	ug #	66
88) 1,2-Dichlorobenzene	12.161	146	15274	5.08	ug #	56
89) n-Butylbenzene	12.156	91	20918	5.03	ug	97
90) 1,2-Dibromo-3-Chloropr	12.727	157	1715	4.65	ug #	81
91) 1,2,4-Trichlorobenzene	13.299	180	9206	4.50	ug	96
92) Hexachlorobutadiene	13.409	225	4664	4.65	ug	94
93) Naphthalene	13.461	128	19317	4.01	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	8413	4.44	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance

TIC: g1053.D\data.ms

Time-->

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1054.D
 Acq On : 26 Feb 2026 02:46 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Feb 26 15:01:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:58:03 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	127309	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	127715	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	84313	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	35985	49.93	ug	0.00
59) Toluene-d8	7.909	98	143724	50.99	ug	0.00
81) Bromofluorobenzene	10.908	95	67790	50.96	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	85246	49.41	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	7049	12.50	ug	# 94
3) Chloromethane	1.389	50	12537	11.08	ug	94
4) Vinyl Chloride	1.475	62	10166	11.93	ug	91
5) Bromomethane	1.721	94	7880	9.43	ug	82
6) Chloroethane	1.812	64	7306	12.96	ug	93
7) Acrolein	2.419	56	1307	41.05	ug	96
8) Trichlorofluoromethane	2.028	101	14817	12.09	ug	94
9) Ethanol	2.220	45	4184	177.74	ug	99
10) Freon113	2.503	101	9583	10.68	ug	99
11) 1,1-Dichloroethene	2.493	96	11551	11.03	ug	# 86
12) Allyl Chloride	2.865	41	36589	9.50	ug	96
13) Carbon Disulfide	2.702	76	32104	11.84	ug	100
14) Acetone	2.576	43	5877	2.62	ug	98
15) Iodomethane	2.639	142	15402	12.82	ug	98
16) Acetonitrile	2.860	40	13555	80.69	ug	96
17) Methyl Acetate	2.923	43	17243	9.82	ug	97
18) Methylene Chloride	3.006	84	17175	7.76	ug	83
19) Acrylonitrile	3.919	53	22934m	119.54	ug	
20) trans-1,2-Dichloroethene	3.321	96	13499	11.97	ug	91
21) Mtbe	3.342	73	84189	19.42	ug	100
22) 1,1-Dichloroethane	3.809	63	23846	10.90	ug	100
23) Hexane	3.342	43	16156	10.45	ug	# 80
24) cis-1,2-Dichloroethene	4.506	61	20804	12.16	ug	85
25) 2,2-Dichloropropane	4.495	77	18913	11.05	ug	96
26) Propionitrile	4.632	54	22566	115.74	ug	94
27) Bromochloromethane	4.789	128	7834	13.30	ug	80
28) Methacrylonitrile	4.800	67	63028	119.06	ug	88
29) Tetrahydrofuran	4.873	42	5346	11.98	ug	88
30) Chloroform	4.899	83	23810	10.32	ug	99
31) Cyclohexane	5.146	84	16971	11.41	ug	# 85
32) 1,1-Dichloro-1-propene	5.303	75	15734	12.40	ug	90
33) 1,2-Dichloroethane	5.591	62	18454	11.60	ug	94
34) 2-Butanone	4.574	43	7625	14.88	ug	73
37) 1,1,1-Trichloroethane	5.098	97	19709	11.07	ug	98
38) Carbon Tetrachloride	5.292	117	16766	11.58	ug	99
39) Benzene	5.549	78	53644	11.00	ug	100
40) Isobutanol	5.549	43	15396m	373.59	ug	
41) Heptane	5.151	43	2020	4.22	ug	# 1
42) Trichloroethene	6.357	130	15636	12.04	ug	97
43) Methyl Cyclohexane	6.577	83	17339	10.75	ug	97
44) 1,2-Dichloropropane	6.635	63	13350	10.83	ug	96

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1054.D
 Acq On : 26 Feb 2026 02:46 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 8 Sample Multiplier: 1


Quant Time: Feb 26 15:01:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:58:03 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.913	43	11521	14.72	ug	93
46) Dibromomethane	6.792	174	11014	13.74	ug	98
47) 1,4-Dioxane	6.855	88	3762	277.66	ug #	1
48) Methyl Methacrylate	6.844	69	8763	13.95	ug #	80
49) Bromodichloromethane	7.002	83	18161	11.94	ug #	39
50) Ceve	7.432	63	6772	15.70	ug	99
51) cis-1,3-Dichloropropene	7.584	75	18331	13.31	ug	99
52) trans-1,3-Dichloropropene	8.328	75	15837	14.04	ug	93
53) 1,1,2-Trichloroethane	8.548	97	13428	11.53	ug	96
54) 1,3-Dichloropropane	8.763	76	20861	11.63	ug	99
55) 1,2-Dibromoethane	9.183	107	10840	11.68	ug	96
56) Dibromochloromethane	9.052	129	13781	12.28	ug	96
57) Bromoform	10.604	173	9560	12.33	ug	99
58) 4-Methyl-2-Pentanone	7.820	43	14237	11.54	ug	91
60) Toluene	7.998	92	32760	11.78	ug	95
61) Ethyl Metacrylate	8.480	69	14617	13.25	ug #	83
62) Tetrachloroethene	8.706	164	11290	11.34	ug	99
63) 2-Hexanone	8.931	43	8815	13.40	ug	81
65) Chlorobenzene	9.770	112	36953	11.47	ug	97
66) 1,1,1,2-Tetrachloroethane	9.870	133	13333	11.44	ug #	90
67) Ethylbenzene	9.906	106	17392	12.14	ug	98
68) m,p-Xylene	10.032	91	85779	24.25	ug	99
69) o-Xylene	10.425	106	21967	12.66	ug	93
70) Styrene	10.441	104	35610	14.03	ug	76
71) Isopropylbenzene	10.777	105	50854	12.09	ug	96
72) Chloroprene	10.850	53	3528	27.85	ug	91
73) trans-1,4-Dichloro-2-b...	10.850	88	3692	1.65	ug #	60
74) Bromobenzene	11.028	77	22347	11.41	ug	86
75) 1,2,3-Trichloropropane	11.081	75	18238	9.44	ug #	85
76) 2-Chlorotoluene	11.201	91	39923	11.47	ug	96
77) 4-Chlorotoluene	11.296	91	44814	11.79	ug	94
78) 1,3,5-Trimethylbenzene	11.291	105	44246	12.36	ug	94
79) tert-Butylbenzene	11.553	119	36875	11.80	ug	99
80) 1,2,4-Trimethylbenzene	11.595	105	43910	12.84	ug	96
82) 1,1,2,2-Tetrachloroethane	11.049	83	17363	10.98	ug	94
83) n-Propylbenzene	11.138	91	59383	11.57	ug	97
84) 1,3-Dichlorobenzene	11.810	146	28965	11.47	ug #	90
85) sec-Butylbenzene	11.731	105	51461	11.81	ug	94
86) 4-Isopropyltoluene	11.846	119	44970	12.03	ug	99
87) 1,4-Dichlorobenzene	11.878	146	30867	10.96	ug #	47
88) 1,2-Dichlorobenzene	12.161	146	29898	10.92	ug #	82
89) n-Butylbenzene	12.156	91	39614	10.28	ug	97
90) 1,2-Dibromo-3-Chloropr	12.727	157	3535	11.11	ug #	79
91) 1,2,4-Trichlorobenzene	13.299	180	18066	10.91	ug	95
92) Hexachlorobutadiene	13.409	225	8708	9.41	ug	94
93) Naphthalene	13.466	128	40551	12.10	ug	97
94) 1,2,3-Trichlorobenzene	13.624	180	16604	10.91	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1054.D
 Acq On : 26 Feb 2026 02:46 pm
 Operator :
 Sample : std010
 Misc : ical
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Feb 26 15:01:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:58:03 2026
 Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1055.D
 Acq On : 26 Feb 2026 03:09 pm
 Operator :
 Sample : std025
 Misc : ical
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 26 15:24:10 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:58:03 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	118553	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	123413	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	84604	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	32400	48.29	ug	0.00
59) Toluene-d8	7.909	98	135822	49.67	ug	0.00
81) Bromofluorobenzene	10.908	95	67046	50.03	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84326	48.82	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	18180	32.98	ug	# 92
3) Chloromethane	1.389	50	26061	24.22	ug	95
4) Vinyl Chloride	1.475	62	23311	28.28	ug	91
5) Bromomethane	1.721	94	15589	20.26	ug	83
6) Chloroethane	1.812	64	16153	29.05	ug	90
7) Acrolein	2.419	56	2631	87.97	ug	98
8) Trichlorofluoromethane	2.023	101	36717	30.88	ug	93
9) Ethanol	2.225	45	7365	345.59	ug	97
10) Freon113	2.498	101	23323	27.53	ug	98
11) 1,1-Dichloroethene	2.492	96	24135	24.25	ug	# 87
12) Allyl Chloride	2.859	41	71109	20.02	ug	97
13) Carbon Disulfide	2.702	76	56110	21.43	ug	100
14) Acetone	2.571	43	12937	7.25	ug	100
15) Iodomethane	2.639	142	34558	29.24	ug	100
16) Acetonitrile	2.854	40	25480	169.43	ug	91
17) Methyl Acetate	2.917	43	34680	21.29	ug	97
18) Methylene Chloride	3.006	84	29570	18.35	ug	83
19) Acrylonitrile	3.913	53	48351m	296.03	ug	
20) trans-1,2-Dichloroethene	3.316	96	25920	23.75	ug	92
21) Mtbe	3.337	73	167165	41.65	ug	100
22) 1,1-Dichloroethane	3.808	63	47764	23.03	ug	100
23) Hexane	3.337	43	31379m	21.55	ug	
24) cis-1,2-Dichloroethene	4.500	61	41610	25.04	ug	83
25) 2,2-Dichloropropane	4.490	77	40687	25.01	ug	95
26) Propionitrile	4.626	54	45305	240.08	ug	96
27) Bromochloromethane	4.789	128	15387	26.31	ug	79
28) Methacrylonitrile	4.799	67	124513	243.30	ug	87
29) Tetrahydrofuran	4.867	42	10532	24.39	ug	91
30) Chloroform	4.894	83	47330	21.88	ug	100
31) Cyclohexane	5.145	84	41197	28.93	ug	# 85
32) 1,1-Dichloro-1-propene	5.297	75	33433	27.00	ug	91
33) 1,2-Dichloroethane	5.586	62	35752	23.38	ug	100
34) 2-Butanone	4.569	43	15848	30.25	ug	67
37) 1,1,1-Trichloroethane	5.093	97	42014	23.92	ug	98
38) Carbon Tetrachloride	5.287	117	37993	26.32	ug	100
39) Benzene	5.544	78	107428	22.34	ug	100
40) Isobutanol	5.549	43	31410m	1053.95	ug	
41) Heptane	5.145	43	5104	12.90	ug	# 1
42) Trichloroethene	6.357	130	31582	24.17	ug	99
43) Methyl Cyclohexane	6.577	83	43746	27.65	ug	96
44) 1,2-Dichloropropane	6.634	63	28412	23.46	ug	99

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1055.D
 Acq On : 26 Feb 2026 03:09 pm
 Operator :
 Sample : std025
 Misc : ical
 ALS Vial : 9 Sample Multiplier: 1


Quant Time: Feb 26 15:24:10 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 14:58:03 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	25527	30.84	ug	96
46) Dibromomethane	6.786	174	21098	25.34	ug	97
47) 1,4-Dioxane	6.849	88	7553	535.31	ug #	1
48) Methyl Methacrylate	6.844	69	18568	28.35	ug #	83
49) Bromodichloromethane	6.996	83	36602	23.97	ug #	37
50) Ceve	7.426	63	14829	31.14	ug	97
51) cis-1,3-Dichloropropene	7.583	75	38765	27.32	ug	99
52) trans-1,3-Dichloropropene	8.323	75	32948	27.97	ug	95
53) 1,1,2-Trichloroethane	8.548	97	26778	23.09	ug	98
54) 1,3-Dichloropropane	8.763	76	41040	22.93	ug	98
55) 1,2-Dibromoethane	9.183	107	22255	24.00	ug	98
56) Dibromochloromethane	9.052	129	28684	25.30	ug	95
57) Bromoform	10.603	173	20278	25.85	ug	99
58) 4-Methyl-2-Pentanone	7.814	43	30104	24.49	ug	90
60) Toluene	7.992	92	67405	24.22	ug	97
61) Ethyl Metacrylate	8.480	69	30644	26.99	ug #	85
62) Tetrachloroethene	8.705	164	24947	25.26	ug	99
63) 2-Hexanone	8.926	43	20139	29.67	ug	81
65) Chlorobenzene	9.770	112	74153	22.28	ug	97
66) 1,1,1,2-Tetrachloroethane	9.869	133	27327	22.72	ug #	94
67) Ethylbenzene	9.901	106	37520	25.02	ug	99
68) m,p-Xylene	10.032	91	188959	51.06	ug	100
69) o-Xylene	10.425	106	48178	26.28	ug	97
70) Styrene	10.441	104	76256	27.71	ug	76
71) Isopropylbenzene	10.777	105	117343	26.68	ug	97
72) Chloroprene	10.850	53	7292	53.19	ug	91
73) trans-1,4-Dichloro-2-b...	10.850	88	7617	4.07	ug #	48
74) Bromobenzene	11.028	77	45361	22.45	ug	86
75) 1,2,3-Trichloropropane	11.081	75	37864	19.76	ug #	85
76) 2-Chlorotoluene	11.201	91	85592	23.81	ug	96
77) 4-Chlorotoluene	11.296	91	95533	24.18	ug	95
78) 1,3,5-Trimethylbenzene	11.290	105	101215	26.90	ug	95
79) tert-Butylbenzene	11.552	119	86067	26.49	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	98023	27.04	ug	96
82) 1,1,2,2-Tetrachloroethane	11.049	83	35738	22.08	ug	95
83) n-Propylbenzene	11.138	91	135914	25.59	ug	97
84) 1,3-Dichlorobenzene	11.809	146	59691m	22.89	ug	
85) sec-Butylbenzene	11.731	105	121116	26.74	ug	95
86) 4-Isopropyltoluene	11.846	119	105541	27.05	ug	99
87) 1,4-Dichlorobenzene	11.878	146	64007	22.22	ug #	37
88) 1,2-Dichlorobenzene	12.161	146	62009	22.16	ug #	94
89) n-Butylbenzene	12.155	91	90313	23.23	ug	98
90) 1,2-Dibromo-3-Chloropr	12.727	157	7520	23.03	ug #	79
91) 1,2,4-Trichlorobenzene	13.298	180	39837	23.55	ug	96
92) Hexachlorobutadiene	13.409	225	20335	22.16	ug	94
93) Naphthalene	13.461	128	96059	27.41	ug	97
94) 1,2,3-Trichlorobenzene	13.624	180	37890	24.37	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\022626\
Data File : g1055.D
Acq On : 26 Feb 2026 03:09 pm
Operator :
Sample : std025
Misc : ical
ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 26 15:24:10 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Feb 26 14:58:03 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1057.D
 Acq On : 26 Feb 2026 03:47 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 26 16:03:35 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 15:26:18 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	122710	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	128883	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	86660	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	33675	48.77	ug	0.00
59) Toluene-d8	7.909	98	142742	50.04	ug	0.00
81) Bromofluorobenzene	10.908	95	68712	50.05	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	87848	49.85	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.248	85	34654	57.67	ug	# 92
3) Chloromethane	1.384	50	51412	46.40	ug	96
4) Vinyl Chloride	1.470	62	46935	53.83	ug	90
5) Bromomethane	1.716	94	28741	37.27	ug	83
6) Chloroethane	1.807	64	31177	52.74	ug	90
7) Acrolein	2.419	56	5237	174.41	ug	95
8) Trichlorofluoromethane	2.023	101	78840	61.65	ug	86
9) Ethanol	2.225	45	15992	772.70	ug	98
10) Freon113	2.498	101	45576	51.11	ug	98
11) 1,1-Dichloroethene	2.492	96	47720	46.56	ug	# 88
12) Allyl Chloride	2.865	41	145095	40.82	ug	98
13) Carbon Disulfide	2.702	76	131377	49.66	ug	100
14) Acetone	2.571	43	22809	35.07	ug	97
15) Iodomethane	2.639	142	73615	58.53	ug	100
16) Acetonitrile	2.859	40	51464	349.38	ug	90
17) Methyl Acetate	2.917	43	73265	44.56	ug	97
18) Methylene Chloride	3.006	84	60215	49.42	ug	82
19) Acrylonitrile	3.913	53	99065m	441.67	ug	
20) trans-1,2-Dichloroethene	3.321	96	54758	48.88	ug	91
21) Mtbe	3.337	73	343917	85.16	ug	100
22) 1,1-Dichloroethane	3.808	63	94965	44.82	ug	100
23) Hexane	3.337	43	64764m	42.97	ug	
24) cis-1,2-Dichloroethene	4.500	61	85112	49.46	ug	86
25) 2,2-Dichloropropane	4.490	77	79760	47.36	ug	97
26) Propionitrile	4.626	54	93996	485.07	ug	94
27) Bromochloromethane	4.789	128	31453	51.51	ug	81
28) Methacrylonitrile	4.799	67	260015	493.07	ug	88
29) Tetrahydrofuran	4.868	42	20542	46.14	ug	94
30) Chloroform	4.899	83	94251	42.99	ug	100
31) Cyclohexane	5.145	84	79570	52.61	ug	# 85
32) 1,1-Dichloro-1-propene	5.297	75	68325	52.61	ug	91
33) 1,2-Dichloroethane	5.586	62	73202	46.76	ug	99
34) 2-Butanone	4.563	43	31595	56.30	ug	64
37) 1,1,1-Trichloroethane	5.093	97	81770	44.90	ug	98
38) Carbon Tetrachloride	5.292	117	73822	48.54	ug	99
39) Benzene	5.549	78	214685	43.52	ug	100
40) Isobutanol	5.549	43	65426m	1325.62	ug	
41) Heptane	5.145	43	9784	48.29	ug	# 1
42) Trichloroethene	6.357	130	65665	48.39	ug	99
43) Methyl Cyclohexane	6.577	83	86098	51.21	ug	97
44) 1,2-Dichloropropane	6.634	63	56429	45.09	ug	99


Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1057.D
 Acq On : 26 Feb 2026 03:47 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Feb 26 16:03:35 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 15:26:18 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.908	43	49868	55.53	ug	96
46) Dibromomethane	6.787	174	44701	51.30	ug	97
47) 1,4-Dioxane	6.849	88	15527	889.97	ug #	1
48) Methyl Methacrylate	6.844	69	40120	48.80	ug #	82
49) Bromodichloromethane	6.996	83	74939	47.31	ug #	38
50) Ceve	7.426	63	32829	62.93	ug	99
51) cis-1,3-Dichloropropene	7.578	75	80616	53.58	ug	97
52) trans-1,3-Dichloropropene	8.323	75	71795	57.23	ug	94
53) 1,1,2-Trichloroethane	8.548	97	53363	44.63	ug	94
54) 1,3-Dichloropropane	8.763	76	85073	46.15	ug	99
55) 1,2-Dibromoethane	9.183	107	44608	46.38	ug	95
56) Dibromochloromethane	9.052	129	60579	51.06	ug	96
57) Bromoform	10.603	173	42533	51.63	ug	100
58) 4-Methyl-2-Pentanone	7.814	43	64814	50.67	ug	91
60) Toluene	7.998	92	133111	46.04	ug	97
61) Ethyl Metacrylate	8.480	69	67087	49.91	ug #	84
62) Tetrachloroethene	8.705	164	49472	47.88	ug	99
63) 2-Hexanone	8.926	43	42650	58.35	ug	78
65) Chlorobenzene	9.770	112	150902	45.08	ug	97
66) 1,1,1,2-Tetrachloroethane	9.869	133	55276	45.56	ug #	93
67) Ethylbenzene	9.906	106	73979	48.16	ug	98
68) m,p-Xylene	10.032	91	369887	97.24	ug	100
69) o-Xylene	10.425	106	95149	50.24	ug	96
70) Styrene	10.441	104	157934	55.03	ug #	75
71) Isopropylbenzene	10.777	105	228962	50.26	ug	97
72) Chloroprene	10.845	53	14636	103.13	ug	93
73) trans-1,4-Dichloro-2-b...	10.850	88	15600	9.46	ug #	47
74) Bromobenzene	11.028	77	91401	44.92	ug	86
75) 1,2,3-Trichloropropane	11.081	75	74472	39.31	ug #	84
76) 2-Chlorotoluene	11.201	91	166805	45.67	ug	96
77) 4-Chlorotoluene	11.296	91	191325	47.53	ug	95
78) 1,3,5-Trimethylbenzene	11.290	105	201424	51.62	ug	95
79) tert-Butylbenzene	11.552	119	172999	51.47	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	196527	52.21	ug	95
82) 1,1,2,2-Tetrachloroethane	11.054	83	72083	44.35	ug	95
83) n-Propylbenzene	11.138	91	268045	49.07	ug	97
84) 1,3-Dichlorobenzene	11.809	146	120803m	45.87	ug	
85) sec-Butylbenzene	11.731	105	240255	51.19	ug	95
86) 4-Isopropyltoluene	11.846	119	209722	51.76	ug	99
87) 1,4-Dichlorobenzene	11.878	146	128770	44.47	ug #	33
88) 1,2-Dichlorobenzene	12.161	146	123701	43.99	ug	98
89) n-Butylbenzene	12.155	91	183744	46.70	ug	97
90) 1,2-Dibromo-3-Chloropr	12.727	157	15528	47.05	ug #	74
91) 1,2,4-Trichlorobenzene	13.298	180	83923	48.90	ug	97
92) Hexachlorobutadiene	13.409	225	40676	44.10	ug	94
93) Naphthalene	13.461	128	202503	55.52	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	76944	48.52	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance



Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1059.D
 Acq On : 26 Feb 2026 04:28 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 26 16:49:07 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:31:18 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.901	96	110926	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	116891	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	80586	50.00	ug	# 0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	37848m	60.85	ug	0.00
59) Toluene-d8	7.909	98	127083	49.12	ug	0.00
81) Bromofluorobenzene	10.908	95	63729	49.91	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	81609	49.82	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	60252	108.54	ug	# 92
3) Chloromethane	1.384	50	92668	93.48	ug	95
4) Vinyl Chloride	1.475	62	82527	103.57	ug	90
5) Bromomethane	1.716	94	50938m	75.82	ug	
6) Chloroethane	1.802	64	56970	105.79	ug	91
7) Acrolein	2.414	56	9994	377.87	ug	97
8) Trichlorofluoromethane	2.023	101	138509	115.96	ug	95
9) Ethanol	2.230	45	29586	1731.90	ug	98
10) Freon113	2.498	101	83922	103.78	ug	100
11) 1,1-Dichloroethene	2.493	96	88484	96.45	ug	# 88
12) Allyl Chloride	2.860	41	269149	86.02	ug	99
13) Carbon Disulfide	2.697	76	208022	87.07	ug	100
14) Acetone	2.571	43	47751	85.48	ug	97
15) Iodomethane	2.639	142	146626	125.89	ug	100
16) Acetonitrile	2.854	40	94256	803.28	ug	# 88
17) Methyl Acetate	2.917	43	135892	92.87	ug	97
18) Methylene Chloride	3.006	84	111163	104.46	ug	82
19) Acrylonitrile	3.913	53	184406m	471.58	ug	
20) trans-1,2-Dichloroethene	3.316	96	97875	96.95	ug	91
21) Mtbe	3.337	73	652783	182.68	ug	100
22) 1,1-Dichloroethane	3.809	63	180617	95.72	ug	99
23) Hexane	3.337	43	123375m	93.18	ug	
24) cis-1,2-Dichloroethene	4.501	61	161137	103.75	ug	85
25) 2,2-Dichloropropane	4.490	77	152315	100.81	ug	97
26) Propionitrile	4.626	54	179190	1028.08	ug	95
27) Bromochloromethane	4.784	128	59491	107.31	ug	82
28) Methacrylonitrile	4.800	67	489115	1028.08	ug	88
29) Tetrahydrofuran	4.862	42	37608	80.86	ug	95
30) Chloroform	4.894	83	178256	91.79	ug	100
31) Cyclohexane	5.146	84	147449	107.05	ug	# 85
32) 1,1-Dichloro-1-propene	5.298	75	125689	106.28	ug	91
33) 1,2-Dichloroethane	5.581	62	138508	98.79	ug	100
34) 2-Butanone	4.558	43	63592	112.31	ug	63
37) 1,1,1-Trichloroethane	5.093	97	155084	95.28	ug	98
38) Carbon Tetrachloride	5.287	117	140301	102.15	ug	100
39) Benzene	5.544	78	407210	92.74	ug	100
40) Isobutanol	5.549	43	123688m	1941.43	ug	
41) Heptane	5.146	43	17011	93.37	ug	# 1
42) Trichloroethene	6.357	130	119284	97.37	ug	99
43) Methyl Cyclohexane	6.577	83	157584	102.98	ug	97
44) 1,2-Dichloropropane	6.635	63	109695	98.01	ug	100

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1059.D
 Acq On : 26 Feb 2026 04:28 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 10 Sample Multiplier: 1


Quant Time: Feb 26 16:49:07 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:31:18 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.903	43	120213	137.00	ug	98
46) Dibromomethane	6.781	174	84707	106.78	ug	98
47) 1,4-Dioxane	6.844	88	27525	1899.43	ug #	1
48) Methyl Methacrylate	6.839	69	81451	125.78	ug #	83
49) Bromodichloromethane	6.996	83	144047	101.05	ug #	36
50) Ceve	7.421	63	64819	116.98	ug	100
51) cis-1,3-Dichloropropene	7.578	75	161990	108.73	ug	98
52) trans-1,3-Dichloropropene	8.318	75	141265	109.43	ug	97
53) 1,1,2-Trichloroethane	8.548	97	101692	95.23	ug	96
54) 1,3-Dichloropropane	8.763	76	165865	100.31	ug	99
55) 1,2-Dibromoethane	9.183	107	88430	102.43	ug	96
56) Dibromochloromethane	9.052	129	119750	110.94	ug	95
57) Bromoform	10.604	173	86140	114.76	ug	100
58) 4-Methyl-2-Pentanone	7.814	43	123426	106.18	ug	90
60) Toluene	7.993	92	256411	98.91	ug	97
61) Ethyl Metacrylate	8.480	69	142839	128.94	ug #	85
62) Tetrachloroethene	8.706	164	92588	99.40	ug	99
63) 2-Hexanone	8.926	43	86414	125.79	ug	78
65) Chlorobenzene	9.770	112	288584	94.03	ug	97
66) 1,1,1,2-Tetrachloroethane	9.870	133	108246	97.17	ug #	94
67) Ethylbenzene	9.901	106	145771	102.59	ug	97
68) m,p-Xylene	10.032	91	726497	206.19	ug	100
69) o-Xylene	10.425	106	187418	106.34	ug	96
70) Styrene	10.441	104	314028	114.43	ug #	75
71) Isopropylbenzene	10.777	105	438527	103.44	ug	96
72) Chloroprene	10.845	53	29980	222.44	ug	98
73) trans-1,4-Dichloro-2-b...	10.845	88	34794	125.68	ug #	50
74) Bromobenzene	11.028	77	178985	96.00	ug	87
75) 1,2,3-Trichloropropane	11.081	75	146774	85.95	ug #	83
76) 2-Chlorotoluene	11.201	91	323023	96.30	ug	96
77) 4-Chlorotoluene	11.296	91	369809	99.50	ug	95
78) 1,3,5-Trimethylbenzene	11.290	105	388439	106.55	ug	95
79) tert-Butylbenzene	11.553	119	326332	103.96	ug	98
80) 1,2,4-Trimethylbenzene	11.595	105	380413	108.00	ug	96
82) 1,1,2,2-Tetrachloroethane	11.049	83	141582	95.20	ug	95
83) n-Propylbenzene	11.138	91	513330	101.33	ug	97
84) 1,3-Dichlorobenzene	11.810	146	232252m	95.96	ug	
85) sec-Butylbenzene	11.731	105	442848	101.12	ug	94
86) 4-Isopropyltoluene	11.846	119	393758	103.98	ug	99
87) 1,4-Dichlorobenzene	11.878	146	241738	91.22	ug #	31
88) 1,2-Dichlorobenzene	12.161	146	239112	93.04	ug	96
89) n-Butylbenzene	12.156	91	333457	92.01	ug	99
90) 1,2-Dibromo-3-Chloropr	12.727	157	31542	103.65	ug #	73
91) 1,2,4-Trichlorobenzene	13.293	180	163404	102.71	ug	97
92) Hexachlorobutadiene	13.409	225	72197	85.63	ug	94
93) Naphthalene	13.461	128	396912	115.21	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	146662	99.88	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\022626\
Data File : g1059.D
Acq On : 26 Feb 2026 04:28 pm
Operator :
Sample : std100
Misc : ical
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 26 16:49:07 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022525.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Feb 26 16:31:18 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1062.D
 Acq On : 26 Feb 2026 05:26 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Feb 27 08:18:19 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:55:24 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.901	96	121621	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	129657	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	88261	50.00	ug	# 0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.497	65	33893	48.29	ug	0.00
59) Toluene-d8	7.909	98	142077	49.60	ug	0.00
81) Bromofluorobenzene	10.908	95	69839	49.88	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	91629	51.34	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.249	85	121283	187.68	ug	# 92
3) Chloromethane	1.384	50	189764	176.60	ug	95
4) Vinyl Chloride	1.475	62	171584	189.95	ug	91
5) Bromomethane	1.716	94	98860m	145.88	ug	
6) Chloroethane	1.797	64	111933	180.47	ug	91
7) Acrolein	2.414	56	18744	652.39	ug	96
8) Trichlorofluoromethane	2.018	101	274629	198.14	ug	95
9) Ethanol	2.251	45	59817	3266.62	ug	98
10) Freon113	2.498	101	170194	191.77	ug	99
11) 1,1-Dichloroethene	2.493	96	179282	178.92	ug	# 88
12) Allyl Chloride	2.865	41	534593	159.93	ug	99
13) Carbon Disulfide	2.697	76	494648	192.11	ug	100
14) Acetone	2.576	43	85015	141.75	ug	97
15) Iodomethane	2.639	142	290278	217.66	ug	100
16) Acetonitrile	2.860	40	185047	1586.68	ug	# 86
17) Methyl Acetate	2.917	43	272349	174.11	ug	97
18) Methylene Chloride	3.006	84	224989	188.15	ug	82
19) Acrylonitrile	3.913	53	376124m	729.36	ug	
20) trans-1,2-Dichloroethene	3.316	96	206301	184.58	ug	91
21) Mtbe	3.337	73	1313866	353.57	ug	100
22) 1,1-Dichloroethane	3.809	63	365928	177.49	ug	99
23) Hexane	3.337	43	247381m	180.05	ug	
24) cis-1,2-Dichloroethene	4.501	61	327017	187.30	ug	85
25) 2,2-Dichloropropane	4.490	77	297255	179.21	ug	97
26) Propionitrile	4.632	54	351628	1832.66	ug	96
27) Bromochloromethane	4.789	128	121853	190.72	ug	81
28) Methacrylonitrile	4.810	67	975756	1794.23	ug	90
29) Tetrahydrofuran	4.862	42	70653	143.70	ug	98
30) Chloroform	4.899	83	351643	170.07	ug	100
31) Cyclohexane	5.146	84	297382	193.46	ug	# 86
32) 1,1-Dichloro-1-propene	5.298	75	257023	192.03	ug	91
33) 1,2-Dichloroethane	5.586	62	279627	181.12	ug	100
34) 2-Butanone	4.564	43	122995	194.70	ug	64
37) 1,1,1-Trichloroethane	5.093	97	304781	169.88	ug	98
38) Carbon Tetrachloride	5.292	117	279859	182.46	ug	100
39) Benzene	5.544	78	801410	166.94	ug	100
40) Isobutanol	5.560	43	251471m	3579.47	ug	
41) Heptane	5.146	43	35582	178.43	ug	# 1
42) Trichloroethene	6.357	130	240685	175.08	ug	99
43) Methyl Cyclohexane	6.577	83	332673	197.68	ug	97
44) 1,2-Dichloropropane	6.635	63	217056	174.71	ug	98

Data Path : D:\MassHunter\GCMS\2\data\022626\
 Data File : g1062.D
 Acq On : 26 Feb 2026 05:26 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 10 Sample Multiplier: 1


Quant Time: Feb 27 08:18:19 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Feb 26 16:55:24 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
45) Vinyl Acetate	3.903	43	258586	252.35	ug	98
46) Dibromomethane	6.781	174	174827	189.16	ug	98
47) 1,4-Dioxane	6.850	88	56443	3541.17	ug #	1
48) Methyl Methacrylate	6.844	69	169662	214.41	ug #	82
49) Bromodichloromethane	6.996	83	289480	181.46	ug #	37
50) Ceve	7.426	63	136663	216.24	ug	99
51) cis-1,3-Dichloropropene	7.578	75	336594	193.92	ug	98
52) trans-1,3-Dichloropropene	8.318	75	303518	197.23	ug	96
53) 1,1,2-Trichloroethane	8.548	97	204160	171.08	ug	96
54) 1,3-Dichloropropane	8.763	76	338579	182.41	ug	99
55) 1,2-Dibromoethane	9.183	107	184580	189.24	ug	96
56) Dibromochloromethane	9.052	129	246979	199.72	ug	95
57) Bromoform	10.604	173	180271	209.07	ug	99
58) 4-Methyl-2-Pentanone	7.814	43	248532	189.58	ug	90
60) Toluene	7.998	92	509549	176.88	ug	96
61) Ethyl Metacrylate	8.480	69	307822	231.50	ug #	85
62) Tetrachloroethene	8.706	164	187963	182.77	ug	100
63) 2-Hexanone	8.926	43	173969	210.48	ug	77
65) Chlorobenzene	9.770	112	580604	175.68	ug	97
66) 1,1,1,2-Tetrachloroethane	9.870	133	217877	180.89	ug #	94
67) Ethylbenzene	9.906	106	293389	187.95	ug	97
68) m,p-Xylene	10.032	91	1458053	375.98	ug	100
69) o-Xylene	10.425	106	371653	187.79	ug	95
70) Styrene	10.441	104	634686	201.04	ug	75
71) Isopropylbenzene	10.777	105	878769	187.62	ug	96
72) Chloroprene	10.845	53	63417	407.48	ug	94
73) trans-1,4-Dichloro-2-b...	10.850	88	76849	232.09	ug #	48
74) Bromobenzene	11.028	77	362625	181.35	ug	88
75) 1,2,3-Trichloropropane	11.081	75	306830	177.82	ug #	81
76) 2-Chlorotoluene	11.201	91	647575	178.11	ug	97
77) 4-Chlorotoluene	11.296	91	753838	186.67	ug	95
78) 1,3,5-Trimethylbenzene	11.291	105	783138	193.23	ug	94
79) tert-Butylbenzene	11.558	119	665772	191.90	ug	98
80) 1,2,4-Trimethylbenzene	11.595	105	765102	193.66	ug	96
82) 1,1,2,2-Tetrachloroethane	11.055	83	293281	182.44	ug	95
83) n-Propylbenzene	11.138	91	1035402	187.94	ug	97
84) 1,3-Dichlorobenzene	11.810	146	482927m	185.55	ug	
85) sec-Butylbenzene	11.731	105	893593	186.20	ug	94
86) 4-Isopropyltoluene	11.846	119	789838	189.34	ug	98
87) 1,4-Dichlorobenzene	11.878	146	501858	179.07	ug #	30
88) 1,2-Dichlorobenzene	12.161	146	491533	180.32	ug	94
89) n-Butylbenzene	12.156	91	683290	181.33	ug	99
90) 1,2-Dibromo-3-Chloropr	12.727	157	65986	197.21	ug #	72
91) 1,2,4-Trichlorobenzene	13.299	180	329707	194.18	ug	97
92) Hexachlorobutadiene	13.409	225	140927	167.14	ug	94
93) Naphthalene	13.466	128	804757	209.87	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	292656	186.87	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\022626\
Data File : g1062.D
Acq On : 26 Feb 2026 05:26 pm
Operator :
Sample : std200
Misc : ical
ALS Vial : 10 Sample Multiplier: 1



Quant Time: Feb 27 08:18:19 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Feb 26 16:55:24 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1112.D
Acq On : 02 Mar 2026 02:39 pm
Operator :
Sample : mblk
Misc : tune
ALS Vial : 10 Sample Multiplier: 1

Integration File: rteint.p

Method : D:\MassHunter\GCMS\2\QtMethods\Full030526.M
Title : Voa Calibration 524/8260 Water
Last Update : Mon Mar 09 11:36:17 2026



Spectrum Information: Average of 10.887 to 10.903 min.

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
50	95	15	40	18.7	4052	PASS
75	95	30	60	49.0	10633	PASS
95	95	100	100	100.0	21678	PASS
96	95	5	9	7.1	1544	PASS
173	174	0.00	2	0.0	0	PASS
174	95	50	100	81.4	17637	PASS
175	174	5	9	8.1	1436	PASS
176	174	95	101	95.8	16902	PASS
177	176	5	9	6.7	1136	PASS

Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1114.D
 Acq On : 02 Mar 2026 03:34 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Mar 02 15:48:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.901	96	111910m	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	125054	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	85602	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.486	65	31315	48.76	ug	0.00
59) Toluene-d8	7.909	98	131747	47.74	ug	0.00
81) Bromofluorobenzene	10.902	95	68505	50.53	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	85899	49.27	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	13639	24.13	ug	# 92
3) Chloromethane	1.384	50	21962	22.44	ug	96
4) Vinyl Chloride	1.470	62	21228	26.35	ug	90
5) Bromomethane	1.721	94	20126	31.70	ug	82
6) Chloroethane	1.807	64	14845	27.31	ug	92
7) Acrolein	2.414	56	1745	67.87	ug	90
8) Trichlorofluoromethane	2.023	101	34129	27.68	ug	94
9) Ethanol	2.220	45	5908	349.82	ug	96
10) Freon113	2.498	101	24257	29.74	ug	98
11) 1,1-Dichloroethene	2.493	96	25530	28.03	ug	# 89
12) Allyl Chloride	2.860	41	55351	18.27	ug	96
13) Carbon Disulfide	2.697	76	71031	30.09	ug	100
14) Acetone	2.571	43	12752	23.98	ug	100
15) Iodomethane	2.639	142	18468	14.14	ug	99
16) Acetonitrile	2.854	40	20800	200.74	ug	99
17) Methyl Acetate	2.912	43	33745	23.44	ug	99
18) Methylene Chloride	3.001	84	32514	28.36	ug	# 79
19) Acrylonitrile	3.316	53	7274	15.56	ug	# 86
20) trans-1,2-Dichloroethene	3.316	96	28840	28.63	ug	89
21) Mtbe	3.337	73	169753	48.42	ug	100
22) 1,1-Dichloroethane	3.803	63	50733	27.13	ug	100
24) cis-1,2-Dichloroethene	4.495	61	45071	28.77	ug	84
25) 2,2-Dichloropropane	4.485	77	43321	28.72	ug	94
26) Propionitrile	4.621	54	37301	205.78	ug	96
27) Bromochloromethane	4.784	128	16257	26.17	ug	80
28) Methacrylonitrile	4.794	67	105601	211.62	ug	86
29) Tetrahydrofuran	4.868	42	9548	22.43	ug	90
30) Chloroform	4.894	83	50430	26.49	ug	99
31) Cyclohexane	5.146	84	42895	30.68	ug	# 84
32) 1,1-Dichloro-1-propene	5.298	75	36684	30.56	ug	89
33) 1,2-Dichloroethane	5.581	62	38221	27.33	ug	100
34) 2-Butanone	4.564	43	14579	25.16	ug	65
37) 1,1,1-Trichloroethane	5.088	97	43811	25.74	ug	98
38) Carbon Tetrachloride	5.287	117	39668	27.18	ug	99
39) Benzene	5.544	78	114639	25.10	ug	100
40) Isobutanol	5.140	43	5433	81.61	ug	# 100
41) Heptane	5.140	43	5433	28.76	ug	# 1
42) Trichloroethene	6.351	130	33580	26.03	ug	99
43) Methyl Cyclohexane	6.572	83	46029	28.09	ug	95
44) 1,2-Dichloropropane	6.635	63	29923	25.40	ug	99
45) Vinyl Acetate	3.903	43	34800	32.02	ug	95

Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1114.D
 Acq On : 02 Mar 2026 03:34 pm
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 12 Sample Multiplier: 1


Quant Time: Mar 02 15:48:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.781	174	21613	25.29	ug	95
47) 1,4-Dioxane	6.844	88	6467	411.98	ug	# 1
48) Methyl Methacrylate	6.839	69	16359	20.23	ug	# 80
49) Bromodichloromethane	6.996	83	38667	25.56	ug	# 38
50) Ceve	7.426	63	13175	21.37	ug	96
51) cis-1,3-Dichloropropene	7.578	75	40638	26.73	ug	98
52) trans-1,3-Dichloropropene	8.318	75	35956	25.60	ug	96
53) 1,1,2-Trichloroethane	8.548	97	27576	24.65	ug	96
54) 1,3-Dichloropropane	8.758	76	43477	24.78	ug	97
55) 1,2-Dibromoethane	9.178	107	22835	24.76	ug	95
56) Dibromochloromethane	9.052	129	30136	25.70	ug	95
57) Bromoform	10.604	173	20638	25.06	ug	99
58) 4-Methyl-2-Pentanone	7.814	43	29221	23.43	ug	93
60) Toluene	7.993	92	69908	25.56	ug	98
61) Ethyl Metacrylate	8.480	69	29801	23.72	ug	# 83
62) Tetrachloroethene	8.700	164	25975	26.35	ug	100
63) 2-Hexanone	8.926	43	19539	24.35	ug	82
65) Chlorobenzene	9.765	112	78329	24.56	ug	98
66) 1,1,1,2-Tetrachloroethane	9.870	133	28193	24.19	ug	# 93
67) Ethylbenzene	9.901	106	39958	26.57	ug	98
68) m,p-Xylene	10.027	91	198526	53.19	ug	99
69) o-Xylene	10.420	106	49458	26.34	ug	95
70) Styrene	10.441	104	81661	27.69	ug	76
71) Isopropylbenzene	10.771	105	121123	26.95	ug	98
72) Chloroprene	10.845	53	6652	45.52	ug	95
73) trans-1,4-Dichloro-2-b...	10.845	88	7245	23.01	ug	# 54
74) Bromobenzene	11.028	77	49228	25.28	ug	90
75) 1,2,3-Trichloropropane	11.076	75	37254	21.29	ug	# 86
76) 2-Chlorotoluene	11.201	91	88673	25.32	ug	96
77) 4-Chlorotoluene	11.296	91	102374	26.16	ug	95
78) 1,3,5-Trimethylbenzene	11.290	105	104430	26.83	ug	95
79) tert-Butylbenzene	11.553	119	88805	26.61	ug	98
80) 1,2,4-Trimethylbenzene	11.589	105	103456	27.43	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	36681	23.61	ug	96
83) n-Propylbenzene	11.138	91	144642	27.04	ug	98
84) 1,3-Dichlorobenzene	11.810	146	63707	25.14	ug	92
85) sec-Butylbenzene	11.726	105	125575	27.17	ug	95
86) 4-Isopropyltoluene	11.846	119	109359	27.21	ug	99
87) 1,4-Dichlorobenzene	11.878	146	68682	25.02	ug	# 37
88) 1,2-Dichlorobenzene	12.161	146	64838	24.28	ug	# 94
89) n-Butylbenzene	12.150	91	97395	25.93	ug	96
90) 1,2-Dibromo-3-Chloropr	12.727	157	7216	22.26	ug	# 78
91) 1,2,4-Trichlorobenzene	13.293	180	40221	23.87	ug	97
92) Hexachlorobutadiene	13.409	225	20878	26.07	ug	94
93) Naphthalene	13.461	128	87880	23.44	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	36148	23.41	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : D:\MassHunter\GCMS\2\data\030226\  
Data File : g1114.D  
Acq On    : 02 Mar 2026  03:34 pm  
Operator  :  
Sample    : ccv  
Misc      : ccv  
ALS Vial  : 12      Sample Multiplier: 1
```

Quant Time: Mar 02 15:48:28 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1115.D
 Acq On : 02 Mar 2026 03:53 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 02 16:09:23 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	108604	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	123564	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	82738	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	30873	49.54	ug	0.00
59) Toluene-d8	7.909	98	132328	48.53	ug	0.00
81) Bromofluorobenzene	10.908	95	67739	51.69	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84402	50.09	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	12489	22.77	ug	# 93
3) Chloromethane	1.384	50	21151	22.27	ug	95
4) Vinyl Chloride	1.470	62	20254	25.91	ug	90
5) Bromomethane	1.721	94	19129	31.05	ug	82
6) Chloroethane	1.812	64	14030	26.59	ug	91
7) Acrolein	2.419	56	1848	74.07	ug	99
8) Trichlorofluoromethane	2.023	101	32186	26.90	ug	94
9) Ethanol	2.220	45	6657	406.16	ug	99
10) Freon113	2.498	101	23913	30.21	ug	97
11) 1,1-Dichloroethene	2.492	96	24936	28.22	ug	# 89
12) Allyl Chloride	2.859	41	56260	19.13	ug	96
13) Carbon Disulfide	2.702	76	70494	30.77	ug	100
14) Acetone	2.571	43	12873	24.94	ug	97
15) Iodomethane	2.639	142	21399	16.89	ug	99
16) Acetonitrile	2.854	40	21376	212.58	ug	100
17) Methyl Acetate	2.917	43	34880	24.96	ug	99
18) Methylene Chloride	3.006	84	32044	28.85	ug	# 80
19) Acrylonitrile	3.913	53	37004m	81.56	ug	
20) trans-1,2-Dichloroethene	3.321	96	28846	29.51	ug	90
21) Mtbe	3.337	73	170758	50.19	ug	99
22) 1,1-Dichloroethane	3.808	63	50697	27.93	ug	100
24) cis-1,2-Dichloroethene	4.501	61	45256	29.77	ug	83
25) 2,2-Dichloropropane	4.490	77	42959	29.35	ug	93
26) Propionitrile	4.626	54	39512	224.62	ug	97
27) Bromochloromethane	4.789	128	16159	26.81	ug	81
28) Methacrylonitrile	4.799	67	109473	226.05	ug	85
29) Tetrahydrofuran	4.868	42	10294	24.92	ug	92
30) Chloroform	4.894	83	49893	27.01	ug	100
31) Cyclohexane	5.145	84	42434	31.27	ug	# 83
32) 1,1-Dichloro-1-propene	5.297	75	36632	31.45	ug	90
33) 1,2-Dichloroethane	5.586	62	37933	27.95	ug	99
34) 2-Butanone	4.563	43	15351	27.30	ug	64
37) 1,1,1-Trichloroethane	5.093	97	44006	26.17	ug	99
38) Carbon Tetrachloride	5.287	117	39682	27.51	ug	100
39) Benzene	5.544	78	114044	25.27	ug	100
40) Isobutanol	5.549	43	30197m	459.07	ug	
41) Heptane	5.145	43	5215	27.94	ug	# 1
42) Trichloroethene	6.357	130	32936	25.84	ug	97
43) Methyl Cyclohexane	6.577	83	45209	27.92	ug	95
44) 1,2-Dichloropropane	6.634	63	29992	25.77	ug	99
45) Vinyl Acetate	3.908	43	36225	33.73	ug	96

Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1115.D
 Acq On : 02 Mar 2026 03:53 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 13 Sample Multiplier: 1


Quant Time: Mar 02 16:09:23 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.787	174	22208	26.30	ug	96
47) 1,4-Dioxane	6.849	88	6997	451.12	ug	# 1
48) Methyl Methacrylate	6.844	69	17521	21.93	ug	# 79
49) Bromodichloromethane	6.996	83	38666	25.87	ug	# 37
50) Ceve	7.426	63	13684	22.46	ug	98
51) cis-1,3-Dichloropropene	7.578	75	40986	27.29	ug	98
52) trans-1,3-Dichloropropene	8.323	75	35796	25.79	ug	95
53) 1,1,2-Trichloroethane	8.548	97	27766	25.12	ug	97
54) 1,3-Dichloropropane	8.763	76	43941	25.35	ug	99
55) 1,2-Dibromoethane	9.183	107	23082	25.33	ug	95
56) Dibromochloromethane	9.052	129	30588	26.40	ug	96
57) Bromoform	10.604	173	21205	26.06	ug	100
58) 4-Methyl-2-Pentanone	7.814	43	30929	25.10	ug	91
60) Toluene	7.992	92	71223	26.36	ug	97
61) Ethyl Metacrylate	8.480	69	31294	25.21	ug	# 84
62) Tetrachloroethene	8.706	164	26003	26.69	ug	100
63) 2-Hexanone	8.926	43	20638	26.03	ug	80
65) Chlorobenzene	9.770	112	80249	26.03	ug	97
66) 1,1,1,2-Tetrachloroethane	9.869	133	28266	25.09	ug	# 93
67) Ethylbenzene	9.901	106	40454	27.83	ug	98
68) m,p-Xylene	10.032	91	201629	55.89	ug	99
69) o-Xylene	10.425	106	50274	27.70	ug	95
70) Styrene	10.441	104	83464	29.28	ug	76
71) Isopropylbenzene	10.777	105	121723	28.03	ug	97
72) Chloroprene	10.845	53	7240	51.26	ug	92
73) trans-1,4-Dichloro-2-b...	10.845	88	7613	25.01	ug	# 51
74) Bromobenzene	11.028	77	50046	26.59	ug	90
75) 1,2,3-Trichloropropane	11.081	75	38592	22.82	ug	# 85
76) 2-Chlorotoluene	11.201	91	90260	26.67	ug	95
77) 4-Chlorotoluene	11.296	91	104524	27.63	ug	96
78) 1,3,5-Trimethylbenzene	11.290	105	106267	28.25	ug	96
79) tert-Butylbenzene	11.553	119	89479	27.74	ug	99
80) 1,2,4-Trimethylbenzene	11.589	105	103912	28.51	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	37982	25.29	ug	94
83) n-Propylbenzene	11.138	91	145809	28.20	ug	98
84) 1,3-Dichlorobenzene	11.809	146	65022m	26.55	ug	
85) sec-Butylbenzene	11.726	105	125221	28.03	ug	95
86) 4-Isopropyltoluene	11.846	119	109332	28.15	ug	99
87) 1,4-Dichlorobenzene	11.878	146	68652	25.87	ug	# 37
88) 1,2-Dichlorobenzene	12.161	146	64618	25.03	ug	# 93
89) n-Butylbenzene	12.155	91	96690	26.63	ug	97
90) 1,2-Dibromo-3-Chloropr	12.727	157	7953	25.38	ug	# 78
91) 1,2,4-Trichlorobenzene	13.298	180	41748	25.64	ug	97
92) Hexachlorobutadiene	13.409	225	21138	27.30	ug	93
93) Naphthalene	13.461	128	97235	26.84	ug	97
94) 1,2,3-Trichlorobenzene	13.624	180	39066	26.18	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : D:\MassHunter\GCMS\2\data\030226\  
Data File : g1115.D  
Acq On    : 02 Mar 2026  03:53 pm  
Operator  :  
Sample    : lcs  
Misc      : lcs  
ALS Vial  : 13    Sample Multiplier: 1
```

Quant Time: Mar 02 16:09:23 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1116.D
 Acq On : 02 Mar 2026 04:13 pm
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 03 09:09:30 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625-5-200.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:20 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.901	96	104667	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	125713	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	83438	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	31401	51.97	ug	0.00
59) Toluene-d8	7.909	98	128092	46.07	ug	0.00
81) Bromofluorobenzene	10.908	95	64556	48.66	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	86513	51.27	ug	0.00
Target Compounds						
						Qvalue
14) Acetone	2.576	43	352	0.78	ug	# 43
16) Acetonitrile	2.860	40	216	2.23	ug	# 1
18) Methylene Chloride	3.006	84	1507	Below Cal		# 74
91) 1,2,4-Trichlorobenzene	13.299	180	1461	0.88	ug	93
92) Hexachlorobutadiene	13.409	225	1140	1.44	ug	91
93) Naphthalene	13.461	128	3566	0.92	ug	96
94) 1,2,3-Trichlorobenzene	13.624	180	1949	1.28	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1116.D
Acq On : 02 Mar 2026 04:13 pm
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 14 Sample Multiplier: 1





Quant Time: Mar 03 09:09:30 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625-5-200.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:20 2026
Response via : Initial Calibration








#14
Acetone
Concen: 0.78 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.002 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm


Tgt Ion: 43 Resp: 352
Ion Ratio Lower Upper
43 100
58 0.0 11.8 51.8#



#16
Acetonitrile
Concen: 2.23 ug
RT: 2.860 min Scan# 351
Delta R.T. 0.003 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm





Tgt Ion: 40 Resp: 216
Ion Ratio Lower Upper
40 100
41 75.0 243.5 283.5#








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm


Tgt Ion: 84 Resp: 1507
Ion Ratio Lower Upper
84 100
49 129.5 82.9 122.9#



#91
1,2,4-Trichlorobenzene
Concen: 0.88 ug
RT: 13.299 min Scan# 2342
Delta R.T. 0.001 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm





Tgt Ion: 180 Resp: 1461
Ion Ratio Lower Upper
180 100
145 25.3 23.4 35.2








#92
Hexachlorobutadiene
Concen: 1.44 ug
RT: 13.409 min Scan# 2363
Delta R.T. 0.001 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm


Tgt Ion:	225	Resp:	1140
Ion	Ratio	Lower	Upper
225	100		
190	39.6	37.7	56.5
258	14.5	13.0	19.4



#93
Naphthalene
Concen: 0.92 ug
RT: 13.461 min Scan# 2373
Delta R.T. 0.001 min
Lab File: g1116.D
Acq: 02 Mar 2026 04:13 pm




Tgt Ion:	128	Resp:	3566
Ion	Ratio	Lower	Upper
128	100		
102	7.3	7.0	10.6





#94
 1,2,3-Trichlorobenzene
 Concen: 1.28 ug
 RT: 13.624 min Scan# 2404
 Delta R.T. 0.001 min
 Lab File: g1116.D
 Acq: 02 Mar 2026 04:13 pm

Tgt Ion:180 Resp: 1949
 Ion Ratio Lower Upper
 180 100
 145 30.7 24.7 37.1



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1122.D
 Acq On : 02 Mar 2026 06:09 pm
 Operator :
 Sample : 260220005-002a
 Misc : samp
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Mar 03 08:40:51 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	103953	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	124466	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	83617	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	31452	52.72	ug	0.00
59) Toluene-d8	7.909	98	127258	46.33	ug	0.00
81) Bromofluorobenzene	10.908	95	64875	48.99	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	85750	50.35	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1122.D
Acq On : 02 Mar 2026 06:09 pm
Operator :
Sample : 260220005-002a
Misc : samp
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Mar 03 08:40:51 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1123.D
 Acq On : 02 Mar 2026 06:29 pm
 Operator :
 Sample : 260220005-003a
 Misc : samp
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 03 08:41:29 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.905	96	104674	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	125183	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	81653	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	30880	51.41	ug	0.00
59) Toluene-d8	7.913	98	126055	45.63	ug	0.00
81) Bromofluorobenzene	10.907	95	64375	49.78	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	83783	50.38	ug	0.00
Target Compounds						
18) Methylene Chloride	3.011	84	17	Below Cal	Qvalue #	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1123.D
Acq On : 02 Mar 2026 06:29 pm
Operator :
Sample : 260220005-003a
Misc : samp
ALS Vial : 18 Sample Multiplier: 1




Quant Time: Mar 03 08:41:29 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration





#18
Methylene Chloride
Concen: Below Cal
RT: 3.011 min Scan# 380
Delta R.T. 0.002 min
Lab File: g1123.D
Acq: 02 Mar 2026 06:29 pm

Tgt Ion: 84 Resp: 17
Ion Ratio Lower Upper
84 100
49 482.4 82.9 122.9#



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1124.D
 Acq On : 02 Mar 2026 06:49 pm
 Operator :
 Sample : 260220005-004a
 Misc : samp
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 03 08:41:49 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.900	96	102677	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	122106	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	81350	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31498	53.46	ug	0.00
59) Toluene-d8	7.908	98	124813	46.32	ug	0.00
81) Bromofluorobenzene	10.908	95	63627	49.38	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84883	51.23	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1124.D
Acq On : 02 Mar 2026 06:49 pm
Operator :
Sample : 260220005-004a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 03 08:41:49 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1125.D
 Acq On : 02 Mar 2026 07:09 pm
 Operator :
 Sample : 260220005-005a
 Misc : samp
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 03 08:42:15 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc Units	Dev(Min)


Internal Standards					
1) Fluorobenzene	5.906	96	105038	50.00 ug	0.00
36) Chlorobenzene-d5	9.738	117	124061	50.00 ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	82943	50.00 ug	0.00
System Monitoring Compounds					
35) 1,2-Dichloroethane-d4	5.491	65	31622	52.46 ug	0.00
59) Toluene-d8	7.909	98	126065	46.05 ug	0.00
81) Bromofluorobenzene	10.908	95	64711	49.26 ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	85576	50.66 ug	0.00
Target Compounds					Qvalue
24) cis-1,2-Dichloroethene	4.506	61	4027	2.74 ug	95
42) Trichloroethene	6.362	130	3058	2.39 ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1125.D
Acq On : 02 Mar 2026 07:09 pm
Operator :
Sample : 260220005-005a
Misc : samp
ALS Vial : 20 Sample Multiplier: 1





Quant Time: Mar 03 08:42:15 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#24
cis-1,2-Dichloroethene
Concen: 2.74 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.001 min
Lab File: g1125.D
Acq: 02 Mar 2026 07:09 pm

Tgt Ion: 61 Resp: 4027
Ion Ratio Lower Upper
61 100
96 80.5 68.2 102.4



#42
Trichloroethene
Concen: 2.39 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g1125.D
Acq: 02 Mar 2026 07:09 pm

Tgt Ion: 130 Resp: 3058
Ion Ratio Lower Upper
130 100
132 98.5 74.3 114.3
95 92.1 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1126.D
 Acq On : 02 Mar 2026 07:28 pm
 Operator :
 Sample : 260220005-006a
 Misc : samp
 ALS Vial : 21 Sample Multiplier: 1

Quant Time: Mar 03 08:42:45 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	101910	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	120740	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	78119	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	31441	53.76	ug	0.00
59) Toluene-d8	7.909	98	123946	46.52	ug	0.00
81) Bromofluorobenzene	10.908	95	61301	49.55	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	81156	51.01	ug	0.00
Target Compounds						Qvalue
14) Acetone	2.576	43	827	1.71	ug	87
24) cis-1,2-Dichloroethene	4.506	61	6728	4.72	ug	97
42) Trichloroethene	6.362	130	5385	4.32	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1126.D
Acq On : 02 Mar 2026 07:28 pm
Operator :
Sample : 260220005-006a
Misc : samp
ALS Vial : 21 Sample Multiplier: 1





Quant Time: Mar 03 08:42:45 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#14
Acetone
Concen: 1.71 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.002 min
Lab File: g1126.D
Acq: 02 Mar 2026 07:28 pm


Tgt Ion: 43 Resp: 827
Ion Ratio Lower Upper
43 100
58 24.5 11.8 51.8



#24
cis-1,2-Dichloroethene
Concen: 4.72 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.001 min
Lab File: g1126.D
Acq: 02 Mar 2026 07:28 pm




Tgt Ion: 61 Resp: 6728
Ion Ratio Lower Upper
61 100
96 82.2 68.2 102.4





#42
 Trichloroethene
 Concen: 4.32 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g1126.D
 Acq: 02 Mar 2026 07:28 pm

Tgt Ion:	130	Resp:	5385
Ion	Ratio	Lower	Upper
130	100		
132	96.3	74.3	114.3
95	91.6	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1127.D
 Acq On : 02 Mar 2026 07:48 pm
 Operator :
 Sample : 260220005-007a
 Misc : samp
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Mar 03 08:43:20 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	102224	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	121284	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	79728	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	30830	52.55	ug	0.00
59) Toluene-d8	7.909	98	123375	46.10	ug	0.00
81) Bromofluorobenzene	10.908	95	62245	49.29	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	83164	51.21	ug	0.00
Target Compounds						Qvalue
42) Trichloroethene	6.362	130	2353	1.88	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1127.D
Acq On : 02 Mar 2026 07:48 pm
Operator :
Sample : 260220005-007a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1

Quant Time: Mar 03 08:43:20 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#42
 Trichloroethene
 Concen: 1.88 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g1127.D
 Acq: 02 Mar 2026 07:48 pm

Tgt Ion:130 Resp: 2353

Ion	Ratio	Lower	Upper
130	100		
132	92.3	74.3	114.3
95	88.2	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1128.D
 Acq On : 02 Mar 2026 08:08 pm
 Operator :
 Sample : 260220005-018a
 Misc : samp
 ALS Vial : 23 Sample Multiplier: 1

Quant Time: Mar 03 08:43:48 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	103169	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	122219	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	81405	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	31927	53.92	ug	0.00
59) Toluene-d8	7.909	98	124425	46.13	ug	0.00
81) Bromofluorobenzene	10.908	95	63141	48.97	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84884	51.20	ug	0.00
Target Compounds						Qvalue
24) cis-1,2-Dichloroethene	4.506	61	7060	4.89	ug	93
42) Trichloroethene	6.362	130	3000	2.38	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1128.D
Acq On : 02 Mar 2026 08:08 pm
Operator :
Sample : 260220005-018a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1





Quant Time: Mar 03 08:43:48 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#24
cis-1,2-Dichloroethene
Concen: 4.89 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.001 min
Lab File: g1128.D
Acq: 02 Mar 2026 08:08 pm

Tgt Ion: 61 Resp: 7060
Ion Ratio Lower Upper
61 100
96 79.1 68.2 102.4



#42
Trichloroethene
Concen: 2.38 ug
RT: 6.362 min Scan# 1019
Delta R.T. 0.011 min
Lab File: g1128.D
Acq: 02 Mar 2026 08:08 pm

Tgt Ion:130 Resp: 3000
Ion Ratio Lower Upper
130 100
132 92.6 74.3 114.3
95 92.5 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1129.D
 Acq On : 02 Mar 2026 08:28 pm
 Operator :
 Sample : 260220005-020a
 Misc : samp
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 03 08:44:56 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	104213	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	126129	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	85409	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	32728	54.72	ug	0.00
59) Toluene-d8	7.909	98	127818	45.92	ug	0.00
81) Bromofluorobenzene	10.908	95	65822	48.66	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	87645	50.38	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	6279	8.37	ug	77
14) Acetone	2.571	43	18309	36.97	ug	100
24) cis-1,2-Dichloroethene	4.506	61	37310	25.58	ug	94
42) Trichloroethene	6.362	130	6036	4.64	ug	97
60) Toluene	7.998	92	3298	1.20	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1129.D
Acq On : 02 Mar 2026 08:28 pm
Operator :
Sample : 260220005-020a
Misc : samp
ALS Vial : 24 Sample Multiplier: 1





Quant Time: Mar 03 08:44:56 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 8.37 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.001 min
 Lab File: g1129.D
 Acq: 02 Mar 2026 08:28 pm


Tgt Ion: 62 Resp: 6279
 Ion Ratio Lower Upper
 62 100
 64 51.5 17.8 57.8



#14
 Acetone
 Concen: 36.97 ug
 RT: 2.571 min Scan# 296
 Delta R.T. -0.003 min
 Lab File: g1129.D
 Acq: 02 Mar 2026 08:28 pm





Tgt Ion: 43 Resp: 18309
 Ion Ratio Lower Upper
 43 100
 58 31.8 11.8 51.8








#24
 cis-1,2-Dichloroethene
 Concen: 25.58 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.001 min
 Lab File: g1129.D
 Acq: 02 Mar 2026 08:28 pm


Tgt Ion: 61 Resp: 37310
 Ion Ratio Lower Upper
 61 100
 96 80.1 68.2 102.4



#42
 Trichloroethene
 Concen: 4.64 ug
 RT: 6.362 min Scan# 1019
 Delta R.T. 0.011 min
 Lab File: g1129.D
 Acq: 02 Mar 2026 08:28 pm




Tgt Ion: 130 Resp: 6036
 Ion Ratio Lower Upper
 130 100
 132 95.4 74.3 114.3
 95 95.4 70.6 110.6





#60
Toluene
Concen: 1.20 ug
RT: 7.998 min Scan# 1331
Delta R.T. 0.006 min
Lab File: g1129.D
Acq: 02 Mar 2026 08:28 pm

Tgt Ion: 92 Resp: 3298
Ion Ratio Lower Upper
92 100
91 170.6 153.8 193.8



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1130.D
 Acq On : 02 Mar 2026 08:48 pm
 Operator :
 Sample : 260220005-019a
 Misc : samp
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Mar 03 08:45:54 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	100228	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	119929	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	78904	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	30954	53.82	ug	0.00
59) Toluene-d8	7.909	98	122461	46.27	ug	0.00
81) Bromofluorobenzene	10.908	95	62244	49.81	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	82702	51.46	ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1130.D
Acq On : 02 Mar 2026 08:48 pm
Operator :
Sample : 260220005-019a
Misc : samp
ALS Vial : 25 Sample Multiplier: 1

Quant Time: Mar 03 08:45:54 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1131.D
 Acq On : 02 Mar 2026 09:07 pm
 Operator :
 Sample : 260220005-022a
 Misc : samp
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Mar 03 08:46:34 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	100583	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	120750	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	80161	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31064	53.82	ug	0.00
59) Toluene-d8	7.909	98	123148	46.22	ug	0.00
81) Bromofluorobenzene	10.908	95	62487	49.22	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84385	51.69	ug	0.00
Target Compounds						
						Qvalue
14) Acetone	2.576	43	800	1.67	ug	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1131.D
Acq On : 02 Mar 2026 09:07 pm
Operator :
Sample : 260220005-022a
Misc : samp
ALS Vial : 26 Sample Multiplier: 1




Quant Time: Mar 03 08:46:34 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration





#14
 Acetone
 Concen: 1.67 ug
 RT: 2.576 min Scan# 297
 Delta R.T. 0.002 min
 Lab File: g1131.D
 Acq: 02 Mar 2026 09:07 pm

Tgt Ion: 43 Resp: 800
 Ion Ratio Lower Upper
 43 100
 58 22.6 11.8 51.8



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1132.D
 Acq On : 02 Mar 2026 09:27 pm
 Operator :
 Sample : 260220005-023a
 Misc : samp
 ALS Vial : 27 Sample Multiplier: 1

Quant Time: Mar 03 08:47:08 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	98600	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	119724	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	77285	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31431	55.55	ug	0.00
59) Toluene-d8	7.908	98	121735	46.08	ug	0.00
81) Bromofluorobenzene	10.908	95	61604	50.33	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	81483	51.77	ug	0.00
Target Compounds						
14) Acetone	2.576	43	1232	2.63	ug	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1132.D
Acq On : 02 Mar 2026 09:27 pm
Operator :
Sample : 260220005-023a
Misc : samp
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Mar 03 08:47:08 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#14
 Acetone
 Concen: 2.63 ug
 RT: 2.576 min Scan# 297
 Delta R.T. 0.002 min
 Lab File: g1132.D
 Acq: 02 Mar 2026 09:27 pm

Tgt Ion: 43 Resp: 1232

Ion	Ratio	Lower	Upper
43	100		
58	28.2	11.8	51.8



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1133.D
 Acq On : 02 Mar 2026 09:47 pm
 Operator :
 Sample : 260220005-024a
 Misc : samp
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Mar 03 08:47:38 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc Units	Dev(Min)


Internal Standards					
1) Fluorobenzene	5.906	96	98107	50.00 ug	0.00
36) Chlorobenzene-d5	9.738	117	118592	50.00 ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	78614	50.00 ug	0.00
System Monitoring Compounds					
35) 1,2-Dichloroethane-d4	5.491	65	31071	55.19 ug	0.00
59) Toluene-d8	7.909	98	121491	46.42 ug	0.00
81) Bromofluorobenzene	10.908	95	61655	49.52 ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	83023	51.85 ug	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1133.D
Acq On : 02 Mar 2026 09:47 pm
Operator :
Sample : 260220005-024a
Misc : samp
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Mar 03 08:47:38 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1134.D
 Acq On : 02 Mar 2026 10:07 pm
 Operator :
 Sample : 260220005-025a
 Misc : samp
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: Mar 03 09:13:26 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	98348	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	118176	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	76582	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31482	55.78	ug	0.00
59) Toluene-d8	7.909	98	121167	46.46	ug	0.00
81) Bromofluorobenzene	10.908	95	60698	50.04	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	82642	52.98	ug	0.00
Target Compounds						Qvalue
24) cis-1,2-Dichloroethene	4.506	61	11458	8.32	ug	91
42) Trichloroethene	6.357	130	26940	22.10	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1134.D
Acq On : 02 Mar 2026 10:07 pm
Operator :
Sample : 260220005-025a
Misc : samp
ALS Vial : 29 Sample Multiplier: 1





Quant Time: Mar 03 09:13:26 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#24
 cis-1,2-Dichloroethene
 Concen: 8.32 ug
 RT: 4.506 min Scan# 665
 Delta R.T. 0.001 min
 Lab File: g1134.D
 Acq: 02 Mar 2026 10:07 pm

Tgt Ion: 61 Resp: 11458
 Ion Ratio Lower Upper
 61 100
 96 77.5 68.2 102.4



#42
 Trichloroethene
 Concen: 22.10 ug
 RT: 6.357 min Scan# 1018
 Delta R.T. 0.006 min
 Lab File: g1134.D
 Acq: 02 Mar 2026 10:07 pm

Tgt Ion: 130 Resp: 26940
 Ion Ratio Lower Upper
 130 100
 132 97.8 74.3 114.3
 95 93.9 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1136.D
 Acq On : 02 Mar 2026 10:47 pm
 Operator :
 Sample : 260220005-028a
 Misc : samp
 ALS Vial : 31 Sample Multiplier: 1

Quant Time: Mar 03 09:14:30 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.906	96	95721	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	115516	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	74086	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	30235	55.04	ug	0.00
59) Toluene-d8	7.909	98	118348	46.43	ug	0.00
81) Bromofluorobenzene	10.908	95	58948	50.24	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	79272	52.54	ug	0.00
Target Compounds						
						Qvalue
14) Acetone	2.576	43	548	1.20	ug	76
18) Methylene Chloride	3.006	84	596	Below Cal		86
24) cis-1,2-Dichloroethene	4.506	61	21806	16.27	ug	92
42) Trichloroethene	6.357	130	68362	57.37	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1136.D
Acq On : 02 Mar 2026 10:47 pm
Operator :
Sample : 260220005-028a
Misc : samp
ALS Vial : 31 Sample Multiplier: 1





Quant Time: Mar 03 09:14:30 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#14
Acetone
Concen: 1.20 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.002 min
Lab File: g1136.D
Acq: 02 Mar 2026 10:47 pm


Tgt Ion: 43 Resp: 548
Ion Ratio Lower Upper
43 100
58 18.6 11.8 51.8



#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1136.D
Acq: 02 Mar 2026 10:47 pm





Tgt Ion: 84 Resp: 596
Ion Ratio Lower Upper
84 100
49 117.3 82.9 122.9








#24
cis-1,2-Dichloroethene
Concen: 16.27 ug
RT: 4.506 min Scan# 665
Delta R.T. 0.001 min
Lab File: g1136.D
Acq: 02 Mar 2026 10:47 pm

Tgt Ion: 61 Resp: 21806
Ion Ratio Lower Upper
61 100
96 78.3 68.2 102.4



#42
Trichloroethene
Concen: 57.37 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g1136.D
Acq: 02 Mar 2026 10:47 pm

Tgt Ion:130 Resp: 68362
Ion Ratio Lower Upper
130 100
132 96.2 74.3 114.3
95 93.3 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1137.D
 Acq On : 02 Mar 2026 11:09 pm
 Operator :
 Sample : 260220005-008a
 Misc : samp
 ALS Vial : 32 Sample Multiplier: 1

Quant Time: Mar 03 09:16:43 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.900	96	91412	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	110830	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	75399	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	28329	54.00	ug	0.00
59) Toluene-d8	7.909	98	110429	45.15	ug	0.00
81) Bromofluorobenzene	10.908	95	58677	49.14	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	79938	52.05	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	22019	33.47	ug	91
14) Acetone	2.571	43	36605	84.27	ug	99
18) Methylene Chloride	3.006	84	726	Below Cal	#	77
24) cis-1,2-Dichloroethene	4.501	61	74103	57.91	ug	95
42) Trichloroethene	6.357	130	19629	17.17	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1137.D
Acq On : 02 Mar 2026 11:09 pm
Operator :
Sample : 260220005-008a
Misc : samp
ALS Vial : 32 Sample Multiplier: 1





Quant Time: Mar 03 09:16:43 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 33.47 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.001 min
 Lab File: g1137.D
 Acq: 02 Mar 2026 11:09 pm


Tgt Ion: 62 Resp: 22019
 Ion Ratio Lower Upper
 62 100
 64 32.1 17.8 57.8



#14
 Acetone
 Concen: 84.27 ug
 RT: 2.571 min Scan# 296
 Delta R.T. -0.003 min
 Lab File: g1137.D
 Acq: 02 Mar 2026 11:09 pm





Tgt Ion: 43 Resp: 36605
 Ion Ratio Lower Upper
 43 100
 58 32.1 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1137.D
Acq: 02 Mar 2026 11:09 pm


Tgt Ion: 84 Resp: 726
Ion Ratio Lower Upper
84 100
49 126.2 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 57.91 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.004 min
Lab File: g1137.D
Acq: 02 Mar 2026 11:09 pm




Tgt Ion: 61 Resp: 74103
Ion Ratio Lower Upper
61 100
96 80.3 68.2 102.4





#42
 Trichloroethene
 Concen: 17.17 ug
 RT: 6.357 min Scan# 1018
 Delta R.T. 0.006 min
 Lab File: g1137.D
 Acq: 02 Mar 2026 11:09 pm

Tgt Ion	Ratio	Lower	Upper
130	100		
132	96.7	74.3	114.3
95	93.5	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1138.D
 Acq On : 02 Mar 2026 11:31 pm
 Operator :
 Sample : 260220005-010a
 Misc : samp
 ALS Vial : 33 Sample Multiplier: 1

Quant Time: Mar 03 09:17:31 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.901	96	96001	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	117314	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	77857	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	30959	56.19	ug	0.00
59) Toluene-d8	7.909	98	117725	45.47	ug	0.00
81) Bromofluorobenzene	10.908	95	60769	49.28	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	82430	51.98	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	16591	24.01	ug	91
14) Acetone	2.576	43	1738	3.81	ug	93
18) Methylene Chloride	3.006	84	1770	Below Cal	#	74
24) cis-1,2-Dichloroethene	4.501	61	100614	74.87	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1138.D
Acq On : 02 Mar 2026 11:31 pm
Operator :
Sample : 260220005-010a
Misc : samp
ALS Vial : 33 Sample Multiplier: 1





Quant Time: Mar 03 09:17:31 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 24.01 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.001 min
 Lab File: g1138.D
 Acq: 02 Mar 2026 11:31 pm


Tgt Ion: 62 Resp: 16591
 Ion Ratio Lower Upper
 62 100
 64 32.3 17.8 57.8



#14
 Acetone
 Concen: 3.81 ug
 RT: 2.576 min Scan# 297
 Delta R.T. 0.002 min
 Lab File: g1138.D
 Acq: 02 Mar 2026 11:31 pm





Tgt Ion: 43 Resp: 1738
 Ion Ratio Lower Upper
 43 100
 58 27.9 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1138.D
Acq: 02 Mar 2026 11:31 pm

Tgt Ion: 84 Resp: 1770
Ion Ratio Lower Upper
84 100
49 129.3 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 74.87 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.004 min
Lab File: g1138.D
Acq: 02 Mar 2026 11:31 pm

Tgt Ion: 61 Resp: 100614
Ion Ratio Lower Upper
61 100
96 80.1 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1139.D
 Acq On : 02 Mar 2026 11:53 pm
 Operator :
 Sample : 260220005-017a
 Misc : samp
 ALS Vial : 34 Sample Multiplier: 1

Quant Time: Mar 03 09:22:28 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.900	96	98976	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	120864	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	79988	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31527	55.51	ug	0.00
59) Toluene-d8	7.909	98	121361	45.50	ug	0.00
81) Bromofluorobenzene	10.908	95	62621	49.43	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	84517	51.88	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.475	62	3005	4.22	ug	88
14) Acetone	2.576	43	1732	3.68	ug	94
18) Methylene Chloride	3.006	84	1987	Below Cal	#	77
24) cis-1,2-Dichloroethene	4.501	61	49047	35.40	ug	92
42) Trichloroethene	6.357	130	3757	3.01	ug	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1139.D
Acq On : 02 Mar 2026 11:53 pm
Operator :
Sample : 260220005-017a
Misc : samp
ALS Vial : 34 Sample Multiplier: 1





Quant Time: Mar 03 09:22:28 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 4.22 ug
RT: 1.475 min Scan# 86
Delta R.T. 0.004 min
Lab File: g1139.D
Acq: 02 Mar 2026 11:53 pm


Tgt Ion: 62 Resp: 3005
Ion Ratio Lower Upper
62 100
64 30.5 17.8 57.8



#14
Acetone
Concen: 3.68 ug
RT: 2.576 min Scan# 297
Delta R.T. 0.002 min
Lab File: g1139.D
Acq: 02 Mar 2026 11:53 pm





Tgt Ion: 43 Resp: 1732
Ion Ratio Lower Upper
43 100
58 28.7 11.8 51.8








#24
cis-1,2-Dichloroethene
Concen: 35.40 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.004 min
Lab File: g1139.D
Acq: 02 Mar 2026 11:53 pm

Tgt Ion: 61 Resp: 49047
Ion Ratio Lower Upper
61 100
96 78.1 68.2 102.4



#42
Trichloroethene
Concen: 3.01 ug
RT: 6.357 min Scan# 1018
Delta R.T. 0.006 min
Lab File: g1139.D
Acq: 02 Mar 2026 11:53 pm

Tgt Ion:130 Resp: 3757
Ion Ratio Lower Upper
130 100
132 93.2 74.3 114.3
95 92.4 70.6 110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1140.D
 Acq On : 03 Mar 2026 12:15 am
 Operator :
 Sample : 260220005-009a
 Misc : samp
 ALS Vial : 35 Sample Multiplier: 1

Quant Time: Mar 03 09:23:13 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.901	96	100146	50.00	ug	0.00
36) Chlorobenzene-d5	9.739	117	122877	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	81999	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.492	65	31828	55.38	ug	0.00
59) Toluene-d8	7.909	98	123420	45.52	ug	0.00
81) Bromofluorobenzene	10.908	95	64256	49.48	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	86283	51.66	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.470	62	22492	31.20	ug	91
14) Acetone	2.571	43	1737	3.65	ug	98
18) Methylene Chloride	3.006	84	1866	Below Cal	#	79
24) cis-1,2-Dichloroethene	4.501	61	141985	101.29	ug	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1140.D
Acq On : 03 Mar 2026 12:15 am
Operator :
Sample : 260220005-009a
Misc : samp
ALS Vial : 35 Sample Multiplier: 1





Quant Time: Mar 03 09:23:13 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 31.20 ug
 RT: 1.470 min Scan# 85
 Delta R.T. -0.001 min
 Lab File: g1140.D
 Acq: 03 Mar 2026 12:15 am


Tgt Ion: 62 Resp: 22492
 Ion Ratio Lower Upper
 62 100
 64 32.6 17.8 57.8



#14
 Acetone
 Concen: 3.65 ug
 RT: 2.571 min Scan# 296
 Delta R.T. -0.003 min
 Lab File: g1140.D
 Acq: 03 Mar 2026 12:15 am





Tgt Ion: 43 Resp: 1737
 Ion Ratio Lower Upper
 43 100
 58 30.8 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1140.D
Acq: 03 Mar 2026 12:15 am

Tgt Ion: 84 Resp: 1866
Ion Ratio Lower Upper
84 100
49 124.3 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 101.29 ug
RT: 4.501 min Scan# 664
Delta R.T. -0.004 min
Lab File: g1140.D
Acq: 03 Mar 2026 12:15 am

Tgt Ion: 61 Resp: 141985
Ion Ratio Lower Upper
61 100
96 79.6 68.2 102.4



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1141.D
 Acq On : 03 Mar 2026 12:37 am
 Operator :
 Sample : 260220005-016a
 Misc : samp
 ALS Vial : 36 Sample Multiplier: 1

Quant Time: Mar 03 09:24:01 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.900	96	101578	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	120586	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	77829	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31812	54.57	ug	0.00
59) Toluene-d8	7.908	98	122345	45.98	ug	0.00
81) Bromofluorobenzene	10.907	95	61461	49.86	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	82747	52.20	ug	0.00
Target Compounds						
						Qvalue
4) Vinyl Chloride	1.469	62	4089	5.59	ug	90
14) Acetone	2.576	43	1679	3.48	ug	96
18) Methylene Chloride	3.006	84	1978	Below Cal	#	77
24) cis-1,2-Dichloroethene	4.500	61	63761	44.84	ug	94
42) Trichloroethene	6.356	130	6154	4.95	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1141.D
Acq On : 03 Mar 2026 12:37 am
Operator :
Sample : 260220005-016a
Misc : samp
ALS Vial : 36 Sample Multiplier: 1





Quant Time: Mar 03 09:24:01 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 5.59 ug
 RT: 1.469 min Scan# 85
 Delta R.T. -0.002 min
 Lab File: g1141.D
 Acq: 03 Mar 2026 12:37 am


Tgt Ion: 62 Resp: 4089
 Ion Ratio Lower Upper
 62 100
 64 32.0 17.8 57.8



#14
 Acetone
 Concen: 3.48 ug
 RT: 2.576 min Scan# 297
 Delta R.T. 0.002 min
 Lab File: g1141.D
 Acq: 03 Mar 2026 12:37 am





Tgt Ion: 43 Resp: 1679
 Ion Ratio Lower Upper
 43 100
 58 29.4 11.8 51.8








#18
Methylene Chloride
Concen: Below Cal
RT: 3.006 min Scan# 379
Delta R.T. -0.003 min
Lab File: g1141.D
Acq: 03 Mar 2026 12:37 am


Tgt Ion: 84 Resp: 1978
Ion Ratio Lower Upper
84 100
49 126.1 82.9 122.9#



#24
cis-1,2-Dichloroethene
Concen: 44.84 ug
RT: 4.500 min Scan# 664
Delta R.T. -0.005 min
Lab File: g1141.D
Acq: 03 Mar 2026 12:37 am




Tgt Ion: 61 Resp: 63761
Ion Ratio Lower Upper
61 100
96 79.9 68.2 102.4





#42
 Trichloroethene
 Concen: 4.95 ug
 RT: 6.356 min Scan# 1018
 Delta R.T. 0.005 min
 Lab File: g1141.D
 Acq: 03 Mar 2026 12:37 am

Tgt Ion:	130	Resp:	6154
Ion	Ratio	Lower	Upper
130	100		
132	98.8	74.3	114.3
95	95.1	70.6	110.6



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1143.D
 Acq On : 03 Mar 2026 01:16 am
 Operator :
 Sample : 260220005-002ams
 Misc : ms
 ALS Vial : 37 Sample Multiplier: 1

Quant Time: Mar 03 09:24:49 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.900	96	106208	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	128472	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	91355	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	31564	51.79	ug	0.00
59) Toluene-d8	7.909	98	132877	46.87	ug	0.00
81) Bromofluorobenzene	10.908	95	72644	50.21	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	91793	49.33	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.248	85	11637	21.70	ug	# 92
3) Chloromethane	1.389	50	18626	20.05	ug	95
4) Vinyl Chloride	1.470	62	18908	24.73	ug	91
5) Bromomethane	1.716	94	18935	31.43	ug	82
6) Chloroethane	1.807	64	12794	24.80	ug	91
7) Acrolein	2.414	56	2110	86.48	ug	98
8) Trichlorofluoromethane	2.023	101	30662	26.20	ug	94
9) Ethanol	2.225	45	6631	413.70	ug	97
10) Freon113	2.498	101	22309	28.82	ug	98
11) 1,1-Dichloroethene	2.492	96	23391	27.06	ug	# 88
12) Allyl Chloride	2.859	41	51290	17.84	ug	94
13) Carbon Disulfide	2.702	76	65772	29.36	ug	100
14) Acetone	2.576	43	11091	21.98	ug	99
15) Iodomethane	2.639	142	8812	7.11	ug	97
16) Acetonitrile	2.859	40	20218	205.60	ug	95
17) Methyl Acetate	2.917	43	28547	20.89	ug	100
18) Methylene Chloride	3.006	84	28313	25.77	ug	# 79
19) Acrylonitrile	3.321	53	7147	16.11	ug	# 87
20) trans-1,2-Dichloroethene	3.321	96	26527	27.75	ug	90
21) Mtbe	3.342	73	154165	46.34	ug	100
22) 1,1-Dichloroethane	3.808	63	47573	26.80	ug	99
24) cis-1,2-Dichloroethene	4.500	61	42099	28.32	ug	83
25) 2,2-Dichloropropane	4.490	77	33030	23.07	ug	90
26) Propionitrile	4.632	54	36730	213.51	ug	97
27) Bromochloromethane	4.789	128	14654	24.86	ug	85
28) Methacrylonitrile	4.799	67	102007	215.39	ug	84
29) Tetrahydrofuran	4.873	42	9958	24.65	ug	89
30) Chloroform	4.899	83	46414	25.69	ug	99
31) Cyclohexane	5.145	84	40117	30.23	ug	# 82
32) 1,1-Dichloro-1-propene	5.297	75	34061	29.90	ug	88
33) 1,2-Dichloroethane	5.586	62	35655	26.87	ug	99
34) 2-Butanone	4.569	43	14245	25.91	ug	70
37) 1,1,1-Trichloroethane	5.093	97	41238	23.58	ug	99
38) Carbon Tetrachloride	5.292	117	36611	24.42	ug	99
39) Benzene	5.549	78	105716	22.53	ug	100
40) Isobutanol	5.549	43	26600m	388.94	ug	
41) Heptane	5.145	43	5054	26.05	ug	# 1
42) Trichloroethene	6.357	130	30565	23.06	ug	97
43) Methyl Cyclohexane	6.577	83	41707	24.77	ug	94
44) 1,2-Dichloropropane	6.634	63	27367	22.61	ug	99
45) Vinyl Acetate	3.908	43	24575	22.01	ug	95


Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1143.D
 Acq On : 03 Mar 2026 01:16 am
 Operator :
 Sample : 260220005-002ams
 Misc : ms
 ALS Vial : 37 Sample Multiplier: 1

Quant Time: Mar 03 09:24:49 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.787	174	19867	22.63	ug	95
47) 1,4-Dioxane	6.849	88	6436	399.10	ug	# 1
48) Methyl Methacrylate	6.844	69	15669	18.87	ug	# 76
49) Bromodichloromethane	6.996	83	35474	22.83	ug	# 38
50) Ceve	7.389	63	2357	3.72	ug	94
51) cis-1,3-Dichloropropene	7.583	75	33680	21.57	ug	98
52) trans-1,3-Dichloropropene	8.323	75	30579	21.19	ug	94
53) 1,1,2-Trichloroethane	8.548	97	25457	22.15	ug	97
54) 1,3-Dichloropropane	8.763	76	40059	22.22	ug	96
55) 1,2-Dibromoethane	9.183	107	20825	21.98	ug	96
56) Dibromochloromethane	9.052	129	27261	22.63	ug	96
57) Bromoform	10.603	173	18991	22.45	ug	99
58) 4-Methyl-2-Pentanone	7.814	43	28114	21.94	ug	92
60) Toluene	7.992	92	64487	22.95	ug	98
61) Ethyl Metacrylate	8.480	69	27655	21.42	ug	# 83
62) Tetrachloroethene	8.705	164	23854	23.55	ug	99
63) 2-Hexanone	8.931	43	19440	23.58	ug	87
65) Chlorobenzene	9.770	112	72063	21.17	ug	97
66) 1,1,1,2-Tetrachloroethane	9.869	133	25640	20.61	ug	# 93
67) Ethylbenzene	9.906	106	36364	22.65	ug	100
68) m,p-Xylene	10.032	91	183350	46.03	ug	99
69) o-Xylene	10.425	106	45067	22.49	ug	94
70) Styrene	10.441	104	73415	23.33	ug	77
71) Isopropylbenzene	10.777	105	112466	23.45	ug	97
72) Chloroprene	10.850	53	6952m	44.58	ug	
73) trans-1,4-Dichloro-2-b...	10.850	88	5884	17.51	ug	# 53
74) Bromobenzene	11.028	77	45321	21.81	ug	92
75) 1,2,3-Trichloropropane	11.081	75	35048	18.77	ug	# 86
76) 2-Chlorotoluene	11.201	91	83284	22.29	ug	95
77) 4-Chlorotoluene	11.296	91	95527	22.87	ug	97
78) 1,3,5-Trimethylbenzene	11.290	105	97769	23.54	ug	96
79) tert-Butylbenzene	11.552	119	82218	23.09	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	95184	23.65	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	35568	21.45	ug	95
83) n-Propylbenzene	11.138	91	134816	23.62	ug	98
84) 1,3-Dichlorobenzene	11.809	146	59070	21.84	ug	# 91
85) sec-Butylbenzene	11.726	105	119233	24.17	ug	96
86) 4-Isopropyltoluene	11.846	119	102469	23.89	ug	100
87) 1,4-Dichlorobenzene	11.878	146	63045	21.52	ug	# 40
88) 1,2-Dichlorobenzene	12.161	146	59712	20.95	ug	# 92
89) n-Butylbenzene	12.155	91	91403	22.80	ug	96
90) 1,2-Dibromo-3-Chloropr	12.727	157	7489	21.65	ug	# 79
91) 1,2,4-Trichlorobenzene	13.293	180	37204	20.69	ug	97
92) Hexachlorobutadiene	13.409	225	19738	23.09	ug	94
93) Naphthalene	13.461	128	89137	22.28	ug	97
94) 1,2,3-Trichlorobenzene	13.624	180	35291	21.42	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance



Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1144.D
 Acq On : 03 Mar 2026 01:36 am
 Operator :
 Sample : 260220005-002amsd
 Misc : msd
 ALS Vial : 37 Sample Multiplier: 1

Quant Time: Mar 03 09:28:52 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.906	96	101318	50.00	ug	0.00
36) Chlorobenzene-d5	9.738	117	122985	50.00	ug	0.00
64) 1,4-Dichlorobenzene-d4	11.862	152	87567	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.491	65	30121	51.80	ug	0.00
59) Toluene-d8	7.909	98	126389	46.57	ug	0.00
81) Bromofluorobenzene	10.908	95	69545	50.14	ug	0.00
95) 1,2-Dichlorobenzene-d4	12.145	152	87057	48.81	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.248	85	11016	21.53	ug	# 93
3) Chloromethane	1.389	50	18083	20.41	ug	96
4) Vinyl Chloride	1.475	62	18280	25.07	ug	90
5) Bromomethane	1.721	94	17479	30.41	ug	# 81
6) Chloroethane	1.807	64	12613	25.63	ug	91
7) Acrolein	2.419	56	2033	87.34	ug	97
8) Trichlorofluoromethane	2.023	101	28925	25.91	ug	95
9) Ethanol	2.225	45	6481	423.86	ug	99
10) Freon113	2.498	101	21237	28.76	ug	96
11) 1,1-Dichloroethene	2.492	96	22374	27.14	ug	# 89
12) Allyl Chloride	2.859	41	50292	18.33	ug	94
13) Carbon Disulfide	2.702	76	63460	29.69	ug	100
14) Acetone	2.576	43	10769	22.37	ug	99
15) Iodomethane	2.639	142	12235	10.35	ug	98
16) Acetonitrile	2.859	40	19976	212.94	ug	93
17) Methyl Acetate	2.917	43	27808	21.33	ug	99
18) Methylene Chloride	3.006	84	27279	26.05	ug	# 78
19) Acrylonitrile	3.913	53	31348m	74.06	ug	
20) trans-1,2-Dichloroethene	3.321	96	25500	27.96	ug	89
21) Mtbe	3.342	73	151858	47.85	ug	99
22) 1,1-Dichloroethane	3.808	63	45292	26.75	ug	100
24) cis-1,2-Dichloroethene	4.506	61	40542	28.59	ug	83
25) 2,2-Dichloropropane	4.490	77	31512	23.08	ug	90
26) Propionitrile	4.632	54	36215	220.68	ug	96
27) Bromochloromethane	4.789	128	14365	25.54	ug	84
28) Methacrylonitrile	4.799	67	99550	220.34	ug	84
29) Tetrahydrofuran	4.868	42	9659	25.07	ug	89
30) Chloroform	4.899	83	45360	26.32	ug	100
31) Cyclohexane	5.145	84	38272	30.24	ug	# 82
32) 1,1-Dichloro-1-propene	5.297	75	32471	29.88	ug	88
33) 1,2-Dichloroethane	5.586	62	34663	27.38	ug	99
34) 2-Butanone	4.569	43	14013	26.72	ug	67
37) 1,1,1-Trichloroethane	5.093	97	39953	23.87	ug	98
38) Carbon Tetrachloride	5.292	117	35549	24.77	ug	100
39) Benzene	5.549	78	101729	22.65	ug	100
40) Isobutanol	5.549	43	27187m	415.25	ug	
41) Heptane	5.145	43	4781	25.74	ug	# 1
42) Trichloroethene	6.357	130	29685	23.40	ug	99
43) Methyl Cyclohexane	6.577	83	39910	24.76	ug	94
44) 1,2-Dichloropropane	6.634	63	25337	21.87	ug	95
45) Vinyl Acetate	3.908	43	25444	23.80	ug	94

Data Path : D:\MassHunter\GCMS\2\data\030226\
 Data File : g1144.D
 Acq On : 03 Mar 2026 01:36 am
 Operator :
 Sample : 260220005-002amsd
 Misc : msd
 ALS Vial : 37 Sample Multiplier: 1


Quant Time: Mar 03 09:28:52 2026
 Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Fri Feb 27 12:14:10 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	6.787	174	19726	23.47	ug	96
47) 1,4-Dioxane	6.849	88	6240	404.21	ug	# 1
48) Methyl Methacrylate	6.844	69	15403	19.37	ug	# 76
49) Bromodichloromethane	6.996	83	34710	23.33	ug	# 38
50) Ceve	7.389	63	2213	3.65	ug	89
51) cis-1,3-Dichloropropene	7.583	75	32804	21.94	ug	99
52) trans-1,3-Dichloropropene	8.323	75	29586	21.42	ug	98
53) 1,1,2-Trichloroethane	8.548	97	25103	22.81	ug	95
54) 1,3-Dichloropropane	8.763	76	38842	22.51	ug	95
55) 1,2-Dibromoethane	9.183	107	20462	22.56	ug	96
56) Dibromochloromethane	9.052	129	26975	23.39	ug	95
57) Bromoform	10.604	173	18724	23.12	ug	99
58) 4-Methyl-2-Pentanone	7.819	43	28062	22.88	ug	92
60) Toluene	7.998	92	62877	23.38	ug	98
61) Ethyl Metacrylate	8.480	69	27541	22.29	ug	# 83
62) Tetrachloroethene	8.706	164	23003	23.73	ug	100
63) 2-Hexanone	8.931	43	19164	24.29	ug	83
65) Chlorobenzene	9.770	112	70742	21.68	ug	97
66) 1,1,1,2-Tetrachloroethane	9.869	133	25422	21.32	ug	# 94
67) Ethylbenzene	9.906	106	35485	23.06	ug	100
68) m,p-Xylene	10.032	91	179616	47.04	ug	99
69) o-Xylene	10.425	106	44575	23.21	ug	94
70) Styrene	10.441	104	71803	23.80	ug	78
71) Isopropylbenzene	10.777	105	109238	23.76	ug	97
72) Chloroprene	10.845	53	6914m	46.25	ug	
73) trans-1,4-Dichloro-2-b...	10.850	88	5719	17.75	ug	# 52
74) Bromobenzene	11.028	77	44647	22.42	ug	92
75) 1,2,3-Trichloropropane	11.081	75	38534m	21.53	ug	
76) 2-Chlorotoluene	11.201	91	80977	22.61	ug	95
77) 4-Chlorotoluene	11.296	91	92954	23.22	ug	96
78) 1,3,5-Trimethylbenzene	11.290	105	95273	23.93	ug	95
79) tert-Butylbenzene	11.553	119	80126	23.47	ug	98
80) 1,2,4-Trimethylbenzene	11.594	105	93558	24.25	ug	95
82) 1,1,2,2-Tetrachloroethane	11.049	83	35659	22.43	ug	96
83) n-Propylbenzene	11.138	91	131741	24.08	ug	98
84) 1,3-Dichlorobenzene	11.809	146	57719	22.27	ug	92
85) sec-Butylbenzene	11.726	105	115933	24.52	ug	95
86) 4-Isopropyltoluene	11.841	119	100468	24.44	ug	100
87) 1,4-Dichlorobenzene	11.878	146	61792	22.00	ug	# 39
88) 1,2-Dichlorobenzene	12.161	146	58466	21.40	ug	# 92
89) n-Butylbenzene	12.155	91	88646	23.07	ug	96
90) 1,2-Dibromo-3-Chloropr	12.727	157	7282	21.96	ug	# 83
91) 1,2,4-Trichlorobenzene	13.293	180	37157	21.56	ug	97
92) Hexachlorobutadiene	13.409	225	19225	23.46	ug	95
93) Naphthalene	13.461	128	90416	23.58	ug	98
94) 1,2,3-Trichlorobenzene	13.624	180	35835	22.69	ug	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : D:\MassHunter\GCMS\2\data\030226\
Data File : g1144.D
Acq On : 03 Mar 2026 01:36 am
Operator :
Sample : 260220005-002amsd
Misc : msd
ALS Vial : 37 Sample Multiplier: 1


Quant Time: Mar 03 09:28:52 2026
Quant Method : D:\MassHunter\GCMS\2\QtMethods\Full022625.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Fri Feb 27 12:14:10 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6605.D
Acq On : 30 Dec 2025 11:50 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Title : Voa Calibration 524/8260 Water
Last Update : Mon Mar 09 15:26:06 2026



Spectrum Information: Scan 1782

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	17.8	4999	PASS
75	95	30	60	51.5	14474	PASS
95	95	100	100	100.0	28120	PASS
96	95	5	9	6.3	1777	PASS
173	174	0.00	2	1.8	456	PASS
174	95	50	100	90.1	25336	PASS
175	174	5	9	7.5	1910	PASS
176	174	95	101	97.3	24640	PASS
177	176	5	9	6.0	1487	PASS

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6609.D
 Acq On : 30 Dec 2025 1:18 pm
 Operator :
 Sample : std001
 Misc : ical
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Dec 30 13:51:02 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 13:16:08 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	269905	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	167022	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	103062	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	55859	46.44	ug	0.00
59) Toluene-d8	7.692	98	251901	50.36	ug	0.07
81) Bromofluorobenzene	10.744	95	93222	51.11	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	99562	49.31	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.376	62	1133	0.95	ug	88
17) Methyl Acetate	2.732	43	1661m	0.95	ug	
20) trans-1,2-Dichloroethene	3.136	96	1215m	1.42	ug	
21) Mtbe	3.141	73	6998	1.51	ug	95
25) 2,2-Dichloropropane	4.290	77	1467	1.05	ug	89
27) Bromochloromethane	4.578	128	616m	3.97	ug	
31) Cyclohexane	4.934	84	1901	1.03	ug	# 49
37) 1,1,1-Trichloroethane	4.882	97	1805m	0.94	ug	
38) Carbon Tetrachloride	5.055	117	1463m	1.25	ug	
39) Benzene	5.338	78	4517	0.90	ug	100
42) Trichloroethene	6.135	130	731m	1.15	ug	
44) 1,2-Dichloropropane	6.424	63	1653m	0.91	ug	
46) Dibromomethane	6.581	174	739m	1.01	ug	
50) Ceve	7.304	63	127	1.19	ug	# 74
51) cis-1,3-Dichloropropene	7.372	75	2079	1.04	ug	76
56) Dibromochloromethane	8.825	129	1120m	1.23	ug	
62) Tetrachloroethene	8.463	164	939	1.57	ug	96
68) m,p-Xylene	9.858	91	7760	1.64	ug	88
69) o-Xylene	10.256	106	2569	1.12	ug	# 83
70) Styrene	10.277	104	2990	0.91	ug	# 72
75) 1,2,3-Trichloropropane	10.927	75	2224m	1.63	ug	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6609.D
Acq On : 30 Dec 2025 1:18 pm
Operator :
Sample : std001
Misc : ical
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Dec 30 13:51:02 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 13:16:08 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6610.D
 Acq On : 30 Dec 2025 1:40 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Dec 30 13:58:17 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 13:16:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	281859	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	177166	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	111383	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	62263	51.40	ug	0.00
59) Toluene-d8	7.692	98	269734	50.65	ug	0.07
81) Bromofluorobenzene	10.744	95	99879	50.11	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.991	152	109451	50.51	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.162	85	2349	2.50	ug	# 82
3) Chloromethane	1.298	50	3583	2.12	ug	92
4) Vinyl Chloride	1.366	62	3423	2.82	ug	96
5) Bromomethane	1.609	94	7712	2.16	ug	84
6) Chloroethane	1.697	64	3182	3.00	ug	89
8) Trichlorofluoromethane	1.899	101	7961	2.09	ug	96
10) Freon113	2.350	101	2662	2.14	ug	# 65
11) 1,1-Dichloroethene	2.334	96	2584m	2.45	ug	
13) Carbon Disulfide	2.533	76	6040	1.99	ug	100
17) Methyl Acetate	2.738	43	4540m	2.55	ug	
18) Methylene Chloride	2.832	84	4165	2.13	ug	94
20) trans-1,2-Dichloroethene	3.131	96	2892m	2.67	ug	
21) Mtbe	3.141	73	18766	4.42	ug	# 78
22) 1,1-Dichloroethane	3.608	63	4964m	2.45	ug	
24) cis-1,2-Dichloroethene	4.305	61	4041m	2.00	ug	
25) 2,2-Dichloropropane	4.289	77	3710	2.48	ug	# 74
27) Bromochloromethane	4.588	128	1166m	2.90	ug	
30) Chloroform	4.698	83	5216	2.01	ug	# 58
31) Cyclohexane	4.940	84	4608	2.36	ug	# 73
32) 1,1-Dichloro-1-propene	5.092	75	4003m	2.29	ug	
33) 1,2-Dichloroethane	5.380	62	3515	2.56	ug	97
37) 1,1,1-Trichloroethane	4.887	97	4960	2.52	ug	# 44
38) Carbon Tetrachloride	5.076	117	3784	2.71	ug	84
39) Benzene	5.343	78	12265	2.43	ug	100
42) Trichloroethene	6.140	130	2723	3.76	ug	# 77
43) Methyl Cyclohexane	6.355	83	4995	1.83	ug	95
44) 1,2-Dichloropropane	6.423	63	3193m	1.74	ug	
46) Dibromomethane	6.570	174	1902	2.44	ug	# 65
49) Bromodichloromethane	6.785	83	4063m	2.29	ug	
51) cis-1,3-Dichloropropene	7.367	75	4208m	1.95	ug	
52) trans-1,3-Dichloropropene	8.112	75	4144m	2.56	ug	
53) 1,1,2-Trichloroethane	8.337	97	2825	1.67	ug	# 71
54) 1,3-Dichloropropane	8.557	76	4831	1.92	ug	86
55) 1,2-Dibromoethane	8.956	107	2353	2.43	ug	90
56) Dibromochloromethane	8.835	129	2552	2.37	ug	88
57) Bromoform	10.440	173	1993	2.23	ug	90
60) Toluene	7.781	92	8316	2.66	ug	98
62) Tetrachloroethene	8.484	164	2673	3.28	ug	84
65) Chlorobenzene	9.580	112	7225	2.20	ug	91
66) 1,1,1,2-Tetrachloroethane	9.695	133	2251	11.63	ug	# 76
67) Ethylbenzene	9.716	106	4886	2.16	ug	# 89
68) m,p-Xylene	9.858	91	23974	5.15	ug	86
69) o-Xylene	10.256	106	5365	2.04	ug	# 72
70) Styrene	10.272	104	9262	2.73	ug	75
71) Isopropylbenzene	10.613	105	13659	2.36	ug	100
74) Bromobenzene	10.859	77	6168	2.56	ug	# 80

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6610.D
 Acq On : 30 Dec 2025 1:40 pm
 Operator :
 Sample : std002.5
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1


Quant Time: Dec 30 13:58:17 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 13:16:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
75) 1,2,3-Trichloropropane	10.927	75	6368	3.91	ug	# 65
76) 2-Chlorotoluene	11.037	91	9757	2.12	ug	91
77) 4-Chlorotoluene	11.132	91	10518	2.00	ug	91
78) 1,3,5-Trimethylbenzene	11.137	105	10908	2.21	ug	98
79) tert-Butylbenzene	11.399	119	8671	3.82	ug	100
80) 1,2,4-Trimethylbenzene	11.436	105	11216	2.13	ug	94
82) 1,1,2,2-Tetrachloroethane	10.901	83	5049	2.72	ug	94
83) n-Propylbenzene	10.980	91	17743	2.29	ug	# 88
84) 1,3-Dichlorobenzene	11.651	146	5861	2.26	ug	98
85) sec-Butylbenzene	11.572	105	12693	2.10	ug	99
86) 4-Isopropyltoluene	11.693	119	10247	2.13	ug	# 90
87) 1,4-Dichlorobenzene	11.724	146	6404	1.89	ug	# 1
88) 1,2-Dichlorobenzene	12.002	146	6820	2.29	ug	# 1
89) n-Butylbenzene	11.997	91	10873	1.70	ug	90
90) 1,2-Dibromo-3-Chloropr	12.573	157	892	2.72	ug	# 1
91) 1,2,4-Trichlorobenzene	13.140	180	2592	1.23	ug	91
92) Hexachlorobutadiene	13.250	225	1145	1.53	ug	95
93) Naphthalene	13.302	128	6175	1.97	ug	# 88
94) 1,2,3-Trichlorobenzene	13.460	180	2709	1.72	ug	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6610.D
Acq On : 30 Dec 2025 1:40 pm
Operator :
Sample : std002.5
Misc : ical
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Dec 30 13:58:17 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 13:16:08 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6611.D
 Acq On : 30 Dec 2025 2:02 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Dec 30 14:23:12 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 13:16:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	266855	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	161689	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	105893	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	58226	50.30	ug	0.00
59) Toluene-d8	7.698	98	248837	50.98	ug	0.08
81) Bromofluorobenzene	10.744	95	90741	47.85	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	103060	49.85	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	3685	4.14	ug	# 92
3) Chloromethane	1.298	50	7793	5.13	ug	97
4) Vinyl Chloride	1.376	62	6909	5.76	ug	89
5) Bromomethane	1.609	94	16526	5.12	ug	96
6) Chloroethane	1.697	64	5496	5.14	ug	79
7) Acrolein	2.287	56	268m	16.68	ug	
8) Trichlorofluoromethane	1.899	101	17412	5.11	ug	100
9) Ethanol	2.082	45	4439m	880.34	ug	
10) Freon113	2.345	101	4844	4.33	ug	92
11) 1,1-Dichloroethene	2.339	96	4993m	5.03	ug	
12) Allyl Chloride	2.696	41	20183	4.31	ug	99
13) Carbon Disulfide	2.539	76	13699	5.12	ug	100
14) Acetone	2.407	43	5281	1.57	ug	81
15) Iodomethane	2.491	142	1840m	13.94	ug	
16) Acetonitrile	2.706	40	8566m	78.91	ug	
17) Methyl Acetate	2.738	43	7853m	4.62	ug	
18) Methylene Chloride	2.832	84	6360	3.61	ug	82
19) Acrylonitrile	3.713	53	15067m	479.98	ug	
20) trans-1,2-Dichloroethene	3.120	96	5313m	5.07	ug	
21) Mtbe	3.141	73	38535	9.97	ug	98
22) 1,1-Dichloroethane	3.619	63	8499	4.46	ug	90
24) cis-1,2-Dichloroethene	4.305	61	8779	4.91	ug	98
25) 2,2-Dichloropropane	4.290	77	7697	5.45	ug	91
26) Propionitrile	4.431	54	13428	49.21	ug	98
27) Bromochloromethane	4.583	128	2565	6.39	ug	# 74
28) Methacrylonitrile	4.609	67	39276	49.89	ug	93
30) Chloroform	4.704	83	9764	4.25	ug	89
31) Cyclohexane	4.940	84	8912	4.91	ug	# 83
32) 1,1-Dichloro-1-propene	5.097	75	7368m	4.58	ug	
33) 1,2-Dichloroethane	5.385	62	5707	4.36	ug	85
34) 2-Butanone	4.368	43	4031	9.55	ug	77
37) 1,1,1-Trichloroethane	4.887	97	7656	4.25	ug	# 65
38) Carbon Tetrachloride	5.092	117	6850	5.23	ug	87
39) Benzene	5.344	78	24523	5.37	ug	100
40) Isobutanol	5.359	43	10249m	2680.26	ug	
42) Trichloroethene	6.140	130	4872	6.31	ug	# 76
43) Methyl Cyclohexane	6.355	83	9735	4.29	ug	90
44) 1,2-Dichloropropane	6.429	63	5918	5.07	ug	93
45) Vinyl Acetate	3.713	43	10718	5.86	ug	99
46) Dibromomethane	6.570	174	4169	5.91	ug	# 73
47) 1,4-Dioxane	6.654	88	3703m	869.35	ug	
48) Methyl Methacrylate	6.633	69	6613	4.99	ug	# 76
49) Bromodichloromethane	6.801	83	9103m	5.79	ug	
50) Ceve	7.226	63	5484m	48.44	ug	
51) cis-1,3-Dichloropropene	7.373	75	8495	4.65	ug	67
52) trans-1,3-Dichloropropene	8.112	75	7372	4.96	ug	81

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6611.D
 Acq On : 30 Dec 2025 2:02 pm
 Operator :
 Sample : std005
 Misc : ical
 ALS Vial : 3 Sample Multiplier: 1


Quant Time: Dec 30 14:23:12 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 13:16:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
53) 1,1,2-Trichloroethane	8.343	97	5883	4.29	ug	94
54) 1,3-Dichloropropane	8.552	76	10630	5.01	ug	96
55) 1,2-Dibromoethane	8.966	107	6045	6.91	ug	98
56) Dibromochloromethane	8.835	129	5818	6.03	ug	99
57) Bromoform	10.440	173	4579	5.83	ug	92
58) 4-Methyl-2-Pentanone	7.614	43	9487	8.33	ug	92
60) Toluene	7.776	92	16532	5.67	ug	94
61) Ethyl Metacrylate	8.269	69	12461	5.20	ug	# 82
62) Tetrachloroethene	8.479	164	4649	5.66	ug	98
63) 2-Hexanone	8.715	43	7191	52.31	ug	81
65) Chlorobenzene	9.580	112	17196	5.73	ug	98
66) 1,1,1,2-Tetrachloroethane	9.695	133	3939	9.65	ug	# 74
67) Ethylbenzene	9.721	106	9914	4.82	ug	98
68) m,p-Xylene	9.858	91	46368	10.37	ug	96
69) o-Xylene	10.256	106	11365	4.84	ug	87
70) Styrene	10.272	104	18698	5.63	ug	77
71) Isopropylbenzene	10.613	105	26528	4.91	ug	99
72) Chloroprene	10.691	53	3215	12.15	ug	99
73) trans-1,4-Dichloro-2-b...	10.691	88	3628	3.63	ug	# 43
74) Bromobenzene	10.864	77	11376	4.93	ug	85
75) 1,2,3-Trichloropropane	10.927	75	7861	4.27	ug	# 82
76) 2-Chlorotoluene	11.043	91	19491	4.70	ug	97
77) 4-Chlorotoluene	11.132	91	23116	4.96	ug	91
78) 1,3,5-Trimethylbenzene	11.137	105	22231	4.93	ug	97
79) tert-Butylbenzene	11.394	119	16602	6.55	ug	94
80) 1,2,4-Trimethylbenzene	11.436	105	21849	4.60	ug	87
82) 1,1,2,2-Tetrachloroethane	10.901	83	9879	5.44	ug	95
83) n-Propylbenzene	10.980	91	35871	5.02	ug	92
84) 1,3-Dichlorobenzene	11.651	146	12658	5.30	ug	94
85) sec-Butylbenzene	11.572	105	27180	4.99	ug	96
86) 4-Isopropyltoluene	11.693	119	21374	4.91	ug	# 93
87) 1,4-Dichlorobenzene	11.724	146	13815	4.67	ug	# 67
88) 1,2-Dichlorobenzene	12.002	146	12504	4.54	ug	# 1
89) n-Butylbenzene	11.997	91	24001	4.42	ug	# 86
90) 1,2-Dibromo-3-Chloropr	12.574	157	1762	5.49	ug	# 44
91) 1,2,4-Trichlorobenzene	13.135	180	6503	3.91	ug	96
92) Hexachlorobutadiene	13.250	225	2401	3.89	ug	88
93) Naphthalene	13.302	128	11452	4.14	ug	# 80
94) 1,2,3-Trichlorobenzene	13.454	180	5079	3.78	ug	# 83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path   : C:\msdchem\1\data\2025\123025\  
Data File  : d6611.D  
Acq On     : 30 Dec 2025    2:02 pm  
Operator   :  
Sample     : std005  
Misc      : ical  
ALS Vial   : 3    Sample Multiplier: 1
```

Quant Time: Dec 30 14:23:12 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 13:16:08 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6612.D
 Acq On : 30 Dec 2025 2:23 pm
 Operator :
 Sample : vstd010
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1

Quant Time: Dec 30 14:44:47 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 14:32:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	276971	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	174204	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	115799	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	61148	50.82	ug	0.00
59) Toluene-d8	7.692	98	267447	50.61	ug	0.07
81) Bromofluorobenzene	10.744	95	98650	48.09	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	113454	50.22	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	9065	10.25	ug	95
3) Chloromethane	1.298	50	15193	9.58	ug	95
4) Vinyl Chloride	1.376	62	14929	11.55	ug	99
5) Bromomethane	1.609	94	39051	11.59	ug	97
6) Chloroethane	1.687	64	13654	12.21	ug	93
7) Acrolein	2.271	56	400m	23.99	ug	
8) Trichlorofluoromethane	1.894	101	33816	9.51	ug	94
9) Ethanol	2.072	45	8995m	1718.73	ug	
10) Freon113	2.345	101	10021	8.92	ug	90
11) 1,1-Dichloroethene	2.339	96	9206	8.92	ug	# 77
12) Allyl Chloride	2.696	41	40517	8.95	ug	95
13) Carbon Disulfide	2.533	76	28377	10.16	ug	100
14) Acetone	2.413	43	8353	3.64	ug	77
15) Iodomethane	2.481	142	3314	12.77	ug	88
16) Acetonitrile	2.691	40	13428	92.45	ug	# 43
17) Methyl Acetate	2.738	43	16092	9.30	ug	# 69
18) Methylene Chloride	2.832	84	14307	6.47	ug	91
19) Acrylonitrile	3.718	53	30013m	496.43	ug	
20) trans-1,2-Dichloroethene	3.120	96	11836m	10.84	ug	
21) Mtbe	3.147	73	76172	19.01	ug	96
22) 1,1-Dichloroethane	3.613	63	19874	10.33	ug	97
24) cis-1,2-Dichloroethene	4.300	61	19200m	10.39	ug	
25) 2,2-Dichloropropane	4.290	77	16245	10.84	ug	91
26) Propionitrile	4.431	54	26702	95.03	ug	95
27) Bromochloromethane	4.594	128	5583	12.53	ug	# 74
28) Methacrylonitrile	4.604	67	81943	100.51	ug	95
30) Chloroform	4.699	83	22944m	10.01	ug	
31) Cyclohexane	4.935	84	20415	10.89	ug	# 93
32) 1,1-Dichloro-1-propene	5.092	75	15592	9.54	ug	91
33) 1,2-Dichloroethane	5.385	62	15342	11.66	ug	92
34) 2-Butanone	4.363	43	9207	11.00	ug	58
37) 1,1,1-Trichloroethane	4.882	97	17984	9.62	ug	100
38) Carbon Tetrachloride	5.081	117	13457	9.43	ug	92
39) Benzene	5.338	78	51850	10.35	ug	100
42) Trichloroethene	6.146	130	10778	12.16	ug	# 80
43) Methyl Cyclohexane	6.361	83	20140	8.53	ug	92
44) 1,2-Dichloropropane	6.424	63	13707	10.86	ug	98
45) Vinyl Acetate	3.713	43	23686	10.26	ug	98
46) Dibromomethane	6.576	174	8177	10.29	ug	# 69
47) 1,4-Dioxane	6.639	88	6588m	175.56	ug	
48) Methyl Methacrylate	6.633	69	13768	9.66	ug	# 78
49) Bromodichloromethane	6.791	83	16727	9.50	ug	# 22
50) Ceve	7.226	63	10297	8.71	ug	99
51) cis-1,3-Dichloropropene	7.362	75	18937	9.80	ug	96
52) trans-1,3-Dichloropropene	8.112	75	16976	10.62	ug	100
53) 1,1,2-Trichloroethane	8.343	97	13792m	9.68	ug	

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6612.D
 Acq On : 30 Dec 2025 2:23 pm
 Operator :
 Sample : vstd010
 Misc : ical
 ALS Vial : 4 Sample Multiplier: 1


Quant Time: Dec 30 14:44:47 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 14:32:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
54) 1,3-Dichloropropane	8.547	76	21281	9.30	ug	94
55) 1,2-Dibromoethane	8.966	107	11174	10.82	ug	87
56) Dibromochloromethane	8.846	129	10604	9.70	ug	85
57) Bromoform	10.445	173	8864	10.06	ug	94
58) 4-Methyl-2-Pentanone	7.603	43	16541	10.11	ug	86
60) Toluene	7.776	92	33595	10.34	ug	98
61) Ethyl Metacrylate	8.269	69	25854	9.82	ug	# 85
62) Tetrachloroethene	8.484	164	9490	10.38	ug	89
63) 2-Hexanone	8.720	43	14455m	17.03	ug	
65) Chlorobenzene	9.580	112	34316	10.09	ug	98
66) 1,1,1,2-Tetrachloroethane	9.690	133	10011	18.20	ug	# 81
67) Ethylbenzene	9.721	106	20406	9.16	ug	94
68) m,p-Xylene	9.858	91	102444	20.76	ug	94
69) o-Xylene	10.251	106	24725	9.71	ug	92
70) Styrene	10.272	104	41975	11.20	ug	79
71) Isopropylbenzene	10.613	105	59919	10.19	ug	96
72) Chloroprene	10.697	53	6205	19.36	ug	86
73) trans-1,4-Dichloro-2-b...	10.697	88	8012	8.49	ug	# 57
74) Bromobenzene	10.864	77	24350	9.68	ug	84
75) 1,2,3-Trichloropropane	10.927	75	17879m	9.22	ug	
76) 2-Chlorotoluene	11.043	91	45978	10.29	ug	91
77) 4-Chlorotoluene	11.137	91	52953	10.41	ug	92
78) 1,3,5-Trimethylbenzene	11.137	105	49617	10.10	ug	98
79) tert-Butylbenzene	11.399	119	36978	12.38	ug	99
80) 1,2,4-Trimethylbenzene	11.436	105	48010	9.43	ug	87
82) 1,1,2,2-Tetrachloroethane	10.901	83	19144	9.43	ug	92
83) n-Propylbenzene	10.980	91	74205	9.48	ug	92
84) 1,3-Dichlorobenzene	11.651	146	24821	9.36	ug	93
85) sec-Butylbenzene	11.572	105	58196	9.77	ug	99
86) 4-Isopropyltoluene	11.693	119	48061	10.14	ug	92
87) 1,4-Dichlorobenzene	11.719	146	28875	9.07	ug	87
88) 1,2-Dichlorobenzene	12.002	146	26035	8.85	ug	# 32
89) n-Butylbenzene	12.002	91	48224	8.36	ug	90
90) 1,2-Dibromo-3-Chloropr	12.579	157	3242	9.01	ug	# 76
91) 1,2,4-Trichlorobenzene	13.135	180	13679	7.95	ug	94
92) Hexachlorobutadiene	13.245	225	4168	6.53	ug	# 82
93) Naphthalene	13.302	128	25480	8.80	ug	# 87
94) 1,2,3-Trichlorobenzene	13.465	180	10833	7.85	ug	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6612.D
Acq On : 30 Dec 2025 2:23 pm
Operator :
Sample : vstd010
Misc : ical
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Dec 30 14:44:47 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 14:32:10 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6613.D
 Acq On : 30 Dec 2025 2:46 pm
 Operator :
 Sample : vstd025
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 30 15:18:13 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 14:32:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.700	96	267307	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	169494	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	115329	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	55456	47.60	ug	0.00
59) Toluene-d8	7.692	98	260830	50.61	ug	0.07
81) Bromofluorobenzene	10.744	95	104616	51.60	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	116338	51.66	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	21892	25.52	ug	# 90
3) Chloromethane	1.298	50	36855	24.28	ug	99
4) Vinyl Chloride	1.376	62	35585	27.68	ug	96
5) Bromomethane	1.609	94	95099	28.34	ug	97
6) Chloroethane	1.687	64	33174	29.44	ug	86
7) Acrolein	2.271	56	1215m	75.50	ug	
8) Trichlorofluoromethane	1.899	101	88221	25.97	ug	99
9) Ethanol	2.082	45	19067m	786.97	ug	
10) Freon113	2.350	101	20956	19.76	ug	96
11) 1,1-Dichloroethene	2.334	96	20935	21.48	ug	# 79
12) Allyl Chloride	2.691	41	97086	23.03	ug	94
13) Carbon Disulfide	2.533	76	56392	20.85	ug	100
14) Acetone	2.413	43	20177m	11.57	ug	
15) Iodomethane	2.486	142	12396	45.32	ug	96
16) Acetonitrile	2.691	40	33926	248.27	ug	# 36
17) Methyl Acetate	2.738	43	36910m	22.43	ug	
18) Methylene Chloride	2.832	84	29593	14.92	ug	85
19) Acrylonitrile	3.718	53	67333m	1280.33	ug	
20) trans-1,2-Dichloroethene	3.126	96	25338	23.65	ug	97
21) Mtbe	3.147	73	176716	46.15	ug	99
22) 1,1-Dichloroethane	3.613	63	50165	26.84	ug	94
24) cis-1,2-Dichloroethene	4.300	61	40695	22.65	ug	86
25) 2,2-Dichloropropane	4.295	77	36629	24.91	ug	96
26) Propionitrile	4.426	54	64193	240.71	ug	95
27) Bromochloromethane	4.588	128	13334	29.51	ug	80
28) Methacrylonitrile	4.604	67	195326	247.61	ug	92
29) Tetrahydrofuran	4.651	42	14423	29.59	ug	88
30) Chloroform	4.704	83	52907	23.90	ug	99
31) Cyclohexane	4.935	84	49126	26.68	ug	# 93
32) 1,1-Dichloro-1-propene	5.092	75	33839	21.65	ug	90
33) 1,2-Dichloroethane	5.385	62	34876	26.58	ug	97
34) 2-Butanone	4.358	43	22662	26.72	ug	51
37) 1,1,1-Trichloroethane	4.887	97	45030	24.95	ug	96
38) Carbon Tetrachloride	5.076	117	35200	25.65	ug	90
39) Benzene	5.338	78	129680	26.42	ug	100
42) Trichloroethene	6.146	130	24652	27.40	ug	# 81
43) Methyl Cyclohexane	6.361	83	48503	21.76	ug	96
44) 1,2-Dichloropropane	6.429	63	33743	27.02	ug	100
45) Vinyl Acetate	3.708	43	57497	25.26	ug	98
46) Dibromomethane	6.570	174	19755	25.41	ug	# 64
47) 1,4-Dioxane	6.628	88	13881m	404.93	ug	
48) Methyl Methacrylate	6.628	69	33959	24.91	ug	# 81
49) Bromodichloromethane	6.791	83	42187	24.87	ug	# 29
50) Ceve	7.215	63	24696m	22.96	ug	
51) cis-1,3-Dichloropropene	7.373	75	46766	24.97	ug	91
52) trans-1,3-Dichloropropene	8.107	75	40330	25.61	ug	97

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6613.D
 Acq On : 30 Dec 2025 2:46 pm
 Operator :
 Sample : vstd025
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1


Quant Time: Dec 30 15:18:13 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 14:32:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
53) 1,1,2-Trichloroethane	8.337	97	32794	23.80	ug	99
54) 1,3-Dichloropropane	8.547	76	54637	24.89	ug	100
55) 1,2-Dibromoethane	8.961	107	29676	29.06	ug	95
56) Dibromochloromethane	8.841	129	27868	26.35	ug	92
57) Bromoform	10.440	173	22494	26.21	ug	97
58) 4-Methyl-2-Pentanone	7.603	43	42178	26.40	ug	93
60) Toluene	7.776	92	81318	25.56	ug	96
61) Ethyl Metacrylate	8.269	69	63717	25.02	ug	# 85
62) Tetrachloroethene	8.479	164	22393	24.98	ug	93
63) 2-Hexanone	8.710	43	34879	34.22	ug	80
65) Chlorobenzene	9.585	112	83578	24.63	ug	96
66) 1,1,1,2-Tetrachloroethane	9.690	133	24090	37.78	ug	# 87
67) Ethylbenzene	9.721	106	48879	22.40	ug	94
68) m,p-Xylene	9.852	91	247661	50.02	ug	97
69) o-Xylene	10.256	106	60218	23.89	ug	87
70) Styrene	10.272	104	100792	26.37	ug	79
71) Isopropylbenzene	10.613	105	144981	24.66	ug	98
72) Chloroprene	10.697	53	14914	47.23	ug	94
73) trans-1,4-Dichloro-2-b...	10.691	88	18088	20.27	ug	# 44
74) Bromobenzene	10.864	77	58884	23.66	ug	# 80
75) 1,2,3-Trichloropropane	10.927	75	36902	19.41	ug	89
76) 2-Chlorotoluene	11.037	91	106329	23.75	ug	90
77) 4-Chlorotoluene	11.137	91	127855	25.03	ug	91
78) 1,3,5-Trimethylbenzene	11.137	105	126530	25.82	ug	96
79) tert-Butylbenzene	11.399	119	93678	30.05	ug	98
80) 1,2,4-Trimethylbenzene	11.436	105	120524	24.03	ug	89
82) 1,1,2,2-Tetrachloroethane	10.901	83	48187	24.11	ug	95
83) n-Propylbenzene	10.980	91	184674	23.94	ug	91
84) 1,3-Dichlorobenzene	11.651	146	64756	24.84	ug	97
85) sec-Butylbenzene	11.572	105	144576	24.49	ug	99
86) 4-Isopropyltoluene	11.693	119	118647	25.06	ug	# 93
87) 1,4-Dichlorobenzene	11.724	146	69461	22.32	ug	# 62
88) 1,2-Dichlorobenzene	12.002	146	69320	24.22	ug	# 76
89) n-Butylbenzene	12.002	91	118067	21.25	ug	# 88
90) 1,2-Dibromo-3-Chloropr	12.574	157	8314	23.67	ug	# 65
91) 1,2,4-Trichlorobenzene	13.135	180	35107	21.36	ug	90
92) Hexachlorobutadiene	13.245	225	9478	16.03	ug	92
93) Naphthalene	13.302	128	68363	24.30	ug	# 92
94) 1,2,3-Trichlorobenzene	13.460	180	26771	20.36	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6613.D
Acq On : 30 Dec 2025 2:46 pm
Operator :
Sample : vstd025
Misc : ical
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 30 15:18:13 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 14:32:10 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6614.D
 Acq On : 30 Dec 2025 3:07 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Dec 30 15:35:53 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	301489	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	189738	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	161255	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	69288	53.15	ug	0.00
59) Toluene-d8	7.692	98	291389	50.40	ug	0.07
81) Bromofluorobenzene	10.744	95	126772	44.48	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	158890	50.19	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	40559	41.77	ug	98
3) Chloromethane	1.298	50	73330	43.03	ug	97
4) Vinyl Chloride	1.376	62	72143	48.88	ug	97
5) Bromomethane	1.609	94	228503	59.06	ug	97
6) Chloroethane	1.687	64	71742	54.82	ug	92
7) Acrolein	2.266	56	2756	208.11	ug	# 63
8) Trichlorofluoromethane	1.893	101	186630	48.40	ug	97
9) Ethanol	2.087	45	24173	742.54	ug	# 79
10) Freon113	2.339	101	42820	37.10	ug	92
11) 1,1-Dichloroethene	2.339	96	44390	41.35	ug	# 78
12) Allyl Chloride	2.690	41	203406	43.64	ug	93
13) Carbon Disulfide	2.528	76	135914	45.83	ug	100
14) Acetone	2.412	43	36838	36.68	ug	75
15) Iodomethane	2.475	142	41855	112.75	ug	92
16) Acetonitrile	2.685	40	72402	470.58	ug	# 34
17) Methyl Acetate	2.738	43	70797	38.80	ug	# 59
18) Methylene Chloride	2.827	84	64447	30.87	ug	82
19) Acrylonitrile	3.131	53	7905	9.77	ug	# 57
20) trans-1,2-Dichloroethene	3.126	96	57973	48.41	ug	99
21) Mtbe	3.141	73	385481	90.42	ug	97
22) 1,1-Dichloroethane	3.613	63	95848	44.91	ug	98
24) cis-1,2-Dichloroethene	4.300	61	87265	43.74	ug	89
25) 2,2-Dichloropropane	4.290	77	78157	47.15	ug	95
26) Propionitrile	4.431	54	133699	448.66	ug	93
27) Bromochloromethane	4.583	128	30653	58.40	ug	84
28) Methacrylonitrile	4.604	67	455516	513.61	ug	91
29) Tetrahydrofuran	4.651	42	37222	62.01	ug	91
30) Chloroform	4.693	83	120540	48.64	ug	96
31) Cyclohexane	4.934	84	103042	49.07	ug	# 86
32) 1,1-Dichloro-1-propene	5.092	75	78423	45.50	ug	88
33) 1,2-Dichloroethane	5.380	62	85213	56.99	ug	96
34) 2-Butanone	4.358	43	45325	46.32	ug	66
37) 1,1,1-Trichloroethane	4.887	97	97695	48.37	ug	98
38) Carbon Tetrachloride	5.076	117	74925	48.56	ug	91
39) Benzene	5.338	78	278421	50.20	ug	100
40) Isobutanol	4.929	43	5807	952.07	ug	# 100
41) Heptane	5.354	43	98228	52.05	ug	# 1
42) Trichloroethene	6.151	130	55178	53.92	ug	# 81
43) Methyl Cyclohexane	6.361	83	95044	38.93	ug	94
44) 1,2-Dichloropropane	6.423	63	73455	51.85	ug	97
45) Vinyl Acetate	3.708	43	120462	47.12	ug	99
46) Dibromomethane	6.570	174	47110	53.98	ug	# 68
47) 1,4-Dioxane	6.722	88	2971	82.66	ug	# 14
48) Methyl Methacrylate	6.633	69	73868	48.47	ug	85
49) Bromodichloromethane	6.790	83	94071	49.58	ug	# 41
50) Ceve	7.215	63	52121	44.49	ug	100

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6614.D
 Acq On : 30 Dec 2025 3:07 pm
 Operator :
 Sample : std050
 Misc : ical
 ALS Vial : 5 Sample Multiplier: 1


Quant Time: Dec 30 15:35:53 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
51) cis-1,3-Dichloropropene	7.367	75	104301	49.75	ug	92
52) trans-1,3-Dichloropropene	8.112	75	89315	50.45	ug	98
53) 1,1,2-Trichloroethane	8.337	97	70686	46.20	ug	97
54) 1,3-Dichloropropane	8.547	76	115381	46.99	ug	96
55) 1,2-Dibromoethane	8.961	107	60437	51.47	ug	96
56) Dibromochloromethane	8.840	129	64230	53.77	ug	92
57) Bromoform	10.440	173	54051	55.80	ug	99
58) 4-Methyl-2-Pentanone	7.608	43	93575	51.60	ug	92
60) Toluene	7.776	92	175231	49.01	ug	97
61) Ethyl Metacrylate	8.269	69	139840	49.05	ug	# 81
62) Tetrachloroethene	8.479	164	46290	46.14	ug	89
63) 2-Hexanone	8.715	43	75836	60.85	ug	79
65) Chlorobenzene	9.580	112	183626	38.80	ug	98
66) 1,1,1,2-Tetrachloroethane	9.690	133	52624	54.39	ug	# 91
67) Ethylbenzene	9.721	106	104749	34.94	ug	94
68) m,p-Xylene	9.852	91	574521	82.98	ug	93
69) o-Xylene	10.256	106	136233	38.94	ug	89
70) Styrene	10.277	104	247067	45.81	ug	78
71) Isopropylbenzene	10.613	105	334514	40.78	ug	99
72) Chloroprene	10.691	53	31617	72.62	ug	84
73) trans-1,4-Dichloro-2-b...	10.691	88	41769	35.14	ug	# 52
74) Bromobenzene	10.864	77	144445	41.88	ug	# 79
75) 1,2,3-Trichloropropane	10.927	75	89297	34.89	ug	# 85
76) 2-Chlorotoluene	11.037	91	270732	43.61	ug	92
77) 4-Chlorotoluene	11.137	91	329307	46.10	ug	93
78) 1,3,5-Trimethylbenzene	11.132	105	331908	48.17	ug	95
79) tert-Butylbenzene	11.399	119	233949	51.93	ug	100
80) 1,2,4-Trimethylbenzene	11.436	105	320405	45.99	ug	90
82) 1,1,2,2-Tetrachloroethane	10.901	83	110031	39.61	ug	95
83) n-Propylbenzene	10.980	91	448670	41.89	ug	92
84) 1,3-Dichlorobenzene	11.651	146	173932	47.76	ug	97
85) sec-Butylbenzene	11.572	105	374612	45.54	ug	99
86) 4-Isopropyltoluene	11.693	119	308633	46.61	ug	96
87) 1,4-Dichlorobenzene	11.719	146	184474	43.17	ug	# 54
88) 1,2-Dichlorobenzene	12.002	146	181769	45.66	ug	# 87
89) n-Butylbenzene	12.002	91	307592	40.61	ug	89
90) 1,2-Dibromo-3-Chloropr	12.573	157	19551	40.17	ug	# 50
91) 1,2,4-Trichlorobenzene	13.134	180	85797	38.26	ug	90
92) Hexachlorobutadiene	13.250	225	23392	30.09	ug	# 81
93) Naphthalene	13.302	128	159732	40.80	ug	# 89
94) 1,2,3-Trichlorobenzene	13.460	180	66067	37.09	ug	# 86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path   : C:\msdchem\1\data\2025\123025\  
Data File  : d6614.D  
Acq On     : 30 Dec 2025    3:07 pm  
Operator   :  
Sample     : std050  
Misc       : ical  
ALS Vial   : 5    Sample Multiplier: 1
```

Quant Time: Dec 30 15:35:53 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 15:27:24 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6615.D
 Acq On : 30 Dec 2025 3:29 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 30 15:59:58 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	325315	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	216561	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	179455	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	71177	50.15	ug	0.00
59) Toluene-d8	7.692	98	320002	48.44	ug	0.07
81) Bromofluorobenzene	10.744	95	141949	45.47	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	175869	49.89	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	78029	76.27	ug	94
3) Chloromethane	1.298	50	147171	81.67	ug	98
4) Vinyl Chloride	1.376	62	142658	89.86	ug	97
5) Bromomethane	1.600	94	532088m	124.24	ug	
6) Chloroethane	1.687	64	171542	119.83	ug	94
7) Acrolein	2.255	56	4855	336.35	ug	# 71
8) Trichlorofluoromethane	1.888	101	450907	108.86	ug	98
9) Ethanol	2.088	45	79404	2415.98	ug	97
10) Freon113	2.339	101	94763	79.00	ug	90
11) 1,1-Dichloroethene	2.334	96	94002	83.21	ug	# 77
12) Allyl Chloride	2.691	41	495614	101.11	ug	94
13) Carbon Disulfide	2.528	76	256766	81.21	ug	100
14) Acetone	2.413	43	68516	67.74	ug	88
15) Iodomethane	2.476	142	129133	257.71	ug	95
16) Acetonitrile	2.691	40	171778	1047.03	ug	# 37
17) Methyl Acetate	2.732	43	168225	88.28	ug	# 57
18) Methylene Chloride	2.822	84	137108	64.39	ug	81
19) Acrylonitrile	3.718	53	367816m	552.74	ug	
20) trans-1,2-Dichloroethene	3.120	96	115427	89.74	ug	95
21) Mtbe	3.141	73	859402	189.41	ug	98
22) 1,1-Dichloroethane	3.613	63	219995	96.94	ug	98
23) Hexane	3.136	43	158117	104.41	ug	# 80
24) cis-1,2-Dichloroethene	4.300	61	190826	90.27	ug	91
25) 2,2-Dichloropropane	4.284	77	171689	96.78	ug	92
26) Propionitrile	4.436	54	369503	1173.24	ug	94
27) Bromochloromethane	4.594	128	72996	125.86	ug	81
28) Methacrylonitrile	4.609	67	1193992	1239.24	ug	88
29) Tetrahydrofuran	4.651	42	72486	103.62	ug	97
30) Chloroform	4.699	83	298379	112.02	ug	100
31) Cyclohexane	4.935	84	240984	106.63	ug	# 87
32) 1,1-Dichloro-1-propene	5.087	75	174945	95.30	ug	88
33) 1,2-Dichloroethane	5.380	62	209935	127.57	ug	100
34) 2-Butanone	4.353	43	104399	100.73	ug	66
37) 1,1,1-Trichloroethane	4.887	97	239497	104.38	ug	98
38) Carbon Tetrachloride	5.081	117	177706	101.32	ug	91
39) Benzene	5.338	78	658588	103.98	ug	100
40) Isobutanol	4.935	43	28109	4136.86	ug	# 100
41) Heptane	5.354	43	288125	131.07	ug	# 1
42) Trichloroethene	6.140	130	119623	101.29	ug	# 86
43) Methyl Cyclohexane	6.361	83	214410	79.46	ug	97
44) 1,2-Dichloropropane	6.424	63	157934	97.15	ug	99
45) Vinyl Acetate	3.708	43	293716	102.13	ug	96
46) Dibromomethane	6.570	174	100009	99.27	ug	# 66
47) 1,4-Dioxane	6.770	88	3879	122.69	ug	# 14
48) Methyl Methacrylate	6.639	69	190325	110.26	ug	# 79
49) Bromodichloromethane	6.791	83	220892	102.13	ug	# 38


Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6615.D
 Acq On : 30 Dec 2025 3:29 pm
 Operator :
 Sample : std100
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 30 15:59:58 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
50) Ceve	7.215	63	132910	102.22	ug	97
51) cis-1,3-Dichloropropene	7.367	75	240786	100.70	ug	92
52) trans-1,3-Dichloropropene	8.107	75	220466	108.98	ug	97
53) 1,1,2-Trichloroethane	8.337	97	165187	95.62	ug	97
54) 1,3-Dichloropropane	8.547	76	255039	91.79	ug	99
55) 1,2-Dibromoethane	8.966	107	140031	104.05	ug	98
56) Dibromochloromethane	8.835	129	159997	116.10	ug	94
57) Bromoform	10.440	173	142204	126.53	ug	99
58) 4-Methyl-2-Pentanone	7.603	43	224953	107.99	ug	95
60) Toluene	7.776	92	444932	109.35	ug	100
61) Ethyl Metacrylate	8.269	69	366859	113.17	ug	# 83
62) Tetrachloroethene	8.479	164	117834	104.04	ug	97
63) 2-Hexanone	8.710	43	176654	119.02	ug	82
65) Chlorobenzene	9.580	112	449257	88.13	ug	97
66) 1,1,1,2-Tetrachloroethane	9.690	133	131055	120.21	ug	# 92
67) Ethylbenzene	9.721	106	263026	82.38	ug	96
68) m,p-Xylene	9.853	91	1454863	193.52	ug	97
69) o-Xylene	10.256	106	355247	94.22	ug	95
70) Styrene	10.272	104	612475	103.28	ug	# 74
71) Isopropylbenzene	10.613	105	833123	93.74	ug	99
72) Chloroprene	10.691	53	81563	178.09	ug	90
73) trans-1,4-Dichloro-2-b...	10.691	88	101671	81.72	ug	# 53
74) Bromobenzene	10.864	77	325338	86.78	ug	86
75) 1,2,3-Trichloropropane	10.927	75	321075m	117.82	ug	
76) 2-Chlorotoluene	11.043	91	601564	88.69	ug	94
77) 4-Chlorotoluene	11.137	91	788279	100.28	ug	96
78) 1,3,5-Trimethylbenzene	11.137	105	817304	107.15	ug	98
79) tert-Butylbenzene	11.399	119	562586	111.59	ug	98
80) 1,2,4-Trimethylbenzene	11.436	105	757497	98.84	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	263547	87.85	ug	94
83) n-Propylbenzene	10.980	91	1031494	88.60	ug	94
84) 1,3-Dichlorobenzene	11.651	146	392258	97.42	ug	98
85) sec-Butylbenzene	11.572	105	863668	95.57	ug	98
86) 4-Isopropyltoluene	11.693	119	756681	103.69	ug	95
87) 1,4-Dichlorobenzene	11.724	146	424565	91.06	ug	# 49
88) 1,2-Dichlorobenzene	12.002	146	448390	102.47	ug	93
89) n-Butylbenzene	12.002	91	742626	90.52	ug	90
90) 1,2-Dibromo-3-Chloropr	12.574	157	49349	93.74	ug	# 65
91) 1,2,4-Trichlorobenzene	13.135	180	226952	94.11	ug	93
92) Hexachlorobutadiene	13.245	225	55142	67.58	ug	# 87
93) Naphthalene	13.302	128	473346	111.57	ug	# 90
94) 1,2,3-Trichlorobenzene	13.460	180	181268	94.94	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Dec 30 15:59:58 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 15:27:24 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6616.D
 Acq On : 30 Dec 2025 3:51 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1

Quant Time: Dec 30 16:12:07 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	388586	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	259952	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	229331	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.296	65	88819	52.37	ug	0.00
59) Toluene-d8	7.698	98	373479	47.28	ug	0.08
81) Bromofluorobenzene	10.744	95	158190	40.11	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	230302	51.14	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	157945	133.20	ug	# 94
3) Chloromethane	1.298	50	304477	144.76	ug	96
4) Vinyl Chloride	1.376	62	286029	152.77	ug	98
5) Bromomethane	1.599	94	992057m	180.81	ug	
6) Chloroethane	1.677	64	493517	281.63	ug	95
7) Acrolein	2.271	56	9088	544.43	ug	# 38
8) Trichlorofluoromethane	1.888	101	933112	186.53	ug	97
9) Ethanol	1.599	45	6120	149.66	ug	# 18
10) Freon113	2.334	101	197785	141.76	ug	90
11) 1,1-Dichloroethene	2.334	96	202703	153.43	ug	# 80
12) Allyl Chloride	2.690	41	1349796	230.11	ug	92
13) Carbon Disulfide	2.528	76	689333	186.91	ug	100
14) Acetone	2.413	43	160993	142.44	ug	80
15) Iodomethane	2.475	142	348725	461.36	ug	97
16) Acetonitrile	2.696	40	470008	2379.70	ug	# 37
17) Methyl Acetate	2.738	43	433214	193.14	ug	# 60
18) Methylene Chloride	2.821	84	342551	140.96	ug	# 79
19) Acrylonitrile	3.718	53	891286	1041.75	ug	94
20) trans-1,2-Dichloroethene	3.126	96	293296	193.38	ug	95
21) Mtbe	3.147	73	2099908	390.03	ug	99
22) 1,1-Dichloroethane	3.613	63	499631	185.02	ug	98
23) Hexane	3.141	43	400740	216.75	ug	# 78
24) cis-1,2-Dichloroethene	4.300	61	470782	188.73	ug	89
25) 2,2-Dichloropropane	4.290	77	400777	189.90	ug	93
26) Propionitrile	4.442	54	892507	2305.88	ug	94
27) Bromochloromethane	4.588	128	185693	259.65	ug	89
28) Methacrylonitrile	4.620	67	2732241	2265.65	ug	87
29) Tetrahydrofuran	4.657	42	161845	191.95	ug	97
30) Chloroform	4.704	83	611886	189.48	ug	99
31) Cyclohexane	4.934	84	501380	184.20	ug	# 86
32) 1,1-Dichloro-1-propene	5.092	75	395795	181.57	ug	87
33) 1,2-Dichloroethane	5.380	62	455237	223.87	ug	99
34) 2-Butanone	4.358	43	255296	205.92	ug	62
37) 1,1,1-Trichloroethane	4.887	97	522419	188.64	ug	98
38) Carbon Tetrachloride	5.076	117	414297	196.46	ug	90
39) Benzene	5.338	78	1423790	186.35	ug	100
40) Isobutanol	4.934	43	58803	5316.26	ug	# 100
41) Heptane	5.364	43	661036	227.01	ug	# 1
42) Trichloroethene	6.146	130	292600	206.07	ug	# 87
43) Methyl Cyclohexane	6.361	83	488382	154.76	ug	96
44) 1,2-Dichloropropane	6.423	63	351316	180.68	ug	99
45) Vinyl Acetate	3.708	43	743865	214.56	ug	98
46) Dibromomethane	6.570	174	262434	217.21	ug	# 76
47) 1,4-Dioxane	6.644	88	152838	4958.15	ug	# 1
48) Methyl Methacrylate	6.633	69	446850	211.32	ug	# 80
49) Bromodichloromethane	6.796	83	507425	194.93	ug	# 37

Data Path : C:\msdchem\1\data\2025\123025\
 Data File : d6616.D
 Acq On : 30 Dec 2025 3:51 pm
 Operator :
 Sample : std200
 Misc : ical
 ALS Vial : 6 Sample Multiplier: 1


Quant Time: Dec 30 16:12:07 2025
 Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Tue Dec 30 15:27:24 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
50) Ceve	7.220	63	306964	195.80	ug	98
51) cis-1,3-Dichloropropene	7.367	75	570880	198.72	ug	93
52) trans-1,3-Dichloropropene	8.106	75	534136	217.51	ug	97
53) 1,1,2-Trichloroethane	8.342	97	371619	180.20	ug	96
54) 1,3-Dichloropropane	8.552	76	590486	178.89	ug	99
55) 1,2-Dibromoethane	8.961	107	330826	203.75	ug	96
56) Dibromochloromethane	8.841	129	393408	233.13	ug	92
57) Bromoform	10.440	173	334769	240.19	ug	99
58) 4-Methyl-2-Pentanone	7.603	43	522093	206.06	ug	95
60) Toluene	7.776	92	966182	195.53	ug	99
61) Ethyl Metacrylate	8.274	69	815205	205.00	ug	# 85
62) Tetrachloroethene	8.479	164	281635	206.12	ug	99
63) 2-Hexanone	8.715	43	404430	220.03	ug	83
65) Chlorobenzene	9.580	112	1044857	162.80	ug	98
66) 1,1,1,2-Tetrachloroethane	9.690	133	317029	221.94	ug	# 91
67) Ethylbenzene	9.727	106	596630	149.52	ug	98
68) m,p-Xylene	9.858	91	3497402	365.51	ug	97
69) o-Xylene	10.256	106	857722	179.30	ug	97
70) Styrene	10.277	104	1559464	204.94	ug	# 71
71) Isopropylbenzene	10.613	105	1986859	176.31	ug	100
72) Chloroprene	10.691	53	167246	291.06	ug	85
73) trans-1,4-Dichloro-2-b...	10.691	88	218186	141.54	ug	# 56
74) Bromobenzene	10.864	77	732193	155.40	ug	89
75) 1,2,3-Trichloropropane	10.927	75	683646m	202.65	ug	
76) 2-Chlorotoluene	11.043	91	1369730	160.30	ug	95
77) 4-Chlorotoluene	11.137	91	2048995	203.91	ug	99
78) 1,3,5-Trimethylbenzene	11.137	105	2196443	223.34	ug	100
79) tert-Butylbenzene	11.399	119	1357995	207.77	ug	99
80) 1,2,4-Trimethylbenzene	11.436	105	1917306	196.04	ug	90
82) 1,1,2,2-Tetrachloroethane	10.906	83	593361	157.16	ug	95
83) n-Propylbenzene	10.980	91	2336128	159.28	ug	95
84) 1,3-Dichlorobenzene	11.651	146	1005979	196.13	ug	97
85) sec-Butylbenzene	11.572	105	2141030	186.42	ug	99
86) 4-Isopropyltoluene	11.693	119	1948185	207.94	ug	97
87) 1,4-Dichlorobenzene	11.724	146	1082177	183.68	ug	# 46
88) 1,2-Dichlorobenzene	12.002	146	1229270	219.16	ug	98
89) n-Butylbenzene	12.002	91	1923287	185.65	ug	95
90) 1,2-Dibromo-3-Chloropr	12.574	157	117278	175.70	ug	# 67
91) 1,2,4-Trichlorobenzene	13.135	180	548755	179.38	ug	92
92) Hexachlorobutadiene	13.245	225	132033	131.96	ug	# 86
93) Naphthalene	13.302	128	1061661	193.02	ug	# 91
94) 1,2,3-Trichlorobenzene	13.460	180	411578	169.76	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\2025\123025\
Data File : d6616.D
Acq On : 30 Dec 2025 3:51 pm
Operator :
Sample : std200
Misc : ical
ALS Vial : 6 Sample Multiplier: 1



Quant Time: Dec 30 16:12:07 2025
Quant Method : C:\msdchem\1\QTmethods\Voa122925.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Tue Dec 30 15:27:24 2025
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
Data File : d0492.D
Acq On : 4 Mar 2026 10:35 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Mar 05 08:49:15 2026



Spectrum Information: Average of 10.712 to 10.749 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.6	6281	PASS
75	95	30	60	49.7	15937	PASS
95	95	100	100	100.0	32036	PASS
96	95	5	9	7.0	2236	PASS
173	174	0.00	2	1.9	605	PASS
174	95	50	100	96.9	31033	PASS
175	174	5	9	8.2	2541	PASS
176	174	95	101	96.6	29968	PASS
177	176	5	9	7.8	2338	PASS

Data Path : C:\msdchem\1\data\030426\
 Data File : d0495.D
 Acq On : 4 Mar 2026 11:43 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 05 10:27:55 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	326151	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	227472	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	163355	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	68955	48.28	ug	0.00
59) Toluene-d8	7.692	98	333700	48.52	ug	0.07
81) Bromofluorobenzene	10.744	95	126556	46.36	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	164905	51.24	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.162	85	16403	17.62	ug	95
3) Chloromethane	1.298	50	36798	22.73	ug	95
4) Vinyl Chloride	1.366	62	37918	24.61	ug	94
5) Bromomethane	1.609	94	101005	24.16	ug	100
6) Chloroethane	1.687	64	40857	26.07	ug	91
7) Acrolein	2.260	56	3356m	253.00	ug	
8) Trichlorofluoromethane	1.893	101	131999	32.73	ug	99
9) Ethanol	2.082	45	14662	439.70	ug	96
10) Freon113	2.344	101	24791	23.26	ug	91
11) 1,1-Dichloroethene	2.334	96	23571	22.37	ug	# 72
12) Allyl Chloride	2.685	41	56608	11.26	ug	83
13) Carbon Disulfide	2.528	76	46319	16.12	ug	100
14) Acetone	2.412	43	21157m	23.43	ug	
15) Iodomethane	2.470	142	28376	33.33	ug	95
16) Acetonitrile	2.764	40	1151	6.76	ug	# 1
17) Methyl Acetate	2.732	43	38577	20.91	ug	# 52
18) Methylene Chloride	2.827	84	38378	22.98	ug	# 79
19) Acrylonitrile	3.713	53	15719	20.84	ug	92
20) trans-1,2-Dichloroethene	3.126	96	30913	23.83	ug	94
21) Mtbe	3.136	73	187265	42.85	ug	99
22) 1,1-Dichloroethane	3.613	63	53667	24.80	ug	96
24) cis-1,2-Dichloroethene	4.300	61	43370	21.59	ug	97
25) 2,2-Dichloropropane	4.289	77	43905	24.79	ug	95
26) Propionitrile	4.431	54	58711	176.86	ug	# 92
27) Bromochloromethane	4.578	128	14045	20.83	ug	# 72
28) Methacrylonitrile	4.599	67	172346	166.58	ug	92
29) Tetrahydrofuran	4.651	42	16118m	22.96	ug	
30) Chloroform	4.688	83	64116	24.97	ug	100
31) Cyclohexane	4.934	84	53144	23.41	ug	# 92
32) 1,1-Dichloro-1-propene	5.086	75	40741	23.42	ug	89
33) 1,2-Dichloroethane	5.385	62	42533	24.75	ug	97
34) 2-Butanone	4.363	43	21307	20.38	ug	87
37) 1,1,1-Trichloroethane	4.882	97	53089	22.27	ug	97
38) Carbon Tetrachloride	5.076	117	38294m	20.44	ug	
39) Benzene	5.338	78	145545	22.01	ug	100
40) Isobutanol	5.359	43	44679	4265.22	ug	# 100
41) Heptane	5.359	43	44679	16.96	ug	# 1
42) Trichloroethene	6.146	130	33699	26.03	ug	# 80
43) Methyl Cyclohexane	6.360	83	59470	23.48	ug	94
44) 1,2-Dichloropropane	6.423	63	39756m	22.34	ug	
45) Vinyl Acetate	3.708	43	56284	18.33	ug	97
46) Dibromomethane	6.575	174	26909	24.99	ug	# 73
47) 1,4-Dioxane	6.644	88	16015m	412.10	ug	
48) Methyl Methacrylate	6.638	69	30760	16.47	ug	# 82
49) Bromodichloromethane	6.790	83	44998m	20.28	ug	
50) Ceve	7.215	63	20051	14.67	ug	95

Data Path : C:\msdchem\1\data\030426\
 Data File : d0495.D
 Acq On : 4 Mar 2026 11:43 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Mar 05 10:27:55 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
51) cis-1,3-Dichloropropene	7.367	75	56352	22.66	ug	97
52) trans-1,3-Dichloropropene	8.106	75	50569	23.42	ug	88
53) 1,1,2-Trichloroethane	8.337	97	41687	25.21	ug	99
54) 1,3-Dichloropropane	8.547	76	65514	23.95	ug	97
55) 1,2-Dibromoethane	8.961	107	39016	27.17	ug	96
56) Dibromochloromethane	8.840	129	30840m	20.07	ug	
57) Bromoform	10.440	173	25091	20.49	ug	96
58) 4-Methyl-2-Pentanone	7.608	43	47864	21.49	ug	92
60) Toluene	7.776	92	100169	23.23	ug	99
61) Ethyl Metacrylate	8.269	69	56284	16.12	ug	# 84
62) Tetrachloroethene	8.479	164	33780	27.08	ug	100
63) 2-Hexanone	8.715	43	37818	20.21	ug	81
65) Chlorobenzene	9.580	112	114447	26.07	ug	100
66) 1,1,1,2-Tetrachloroethane	9.690	133	33041	29.82	ug	# 86
67) Ethylbenzene	9.721	106	63604	24.21	ug	93
68) m,p-Xylene	9.852	91	305156	45.85	ug	98
69) o-Xylene	10.256	106	77978	23.39	ug	96
70) Styrene	10.272	104	131594	24.09	ug	# 72
71) Isopropylbenzene	10.613	105	186577	24.30	ug	100
72) Chloroprene	10.696	53	14576	37.05	ug	87
73) trans-1,4-Dichloro-2-b...	10.691	88	18686	17.76	ug	# 61
74) Bromobenzene	10.864	77	74252	23.41	ug	91
75) 1,2,3-Trichloropropane	10.927	75	66706	20.68	ug	# 78
76) 2-Chlorotoluene	11.037	91	134769	23.44	ug	94
77) 4-Chlorotoluene	11.137	91	170194	24.77	ug	95
78) 1,3,5-Trimethylbenzene	11.132	105	164978	23.59	ug	97
79) tert-Butylbenzene	11.399	119	126220	28.19	ug	99
80) 1,2,4-Trimethylbenzene	11.436	105	167561	24.95	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	66926	26.13	ug	95
83) n-Propylbenzene	10.980	91	233753	24.02	ug	95
84) 1,3-Dichlorobenzene	11.651	146	100610	28.15	ug	94
85) sec-Butylbenzene	11.572	105	201726	25.74	ug	100
86) 4-Isopropyltoluene	11.687	119	167406	25.53	ug	97
87) 1,4-Dichlorobenzene	11.719	146	104849	26.62	ug	# 60
88) 1,2-Dichlorobenzene	12.002	146	109392	27.76	ug	# 82
89) n-Butylbenzene	11.997	91	173898	25.26	ug	92
90) 1,2-Dibromo-3-Chloropr	12.573	157	9969	22.50	ug	# 66
91) 1,2,4-Trichlorobenzene	13.134	180	54075	28.05	ug	91
92) Hexachlorobutadiene	13.245	225	15750	25.31	ug	# 86
93) Naphthalene	13.302	128	89430	24.01	ug	# 89
94) 1,2,3-Trichlorobenzene	13.460	180	38820	25.34	ug	# 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0495.D
Acq On : 4 Mar 2026 11:43 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 05 10:27:55 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
 Data File : d0496.D
 Acq On : 4 Mar 2026 12:06 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 05 10:32:28 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	349952	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	239443	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	182308	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	77311	50.45	ug	0.00
59) Toluene-d8	7.692	98	350166	48.37	ug	0.07
81) Bromofluorobenzene	10.744	95	136042	44.66	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	181586	50.56	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.162	85	15036	15.05	ug	99
3) Chloromethane	1.298	50	38214	22.00	ug	97
4) Vinyl Chloride	1.366	62	39494	23.88	ug	98
5) Bromomethane	1.609	94	105718	23.57	ug	97
6) Chloroethane	1.687	64	40073	23.83	ug	98
7) Acrolein	2.266	56	3375m	237.13	ug	
8) Trichlorofluoromethane	1.893	101	144218	33.33	ug	94
9) Ethanol	2.082	45	17607	492.10	ug	92
10) Freon113	2.339	101	23467	20.52	ug	92
11) 1,1-Dichloroethene	2.329	96	23303	20.61	ug	# 77
12) Allyl Chloride	2.685	41	49079	9.09	ug	84
13) Carbon Disulfide	2.528	76	52797m	17.13	ug	
14) Acetone	2.407	43	19768m	20.40	ug	
15) Iodomethane	2.475	142	26842	29.38	ug	99
16) Acetonitrile	2.696	40	24208	132.51	ug	# 4
17) Methyl Acetate	2.732	43	40371	20.39	ug	# 59
18) Methylene Chloride	2.816	84	38530	21.51	ug	83
19) Acrylonitrile	3.708	53	13535	16.72	ug	90
20) trans-1,2-Dichloroethene	3.126	96	28707	20.62	ug	96
21) Mtbe	3.141	73	190315	40.59	ug	98
22) 1,1-Dichloroethane	3.613	63	49041	21.12	ug	96
23) Hexane	3.702	43	53108	31.03	ug	# 1
24) cis-1,2-Dichloroethene	4.305	61	45016	20.89	ug	89
25) 2,2-Dichloropropane	4.290	77	44167	23.25	ug	98
26) Propionitrile	4.431	54	56895	159.73	ug	96
27) Bromochloromethane	4.578	128	16889	23.35	ug	98
28) Methacrylonitrile	4.599	67	173296	156.11	ug	93
29) Tetrahydrofuran	4.662	42	16102m	21.38	ug	
30) Chloroform	4.693	83	61706	22.40	ug	100
31) Cyclohexane	4.934	84	51803	21.27	ug	# 89
32) 1,1-Dichloro-1-propene	5.081	75	40361	21.62	ug	89
33) 1,2-Dichloroethane	5.375	62	41838	22.69	ug	96
34) 2-Butanone	4.358	43	24114m	21.49	ug	
37) 1,1,1-Trichloroethane	4.882	97	53169	21.19	ug	98
38) Carbon Tetrachloride	5.081	117	38314	19.43	ug	91
39) Benzene	5.333	78	147081	21.13	ug	100
40) Isobutanol	4.940	43	5359	486.01	ug	# 100
41) Heptane	5.354	43	44612	16.09	ug	# 1
42) Trichloroethene	6.146	130	33918	24.89	ug	# 87
43) Methyl Cyclohexane	6.355	83	59655	22.38	ug	90
44) 1,2-Dichloropropane	6.423	63	39349m	21.00	ug	
45) Vinyl Acetate	3.702	43	53108	16.43	ug	99
46) Dibromomethane	6.581	174	28009	24.72	ug	# 76
47) 1,4-Dioxane	6.638	88	14612m	357.20	ug	
48) Methyl Methacrylate	6.633	69	29734	15.12	ug	87
49) Bromodichloromethane	6.790	83	47191m	20.20	ug	

Data Path : C:\msdchem\1\data\030426\
 Data File : d0496.D
 Acq On : 4 Mar 2026 12:06 pm
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1


Quant Time: Mar 05 10:32:28 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
50) Ceve	7.210	63	18114	12.59	ug	91
51) cis-1,3-Dichloropropene	7.362	75	56652	21.64	ug	95
52) trans-1,3-Dichloropropene	8.106	75	52591	23.14	ug	96
53) 1,1,2-Trichloroethane	8.337	97	41686	23.95	ug	91
54) 1,3-Dichloropropane	8.547	76	65636	22.79	ug	95
55) 1,2-Dibromoethane	8.961	107	38587	25.53	ug	98
56) Dibromochloromethane	8.830	129	31326m	19.36	ug	
57) Bromoform	10.440	173	25842	20.05	ug	98
58) 4-Methyl-2-Pentanone	7.608	43	49866	21.27	ug	91
60) Toluene	7.771	92	100240	22.09	ug	100
61) Ethyl Metacrylate	8.269	69	54850	14.92	ug	# 85
62) Tetrachloroethene	8.473	164	34783	26.49	ug	97
63) 2-Hexanone	8.709	43	37969	19.28	ug	79
65) Chlorobenzene	9.580	112	111602	22.78	ug	95
66) 1,1,1,2-Tetrachloroethane	9.685	133	33342	26.96	ug	94
67) Ethylbenzene	9.721	106	62654	21.37	ug	95
68) m,p-Xylene	9.852	91	309359	41.65	ug	96
69) o-Xylene	10.256	106	75840	20.38	ug	93
70) Styrene	10.272	104	128701	21.11	ug	75
71) Isopropylbenzene	10.613	105	184222	21.50	ug	99
72) Chloroprene	10.691	53	15177	34.57	ug	96
73) trans-1,4-Dichloro-2-b...	10.691	88	17932	15.27	ug	# 48
74) Bromobenzene	10.864	77	73304	20.71	ug	98
75) 1,2,3-Trichloropropane	10.927	75	71977	19.99	ug	# 74
76) 2-Chlorotoluene	11.037	91	135653	21.14	ug	92
77) 4-Chlorotoluene	11.137	91	168911	22.03	ug	98
78) 1,3,5-Trimethylbenzene	11.132	105	170142	21.80	ug	98
79) tert-Butylbenzene	11.399	119	133800	26.78	ug	97
80) 1,2,4-Trimethylbenzene	11.436	105	165142	22.03	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	68114	23.83	ug	95
83) n-Propylbenzene	10.980	91	238650	21.98	ug	93
84) 1,3-Dichlorobenzene	11.651	146	102054	25.59	ug	94
85) sec-Butylbenzene	11.572	105	208426	23.83	ug	98
86) 4-Isopropyltoluene	11.693	119	172361	23.55	ug	96
87) 1,4-Dichlorobenzene	11.719	146	108869	24.77	ug	# 59
88) 1,2-Dichlorobenzene	12.002	146	111626	25.38	ug	# 80
89) n-Butylbenzene	11.997	91	178770	23.27	ug	93
90) 1,2-Dibromo-3-Chloropr	12.573	157	9601	19.41	ug	# 67
91) 1,2,4-Trichlorobenzene	13.134	180	53042	24.65	ug	93
92) Hexachlorobutadiene	13.245	225	16367	23.57	ug	# 86
93) Naphthalene	13.302	128	97094	23.36	ug	# 92
94) 1,2,3-Trichlorobenzene	13.460	180	43010	25.15	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0496.D
Acq On : 4 Mar 2026 12:06 pm
Operator :
Sample : lcs
Misc : lcs
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 05 10:32:28 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
 Data File : d0497.D
 Acq On : 4 Mar 2026 12:29 pm
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 05 10:36:23 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	308573	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	215375	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	131231	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	67425	49.90	ug	0.00
59) Toluene-d8	7.692	98	327441	50.28	ug	0.07
81) Bromofluorobenzene	10.744	95	109352	49.87	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	133255	51.54	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0497.D
Acq On : 4 Mar 2026 12:29 pm
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 05 10:36:23 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
 Data File : d0508.D
 Acq On : 4 Mar 2026 4:49 pm
 Operator :
 Sample : 260220005-001a
 Misc : samp
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 05 08:54:45 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	266766	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	185167	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	109027	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.280	65	55590	47.59	ug	-0.01
59) Toluene-d8	7.692	98	272624	48.70	ug	0.07
81) Bromofluorobenzene	10.744	95	97413	53.47	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	110730	51.55	ug	0.00
Target Compounds						Qvalue
24) cis-1,2-Dichloroethene	4.300	61	9217	5.61	ug	97
42) Trichloroethene	6.140	130	24773	23.51	ug	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0508.D
Acq On : 4 Mar 2026 4:49 pm
Operator :
Sample : 260220005-001a
Misc : samp
ALS Vial : 13 Sample Multiplier: 1





Quant Time: Mar 05 08:54:45 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#24
 cis-1,2-Dichloroethene
 Concen: 5.61 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0508.D
 Acq: 4 Mar 2026 4:49 pm

Tgt Ion: 61 Resp: 9217
 Ion Ratio Lower Upper
 61 100
 96 82.4 68.2 102.4



#42
 Trichloroethene
 Concen: 23.51 ug
 RT: 6.140 min Scan# 904
 Delta R.T. 0.101 min
 Lab File: d0508.D
 Acq: 4 Mar 2026 4:49 pm

Tgt Ion: 130 Resp: 24773
 Ion Ratio Lower Upper
 130 100
 132 84.4 74.3 114.3
 95 105.6 70.6 110.6



Data Path : C:\msdchem\1\data\030426\
 Data File : d0509.D
 Acq On : 4 Mar 2026 5:12 pm
 Operator :
 Sample : 260220005-011a
 Misc : samp
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 05 08:55:47 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	268801	50.00	ug	0.00
36) Chlorobenzene-d5	9.549	117	191960	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	116012	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	58252	49.49	ug	0.00
59) Toluene-d8	7.692	98	275331	47.44	ug	0.07
81) Bromofluorobenzene	10.744	95	97008	50.04	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.987	152	116395	50.93	ug	0.00
Target Compounds						Qvalue
24) cis-1,2-Dichloroethene	4.295	61	3745m	2.26	ug	
47) 1,4-Dioxane	6.770	88	126	3.84	ug	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0509.D
Acq On : 4 Mar 2026 5:12 pm
Operator :
Sample : 260220005-011a
Misc : samp
ALS Vial : 14 Sample Multiplier: 1





Quant Time: Mar 05 08:55:47 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#24
cis-1,2-Dichloroethene
Concen: 2.26 ug m
RT: 4.295 min Scan# 552
Delta R.T. -0.033 min
Lab File: d0509.D
Acq: 4 Mar 2026 5:12 pm

Tgt Ion: 61 Resp: 3745
Ion Ratio Lower Upper
61 100
96 65.7 68.2 102.4#



#47
1,4-Dioxane
Concen: 3.84 ug
RT: 6.770 min Scan# 1024
Delta R.T. 0.063 min
Lab File: d0509.D
Acq: 4 Mar 2026 5:12 pm

Tgt Ion: 88 Resp: 126
Ion Ratio Lower Upper
88 100
69 67.5 56.6 85.0



Data Path : C:\msdchem\1\data\030426\
 Data File : d0510.D
 Acq On : 4 Mar 2026 5:35 pm
 Operator :
 Sample : 260220005-012a
 Misc : samp
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 05 08:57:24 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.689	96	273461	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187636	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	104884	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	58916	49.20	ug	0.00
59) Toluene-d8	7.692	98	273637	48.23	ug	0.07
81) Bromofluorobenzene	10.744	95	96313	54.95	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	111068	53.75	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	2717	2.10	ug	76
24) cis-1,2-Dichloroethene	4.305	61	8860	5.26	ug	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0510.D
Acq On : 4 Mar 2026 5:35 pm
Operator :
Sample : 260220005-012a
Misc : samp
ALS Vial : 15 Sample Multiplier: 1





Quant Time: Mar 05 08:57:24 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 2.10 ug
 RT: 1.366 min Scan# 39
 Delta R.T. -0.001 min
 Lab File: d0510.D
 Acq: 4 Mar 2026 5:35 pm

Tgt Ion	Ratio	Lower	Upper
62	100		
64	44.3	11.1	51.1



#24
 cis-1,2-Dichloroethene
 Concen: 5.26 ug
 RT: 4.305 min Scan# 554
 Delta R.T. -0.023 min
 Lab File: d0510.D
 Acq: 4 Mar 2026 5:35 pm

Tgt Ion	Ratio	Lower	Upper
61	100		
96	85.5	68.2	102.4



Data Path : C:\msdchem\1\data\030426\
 Data File : d0511.D
 Acq On : 4 Mar 2026 5:59 pm
 Operator :
 Sample : 260220005-013a
 Misc : samp
 ALS Vial : 16 Sample Multiplier: 1

Quant Time: Mar 09 15:14:47 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	277065	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	191151	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	122600	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	59681	49.19	ug	0.00
59) Toluene-d8	7.692	98	271147	46.92	ug	0.07
81) Bromofluorobenzene	10.744	95	102332	49.95	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	117473	48.64	ug	0.00
Target Compounds						
47) 1,4-Dioxane	6.859	88	72	2.20	ug	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0511.D
Acq On : 4 Mar 2026 5:59 pm
Operator :
Sample : 260220005-013a
Misc : samp
ALS Vial : 16 Sample Multiplier: 1




Quant Time: Mar 09 15:14:47 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration





#47
 1,4-Dioxane
 Concen: 2.20 ug
 RT: 6.859 min Scan# 1041
 Delta R.T. 0.152 min
 Lab File: d0511.D
 Acq: 4 Mar 2026 5:59 pm

Tgt Ion: 88 Resp: 72
 Ion Ratio Lower Upper
 88 100
 69 68.1 56.6 85.0



Data Path : C:\msdchem\1\data\030426\
 Data File : d0513.D
 Acq On : 4 Mar 2026 6:45 pm
 Operator :
 Sample : 260220005-015a
 Misc : samp
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 05 09:07:35 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	287019	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	209679	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	127119	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	59021	46.96	ug	0.00
59) Toluene-d8	7.692	98	296696	46.80	ug	0.07
81) Bromofluorobenzene	10.744	95	110914	52.21	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	125801	50.23	ug	0.00
Target Compounds						
						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0513.D
Acq On : 4 Mar 2026 6:45 pm
Operator :
Sample : 260220005-015a
Misc : samp
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 05 09:07:35 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
Data File : d0514.D
Acq On : 4 Mar 2026 7:08 pm
Operator :
Sample : 260220005-027a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 05 09:08:24 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	261017	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	185838	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	112231	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	56619	49.54	ug	-0.01
59) Toluene-d8	7.692	98	276236	49.16	ug	0.07
81) Bromofluorobenzene	10.744	95	95965	51.17	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	113291	51.24	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0514.D
Acq On : 4 Mar 2026 7:08 pm
Operator :
Sample : 260220005-027a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 05 09:08:24 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
 Data File : d0515.D
 Acq On : 4 Mar 2026 7:31 pm
 Operator :
 Sample : 260220005-029a
 Misc : samp
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 05 09:09:51 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	273776	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	192541	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	119463	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	60895	50.80	ug	0.00
59) Toluene-d8	7.692	98	278885	47.91	ug	0.07
81) Bromofluorobenzene	10.744	95	98393	49.29	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	117586	49.96	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0515.D
Acq On : 4 Mar 2026 7:31 pm
Operator :
Sample : 260220005-029a
Misc : samp
ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 05 09:09:51 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030426\
 Data File : d0516.D
 Acq On : 4 Mar 2026 7:57 pm
 Operator :
 Sample : 260220005-026a
 Misc : samp
 ALS Vial : 21 Sample Multiplier: 1

Quant Time: Mar 05 09:10:48 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	261987	50.00	ug	0.00
36) Chlorobenzene-d5	9.549	117	178510	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	94017	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	56986	49.68	ug	0.00
59) Toluene-d8	7.692	98	266417	49.36	ug	0.07
81) Bromofluorobenzene	10.744	95	88050	56.05	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	100870	54.46	ug	0.00
Target Compounds						Qvalue
11) 1,1-Dichloroethene	2.334	96	1416	1.67	ug	87
14) Acetone	2.418	43	1629	2.25	ug	69
24) cis-1,2-Dichloroethene	4.295	61	215256	133.42	ug	93
42) Trichloroethene	6.141	130	130591	128.56	ug	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0516.D
Acq On : 4 Mar 2026 7:57 pm
Operator :
Sample : 260220005-026a
Misc : samp
ALS Vial : 21 Sample Multiplier: 1





Quant Time: Mar 05 09:10:48 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#11
1,1-Dichloroethene
Concen: 1.67 ug
RT: 2.334 min Scan# 178
Delta R.T. -0.041 min
Lab File: d0516.D
Acq: 4 Mar 2026 7:57 pm


Tgt Ion:	96	Resp:	1416
Ion Ratio	Lower	Upper	
96	100		
61	169.9	161.9	201.9
98	86.6	47.0	87.0



#14
Acetone
Concen: 2.25 ug
RT: 2.418 min Scan# 194
Delta R.T. -0.032 min
Lab File: d0516.D
Acq: 4 Mar 2026 7:57 pm





Tgt Ion:	43	Resp:	1629
Ion Ratio	Lower	Upper	
43	100		
58	43.0	6.9	46.9








#24
 cis-1,2-Dichloroethene
 Concen: 133.42 ug
 RT: 4.295 min Scan# 552
 Delta R.T. -0.033 min
 Lab File: d0516.D
 Acq: 4 Mar 2026 7:57 pm

Tgt Ion	61	96	Resp	215256
Ion Ratio	100	91.9	Lower	Upper
			68.2	102.4



#42
 Trichloroethene
 Concen: 128.56 ug
 RT: 6.141 min Scan# 904
 Delta R.T. 0.102 min
 Lab File: d0516.D
 Acq: 4 Mar 2026 7:57 pm

Tgt Ion	130	132	95	Resp	130591
Ion Ratio	100	94.6	112.2	Lower	Upper
				74.3	114.3
				70.6	110.6#



Data Path : C:\msdchem\1\data\030426\
 Data File : d0517.D
 Acq On : 4 Mar 2026 8:22 pm
 Operator :
 Sample : 260220005-021a
 Misc : samp
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Mar 05 09:14:05 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	263849	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187480	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	118715	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	56990	49.33	ug	0.00
59) Toluene-d8	7.692	98	264799	46.71	ug	0.07
81) Bromofluorobenzene	10.744	95	96806	48.80	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	116338	49.74	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	21575	17.31	ug	98
18) Methylene Chloride	2.827	84	6212	4.60	ug	97
24) cis-1,2-Dichloroethene	4.300	61	300047	184.66	ug	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030426\
Data File : d0517.D
Acq On : 4 Mar 2026 8:22 pm
Operator :
Sample : 260220005-021a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1





Quant Time: Mar 05 09:14:05 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 17.31 ug
 RT: 1.366 min Scan# 39
 Delta R.T. -0.001 min
 Lab File: d0517.D
 Acq: 4 Mar 2026 8:22 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	32.3	11.1	51.1



#18
 Methylene Chloride
 Concen: 4.60 ug
 RT: 2.827 min Scan# 272
 Delta R.T. -0.043 min
 Lab File: d0517.D
 Acq: 4 Mar 2026 8:22 pm




Tgt Ion	Ratio	Lower	Upper
84	100		
49	105.5	82.9	122.9





#24
 cis-1,2-Dichloroethene
 Concen: 184.66 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0517.D
 Acq: 4 Mar 2026 8:22 pm


Tgt Ion: 61 Resp: 300047
 Ion Ratio Lower Upper
 61 100
 96 95.7 68.2 102.4



Data Path : C:\msdchem\1\data\030526\
Data File : d0526.D
Acq On : 5 Mar 2026 9:08 am
Operator :
Sample : bfb
Misc : tune
ALS Vial : 75 Sample Multiplier: 1

Integration File: rteint.p

Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Title : Voa Calibration 524/8260 Water
Last Update : Thu Mar 05 08:49:15 2026



Spectrum Information: Average of 10.733 to 10.744 min.

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	18.5	9919	PASS
75	95	30	60	46.8	25107	PASS
95	95	100	100	100.0	53669	PASS
96	95	5	9	6.8	3638	PASS
173	174	0.00	2	1.5	690	PASS
174	95	50	100	85.4	45859	PASS
175	174	5	9	8.9	4079	PASS
176	174	95	101	99.8	45787	PASS
177	176	5	9	6.8	3117	PASS

Data Path : C:\msdchem\1\data\030526\
 Data File : d0529.D
 Acq On : 5 Mar 2026 10:18 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 05 10:42:35 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	292351	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	215481	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	159454	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	64483m	50.37	ug	0.00
59) Toluene-d8	7.692	98	294665	45.23	ug	0.07
81) Bromofluorobenzene	10.744	95	123757	46.45	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	154680	49.24	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.162	85	14256	17.08	ug	# 93
3) Chloromethane	1.298	50	33141	22.84	ug	95
4) Vinyl Chloride	1.366	62	35043	25.37	ug	97
5) Bromomethane	1.609	94	90414	24.13	ug	98
6) Chloroethane	1.687	64	37297	26.55	ug	90
7) Acrolein	2.271	56	3216	270.48	ug	95
8) Trichlorofluoromethane	1.894	101	128088	35.43	ug	100
9) Ethanol	2.082	45	16893	565.17	ug	92
10) Freon113	2.345	101	20390	21.34	ug	93
11) 1,1-Dichloroethene	2.334	96	21859m	23.14	ug	
12) Allyl Chloride	2.685	41	50256	11.15	ug	80
13) Carbon Disulfide	2.528	76	44246m	17.18	ug	
14) Acetone	2.407	43	16387m	20.24	ug	
15) Iodomethane	2.470	142	24610	32.25	ug	96
16) Acetonitrile	2.680	40	20880	136.81	ug	# 19
17) Methyl Acetate	2.727	43	36007	21.77	ug	# 59
18) Methylene Chloride	2.816	84	30081	20.10	ug	83
19) Acrylonitrile	3.702	53	5961	8.82	ug	# 82
20) trans-1,2-Dichloroethene	3.120	96	24650	21.20	ug	94
21) Mtbe	3.147	73	160279	40.91	ug	98
22) 1,1-Dichloroethane	3.608	63	43746	22.55	ug	98
23) Hexane	3.204	43	1427	1.00	ug	# 1
24) cis-1,2-Dichloroethene	4.295	61	37492	20.82	ug	95
25) 2,2-Dichloropropane	4.290	77	38631	24.34	ug	96
26) Propionitrile	4.431	54	56585	190.16	ug	99
27) Bromochloromethane	4.583	128	13965	23.11	ug	95
28) Methacrylonitrile	4.599	67	162505	175.23	ug	91
29) Tetrahydrofuran	4.667	42	11134	17.69	ug	90
30) Chloroform	4.693	83	53753	23.35	ug	99
31) Cyclohexane	4.935	84	44633	21.94	ug	# 88
32) 1,1-Dichloro-1-propene	5.087	75	35260	22.61	ug	# 73
33) 1,2-Dichloroethane	5.380	62	35419	22.99	ug	99
34) 2-Butanone	4.353	43	20489m	21.86	ug	
37) 1,1,1-Trichloroethane	4.882	97	45676	20.23	ug	99
38) Carbon Tetrachloride	5.076	117	31484	17.74	ug	98
39) Benzene	5.338	78	126751	20.23	ug	100
40) Isobutanol	4.924	43	2449	246.80	ug	# 100
41) Heptane	5.354	43	42566	17.06	ug	# 1
42) Trichloroethene	6.146	130	28664	23.38	ug	# 87
43) Methyl Cyclohexane	6.361	83	50636	21.11	ug	89
44) 1,2-Dichloropropane	6.424	63	34393	20.40	ug	89
45) Vinyl Acetate	3.702	43	44766	15.39	ug	100
46) Dibromomethane	6.576	174	24141	23.67	ug	# 73
47) 1,4-Dioxane	6.686	88	793	21.54	ug	# 14
48) Methyl Methacrylate	6.633	69	32436	18.33	ug	# 79
49) Bromodichloromethane	6.796	83	42161m	20.06	ug	

Data Path : C:\msdchem\1\data\030526\
 Data File : d0529.D
 Acq On : 5 Mar 2026 10:18 am
 Operator :
 Sample : ccv
 Misc : ccv
 ALS Vial : 1 Sample Multiplier: 1


Quant Time: Mar 05 10:42:35 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
50) Ceve	7.221	63	18257	14.10	ug	99
51) cis-1,3-Dichloropropene	7.367	75	49903	21.18	ug	95
52) trans-1,3-Dichloropropene	8.107	75	44115	21.57	ug	96
53) 1,1,2-Trichloroethane	8.332	97	38220	24.40	ug	95
54) 1,3-Dichloropropane	8.547	76	56818	21.92	ug	99
55) 1,2-Dibromoethane	8.966	107	33550	24.67	ug	96
56) Dibromochloromethane	8.830	129	29368m	20.17	ug	
57) Bromoform	10.440	173	21403	18.45	ug	98
58) 4-Methyl-2-Pentanone	7.609	43	43110	20.44	ug	93
60) Toluene	7.776	92	82543	20.21	ug	92
61) Ethyl Metacrylate	8.269	69	56516	17.08	ug	# 85
62) Tetrachloroethene	8.479	164	26711	22.60	ug	97
63) 2-Hexanone	8.710	43	35611m	20.09	ug	
65) Chlorobenzene	9.580	112	98121	22.90	ug	96
66) 1,1,1,2-Tetrachloroethane	9.690	133	27216	25.16	ug	# 85
67) Ethylbenzene	9.721	106	54955	21.43	ug	97
68) m,p-Xylene	9.853	91	277672	42.74	ug	96
69) o-Xylene	10.256	106	67315	20.68	ug	93
70) Styrene	10.272	104	116104	21.77	ug	# 73
71) Isopropylbenzene	10.613	105	164454	21.94	ug	99
72) Chloroprene	10.691	53	15624	40.69	ug	95
73) trans-1,4-Dichloro-2-b...	10.691	88	18784	18.29	ug	# 53
74) Bromobenzene	10.864	77	66461	21.47	ug	92
75) 1,2,3-Trichloropropane	10.927	75	64972	20.64	ug	# 72
76) 2-Chlorotoluene	11.037	91	121408	21.64	ug	94
77) 4-Chlorotoluene	11.132	91	148633	22.16	ug	98
78) 1,3,5-Trimethylbenzene	11.132	105	147000	21.53	ug	100
79) tert-Butylbenzene	11.399	119	113952	26.07	ug	100
80) 1,2,4-Trimethylbenzene	11.436	105	149527	22.81	ug	90
82) 1,1,2,2-Tetrachloroethane	10.901	83	61406	24.56	ug	90
83) n-Propylbenzene	10.980	91	208517	21.95	ug	94
84) 1,3-Dichlorobenzene	11.651	146	88494	25.37	ug	95
85) sec-Butylbenzene	11.572	105	174690	22.84	ug	98
86) 4-Isopropyltoluene	11.688	119	144383	22.55	ug	98
87) 1,4-Dichlorobenzene	11.719	146	95200	24.76	ug	# 60
88) 1,2-Dichlorobenzene	12.002	146	98205	25.53	ug	# 84
89) n-Butylbenzene	11.997	91	152458	22.69	ug	89
90) 1,2-Dibromo-3-Chloropr	12.574	157	7444	17.21	ug	# 66
91) 1,2,4-Trichlorobenzene	13.135	180	46253	24.58	ug	91
92) Hexachlorobutadiene	13.245	225	14413	23.73	ug	# 85
93) Naphthalene	13.302	128	76875	21.14	ug	# 92
94) 1,2,3-Trichlorobenzene	13.460	180	31932	21.35	ug	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0529.D
Acq On : 5 Mar 2026 10:18 am
Operator :
Sample : ccv
Misc : ccv
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Mar 05 10:42:35 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0530.D
 Acq On : 5 Mar 2026 10:41 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 05 11:13:24 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	314733	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	226534	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	159892	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	66450	48.22	ug	0.00
59) Toluene-d8	7.692	98	335305	48.96	ug	0.07
81) Bromofluorobenzene	10.744	95	130600	48.88	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	163977	52.06	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	13204	14.70	ug	# 93
3) Chloromethane	1.298	50	34039	21.79	ug	91
4) Vinyl Chloride	1.376	62	35594	23.93	ug	92
5) Bromomethane	1.609	94	98839	24.50	ug	99
6) Chloroethane	1.687	64	40542	26.80	ug	91
7) Acrolein	2.261	56	2124	165.93	ug	# 65
8) Trichlorofluoromethane	1.888	101	133373	34.27	ug	100
9) Ethanol	1.658	45	576	17.90	ug	98
10) Freon113	2.345	101	19361	18.82	ug	93
11) 1,1-Dichloroethene	2.334	96	20529m	20.19	ug	
12) Allyl Chloride	2.685	41	41815	8.62	ug	79
13) Carbon Disulfide	2.523	76	40863m	14.74	ug	
14) Acetone	2.407	43	17233m	19.77	ug	
15) Iodomethane	2.470	142	21849	26.59	ug	90
16) Acetonitrile	2.685	40	24381m	148.39	ug	
17) Methyl Acetate	2.738	43	30765	17.28	ug	# 55
18) Methylene Chloride	2.822	84	31180	19.35	ug	83
19) Acrylonitrile	3.718	53	4166	5.72	ug	# 85
20) trans-1,2-Dichloroethene	3.126	96	23504	18.78	ug	98
21) Mtbe	3.142	73	167826m	39.79	ug	
22) 1,1-Dichloroethane	3.613	63	42541	20.37	ug	100
23) Hexane	3.142	43	28062	18.23	ug	# 81
24) cis-1,2-Dichloroethene	4.295	61	39447m	20.35	ug	
25) 2,2-Dichloropropane	4.279	77	35880	21.00	ug	# 71
26) Propionitrile	4.426	54	48324	150.85	ug	96
27) Bromochloromethane	4.578	128	13384	20.57	ug	92
28) Methacrylonitrile	4.599	67	138372	138.60	ug	94
29) Tetrahydrofuran	4.657	42	17995m	26.56	ug	
30) Chloroform	4.693	83	52555	21.21	ug	99
31) Cyclohexane	4.935	84	41424	18.91	ug	# 89
32) 1,1-Dichloro-1-propene	5.087	75	31813	18.95	ug	# 81
33) 1,2-Dichloroethane	5.375	62	34433	20.76	ug	100
34) 2-Butanone	4.368	43	19991m	19.81	ug	
37) 1,1,1-Trichloroethane	4.882	97	42747m	18.01	ug	
38) Carbon Tetrachloride	5.071	117	37446m	20.07	ug	
39) Benzene	5.338	78	130351m	19.79	ug	
40) Isobutanol	5.354	43	36533	3502.01	ug	# 100
41) Heptane	5.354	43	36533	13.93	ug	# 1
42) Trichloroethene	6.141	130	28917	22.43	ug	89
43) Methyl Cyclohexane	6.350	83	46784	18.55	ug	89
44) 1,2-Dichloropropane	6.418	63	30771	17.36	ug	99
45) Vinyl Acetate	3.708	43	44931	14.69	ug	99
46) Dibromomethane	6.565	174	23881	22.27	ug	# 79
47) 1,4-Dioxane	6.796	88	662	17.11	ug	# 51
48) Methyl Methacrylate	6.628	69	24248	13.04	ug	# 86
49) Bromodichloromethane	6.785	83	38450	17.40	ug	# 32

Data Path : C:\msdchem\1\data\030526\
 Data File : d0530.D
 Acq On : 5 Mar 2026 10:41 am
 Operator :
 Sample : lcs
 Misc : lcs
 ALS Vial : 2 Sample Multiplier: 1

Quant Time: Mar 05 11:13:24 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
50) Ceve	7.210	63	14234	10.46	ug	90
51) cis-1,3-Dichloropropene	7.362	75	48797	19.70	ug	92
52) trans-1,3-Dichloropropene	8.107	75	45044	20.95	ug	98
53) 1,1,2-Trichloroethane	8.337	97	37070	22.51	ug	94
54) 1,3-Dichloropropane	8.552	76	59285	21.76	ug	91
55) 1,2-Dibromoethane	8.966	107	33176	23.20	ug	93
56) Dibromochloromethane	8.835	129	28450m	18.59	ug	
57) Bromoform	10.440	173	21688	17.78	ug	97
58) 4-Methyl-2-Pentanone	7.603	43	50877m	22.94	ug	
60) Toluene	7.782	92	84457m	19.67	ug	
61) Ethyl Metacrylate	8.274	69	47243	13.58	ug	# 85
62) Tetrachloroethene	8.479	164	25418	20.46	ug	93
63) 2-Hexanone	8.715	43	35841m	19.23	ug	
65) Chlorobenzene	9.580	112	99922	23.26	ug	94
66) 1,1,1,2-Tetrachloroethane	9.685	133	27268	25.14	ug	# 87
67) Ethylbenzene	9.716	106	55189	21.46	ug	92
68) m,p-Xylene	9.853	91	265144	40.70	ug	94
69) o-Xylene	10.256	106	65903	20.19	ug	96
70) Styrene	10.272	104	115175	21.54	ug	# 72
71) Isopropylbenzene	10.613	105	156988	20.89	ug	99
72) Chloroprene	10.691	53	15841	41.14	ug	92
73) trans-1,4-Dichloro-2-b...	10.691	88	16787	16.30	ug	# 64
74) Bromobenzene	10.864	77	65540	21.11	ug	93
75) 1,2,3-Trichloropropane	10.927	75	63553	20.13	ug	# 73
76) 2-Chlorotoluene	11.038	91	121240	21.55	ug	93
77) 4-Chlorotoluene	11.132	91	145612	21.65	ug	95
78) 1,3,5-Trimethylbenzene	11.137	105	143201	20.92	ug	98
79) tert-Butylbenzene	11.399	119	111015	25.33	ug	99
80) 1,2,4-Trimethylbenzene	11.436	105	141848	21.58	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	57988	23.13	ug	94
83) n-Propylbenzene	10.980	91	201371	21.14	ug	92
84) 1,3-Dichlorobenzene	11.651	146	84046	24.02	ug	95
85) sec-Butylbenzene	11.572	105	172219	22.45	ug	100
86) 4-Isopropyltoluene	11.693	119	146735	22.86	ug	97
87) 1,4-Dichlorobenzene	11.719	146	95604	24.80	ug	# 57
88) 1,2-Dichlorobenzene	12.002	146	98280	25.48	ug	# 81
89) n-Butylbenzene	11.997	91	149663	22.21	ug	89
90) 1,2-Dibromo-3-Chloropr	12.574	157	8445	19.47	ug	# 38
91) 1,2,4-Trichlorobenzene	13.135	180	49497	26.23	ug	# 86
92) Hexachlorobutadiene	13.245	225	14301	23.48	ug	# 81
93) Naphthalene	13.303	128	84144	23.08	ug	# 91
94) 1,2,3-Trichlorobenzene	13.460	180	35827	23.89	ug	# 84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
 Data File : d0531.D
 Acq On : 5 Mar 2026 11:04 am
 Operator :
 Sample : vblk
 Misc : mblk
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Mar 09 15:37:00 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Mon Mar 09 15:26:06 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	286342	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	201150	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	119442	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	64521	51.46	ug	0.00
59) Toluene-d8	7.692	98	278026	45.71	ug	0.07
81) Bromofluorobenzene	10.744	95	103938	52.08	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	122060	51.87	ug	0.00
Target Compounds						
						Qvalue
91) 1,2,4-Trichlorobenzene	13.135	180	3142	2.23	ug	# 89
92) Hexachlorobutadiene	13.245	225	1202	2.64	ug	# 88
93) Naphthalene	13.302	128	7155	2.63	ug	# 87
94) 1,2,3-Trichlorobenzene	13.460	180	3893	3.47	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0531.D
Acq On : 5 Mar 2026 11:04 am
Operator :
Sample : vblk
Misc : mblk
ALS Vial : 3 Sample Multiplier: 1





Quant Time: Mar 09 15:37:00 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Mon Mar 09 15:26:06 2026
Response via : Initial Calibration








#91
 1,2,4-Trichlorobenzene
 Concen: 2.23 ug
 RT: 13.135 min Scan# 2238
 Delta R.T. 0.013 min
 Lab File: d0531.D
 Acq: 5 Mar 2026 11:04 am


Tgt Ion:180 Resp: 3142
 Ion Ratio Lower Upper
 180 100
 145 24.3 24.3 36.5#



#92
 Hexachlorobutadiene
 Concen: 2.64 ug
 RT: 13.245 min Scan# 2259
 Delta R.T. 0.014 min
 Lab File: d0531.D
 Acq: 5 Mar 2026 11:04 am





Tgt Ion:225 Resp: 1202
 Ion Ratio Lower Upper
 225 100
 190 43.3 40.3 60.5
 258 24.8 14.3 21.5#








#93
Naphthalene
Concen: 2.63 ug
RT: 13.302 min Scan# 2270
Delta R.T. 0.013 min
Lab File: d0531.D
Acq: 5 Mar 2026 11:04 am

Tgt Ion	Ratio	Lower	Upper
128	100		
102	10.8	5.1	7.7#



#94
1,2,3-Trichlorobenzene
Concen: 3.47 ug
RT: 13.460 min Scan# 2300
Delta R.T. 0.016 min
Lab File: d0531.D
Acq: 5 Mar 2026 11:04 am

Tgt Ion	Ratio	Lower	Upper
180	100		
145	33.3	27.7	41.5



Data Path : C:\msdchem\1\data\030526\
Data File : d0535.D
Acq On : 5 Mar 2026 12:36 pm
Operator :
Sample : 260220005-035a
Misc : samp
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 05 14:07:11 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	271070	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	185648	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	112833	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	59711	50.31	ug	0.00
59) Toluene-d8	7.692	98	275987	49.17	ug	0.07
81) Bromofluorobenzene	10.744	95	97296	51.60	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	114898	51.69	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0535.D
Acq On : 5 Mar 2026 12:36 pm
Operator :
Sample : 260220005-035a
Misc : samp
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Mar 05 14:07:11 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0536.D
 Acq On : 5 Mar 2026 12:59 pm
 Operator :
 Sample : 260220005-036a
 Misc : samp
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Mar 05 14:08:01 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	263432	50.00	ug	0.00
36) Chlorobenzene-d5	9.549	117	186063	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	121148	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	60328	52.30	ug	0.00
59) Toluene-d8	7.692	98	273065	48.54	ug	0.07
81) Bromofluorobenzene	10.744	95	100336	49.56	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.987	152	117343	49.17	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.376	62	8373	6.73	ug	93
14) Acetone	2.413	43	7596	10.41	ug	88
24) cis-1,2-Dichloroethene	4.300	61	13860	8.54	ug	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0536.D
Acq On : 5 Mar 2026 12:59 pm
Operator :
Sample : 260220005-036a
Misc : samp
ALS Vial : 7 Sample Multiplier: 1




Quant Time: Mar 05 14:08:01 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration









#4
 Vinyl Chloride
 Concen: 6.73 ug
 RT: 1.376 min Scan# 40
 Delta R.T. 0.009 min
 Lab File: d0536.D
 Acq: 5 Mar 2026 12:59 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	27.0	11.1	51.1



#14
 Acetone
 Concen: 10.41 ug
 RT: 2.413 min Scan# 193
 Delta R.T. -0.037 min
 Lab File: d0536.D
 Acq: 5 Mar 2026 12:59 pm




Tgt Ion	Ratio	Lower	Upper
43	100		
58	33.1	6.9	46.9





#24
 cis-1,2-Dichloroethene
 Concen: 8.54 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0536.D
 Acq: 5 Mar 2026 12:59 pm

Tgt Ion	Ratio	Lower	Upper
61	100		
96	99.7	68.2	102.4



Data Path : C:\msdchem\1\data\030526\
 Data File : d0537.D
 Acq On : 5 Mar 2026 1:22 pm
 Operator :
 Sample : 260220005-037a
 Misc : samp
 ALS Vial : 8 Sample Multiplier: 1

Quant Time: Mar 05 14:12:30 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	266519	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187891	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	115982	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	58630	50.24	ug	0.00
59) Toluene-d8	7.692	98	273805	48.20	ug	0.07
81) Bromofluorobenzene	10.744	95	97110	50.11	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	118799	51.99	ug	0.00
Target Compounds						
4) Vinyl Chloride	1.376	62	10293	8.17	ug	Qvalue 100
24) cis-1,2-Dichloroethene	4.300	61	204056	124.33	ug	91
30) Chloroform	4.693	83	6143m	2.93	ug	
42) Trichloroethene	6.146	130	10763	10.07	ug	# 82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0537.D
Acq On : 5 Mar 2026 1:22 pm
Operator :
Sample : 260220005-037a
Misc : samp
ALS Vial : 8 Sample Multiplier: 1





Quant Time: Mar 05 14:12:30 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 8.17 ug
 RT: 1.376 min Scan# 40
 Delta R.T. 0.009 min
 Lab File: d0537.D
 Acq: 5 Mar 2026 1:22 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	31.1	11.1	51.1



#24
 cis-1,2-Dichloroethene
 Concen: 124.33 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0537.D
 Acq: 5 Mar 2026 1:22 pm





Tgt Ion	Ratio	Lower	Upper
61	100		
96	93.1	68.2	102.4








#30
Chloroform
Concen: 2.93 ug m
RT: 4.693 min Scan# 628
Delta R.T. -0.023 min
Lab File: d0537.D
Acq: 5 Mar 2026 1:22 pm

Tgt Ion: 83 Resp: 6143
Ion Ratio Lower Upper
83 100
85 65.8 45.2 85.2



#42
Trichloroethene
Concen: 10.07 ug
RT: 6.146 min Scan# 905
Delta R.T. 0.107 min
Lab File: d0537.D
Acq: 5 Mar 2026 1:22 pm

Tgt Ion: 130 Resp: 10763
Ion Ratio Lower Upper
130 100
132 106.7 74.3 114.3
95 113.6 70.6 110.6#



Data Path : C:\msdchem\1\data\030526\
 Data File : d0538.D
 Acq On : 5 Mar 2026 1:47 pm
 Operator :
 Sample : 260220005-032a
 Misc : samp
 ALS Vial : 9 Sample Multiplier: 1

Quant Time: Mar 05 14:26:08 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	259180	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187086	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	114918	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	54911	48.39	ug	-0.01
59) Toluene-d8	7.692	98	266166	47.05	ug	0.07
81) Bromofluorobenzene	10.744	95	96447	50.22	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	114648	50.64	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	25680	20.97	ug	98
24) cis-1,2-Dichloroethene	4.300	61	86765	54.36	ug	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0538.D
Acq On : 5 Mar 2026 1:47 pm
Operator :
Sample : 260220005-032a
Misc : samp
ALS Vial : 9 Sample Multiplier: 1





Quant Time: Mar 05 14:26:08 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 20.97 ug
RT: 1.366 min Scan# 39
Delta R.T. -0.001 min
Lab File: d0538.D
Acq: 5 Mar 2026 1:47 pm

Tgt Ion	Ratio	Lower	Upper
62	100		
64	29.9	11.1	51.1



#24
cis-1,2-Dichloroethene
Concen: 54.36 ug
RT: 4.300 min Scan# 553
Delta R.T. -0.028 min
Lab File: d0538.D
Acq: 5 Mar 2026 1:47 pm

Tgt Ion	Ratio	Lower	Upper
61	100		
96	91.5	68.2	102.4



Data Path : C:\msdchem\1\data\030526\
 Data File : d0539.D
 Acq On : 5 Mar 2026 2:13 pm
 Operator :
 Sample : 260220005-033a
 Misc : samp
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Mar 05 14:29:11 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	269410	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	189371	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	112738	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	61724	52.32	ug	0.00
59) Toluene-d8	7.692	98	275286	48.08	ug	0.07
81) Bromofluorobenzene	10.744	95	93591	49.68	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	113630	51.16	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	26293	20.65	ug	93
14) Acetone	2.413	43	2471	3.31	ug	74
24) cis-1,2-Dichloroethene	4.295	61	89133	53.72	ug	90
42) Trichloroethene	6.140	130	1162	1.08	ug	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0539.D
Acq On : 5 Mar 2026 2:13 pm
Operator :
Sample : 260220005-033a
Misc : samp
ALS Vial : 10 Sample Multiplier: 1





Quant Time: Mar 05 14:29:11 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 20.65 ug
 RT: 1.366 min Scan# 39
 Delta R.T. -0.001 min
 Lab File: d0539.D
 Acq: 5 Mar 2026 2:13 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	35.0	11.1	51.1



#14
 Acetone
 Concen: 3.31 ug
 RT: 2.413 min Scan# 193
 Delta R.T. -0.037 min
 Lab File: d0539.D
 Acq: 5 Mar 2026 2:13 pm





Tgt Ion	Ratio	Lower	Upper
43	100		
58	40.5	6.9	46.9








#24
 cis-1,2-Dichloroethene
 Concen: 53.72 ug
 RT: 4.295 min Scan# 552
 Delta R.T. -0.033 min
 Lab File: d0539.D
 Acq: 5 Mar 2026 2:13 pm

Tgt Ion	Ratio	Lower	Upper
61	100		
96	94.6	68.2	102.4



#42
 Trichloroethene
 Concen: 1.08 ug
 RT: 6.140 min Scan# 904
 Delta R.T. 0.101 min
 Lab File: d0539.D
 Acq: 5 Mar 2026 2:13 pm

Tgt Ion	Ratio	Lower	Upper
130	100		
132	80.5	74.3	114.3
95	89.2	70.6	110.6



Data Path : C:\msdchem\1\data\030526\
 Data File : d0542.D
 Acq On : 5 Mar 2026 3:23 pm
 Operator :
 Sample : 260220005-014a
 Misc : samp
 ALS Vial : 12 Sample Multiplier: 1

Quant Time: Mar 05 16:06:18 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	264873	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187325	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	116720	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	59745	51.51	ug	0.00
59) Toluene-d8	7.692	98	271476	47.93	ug	0.07
81) Bromofluorobenzene	10.744	95	93424	47.90	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	116908	50.84	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	2436	1.95	ug	98
24) cis-1,2-Dichloroethene	4.305	61	28904	17.72	ug	92
42) Trichloroethene	6.146	130	4537m	4.26	ug	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0542.D
Acq On : 5 Mar 2026 3:23 pm
Operator :
Sample : 260220005-014a
Misc : samp
ALS Vial : 12 Sample Multiplier: 1





Quant Time: Mar 05 16:06:18 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
Vinyl Chloride
Concen: 1.95 ug
RT: 1.366 min Scan# 39
Delta R.T. -0.001 min
Lab File: d0542.D
Acq: 5 Mar 2026 3:23 pm


Tgt Ion: 62 Resp: 2436
Ion Ratio Lower Upper
62 100
64 30.0 11.1 51.1



#24
cis-1,2-Dichloroethene
Concen: 17.72 ug
RT: 4.305 min Scan# 554
Delta R.T. -0.023 min
Lab File: d0542.D
Acq: 5 Mar 2026 3:23 pm




Tgt Ion: 61 Resp: 28904
Ion Ratio Lower Upper
61 100
96 92.2 68.2 102.4





#42
 Trichloroethene
 Concen: 4.26 ug m
 RT: 6.146 min Scan# 905
 Delta R.T. 0.107 min
 Lab File: d0542.D
 Acq: 5 Mar 2026 3:23 pm

Tgt Ion:	130	Resp:	4537
Ion Ratio	Lower	Upper	
130	100		
132	100.1	74.3	114.3
95	103.1	70.6	110.6



Data Path : C:\msdchem\1\data\030526\
 Data File : d0543.D
 Acq On : 5 Mar 2026 3:46 pm
 Operator :
 Sample : 260220005-014ams
 Misc : ms
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 05 16:08:03 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	275668	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	192633	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	140629	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.291	65	56398	46.72	ug	0.00
59) Toluene-d8	7.692	98	276706	47.51	ug	0.07
81) Bromofluorobenzene	10.744	95	109796	46.72	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	140860	50.84	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	9753	12.39	ug	# 92
3) Chloromethane	1.298	50	27897	20.39	ug	100
4) Vinyl Chloride	1.366	62	29904	22.96	ug	100
5) Bromomethane	1.609	94	77330	21.89	ug	99
6) Chloroethane	1.687	64	32389	24.45	ug	86
7) Acrolein	2.261	56	2286	203.90	ug	# 66
8) Trichlorofluoromethane	1.888	101	103221	30.28	ug	98
9) Ethanol	2.082	45	14182	503.19	ug	98
10) Freon113	2.345	101	13422m	14.90	ug	
11) 1,1-Dichloroethene	2.329	96	15949m	17.90	ug	
12) Allyl Chloride	2.685	41	36424	8.57	ug	79
13) Carbon Disulfide	2.528	76	27137	11.17	ug	100
14) Acetone	2.413	43	13887m	18.19	ug	
15) Iodomethane	2.476	142	19857	27.59	ug	94
16) Acetonitrile	2.685	40	16301	113.27	ug	# 12
17) Methyl Acetate	2.738	43	30358m	19.47	ug	
18) Methylene Chloride	2.822	84	24279m	17.20	ug	
20) trans-1,2-Dichloroethene	3.126	96	21645m	19.74	ug	
21) Mtbe	3.141	73	142261m	38.51	ug	
22) 1,1-Dichloroethane	3.613	63	37095	20.28	ug	96
23) Hexane	3.708	43	35975	26.68	ug	# 1
24) cis-1,2-Dichloroethene	4.295	61	41010	24.16	ug	90
25) 2,2-Dichloropropane	4.295	77	29602	19.78	ug	99
26) Propionitrile	4.436	54	42603	151.84	ug	99
27) Bromochloromethane	4.589	128	10847	19.04	ug	88
28) Methacrylonitrile	4.604	67	107945	123.44	ug	# 88
29) Tetrahydrofuran	4.651	42	10562m	17.80	ug	
30) Chloroform	4.693	83	42130	19.41	ug	95
31) Cyclohexane	4.940	84	36148m	18.84	ug	
32) 1,1-Dichloro-1-propene	5.087	75	28242m	19.21	ug	
33) 1,2-Dichloroethane	5.385	62	28960m	19.94	ug	
34) 2-Butanone	4.358	43	18030m	20.40	ug	
37) 1,1,1-Trichloroethane	4.877	97	32919m	16.31	ug	
38) Carbon Tetrachloride	5.066	117	22759	14.35	ug	97
39) Benzene	5.333	78	97237	17.36	ug	100
40) Isobutanol	4.935	43	2650	298.73	ug	# 100
41) Heptane	5.359	43	34229	15.34	ug	# 1
42) Trichloroethene	6.146	130	23911	21.81	ug	# 88
43) Methyl Cyclohexane	6.350	83	33605	15.67	ug	87
44) 1,2-Dichloropropane	6.424	63	27407m	18.18	ug	
45) Vinyl Acetate	3.708	43	43559m	16.75	ug	
46) Dibromomethane	6.570	174	19648	21.55	ug	# 81
47) 1,4-Dioxane	6.628	88	11752m	357.10	ug	
48) Methyl Methacrylate	6.628	69	21949	13.88	ug	# 80
49) Bromodichloromethane	6.785	83	31499m	16.76	ug	
51) cis-1,3-Dichloropropene	7.367	75	39538	18.78	ug	91

Data Path : C:\msdchem\1\data\030526\
 Data File : d0543.D
 Acq On : 5 Mar 2026 3:46 pm
 Operator :
 Sample : 260220005-014ams
 Misc : ms
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 05 16:08:03 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) trans-1,3-Dichloropropene	8.112	75	37200	20.35	ug	100
53) 1,1,2-Trichloroethane	8.337	97	29264	20.90	ug	90
54) 1,3-Dichloropropane	8.547	76	47477	20.49	ug	89
55) 1,2-Dibromoethane	8.961	107	29111	23.94	ug	98
56) Dibromochloromethane	8.835	129	22063m	16.95	ug	
57) Bromoform	10.440	173	16586	15.99	ug	100
58) 4-Methyl-2-Pentanone	7.614	43	34966	18.54	ug	96
60) Toluene	7.782	92	66389	18.18	ug	99
61) Ethyl Metacrylate	8.264	69	41122	13.91	ug	# 83
62) Tetrachloroethene	8.479	164	20808m	19.69	ug	
63) 2-Hexanone	8.715	43	30748m	19.41	ug	
65) Chlorobenzene	9.580	112	74239	19.65	ug	98
66) 1,1,1,2-Tetrachloroethane	9.685	133	23030	24.14	ug	# 90
67) Ethylbenzene	9.721	106	39117	17.29	ug	94
68) m,p-Xylene	9.853	91	199803	34.87	ug	95
69) o-Xylene	10.251	106	52031	18.13	ug	95
70) Styrene	10.277	104	85992	18.28	ug	# 75
71) Isopropylbenzene	10.613	105	118878	17.99	ug	100
72) Chloroprene	10.691	53	12106m	35.75	ug	
73) trans-1,4-Dichloro-2-b...	10.691	88	12186	13.45	ug	# 59
74) Bromobenzene	10.864	77	49479	18.12	ug	92
75) 1,2,3-Trichloropropane	10.922	75	51385	18.50	ug	# 74
76) 2-Chlorotoluene	11.037	91	92878	18.77	ug	95
77) 4-Chlorotoluene	11.137	91	110162	18.63	ug	97
78) 1,3,5-Trimethylbenzene	11.132	105	105277	17.48	ug	97
79) tert-Butylbenzene	11.399	119	78603	20.39	ug	97
80) 1,2,4-Trimethylbenzene	11.436	105	106922	18.49	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	52237	23.69	ug	94
83) n-Propylbenzene	10.980	91	150530	17.97	ug	94
84) 1,3-Dichlorobenzene	11.651	146	64579	20.99	ug	95
85) sec-Butylbenzene	11.572	105	123659	18.33	ug	97
86) 4-Isopropyltoluene	11.688	119	106097	18.79	ug	96
87) 1,4-Dichlorobenzene	11.719	146	68905	20.32	ug	# 64
88) 1,2-Dichlorobenzene	12.002	146	71284	21.01	ug	# 77
89) n-Butylbenzene	11.997	91	104990	17.71	ug	89
90) 1,2-Dibromo-3-Chloropr	12.574	157	7078	18.55	ug	# 59
91) 1,2,4-Trichlorobenzene	13.135	180	33280	20.05	ug	91
92) Hexachlorobutadiene	13.250	225	8958	16.72	ug	# 77
93) Naphthalene	13.302	128	60138	18.75	ug	# 91
94) 1,2,3-Trichlorobenzene	13.460	180	23971	18.17	ug	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
 Data File : d0544.D
 Acq On : 5 Mar 2026 4:10 pm
 Operator :
 Sample : 260220005-014amsd
 Misc : msd
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 05 16:38:42 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	281239	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	204624	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	142335	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	65169	52.92	ug	0.00
59) Toluene-d8	7.687	98	291031	47.04	ug	0.07
81) Bromofluorobenzene	10.744	95	112435	47.27	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	138284	49.32	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	10120	12.61	ug	# 94
3) Chloromethane	1.298	50	27849	19.95	ug	94
4) Vinyl Chloride	1.366	62	31500	23.70	ug	99
5) Bromomethane	1.609	94	78014	21.64	ug	98
6) Chloroethane	1.687	64	33471	24.76	ug	94
7) Acrolein	2.261	56	2860	250.04	ug	# 48
8) Trichlorofluoromethane	1.894	101	106903	30.74	ug	94
9) Ethanol	2.077	45	12600	438.20	ug	94
10) Freon113	2.344	101	12840	13.97	ug	99
11) 1,1-Dichloroethene	2.334	96	16434	18.08	ug	# 68
12) Allyl Chloride	2.685	41	40961	9.45	ug	80
13) Carbon Disulfide	2.523	76	30634	12.36	ug	100
14) Acetone	2.407	43	16119m	20.70	ug	
15) Iodomethane	2.476	142	19630	26.74	ug	100
16) Acetonitrile	2.685	40	19272	131.26	ug	# 8
17) Methyl Acetate	2.738	43	28980	18.21	ug	# 56
18) Methylene Chloride	2.827	84	24805m	17.23	ug	
19) Acrylonitrile	3.718	53	2959	4.55	ug	99
20) trans-1,2-Dichloroethene	3.126	96	21721m	19.42	ug	
21) Mtbe	3.141	73	143896m	38.18	ug	
22) 1,1-Dichloroethane	3.608	63	39402m	21.11	ug	
23) Hexane	3.702	43	41538	30.20	ug	# 1
24) cis-1,2-Dichloroethene	4.300	61	33708	19.46	ug	92
25) 2,2-Dichloropropane	4.284	77	29619	19.40	ug	91
26) Propionitrile	4.426	54	45580	159.23	ug	# 89
27) Bromochloromethane	4.589	128	12024m	20.68	ug	
28) Methacrylonitrile	4.599	67	124100	139.11	ug	95
29) Tetrahydrofuran	4.667	42	12411m	20.50	ug	
30) Chloroform	4.693	83	42210	19.06	ug	99
31) Cyclohexane	4.935	84	39861m	20.36	ug	
32) 1,1-Dichloro-1-propene	5.092	75	28429m	18.95	ug	
33) 1,2-Dichloroethane	5.380	62	30728m	20.74	ug	
34) 2-Butanone	4.363	43	17203m	19.08	ug	
37) 1,1,1-Trichloroethane	4.887	97	34219	15.96	ug	97
38) Carbon Tetrachloride	5.076	117	24808	14.72	ug	90
39) Benzene	5.333	78	100470	16.89	ug	100
40) Isobutanol	4.940	43	2970	315.19	ug	# 100
41) Heptane	5.354	43	36876	15.56	ug	# 1
42) Trichloroethene	6.140	130	23246	19.96	ug	# 85
43) Methyl Cyclohexane	6.355	83	32945	14.46	ug	93
44) 1,2-Dichloropropane	6.429	63	29191m	18.23	ug	
45) Vinyl Acetate	3.702	43	41538	15.04	ug	96
46) Dibromomethane	6.576	174	18939	19.56	ug	# 70
47) 1,4-Dioxane	6.649	88	12212m	349.33	ug	
48) Methyl Methacrylate	6.628	69	24488	14.57	ug	# 91
49) Bromodichloromethane	6.785	83	32538	16.30	ug	# 34

Data Path : C:\msdchem\1\data\030526\
 Data File : d0544.D
 Acq On : 5 Mar 2026 4:10 pm
 Operator :
 Sample : 260220005-014amsd
 Misc : msd
 ALS Vial : 13 Sample Multiplier: 1


Quant Time: Mar 05 16:38:42 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
51) cis-1,3-Dichloropropene	7.367	75	40889	18.28	ug	95
52) trans-1,3-Dichloropropene	8.107	75	37917	19.53	ug	92
53) 1,1,2-Trichloroethane	8.337	97	30310	20.38	ug	93
54) 1,3-Dichloropropane	8.547	76	49258m	20.02	ug	
55) 1,2-Dibromoethane	8.961	107	27664	21.42	ug	97
56) Dibromochloromethane	8.841	129	23109m	16.71	ug	
57) Bromoform	10.440	173	17837	16.19	ug	93
58) 4-Methyl-2-Pentanone	7.603	43	46963m	23.45	ug	
60) Toluene	7.782	92	72909m	18.80	ug	
61) Ethyl Metacrylate	8.269	69	43474	13.84	ug	# 86
62) Tetrachloroethene	8.474	164	20859m	18.59	ug	
63) 2-Hexanone	8.715	43	34062m	20.24	ug	
65) Chlorobenzene	9.585	112	78547	20.54	ug	99
66) 1,1,1,2-Tetrachloroethane	9.690	133	22034	22.82	ug	# 91
67) Ethylbenzene	9.721	106	40429	17.66	ug	96
68) m,p-Xylene	9.853	91	209312	36.09	ug	95
69) o-Xylene	10.256	106	49564	17.06	ug	# 84
70) Styrene	10.272	104	89772	18.86	ug	# 74
71) Isopropylbenzene	10.613	105	126694	18.94	ug	99
72) Chloroprene	10.691	53	12118	35.35	ug	90
73) trans-1,4-Dichloro-2-b...	10.691	88	12522	13.66	ug	# 43
74) Bromobenzene	10.864	77	52484	18.99	ug	92
75) 1,2,3-Trichloropropane	10.922	75	51937	18.48	ug	# 74
76) 2-Chlorotoluene	11.037	91	96752	19.32	ug	94
77) 4-Chlorotoluene	11.132	91	115673	19.32	ug	95
78) 1,3,5-Trimethylbenzene	11.132	105	112606	18.48	ug	98
79) tert-Butylbenzene	11.399	119	86215	22.10	ug	98
80) 1,2,4-Trimethylbenzene	11.436	105	113710	19.43	ug	87
82) 1,1,2,2-Tetrachloroethane	10.901	83	53633	24.03	ug	95
83) n-Propylbenzene	10.980	91	160538	18.93	ug	94
84) 1,3-Dichlorobenzene	11.651	146	69952	22.46	ug	96
85) sec-Butylbenzene	11.572	105	134173	19.65	ug	100
86) 4-Isopropyltoluene	11.693	119	110948	19.42	ug	95
87) 1,4-Dichlorobenzene	11.719	146	75065	21.87	ug	# 61
88) 1,2-Dichlorobenzene	12.002	146	72811	21.20	ug	# 78
89) n-Butylbenzene	11.997	91	115394	19.24	ug	90
90) 1,2-Dibromo-3-Chloropr	12.574	157	7094	18.37	ug	# 22
91) 1,2,4-Trichlorobenzene	13.135	180	38447	22.89	ug	# 87
92) Hexachlorobutadiene	13.245	225	10863	20.04	ug	# 88
93) Naphthalene	13.302	128	67962	20.94	ug	# 90
94) 1,2,3-Trichlorobenzene	13.460	180	27282	20.43	ug	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
 Data File : d0544.D
 Acq On : 5 Mar 2026 4:10 pm
 Operator :
 Sample : 260220005-014amsd
 Misc : msd
 ALS Vial : 13 Sample Multiplier: 1

Quant Time: Mar 05 16:38:42 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0547.D
 Acq On : 5 Mar 2026 5:21 pm
 Operator :
 Sample : 260220005-030a
 Misc : samp
 ALS Vial : 15 Sample Multiplier: 1

Quant Time: Mar 06 08:58:47 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	256472	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	183558	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	120267	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	54617	48.63	ug	0.00
59) Toluene-d8	7.692	98	269714	48.60	ug	0.07
81) Bromofluorobenzene	10.744	95	98354	48.94	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	124014	52.34	ug	0.00
Target Compounds						Qvalue
14) Acetone	2.413	43	27046	38.08	ug	90
24) cis-1,2-Dichloroethene	4.316	61	3657m	2.32	ug	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0547.D
Acq On : 5 Mar 2026 5:21 pm
Operator :
Sample : 260220005-030a
Misc : samp
ALS Vial : 15 Sample Multiplier: 1





Quant Time: Mar 06 08:58:47 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#14
Acetone
Concen: 38.08 ug
RT: 2.413 min Scan# 193
Delta R.T. -0.037 min
Lab File: d0547.D
Acq: 5 Mar 2026 5:21 pm

Tgt Ion	Ratio	Lower	Upper
43	100		
58	31.9	6.9	46.9



#24
cis-1,2-Dichloroethene
Concen: 2.32 ug m
RT: 4.316 min Scan# 556
Delta R.T. -0.012 min
Lab File: d0547.D
Acq: 5 Mar 2026 5:21 pm

Tgt Ion	Ratio	Lower	Upper
61	100		
96	0.0	68.2	102.4#



Data Path : C:\msdchem\1\data\030526\
Data File : d0548.D
Acq On : 5 Mar 2026 5:44 pm
Operator :
Sample : 260220005-031a
Misc : samp
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Mar 06 09:00:02 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	258676	50.00	ug	0.00
36) Chlorobenzene-d5	9.549	117	175318	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	108726	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	57290	50.58	ug	-0.01
59) Toluene-d8	7.692	98	265791	50.14	ug	0.07
81) Bromofluorobenzene	10.744	95	92757	51.05	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	109444	51.10	ug	0.00
Target Compounds						
14) Acetone	2.407	43	25777m	35.99	ug	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0548.D
Acq On : 5 Mar 2026 5:44 pm
Operator :
Sample : 260220005-031a
Misc : samp
ALS Vial : 16 Sample Multiplier: 1




Quant Time: Mar 06 09:00:02 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration





#14
 Acetone
 Concen: 35.99 ug m
 RT: 2.407 min Scan# 192
 Delta R.T. -0.043 min
 Lab File: d0548.D
 Acq: 5 Mar 2026 5:44 pm

Tgt Ion: 43 Resp: 25777
 Ion Ratio Lower Upper
 43 100
 58 1.3 6.9 46.9#



Data Path : C:\msdchem\1\data\030526\
 Data File : d0549.D
 Acq On : 5 Mar 2026 6:07 pm
 Operator :
 Sample : 260220005-038a
 Misc : samp
 ALS Vial : 17 Sample Multiplier: 1

Quant Time: Mar 06 09:01:32 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	261920	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	187020	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	110769	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	57600	50.22	ug	0.00
59) Toluene-d8	7.692	98	262716	46.46	ug	0.07
81) Bromofluorobenzene	10.744	95	98346	53.13	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	116135	53.22	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0549.D
Acq On : 5 Mar 2026 6:07 pm
Operator :
Sample : 260220005-038a
Misc : samp
ALS Vial : 17 Sample Multiplier: 1

Quant Time: Mar 06 09:01:32 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
Data File : d0550.D
Acq On : 5 Mar 2026 6:30 pm
Operator :
Sample : 260220005-039a
Misc : samp
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 06 09:02:34 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	264525	50.00	ug	0.00
36) Chlorobenzene-d5	9.543	117	189511	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	117410	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.280	65	58711	50.69	ug	-0.01
59) Toluene-d8	7.692	98	274737	47.95	ug	0.07
81) Bromofluorobenzene	10.744	95	95059	48.45	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	113870	49.23	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0550.D
Acq On : 5 Mar 2026 6:30 pm
Operator :
Sample : 260220005-039a
Misc : samp
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 06 09:02:34 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0551.D
 Acq On : 5 Mar 2026 6:54 pm
 Operator :
 Sample : 260220005-042a
 Misc : samp
 ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 06 09:03:18 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	254651	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	177818	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	108026	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	53917	48.35	ug	0.00
59) Toluene-d8	7.692	98	257985	47.99	ug	0.07
81) Bromofluorobenzene	10.744	95	94187	52.18	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	114498	53.80	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0551.D
Acq On : 5 Mar 2026 6:54 pm
Operator :
Sample : 260220005-042a
Misc : samp
ALS Vial : 19 Sample Multiplier: 1

Quant Time: Mar 06 09:03:18 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0552.D
 Acq On : 5 Mar 2026 7:24 pm
 Operator :
 Sample : 260220005-043a
 Misc : samp
 ALS Vial : 20 Sample Multiplier: 1

Quant Time: Mar 06 09:04:16 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.684	96	262245	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	180535	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	110257	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	53811	46.86	ug	0.00
59) Toluene-d8	7.692	98	260202	47.67	ug	0.07
81) Bromofluorobenzene	10.744	95	91082	49.44	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	110357	50.81	ug	0.00
Target Compounds						
14) Acetone	2.418	43	1821	2.51	ug	Qvalue 71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0552.D
Acq On : 5 Mar 2026 7:24 pm
Operator :
Sample : 260220005-043a
Misc : samp
ALS Vial : 20 Sample Multiplier: 1




Quant Time: Mar 06 09:04:16 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration





#14
 Acetone
 Concen: 2.51 ug
 RT: 2.418 min Scan# 194
 Delta R.T. -0.032 min
 Lab File: d0552.D
 Acq: 5 Mar 2026 7:24 pm

Tgt Ion: 43 Resp: 1821
 Ion Ratio Lower Upper
 43 100
 58 41.9 6.9 46.9



Data Path : C:\msdchem\1\data\030526\
Data File : d0553.D
Acq On : 5 Mar 2026 7:48 pm
Operator :
Sample : 260220005-044a
Misc : samp
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Mar 06 09:05:02 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.695	96	260332	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	183266	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	109318	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	56681	49.72	ug	-0.01
59) Toluene-d8	7.692	98	262760	47.42	ug	0.07
81) Bromofluorobenzene	10.744	95	94847	51.92	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	111132	51.60	ug	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0553.D
Acq On : 5 Mar 2026 7:48 pm
Operator :
Sample : 260220005-044a
Misc : samp
ALS Vial : 21 Sample Multiplier: 1

Quant Time: Mar 06 09:05:02 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0554.D
 Acq On : 5 Mar 2026 8:13 pm
 Operator :
 Sample : 260220005-040a
 Misc : samp
 ALS Vial : 22 Sample Multiplier: 1

Quant Time: Mar 06 09:05:46 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.695	96	252156	50.00	ug	0.00
36) Chlorobenzene-d5	9.549	117	184795	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	108724	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	55549	50.31	ug	0.00
59) Toluene-d8	7.687	98	257108	46.02	ug	0.07
81) Bromofluorobenzene	10.744	95	93286	51.35	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.987	152	109694	51.21	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	37442	31.43	ug	95
18) Methylene Chloride	2.827	84	6299	4.88	ug	87
24) cis-1,2-Dichloroethene	4.300	61	252494	162.60	ug	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0554.D
Acq On : 5 Mar 2026 8:13 pm
Operator :
Sample : 260220005-040a
Misc : samp
ALS Vial : 22 Sample Multiplier: 1





Quant Time: Mar 06 09:05:46 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 31.43 ug
 RT: 1.366 min Scan# 39
 Delta R.T. -0.001 min
 Lab File: d0554.D
 Acq: 5 Mar 2026 8:13 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	34.0	11.1	51.1



#18
 Methylene Chloride
 Concen: 4.88 ug
 RT: 2.827 min Scan# 272
 Delta R.T. -0.043 min
 Lab File: d0554.D
 Acq: 5 Mar 2026 8:13 pm




Tgt Ion	Ratio	Lower	Upper
84	100		
49	116.3	82.9	122.9





#24
 cis-1,2-Dichloroethene
 Concen: 162.60 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0554.D
 Acq: 5 Mar 2026 8:13 pm

Tgt Ion	Ratio	Resp	Lower	Upper
61	100	252494		
96	95.3	68.2	102.4	



Data Path : C:\msdchem\1\data\030526\
 Data File : d0555.D
 Acq On : 5 Mar 2026 8:38 pm
 Operator :
 Sample : 260220005-041a
 Misc : samp
 ALS Vial : 23 Sample Multiplier: 1

Quant Time: Mar 06 09:08:07 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.689	96	259111	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	182880	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	106735	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	53914	47.52	ug	0.00
59) Toluene-d8	7.692	98	262654	47.50	ug	0.07
81) Bromofluorobenzene	10.744	95	92303	51.75	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	110036	52.33	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.366	62	31694	25.89	ug	98
18) Methylene Chloride	2.821	84	6371	4.80	ug	92
24) cis-1,2-Dichloroethene	4.300	61	318748	199.76	ug	95
42) Trichloroethene	6.140	130	72989	70.14	ug	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0555.D
Acq On : 5 Mar 2026 8:38 pm
Operator :
Sample : 260220005-041a
Misc : samp
ALS Vial : 23 Sample Multiplier: 1





Quant Time: Mar 06 09:08:07 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 25.89 ug
 RT: 1.366 min Scan# 39
 Delta R.T. -0.001 min
 Lab File: d0555.D
 Acq: 5 Mar 2026 8:38 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	32.1	11.1	51.1



#18
 Methylene Chloride
 Concen: 4.80 ug
 RT: 2.821 min Scan# 271
 Delta R.T. -0.049 min
 Lab File: d0555.D
 Acq: 5 Mar 2026 8:38 pm





Tgt Ion	Ratio	Lower	Upper
84	100		
49	111.3	82.9	122.9








#24
 cis-1,2-Dichloroethene
 Concen: 199.76 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0555.D
 Acq: 5 Mar 2026 8:38 pm

Tgt Ion: 61 Resp: 318748
 Ion Ratio Lower Upper
 61 100
 96 90.1 68.2 102.4



#42
 Trichloroethene
 Concen: 70.14 ug
 RT: 6.140 min Scan# 904
 Delta R.T. 0.101 min
 Lab File: d0555.D
 Acq: 5 Mar 2026 8:38 pm

Tgt Ion: 130 Resp: 72989
 Ion Ratio Lower Upper
 130 100
 132 98.2 74.3 114.3
 95 116.1 70.6 110.6#



Data Path : C:\msdchem\1\data\030526\
 Data File : d0556.D
 Acq On : 5 Mar 2026 9:04 pm
 Operator :
 Sample : 260220005-034a
 Misc : samp
 ALS Vial : 14 Sample Multiplier: 1

Quant Time: Mar 06 09:09:28 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Fluorobenzene	5.690	96	254270	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	174719	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	90741	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	55264	49.64	ug	-0.01
59) Toluene-d8	7.692	98	254599	48.20	ug	0.07
81) Bromofluorobenzene	10.744	95	87129	57.46	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	98210	54.94	ug	0.00
Target Compounds						Qvalue
4) Vinyl Chloride	1.376	62	11845	9.86	ug	100
14) Acetone	2.402	43	2211	3.14	ug	70
24) cis-1,2-Dichloroethene	4.300	61	184758	117.99	ug	92
37) 1,1,1-Trichloroethane	4.877	97	3774m	2.06	ug	
42) Trichloroethene	6.135	130	31168	31.35	ug	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0556.D
Acq On : 5 Mar 2026 9:04 pm
Operator :
Sample : 260220005-034a
Misc : samp
ALS Vial : 14 Sample Multiplier: 1





Quant Time: Mar 06 09:09:28 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration








#4
 Vinyl Chloride
 Concen: 9.86 ug
 RT: 1.376 min Scan# 40
 Delta R.T. 0.009 min
 Lab File: d0556.D
 Acq: 5 Mar 2026 9:04 pm


Tgt Ion	Ratio	Lower	Upper
62	100		
64	31.0	11.1	51.1



#14
 Acetone
 Concen: 3.14 ug
 RT: 2.402 min Scan# 191
 Delta R.T. -0.048 min
 Lab File: d0556.D
 Acq: 5 Mar 2026 9:04 pm





Tgt Ion	Ratio	Lower	Upper
43	100		
58	42.5	6.9	46.9








#24
 cis-1,2-Dichloroethene
 Concen: 117.99 ug
 RT: 4.300 min Scan# 553
 Delta R.T. -0.028 min
 Lab File: d0556.D
 Acq: 5 Mar 2026 9:04 pm


Tgt Ion	Ratio	Lower	Upper
61	100		
96	92.9	68.2	102.4



#37
 1,1,1-Trichloroethane
 Concen: 2.06 ug m
 RT: 4.877 min Scan# 663
 Delta R.T. 0.131 min
 Lab File: d0556.D
 Acq: 5 Mar 2026 9:04 pm




Tgt Ion	Ratio	Lower	Upper
97	100		
99	45.4	45.6	85.6#





#42
 Trichloroethene
 Concen: 31.35 ug
 RT: 6.135 min Scan# 903
 Delta R.T. 0.096 min
 Lab File: d0556.D
 Acq: 5 Mar 2026 9:04 pm

Tgt Ion:	130	Resp:	31168
Ion Ratio	Lower	Upper	
130	100		
132	98.4	74.3	114.3
95	106.5	70.6	110.6



Data Path : C:\msdchem\1\data\030526\
 Data File : d0557.D
 Acq On : 5 Mar 2026 9:27 pm
 Operator :
 Sample : 260220005-030ams
 Misc : ms
 ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 06 09:11:18 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	267452	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	192952	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	142377	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.281	65	59002	50.38	ug	-0.01
59) Toluene-d8	7.692	98	279042	47.83	ug	0.07
81) Bromofluorobenzene	10.744	95	106858	44.91	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	134234	47.86	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.152	85	7621	9.98	ug	# 94
3) Chloromethane	1.298	50	22978	17.31	ug	# 86
4) Vinyl Chloride	1.366	62	27741	21.95	ug	96
5) Bromomethane	1.609	94	72507	21.15	ug	99
6) Chloroethane	1.687	64	29333	22.82	ug	88
7) Acrolein	2.386	56	126	11.58	ug	96
8) Trichlorofluoromethane	1.894	101	89216	26.98	ug	98
9) Ethanol	2.093	45	9133	334.00	ug	# 73
10) Freon113	2.345	101	11661	13.34	ug	91
11) 1,1-Dichloroethene	2.339	96	13904	16.09	ug	# 76
13) Carbon Disulfide	2.523	76	25963	11.02	ug	100
14) Acetone	2.413	43	31314	42.28	ug	84
15) Iodomethane	2.470	142	16829	24.10	ug	95
16) Acetonitrile	2.691	40	15853	113.54	ug	# 7
17) Methyl Acetate	2.732	43	25503	16.86	ug	# 62
18) Methylene Chloride	2.822	84	22023	16.08	ug	92
19) Acrylonitrile	3.708	53	725	1.17	ug	# 72
20) trans-1,2-Dichloroethene	3.120	96	18341	17.24	ug	94
21) Mtbe	3.141	73	132657	37.02	ug	94
22) 1,1-Dichloroethane	3.613	63	32687	18.42	ug	98
23) Hexane	3.136	43	23613	18.05	ug	# 74
24) cis-1,2-Dichloroethene	4.295	61	36967	22.44	ug	94
25) 2,2-Dichloropropane	4.284	77	28653m	19.73	ug	
26) Propionitrile	4.426	54	35570	130.67	ug	96
27) Bromochloromethane	4.578	128	10754	19.45	ug	99
28) Methacrylonitrile	4.599	67	98628	116.25	ug	96
29) Tetrahydrofuran	4.667	42	8724	15.15	ug	# 77
30) Chloroform	4.699	83	39348	18.69	ug	99
31) Cyclohexane	4.929	84	34513m	18.54	ug	
32) 1,1-Dichloro-1-propene	5.087	75	23282	16.32	ug	82
33) 1,2-Dichloroethane	5.380	62	27267	19.35	ug	97
34) 2-Butanone	4.358	43	15689m	18.30	ug	
37) 1,1,1-Trichloroethane	4.882	97	32622	16.13	ug	94
38) Carbon Tetrachloride	5.076	117	22304	14.04	ug	99
39) Benzene	5.338	78	102575m	18.29	ug	
40) Isobutanol	4.929	43	1791	201.56	ug	# 100
41) Heptane	5.359	43	27425	12.27	ug	# 1
42) Trichloroethene	6.135	130	24092	21.94	ug	89
43) Methyl Cyclohexane	6.361	83	28389	13.21	ug	# 91
44) 1,2-Dichloropropane	6.418	63	26086	17.28	ug	95
45) Vinyl Acetate	3.708	43	33267	12.77	ug	94
46) Dibromomethane	6.581	174	19485	21.34	ug	# 81
47) 1,4-Dioxane	6.633	88	13396m	406.38	ug	
48) Methyl Methacrylate	6.633	69	18187	11.48	ug	# 87
49) Bromodichloromethane	6.791	83	34087m	18.11	ug	
51) cis-1,3-Dichloropropene	7.362	75	38547	18.27	ug	89

Data Path : C:\msdchem\1\data\030526\
 Data File : d0557.D
 Acq On : 5 Mar 2026 9:27 pm
 Operator :
 Sample : 260220005-030ams
 Misc : ms
 ALS Vial : 24 Sample Multiplier: 1


Quant Time: Mar 06 09:11:18 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) trans-1,3-Dichloropropene	8.107	75	36573	19.97	ug	95
53) 1,1,2-Trichloroethane	8.332	97	29612	21.11	ug	87
54) 1,3-Dichloropropane	8.547	76	47371m	20.41	ug	
55) 1,2-Dibromoethane	8.966	107	26744	21.96	ug	99
56) Dibromochloromethane	8.835	129	19896	15.26	ug	98
57) Bromoform	10.435	173	15214	14.65	ug	94
58) 4-Methyl-2-Pentanone	7.609	43	43633m	23.10	ug	
60) Toluene	7.776	92	68574m	18.75	ug	
61) Ethyl Metacrylate	8.269	69	33062	11.16	ug	# 86
62) Tetrachloroethene	8.484	164	18931	17.89	ug	93
63) 2-Hexanone	8.715	43	30285m	19.08	ug	
65) Chlorobenzene	9.580	112	74697	19.53	ug	100
66) 1,1,1,2-Tetrachloroethane	9.685	133	22592	23.39	ug	# 91
67) Ethylbenzene	9.721	106	36932	16.13	ug	91
68) m,p-Xylene	9.853	91	193348	33.33	ug	98
69) o-Xylene	10.251	106	50854	17.50	ug	92
70) Styrene	10.272	104	84994	17.85	ug	76
71) Isopropylbenzene	10.613	105	121212	18.11	ug	98
72) Chloroprene	10.691	53	8499	24.79	ug	84
73) trans-1,4-Dichloro-2-b...	10.691	88	11138	12.15	ug	# 48
74) Bromobenzene	10.864	77	48637	17.59	ug	91
75) 1,2,3-Trichloropropane	10.927	75	47865	17.03	ug	# 75
76) 2-Chlorotoluene	11.037	91	88394	17.64	ug	96
77) 4-Chlorotoluene	11.132	91	108027	18.04	ug	96
78) 1,3,5-Trimethylbenzene	11.132	105	104972	17.22	ug	99
79) tert-Butylbenzene	11.399	119	81437	20.87	ug	99
80) 1,2,4-Trimethylbenzene	11.436	105	110053	18.80	ug	86
82) 1,1,2,2-Tetrachloroethane	10.901	83	49733	22.27	ug	95
83) n-Propylbenzene	10.980	91	152112	17.94	ug	91
84) 1,3-Dichlorobenzene	11.646	146	63772	20.47	ug	96
85) sec-Butylbenzene	11.572	105	125612	18.39	ug	99
86) 4-Isopropyltoluene	11.688	119	105215	18.41	ug	# 95
87) 1,4-Dichlorobenzene	11.719	146	70861	20.64	ug	# 62
88) 1,2-Dichlorobenzene	12.002	146	72630	21.14	ug	# 79
89) n-Butylbenzene	11.997	91	107481	17.91	ug	# 88
90) 1,2-Dibromo-3-Chloropr	12.574	157	5721	14.81	ug	# 41
91) 1,2,4-Trichlorobenzene	13.135	180	34484	20.52	ug	94
92) Hexachlorobutadiene	13.245	225	10141	18.70	ug	# 93
93) Naphthalene	13.302	128	63038	19.42	ug	# 92
94) 1,2,3-Trichlorobenzene	13.460	180	25976	19.45	ug	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0557.D
Acq On : 5 Mar 2026 9:27 pm
Operator :
Sample : 260220005-030ams
Misc : ms
ALS Vial : 24 Sample Multiplier: 1

Quant Time: Mar 06 09:11:18 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0558.D
 Acq On : 5 Mar 2026 9:50 pm
 Operator :
 Sample : 260220005-030amsd
 Misc : msd
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Mar 06 09:11:27 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	279520	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	194987	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	140507	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	59530	48.64	ug	0.00
59) Toluene-d8	7.692	98	278897	47.31	ug	0.07
81) Bromofluorobenzene	10.744	95	113652	48.41	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.991	152	136098	49.17	ug	0.00
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.162	85	7039	8.82	ug	# 90
3) Chloromethane	1.298	50	27310m	19.69	ug	
4) Vinyl Chloride	1.366	62	26853	20.33	ug	98
5) Bromomethane	1.609	94	72685	20.29	ug	97
6) Chloroethane	1.687	64	30252	22.52	ug	93
7) Acrolein	2.260	56	1464	128.78	ug	# 83
8) Trichlorofluoromethane	1.893	101	90447	26.17	ug	99
10) Freon113	2.339	101	10952	11.99	ug	96
11) 1,1-Dichloroethene	2.329	96	13955	15.45	ug	# 74
12) Allyl Chloride	2.685	41	23428	5.44	ug	79
13) Carbon Disulfide	2.528	76	26051	10.58	ug	100
14) Acetone	2.407	43	34415	44.46	ug	75
15) Iodomethane	2.475	142	15958	21.87	ug	96
16) Acetonitrile	2.680	40	14252m	97.67	ug	
17) Methyl Acetate	2.727	43	24549	15.52	ug	# 59
18) Methylene Chloride	2.821	84	24897m	17.40	ug	
20) trans-1,2-Dichloroethene	3.115	96	20053	18.04	ug	88
21) Mtbe	3.141	73	134344m	35.87	ug	
22) 1,1-Dichloroethane	3.603	63	34730m	18.72	ug	
24) cis-1,2-Dichloroethene	4.295	61	35362m	20.54	ug	
25) 2,2-Dichloropropane	4.284	77	26100m	17.20	ug	
26) Propionitrile	4.426	54	22589	79.40	ug	# 92
27) Bromochloromethane	4.578	128	10995	19.03	ug	93
28) Methacrylonitrile	4.604	67	68117	76.82	ug	85
30) Chloroform	4.693	83	44783m	20.35	ug	
31) Cyclohexane	4.929	84	35345m	18.17	ug	
32) 1,1-Dichloro-1-propene	5.086	75	28570m	19.16	ug	
33) 1,2-Dichloroethane	5.380	62	31677m	21.51	ug	
34) 2-Butanone	4.358	43	18054m	20.15	ug	
37) 1,1,1-Trichloroethane	4.877	97	30925	15.14	ug	98
38) Carbon Tetrachloride	5.076	117	22887	14.25	ug	94
39) Benzene	5.338	78	100774m	17.78	ug	
40) Isobutanol	5.354	43	20351	2266.45	ug	# 100
41) Heptane	5.354	43	20351	9.01	ug	# 1
42) Trichloroethene	6.135	130	22068	19.89	ug	# 86
43) Methyl Cyclohexane	6.355	83	39007m	17.97	ug	
44) 1,2-Dichloropropane	6.429	63	28786m	18.87	ug	
45) Vinyl Acetate	3.707	43	32602	12.39	ug	97
46) Dibromomethane	6.570	174	19346	20.96	ug	84
47) 1,4-Dioxane	6.654	88	10758m	322.95	ug	
48) Methyl Methacrylate	6.633	69	13737	8.58	ug	88
49) Bromodichloromethane	6.790	83	30622m	16.10	ug	
51) cis-1,3-Dichloropropene	7.367	75	40839m	19.16	ug	
52) trans-1,3-Dichloropropene	8.106	75	34655	18.73	ug	97
53) 1,1,2-Trichloroethane	8.337	97	28322	19.98	ug	92
54) 1,3-Dichloropropane	8.552	76	40421	17.24	ug	93

Data Path : C:\msdchem\1\data\030526\
 Data File : d0558.D
 Acq On : 5 Mar 2026 9:50 pm
 Operator :
 Sample : 260220005-030amsd
 Misc : msd
 ALS Vial : 25 Sample Multiplier: 1


Quant Time: Mar 06 09:11:27 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
55) 1,2-Dibromoethane	8.961	107	25936	21.07	ug	100
56) Dibromochloromethane	8.835	129	22925m	17.40	ug	
57) Bromoform	10.445	173	16063	15.30	ug	90
58) 4-Methyl-2-Pentanone	7.608	43	41710m	21.85	ug	
60) Toluene	7.776	92	69776m	18.88	ug	
61) Ethyl Metacrylate	8.269	69	24690	8.25	ug	# 84
62) Tetrachloroethene	8.479	164	21431m	20.04	ug	
63) 2-Hexanone	8.709	43	30150m	18.80	ug	
65) Chlorobenzene	9.580	112	72416	19.18	ug	99
66) 1,1,1,2-Tetrachloroethane	9.690	133	21088	22.13	ug	# 91
67) Ethylbenzene	9.721	106	39228	17.36	ug	96
68) m,p-Xylene	9.852	91	197717	34.54	ug	93
69) o-Xylene	10.251	106	51181m	17.85	ug	
70) Styrene	10.272	104	86688	18.45	ug	# 74
71) Isopropylbenzene	10.613	105	118070	17.88	ug	99
72) Chloroprene	10.691	53	7102	20.99	ug	89
73) trans-1,4-Dichloro-2-b...	10.696	88	7289	8.05	ug	# 34
74) Bromobenzene	10.864	77	48542	17.79	ug	93
75) 1,2,3-Trichloropropane	10.927	75	46459	16.75	ug	# 74
76) 2-Chlorotoluene	11.037	91	89890	18.18	ug	94
77) 4-Chlorotoluene	11.137	91	110411	18.68	ug	95
78) 1,3,5-Trimethylbenzene	11.137	105	104634	17.39	ug	98
79) tert-Butylbenzene	11.394	119	82052	21.31	ug	97
80) 1,2,4-Trimethylbenzene	11.436	105	103110	17.85	ug	92
82) 1,1,2,2-Tetrachloroethane	10.901	83	46299	21.01	ug	93
83) n-Propylbenzene	10.980	91	153132	18.30	ug	92
84) 1,3-Dichlorobenzene	11.651	146	64612	21.02	ug	94
85) sec-Butylbenzene	11.572	105	123717	18.35	ug	98
86) 4-Isopropyltoluene	11.693	119	107666	19.09	ug	98
87) 1,4-Dichlorobenzene	11.719	146	71274	21.04	ug	# 64
88) 1,2-Dichlorobenzene	12.002	146	73518	21.69	ug	# 77
89) n-Butylbenzene	11.997	91	107597	18.17	ug	# 87
90) 1,2-Dibromo-3-Chloropr	12.573	157	6157	16.15	ug	# 41
91) 1,2,4-Trichlorobenzene	13.134	180	37112	22.38	ug	93
92) Hexachlorobutadiene	13.250	225	10464	19.55	ug	# 93
93) Naphthalene	13.302	128	68398	21.35	ug	# 93
94) 1,2,3-Trichlorobenzene	13.460	180	27357	20.76	ug	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0558.D
Acq On : 5 Mar 2026 9:50 pm
Operator :
Sample : 260220005-030amsd
Misc : msd
ALS Vial : 25 Sample Multiplier: 1

Quant Time: Mar 06 09:11:27 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Data Path : C:\msdchem\1\data\030526\
 Data File : d0559.D
 Acq On : 5 Mar 2026 10:13 pm
 Operator :
 Sample : 260220005-032ams
 Misc : ms
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Mar 06 12:08:53 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.689	96	282351	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	200201	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	141913	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	61018	49.35	ug	0.00
59) Toluene-d8	7.692	98	275194	45.46	ug	0.07
81) Bromofluorobenzene	10.744	95	107290	45.24	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.986	152	133512	47.76	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	11678	14.49	ug	# 94
3) Chloromethane	1.298	50	33960	24.23	ug	100
4) Vinyl Chloride	1.366	62	60080	45.03	ug	93
5) Bromomethane	1.609	94	95513	26.39	ug	97
6) Chloroethane	1.687	64	38291	28.22	ug	93
7) Acrolein	2.339	56	142	12.37	ug	94
8) Trichlorofluoromethane	1.893	101	117662	33.70	ug	99
9) Ethanol	2.082	45	13791	477.73	ug	# 81
10) Freon113	2.339	101	13571	14.71	ug	90
11) 1,1-Dichloroethene	2.334	96	17501	19.18	ug	# 75
12) Allyl Chloride	2.685	41	39576	9.09	ug	79
13) Carbon Disulfide	2.528	76	38274m	15.39	ug	
14) Acetone	2.418	43	20224m	25.87	ug	
15) Iodomethane	2.475	142	20902	28.36	ug	89
16) Acetonitrile	2.685	40	18022	122.26	ug	# 11
17) Methyl Acetate	2.738	43	32939	20.62	ug	# 55
18) Methylene Chloride	2.821	84	36439	25.21	ug	89
19) Acrylonitrile	3.708	53	2367	3.62	ug	# 58
20) trans-1,2-Dichloroethene	3.126	96	20476	18.23	ug	94
21) Mtbe	3.141	73	151606m	40.07	ug	
22) 1,1-Dichloroethane	3.613	63	41234	22.01	ug	100
23) Hexane	3.147	43	27745	20.09	ug	# 77
24) cis-1,2-Dichloroethene	4.295	61	133717	76.90	ug	92
25) 2,2-Dichloropropane	4.284	77	30627	19.98	ug	96
26) Propionitrile	4.426	54	46163	160.63	ug	93
27) Bromochloromethane	4.583	128	10557	18.09	ug	# 66
28) Methacrylonitrile	4.604	67	119939	133.91	ug	90
30) Chloroform	4.693	83	51509	23.17	ug	95
31) Cyclohexane	4.924	84	41755m	21.25	ug	
32) 1,1-Dichloro-1-propene	5.086	75	30038	19.95	ug	87
33) 1,2-Dichloroethane	5.380	62	32124	21.59	ug	95
34) 2-Butanone	4.363	43	19170m	21.18	ug	
37) 1,1,1-Trichloroethane	4.882	97	39538	18.85	ug	98
38) Carbon Tetrachloride	5.076	117	29714m	18.02	ug	
39) Benzene	5.333	78	111018	19.07	ug	100
40) Isobutanol	5.354	43	32849	3563.05	ug	# 100
41) Heptane	5.354	43	32849	14.17	ug	# 1
42) Trichloroethene	6.140	130	28351	24.89	ug	89
43) Methyl Cyclohexane	6.355	83	39359	17.66	ug	91
44) 1,2-Dichloropropane	6.429	63	31343m	20.01	ug	
45) Vinyl Acetate	3.702	43	40586	15.02	ug	97
46) Dibromomethane	6.570	174	21564	22.76	ug	83
47) 1,4-Dioxane	6.638	88	11287m	330.00	ug	
48) Methyl Methacrylate	6.633	69	23133	14.07	ug	# 82
49) Bromodichloromethane	6.790	83	36408	18.64	ug	# 41
51) cis-1,3-Dichloropropene	7.367	75	45114	20.61	ug	94

Data Path : C:\msdchem\1\data\030526\
 Data File : d0559.D
 Acq On : 5 Mar 2026 10:13 pm
 Operator :
 Sample : 260220005-032ams
 Misc : ms
 ALS Vial : 26 Sample Multiplier: 1

Quant Time: Mar 06 12:08:53 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) trans-1,3-Dichloropropene	8.106	75	41020	21.59	ug	100
53) 1,1,2-Trichloroethane	8.332	97	34140	23.46	ug	94
54) 1,3-Dichloropropane	8.552	76	53266	22.12	ug	94
55) 1,2-Dibromoethane	8.966	107	29986	23.73	ug	90
56) Dibromochloromethane	8.835	129	23361	17.27	ug	94
57) Bromoform	10.440	173	19131	17.75	ug	95
58) 4-Methyl-2-Pentanone	7.598	43	36966	18.86	ug	84
60) Toluene	7.771	92	76622	20.19	ug	96
61) Ethyl Metacrylate	8.274	69	43994	14.31	ug	# 86
62) Tetrachloroethene	8.479	164	23248	21.17	ug	96
63) 2-Hexanone	8.709	43	33405m	20.29	ug	
65) Chlorobenzene	9.580	112	89294	23.42	ug	95
66) 1,1,1,2-Tetrachloroethane	9.685	133	24621	25.58	ug	# 89
67) Ethylbenzene	9.721	106	45812	20.07	ug	94
68) m,p-Xylene	9.852	91	236178	40.85	ug	99
69) o-Xylene	10.256	106	60086	20.74	ug	95
70) Styrene	10.272	104	102190	21.53	ug	# 74
71) Isopropylbenzene	10.613	105	139438	20.91	ug	98
72) Chloroprene	10.691	53	12369	36.19	ug	96
73) trans-1,4-Dichloro-2-b...	10.691	88	13670	14.95	ug	# 55
74) Bromobenzene	10.864	77	59096	21.45	ug	90
75) 1,2,3-Trichloropropane	10.927	75	53827	19.21	ug	# 78
76) 2-Chlorotoluene	11.037	91	109193	21.86	ug	95
77) 4-Chlorotoluene	11.132	91	129282	21.66	ug	97
78) 1,3,5-Trimethylbenzene	11.132	105	128188	21.10	ug	95
79) tert-Butylbenzene	11.399	119	99875	25.68	ug	100
80) 1,2,4-Trimethylbenzene	11.436	105	126975	21.76	ug	92
82) 1,1,2,2-Tetrachloroethane	10.901	83	53801	24.18	ug	94
83) n-Propylbenzene	10.980	91	183017	21.65	ug	93
84) 1,3-Dichlorobenzene	11.651	146	80658	25.98	ug	93
85) sec-Butylbenzene	11.572	105	149901	22.02	ug	100
86) 4-Isopropyltoluene	11.687	119	130070	22.83	ug	96
87) 1,4-Dichlorobenzene	11.719	146	83892	24.52	ug	# 58
88) 1,2-Dichlorobenzene	12.002	146	85791	25.06	ug	# 84
89) n-Butylbenzene	11.997	91	130996	21.90	ug	89
90) 1,2-Dibromo-3-Chloropr	12.574	157	7783	20.22	ug	# 53
91) 1,2,4-Trichlorobenzene	13.135	180	44103	26.34	ug	89
92) Hexachlorobutadiene	13.245	225	13606	25.17	ug	89
93) Naphthalene	13.302	128	77751	24.03	ug	# 91
94) 1,2,3-Trichlorobenzene	13.460	180	33969	25.52	ug	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
 Data File : d0560.D
 Acq On : 5 Mar 2026 10:36 pm
 Operator :
 Sample : 260220005-032smsd
 Misc : msd
 ALS Vial : 27 Sample Multiplier: 1

Quant Time: Mar 06 12:09:08 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Fluorobenzene	5.690	96	283813	50.00	ug	0.00
36) Chlorobenzene-d5	9.548	117	201203	50.00	ug	# 0.00
64) 1,4-Dichlorobenzene-d4	11.703	152	145494	50.00	ug	0.00
System Monitoring Compounds						
35) 1,2-Dichloroethane-d4	5.286	65	60831	48.95	ug	0.00
59) Toluene-d8	7.692	98	288239	47.38	ug	0.07
81) Bromofluorobenzene	10.744	95	110700	45.53	ug	-0.02
95) 1,2-Dichlorobenzene-d4	11.992	152	135981	47.44	ug	0.00
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.162	85	11206	13.83	ug	# 93
3) Chloromethane	1.298	50	31169	22.13	ug	99
4) Vinyl Chloride	1.366	62	58921	43.94	ug	98
5) Bromomethane	1.609	94	90404	24.85	ug	99
6) Chloroethane	1.687	64	36825	27.00	ug	91
7) Acrolein	2.261	56	2309	200.04	ug	91
8) Trichlorofluoromethane	1.894	101	117851	33.58	ug	96
9) Ethanol	2.077	45	10644	366.82	ug	# 84
10) Freon113	2.345	101	15108	16.29	ug	88
11) 1,1-Dichloroethene	2.339	96	18922m	20.63	ug	
12) Allyl Chloride	2.685	41	35512	8.11	ug	80
13) Carbon Disulfide	2.533	76	36161m	14.46	ug	
14) Acetone	2.407	43	17441m	22.19	ug	
15) Iodomethane	2.465	142	20627	27.84	ug	90
16) Acetonitrile	2.780	40	1291	8.71	ug	# 1
17) Methyl Acetate	2.732	43	29696	18.50	ug	# 68
18) Methylene Chloride	2.816	84	31881	21.94	ug	# 74
19) Acrylonitrile	3.723	53	1189	1.81	ug	# 87
20) trans-1,2-Dichloroethene	3.120	96	22157	19.63	ug	97
21) Mtbe	3.141	73	149611	39.34	ug	98
22) 1,1-Dichloroethane	3.613	63	36620	19.44	ug	96
24) cis-1,2-Dichloroethene	4.295	61	134544	76.98	ug	95
25) 2,2-Dichloropropane	4.279	77	30511	19.80	ug	94
26) Propionitrile	4.431	54	41640	144.15	ug	99
27) Bromochloromethane	4.583	128	11735	20.00	ug	81
28) Methacrylonitrile	4.604	67	111568	123.92	ug	# 86
29) Tetrahydrofuran	4.657	42	12109m	19.82	ug	
30) Chloroform	4.693	83	50186	22.46	ug	100
31) Cyclohexane	4.929	84	41173m	20.84	ug	
32) 1,1-Dichloro-1-propene	5.092	75	30933	20.44	ug	96
33) 1,2-Dichloroethane	5.380	62	31657	21.17	ug	96
34) 2-Butanone	4.358	43	17870m	19.64	ug	
37) 1,1,1-Trichloroethane	4.893	97	36787	17.45	ug	98
38) Carbon Tetrachloride	5.071	117	30067m	18.15	ug	
39) Benzene	5.333	78	116767m	19.96	ug	
40) Isobutanol	4.940	43	3782	408.18	ug	# 100
41) Heptane	5.354	43	31835	13.66	ug	# 1
42) Trichloroethene	6.140	130	26446	23.10	ug	# 88
43) Methyl Cyclohexane	6.355	83	39914m	17.82	ug	
44) 1,2-Dichloropropane	6.418	63	29863	18.97	ug	98
45) Vinyl Acetate	3.702	43	39479	14.54	ug	98
46) Dibromomethane	6.576	174	20572	21.60	ug	83
47) 1,4-Dioxane	6.654	88	12981m	377.64	ug	
48) Methyl Methacrylate	6.633	69	21879	13.24	ug	86
49) Bromodichloromethane	6.791	83	37993m	19.36	ug	
51) cis-1,3-Dichloropropene	7.362	75	44941m	20.43	ug	

Data Path : C:\msdchem\1\data\030526\
 Data File : d0560.D
 Acq On : 5 Mar 2026 10:36 pm
 Operator :
 Sample : 260220005-032smsd
 Misc : msd
 ALS Vial : 27 Sample Multiplier: 1


Quant Time: Mar 06 12:09:08 2026
 Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
 Quant Title : Voa Calibration 524/8260 Water
 QLast Update : Thu Mar 05 08:49:15 2026
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) trans-1,3-Dichloropropene	8.112	75	37475	19.63	ug	89
53) 1,1,2-Trichloroethane	8.337	97	31490	21.53	ug	98
54) 1,3-Dichloropropane	8.552	76	49600	20.50	ug	96
55) 1,2-Dibromoethane	8.961	107	30388	23.93	ug	99
56) Dibromochloromethane	8.841	129	25358m	18.65	ug	
57) Bromoform	10.440	173	18825	17.38	ug	97
58) 4-Methyl-2-Pentanone	7.603	43	37818	19.20	ug	97
60) Toluene	7.771	92	74648m	19.57	ug	
61) Ethyl Metacrylate	8.269	69	40335	13.06	ug	# 82
62) Tetrachloroethene	8.474	164	24146	21.88	ug	96
63) 2-Hexanone	8.710	43	32888m	19.87	ug	
65) Chlorobenzene	9.580	112	87381	22.35	ug	99
66) 1,1,1,2-Tetrachloroethane	9.690	133	23747	24.06	ug	# 92
67) Ethylbenzene	9.721	106	48516	20.73	ug	95
68) m,p-Xylene	9.853	91	226757	38.25	ug	99
69) o-Xylene	10.256	106	56943	19.17	ug	89
70) Styrene	10.272	104	101889	20.94	ug	# 72
71) Isopropylbenzene	10.613	105	137724	20.14	ug	98
72) Chloroprene	10.691	53	11221	32.03	ug	91
73) trans-1,4-Dichloro-2-b...	10.691	88	11725	12.51	ug	# 56
74) Bromobenzene	10.864	77	54101	19.15	ug	99
75) 1,2,3-Trichloropropane	10.927	75	52863	18.40	ug	# 74
76) 2-Chlorotoluene	11.037	91	106026	20.71	ug	99
77) 4-Chlorotoluene	11.132	91	130036	21.25	ug	97
78) 1,3,5-Trimethylbenzene	11.132	105	127188	20.42	ug	98
79) tert-Butylbenzene	11.399	119	97969	24.57	ug	100
80) 1,2,4-Trimethylbenzene	11.436	105	124574	20.82	ug	88
82) 1,1,2,2-Tetrachloroethane	10.901	83	52593	23.05	ug	93
83) n-Propylbenzene	10.980	91	180924	20.88	ug	93
84) 1,3-Dichlorobenzene	11.651	146	75507	23.72	ug	96
85) sec-Butylbenzene	11.572	105	151263	21.67	ug	99
86) 4-Isopropyltoluene	11.693	119	125003	21.40	ug	97
87) 1,4-Dichlorobenzene	11.719	146	83095	23.69	ug	# 60
88) 1,2-Dichlorobenzene	12.002	146	86045	24.51	ug	# 80
89) n-Butylbenzene	11.997	91	130944	21.35	ug	90
90) 1,2-Dibromo-3-Chloropr	12.574	157	7536	19.09	ug	# 60
91) 1,2,4-Trichlorobenzene	13.135	180	45312	26.39	ug	# 89
92) Hexachlorobutadiene	13.245	225	13395	24.17	ug	# 86
93) Naphthalene	13.297	128	80232	24.18	ug	# 88
94) 1,2,3-Trichlorobenzene	13.460	180	35343	25.90	ug	# 87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : C:\msdchem\1\data\030526\
Data File : d0560.D
Acq On : 5 Mar 2026 10:36 pm
Operator :
Sample : 260220005-032msd
Misc : msd
ALS Vial : 27 Sample Multiplier: 1

Quant Time: Mar 06 12:09:08 2026
Quant Method : C:\msdchem\1\QTmethods\Voa123025-CH.M
Quant Title : Voa Calibration 524/8260 Water
QLast Update : Thu Mar 05 08:49:15 2026
Response via : Initial Calibration



Analyst:

CC

Standards:

VOA (8-21ACB/115)

#10588D

Date:

3/2/04

VOA 18-29B, 28B

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
B	91096	BFB									@928
B	97	BFB									@9.42
1	98	CEU			Full 027025	✓		all	all		113/124/84
2	99	VOX				✓		all	all		1mL in 40mL
3	100	8513				✓		all	all		Passes
4	01	NbK				✓		all	all		
5	02	LES				✓		all	all		112/124/83
B	03	VbK									
6	04	710QR				✓					5mL ✓
7	05	710QR				✓					10mL
B	06	VbK									
B	07	VbK									
B	08	VbK									
8	09	CCU				✓		all	all		Bromomethane high
9	10	LES				✓		all	all		
B	11	VbK									
10	12	MbK									@7.39
11	13	gases									#10588E high use #10588D
12	14	CEU	✓			✓	✓	all	all		
13	15	LES	✓			✓	✓	all	all		
14	16	VbK				✓	✓	all	all		
B	17	VbK				✓					
15	18	830			Full 027025	✓	✓	all	all		5mL in 100mL
B	19	VbK			5-100						260127-1-14A 60/1
16	20	830				✓	✓	all	all		114 not 1.3 8260
B	21	VbK									Report as 5mL
17	22	2-20-5-24	✓		Full 027025	✓	✓	all	all		VCLP-LOW
18	23	-3A	✓			✓	✓	all	all		
19	24	-4A	✓			✓	✓	all	all		
20	25	-5A	✓			✓	✓	all	all		
21	26	-6A	✓			✓	✓	all	all		
22	27	-7A	✓			✓	✓	all	all		

REVIEW

DATE

Analyst:

Cc

Standards:

VOA 18-21A (B1115)

#0588D

Date:

312 contin.

VOA 18-21A, 28B

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DE	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
23	g1128	-18A	✓		Full 1022020	✓	✓	cu	cu	N	VCLP-100
24	29	-20A	✓			✓	✓	cu	cu	N	
25	30	-19A	✓			✓	✓	cu	cu	N	
26	31	-22A	✓			✓	✓	cu	cu	N	
27	32	-23A	✓			✓	✓	cu	cu	N	
28	33	-24A	✓			✓	✓	cu	cu	N	
29	34	-25A	✓			✓	✓	cu	cu	N	
30	35	-26A				✓		cu	cu	N	Re-run X2
31	36	-28A	✓			✓	✓	cu	cu	N	
32	37	✓ -8A	X2			✓	✓	cu	cu	N	
33	38	✓ -10A	X10			✓	✓	cu	cu	N	
34	39	✓ -17A	X25			✓	✓	cu	cu	N	
35	40	✓ -9A	X50			✓	✓	cu	cu	N	
36	41	✓ -16A	X100			✓	✓	cu	cu	N	
37	42	vb1a									
		2-18-28A	Cc								0245
		312									
37	43	2-20-5-24MS	✓			✓	✓	cu	cu	N	VCLP-100
38	44	MSD	✓			✓	✓	cu	cu	N	

REVIEW

DATE

Analyst:

CC

Standards:

VOA 18-21A(1/15)

#10581

Date:

3/14

Vial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
B	10452	BFB									@10:35
B	93	BFB									@10:57
B	94	BFB									
1	95	CU	✓		① VOA1230 Prevot	✓		cu	cu		326177/1163
2	96	LCS	✓		② VOA1230-CH	✓		cu	cu		3491234A82
3	97	VOK	✓		① ①	✓		cu	cu		
4	98	US-122770 X28			①	✓		cu	cu		
5	99	MB-122770 X25				✓		cu	cu		
6	500	2-19-15-1A X25	6			✓		cu	cu	N	TCLP-VOL
7	01	2-19-7-1A X25	6			✓		cu	cu	N	1
B	02	VOK									
8	03	3-4-38-1A			Did not Run	✓					Jumped to 9
9	03-04	2A	1		①	✓	✓	cu	cu	N	8260
10	04-05	3A	1			✓	✓	cu	cu	N	
11	05-06	3-3-77-1B	1			✓	✓	cu	cu	N	
12	06-07	2A	1			✓	✓	cu	cu	N	Co24 + ric
13	07-08	3A	1			✓	✓	cu	cu	N	
14	08-09	2-20-5-1A	1		②	✓	✓	cu	cu	N	SLP-Low
15	09-10	2-20-5-11A	1			✓	✓	cu	cu	N	
16	10-11	12A	1			✓	✓	cu	cu	N	
17	11-12	7A	1			✓	✓	cu	cu	N	
18	12-13	14A	1			✓	✓	cu	cu	N	
19	13-14	15A	1			✓	✓	cu	cu	N	
20	14-15	27A	1			✓	✓	cu	cu	N	
21	15-16	29A	1			✓	✓	cu	cu	N	
22	16-17	2A X2	1			✓	✓	cu	cu	N	
23	17-18	21A X10	1			✓	✓	cu	cu	N	
B	18-19	VOK									
24	19-20	3-3-44-2B	1		①	✓	✓	cu	cu	N	Co24 + 7.5 → SLP
25	20-21	3-3-45-2B	1			✓	✓	cu	cu	N	
26	21-22	3-3-46-2B	1			✓	✓	cu	cu	N	+++
2A	22-23	2-20-5-14A MS	1		②						VCLP-Low
28	23-24										
29	24	3-3-77-3A	1			✓					

REVIEW

DATE

Analyst: CEStandards: VOA18-21A (A7115) #10880Date: 3/5VOA18-20A, 28BVial 1 used for samples
unless otherwise noted below

A/S Pos.	File ID	Sample ID	DF	pH	QT Method	Review	Upload	QA/QC Checks			Comments
								Surr Check	IS Check	Res. Cl ₂	
B	06520	BFB									09808
B	23	BFB									
B	28	BFB									
21	29	CCO ✓			VOA123025	✓	✓	cu	cu		292/15/159
32	30	CCS ✓			VOA123025	✓	✓	cu	cu		
A3	31	Vbll ✓			VOA123025	✓	✓	cu	cu		
4	32	3-4-38-1A ✓		1	VOA123025	✓	✓	cu	cu	N	82cccu
5	33	3-2-38-1F ✓		1	VOA123025	✓	✓	cu	cu	N	1
B	34	NbR									
6	35	2-20-5-35A ✓		1	VOA123025-CH	✓	✓	cu	cu	N	NLP-low
7	36	-36A ✓		1		✓	✓	cu	cu	N	
8	37	-37A ✓		1		✓	✓	cu	cu	N	
9	38	✓-32A X50		1		✓	✓	cu	cu	N	
10	39	✓-33A X50		1		✓	✓	cu	cu	N	
11	40	-34A X100		1		✓	✓	cu	cu	✓	Remn X 200
B	41	Vbll		1		✓	✓	cu	cu		
12	42	2-20-5-14A ✓		1		✓	✓	cu	cu	N	
13	43	-MS ✓		1		✓	✓	cu	cu	N	Better
13	44	MSD ✓		1		✓	✓	cu	cu	N	1
14	45	-34A X200		1		✓	✓	cu	cu	N	X100 M X2 Inst. carry over from 45/46/47
B	46	Vbll		1		✓	✓	cu	cu		
15	47	2-20-5-30A ✓		1		✓	✓	cu	cu	N	
16	48	-31A ✓		1		✓	✓	cu	cu	N	
17	49	-38A ✓		1		✓	✓	cu	cu	N	
18	50	-39A ✓		1		✓	✓	cu	cu	N	
19	51	-40A ✓		1		✓	✓	cu	cu	N	
20	52	-43A ✓		1		✓	✓	cu	cu	N	
21	53	-44A ✓		1		✓	✓	cu	cu	N	
22	54	-40A X50 ✓		1		✓	✓	cu	cu	N	
23	55	41A X50 ✓		1		✓	✓	cu	cu	N	
24	56	-34 X200 ✓		1		✓	✓	cu	cu	N	good!
25	57	-30AMS ✓		1		✓	✓	cu	cu	N	
25	58	MSD ✓		1		✓	✓	cu	cu	N	
26	59	33AMS X50M ✓		1		✓	✓	cu	cu	N	
27	60	37AMS X50M ✓		1		✓	✓	cu	cu	N	

REVIEW



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.

Groundwater Sampling Water Chemistry Data (Field Notes)



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-1B

Sample Date: 2/19/26

Sample Time: 09:50

Sample ID: MW 94-1B

Sampler(s) Name: GG

Weather Conditions: cloudy / 30°

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.10</u>	Water Column Height	<u>10.40</u>
LNAPL	<u> </u>	1 Purge Volume	<u>6.13 gal</u>
DNAPL	<u> </u>	Purge Rate	<u>200</u>
Well Depth	<u>24.5</u>	Approximate Volume Purged	<u>5.3 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>08:10</u>	<u>08:50</u>	<u>09:55</u>	<u>09:00</u>	<u>09:10</u>	<u>09:15</u>	<u>09:20</u>	
Static Water Level	<u>14.10</u>	<u>20.85</u>	<u>20.91</u>	<u>21.02</u>	<u>21.39</u>	<u>21.90</u>	<u>21.90</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>11</u>	<u>11</u>	<u>10</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	+/- 1 °C
Specific Conductance	<u>1314</u>	<u>1298</u>	<u>1275</u>	<u>1249</u>	<u>1171</u>	<u>1155</u>	<u>1132</u>	+/- 3 %
Dissolved Oxygen	<u>7.21</u>	<u>6.50</u>	<u>6.29</u>	<u>5.84</u>	<u>4.17</u>	<u>3.69</u>	<u>3.23</u>	+/- 10 % or <1
pH	<u>7.5</u>	<u>7.5</u>	<u>7.6</u>	<u>7.6</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	+/- 0.1 s.u.
Redox Potential	<u>494.9</u>	<u>471.3</u>	<u>469.9</u>	<u>468.2</u>	<u>468.2</u>	<u>468.4</u>	<u>468.4</u>	+/- 10 mV
Turbidity	<u>8.17</u>	<u>13.5</u>	<u>20.0</u>	<u>28.2</u>	<u>35.1</u>	<u>36.2</u>	<u>36.1</u>	+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	

Comments: Page 1 of 2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-1B

Sample Date: 2/19/26

Sample Time: 09:50

Sample ID: MW 94-1B

Sampler(s) Name: G6

Weather Conditions: Cloudy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump Bailer

Sample Method: Submersible Pump Peristaltic Pump Bailer

Static Water Level	<u>14.10</u>	Water Column Height	<u>10.40</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>6.13 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>200</u>
Well Depth	<u>24.5</u>	Approximate Volume Purged	<u>5.3 gal</u>

Volume Removed						Sample		Stabilization Criteria
Time	<u>09:25</u>	<u>09:30</u>	<u>09:35</u>	<u>09:40</u>	<u>09:45</u>	<u>09:50</u>		
Static Water Level	<u>21.90</u>	<u>21.90</u>	<u>21.90</u>	<u>21.90</u>	<u>21.90</u>	<u>21.90</u>	<u>G6</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>		
Temperature	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>		+/- 1 °C
Specific Conductance	<u>1115</u>	<u>1105</u>	<u>1095</u>	<u>1079</u>	<u>1072</u>	<u>1067</u>		+/- 3 %
Dissolved Oxygen	<u>2.83</u>	<u>2.52</u>	<u>2.15</u>	<u>1.87</u>	<u>1.79</u>	<u>1.70</u>		+/- 10 % or <1
pH	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>		+/- 0.1 s.u.
Redox Potential	<u>468.4</u>	<u>468.1</u>	<u>468.8</u>	<u>468.2</u>	<u>467.7</u>	<u>467.3</u>		+/- 10 mV
Turbidity	<u>30.7</u>	<u>29.4</u>	<u>31.0</u>	<u>28.9</u>	<u>28.1</u>	<u>27.7</u>		+/- 10 % or <10
Observation	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>	<u>cloudy</u>		

Comments: Page 2 of 2 . Stabilization achieved, sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-2B

Sample Date: 2/18/26

Sample Time: 14:00

Sample ID: MW 94-2B

Sampler(s) Name: GG

Weather Conditions: Rainy / 30's

Field Observation(s)/Well Condition: Missing Well Cap

Purge Date: 2/18/26 Purge Method: Submersible Pump Peristaltic Pump / Bailer Sample Method: Submersible Pump Peristaltic Pump / Bailer

Static Water Level	<u>14.43</u>	Water Column Height	<u>15.07</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>8.88 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300</u>
Well Depth	<u>29.5</u>	Approximate Volume Purged	<u>3.6 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>13:15</u>	<u>13:20</u>	<u>13:25</u>	<u>13:30</u>	<u>13:35</u>	<u>13:40</u>	<u>13:45</u>	
Static Water Level	<u>14.43</u>	<u>15.47</u>	<u>15.47</u>	<u>15.47</u>	<u>15.47</u>	<u>15.45</u>	<u>15.46</u>	< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	<u>300</u>	
Temperature	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	+/- 1 °C
Specific Conductance	<u>3029</u>	<u>2769</u>	<u>2597</u>	<u>2431</u>	<u>2381</u>	<u>2380</u>	<u>2393</u>	+/- 3 %
Dissolved Oxygen	<u>3.91</u>	<u>4.33</u>	<u>4.41</u>	<u>3.99</u>	<u>3.72</u>	<u>3.63</u>	<u>3.55</u>	+/- 10 % or <1
pH	<u>7.4</u>	<u>7.2</u>	<u>7.2</u>	<u>7.2</u>	<u>7.1</u>	<u>7.1</u>	<u>7.1</u>	+/- 0.1 s.u.
Redox Potential	<u>322.6</u>	<u>336.1</u>	<u>340.3</u>	<u>342.5</u>	<u>346.6</u>	<u>350.8</u>	<u>353.2</u>	+/- 10 mV
Turbidity	<u>148</u>	<u>108</u>	<u>47.3</u>	<u>18.3</u>	<u>11.3</u>	<u>12.2</u>	<u>13.4</u>	+/- 10 % or <10
Observation	<u>Turbid</u>	<u>Turbid</u>	<u>Cloudy</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	

Comments: 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES NO
YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-2B

Sample Date: 2/18/26

Sample Time: 14:00

Sample ID: MLW 94-2B

Sampler(s) Name: GG

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Missing Well cap

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	14.43	Water Column Height	15.07
LNAPL	—	1 Purge Volume	8.88 gal
DNAPL	—	Purge Rate	300
Well Depth	22.5	Approximate Volume Purged	3.6 gal

Volume Removed			Sample					Stabilization Criteria
Time	13:56	13:55	14:00					
Static Water Level	15.47	15.47	15.47					< 0.3 feet
Purge Rate	300	300	300					
Temperature	11	11	11					+/- 1 ° C
Specific Conductance	2494	2438	2433					+/- 3 %
Dissolved Oxygen	3.52	3.78	3.79					+/- 10 % or <1
pH	7.02	7.1	7.1					+/- 0.1 s.u.
Redox Potential	356.9	358.7	361.0					+/- 10 mV
Turbidity	13.0	12.4	12.1					+/- 10 % or <10
Observation	Clear	Clear	Clear					

Comments: 2 of 2 Stabilization achieved. Sample collected

MS / MSD Collected?

YES ☒ NO

Duplicate Collected?

YES ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-3

Sample Date: 2/18/26

Sample Time: 10:25

Sample ID: MW 94-3

Sampler(s) Name: GG

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	13.11	Water Column Height	6.89
LNAPL	—	1 Purge Volume	1.12 gal
DNAPL	—	Purge Rate	300
Well Depth	20.00	Approximate Volume Purged	2.4 gal

Volume Removed	Initial						Sample	Stabilization Criteria
Time	09:55	10:00	10:05	10:10	10:15	10:20	10:25	
Static Water Level	13.11	13.49	13.58	13.67	13.76	13.81	13.84	< 0.3 feet
Purge Rate	300	300	300	300	300	300	300	
Temperature	10	10	11	11	11	11	11	+/- 1 °C
Specific Conductance	1603	1593	1594	1588	1598	1578	1586	+/- 3 %
Dissolved Oxygen	3.23	3.05	2.85	2.53	2.37	2.33	2.29	+/- 10 % or <1
pH	7.2	7.1	7.1	7.1	7.1	7.1	7.1	+/- 0.1 s.u.
Redox Potential	232.1	240.1	242.1	260.3	273.2	278.8	282.7	+/- 10 mV
Turbidity	13.9	13.2	9.37	7.70	6.41	6.52	5.77	+/- 10 % or <10
Observation	clear	clear	clear	clear	clear	clear	clear	

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?
Duplicate Collected?

YES /
YES

NO
NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 94-4B2

Sample Date: 2/18/26

Sample Time: 12:45

Sample ID: MW 94-4B2

Sampler(s) Name: DM

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.45</u>	Water Column Height	<u>68.35</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>11.15 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500</u>
Well Depth	<u>82.80</u>	Approximate Volume Purged	<u>0.66 gal</u>

Volume Removed	Initial				Sample		Stabilization Criteria
Time	<u>11:50</u>	<u>12:30</u>	<u>12:35</u>	<u>12:40</u>	<u>12:45</u>		
Static Water Level	<u>14.45</u>	<u>24.08</u>	<u>24.33</u>	<u>24.48</u>	<u>24.60</u>		< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>		
Temperature	<u>11</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>		+/- 1 °C
Specific Conductance	<u>849</u>	<u>727</u>	<u>715</u>	<u>708</u>	<u>701</u>		+/- 3 %
Dissolved Oxygen	<u>0.33</u>	<u>0.17</u>	<u>0.19</u>	<u>0.17</u>	<u>0.16</u>		+/- 10 % or <1
pH	<u>8.1</u>	<u>8.3</u>	<u>8.3</u>	<u>8.3</u>	<u>8.3</u>		+/- 0.1 s.u.
Redox Potential	<u>-198.6</u>	<u>-226.0</u>	<u>-230.5</u>	<u>-233.6</u>	<u>-235.7</u>		+/- 10 mV
Turbidity	<u>35.1</u>	<u>32.7</u>	<u>22.2</u>	<u>21.5</u>	<u>21.9</u>		+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Cloudy</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>		

Comments: Stabilization achieved, sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-5

Sample Date: 2/24/26

Sample Time: 12:55

Sample ID: MW 94-5

Sampler(s) Name: GG

Weather Conditions: Sunny 150's

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	8.03	Water Column Height	9.97
LNAPL	—	1 Purge Volume	1.63 gal
DNAPL	—	Purge Rate	200
Well Depth	18.0	Approximate Volume Purged	2.4 gal

Volume Removed	Initial							Stabilization Criteria
Time	12:10	12:15	12:20	12:25	12:30	12:35	12:40	
Static Water Level	8.03	8.09	8.11	8.16	8.17	8.19	8.19	< 0.3 feet
Purge Rate	200	200	200	200	200	200	200	
Temperature	7	7	7	7	7	7	7	+/- 1 °C
Specific Conductance	741	778	1026	1490	1645	1784	1958	+/- 3 %
Dissolved Oxygen	0.68	0.43	0.45	0.31	0.30	0.29	0.27	+/- 10 % or <1
pH	8.09	8.56	8.70	8.60	8.59	8.59	8.56	+/- 0.1 s.u.
Redox Potential	58.7	53.5	48.4	51.8	52.4	52.3	54.3	+/- 10 mV
Turbidity	37.1	34.1	24.7	22.9	23.1	23.3	23.0	+/- 10 % or <10
Observation	Clear	Clear	Clear	Clear	Clear	Clear	Clear	

Comments: Page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 94-5

Sample Date: 2/24/26

Sample Time: 12:55

Sample ID: MW 94-5

Sampler(s) Name: GG

Weather Conditions: Sunny 150's

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	8.02	Water Column Height	9.97
LNAPL	—	1 Purge Volume	1.63 gal
DNAPL	—	Purge Rate	200
Well Depth	18.0	Approximate Volume Purged	2.4 gal

Volume Removed			Sample					Stabilization Criteria
Time	12:45	12:50	12:55					
Static Water Level	8.19	8.20	8.21					< 0.3 feet
Purge Rate	200	200	200					
Temperature	7	7	7					+/- 1 °C
Specific Conductance	1979	2018	2027					+/- 3 %
Dissolved Oxygen	0.26	0.24	0.25					+/- 10 % or <1
pH	8.53	8.51	8.52					+/- 0.1 s.u.
Redox Potential	54.3	54.8	54.6					+/- 10 mV
Turbidity	22.4	22.8	21.4					+/- 10 % or <10
Observation	clear	clear	clear					

Comments: Page 2 of 2 Stabilization achieved. Sample collected

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 96-6

Sample Date: 2/18/26

Sample Time: 15:10

Sample ID: MW 96-6

Sampler(s) Name: GG

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	13.00	Water Column Height	17.50
LNAPL	—	1 Purge Volume	2.86 gal
DNAPL	—	Purge Rate	300
Well Depth	30.5	Approximate Volume Purged	3.2 gal

Volume Removed	Initial			Sample				Stabilization Criteria
Time	14:30	15:00	15:05	15:10				
Static Water Level	13.00	24.46	24.61	24.67				< 0.3 feet
Purge Rate	300	300	300	300				
Temperature	12	12	12	12				+/- 1 °C
Specific Conductance	1016	1026	1024	1023				+/- 3 %
Dissolved Oxygen	0.97	0.64	0.56	0.45				+/- 10 % or <1
pH	7.4	7.1	7.1	7.1				+/- 0.1 s.u.
Redox Potential	278.9	335.2	337.0	338.4				+/- 10 mV
Turbidity	210	9.88	9.12	6.86				+/- 10 % or <10
Observation	Turbid	clear	clear	clear				

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?

YES ☒

Duplicate Collected?

YES ☒



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW96-7B

Sample Date: 2/18/26

Sample Time: 09:15

Sample ID: MW96-7B

Sampler(s) Name: GG

Weather Conditions: 30's/Rainy

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>14.22 ft</u>	Water Column Height	<u>3.78 ft</u>
LNAPL	<u> </u>	1 Purge Volume	<u>2.23 gallons</u>
DNAPL	<u> </u>	Purge Rate	<u>300 mL/min</u>
Well Depth	<u>18.00 ft</u>	Approximate Volume Purged	<u>3 gallons</u>

Volume Removed	Initial		Sample					Stabilization Criteria
Time	<u>11:10</u>	<u>11:15</u>	<u>09:15</u>					
Static Water Level	<u>14.22</u>	<u>14.75</u>	<u>14.42</u>					< 0.3 feet
Purge Rate	<u>300</u>	<u>300</u>	<u> </u>					
Temperature	<u>11</u>	<u>12</u>	<u>10</u>					+/- 1 °C
Specific Conductance	<u>4468</u>	<u>4555</u>	<u>2424</u>					+/- 3 %
Dissolved Oxygen	<u>9.63</u>	<u>8.89</u>	<u>7.55</u>					+/- 10 % or <1
pH	<u>8.2</u>	<u>8.2</u>	<u>8.6</u>					+/- 0.1 s.u.
Redox Potential	<u>381.7</u>	<u>371.7</u>	<u>286.8</u>					+/- 10 mV
Turbidity	<u>97.4</u>	<u>172</u>	<u>16.0</u>					+/- 10 % or <10
Observation	<u>cloudy</u>	<u>turbid</u>	<u>clear</u>					

Comments: Unable to control drawdown. Returned to sample with a bailer

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 01 - 8B

Sample Date: 2/18/26

Sample Time: 07:30

Sample ID: MW 01 - 8B


Sampler(s) Name: GG

Weather Conditions: cloudy / 30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>16.95</u>	Water Column Height	<u>33.05</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>19.47 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>300</u>
Well Depth	<u>50.00</u>	Approximate Volume Purged	<u>5.4 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>13:40</u>	<u>14:15</u>	<u>14:20</u>	<u>07:30</u>				
Static Water Level	<u>16.95</u>	<u>23.36</u>	<u>23.84</u>	<u>18.74</u>				
Purge Rate	<u>500</u>	<u>300</u>	<u>300</u>	<u>—</u>				
Temperature	<u>—</u>	<u>11</u>	<u>11</u>	<u>10</u>				
Specific Conductance	<u>863</u>	<u>865</u>	<u>861</u>	<u>958</u>				
Dissolved Oxygen	<u>0.59</u>	<u>0.22</u>	<u>0.64</u>	<u>0.30</u>				
pH	<u>8.2</u>	<u>8.0</u>	<u>7.9</u>	<u>7.4</u>				
Redox Potential	<u>-118.3</u>	<u>-132.4</u>	<u>-167.1</u>	<u>402.2</u>				+/- 1 °C
Turbidity	<u>195</u>	<u>95.4</u>	<u>73.2</u>	<u>28.3</u>				+/- 3 %
Observation	<u>Turbid</u>	<u>cloudy</u>	<u>cloudy</u>	<u>clear</u>				+/- 10 % or <1
								+/- 0.1 s.u.
								+/- 10 mV
								+/- 10 % or <10

Comments: Unable to control drawdown. Returned to sample with a bailer.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 06-2C

Sample Date: 2/18/26

Sample Time: 09:30

Sample ID: MW06-2C

Sampler(s) Name: GG

Weather Conditions: Cloudy / 40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: (Submersible Pump) Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump (Bailer)

Static Water Level	<u>40.59 ft</u>	Water Column Height	<u>84.41 ft</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>42.19 gallons</u>
DNAPL	<u>---</u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>125.00 ft</u>	Approximate Volume Purged	<u>43 gallons</u>

Volume Removed	Initial	Final						Stabilization Criteria
Time	<u>11:55</u>	<u>09:30</u>						
Static Water Level	<u>40.59</u>	<u>52.36</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>---</u>						
Temperature	<u>11</u>	<u>11</u>						+/- 1 ° C
Specific Conductance	<u>2426</u>	<u>2263</u>						+/- 3 %
Dissolved Oxygen	<u>0.89</u>	<u>1.15</u>						+/- 10 % or <1
pH	<u>7.4</u>	<u>7.8</u>						+/- 0.1 s.u.
Redox Potential	<u>347.9</u>	<u>154.7</u>						+/- 10 mV
Turbidity	<u>25.1</u>	<u>24.0</u>						+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>						

Comments: unable to control drawdown, returned with Bailer to collect
sample

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-4C

Sample Date: 2/18/26

Sample Time: 11:20

Sample ID: MW06-4C

Sampler(s) Name: DM

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	46.02	Water Column Height	78.98
LNAPL	—	1 Purge Volume	39.46 gal
DNAPL	—	Purge Rate	500 mL
Well Depth	125.00	Approximate Volume Purged	12.0 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	11:30	11:20						
Static Water Level	46.02	69.58						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	13	10						+/- 1 °C
Specific Conductance	552	553						+/- 3 %
Dissolved Oxygen	0.92	2.37						+/- 10 % or <1
pH	11.0	11.1						+/- 0.1 s.u.
Redox Potential	84.6	-2.5						+/- 10 mV
Turbidity	16.7	9.23						+/- 10 % or <10
Observation	clear	clear						

Comments: Unable to control drawdown, returned to sample with bailer

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-9C

Sample Date: 2/18/26

Sample Time: 15:25

Sample ID: MW06-9C

Sampler(s) Name: DM

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	55.56	Water Column Height	69.44
LNAPL	—	1 Purge Volume	11.33 gal
DNAPL	—	Purge Rate	200 mL
Well Depth	125.00	Approximate Volume Purged	0.74 gal

Volume Removed	Initial							Stabilization Criteria
Time	14:00	14:25	14:30	14:35	14:40	14:45	14:50	
Static Water Level	55.56	55.56	55.56	55.56	55.56	55.56	55.56	< 0.3 feet
Purge Rate	200	200	200	200	200	200	200	
Temperature	10	9	8	6	6	7	7	+/- 1 °C
Specific Conductance	1085	1099	1074	1063	1029	992	970	+/- 3 %
Dissolved Oxygen	3.78	1.67	1.91	2.16	3.10	2.44	2.35	+/- 10 % or <1
pH	7.8	7.7	7.8	7.9	8.0	8.3	8.5	+/- 0.1 s.u.
Redox Potential	-7.6	-11.7	-17.9	-21.6	-25.1	-38.4	-53.0	+/- 10 mV
Turbidity	35.6	38.7	41.4	44.9	43.6	41.1	45.6	+/- 10 % or <10
Observation								

Comments: Page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES NO
YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW06-9C

Sample Date: 2/18/26

Sample Time: 15:25

Sample ID: MW06-9C

Sampler(s) Name: DM

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>55.56</u>	Water Column Height	<u>69.44</u>
LNAPL		1 Purge Volume	<u>11.33 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL</u>
Well Depth	<u>125.00</u>	Approximate Volume Purged	<u>0.74 gal</u>

Volume Removed							Sample	Stabilization Criteria
Time	<u>14:55</u>	<u>15:00</u>	<u>15:05</u>	<u>15:10</u>	<u>15:15</u>	<u>15:20</u>	<u>15:25</u>	
Static Water Level	<u>55.56</u>	<u>55.56</u>	<u>55.56</u>	<u>55.56</u>	<u>55.56</u>	<u>55.56</u>	<u>55.56</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>7</u>	<u>8</u>	<u>8</u>	<u>9</u>	<u>9</u>	<u>8</u>	<u>8</u>	+/- 1 °C
Specific Conductance	<u>970</u>	<u>980</u>	<u>1001</u>	<u>1030</u>	<u>1042</u>	<u>1049</u>	<u>1049</u>	+/- 3 %
Dissolved Oxygen	<u>2.93</u>	<u>3.60</u>	<u>4.57</u>	<u>4.92</u>	<u>5.52</u>	<u>5.80</u>	<u>5.74</u>	+/- 10 % or <1
pH	<u>8.6</u>	<u>8.5</u>	<u>8.3</u>	<u>8.2</u>	<u>8.0</u>	<u>7.9</u>	<u>7.9</u>	+/- 0.1 s.u.
Redox Potential	<u>-52.4</u>	<u>-44.6</u>	<u>-32.0</u>	<u>-21.4</u>	<u>-11.5</u>	<u>-2.0</u>	<u>-1.7</u>	+/- 10 mV
Turbidity	<u>39.4</u>	<u>35.7</u>	<u>38.8</u>	<u>41.7</u>	<u>36.8</u>	<u>38.4</u>	<u>37.8</u>	+/- 10 % or <10
Observation								

Comments: Page 2 of 2. Stabilization achieved, sample collected

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-8D

Sample Date: 2/18/26

Sample Time: 07:55

Sample ID: MW 18-8D

Sampler(s) Name: GG

Weather Conditions: cloudy/30°

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	25.50	Water Column Height	57.50
LNAPL	—	1 Purge Volume	9.4 gal
DNAPL	—	Purge Rate	500
Well Depth	83.00	Approximate Volume Purged	7.8 gal

Volume Removed	Initial	Sample					Stabilization Criteria
Time	13:05	07:55					
Static Water Level	25.50	52.02					< 0.3 feet
Purge Rate	500	—					
Temperature	12.4	8.5					+/- 1 °C
Specific Conductance	8538	8893					+/- 3 %
Dissolved Oxygen	4.09	4.67					+/- 10 % or <1
pH	12.67	12.73					+/- 0.1 s.u.
Redox Potential	175.4	177.4					+/- 10 mV
Turbidity	63.1	23.6					+/- 10 % or <10
Observation	cloudy	clear					

Comments: Unable to control drawdown. Retired to sample with a bailer

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-8E

Sample Date: 2/18/26

Sample Time: 16:00

Sample ID: MW 18-8E

Sampler(s) Name: GG

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>32.23</u>	Water Column Height	<u>114.77</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>2.63 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>147.0</u>	Approximate Volume Purged	<u>2.7 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>15:35</u>	<u>16:00</u>						
Static Water Level	<u>32.23</u>	<u>39.88</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>8</u>	<u>9</u>						+/- 1 °C
Specific Conductance	<u>998</u>	<u>1001</u>						+/- 3 %
Dissolved Oxygen	<u>9.70</u>	<u>2.43</u>						+/- 10 % or <1
pH	<u>7.8</u>	<u>7.6</u>						+/- 0.1 s.u.
Redox Potential	<u>328.1</u>	<u>326.7</u>						+/- 10 mV
Turbidity	<u>39.6</u>	<u>443</u>						+/- 10 % or <10
Observation	<u>cloudy</u>	<u>Turbid</u>						

Comments: Well purged with Wattera. Sample collected

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-8F

Sample Date: 2/18/26

Sample Time: 16:20

Sample ID: MW18-8F

Sampler(s) Name: GG

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	32.13	Water Column Height	152.87
LNAPL	—	1 Purge Volume	14.03 gal
DNAPL	—	Purge Rate	Wattera
Well Depth	185.0	Approximate Volume Purged	14.1 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	15:30	16:20						
Static Water Level	32.13	40.32						< 0.3 feet
Purge Rate	—	—						
Temperature	10	10						+/- 1 °C
Specific Conductance	1020	1047						+/- 3 %
Dissolved Oxygen	3.55	2.15						+/- 10 % or <1
pH	7.7	7.4						+/- 0.1 s.u.
Redox Potential	323.4	302.6						+/- 10 mV
Turbidity	50.9	266						+/- 10 % or <10
Observation	cloudy	Turbid						

Comments: Well purged with Wattera. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-10 A

Sample Date: 2/19/26

Sample Time: 11:50

Sample ID: MW 18-10 A

Sampler(s) Name: GG

Weather Conditions: cloudy 140's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump Bailer

Sample Method: Submersible Pump Peristaltic Pump Bailer

Static Water Level	<u>4.05</u>	Water Column Height	<u>10.95</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>1.79 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>500</u>
Well Depth	<u>15.0</u>	Approximate Volume Purged	<u>4.0 gal</u>

Volume Removed	Initial					Sample		Stabilization Criteria
Time	<u>11:20</u>	<u>11:30</u>	<u>11:35</u>	<u>11:40</u>	<u>11:45</u>	<u>11:50</u>		
Static Water Level	<u>4.05</u>	<u>5.61</u>	<u>5.54</u>	<u>5.49</u>	<u>5.48</u>	<u>5.48</u>		< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>		
Temperature	<u>7</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>8</u>		+/- 1 °C
Specific Conductance	<u>1825</u>	<u>2015</u>	<u>2036</u>	<u>2058</u>	<u>2089</u>	<u>2111</u>		+/- 3 %
Dissolved Oxygen	<u>2.51</u>	<u>1.81</u>	<u>1.75</u>	<u>1.54</u>	<u>1.44</u>	<u>1.39</u>		+/- 10 % or <1
pH	<u>7.1</u>	<u>7.1</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>	<u>7.0</u>		+/- 0.1 s.u.
Redox Potential	<u>266.1</u>	<u>289.4</u>	<u>291.7</u>	<u>298.7</u>	<u>300.4</u>	<u>306.5</u>		+/- 10 mV
Turbidity	<u>18.0</u>	<u>16.8</u>	<u>15.3</u>	<u>15.0</u>	<u>9.73</u>	<u>7.05</u>		+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>		

Comments: Stabilization achieved. Sample collected

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-10 B

Sample Date: 2/19/26

Sample Time: 11:15

Sample ID: MW 18-10 B

Sampler(s) Name: GG

Weather Conditions: cloudy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	27.99	Water Column Height	23.01
LNAPL	—	1 Purge Volume	3.75 gal
DNAPL	—	Purge Rate	500
Well Depth	51.00	Approximate Volume Purged	8.0 gal

Volume Removed	Initial							Stabilization Criteria
Time	10:15	10:20	10:25	10:30	10:35	10:40	10:45	
Static Water Level	27.99	28.50	28.54	28.59	28.64	28.68	28.74	< 0.3 feet
Purge Rate	500	500	500	500	500	500	500	
Temperature	9	11	12	12	12	12	12	+/- 1 °C
Specific Conductance	1021	1039	1118	1121	1101	1093	1088	+/- 3 %
Dissolved Oxygen	1.44	0.89	0.26	0.09	0.08	0.10	0.09	+/- 10 % or <1
pH	7.3	7.2	7.1	7.2	7.2	7.2	7.2	+/- 0.1 s.u.
Redox Potential	504.8	501.8	486.1	445.0	410.2	384.2	357.1	+/- 10 mV
Turbidity	96.1	99.5	91.9	92.4	62.5	57.8	42.4	+/- 10 % or <10
Observation	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	

Comments: Page 1 of 2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-10B

Sample Date: 2/19/26

Sample Time: 11:15

Sample ID: MW 18-10B

Sampler(s) Name: GG

Weather Conditions: Cloudy / 30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	27.99	Water Column Height	23.01
LNAPL	—	1 Purge Volume	3.75 gal
DNAPL	—	Purge Rate	500
Well Depth	51.00	Approximate Volume Purged	8.0 gal

Volume Removed						Sample		Stabilization Criteria
Time	10:50	10:55	11:00	11:05	11:10	11:15		
Static Water Level	28.89	28.94	28.94	28.93	28.89	28.90	(GG)	< 0.3 feet
Purge Rate	500	500	500	500	500	500		
Temperature	12	12	12	12	11	12		+/- 1 °C
Specific Conductance	1084	1079	1078	1075	1074	1072		+/- 3 %
Dissolved Oxygen	0.09	0.09	0.08	0.08	0.09	0.09		+/- 10 % or <1
pH	7.2	7.2	7.2	7.2	7.2	7.2		+/- 0.1 s.u.
Redox Potential	335.6	310.7	291.4	262.1	259.3	253.8		+/- 10 mV
Turbidity	20.9	14.8	11.6	12.0	8.98	7.54		+/- 10 % or <10
Observation	clear	clear	clear	clear	clear	clear		

Comments: Page 2 of 2 Stabilization achieved. Sample collected.

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-10C

Sample Date: 2/18/26

Sample Time: 8:30

Sample ID: MW 18-10C

Sampler(s) Name: G6

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>35.64</u>	Water Column Height	<u>149.36</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>24.37 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL</u>
Well Depth	<u>185.00</u>	Approximate Volume Purged	<u>22.74 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>15:10</u>	<u>8:30</u>						
Static Water Level	<u>35.64</u>	<u>167.44</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>12</u>	<u>9</u>						+/- 1 °C
Specific Conductance	<u>972</u>	<u>963</u>						+/- 3 %
Dissolved Oxygen	<u>1.34</u>	<u>2.52</u>						+/- 10 % or <1
pH	<u>7.6</u>	<u>7.8</u>						+/- 0.1 s.u.
Redox Potential	<u>-26.9</u>	<u>258.0</u>						+/- 10 mV
Turbidity	<u>6.74</u>	<u>11.6</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Unable to control drawdown, returned to sample with bailer

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-11A

Sample Date: 2/19/26

Sample Time: 14:05

Sample ID: MW 18-11A

Sampler(s) Name: GG

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump Bailer

Sample Method: Submersible Pump Peristaltic Pump Bailer

Static Water Level	5.31	Water Column Height	11.69
LNAPL	—	1 Purge Volume	1.91 gal
DNAPL	—	Purge Rate	300
Well Depth	17.0	Approximate Volume Purged	4.5 gal

Volume Removed	Initial							Stabilization Criteria
Time	13:10	13:20	13:25	13:30	13:35	13:40	13:45	
Static Water Level	5.31	9.19	9.12	9.09	9.01	9.00	8.98	< 0.3 feet
Purge Rate	500	300	300	300	300	300	300	
Temperature	7	7	7	7	8	8	8	+/- 1 °C
Specific Conductance	814	830	839	844	845	845	843	+/- 3 %
Dissolved Oxygen	0.91	0.48	0.46	0.42	0.29	0.26	0.23	+/- 10 % or <1
pH	7.3	6.8	6.8	6.8	6.8	6.8	6.8	+/- 0.1 s.u.
Redox Potential	-73.8	-15.1	-3.4	12.1	24.7	28.7	37.0	+/- 10 mV
Turbidity	85.8	30.0	27.7	25.4	22.9	23.4	24.1	+/- 10 % or <10
Observation	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	cloudy	

Comments: Page 1 of 2

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-11A

Sample Date: 2/19/26

Sample Time: 14:05

Sample ID: MW 18-11A

Sampler(s) Name: GG

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	5.31	Water Column Height	11.69
LNAPL	—	1 Purge Volume	1.91 gal
DNAPL	—	Purge Rate	300
Well Depth	17.0	Approximate Volume Purged	4.5 gal

Volume Removed				Sample				Stabilization Criteria
Time	13:50	13:55	14:00	14:05				
Static Water Level	8.98	8.98	8.98	8.98			GG	< 0.3 feet
Purge Rate	300	300	300	300				
Temperature	8	8	8	8				+/- 1 °C
Specific Conductance	843	843	846	852				+/- 3 %
Dissolved Oxygen	0.21	0.21	0.24	0.24				+/- 10 % or <1
pH	6.8	6.8	6.8	6.8				+/- 0.1 s.u.
Redox Potential	43.4	48.8	53.1	56.2				+/- 10 mV
Turbidity	23.9	13.2	12.5	12.7				+/- 10 % or <10
Observation	cloudy	clear	clear	clear				

Comments: Page 2 of 2. Stabilization achieved. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-11B

Sample Date: 2/19/25

Sample Time: 13:05

Sample ID: MW 18-11B

Sampler(s) Name: GG

Weather Conditions: Cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/25

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>27.83</u>	Water Column Height	<u>16.17</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>2.64 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500</u>
Well Depth	<u>44.0</u>	Approximate Volume Purged	<u>8.0 gal</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>12:05</u>	<u>12:10</u>	<u>12:15</u>	<u>12:20</u>	<u>12:25</u>	<u>12:30</u>	<u>12:35</u>	
Static Water Level	<u>27.83</u>	<u>28.66</u>	<u>28.70</u>	<u>28.73</u>	<u>28.78</u>	<u>28.78</u>	<u>28.78</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>11</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>12</u>	+/- 1 °C
Specific Conductance	<u>868</u>	<u>979</u>	<u>986</u>	<u>988</u>	<u>989</u>	<u>996</u>	<u>994</u>	+/- 3 %
Dissolved Oxygen	<u>1.19</u>	<u>0.29</u>	<u>0.34</u>	<u>0.29</u>	<u>0.25</u>	<u>0.23</u>	<u>0.22</u>	+/- 10 % or <1
pH	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	+/- 0.1 s.u.
Redox Potential	<u>247.2</u>	<u>150.1</u>	<u>97.1</u>	<u>59.4</u>	<u>25.4</u>	<u>-4.1</u>	<u>-24.0</u>	+/- 10 mV
Turbidity	<u>28.7</u>	<u>11.4</u>	<u>7.40</u>	<u>7.11</u>	<u>4.66</u>	<u>4.92</u>	<u>5.27</u>	+/- 10 % or <10
Observation	<u>cloudy</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	

Comments: Page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES NO
YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-11B

Sample Date: 2/19/26

Sample Time: 13:05

Sample ID: MW 18-11B

Sampler(s) Name: GG

Weather Conditions: Cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>27.83</u>	Water Column Height	<u>16.17</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>2.64 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>500</u>
Well Depth	<u>44.0</u>	Approximate Volume Purged	<u>8.0 gal</u>

Volume Removed						Sample		Stabilization Criteria
Time	<u>12:40</u>	<u>12:45</u>	<u>12:50</u>	<u>12:55</u>	<u>13:00</u>	<u>13:05</u>		
Static Water Level	<u>28.80</u>	<u>28.81</u>	<u>28.82</u>	<u>28.83</u>	<u>28.84</u>	<u>28.85</u>	<u>GG</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>		
Temperature	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>	<u>12</u>		+/- 1 °C
Specific Conductance	<u>995</u>	<u>992</u>	<u>992</u>	<u>998</u>	<u>1000</u>	<u>1000</u>		+/- 3 %
Dissolved Oxygen	<u>0.20</u>	<u>0.16</u>	<u>0.15</u>	<u>0.13</u>	<u>0.12</u>	<u>0.13</u>		+/- 10 % or <1
pH	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>		+/- 0.1 s.u.
Redox Potential	<u>-39.0</u>	<u>-55.7</u>	<u>-63.0</u>	<u>-72.4</u>	<u>-77.8</u>	<u>-81.3</u>		+/- 10 mV
Turbidity	<u>5.71</u>	<u>4.92</u>	<u>4.28</u>	<u>4.12</u>	<u>3.35</u>	<u>3.47</u>		+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>		

Comments: Page 2 of 2. Stabilization achieved. Sample collected

MS / MSD Collected?

YES NO

Duplicate Collected?

YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-11C

Sample Date: 2/20/26

Sample Time: 14:10

Sample ID: MW18-11C

Sampler(s) Name: DM

Weather Conditions: cloudy / Mid 50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	27.92	Water Column Height	127.06 ft
LNAPL	—	1 Purge Volume	25.63 gallons
DNAPL	—	Purge Rate	1.4 liters/min
Well Depth	185.00	Approximate Volume Purged	35 liters

70.97

Volume Removed	Initial			Sample				Stabilization Criteria
Time	13:45	14:00	14:05	14:10				
Static Water Level	27.92	20.95	71.03	71.05				< 0.3 feet
Purge Rate	1.4	1.4	1.4	1.4				
Temperature	11	12	12	12				+/- 1 °C
Specific Conductance	694	742	749	753				+/- 3 %
Dissolved Oxygen	1.44	0.29	0.27	0.32				+/- 10 % or <1
pH	8.1	7.5	7.5	7.5				+/- 0.1 s.u.
Redox Potential	79.3	-73.5	-77.3	-82.6				+/- 10 mV
Turbidity	45.1	19.1	19.6	18.2				+/- 10 % or <10
Observation								

Comments: Stabilization achieved

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12A

Sample Date: 2/20/26

Sample Time: 14:50

Sample ID: MW18-12A

Sampler(s) Name: GG

Weather Conditions: Cloudy, Mid 50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Submersible Pump Peristaltic Pump Bailer

Sample Method: Submersible Pump Peristaltic Pump Bailer

Static Water Level	<u>11.21 ft</u>	Water Column Height	<u>3.79 ft</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>0.62 gallons</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>15.0 ft</u>	Approximate Volume Purged	<u>13 liters</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>13:45</u>	<u>13:50</u>	<u>13:55</u>	<u>14:00</u>	<u>14:05</u>	<u>14:10</u>	<u>14:15</u>	
Static Water Level	<u>11.21</u>	<u>11.71</u>	<u>12.00</u>	<u>12.28</u>	<u>12.51</u>	<u>12.74</u>	<u>13.05</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>9</u>	<u>9</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>10</u>	<u>11</u>	+/- 1 °C
Specific Conductance	<u>2598</u>	<u>2595</u>	<u>2638</u>	<u>2634</u>	<u>2650</u>	<u>2662</u>	<u>2728</u>	+/- 3 %
Dissolved Oxygen	<u>9.08</u>	<u>9.40</u>	<u>9.38</u>	<u>9.15</u>	<u>8.80</u>	<u>8.30</u>	<u>8.09</u>	+/- 10 % or <1
pH	<u>7.4</u>	<u>7.4</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	+/- 0.1 s.u.
Redox Potential	<u>287.1</u>	<u>288.0</u>	<u>291.6</u>	<u>295.7</u>	<u>300.2</u>	<u>302.9</u>	<u>305.1</u>	+/- 10 mV
Turbidity	<u>14.3</u>	<u>24.4</u>	<u>23.3</u>	<u>21.9</u>	<u>21.7</u>	<u>20.8</u>	<u>22.4</u>	+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	

Comments: Page 1 of 2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12A

Sample Date: 2/20/26

Sample Time: 14:50

Sample ID: MW18-12A

Sampler(s) Name: GG

Weather Conditions: Cloudy, Mid 50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Submersible Pump Peristaltic Pump Bailer

Sample Method: Submersible Pump Peristaltic Pump Bailer

Static Water Level	<u>11.21 ft</u>	Water Column Height	<u>3.79 ft</u>
LNAPL		1 Purge Volume	<u>0.62 gallons</u>
DNAPL	<u>—</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>15.0 ft</u>	Approximate Volume Purged	<u>13 liters</u>

Volume Removed							Sample	Stabilization Criteria
Time	<u>14:20</u>	<u>14:25</u>	<u>14:30</u>	<u>14:35</u>	<u>14:40</u>	<u>14:45</u>	<u>14:50</u>	
Static Water Level	<u>13.34</u>	<u>13.64</u>	<u>13.85</u>	<u>14.00</u>	<u>14.12</u>	<u>14.28</u>	<u>14.40</u>	< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>	
Temperature	<u>10</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	<u>11</u>	+/- 1 °C
Specific Conductance	<u>2745</u>	<u>2760</u>	<u>2749</u>	<u>2757</u>	<u>2761</u>	<u>2764</u>	<u>2772</u>	+/- 3 %
Dissolved Oxygen	<u>7.85</u>	<u>7.93</u>	<u>8.14</u>	<u>8.29</u>	<u>8.16</u>	<u>8.21</u>	<u>8.13</u>	+/- 10 % or <1
pH	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.4</u>	<u>7.4</u>	<u>7.4</u>	+/- 0.1 s.u.
Redox Potential	<u>307.2</u>	<u>308.5</u>	<u>311.5</u>	<u>313.0</u>	<u>314.1</u>	<u>315.4</u>	<u>316.6</u>	+/- 10 mV
Turbidity	<u>22.4</u>	<u>13.5</u>	<u>8.91</u>	<u>8.57</u>	<u>8.24</u>	<u>6.00</u>	<u>6.14</u>	+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	

Comments: Page 2 of 2

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12B

Sample Date: 2/20/26

Sample Time: 13:20

Sample ID: MW18-12B

Sampler(s) Name: GG

Weather Conditions: Cloudy, Mid-50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26 Purge Method: Submersible Pump/Peristaltic Pump/Bailer Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>32.15 ft</u>	Water Column Height	<u>57.85 ft</u>
LNAPL	<u> </u>	1 Purge Volume	<u>9.44 gallons</u>
DNAPL	<u> </u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>90.0 ft</u>	Approximate Volume Purged	<u>38 liters</u>

Volume Removed	Initial							Stabilization Criteria
Time	<u>12:05</u>	<u>12:25</u>	<u>12:30</u>	<u>12:35</u>	<u>12:40</u>	<u>12:45</u>	<u>12:50</u>	
Static Water Level	<u>32.15</u>	<u>73.10</u>	<u>73.04</u>	<u>73.16</u>	<u>73.10</u>	<u>73.10</u>	<u>73.10</u>	< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	
Temperature	<u>12</u>	<u>14</u>	<u>14</u>	<u>14</u>	<u>14</u>	<u>15</u>	<u>14</u>	+/- 1 °C
Specific Conductance	<u>1150</u>	<u>1022</u>	<u>1251</u>	<u>1448</u>	<u>1453</u>	<u>1480</u>	<u>1421</u>	+/- 3 %
Dissolved Oxygen	<u>3.61</u>	<u>3.27</u>	<u>1.67</u>	<u>0.43</u>	<u>0.40</u>	<u>0.23</u>	<u>0.61</u>	+/- 10 % or <1
pH	<u>7.1</u>	<u>7.4</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	+/- 0.1 s.u.
Redox Potential	<u>404.6</u>	<u>367.2</u>	<u>367.3</u>	<u>361.0</u>	<u>355.6</u>	<u>350.1</u>	<u>349.8</u>	+/- 10 mV
Turbidity	<u>400</u>	<u>24.8</u>	<u>18.2</u>	<u>10.8</u>	<u>7.25</u>	<u>7.12</u>	<u>7.05</u>	+/- 10 % or <10
Observation	<u>turbid</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	

Comments: Page 1 of 2

MS / MSD Collected?
Duplicate Collected?

YES NO
YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-12B

Sample Date: 2/20/26

Sample Time: 13:20

Sample ID: MW18-12B

Sampler(s) Name: GG

Weather Conditions: Cloudy, Mid-50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump Peristaltic Pump/Bailer

Static Water Level	<u>32.15 ft</u>	Water Column Height	<u>57.85 ft</u>
LNAPL	<u> </u>	1 Purge Volume	<u>9.44 gallons</u>
DNAPL	<u> </u>	Purge Rate	<u>500 mL/min</u>
Well Depth	<u>90.0 ft</u>	Approximate Volume Purged	<u>38 liters</u>

Volume Removed					Sample			Stabilization Criteria
Time	<u>13:00</u>	<u>13:05</u>	<u>13:10</u>	<u>13:15</u>	<u>13:20</u>			
Static Water Level	<u>73.40</u>	<u>73.55</u>	<u>73.10</u>	<u>73.09</u>	<u>73.11</u>			< 0.3 feet
Purge Rate	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>	<u>500</u>			
Temperature	<u>14</u>	<u>14</u>	<u>14</u>	<u>14</u>	<u>14</u>			+/- 1 °C
Specific Conductance	<u>1494</u>	<u>1497</u>	<u>1500</u>	<u>1484</u>	<u>1482</u>			+/- 3 %
Dissolved Oxygen	<u>0.24</u>	<u>0.16</u>	<u>0.14</u>	<u>0.12</u>	<u>0.14</u>			+/- 10 % or <1
pH	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>	<u>7.3</u>			+/- 0.1 s.u.
Redox Potential	<u>320.7</u>	<u>308.5</u>	<u>292.8</u>	<u>288.7</u>	<u>284.2</u>			+/- 10 mV
Turbidity	<u>7.26</u>	<u>7.29</u>	<u>7.12</u>	<u>6.45</u>	<u>6.10</u>			+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>			

Comments: Page 2 of 2

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 18-12C

Sample Date: 2/18/26

Sample Time: 10:55

Sample ID: MW 18-12C

Sampler(s) Name: DM

Weather Conditions: cloudy / 40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	32.32	Water Column Height	152.68 ft
LNAPL	—	1 Purge Volume	24.92 gallons
DNAPL	—	Purge Rate	500 mL/min
Well Depth	185.00	Approximate Volume Purged	25 gallons

Volume Removed	Initial	Sample						Stabilization Criteria
Time	13:50	10:55						
Static Water Level	32.32	37.38						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	14	11						+/- 1 °C
Specific Conductance	1838	1686						+/- 3 %
Dissolved Oxygen	0.19	2.52						+/- 10 % or <1
pH	7.8	7.6						+/- 0.1 s.u.
Redox Potential	-102.1	113.7						+/- 10 mV
Turbidity	12.8	8.55						+/- 10 % or <10
Observation	Clear	Clear						

Comments: Obstruction @ 107.93'. Unable to control drawdown, returned to sample with a bailer

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-13B

Sample Date: 2/18/25

Sample Time: 10:40

Sample ID: MW 18-13B

Sampler(s) Name: DM

Weather Conditions: cloudy / 40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Bailer

Static Water Level	34.00	Water Column Height	18.00
LNAPL	—	1 Purge Volume	2.94 gal
DNAPL	—	Purge Rate	500 ml
Well Depth	52.00	Approximate Volume Purged	1.31 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	13:10	10:40						
Static Water Level	34.00	32.72						< 0.3 feet
Purge Rate	500	Bailer						
Temperature	14	13						+/- 1 °C
Specific Conductance	3540	2460						+/- 3 %
Dissolved Oxygen	0.68	1.82						+/- 10 % or <1
pH	8.2	7.7						+/- 0.1 s.u.
Redox Potential	42.1	110.1						+/- 10 mV
Turbidity	446	11.2						+/- 10 % or <10
Observation	Cloudy	Clear						

Comments: Unable to control drawdown, returned to sample with bailer

MS / MSD Collected?

YES NO

Duplicate Collected?

YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-13C

Sample Date: 2/20/26

Sample Time: 15:25

Sample ID: MW18-13C

Sampler(s) Name: DM

Weather Conditions: cloudy/Mid 50's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>31.04 ft</u>	Water Column Height	<u>153.99 ft</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>25.12 gallons</u>
DNAPL	<u>---</u>	Purge Rate	<u>1.4 liters/min</u>
Well Depth	<u>185.00 ft</u>	Approximate Volume Purged	<u>49 liters</u>

Volume Removed	Initial				Sample		Stabilization Criteria
Time	<u>14:50</u>	<u>15:10</u>	<u>15:15</u>	<u>15:20</u>	<u>15:25</u>		
Static Water Level	<u>31.04</u>	<u>31.19</u>	<u>31.48</u>	<u>31.70</u>	<u>31.75</u>		< 0.3 feet
Purge Rate	<u>1.4</u>	<u>1.4</u>	<u>1.4</u>	<u>1.4</u>	<u>1.4</u>		
Temperature	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>	<u>13</u>		+/- 1 °C
Specific Conductance	<u>1709</u>	<u>1357</u>	<u>1341</u>	<u>1333</u>	<u>1330</u>		+/- 3 %
Dissolved Oxygen	<u>3.94</u>	<u>1.41</u>	<u>1.39</u>	<u>1.40</u>	<u>1.41</u>		+/- 10 % or <1
pH	<u>7.7</u>	<u>7.4</u>	<u>7.4</u>	<u>7.3</u>	<u>7.3</u>		+/- 0.1 s.u.
Redox Potential	<u>5.3</u>	<u>-94.6</u>	<u>-92.8</u>	<u>-90.7</u>	<u>-88.8</u>		+/- 10 mV
Turbidity	<u>34.6</u>	<u>15.8</u>	<u>13.2</u>	<u>12.7</u>	<u>12.0</u>		+/- 10 % or <10
Observation							

Comments: Stabilization achieved

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 18-14A

Sample Date: 2/17/26

Sample Time: 15:40

Sample ID: MW 18-14A

Sampler(s) Name: GG

Weather Conditions: cloudy / 30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>6.35</u>	Water Column Height	<u>9.65</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>1.57 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>200</u>
Well Depth	<u>16.0</u>	Approximate Volume Purged	<u>1.6 gal</u>

Volume Removed	<u>Initial</u>			<u>Sample</u>				Stabilization Criteria
Time	<u>15:15</u>	<u>15:30</u>	<u>15:35</u>	<u>15:40</u>				
Static Water Level	<u>6.35</u>	<u>7.31</u>	<u>7.37</u>	<u>7.45</u>				< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>				
Temperature	<u>8.7</u>	<u>8.0</u>	<u>7.9</u>	<u>7.3</u>				+/- 1 °C
Specific Conductance	<u>10306</u>	<u>10409</u>	<u>10335</u>	<u>10432</u>				+/- 3 %
Dissolved Oxygen	<u>7.97</u>	<u>7.73</u>	<u>7.63</u>	<u>7.65</u>				+/- 10 % or <1
pH	<u>7.80</u>	<u>7.23</u>	<u>7.21</u>	<u>7.19</u>				+/- 0.1 s.u.
Redox Potential	<u>163.0</u>	<u>188.8</u>	<u>194.7</u>	<u>198.6</u>				+/- 10 mV
Turbidity	<u>28.5</u>	<u>19.3</u>	<u>18.8</u>	<u>17.6</u>				+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>				

Comments: Stabilization achieved, Sample collected

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-14B

Sample Date: 2/18/26

Sample Time: 10:10

Sample ID: MW18-14B

Sampler(s) Name: DM

Weather Conditions: cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/17/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>2341</u>	Water Column Height	<u>31.59</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>5.16 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>500 mL</u>
Well Depth	<u>55.00</u>	Approximate Volume Purged	<u>3.52 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>12:20</u>	<u>10:10</u>						
Static Water Level	<u>2341</u>	<u>2748</u>						< 0.3 feet
Purge Rate	<u>500</u>	<u>Bailer</u>						
Temperature	<u>13</u>	<u>12</u>						+/- 1 °C
Specific Conductance	<u>4323</u>	<u>4248</u>						+/- 3 %
Dissolved Oxygen	<u>4.93</u>	<u>3.89</u>						+/- 10 % or <1
pH	<u>12.2</u>	<u>12.2</u>						+/- 0.1 s.u.
Redox Potential	<u>20.4</u>	<u>-20.3</u>						+/- 10 mV
Turbidity	<u>16.6</u>	<u>11.5</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Unable to control draw down. Returned to sample with bailer

MS / MSD Collected?

YES NO

Duplicate Collected?

YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW18-14C

Sample Date: 2/18/26

Sample Time: 08:20

Sample ID: MW18-14C

Sampler(s) Name: GC

Weather Conditions: cloudy / 40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>61.45</u>	Water Column Height	<u>124.55</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>20.33 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>186.00</u>	Approximate Volume Purged	<u>18.70 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>09:00</u>	<u>08:20</u>						
Static Water Level	<u>61.45</u>	<u>144.20</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>11</u>	<u>9</u>						+/- 1 °C
Specific Conductance	<u>1231</u>	<u>1193</u>						+/- 3 %
Dissolved Oxygen	<u>4.28</u>	<u>3.34</u>						+/- 10 % or <1
pH	<u>7.4</u>	<u>7.4</u>						+/- 0.1 s.u.
Redox Potential	<u>60.0</u>	<u>485.3</u>						+/- 10 mV
Turbidity	<u>6.19</u>	<u>9.35</u>						+/- 10 % or <10
Observation	<u>clear</u>	<u>clear</u>						

Comments: Obstruction @ 150'. Well purged with wattera. Sample collected

MS / MSD Collected?

YES ☒ NO

Duplicate Collected?

YES ☒ NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-15C

Sample Date: 2/18/26

Sample Time: 11:15

Sample ID: MW 21-15C

Sampler(s) Name: GG

Weather Conditions: Rainy / 30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	<u>41.98</u>	Water Column Height	<u>62.02</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>2.53 gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>104.0</u>	Approximate Volume Purged	<u>2.6 gal</u>

Volume Removed	Initial	Sample					Stabilization Criteria
Time	<u>11:06</u>	<u>11:15</u>					
Static Water Level	<u>41.98</u>	<u>86.80</u>					< 0.3 feet
Purge Rate	<u>---</u>	<u>---</u>					
Temperature	<u>5</u>	<u>9</u>					+/- 1 °C
Specific Conductance	<u>1250</u>	<u>1419</u>					+/- 3 %
Dissolved Oxygen	<u>7.59</u>	<u>3.27</u>					+/- 10 % or <1
pH	<u>8.2</u>	<u>7.7</u>					+/- 0.1 s.u.
Redox Potential	<u>272.3</u>	<u>286.9</u>					+/- 10 mV
Turbidity	<u>76.2</u>	<u>165</u>					+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Turbid</u>					

Comments: Well purged with Wattera. Sample collected.

MS / MSD Collected?

YES NO

Duplicate Collected?

YES NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-15D

Sample Date: 2/18/26

Sample Time: 12:30

Sample ID: MW 21-15D

Sampler(s) Name: 66

Weather Conditions: Rainy/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Watten

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watten

Static Water Level	46.42	Water Column Height	133.58
LNAPL	—	1 Purge Volume	12.3 gal
DNAPL	—	Purge Rate	Watten
Well Depth	180.0	Approximate Volume Purged	12.5 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	11:30	12:30						
Static Water Level	46.42	65.70						< 0.3 feet
Purge Rate								
Temperature	10	9						+/- 1 °C
Specific Conductance	1745	2022						+/- 3 %
Dissolved Oxygen	5.07	4.21						+/- 10 % or <1
pH	7.8	7.5						+/- 0.1 s.u.
Redox Potential	245.7	312.6						+/- 10 mV
Turbidity	39.2	28.2						+/- 10 % or <10
Observation	clear	clear						

Comments: Well Purged with Watten. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW21-16

Sample Date: 2/20/26

Sample Time: 12:40

Sample ID: MW21-16

Sampler(s) Name: DM

Weather Conditions: Rain/30's

Field Observation(s)/Well Condition: Good

Purge Date: 2/20/26

Purge Method: Bladder Pump

Sample Method: Submersible Pump/Peristaltic Pump/Bailer
→ Bladder Pump

Static Water Level	<u>23.97 ft</u>	Water Column Height	<u>199.63 ft</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>117.60 gallons</u>
DNAPL	<u>---</u>	Purge Rate	<u>200 mL/min</u>
Well Depth	<u>223.6 ft</u>	Approximate Volume Purged	<u>3 liters</u>

Volume Removed	Initial			Sample				Stabilization Criteria
Time	<u>12:05</u>	<u>12:30</u>	<u>12:35</u>	<u>12:40</u>				
Static Water Level	<u>23.97</u>	<u>25.02</u>	<u>25.09</u>	<u>25.12</u>				< 0.3 feet
Purge Rate	<u>200</u>	<u>200</u>	<u>200</u>	<u>200</u>				
Temperature	<u>6</u>	<u>5</u>	<u>5</u>	<u>5</u>				+/- 1 °C
Specific Conductance	<u>170</u>	<u>242</u>	<u>242</u>	<u>242</u>				+/- 3 %
Dissolved Oxygen	<u>3.83</u>	<u>1.19</u>	<u>1.10</u>	<u>1.08</u>				+/- 10 % or <1
pH	<u>10.3</u>	<u>10.8</u>	<u>10.8</u>	<u>10.8</u>				+/- 0.1 s.u.
Redox Potential	<u>112.7</u>	<u>76.6</u>	<u>73.5</u>	<u>71.0</u>				+/- 10 mV
Turbidity	<u>34.9</u>	<u>59.0</u>	<u>57.9</u>	<u>56.2</u>				+/- 10 % or <10
Observation								

Comments: stabilization achieved.

MS / MSD Collected?
Duplicate Collected?

YES / NO
YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-171

Sample Date: 2/19/26

Sample Time: 15:00

Sample ID: MW 21-171

Sampler(s) Name: GG

Weather Conditions: cloudy / 40°s

Field Observation(s)/Well Condition: Good

Purge Date: 2/19/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	27.28	Water Column Height	157.52
LNAPL	—	1 Purge Volume	14.46
DNAPL	—	Purge Rate	Wattera
Well Depth	184.8	Approximate Volume Purged	14.5 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	14:10	15:00						
Static Water Level	27.28	54.95						< 0.3 feet
Purge Rate	—	—						
Temperature	10	11						+/- 1 °C
Specific Conductance	777	787						+/- 3 %
Dissolved Oxygen	3.27	4.35						+/- 10 % or <1
pH	7.5	7.5						+/- 0.1 s.u.
Redox Potential	101.7	174.3						+/- 10 mV
Turbidity	28.8	216						+/- 10 % or <10
Observation	Cloudy	Turbid						

Comments: Well purged with Wattera. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-18c

Sample Date: 2/24/26

Sample Time: 11:35

Sample ID: MW 21-18c

Sampler(s) Name: GG

Weather Conditions: Sunny 150°

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Wattera

Wattera

Static Water Level	42.50	Water Column Height	95.50
LNAPL	—	1 Purge Volume	3.90 gal
DNAPL	—	Purge Rate	Wattera
Well Depth	138.0	Approximate Volume Purged	4 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	11:15	11:35						
Static Water Level	42.50	42.58						< 0.3 feet
Purge Rate	—	—						
Temperature	9	10						+/- 1 °C
Specific Conductance	891	1028						+/- 3 %
Dissolved Oxygen	7.16	1.57						+/- 10 % or <1
pH	7.62	7.04						+/- 0.1 s.u.
Redox Potential	92.4	80.3						+/- 10 mV
Turbidity	304	>1100						+/- 10 % or <10
Observation	Turbid	Turbid						

Comments: Well purged with Wattera. Sample collected.

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-18D

Sample Date: 2/24/26

Sample Time: 11:00

Sample ID: MW 21-18D

Sampler(s) Name: GG

Weather Conditions: Sunny 150's

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Watter-a

Watter-a

Static Water Level	<u>42.68</u>	Water Column Height	<u>151.32</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>13.84 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>Watter-a</u>
Well Depth	<u>194.5</u>	Approximate Volume Purged	<u>14 gal</u>

Volume Removed	Initial	Sample					Stabilization Criteria
Time	<u>10:15</u>	<u>11:00</u>					
Static Water Level	<u>42.68</u>	<u>43.0-1</u>	<u>GG</u>				< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>					
Temperature	<u>8</u>	<u>10</u>					+/- 1 ° C
Specific Conductance	<u>632</u>	<u>897</u>					+/- 3 %
Dissolved Oxygen	<u>6.04</u>	<u>1.90</u>					+/- 10 % or <1
pH	<u>9.2</u>	<u>7.2</u>					+/- 0.1 s.u.
Redox Potential	<u>77.9</u>	<u>85.8</u>					+/- 10 mV
Turbidity	<u>33.9</u>	<u>567</u>					+/- 10 % or <10
Observation	<u>clearly</u>	<u>Turbid</u>					

Comments: Well purged with Watter-a. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-19C

Sample Date: 2/24/26

Sample Time: 13:40

Sample ID: MW 21-19C

Sampler(s) Name: GG

Weather Conditions: _____

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	<u>39.33</u>	Water Column Height	<u>92.67</u>
LNAPL	<u>—</u>	1 Purge Volume	<u>3.78 gal</u>
DNAPL	<u>—</u>	Purge Rate	<u>wattera</u>
Well Depth	<u>132.0</u>	Approximate Volume Purged	<u>3.8 gal</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>13:15</u>	<u>13:40</u>						
Static Water Level	<u>39.33</u>	<u>54.91</u>						< 0.3 feet
Purge Rate	<u>—</u>	<u>—</u>						
Temperature	<u>9</u>	<u>9</u>						+/- 1 °C
Specific Conductance	<u>1036</u>	<u>1154</u>						+/- 3 %
Dissolved Oxygen	<u>7.15</u>	<u>1.45</u>						+/- 10 % or <1
pH	<u>7.81</u>	<u>7.50</u>						+/- 0.1 s.u.
Redox Potential	<u>32.4</u>	<u>124.4</u>						+/- 10 mV
Turbidity	<u>6.69</u>	<u>10.4</u>						+/- 10 % or <10
Observation	<u>Clear</u>	<u>Clear</u>						

Comments: Well purged with wattera. Sample collected

MS / MSD Collected?

YES

NO

Duplicate Collected?

YES

NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: 21-19D

Sample Date: 2/24/26

Sample Time: 14:10

Sample ID: MW 21-19D

Sampler(s) Name: G6

Weather Conditions: Sunny 150's

Field Observation(s)/Well Condition: Good

Purge Date: 2/24/26

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level	39.86	Water Column Height	155.14
LNAPL	—	1 Purge Volume	14.24 gal
DNAPL	—	Purge Rate	Wattera
Well Depth	195.0	Approximate Volume Purged	14.5 gal

Volume Removed	Initial	Sample						Stabilization Criteria
Time	13:10	14:10						
Static Water Level	39.86	175.28						< 0.3 feet
Purge Rate	—	—						
Temperature	9	9						+/- 1 °C
Specific Conductance	1055	1086						+/- 3 %
Dissolved Oxygen	1.24	1.76						+/- 10 % or <1
pH	7.64	7.55						+/- 0.1 s.u.
Redox Potential	19.7	49.1						+/- 10 mV
Turbidity	6.98	21.7						+/- 10 % or <10
Observation	Clear	Clear						

Comments: Well purged with Wattera. Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: MW 21-20D

Sample Date: 2/18/26

Sample Time: 15:15

Sample ID: MW 21-20D

Sampler(s) Name: DM

Weather Conditions: Cloudy/40's

Field Observation(s)/Well Condition: Good

Purge Date: 2/18/26

Purge Method: Wattera
~~Submersible Pump/Peristaltic Pump/Bailer~~

Sample Method: Wattera
~~Submersible Pump/Peristaltic Pump/Bailer~~

Static Water Level	<u>56.73</u>	Water Column Height	<u>152.07</u>
LNAPL	<u>---</u>	1 Purge Volume	<u>14 Gal</u>
DNAPL	<u>---</u>	Purge Rate	<u>Wattera</u>
Well Depth	<u>208.8</u>	Approximate Volume Purged	<u>14 gallons</u>

Volume Removed	Initial	Sample						Stabilization Criteria
Time	<u>13:50</u>	<u>15:15</u>						
Static Water Level	<u>56.73</u>	<u>56.93</u>						< 0.3 feet
Purge Rate	<u>Wattera</u>	<u>Wattera</u>						
Temperature	<u>12</u>	<u>10</u>						+/- 1 ° C
Specific Conductance	<u>1505</u>	<u>1824</u>						+/- 3 %
Dissolved Oxygen	<u>6.68</u>	<u>1.93</u>						+/- 10 % or <1
pH	<u>7.7</u>	<u>7.4</u>						+/- 0.1 s.u.
Redox Potential	<u>2.8</u>	<u>19.6</u>						+/- 10 mV
Turbidity	<u>91.9</u>	<u>199</u>						+/- 10 % or <10
Observation	<u>Cloudy</u>	<u>Cloudy</u>						

Comments: Sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO



Central Hudson Gas and Electric – Little Britain Road Site

Sample Location: SG-1

Sample Date: 2/24/26

Sample Time: 14:50

Sample ID: SG-1

Sampler(s) Name: GG

Weather Conditions: Sunny / 50's

Field Observation(s)/Well Condition: none

Purge Date: N/A

Purge Method: Submersible Pump/Peristaltic Pump/Bailer

Sample Method: Submersible Pump/Peristaltic Pump/Bailer

Static Water Level		Water Column Height	
LNAPL		1 Purge Volume	
DNAPL		Purge Rate	
Well Depth		Approximate Volume Purged	

Volume Removed	Sample								Stabilization Criteria
Time	14:50								
Static Water Level	—								< 0.3 feet
Purge Rate	—								
Temperature	1								+/- 1 ° C
Specific Conductance	514								+/- 3 %
Dissolved Oxygen	11.4								+/- 10 % or <1
pH	6.6								+/- 0.1 s.u.
Redox Potential	77.7								+/- 10 mV
Turbidity	10.6								+/- 10 % or <10
Observation	Clear								

Comments: sample collected

MS / MSD Collected?

YES / NO

Duplicate Collected?

YES / NO