

INVESTIGATION, REMEDIAL ACTION-UPDATE

Mobile Media
24 Center Street
Pine Bush NY 12566
Spill # 1508311

Prepared For:

Mobile Media
24 Center Street
Pine Bush NY 12566

Prepared By:

SEBI Environmental Services.
337 Fullerton Avenue
Newburgh, New York

Issue Date:

November 17 2016

Table of Contents

INVESTIGATION, REMEDIAL ACTION-UPDATE.....	1
1.0 INTRODUCTION	1
2.0 SCOPE OF WORK.....	2
3.0 BACKGROUND SITE INFORMATION.....	3
3.1 Site Identification.....	3
3.2 Site Location	3
3.3 Area Land Use.....	3
4.0 Site History-Investigations	4
4.1 Phase II, Goings Nov, 2014.....	4
4.2 Phase II & IRM, Goings Feb 2015	4
4.3 Subsurface Investigation Report, C2G Sept 2015	5
4.4 Subsurface Investigation Activities, C2G Oct 2015	5
4.5 Phase II Addendum, SEBI -January 28, 2016	6
4.7 Monitoring Point Installation March 4-5, 2016	6
4.6 Vapor Intrusion Investigation March 7, 2016.....	7
4.7 Soil Vapor Monitoring.....	7
4.8 Soil Boring.....	8
5.0 Soil Sampling & Analysis.....	8
5.1 Soil sample collection	9
5.2 Soil analysis and result summary	9
6.0 Groundwater Sampling & Analysis	9
6.1 Groundwater Events	10
6.2 Groundwater analysis	10
6.2.1 Volatile organic compounds - groundwater.....	10
7.0 Vapor Sampling & Monitoring.....	11
7.1 Vapor Sampling	11
7.2 Soil Vapor Monitoring.....	11
8.0 Remedial Actions Performed To Date	12
8.1 Tank Removal and Soil Excavation Willian Going.....	12
8.2 Chemical Oxidation Event.....	12
8.2.1 Event 1	12
8.2.2 Event2	12
8.2.3 Event 3	12
8.2.4 Event 4.....	12
9.0 Additional Site Activities.....	13
9.1 Site Survey.....	13
9.1.1 Location	13
9.1.2 Elevation	13
9.2 Groundwater gauging event.....	13
9.2.1 Groundwater flow map	14
9.3 Geologic and Monitoring Point Construction.....	14
9.4 Adjacent Property Owners.....	14
9.5 Supply Well Construction.....	14
10.0 Proposed Additional Activities	14
10.1 Investigation	14
10.2 Remediation	15
11.0 REGULATORY NOTIFICATION	16
12.0 DISCLAIMER/LIMITATION OF DAMAGES	17
FIGURES.....	A
Appendix A-Tables.....	B
Appendix B- Analytical Results	C
Appendix B-1 Soil Analytical Results	D
Appendix B-2 Groundwater Analytical Results	E

Appendix B-3 Vapor Analytical Results F

Appendix C Boring Logs G

Appendix D-Property Owner Information..... H

1.0 INTRODUCTION

SEBI Environmental Services Inc (SEBI) of Newburgh, New York was contracted by Mobile Media Inc to generate a single report document investigation and remediation performed to date.

The objective of the report was to single document of all available information. The report includes information obtained by SEBI as well as by other consultants.

2.0 SCOPE OF WORK

In order to meet the objectives previously laid out, SEBI has reviewed information from other consultants and work performed by SEI Environmental. The scope of work necessary for SEBI to adequately meet these objectives included the following:

- Review and document investigation and remediation performed by William Goings and C2G
- Accumulated all data regarding investigations performed by SEBI
- Generate all boring logs for all injection wells
- Obtain well construction information regarding Municipal well.
- Obtain owner information of all surrounding properties
- Generate Plan of Action and schedule
- Compilation/analysis of the site data and the preparation of a report.

The subsequent sections detail the investigation and findings.

3.0 BACKGROUND SITE INFORMATION

3.1 Site Identification

24 Center Street
Orange County
Pine Bush, NY 12566

3.2 Site Location

The site is located in Pine Bush, New York. The site is situated on corner of Center Street and Kelly Avenue (**Figure 1**). The street address for the site is 24 Center Street, Pine Bush, New York 10250.

Currently there is one (1) structure on site. The building is utilized manufacturing of retail rack systems and office space. The site and surrounding properties are presumed to be serviced by public water and sewer.

An onsite potable well was not located during the limited subsurface investigation activities.

The immediate sensitive receptors were located within the vicinity would be a public supply well located adjacent to the property.

The area of concern for this investigation is limited to the areas of previously reported chlorinated compound impacts. The site is currently occupied.

3.3 Area Land Use

Land use in the vicinity of the site consists of mixture of undeveloped, residential and commercial properties.

4.0 Site History-Investigations

Known site activities to date include soil vapor monitoring, vapor sampling, soil borings, monitoring well/point installation, soil and groundwater sampling, tank and soil removal activities and chemical oxidant injection. The chronologic order of major site events and subsequent reports includes.

4.1 Phase II, Goings Nov, 2014

The investigation included the following activities:

- Magnetometer survey of the property was performed to the south and east of the onsite structure
- Installation of three (3) Soil boring (SB-1, SB-2 and SB-3). Soil samples were analyzed for Volatile organic compounds (VOCs), Semi-volatile organic compounds (SVOCs), Polychlorinated biphenyls (PCBs) and metals.
- One test pit was performed at an underground storage tank (UST). One (1) soil sample was collected from the test pit and the soil sample was analyzed for Volatile organic compounds (VOCs), Semi-volatile organic compounds (SVOCs), Polychlorinated biphenyls (PCBs) and metals.
- One groundwater sample was collected from SB-1. The groundwater sample was analyzed for Volatile organic compounds (VOCs).

The results/conclusion of the investigation indicated the following;

- The presence of an UST that was utilized for fuel oil
- Adsorbed petroleum impacts adjacent to the UST. The results exceeded NYSDEC CP-51 guidelines
- Adsorbed Trichloroethene (TCE) was identified adjacent to the UST and to the east of the existing structure (SB-1). The results were below NYSDEC DER-10 soil cleanup objectives
- Dissolved phase TCE was identified at SB-1. The result was above NYSDEC groundwater standard

4.2 Phase II & IRM, Goings Feb 2015

The investigation/remediation included the following activities:

- Closure of one (1) 1,000-gallon petroleum UST
- Installation of four (4) monitoring wells (MW-1 through MW-4). Soil samples were analyzed for Volatile organic compounds.

- Collection of four (4) groundwater samples. The groundwater sample was analyzed for Volatile organic compounds (VOCs).
- Surveying of the monitoring wells

The results/conclusion of the investigation indicated the following;

- The closure of the UST resulted in compliance with NYSDEC soil cleanup standards and no groundwater was encounter during the closure.
- Adsorbed Trichloroethene (TCE) was identified at MW-1, MW-2 and MW-3. The results were below NYSDEC DER-10 soil cleanup objectives
- Dissolved phase methyl tertiary butyl ether (MTBE), cis-1, 2 dichloroethene, tetrachloroethene (PCE), and TCE was identified at site. Some minor detection of petroleum compounds was detected at low concentrations.
- Groundwater flow direction was to the south and south west

4.3 Subsurface Investigation Report, C2G Sept 2015

The investigation included the following activities:

- Installation of four (4) Soil boring (TW-1 through TW-4). Soil samples were not analyzed.
- Conversion of four (4) borings to small diameter piezometers.
- Sampling of the Four (4) piezometers and Four (4) previously installed monitoring wells (MW-1 to MW-4)

The results/conclusion of the investigation indicated the following;

- Adsorbed impact was not quantified, however elevated photoionization detector (PID) readings were observed at TW-1, TW-2 and to a less extent at TW-3. Elevated PID readings were not observed either above the groundwater (unsaturated/vadose) or into the underlying clay layer.
- Dissolved phase methyl tertiary butyl ether (MTBE), cis-1, 2 dichloroethene, tetrachloroethene (PCE), and TCE was identified at site. The result above NYSDEC groundwater standard were reported at MW-2, TW-1 through TW-4.
- Groundwater flow direction was to the south east, but did not include any elevation data from the newly installed wells.

4.4 Subsurface Investigation Activities, C2G Oct 2015

The investigation included the following activities:

- Installation of two (2) Soil boring (TW-5 and TW-6). Soil samples were not analyzed.

- Conversion of two (2) borings to small diameter piezometers
- Sampling of the two (2) piezometers

The results/conclusion of the investigation indicated the following;

- Adsorbed impact was not quantified and no PID reading were reported. No conclusion can be made with regards to the adsorbed phase impacts at these two locations.
- Dissolved phase methyl tertiary butyl ether (MTBE), cis-1, 2 dichloroethene, tetrachloroethene (PCE), and TCE was identified at site. The result above NYSDEC groundwater standard were reported at both TW-5 and TW-6.
- Groundwater flow direction was shown but was based on the previous report data.

4.5 Phase II Addendum, SEBI -January 28, 2016

The investigation included the following activities:

- Installation of four (4) borings (PW-1 to PW-4) at the site.
- Scanning of the soil with a Photo ionization detector (PID) to determine volatile organic vapor levels.
- Collection of soil samples for laboratory analysis
- Conversion of borings to small diameter piezometers
- Collection of groundwater samples for laboratory analysis utilizing

The results/conclusion of the investigation indicated the following;

- Volatile organic compounds were detected in the rear portion of the property. Low concentrations were detected offsite and include the roadway and town of Crawford property.
- The laboratory results from the boring installation during this phase of investigation indicate the detection were significantly below the NYSDEC unrestricted residential standards at PW-2. No other samples had reported detections for any volatile organic compounds in the adsorbed phase.
- The plume has not been completely delineated, however a significant decreasing trend has been observed in directions not completely delineated.

4.7 Monitoring Point Installation March 4-5, 2016

The investigation included the following activities:

- Installation of six(6) borings (PW-5 to PW-10) at the site.

- Scanning of the soil with a Photo ionization detector (PID) to determine volatile organic vapor levels.
- Collection of soil samples for laboratory analysis
- Conversion of borings to small diameter piezometers
- Collection of groundwater samples for laboratory analysis utilizing

4.6 Vapor Intrusion Investigation March 7, 2016

The investigation included the following activities:

- Installation of two (2) sub slab monitoring points.
- Purging of the vapor monitoring point and scanning of the sub slab vapor points with a Photo ionization detector (PID) to determine volatile organic vapor levels and Helium detector to determine if the subslab was representative.
- Collection of one (1) indoor air sample
- Collection of one (1) ambient air sample
- Analysis of vapor samples for laboratory analysis utilizing EPA Method TO-15

The results/conclusion of the investigation indicated the following;

- Volatile organic compounds were detected in all air samples collected
- The results of the analysis were compared to decision matrix for the NYSDOH soil vapor intrusion guidance. TCE and CT were compared to Matrix 1 and PCE was compared to Matrix 2.
- Dup & Indoor air results resulted in an action of no further action for TC, monitoring for TCE and no further action for PCE.
- VP-1 & Indoor air results resulted in an action of no further action for TC, monitoring for TCE and no further action for PCE.
- VP-2 & Indoor air results resulted in an action of no further action for TC, take reasonable and practical action to identify sources and reduce exposures for TCE and no further action for PCE

4.7 Soil Vapor Monitoring

Soil vapor monitoring was accomplished via capping the monitoring wells & injection points with unglued fitting fittings and monitoring the soil vapor with a Minirae 2000 photo Ionization detector (PID). The PID was connected to the monitoring wells for a minimum period of 2 minutes. PID readings from the

monitoring points were recorded at the start and end of the time for which they were connected. The final reading for the injection points were only recorded for the final reading. The results of the soil vapor monitoring are included in Table 4 of Appendix A.

It was determined that to distinguish if soil vapors were attributed to unsaturated soil or volatilization from groundwater, the wells would be vented utilizing an inline rotary fan (similar to radon fans) and the soil vapors would be monitored. After the short duration of venting, the monitoring wells/injection points would be monitoring for a short period of time to determine a response in the soil vapor concentrations. The results of the soil vapor monitoring during venting and response is included in Table 4 of Appendix A.

4.8 Soil Boring

Soil boring were performed utilizing a track mounted geoprobe. A total of ten borings (B-1 to B-10) Core Down Drilling of Brewster, NY was utilized as the geoprobe contractor. A 54 DT unit was utilized to advance 4-foot core sampler. Core sampler were lined with a new Acetate liner was utilized for each interval. Boring were advanced to a depth of 8 or until refusal was meet.

Soils were visual inspected and logged. Soils were field screen utilizing a Minirae 2000 PID and data recorded. PID readings were taken at a minimum of 12" intervals of the core or when distinct difference in soil structure were observed. Samples were collected either directly above wetted soil intervals, the area believed to be historic groundwater level (mottling) or where PID readings were observed. Boring locations are depicted on Figure 2 and boring logs are included in Appendix C.

Soil samples were collected utilizing macro samplers and placed in laboratory cleaned and supplied glassware. Samples were then placed on ice and shipped to a NYS certified laboratory. Samples were analyzed by EPA Method 8260. The laboratory results are included in Table 3 in Appendix A and laboratory report is included in Appendix B.

5.0 Soil Sampling & Analysis

Soil Sampling was performed during the William Going investigations and during SEBI monitoring point installation and soil boring events. William Going performed a total of 8 soil samples at the site. Four (4) soil samples were collected during the installation of borings (SB-1 to SB-3) and test pit on November 18, 2014 and four (4) soil samples from monitoring wells installed on January 16, 2015. The heating oil tank that was

subsequently removal on November 18, 2014 and the spill associated with the UST has been closed.

SEBI environmental has performed a total of twenty (34) soil samples at the site. Four (4) soil borings were collected on January 8, 2016 during the installation of PW-1 – PW-4. Six (6) soil samples were collected on March 4-5, 2016 during the installation of PW-5 – PW-10. Fourteen (14) soil samples were collected during the installation of the injection wells. Ten (10) soil borings were collected on September 20, 2016 during the installation of B-1 to B-10.

The location of soil sampling locations is depicted on Figure 2. The results of the soil analysis is summarized in Tables 1 and 2. Laboratory analytical reports included in Appendix B.

5.1 Soil sample collection

The with the exception of TW-5 and TW-6, soils from the soil borings were collected, visually inspected. All boring performed by SEBI were logged by the on-site SEBI Engineer. The majority of soils were field screened with a properly calibrated photo-ionization detector (PID), for the presence of volatile organic compounds, and the results recorded. The soil samples were analyzed for volatile organic compounds by EPA Method 8260.

All available boring logs are included in Appendix C. The available boring logs include PW-1 to PW-10, TW-1 to TW-4, MW-1 to MW-4 and IW-1 to IW-14. Boring logs were not available for TW-5 and TW-6.

5.2 Soil analysis and result summary

There were no reported TCE or PCE concentrations above unrestricted use standards for any sample analyzed.

6.0 Groundwater Sampling & Analysis

Groundwater has been sampled on nine different occasions at the site. The groundwater has been sampled by William Going, C2G and SEBI. The results of groundwater sampling analytical results are included in Table 3. Laboratory reports are included as Appendix B. Groundwater sampling locations is depicted in Figure 3.

6.1 Groundwater Events

The following is a synopsis of the various sampling events, wells sampled and purpose.

January 7, 2015 MW-1 to MW-4 initial groundwater sampling event for the wells

September 1, 2015 MW-1 to MW-4 & TW-1 to TW-4, Initial sampling for TW wells and confirmation sampling for MW's.

October 22, 2015 TW-5 and TW-6 initial groundwater sampling for newly installed TW-5 and TW-6.

January 8, 2016 PW-1 to PW-4, intimal groundwater sampling for newly installed wells PW-1 to PW-4.

March 8, 2016 PW-6 to PW-10. Initial sampling for newly installed wells PW-6 to PW-10.

April 15, 2016 MW-1, TW-1, TW-2, TW-3, TW-5, PW-2, PW-3 and PW-8. Sampling was performed after the first permanganate injection.

On May 25, 2016 MW-1, TW-1, TW-2, TW-3, TW-5, PW-2, PW-3 and PW-8. Sampling was performed after the second permanganate injection.

On June 22, 2016 MW-1, TW-1, TW-2, TW-3, TW-5, PW-2, PW-3 and PW-8. Sampling was performed after the third permanganate injection.

On September 15, 216 MW-1, TW-1, TW-2, TW-3, TW-5, PW-2, PW-3 and PW-8. Sampling was performed after the fourth permanganate injection.

6.2 Groundwater analysis

6.2.1 Volatile organic compounds - groundwater

The laboratory analysis has did detect volatile organic compounds within the groundwater samples submitted. The highest concentrations were located east of the current structures. The highest concentrations detections were from groundwater monitoring points TW-1, TW-2 and PW-8.

7.0 Vapor Sampling & Monitoring

7.1 Vapor Sampling

The following summarizes the limited vapor investigation and analytical results. Vapor sampling locations is depicted in Figure 4.

- SEBI installed two (2) subslab monitoring points within the structure.
- SEBI collected five (5) air samples (Two (2) from VP-1, One (1) from VP-2, one (1) indoor air sample and one (1) ambient air sample (outdoors)).
 - The laboratory analysis did detect volatile organic compounds within the vapor samples submitted;
 - The laboratory sample did detect twenty-nine (29) Volatile organic compounds (VOCs) for the Dup sample
 - The laboratory sample did detect Twenty-eight (28) Volatile organic compounds (VOCs) for the VP-1 sample.
 - The laboratory analysis did detect seventeen (17) Volatile organic compounds (VOCs) for the indoor sample The laboratory analysis did detect seven (7) Volatile organic compounds (VOCs) for the ambient sample.
 - The laboratory sample did detect twenty-eight (28) Volatile organic compounds (VOCs) for the VP-2 sample.
 - The results of the analysis were compared to decision matrix for the NYSDOH soil vapor intrusion guidance. TCE and CT were compared to Matrix 1 and PCE was compared to Matrix 2.
 - Dup & Indoor air results resulted in an action of no further action for TC, monitoring for TCE and no further action for PCE.
 - VP-1 & Indoor air results resulted in an action of no further action for TC, monitoring for TCE and no further action for PCE.
 - VP-2 & Indoor air results resulted in an action of no further action for TC, take reasonable and practical action to identify sources and reduce exposures for TCE and no further action for PCE
 -

7.2 Soil Vapor Monitoring

Soil vapor monitoring was accomplished via capping the monitoring wells & injection points with unglued fitting fittings and monitoring the soil vapor with a Minirae 2000 photo Ionization detector (PID). The PID was connected to the monitoring wells for a minimum period of 2 minutes. PID readings from the monitoring points were recorded at the start and end of the time for which they were connected. The final reading for the injection points were only recorded for

the final reading. The results of the soil vapor monitoring are included in Table 4 of Appendix A.

It was determined that to distinguish if soil vapors were attributed to unsaturated soil or volatilization from groundwater, the wells would be vented utilizing an inline rotary fan (similar to radon fans) and the soil vapors would be monitored. After the short duration of venting, the monitoring wells/injection points would be monitoring for a short period of time to determine a response in the soil vapor concentrations. The results of the soil vapor monitoring during venting and response is included in Table 4 of Appendix A.

8.0 Remedial Actions Performed To Date

8.1 Tank Removal and Soil Excavation Willian Going

Tank removal activities were performed on December 30, 2014. Approximately 10 tons of petroleum impacted soils were removed and disposed. A closure report was submitted to the NYSDEC and spill number 14-08784 was subsequently closed.

8.2 Chemical Oxidation Event

8.2.1 Event 1

The first injection events was performed on April 6, 2016. All Fourteen Injection wells were utilized during this injection event. A total of 60 gallons of permanganate solution consisting of 7 lbs was injected in each of the 14 injection wells.

8.2.2 Event2

Event 2 The second injection was performed on May 5, 2016. A total of 8 lbs of potassium permanganate was injected into the 14 injection wells utilizing 80 gallons of water. Eight groundwater wells were sampled on May 11, 2016.

8.2.3 Event 3

The third round of chemical injection was performed on June, 15, 2016. 16 lbs of potassium permanganate was mixed with 160 gallons of water. 8 gallons was injected into each injection well and PW-10 (total of 120 gallons). Injection wells 6, 11 and 12 as well as PW-10 received an additional 10 gallons of dosing

8.2.4 Event 4

SEBI returned to the site for the injection of potassium permanganate utilizing existing injection points and one monitoring well (PW-10). A total of total of 240 gallons of solution were utilized and utilized 240 pounds of Potassium Permanganate. All injection points (IW-1 to IW-14) and the one (1) monitoring well (PW-10) receive a minimum of 12 gallons of solution. Injection wells IW-6, IW-11, IW-12 and PW-10 received an additional 15 gallons of solution.

9.0 Additional Site Activities

Addition site activities were performed to obtain a better understanding of subsurface conditions.

9.1 Site Survey

The site has been surveyed for well locations and various elevation. During the GPS survey utilizing a Trimble GPS a poor signal was encounter for the southern wells. Well locations will be confirmed during next field activities.

9.1.1 Location

The coordinates utilizing GPS were taken for all monitoring/Point locations. As indicated satellite signal was poor to the south of the structure and locations will be confirmed prior to inclusion in a report.

9.1.2 Elevation

The Elevation of the well casing and ground surface was determined for each monitoring point. Elevations were determined with the use of a transient and rod. The well casing elevation data was utilized in conjunctions with groundwater gauging data to obtain groundwater water elevations. The ground surface elevation data was utilized with boring log information to determine clay layer elevation when encountered.

The data for monitoring point, top of casing, ground surface, groundwater surface and clay (when encountered) elevations is included in Table 5. Groundwater elevation data is depicted in Figure 5. Clay elevation data is depicted in Figure 6.

9.2 Groundwater gauging event

A Groundwater Gauging event was performed on October 26, 2016. Depth to water was gauged for all monitoring wells. Depth to water was obtained utilizing a soloist interface probe. Depth to water data is included in Table 5.

9.2.1 Groundwater flow map

The data from monitoring well survey and groundwater gauging performed on October 26, 2016 was utilized to determine groundwater elevation. The groundwater elevations is depicted in Figure 5 and data is found in Table 5 of Appendix A. The groundwater flow indicates a high elevation in the north east corner of the property. The elevated water level observed PW-6 is believed to be associated with possible subsurface building relicts/structure based recovery of concrete from boring and apparent old structure remnants. A low depression is located in an area extending from TW-5 to PW-3 with apparent flow toward PW-3.

9.3 Geologic and Monitoring Point Construction

All known well construction and geological information has been included in the Table 6 and appendix C includes all available boring logs. Two cross sections were generated for the site and are included in Figure 7 and Figure 8.

9.4 Adjacent Property Owners

The ownership of the adjacent parcels was determined via Orange County Parcel Online Database. A map detailing Parcel ID information and locations is included as Figure 9. A List of all identified property with address and property ID is included as Table 7

9.5 Supply Well Construction

The information regarding the construction and other pertinent information was obtained from the Towns water department. It is our understanding that the wells has a total depth of 635 Ft and has casing extending from ground surface to a depth of 150 ft. The well is 8-Inch diameter with the pump intake is set a 410 ft. below ground surface.

10.0 Proposed Additional Activities

10.1 Investigation

The following summarizes the proposed additional investigation.

Based on discussions and recommendations with various parties the proposed course of action for the further investigation will include the following.

- Instigate the site utilizing a geoprobe mounted Membrane Interface Probe (MIP) to obtain further investigation into the lateral and vertical extent of volatile organic compounds.
- The installation of monitoring wells to evaluate and vertical migration.
- Further horizontal delineation of the onsite groundwater impact.
- Replace monitoring point TW-3 due to siltation.

To address the previous approach SEBI is recommending the following approach.

A MIP geoprobe mounted geoprobe will be utilized to advance 8 borings to a depth of 30 ft. The points will be placed to obtain a better understanding of the vertical and horizontal extent of impact on site. 3 points have been identified as likely candidate for deep wells. These points have been selected to identify vertical impact in the core of known on site impact, down gradient apparent shallow groundwater flow direction and delineation toward the potable well. The location of the proposed deep well locations are indicated on Figure 10.

A total of 4 wells will be located to horizontally delineate the site. The proposed final well configuration/construction may be altered based on field observation. However, the preliminary proposed work would include advancement of the MIP to a depth of 30 ft. If not deep impact is observed and the clay layer is identified, the boring will be grouted to the top of clay and shallow monitoring point installed. The wells will be constructed of a five foot length of slotted well screening and casing to the ground surface.

If monitoring well TW-4 cannot be developed and silt removed on additional well will be located adjacent to TW-4 and will be performed in the same manner as the horizontal delineation wells.

A total of three (3) slug tests will be performed. The slug test will consist of a rising and lowering head test and subsequent analysis. The slug test will be performed in monitoring wells PW-10, MW-1 and MW-2.

10.2 Remediation

Additional remediation will not be performed until the MIP investigation is performed and data reviewed. If the information gathered during the MIP investigation does not increase the depth or extent of known extent of impact, An additional injection event will be performed at the site. During this event it is proposed to utilize a mobile high vacuum extraction and treatment system. Groundwater would be extracted from monitoring points, PW-8, TW-1 and TW-2. Groundwater would be treated and then discharged. The utilization of the mobile treatment system will service two purposes.

The extracted water will create a slight gradient and increase the migration of oxidizer to known impacted wells. The extraction and treatment of water will also result in decreased mass of VOCs in the subsurface.

11.0 REGULATORY NOTIFICATION

A copy of this report will be forward to the NYSDEC.

12.0 DISCLAIMER/LIMITATION OF DAMAGES


This report is based on a limited number of invasive samples and analyses and pertains only to the scope of work area. Any other environmental conditions that may be present at the site are excluded from this report. The conclusions presented in this report are based only on the observations made during this investigation and data provided by others. Conditions may vary significantly with time, particularly with respect to groundwater elevations and quality. Should additional data become available, this data may alter conclusions presented or extrapolated from this report. Therefore, the conclusions and recommendations set forth herein are applicable only to the facts and conditions described at the time of this report.

In performing its services, SEBI of Newburgh, New York uses that degree of care and skill exercised under similar conditions. The standard of care shall be judged exclusively as of the time these services are rendered and not according to later standards. SEBI's findings and conclusions must be considered not as scientific certainties, but rather as opinions concerning the significance of the data available. Specifically, SEBI does not and cannot represent that the site contains no hazardous materials, oil, or other latent condition beyond that observed. SEBI makes no express or implied warranty beyond its conformance to these standards.

SEBI shall not be responsible for conditions or consequences arising from relevant facts that were concealed, withheld or not fully disclosed. SEBI believes that all information contained in this report is factual, but no guarantee is made or implied. SEBI shall not be responsible for any loss, damage, or liability arising from any negligence of others in the interpretation or use of any results, report, or communication.

The data, information, opinions, recommendations, and conclusions contained in this site assessment report are intended for the sole and exclusive use of the client. Any use of or reliance upon this report or its content by any other party is prohibited by SEBI, unless such use or reliance is expressly authorized in writing by SEBI. SEBI assumes no responsibility or liability to any party for any damage, cost, expense, or liability incurred by such party as a result of unauthorized use of or reliance upon the report, and in any event such liability of SEBI shall be no greater in aggregate than the lesser of the compensation received for this report or the amount covered by SEBI insurance policy.

FIGURES



	Spill Number 1508311	SEBI Environmental Services Inc. 337 Fullerton Ave Newburgh, NY 12550 845-789-1307
	Date 12/18/15 Author SM	FIGURE 3- Groundwater Sampling locations
	SCALE:NONE	Mobile Media 24 Center Street Pine Bush, NY



Spill Number
1508311

SEBI Environmental Services Inc.
337 Fullerton Ave
Newburgh, NY 12550
845-789-1307

Date 2/24/16
Author SM

FIGURE 4- VAPOR SAMPLE LOCATIONS

SCALE:NONE

Mobile Media
24 Center Street
Pine Bush, NY



Spill Number
1508311


SEBI Environmental Services Inc.
337 Fullerton Ave
Newburgh, NY 12550
845-789-1307

Date 2/24/16
Author SM

FIGURE 4- VAPOR SAMPLE LOCATIONS

SCALE:NONE

Mobile Media
24 Center Street
Pine Bush, NY



Spill Number
1508311


Date 11/17/16
Author SM

SCALE:NONE

SEBI Environmental Services Inc.
337 Fullerton Ave
Newburgh, NY 12550
845-789-1307

FIGURE 5 GROUNDWATER ELEVATIONS

Mobile Media
24 Center Street
Pine Bush, NY



Spill Number
1508311


Date 11/17/16
Author SM

SCALE:NONE

SEBI Environmental Services Inc.
337 Fullerton Ave
Newburgh, NY 12550
845-789-1307


FIGURE 6 Clay Elevations

Mobile Media
24 Center Street
Pine Bush, NY




	Spill Number 1508311	SEBI Environmental Services Inc. 337 Fullerton Ave Newburgh, NY 12550 845-789-1307
	Date 11/1/16 Author SM	FIGURE 7- Cross Section Areas
	SCALE:NONE	Mobile Media 24 Center Street Pine Bush, NY


Cross section A-A



Cross section B-B



Spill Number 1508311	SEBI Environmental Services Inc. 337 Fullerton Ave Newburgh, NY 12550 845-789-1307
Date 11/17/16 Author SM	FIGURE 8 CROSS-SECTIONS
SCALE:NONE	Mobile Media 24 Center Street Pine Bush, NY



Spill Number
1508311

Date 11/1/16
Author SM

SCALE:NONE

SEBI Environmental Services Inc.
337 Fullerton Ave
Newburgh, NY 12550
845-789-1307

FIGURE 10 Proposed Well Locations

Mobile Media
24 Center Street
Pine Bush, NY

Appendix A-Tables

TABLE 1 Soil Volatile Organic Compounds (USEPA Method 8260) Mobile Media									
TA+A:UBLE 1	Recommended Soil Cleanup Level	SB-1	SB-2	SB-3	UST-COMP		MW-1	MW-2	MW-3
		11/18/2014	11/18/2014	11/18/2014	11/18/2014		1/16/2015	1/16/2015	1/16/2015
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Acetone	0.05	0.026	0.0032	ND	0.23	0.31	ND	ND	ND
Trichloroethaene (TCE)	0.47	0.026	0.018	ND	0.12	0.032	0.029	0.012	0.0069
Tetrachloroethene (PCE)	1.3	0.0011	ND	ND	ND	0.02	ND	ND	ND
TICs	NA	NA	NA	NA	NA	NA	NA	NA	NA

Note:

NA = Value not available

ND =Compound non-detect

TICs= Tentatively identified compounds

* = Value in excess of guidance value

		TABLE 1 Soil Volatile Organic Compounds (USEPA Method 8260) Mobile Media							
TA+A:UBLE 1	Recommended Soil Cleanup Level	MW-4	PW-1	PW-2	PW-3	PW-4	PW-5	PW-6	PW-7
		1/16/2015	1/8/2016	1/8/2016	1/8/2016	1/8/2016	3/4/2016	3/4/2016	3/4/2016
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Acetone	0.05	ND	ND	0.17	ND	ND	0.049	0.029	ND
Trichloroethane (TCE)	0.47	ND	ND	0.17	ND	ND	0.013	ND	0.0017
Tetrachloroethene (PCE)	1.3	ND	ND	0.0064	ND	ND	ND	ND	ND
TICs	NA	NA	ND	ND	ND	ND	ND	ND	ND

Note:

NA = Value not available

ND =Compound non-detect

TICs= Tentatively identified compounds

* = Value in excess of guidance value

TABLE 1 Soil Volatile Organic Compounds (USEPA Method 8260) Mobile Media				
TA+A:UBLE 1	Recommended Soil Cleanup Level	PW-8	PW-9	PW-10
		3/4/2016	3/5/2016	3/5/2016
	(ppm)	(ppm)	(ppm)	(ppm)
Acetone	0.05	0.062	ND	0.013
Trichloroethane (TCE)	0.47	0.0041	0.011	0.019
Tetrachloroethene (PCE)	1.3	ND	ND	ND
TICs	NA	ND	ND	ND

Note:

NA = Value not available

ND =Compound non-detect

TICs= Tentatively identified compounds

* = Value in excess of guidance value

TABLE 2 Mobile Media Center Street Volatile Organic Compounds (USEPA Method 8260-Stars)											
Compounds	NYSDEC (CP-51) Soil Cleanup Level	B-1	B-2	B-3	B-4	B-5	B-6	B-7	B-8	B-9	B-10
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Tetrachloroethene	1.3	0.0012	0.0013	ND	ND	0.002	0.0067	ND	ND	ND	ND
Trichloroethene	0.47	0.062	0.023	ND	0.0018	0.10	0.0067	0.0017	ND	ND	ND
Total Xylenes	0.26	ND	ND	0.0079	ND	ND	ND	ND	ND	ND	ND

Note:

NA = Value not available

ND =Compound non-detect

* = Value in excess of guidance value

Guidance Values are DER-10 (May,2010)

TABLE3
Mobile Media
Groundwater Volatile Organic Compounds (USEPA Method 8260)
Historic Data

Compound	Groundwater Standards	MW-1						MW-2		MW-3		MW-4	
		1/7/2015	9/1/2015	4/15/2016	5/11/2016	6/22/2016	9/15/2016	1/7/2015	9/1/2015	1/7/2015	9/1/2015	1/7/2015	9/1/2015
	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Acetone	50	ND	ND	ND	ND	ND	ND		ND		ND		ND
1,2 Dichloroethane	0.6	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND
2-Butone (MEK)	50			17	ND	ND	ND						
cis 1,2 Dichloroethene	5	ND	3.5	ND	ND	ND	ND	1.7	1.8	ND	ND	ND	ND
Chlororform	7	ND	ND	ND	ND	ND	ND	0.99	1.5	1.7	1.4	ND	ND
Chloromethane	5	ND	ND	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND
MTBE	10	ND	8.6	ND	ND	3.8	8.5	42	38	0.34	ND	ND	ND
Trichloroethene (TCE)	5	87	860	71	52	150	600	1900	1400	ND	ND	ND	ND
Tetrachloroethene (PCE)	5	4.5	18	4.8	3.8	6.7	23	10	7.7	17	2.4	1.4	ND

Note:

NA : Value not available
 ND detect

RED = Value in excess of guidance value

BLUE=Value detected but below guidance value

Guidance Values are TOGS 1.1.1

		TABLE3 Mobile Media Groundwater Volatile Organic Compounds (USEPA Method 8260) Historic Data														
Compound	Groundwater Standards	TW-1					TW-2					TW-3				TW-4
		9/1/2015	4/15/2016	5/11/2016	6/22/2016	9/15/2016	9/1/2015	4/15/2016	5/11/2016	6/22/2016	9/15/2016	9/1/2015	4/15/2016	5/11/2016	6/22/2016	9/1/2015
	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Acetone	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2 Dichloroethane	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.79	ND	ND	ND	ND
2-Butone (MEK)	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis 1,2 Dichloroethene	5	1.9	1.1	ND	1.8	2.3	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND
Chlororform	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11
Chloromethane	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MTBE	10	24	14	12	15	13	ND	1.1	ND	ND	3.2	3.8	1.6	ND	ND	ND
Trichloroethene (TCE)	5	3400	2000	2900	2700	2600	3000	880	1100	790	960	180	350	100	150	ND
Tetrachloroethene (PCE)	5	72	42	49	49	32	nd	5.6	5.9	7.1	7.7	2.6	2.5	1.2	2.1	ND

Note:

NA : Value not available

ND detect

RED = Value in excess of guidance value

BLUE=Value detected but below guidance value

Guidance Values are TOGS 1.1.1

TABLE 3
Mobile Media
Groundwater Volatile Organic Compounds (USEPA Method 8260)
Historic Data

Compound	Groundwater Standards	TW-5					TW-6	PW-1	PW-2					PW-3				
		10/2/2015	4/15/2016	5/11/2016	6/22/2016	9/15/2016	10/2/2015	1/15/2016	1/15/2016	4/15/2016	5/11/2016	6/22/2016	9/15/2016	1/15/2016	4/15/2016	5/11/2016	6/22/2016	9/15/2016
	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Acetone	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2 Dichloroethane	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.6
2-Butone (MEK)	50		ND	2.5	ND	ND				ND	ND	ND	ND		ND	ND	ND	ND
cis 1,2 Dichloroethene	5	2.5	2.0	2.5	1.7	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.6	2.3	5.6
Chlororform	7	1.0	ND	ND	ND	1.0	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MTBE	10	21	21	15	17	16	22	ND	ND	ND	ND	ND	ND	ND	ND	1.2	2.7	6
Trichloroethene (TCE)	5	1800	2200	3500	1900	2100	1900	ND	36	26	33	36	39	71	360	830	990	2500
Tetrachloroethene (PCE)	5	2	12	12	9.6	3.3	13	ND	ND	ND	ND	ND	ND	2	8.6	14	22	55

Note:

NA : Value not available
 ND detect

RED = Value in excess of guidance value

BLUE=Value detected but below guidance value

Guidance Values are TOGS 1.1.1

		TABLE 3 Mobile Media Groundwater Volatile Organic Compounds (USEPA Method 8260) Historic Data										
Compound	Groundwater Standards	PW-4	PW-5	PW-6	PW-7	PW-8					PW-9	PW-10
	(ppb)	1/15/2016 (ppb)	(ppb)	3/8/2016 (ppb)	3/8/2016 (ppb)	3/8/2016 (ppb)	4/15/2016 (ppb)	5/11/2016 (ppb)	6/22/2016 (ppb)	9/15/2016 (ppb)	3/8/2016 (ppb)	3/8/2016 (ppb)
Acetone	50	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	7.1
1,2 Dichloroethane	0.6	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butone (MEK)	50						ND	ND	ND	ND		
cis 1,2 Dichloroethene	5	ND	NS	ND	ND	1.6	1.4	1.6	1.3	1.3	ND	1.6
Chlororform	7	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	5	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MTBE	10	ND	NS	ND	ND	15	15	8.1	10	6.1	ND	5.5
Trichloroethene (TCE)	5	ND	NS	ND	2.7	2700	2500	4300	3100	4200	26	1800
Tetrachloroethene (PCE)	5	ND	NS	ND	ND	28	34	38	43	49	ND	22

Note:

NA : Value not available
ND detect

RED = Value in excess of guidance value

BLUE=Value detected but below guidance value

Guidance Values are TOGS 1.1.1

TABLE 4
Mobile Media Center Street
Volatile Organic Compounds Soil Vapors (PID)

Well Number	Reading	Time	Reading	Time
PW-6	0.1	9:26	0.0	9:28
PW-5	0	9:30	0.0	9:32
TW-1	0.8	9:35	11.5	9:38
PW-3	0.7	9:42	0.4	9:44
PW-8	17.2	9:45	96.3	9:48
TW-3 *	6.0	9:51	3.2	9:53
TW-2	2.9	9:55	2.0	9:58
PW-7	0.8	0:14	0.1	10:03
TW-4	0.9	10:04	1.0	10:07
PW-1	0.8	10:27	0.7	10:29
PW-2	0.9	10:34	1.1	10:37
PW-4	0.4	10:43	0	10:45
TW-6	0.7	11:44	0.3	11:16
PW-9	0.8	11:19	1.8	11:21
TW-8	1.00	11:24	0.4	11:26
PW-10	0.0	11:49	0.00	11:51
IW-1	0.0 NR			
IW-2	0.0 NR			
IW-3	0.0 NR			
IW-4	0.0 NR			
IW-5	0.0 NR			
IW-6	0.0 NR			
IW-7	0.0 NR			
IW-8	0.0 NR			
IW-9	0.3 NR			
IW-10	3.5 NR			
IW-11	2.3 NR			
IW-12	3.3 NR			
IW-13	1.1	11:58	10.6	12:01
IW-14	0.8	11:55	0.6	11:57
MW-1	2.3	11:59	0	12:01
MW-2				

Venting & Resposne

PW-8		
Start Venting		15:52
	0.0	15:59
	0.0	16:01
Stop	0.0	16:07
Response	2.1	16:21
	2.3	16:33
	1.8	16:44
	1.9	16:54
9/2/2016	24.2 NR	
IW-11		
Start Venting		16:10
Stop	0.0	16:13
Response	0.0	16:22
	0.0	16:55
IW-12		
Start Venting		16:15
	0.0	16:17
Stop	0.0	16:22
Response	0.0	16:43
	0.0	16:56
PW-10		
Start Venting		16:32
Stop	0.0	16:36
Response	0.0	16:50

* PID was still decreasing from PW-8
 NR Not recorderd

Table 5
Mobile Media
Guaging & Groundwater Elevation
26-Oct-16

	Well Casing Elevation	DTW	GW Elevation
PW-9	103.78	12.4	91.38
TW-6	103.78	12.42	91.36
PW-10	103.56	12.2	91.36
TW-5	103.83	13.62	90.21
PW-2	99.56	8.22	91.34
PW-7	103.02	11.75	91.27
TW-4	102.36	10.86	91.50
PW-8	101.59	10.44	91.15
MW-2	100.60	9.10	91.50
PW-1	99.27	7.57	91.70
MW-3	100.32	8.88	91.44
TW-3	100.25	DRY	
TW-1	100.17	9.70	90.47
MW-1	102.46	11.00	91.46
PW-5	102.18	dry	
PW-6	104.61	6.03	98.58
PW-3	99.67	9.84	89.83
PW-4	100.85	9.42	91.43
MW-4	105.13	13.57	91.56
TW-2		9.24	

Table 6											
Mobile Media											
Monitoring well and Elevations Data											
	Ground Surface Elevation	Consultant	Installation date	Screen interval	Well size/ screen size	Depth to clay	Clay elevation	Total Drilling Depth	Well Measured depth	Boring Bottom Elevation	Groundwater elevation
MW-1	100.65	Goings	11/18/2014	10-20	2-inch /0.1 slot	10	90.65	20	21.8	80.65	91.46
MW-2	100.60	Goings	11/18/2014	10-20	2-inch /0.1 slot	10	90.60	15	NM	85.60	91.50
MW-3	100.48	Goings	11/18/2014	10-15	2-inch/0.1 slot	12.5	87.98	15	NM	85.48	91.44
MW-4	102.61	Goings	11/18/2014	11-17	2-inch /0.1 slot	17	85.61	19	NM	83.61	91.56
PW-1	99.51	SEBI	1/18/2016	6-12	1-Inch/0.1 slot	10	89.51	12	10.65	87.51	91.70
PW-10	103.94	SEBI	3/5/2016	5-15	1-Inch/0.1 slot	15	88.94	16	13.2	87.94	91.36
PW-2	99.83	SEBI	1/18/2016	6-16	1-Inch/0.1 slot	Not observed		16	15.38	83.83	91.34
PW-3	99.17	SEBI	1/18/2016	4.5-14.5	1-Inch/0.1 slot	Not observed		12	14.61	87.17	89.83
PW-4	101.06	SEBI	1/18/2016	4-14	1-Inch/0.1 slot	11.5	89.56	16	14.10	85.06	91.43
PW-5	101.45	SEBI	3/4/2016	5-10	1-Inch/0.1 slot	10.25	91.20	12	9.63	89.45	Dry
PW-6	103.13	SEBI	3/4/2016	5-10	1-Inch/0.1 slot	Not Observed		12	9.73	91.13	98.58
PW-7	101.35	SEBI	3/4/2016	3-13	1-Inch/Unknown	Not Observed		12	13.2	89.35	91.27
PW-8	100.02	SEBI	3/4/2016	3.5-13.5	1-Inch/0.1 slot	11	89.02	12	12.35	88.02	91.15
PW-9	103.98	SEBI	3/5/2016	3.5-13.5	1-Inch/0.1 slot	15	88.98	16	14.45	87.98	91.38
TW-1	99.43	C2G	9/1/2015	Unknown	1-Inch/Unknown	16	83.43	18	12.9	81.43	90.47
TW-2		C2G	9/1/2015	Unknown	1-Inch/Unknown	17		20	15.32		
TW-3	99.15	C2G	9/1/2015	Unknown	1-Inch/Unknown	13.5	85.65	15	NM	84.15	Dry
TW-4	100.85	C2G	9/1/2015	Unknown	1-Inch/0.1 slot	18	82.85	20	NM	80.85	91.50
TW-5	103.97	C2G	10/2/2015	Unknown	1-Inch/Unknown	No Boring log		Unknown	22.57		90.21
TW-6	103.97	C2G	10/2/2015	Unknown	1-Inch/Unknown	No Boring Log		Unkown	NM		91.36
IW-1	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-2	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot						
IW-3	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot						
IW-4	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-5	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot						
IW-6	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-7	NM	SEBI	3/9/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-8	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-9	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot	Not observed					
IW-10	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot						
IW-11	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot						
IW12	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot						
IW-13	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot						
IW-14	NM	SEBI	3/10/2016	3-12	2-Inch/0.1 slot	Not observed					

NM=Not Measured

Table 7
Mobile Media
Adjacent Property Owner Information

Owner	Address	Lot & Block
Adrian Dewitt	East of state HW 302	6-9-7.22
Charles Frost	65 Holland Avenue	6-9-5
Elisabeth Marshall	96 Borden Avenue	6-8-2
James Johnson	7 Center Street	6-11-9.2
Kenneth Finnegan	92 Borden Avenue	6-8-1
Lisa Marie Santos	15 Center Street	6-11-9.1
Mark Vail Corp	188 Kelly Avenue	6-9-2
Mary Grass	6 Center Street	6-9-1.1
Pat Kantor	82 Borden Avenue	6-12-11
Town of Crawford	East of state HW 302	6-9-7.1
Velez	167 Kelly Avenue	6-12-12

Appendix B- Analytical Results

Appendix B-1 Soil Analytical Results

ANALYTICAL REPORT

Job Number: 420-84680-1

SDG Number: 175 Kelly Ave Pine Bush, NY

Job Description: William Going

For:

William L. Going & Associates

5 Stella Drive

Gardiner, NY 12525

Attention: Mr. William L Going



Designee for

Joyce M Esposito

Senior Customer Service Representative

jesposito@envirotestlaboratories.com

11/24/2014

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method 8260C: The laboratory control standard (LCS) for batch 81603 exceeded control limits for the analytes indicated by an asterisk (*) on the results form. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported with confidence of no false negatives.

Method 8260C: The laboratory control standard (LCS) for batch 81652 exceeded control limits for the analytes indicated by an asterisk (*) on the results form. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported with confidence of no false negatives.

No other analytical or quality issues were noted.

GC/MS Semi VOA

Method 8270D: Please note the sample analysis shows evidence of petroleum product.

Method 8270D: Sample shows evidence of matrix interference. Several internal standard response were low and the initial analysis could not be evaluated. Therefore, the sample was diluted 10x with passing internal standard responses. The reporting limits are elevated as a result of the necessary sample dilution

No other analytical or quality issues were noted.

GC Semi VOA

No analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

METHOD SUMMARY

Client: William L. Going & Associates

Job Number: 420-84680-1
SDG Number: 175 Kelly Ave Pine Bush, NY

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Inductively Coupled Plasma - Atomic Emission Spectrometry	EnvTest	SW846 6010C	
Acid Digestion of Sediments, Sludges, and Soils	EnvTest		SW846 3050B
Hg in Solids & Semi-solids	EnvTest	SW846 7471B	
Mercury in Solid or Semi-Solid Waste (Manual Cold	EnvTest		SW846 7471B
Polychlorinated Biphenyls (PCBs) by Gas Chromatography	EnvTest	SW846 8082A	
Microwave Extraction	EnvTest		SW846 3546
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge&Trap High Level	EnvTest		EPA 5035-H
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L
Semivolatile Compounds by GC/MS	EnvTest	SW846 8270D	
Microwave Extraction	EnvTest		SW846 3546

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: William L. Going & Associates

Job Number: 420-84680-1
SDG Number: 175 Kelly Ave Pine Bush, NY

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SW846 8270D	Labare, Alicia M	AML
SW846 8082A	Palentino, Gus J	GJP
SW846 6010C	McPhillips, Julie	JM
SW846 7471B	Goldstein, Amy	AG
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: William L. Going & Associates

Job Number: 420-84680-1
SDG Number: 175 Kelly Ave Pine Bush, NY

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-84680-1	175 Kelly Ave Pine Bush NY SB1	Solid	11/18/2014 0900	11/19/2014 0830
420-84680-2	175 Kelly Ave Pine Bush NY SB2	Solid	11/18/2014 0938	11/19/2014 0830
420-84680-3	175 Kelly Ave Pine Bush NY SB3	Solid	11/18/2014 1018	11/19/2014 0830
420-84680-4	175 Kelly Ave Pine Bush NY UST Comp	Solid	11/18/2014 1045	11/19/2014 0830

Mr. William L. Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB1
Lab Sample ID: 420-84680-1

Date Sampled: 11/18/2014 0900
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	11/19/2014	1146	
Prep Method: 5035-L			Date Prepared:	11/19/2014	1146	
Acrolein	0.0012	U *	mg/Kg Dry	0.00084	0.0012	1.0
Acrylonitrile	0.0061	U	mg/Kg Dry	0.00021	0.0061	1.0
Ethyl methacrylate	0.0012	U	mg/Kg Dry	0.000021	0.0012	1.0
Methyl methacrylate	0.012	U	mg/Kg Dry	0.00014	0.012	1.0
1,2,4-Trichlorobenzene	0.0012	U	mg/Kg Dry	0.000088	0.0012	1.0
1,2,4-Trimethylbenzene	0.0012	U	mg/Kg Dry	0.000064	0.0012	1.0
1,2-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000039	0.0012	1.0
1,2-Dichloroethane	0.0012	U	mg/Kg Dry	0.000024	0.0012	1.0
1,2-Dichloropropane	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
1,3,5-Trimethylbenzene	0.0012	U	mg/Kg Dry	0.000064	0.0012	1.0
1,3-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000056	0.0012	1.0
1,3-Dichloropropane	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
1,4-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000064	0.0012	1.0
1,4-Dioxane	0.0018	U	mg/Kg Dry	0.0016	0.0018	1.0
2-Chlorotoluene	0.0012	U	mg/Kg Dry	0.000050	0.0012	1.0
2-Chloroethyl vinyl ether	0.0012	U	mg/Kg Dry	0.00031	0.0012	1.0
4-Chlorotoluene	0.0012	U	mg/Kg Dry	0.000067	0.0012	1.0
Benzene	0.0012	U	mg/Kg Dry	0.000024	0.0012	1.0
Bromobenzene	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
Bromoform	0.0012	U	mg/Kg Dry	0.000019	0.0012	1.0
Bromomethane	0.0012	U	mg/Kg Dry	0.000018	0.0012	1.0
Chlorobenzene	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
Chloroform	0.0012	U	mg/Kg Dry	0.000022	0.0012	1.0
Chloromethane	0.0012	U	mg/Kg Dry	0.000028	0.0012	1.0
Chloroethane	0.0012	U	mg/Kg Dry	0.000042	0.0012	1.0
Dibromochloromethane	0.0012	U	mg/Kg Dry	0.000029	0.0012	1.0
Bromochloromethane	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
Ethylbenzene	0.0012	U	mg/Kg Dry	0.000047	0.0012	1.0
Isopropylbenzene	0.0012	U	mg/Kg Dry	0.000055	0.0012	1.0
Naphthalene	0.0012	U	mg/Kg Dry	0.000033	0.0012	1.0
n-Butylbenzene	0.0012	U	mg/Kg Dry	0.000028	0.0012	1.0
N-Propylbenzene	0.0012	U	mg/Kg Dry	0.000075	0.0012	1.0
4-Isopropyltoluene	0.0012	U	mg/Kg Dry	0.000099	0.0012	1.0
sec-Butylbenzene	0.0012	U	mg/Kg Dry	0.000085	0.0012	1.0
Styrene	0.0012	U	mg/Kg Dry	0.000029	0.0012	1.0
tert-Butylbenzene	0.0012	U	mg/Kg Dry	0.000055	0.0012	1.0
Toluene	0.0012	U	mg/Kg Dry	0.000024	0.0012	1.0
Xylenes, Total	0.0024	U	mg/Kg Dry	0.00012	0.0024	1.0
Benzyl chloride	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0

Mr. William L. Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB1
Lab Sample ID: 420-84680-1

Date Sampled: 11/18/2014 0900
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
1,1,1-Trichloroethane	0.0012	U	mg/Kg Dry	0.000030	0.0012	1.0
Freon 113	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
1,1,2-Trichloroethane	0.0012	U	mg/Kg Dry	0.000040	0.0012	1.0
1,1-Dichloroethane	0.0012	U	mg/Kg Dry	0.000017	0.0012	1.0
1,1-Dichloroethene	0.0012	U	mg/Kg Dry	0.000040	0.0012	1.0
1,1-Dichloropropene	0.0012	U	mg/Kg Dry	0.000062	0.0012	1.0
2,2-Dichloropropane	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
2-Hexanone	0.0012	U	mg/Kg Dry	0.00019	0.0012	1.0
Bromodichloromethane	0.0012	U	mg/Kg Dry	0.000011	0.0012	1.0
Dichlorodifluoromethane	0.0012	U	mg/Kg Dry	0.00012	0.0012	1.0
Carbon tetrachloride	0.0012	U	mg/Kg Dry	0.000039	0.0012	1.0
Carbon disulfide	0.0012	U	mg/Kg Dry	0.000040	0.0012	1.0
cis-1,2-Dichloroethene	0.0012	U	mg/Kg Dry	0.000024	0.0012	1.0
cis-1,3-Dichloropropene	0.0012	U	mg/Kg Dry	0.000022	0.0012	1.0
Dibromomethane	0.0012	U	mg/Kg Dry	0.000039	0.0012	1.0
Methylene Chloride	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
Tetrachloroethene	0.0011	J	mg/Kg Dry	0.00012	0.0012	1.0
trans-1,2-Dichloroethene	0.0012	U	mg/Kg Dry	0.000044	0.0012	1.0
trans-1,3-Dichloropropene	0.0012	U	mg/Kg Dry	0.000019	0.0012	1.0
Trichloroethene	0.026		mg/Kg Dry	0.000048	0.0012	1.0
Trichlorofluoromethane	0.0012	U	mg/Kg Dry	0.000067	0.0012	1.0
Vinyl chloride	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
Vinyl acetate	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
2-Butanone (MEK)	0.0012	U	mg/Kg Dry	0.00036	0.0012	1.0
4-Methyl-2-pentanone (MIBK)	0.0012	U	mg/Kg Dry	0.00019	0.0012	1.0
Methyl tert-butyl ether	0.0012	U	mg/Kg Dry	0.000018	0.0012	1.0
Acetone	0.039		mg/Kg Dry	0.00025	0.0061	1.0
Acetonitrile	0.0024	U *	mg/Kg Dry	0.00053	0.0024	1.0
m-Xylene & p-Xylene	0.0024	U	mg/Kg Dry	0.00011	0.0024	1.0
o-Xylene	0.0024	U	mg/Kg Dry	0.000031	0.0024	1.0
1,2-Dichloroethene, Total	0.0012	U	mg/Kg Dry	0.000044	0.0012	1.0
1,1,2,2-Tetrachloroethane	0.0012	U	mg/Kg Dry	0.000024	0.0012	1.0
1,2,3-Trichloropropane	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	82		%	72 - 143		
4-Bromofluorobenzene	68		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	92		%	73 - 128		

Method: 8270D
Prep Method: 3546

Date Analyzed: 11/20/2014 1842
Date Prepared: 11/19/2014 1300

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB1
Lab Sample ID: 420-84680-1

Date Sampled: 11/18/2014 0900
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 89

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
N-Nitrosodi-n-propylamine	0.37	U	mg/Kg Dry	0.19	0.37	1.0
N-Nitrosodimethylamine	0.37	U	mg/Kg Dry	0.24	0.37	1.0
N-Nitrosodiphenylamine	0.37	U	mg/Kg Dry	0.10	0.37	1.0
Naphthalene	0.28	J	mg/Kg Dry	0.20	0.37	1.0
Nitrobenzene	0.37	U	mg/Kg Dry	0.19	0.37	1.0
Pyridine	1.1	U	mg/Kg Dry	0.17	1.1	1.0
Phenanthrene	1.2		mg/Kg Dry	0.10	0.37	1.0
Pyrene	1.8		mg/Kg Dry	0.11	0.37	1.0
Bis(2-chloroethoxy)methane	0.37	U	mg/Kg Dry	0.25	0.37	1.0
Butyl benzyl phthalate	0.37	U	mg/Kg Dry	0.11	0.37	1.0
Benzidine	2.8	U	mg/Kg Dry	0.30	2.8	1.0
Benzo[a]anthracene	0.61		mg/Kg Dry	0.11	0.37	1.0
Bis(2-ethylhexyl) phthalate	0.37	U	mg/Kg Dry	0.12	0.37	1.0
Benzo[b]fluoranthene	0.67		mg/Kg Dry	0.11	0.37	1.0
Benzo[k]fluoranthene	0.30	J	mg/Kg Dry	0.10	0.37	1.0
Benzo[a]pyrene	0.70		mg/Kg Dry	0.096	0.37	1.0
Benzo[g,h,i]perylene	0.35	J	mg/Kg Dry	0.11	0.37	1.0
Bis(2-chloroethyl)ether	0.37	U	mg/Kg Dry	0.21	0.37	1.0
Benzyl alcohol	0.37	U	mg/Kg Dry	0.22	0.37	1.0
bis(chloroisopropyl) ether	0.37	U	mg/Kg Dry	0.19	0.37	1.0
Aniline	0.37	U	mg/Kg Dry	0.25	0.37	1.0
Acenaphthene	0.37	U	mg/Kg Dry	0.11	0.37	1.0
Acenaphthylene	0.36	J	mg/Kg Dry	0.14	0.37	1.0
Anthracene	0.23	J	mg/Kg Dry	0.10	0.37	1.0
Hexachloroethane	0.37	U	mg/Kg Dry	0.16	0.37	1.0
Hexachlorobutadiene	0.37	U	mg/Kg Dry	0.16	0.37	1.0
Hexachlorocyclopentadiene	0.37	U	mg/Kg Dry	0.17	0.37	1.0
Hexachlorobenzene	0.37	U	mg/Kg Dry	0.10	0.37	1.0
Indeno[1,2,3-cd]pyrene	0.29	J	mg/Kg Dry	0.29	0.37	1.0
Isophorone	0.37	U	mg/Kg Dry	0.18	0.37	1.0
1,2,4-Trichlorobenzene	0.37	U	mg/Kg Dry	0.18	0.37	1.0
4-Chloroaniline	0.37	U	mg/Kg Dry	0.21	0.37	1.0
2-Methylnaphthalene	0.28	J	mg/Kg Dry	0.18	0.37	1.0
2-Chloronaphthalene	0.37	U	mg/Kg Dry	0.16	0.37	1.0
2-Nitroaniline	0.37	U	mg/Kg Dry	0.10	0.37	1.0
2,6-Dinitrotoluene	0.37	U	mg/Kg Dry	0.089	0.37	1.0
1,3-Dinitrobenzene	0.37	U	mg/Kg Dry	0.091	0.37	1.0
Dimethyl phthalate	0.37	U	mg/Kg Dry	0.090	0.37	1.0
3-Nitroaniline	0.37	U	mg/Kg Dry	0.18	0.37	1.0
2,4-Dinitrotoluene	0.37	U	mg/Kg Dry	0.096	0.37	1.0
Dibenzofuran	0.37	U	mg/Kg Dry	0.11	0.37	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB1
Lab Sample ID: 420-84680-1

Date Sampled: 11/18/2014 0900
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 89

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Fluorene	0.23	J	mg/Kg Dry	0.11	0.37	1.0
Diethyl phthalate	0.37	U	mg/Kg Dry	0.095	0.37	1.0
4-Bromophenyl phenyl ether	0.37	U	mg/Kg Dry	0.10	0.37	1.0
Di-n-butyl phthalate	0.37	U	mg/Kg Dry	0.096	0.37	1.0
Fluoranthene	0.69		mg/Kg Dry	0.093	0.37	1.0
Carbazole	0.37	U	mg/Kg Dry	0.13	0.37	1.0
3,3'-Dichlorobenzidine	0.37	U *	mg/Kg Dry	0.23	0.37	1.0
Chrysene	0.90		mg/Kg Dry	0.10	0.37	1.0
Di-n-octyl phthalate	0.37	U	mg/Kg Dry	0.12	0.37	1.0
Dibenz(a,h)anthracene	0.37	U	mg/Kg Dry	0.10	0.37	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	54		%		10 - 120	
Terphenyl-d14	104		%		10 - 120	
2-Fluorobiphenyl	65		%		10 - 120	
Method: 8082A				Date Analyzed:	11/23/2014 1349	
Prep Method: 3546				Date Prepared:	11/21/2014 1000	
PCB-1016	0.071	U	mg/Kg Dry	0.0056	0.071	1.0
PCB-1221	0.071	U	mg/Kg Dry	0.0092	0.071	1.0
PCB-1232	0.071	U	mg/Kg Dry	0.023	0.071	1.0
PCB-1242	0.071	U	mg/Kg Dry	0.014	0.071	1.0
PCB-1248	0.071	U	mg/Kg Dry	0.0092	0.071	1.0
PCB-1254	0.071	U	mg/Kg Dry	0.014	0.071	1.0
PCB-1260	0.071	U	mg/Kg Dry	0.011	0.071	1.0
PCB-1262	0.071	U	mg/Kg Dry	0.011	0.071	1.0
PCB-1268	0.071	U	mg/Kg Dry	0.013	0.071	1.0
Surrogate	Acceptance Limits					
2,4,5,6-Tetrachloro-m-xylene	55		%		30 - 150	
DCB Decachlorobiphenyl(surr)	54		%		30 - 150	

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB1
Lab Sample ID: 420-84680-1

Date Sampled: 11/18/2014 0900
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 89

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 6010C			Date Analyzed:	11/21/2014	2128	
Prep Method: 3050B			Date Prepared:	11/20/2014	1200	
Silver	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Arsenic	3.7		mg/Kg Dry	2.0	2.0	1.0
Beryllium	0.99	U	mg/Kg Dry	0.99	0.99	1.0
Cadmium	0.99	U	mg/Kg Dry	0.99	0.99	1.0
Chromium	16		mg/Kg Dry	2.0	2.0	1.0
Copper	13		mg/Kg Dry	4.9	4.9	1.0
Nickel	12		mg/Kg Dry	7.9	7.9	1.0
Lead	31		mg/Kg Dry	4.9	4.9	1.0
Antimony	12	U	mg/Kg Dry	12	12	1.0
Selenium	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Thallium	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Zinc	71		mg/Kg Dry	4.0	4.0	1.0
Method: 7471B			Date Analyzed:	11/21/2014	1545	
Prep Method: 7471B			Date Prepared:	11/20/2014	1601	
Hg	0.043		mg/Kg Dry	0.039	0.039	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB2
 Lab Sample ID: 420-84680-2

Date Sampled: 11/18/2014 0938
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 83

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed: 11/19/2014 1214		
Prep Method: 5035-L			Date Prepared: 11/19/2014 1214		
Acrolein	0.0014 U *	mg/Kg Dry	0.00095	0.0014	1.0
Acrylonitrile	0.0069 U	mg/Kg Dry	0.00023	0.0069	1.0
Ethyl methacrylate	0.0014 U	mg/Kg Dry	0.000023	0.0014	1.0
Methyl methacrylate	0.014 U	mg/Kg Dry	0.00015	0.014	1.0
1,2,4-Trichlorobenzene	0.0014 U	mg/Kg Dry	0.00010	0.0014	1.0
1,2,4-Trimethylbenzene	0.0014 U	mg/Kg Dry	0.000073	0.0014	1.0
1,2-Dichlorobenzene	0.0014 U	mg/Kg Dry	0.000044	0.0014	1.0
1,2-Dichloroethane	0.0014 U	mg/Kg Dry	0.000027	0.0014	1.0
1,2-Dichloropropane	0.0014 U	mg/Kg Dry	0.000026	0.0014	1.0
1,3,5-Trimethylbenzene	0.0014 U	mg/Kg Dry	0.000073	0.0014	1.0
1,3-Dichlorobenzene	0.0014 U	mg/Kg Dry	0.000063	0.0014	1.0
1,3-Dichloropropane	0.0014 U	mg/Kg Dry	0.000030	0.0014	1.0
1,4-Dichlorobenzene	0.0014 U	mg/Kg Dry	0.000073	0.0014	1.0
1,4-Dioxane	0.0021 U	mg/Kg Dry	0.0018	0.0021	1.0
2-Chlorotoluene	0.0014 U	mg/Kg Dry	0.000056	0.0014	1.0
2-Chloroethyl vinyl ether	0.0014 U	mg/Kg Dry	0.00036	0.0014	1.0
4-Chlorotoluene	0.0014 U	mg/Kg Dry	0.000076	0.0014	1.0
Benzene	0.0014 U	mg/Kg Dry	0.000027	0.0014	1.0
Bromobenzene	0.0014 U	mg/Kg Dry	0.000043	0.0014	1.0
Bromoform	0.0014 U	mg/Kg Dry	0.000022	0.0014	1.0
Bromomethane	0.0014 U	mg/Kg Dry	0.000021	0.0014	1.0
Chlorobenzene	0.0014 U	mg/Kg Dry	0.000043	0.0014	1.0
Chloroform	0.0014 U	mg/Kg Dry	0.000025	0.0014	1.0
Chloromethane	0.0014 U	mg/Kg Dry	0.000032	0.0014	1.0
Chloroethane	0.0014 U	mg/Kg Dry	0.000048	0.0014	1.0
Dibromochloromethane	0.0014 U	mg/Kg Dry	0.000033	0.0014	1.0
Bromochloromethane	0.0014 U	mg/Kg Dry	0.000043	0.0014	1.0
Ethylbenzene	0.0014 U	mg/Kg Dry	0.000054	0.0014	1.0
Isopropylbenzene	0.0014 U	mg/Kg Dry	0.000062	0.0014	1.0
Naphthalene	0.0014 U	mg/Kg Dry	0.000037	0.0014	1.0
n-Butylbenzene	0.0014 U	mg/Kg Dry	0.000032	0.0014	1.0
N-Propylbenzene	0.0014 U	mg/Kg Dry	0.000085	0.0014	1.0
4-Isopropyltoluene	0.0014 U	mg/Kg Dry	0.00011	0.0014	1.0
sec-Butylbenzene	0.0014 U	mg/Kg Dry	0.000096	0.0014	1.0
Styrene	0.0014 U	mg/Kg Dry	0.000033	0.0014	1.0
tert-Butylbenzene	0.0014 U	mg/Kg Dry	0.000062	0.0014	1.0
Toluene	0.0014 U	mg/Kg Dry	0.000027	0.0014	1.0
Xylenes, Total	0.0027 U	mg/Kg Dry	0.00014	0.0027	1.0
Benzyl chloride	0.0014 U	mg/Kg Dry	0.000041	0.0014	1.0

Mr. William L. Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB2
Lab Sample ID: 420-84680-2

Date Sampled: 11/18/2014 0938
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 83

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0014	U	mg/Kg Dry	0.000026	0.0014	1.0
1,1,1-Trichloroethane	0.0014	U	mg/Kg Dry	0.000034	0.0014	1.0
Freon 113	0.0014	U	mg/Kg Dry	0.000041	0.0014	1.0
1,1,2-Trichloroethane	0.0014	U	mg/Kg Dry	0.000045	0.0014	1.0
1,1-Dichloroethane	0.0014	U	mg/Kg Dry	0.000019	0.0014	1.0
1,1-Dichloroethene	0.0014	U	mg/Kg Dry	0.000045	0.0014	1.0
1,1-Dichloropropene	0.0014	U	mg/Kg Dry	0.000070	0.0014	1.0
2,2-Dichloropropane	0.0014	U	mg/Kg Dry	0.000030	0.0014	1.0
2-Hexanone	0.0014	U	mg/Kg Dry	0.00022	0.0014	1.0
Bromodichloromethane	0.0014	U	mg/Kg Dry	0.000012	0.0014	1.0
Dichlorodifluoromethane	0.0014	U	mg/Kg Dry	0.00013	0.0014	1.0
Carbon tetrachloride	0.0014	U	mg/Kg Dry	0.000044	0.0014	1.0
Carbon disulfide	0.0014	U	mg/Kg Dry	0.000045	0.0014	1.0
cis-1,2-Dichloroethene	0.0014	U	mg/Kg Dry	0.000027	0.0014	1.0
cis-1,3-Dichloropropene	0.0014	U	mg/Kg Dry	0.000025	0.0014	1.0
Dibromomethane	0.0014	U	mg/Kg Dry	0.000044	0.0014	1.0
Methylene Chloride	0.0014	U	mg/Kg Dry	0.000041	0.0014	1.0
Tetrachloroethene	0.0014	U	mg/Kg Dry	0.00014	0.0014	1.0
trans-1,2-Dichloroethene	0.0014	U	mg/Kg Dry	0.000049	0.0014	1.0
trans-1,3-Dichloropropene	0.0014	U	mg/Kg Dry	0.000022	0.0014	1.0
Trichloroethene	0.018		mg/Kg Dry	0.000055	0.0014	1.0
Trichlorofluoromethane	0.0014	U	mg/Kg Dry	0.000076	0.0014	1.0
Vinyl chloride	0.0014	U	mg/Kg Dry	0.000043	0.0014	1.0
Vinyl acetate	0.0014	U	mg/Kg Dry	0.000030	0.0014	1.0
2-Butanone (MEK)	0.0014	U	mg/Kg Dry	0.00041	0.0014	1.0
4-Methyl-2-pentanone (MIBK)	0.0014	U	mg/Kg Dry	0.00022	0.0014	1.0
Methyl tert-butyl ether	0.0014	U	mg/Kg Dry	0.000021	0.0014	1.0
Acetone	0.0032	J	mg/Kg Dry	0.00029	0.0069	1.0
Acetonitrile	0.0027	U *	mg/Kg Dry	0.00060	0.0027	1.0
m-Xylene & p-Xylene	0.0027	U	mg/Kg Dry	0.00012	0.0027	1.0
o-Xylene	0.0027	U	mg/Kg Dry	0.000036	0.0027	1.0
1,2-Dichloroethene, Total	0.0014	U	mg/Kg Dry	0.000049	0.0014	1.0
1,1,2,2-Tetrachloroethane	0.0014	U	mg/Kg Dry	0.000027	0.0014	1.0
1,2,3-Trichloropropane	0.0014	U	mg/Kg Dry	0.000030	0.0014	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	88		%	72 - 143		
4-Bromofluorobenzene	72		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	101		%	73 - 128		

Method: 8270D
Prep Method: 3546

Date Analyzed: 11/20/2014 1909
Date Prepared: 11/19/2014 1300

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB2
Lab Sample ID: 420-84680-2

Date Sampled: 11/18/2014 0938
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 83

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
N-Nitrosodi-n-propylamine	0.40	U	mg/Kg Dry	0.21	0.40	1.0
N-Nitrosodimethylamine	0.40	U	mg/Kg Dry	0.26	0.40	1.0
N-Nitrosodiphenylamine	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Naphthalene	0.40	U	mg/Kg Dry	0.22	0.40	1.0
Nitrobenzene	0.40	U	mg/Kg Dry	0.20	0.40	1.0
Pyridine	1.2	U	mg/Kg Dry	0.19	1.2	1.0
Phenanthrene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Pyrene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Bis(2-chloroethoxy)methane	0.40	U	mg/Kg Dry	0.28	0.40	1.0
Butyl benzyl phthalate	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Benzidine	3.0	U	mg/Kg Dry	0.33	3.0	1.0
Benzo[a]anthracene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Bis(2-ethylhexyl) phthalate	0.40	U	mg/Kg Dry	0.13	0.40	1.0
Benzo[b]fluoranthene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Benzo[k]fluoranthene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Benzo[a]pyrene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Benzo[g,h,i]perylene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Bis(2-chloroethyl)ether	0.40	U	mg/Kg Dry	0.23	0.40	1.0
Benzyl alcohol	0.40	U	mg/Kg Dry	0.24	0.40	1.0
bis(chloroisopropyl) ether	0.40	U	mg/Kg Dry	0.21	0.40	1.0
Aniline	0.40	U	mg/Kg Dry	0.27	0.40	1.0
Acenaphthene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Acenaphthylene	0.40	U	mg/Kg Dry	0.15	0.40	1.0
Anthracene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Hexachloroethane	0.40	U	mg/Kg Dry	0.17	0.40	1.0
Hexachlorobutadiene	0.40	U	mg/Kg Dry	0.18	0.40	1.0
Hexachlorocyclopentadiene	0.40	U	mg/Kg Dry	0.19	0.40	1.0
Hexachlorobenzene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Indeno[1,2,3-cd]pyrene	0.40	U	mg/Kg Dry	0.32	0.40	1.0
Isophorone	0.40	U	mg/Kg Dry	0.19	0.40	1.0
1,2,4-Trichlorobenzene	0.40	U	mg/Kg Dry	0.19	0.40	1.0
4-Chloroaniline	0.40	U	mg/Kg Dry	0.23	0.40	1.0
2-Methylnaphthalene	0.40	U	mg/Kg Dry	0.20	0.40	1.0
2-Chloronaphthalene	0.40	U	mg/Kg Dry	0.17	0.40	1.0
2-Nitroaniline	0.40	U	mg/Kg Dry	0.11	0.40	1.0
2,6-Dinitrotoluene	0.40	U	mg/Kg Dry	0.098	0.40	1.0
1,3-Dinitrobenzene	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Dimethyl phthalate	0.40	U	mg/Kg Dry	0.099	0.40	1.0
3-Nitroaniline	0.40	U	mg/Kg Dry	0.19	0.40	1.0
2,4-Dinitrotoluene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Dibenzofuran	0.40	U	mg/Kg Dry	0.12	0.40	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB2
Lab Sample ID: 420-84680-2

Date Sampled: 11/18/2014 0938
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 83

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Fluorene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Diethyl phthalate	0.40	U	mg/Kg Dry	0.10	0.40	1.0
4-Bromophenyl phenyl ether	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Di-n-butyl phthalate	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Fluoranthene	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Carbazole	0.40	U	mg/Kg Dry	0.14	0.40	1.0
3,3'-Dichlorobenzidine	0.40	U *	mg/Kg Dry	0.26	0.40	1.0
Chrysene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Di-n-octyl phthalate	0.40	U	mg/Kg Dry	0.14	0.40	1.0
Dibenz(a,h)anthracene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	62		%		10 - 120	
Terphenyl-d14	119		%		10 - 120	
2-Fluorobiphenyl	71		%		10 - 120	
Method: 8082A				Date Analyzed:	11/23/2014 1211	
Prep Method: 3546				Date Prepared:	11/21/2014 1000	
PCB-1016	0.079	U	mg/Kg Dry	0.0063	0.079	1.0
PCB-1221	0.079	U	mg/Kg Dry	0.010	0.079	1.0
PCB-1232	0.079	U	mg/Kg Dry	0.025	0.079	1.0
PCB-1242	0.079	U	mg/Kg Dry	0.015	0.079	1.0
PCB-1248	0.079	U	mg/Kg Dry	0.010	0.079	1.0
PCB-1254	0.079	U	mg/Kg Dry	0.016	0.079	1.0
PCB-1260	0.079	U	mg/Kg Dry	0.012	0.079	1.0
PCB-1262	0.079	U	mg/Kg Dry	0.013	0.079	1.0
PCB-1268	0.079	U	mg/Kg Dry	0.015	0.079	1.0
Surrogate	Acceptance Limits					
2,4,5,6-Tetrachloro-m-xylene	59		%		30 - 150	
DCB Decachlorobiphenyl(surr)	64		%		30 - 150	

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB2
Lab Sample ID: 420-84680-2

Date Sampled: 11/18/2014 0938
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 83

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 6010C			Date Analyzed:	11/21/2014	2132	
Prep Method: 3050B			Date Prepared:	11/20/2014	1200	
Silver	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Arsenic	2.2		mg/Kg Dry	2.0	2.0	1.0
Beryllium	0.99	U	mg/Kg Dry	0.99	0.99	1.0
Cadmium	0.99	U	mg/Kg Dry	0.99	0.99	1.0
Chromium	7.1		mg/Kg Dry	2.0	2.0	1.0
Copper	10		mg/Kg Dry	4.9	4.9	1.0
Nickel	9.8		mg/Kg Dry	7.9	7.9	1.0
Lead	5.2		mg/Kg Dry	4.9	4.9	1.0
Antimony	12	U	mg/Kg Dry	12	12	1.0
Selenium	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Thallium	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Zinc	29		mg/Kg Dry	4.0	4.0	1.0
Method: 7471B			Date Analyzed:	11/21/2014	1548	
Prep Method: 7471B			Date Prepared:	11/20/2014	1601	
Hg	0.040	U	mg/Kg Dry	0.040	0.040	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB3
 Lab Sample ID: 420-84680-3

Date Sampled: 11/18/2014 1018
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 81

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	11/19/2014	1243	
Prep Method: 5035-L			Date Prepared:	11/19/2014	1243	
Acrolein	0.0015	U *	mg/Kg Dry	0.0011	0.0015	1.0
Acrylonitrile	0.0077	U	mg/Kg Dry	0.00026	0.0077	1.0
Ethyl methacrylate	0.0015	U	mg/Kg Dry	0.000026	0.0015	1.0
Methyl methacrylate	0.015	U	mg/Kg Dry	0.00017	0.015	1.0
1,2,4-Trichlorobenzene	0.0015	U	mg/Kg Dry	0.00011	0.0015	1.0
1,2,4-Trimethylbenzene	0.0015	U	mg/Kg Dry	0.000082	0.0015	1.0
1,2-Dichlorobenzene	0.0015	U	mg/Kg Dry	0.000049	0.0015	1.0
1,2-Dichloroethane	0.0015	U	mg/Kg Dry	0.000031	0.0015	1.0
1,2-Dichloropropane	0.0015	U	mg/Kg Dry	0.000029	0.0015	1.0
1,3,5-Trimethylbenzene	0.0015	U	mg/Kg Dry	0.000082	0.0015	1.0
1,3-Dichlorobenzene	0.0015	U	mg/Kg Dry	0.000071	0.0015	1.0
1,3-Dichloropropane	0.0015	U	mg/Kg Dry	0.000034	0.0015	1.0
1,4-Dichlorobenzene	0.0015	U	mg/Kg Dry	0.000082	0.0015	1.0
1,4-Dioxane	0.0023	U	mg/Kg Dry	0.0020	0.0023	1.0
2-Chlorotoluene	0.0015	U	mg/Kg Dry	0.000063	0.0015	1.0
2-Chloroethyl vinyl ether	0.0015	U	mg/Kg Dry	0.00040	0.0015	1.0
4-Chlorotoluene	0.0015	U	mg/Kg Dry	0.000085	0.0015	1.0
Benzene	0.0015	U	mg/Kg Dry	0.000031	0.0015	1.0
Bromobenzene	0.0015	U	mg/Kg Dry	0.000048	0.0015	1.0
Bromoform	0.0015	U	mg/Kg Dry	0.000025	0.0015	1.0
Bromomethane	0.0015	U	mg/Kg Dry	0.000023	0.0015	1.0
Chlorobenzene	0.0015	U	mg/Kg Dry	0.000048	0.0015	1.0
Chloroform	0.0015	U	mg/Kg Dry	0.000028	0.0015	1.0
Chloromethane	0.0015	U	mg/Kg Dry	0.000035	0.0015	1.0
Chloroethane	0.0015	U	mg/Kg Dry	0.000054	0.0015	1.0
Dibromochloromethane	0.0015	U	mg/Kg Dry	0.000037	0.0015	1.0
Bromochloromethane	0.0015	U	mg/Kg Dry	0.000048	0.0015	1.0
Ethylbenzene	0.0015	U	mg/Kg Dry	0.000060	0.0015	1.0
Isopropylbenzene	0.0015	U	mg/Kg Dry	0.000069	0.0015	1.0
Naphthalene	0.0015	U	mg/Kg Dry	0.000042	0.0015	1.0
n-Butylbenzene	0.0015	U	mg/Kg Dry	0.000035	0.0015	1.0
N-Propylbenzene	0.0015	U	mg/Kg Dry	0.000096	0.0015	1.0
4-Isopropyltoluene	0.0015	U	mg/Kg Dry	0.00013	0.0015	1.0
sec-Butylbenzene	0.0015	U	mg/Kg Dry	0.00011	0.0015	1.0
Styrene	0.0015	U	mg/Kg Dry	0.000037	0.0015	1.0
tert-Butylbenzene	0.0015	U	mg/Kg Dry	0.000069	0.0015	1.0
Toluene	0.0015	U	mg/Kg Dry	0.000031	0.0015	1.0
Xylenes, Total	0.0031	U	mg/Kg Dry	0.00015	0.0031	1.0
Benzyl chloride	0.0015	U	mg/Kg Dry	0.000046	0.0015	1.0

Mr. William L. Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB3
Lab Sample ID: 420-84680-3

Date Sampled: 11/18/2014 1018
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 81

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0015	U	mg/Kg Dry	0.000029	0.0015	1.0
1,1,1-Trichloroethane	0.0015	U	mg/Kg Dry	0.000039	0.0015	1.0
Freon 113	0.0015	U	mg/Kg Dry	0.000046	0.0015	1.0
1,1,2-Trichloroethane	0.0015	U	mg/Kg Dry	0.000051	0.0015	1.0
1,1-Dichloroethane	0.0015	U	mg/Kg Dry	0.000022	0.0015	1.0
1,1-Dichloroethene	0.0015	U	mg/Kg Dry	0.000051	0.0015	1.0
1,1-Dichloropropene	0.0015	U	mg/Kg Dry	0.000079	0.0015	1.0
2,2-Dichloropropane	0.0015	U	mg/Kg Dry	0.000034	0.0015	1.0
2-Hexanone	0.0015	U	mg/Kg Dry	0.00025	0.0015	1.0
Bromodichloromethane	0.0015	U	mg/Kg Dry	0.000014	0.0015	1.0
Dichlorodifluoromethane	0.0015	U	mg/Kg Dry	0.00015	0.0015	1.0
Carbon tetrachloride	0.0015	U	mg/Kg Dry	0.000049	0.0015	1.0
Carbon disulfide	0.0015	U	mg/Kg Dry	0.000051	0.0015	1.0
cis-1,2-Dichloroethene	0.0015	U	mg/Kg Dry	0.000031	0.0015	1.0
cis-1,3-Dichloropropene	0.0015	U	mg/Kg Dry	0.000028	0.0015	1.0
Dibromomethane	0.0015	U	mg/Kg Dry	0.000049	0.0015	1.0
Methylene Chloride	0.0015	U	mg/Kg Dry	0.000046	0.0015	1.0
Tetrachloroethene	0.0015	U	mg/Kg Dry	0.00015	0.0015	1.0
trans-1,2-Dichloroethene	0.0015	U	mg/Kg Dry	0.000055	0.0015	1.0
trans-1,3-Dichloropropene	0.0015	U	mg/Kg Dry	0.000025	0.0015	1.0
Trichloroethene	0.0015	U	mg/Kg Dry	0.000062	0.0015	1.0
Trichlorofluoromethane	0.0015	U	mg/Kg Dry	0.000085	0.0015	1.0
Vinyl chloride	0.0015	U	mg/Kg Dry	0.000048	0.0015	1.0
Vinyl acetate	0.0015	U	mg/Kg Dry	0.000034	0.0015	1.0
2-Butanone (MEK)	0.0015	U	mg/Kg Dry	0.00046	0.0015	1.0
4-Methyl-2-pentanone (MIBK)	0.0015	U	mg/Kg Dry	0.00025	0.0015	1.0
Methyl tert-butyl ether	0.0015	U	mg/Kg Dry	0.000023	0.0015	1.0
Acetone	0.0077	U	mg/Kg Dry	0.00032	0.0077	1.0
Acetonitrile	0.0031	U *	mg/Kg Dry	0.00068	0.0031	1.0
m-Xylene & p-Xylene	0.0031	U	mg/Kg Dry	0.00014	0.0031	1.0
o-Xylene	0.0031	U	mg/Kg Dry	0.000040	0.0031	1.0
1,2-Dichloroethene, Total	0.0015	U	mg/Kg Dry	0.000055	0.0015	1.0
1,1,2,2-Tetrachloroethane	0.0015	U	mg/Kg Dry	0.000031	0.0015	1.0
1,2,3-Trichloropropane	0.0015	U	mg/Kg Dry	0.000034	0.0015	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	87		%	72 - 143		
4-Bromofluorobenzene	67		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	100		%	73 - 128		

Method: 8270D
Prep Method: 3546

Date Analyzed: 11/20/2014 1937
Date Prepared: 11/19/2014 1300

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB3
Lab Sample ID: 420-84680-3

Date Sampled: 11/18/2014 1018
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 81

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
N-Nitrosodi-n-propylamine	0.40	U	mg/Kg Dry	0.21	0.40	1.0
N-Nitrosodimethylamine	0.40	U	mg/Kg Dry	0.26	0.40	1.0
N-Nitrosodiphenylamine	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Naphthalene	0.40	U	mg/Kg Dry	0.22	0.40	1.0
Nitrobenzene	0.40	U	mg/Kg Dry	0.20	0.40	1.0
Pyridine	1.2	U	mg/Kg Dry	0.19	1.2	1.0
Phenanthrene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Pyrene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Bis(2-chloroethoxy)methane	0.40	U	mg/Kg Dry	0.28	0.40	1.0
Butyl benzyl phthalate	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Benzidine	3.0	U	mg/Kg Dry	0.33	3.0	1.0
Benzo[a]anthracene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Bis(2-ethylhexyl) phthalate	0.40	U	mg/Kg Dry	0.13	0.40	1.0
Benzo[b]fluoranthene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Benzo[k]fluoranthene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Benzo[a]pyrene	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Benzo[g,h,i]perylene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Bis(2-chloroethyl)ether	0.40	U	mg/Kg Dry	0.23	0.40	1.0
Benzyl alcohol	0.40	U	mg/Kg Dry	0.24	0.40	1.0
bis(chloroisopropyl) ether	0.40	U	mg/Kg Dry	0.21	0.40	1.0
Aniline	0.40	U	mg/Kg Dry	0.27	0.40	1.0
Acenaphthene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Acenaphthylene	0.40	U	mg/Kg Dry	0.15	0.40	1.0
Anthracene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Hexachloroethane	0.40	U	mg/Kg Dry	0.17	0.40	1.0
Hexachlorobutadiene	0.40	U	mg/Kg Dry	0.18	0.40	1.0
Hexachlorocyclopentadiene	0.40	U	mg/Kg Dry	0.19	0.40	1.0
Hexachlorobenzene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Indeno[1,2,3-cd]pyrene	0.40	U	mg/Kg Dry	0.32	0.40	1.0
Isophorone	0.40	U	mg/Kg Dry	0.19	0.40	1.0
1,2,4-Trichlorobenzene	0.40	U	mg/Kg Dry	0.19	0.40	1.0
4-Chloroaniline	0.40	U	mg/Kg Dry	0.23	0.40	1.0
2-Methylnaphthalene	0.40	U	mg/Kg Dry	0.20	0.40	1.0
2-Chloronaphthalene	0.40	U	mg/Kg Dry	0.17	0.40	1.0
2-Nitroaniline	0.40	U	mg/Kg Dry	0.11	0.40	1.0
2,6-Dinitrotoluene	0.40	U	mg/Kg Dry	0.097	0.40	1.0
1,3-Dinitrobenzene	0.40	U	mg/Kg Dry	0.099	0.40	1.0
Dimethyl phthalate	0.40	U	mg/Kg Dry	0.098	0.40	1.0
3-Nitroaniline	0.40	U	mg/Kg Dry	0.19	0.40	1.0
2,4-Dinitrotoluene	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Dibenzofuran	0.40	U	mg/Kg Dry	0.12	0.40	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB3
Lab Sample ID: 420-84680-3

Date Sampled: 11/18/2014 1018
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 81

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Fluorene	0.40	U	mg/Kg Dry	0.12	0.40	1.0
Diethyl phthalate	0.40	U	mg/Kg Dry	0.10	0.40	1.0
4-Bromophenyl phenyl ether	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Di-n-butyl phthalate	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Fluoranthene	0.40	U	mg/Kg Dry	0.10	0.40	1.0
Carbazole	0.40	U	mg/Kg Dry	0.14	0.40	1.0
3,3'-Dichlorobenzidine	0.40	U *	mg/Kg Dry	0.25	0.40	1.0
Chrysene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Di-n-octyl phthalate	0.40	U	mg/Kg Dry	0.13	0.40	1.0
Dibenz(a,h)anthracene	0.40	U	mg/Kg Dry	0.11	0.40	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	37		%		10 - 120	
Terphenyl-d14	122	X	%		10 - 120	
2-Fluorobiphenyl	50		%		10 - 120	
Method: 8082A				Date Analyzed:	11/23/2014 1228	
Prep Method: 3546				Date Prepared:	11/21/2014 1000	
PCB-1016	0.080	U	mg/Kg Dry	0.0063	0.080	1.0
PCB-1221	0.080	U	mg/Kg Dry	0.010	0.080	1.0
PCB-1232	0.080	U	mg/Kg Dry	0.025	0.080	1.0
PCB-1242	0.080	U	mg/Kg Dry	0.015	0.080	1.0
PCB-1248	0.080	U	mg/Kg Dry	0.010	0.080	1.0
PCB-1254	0.080	U	mg/Kg Dry	0.016	0.080	1.0
PCB-1260	0.080	U	mg/Kg Dry	0.012	0.080	1.0
PCB-1262	0.080	U	mg/Kg Dry	0.013	0.080	1.0
PCB-1268	0.080	U	mg/Kg Dry	0.015	0.080	1.0
Surrogate	Acceptance Limits					
2,4,5,6-Tetrachloro-m-xylene	60		%		30 - 150	
DCB Decachlorobiphenyl(surr)	65		%		30 - 150	

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY SB3
Lab Sample ID: 420-84680-3

Date Sampled: 11/18/2014 1018
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 81

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 6010C			Date Analyzed:	11/21/2014 2149		
Prep Method: 3050B			Date Prepared:	11/20/2014 1200		
Silver	1.9	U	mg/Kg Dry	1.9	1.9	1.0
Arsenic	2.8		mg/Kg Dry	1.9	1.9	1.0
Beryllium	0.97	U	mg/Kg Dry	0.97	0.97	1.0
Cadmium	0.97	U	mg/Kg Dry	0.97	0.97	1.0
Chromium	9.6		mg/Kg Dry	1.9	1.9	1.0
Copper	12		mg/Kg Dry	4.8	4.8	1.0
Nickel	12		mg/Kg Dry	7.7	7.7	1.0
Lead	4.8	U	mg/Kg Dry	4.8	4.8	1.0
Antimony	12	U	mg/Kg Dry	12	12	1.0
Selenium	1.9	U	mg/Kg Dry	1.9	1.9	1.0
Thallium	1.9	U	mg/Kg Dry	1.9	1.9	1.0
Zinc	37		mg/Kg Dry	3.9	3.9	1.0
Method: 7471B			Date Analyzed:	11/21/2014 1550		
Prep Method: 7471B			Date Prepared:	11/20/2014 1601		
Hg	0.039	U	mg/Kg Dry	0.039	0.039	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	11/20/2014 1248		
Prep Method: 5035-H			Date Prepared:	11/20/2014 1014		
Acrolein	0.13	U *	mg/Kg Dry	0.091	0.13	50
Acrylonitrile	0.66	U	mg/Kg Dry	0.023	0.66	50
Ethyl methacrylate	0.13	U	mg/Kg Dry	0.0023	0.13	50
Methyl methacrylate	1.3	U	mg/Kg Dry	0.015	1.3	50
1,2,4-Trichlorobenzene	0.13	U	mg/Kg Dry	0.0097	0.13	50
1,2,4-Trimethylbenzene	26	E	mg/Kg Dry	0.0070	0.13	50
1,2-Dichlorobenzene	0.13	U	mg/Kg Dry	0.0042	0.13	50
1,2-Dichloroethane	0.13	U	mg/Kg Dry	0.0026	0.13	50
1,2-Dichloropropane	0.13	U	mg/Kg Dry	0.0025	0.13	50
1,3,5-Trimethylbenzene	8.2		mg/Kg Dry	0.0070	0.13	50
1,3-Dichlorobenzene	0.13	U	mg/Kg Dry	0.0061	0.13	50
1,3-Dichloropropane	0.13	U	mg/Kg Dry	0.0029	0.13	50
1,4-Dichlorobenzene	0.13	U	mg/Kg Dry	0.0070	0.13	50
1,4-Dioxane	0.20	U	mg/Kg Dry	0.17	0.20	50
2-Chlorotoluene	0.13	U	mg/Kg Dry	0.0054	0.13	50
2-Chloroethyl vinyl ether	0.13	U	mg/Kg Dry	0.034	0.13	50
4-Chlorotoluene	0.13	U	mg/Kg Dry	0.0073	0.13	50
Benzene	0.015	J	mg/Kg Dry	0.0026	0.13	50
Bromobenzene	0.13	U	mg/Kg Dry	0.0041	0.13	50
Bromoform	0.13	U	mg/Kg Dry	0.0021	0.13	50
Bromomethane	0.13	U	mg/Kg Dry	0.0020	0.13	50
Chlorobenzene	0.13	U	mg/Kg Dry	0.0041	0.13	50
Chloroform	0.13	U	mg/Kg Dry	0.0024	0.13	50
Chloromethane	0.13	U	mg/Kg Dry	0.0030	0.13	50
Chloroethane	0.13	U	mg/Kg Dry	0.0046	0.13	50
Dibromochloromethane	0.13	U	mg/Kg Dry	0.0032	0.13	50
Bromochloromethane	0.13	U	mg/Kg Dry	0.0041	0.13	50
Ethylbenzene	1.3		mg/Kg Dry	0.0052	0.13	50
Isopropylbenzene	1.3		mg/Kg Dry	0.0060	0.13	50
Naphthalene	6.0		mg/Kg Dry	0.0036	0.13	50
n-Butylbenzene	2.8		mg/Kg Dry	0.0030	0.13	50
N-Propylbenzene	2.1		mg/Kg Dry	0.0082	0.13	50
4-Isopropyltoluene	3.1		mg/Kg Dry	0.011	0.13	50
sec-Butylbenzene	3.4		mg/Kg Dry	0.0093	0.13	50
Styrene	0.13	U	mg/Kg Dry	0.0032	0.13	50
tert-Butylbenzene	0.21		mg/Kg Dry	0.0060	0.13	50
Toluene	0.98		mg/Kg Dry	0.0026	0.13	50
Xylenes, Total	14		mg/Kg Dry	0.013	0.26	50
Benzyl chloride	0.13	U	mg/Kg Dry	0.0040	0.13	50

Mr. William L. Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.13	U	mg/Kg Dry	0.0025	0.13	50
1,1,1-Trichloroethane	0.13	U	mg/Kg Dry	0.0033	0.13	50
Freon-113	0.13	U	mg/Kg Dry	0.0040	0.13	50
1,1,2-Trichloroethane	0.13	U	mg/Kg Dry	0.0044	0.13	50
1,1-Dichloroethane	0.13	U	mg/Kg Dry	0.0019	0.13	50
1,1-Dichloroethene	0.13	U	mg/Kg Dry	0.0044	0.13	50
1,1-Dichloropropene	0.13	U	mg/Kg Dry	0.0068	0.13	50
2,2-Dichloropropane	0.13	U	mg/Kg Dry	0.0029	0.13	50
2-Hexanone	0.13	U	mg/Kg Dry	0.021	0.13	50
Bromodichloromethane	0.13	U	mg/Kg Dry	0.0012	0.13	50
Dichlorodifluoromethane	0.13	U	mg/Kg Dry	0.013	0.13	50
Carbon tetrachloride	0.13	U	mg/Kg Dry	0.0042	0.13	50
Carbon disulfide	0.13	U	mg/Kg Dry	0.0044	0.13	50
cis-1,2-Dichloroethene	0.13	U	mg/Kg Dry	0.0026	0.13	50
cis-1,3-Dichloropropene	0.13	U	mg/Kg Dry	0.0024	0.13	50
Dibromomethane	0.13	U	mg/Kg Dry	0.0042	0.13	50
Methylene Chloride	0.13	U	mg/Kg Dry	0.0040	0.13	50
Tetrachloroethene	0.13	U	mg/Kg Dry	0.013	0.13	50
trans-1,2-Dichloroethene	0.13	U	mg/Kg Dry	0.0048	0.13	50
trans-1,3-Dichloropropene	0.13	U	mg/Kg Dry	0.0021	0.13	50
Trichloroethene	0.12	J	mg/Kg Dry	0.0053	0.13	50
Trichlorofluoromethane	0.13	U	mg/Kg Dry	0.0073	0.13	50
Vinyl chloride	0.13	U	mg/Kg Dry	0.0041	0.13	50
Vinyl acetate	0.13	U	mg/Kg Dry	0.0029	0.13	50
2-Butanone (MEK)	0.13	U	mg/Kg Dry	0.040	0.13	50
4-Methyl-2-pentanone (MIBK)	0.13	U	mg/Kg Dry	0.021	0.13	50
Methyl tert-butyl ether	0.13	U	mg/Kg Dry	0.0020	0.13	50
Acetone	0.23	J	mg/Kg Dry	0.028	0.66	50
Acetonitrile	0.26	U	mg/Kg Dry	0.058	0.26	50
m-Xylene & p-Xylene	8.8		mg/Kg Dry	0.012	0.26	50
o-Xylene	5.6		mg/Kg Dry	0.0034	0.26	50
1,2-Dichloroethene, Total	0.13	U	mg/Kg Dry	0.0048	0.13	50
1,1,2,2-Tetrachloroethane	0.13	U	mg/Kg Dry	0.0026	0.13	50
1,2,3-Trichloropropane	0.13	U	mg/Kg Dry	0.0029	0.13	50

Surrogate	Acceptance Limits		
Toluene-d8 (Surr)	99	%	72 - 143
4-Bromofluorobenzene	114	%	49 - 138
1,2-Dichloroethane-d4 (Surr)	101	%	73 - 128

Method: 8260C Run Type: DL
Prep Method: 5035-H

Date Analyzed: 11/20/2014 1412
Date Prepared: 11/20/2014 1014

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,2,4-Trimethylbenzene	23	D	mg/Kg Dry	0.070	1.3	500
Method: 8260C			Date Analyzed: 11/19/2014 1603			
Prep Method: 5035-L			Date Prepared: 11/19/2014 1603			
Acrolein	0.0013	U *	mg/Kg Dry	0.00088	0.0013	1.0
Acrylonitrile	0.0064	U	mg/Kg Dry	0.00022	0.0064	1.0
Ethyl methacrylate	0.0013	U	mg/Kg Dry	0.000022	0.0013	1.0
Methyl methacrylate	0.013	U	mg/Kg Dry	0.00014	0.013	1.0
1,2,4-Trichlorobenzene	0.0013	U	mg/Kg Dry	0.000093	0.0013	1.0
1,2,4-Trimethylbenzene	3.1	E	mg/Kg Dry	0.000067	0.0013	1.0
1,2-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000041	0.0013	1.0
1,2-Dichloroethane	0.0013	U	mg/Kg Dry	0.000025	0.0013	1.0
1,2-Dichloropropane	0.0013	U	mg/Kg Dry	0.000024	0.0013	1.0
1,3,5-Trimethylbenzene	2.0	E	mg/Kg Dry	0.000067	0.0013	1.0
1,3-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000058	0.0013	1.0
1,3-Dichloropropane	0.0013	U	mg/Kg Dry	0.000028	0.0013	1.0
1,4-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000067	0.0013	1.0
1,4-Dioxane	0.0019	U	mg/Kg Dry	0.0017	0.0019	1.0
2-Chlorotoluene	0.0013	U	mg/Kg Dry	0.000052	0.0013	1.0
2-Chloroethyl vinyl ether	0.0013	U	mg/Kg Dry	0.00033	0.0013	1.0
4-Chlorotoluene	0.0013	U	mg/Kg Dry	0.000070	0.0013	1.0
Benzene	0.014		mg/Kg Dry	0.000025	0.0013	1.0
Bromobenzene	0.0013	U	mg/Kg Dry	0.000039	0.0013	1.0
Bromoform	0.0013	U	mg/Kg Dry	0.000020	0.0013	1.0
Bromomethane	0.0013	U	mg/Kg Dry	0.000019	0.0013	1.0
Chlorobenzene	0.0013	U	mg/Kg Dry	0.000039	0.0013	1.0
Chloroform	0.0013	U	mg/Kg Dry	0.000023	0.0013	1.0
Chloromethane	0.0013	U	mg/Kg Dry	0.000029	0.0013	1.0
Chloroethane	0.0013	U	mg/Kg Dry	0.000044	0.0013	1.0
Dibromochloromethane	0.0013	U	mg/Kg Dry	0.000031	0.0013	1.0
Bromochloromethane	0.0013	U	mg/Kg Dry	0.000039	0.0013	1.0
Ethylbenzene	1.0	E	mg/Kg Dry	0.000050	0.0013	1.0
Isopropylbenzene	0.67	E	mg/Kg Dry	0.000057	0.0013	1.0
Naphthalene	0.097		mg/Kg Dry	0.000034	0.0013	1.0
n-Butylbenzene	0.20		mg/Kg Dry	0.000029	0.0013	1.0
N-Propylbenzene	0.80	E	mg/Kg Dry	0.000079	0.0013	1.0
4-Isopropyltoluene	0.32	E	mg/Kg Dry	0.00010	0.0013	1.0
sec-Butylbenzene	0.52	E	mg/Kg Dry	0.000089	0.0013	1.0
Styrene	0.0013	U	mg/Kg Dry	0.000031	0.0013	1.0
tert-Butylbenzene	0.048		mg/Kg Dry	0.000057	0.0013	1.0
Toluene	1.0	E	mg/Kg Dry	0.000025	0.0013	1.0
Xylenes, Total	6.9	E	mg/Kg Dry	0.00013	0.0025	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
 Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 84

Analyte	Result/Qualifier	Unit	MDL	RL	Dilution
Benzyl chloride	0.0013 U	mg/Kg Dry	0.000038	0.0013	1.0
1,1,1,2-Tetrachloroethane	0.0013 U	mg/Kg Dry	0.000024	0.0013	1.0
1,1,1-Trichloroethane	0.0013 U	mg/Kg Dry	0.000032	0.0013	1.0
Freon 113	0.0013 U	mg/Kg Dry	0.000038	0.0013	1.0
1,1,2-Trichloroethane	0.0013 U	mg/Kg Dry	0.000042	0.0013	1.0
1,1-Dichloroethane	0.0013 U	mg/Kg Dry	0.000018	0.0013	1.0
1,1-Dichloroethene	0.0013 U	mg/Kg Dry	0.000042	0.0013	1.0
1,1-Dichloropropene	0.0013 U	mg/Kg Dry	0.000065	0.0013	1.0
2,2-Dichloropropane	0.0013 U	mg/Kg Dry	0.000028	0.0013	1.0
2-Hexanone	0.0013 U	mg/Kg Dry	0.00020	0.0013	1.0
Bromodichloromethane	0.0013 U	mg/Kg Dry	0.000011	0.0013	1.0
Dichlorodifluoromethane	0.0013 U	mg/Kg Dry	0.00012	0.0013	1.0
Carbon tetrachloride	0.0013 U	mg/Kg Dry	0.000041	0.0013	1.0
Carbon disulfide	0.0013 U	mg/Kg Dry	0.000042	0.0013	1.0
cis-1,2-Dichloroethene	0.0022	mg/Kg Dry	0.000025	0.0013	1.0
cis-1,3-Dichloropropene	0.0013 U	mg/Kg Dry	0.000023	0.0013	1.0
Dibromomethane	0.0013 U	mg/Kg Dry	0.000041	0.0013	1.0
Methylene Chloride	0.0013 U	mg/Kg Dry	0.000038	0.0013	1.0
Tetrachloroethene	0.0020	mg/Kg Dry	0.00013	0.0013	1.0
trans-1,2-Dichloroethene	0.0013 U	mg/Kg Dry	0.000046	0.0013	1.0
trans-1,3-Dichloropropene	0.0013 U	mg/Kg Dry	0.000020	0.0013	1.0
Trichloroethene	0.032	mg/Kg Dry	0.000051	0.0013	1.0
Trichlorofluoromethane	0.0013 U	mg/Kg Dry	0.000070	0.0013	1.0
Vinyl chloride	0.0013 U	mg/Kg Dry	0.000039	0.0013	1.0
Vinyl acetate	0.0013 U	mg/Kg Dry	0.000028	0.0013	1.0
2-Butanone (MEK)	0.071	mg/Kg Dry	0.00038	0.0013	1.0
4-Methyl-2-pentanone (MIBK)	0.0013 U	mg/Kg Dry	0.00020	0.0013	1.0
Methyl tert-butyl ether	0.0013 U	mg/Kg Dry	0.000019	0.0013	1.0
Acetone	0.31 E	mg/Kg Dry	0.00027	0.0064	1.0
Acetonitrile	0.0025 U *	mg/Kg Dry	0.00056	0.0025	1.0
m-Xylene & p-Xylene	3.8 E	mg/Kg Dry	0.00011	0.0025	1.0
o-Xylene	3.1 E	mg/Kg Dry	0.000033	0.0025	1.0
1,2-Dichloroethene, Total	0.0022	mg/Kg Dry	0.000046	0.0013	1.0
1,1,2,2-Tetrachloroethane	0.0013 U	mg/Kg Dry	0.000025	0.0013	1.0
1,2,3-Trichloropropane	0.0013 U	mg/Kg Dry	0.000028	0.0013	1.0

Surrogate	Acceptance Limits			
Toluene-d8 (Surr)	106	%	72 - 143	
4-Bromofluorobenzene	78	%	49 - 138	
1,2-Dichloroethane-d4 (Surr)	93	%	73 - 128	

Method: 8270D

Date Analyzed: 11/21/2014 1839

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Prep Method: 3546			Date Prepared: 11/19/2014 1300			
N-Nitrosodi-n-propylamine	3.8	U	mg/Kg Dry	2.0	3.8	10
N-Nitrosodimethylamine	3.8	U	mg/Kg Dry	2.5	3.8	10
N-Nitrosodiphenylamine	3.8	U	mg/Kg Dry	1.1	3.8	10
Naphthalene	3.8	U	mg/Kg Dry	2.0	3.8	10
Nitrobenzene	3.8	U	mg/Kg Dry	1.9	3.8	10
Pyridine	11	U	mg/Kg Dry	1.8	11	10
Phenanthrene	8.2		mg/Kg Dry	1.1	3.8	10
Pyrene	1.9	J	mg/Kg Dry	1.1	3.8	10
Bis(2-chloroethoxy)methane	3.8	U	mg/Kg Dry	2.6	3.8	10
Butyl benzyl phthalate	3.8	U	mg/Kg Dry	1.2	3.8	10
Benzidine	28	U	mg/Kg Dry	3.1	28	10
Benzo[a]anthracene	3.8	U	mg/Kg Dry	1.1	3.8	10
Bis(2-ethylhexyl) phthalate	3.8	U	mg/Kg Dry	1.2	3.8	10
Benzo[b]fluoranthene	3.8	U	mg/Kg Dry	1.1	3.8	10
Benzo[k]fluoranthene	3.8	U	mg/Kg Dry	1.1	3.8	10
Benzo[a]pyrene	3.8	U	mg/Kg Dry	0.99	3.8	10
Benzo[g,h,i]perylene	3.8	U	mg/Kg Dry	1.1	3.8	10
Bis(2-chloroethyl)ether	3.8	U	mg/Kg Dry	2.1	3.8	10
Benzyl alcohol	3.8	U	mg/Kg Dry	2.2	3.8	10
bis(chloroisopropyl) ether	3.8	U	mg/Kg Dry	1.9	3.8	10
Aniline	3.8	U	mg/Kg Dry	2.6	3.8	10
Acenaphthene	3.8	U	mg/Kg Dry	1.2	3.8	10
Acenaphthylene	3.8	U	mg/Kg Dry	1.4	3.8	10
Anthracene	2.8	J	mg/Kg Dry	1.1	3.8	10
Hexachloroethane	3.8	U	mg/Kg Dry	1.6	3.8	10
Hexachlorobutadiene	3.8	U	mg/Kg Dry	1.7	3.8	10
Hexachlorocyclopentadiene	3.7	J	mg/Kg Dry	1.8	3.8	10
Hexachlorobenzene	3.8	U	mg/Kg Dry	1.1	3.8	10
Indeno[1,2,3-cd]pyrene	3.8	U	mg/Kg Dry	3.0	3.8	10
Isophorone	3.8	U	mg/Kg Dry	1.8	3.8	10
1,2,4-Trichlorobenzene	3.8	U	mg/Kg Dry	1.8	3.8	10
4-Chloroaniline	3.8	U	mg/Kg Dry	2.2	3.8	10
2-Methylnaphthalene	10		mg/Kg Dry	1.9	3.8	10
2-Chloronaphthalene	3.8	U	mg/Kg Dry	1.6	3.8	10
2-Nitroaniline	3.8	U	mg/Kg Dry	1.0	3.8	10
2,6-Dinitrotoluene	3.8	U	mg/Kg Dry	0.92	3.8	10
1,3-Dinitrobenzene	3.8	U	mg/Kg Dry	0.94	3.8	10
Dimethyl phthalate	2.3	J	mg/Kg Dry	0.93	3.8	10
3-Nitroaniline	3.8	U	mg/Kg Dry	1.8	3.8	10
2,4-Dinitrotoluene	3.8	U	mg/Kg Dry	0.99	3.8	10

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84680-1
 Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
 Date Received: 11/19/2014 0830
 Client Matrix: Solid
 Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Dibenzofuran	3.8	U	mg/Kg Dry	1.1	3.8	10
Fluorene	3.8	U	mg/Kg Dry	1.1	3.8	10
Diethyl phthalate	3.8	U	mg/Kg Dry	0.97	3.8	10
4-Bromophenyl phenyl ether	3.8	U	mg/Kg Dry	1.1	3.8	10
Di-n-butyl phthalate	3.8	U	mg/Kg Dry	0.99	3.8	10
Fluoranthene	3.8	U	mg/Kg Dry	0.95	3.8	10
Carbazole	3.8	U	mg/Kg Dry	1.4	3.8	10
3,3'-Dichlorobenzidine	3.8	U *	mg/Kg Dry	2.4	3.8	10
Chrysene	3.8	U	mg/Kg Dry	1.0	3.8	10
Di-n-octyl phthalate	3.8	U	mg/Kg Dry	1.3	3.8	10
Dibenz(a,h)anthracene	3.8	U	mg/Kg Dry	1.1	3.8	10

Surrogate	Acceptance Limits					
Nitrobenzene-d5	21		%		10 - 120	
Terphenyl-d14	82		%		10 - 120	
2-Fluorobiphenyl	62		%		10 - 120	

Method: 8082A

Date Analyzed: 11/23/2014 1405

Prep Method: 3546

Date Prepared: 11/21/2014 1000

PCB-1016	0.078	U	mg/Kg Dry	0.0062	0.078	1.0
PCB-1221	0.078	U	mg/Kg Dry	0.010	0.078	1.0
PCB-1232	0.078	U	mg/Kg Dry	0.025	0.078	1.0
PCB-1242	0.078	U	mg/Kg Dry	0.015	0.078	1.0
PCB-1248	0.078	U	mg/Kg Dry	0.010	0.078	1.0
PCB-1254	0.078	U	mg/Kg Dry	0.015	0.078	1.0
PCB-1260	0.078	U	mg/Kg Dry	0.012	0.078	1.0
PCB-1262	0.078	U	mg/Kg Dry	0.013	0.078	1.0
PCB-1268	0.078	U	mg/Kg Dry	0.015	0.078	1.0

Surrogate	Acceptance Limits					
2,4,5,6-Tetrachloro-m-xylene	44		%		30 - 150	
DCB Decachlorobiphenyl(surr)	48		%		30 - 150	

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Client Sample ID: 175 Kelly Ave Pine Bush NY UST Comp
Lab Sample ID: 420-84680-4

Date Sampled: 11/18/2014 1045
Date Received: 11/19/2014 0830
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 6010C			Date Analyzed:	11/21/2014	2154	
Prep Method: 3050B			Date Prepared:	11/20/2014	1200	
Silver	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Arsenic	4.0		mg/Kg Dry	2.0	2.0	1.0
Barium	48		mg/Kg Dry	39	39	1.0
Cadmium	0.98	U	mg/Kg Dry	0.98	0.98	1.0
Chromium	14		mg/Kg Dry	2.0	2.0	1.0
Lead	8.6		mg/Kg Dry	4.9	4.9	1.0
Selenium	2.0	U	mg/Kg Dry	2.0	2.0	1.0
Method: 7471B			Date Analyzed:	11/21/2014	1552	
Prep Method: 7471B			Date Prepared:	11/20/2014	1601	
Hg	0.039	U	mg/Kg Dry	0.039	0.039	1.0

DATA REPORTING QUALIFIERS

Client: William L. Going & Associates

Job Number: 420-84680-1
Sdg Number: 175 Kelly Ave Pine Bush, NY

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	E	Result exceeded calibration range, secondary dilution required.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.
GC/MS Semi VOA		
	*	LCS or LCSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.
	X	Surrogate exceeds the control limits
GC Semi VOA		
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.
Metals		
	^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA or MRL standard: Instrument related QC exceeds the control limits.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: William L. Going & Associates

Job Number: 420-84680-1

Sdg Number: 175 Kelly Ave Pine Bush, NY

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum quantitation levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

84680

CUSTOMER NAME <i>William Gohmert Assoc. Inc.</i>	
ADDRESS <i>5 Stella Drive</i>	
CITY, STATE, ZIP <i>Gardiner NY 12525</i>	PHONE NO.
NAME OF CONTACT	
PROJECT LOCATION <i>175 Kelly Avenue Pine Bush, NY</i>	
PROJECT NUMBER / PO NO. <i>NA</i>	

REPORT TYPE STANDARD ☒ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	TURNAROUND ☐ NORMAL ☐ QUICK ☒ VERBAL <i>4 days</i>	REPORT # (Lab Use Only)
SAMPLE TEMP. <i>4.0 C</i> SAMPLE REC'D ON ICE ☒ Y ☐ N ph CHECK ☐ Y ☐ N CHLORINE (RESIDUAL) ☐ Y ☐ N REVIEWED BY: _____		
NY PUBLIC WATER SUPPLIES SOURCE ID _____ ELAP TYPE _____ FEDERAL ID _____		

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic Sulfuric Acid	250ml Plastic Sulfuric Acid	125ml Plastic Sterile	250ml Plastic NAOH/ZN ACC	40ml Glass Sulfuric	40ml Glass Sulfuric	20ml Glass Sulfuric	125 Amber Sulfuric
1	11/18/14	0900			1	S	SB1	6													
2	11/18/14	0938			1	S	SB2	6													
3	11/18/14	1018			1	S	SB3	6													
4	11/18/14	1045			1	S	UST comp	6													

ANALYSIS REQUESTED

Full 8260, 8270BN, PCBs, PPMTals

↓ ↓ ↓ ↓ ↓

Full 8260, 8270BN, PCB, REPH

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY <i>William Gohmert</i>	COMPANY <i>William Gohmert Assoc. Inc.</i>	DATE <i>11/18/14</i>	TIME <i>0930</i>
SAMPLED BY	COMPANY	DATE	TIME
RELINQUISHED BY	COMPANY	DATE	TIME

COMMENTS ** UST comp added to COC to Jm Asper Bud*

LOGIN SAMPLE RECEIPT CHECK LIST

Client: William L. Going & Associates

Job Number: 420-84680-1
SDG Number: 175 Kelly Ave Pine Bush, NY

Login Number: 84680

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	4.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-84679-1
SDG Number: 175 Kelly Ave Pine Bush
Job Description: William Going

For:
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Attention: Mr. William L Going



Joyce M Esposito
Senior Customer Service Representative
jesposito@envirotestlaboratories.com
11/24/2014

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

METHOD SUMMARY

Client: William L. Going & Associates

Job Number: 420-84679-1
SDG Number: 175 Kelly Ave Pine Bush

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: William L. Going & Associates

Job Number: 420-84679-1
SDG Number: 175 Kelly Ave Pine Bush

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: William L. Going & Associates

Job Number: 420-84679-1
SDG Number: 175 Kelly Ave Pine Bush

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-84679-1	175 Kelly AVe Pine Bush NY /SB 2	Water	11/18/2014 0945	11/19/2014 0830

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84679-1
 Sdg Number: 175 Kelly Ave Pine Bush

Client Sample ID: 175 Kelly Ave Pine Bush NY /SB 2
 Lab Sample ID: 420-84679-1

Date Sampled: 11/18/2014 0945
 Date Received: 11/19/2014 0830
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	11/20/2014 1220		
Prep Method: 5030C			Date Prepared:	11/20/2014 1220		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.0	U	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	1.0	U	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	1.0	U	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0
N-Propylbenzene	1.0	U	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	1.0	U	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L. Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-84679-1
 Sdg Number: 175 Kelly Ave Pine Bush

Client Sample ID: 175 Kelly Ave Pine Bush NY /SB 2
Lab Sample ID: 420-84679-1

Date Sampled: 11/18/2014 0945
 Date Received: 11/19/2014 0830
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	0.71	J	ug/L	0.16	1.0	1.0
Toluene	1.0	U	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	53		ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	1.0	U	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	106		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	97		%		77 - 117	
4-Bromofluorobenzene	87		%		74 - 119	

DATA REPORTING QUALIFIERS

Client: William L. Going & Associates

Job Number: 420-84679-1
Sdg Number: 175 Kelly Ave Pine Bush

Lab Section	Qualifier	Description
GC/MS VOA	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: William L. Going & Associates

Job Number: 420-84679-1

Sdg Number: 175 Kelly Ave Pine Bush

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum quantitation levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

ANALYTICAL REPORT

Job Number: 420-86211-1
SDG Number: 175 Kelly Ave.
Job Description: William Going

For:
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Attention: Mr. William L Going



Joyce M Esposito
Senior Customer Service Representative
jesposito@envirotestlaboratories.com
01/20/2015

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Job Narrative
420-J86211-1

Comments

No additional comments.

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method 8260C: Internal standard responses for sample 86211-2 were outside of acceptance limits. The sample shows evidence of matrix interference.

Method 8260C: The laboratory control standard (LCS) for batch # 82976 exceeded control limits for the analytes indicated by an asterisk (*) on the results form. These compounds were low, but not detected in the corresponding samples. All other QC was within reportable limits for these compounds. Therefore the data is determined to be valid.

Method 8260C: Internal standard responses for sample 86211-3 were outside of acceptance limits. The sample shows evidence of matrix interference.

Method 8260C: Internal standard responses for sample 86211-4 were outside of acceptance limits. The sample shows evidence of matrix interference.

No other analytical or quality issues were noted.

General Chemistry

No analytical or quality issues were noted.

METHOD SUMMARY

Client: William L. Going & Associates

Job Number: 420-86211-1
SDG Number: 175 Kelly Ave.

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: William L. Going & Associates

Job Number: 420-86211-1
SDG Number: 175 Kelly Ave.

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: William L. Going & Associates

Job Number: 420-86211-1
SDG Number: 175 Kelly Ave.

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-86211-1	175 Kelly Ave MW 1 (15)	Solid	01/06/2015 0925	01/07/2015 1020
420-86211-2	175 Kelly Ave MW 2 (15)	Solid	01/06/2015 1050	01/07/2015 1020
420-86211-3	175 Kelly Ave MW 3 (15)	Solid	01/06/2015 1240	01/07/2015 1020
420-86211-4	175 Kelly Ave MW 4 (17)	Solid	01/06/2015 1500	01/07/2015 1020

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 1 (15)
Lab Sample ID: 420-86211-1

Date Sampled: 01/06/2015 0925
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1442		
Prep Method: 5035-L			Date Prepared:	01/07/2015 1442		
Acrolein	0.0012	U	mg/Kg Dry	0.00080	0.0012	1.0
Acrylonitrile	0.0058	U	mg/Kg Dry	0.00020	0.0058	1.0
Ethyl methacrylate	0.0012	U	mg/Kg Dry	0.000020	0.0012	1.0
Methyl methacrylate	0.012	U	mg/Kg Dry	0.00013	0.012	1.0
1,2,4-Trichlorobenzene	0.0012	U	mg/Kg Dry	0.000085	0.0012	1.0
1,2,4-Trimethylbenzene	0.0012	U	mg/Kg Dry	0.000062	0.0012	1.0
1,2-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000037	0.0012	1.0
1,2-Dichloroethane	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
1,2-Dichloropropane	0.0012	U	mg/Kg Dry	0.000022	0.0012	1.0
1,3,5-Trimethylbenzene	0.0012	U	mg/Kg Dry	0.000062	0.0012	1.0
1,3-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000053	0.0012	1.0
1,3-Dichloropropane	0.0012	U	mg/Kg Dry	0.000026	0.0012	1.0
1,4-Dichlorobenzene	0.0012	U	mg/Kg Dry	0.000062	0.0012	1.0
1,4-Dioxane	0.0017	U	mg/Kg Dry	0.0015	0.0017	1.0
2-Chlorotoluene	0.0012	U	mg/Kg Dry	0.000048	0.0012	1.0
2-Chloroethyl vinyl ether	0.0012	U *	mg/Kg Dry	0.00030	0.0012	1.0
4-Chlorotoluene	0.0012	U	mg/Kg Dry	0.000064	0.0012	1.0
Benzene	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
Bromobenzene	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
Bromoform	0.0012	U	mg/Kg Dry	0.000019	0.0012	1.0
Bromomethane	0.0012	U	mg/Kg Dry	0.000017	0.0012	1.0
Chlorobenzene	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
Chloroform	0.0012	U	mg/Kg Dry	0.000021	0.0012	1.0
Chloromethane	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
Chloroethane	0.0012	U	mg/Kg Dry	0.000041	0.0012	1.0
Dibromochloromethane	0.0012	U	mg/Kg Dry	0.000028	0.0012	1.0
Bromochloromethane	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
Ethylbenzene	0.0012	U	mg/Kg Dry	0.000045	0.0012	1.0
Isopropylbenzene	0.0012	U	mg/Kg Dry	0.000052	0.0012	1.0
Naphthalene	0.0012	U	mg/Kg Dry	0.000031	0.0012	1.0
n-Butylbenzene	0.0012	U	mg/Kg Dry	0.000027	0.0012	1.0
N-Propylbenzene	0.0012	U	mg/Kg Dry	0.000072	0.0012	1.0
4-Isopropyltoluene	0.0012	U	mg/Kg Dry	0.000095	0.0012	1.0
sec-Butylbenzene	0.0012	U	mg/Kg Dry	0.000081	0.0012	1.0
Styrene	0.0012	U	mg/Kg Dry	0.000028	0.0012	1.0
tert-Butylbenzene	0.0012	U	mg/Kg Dry	0.000052	0.0012	1.0
Toluene	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
Xylenes, Total	0.0023	U	mg/Kg Dry	0.00012	0.0023	1.0
Benzyl chloride	0.0012	U	mg/Kg Dry	0.000035	0.0012	1.0

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 1 (15)
Lab Sample ID: 420-86211-1

Date Sampled: 01/06/2015 0925
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0012	U	mg/Kg Dry	0.000022	0.0012	1.0
1,1,1-Trichloroethane	0.0012	U	mg/Kg Dry	0.000029	0.0012	1.0
Freon 113	0.0012	U	mg/Kg Dry	0.000035	0.0012	1.0
1,1,2-Trichloroethane	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
1,1-Dichloroethane	0.0012	U	mg/Kg Dry	0.000016	0.0012	1.0
1,1-Dichloroethene	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
1,1-Dichloropropene	0.0012	U	mg/Kg Dry	0.000059	0.0012	1.0
2,2-Dichloropropane	0.0012	U	mg/Kg Dry	0.000026	0.0012	1.0
2-Hexanone	0.0012	U	mg/Kg Dry	0.00019	0.0012	1.0
Bromodichloromethane	0.0012	U	mg/Kg Dry	0.000010	0.0012	1.0
Dichlorodifluoromethane	0.0012	U *	mg/Kg Dry	0.00011	0.0012	1.0
Carbon tetrachloride	0.0012	U	mg/Kg Dry	0.000037	0.0012	1.0
Carbon disulfide	0.0012	U	mg/Kg Dry	0.000038	0.0012	1.0
cis-1,2-Dichloroethene	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
cis-1,3-Dichloropropene	0.0012	U	mg/Kg Dry	0.000021	0.0012	1.0
Dibromomethane	0.0012	U	mg/Kg Dry	0.000037	0.0012	1.0
Methylene Chloride	0.0012	U	mg/Kg Dry	0.000035	0.0012	1.0
Tetrachloroethene	0.0012	U	mg/Kg Dry	0.00012	0.0012	1.0
trans-1,2-Dichloroethene	0.0012	U	mg/Kg Dry	0.000042	0.0012	1.0
trans-1,3-Dichloropropene	0.0012	U	mg/Kg Dry	0.000019	0.0012	1.0
Trichloroethene	0.029		mg/Kg Dry	0.000046	0.0012	1.0
Trichlorofluoromethane	0.0012	U	mg/Kg Dry	0.000064	0.0012	1.0
Vinyl chloride	0.0012	U	mg/Kg Dry	0.000036	0.0012	1.0
Vinyl acetate	0.0012	U	mg/Kg Dry	0.000026	0.0012	1.0
2-Butanone (MEK)	0.0012	U	mg/Kg Dry	0.00035	0.0012	1.0
4-Methyl-2-pentanone (MIBK)	0.0012	U	mg/Kg Dry	0.00019	0.0012	1.0
Methyl tert-butyl ether	0.0012	U	mg/Kg Dry	0.000017	0.0012	1.0
Acetone	0.0058	U	mg/Kg Dry	0.00024	0.0058	1.0
Acetonitrile	0.0023	U	mg/Kg Dry	0.00051	0.0023	1.0
m-Xylene & p-Xylene	0.0023	U	mg/Kg Dry	0.00010	0.0023	1.0
o-Xylene	0.0023	U	mg/Kg Dry	0.000030	0.0023	1.0
1,2-Dichloroethene, Total	0.0012	U	mg/Kg Dry	0.000042	0.0012	1.0
1,1,2,2-Tetrachloroethane	0.0012	U	mg/Kg Dry	0.000023	0.0012	1.0
1,2,3-Trichloropropane	0.0012	U	mg/Kg Dry	0.000026	0.0012	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	72 - 143		
4-Bromofluorobenzene	87		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	89		%	73 - 128		

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 2 (15)
Lab Sample ID: 420-86211-2

Date Sampled: 01/06/2015 1050
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1517		
Prep Method: 5035-L			Date Prepared:	01/07/2015 1517		
Acrolein	0.0018	U	mg/Kg Dry	0.0012	0.0018	1.0
Acrylonitrile	0.0088	U	mg/Kg Dry	0.00030	0.0088	1.0
Ethyl methacrylate	0.0018	U	mg/Kg Dry	0.000030	0.0018	1.0
Methyl methacrylate	0.018	U	mg/Kg Dry	0.00020	0.018	1.0
1,2,4-Trichlorobenzene	0.0018	U	mg/Kg Dry	0.00013	0.0018	1.0
1,2,4-Trimethylbenzene	0.0018	U	mg/Kg Dry	0.000094	0.0018	1.0
1,2-Dichlorobenzene	0.0018	U	mg/Kg Dry	0.000057	0.0018	1.0
1,2-Dichloroethane	0.0018	U	mg/Kg Dry	0.000035	0.0018	1.0
1,2-Dichloropropane	0.0018	U	mg/Kg Dry	0.000034	0.0018	1.0
1,3,5-Trimethylbenzene	0.0018	U	mg/Kg Dry	0.000094	0.0018	1.0
1,3-Dichlorobenzene	0.0018	U	mg/Kg Dry	0.000081	0.0018	1.0
1,3-Dichloropropane	0.0018	U	mg/Kg Dry	0.000039	0.0018	1.0
1,4-Dichlorobenzene	0.0018	U	mg/Kg Dry	0.000094	0.0018	1.0
1,4-Dioxane	0.0027	U	mg/Kg Dry	0.0023	0.0027	1.0
2-Chlorotoluene	0.0018	U	mg/Kg Dry	0.000073	0.0018	1.0
2-Chloroethyl vinyl ether	0.0018	U *	mg/Kg Dry	0.00046	0.0018	1.0
4-Chlorotoluene	0.0018	U	mg/Kg Dry	0.000097	0.0018	1.0
Benzene	0.0018	U	mg/Kg Dry	0.000035	0.0018	1.0
Bromobenzene	0.0018	U	mg/Kg Dry	0.000055	0.0018	1.0
Bromoform	0.0018	U	mg/Kg Dry	0.000028	0.0018	1.0
Bromomethane	0.0018	U	mg/Kg Dry	0.000027	0.0018	1.0
Chlorobenzene	0.0018	U	mg/Kg Dry	0.000055	0.0018	1.0
Chloroform	0.0018	U	mg/Kg Dry	0.000032	0.0018	1.0
Chloromethane	0.0018	U	mg/Kg Dry	0.000041	0.0018	1.0
Chloroethane	0.0018	U	mg/Kg Dry	0.000062	0.0018	1.0
Dibromochloromethane	0.0018	U	mg/Kg Dry	0.000042	0.0018	1.0
Bromochloromethane	0.0018	U	mg/Kg Dry	0.000055	0.0018	1.0
Ethylbenzene	0.0018	U	mg/Kg Dry	0.000069	0.0018	1.0
Isopropylbenzene	0.0018	U	mg/Kg Dry	0.000080	0.0018	1.0
Naphthalene	0.0018	U	mg/Kg Dry	0.000048	0.0018	1.0
n-Butylbenzene	0.0018	U	mg/Kg Dry	0.000041	0.0018	1.0
N-Propylbenzene	0.0018	U	mg/Kg Dry	0.00011	0.0018	1.0
4-Isopropyltoluene	0.0018	U	mg/Kg Dry	0.00015	0.0018	1.0
sec-Butylbenzene	0.0018	U	mg/Kg Dry	0.00012	0.0018	1.0
Styrene	0.0018	U	mg/Kg Dry	0.000042	0.0018	1.0
tert-Butylbenzene	0.0018	U	mg/Kg Dry	0.000080	0.0018	1.0
Toluene	0.0018	U	mg/Kg Dry	0.000035	0.0018	1.0
Xylenes, Total	0.0035	U	mg/Kg Dry	0.00018	0.0035	1.0
Benzyl chloride	0.0018	U	mg/Kg Dry	0.000053	0.0018	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86211-1
 Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 2 (15)
Lab Sample ID: 420-86211-2

Date Sampled: 01/06/2015 1050
 Date Received: 01/07/2015 1020
 Client Matrix: Solid
 Percent Solids: 82

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0018	U	mg/Kg Dry	0.000034	0.0018	1.0
1,1,1-Trichloroethane	0.0018	U	mg/Kg Dry	0.000044	0.0018	1.0
Freon 113	0.0018	U	mg/Kg Dry	0.000053	0.0018	1.0
1,1,2-Trichloroethane	0.0018	U	mg/Kg Dry	0.000058	0.0018	1.0
1,1-Dichloroethane	0.0018	U	mg/Kg Dry	0.000025	0.0018	1.0
1,1-Dichloroethene	0.0018	U	mg/Kg Dry	0.000058	0.0018	1.0
1,1-Dichloropropene	0.0018	U	mg/Kg Dry	0.000090	0.0018	1.0
2,2-Dichloropropane	0.0018	U	mg/Kg Dry	0.000039	0.0018	1.0
2-Hexanone	0.0018	U	mg/Kg Dry	0.00028	0.0018	1.0
Bromodichloromethane	0.0018	U	mg/Kg Dry	0.000016	0.0018	1.0
Dichlorodifluoromethane	0.0018	U *	mg/Kg Dry	0.00017	0.0018	1.0
Carbon tetrachloride	0.0018	U	mg/Kg Dry	0.000057	0.0018	1.0
Carbon disulfide	0.0018	U	mg/Kg Dry	0.000058	0.0018	1.0
cis-1,2-Dichloroethene	0.0018	U	mg/Kg Dry	0.000035	0.0018	1.0
cis-1,3-Dichloropropene	0.0018	U	mg/Kg Dry	0.000032	0.0018	1.0
Dibromomethane	0.0018	U	mg/Kg Dry	0.000057	0.0018	1.0
Methylene Chloride	0.0018	U	mg/Kg Dry	0.000053	0.0018	1.0
Tetrachloroethene	0.0018	U	mg/Kg Dry	0.00018	0.0018	1.0
trans-1,2-Dichloroethene	0.0018	U	mg/Kg Dry	0.000064	0.0018	1.0
trans-1,3-Dichloropropene	0.0018	U	mg/Kg Dry	0.000028	0.0018	1.0
Trichloroethene	0.012		mg/Kg Dry	0.000071	0.0018	1.0
Trichlorofluoromethane	0.0018	U	mg/Kg Dry	0.000097	0.0018	1.0
Vinyl chloride	0.0018	U	mg/Kg Dry	0.000055	0.0018	1.0
Vinyl acetate	0.0018	U	mg/Kg Dry	0.000039	0.0018	1.0
2-Butanone (MEK)	0.0018	U	mg/Kg Dry	0.00053	0.0018	1.0
4-Methyl-2-pentanone (MIBK)	0.0018	U	mg/Kg Dry	0.00028	0.0018	1.0
Methyl tert-butyl ether	0.0018	U	mg/Kg Dry	0.000027	0.0018	1.0
Acetone	0.0088	U	mg/Kg Dry	0.00037	0.0088	1.0
Acetonitrile	0.0035	U	mg/Kg Dry	0.00078	0.0035	1.0
m-Xylene & p-Xylene	0.0035	U	mg/Kg Dry	0.00016	0.0035	1.0
o-Xylene	0.0035	U	mg/Kg Dry	0.000046	0.0035	1.0
1,2-Dichloroethene, Total	0.0018	U	mg/Kg Dry	0.000064	0.0018	1.0
1,1,2,2-Tetrachloroethane	0.0018	U	mg/Kg Dry	0.000035	0.0018	1.0
1,2,3-Trichloropropane	0.0018	U	mg/Kg Dry	0.000039	0.0018	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	189	X	%	72 - 143		
4-Bromofluorobenzene	34	X	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	115		%	73 - 128		

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 3 (15)
Lab Sample ID: 420-86211-3

Date Sampled: 01/06/2015 1240
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 83

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1553		
Prep Method: 5035-L			Date Prepared:	01/07/2015 1553		
Acrolein	0.0016	U	mg/Kg Dry	0.0011	0.0016	1.0
Acrylonitrile	0.0081	U	mg/Kg Dry	0.00027	0.0081	1.0
Ethyl methacrylate	0.0016	U	mg/Kg Dry	0.000027	0.0016	1.0
Methyl methacrylate	0.016	U	mg/Kg Dry	0.00018	0.016	1.0
1,2,4-Trichlorobenzene	0.0016	U	mg/Kg Dry	0.00012	0.0016	1.0
1,2,4-Trimethylbenzene	0.0016	U	mg/Kg Dry	0.000085	0.0016	1.0
1,2-Dichlorobenzene	0.0016	U	mg/Kg Dry	0.000052	0.0016	1.0
1,2-Dichloroethane	0.0016	U	mg/Kg Dry	0.000032	0.0016	1.0
1,2-Dichloropropane	0.0016	U	mg/Kg Dry	0.000031	0.0016	1.0
1,3,5-Trimethylbenzene	0.0016	U	mg/Kg Dry	0.000085	0.0016	1.0
1,3-Dichlorobenzene	0.0016	U	mg/Kg Dry	0.000074	0.0016	1.0
1,3-Dichloropropane	0.0016	U	mg/Kg Dry	0.000035	0.0016	1.0
1,4-Dichlorobenzene	0.0016	U	mg/Kg Dry	0.000085	0.0016	1.0
1,4-Dioxane	0.0024	U	mg/Kg Dry	0.0021	0.0024	1.0
2-Chlorotoluene	0.0016	U	mg/Kg Dry	0.000066	0.0016	1.0
2-Chloroethyl vinyl ether	0.0016	U *	mg/Kg Dry	0.00042	0.0016	1.0
4-Chlorotoluene	0.0016	U	mg/Kg Dry	0.000089	0.0016	1.0
Benzene	0.0016	U	mg/Kg Dry	0.000032	0.0016	1.0
Bromobenzene	0.0016	U	mg/Kg Dry	0.000050	0.0016	1.0
Bromoform	0.0016	U	mg/Kg Dry	0.000026	0.0016	1.0
Bromomethane	0.0016	U	mg/Kg Dry	0.000024	0.0016	1.0
Chlorobenzene	0.0016	U	mg/Kg Dry	0.000050	0.0016	1.0
Chloroform	0.0016	U	mg/Kg Dry	0.000029	0.0016	1.0
Chloromethane	0.0016	U	mg/Kg Dry	0.000037	0.0016	1.0
Chloroethane	0.0016	U	mg/Kg Dry	0.000056	0.0016	1.0
Dibromochloromethane	0.0016	U	mg/Kg Dry	0.000039	0.0016	1.0
Bromochloromethane	0.0016	U	mg/Kg Dry	0.000050	0.0016	1.0
Ethylbenzene	0.0016	U	mg/Kg Dry	0.000063	0.0016	1.0
Isopropylbenzene	0.0016	U	mg/Kg Dry	0.000072	0.0016	1.0
Naphthalene	0.0016	U	mg/Kg Dry	0.000043	0.0016	1.0
n-Butylbenzene	0.0016	U	mg/Kg Dry	0.000037	0.0016	1.0
N-Propylbenzene	0.0016	U	mg/Kg Dry	0.00010	0.0016	1.0
4-Isopropyltoluene	0.0016	U	mg/Kg Dry	0.00013	0.0016	1.0
sec-Butylbenzene	0.0016	U	mg/Kg Dry	0.00011	0.0016	1.0
Styrene	0.0016	U	mg/Kg Dry	0.000039	0.0016	1.0
tert-Butylbenzene	0.0016	U	mg/Kg Dry	0.000072	0.0016	1.0
Toluene	0.0016	U	mg/Kg Dry	0.000032	0.0016	1.0
Xylenes, Total	0.0032	U	mg/Kg Dry	0.00016	0.0032	1.0
Benzyl chloride	0.0016	U	mg/Kg Dry	0.000048	0.0016	1.0

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 3 (15)
Lab Sample ID: 420-86211-3

Date Sampled: 01/06/2015 1240
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 83

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0016	U	mg/Kg Dry	0.000031	0.0016	1.0
1,1,1-Trichloroethane	0.0016	U	mg/Kg Dry	0.000040	0.0016	1.0
Freon 113	0.0016	U	mg/Kg Dry	0.000048	0.0016	1.0
1,1,2-Trichloroethane	0.0016	U	mg/Kg Dry	0.000053	0.0016	1.0
1,1-Dichloroethane	0.0016	U	mg/Kg Dry	0.000023	0.0016	1.0
1,1-Dichloroethene	0.0016	U	mg/Kg Dry	0.000053	0.0016	1.0
1,1-Dichloropropene	0.0016	U	mg/Kg Dry	0.000082	0.0016	1.0
2,2-Dichloropropane	0.0016	U	mg/Kg Dry	0.000035	0.0016	1.0
2-Hexanone	0.0016	U	mg/Kg Dry	0.00026	0.0016	1.0
Bromodichloromethane	0.0016	U	mg/Kg Dry	0.000014	0.0016	1.0
Dichlorodifluoromethane	0.0016	U *	mg/Kg Dry	0.00015	0.0016	1.0
Carbon tetrachloride	0.0016	U	mg/Kg Dry	0.000052	0.0016	1.0
Carbon disulfide	0.0016	U	mg/Kg Dry	0.000053	0.0016	1.0
cis-1,2-Dichloroethene	0.0016	U	mg/Kg Dry	0.000032	0.0016	1.0
cis-1,3-Dichloropropene	0.0016	U	mg/Kg Dry	0.000029	0.0016	1.0
Dibromomethane	0.0016	U	mg/Kg Dry	0.000052	0.0016	1.0
Methylene Chloride	0.0016	U	mg/Kg Dry	0.000048	0.0016	1.0
Tetrachloroethene	0.0016	U	mg/Kg Dry	0.00016	0.0016	1.0
trans-1,2-Dichloroethene	0.0016	U	mg/Kg Dry	0.000058	0.0016	1.0
trans-1,3-Dichloropropene	0.0016	U	mg/Kg Dry	0.000026	0.0016	1.0
Trichloroethene	0.0069		mg/Kg Dry	0.000064	0.0016	1.0
Trichlorofluoromethane	0.0016	U	mg/Kg Dry	0.000089	0.0016	1.0
Vinyl chloride	0.0016	U	mg/Kg Dry	0.000050	0.0016	1.0
Vinyl acetate	0.0016	U	mg/Kg Dry	0.000035	0.0016	1.0
2-Butanone (MEK)	0.0016	U	mg/Kg Dry	0.00048	0.0016	1.0
4-Methyl-2-pentanone (MIBK)	0.0016	U	mg/Kg Dry	0.00026	0.0016	1.0
Methyl tert-butyl ether	0.0016	U	mg/Kg Dry	0.000024	0.0016	1.0
Acetone	0.0081	U	mg/Kg Dry	0.00034	0.0081	1.0
Acetonitrile	0.0032	U	mg/Kg Dry	0.00071	0.0032	1.0
m-Xylene & p-Xylene	0.0032	U	mg/Kg Dry	0.00014	0.0032	1.0
o-Xylene	0.0032	U	mg/Kg Dry	0.000042	0.0032	1.0
1,2-Dichloroethene, Total	0.0016	U	mg/Kg Dry	0.000058	0.0016	1.0
1,1,2,2-Tetrachloroethane	0.0016	U	mg/Kg Dry	0.000032	0.0016	1.0
1,2,3-Trichloropropane	0.0016	U	mg/Kg Dry	0.000035	0.0016	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	151	X	%	72 - 143		
4-Bromofluorobenzene	32	X	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	100		%	73 - 128		

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 4 (17)
Lab Sample ID: 420-86211-4

Date Sampled: 01/06/2015 1500
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 80

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1629		
Prep Method: 5035-L			Date Prepared:	01/07/2015 1629		
Acrolein	0.0013	U	mg/Kg Dry	0.00093	0.0013	1.0
Acrylonitrile	0.0067	U	mg/Kg Dry	0.00023	0.0067	1.0
Ethyl methacrylate	0.0013	U	mg/Kg Dry	0.000023	0.0013	1.0
Methyl methacrylate	0.013	U	mg/Kg Dry	0.00015	0.013	1.0
1,2,4-Trichlorobenzene	0.0013	U	mg/Kg Dry	0.000098	0.0013	1.0
1,2,4-Trimethylbenzene	0.0013	U	mg/Kg Dry	0.000071	0.0013	1.0
1,2-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000043	0.0013	1.0
1,2-Dichloroethane	0.0013	U	mg/Kg Dry	0.000027	0.0013	1.0
1,2-Dichloropropane	0.0013	U	mg/Kg Dry	0.000025	0.0013	1.0
1,3,5-Trimethylbenzene	0.0013	U	mg/Kg Dry	0.000071	0.0013	1.0
1,3-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000062	0.0013	1.0
1,3-Dichloropropane	0.0013	U	mg/Kg Dry	0.000030	0.0013	1.0
1,4-Dichlorobenzene	0.0013	U	mg/Kg Dry	0.000071	0.0013	1.0
1,4-Dioxane	0.0020	U	mg/Kg Dry	0.0017	0.0020	1.0
2-Chlorotoluene	0.0013	U	mg/Kg Dry	0.000055	0.0013	1.0
2-Chloroethyl vinyl ether	0.0013	U *	mg/Kg Dry	0.00035	0.0013	1.0
4-Chlorotoluene	0.0013	U	mg/Kg Dry	0.000074	0.0013	1.0
Benzene	0.0013	U	mg/Kg Dry	0.000027	0.0013	1.0
Bromobenzene	0.0013	U	mg/Kg Dry	0.000042	0.0013	1.0
Bromoform	0.0013	U	mg/Kg Dry	0.000021	0.0013	1.0
Bromomethane	0.0013	U	mg/Kg Dry	0.000020	0.0013	1.0
Chlorobenzene	0.0013	U	mg/Kg Dry	0.000042	0.0013	1.0
Chloroform	0.0013	U	mg/Kg Dry	0.000024	0.0013	1.0
Chloromethane	0.0013	U	mg/Kg Dry	0.000031	0.0013	1.0
Chloroethane	0.0013	U	mg/Kg Dry	0.000047	0.0013	1.0
Dibromochloromethane	0.0013	U	mg/Kg Dry	0.000032	0.0013	1.0
Bromochloromethane	0.0013	U	mg/Kg Dry	0.000042	0.0013	1.0
Ethylbenzene	0.0013	U	mg/Kg Dry	0.000052	0.0013	1.0
Isopropylbenzene	0.0013	U	mg/Kg Dry	0.000060	0.0013	1.0
Naphthalene	0.0013	U	mg/Kg Dry	0.000036	0.0013	1.0
n-Butylbenzene	0.0013	U	mg/Kg Dry	0.000031	0.0013	1.0
N-Propylbenzene	0.0013	U	mg/Kg Dry	0.000083	0.0013	1.0
4-Isopropyltoluene	0.0013	U	mg/Kg Dry	0.00011	0.0013	1.0
sec-Butylbenzene	0.0013	U	mg/Kg Dry	0.000094	0.0013	1.0
Styrene	0.0013	U	mg/Kg Dry	0.000032	0.0013	1.0
tert-Butylbenzene	0.0013	U	mg/Kg Dry	0.000060	0.0013	1.0
Toluene	0.0013	U	mg/Kg Dry	0.000027	0.0013	1.0
Xylenes, Total	0.0027	U	mg/Kg Dry	0.00013	0.0027	1.0
Benzyl chloride	0.0013	U	mg/Kg Dry	0.000040	0.0013	1.0

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Client Sample ID: 175 Kelly Ave MW 4 (17)
Lab Sample ID: 420-86211-4

Date Sampled: 01/06/2015 1500
Date Received: 01/07/2015 1020
Client Matrix: Solid
Percent Solids: 80

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,1,1,2-Tetrachloroethane	0.0013	U	mg/Kg Dry	0.000025	0.0013	1.0
1,1,1-Trichloroethane	0.0013	U	mg/Kg Dry	0.000034	0.0013	1.0
Freon 113	0.0013	U	mg/Kg Dry	0.000040	0.0013	1.0
1,1,2-Trichloroethane	0.0013	U	mg/Kg Dry	0.000044	0.0013	1.0
1,1-Dichloroethane	0.0013	U	mg/Kg Dry	0.000019	0.0013	1.0
1,1-Dichloroethene	0.0013	U	mg/Kg Dry	0.000044	0.0013	1.0
1,1-Dichloropropene	0.0013	U	mg/Kg Dry	0.000068	0.0013	1.0
2,2-Dichloropropane	0.0013	U	mg/Kg Dry	0.000030	0.0013	1.0
2-Hexanone	0.0013	U	mg/Kg Dry	0.00021	0.0013	1.0
Bromodichloromethane	0.0013	U	mg/Kg Dry	0.000012	0.0013	1.0
Dichlorodifluoromethane	0.0013	U *	mg/Kg Dry	0.00013	0.0013	1.0
Carbon tetrachloride	0.0013	U	mg/Kg Dry	0.000043	0.0013	1.0
Carbon disulfide	0.0013	U	mg/Kg Dry	0.000044	0.0013	1.0
cis-1,2-Dichloroethene	0.0013	U	mg/Kg Dry	0.000027	0.0013	1.0
cis-1,3-Dichloropropene	0.0013	U	mg/Kg Dry	0.000024	0.0013	1.0
Dibromomethane	0.0013	U	mg/Kg Dry	0.000043	0.0013	1.0
Methylene Chloride	0.0013	U	mg/Kg Dry	0.000040	0.0013	1.0
Tetrachloroethene	0.0013	U	mg/Kg Dry	0.00013	0.0013	1.0
trans-1,2-Dichloroethene	0.0013	U	mg/Kg Dry	0.000048	0.0013	1.0
trans-1,3-Dichloropropene	0.0013	U	mg/Kg Dry	0.000021	0.0013	1.0
Trichloroethene	0.0013	U	mg/Kg Dry	0.000054	0.0013	1.0
Trichlorofluoromethane	0.0013	U	mg/Kg Dry	0.000074	0.0013	1.0
Vinyl chloride	0.0013	U	mg/Kg Dry	0.000042	0.0013	1.0
Vinyl acetate	0.0013	U	mg/Kg Dry	0.000030	0.0013	1.0
2-Butanone (MEK)	0.0013	U	mg/Kg Dry	0.00040	0.0013	1.0
4-Methyl-2-pentanone (MIBK)	0.0013	U	mg/Kg Dry	0.00021	0.0013	1.0
Methyl tert-butyl ether	0.0013	U	mg/Kg Dry	0.000020	0.0013	1.0
Acetone	0.0067	U	mg/Kg Dry	0.00028	0.0067	1.0
Acetonitrile	0.0027	U	mg/Kg Dry	0.00059	0.0027	1.0
m-Xylene & p-Xylene	0.0027	U	mg/Kg Dry	0.00012	0.0027	1.0
o-Xylene	0.0027	U	mg/Kg Dry	0.000035	0.0027	1.0
1,2-Dichloroethene, Total	0.0013	U	mg/Kg Dry	0.000048	0.0013	1.0
1,1,2,2-Tetrachloroethane	0.0013	U	mg/Kg Dry	0.000027	0.0013	1.0
1,2,3-Trichloropropane	0.0013	U	mg/Kg Dry	0.000030	0.0013	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	104		%	72 - 143		
4-Bromofluorobenzene	5	X	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	94		%	73 - 128		

DATA REPORTING QUALIFIERS

Client: William L. Going & Associates

Job Number: 420-86211-1
Sdg Number: 175 Kelly Ave.

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.
	X	Surrogate exceeds the control limits

Definitions and Glossary

Client: William L. Going & Associates

Job Number: 420-86211-1

Sdg Number: 175 Kelly Ave.

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points

EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

86211

CUSTOMER NAME	William Corp + Assoc Inc
ADDRESS	5 Stella Drive
CITY, STATE, ZIP	Cardinas NY 12525
NAME OF CONTACT	PHONE NO.
PROJECT LOCATION	175 Kelly Ave
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☒ ISRA ☐	☒ NORMAL
NJ REG ☐	☐ QUICK
NYASP A ☐ B ☐ CLP ☐	☐ VERBAL
OTHER	

REPORT # (Lab Use Only)
SAMPLE TEMP: 0.7 C
SAMPLE REC'D ON ICE ☒ Y ☐ N
ph CHECK ☐ Y ☐ N
CHLORINE (RESIDUAL) ☐ Y ☐ N
REVIEWED BY:

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

NY PUBLIC WATER SUPPLIES
SOURCE ID
ELAP TYPE
FEDERAL ID

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	To of	Liter	25	L	Orga	25	N	Sodiu	L	25	su	25	12	25	MAC	4	4	40	lit	ANALYSIS REQUESTED
	1/6/15	0925			1	5		MW 1 (15)	4																			1 3 8260
	1	1050			1	5		MW 2 (15)	4																			1 3 ↓
	1	~~1240~~			1	5		MW 3 (15)	4																			1 3 ↓
	1	1500			1	5		MW 4 (17)	4																			1 3 ↓

ANALYSIS REQUESTED

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	WILLIAM CORP	DATE	12/15	TIME	10:20
SAMPLED BY	WILLIAM CORP	DATE	12/15	TIME	10:20
RELINQUISHED BY	WILLIAM CORP	DATE	12/15	TIME	10:20

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: William L. Going & Associates

Job Number: 420-86211-1
SDG Number: 175 Kelly Ave.

Login Number: 86211

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	0.7 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-99514-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

01/18/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-99514-1
SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-99514-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-99514-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-99514-1	PW-1	Solid	01/08/2016 0938	01/12/2016 1537
420-99514-2	PW-2	Solid	01/08/2016 1048	01/12/2016 1537
420-99514-3	PW-3	Solid	01/08/2016 1135	01/12/2016 1537
420-99514-4	PW-4	Solid	01/08/2016 1242	01/12/2016 1537

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-1
Lab Sample ID: 420-99514-1

Date Sampled: 01/08/2016 0938
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/13/2016 0006		
Prep Method: 5035-L			Date Prepared:	01/13/2016 0006		
Acrolein	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Acrylonitrile	4.2	U	ug/Kg Dry	4.2	4.2	1.0
Ethyl methacrylate	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Methyl methacrylate	8.3	U	ug/Kg Dry	8.3	8.3	1.0
1,2,4-Trichlorobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,2,4-Trimethylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,2-Dichlorobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,2-Dichloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,2-Dichloropropane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,2-Dibromo-3-Chloropropane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,3,5-Trimethylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,3-Dichlorobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,3-Dichloropropane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,4-Dichlorobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,4-Dioxane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Chlorotoluene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
2-Chloroethyl vinyl ether	0.83	U	ug/Kg Dry	0.83	0.83	1.0
4-Chlorotoluene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Benzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Bromobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Bromoform	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Bromomethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chlorobenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chloroform	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chloromethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chlorodibromomethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Chlorobromomethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Ethylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Isopropylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Naphthalene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
n-Butylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
N-Propylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
p-Isopropyltoluene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
sec-Butylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Styrene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
tert-Butylbenzene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Toluene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Xylenes, Total	1.7	U	ug/Kg Dry	1.7	1.7	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-1
Lab Sample ID: 420-99514-1

Date Sampled: 01/08/2016 0938
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1,1,2-Tetrachloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1,1-Trichloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1,2-Trichloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1-Dichloroethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1-Dichloroethene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
1,1-Dichloropropene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
2,2-Dichloropropane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
2-Hexanone	0.83	U	ug/Kg Dry	0.83	0.83	1.0
3-Chloropropene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Bromodichloromethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Dichlorodifluoromethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Carbon tetrachloride	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Carbon disulfide	0.83	U	ug/Kg Dry	0.83	0.83	1.0
cis-1,2-Dichloroethene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
cis-1,3-Dichloropropene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Hexachlorobutadiene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Dibromomethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Methylene Chloride	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Tetrachloroethene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
trans-1,2-Dichloroethene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
trans-1,3-Dichloropropene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
trans-1,4-Dichloro-2-butene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Trichloroethene	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Trichlorofluoromethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Vinyl chloride	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Vinyl acetate	0.83	U	ug/Kg Dry	0.83	0.83	1.0
2-Butanone (MEK)	0.83	U	ug/Kg Dry	0.83	0.83	1.0
4-Methyl-2-pentanone (MIBK)	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Methyl tert-butyl ether	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Acetone	4.2	U	ug/Kg Dry	4.2	4.2	1.0
Acetonitrile	1.7	U	ug/Kg Dry	1.7	1.7	1.0
m-Xylene & p-Xylene	1.7	U	ug/Kg Dry	1.7	1.7	1.0
o-Xylene	1.7	U	ug/Kg Dry	1.7	1.7	1.0
1,2-Dibromoethane	0.83	U	ug/Kg Dry	0.83	0.83	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	95		%	72 - 143		
4-Bromofluorobenzene	93		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	105		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-1
Lab Sample ID: 420-99514-1

Date Sampled: 01/08/2016 0938
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-99514-2

Date Sampled: 01/08/2016 1048
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 87

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/13/2016 0041		
Prep Method: 5035-L			Date Prepared:	01/13/2016 0041		
Acrolein	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Acrylonitrile	14	U	ug/Kg Dry	14	14	1.0
Ethyl methacrylate	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Methyl methacrylate	27	U	ug/Kg Dry	27	27	1.0
1,2,4-Trichlorobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,2,4-Trimethylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,2-Dichlorobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,2-Dichloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,2-Dichloropropane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,2-Dibromo-3-Chloropropane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,3,5-Trimethylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,3-Dichlorobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,3-Dichloropropane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,4-Dichlorobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,4-Dioxane	4.1	U	ug/Kg Dry	4.1	4.1	1.0
2-Chlorotoluene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
2-Chloroethyl vinyl ether	2.7	U	ug/Kg Dry	2.7	2.7	1.0
4-Chlorotoluene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Benzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Bromobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Bromoform	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Bromomethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chlorobenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chloroform	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chloromethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chlorodibromomethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Chlorobromomethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Ethylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Isopropylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Naphthalene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
n-Butylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
N-Propylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
p-Isopropyltoluene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
sec-Butylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Styrene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
tert-Butylbenzene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Toluene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Xylenes, Total	5.4	U	ug/Kg Dry	5.4	5.4	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-99514-2

Date Sampled: 01/08/2016 1048
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 87

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1,1,2-Tetrachloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1,1-Trichloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1,2-Trichloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1-Dichloroethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1-Dichloroethene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
1,1-Dichloropropene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
2,2-Dichloropropane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
2-Hexanone	2.7	U	ug/Kg Dry	2.7	2.7	1.0
3-Chloropropene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Bromodichloromethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Dichlorodifluoromethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Carbon tetrachloride	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Carbon disulfide	2.7	U	ug/Kg Dry	2.7	2.7	1.0
cis-1,2-Dichloroethene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
cis-1,3-Dichloropropene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Hexachlorobutadiene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Dibromomethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Methylene Chloride	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Tetrachloroethene	6.4		ug/Kg Dry	2.7	2.7	1.0
trans-1,2-Dichloroethene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
trans-1,3-Dichloropropene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
trans-1,4-Dichloro-2-butene	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Trichloroethene	170		ug/Kg Dry	2.7	2.7	1.0
Trichlorofluoromethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Vinyl chloride	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Vinyl acetate	2.7	U	ug/Kg Dry	2.7	2.7	1.0
2-Butanone (MEK)	2.7	U	ug/Kg Dry	2.7	2.7	1.0
4-Methyl-2-pentanone (MIBK)	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Methyl tert-butyl ether	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Acetone	14	U	ug/Kg Dry	14	14	1.0
Acetonitrile	5.4	U	ug/Kg Dry	5.4	5.4	1.0
m-Xylene & p-Xylene	5.4	U	ug/Kg Dry	5.4	5.4	1.0
o-Xylene	5.4	U	ug/Kg Dry	5.4	5.4	1.0
1,2-Dibromoethane	2.7	U	ug/Kg Dry	2.7	2.7	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	96		%	72 - 143		
4-Bromofluorobenzene	93		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	105		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-99514-2

Date Sampled: 01/08/2016 1048
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 87

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-99514-3

Date Sampled: 01/08/2016 1135
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/13/2016 0117		
Prep Method: 5035-L			Date Prepared:	01/13/2016 0117		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.4	U	ug/Kg Dry	5.4	5.4	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-99514-3

Date Sampled: 01/08/2016 1135
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	5.4	U	ug/Kg Dry	5.4	5.4	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	96		%	72 - 143		
4-Bromofluorobenzene	92		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	99		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-99514-3

Date Sampled: 01/08/2016 1135
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-4
Lab Sample ID: 420-99514-4

Date Sampled: 01/08/2016 1242
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/13/2016 0153		
Prep Method: 5035-L			Date Prepared:	01/13/2016 0153		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.6	U	ug/Kg Dry	5.6	5.6	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.7	U	ug/Kg Dry	1.7	1.7	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-4
Lab Sample ID: 420-99514-4

Date Sampled: 01/08/2016 1242
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	5.6	U	ug/Kg Dry	5.6	5.6	1.0
Acetonitrile	2.2	U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	92		%	72 - 143		
4-Bromofluorobenzene	91		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	98		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99514-1
Sdg Number: Mobile Media

Client Sample ID: PW-4
Lab Sample ID: 420-99514-4

Date Sampled: 01/08/2016 1242
Date Received: 01/12/2016 1537
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number: 420-99514-1

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number: 420-99514-1

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

99514

CUSTOMER NAME Sebi Environmental	
ADDRESS 337 Callahan Ave	
CITY, STATE, ZIP Newburgh NY	
NAME OF CONTACT Sebi	PHONE NO. 845 789-1307
PROJECT LOCATION Mobile Media	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☒ ISRA ☐ NJ REG ☐ NYSP A ☐ B ☐ CLP ☐ OTHER _____	☒ NORMAL ☐ QUICK ☐ VERBAL

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

ETL # SAMPLING DATE TIME AM PM COMP GRAB MATRIX CLIENT I.D.

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/Zn ACC	40ml Glass Sulfuric	40ml Glass	DO	125 Amber
1/8	7/38				X		FW/S	Pw-1																
1/8	10/48				X		FW/S	Pw-2																
1/8	11/3				X		FW/S	Pw-3																
1/8	12/4				X		FW/S	Pw-4																
							MWD	11/31/15																
							OS	Pw Scan Multigan																

REPORT # (Lab Use Only)	
SAMPLE TEMP. 10.9	
SAMPLE RECD ON ICE ☒ Y ☐ N	
pH CHECK ☐ Y ☐ N	
CHLORINE (RESIDUAL) ☐ Y ☐ N	
REVIEWED BY: _____	

ANALYSIS REQUESTED

SOURCE ID _____
ELAP TYPE _____
FEDERAL ID _____

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY Sebi	COMPANY Sebi	DATE 1-12-16	TIME 1342
SAMPLED BY Sebi	COMPANY Sebi	DATE 1-12-16	TIME 1342
RELINQUISHED BY Sebi	COMPANY Sebi	DATE 1-12-16	TIME 1537

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-99514-1
SDG Number: Mobile Media

Login Number: 99514

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	10.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101868-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

03/18/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-101868-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101868-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Cusack, Renee	RC

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101868-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101868-1	IW-1	Solid	03/09/2016 0900	03/14/2016 1615
420-101868-2	IW-2	Solid	03/09/2016 1052	03/14/2016 1615
420-101868-3	IW-3	Solid	03/09/2016 1154	03/14/2016 1615
420-101868-4	IW-4	Solid	03/09/2016 1315	03/14/2016 1615
420-101868-5	IW-5	Solid	03/09/2016 1426	03/14/2016 1615
420-101868-6	IW-6	Solid	03/09/2016 1518	03/14/2016 1615
420-101868-7	IW-7	Solid	03/09/2016 1556	03/14/2016 1615

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-1
Lab Sample ID: 420-101868-1

Date Sampled: 03/09/2016 0900
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1109		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1109		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.0	U	ug/Kg Dry	5.0	5.0	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-1
Lab Sample ID: 420-101868-1

Date Sampled: 03/09/2016 0900
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	2.9		ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	15		ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.0	U	ug/Kg Dry	5.0	5.0	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	72 - 143		
4-Bromofluorobenzene	89		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-1
Lab Sample ID: 420-101868-1

Date Sampled: 03/09/2016 0900
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-2
Lab Sample ID: 420-101868-2

Date Sampled: 03/09/2016 1052
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1144		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1144		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.2	U	ug/Kg Dry	5.2	5.2	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-2
Lab Sample ID: 420-101868-2

Date Sampled: 03/09/2016 1052
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.2	U	ug/Kg Dry	5.2	5.2	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	102		%	72 - 143		
4-Bromofluorobenzene	88		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-2
Lab Sample ID: 420-101868-2

Date Sampled: 03/09/2016 1052
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-3
Lab Sample ID: 420-101868-3

Date Sampled: 03/09/2016 1154
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1220		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1220		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.4	U	ug/Kg Dry	5.4	5.4	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-3
Lab Sample ID: 420-101868-3

Date Sampled: 03/09/2016 1154
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	93		ug/Kg Dry	5.4	5.4	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%	72 - 143		
4-Bromofluorobenzene	92		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	96		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-3
Lab Sample ID: 420-101868-3

Date Sampled: 03/09/2016 1154
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-4
Lab Sample ID: 420-101868-4

Date Sampled: 03/09/2016 1315
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1255		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1255		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-4
Lab Sample ID: 420-101868-4

Date Sampled: 03/09/2016 1315
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	99		%	72 - 143		
4-Bromofluorobenzene	90		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	91		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-4
Lab Sample ID: 420-101868-4

Date Sampled: 03/09/2016 1315
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-5
Lab Sample ID: 420-101868-5

Date Sampled: 03/09/2016 1426
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 85

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1331		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1331		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.2	U	ug/Kg Dry	5.2	5.2	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-5
Lab Sample ID: 420-101868-5

Date Sampled: 03/09/2016 1426
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 85

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.2	U	ug/Kg Dry	5.2	5.2	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	103		%	72 - 143		
4-Bromofluorobenzene	92		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-5
Lab Sample ID: 420-101868-5

Date Sampled: 03/09/2016 1426
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 85

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-6
Lab Sample ID: 420-101868-6

Date Sampled: 03/09/2016 1518
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1406		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1406		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.5	U	ug/Kg Dry	5.5	5.5	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-6
Lab Sample ID: 420-101868-6

Date Sampled: 03/09/2016 1518
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	5.5	U	ug/Kg Dry	5.5	5.5	1.0
Acetonitrile	2.2	U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	103		%	72 - 143		
4-Bromofluorobenzene	90		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	92		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-6
Lab Sample ID: 420-101868-6

Date Sampled: 03/09/2016 1518
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-7
Lab Sample ID: 420-101868-7

Date Sampled: 03/09/2016 1556
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/15/2016 1442		
Prep Method: 5035-L			Date Prepared:	03/15/2016 1442		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.5	U	ug/Kg Dry	5.5	5.5	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.7	U	ug/Kg Dry	1.7	1.7	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-7
Lab Sample ID: 420-101868-7

Date Sampled: 03/09/2016 1556
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	170		ug/Kg Dry	5.5	5.5	1.0
Acetonitrile	2.2	U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	103		%	72 - 143		
4-Bromofluorobenzene	90		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101868-1
Sdg Number: Mobile Media

Client Sample ID: IW-7
Lab Sample ID: 420-101868-7

Date Sampled: 03/09/2016 1556
Date Received: 03/14/2016 1615
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Laboratories Inc.

CHAIN OF CUSTODY

101818

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME Sesli Environmental	
ADDRESS 337 Fullerton	
CITY, STATE, ZIP Newburgh NY 12550	
NAME OF CONTACT Sean Meyer	PHONE NO. 845 789 1367
PROJECT LOCATION Mobile Media	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☐ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☒ CLP ☐ OTHER _____	☒ NORMAL ☐ QUICK ☐ VERBAL

DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NAOH/ZN ACC	40ml Glass Sulfuric	40ml Glass	DO

1	3/4	9:00			X		S	Iw-1	4															1
2	3/4	10:58			X		S	Iw-2	4															1
3	3/4	11:54			X		S	Iw-3	4															1
4	3/4	12:45			X		S	Iw-4	4															1
5	3/4	14:26			X		S	Iw-5	4															1
6	3/4	15:18			X		S	Iw-6	4															1
7	3/4	15:56			X		S	Iw-7	4															1

REPORT # (Lab Use Only)	
SAMPLE TEMP: 6.0	
SAMPLE RECD ON ICE ☒ Y ☐ N	
PH CHECK ☐ Y ☐ N	
CHLORINE (RESIDUAL) ☐ Y ☐ N	
REVIEWED BY: _____	

NY PUBLIC WATER SUPPLIES

SOURCE ID	ELAP TYPE	FEDERAL ID

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY Sesli	COMPANY Sesli	DATE 3/14/16	TIME 10:15	RECEIVED BY Sean Meyer	COMPANY Sesli	DATE 3/14/16	TIME 15:56
SAMPLED BY Sesli	COMPANY Sesli	DATE 3/14/16	TIME 16:15	RECEIVED BY Sean Meyer	COMPANY Sesli	DATE 3/14/16	TIME 16:15
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101868-1

SDG Number: Mobile Media

Login Number: 101868

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	6.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101923-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

03/31/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-101923-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101923-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101923-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101923-1	IW - 8	Solid	03/10/2016 0854	03/15/2016 1627
420-101923-2	IW - 9	Solid	03/10/2016 0923	03/15/2016 1627
420-101923-3	IW - 10	Solid	03/10/2016 1018	03/15/2016 1627
420-101923-4	IW - 11	Solid	03/10/2016 1021	03/15/2016 1627
420-101923-5	IW - 12	Solid	03/10/2016 1048	03/15/2016 1627
420-101923-6	IW - 13	Solid	03/10/2016 1121	03/15/2016 1627
420-101923-7	IW - 14	Solid	03/10/2016 1232	03/15/2016 1627

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 8
Lab Sample ID: 420-101923-1

Date Sampled: 03/10/2016 0854
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1101		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1101		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.4	U	ug/Kg Dry	5.4	5.4	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.6	U *	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 8
Lab Sample ID: 420-101923-1

Date Sampled: 03/10/2016 0854
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U *	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	1.8		ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	5.4	U	ug/Kg Dry	5.4	5.4	1.0
Acetonitrile	2.2	U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	103		%	72 - 143		
4-Bromofluorobenzene	89		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	91		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 8
Lab Sample ID: 420-101923-1

Date Sampled: 03/10/2016 0854
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 9
Lab Sample ID: 420-101923-2

Date Sampled: 03/10/2016 0923
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1137		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1137		
Acrolein	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acrylonitrile	6.5	U	ug/Kg Dry	6.5	6.5	1.0
Ethyl methacrylate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl methacrylate	13	U	ug/Kg Dry	13	13	1.0
1,2,4-Trichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2,4-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dibromo-3-Chloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3,5-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dioxane	1.9	U *	ug/Kg Dry	1.9	1.9	1.0
2-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Chloroethyl vinyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Benzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromoform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorodibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Ethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Isopropylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Naphthalene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
n-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
N-Propylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
p-Isopropyltoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
sec-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Styrene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
tert-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Toluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Xylenes, Total	2.6	U	ug/Kg Dry	2.6	2.6	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 9
Lab Sample ID: 420-101923-2

Date Sampled: 03/10/2016 0923
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.3	U *	ug/Kg Dry	1.3	1.3	1.0
1,1,1,2-Tetrachloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,1-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Hexanone	1.3	U	ug/Kg Dry	1.3	1.3	1.0
3-Chloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromodichloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dichlorodifluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon tetrachloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon disulfide	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Hexachlorobutadiene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methylene Chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Tetrachloroethene	2.7		ug/Kg Dry	1.3	1.3	1.0
trans-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,4-Dichloro-2-butene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Trichloroethene	160		ug/Kg Dry	1.3	1.3	1.0
Trichlorofluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl acetate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Butanone (MEK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Methyl-2-pentanone (MIBK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl tert-butyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acetone	6.5	U	ug/Kg Dry	6.5	6.5	1.0
Acetonitrile	2.6	U	ug/Kg Dry	2.6	2.6	1.0
m-Xylene & p-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
o-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
1,2-Dibromoethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	102		%	72 - 143		
4-Bromofluorobenzene	88		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	96		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 9
Lab Sample ID: 420-101923-2

Date Sampled: 03/10/2016 0923
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 82

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 10
Lab Sample ID: 420-101923-3

Date Sampled: 03/10/2016 1018
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1212		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1212		
Acrolein	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acrylonitrile	6.6	U	ug/Kg Dry	6.6	6.6	1.0
Ethyl methacrylate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl methacrylate	13	U	ug/Kg Dry	13	13	1.0
1,2,4-Trichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2,4-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dibromo-3-Chloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3,5-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dioxane	2.0	U *	ug/Kg Dry	2.0	2.0	1.0
2-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Chloroethyl vinyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Benzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromoform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorodibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Ethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Isopropylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Naphthalene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
n-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
N-Propylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
p-Isopropyltoluene	8.9		ug/Kg Dry	1.3	1.3	1.0
sec-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Styrene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
tert-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Toluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Xylenes, Total	2.6	U	ug/Kg Dry	2.6	2.6	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 10
Lab Sample ID: 420-101923-3

Date Sampled: 03/10/2016 1018
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.3	U *	ug/Kg Dry	1.3	1.3	1.0
1,1,1,2-Tetrachloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,1-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Hexanone	1.3	U	ug/Kg Dry	1.3	1.3	1.0
3-Chloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromodichloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dichlorodifluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon tetrachloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon disulfide	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Hexachlorobutadiene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methylene Chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Tetrachloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,4-Dichloro-2-butene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Trichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Trichlorofluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl acetate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Butanone (MEK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Methyl-2-pentanone (MIBK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl tert-butyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acetone	6.6	U	ug/Kg Dry	6.6	6.6	1.0
Acetonitrile	2.6	U	ug/Kg Dry	2.6	2.6	1.0
m-Xylene & p-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
o-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
1,2-Dibromoethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	112		%	72 - 143		
4-Bromofluorobenzene	75		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	90		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 10
Lab Sample ID: 420-101923-3

Date Sampled: 03/10/2016 1018
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Tentatively Identified Compounds				Cas Number	RT	
Cyclohexene, 4-methylene-1-(1-methylethyl)-	5.1	J N	ug/Kg Dry	000099-84-3	20.94	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 11
Lab Sample ID: 420-101923-4

Date Sampled: 03/10/2016 1021
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1248		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1248		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U *	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 11
Lab Sample ID: 420-101923-4

Date Sampled: 03/10/2016 1021
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0		ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	72 - 143		
4-Bromofluorobenzene	94		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	100		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 11
Lab Sample ID: 420-101923-4

Date Sampled: 03/10/2016 1021
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 94

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 12
Lab Sample ID: 420-101923-5

Date Sampled: 03/10/2016 1048
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1324		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1324		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.0	U	ug/Kg Dry	5.0	5.0	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U *	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 12
Lab Sample ID: 420-101923-5

Date Sampled: 03/10/2016 1048
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	4.3		ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.0	U	ug/Kg Dry	5.0	5.0	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	72 - 143		
4-Bromofluorobenzene	91		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	96		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 12
Lab Sample ID: 420-101923-5

Date Sampled: 03/10/2016 1048
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 13
Lab Sample ID: 420-101923-6

Date Sampled: 03/10/2016 1121
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1400		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1400		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.2	U	ug/Kg Dry	5.2	5.2	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.6	U *	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.1	U	ug/Kg Dry	2.1	2.1	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 13
Lab Sample ID: 420-101923-6

Date Sampled: 03/10/2016 1121
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	60		ug/Kg Dry	5.2	5.2	1.0
Acetonitrile	2.1	U	ug/Kg Dry	2.1	2.1	1.0
m-Xylene & p-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
o-Xylene	2.1	U	ug/Kg Dry	2.1	2.1	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	103		%	72 - 143		
4-Bromofluorobenzene	94		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	97		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 13
Lab Sample ID: 420-101923-6

Date Sampled: 03/10/2016 1121
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 88

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 14
Lab Sample ID: 420-101923-7

Date Sampled: 03/10/2016 1232
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/16/2016 1436		
Prep Method: 5035-L			Date Prepared:	03/16/2016 1436		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U *	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 14
Lab Sample ID: 420-101923-7

Date Sampled: 03/10/2016 1232
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Benzyl chloride	1.0 U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0 U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0 U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	9.4	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0 U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.1 U	ug/Kg Dry	5.1	5.1	1.0
Acetonitrile	2.0 U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0 U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0 U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits				
Toluene-d8 (Surr)	102	%	72 - 143		
4-Bromofluorobenzene	88	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93	%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101923-1
Sdg Number: Mobile Media

Client Sample ID: IW - 14
Lab Sample ID: 420-101923-7

Date Sampled: 03/10/2016 1232
Date Received: 03/15/2016 1627
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	J	Indicates an Estimated Value for TICs
	N	This flag indicates the presumptive evidence of a compound.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME Sebi
ADDRESS 337 Fullerton Ave
CITY, STATE, ZIP Newburgh NY
NAME OF CONTACT Sean PHONE NO. 845 789 1307
PROJECT LOCATION Mobile media
PROJECT NUMBER / PO NO.

REPORT TYPE
STANDARD ☒ ISRA ☐
NJ REG ☐
NYASP A ☐ B ☐ CLP ☐
OTHER _____
TURNAROUND
☐ NORMAL
☐ QUICK
☐ VERBAL

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

REPORT # (Lab Use Only)
SAMPLE TEMP. 5.2 °C
SAMPLE REC'D ON ICE ☒ Y ☐ N
pH CHECK ☐ Y ☐ N
CHLORINE (RESIDUAL) ☐ Y ☐ N
REVIEWED BY: _____
NY PUBLIC WATER SUPPLIES
SOURCE ID _____
ELAP TYPE _____
FEDERAL ID _____

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.										ELAP TYPE _____												
										FEDERAL ID _____												
ETL #	SAMPLING DATE	TIME	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/ZN ACC	40ml Glass Sulfuric	40ml Glass DO	DO	ANALYSIS REQUESTED	
	3/10	8:54		Seal	Iw-8	4													3	1	125 Amber	8260
	3/10	9:23		S	Iw-9	4													3	1		
	3/10	10:14		S	Iw-10	4													3	1		
	3/10	10:21		S	Iw-11	4													3	1		
	3/10	10:46		S	Iw-12	4													3	1		
	3/10	11:21		S	Iw-13	4													3	1		
	3/10	12:32		S	Iw-14	4													3	1		

LAB USE ONLY

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY <u>[Signature]</u>	DATE <u>3/15/16</u>	TIME <u>16:27</u>	COMPANY <u>325</u>
SAMPLED BY <u>[Signature]</u>	DATE <u>3/15/16</u>	TIME <u>16:27</u>	COMPANY <u>325</u>
RELINQUISHED BY _____	DATE _____	TIME _____	COMPANY _____

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101923-1

SDG Number: Mobile Media

Login Number: 101923

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	5.2 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-109785-1

Job Description: SEBI

For:
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
09/14/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

METHOD SUMMARY

Client: SEBI

Job Number: 420-109785-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-109785-1

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Cusack, Renee	RC

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-109785-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-109785-1	B - 1	Solid	09/02/2016 0920	09/07/2016 0945
420-109785-2	B - 2	Solid	09/02/2016 0933	09/07/2016 0945
420-109785-3	B - 3	Solid	09/02/2016 0956	09/07/2016 0945
420-109785-4	B - 4	Solid	09/02/2016 1015	09/07/2016 0945
420-109785-5	B - 5	Solid	09/02/2016 1036	09/07/2016 0945
420-109785-6	B - 6	Solid	09/02/2016 1051	09/07/2016 0945
420-109785-7	B - 7	Solid	09/02/2016 1115	09/07/2016 0945
420-109785-8	B - 8	Solid	09/02/2016 1136	09/07/2016 0945
420-109785-9	B - 9	Solid	09/02/2016 1151	09/07/2016 0945
420-109785-10	B - 10	Solid	09/02/2016 1209	09/07/2016 0945

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 1
Lab Sample ID: 420-109785-1

Date Sampled: 09/02/2016 0920
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1055		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1055		
Acrolein	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acrylonitrile	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Ethyl methacrylate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl methacrylate	9.7	U	ug/Kg Dry	9.7	9.7	1.0
1,2,4-Trichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2,4-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dibromo-3-Chloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3,5-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Chloroethyl vinyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Benzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromoform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorodibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Ethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Isopropylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Naphthalene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
n-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
N-Propylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
p-Isopropyltoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
sec-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Styrene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
tert-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Toluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Xylenes, Total	1.9	U	ug/Kg Dry	1.9	1.9	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 1
Lab Sample ID: 420-109785-1

Date Sampled: 09/02/2016 0920
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1,2-Tetrachloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Hexanone	0.97	U	ug/Kg Dry	0.97	0.97	1.0
3-Chloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromodichloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dichlorodifluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon tetrachloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon disulfide	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Hexachlorobutadiene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methylene Chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Tetrachloroethene	1.2		ug/Kg Dry	0.97	0.97	1.0
trans-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,4-Dichloro-2-butene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Trichloroethene	62		ug/Kg Dry	0.97	0.97	1.0
Trichlorofluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl acetate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Butanone (MEK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Methyl-2-pentanone (MIBK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl tert-butyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acetone	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Acetonitrile	1.9	U	ug/Kg Dry	1.9	1.9	1.0
m-Xylene & p-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
o-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
1,2-Dibromoethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	113		%	72 - 143		
4-Bromofluorobenzene	118		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	115		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 1
Lab Sample ID: 420-109785-1

Date Sampled: 09/02/2016 0920
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 2
Lab Sample ID: 420-109785-2

Date Sampled: 09/02/2016 0933
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 79

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1131		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1131		
Acrolein	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acrylonitrile	6.3	U	ug/Kg Dry	6.3	6.3	1.0
Ethyl methacrylate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl methacrylate	13	U	ug/Kg Dry	13	13	1.0
1,2,4-Trichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2,4-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dibromo-3-Chloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3,5-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dioxane	1.9	U	ug/Kg Dry	1.9	1.9	1.0
2-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Chloroethyl vinyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Benzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromoform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorodibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Ethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Isopropylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Naphthalene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
n-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
N-Propylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
p-Isopropyltoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
sec-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Styrene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
tert-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Toluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Xylenes, Total	2.5	U	ug/Kg Dry	2.5	2.5	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 2
Lab Sample ID: 420-109785-2

Date Sampled: 09/02/2016 0933
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 79

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,1,2-Tetrachloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,1-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Hexanone	1.3	U	ug/Kg Dry	1.3	1.3	1.0
3-Chloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromodichloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dichlorodifluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon tetrachloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon disulfide	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Hexachlorobutadiene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methylene Chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Tetrachloroethene	1.3		ug/Kg Dry	1.3	1.3	1.0
trans-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,4-Dichloro-2-butene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Trichloroethene	23		ug/Kg Dry	1.3	1.3	1.0
Trichlorofluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl acetate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Butanone (MEK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Methyl-2-pentanone (MIBK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl tert-butyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acetone	6.3	U	ug/Kg Dry	6.3	6.3	1.0
Acetonitrile	2.5	U	ug/Kg Dry	2.5	2.5	1.0
m-Xylene & p-Xylene	2.5	U	ug/Kg Dry	2.5	2.5	1.0
o-Xylene	2.5	U	ug/Kg Dry	2.5	2.5	1.0
1,2-Dibromoethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	119		%	72 - 143		
4-Bromofluorobenzene	113		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	112		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 2
Lab Sample ID: 420-109785-2

Date Sampled: 09/02/2016 0933
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 79

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 3
Lab Sample ID: 420-109785-3

Date Sampled: 09/02/2016 0956
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1207		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1207		
Acrolein	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Acrylonitrile	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Ethyl methacrylate	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Methyl methacrylate	9.9	U	ug/Kg Dry	9.9	9.9	1.0
1,2,4-Trichlorobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,2,4-Trimethylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,2-Dichlorobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,2-Dichloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,2-Dichloropropane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,2-Dibromo-3-Chloropropane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,3,5-Trimethylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,3-Dichlorobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,3-Dichloropropane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,4-Dichlorobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
2-Chloroethyl vinyl ether	0.99	U	ug/Kg Dry	0.99	0.99	1.0
4-Chlorotoluene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Benzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Bromobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Bromoform	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Bromomethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chlorobenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chloroform	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chloromethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chlorodibromomethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Chlorobromomethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Ethylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Isopropylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Naphthalene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
n-Butylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
N-Propylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
p-Isopropyltoluene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
sec-Butylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Styrene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
tert-Butylbenzene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Toluene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Xylenes, Total	7.9		ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 3
Lab Sample ID: 420-109785-3

Date Sampled: 09/02/2016 0956
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1,1,2-Tetrachloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1,1-Trichloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1,2-Trichloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1-Dichloroethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1-Dichloroethene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
1,1-Dichloropropene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
2,2-Dichloropropane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
2-Hexanone	0.99	U	ug/Kg Dry	0.99	0.99	1.0
3-Chloropropene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Bromodichloromethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Dichlorodifluoromethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Carbon tetrachloride	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Carbon disulfide	0.99	U	ug/Kg Dry	0.99	0.99	1.0
cis-1,2-Dichloroethene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
cis-1,3-Dichloropropene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Hexachlorobutadiene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Dibromomethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Methylene Chloride	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Tetrachloroethene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
trans-1,2-Dichloroethene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
trans-1,3-Dichloropropene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
trans-1,4-Dichloro-2-butene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Trichloroethene	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Trichlorofluoromethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Vinyl chloride	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Vinyl acetate	0.99	U	ug/Kg Dry	0.99	0.99	1.0
2-Butanone (MEK)	0.99	U	ug/Kg Dry	0.99	0.99	1.0
4-Methyl-2-pentanone (MIBK)	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Methyl tert-butyl ether	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Acetone	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	5.3		ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.6		ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	0.99	U	ug/Kg Dry	0.99	0.99	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	115		%	72 - 143		
4-Bromofluorobenzene	116		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	115		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 3
Lab Sample ID: 420-109785-3

Date Sampled: 09/02/2016 0956
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 95

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 4
Lab Sample ID: 420-109785-4

Date Sampled: 09/02/2016 1015
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016	1244	
Prep Method: 5035-L			Date Prepared:	09/07/2016	1244	
Acrolein	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acrylonitrile	4.8	U	ug/Kg Dry	4.8	4.8	1.0
Ethyl methacrylate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl methacrylate	9.7	U	ug/Kg Dry	9.7	9.7	1.0
1,2,4-Trichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2,4-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dibromo-3-Chloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3,5-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Chloroethyl vinyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Benzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromoform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorodibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Ethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Isopropylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Naphthalene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
n-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
N-Propylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
p-Isopropyltoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
sec-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Styrene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
tert-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Toluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Xylenes, Total	1.9	U	ug/Kg Dry	1.9	1.9	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 4
Lab Sample ID: 420-109785-4

Date Sampled: 09/02/2016 1015
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1,2-Tetrachloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Hexanone	0.97	U	ug/Kg Dry	0.97	0.97	1.0
3-Chloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromodichloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dichlorodifluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon tetrachloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon disulfide	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Hexachlorobutadiene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methylene Chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Tetrachloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,4-Dichloro-2-butene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Trichloroethene	1.8		ug/Kg Dry	0.97	0.97	1.0
Trichlorofluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl acetate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Butanone (MEK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Methyl-2-pentanone (MIBK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl tert-butyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acetone	4.8	U	ug/Kg Dry	4.8	4.8	1.0
Acetonitrile	1.9	U	ug/Kg Dry	1.9	1.9	1.0
m-Xylene & p-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
o-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
1,2-Dibromoethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	117		%	72 - 143		
4-Bromofluorobenzene	114		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	110		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 4
Lab Sample ID: 420-109785-4

Date Sampled: 09/02/2016 1015
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 5
Lab Sample ID: 420-109785-5

Date Sampled: 09/02/2016 1036
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1320		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1320		
Acrolein	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Acrylonitrile	7.0	U	ug/Kg Dry	7.0	7.0	1.0
Ethyl methacrylate	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Methyl methacrylate	14	U	ug/Kg Dry	14	14	1.0
1,2,4-Trichlorobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,2,4-Trimethylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,2-Dichlorobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,2-Dichloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,2-Dichloropropane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,2-Dibromo-3-Chloropropane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,3,5-Trimethylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,3-Dichlorobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,3-Dichloropropane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,4-Dichlorobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,4-Dioxane	2.1	U	ug/Kg Dry	2.1	2.1	1.0
2-Chlorotoluene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2-Chloroethyl vinyl ether	1.4	U	ug/Kg Dry	1.4	1.4	1.0
4-Chlorotoluene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Benzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Bromobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Bromoform	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Bromomethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chlorobenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chloroform	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chloromethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chlorodibromomethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Chlorobromomethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Ethylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Isopropylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Naphthalene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
n-Butylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
N-Propylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
p-Isopropyltoluene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
sec-Butylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Styrene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
tert-Butylbenzene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Toluene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Xylenes, Total	2.8	U	ug/Kg Dry	2.8	2.8	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 5
Lab Sample ID: 420-109785-5

Date Sampled: 09/02/2016 1036
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1,1,2-Tetrachloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1,1-Trichloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1,2-Trichloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1-Dichloroethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1-Dichloroethene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
1,1-Dichloropropene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2,2-Dichloropropane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2-Hexanone	1.4	U	ug/Kg Dry	1.4	1.4	1.0
3-Chloropropene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Bromodichloromethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Dichlorodifluoromethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Carbon tetrachloride	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Carbon disulfide	1.4	U	ug/Kg Dry	1.4	1.4	1.0
cis-1,2-Dichloroethene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
cis-1,3-Dichloropropene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Hexachlorobutadiene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Dibromomethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Methylene Chloride	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Tetrachloroethene	2.0		ug/Kg Dry	1.4	1.4	1.0
trans-1,2-Dichloroethene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
trans-1,3-Dichloropropene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
trans-1,4-Dichloro-2-butene	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Trichloroethene	100		ug/Kg Dry	1.4	1.4	1.0
Trichlorofluoromethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Vinyl chloride	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Vinyl acetate	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2-Butanone (MEK)	1.4	U	ug/Kg Dry	1.4	1.4	1.0
4-Methyl-2-pentanone (MIBK)	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Methyl tert-butyl ether	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Acetone	7.0	U	ug/Kg Dry	7.0	7.0	1.0
Acetonitrile	2.8	U	ug/Kg Dry	2.8	2.8	1.0
m-Xylene & p-Xylene	2.8	U	ug/Kg Dry	2.8	2.8	1.0
o-Xylene	2.8	U	ug/Kg Dry	2.8	2.8	1.0
1,2-Dibromoethane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	121		%	72 - 143		
4-Bromofluorobenzene	116		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	108		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 5
Lab Sample ID: 420-109785-5

Date Sampled: 09/02/2016 1036
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 89

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 6
Lab Sample ID: 420-109785-6

Date Sampled: 09/02/2016 1051
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1356		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1356		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.5	U	ug/Kg Dry	5.5	5.5	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.6	U	ug/Kg Dry	1.6	1.6	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 6
Lab Sample ID: 420-109785-6

Date Sampled: 09/02/2016 1051
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1	U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	6.7		ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acetone	5.5	U	ug/Kg Dry	5.5	5.5	1.0
Acetonitrile	2.2	U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2	U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	115		%	72 - 143		
4-Bromofluorobenzene	114		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	111		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 6
Lab Sample ID: 420-109785-6

Date Sampled: 09/02/2016 1051
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 7
Lab Sample ID: 420-109785-7

Date Sampled: 09/02/2016 1115
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1432		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1432		
Acrolein	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Acrylonitrile	5.8	U	ug/Kg Dry	5.8	5.8	1.0
Ethyl methacrylate	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methyl methacrylate	12	U	ug/Kg Dry	12	12	1.0
1,2,4-Trichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2,4-Trimethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dibromo-3-Chloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3,5-Trimethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,4-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,4-Dioxane	1.8	U	ug/Kg Dry	1.8	1.8	1.0
2-Chlorotoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Chloroethyl vinyl ether	1.2	U	ug/Kg Dry	1.2	1.2	1.0
4-Chlorotoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Benzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromoform	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloroform	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorodibromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorobromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Ethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Isopropylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Naphthalene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
n-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
N-Propylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
p-Isopropyltoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
sec-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Styrene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
tert-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Toluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Xylenes, Total	2.3	U	ug/Kg Dry	2.3	2.3	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 7
Lab Sample ID: 420-109785-7

Date Sampled: 09/02/2016 1115
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,1,2-Tetrachloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,1-Trichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,2-Trichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2,2-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Hexanone	1.2	U	ug/Kg Dry	1.2	1.2	1.0
3-Chloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromodichloromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Dichlorodifluoromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Carbon tetrachloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Carbon disulfide	1.2	U	ug/Kg Dry	1.2	1.2	1.0
cis-1,2-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
cis-1,3-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Hexachlorobutadiene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Dibromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methylene Chloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Tetrachloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,2-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,3-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,4-Dichloro-2-butene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Trichloroethene	1.7		ug/Kg Dry	1.2	1.2	1.0
Trichlorofluoromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Vinyl chloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Vinyl acetate	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Butanone (MEK)	1.2	U	ug/Kg Dry	1.2	1.2	1.0
4-Methyl-2-pentanone (MIBK)	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methyl tert-butyl ether	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Acetone	5.8	U	ug/Kg Dry	5.8	5.8	1.0
Acetonitrile	2.3	U	ug/Kg Dry	2.3	2.3	1.0
m-Xylene & p-Xylene	2.3	U	ug/Kg Dry	2.3	2.3	1.0
o-Xylene	2.3	U	ug/Kg Dry	2.3	2.3	1.0
1,2-Dibromoethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	115		%	72 - 143		
4-Bromofluorobenzene	117		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	116		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 7
Lab Sample ID: 420-109785-7

Date Sampled: 09/02/2016 1115
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 8
Lab Sample ID: 420-109785-8

Date Sampled: 09/02/2016 1136
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1509		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1509		
Acrolein	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Acrylonitrile	4.7	U	ug/Kg Dry	4.7	4.7	1.0
Ethyl methacrylate	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Methyl methacrylate	9.4	U	ug/Kg Dry	9.4	9.4	1.0
1,2,4-Trichlorobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,2,4-Trimethylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,2-Dichlorobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,2-Dichloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,2-Dichloropropane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,2-Dibromo-3-Chloropropane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,3,5-Trimethylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,3-Dichlorobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,3-Dichloropropane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,4-Dichlorobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,4-Dioxane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2-Chlorotoluene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
2-Chloroethyl vinyl ether	0.94	U	ug/Kg Dry	0.94	0.94	1.0
4-Chlorotoluene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Benzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Bromobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Bromoform	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Bromomethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chlorobenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chloroform	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chloromethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chlorodibromomethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Chlorobromomethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Ethylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Isopropylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Naphthalene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
n-Butylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
N-Propylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
p-Isopropyltoluene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
sec-Butylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Styrene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
tert-Butylbenzene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Toluene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Xylenes, Total	1.9	U	ug/Kg Dry	1.9	1.9	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 8
Lab Sample ID: 420-109785-8

Date Sampled: 09/02/2016 1136
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1,1,2-Tetrachloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1,1-Trichloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1,2-Trichloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1-Dichloroethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1-Dichloroethene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
1,1-Dichloropropene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
2,2-Dichloropropane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
2-Hexanone	0.94	U	ug/Kg Dry	0.94	0.94	1.0
3-Chloropropene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Bromodichloromethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Dichlorodifluoromethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Carbon tetrachloride	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Carbon disulfide	0.94	U	ug/Kg Dry	0.94	0.94	1.0
cis-1,2-Dichloroethene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
cis-1,3-Dichloropropene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Hexachlorobutadiene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Dibromomethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Methylene Chloride	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Tetrachloroethene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
trans-1,2-Dichloroethene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
trans-1,3-Dichloropropene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
trans-1,4-Dichloro-2-butene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Trichloroethene	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Trichlorofluoromethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Vinyl chloride	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Vinyl acetate	0.94	U	ug/Kg Dry	0.94	0.94	1.0
2-Butanone (MEK)	0.94	U	ug/Kg Dry	0.94	0.94	1.0
4-Methyl-2-pentanone (MIBK)	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Methyl tert-butyl ether	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Acetone	4.7	U	ug/Kg Dry	4.7	4.7	1.0
Acetonitrile	1.9	U	ug/Kg Dry	1.9	1.9	1.0
m-Xylene & p-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
o-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
1,2-Dibromoethane	0.94	U	ug/Kg Dry	0.94	0.94	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	119		%	72 - 143		
4-Bromofluorobenzene	117		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	112		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 8
Lab Sample ID: 420-109785-8

Date Sampled: 09/02/2016 1136
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 92

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 9
Lab Sample ID: 420-109785-9

Date Sampled: 09/02/2016 1151
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1545		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1545		
Acrolein	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acrylonitrile	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Ethyl methacrylate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl methacrylate	9.7	U	ug/Kg Dry	9.7	9.7	1.0
1,2,4-Trichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2,4-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,2-Dibromo-3-Chloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3,5-Trimethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,3-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dichlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Chloroethyl vinyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Chlorotoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Benzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromoform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroform	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorodibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Chlorobromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Ethylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Isopropylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Naphthalene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
n-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
N-Propylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
p-Isopropyltoluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
sec-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Styrene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
tert-Butylbenzene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Toluene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Xylenes, Total	1.9	U	ug/Kg Dry	1.9	1.9	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 9
Lab Sample ID: 420-109785-9

Date Sampled: 09/02/2016 1151
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1,2-Tetrachloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,1-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1,2-Trichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
1,1-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2,2-Dichloropropane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Hexanone	0.97	U	ug/Kg Dry	0.97	0.97	1.0
3-Chloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Bromodichloromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dichlorodifluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon tetrachloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Carbon disulfide	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
cis-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Hexachlorobutadiene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Dibromomethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methylene Chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Tetrachloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,2-Dichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,3-Dichloropropene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
trans-1,4-Dichloro-2-butene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Trichloroethene	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Trichlorofluoromethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl chloride	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Vinyl acetate	0.97	U	ug/Kg Dry	0.97	0.97	1.0
2-Butanone (MEK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
4-Methyl-2-pentanone (MIBK)	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Methyl tert-butyl ether	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Acetone	4.9	U	ug/Kg Dry	4.9	4.9	1.0
Acetonitrile	1.9	U	ug/Kg Dry	1.9	1.9	1.0
m-Xylene & p-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
o-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
1,2-Dibromoethane	0.97	U	ug/Kg Dry	0.97	0.97	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	112		%	72 - 143		
4-Bromofluorobenzene	117		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	113		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 9
Lab Sample ID: 420-109785-9

Date Sampled: 09/02/2016 1151
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 10
Lab Sample ID: 420-109785-10

Date Sampled: 09/02/2016 1209
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/07/2016 1621		
Prep Method: 5035-L			Date Prepared:	09/07/2016 1621		
Acrolein	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Acrylonitrile	4.8	U	ug/Kg Dry	4.8	4.8	1.0
Ethyl methacrylate	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Methyl methacrylate	9.5	U	ug/Kg Dry	9.5	9.5	1.0
1,2,4-Trichlorobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,2,4-Trimethylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,2-Dichlorobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,2-Dichloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,2-Dichloropropane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,2-Dibromo-3-Chloropropane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,3,5-Trimethylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,3-Dichlorobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,3-Dichloropropane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,4-Dichlorobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,4-Dioxane	1.4	U	ug/Kg Dry	1.4	1.4	1.0
2-Chlorotoluene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
2-Chloroethyl vinyl ether	0.95	U	ug/Kg Dry	0.95	0.95	1.0
4-Chlorotoluene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Benzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Bromobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Bromoform	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Bromomethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chlorobenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chloroform	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chloromethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chlorodibromomethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Chlorobromomethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Ethylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Isopropylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Naphthalene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
n-Butylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
N-Propylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
p-Isopropyltoluene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
sec-Butylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Styrene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
tert-Butylbenzene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Toluene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Xylenes, Total	1.9	U	ug/Kg Dry	1.9	1.9	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 10
Lab Sample ID: 420-109785-10

Date Sampled: 09/02/2016 1209
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1,1,2-Tetrachloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1,1-Trichloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1,2-Trichloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1-Dichloroethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1-Dichloroethene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
1,1-Dichloropropene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
2,2-Dichloropropane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
2-Hexanone	0.95	U	ug/Kg Dry	0.95	0.95	1.0
3-Chloropropene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Bromodichloromethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Dichlorodifluoromethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Carbon tetrachloride	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Carbon disulfide	0.95	U	ug/Kg Dry	0.95	0.95	1.0
cis-1,2-Dichloroethene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
cis-1,3-Dichloropropene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Hexachlorobutadiene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Dibromomethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Methylene Chloride	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Tetrachloroethene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
trans-1,2-Dichloroethene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
trans-1,3-Dichloropropene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
trans-1,4-Dichloro-2-butene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Trichloroethene	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Trichlorofluoromethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Vinyl chloride	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Vinyl acetate	0.95	U	ug/Kg Dry	0.95	0.95	1.0
2-Butanone (MEK)	0.95	U	ug/Kg Dry	0.95	0.95	1.0
4-Methyl-2-pentanone (MIBK)	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Methyl tert-butyl ether	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Acetone	4.8	U	ug/Kg Dry	4.8	4.8	1.0
Acetonitrile	1.9	U	ug/Kg Dry	1.9	1.9	1.0
m-Xylene & p-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
o-Xylene	1.9	U	ug/Kg Dry	1.9	1.9	1.0
1,2-Dibromoethane	0.95	U	ug/Kg Dry	0.95	0.95	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	119		%	72 - 143		
4-Bromofluorobenzene	116		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	115		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-109785-1

Client Sample ID: B - 10
Lab Sample ID: 420-109785-10

Date Sampled: 09/02/2016 1209
Date Received: 09/07/2016 0945
Client Matrix: Solid
Percent Solids: 97

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Lab Section	Qualifier	Description
GC/MS VOA	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: SEBI

Job Number:

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: SEBI

Job Number:

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

109785

CUSTOMER NAME SEBI	
ADDRESS 337 Fullerton Ave	
CITY, STATE, ZIP Newburgh	PHONE NO.
NAME OF CONTACT Sean Morgan	
PROJECT LOCATION	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☒ ISRA ☐	☒ NORMAL
NJ REG ☐	☐ QUICK
NYASP A ☐ B ☐ CLP ☐	☐ VERBAL
OTHER _____	

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

**NOTE: SAMPLE TEMPERATURE UPON
RECEIPT MUST BE 4° ± 2°C.**

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	40ml HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic Sulfuric Acid	250ml Plastic Sulfuric Acid	125ml Plastic Sulfuric	250ml Plastic NaOH/2N AOC	40ml Glass Sulfuric	40ml Glass DO
	9/21/16	9:20	X		S	B-1														
	9/21/16	9:37	X		S	B-2														
	9/21/16	9:56	X		S	B-3														
	10/15		X		S	B-4														
	10/36		X		S	B-5														
	10/31		X		S	B-6														
	11/15		X		S	B-7														
	11/26		X		S	B-8														
	11/31		X		S	B-9														
	12/09		X		S	B-10														

ANALYSIS REQUESTED

EPH 8260

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY Sean Morgan	COMPANY SEBI	DATE 9/21/16	TIME 09:45	RECEIVED BY	COMPANY	DATE	TIME
SAMPLED BY Sean Morgan	COMPANY SEBI	DATE 9/21/16	TIME 12:01	RECEIVED BY	COMPANY	DATE	TIME
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY Sean Morgan	COMPANY SEBI	DATE 9/21/16	TIME 09:45

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-109785-1

Login Number: 109785

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	9.4 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101518-1

SDG Number: Mobil Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

03/16/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-101518-1

SDG Number: Mobil Media

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101518-1

SDG Number: Mobil Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101518-1

SDG Number: Mobil Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101518-1	PW-5	Solid	03/04/2016 0841	03/07/2016 1245
420-101518-2	PW-6	Solid	03/04/2016 1016	03/07/2016 1245
420-101518-3	PW-7	Solid	03/04/2016 1119	03/07/2016 1245
420-101518-4	PW-8	Solid	03/04/2016 1208	03/07/2016 1245

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-5
Lab Sample ID: 420-101518-1

Date Sampled: 03/04/2016 0841
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/08/2016 2342		
Prep Method: 5035-L			Date Prepared:	03/08/2016 2342		
Acrolein	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acrylonitrile	6.5	U	ug/Kg Dry	6.5	6.5	1.0
Ethyl methacrylate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl methacrylate	13	U	ug/Kg Dry	13	13	1.0
1,2,4-Trichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2,4-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,2-Dibromo-3-Chloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3,5-Trimethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,3-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dichlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,4-Dioxane	1.9	U	ug/Kg Dry	1.9	1.9	1.0
2-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Chloroethyl vinyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Chlorotoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Benzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromoform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroform	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorodibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Chlorobromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Ethylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Isopropylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Naphthalene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
n-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
N-Propylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
p-Isopropyltoluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
sec-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Styrene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
tert-Butylbenzene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Toluene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Xylenes, Total	2.6	U	ug/Kg Dry	2.6	2.6	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-5
Lab Sample ID: 420-101518-1

Date Sampled: 03/04/2016 0841
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.3	U *	ug/Kg Dry	1.3	1.3	1.0
1,1,1,2-Tetrachloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,1-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1,2-Trichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
1,1-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2,2-Dichloropropane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Hexanone	1.3	U	ug/Kg Dry	1.3	1.3	1.0
3-Chloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Bromodichloromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dichlorodifluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon tetrachloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Carbon disulfide	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
cis-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Hexachlorobutadiene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Dibromomethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methylene Chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Tetrachloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,2-Dichloroethene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,3-Dichloropropene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
trans-1,4-Dichloro-2-butene	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Trichloroethene	13		ug/Kg Dry	1.3	1.3	1.0
Trichlorofluoromethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl chloride	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Vinyl acetate	1.3	U	ug/Kg Dry	1.3	1.3	1.0
2-Butanone (MEK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
4-Methyl-2-pentanone (MIBK)	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Methyl tert-butyl ether	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Acetone	49		ug/Kg Dry	6.5	6.5	1.0
Acetonitrile	2.6	U	ug/Kg Dry	2.6	2.6	1.0
m-Xylene & p-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
o-Xylene	2.6	U	ug/Kg Dry	2.6	2.6	1.0
1,2-Dibromoethane	1.3	U	ug/Kg Dry	1.3	1.3	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	110		%	72 - 143		
4-Bromofluorobenzene	80		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	91		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-5
Lab Sample ID: 420-101518-1

Date Sampled: 03/04/2016 0841
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101518-2

Date Sampled: 03/04/2016 1016
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/09/2016 0018		
Prep Method: 5035-L			Date Prepared:	03/09/2016 0018		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101518-2

Date Sampled: 03/04/2016 1016
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	29		ug/Kg Dry	5.1	5.1	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	100		%	72 - 143		
4-Bromofluorobenzene	94		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	89		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101518-2

Date Sampled: 03/04/2016 1016
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 93

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101518-3

Date Sampled: 03/04/2016 1119
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 90

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/09/2016 0053		
Prep Method: 5035-L			Date Prepared:	03/09/2016 0053		
Acrolein	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Acrylonitrile	6.2	U	ug/Kg Dry	6.2	6.2	1.0
Ethyl methacrylate	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methyl methacrylate	12	U	ug/Kg Dry	12	12	1.0
1,2,4-Trichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2,4-Trimethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,2-Dibromo-3-Chloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3,5-Trimethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,3-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,4-Dichlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,4-Dioxane	1.9	U	ug/Kg Dry	1.9	1.9	1.0
2-Chlorotoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Chloroethyl vinyl ether	1.2	U	ug/Kg Dry	1.2	1.2	1.0
4-Chlorotoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Benzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromoform	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorobenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloroform	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorodibromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Chlorobromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Ethylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Isopropylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Naphthalene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
n-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
N-Propylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
p-Isopropyltoluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
sec-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Styrene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
tert-Butylbenzene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Toluene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Xylenes, Total	2.5	U	ug/Kg Dry	2.5	2.5	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101518-3

Date Sampled: 03/04/2016 1119
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 90

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.2	U *	ug/Kg Dry	1.2	1.2	1.0
1,1,1,2-Tetrachloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,1-Trichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1,2-Trichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloroethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
1,1-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2,2-Dichloropropane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Hexanone	1.2	U	ug/Kg Dry	1.2	1.2	1.0
3-Chloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Bromodichloromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Dichlorodifluoromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Carbon tetrachloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Carbon disulfide	1.2	U	ug/Kg Dry	1.2	1.2	1.0
cis-1,2-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
cis-1,3-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Hexachlorobutadiene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Dibromomethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methylene Chloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Tetrachloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,2-Dichloroethene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,3-Dichloropropene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
trans-1,4-Dichloro-2-butene	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Trichloroethene	1.7		ug/Kg Dry	1.2	1.2	1.0
Trichlorofluoromethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Vinyl chloride	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Vinyl acetate	1.2	U	ug/Kg Dry	1.2	1.2	1.0
2-Butanone (MEK)	1.2	U	ug/Kg Dry	1.2	1.2	1.0
4-Methyl-2-pentanone (MIBK)	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Methyl tert-butyl ether	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Acetone	6.2	U	ug/Kg Dry	6.2	6.2	1.0
Acetonitrile	2.5	U	ug/Kg Dry	2.5	2.5	1.0
m-Xylene & p-Xylene	2.5	U	ug/Kg Dry	2.5	2.5	1.0
o-Xylene	2.5	U	ug/Kg Dry	2.5	2.5	1.0
1,2-Dibromoethane	1.2	U	ug/Kg Dry	1.2	1.2	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	102		%	72 - 143		
4-Bromofluorobenzene	90		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	93		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101518-3

Date Sampled: 03/04/2016 1119
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 90

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101518-4

Date Sampled: 03/04/2016 1208
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/09/2016 0129		
Prep Method: 5035-L			Date Prepared:	03/09/2016 0129		
Acrolein	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Acrylonitrile	5.6	U	ug/Kg Dry	5.6	5.6	1.0
Ethyl methacrylate	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Methyl methacrylate	11	U	ug/Kg Dry	11	11	1.0
1,2,4-Trichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2,4-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,2-Dibromo-3-Chloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3,5-Trimethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,3-Dichloropropane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dichlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
1,4-Dioxane	1.7	U	ug/Kg Dry	1.7	1.7	1.0
2-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
2-Chloroethyl vinyl ether	1.1	U	ug/Kg Dry	1.1	1.1	1.0
4-Chlorotoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Benzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromoform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Bromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroform	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloromethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chloroethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorodibromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Chlorobromomethane	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Ethylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Isopropylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Naphthalene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
n-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
N-Propylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
p-Isopropyltoluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
sec-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Styrene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
tert-Butylbenzene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Toluene	1.1	U	ug/Kg Dry	1.1	1.1	1.0
Xylenes, Total	2.2	U	ug/Kg Dry	2.2	2.2	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101518-4

Date Sampled: 03/04/2016 1208
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Benzyl chloride	1.1 U *	ug/Kg Dry	1.1	1.1	1.0
1,1,1,2-Tetrachloroethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1,1-Trichloroethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1,2-Trichloroethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloroethene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
1,1-Dichloropropene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
2,2-Dichloropropane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
2-Hexanone	1.1 U	ug/Kg Dry	1.1	1.1	1.0
3-Chloropropene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Bromodichloromethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Dichlorodifluoromethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Carbon tetrachloride	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Carbon disulfide	1.1 U	ug/Kg Dry	1.1	1.1	1.0
cis-1,2-Dichloroethene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
cis-1,3-Dichloropropene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Hexachlorobutadiene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Dibromomethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Methylene Chloride	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Tetrachloroethene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
trans-1,2-Dichloroethene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
trans-1,3-Dichloropropene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
trans-1,4-Dichloro-2-butene	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Trichloroethene	4.1	ug/Kg Dry	1.1	1.1	1.0
Trichlorofluoromethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Vinyl chloride	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Vinyl acetate	1.1 U	ug/Kg Dry	1.1	1.1	1.0
2-Butanone (MEK)	1.1 U	ug/Kg Dry	1.1	1.1	1.0
4-Methyl-2-pentanone (MIBK)	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Methyl tert-butyl ether	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Acetone	62	ug/Kg Dry	5.6	5.6	1.0
Acetonitrile	2.2 U	ug/Kg Dry	2.2	2.2	1.0
m-Xylene & p-Xylene	2.2 U	ug/Kg Dry	2.2	2.2	1.0
o-Xylene	2.2 U	ug/Kg Dry	2.2	2.2	1.0
1,2-Dibromoethane	1.1 U	ug/Kg Dry	1.1	1.1	1.0
Surrogate			Acceptance Limits		
Toluene-d8 (Surr)	101	%	72 - 143		
4-Bromofluorobenzene	91	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	90	%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101518-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101518-4

Date Sampled: 03/04/2016 1208
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 91

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:
Sdg Number: Mobil Media

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobil Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME SEBI Env
ADDRESS 337 Fullerton Ave
CITY, STATE, ZIP Newburgh NY 12550
NAME OF CONTACT Sean Meyer **PHONE NO.** 845 789 1307
PROJECT LOCATION mobl media
PROJECT NUMBER / PO NO.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

REPORT TYPE
STANDARD ☐ ISRA ☐
NJ REG ☐
NYASP A ☐ B ☒ CLP ☐
OTHER _____

TURNAROUND
☒ NORMAL
☐ QUICK
☐ VERBAL

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

REPORT # (Lab Use Only)

SAMPLE TEMP 1.5 °C
SAMPLE RECD ON ICE ☒ Y ☐ N
PH CHECK ☐ Y ☐ N
CHLORINE (RESIDUAL) ☐ Y ☐ N
REVIEWED BY: _____

NY PUBLIC WATER SUPPLIES
SOURCE ID _____
ELAP TYPE _____
FEDERAL ID _____

ANALYSIS REQUESTED

ETL #	SAMPLING DATE	TIME	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NAOH/ZN ACC	40ml Glass Sulfuric	40ml Glass	DO
3/4	0841		4	5		PW-5															
3/4	1016		4	5		PW-6															
3/4	1119		4	5		PW-7															
3/4	1208		4	5		PW-8															

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY [Signature] **DATE** 3/7/16 **TIME** 12:46 **COMPANY** SEBI

SAMPLED BY [Signature] **DATE** 3/7/16 **TIME** 12:46 **COMPANY** SEBI

RELINQUISHED BY [Signature] **DATE** 3-4-16 **TIME** 12:08 **COMPANY** ETL

RECEIVED BY [Signature] **DATE** 3-7-16 **TIME** 12:45 **COMPANY** ETL

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101518-1

SDG Number: Mobil Media

Login Number: 101518

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	1.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101521-1

SDG Number: Mobil Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

03/16/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-101521-1

SDG Number: Mobil Media

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Closed System Purge & Trap Low Level	EnvTest		EPA 5035-L

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101521-1

SDG Number: Mobil Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA
SM SM2540B PSOL	Cusack, Renee	RC
SM SM2540B PSOL	Sirico, Derek	DS

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101521-1

SDG Number: Mobil Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101521-1	PW-9	Solid	03/05/2016 0933	03/07/2016 1245
420-101521-2	PW-10	Solid	03/05/2016 1041	03/07/2016 1245

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101521-1

Date Sampled: 03/05/2016 0933
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/09/2016 0204		
Prep Method: 5035-L			Date Prepared:	03/09/2016 0204		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.1	U	ug/Kg Dry	5.1	5.1	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101521-1

Date Sampled: 03/05/2016 0933
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Benzyl chloride	1.0	U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0	U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	19		ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acetone	13		ug/Kg Dry	5.1	5.1	1.0
Acetonitrile	2.0	U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0	U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	100		%	72 - 143		
4-Bromofluorobenzene	89		%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	89		%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101521-1

Date Sampled: 03/05/2016 0933
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 84

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101521-2

Date Sampled: 03/05/2016 1041
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 86

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/09/2016 0240		
Prep Method: 5035-L			Date Prepared:	03/09/2016 0240		
Acrolein	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Acrylonitrile	5.0	U	ug/Kg Dry	5.0	5.0	1.0
Ethyl methacrylate	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Methyl methacrylate	10	U	ug/Kg Dry	10	10	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
1,4-Dioxane	1.5	U	ug/Kg Dry	1.5	1.5	1.0
2-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
2-Chloroethyl vinyl ether	1.0	U	ug/Kg Dry	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Benzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromoform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Bromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroform	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloromethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chloroethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Chlorobromomethane	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Naphthalene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
N-Propylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Styrene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Toluene	1.0	U	ug/Kg Dry	1.0	1.0	1.0
Xylenes, Total	2.0	U	ug/Kg Dry	2.0	2.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101521-2

Date Sampled: 03/05/2016 1041
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 86

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Benzyl chloride	1.0 U *	ug/Kg Dry	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
1,1-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2,2-Dichloropropane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2-Hexanone	1.0 U	ug/Kg Dry	1.0	1.0	1.0
3-Chloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Bromodichloromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Dichlorodifluoromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Carbon tetrachloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Carbon disulfide	1.0 U	ug/Kg Dry	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Hexachlorobutadiene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Dibromomethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Methylene Chloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Tetrachloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Trichloroethene	11	ug/Kg Dry	1.0	1.0	1.0
Trichlorofluoromethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Vinyl chloride	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Vinyl acetate	1.0 U	ug/Kg Dry	1.0	1.0	1.0
2-Butanone (MEK)	1.0 U	ug/Kg Dry	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Methyl tert-butyl ether	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Acetone	5.0 U	ug/Kg Dry	5.0	5.0	1.0
Acetonitrile	2.0 U	ug/Kg Dry	2.0	2.0	1.0
m-Xylene & p-Xylene	2.0 U	ug/Kg Dry	2.0	2.0	1.0
o-Xylene	2.0 U	ug/Kg Dry	2.0	2.0	1.0
1,2-Dibromoethane	1.0 U	ug/Kg Dry	1.0	1.0	1.0
Surrogate			Acceptance Limits		
Toluene-d8 (Surr)	101	%	72 - 143		
4-Bromofluorobenzene	92	%	49 - 138		
1,2-Dichloroethane-d4 (Surr)	89	%	73 - 128		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101521-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101521-2

Date Sampled: 03/05/2016 1041
Date Received: 03/07/2016 1245
Client Matrix: Solid
Percent Solids: 86

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Tentatively Identified Compounds			Cas Number	RT	
Tentatively Identified Compound	None	ug/Kg Dry		0.00	1.0

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:
Sdg Number: Mobil Media

Lab Section	Qualifier	Description
GC/MS VOA		
	*	LCS or LCSD exceeds the control limits
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobil Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME	SESI ENV
ADDRESS	337 Fullerton Ave
CITY, STATE, ZIP	Newburgh, NY 12550
NAME OF CONTACT	Sean Morgan
PHONE NO.	
PROJECT LOCATION	Mosil, Madia
PROJECT NUMBER / PO NO.	

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

REPORT TYPE	TURNAROUND
STANDARD ☐ ISRA ☐	☒ NORMAL
NY REG ☐	☐ QUICK
NYASP A ☐ B ☒ CLP ☐	☐ VERBAL
OTHER	

DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

REPORT # (Lab Use Only)	101521
SAMPLE TEMP	1.5 C
SAMPLE RECD ON ICE ☒ ☐ N	
PH CHECK ☐ Y ☐ N	
CHLORINE (RESIDUAL) ☐ Y ☐ N	
REVIEWED BY:	
NY PUBLIC WATER SUPPLIES	
SOURCE ID	
ELAP TYPE	
FEDERAL ID	

ANALYSIS REQUESTED

ETL #	SAMPLING DATE	TIME	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NAOH/ZN ACC	40ml Glass Sulfuric	40ml Glass DO	Amber 125ml Unpres
5/5	9:33	4	S		PUR-9															
3/5	10:41	4	S		PUR-10															

LAB USE ONLY

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	DATE	TIME	RECEIVED BY	DATE	TIME	COMPANY
SEAN MORGAN	3/7/16	12:45	RECEIVED BY	3-7-16	12:45	COMPANY
SAMPLED BY	DATE	TIME	RECEIVED BY	DATE	TIME	COMPANY
SEAN MORGAN	3-5-16	10:41	RECEIVED BY	3-7-16	12:45	COMPANY
RELINQUISHED BY	DATE	TIME	RECEIVED BY	DATE	TIME	COMPANY
SEAN MORGAN	3-5-16	10:41	RECEIVED BY	3-7-16	12:45	COMPANY

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101521-1

SDG Number: Mobil Media

Login Number: 101521

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	1.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

Appendix B-2 Groundwater Analytical Results

ANALYTICAL REPORT

Job Number: 420-86241-S
 DG7 Number: S5K1 eyA
 Job Gov. rscip: t sym 7 ospW
 aor:
 t sym gF7 ospWL &vvo. siev
 K Dieyn Grde
 7 nr, perYNM S2K2K
 &iiepisop: E rFt sym g 7 ospW

Joey Elposito

JoA e E Cvcovso
 Depsor Ruviomer Derds e j ecrevepiniste
 @vcovso/ epdsroieviynborniorsevF.om
 OS2020SK

NMDGHP Cg&f , oev poi . erisA Tr nychnrmeiervFCpdsrohevi gnborniorsev , oev woy . erisS nisop Tr nyynpnyAiev x were . erisS nisop
 s/ oTere, bACg&f upyevv oiwerx &e vce. ste, Ff urvunpi io NCg&f Yivs recorri mnApoi be recro, u. e, Yel . eci p Tyyx swoui x rsiep
 nccrodnyoTiwe ynborniorAFcPdsrohevi gnborniorsev p. F. erisSv iwni iwe npnyAs nyrevuyv . opinpe, werep nccyAopyAio iwe vnmcyev
 ievie, nv re. este, bAour ynborniorAF&y3uevisopv reVhr, pVivis recorri vwouy be , se. ie, io iwe Cpdsohevi Ruviomer Derds e
 j ecrevepinisteF

Cpdsohevi gnborniorsevYp. FRerisS nisopv np, &ccrodny: NMDGHP S0S42YNJGcf NM0SKYRhGHf P f P-0KK4

METHOD SUMMARY

Client: William L. Going & Associates

Job Number: 420-86243-1

SDG Number: 175 Kelly

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: William L. Going & Associates

Job Number: 420-86243-1

SDG Number: 175 Kelly

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: William L. Going & Associates

Job Number: 420-86243-1

SDG Number: 175 Kelly

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-86243-1	175 Kelly Avenue MW-1	Water	01/07/2015 1200	01/07/2015 1420
420-86243-2	175 Kelly Avenue MW-2	Water	01/07/2015 1215	01/07/2015 1420
420-86243-3	175 Kelly Avenue MW-3	Water	01/07/2015 1230	01/07/2015 1420
420-86243-4	175 Kelly Avenue MW-4	Water	01/07/2015 1245	01/07/2015 1420
420-86243-6	175 Kelly Avenue Trip Blank	Water	01/07/2015 0000	01/07/2015 1420
420-86243-7	175 Kelly Avenue Field Blank	Water	01/07/2015 0000	01/07/2015 1420

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86243-1
Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-1
Lab Sample ID: 420-86243-1

Date Sampled: 01/07/2015 1200
Date Received: 01/07/2015 1420
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1509		
Prep Method: 5030C			Date Prepared:	01/07/2015 1509		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.0	U	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	1.0	U	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	1.0	U	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0
N-Propylbenzene	1.0	U	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	1.0	U	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-1
Lab Sample ID: 420-86243-1

Date Sampled: 01/07/2015 1200
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	4.5		ug/L	0.16	1.0	1.0
Toluene	1.0	U	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	87		ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	1.0	U	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	97		%		77 - 117	
4-Bromofluorobenzene	92		%		74 - 119	

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-2
 Lab Sample ID: 420-86243-2

Date Sampled: 01/07/2015 1215
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1537		
Prep Method: 5030C			Date Prepared:	01/07/2015 1537		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	0.32	J	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	0.99	J	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.7		ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	1.0	U	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	0.30	J	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	42		ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0
N-Propylbenzene	1.0	U	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	0.11	J	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86243-1
Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-2
Lab Sample ID: 420-86243-2

Date Sampled: 01/07/2015 1215
Date Received: 01/07/2015 1420
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	10		ug/L	0.16	1.0	1.0
Toluene	1.0	U	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	0.26	J	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	2000	E	ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	0.41	J	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	0.53	J	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	2.0		ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0

Surrogate

Acceptance Limits

Toluene-d8 (Surr)	104	%	74 - 129
1,2-Dichloroethane-d4 (Surr)	99	%	77 - 117
4-Bromofluorobenzene	95	%	74 - 119

Method: 8260C **Run Type:** DL

Date Analyzed: 01/07/2015 1757

Prep Method: 5030C

Date Prepared: 01/07/2015 1757

1,2,3-Trichlorobenzene	100	U	ug/L	25	100	100
1,2,4-Trichlorobenzene	100	U	ug/L	19	100	100
1,2,4-Trimethylbenzene	100	U	ug/L	12	100	100
1,2-Dichlorobenzene	100	U	ug/L	13	100	100
1,3,5-Trimethylbenzene	100	U	ug/L	11	100	100
1,3-Dichlorobenzene	100	U	ug/L	13	100	100
1,4-Dichlorobenzene	100	U	ug/L	12	100	100
2-Chlorotoluene	100	U	ug/L	12	100	100
4-Chlorotoluene	100	U	ug/L	11	100	100
p-Isopropyltoluene	100	U	ug/L	12	100	100
Benzene	100	U	ug/L	12	100	100
Bromobenzene	100	U	ug/L	10	100	100

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-2
Lab Sample ID: 420-86243-2

Date Sampled: 01/07/2015 1215
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Bromoform	100	U	ug/L	11	100	100
Bromomethane	100	U	ug/L	14	100	100
Carbon tetrachloride	100	U	ug/L	20	100	100
Chlorobenzene	100	U	ug/L	10	100	100
Chlorobromomethane	100	U	ug/L	13	100	100
Chlorodibromomethane	100	U	ug/L	15	100	100
Chloroethane	100	U	ug/L	17	100	100
Chloroform	100	U	ug/L	16	100	100
Chloromethane	100	U	ug/L	15	100	100
cis-1,2-Dichloroethene	100	U	ug/L	13	100	100
cis-1,3-Dichloropropene	100	U	ug/L	10	100	100
Dibromomethane	100	U	ug/L	21	100	100
Dichlorobromomethane	100	U	ug/L	10	100	100
Dichlorodifluoromethane	100	U	ug/L	13	100	100
Ethylbenzene	100	U	ug/L	16	100	100
Hexachlorobutadiene	100	U	ug/L	37	100	100
Isopropylbenzene	100	U	ug/L	9.0	100	100
m-Xylene & p-Xylene	100	U	ug/L	17	100	100
Methyl tert-butyl ether	31	J D	ug/L	13	100	100
Methylene Chloride	100	U	ug/L	8.0	100	100
n-Butylbenzene	100	U	ug/L	10	100	100
N-Propylbenzene	100	U	ug/L	10	100	100
Naphthalene	500	U	ug/L	15	500	100
o-Xylene	100	U	ug/L	11	100	100
sec-Butylbenzene	100	U	ug/L	11	100	100
Styrene	100	U	ug/L	13	100	100
tert-Butylbenzene	100	U	ug/L	10	100	100
Tetrachloroethene	100	U	ug/L	16	100	100
Toluene	100	U	ug/L	12	100	100
trans-1,2-Dichloroethene	100	U	ug/L	11	100	100
trans-1,3-Dichloropropene	100	U	ug/L	5.0	100	100
Trichloroethene	1900	D	ug/L	16	100	100
Trichlorofluoromethane	100	U	ug/L	21	100	100
Vinyl chloride	100	U	ug/L	14	100	100
Xylenes, Total	100	U	ug/L	17	100	100
1,1,1,2-Tetrachloroethane	100	U	ug/L	11	100	100
1,1,1-Trichloroethane	100	U	ug/L	16	100	100
1,1,2-Trichloroethane	100	U	ug/L	9.0	100	100
1,1-Dichloroethane	100	U	ug/L	12	100	100
1,1-Dichloroethene	100	U	ug/L	18	100	100
1,1-Dichloropropene	100	U	ug/L	14	100	100

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86243-1
Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-2
Lab Sample ID: 420-86243-2

Date Sampled: 01/07/2015 1215
Date Received: 01/07/2015 1420
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
1,2-Dibromo-3-Chloropropane	500	U	ug/L	13	500	100
1,2-Dichloroethane	100	U	ug/L	11	100	100
1,2-Dichloropropane	100	U	ug/L	19	100	100
1,3-Dichloropropane	100	U	ug/L	14	100	100
2,2-Dichloropropane	100	U	ug/L	26	100	100
1,2-Dichloroethene, Total	100	U	ug/L	13	100	100
1,1,2,2-Tetrachloroethane	100	U	ug/L	16	100	100
1,2,3-Trichloropropane	100	U	ug/L	16	100	100
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	106		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	99		%		77 - 117	
4-Bromofluorobenzene	93		%		74 - 119	

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-3
Lab Sample ID: 420-86243-3

Date Sampled: 01/07/2015 1230
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1605		
Prep Method: 5030C			Date Prepared:	01/07/2015 1605		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	2.7		ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	0.64	J	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	0.21	J	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.7		ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	0.54	J	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	0.12	J	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	2.1		ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	0.34	J	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.5		ug/L	0.10	1.0	1.0
N-Propylbenzene	0.31	J	ug/L	0.10	1.0	1.0
Naphthalene	4.4	J	ug/L	0.15	5.0	1.0
o-Xylene	0.84	J	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-3
Lab Sample ID: 420-86243-3

Date Sampled: 01/07/2015 1230
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	1.0	U	ug/L	0.16	1.0	1.0
Toluene	1.2		ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	17		ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	3.0		ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	98		%		77 - 117	
4-Bromofluorobenzene	98		%		74 - 119	

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-4
 Lab Sample ID: 420-86243-4

Date Sampled: 01/07/2015 1245
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1633		
Prep Method: 5030C			Date Prepared:	01/07/2015 1633		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	0.95	J	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	0.26	J	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.0	U	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	0.17	J	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	0.82	J	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.4		ug/L	0.10	1.0	1.0
N-Propylbenzene	0.13	J	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	0.30	J	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue MW-4
Lab Sample ID: 420-86243-4

Date Sampled: 01/07/2015 1245
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	1.0	U	ug/L	0.16	1.0	1.0
Toluene	0.43	J	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	1.4		ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	1.1		ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	104		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	100		%		77 - 117	
4-Bromofluorobenzene	96		%		74 - 119	

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue Trip Blank
Lab Sample ID: 420-86243-6

Date Sampled: 01/07/2015 0000
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1701		
Prep Method: 5030C			Date Prepared:	01/07/2015 1701		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.0	U	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	1.0	U	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	1.0	U	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0
N-Propylbenzene	1.0	U	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	1.0	U	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue Trip Blank
Lab Sample ID: 420-86243-6

Date Sampled: 01/07/2015 0000
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	1.0	U	ug/L	0.16	1.0	1.0
Toluene	1.0	U	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	1.0	U	ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	1.0	U	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	99		%		77 - 117	
4-Bromofluorobenzene	93		%		74 - 119	

Mr. William L Going
William L. Going & Associates
5 Stella Drive
Gardiner, NY 12525

Job Number: 420-86243-1
Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue Field Blank
Lab Sample ID: 420-86243-7

Date Sampled: 01/07/2015 0000
Date Received: 01/07/2015 1420
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Method: 8260C			Date Analyzed:	01/07/2015 1729		
Prep Method: 5030C			Date Prepared:	01/07/2015 1729		
1,2,3-Trichlorobenzene	1.0	U	ug/L	0.25	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	0.19	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	0.12	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	0.11	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	0.13	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	0.12	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	0.12	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	0.11	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	0.12	1.0	1.0
Benzene	1.0	U	ug/L	0.12	1.0	1.0
Bromobenzene	1.0	U	ug/L	0.10	1.0	1.0
Bromoform	1.0	U	ug/L	0.11	1.0	1.0
Bromomethane	1.0	U	ug/L	0.14	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	0.20	1.0	1.0
Chlorobenzene	1.0	U	ug/L	0.10	1.0	1.0
Chlorobromomethane	1.0	U	ug/L	0.13	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	0.15	1.0	1.0
Chloroethane	1.0	U	ug/L	0.17	1.0	1.0
Chloroform	1.0	U	ug/L	0.16	1.0	1.0
Chloromethane	1.0	U	ug/L	0.15	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	0.13	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	0.10	1.0	1.0
Dibromomethane	1.0	U	ug/L	0.21	1.0	1.0
Dichlorobromomethane	1.0	U	ug/L	0.10	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	0.13	1.0	1.0
Ethylbenzene	1.0	U	ug/L	0.16	1.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	0.37	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	0.090	1.0	1.0
m-Xylene & p-Xylene	1.0	U	ug/L	0.17	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	0.13	1.0	1.0
Methylene Chloride	1.0	U	ug/L	0.080	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0
N-Propylbenzene	1.0	U	ug/L	0.10	1.0	1.0
Naphthalene	5.0	U	ug/L	0.15	5.0	1.0
o-Xylene	1.0	U	ug/L	0.11	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	0.11	1.0	1.0
Styrene	1.0	U	ug/L	0.13	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	0.10	1.0	1.0

Mr. William L Going
 William L. Going & Associates
 5 Stella Drive
 Gardiner, NY 12525

Job Number: 420-86243-1
 Sdg Number: 175 Kelly

Client Sample ID: 175 Kelly Avenue Field Blank
Lab Sample ID: 420-86243-7

Date Sampled: 01/07/2015 0000
 Date Received: 01/07/2015 1420
 Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	RL	Dilution
Tetrachloroethene	1.0	U	ug/L	0.16	1.0	1.0
Toluene	1.0	U	ug/L	0.12	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	0.11	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	0.050	1.0	1.0
Trichloroethene	1.0	U	ug/L	0.16	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	0.21	1.0	1.0
Vinyl chloride	1.0	U	ug/L	0.14	1.0	1.0
Xylenes, Total	1.0	U	ug/L	0.17	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	0.090	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	0.12	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	0.18	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	0.14	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	0.13	5.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	0.19	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	0.14	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	0.26	1.0	1.0
1,2-Dichloroethene, Total	1.0	U	ug/L	0.13	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	0.16	1.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%		74 - 129	
1,2-Dichloroethane-d4 (Surr)	98		%		77 - 117	
4-Bromofluorobenzene	93		%		74 - 119	

DATA REPORTING QUALIFIERS

Client: William L. Going & Associates

Job Number: 420-86243-1

Sdg Number: 175 Kelly

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	E	Result exceeded calibration range, secondary dilution required.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: William L. Going & Associates

Job Number: 420-86243-1

Sdg Number: 175 Kelly

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points

86243



REPORT# (Lab Use Only)

CHAIN OF CUSTODY

EnviroTest Laboratories, Inc.

Lab Name: **EnviroTest Laboratories**
Address & Phone: **315 Fullerton Avenue, Newburgh, New York 12550 845-562-0890**

PROJECT REFERENCE: <u>175 Kelly Avenue</u>		PROJECT NO. <u> </u>		PROJECT LOCATION <u> </u>		MATRIX TYPE <u> </u>		REQUIRED ANALYSES										PAGE 1 of 1			
ENVIROTEST PROJECT MANAGER: <u>Joyce Esposito</u>		P.O. NUMBER <u> </u>		TOWN <u> </u>		CLIENT PHONE <u>845-895-1744</u>		CLIENT FAX <u> </u>		250ml Plastic Sulfuric Acid										TURNAROUND TIME	
CLIENT (SITE) PM: <u>William Going</u>		CLIENT PHONE <u>845-895-1744</u>		CLIENT FAX <u> </u>		CLIENT ADDRESS <u>5 Stella Drive Gardiner, NY 12525</u>		CLIENT EMAIL <u>budgoing@gmail.com</u>		250ml Plastic Nitric Acid										NORMAL <u> X </u>	
CLIENT NAME: <u>William Going & Associates</u>		CLIENT PHONE <u>845-895-1744</u>		CLIENT FAX <u> </u>		CLIENT ADDRESS <u>5 Stella Drive Gardiner, NY 12525</u>		CLIENT EMAIL <u>budgoing@gmail.com</u>		250ml Plastic Sulfuric Acid										REPORT: Category B, EDD	
CLIENT ADDRESS: <u>5 Stella Drive Gardiner, NY 12525</u>		CLIENT PHONE <u>845-895-1744</u>		CLIENT FAX <u> </u>		CLIENT ADDRESS <u>5 Stella Drive Gardiner, NY 12525</u>		CLIENT EMAIL <u>budgoing@gmail.com</u>		250ml Plastic Sulfuric Acid										VERBAL <u> </u>	
COMPANY CONTRACTING THIS WORK (if applicable): <u> </u>		CLIENT PHONE <u>845-895-1744</u>		CLIENT FAX <u> </u>		CLIENT ADDRESS <u>5 Stella Drive Gardiner, NY 12525</u>		CLIENT EMAIL <u>budgoing@gmail.com</u>		250ml Plastic Sulfuric Acid										#OF COOLERS <u> / </u>	
SAMPLE IDENTIFICATION		DATE		TIME		COMPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		NUMBER OF CONTAINERS SUBMITTED										REMARKS	
1-7-15		1200		MW-1		AQUEOUS (WATER)		OTHER SPECIFY		3										VOA 8260C	
12-15		1215		MW-2		AQUEOUS (WATER)		OTHER SPECIFY		3										VOA 8260C	
12-30		1230		MW-3		AQUEOUS (WATER)		OTHER SPECIFY		3										VOA 8260C	
12-45		1245		MW-4		AQUEOUS (WATER)		OTHER SPECIFY		3										VOA 8260C	
1300		1300		(MS, MSD)		AQUEOUS (WATER)		OTHER SPECIFY		3										VOA 8260C	
22		22		Trip Blank		AQUEOUS (WATER)		OTHER SPECIFY		2 2										VOA 8260C	
Field Blank		Field Blank		Field Blank		AQUEOUS (WATER)		OTHER SPECIFY		3 3										VOA 8260C	
RELINQUISHED BY: (SIGNATURE) <u>William Going</u>		DATE <u>6/7/15</u>		TIME <u>1420</u>		COMPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		RECEIVED BY: (SIGNATURE)										DATE	
SAMPLED BY: (SIGNATURE)		DATE		TIME		COMPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		RECEIVED BY: (SIGNATURE)										DATE	
RELINQUISHED BY: (SIGNATURE)		DATE		TIME		COMPOSITE (C) OR GRAB (G) INDICATE		OTHER SPECIFY		RECEIVED BY: (SIGNATURE)										DATE	

* Extra sample for MS/MSD; Category B Report; EDD

RECEIVED FOR LABORATORY BY: (SIGNATURE) <u>Paul J. Pappalardo</u>	DATE <u>6/7/15</u>	TIME <u>1420</u>	CUSTODY INTACT YES NO	Cooler Temp: <u>5.6</u>	LABORATORY REMARKS: ICE (Y/N) pH CL2	Revised by



Wednesday, September 09, 2015

Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Project ID: N4931 MOBILE MEDIA
Sample ID#s: BJ86394 - BJ86401

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15

Time

14:35

09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86394

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-MW-1

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	3.5	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	8.6	1.0	ug/L	1	09/04/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	18	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	860	100	ug/L	100	09/05/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	98		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	102		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	106		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15

Time

14:00

09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86395

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-MW-2

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	1.5	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	1.1	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	1.8	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	38	10	ug/L	10	09/05/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	7.7	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	1400	100	ug/L	100	09/05/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	100		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	97		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	102		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	106		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15

Time

15:05

09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86396

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-MW-3

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/05/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/05/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/05/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/05/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/05/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/05/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/05/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/05/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/05/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Chloroform	1.4	1.0	ug/L	1	09/05/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
cis-1,2-Dichloroethene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/05/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/05/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/05/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/05/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Tetrachloroethene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/05/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/05/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/05/15	MH	SW8260C
Trichloroethene	2.4	1.0	ug/L	1	09/05/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/05/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	1	09/05/15	MH	70 - 130 %
% Bromofluorobenzene	95		%	1	09/05/15	MH	70 - 130 %
% Dibromofluoromethane	108		%	1	09/05/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	101		%	1	09/05/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15
09/03/15

Time

15:20
17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86397

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-MW-4

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	105		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	98		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	102		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	102		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15 15:35
09/03/15 17:17

Time

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86398

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-TW-4

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	11	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	96		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	108		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	100		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date Time

09/01/15 15:55
09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86399

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-TW-1

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	1.9	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	24	1.0	ug/L	1	09/04/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	72	10	ug/L	10	09/05/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	3400	500	ug/L	500	09/05/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	100		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	98		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	107		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	126		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date Time

09/01/15 16:05
09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86400

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-TW-2

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,1,1-Trichloroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	250	ug/L	500	09/05/15	MH	SW8260C
1,1,2-Trichloroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,1-Dichloroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,1-Dichloroethene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,1-Dichloropropene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2,3-Trichloropropane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2-Dibromoethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2-Dichlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,2-Dichloroethane	ND	300	ug/L	500	09/05/15	MH	SW8260C
1,2-Dichloropropane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,3-Dichlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,3-Dichloropropane	ND	500	ug/L	500	09/05/15	MH	SW8260C
1,4-Dichlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
2,2-Dichloropropane	ND	500	ug/L	500	09/05/15	MH	SW8260C
2-Chlorotoluene	ND	500	ug/L	500	09/05/15	MH	SW8260C
2-Hexanone	ND	2500	ug/L	500	09/05/15	MH	SW8260C
2-Isopropyltoluene	ND	500	ug/L	500	09/05/15	MH	SW8260C
4-Chlorotoluene	ND	500	ug/L	500	09/05/15	MH	SW8260C
4-Methyl-2-pentanone	ND	2500	ug/L	500	09/05/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	13000	ug/L	500	09/05/15	MH	SW8260C
Acrylonitrile	ND	2500	ug/L	500	09/05/15	MH	SW8260C
Benzene	ND	350	ug/L	500	09/05/15	MH	SW8260C
Bromobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Bromochloromethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Bromodichloromethane	ND	250	ug/L	500	09/05/15	MH	SW8260C
Bromoform	ND	500	ug/L	500	09/05/15	MH	SW8260C
Bromomethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Carbon Disulfide	ND	2500	ug/L	500	09/05/15	MH	SW8260C
Carbon tetrachloride	ND	500	ug/L	500	09/05/15	MH	SW8260C
Chlorobenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Chloroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Chloroform	ND	500	ug/L	500	09/05/15	MH	SW8260C
Chloromethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
cis-1,2-Dichloroethene	ND	500	ug/L	500	09/05/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	200	ug/L	500	09/05/15	MH	SW8260C
Dibromochloromethane	ND	250	ug/L	500	09/05/15	MH	SW8260C
Dibromomethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Dichlorodifluoromethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Ethylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Hexachlorobutadiene	ND	200	ug/L	500	09/05/15	MH	SW8260C
Isopropylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
m&p-Xylene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Methyl ethyl ketone	ND	2500	ug/L	500	09/05/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	ND	500	ug/L	500	09/05/15	MH	SW8260C
Methylene chloride	ND	500	ug/L	500	09/05/15	MH	SW8260C
Naphthalene	ND	500	ug/L	500	09/05/15	MH	SW8260C
n-Butylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
n-Propylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
o-Xylene	ND	500	ug/L	500	09/05/15	MH	SW8260C
p-Isopropyltoluene	ND	500	ug/L	500	09/05/15	MH	SW8260C
sec-Butylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Styrene	ND	500	ug/L	500	09/05/15	MH	SW8260C
tert-Butylbenzene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Tetrachloroethene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	1300	ug/L	500	09/05/15	MH	SW8260C
Toluene	ND	500	ug/L	500	09/05/15	MH	SW8260C
Total Xylenes	ND	500	ug/L	500	09/05/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	500	ug/L	500	09/05/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	200	ug/L	500	09/05/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	2500	ug/L	500	09/05/15	MH	SW8260C
Trichloroethene	3000	500	ug/L	500	09/05/15	MH	SW8260C
Trichlorofluoromethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Trichlorotrifluoroethane	ND	500	ug/L	500	09/05/15	MH	SW8260C
Vinyl chloride	ND	500	ug/L	500	09/05/15	MH	SW8260C
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	107		%	500	09/05/15	MH	70 - 130 %
% Bromofluorobenzene	97		%	500	09/05/15	MH	70 - 130 %
% Dibromofluoromethane	108		%	500	09/05/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	100		%	500	09/05/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

September 09, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1509-1530

Custody Information

Collected by: CM
Received by: LB
Analyzed by: see "By" below

Date

09/01/15 16:20

Time

09/03/15 17:17

Laboratory Data

SDG ID: GBJ86394
Phoenix ID: BJ86401

Project ID: N4931 MOBILE MEDIA
Client ID: N2087-TW-3

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloroethane	0.79	0.60	ug/L	1	09/04/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	09/04/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	09/04/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloroform	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,2-Dichloroethene	1.1	1.0	ug/L	1	09/04/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	09/04/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	3.8	1.0	ug/L	1	09/04/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrachloroethene	2.6	1.0	ug/L	1	09/04/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	09/04/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	09/04/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	09/04/15	MH	SW8260C
Trichloroethene	180	10	ug/L	10	09/08/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	09/04/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	1	09/04/15	MH	70 - 130 %
% Bromofluorobenzene	95		%	1	09/04/15	MH	70 - 130 %
% Dibromofluoromethane	104		%	1	09/04/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	104		%	1	09/04/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected

BRL=Below Reporting Level

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

September 09, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

September 09, 2015

QA/QC Data

SDG I.D.: GBJ86394

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 319402 (ug/L), QC Sample No: BJ86269 (BJ86394, BJ86395, BJ86397, BJ86398, BJ86399, BJ86401)										
Volatiles - Ground Water										
1,1,1,2-Tetrachloroethane	ND	1.0	105	108	2.8				70 - 130	30
1,1,1-Trichloroethane	ND	1.0	102	108	5.7				70 - 130	30
1,1,2,2-Tetrachloroethane	ND	0.50	101	107	5.8				70 - 130	30
1,1,2-Trichloroethane	ND	1.0	97	102	5.0				70 - 130	30
1,1-Dichloroethane	ND	1.0	97	103	6.0				70 - 130	30
1,1-Dichloroethene	ND	1.0	93	103	10.2				70 - 130	30
1,1-Dichloropropene	ND	1.0	97	104	7.0				70 - 130	30
1,2,3-Trichlorobenzene	ND	1.0	106	109	2.8				70 - 130	30
1,2,3-Trichloropropane	ND	1.0	98	103	5.0				70 - 130	30
1,2,4-Trichlorobenzene	ND	1.0	105	106	0.9				70 - 130	30
1,2,4-Trimethylbenzene	ND	1.0	99	100	1.0				70 - 130	30
1,2-Dibromo-3-chloropropane	ND	1.0	93	99	6.3				70 - 130	30
1,2-Dibromoethane	ND	1.0	105	104	1.0				70 - 130	30
1,2-Dichlorobenzene	ND	1.0	96	97	1.0				70 - 130	30
1,2-Dichloroethane	ND	1.0	103	107	3.8				70 - 130	30
1,2-Dichloropropane	ND	1.0	95	100	5.1				70 - 130	30
1,3,5-Trimethylbenzene	ND	1.0	101	104	2.9				70 - 130	30
1,3-Dichlorobenzene	ND	1.0	96	98	2.1				70 - 130	30
1,3-Dichloropropane	ND	1.0	102	103	1.0				70 - 130	30
1,4-Dichlorobenzene	ND	1.0	96	98	2.1				70 - 130	30
2,2-Dichloropropane	ND	1.0	81	87	7.1				70 - 130	30
2-Chlorotoluene	ND	1.0	99	102	3.0				70 - 130	30
2-Hexanone	ND	5.0	100	104	3.9				70 - 130	30
2-Isopropyltoluene	ND	1.0	103	105	1.9				70 - 130	30
4-Chlorotoluene	ND	1.0	96	98	2.1				70 - 130	30
4-Methyl-2-pentanone	ND	5.0	100	102	2.0				70 - 130	30
Acetone	ND	5.0	105	113	7.3				70 - 130	30
Acrylonitrile	ND	5.0	100	104	3.9				70 - 130	30
Benzene	ND	0.70	97	104	7.0				70 - 130	30
Bromobenzene	ND	1.0	98	99	1.0				70 - 130	30
Bromochloromethane	ND	1.0	92	101	9.3				70 - 130	30
Bromodichloromethane	ND	0.50	106	111	4.6				70 - 130	30
Bromoform	ND	1.0	106	111	4.6				70 - 130	30
Bromomethane	ND	1.0	69	75	8.3				70 - 130	30
Carbon Disulfide	ND	1.0	102	109	6.6				70 - 130	30
Carbon tetrachloride	ND	1.0	101	104	2.9				70 - 130	30
Chlorobenzene	ND	1.0	96	100	4.1				70 - 130	30
Chloroethane	ND	1.0	89	99	10.6				70 - 130	30
Chloroform	ND	1.0	98	105	6.9				70 - 130	30
Chloromethane	ND	1.0	78	84	7.4				70 - 130	30
cis-1,2-Dichloroethene	ND	1.0	100	102	2.0				70 - 130	30

QA/QC Data

SDG I.D.: GBJ86394

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
cis-1,3-Dichloropropene	ND	0.40	101	105	3.9				70 - 130	30
Dibromochloromethane	ND	0.50	110	114	3.6				70 - 130	30
Dibromomethane	ND	1.0	100	104	3.9				70 - 130	30
Dichlorodifluoromethane	ND	1.0	82	87	5.9				70 - 130	30
Ethylbenzene	ND	1.0	98	105	6.9				70 - 130	30
Hexachlorobutadiene	ND	0.40	98	95	3.1				70 - 130	30
Isopropylbenzene	ND	1.0	102	104	1.9				70 - 130	30
m&p-Xylene	ND	1.0	100	103	3.0				70 - 130	30
Methyl ethyl ketone	ND	5.0	96	101	5.1				70 - 130	30
Methyl t-butyl ether (MTBE)	ND	1.0	106	112	5.5				70 - 130	30
Methylene chloride	ND	1.0	90	95	5.4				70 - 130	30
Naphthalene	ND	1.0	114	118	3.4				70 - 130	30
n-Butylbenzene	ND	1.0	96	98	2.1				70 - 130	30
n-Propylbenzene	ND	1.0	92	95	3.2				70 - 130	30
o-Xylene	ND	1.0	105	109	3.7				70 - 130	30
p-Isopropyltoluene	ND	1.0	100	102	2.0				70 - 130	30
sec-Butylbenzene	ND	1.0	100	102	2.0				70 - 130	30
Styrene	ND	1.0	102	106	3.8				70 - 130	30
tert-Butylbenzene	ND	1.0	101	105	3.9				70 - 130	30
Tetrachloroethene	ND	1.0	95	102	7.1				70 - 130	30
Tetrahydrofuran (THF)	ND	2.5	105	111	5.6				70 - 130	30
Toluene	ND	1.0	95	102	7.1				70 - 130	30
trans-1,2-Dichloroethene	ND	1.0	99	104	4.9				70 - 130	30
trans-1,3-Dichloropropene	ND	0.40	107	111	3.7				70 - 130	30
trans-1,4-dichloro-2-butene	ND	5.0	86	86	0.0				70 - 130	30
Trichloroethene	ND	1.0	96	102	6.1				70 - 130	30
Trichlorofluoromethane	ND	1.0	87	93	6.7				70 - 130	30
Trichlorotrifluoroethane	ND	1.0	80	87	8.4				70 - 130	30
Vinyl chloride	ND	1.0	87	96	9.8				70 - 130	30
% 1,2-dichlorobenzene-d4	102	%	104	98	5.9				70 - 130	30
% Bromofluorobenzene	96	%	106	102	3.8				70 - 130	30
% Dibromofluoromethane	99	%	101	100	1.0				70 - 130	30
% Toluene-d8	104	%	98	99	1.0				70 - 130	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

QA/QC Batch 319580 (ug/L), QC Sample No: BJ86396 (BJ86394 (100X) , BJ86395 (10X, 100X) , BJ86396, BJ86399 (10X, 500X) , BJ86400 (500X))

Volatiles - Ground Water

1,1,1,2-Tetrachloroethane	ND	1.0	103	100	3.0				70 - 130	30
1,1,1-Trichloroethane	ND	1.0	95	91	4.3				70 - 130	30
1,1,2,2-Tetrachloroethane	ND	0.50	107	109	1.9				70 - 130	30
1,1,2-Trichloroethane	ND	1.0	99	104	4.9				70 - 130	30
1,1-Dichloroethane	ND	1.0	97	93	4.2				70 - 130	30
1,1-Dichloroethene	ND	1.0	103	98	5.0				70 - 130	30
1,1-Dichloropropene	ND	1.0	97	95	2.1				70 - 130	30
1,2,3-Trichlorobenzene	ND	1.0	113	118	4.3				70 - 130	30
1,2,3-Trichloropropane	ND	1.0	103	103	0.0				70 - 130	30
1,2,4-Trichlorobenzene	ND	1.0	109	109	0.0				70 - 130	30
1,2,4-Trimethylbenzene	ND	1.0	96	96	0.0				70 - 130	30
1,2-Dibromo-3-chloropropane	ND	1.0	122	125	2.4				70 - 130	30
1,2-Dibromoethane	ND	1.0	105	103	1.9				70 - 130	30

QA/QC Data

SDG I.D.: GBJ86394

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
1,2-Dichlorobenzene	ND	1.0	101	103	2.0				70 - 130	30
1,2-Dichloroethane	ND	1.0	98	100	2.0				70 - 130	30
1,2-Dichloropropane	ND	1.0	101	99	2.0				70 - 130	30
1,3,5-Trimethylbenzene	ND	1.0	99	97	2.0				70 - 130	30
1,3-Dichlorobenzene	ND	1.0	98	99	1.0				70 - 130	30
1,3-Dichloropropane	ND	1.0	104	105	1.0				70 - 130	30
1,4-Dichlorobenzene	ND	1.0	99	98	1.0				70 - 130	30
2,2-Dichloropropane	ND	1.0	102	97	5.0				70 - 130	30
2-Chlorotoluene	ND	1.0	98	97	1.0				70 - 130	30
2-Hexanone	ND	5.0	100	106	5.8				70 - 130	30
2-Isopropyltoluene	ND	1.0	100	99	1.0				70 - 130	30
4-Chlorotoluene	ND	1.0	99	99	0.0				70 - 130	30
4-Methyl-2-pentanone	ND	5.0	104	106	1.9				70 - 130	30
Acetone	ND	5.0	91	105	14.3				70 - 130	30
Acrylonitrile	ND	5.0	121	116	4.2				70 - 130	30
Benzene	ND	0.70	101	97	4.0				70 - 130	30
Bromobenzene	ND	1.0	103	102	1.0				70 - 130	30
Bromochloromethane	ND	1.0	107	105	1.9				70 - 130	30
Bromodichloromethane	ND	0.50	108	106	1.9				70 - 130	30
Bromoform	ND	1.0	111	115	3.5				70 - 130	30
Bromomethane	ND	1.0	109	107	1.9				70 - 130	30
Carbon Disulfide	ND	1.0	102	98	4.0				70 - 130	30
Carbon tetrachloride	ND	1.0	95	89	6.5				70 - 130	30
Chlorobenzene	ND	1.0	97	95	2.1				70 - 130	30
Chloroethane	ND	1.0	97	91	6.4				70 - 130	30
Chloroform	ND	1.0	97	94	3.1				70 - 130	30
Chloromethane	ND	1.0	97	92	5.3				70 - 130	30
cis-1,2-Dichloroethene	ND	1.0	105	98	6.9				70 - 130	30
cis-1,3-Dichloropropene	ND	0.40	110	111	0.9				70 - 130	30
Dibromochloromethane	ND	0.50	108	108	0.0				70 - 130	30
Dibromomethane	ND	1.0	102	101	1.0				70 - 130	30
Dichlorodifluoromethane	ND	1.0	95	92	3.2				70 - 130	30
Ethylbenzene	ND	1.0	99	96	3.1				70 - 130	30
Hexachlorobutadiene	ND	0.40	97	93	4.2				70 - 130	30
Isopropylbenzene	ND	1.0	100	97	3.0				70 - 130	30
m&p-Xylene	ND	1.0	98	95	3.1				70 - 130	30
Methyl ethyl ketone	ND	5.0	106	101	4.8				70 - 130	30
Methyl t-butyl ether (MTBE)	ND	1.0	116	115	0.9				70 - 130	30
Methylene chloride	ND	1.0	98	99	1.0				70 - 130	30
Naphthalene	ND	1.0	123	128	4.0				70 - 130	30
n-Butylbenzene	ND	1.0	96	94	2.1				70 - 130	30
n-Propylbenzene	ND	1.0	90	90	0.0				70 - 130	30
o-Xylene	ND	1.0	106	102	3.8				70 - 130	30
p-Isopropyltoluene	ND	1.0	98	96	2.1				70 - 130	30
sec-Butylbenzene	ND	1.0	98	97	1.0				70 - 130	30
Styrene	ND	1.0	105	101	3.9				70 - 130	30
tert-Butylbenzene	ND	1.0	98	97	1.0				70 - 130	30
Tetrachloroethene	ND	1.0	99	94	5.2				70 - 130	30
Tetrahydrofuran (THF)	ND	2.5	109	112	2.7				70 - 130	30
Toluene	ND	1.0	95	93	2.1				70 - 130	30
trans-1,2-Dichloroethene	ND	1.0	101	98	3.0				70 - 130	30
trans-1,3-Dichloropropene	ND	0.40	115	114	0.9				70 - 130	30
trans-1,4-dichloro-2-butene	ND	5.0	117	122	4.2				70 - 130	30

QA/QC Data

SDG I.D.: GBJ86394

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
Trichloroethene	ND	1.0	98	95	3.1				70 - 130	30
Trichlorofluoromethane	ND	1.0	86	81	6.0				70 - 130	30
Trichlorotrifluoroethane	ND	1.0	93	90	3.3				70 - 130	30
Vinyl chloride	ND	1.0	99	93	6.3				70 - 130	30
% 1,2-dichlorobenzene-d4	103	%	99	101	2.0				70 - 130	30
% Bromofluorobenzene	95	%	99	99	0.0				70 - 130	30
% Dibromofluoromethane	110	%	98	98	0.0				70 - 130	30
% Toluene-d8	101	%	100	98	2.0				70 - 130	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

QA/QC Batch 319701 (ug/L), QC Sample No: BJ87308 (BJ86401 (10X))

Volatiles - Ground Water

Trichloroethene	ND	1.0	93	112	18.5				70 - 130	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

I = This parameter is outside laboratory lcs/lcscd specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample


LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference


Phyllis Shiller, Laboratory Director
September 09, 2015

Sample Criteria Exceedences Report

GBJ86394 - C2G-NP

Criteria: None
State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

September 09, 2015

SDG I.D.: GBJ86394

The samples in this delivery group were received at 4°C.
(Note acceptance criteria is above freezing up to 6°C)

ANALYTICAL REPORT

Job Number: 420-99704-1

Job Description: SEBI

For:
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
01/25/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: SEBI

Job Number: 420-99704-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-99704-1

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-99704-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-99704-1	PW-1	Water	01/15/2016 1233	01/18/2016 0850
420-99704-2	PW-2	Water	01/15/2016 1258	01/18/2016 0850
420-99704-3	PW-3	Water	01/15/2016 1358	01/18/2016 0850
420-99704-4	PW-4	Water	01/15/2016 1322	01/18/2016 0850

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-1
Lab Sample ID: 420-99704-1

Date Sampled: 01/15/2016 1233
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1630		
Prep Method: 5030C			Date Prepared:	01/19/2016 1630		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-1
Lab Sample ID: 420-99704-1

Date Sampled: 01/15/2016 1233
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	95		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	97		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-2
Lab Sample ID: 420-99704-2

Date Sampled: 01/15/2016 1258
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1705		
Prep Method: 5030C			Date Prepared:	01/19/2016 1705		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	36		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-2
Lab Sample ID: 420-99704-2

Date Sampled: 01/15/2016 1258
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	95		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	96		%	77 - 117		
4-Bromofluorobenzene	95		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-3
Lab Sample ID: 420-99704-3

Date Sampled: 01/15/2016 1358
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1741		
Prep Method: 5030C			Date Prepared:	01/19/2016 1741		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	2.0		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	71		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-3
Lab Sample ID: 420-99704-3

Date Sampled: 01/15/2016 1358
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	95		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-4
Lab Sample ID: 420-99704-4

Date Sampled: 01/15/2016 1322
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1817		
Prep Method: 5030C			Date Prepared:	01/19/2016 1817		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-4
Lab Sample ID: 420-99704-4

Date Sampled: 01/15/2016 1322
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	96		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number: 420-99704-1

Lab Section	Qualifier	Description
GC/MS VOA	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number: 420-99704-1

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

99704

CUSTOMER NAME	SEBI Environmental
ADDRESS	337 Fullerton Ave
CITY, STATE, ZIP	Newburgh, NY
NAME OF CONTACT	Sean Morgan 945 339 2868
PROJECT LOCATION	Mobile media
PROJECT NUMBER / PO NO.	

REPORT TYPE STANDARD ☒ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	TURNAROUND ☒ NORMAL ☐ QUICK ☐ VERBAL	REPORT # (Lab Use Only)
Matrix DW = DRINKING WATER S = SOIL O = OIL WW = WASTE WATER SL = SLUDGE GW = GROUND WATER		
SAMPLE TEMP. 11.5 C SAMPLE REC'D ON ICE ☒ N ph CHECK ☐ Y ☐ N CHLORINE (RESIDUAL) ☐ Y ☐ N REVIEWED BY: _____		
NY PUBLIC WATER SUPPLIES SOURCE ID _____ ELAP TYPE _____ FEDERAL ID _____		

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.																											
ETL #	SAMPLING DATE	TIME AM PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/Zn ACC	40ml Glass Sulfuric	40ml Glass	DO						
	11/15	1237			GW	PW-1	3	X																			
	11/15	1258			GW	PW-2	3	X																			
	11/15	1356			GW	PW-3	3	X																			
	11/15	1324			GW	PW-4	3	X																			

ANALYSIS REQUESTED

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	1237	SEBI	SEBI	11/15/11	1237
SAMPLED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	1237	SEBI	SEBI	11/15/11	1237
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	1237	SEBI	SEBI	11/15/11	1237

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-99704-1

Login Number: 99704

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	11.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	True	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101749-1

SDG Number: Mobil Media

Job Description: SEBI

For:
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
03/18/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101749-1	PW-6	Water	03/08/2016 1727	03/10/2016 1540
420-101749-2	PW-7	Water	03/08/2016 1735	03/10/2016 1540
420-101749-3	PW-8	Water	03/08/2016 1739	03/10/2016 1540
420-101749-4	PW-9	Water	03/08/2016 1430	03/10/2016 1540
420-101749-5	PW-10	Water	03/08/2016 1019	03/10/2016 1540

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101749-1

Date Sampled: 03/08/2016 1727
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/11/2016 1359		
Prep Method: 5030C			Date Prepared:	03/11/2016 1359		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101749-1

Date Sampled: 03/08/2016 1727
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	104		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	98		%	77 - 117		
4-Bromofluorobenzene	103		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101749-2

Date Sampled: 03/08/2016 1735
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/11/2016 1428		
Prep Method: 5030C			Date Prepared:	03/11/2016 1428		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	2.7		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101749-2

Date Sampled: 03/08/2016 1735
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.3		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	107		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101749-3

Date Sampled: 03/08/2016 1739
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	03/11/2016 1457	
Prep Method: 5030C				Date Prepared:	03/11/2016 1457	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	28		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101749-3

Date Sampled: 03/08/2016 1739
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	101		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 03/14/2016 1201		
Prep Method: 5030C				Date Prepared: 03/14/2016 1201		
Trichloroethene	2700	D	ug/L	100	100	100

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101749-4

Date Sampled: 03/08/2016 1430
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	03/14/2016 1313	
Prep Method: 5030C				Date Prepared:	03/14/2016 1313	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	26		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101749-4

Date Sampled: 03/08/2016 1430
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	100		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101749-5

Date Sampled: 03/08/2016 1019
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/11/2016	1616	
Prep Method: 5030C			Date Prepared:	03/11/2016	1616	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	22		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	5.5		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101749-5

Date Sampled: 03/08/2016 1019
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	7.1		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	101		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	03/14/2016 1237		
Prep Method: 5030C			Date Prepared:	03/14/2016 1237		
Trichloroethene	1800	D	ug/L	100	100	100

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:
Sdg Number: Mobil Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobil Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Enviro Test Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME <i>Sebi Environmental</i>	
ADDRESS <i>337 Fullerton</i>	
CITY, STATE, ZIP <i>Newburgh NY 12550</i>	
NAME OF CONTACT <i>Sean Mayar</i>	PHONE NO. <i>845 769 1307</i>
PROJECT LOCATION <i>Mobile meth</i>	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☒ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	☐ NORMAL _____ ☐ QUICK _____ ☐ VERBAL _____

DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

ETL #	SAMPLING DATE	TIME AM PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/Zn ACC	40ml Glass Sulfuric	40ml Glass	DO

REPORT # (Lab Use Only)	
SAMPLE TEMP: <i>4.0</i>	
SAMPLE RECD ON ICE ☒ Y ☐ N	
pH CHECK ☐ Y ☐ N	
CHLORINE (RESIDUAL) ☐ Y ☐ N	
REVIEWED BY: _____	
NY PUBLIC WATER SUPPLIES	
SOURCE ID _____	ELAP TYPE _____
FEDERAL ID _____	
ANALYSIS REQUESTED	

<i>3/8</i>						<i>Am-5</i>	<i>3</i>															<i>8260</i>
<i>3/8</i>	<i>1727</i>					<i>Am-6</i>	<i>3</i>															<i>8260</i>
<i>3/8</i>	<i>1735</i>					<i>Am-7</i>	<i>3</i>															<i>8260</i>
<i>3/8</i>	<i>1739</i>					<i>Am-8</i>	<i>3</i>															<i>8260</i>
<i>3/8</i>	<i>1436</i>					<i>Am-9</i>	<i>3</i>															<i>8260</i>
<i>3/8</i>	<i>1419</i>					<i>Am-10</i>	<i>3</i>															<i>8260</i>

LAB USE ONLY

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3/10/16</i>	TIME <i>1540</i>	RECEIVED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3-10-16</i>	TIME <i>1540</i>
SAMPLED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3/10/16</i>	TIME <i>1540</i>	RECEIVED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3-10-16</i>	TIME <i>1540</i>
RELINQUISHED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3-8-16</i>	TIME <i>1540</i>	RECEIVED BY <i>Sebi</i>	COMPANY <i>Sebi</i>	DATE <i>3-10-16</i>	TIME <i>1540</i>

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Login Number: 101749

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	4.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-103189-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

04/25/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-103189-1	MW-1	Water	04/15/2016 1205	04/15/2016 1653
420-103189-2	TW-3	Water	04/15/2016 1220	04/15/2016 1653
420-103189-3	PW-2	Water	04/15/2016 1239	04/15/2016 1653
420-103189-4	TW-1	Water	04/15/2016 1315	04/15/2016 1653
420-103189-5	PW-8	Water	04/15/2016 1256	04/15/2016 1653
420-103189-6	TW-2	Water	04/15/2016 1328	04/15/2016 1653
420-103189-7	TW-5	Water	04/15/2016 1358	04/15/2016 1653
420-103189-8	PW-3	Water	04/15/2016 1152	04/15/2016 1653

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-103189-1

Date Sampled: 04/15/2016 1205
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1337		
Prep Method: 5030C			Date Prepared:	04/18/2016 1337		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	4.8		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	71		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-103189-1

Date Sampled: 04/15/2016 1205
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	17		ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-103189-2

Date Sampled: 04/15/2016 1220
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1413		
Prep Method: 5030C			Date Prepared:	04/18/2016 1413		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	2.5		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.6		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-103189-2

Date Sampled: 04/15/2016 1220
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	104		%	77 - 117		
4-Bromofluorobenzene	93		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed:	04/18/2016 1822	
Prep Method: 5030C				Date Prepared:	04/18/2016 1822	
Trichloroethene	350	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-103189-3

Date Sampled: 04/15/2016 1239
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1448		
Prep Method: 5030C			Date Prepared:	04/18/2016 1448		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	26		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-103189-3

Date Sampled: 04/15/2016 1239
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-103189-4

Date Sampled: 04/15/2016 1315
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	04/18/2016 1524	
Prep Method: 5030C				Date Prepared:	04/18/2016 1524	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	42		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	14		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.1		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-103189-4

Date Sampled: 04/15/2016 1315
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1430		
Prep Method: 5030C			Date Prepared:	04/19/2016 1430		
Trichloroethene	2000	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-103189-5

Date Sampled: 04/15/2016 1256
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1600		
Prep Method: 5030C			Date Prepared:	04/18/2016 1600		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	34		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.4		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-103189-5

Date Sampled: 04/15/2016 1256
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1506		
Prep Method: 5030C			Date Prepared:	04/19/2016 1506		
Trichloroethene	2500	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-103189-6

Date Sampled: 04/15/2016 1328
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1636		
Prep Method: 5030C			Date Prepared:	04/18/2016 1636		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	5.6		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.1		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-103189-6

Date Sampled: 04/15/2016 1328
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	103		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	92		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1243		
Prep Method: 5030C			Date Prepared:	04/19/2016 1243		
Trichloroethene	880	D	ug/L	50	50	50

Date Analyzed: 04/19/2016 1243
Date Prepared: 04/19/2016 1243

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-103189-7

Date Sampled: 04/15/2016 1358
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1711		
Prep Method: 5030C			Date Prepared:	04/18/2016 1711		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	12		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	21		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	2.0		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-103189-7

Date Sampled: 04/15/2016 1358
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 04/19/2016 1319		
Prep Method: 5030C				Date Prepared: 04/19/2016 1319		
Trichloroethene	2200	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-103189-8

Date Sampled: 04/15/2016 1152
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1747		
Prep Method: 5030C			Date Prepared:	04/18/2016 1747		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	8.6		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.2		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-103189-8

Date Sampled: 04/15/2016 1152
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	92		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1355		
Prep Method: 5030C			Date Prepared:	04/19/2016 1355		
Trichloroethene	360	D	ug/L	10	10	10

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME
ADDRESS
CITY, STATE, ZIP
NAME OF CONTACT
PROJECT LOCATION
PROJECT NUMBER / PO NO.

REPORT TYPE
STANDARD ☒ ISRA ☐
NJ REG ☐
NYASP A ☐ B ☐ CLP ☐
OTHER ☐
TURNAROUND
☒ NORMAL ☐
☐ QUICK ☐
☐ VERBAL ☐

DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

REPORT # (Lab Use Only)
SAMPLE TEMP. 18.6°C
SAMPLE REC'D ON ICE ☐ Y ☒ N
pH CHECK ☐ Y ☒ N
CHLORINE (RESIDUAL) ☐ Y ☒ N
REVIEWED BY:
NY PUBLIC WATER SUPPLIES
SOURCE ID
ELAP TYPE
FEDERAL ID

ANALYSIS REQUESTED

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/ZN ACC	40ml Glass Sulfuric	40ml Glass	DO
4115	1205				X		GW	MW-1	3														
	1230				X			TW-3	3														
	1239				X			DW-2	3														
	1315				X			TW-1	3														
	1256				X			DW-8	3														
	1328				X			TW-2	3														
	1358				X			TW-5	3														
	1152				X			DW-3	3														

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY
SAMPLED BY
RELINQUISHED BY
DATE
TIME
COMPANY
RECEIVED BY
DATE
TIME
COMPANY

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Login Number: 103189

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	18.6 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	False	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



Thursday, October 08, 2015

Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Project ID: N4931 MOBIL MEDIA
Sample ID#s: BK02181 - BK02182

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 08, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1510-1560

Custody Information

Collected by: CM
Received by: LK
Analyzed by: see "By" below

Date

10/02/15

Time

11:15

10/03/15 10:39

Laboratory Data

SDG ID: GBK02181
Phoenix ID: BK02181

Project ID: N4931 MOBIL MEDIA
Client ID: N2111 TW 5

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	10/06/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	10/06/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloroform	1.0	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
cis-1,2-Dichloroethene	2.5	1.0	ug/L	1	10/06/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	21	1.0	ug/L	1	10/06/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Tetrachloroethene	2.0	1.0	ug/L	1	10/06/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	10/06/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Trichloroethene	1800	100	ug/L	100	10/07/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	100		%	1	10/06/15	MH	70 - 130 %
% Bromofluorobenzene	98		%	1	10/06/15	MH	70 - 130 %
% Dibromofluoromethane	98		%	1	10/06/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	160		%	1	10/06/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

3 = This parameter exceeds laboratory specified limits.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.


Comments:

Volatile Comment:

Elevated surrogate recovery was observed for volatiles due to matrix interference.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

October 08, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

October 08, 2015

FOR: Attn: Mr. Caleb Mall
C2G Environmental Consultants, LLC
83 South Putt Corners Rd
New Paltz, NY 12561

Sample Information

Matrix: GROUND WATER
Location Code: C2G-NP
Rush Request: Standard
P.O.#: 1510-1560

Custody Information

Collected by: CM
Received by: LK
Analyzed by: see "By" below

Date

10/02/15

Time

13:10

10/03/15

10:39

Laboratory Data

SDG ID: GBK02181
Phoenix ID: BK02182

Project ID: N4931 MOBIL MEDIA
Client ID: N2111 TW 6

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1,1-Trichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1,2,2-Tetrachloroethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
1,1,2-Trichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloroethene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,1-Dichloropropene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,3-Trichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,3-Trichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,4-Trichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2,4-Trimethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dibromo-3-chloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dibromoethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichloroethane	ND	0.60	ug/L	1	10/06/15	MH	SW8260C
1,2-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3,5-Trimethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,3-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
1,4-Dichlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2,2-Dichloropropane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2-Chlorotoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
2-Hexanone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
2-Isopropyltoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
4-Chlorotoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
4-Methyl-2-pentanone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Acetone	ND	25	ug/L	1	10/06/15	MH	SW8260C
Acrylonitrile	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Benzene	ND	0.70	ug/L	1	10/06/15	MH	SW8260C
Bromobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromochloromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromodichloromethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
Bromoform	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Bromomethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Carbon Disulfide	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Carbon tetrachloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chlorobenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloroform	1.1	1.0	ug/L	1	10/06/15	MH	SW8260C
Chloromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
cis-1,2-Dichloroethene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
cis-1,3-Dichloropropene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
Dibromochloromethane	ND	0.50	ug/L	1	10/06/15	MH	SW8260C
Dibromomethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Dichlorodifluoromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Ethylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Hexachlorobutadiene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
Isopropylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
m&p-Xylene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Methyl ethyl ketone	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Methyl t-butyl ether (MTBE)	22	1.0	ug/L	1	10/06/15	MH	SW8260C
Methylene chloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Naphthalene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
n-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
n-Propylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
o-Xylene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
p-Isopropyltoluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
sec-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Styrene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
tert-Butylbenzene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Tetrachloroethene	13	1.0	ug/L	1	10/06/15	MH	SW8260C
Tetrahydrofuran (THF)	ND	2.5	ug/L	1	10/06/15	MH	SW8260C
Toluene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Total Xylenes	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
trans-1,2-Dichloroethene	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
trans-1,3-Dichloropropene	ND	0.40	ug/L	1	10/06/15	MH	SW8260C
trans-1,4-dichloro-2-butene	ND	5.0	ug/L	1	10/06/15	MH	SW8260C
Trichloroethene	1900	100	ug/L	100	10/07/15	MH	SW8260C
Trichlorofluoromethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Trichlorotrifluoroethane	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
Vinyl chloride	ND	1.0	ug/L	1	10/06/15	MH	SW8260C
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	99		%	1	10/06/15	MH	70 - 130 %
% Bromofluorobenzene	99		%	1	10/06/15	MH	70 - 130 %
% Dibromofluoromethane	100		%	1	10/06/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Toluene-d8	163		%	1	10/06/15	MH	70 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

3 = This parameter exceeds laboratory specified limits.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.


Comments:

Volatile Comment:

Elevated surrogate recovery was observed for volatiles due to matrix interference.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

October 08, 2015

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

October 08, 2015

QA/QC Data

SDG I.D.: GBK02181

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 322730 (ug/L), QC Sample No: BK02075 (BK02181, BK02182)										
Volatiles - Ground Water										
1,1,1,2-Tetrachloroethane	ND	1.0	101	119	16.4				70 - 130	30
1,1,1-Trichloroethane	ND	1.0	94	111	16.6				70 - 130	30
1,1,2,2-Tetrachloroethane	ND	0.50	104	118	12.6				70 - 130	30
1,1,2-Trichloroethane	ND	1.0	105	123	15.8				70 - 130	30
1,1-Dichloroethane	ND	1.0	98	115	16.0				70 - 130	30
1,1-Dichloroethene	ND	1.0	96	113	16.3				70 - 130	30
1,1-Dichloropropene	ND	1.0	97	115	17.0				70 - 130	30
1,2,3-Trichlorobenzene	ND	1.0	116	138	17.3				70 - 130	30
1,2,3-Trichloropropane	ND	1.0	101	116	13.8				70 - 130	30
1,2,4-Trichlorobenzene	ND	1.0	110	127	14.3				70 - 130	30
1,2,4-Trimethylbenzene	ND	1.0	93	109	15.8				70 - 130	30
1,2-Dibromo-3-chloropropane	ND	1.0	116	130	11.4				70 - 130	30
1,2-Dibromoethane	ND	1.0	106	123	14.8				70 - 130	30
1,2-Dichlorobenzene	ND	1.0	98	113	14.2				70 - 130	30
1,2-Dichloroethane	ND	1.0	99	115	15.0				70 - 130	30
1,2-Dichloropropane	ND	1.0	101	118	15.5				70 - 130	30
1,3,5-Trimethylbenzene	ND	1.0	93	109	15.8				70 - 130	30
1,3-Dichlorobenzene	ND	1.0	95	111	15.5				70 - 130	30
1,3-Dichloropropane	ND	1.0	102	118	14.5				70 - 130	30
1,4-Dichlorobenzene	ND	1.0	96	111	14.5				70 - 130	30
2,2-Dichloropropane	ND	1.0	97	113	15.2				70 - 130	30
2-Chlorotoluene	ND	1.0	94	109	14.8				70 - 130	30
2-Hexanone	ND	5.0	98	111	12.4				70 - 130	30
2-Isopropyltoluene	ND	1.0	94	111	16.6				70 - 130	30
4-Chlorotoluene	ND	1.0	94	109	14.8				70 - 130	30
4-Methyl-2-pentanone	ND	5.0	102	115	12.0				70 - 130	30
Acetone	ND	5.0	87	107	20.6				70 - 130	30
Acrylonitrile	ND	5.0	112	130	14.9				70 - 130	30
Benzene	ND	0.70	93	110	16.7				70 - 130	30
Bromobenzene	ND	1.0	96	111	14.5				70 - 130	30
Bromochloromethane	ND	1.0	105	122	15.0				70 - 130	30
Bromodichloromethane	ND	0.50	103	120	15.2				70 - 130	30
Bromoform	ND	1.0	106	125	16.5				70 - 130	30
Bromomethane	ND	1.0	104	129	21.5				70 - 130	30
Carbon Disulfide	ND	1.0	104	121	15.1				70 - 130	30
Carbon tetrachloride	ND	1.0	93	110	16.7				70 - 130	30
Chlorobenzene	ND	1.0	98	116	16.8				70 - 130	30
Chloroethane	ND	1.0	117	134	13.5				70 - 130	30
Chloroform	ND	1.0	98	114	15.1				70 - 130	30
Chloromethane	ND	1.0	108	124	13.8				70 - 130	30
cis-1,2-Dichloroethene	ND	1.0	98	120	20.2				70 - 130	30

QA/QC Data

SDG I.D.: GBK02181

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
cis-1,3-Dichloropropene	ND	0.40	102	118	14.5				70 - 130	30
Dibromochloromethane	ND	0.50	108	126	15.4				70 - 130	30
Dibromomethane	ND	1.0	103	118	13.6				70 - 130	30
Dichlorodifluoromethane	ND	1.0	114	130	13.1				70 - 130	30
Ethylbenzene	ND	1.0	98	116	16.8				70 - 130	30
Hexachlorobutadiene	ND	0.40	90	104	14.4				70 - 130	30
Isopropylbenzene	ND	1.0	93	108	14.9				70 - 130	30
m&p-Xylene	ND	1.0	99	115	15.0				70 - 130	30
Methyl ethyl ketone	ND	5.0	96	117	19.7				70 - 130	30
Methyl t-butyl ether (MTBE)	ND	1.0	111	128	14.2				70 - 130	30
Methylene chloride	ND	1.0	95	114	18.2				70 - 130	30
Naphthalene	ND	1.0	122	142	15.2				70 - 130	30
n-Butylbenzene	ND	1.0	91	108	17.1				70 - 130	30
n-Propylbenzene	ND	1.0	90	105	15.4				70 - 130	30
o-Xylene	ND	1.0	98	115	16.0				70 - 130	30
p-Isopropyltoluene	ND	1.0	94	110	15.7				70 - 130	30
sec-Butylbenzene	ND	1.0	94	110	15.7				70 - 130	30
Styrene	ND	1.0	100	117	15.7				70 - 130	30
tert-Butylbenzene	ND	1.0	91	107	16.2				70 - 130	30
Tetrachloroethene	ND	1.0	97	113	15.2				70 - 130	30
Tetrahydrofuran (THF)	ND	2.5	111	123	10.3				70 - 130	30
Toluene	ND	1.0	99	116	15.8				70 - 130	30
trans-1,2-Dichloroethene	ND	1.0	102	120	16.2				70 - 130	30
trans-1,3-Dichloropropene	ND	0.40	104	121	15.1				70 - 130	30
trans-1,4-dichloro-2-butene	ND	5.0	105	122	15.0				70 - 130	30
Trichlorofluoromethane	ND	1.0	103	118	13.6				70 - 130	30
Trichlorotrifluoroethane	ND	1.0	96	109	12.7				70 - 130	30
Vinyl chloride	ND	1.0	111	129	15.0				70 - 130	30
% 1,2-dichlorobenzene-d4	102	%	101	102	1.0				70 - 130	30
% Bromofluorobenzene	99	%	101	101	0.0				70 - 130	30
% Dibromofluoromethane	103	%	102	103	1.0				70 - 130	30
% Toluene-d8	100	%	99	99	0.0				70 - 130	30

Comment:

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

QA/QC Batch 322798 (ug/L), QC Sample No: BK02735 (BK02181 (100X) , BK02182 (100X))

Volatiles - Ground Water

Trichloroethene	ND	1.0	100	98	2.0	NC	NC	NC	70 - 130	30

Comment:

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

I = This parameter is outside laboratory lcs/lcsd specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference



Phyllis Shiller, Laboratory Director
October 08, 2015

Sample Criteria Exceedences Report

GBK02181 - C2G-NP

Criteria: None
State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

October 08, 2015

SDG I.D.: GBK02181

The samples in this delivery group were received at 6°C.
(Note acceptance criteria is above freezing up to 6°C)

ANALYTICAL REPORT

Job Number: 420-99704-1

Job Description: SEBI

For:
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
01/25/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: SEBI

Job Number: 420-99704-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-99704-1

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-99704-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-99704-1	PW-1	Water	01/15/2016 1233	01/18/2016 0850
420-99704-2	PW-2	Water	01/15/2016 1258	01/18/2016 0850
420-99704-3	PW-3	Water	01/15/2016 1358	01/18/2016 0850
420-99704-4	PW-4	Water	01/15/2016 1322	01/18/2016 0850

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-1
Lab Sample ID: 420-99704-1

Date Sampled: 01/15/2016 1233
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1630		
Prep Method: 5030C			Date Prepared:	01/19/2016 1630		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-1
Lab Sample ID: 420-99704-1

Date Sampled: 01/15/2016 1233
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	95		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	97		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-2
Lab Sample ID: 420-99704-2

Date Sampled: 01/15/2016 1258
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1705		
Prep Method: 5030C			Date Prepared:	01/19/2016 1705		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	36		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-2
Lab Sample ID: 420-99704-2

Date Sampled: 01/15/2016 1258
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	95		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	96		%	77 - 117		
4-Bromofluorobenzene	95		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-3
Lab Sample ID: 420-99704-3

Date Sampled: 01/15/2016 1358
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1741		
Prep Method: 5030C			Date Prepared:	01/19/2016 1741		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	2.0		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	71		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-3
Lab Sample ID: 420-99704-3

Date Sampled: 01/15/2016 1358
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	95		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-4
Lab Sample ID: 420-99704-4

Date Sampled: 01/15/2016 1322
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	01/19/2016 1817		
Prep Method: 5030C			Date Prepared:	01/19/2016 1817		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-99704-1

Client Sample ID: PW-4
Lab Sample ID: 420-99704-4

Date Sampled: 01/15/2016 1322
Date Received: 01/18/2016 0850
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	96		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number: 420-99704-1

Lab Section	Qualifier	Description
GC/MS VOA	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number: 420-99704-1

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

99704

CUSTOMER NAME	SEBI Environmental
ADDRESS	337 Fullerton Ave
CITY, STATE, ZIP	Newburgh, NY
NAME OF CONTACT	Sean Morgan 945 339 2868
PROJECT LOCATION	Mobile media
PROJECT NUMBER / PO NO.	

REPORT TYPE STANDARD ☒ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	TURNAROUND ☒ NORMAL ☐ QUICK ☐ VERBAL	REPORT # (Lab Use Only)
SAMPLE TEMP. 11.5 C SAMPLE REC'D ON ICE ☒ N ph CHECK ☐ Y ☐ N CHLORINE (RESIDUAL) ☐ Y ☐ N REVIEWED BY: _____		
DW = DRINKING WATER S = SOIL O = OIL WW = WASTE WATER SL = SLUDGE GW = GROUND WATER Matrix		NY PUBLIC WATER SUPPLIES
SOURCE ID _____		
ELAP TYPE _____		
FEDERAL ID _____		

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.																			
ETL #	SAMPLING DATE	TIME AM PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic Sulfuric Acid	250ml Plastic Sulfuric Acid	250ml Plastic Sterile	250ml Plastic NaOH/Zn ACC	40ml Glass Sulfuric	40ml Glass DO
	11/15	1233			1GW	PW-1	3	X											
	11/15	1258			1GW	PW-2	3	X											
	11/15	1356			1GW	PW-3	3	X											
	11/15	1324			1GW	PW-4	3	X											

ANALYSIS REQUESTED

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	11:15	SEBI	SEBI	11/15/11	11:15
SAMPLED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	11:15	SEBI	SEBI	11/15/11	11:15
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SEBI	SEBI	11/15/11	11:15	SEBI	SEBI	11/15/11	11:15

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-99704-1

Login Number: 99704

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	11.5 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	True	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-101749-1

SDG Number: Mobil Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

03/18/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-101749-1	PW-6	Water	03/08/2016 1727	03/10/2016 1540
420-101749-2	PW-7	Water	03/08/2016 1735	03/10/2016 1540
420-101749-3	PW-8	Water	03/08/2016 1739	03/10/2016 1540
420-101749-4	PW-9	Water	03/08/2016 1430	03/10/2016 1540
420-101749-5	PW-10	Water	03/08/2016 1019	03/10/2016 1540

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101749-1

Date Sampled: 03/08/2016 1727
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/11/2016 1359		
Prep Method: 5030C			Date Prepared:	03/11/2016 1359		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-6
Lab Sample ID: 420-101749-1

Date Sampled: 03/08/2016 1727
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	104		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	98		%	77 - 117		
4-Bromofluorobenzene	103		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101749-2

Date Sampled: 03/08/2016 1735
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	03/11/2016 1428	
Prep Method: 5030C				Date Prepared:	03/11/2016 1428	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	2.7		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-7
Lab Sample ID: 420-101749-2

Date Sampled: 03/08/2016 1735
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.3		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	107		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101749-3

Date Sampled: 03/08/2016 1739
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	03/11/2016 1457	
Prep Method: 5030C				Date Prepared:	03/11/2016 1457	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	28		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-101749-3

Date Sampled: 03/08/2016 1739
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	101		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed:	03/14/2016 1201	
Prep Method: 5030C				Date Prepared:	03/14/2016 1201	
Trichloroethene	2700	D	ug/L	100	100	100

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101749-4

Date Sampled: 03/08/2016 1430
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	03/14/2016	1313	
Prep Method: 5030C			Date Prepared:	03/14/2016	1313	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	26		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-9
Lab Sample ID: 420-101749-4

Date Sampled: 03/08/2016 1430
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	100		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101749-5

Date Sampled: 03/08/2016 1019
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	03/11/2016 1616	
Prep Method: 5030C				Date Prepared:	03/11/2016 1616	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	22		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	5.5		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-101749-1
Sdg Number: Mobil Media

Client Sample ID: PW-10
Lab Sample ID: 420-101749-5

Date Sampled: 03/08/2016 1019
Date Received: 03/10/2016 1540
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	7.1		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	101		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	03/14/2016 1237		
Prep Method: 5030C			Date Prepared:	03/14/2016 1237		
Trichloroethene	1800	D	ug/L	100	100	100

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:
Sdg Number: Mobil Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobil Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Enviro Test Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME <i>Sebi Environmental</i>	
ADDRESS <i>337 Fullerton</i>	
CITY, STATE, ZIP <i>Newburgh NY 12550</i>	
NAME OF CONTACT <i>Sean Mayar</i>	PHONE NO. <i>845 769 1307</i>
PROJECT LOCATION <i>Mobile meth</i>	
PROJECT NUMBER / PO NO.	

REPORT TYPE	TURNAROUND
STANDARD ☒ ISRA ☐	☐ NORMAL
NU REG ☐	☐ QUICK
NYASP A ☐ B ☐ CLP ☐	☐ VERBAL
OTHER	

DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

REPORT # (Lab Use Only)	
SAMPLE TEMP: <i>4.0</i>	
SAMPLE RECD ON ICE ☒ Y ☐ N	
pH CHECK ☐ Y ☐ N	
CHLORINE (RESIDUAL) ☐ Y ☐ N	
REVIEWED BY:	

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

ETL #	SAMPLING DATE	TIME AM PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/Zn ACC	40ml Glass Sulfuric	40ml Glass	DO

ANALYSIS REQUESTED

NY PUBLIC WATER SUPPLIES	
SOURCE ID	ELAP TYPE
FEDERAL ID	

3/8	1727				CW	PW-6	3														
3/8	1735				CW	PW-7	3														
3/8	1739				CW	PW-8	3														
3/8	1736				CW	PW-9	3														
3/8	1819				CW	PW-10	3														

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>Sebi</i>	3/10/16	1540	<i>Sebi</i>	3-10-16	1540
SAMPLED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>Sebi</i>	3/10/16	1540	<i>Sebi</i>	3-10-16	1540
RELINQUISHED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>Sebi</i>	3-8-16		<i>Sebi</i>	3-10-16	1540

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-101749-1

SDG Number: Mobil Media

Login Number: 101749

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	4.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-103189-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

04/25/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-103189-1	MW-1	Water	04/15/2016 1205	04/15/2016 1653
420-103189-2	TW-3	Water	04/15/2016 1220	04/15/2016 1653
420-103189-3	PW-2	Water	04/15/2016 1239	04/15/2016 1653
420-103189-4	TW-1	Water	04/15/2016 1315	04/15/2016 1653
420-103189-5	PW-8	Water	04/15/2016 1256	04/15/2016 1653
420-103189-6	TW-2	Water	04/15/2016 1328	04/15/2016 1653
420-103189-7	TW-5	Water	04/15/2016 1358	04/15/2016 1653
420-103189-8	PW-3	Water	04/15/2016 1152	04/15/2016 1653

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-103189-1

Date Sampled: 04/15/2016 1205
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1337		
Prep Method: 5030C			Date Prepared:	04/18/2016 1337		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	4.8		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	71		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-103189-1

Date Sampled: 04/15/2016 1205
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	17		ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	103		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-103189-2

Date Sampled: 04/15/2016 1220
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016	1413	
Prep Method: 5030C			Date Prepared:	04/18/2016	1413	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	2.5		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.6		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-103189-2

Date Sampled: 04/15/2016 1220
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	104		%	77 - 117		
4-Bromofluorobenzene	93		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/18/2016 1822		
Prep Method: 5030C			Date Prepared:	04/18/2016 1822		
Trichloroethene	350	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-103189-3

Date Sampled: 04/15/2016 1239
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1448		
Prep Method: 5030C			Date Prepared:	04/18/2016 1448		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	26		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-103189-3

Date Sampled: 04/15/2016 1239
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-103189-4

Date Sampled: 04/15/2016 1315
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1524		
Prep Method: 5030C			Date Prepared:	04/18/2016 1524		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	42		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	14		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.1		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-103189-4

Date Sampled: 04/15/2016 1315
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed:	04/19/2016 1430	
Prep Method: 5030C				Date Prepared:	04/19/2016 1430	
Trichloroethene	2000	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-103189-5

Date Sampled: 04/15/2016 1256
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1600		
Prep Method: 5030C			Date Prepared:	04/18/2016 1600		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	34		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.4		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-103189-5

Date Sampled: 04/15/2016 1256
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1506		
Prep Method: 5030C			Date Prepared:	04/19/2016 1506		
Trichloroethene	2500	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-103189-6

Date Sampled: 04/15/2016 1328
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1636		
Prep Method: 5030C			Date Prepared:	04/18/2016 1636		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	5.6		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.1		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-103189-6

Date Sampled: 04/15/2016 1328
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	103		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	92		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1243		
Prep Method: 5030C			Date Prepared:	04/19/2016 1243		
Trichloroethene	880	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-103189-7

Date Sampled: 04/15/2016 1358
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1711		
Prep Method: 5030C			Date Prepared:	04/18/2016 1711		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	12		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	21		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	2.0		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-103189-7

Date Sampled: 04/15/2016 1358
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	91		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 04/19/2016 1319		
Prep Method: 5030C				Date Prepared: 04/19/2016 1319		
Trichloroethene	2200	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-103189-8

Date Sampled: 04/15/2016 1152
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	04/18/2016 1747		
Prep Method: 5030C			Date Prepared:	04/18/2016 1747		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	8.6		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.2		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-103189-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-103189-8

Date Sampled: 04/15/2016 1152
Date Received: 04/15/2016 1653
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	101		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	92		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	04/19/2016 1355		
Prep Method: 5030C			Date Prepared:	04/19/2016 1355		
Trichloroethene	360	D	ug/L	10	10	10

Date Analyzed: 04/19/2016 1355
Date Prepared: 04/19/2016 1355

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME
ADDRESS
CITY, STATE ZIP
NAME OF CONTACT
PROJECT LOCATION
PROJECT NUMBER / PO NO.

REPORT TYPE
STANDARD ☒ ISRA ☐
NJ REG ☐
NYASP A ☐ B ☐ CLP ☐
OTHER ☐
TURNAROUND
☒ NORMAL ☐
☐ QUICK ☐
☐ VERBAL ☐

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON

RECEIPT MUST BE 4° ± 2°C.

REPORT # (Lab Use Only)
SAMPLE TEMP. 18.6°C
SAMPLE REC'D ON ICE ☐ Y ☒ N
pH CHECK ☐ Y ☒ N
CHLORINE (RESIDUAL) ☐ Y ☒ N
REVIEWED BY:
NY PUBLIC WATER SUPPLIES
SOURCE ID
ELAP TYPE
FEDERAL ID

ANALYSIS REQUESTED

ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	Total Number of Containers	40ml Glass HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Plastic Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic	125ml Plastic Sterile	250ml Plastic NaOH/ZN ACC	40ml Glass Sulfuric	40ml Glass	DO
4115	1205				X		GW	MW-1	3														
	1230				X			TW-3	3														
	1239				X			DW-2	3														
	1315				X			TW-1	3														
	1256				X			DW-8	3														
	1328				X			TW-2	3														
	1358				X			TW-5	3														
	1152				X			DW-3	3														

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY
SAMPLED BY
RELINQUISHED BY
DATE
TIME
COMPANY
RECEIVED BY
DATE
TIME
COMPANY

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-103189-1

SDG Number: Mobile Media

Login Number: 103189

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	18.6 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	False	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-104806-1

SDG Number: Mobil Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

05/31/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-104806-1

SDG Number: Mobil Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-104806-1

SDG Number: Mobil Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-104806-1

SDG Number: Mobil Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-104806-1	PW-2	Water	05/11/2016 1325	05/25/2016 0908
420-104806-2	MW-1	Water	05/11/2016 1338	05/25/2016 0908
420-104806-3	TW-3	Water	05/11/2016 1415	05/25/2016 0908
420-104806-4	PW-3	Water	05/11/2016 1407	05/25/2016 0908
420-104806-5	TW-2	Water	05/11/2016 1427	05/25/2016 0908
420-104806-6	TW-1	Water	05/11/2016 1437	05/25/2016 0908
420-104806-7	TW-5	Water	05/11/2016 1507	05/25/2016 0908
420-104806-8	PW-8	Water	05/11/2016 1455	05/25/2016 0908

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-2
Lab Sample ID: 420-104806-1

Date Sampled: 05/11/2016 1325
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	05/26/2016 1314	
Prep Method: 5030C				Date Prepared:	05/26/2016 1314	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	33		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-2
Lab Sample ID: 420-104806-1

Date Sampled: 05/11/2016 1325
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	108		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	110		%	77 - 117		
4-Bromofluorobenzene	96		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: MW-1
Lab Sample ID: 420-104806-2

Date Sampled: 05/11/2016 1338
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C				Date Analyzed:	05/26/2016 1344	
Prep Method: 5030C				Date Prepared:	05/26/2016 1344	
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	3.8		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	52		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: MW-1
Lab Sample ID: 420-104806-2

Date Sampled: 05/11/2016 1338
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	109		%	77 - 117		
4-Bromofluorobenzene	94		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-3
Lab Sample ID: 420-104806-3

Date Sampled: 05/11/2016 1415
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1414		
Prep Method: 5030C			Date Prepared:	05/26/2016 1414		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.2		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-3
Lab Sample ID: 420-104806-3

Date Sampled: 05/11/2016 1415
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	9.4		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	111		%	77 - 117		
4-Bromofluorobenzene	97		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	05/26/2016 1444		
Prep Method: 5030C			Date Prepared:	05/26/2016 1444		
Trichloroethene	100	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-3
Lab Sample ID: 420-104806-4

Date Sampled: 05/11/2016 1407
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1514		
Prep Method: 5030C			Date Prepared:	05/26/2016 1514		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	14		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.2		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-3
Lab Sample ID: 420-104806-4

Date Sampled: 05/11/2016 1407
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.4		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	112		%	77 - 117		
4-Bromofluorobenzene	96		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	05/26/2016 1544		
Prep Method: 5030C			Date Prepared:	05/26/2016 1544		
Trichloroethene	830	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-2
Lab Sample ID: 420-104806-5

Date Sampled: 05/11/2016 1427
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1614		
Prep Method: 5030C			Date Prepared:	05/26/2016 1614		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	5.9		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-2
Lab Sample ID: 420-104806-5

Date Sampled: 05/11/2016 1427
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	109		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	113		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	05/26/2016 1644		
Prep Method: 5030C			Date Prepared:	05/26/2016 1644		
Trichloroethene	1100	D	ug/L	25	25	25

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-1
Lab Sample ID: 420-104806-6

Date Sampled: 05/11/2016 1437
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1714		
Prep Method: 5030C			Date Prepared:	05/26/2016 1714		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	49		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	12		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.3		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-1
Lab Sample ID: 420-104806-6

Date Sampled: 05/11/2016 1437
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	8.7		ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	112		%	77 - 117		
4-Bromofluorobenzene	96		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	05/26/2016 1744		
Prep Method: 5030C			Date Prepared:	05/26/2016 1744		
Trichloroethene	2900	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-5
Lab Sample ID: 420-104806-7

Date Sampled: 05/11/2016 1507
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1814		
Prep Method: 5030C			Date Prepared:	05/26/2016 1814		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	12		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	2.5		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: TW-5
Lab Sample ID: 420-104806-7

Date Sampled: 05/11/2016 1507
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	107		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	113		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 05/26/2016 1844		
Prep Method: 5030C				Date Prepared: 05/26/2016 1844		
Trichloroethene	3500	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-104806-8

Date Sampled: 05/11/2016 1455
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	05/26/2016 1914		
Prep Method: 5030C			Date Prepared:	05/26/2016 1914		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	38		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	8.1		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-104806-1
Sdg Number: Mobil Media

Client Sample ID: PW-8
Lab Sample ID: 420-104806-8

Date Sampled: 05/11/2016 1455
Date Received: 05/25/2016 0908
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	108		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	115		%	77 - 117		
4-Bromofluorobenzene	96		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	05/26/2016 1944		
Prep Method: 5030C			Date Prepared:	05/26/2016 1944		
Trichloroethene	4300	D	ug/L	50	50	50

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:
Sdg Number: Mobil Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobil Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

CUSTOMER NAME: SEBI Inc
ADDRESS: 337 Fullerton Ave
CITY, STATE, ZIP: Newburgh, NY
NAME OF CONTACT: SEBI PHONE NO.: 845 749 1307
PROJECT LOCATION: 2651 2nd St
PROJECT NUMBER / PO NO.:

REPORT TYPE: STANDARD ☒ ISRA ☐
NJ REG ☐
NYASP A ☐ B ☐ CLP ☐
OTHER: ☐ VERBAL ☐
TURNAROUND: ☒ NORMAL ☐ QUICK ☐

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

REPORT # (Lab Use Only):
SAMPLE TEMP: 6.4 °C
SAMPLE REC'D ON ICE ☒ Y ☐ N
pH CHECK ☐ Y ☐ N
CHLORINE (RESIDUAL) ☐ Y ☐ N
REVIEWED BY: _____
NY PUBLIC WATER SUPPLIES
SOURCE ID: _____
ELAP TYPE: _____
FEDERAL ID: _____

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.									
ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	
5111	1/25						GC	PW-3	3
5111	1/25						GC	MW-1	3
5111	1/25						GC	PW-3	
5111	1/25						GC	PW-3	
5111	1/25						GC	PW-2	
5111	1/25						GC	PW-1	
5111	1/25						GC	PW-5	
5111	1/25						GC	PW-8*	
* As per Scan ac 5/25/16									
ANALYSIS REQUESTED									
FEDERAL ID									
ELAP TYPE									
SOURCE ID									

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
SAMPLED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-104806-1

SDG Number: Mobil Media

Login Number: 104806

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	6.4 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-106277-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

07/11/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-106277-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-106277-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-106277-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-106277-1	TW-2	Water	06/22/2016 1432	06/23/2016 0922
420-106277-2	PW-8	Water	06/22/2016 1537	06/23/2016 0922
420-106277-3	TW-1	Water	06/22/2016 1446	06/23/2016 0922
420-106277-4	TW-3	Water	06/22/2016 1547	06/23/2016 0922
420-106277-5	PW-3	Water	06/22/2016 1449	06/23/2016 0922
420-106277-6	MW-1	Water	06/22/2016 1420	06/23/2016 0922
420-106277-7	TW-5	Water	06/22/2016 1522	06/23/2016 0922
420-106277-8	PW-2	Water	06/22/2016 1413	06/23/2016 0922

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-106277-1

Date Sampled: 06/22/2016 1432
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/01/2016 1908		
Prep Method: 5030C			Date Prepared:	07/01/2016 1908		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	7.1		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-106277-1

Date Sampled: 06/22/2016 1432
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	07/01/2016 1944		
Prep Method: 5030C			Date Prepared:	07/01/2016 1944		
Trichloroethene	790	D	ug/L	25	25	25

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-106277-2

Date Sampled: 06/22/2016 1537
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/01/2016 2020		
Prep Method: 5030C			Date Prepared:	07/01/2016 2020		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	43		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	10		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.3		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-106277-2

Date Sampled: 06/22/2016 1537
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	95		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	07/01/2016 2056		
Prep Method: 5030C			Date Prepared:	07/01/2016 2056		
Trichloroethene	3100	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-106277-3

Date Sampled: 06/22/2016 1446
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/01/2016 2131		
Prep Method: 5030C			Date Prepared:	07/01/2016 2131		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	49		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	15		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.8		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-106277-3

Date Sampled: 06/22/2016 1446
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	102		%	77 - 117		
4-Bromofluorobenzene	96		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	07/01/2016 2207		
Prep Method: 5030C			Date Prepared:	07/01/2016 2207		
Trichloroethene	2700	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-106277-4

Date Sampled: 06/22/2016 1547
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/01/2016 2243		
Prep Method: 5030C			Date Prepared:	07/01/2016 2243		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	2.1		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-3
Lab Sample ID: 420-106277-4

Date Sampled: 06/22/2016 1547
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	104		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	07/01/2016 2319		
Prep Method: 5030C			Date Prepared:	07/01/2016 2319		
Trichloroethene	150	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-106277-5

Date Sampled: 06/22/2016 1449
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/01/2016 2355		
Prep Method: 5030C			Date Prepared:	07/01/2016 2355		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	22		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	2.7		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	2.3		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-106277-5

Date Sampled: 06/22/2016 1449
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	97		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	97		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed:	07/02/2016 0030	
Prep Method: 5030C				Date Prepared:	07/02/2016 0030	
Trichloroethene	990	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-106277-6

Date Sampled: 06/22/2016 1420
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/02/2016 0106		
Prep Method: 5030C			Date Prepared:	07/02/2016 0106		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	6.7		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	3.8		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-106277-6

Date Sampled: 06/22/2016 1420
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	98		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	104		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 07/05/2016 1151		
Prep Method: 5030C				Date Prepared: 07/05/2016 1151		
Trichloroethene	150	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-106277-7

Date Sampled: 06/22/2016 1522
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/02/2016 0142		
Prep Method: 5030C			Date Prepared:	07/02/2016 0142		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	9.6		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	17		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.7		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-106277-7

Date Sampled: 06/22/2016 1522
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	102		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	104		%	77 - 117		
4-Bromofluorobenzene	99		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	07/02/2016 0218		
Prep Method: 5030C			Date Prepared:	07/02/2016 0218		
Trichloroethene	1900	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-106277-8

Date Sampled: 06/22/2016 1413
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	07/02/2016 0254		
Prep Method: 5030C			Date Prepared:	07/02/2016 0254		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	36		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-106277-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-106277-8

Date Sampled: 06/22/2016 1413
Date Received: 06/23/2016 0922
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	96		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	98		%	74 - 119		

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: SEBI

Job Number:

Sdg Number: Mobile Media

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrolidinone, Aziridine, Dimethyl sulfoxide, Fluorobenzene, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH₃G), Nitrate-Nitrite (353.2, 10-107-4-1C), TKN (351.2), Phosphorus (365.3), Total Cresols (8270), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

The following analytes are Part of ELAP scope of accreditation but not for the noted methods:

alpha-Chlordane (608), Endrin Ketone (608), gamma-Chlordane (608), PCB-1262 (608), PCB-1268 (608), 1,2-Diphenylhydrazine (625), 2-MethylNaphthalene (625), 3-Methylphenol (625), 4-Nitroaniline (625), 1,1,1,2-Tetrachloroethane (624,601), 1,1,2-Trichloro-1,2,2-trifluoroethane (601,624), 1,2,3-Trichlorobenzene (624, 601), 1,2,3-Trichloropropane (624), 1,2,4-Trichlorobenzene (601,624), 1,2,4-trimethylbenzene (624), 1,2-Dichloro-3-Chloropropane (601, 624), 1,2-Dichloro-1,1,2-trifluoroethane (601, 624), 1,3,5-Trimethylbenzene (624), 1,3-Dichloropropane (624), 2,2-dichloropropane (601,624), 2-chlorotoluene (601,624), 2-hexanone (624), 4-Chlorotoluene (601,624), 4-Isopropyltoluene (624), Acetonitrile (624), Benzyl Chloride (624, 8021), Bromobenzene (601,624), Carbon disulfide (624), Bromochloromethane (624), Dibromomethane (624), 1,2-Dibromoethane (624), Hexachlorobutadiene (624), Isopropylbenzene (624), 2-Butanone (Methyl Ethyl Ketone) (624), 4-methyl-2-pentanone (624), MTBE (602), m-Xylene & p-Xylene (8021), Naphthalene (602,624), n-Butylbenzene (624), n-Propylbenzene (624), sec-Butylbenzene (624), tert-Butylbenzene (624), trans-1,4-Dichloro-2-butene (624), & Tetrahydrofuran (8260, 624).

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

CUSTOMER NAME SEB Environmental Services Inc	
ADDRESS 337 Fullerton Ave	
CITY, STATE, ZIP Newburgh NY 12550	PHONE NO. 845 781 1307
NAME OF CONTACT Sean Morgan	
PROJECT LOCATION Mobile Media	
PROJECT NUMBER / PO NO.	

REPORT TYPE STANDARD ☐ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	TURNAROUND ☐ NORMAL ☐ QUICK ☐ VERBAL	REPORT # (Lab Use Only) 106277 #1
SAMPLE TEMP. 3.0 C		NY PUBLIC WATER SUPPLIES SOURCE ID _____ ELAP TYPE _____ FEDERAL ID _____
SAMPLE REC'D ON ICE ☒ N		
ph CHECK ☐ Y ☐ N		
CHLORINE (RESIDUAL) ☐ Y ☐ N		
REVIEWED BY: _____		

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON
RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.																				
ETL #	SAMPLING DATE	TIME	AM	PM	COMP	MATRIX	CLIENT I.D.	Total Number of Containers	40ml HCL	Liter Amber HCL	250ml Amber Sulfuric	Liter Amber Organic Washed	250ml Nitric Acid	250ml Plastic Sodium Hydroxide	Liter Plastic	250ml Plastic Sulfuric Acid	250ml Plastic Sterile	250ml Plastic NaOH/2N ACC	40ml Glass Sulfuric	40ml Glass DO
	6/22/14	14	32		X	GW	TW-2	3	3											
	6/22/15	15	37		X	GW	PW-8	3	3											
	6/22/14	14	46		X	GW	TW-1	3	3											
	6/22/15	15	47		X	GW	TW-3	3	3											
	6/22/14	14	49		X	GW	PW-3	3	3											
	6/22/14	14	49		X	GW	MW-1	3	3											
	6/22/15	15	22		X	GW	TW-5	3	3											
	6/22/14	14	13		X	GW	PW-2	3	3											

ANALYSIS REQUESTED

8260 STARS
8260 STARS
8260 STARS
8260 STARS
8260 STARS
8260 STARS
8260 STARS

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY Sean Morgan	COMPANY SEB	DATE 6/22/14	TIME 15:47	RECEIVED BY Sean Morgan	COMPANY SEB	DATE 6/23/16	TIME 09:22
SAMPLED BY Sean Morgan	COMPANY SEB	DATE 6/22/14	TIME 15:47	RECEIVED BY Sean Morgan	COMPANY SEB	DATE 6/23/16	TIME 09:22
RELINQUISHED BY Sean Morgan	COMPANY SEB	DATE 6/23/16	TIME 09:22	RECEIVED BY Sean Morgan	COMPANY SEB	DATE 6/23/16	TIME 09:22

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-106277-1

SDG Number: Mobile Media

Login Number: 106277

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	3.0 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	

ANALYTICAL REPORT

Job Number: 420-110326-1

SDG Number: Mobile Media

Job Description: SEBI

For:

SEBI

337 Fullerton Ave.

Second Floor

Newburgh, NY 12550

Attention: Marco DAntonio



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

09/22/2016

cc: Sean Morgan

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative.

EnviroTest Laboratories, Inc. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories, Inc.

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: SEBI

Job Number: 420-110326-1

SDG Number: Mobile Media

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	EnvTest	SW846 8260C	
Purge and Trap for Aqueous Samples	EnvTest		SW846 5030C

Lab References:

EnvTest = EnviroTest

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: SEBI

Job Number: 420-110326-1

SDG Number: Mobile Media

Method	Analyst	Analyst ID
SW846 8260C	Andersen, Eric C	ECA

SAMPLE SUMMARY

Client: SEBI

Job Number: 420-110326-1

SDG Number: Mobile Media

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-110326-1	PW-2	Water	09/15/2016 1104	09/15/2016 1637
420-110326-2	MW-1	Water	09/15/2016 1141	09/15/2016 1637
420-110326-3	PW-3	Water	09/15/2016 1208	09/15/2016 1637
420-110326-4	TW-2	Water	09/15/2016 1223	09/15/2016 1637
420-110326-5	TW-1	Water	09/15/2016 1255	09/15/2016 1637
420-110326-6	TW-5	Water	09/15/2016 1318	09/15/2016 1637
420-110326-7	PW-8	Water	09/15/2016 1335	09/15/2016 1637

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-110326-1

Date Sampled: 09/15/2016 1104
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 1754		
Prep Method: 5030C			Date Prepared:	09/16/2016 1754		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	1.0	U	ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Trichloroethene	39		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	1.0	U	ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-2
Lab Sample ID: 420-110326-1

Date Sampled: 09/15/2016 1104
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate	Acceptance Limits					
Toluene-d8 (Surr)	105		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	105		%	74 - 119		

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-110326-2

Date Sampled: 09/15/2016 1141
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 1830		
Prep Method: 5030C			Date Prepared:	09/16/2016 1830		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	23		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	8.5		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: MW-1
Lab Sample ID: 420-110326-2

Date Sampled: 09/15/2016 1141
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	106		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	09/16/2016 1906		
Prep Method: 5030C			Date Prepared:	09/16/2016 1906		
Trichloroethene	600	D	ug/L	10	10	10

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-110326-3

Date Sampled: 09/15/2016 1208
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 1942		
Prep Method: 5030C			Date Prepared:	09/16/2016 1942		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	55		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.4		ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.1		ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	6.0		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	5.6		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-3
Lab Sample ID: 420-110326-3

Date Sampled: 09/15/2016 1208
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	104		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	98		%	77 - 117		
4-Bromofluorobenzene	105		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	09/19/2016 1300		
Prep Method: 5030C			Date Prepared:	09/19/2016 1300		
Trichloroethene	2500	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-110326-4

Date Sampled: 09/15/2016 1223
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 2053		
Prep Method: 5030C			Date Prepared:	09/16/2016 2053		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	7.7		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	3.2		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-2
Lab Sample ID: 420-110326-4

Date Sampled: 09/15/2016 1223
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	103		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	107		%	74 - 119		
Method: 8260C Run Type: DL				Date Analyzed: 09/16/2016 2129		
Prep Method: 5030C				Date Prepared: 09/16/2016 2129		
Trichloroethene	960	D	ug/L	25	25	25

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-110326-5

Date Sampled: 09/15/2016 1255
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 2204		
Prep Method: 5030C			Date Prepared:	09/16/2016 2204		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	32		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,2,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	13		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	2.3		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-1
Lab Sample ID: 420-110326-5

Date Sampled: 09/15/2016 1255
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	106		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	104		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	09/16/2016 2240		
Prep Method: 5030C			Date Prepared:	09/16/2016 2240		
Trichloroethene	2600	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-110326-6

Date Sampled: 09/15/2016 1318
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/16/2016 2316		
Prep Method: 5030C			Date Prepared:	09/16/2016 2316		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0		ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	3.3		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	16		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.9		ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: TW-5
Lab Sample ID: 420-110326-6

Date Sampled: 09/15/2016 1318
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	104		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	101		%	77 - 117		
4-Bromofluorobenzene	107		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	09/16/2016 2351		
Prep Method: 5030C			Date Prepared:	09/16/2016 2351		
Trichloroethene	2100	D	ug/L	50	50	50

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-110326-7

Date Sampled: 09/15/2016 1335
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Method: 8260C			Date Analyzed:	09/17/2016 0027		
Prep Method: 5030C			Date Prepared:	09/17/2016 0027		
Methylene Chloride	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Chloroform	1.0	U	ug/L	1.0	1.0	1.0
Carbon tetrachloride	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Chlorodibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,2-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Tetrachloroethene	49		ug/L	1.0	1.0	1.0
Chlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Trichlorofluoromethane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1-Trichloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromodichloromethane	1.0	U	ug/L	1.0	1.0	1.0
trans-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,3-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloropropene	1.0	U	ug/L	1.0	1.0	1.0
Bromoform	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Benzene	1.0	U	ug/L	1.0	1.0	1.0
Toluene	1.0	U	ug/L	1.0	1.0	1.0
Ethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	1.0	1.0
Bromomethane	1.0	U	ug/L	1.0	1.0	1.0
Vinyl chloride	1.0	U	ug/L	1.0	1.0	1.0
Chloroethane	1.0	U	ug/L	1.0	1.0	1.0
1,1-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,4-Dichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
Methyl tert-butyl ether	6.1		ug/L	1.0	1.0	1.0
m-Xylene & p-Xylene	2.0	U	ug/L	2.0	2.0	1.0
o-Xylene	1.0	U	ug/L	1.0	1.0	1.0
cis-1,2-Dichloroethene	1.0	U	ug/L	1.0	1.0	1.0
Dibromomethane	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichloropropane	1.0	U	ug/L	1.0	1.0	1.0
Acrylonitrile	1.0	U	ug/L	1.0	1.0	1.0
Styrene	1.0	U	ug/L	1.0	1.0	1.0
Dichlorodifluoromethane	1.0	U	ug/L	1.0	1.0	1.0

Marco DAntonio
SEBI
337 Fullerton Ave.
Second Floor
Newburgh, NY 12550

Job Number: 420-110326-1
Sdg Number: Mobile Media

Client Sample ID: PW-8
Lab Sample ID: 420-110326-7

Date Sampled: 09/15/2016 1335
Date Received: 09/15/2016 1637
Client Matrix: Water

Analyte	Result/Qualifier		Unit	RL	RL	Dilution
Acetone	5.0	U	ug/L	5.0	5.0	1.0
Carbon disulfide	1.0	U	ug/L	1.0	1.0	1.0
2-Butanone (MEK)	1.0	U	ug/L	1.0	1.0	1.0
Vinyl acetate	1.0	U	ug/L	1.0	1.0	1.0
4-Methyl-2-pentanone (MIBK)	5.0	U	ug/L	5.0	5.0	1.0
2-Hexanone	5.0	U	ug/L	5.0	5.0	1.0
Chlorobromomethane	1.0	U	ug/L	1.0	1.0	1.0
2,2-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromoethane	1.0	U	ug/L	1.0	1.0	1.0
1,3-Dichloropropane	1.0	U	ug/L	1.0	1.0	1.0
1,1,1,2-Tetrachloroethane	1.0	U	ug/L	1.0	1.0	1.0
Bromobenzene	1.0	U	ug/L	1.0	1.0	1.0
n-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
sec-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
tert-Butylbenzene	1.0	U	ug/L	1.0	1.0	1.0
2-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
4-Chlorotoluene	1.0	U	ug/L	1.0	1.0	1.0
1,2-Dibromo-3-Chloropropane	5.0	U	ug/L	5.0	5.0	1.0
Hexachlorobutadiene	1.0	U	ug/L	1.0	1.0	1.0
Isopropylbenzene	1.0	U	ug/L	1.0	1.0	1.0
p-Isopropyltoluene	1.0	U	ug/L	1.0	1.0	1.0
Naphthalene	5.0	U	ug/L	5.0	5.0	1.0
N-Propylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,3-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trichlorobenzene	1.0	U	ug/L	1.0	1.0	1.0
1,3,5-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
1,2,4-Trimethylbenzene	1.0	U	ug/L	1.0	1.0	1.0
trans-1,4-Dichloro-2-butene	5.0	U	ug/L	5.0	5.0	1.0
Surrogate				Acceptance Limits		
Toluene-d8 (Surr)	104		%	74 - 129		
1,2-Dichloroethane-d4 (Surr)	100		%	77 - 117		
4-Bromofluorobenzene	109		%	74 - 119		
Method: 8260C Run Type: DL			Date Analyzed:	09/17/2016 0103		
Prep Method: 5030C			Date Prepared:	09/17/2016 0103		
Trichloroethene	4200	D	ug/L	50	50	50

DATA REPORTING QUALIFIERS

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Lab Section	Qualifier	Description
GC/MS VOA	D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: SEBI

Job Number:

Sdg Number: Mobile Media

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Silicon, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Phenolphthalien Alkalinity, Solids (Fixed), Solids (Percent), Solids (Percent Moisture) , Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), Total Inorganic Carbon, Volatile Acids as Acetic Acid, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, Iron Bacteria, Salmonella, & Sulfur Reducing Bacteria.

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Cobalt (200.7, 200.8), Tin (200.7), Strontium (200.7), Gold (200.7), Platinum (200.7), Palladium (200.7), Titanium (200.7), Phosphorus (365.3), Nitrate-Nitrite (10-107-4-1C, 353.2), m-Xylene & p-Xylene (502.2, 524), Naphthalene (502.2), o-Xylene (502.2, 524), & Fecal Coliform (9222D).

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), & MCPA (8151A).

Definitions and Glossary

Client: SEBI

Job Number:

Sdg Number: Mobile Media

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories Inc.

CHAIN OF CUSTODY

315 Fullerton Avenue
Newburgh, NY 12550
TEL (845) 562-0890
FAX (845) 562-0841

110326

CUSTOMER NAME <i>EnviroTest</i>	
ADDRESS <i>387 Fullerton Ave</i>	
CITY, STATE, ZIP <i>Newburgh NY 12550</i>	
NAME OF CONTACT <i>Sean Morgan</i>	PHONE NO. <i>845 789 1307</i>
PROJECT LOCATION <i>mobile medley</i>	
PROJECT NUMBER / PO NO.	

REPORT TYPE STANDARD ☒ ISRA ☐ NJ REG ☐ NYASP A ☐ B ☐ CLP ☐ OTHER _____	TURNAROUND ☒ NORMAL ☐ QUICK ☐ VERBAL	REPORT # (Lab Use Only) SAMPLE TEMP. <i>5.8</i> SAMPLE REC'D ON ICE ☒ ☐ N ph CHECK ☐ Y ☐ N CHLORINE (RESIDUAL) ☐ Y ☐ N REVIEWED BY: _____
NY PUBLIC WATER SUPPLIES SOURCE ID _____ ELAP TYPE _____ FEDERAL ID _____		

Matrix
DW = DRINKING WATER S = SOIL O = OIL
WW = WASTE WATER SL = SLUDGE GW = GROUND WATER

NOTE: SAMPLE TEMPERATURE UPON
RECEIPT MUST BE 4° ± 2°C.

NOTE: SAMPLE TEMPERATURE UPON RECEIPT MUST BE 4° ± 2°C.									
ETL #	SAMPLING DATE	TIME	AM	PM	COMP	GRAB	MATRIX	CLIENT I.D.	
	9/15	11:44			X		CW	PW-2	2
		11:41			X			MW-1	2
		12:08			X			PW-3	2
		12:23			X			TW-2	2
		12:55			X			+W-1	2
		13:18			X			TW-5	2
		13:38			X			PW-8	2

ANALYSIS REQUESTED

SAMPLES SUBMITTED FOR ANALYSIS WILL BE SUBJECT TO THE ETL TERMS AND CONDITIONS OF SALE UNLESS ALTERNATE TERMS ARE AGREED IN WRITING.

RELINQUISHED BY <i>Sean Morgan</i>	DATE 9/15/16	TIME 16:37	COMPANY SEBT	RECEIVED BY	DATE	TIME
SAMPLED BY <i>Sean Morgan</i>	DATE 9/15/16	TIME 16:37	COMPANY SEBT	RECEIVED BY	DATE	TIME
RELINQUISHED BY	DATE	TIME	COMPANY	RECEIVED BY <i>Sean Morgan</i>	DATE 9-15-16	TIME 16:37

COMMENTS

LOGIN SAMPLE RECEIPT CHECK LIST

Client: SEBI

Job Number: 420-110326-1

SDG Number: Mobile Media

Login Number: 110326

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	5.8 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	



NY/NJ CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Cooler: Yes ☒ No ☐
Coolant: IPK ☒ ICE ☐

Temp 4 °C Pg of

Contact Options:

Fax: ☐
Phone: ☐
Email: ☒

Project P.O.: 1509-1530

Project: NY931 - MOBILE MEDIA

This section MUST be completed with Bottle Quantities.

Report to: CAGS MAIL

Invoice to: C2G1

Client Sample - Information - Identification

Sampler's Signature: *Carol Malle* Date: 9/1/15

Matrix Code: DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe
OIL=Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
86394	N2087-MW-1	GW	9/1/15	1435
86395	N2087-MW-2	GW	9/1/15	1450
86396	N2087-MW-3	GW	9/1/15	1505
86397	N2087-MW-4	GW	9/1/15	1520
86398	N2087-TW-4	GW	9/1/15	1535
86399	N2087-TW-1	GW	9/1/15	1555
86400	N2087-TW-2	GW	9/1/15	1605
86401	N2087-TW-3	GW	9/1/15	1620

Analysis Request

09728

Relinquished by: *Carol Malle*

Accepted by: *Carol Malle*

Date: 9-3-15

Time: 11:55

9/3/15 1717

Comments, Special Requirements or Regulations:

Turnaround:

☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☒ 5 Days
☐ 10 Days
☐ Other

NJ

☐ Res. Criteria
☐ Non-Res. Criteria
☐ Impact to GW Soil
☐ Cleanup Criteria
☐ GW Criteria

NY

☐ TAGM 4046 GW
☐ TAGM 4046 SOIL
☐ NY375 Unrestricted Use Soil
☐ NY375 Residential Soil
☐ Restricted/Residential Commercial
☐ Industrial

Data Format

☐ Phoenix Std Report
☐ Excel
☒ PDF
☐ GIS/Key
☐ EQUIS
☐ NJ Hazsite EDD
☐ NY EZ EDD (ASP)
☐ Other

Data Package

☐ NJ Reduced Deliv.*
☐ NY Enhanced (ASP B)*
☐ Other

State where samples were collected: NY

Appendix B-3 Vapor Analytical Results



Tuesday, February 16, 2016

Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Project ID: MOBIL
Sample ID#s: BK64468 - BK64472

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 16, 2016

FOR: Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Sample Information

Matrix: AIR
Location Code: SEBI
Rush Request: Standard
P.O.#:
Canister Id: 12863

Custody Information

Collected by: SM
Received by: LB
Analyzed by: see "By" below

Date Time
02/09/16 13:09
02/11/16 16:20

Project ID: MOBIL
Client ID: DUP

Laboratory Data

SDG ID: GBK64468
Phoenix ID: BK64468

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Volatiles (TO15)								
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	
1,1,2-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	02/12/16	KCA	0	
1,2,4-Trimethylbenzene	0.855	0.204	4.20	1.00	02/12/16	KCA	0	
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,2-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,2-dichloropropane	ND	0.217	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	02/12/16	KCA	0	
1,3,5-Trimethylbenzene	0.259	0.204	1.27	1.00	02/12/16	KCA	0	
1,3-Butadiene	ND	0.452	ND	1.00	02/12/16	KCA	0	
1,3-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dioxane	ND	0.278	ND	1.00	02/12/16	KCA	0	
2-Hexanone(MBK)	1.26	0.244	5.16	1.00	02/12/16	KCA	0	1
4-Ethyltoluene	0.288	0.204	1.41	1.00	02/12/16	KCA	0	1
4-Isopropyltoluene	0.331	0.182	1.82	1.00	02/12/16	KCA	0	1
4-Methyl-2-pentanone(MIBK)	0.292	0.244	1.20	1.00	02/12/16	KCA	0	
Acetone	51.4	2.11	122	5.01	02/12/16	KCA	5	
Acrylonitrile	ND	0.461	ND	1.00	02/12/16	KCA	0	
Benzene	0.410	0.313	1.31	1.00	02/12/16	KCA	0	
Benzyl chloride	ND	0.193	ND	1.00	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	0.231	0.149	1.55	1.00	02/12/16	KCA	0	
Bromoform	ND	0.097	ND	1.00	02/12/16	KCA	0	
Bromomethane	ND	0.258	ND	1.00	02/12/16	KCA	0	
Carbon Disulfide	1.36	0.321	4.23	1.00	02/12/16	KCA	0	
Carbon Tetrachloride	0.084	0.040	0.53	0.25	02/12/16	KCA	0	
Chlorobenzene	ND	0.217	ND	1.00	02/12/16	KCA	0	
Chloroethane	ND	0.379	ND	1.00	02/12/16	KCA	0	
Chloroform	0.498	0.205	2.43	1.00	02/12/16	KCA	0	
Chloromethane	ND	0.485	ND	1.00	02/12/16	KCA	0	
Cis-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Cyclohexane	ND	0.291	ND	1.00	02/12/16	KCA	0	
Dibromochloromethane	ND	0.118	ND	1.00	02/12/16	KCA	0	
Dichlorodifluoromethane	0.404	0.202	2.00	1.00	02/12/16	KCA	0	
Ethanol	4.43	S 0.531	8.34	1.00	02/12/16	KCA	0	1
Ethyl acetate	0.298	0.278	1.07	1.00	02/12/16	KCA	0	1
Ethylbenzene	2.23	0.230	9.7	1.00	02/12/16	KCA	0	
Heptane	0.702	0.244	2.88	1.00	02/12/16	KCA	0	
Hexachlorobutadiene	ND	0.094	ND	1.00	02/12/16	KCA	0	
Hexane	0.638	S 0.284	2.25	1.00	02/12/16	KCA	0	
Isopropylalcohol	71.7	2.04	176	5.01	02/12/16	KCA	5	
Isopropylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
m,p-Xylene	4.08	0.230	17.7	1.00	02/12/16	KCA	0	
Methyl Ethyl Ketone	6.19	0.339	18.2	1.00	02/12/16	KCA	0	
Methyl tert-butyl ether(MTBE)	1.47	0.278	5.30	1.00	02/12/16	KCA	0	
Methylene Chloride	ND	0.288	ND	1.00	02/12/16	KCA	0	
n-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
o-Xylene	8.43	0.230	36.6	1.00	02/12/16	KCA	0	
Propylene	7.46	0.581	12.8	1.00	02/12/16	KCA	0	1
sec-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
Styrene	2.20	0.235	9.37	1.00	02/12/16	KCA	0	
Tetrachloroethene	0.198	0.037	1.34	0.25	02/12/16	KCA	0	
Tetrahydrofuran	ND	0.339	ND	1.00	02/12/16	KCA	0	1
Toluene	1.84	0.266	6.93	1.00	02/12/16	KCA	0	
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Trichloroethene	2.84	0.047	15.3	0.25	02/12/16	KCA	0	
Trichlorofluoromethane	0.245	0.178	1.38	1.00	02/12/16	KCA	0	
Trichlorotrifluoroethane	ND	0.131	ND	1.00	02/12/16	KCA	0	
Vinyl Chloride	ND	0.098	ND	0.25	02/12/16	KCA	0	
<u>QA/QC Surrogates</u>								
% Bromofluorobenzene	119	%	119	%	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level


QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

S - Laboratory solvent, contamination is possible.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 16, 2016

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 16, 2016

FOR: Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Sample Information

Matrix: AIR
Location Code: SEBI
Rush Request: Standard
P.O.#:
Canister Id: 491

Custody Information

Collected by: SM
Received by: LB
Analyzed by: see "By" below

Date Time
02/09/16 13:09
02/11/16 16:20

Project ID: MOBIL
Client ID: UP-1

Laboratory Data

SDG ID: GBK64468
Phoenix ID: BK64469

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Volatiles (TO15)								
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	
1,1,2-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	02/12/16	KCA	0	
1,2,4-Trimethylbenzene	0.676	0.204	3.32	1.00	02/12/16	KCA	0	
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,2-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,2-dichloropropane	ND	0.217	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	02/12/16	KCA	0	
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
1,3-Butadiene	ND	0.452	ND	1.00	02/12/16	KCA	0	
1,3-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dioxane	ND	0.278	ND	1.00	02/12/16	KCA	0	
2-Hexanone(MBK)	0.702	0.244	2.87	1.00	02/12/16	KCA	0	1
4-Ethyltoluene	0.228	0.204	1.12	1.00	02/12/16	KCA	0	1
4-Isopropyltoluene	0.238	0.182	1.31	1.00	02/12/16	KCA	0	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	02/12/16	KCA	0	
Acetone	36.3	0.421	86.2	1.00	02/12/16	KCA	0	
Acrylonitrile	ND	0.461	ND	1.00	02/12/16	KCA	0	
Benzene	0.395	0.313	1.26	1.00	02/12/16	KCA	0	
Benzyl chloride	ND	0.193	ND	1.00	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	0.172	0.149	1.15	1.00	02/12/16	KCA	0	
Bromoform	ND	0.097	ND	1.00	02/12/16	KCA	0	
Bromomethane	ND	0.258	ND	1.00	02/12/16	KCA	0	
Carbon Disulfide	0.917	0.321	2.85	1.00	02/12/16	KCA	0	
Carbon Tetrachloride	0.081	0.040	0.51	0.25	02/12/16	KCA	0	
Chlorobenzene	ND	0.217	ND	1.00	02/12/16	KCA	0	
Chloroethane	ND	0.379	ND	1.00	02/12/16	KCA	0	
Chloroform	0.325	0.205	1.59	1.00	02/12/16	KCA	0	
Chloromethane	ND	0.485	ND	1.00	02/12/16	KCA	0	
Cis-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Cyclohexane	ND	0.291	ND	1.00	02/12/16	KCA	0	
Dibromochloromethane	ND	0.118	ND	1.00	02/12/16	KCA	0	
Dichlorodifluoromethane	0.442	0.202	2.18	1.00	02/12/16	KCA	0	
Ethanol	4.79	S 0.531	9.02	1.00	02/12/16	KCA	0	1
Ethyl acetate	0.407	0.278	1.47	1.00	02/12/16	KCA	0	1
Ethylbenzene	1.64	0.230	7.12	1.00	02/12/16	KCA	0	
Heptane	0.533	0.244	2.18	1.00	02/12/16	KCA	0	
Hexachlorobutadiene	ND	0.094	ND	1.00	02/12/16	KCA	0	
Hexane	0.562	S 0.284	1.98	1.00	02/12/16	KCA	0	
Isopropylalcohol	112	E 0.407	275	1.00	02/12/16	KCA	0	
Isopropylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
m,p-Xylene	3.21	0.230	13.9	1.00	02/12/16	KCA	0	
Methyl Ethyl Ketone	3.39	0.339	10.0	1.00	02/12/16	KCA	0	
Methyl tert-butyl ether(MTBE)	0.974	0.278	3.51	1.00	02/12/16	KCA	0	
Methylene Chloride	0.435	S 0.288	1.51	1.00	02/12/16	KCA	0	
n-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
o-Xylene	6.48	0.230	28.1	1.00	02/12/16	KCA	0	
Propylene	6.84	0.581	11.8	1.00	02/12/16	KCA	0	1
sec-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
Styrene	1.43	0.235	6.09	1.00	02/12/16	KCA	0	
Tetrachloroethene	0.123	0.037	0.83	0.25	02/12/16	KCA	0	
Tetrahydrofuran	ND	0.339	ND	1.00	02/12/16	KCA	0	1
Toluene	1.63	0.266	6.14	1.00	02/12/16	KCA	0	
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Trichloroethene	1.86	0.047	10.0	0.25	02/12/16	KCA	0	
Trichlorofluoromethane	0.244	0.178	1.37	1.00	02/12/16	KCA	0	
Trichlorotrifluoroethane	ND	0.131	ND	1.00	02/12/16	KCA	0	
Vinyl Chloride	ND	0.098	ND	0.25	02/12/16	KCA	0	
<u>QA/OC Surrogates</u>								
% Bromofluorobenzene	113	%	113	%	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.


Comments:

E = Estimated value quantitated above calibration range for this compound.

S - Laboratory solvent, contamination is possible.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 16, 2016

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 16, 2016

FOR: Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Sample Information

Matrix: AIR
Location Code: SEBI
Rush Request: Standard
P.O.#:
Canister Id: 483

Custody Information

Collected by: SM
Received by: LB
Analyzed by: see "By" below

Date Time
02/09/16 13:21
02/11/16 16:20

Laboratory Data

SDG ID: GBK64468
Phoenix ID: BK64470

Project ID: MOBIL
Client ID: AMBIENT

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Volatiles (TO15)								
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	0	
1,1,2-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,1-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	02/12/16	KCA	0	
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,2-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	0	
1,2-dichloropropane	ND	0.217	ND	1.00	02/12/16	KCA	0	
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	02/12/16	KCA	0	
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
1,3-Butadiene	ND	0.452	ND	1.00	02/12/16	KCA	0	
1,3-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	0	
1,4-Dioxane	ND	0.278	ND	1.00	02/12/16	KCA	0	
2-Hexanone(MBK)	ND	0.244	ND	1.00	02/12/16	KCA	0	1
4-Ethyltoluene	ND	0.204	ND	1.00	02/12/16	KCA	0	1
4-Isopropyltoluene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	02/12/16	KCA	0	
Acetone	1.62	S 0.421	3.85	1.00	02/12/16	KCA	0	
Acrylonitrile	ND	0.461	ND	1.00	02/12/16	KCA	0	
Benzene	0.378	0.313	1.21	1.00	02/12/16	KCA	0	
Benzyl chloride	ND	0.193	ND	1.00	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	ND	0.149	ND	1.00	02/12/16	KCA	0	
Bromoform	ND	0.097	ND	1.00	02/12/16	KCA	0	
Bromomethane	ND	0.258	ND	1.00	02/12/16	KCA	0	
Carbon Disulfide	ND	0.321	ND	1.00	02/12/16	KCA	0	
Carbon Tetrachloride	0.082	0.040	0.52	0.25	02/12/16	KCA	0	
Chlorobenzene	ND	0.217	ND	1.00	02/12/16	KCA	0	
Chloroethane	ND	0.379	ND	1.00	02/12/16	KCA	0	
Chloroform	ND	0.205	ND	1.00	02/12/16	KCA	0	
Chloromethane	0.605	0.485	1.25	1.00	02/12/16	KCA	0	
Cis-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Cyclohexane	ND	0.291	ND	1.00	02/12/16	KCA	0	
Dibromochloromethane	ND	0.118	ND	1.00	02/12/16	KCA	0	
Dichlorodifluoromethane	ND	0.202	ND	1.00	02/12/16	KCA	0	
Ethanol	1.93	S 0.531	3.63	1.00	02/12/16	KCA	0	1
Ethyl acetate	ND	0.278	ND	1.00	02/12/16	KCA	0	1
Ethylbenzene	ND	0.230	ND	1.00	02/12/16	KCA	0	
Heptane	ND	0.244	ND	1.00	02/12/16	KCA	0	
Hexachlorobutadiene	ND	0.094	ND	1.00	02/12/16	KCA	0	
Hexane	ND	0.284	ND	1.00	02/12/16	KCA	0	
Isopropylalcohol	0.848	S 0.407	2.08	1.00	02/12/16	KCA	0	
Isopropylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	0	
m,p-Xylene	ND	0.230	ND	1.00	02/12/16	KCA	0	
Methyl Ethyl Ketone	ND	0.339	ND	1.00	02/12/16	KCA	0	
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	02/12/16	KCA	0	
Methylene Chloride	ND	0.288	ND	1.00	02/12/16	KCA	0	
n-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
o-Xylene	ND	0.230	ND	1.00	02/12/16	KCA	0	
Propylene	ND	0.581	ND	1.00	02/12/16	KCA	0	1
sec-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	0	1
Styrene	ND	0.235	ND	1.00	02/12/16	KCA	0	
Tetrachloroethene	ND	0.037	ND	0.25	02/12/16	KCA	0	
Tetrahydrofuran	ND	0.339	ND	1.00	02/12/16	KCA	0	1
Toluene	ND	0.266	ND	1.00	02/12/16	KCA	0	
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	0	
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	0	
Trichloroethene	ND	0.047	ND	0.25	02/12/16	KCA	0	
Trichlorofluoromethane	0.246	0.178	1.38	1.00	02/12/16	KCA	0	
Trichlorotrifluoroethane	ND	0.131	ND	1.00	02/12/16	KCA	0	
Vinyl Chloride	ND	0.098	ND	0.25	02/12/16	KCA	0	
<u>QA/OC Surrogates</u>								
% Bromofluorobenzene	103	%	103	%	02/12/16	KCA	0	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.


RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

S - Laboratory solvent, contamination is possible.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 16, 2016

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 16, 2016

FOR: Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Sample Information

Matrix: AIR
Location Code: SEBI
Rush Request: Standard
P.O.#:
Canister Id: 12873

Custody Information

Collected by: SM
Received by: LB
Analyzed by: see "By" below

Date Time
02/09/16 13:08
02/11/16 16:20

Project ID: MOBIL
Client ID: INDOOR

Laboratory Data

SDG ID: GBK64468
Phoenix ID: BK64471

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
<u>Volatiles (TO15)</u>								
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	1	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	1	
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	1	
1,1,2-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	1	
1,1-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	1	
1,1-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1	
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	02/12/16	KCA	1	
1,2,4-Trimethylbenzene	0.223	0.204	1.10	1.00	02/12/16	KCA	1	
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	02/12/16	KCA	1	
1,2-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,2-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	1	
1,2-dichloropropane	ND	0.217	ND	1.00	02/12/16	KCA	1	
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	02/12/16	KCA	1	
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	1	
1,3-Butadiene	ND	0.452	ND	1.00	02/12/16	KCA	1	
1,3-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,4-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,4-Dioxane	ND	0.278	ND	1.00	02/12/16	KCA	1	
2-Hexanone(MBK)	ND	0.244	ND	1.00	02/12/16	KCA	1	1
4-Ethyltoluene	ND	0.204	ND	1.00	02/12/16	KCA	1	1
4-Isopropyltoluene	ND	0.182	ND	1.00	02/12/16	KCA	1	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	02/12/16	KCA	1	
Acetone	12.7	0.421	30.1	1.00	02/12/16	KCA	1	
Acrylonitrile	ND	0.461	ND	1.00	02/12/16	KCA	1	
Benzene	0.384	0.313	1.23	1.00	02/12/16	KCA	1	
Benzyl chloride	ND	0.193	ND	1.00	02/12/16	KCA	1	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	ND	0.149	ND	1.00	02/12/16	KCA	1	
Bromoform	ND	0.097	ND	1.00	02/12/16	KCA	1	
Bromomethane	ND	0.258	ND	1.00	02/12/16	KCA	1	
Carbon Disulfide	ND	0.321	ND	1.00	02/12/16	KCA	1	
Carbon Tetrachloride	0.083	0.040	0.52	0.25	02/12/16	KCA	1	
Chlorobenzene	ND	0.217	ND	1.00	02/12/16	KCA	1	
Chloroethane	ND	0.379	ND	1.00	02/12/16	KCA	1	
Chloroform	ND	0.205	ND	1.00	02/12/16	KCA	1	
Chloromethane	0.585	0.485	1.21	1.00	02/12/16	KCA	1	
Cis-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1	
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	1	
Cyclohexane	ND	0.291	ND	1.00	02/12/16	KCA	1	
Dibromochloromethane	ND	0.118	ND	1.00	02/12/16	KCA	1	
Dichlorodifluoromethane	0.436	0.202	2.15	1.00	02/12/16	KCA	1	
Ethanol	10.7	0.531	20.1	1.00	02/12/16	KCA	1	1
Ethyl acetate	2.93	0.278	10.6	1.00	02/12/16	KCA	1	1
Ethylbenzene	ND	0.230	ND	1.00	02/12/16	KCA	1	
Heptane	0.406	0.244	1.66	1.00	02/12/16	KCA	1	
Hexachlorobutadiene	ND	0.094	ND	1.00	02/12/16	KCA	1	
Hexane	0.513	S 0.284	1.81	1.00	02/12/16	KCA	1	
Isopropylalcohol	548	E 0.407	1350	1.00	02/12/16	KCA	1	
Isopropylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	1	
m,p-Xylene	0.537	0.230	2.33	1.00	02/12/16	KCA	1	
Methyl Ethyl Ketone	0.380	0.339	1.12	1.00	02/12/16	KCA	1	
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	02/12/16	KCA	1	
Methylene Chloride	ND	0.288	ND	1.00	02/12/16	KCA	1	
n-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	1	1
o-Xylene	ND	0.230	ND	1.00	02/12/16	KCA	1	
Propylene	19.7	0.581	33.9	1.00	02/12/16	KCA	1	1
sec-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	1	1
Styrene	ND	0.235	ND	1.00	02/12/16	KCA	1	
Tetrachloroethene	ND	0.037	ND	0.25	02/12/16	KCA	1	
Tetrahydrofuran	ND	0.339	ND	1.00	02/12/16	KCA	1	1
Toluene	1.20	0.266	4.52	1.00	02/12/16	KCA	1	
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1	
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	1	
Trichloroethene	0.142	0.047	0.76	0.25	02/12/16	KCA	1	
Trichlorofluoromethane	0.263	0.178	1.48	1.00	02/12/16	KCA	1	
Trichlorotrifluoroethane	ND	0.131	ND	1.00	02/12/16	KCA	1	
Vinyl Chloride	ND	0.098	ND	0.25	02/12/16	KCA	1	
<u>QA/OC Surrogates</u>								
% Bromofluorobenzene	106	%	106	%	02/12/16	KCA	1	

Project ID: MOBIL
Client ID: INDOOR

Phoenix I.D.: BK64471

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level


QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

E = Estimated value quantitated above calibration range for this compound.

S - Laboratory solvent, contamination is possible.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 16, 2016

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 16, 2016

FOR: Attn: Marco D'Antonio
SEBI Environmental Services
337 Fullerton Avenue
Newburgh, NY 12550

Sample Information

Matrix: AIR
Location Code: SEBI
Rush Request: Standard
P.O.#:
Canister Id: 18851

Custody Information

Collected by: SM
Received by: LB
Analyzed by: see "By" below

Date

02/09/16 13:27
02/11/16 16:20

Time

Project ID: MOBIL
Client ID: UP-2

Laboratory Data

SDG ID: GBK64468
Phoenix ID: BK64472

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
<u>Volatiles (TO15)</u>								
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	1	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	1	
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	02/12/16	KCA	1	
1,1,2-Trichloroethane	ND	0.183	ND	1.00	02/12/16	KCA	1	
1,1-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	1	
1,1-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1	
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	02/12/16	KCA	1	
1,2,4-Trimethylbenzene	0.460	0.204	2.26	1.00	02/12/16	KCA	1	
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	02/12/16	KCA	1	
1,2-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,2-Dichloroethane	ND	0.247	ND	1.00	02/12/16	KCA	1	
1,2-dichloropropane	ND	0.217	ND	1.00	02/12/16	KCA	1	
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	02/12/16	KCA	1	
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	1	
1,3-Butadiene	ND	0.452	ND	1.00	02/12/16	KCA	1	
1,3-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,4-Dichlorobenzene	ND	0.166	ND	1.00	02/12/16	KCA	1	
1,4-Dioxane	ND	0.278	ND	1.00	02/12/16	KCA	1	
2-Hexanone(MBK)	0.844	0.244	3.46	1.00	02/12/16	KCA	1	1
4-Ethyltoluene	ND	0.204	ND	1.00	02/12/16	KCA	1	1
4-Isopropyltoluene	0.198	0.182	1.09	1.00	02/12/16	KCA	1	1
4-Methyl-2-pentanone(MIBK)	0.344	0.244	1.41	1.00	02/12/16	KCA	1	
Acetone	66.0	4.21	157	10.0	02/12/16	KCA	10	
Acrylonitrile	ND	0.461	ND	1.00	02/12/16	KCA	1	
Benzene	0.413	0.313	1.32	1.00	02/12/16	KCA	1	
Benzyl chloride	ND	0.193	ND	1.00	02/12/16	KCA	1	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Bromodichloromethane	0.219	0.149	1.47	1.00	02/12/16	KCA	1
Bromoform	ND	0.097	ND	1.00	02/12/16	KCA	1
Bromomethane	ND	0.258	ND	1.00	02/12/16	KCA	1
Carbon Disulfide	0.349	0.321	1.09	1.00	02/12/16	KCA	1
Carbon Tetrachloride	0.084	0.040	0.53	0.25	02/12/16	KCA	1
Chlorobenzene	ND	0.217	ND	1.00	02/12/16	KCA	1
Chloroethane	ND	0.379	ND	1.00	02/12/16	KCA	1
Chloroform	6.82	0.205	33.3	1.00	02/12/16	KCA	1
Chloromethane	0.841	0.485	1.74	1.00	02/12/16	KCA	1
Cis-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	1
Cyclohexane	ND	0.291	ND	1.00	02/12/16	KCA	1
Dibromochloromethane	ND	0.118	ND	1.00	02/12/16	KCA	1
Dichlorodifluoromethane	0.447	0.202	2.21	1.00	02/12/16	KCA	1
Ethanol	11.3	0.531	21.3	1.00	02/12/16	KCA	1 1
Ethyl acetate	0.804	0.278	2.90	1.00	02/12/16	KCA	1 1
Ethylbenzene	0.442	0.230	1.92	1.00	02/12/16	KCA	1
Heptane	0.268	0.244	1.10	1.00	02/12/16	KCA	1
Hexachlorobutadiene	ND	0.094	ND	1.00	02/12/16	KCA	1
Hexane	0.334	S 0.284	1.18	1.00	02/12/16	KCA	1
Isopropylalcohol	3.05	S 0.407	7.49	1.00	02/12/16	KCA	1
Isopropylbenzene	ND	0.204	ND	1.00	02/12/16	KCA	1
m,p-Xylene	1.60	0.230	6.94	1.00	02/12/16	KCA	1
Methyl Ethyl Ketone	9.88	0.339	29.1	1.00	02/12/16	KCA	1
Methyl tert-butyl ether(MTBE)	0.418	0.278	1.51	1.00	02/12/16	KCA	1
Methylene Chloride	ND	0.288	ND	1.00	02/12/16	KCA	1
n-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	1 1
o-Xylene	0.730	0.230	3.17	1.00	02/12/16	KCA	1
Propylene	5.24	0.581	9.01	1.00	02/12/16	KCA	1 1
sec-Butylbenzene	ND	0.182	ND	1.00	02/12/16	KCA	1 1
Styrene	1.04	0.235	4.43	1.00	02/12/16	KCA	1
Tetrachloroethene	0.058	0.037	0.39	0.25	02/12/16	KCA	1
Tetrahydrofuran	ND	0.339	ND	1.00	02/12/16	KCA	1 1
Toluene	0.680	0.266	2.56	1.00	02/12/16	KCA	1
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	02/12/16	KCA	1
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	02/12/16	KCA	1
Trichloroethene	0.833	0.047	4.47	0.25	02/12/16	KCA	1
Trichlorofluoromethane	0.238	0.178	1.34	1.00	02/12/16	KCA	1
Trichlorotrifluoroethane	ND	0.131	ND	1.00	02/12/16	KCA	1
Vinyl Chloride	ND	0.098	ND	0.25	02/12/16	KCA	1
<u>QA/OC Surrogates</u>							
% Bromofluorobenzene	106	%	106	%	02/12/16	KCA	1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level


QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

S - Laboratory solvent, contamination is possible.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

February 16, 2016

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

February 16, 2016

QA/QC Data

SDG I.D.: GBK64468

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 334878 (ppbv), QC Sample No: BK64382 (BK64468 (0X, 5X) , BK64469 (0X) , BK64470 (0X) , BK64471, BK64472 (1X, 10X))												
Volatiles												
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	108						70 - 130	20
1,1,1-Trichloroethane	ND	0.183	ND	1.00	105						70 - 130	20
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	106						70 - 130	20
1,1,2-Trichloroethane	ND	0.183	ND	1.00	107						70 - 130	20
1,1-Dichloroethane	ND	0.247	ND	1.00	101						70 - 130	20
1,1-Dichloroethene	ND	0.252	ND	1.00	101						70 - 130	20
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	143						70 - 130	20
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	119						70 - 130	20
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	106						70 - 130	20
1,2-Dichlorobenzene	ND	0.166	ND	1.00	110						70 - 130	20
1,2-Dichloroethane	ND	0.247	ND	1.00	102						70 - 130	20
1,2-dichloropropane	ND	0.216	ND	1.00	100						70 - 130	20
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	99						70 - 130	20
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	113						70 - 130	20
1,3-Butadiene	ND	0.452	ND	1.00	101						70 - 130	20
1,3-Dichlorobenzene	ND	0.166	ND	1.00	115						70 - 130	20
1,4-Dichlorobenzene	ND	0.166	ND	1.00	111						70 - 130	20
1,4-Dioxane	ND	0.278	ND	1.00	113						70 - 130	20
2-Hexanone(MBK)	ND	0.244	ND	1.00	111						70 - 130	20
4-Ethyltoluene	ND	0.204	ND	1.00	112						70 - 130	20
4-Isopropyltoluene	ND	0.182	ND	1.00	115						70 - 130	20
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	101						70 - 130	20
Acetone	ND	0.421	ND	1.00	96						70 - 130	20
Acrylonitrile	ND	0.461	ND	1.00	90						70 - 130	20
Benzene	ND	0.313	ND	1.00	101						70 - 130	20
Benzyl chloride	ND	0.193	ND	1.00	120						70 - 130	20
Bromodichloromethane	ND	0.149	ND	1.00	102						70 - 130	20
Bromoform	ND	0.097	ND	1.00	110						70 - 130	20
Bromomethane	ND	0.257	ND	1.00	106						70 - 130	20
Carbon Disulfide	ND	0.321	ND	1.00	104						70 - 130	20
Carbon Tetrachloride	ND	0.040	ND	0.25	106						70 - 130	20
Chlorobenzene	ND	0.217	ND	1.00	107						70 - 130	20
Chloroethane	ND	0.379	ND	1.00	99						70 - 130	20
Chloroform	ND	0.205	ND	1.00	101						70 - 130	20
Chloromethane	ND	0.484	ND	1.00	107						70 - 130	20
Cis-1,2-Dichloroethene	ND	0.256	ND	1.01	103						70 - 130	20
cis-1,3-Dichloropropene	ND	0.220	ND	1.00	98						70 - 130	20
Cyclohexane	ND	0.291	ND	1.00	104						70 - 130	20
Dibromochloromethane	ND	0.117	ND	1.00	105						70 - 130	20
Dichlorodifluoromethane	ND	0.202	ND	1.00	108						70 - 130	20

QA/QC Data


SDG I.D.: GBK64468

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethanol	ND	0.531	ND	1.00	103						70 - 130	20
Ethyl acetate	ND	0.278	ND	1.00	106						70 - 130	20
Ethylbenzene	ND	0.230	ND	1.00	109						70 - 130	20
Heptane	ND	0.244	ND	1.00	101						70 - 130	20
Hexachlorobutadiene	ND	0.094	ND	1.00	141						70 - 130	20
Hexane	ND	0.284	ND	1.00	102						70 - 130	20
Isopropylalcohol	ND	0.407	ND	1.00	106						70 - 130	20
Isopropylbenzene	ND	0.204	ND	1.00	111						70 - 130	20
m,p-Xylene	ND	0.230	ND	1.00	114						70 - 130	20
Methyl Ethyl Ketone	ND	0.339	ND	1.00	103						70 - 130	20
Methyl tert-butyl ether(MTBE)	ND	0.277	ND	1.00	106						70 - 130	20
Methylene Chloride	ND	0.288	ND	1.00	99						70 - 130	20
n-Butylbenzene	ND	0.182	ND	1.00	110						70 - 130	20
o-Xylene	ND	0.230	ND	1.00	110						70 - 130	20
Propylene	ND	0.581	ND	1.00	108						70 - 130	20
sec-Butylbenzene	ND	0.182	ND	1.00	110						70 - 130	20
Styrene	ND	0.235	ND	1.00	112						70 - 130	20
Tetrachloroethene	ND	0.037	ND	0.25	109						70 - 130	20
Tetrahydrofuran	ND	0.339	ND	1.00	96						70 - 130	20
Toluene	ND	0.266	ND	1.00	108						70 - 130	20
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	101						70 - 130	20
trans-1,3-Dichloropropene	ND	0.220	ND	1.00	82						70 - 130	20
Trichloroethene	ND	0.047	ND	0.25	101						70 - 130	20
Trichlorofluoromethane	ND	0.178	ND	1.00	108						70 - 130	20
Trichlorotrifluoroethane	ND	0.131	ND	1.00	109						70 - 130	20
Vinyl Chloride	ND	0.098	ND	0.25	105						70 - 130	20
% Bromofluorobenzene	103	%	103	%	102						70 - 130	20

I = This parameter is outside laboratory LCS/LCSD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
 LCS - Laboratory Control Sample
 LCSD - Laboratory Control Sample Duplicate
 MS - Matrix Spike
 MS Dup - Matrix Spike Duplicate
 NC - No Criteria
 Intf - Interference


 Phyllis Shiller, Laboratory Director
 February 16, 2016

Sample Criteria Exceedences Report
GBK64468 - SEBI

Criteria: None

State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone: 860.645.1102 • Fax: 860.645.1023

CHAIN OF CUSTODY RECORD

AIR ANALYSES

800-827-5426

email: greg@phoenixlabs.com

P.O. #

Page 1 of 1

Data Delivery:

☐ Fax #:

☒ Email: Sean@SebiEnv.com

☐ Phone #:

Report to: Sean Morgan

Customer: Sebi Env.

Address: 337 Fullerton Ave

newbury rd

Invoice to: Sebi Env

Requested Deliverable: RCP ☒ ASP CAT B ☐

MCP ☐ NJ Deliverables ☐

State where samples collected:

Project Name: newbury rd

Requested Deliverable: RCP ☒ ASP CAT B ☐

MCP ☐ NJ Deliverables ☐

State where samples collected:

Phoenix ID #	Client Sample ID	Canister ID #	Canister Size (L)	Outgoing Canister Pressure (" Hg)	Incoming Canister Pressure ("Hg)	Flow Regulator ID #	Flow Controller Setting (mL/min)	Sampling Start Time	Sampling End Time	Sample Start Date	Canister Pressure at Start (" Hg)	Canister Pressure at End ("Hg)	THIS SECTION FOR LAB USE ONLY			Ambient/Indoor Air	Soil Gas	Grab (G) Composite	TO-14	TO-15
													Canister ID #	Canister Size (L)	Outgoing Canister Pressure (" Hg)					
64468	Dwp	12803	6.0	-30	-4	379	10.4	4:57	1:4	2/11/09	29	3.0				X	0		X	
64469	VP-1	491	6.0	-30	-6	5057		4:59	1:09	2/11/09	29	3.5				X	0		X	
64470	Ambient	483	6.0	-30	-3	3187		5:06	1:21	2/11/09	26.5	3.5				X	0		X	
64471	Indoor	12873	6.0	-30	-4	5038		4:51	1:09	2/11/09	30	3.0				X	0		X	
64472	VP-2	18851	6.0	-30	-4	5059		5:18	1:27	2/11/09	30	5.0				X	0		X	

Relinquished by:

Accepted by:

Date:

Time:

Data Format:

Excel ☐

PDF ☒

Equis ☐

Other: ☐

GISKey ☐

SPECIAL INSTRUCTIONS, OC REQUIREMENTS, REGULATORY INFORMATION:

Requested Criteria

Time

Data Format

Excel

PDF

Equis

Other

GISKey

TFCM 11:20

I attest that all media released by Phoenix Environmental Laboratories, Inc. have been received in good working condition and agree to the terms and conditions as listed on the back of this document.

Quote Number:

Signature:

Date:

Appendix C Boring Logs

William L. Going & Associates, Inc.		Subsurface Soil Boring Log		MW-1 North of Building Sheet 1 of 1		Date Started: 01/06/2015 Date Finished: 01/06/2015 Time:	
Client: Mobile Media, 175 Kelly Ave Location: Pine Bush, NY				Method of Investigation: Hollow stem augers Driller: Soiltesting, Inc. Oxford, CT			
Project Manager: Wm. L Going Project Geologist: K.J. Beinkafner Top PVC Casing Elevation = 102.48 ft rel to 100 @MW-				Driller: Brock Helper: Drill Rig: Deiderich D-120		Weather: <30F Sunny	
Depth (ft.)	Soil Boring		Recovery (in.)	Sample Description	Well Details	Groundwater and other Observations	
	No.	Depth (ft.)					
		0-5.0		dk gray brown silt with f-m sand, roots		2' Stickup with cement collar & mounded cuttings 12 ft PVC Sch 40 2-in diam riser Backfill Cuttings 0.5 - 8 ft	
5							
		5.0-10		yellow brown sorted granular silt & vf-f sand			
10				Water table about 7 feet below surface			
15		10.-22.		silty clay, no return on auger split spoon 20-22 ft dark gray slightly silty clay, wet on outside, sticky, plastic		Bentonite 8-9 ft No. 1 Sand 9-20 ft 10 ft Sch 40 PVC 2-in diam screen Slot size 0.010" 10-20 ft	
				End of Boring = 22 ft, TD of well at 20 feet		2" PVC end cap	

Sample Types:

S=Split Spoon:

R= Rock Core:

O = 2 ft contiuous sampler

Backfill Well Key

Cuttings

Sand

Bentonite

N = ASTM D1586

William L. Going & Associates, Inc.		Subsurface Soil Boring Log		MW-2 East of Building Sheet 1 of 1		Date Started: 01/06/2015 Date Finished: 01/06/2015 Time:	
Client: Mobile Media, 175 Kelly Ave Location: Pine Bush, NY				Method of Investigation: Hollow Stem Augers Driller: Soiltesting, Inc. Oxford, CT			
Project Manager: Wm. L Going Project Geologist: K.J. Beinkafner Top PVC Casing Elevation = 100.44 rel to MW3 @ 100				Driller: Brock Helper:		Weather: <30F Sunny	
Depth (ft.)		Soil Boring No. Depth (ft.) Recovery (in.)		Sample Description		Well Details	
		0-2.5		very dk br f-m-c sand, trace gravel, roots		2' stickup with cement collar mounded cuttings 7 ft Sch 40 PVC 2-in diam riser 0.5-4 ft backfill cuttings 4-5 ft Bemtonite Seal 4-15 ft No 1 Sand 5-15 ft 10 ft Sch 40 PVC Screen Slot size 0.010" 2" PVC end cap	
		2.5-5.0		med brown granular f-m-c-vc sand, trace gravel			
5							
10		8.0-10.		Water table at about 7.5 feet below surface yellow brown granular silt w vf-f sand, no gravel well sorted			
15		10.-17.		gray brown silty clay, rolls snakes, compact, damp to moist on outside only, sticky, plastic			
				Total Depth of Well = 15 feet			
				15-17 split spoon sample: gray brown silty clay as above			

Sample Types:
S=Split Spoon:
R= Rock Core:

T= Shelby Tube:
O = 2 ft contiuous sampler

Cuttings
 Sand
 Bentonite

Backfill Well Key
 Cuttings
 Sand
 Bentonite

N = ASTM D1586

William L. Going & Associates, Inc.		Subsurface Soil Boring Log	MW-3 South of Building Sheet 1 of 1	Date Started: 01/06/2015 Date Finished: 01/06/2015 Time:
Client: Mobile Media, 175 Kelly Ave Location: Pine Bush, NY		Method of Investigation: Hollow Stem Augers Driller: Soiltesting, Inc. Oxford, CT		
Project Manager: Wm. L Going Project Geologist: K.J. Beinkafner Top of PVC Elevation = 100.00, Benchmark for all MWs		Driller: Brock Helper: Drill Rig: Deiderich D-120		Weather: <30F Sunny

Depth (ft.)	Soil Boring		Recovery (in.)	Sample Description	Well Details	Groundwater and other Observations			
	No.	Depth (ft.)							
		0.0-5.0		med gray brown silt with fmc sand		top pvc slightly below grade in parking area cone on top			
5									-10 ft Sch 40 PVC 2-in diam riser
									0-8 ft backfill cuttings
		5.0-10.		med gray brown silt with fm sand					
10									
				Water table at about 7.5 ft below surface					
15									
		12.5 -		wet gray silty clay, plastic, sticky		8-9 ft Bentonite Seal			
15									
				Total Depth of Well - 15 feet		9-15 ft No 1 Sand			

William L. Going & Associates, Inc.		Subsurface Soil Boring Log		MW-4 West of Building Sheet 1 of 1		Date Started: 01/06/2015 Date Finished: 01/06/2015 Time:	
Client: Mobile Media, 175 Kelly Ave Location: Pine Bush, NY				Method of Investigation: Hollow Stem Augers Driller: Soiltesting, Inc. Oxford, CT			
Project Manager: Wm. L Going Project Geologist: K.J. Beinkafner Top PVC Casing Elevation = 104.75 rel to MW3 @ 100				Driller: Brock Helper:		Weather: <30F Sunny	
Depth (ft.)		Soil Boring No. Depth (ft.) Recovery (in.)		Sample Description		Well Details	
		0.0-5.0		gray brown sand & vc sand size rock fragments (fill)			
5				gray brown sand & vc sand size rock fragments, trace of gravel size rock fragments			
		5.0-10.0		gray brown sand & vc sand size rock fragments, trace of gravel size rock fragments Water Table at about 7.5 ft below surface			
10				Water Table at about 7.5 ft below surface			
		10-15.		moist light brown f-m sand			
15				moist light brown f-m sand Total Depth of Well = 17 feet			
		15-17		saturated med gray brown granular silt & f-m sand			
				split spoon: wet gray silty clay, rolls snames Total Depth of Well = 17 feet			
		17-19		split spoon: wet gray silty clay, rolls snames			
Sample Types: S=Split Spoon: T= Shelby Tube: _____ R= Rock Core: O = 2 ft contiuous sampler				Backfill Well Key Cuttings Sand Bentonite			

C2G Environmental Consultants, LLC

Subsurface Investigation Report

24 Center Street, Pine Bush, NY

Description of Geoprobe Soil Borings:

Core	Depth	Description	PID
TW-1	0 – 2 feet	No Recovery	N/A
	2 – 3 feet	Dark Brown Sandy Loam and Pebbles	0.8 ppm
	3 – 4 feet	Dark Brown and Light Brown Sandy Clay	0.0 ppm
	4 – 5 feet	Brown Medium Sand	0.0 ppm
	5 – 6 feet	No Recovery	N/A
	6 – 8 feet	Light Brown and Orange Medium to Coarse Sand	0.0 ppm
	8 – 10 feet	Brown Fine Silty Sand – Wet	1.3 – 12.3 ppm
	10 – 11 feet	No Recovery	N/A
	11 – 12 feet	Brown Clay – Wet	3.4 – 27.6 ppm
	12 – 13 feet	Light Brown Silty Sand – Wet	23.7 ppm
	13 – 14 feet	Light Brown Silty Clay – Wet	27.4 ppm
	14 – 15 feet	Light Brown and Gray Silty Sand – Wet	21.9 ppm
	15 – 16 feet	No Recovery	N/A
	16 – 17.5 feet	Light Gray Silty Clay – Wet	0.2 – 15.3 ppm
	17.5 – 18 feet	Light Gray Silty Clay	0.0 ppm
TW-2	0 – 2 feet	No Recovery	N/A
	2 – 3 feet	Brown Sandy Loam	0.0 ppm
	3 – 4 feet	Light Brown Medium Sand	0.0 ppm
	4 – 5 feet	Light Brown Fine to Medium Sand	0.0 ppm
	5 – 6 feet	Brown and Gray Medium Sand	0.0 ppm
	6 – 6.5 feet	Brown Silty Sand – Wet	0.0 ppm
	6.5 – 7.5 feet	Brown Clay	0.8 – 1.5 ppm
	7.5 – 9 feet	Light Brown and Gray Medium Sand	4.3 – 7.1 ppm
	9 – 10 feet	Light Brown and Gray Medium Sand – Wet	15.0 – 29.0 ppm
	10 – 10.5 feet	No Recovery	N/A
	10.5 – 11 feet	Light Brown and Gray Silty Clay	3.8 ppm
	11 – 12 feet	Light Brown and Gray Silty Sand – Wet	0.0 ppm
	12 – 15 feet	Light Brown and Gray Fine Sand – Wet	0.8 – 2.8 ppm
	15 – 17 feet	No Recovery	N/A
	17 – 18 feet	Gray Silty Clay	0.0 ppm
	18 – 20 feet	Gray Clay	0.0 ppm

C₂G Environmental Consultants, LLC

Subsurface Investigation Report

24 Center Street, Pine Bush, NY

TW-3	0 – 1.5 feet	No Recovery	N/A
	1.5 – 3 feet	Light Brown and Brown Sandy Loam	0.0 ppm
	3 – 5 feet	Light Brown/Orange/White Medium to Coarse Sand	0.0 ppm
	5 – 6 feet	No Recovery	N/A
	6 – 8.5 feet	Light Brown Fine Sand	0.0 ppm
	8.5 – 10 feet	Light Brown Fine Sand – Wet	0.5 ppm
	10 – 10.5 feet	Brown Medium Sand	1.6 ppm
	10.5 – 11.5 feet	Light Brown Sandy Clay – Wet	2.1 ppm
	11.5 – 13.5 feet	Gray Fine Silty Sand – Wet	2.1 – 6.9 ppm
	13.5 – 15 feet	Gray Clay	0.0 ppm
TW-4	0 – 2 feet	No Recovery	N/A
	2 – 3 feet	Dark Brown Sandy Loam	0.0 ppm
	3 – 3.5 feet	Dark Brown and Brown Sandy Clay	0.0 ppm
	3.5 – 5 feet	Dark Brown and Brown Fine to Medium Sand	0.0 ppm
	5 – 6.5 feet	No Recovery	N/A
	6.5 – 8 feet	Dark Brown Fine Sand	0.0 ppm
	8 – 8.5 feet	Brown and Gray Clay	0.0 ppm
	8.5 – 9.5 feet	Brown Fine Silty Sand	0.0 ppm
	9.5 – 10 feet	Dark Brown Coarse Sand	0.0 ppm
	10 – 11.5 feet	No Recovery	N/A
	11.5 – 13 feet	Dark Brown and White Coarse Sand – Wet	0.0 ppm
	13 – 15 feet	Dark Brown and White Fine Sand – Wet	0.0 ppm
	15 – 17 feet	Dark Brown Fine Sand – Wet	0.0 ppm
	17 – 18 feet	Brown Fine Silty Sand – Wet	0.0 ppm
	18 – 20 feet	Brown and Gray Clay	0.0 ppm

Groundwater was encountered within all four (4) soil borings at depths ranging from approximately seven (7) to eleven and one-half (11.5) feet below grade. All four (4) soil borings were subsequently converted into one-inch (1”) diameter groundwater monitoring wells. On September 1, 2015, C₂G collected a total of eight (8) groundwater samples from the monitoring wells at the subject site. One (1) groundwater sample was collected from each of the two-inch (2”) diameter monitoring wells MW-1 through MW-4 and one (1) groundwater sample was collected from each of the one-inch (1”) diameter monitoring wells TW-1 through TW-4. Groundwater sample collection and results are outlined in Section 5.1 of this report. Please refer to Figure 2 for a depiction of monitoring well locations.

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	31"	0	0-5" Dark brown loam	0.2 PPM	casing	
				0.5	5-7" Concrete and stone			
				1	7-11" Fine tan sand			
				1.5	11-19" brown silty clay			
				2	19"-31" tan silty clay w/ medium to fine sand			
				2.5				
				3				
				3.5				
				4				
		4-8'	38"	4.5	0-9" same SAMPLE	0.0 PPM	Screening	
				5	9-29" tan silty sand-wet			
				5.5				
				6				
				6.5				
				7	29-38" dark brown fine sand			
				7.5				
				8				
		8-12'	48"	8.5	0-24" Same	0.0 PPM		
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
				12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
							NA	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	43"	0	0-14" asphalt, millings and road base 14-43" brown med to fine sand trace silt and fine gravel.	0.0 PPM	casing	
				0.5				
				1				
				1.5				
				2				
				2.5				
				3				
				3.5				
				4				
		4-8'	44"	4.5	0-3" same SAMPLE	0.0 PPM	Screening	
				5	3-4" gray silt			
				5.5	4-36" Coarse to med sand trae silt			
				6				
				6.5				
				7				
				7.5	36-44 tan clay elastic			
				8				
		8-12'	48"	8.5	0-17" tan/bron fine sand and silt-sample 17-48" med/ fin sand silt saturated at 29"	0.0 PPM		
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
		12-16'	48"	12.5	0-10" med to coarse sand	0.0 PPM		
				13	10-48" med/fine sand silt			
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)
		0-4'	37"	0	0-7" dark brown silty loam	0.0 PPM	casing
				0.5			
				1	7-30" tan fine sand silt		
				1.5			
				2			
				2.5	30-37" tan and black med to coarse sand		
				3	trace silt		
				3.5			
				4			
		4-8'	40"	4.5	0-3" same SAMPLE	0.0 PPM	Screening
				5	3-19" tan silt and fine sand		
				5.5	19-24" dark brown med to coarse sand		
				6			
				6.5			
				7	24-40" silt and fine sand		
				7.5			
				8			
		8-12'	24"	8.5	0-4" same	0.0 PPM	Screening
				9	4-24" coarse sand		
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'	48"	12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	39"	0	0-4" asphalt	0.0 PPM	casing	
				0.5	4-13" gray silt and fine gravel			
				1	13-15" black silt			
				1.5	15-27" tan silty sand trace fine gravel			
				2				
				2.5	27-32" red brick			
				3				
				3.5	32-39" coarse sand trace fine gravel			
				4				
		4-8'	47"	4.5	0-4" same	0.0 PPM	Screening	
				5	4-10" brick	0.3 PPM		
				5.5	10-16" silt fine sand wet			
				6	16-33" dark bown coarse sand			
				6.5				
				7	24-40" silt and fine sand			
				7.5				
				8				
		8-12'	48"	8.5	0-2" same	0.3 PPM		
				9	4-21" brick and fill	0.5 PPM		
				9.5				
				10				
				10.5	21-47" dark brown med sand			
				11				
				11.5				
				12	47-48" elastic clay			
		12-16'	48"	12.5	Med to fine sand	0.0 PPM		
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)			
		0-4'	35"	0	0-6" Loam, leaves, sticks, trace clay gray	0.0 PPM	casing
				0.5	6-10" gray silt w/ trace fine sand		
				1	10-19" brown silt w/ trace fine sand		
				1.5			
				2	19-32" Brown med and fine sand		
				2.5			
				3	32-35" Medium course sand trace of silt and fine gravel		
				3.5			
				4			
		4-8'	41"	4.5	0-23" same		
				5			
				5.5			
				6	23-24" brown clay		
				6.5	24-31" Medium course sand trace of silt and fine gravel		
				7	31-35" Gray coarse sand wet		
				7.5	35-37 sand silt clay		
				8	37-41 Brown silt		
		8-12'	46"	8.5	0-3" same	0.0 PPM	
				9			
				9.5	3-27 brown sandy silty clay		
				10			
				10.5	27-35 Brown clay elastic		
				11			
				11.5	35-46 Brown silty sand		
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER PW-6	SHEET 1 OF 1		
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe		
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT		
					HELPER		54-DT		
					START		SURFACE ELEVATION NA		
					COMPLETED		LOGGED BY SM		
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION		
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)		
		0-4'	26"	0	0-2" black organic top soil	0.0 PPM	casing		
				0.5	2-8" Brown silty clay trace organic and fine med gravel				
				1	8-16" brown med and coarse sand				
				1.5	16-26" silty clay moist				
				2					
				2.5					
				3					
				3.5					
				4					
		4-8'	36"	4.5	0-8" brown silt trace fine sand	0.0 PPM	Screening		
				5	8-16" same material gray				
				5.5	16-28" med coarse sand some silt trace clay				
				6					
				6.5	28-32" silt and wooden material				
				7	32-34 concrete				
				7.5	34-36" brown med sand trace silt				
				8					
		8-12'	46"	8.5	core stuck in tube no measurement material was fine sannd silt followed by layer of coarse sand and fine gravel	0.0 PPM			
				9					
				9.5					
				10					
				10.5					
				11					
				11.5					
		12-16'		12					
				12.5					
				13					
				13.5					
				14					
				14.5					
				15					
				15.5					
				16					
				16.5					
				17					
				17.5					
				18					
				18.5					
				19					
				19.5					
				20					

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)				
		0-4'	21"	0	0-4" Dark Brown Silty loam trace fine gravel	0.0 PPM	CASING	
				0.5	4-11" Brown silt trace gravel; amd ,ed sand			
				1	11-18" Brown Silt trace gravel and med sand and large gray and white angular stone			
				1.5	18-21" Brown Silt trace gravel and med sand			
				2				
				2.5				
				3				
				3.5				
				4				
		4-8'	28"	4.5	0-2" Brown Silt trace gravel and med sand			0.0 PPM
				5	2-16" brown med and coarse sand trace fine gravel			
				5.5				
				6	16-28" brown med and fine sand			
				6.5				
				7				
				7.5				
				8				
		8-12'	41"	8.5	0-12" Brown and black coars sand trace silt	0.0 PPM		
				9	12-16" Brown clay			
				9.5	16-31" Dark brown fine sand silt			
				10	31-41" Brown din and med sand and silt			
				10.5				
				11				
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER PW-8	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	34"	0	0-4" black decay organic material round stone	0.0 PPM	CASING	
				0.5	4-11" Brown silt and fine gravel			
				1	11-15" gray cinder, white molting	0.1 PPM		
				1.5				
				2				
				2.5	15-34" Brown Silt and fine sand	0.0 PPM		
				3				
				3.5				
				4				
		4-8'	33"	4.5	0-1" same	0.0 PPM		
				5	1-5" fill			
				5.5	0-4 med and coarse san	0.1 PPM		
				6	10-22" dark brown med and fine sand			
				6.5	22-28' brown fine sand and silty gravel w/ red (iron) banding	0.0 PPM		
				7	28-33 reddish brown silty clay			
				7.5				
				8				
		8-12'	48"	8.5	0-4" black gray silt and gravel	1.4 PPM		
				9	4-20" tan clau elastic			
				9.5	20-39" brown med and coarse sand	4.3 PPM		
				10				
				10.5				
				11	39-48 Dark brown silty clay	1.6 PPM		
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER PW-9	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	31"	0	0-2" concrete and gravel	0.0 PPM	CASING	
				0.5				
				1				
				1.5				
				2	2-31" light brown silt w some med sand and trace of gravel			
				2.5				
				3				
				3.5				
				4				
		4-8'	38"	4.5	0-2" light gray silt with medium and fine gravel	0.0 PPM		
				5	2-21" dark brown sand silt w trace fine gravel			
				5.5				
				6				
				6.5	21-38" light brown silt trace clay and sand			
				7				
				7.5				
				8				
		8-12'	48"	8.5	0-14" grayish borwn silt trace fine sand and med gravel	0.0 PPM	SCREENING	
				9				
				9.5	14-28" grayish brown fine sand trace coarse sand and silt			
				10				
				10.5	28-36" gray and white sand strarting coarse grading into fine gravel			
				11				
				11.5	36-42" grayish brown fine sand and silt			
				12	42-48 brown silt wet at 45"			
		12-16'	46"	12.5	0-21" Brown silt with some med gravel			
				13				
				13.5				
				14	21-28" black and white coarse sand			
				14.5				
				15	28--37" brown find sand and silt			
				15.5				
				16	37-45" Brown clay			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER PW-10	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	31"	0	0-2" concrete and gravel	0.0 PPM	CASING	
				0.5	2-20" brown silt w some fine gravel			
				1				
				1.5	20-21" med gravel layer			
				2				
				2.5				
				3				
				3.5	21-31 dark brown silt trace fine gravel and sand			
				4				
		4-8'	33"	4.5		0-11" same	0.0 PPM	
				5				
				5.5				
				6				
				6.5				
				7				
				7.5				
				8				
		8-12'	48"	8.5	0-8" same	0.0 PPM	SCREENING	
				9	8-19" brown coarse sand with fine gravel			
				9.5				
				10	19-35" brown fine sand and silt			
				10.5				
				11				
				11.5				
				12	35-48" brown silt fine sand			
		12-16'	48"	12.5				
				13				
				13.5				
				14	0-38" same	0.0 PPM		
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18	38-48" brown silty clay			
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1			
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD			
					Drill Down Coring		Geoprobe			
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT			
					HELPER		54-DT			
					START		SURFACE ELEVATION			
							NA			
					COMPLETED		LOGGED BY			
							SM			
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION			
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)			
		0-4'	33"	0	0-8" Black organic silty loam	0.0 PPM	CASING			
				0.5	8-25" brown silt w trace sand					
				1						
				1.5						
				2	25-33" med gravel layer				0.0 PPM	SCREENING
				2.5						
				3	21-33 Brown Sandy silt					
				3.5						
				4						
		4-8'	43"	4.5	0-13" same	0.0 PPM				
				5	13-42" brown sand trace fine gravel					
				5.5						
				6						
				6.5						
				7	42-43" light brown silt					
				7.5						
				8						
		8-12'	42"	8.5			0-6" same	0.0 PPM		
				9	6-10" brown clayey silt					
				9.5	10-29" brown silt fine sand					
				10						
				10.5						
				11	29-34" brown coarse sand trace silt	0.0 PPM				
				11.5	34-42" brown fine sand silt					
				12						
							SCREENING			
				16.5						
				17						
				17.5						
				18						
				18.5						
				19						
				19.5						
				20						

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	24"	0	0-3" redish brown silty loam	0.0 PPM	CASING	
				0.5	3-14" brown silt w trace sand and clay			
				1				
				1.5	14-15" brown fine gravel and silty			
				2	15-23" Brown silt trace clay and sand			
				2.5				
				3	23-24" light brown silt w med sand			
				3.5				
				4			SCREENING	
		4-8'	41"	4.5	0-2" dark briwb sabdt clay	0.0 PPM		
				5	2-22" brown with orange marbling med to coarse sand			
				5.5				
				6	22-23" gray coarse sand and fine gravel			
				6.5	23-28" gray and white med and coarse sand			
				7				
				7.5	28-41" gray fine sand and silte			
				8				
		8-12'	42"	8.5	Tube linerar stuck no distance measured soil consited of	0.0 PPM		
				9				
				9.5	Gray med fine sand			
				10				
				10.5	Brown med fine sand			
				11	Brown elastic clay			
				11.5				
				12				
							SCREENING	
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

[illegible]



PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-4	SHEET 1 OF 1					
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe					
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT					
					HELPER		54-DT					
					START		SURFACE ELEVATION NA					
					COMPLETED		LOGGED BY SM					
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION					
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)					
		0-4'	37"	0	0-9" Black top soil, silty clay loam	0.0 PPM	CASING					
				0.5								
				1	9-15" Brown silt trace sand little shale fragments							
				1.5								
				2	15-25" brown silty clay trace of sand		SCREENING					
				2.5	25-37" Tan med and fine sand trace of silt							
				3								
				3.5								
				4								
		4-8'	42"	4.5	0-3" same	0.0 PPM			SCREENING			
				5	3-6" black silty loam (possible top soil)							
				5.5	6-26" med and coarse sand, redish brown grading to re							
				6								
				6.5	26-35" tan med fin sand and silt						SCREENING	
				7								
				7.5	35-42" same material dark brown							
				8								
		8-12'	48"	8.5	0-25" same	0.0 PPM	SCREENING					
				9								
				9.5	25-28 brown clay silt							
				10	28-39" fine sand							
				10.5	39--48 clay trace silt				SCREENING			
				11								
				11.5								
				12								
											SCREENING	
				16.5			SCREENING					
				17								
				17.5								
				18								
				18.5								
				19			SCREENING					
				19.5								
				20								

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-5	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	37"	0	0-4" Black top soil, clay loam	0.0 PPM	CASING	
				0.5	4-9" tan sandy silt some angular fine gravel			
				1	9-12" black silty loam (possible top soil)			
				1.5				
				2	12-16" Dark brown silt fine round gravel (trace)			
				2.5				
				3	23-37" med sand trace silt and clay trace fine gravel reduction in fine and invrease of sang and gravel size with depth			
				3.5				
				4				
		4-8'	40"	4.5	0-14" same	0.0 PPM	SCREENING	
				5				
				5.5				
				6	14-30" tan sandy silt			
				6.5				
				7	30-37" dark brown med to coarse sand trace silt			
				7.5	37-40" fine sand and silt			
				8				
		8-12'	48"	8.5	0-3" dark brown fine sand trace coase sand	0.0 PPM		
				9				
				9.5				
				10	3-33" brown fine sand trace silt			
				10.5				
				11				
				11.5	33--42" Brown Silt			
				12	42-48" Brown clay trace silt			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-6	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	39"	0	0-5" dark brown silty loam top soil	0.0 PPM	CASING	
				0.5	5-19" tan silt rrace clay and sand			
				1				
				1.5				
				2	19-33 tan med and coarse sand trace silt and fine gravel	0.0 PPM	SCREENING	
				2.5				
				3				
				3.5	33-39" dark bron fine sand silt			
				4		0.0 PPM		
		4-8'	39"	4.5	0-11" same			
				5				
				5.5	11-20" brown med and coarse sand			
				6		0.0 PPM		
				6.5				
				7	20-39" brown med sand some fine sand and silt			
				7.5				
				8		0.0 PPM		
		8-12'	48"	8.5	0-2" same			
				9	2-13" brown med sand			
				9.5				
				10	13-31" brown fine sand and silt	0.0 PPM		
				10.5				
				11	31-45" brown silt trace fine sand			
				11.5				
				12	45-48" med and fine sand trace silt			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-7	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	35"	0	0-7" dark brown silty clayey loam	0.0 PPM	CASING	
				0.5	7-19" brown clayey silt trace of sand			
				1				
				1.5	19-25 silty med to coarse sand trace fine gravel			
				2				
				2.5	25-29" brown fine sand silt			
				3	29-35" med and coarse sand trace silt and gravel			
				3.5				
				4				
		4-8'	42"	4.5	0-8" same	0.0 PPM	SCREENING	
				5				
				5.5				
				6				
				6.5	8-42" gray fine sand and silt			
				7				
				7.5				
				8				
		8-12'	48"	8.5		0.0 PPM		
				9				
				9.5				
				10				
				10.5	0-41" same			
				11				
				11.5				
				12	41-48" brown silt			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	30"	0	0-8" dark brown and black top soilsilty clayey loam	0.0 PPM	CASING	
				0.5	8-15" dark brown clayey silt			
				1				
				1.5				
				2				
				2.5	15-30 tan med and fine sand some rounded fine gravel	0.0 PPM	SCREENING	
				3				
				3.5				
				4				
		4-8'	33"	4.5	0-3" same			
				5	3-3.5 black organic	0.0 PPM	SCREENING	
				5.5	3.5-17 brown coarse and med sand some rounded fine gravel			
				6				
				6.5	17-33" dark brown fine sand and silt			
				7				
				7.5		0.0 PPM	SCREENING	
				8				
		8-12'	44"	8.5	0-33" same			
				9				
				9.5				
				10	33-36" tan and gray silt	0.0 PPM	SCREENING	
				10.5				
				11	36-44 brown fine sand silt			
				11.5				
				12				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER		SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD		
					Drill Down Coring		Geoprobe		
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT		
					HELPER		54-DT		
					START		SURFACE ELEVATION		
							NA		
					COMPLETED		LOGGED BY		
							SM		
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT		BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS		(not to scale)	
		0-4'	36"	0	0-8" black clayey loam	0.0 PPM		CASING	
				0.5	8-18" tan clay sand some med and fine gravel				
				1					
				1.5					
				2					
				2	18-23" tan clay sand some med	0.0 PPM		SCREENING	
				2.5	23-33" tan clay sand some med and fine gravel				
				3	33-36 brown coarse and med sand some fine gravel				
				3.5					
				4					
		4-8'	41"	4.5	0-11" same	0.0 PPM			
				5	11-23" tam fine sand and silt				
				5.5					
				6					
				6.5					
				6.5	23-27" tan silt	0.0 PPM			
				7	27-41" fine sand and silt				
				7.5					
				8					
				8					
		8-12'	44"	8.5	0-26" same	0.0 PPM			
				9					
				9.5					
				10					
				10.5					
				10.5	26-27" same with black stain	0.0 PPM			
				11	27-38" fine sand and silt				
				11.5	38-46 tan silt				
				12					
				12					
				16.5					
				17					
				17.5					
				18					
				18.5					
				19					
				19.5					
				20					

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)			
		0-4'	38"	0	0-5" black top soil	0.0 PPM	CASING
				0.5	5-6" angular stone with silt		
				1	6-10" black silty clayey loam		
				1.5	10-23" tan clay silt trace sand		
				2			
				2.5	23-34" tan sandy silt		
				3	34-37" dark brown coarse sand trace fine gravel		
				3.5	37-38" tan silty clay trace sand		
				4			
		4-8'	41"	4.5	0-1" same	0.0 PPM	SCREENING
				5	1-7" tan and black clay coarse sand		
				5.5	7-18" tan coarse and med sand		
				6			
				6.5	18-33" gray fine sand silt		
				7			
				7.5			
				8			
				8.5			
		8-12'	44"	9	0-27" same	0.0 PPM	
				9.5			
				10			
				10.5	27-31" tan silt		
				11			
				11.5	31-44" dark brown fine sand silt		
				12	44-48" brown silty clay		
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	36"	0	0-4" black top soil	0.0 PPM	CASING	
				0.5	4-10" dark brown silty sand trace fine gravel. Large root 9 to 10"			
				1	10-13" dark brown sandy clay trace of silt			
				1.5				
				2	13-23" brown silty clay			
				2.5				
				3	23-36" tan sandy clay			
				3.5				
				4				
		4-8'	38"	4.5	0-3" same	0.0 PPM	SCREENING	
				5	3-5.5 black top soil with pine needles			
				5.5	5.5-14" brown med and coarse sand			
				6				
				6.5	14-38" Brown fine sand darkening at 27"			
				7				
				7.5				
				8				
		8-12'	48"	8.5	0-4" cave in material			
				9				
				9.5	4-25" Brown fine sand			
				10				
				10.5	25-27" tan clay silt			
				11				
				11.5	27-35" dark brown fine sand silt			
				12	35-48 Brown silty clay			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-12	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	33"	0	0-5" black top soil	0.0 PPM	CASING	
				0.5	5-10" brown gravely sand			
				1	10-17" clay and silt some sand			
				1.5				
				2				
				2.5	17-33" tan silty coarse and medium sand trace clay			
				3				
				3.5				
				4				
		4-8'	40"	4.5	0-13" same	0.0 PPM	SCREENING	
				5				
				5.5				
				6	13-31" light brown med sand and silt			
				6.5				
				7	31-38" tan some gray fine sand and silt			
				7.5	38-40' tan silt some gray			
				8				
		8-12'	48"	8.5	0-6" same			
				9				
				9.5	6-23" tan fine sand silt			
				10				
				10.5	23-26" tan silt			
				11	26-31" dark brown med sand silt			
				11.5				
				12	31-48 tan silty clay			
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-13	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)				
		0-4'	30"	0	0-4" top soil	0.0 PPM	CASING	
				0.5	4-9" Cobbles possible concrete			
				1	9-11" dark brown sand and silt			
				1.5				
				2	11-30" tan medium and coarse sand some clay trace silt and fine gravel			
				2.5		0.0 PPM	SCREENING	
				3				
				3.5				
				4				
		4-8'	40"	4.5	0-3" same			
				5	3-8" dark brown silt med and fine gravel	0.0 PPM		
				5.5	8-15" tan med and coarse sand and silt			
				6	15-31" Dark brown fine sand and silt			
				6.5				
				7	31-40" gray and orange silt			
				7.5		0.0 PPM		
				8				
		8-12'	48"	8.5	0-2" Brown med and coarse sand			
				9	2-27" fine sand and silt			
				9.5	27-37" Brown silty clay			
				10	37-48" Gray brown fine sand and silt	0.0 PPM		
				10.5				
				11				
				11.5				
				12				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER IW-14	SHEET 1 OF 1				
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe				
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT				
					HELPER		54-DT				
					START		SURFACE ELEVATION NA				
					COMPLETED		LOGGED BY SM				
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION				
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)				
		0-4'	30"	0	0-4" Asphalt		CASING				
				0.5	4-11" tan sandy silt						
				1	11-27" brown medium sand, some fine sand and silt trace fine gravel						
				1.5							
				2							
				2.5							
				3	27-33 Brown fine and med sandt trace of silt				0.0 PPM	SCREENING	
				3.5							
				4							
		4-8'	47"	4.5	0-13" brown medium and coarse sand						
				5	13-15" coarse sand and gravel						
				5.5	15-27" gray medium and fine sand						
				6	27-37" gray med and coarse sand						
				6.5							
				7	37-47" tan silt						
				7.5							
				8							
		8-12'	48"	8.5		0-6" gray silt and fine sand	0.0 PPM				
				9	6-30" med and coase sand" fine sand and silt						
				9.5							
				10							
				10.5							
				11	30-48" fine sand and silt						
				11.5							
				12							
				16.5							
				17							
				17.5							
				18							
				18.5							
				19							
				19.5							
				20							

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	36"	0	0-5" Top Soil Dark Brown	0.0 PPM		
				0.5	5-11" gray and white Gravel			
				1	11-23" Dark Brown Fine sand and silt,			
				1.5	trace fine gravel			
				2	23-36" Med and fine sand some fine gravel			
				2.5				
				3				
				3.5				
				4				
		4-8'	44"	4.5	0-6" same	0.0 PPM		
				5	6-7 same gravel			
				5.5	7-11 same w/o gravel			
				6	11-27" bown fine sand			
				6.5				
				7	27-32" brown med and coarse sand trace gravel			
Grab				7.5	32-44 tan silty clay elastic			
				8				
		8-12'		8.5				
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)			
		0-4'	23"	0	0-3" brown silt trace sand and fine gravel 3-23" same material light brown in color	0.0 PPM	
				0.5			
				1			
				1.5			
				2			
				2.5			
				3			
				3.5			
				4			
		4-8'	39"	4.5	0-1" same	0.0 PPM	
				5	1-10" brown med and course sand tr fine gravel		
				5.5	10-24" light gray med sand		
				6			
				6.5			
Grab				7	24-34" fine sand and silt tr gravel w/ iron (red) banding/mottling		
				7.5	34-39 tan silty clay elastic		
				8			
		8-12'		8.5			
				9			
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)			
		0-4'	39"	0	0-6" Top soil brown silty loam	0.0 PPM	
				0.5	6-12" Brown silt with some fine and med sand		
				1			
				1.5			
				2	13-39Brown fine and med sand trace silt and fine gravel		
				2.5			
				3			
				3.5			
				4			
		4-8'	38"	4.5	0-3" same	0.0 PPM	
Grab				5	3-11 same without gravel	4.9 PPM	
				5.5		0.0 PPM	
				6	11-24" light brown fine sand		
				6.5	24-36" tan silt w/banding damp at 28"		
				7			
				7.5	36-38 Gray silty clay		
				8			
		8-12'		8.5			
				9			
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	48"	0	0-3" gray fine sand	0.0 PPM		
				0.5	3-11" gray med and large gravel			
				1				
				1.5	11-16" brown sand and silt tr gravel			
				2				
				2.5	16-34" brown med and fine sand			
				3				
				3.5				
				4	34-48" same material light brown			
		4-8'	48"	4.5	0-3 same	0.0 PPM		
				5				
Grab				5.5	3-24" fine sand and silt trace gravel			
				6				
				6.5	24-35" gray and redish brown banded silt wet @ 28"			
				7				
				7.5	35-37 Brown fine sand			
				8				
				8	37-48" dark brown silty clay			
		8-12'		8.5				
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER B-5	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	33"	0	0-8 white gravel with silt	0.0 PPM		
				0.5				
				1				
				1.5	8-33" light brown med and fine sand with trace silt and fine gravel			
				2				
				2.5				
				3				
				3.5				
				4				
		4-8'	48"	4.5	0-10" Collapse mostly gravel	0.0 PPM		
				5				
				5.5	10-32" light gray silt			
				6				
				6.5				
	Grab			7	32-36" light gray silt with fine sand w/ mottling			
				7.5				
				8	36-48" light gray silty clay			
		8-12'		8.5				
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE MATERIALS and CONDITIONS	FIELD INSTRUMENT READINGS	BORE HOLE/WELL CONSTRUCTION (not to scale)
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)			
		0-4'	38"	0	0-4" Dark Brown silty loam trace gravel med & fine	0.0 PPM	
				0.5	4-12" tan med and coarse sand trace of gravel		
				1			
				1.5	12-16" blackish brown sandy loam		
				2			
				2.5	16-38" brown sandy silt		
				3			
				3.5			
				4			
		4-8'	42"	4.5	0-5 Collaps	0.0 PPM	
				5	5-19" Brown coarse and fine sand trace gravel		
				5.5			
				6			
Grab				6.5	19-37" Brown Fine sand w banding		
				7			
				7.5	37-42 Brown Clay silt		
				8			
		8-12'		8.5			
				9			
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)
		0-4'	38"	0	0-7" Black top soil	0.0 PPM	
				0.5	7-11" Dark Brown silt w/ trace gravel and clay		
				1			
				1.5	11-26" same material light brown		
				2			
				2.5	26-36" Brown Silty trace of gravel		
				3			
				3.5	36-38" Brown med and coarse sand		
				4			
		4-8'	39"	4.5	0-6" collapse material (top soil)		
				5	6-18" Brown med and coarse sand		
				5.5			
Grab				6			
				6.5			
				7	18-39" gray fine and med sand, red mottling damp at 31"		
				7.5			
				8			
		8-12'		8.5			
				9			
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR		SUBSURFACE METHOD	
					Drill Down Coring		Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT	
					HELPER		54-DT	
					START		SURFACE ELEVATION	
					COMPLETED		LOGGED BY	
							SM	

SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)
		0-4'	41"	0	0-8" black top soil	0.0 PPM	
				0.5	8-22" tan silt trace m/f sand		
				1			
				1.5			
				2			
				2.5			
				3			
				3.5			
				4			
		4-8'	43"	4.5	0-6" same	0.0 PPM	
				5	6-37" gray dins sand and silt mottling at 35"		
				5.5			
				6			
				6.5			
				7	37-43" gray silt		
				7.5			
				8			
		8-12'		8.5			
				9			
				9.5			
				10			
				10.5			
				11			
				11.5			
				12			
		12-16'		12.5			
				13			
				13.5			
				14			
				14.5			
				15			
				15.5			
				16			
				16.5			
				17			
				17.5			
				18			
				18.5			
				19			
				19.5			
				20			

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER B-9	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT 54-DT	
					HELPER			
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	41"	0	0-5" black top soil	0.0 PPM		
				0.5	5-41" Light tan silt trace fine sand and fine gravel			
				1				
				1.5				
				2				
				2.5				
				3				
				3.5				
				4				
		4-8'	44"	4.5	0-9" same	0.0 PPM		
				5	9-16" gray fine gravel w some sand			
				5.5				
				6				
				6.5				
				7	16-44" gray med sand trace fine gravel damp at 32"			
				7.5				
				8				
		8-12'		8.5				
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

PROJECT NAME/LOCATION					PROJECT NUMBER	BORING NUMBER B-10	SHEET 1 OF 1	
Mobile Media 24 Center Street Pine Bush NY					CONTRACTOR Drill Down Coring		SUBSURFACE METHOD Geoprobe	
					DRILLER Andrew Bellucci		SUBSURFACE EQUIPMENT 54-DT	
					HELPER			
					START		SURFACE ELEVATION NA	
					COMPLETED		LOGGED BY SM	
SAMPLE TYPE	SAMPLE				DESCRIPTION OF SUBSURFACE	FIELD INSTRUMENT	BORE HOLE/WELL CONSTRUCTION	
	NUMBER	INTERVAL	RECOVERY	DEPTH (ft)	MATERIALS and CONDITIONS	READINGS	(not to scale)	
		0-4'	35"	0	0-4" Black top soil	0.0 PPM		
				0.5	4-14" tan silt trace sand			
				1				
				1.5	14-16" Root			
				2				
				2.5	16-35" tan silt trace sand roots lessening			
				3	with depth			
				3.5				
				4				
		4-8'	48"	4.5	0-5" same	0.0 PPM		
				5	5-13" brown fine and coarse sand			
				5.5	trace gravel			
				6	13-15" light tan Fine gravel trace			
				6.5	sand			
				7	15-39" gray med and coarse sand			
				7.5	trace fine gravel			
				8	39-48" Brown silt			
		8-12'		8.5				
				9				
				9.5				
				10				
				10.5				
				11				
				11.5				
				12				
		12-16'		12.5				
				13				
				13.5				
				14				
				14.5				
				15				
				15.5				
				16				
				16.5				
				17				
				17.5				
				18				
				18.5				
				19				
				19.5				
				20				

Appendix D-Property Owner Information

[Navigation](#)[Tax Maps](#)[DTF Links](#)[Help](#)[Log In](#)

No Sites

[Property Info](#)[Owner/Sales](#)[Tax Info](#)[Report](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-7.22

Ownership Information

Name	Address
Adrian M Dewitt, Jr	P.O. Box 56 Pine Bush NY 12566

Sale Information

No Sales Information Available

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)[View in Google Maps](#)[View in Bing Maps](#)[Map Disclaimer](#)



Image Mate Online

[Navigation](#) | [Tax Maps](#) | [DTF Links](#)

[Help](#) | [Log In](#)

No Sites

[Property Info](#)

[Owner/Sales](#)

[Tax Info](#)

[Report](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-7.22

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	E Of St Hwy 302		
Property Class:	311 - Res vac land	Site Property Class:	N/A
Ownership Code:			
Site:	N/A	In Ag. District:	No
Zoning Code:	N/A	Bldg. Style:	N/A
Neighborhood:	N/A	School District:	Pine Bush
Legal Property Description:	Lt#2 A. Dewitt SM 354-12		
Total Acreage/Size:	0.56	Equalization Rate:	----
Land Assessment:	2016 - \$12,000	Total Assessment:	2016 - \$12,000
Full Market Value:	2016 - \$30,000		
Deed Book:		Deed Page:	
Grid East:	546803	Grid North:	1010313
Bank Code:	N/A		

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)

LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	12	0%		0
WD057-Pine bush water	12	0%		0

Land Types

No Land Types



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-5

Ownership Information

Name	Address
Charles L Frost	65 Holland Ave Pine Bush NY 12566
Carolyn L Frost	65 Holland Ave Pine Bush NY 12566

Sale Information

No Sales Information Available

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-5

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	65 Holland Ave		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	07 -	Bldg. Style:	Colonial
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	Lt 26 Kelly Est		
Total Acreage/Size:	70 x 94	Equalization Rate:	----
Land Assessment:	2016 - \$8,500	Total Assessment:	2016 - \$67,500
Full Market Value:	2016 - \$168,800		
Deed Book:	1796	Deed Page:	727
Grid East:	546534	Grid North:	1010063
Bank Code:	N/A		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0
LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0

Land Types

Type	Size
Primary	70 × 95

[Map Disclaimer](#)



Image Mate Online

Navigation [Tax Maps](#) | [DTF Links](#)

[Help](#) [Log In](#)

Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-8-2

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	96 Borden Ave		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	07 -	Bldg. Style:	Ranch
Neighborhood:	00003 -	School District:	Pine Bush
Legal Property Description:	Legal description not given for property		
Total Acreage/Size:	70 x 147	Equalization Rate:	----
Land Assessment:	2016 - \$10,800	Total Assessment:	2016 - \$77,400
Full Market Value:	2016 - \$193,500		
Deed Book:	4051	Deed Page:	215
Grid East:	546699	Grid North:	1010398
Bank Code:	N/A		

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)

LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0
Land Types				
Type			Size	
Primary			0.32 acres	



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-8-2

Ownership Information

Name	Address
Elizabeth Marshall	P.O. Box 1168 Pine Bush NY 12566

Sale Information

No Sales Information Available

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-11-9.2

Ownership Information

Name	Address
James M Johnson	P.O. Box 1076 Pine Bush NY 12566
Laurie A Johnson	P.O. Box 1076 Pine Bush NY 12566

Sale Information

No Sales Information Available

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-11-9.2

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	7 Center St		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Colonial
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	Lt 23 Kelly Est Map 412		
Total Acreage/Size:	70 x 94	Equalization Rate:	----
Land Assessment:	2016 - \$8,500	Total Assessment:	2016 - \$67,600
Full Market Value:	2016 - \$169,000		
Deed Book:	3722	Deed Page:	37
Grid East:	546301	Grid North:	1010203
Bank Code:	C030385		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0
LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0

Land Types

Type	Size
Primary	0.15 acres

[Map Disclaimer](#)



Image Mate Online

Navigation | [Tax Maps](#) | [DTF Links](#)

[Help](#) | [Log In](#)

Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-8-1

Ownership Information

Name	Address
Kenneth Finnegan	P.O. Box 136 Pine Bush NY 12566
Nancy Finnegan	P.O. Box 136 Pine Bush NY 12566

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
5/7/2004	\$270,000	220 - 2 Family Res	Land & Building	Tilmont, Joseph F
	Value Usable	Arms Length	Deed Book	Deed Page
	Yes	Yes	11495	536

Sale Date	Price	Property Class	Sale Type	Prior Owner
10/7/2003	\$239,900	220 - 2 Family Res	Land & Building	Hoy, James
	Value Usable	Arms Length	Deed Book	Deed Page
	Yes	Yes	11261	1394

Sale Date	Price	Property Class	Sale Type	Prior Owner
8/14/1997	\$105,000	220 - 2 Family Res	Land & Building	Carroll, Walter P

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)

	Value Usable	Arms Length	Deed Book	Deed Page
	No	No	4618	132



Image Mate Online

Navigation [Tax Maps](#) | [DTF Links](#)

[Help](#) [Log In](#)

Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-8-1

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	92 Borden Ave Apt 1 & 2		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Old Style
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	Legal description not given for property		
Total Acreage/Size:	70 x 150	Equalization Rate:	----
Land Assessment:	2016 - \$9,600	Total Assessment:	2016 - \$45,900
Full Market Value:	2016 - \$114,800		
Deed Book:	11495	Deed Page:	536
Grid East:	546628	Grid North:	1010439
Bank Code:	N/A		

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)

LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0
Land Types				
Type			Size	
Primary			0.24 acres	



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-11-9.1

Ownership Information

Name	Address
Lisa Marie Santos	P.O. Box 1221 Pine Bush NY 12566

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
10/16/2006	\$10	210 - 1 Family Res	Land & Building	Antunes, Frank P
	Value Usable	Arms Length	Deed Book	Deed Page
	No	No	12301	1728

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)



Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-12-11

Ownership Information

Name	Address
Pat Kantor	P.O. Box 1474 Pine Bush NY 12566
Gary Kantor	555 W 59th St Apt 6D New York NY 10019

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
5/18/2015	\$270,000	210 - 1 Family Res	Land & Building	Wilhelm, Joseph
	Value Usable	Arms Length	Deed Book	Deed Page
	Yes	Yes	13906	602

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-12-11

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	82 Borden Ave		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Old Style
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	Legal description not given for property		
Total Acreage/Size:	0.34	Equalization Rate:	----
Land Assessment:	2016 - \$11,300	Total Assessment:	2016 - \$85,600
Full Market Value:	2016 - \$214,000		
Deed Book:	13906	Deed Page:	602
Grid East:	546503	Grid North:	1010516
Bank Code:	N/A		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0
LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0

Land Types

Type	Size
Primary	0.34 acres

[Map Disclaimer](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-11-9.1

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	15 Center St		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	07 -	Bldg. Style:	Colonial
Neighborhood:	00002 -	School District:	Pine Bush
Legal Property Description:	Lt 10A Kelly Est Map 412		
Total Acreage/Size:	70 x 100	Equalization Rate:	----
Land Assessment:	2016 - \$8,700	Total Assessment:	2016 - \$67,700
Full Market Value:	2016 - \$169,300		
Deed Book:	12301	Deed Page:	1728
Grid East:	546358	Grid North:	1010281
Bank Code:	N/A		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
LB153-Pine Bush Area Lib	0	0%		0
WD057-Pine bush water	10	0%		0
LT014-Pine bush lt	0	0%		0
FD031-Pine bush fire	0	0%		0
SW098-Crawford swr 1	10	0%		0

Land Types

Type	Size
Undeveloped	0.16 acres

[Map Disclaimer](#)



Image Mate Online

[Navigation](#)[Tax Maps](#)[DTF Links](#)[Help](#)[Log In](#)

Commercial

[Property Info](#)[Owner/Sales](#)[Inventory](#)[Improvements](#)[Tax Info](#)[Report](#)[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-2

Ownership Information

Name	Address
Mark Vail Corp	2868 Ortega Dr Johns Island SC 29455

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
6/11/1997	\$78,500	484 - 1 use sm bld	Land & Building	Miller Richard
	Value Usable	Arms Length	Deed Book	Deed Page
	Yes	Yes	4594	162

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)[View in Google Maps](#)[View in Bing Maps](#)[Map Disclaimer](#)



Commercial

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-2

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	188 Kelly Ave		
Property Class:	484 - 1 use sm bld	Site Property Class:	484 - 1 use sm bld
Ownership Code:			
Site:	Com 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Not Applicable
Neighborhood:	00000 -	School District:	Pine Bush
Legal Property Description:	Lts 13A 14A Kelly Est		
Total Acreage/Size:	124 x 119	Equalization Rate:	----
Land Assessment:	2016 - \$27,200	Total Assessment:	2016 - \$45,900
Full Market Value:	2016 - \$114,800		
Deed Book:	4594	Deed Page:	162
Grid East:	546592	Grid North:	1010150
Bank Code:	N/A		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
WD057-Pine bush water	10	0%		0
LT014-Pine bush lt	0	0%		0
FD031-Pine bush fire	0	0%		0
SW098-Crawford swr 1	10	0%		0
LB153-Pine Bush Area Lib	0	0%		0

Land Types

Type	Size
Primary	0.36 acres

[Map Disclaimer](#)



Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-1.1

Ownership Information

Name	Address
Mary T Grass	P.O. Box 172 Pine Bush NY 12566
Life Estate Stueber, Francis S III	P.O. Box 172 Pine Bush NY 12566

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
11/23/2010	\$10	210 - 1 Family Res	Land & Building	Stueber, Sophie
	Value Usable	Arms Length	Deed Book	Deed Page
	No	No	13094	8

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)



Residential

Property Info

Owner/Sales

Inventory

Improvements

Tax Info

Report

Comparables

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-1.1

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	6 Center St		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Cape Cod
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	L.E. for Francis Stueber Jr		
Total Acreage/Size:	140 x 94	Equalization Rate:	----
Land Assessment:	2016 - \$10,200	Total Assessment:	2016 - \$52,200
Full Market Value:	2016 - \$130,500		
Deed Book:	13094	Deed Page:	8
Grid East:	546433	Grid North:	1010137
Bank Code:	N/A		

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0
LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0

Land Types

Type	Size
Primary	140 × 94

[Map Disclaimer](#)



Image Mate Online

[Navigation](#) | [Tax Maps](#) | [DTF Links](#)

[Help](#) | [Log In](#)

No Sites

[Property Info](#)

[Owner/Sales](#)

[Tax Info](#)

[Report](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-7.1

Ownership Information

Name	Address
Town of Crawford	121 St Rte 302 Pine Bush NY 12566

Sale Information

Sale Date	Price	Property Class	Sale Type	Prior Owner
7/31/2007	\$350,000	311 - Res vac land	Land & Building	Dewitt, Adrian M
	Value Usable	Arms Length	Deed Book	Deed Page
	Yes	No	12501	993

Photographs

No Photo Available

Pictometry LiveLink

[View this property's
Pictometry imagery in
LiveLink.](#)

Documents

No documents found
for this parcel

Maps

[View Tax Map](#)

[View in Google
Maps](#)

[View in Bing
Maps](#)

[Map Disclaimer](#)



Image Mate Online

[Navigation](#)
[Tax Maps](#)
[DTF Links](#)
[Help](#)
[Log In](#)

No Sites

[Property Info](#)
[Owner/Sales](#)
[Tax Info](#)
[Report](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-9-7.1

Tax Map ID / Property Data

Status:	Active	Roll Section:	Wholly Exem
Address:	E Of St Rte 302		
Property Class:	311 - Res vac land	Site Property Class:	N/A
Ownership Code:			
Site:	N/A	In Ag. District:	No
Zoning Code:	N/A	Bldg. Style:	N/A
Neighborhood:	N/A	School District:	Pine Bush
Legal Property Description:	split by deed 12501/993		
Total Acreage/Size:	1.60	Equalization Rate:	----
Land Assessment:	2016 - \$17,300	Total Assessment:	2016 - \$17,300
Full Market Value:	2016 - \$43,300		
Deed Book:	12501	Deed Page:	993
Grid East:	546784	Grid North:	1010097
Bank Code:	N/A		

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LT014-Pine bush lt	0	0%		0

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)
[View in Google Maps](#)
[View in Bing Maps](#)
[Map Disclaimer](#)

SW098-Crawford swr 1	12	0%		0
WD057-Pine bush water	12	0%		0

Land Types

No Land Types



Image Mate Online

Navigation [Tax Maps](#) | [DTF Links](#)

[Help](#) [Log In](#)

Residential

[Property Info](#)

[Owner/Sales](#)

[Inventory](#)

[Improvements](#)

[Tax Info](#)

[Report](#)

[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-12-12

Tax Map ID / Property Data

Status:	Active	Roll Section:	Taxable
Address:	167 Kelly Ave		
Property Class:	210 - 1 Family Res	Site Property Class:	210 - 1 Family Res
Ownership Code:			
Site:	Res 1	In Ag. District:	No
Zoning Code:	-	Bldg. Style:	Old Style
Neighborhood:	00001 -	School District:	Pine Bush
Legal Property Description:	Legal description not given for property		
Total Acreage/Size:	70 x 100	Equalization Rate:	----
Land Assessment:	2016 - \$8,700	Total Assessment:	2016 - \$61,300
Full Market Value:	2016 - \$153,300		
Deed Book:	2459	Deed Page:	45
Grid East:	546453	Grid North:	1010424
Bank Code:	N/A		

Special Districts for 2016

Description	Units	Percent	Type	Value
FD031-Pine bush fire	0	0%		0
LB153-Pine Bush Area Lib	0	0%		0

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)

[View in Google Maps](#)

[View in Bing Maps](#)

[Map Disclaimer](#)

LT014-Pine bush lt	0	0%		0
SW098-Crawford swr 1	10	0%		0
WD057-Pine bush water	10	0%		0
Land Types				
Type		Size		
Primary		70 × 100		



Residential

[Property Info](#)[Owner/Sales](#)[Inventory](#)[Improvements](#)[Tax Info](#)[Report](#)[Comparables](#)

Municipality of Crawford

SWIS:	332600	Tax ID:	6-12-12

Ownership Information

Name	Address
Michael Velez	P.O. Box 1071 Pine Bush NY 12566
Pamela L Elgot	P.O. Box 1071 Pine Bush NY 12566

Sale Information

No Sales Information Available

Photographs

No Photo Available

Pictometry LiveLink

[View this property's Pictometry imagery in LiveLink.](#)

Documents

No documents found for this parcel

Maps

[View Tax Map](#)[View in Google Maps](#)[View in Bing Maps](#)[Map Disclaimer](#)