MOVE YOUR ENVIRONMENT FORWARD

PERIODIC REVIEW REPORT
APRIL 2023 – APRIL 2026

Sawmill Place Remediation Area C (SRA-C)
10 Sawmill Place, Wallkill
Town of Shawangunk, Ulster County, NY

NYSDEC Site Code: C356044

Prepared For:

Watchtower Bible & Tract Society of New York, Inc.
100 Watchtower Drive
Patterson, NY 12863

Prepared By:

HRP Associates, Inc.
1 Fairchild Square, Suite 110
Clifton Park, NY 12065

HRP #: WES5902.WM

Issued On: May 11, 2026

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY 1

1.1 Site Summary 1
1.2 Nature and Extent of Impacts 1
1.3 Remedial History 2
1.4 Effectiveness of Remedial Program 2
1.5 Compliance 2
1.6 Recommendations 2

2.0 SITE OVERVIEW 4

3.0 EVALUATION OF REMEDY PERFORMANCE, EFFECTIVENESS & PROTECTIVENESS ... 7

4.0 INSTITUTIONAL AND ENGINEERING CONTROL PLAN 8

4.1 Institutional Controls 8
4.2 Engineering Controls 8
4.3 Remedial Action Objective Status 8
4.4 Corrective Measures 9
4.5 Conclusions and Recommendations 9
4.6 IC/EC Certification 9

5.0 MONITORING PLAN COMPLIANCE 10

5.1 Components of Monitoring Plan as Outlined in the SMP 10
5.2 Monitoring Completed 10
5.2.1 Groundwater Monitoring 10
5.2.2 Site Annual Inspection 11
5.3 Comparisons to Remedial Objectives 11
5.4 Monitoring Deficiencies 11

6.0 CONCLUSIONS AND RECOMMENDATIONS 12

6.1 Conclusions 12
6.2 Recommendations 12

Figures

Figure 1 Site Location Map
Figure 2 Site Plan and Sampling Locations (2008-2013)
Figure 3 Soil Sample Exceedances (2008-2013)
Figure 4 Groundwater Sample Exceedances (2025)

Appendices

Appendix A IC/EC Certifications
Appendix B Tables and Graphs of Groundwater Results
Appendix C Inspection Forms
Appendix D Site Photograph Log

General Information

Project/Site Information:
Sawmill Place Remediation Area A (SRA-C)
(Site ID# C356044)
10 Sawmill Place, Wallkill
Town of Shawangunk, Ulster County, NY

Consultant Information:
HRP Associates, Inc.
1 Fairchild Square, Suite 110
Clifton Park, NY 12065
Phone: 518-877-7101
Fax: 518-877-8561
E-mail: mark.wright@hrpassociates.com
Project Number: WES5902.WM

Client Information:
Watchtower Bible & Tract Society of New York, Inc.
100 Watchtower Drive
Patterson, NY 12863

Report Date: 05/11/2026

Report Author:

Elaine Yu
Project Consultant

Certification, Limitations, and Statement of Independence

For each institutional or engineering control identified for the site, I certify that all of the following statements are true:

(a) The institutional control and/or engineering control employed at this site is unchanged from the date the control was put in place, or last approved by DER;
(b) Nothing has occurred that would impair the ability of such a control to protect public health and the environment;
(c) Nothing has occurred that would constitute a violation or failure to comply with any Site Management Plan for this control; and
(d) Access to the site will continue to be provided to DER to evaluate the remedy, including access to evaluate the continued maintenance of this control.

Environmental Contractor: HRP Associates, Inc.

By:

Thomas Seguljic, PE, PG
Vice President

LIST OF ABBREVIATIONS

BCP	Brownfield Cleanup Program
bgs	below ground surface
COC	Contaminants of Concern
DER	Division of Environmental Remediation
DUSR	Data Usability Summary Report
EC	Engineering Controls
HRP	HRP Associates, Inc.
IC	Institutional Controls
LEL	Lower Explosive Limit
LTMP	Long Term Monitoring Plan
mg/kg	milligram per kilogram
NAPL	Non-Aqueous Phase Liquid
NYSDEC	New York State Department of Environmental Conservation
O&M	Operations and Maintenance
PCB	Polychlorinated biphenyl
PID	Photoionization Detector
PRR	Periodic Review Report
QC	Quality Control
RA	Remedial Action
RACR	Remedial Action Completion Report
RAOs	Remedial Action Objectives
RI	Remedial Investigation
ROD	Record of Decision
Site	Mechanicville Light Industrial Park Site # 546050
SMP	Site Management Plan
SVI	Soil Vapor Intrusion
SVOC	Semi-Volatile Organic Compound
TAL	Total Analyte List
TOC	Total Organic Compound
TOGS	Technical and Operations Guidance Series

ug/L	Micro grams per liter or parts per billion
VCP	Voluntary Cleanup Program
VOC	Volatile Organic Compound

1.0 EXECUTIVE SUMMARY

This document is required as an element of the remedial program at the Sawmill Place Remediation Area C (SRA-C) (hereinafter referred to as the "Site") under the New York State (NYS), Brownfield Cleanup Program (BCP) administered by the New York State Department of Environmental Conservation (NYSDEC). The Site was investigated in accordance with a Brownfield Cleanup Agreement, NYSDEC Site Code # C356044, which was executed on January 28, 2011. The Site remediation was conducted in conformance with *DER-10: Technical Guidance for Site Investigation and Remediation* (NYSDEC, May 2010). This report is intended to meet the requirements of the Site Management Plan (SMP) for the Site.

A Periodic Review Report (PRR) will be submitted to the Department every three (3) years. The report will be prepared in accordance with NYSDEC DER-10 and submitted within 45 days of the end of each certification period.

1.1 Site Summary

The Site, located at 10 Sawmill Place, Wallkill, NY, is currently owned by Watchtower Bible and Tract Society of New York, Inc. ("Watchtower") (**Figure 1**). The 2.84-acre Site is part of a larger property in a rural area that covers approximately 1,141 acres, which Watchtower has owned and operated for religious, not-for-profit use since the 1960's. The undeveloped Site is a relatively flat grassy area with a slope towards an unnamed drainage course. In the vicinity of the Site is a sawmill, materials sorting area, apiary, aggregate/equipment storage, and a compost shed.

1.2 Nature and Extent of Impacts

- The primary contaminants of concern ("COCs") include metals, semi-volatile organic compounds (SVOCs), and volatile organic compounds (VOCs) in the surface soils (depth 0-2 feet). No significant or widespread impacted areas were identified within the surface soils collected at the Site or offsite. SVOCs were detected above the SCOs for Restricted Residential Use in one surface soil sample collected from the 0 to 2-inch interval. Because these minor exceedances were only found in one of the ten surface soil samples, the results indicate that the existing cover generally meets the NYSDEC Part 375-6 Soil Cleanup Objective (SCO) for Restricted Residential Use.

- The primary COCs include VOCs, SVOCs and metals in the subsurface soils (depth below 2 feet), which appear to be limited to the fill layer, located at a depth of between 5 and 15 feet in the central portion of the Site as well as in the southwest portion of the Site from 5 feet to 7.5 feet below grade. The subsurface soil samples collected at the Site meet the Commercial Use Criteria with the exception of one SVOC and one metal.

- The primary COCs include VOCs, SVOCs and metals in the groundwater. Based on the topography of the Site, the flow direction of the confined perched aquifer is northwest and southwest.

1.3 Remedial History

The Site was remediated in accordance with the NYSDEC Decision Document dated December 18, 2013. The following are the components of the selected remedy:

1. Installation of one overburden monitoring well offsite (but on Watchtower's property) and south of the Site;

2. Maintenance of a soil cover system consisting of existing surface soils and grassy cover to prevent human exposure to remaining impacted soil/fill at the Site;

3. Execution and recording of an Environmental Easement to restrict land use and prevent future exposure to any COCs remaining at the Site;

4. Compliance with the Environmental Easement and the SMP by the Grantor and the Grantor's successors and assigns;

5. Development and implementation of a Site Management Plan for long term management of remaining COCs as required by the Environmental Easement, which includes plans for: (1) Institutional Controls (ICs) and Engineering Controls (ECs), (2) monitoring, and (3) reporting; and

6. Periodic certification of the ICs and ECs listed above.

The remedy for this Site was performed as a single project, and no interim remedial measures, operable units or separate construction contracts were performed.

1.4 Effectiveness of Remedial Program

Progress made during the reporting period meets the remedial action objectives (RAOs) for the Site and all ECs and ICs remain in place. Monitored natural attenuation has been monitored and is occurring at the Site. Following the 2017 groundwater monitoring event, it was determined by the NYSDEC that metals constituents met remedial objectives for the Site, and sampling of these constituents was no longer required. Via the continued monitored natural attenuation at the Site, the remedial program is achieving the remedial objectives for the Site since several VOC and SVOC constituents are consistently below NYSDEC standards or have become asymptotic at acceptable levels.

1.5 Compliance

No areas of non-compliance were identified with regard to the SMP, and all ICs and ECs remain in place.

1.6 Recommendations

We do not currently recommend any changes to the SMP. Per the Revised SMP dated May 18, 2021 and accepted by the NYSDEC by letter dated August 26, 2021 discussed below, PRRs will be

submitted on a three year schedule. Based on the approved schedule, the next PRR is set to be submitted in May 2029.

The groundwater monitoring program established by the original approved SMP was conducted over a period of 5 years (based on historical trends for onsite results), with semiannual monitoring for the first year, followed by annual monitoring thereafter. Each sampling event included the submittal of a report detailing the analytical results. Following the completion of the initial 5 years of the monitoring program, NYSDEC requested the continuation of annual monitoring.

The requirements in the Revised SMP state that the groundwater monitoring program will continue to be conducted over a three-year period (2021-2023). Monitoring will continue until permission to discontinue is granted in writing by the NYSDEC.

2.0 SITE OVERVIEW

The Site is located in the Town of Shawangunk, County of Ulster, New York and is identified as part of Section 99.004, Block 1, Lot 11 on the Town of Shawangunk Tax Map. The Site location is depicted on **Figure 1**. The Site is an approximately 2.84-acre area bounded by vacant woodland to the north and east, vacant grassland to the south, and aggregate storage and a sawmill to the west (see **Figure 2**). The undeveloped Site is a grass covered relatively flat area.

Based upon investigations conducted to date, the primary COCs at the Site include Copper, Nickel, Zinc, 1,4,-Dioxane, 1,2,4-Trimethylbenzene, Xylenes, Benzene, Ethylbenzene, 1,1-Dichloroethane, 1,3,5-Trimethylbenzne, Freon 12, Tetrahydrofuran, Toluene, Vinyl Chloride, Phenol, Anline, Chloroethane, Isopropylbenzne, Napthanlene, n-Propylbenzene, n-Butylbenzne and sec-Butylbenzene. These COCs were detected within surface and subsurface soils and groundwater over NYSDEC standards, guidance and criteria (Part 375-6 SCO's and Division of Water, TOGS 1.1.1). However, no significant or widespread impacted areas were identified within the surface soil samples collected at the Site or offsite. SVOCs were detected above the SCOs for Restricted Residential Use in one surface soil sample collected from the 0 to 2-inch interval. Because these minor exceedances were only found in one of the ten surface soil samples, the results indicate that the existing cover generally meets the SCOs for Restricted Residential Use. Due to the presence of "clean" surface soils, up to at least a depth of 2 feet below grade, as part of the remedy for this Site, the NYSDEC has allowed the use of the in-place soils to act as a soil cover. As such, a demarcation layer was not required. VOC, SVOC and metal COCs within the subsurface soils appear to be limited to the fill layer, located at a depth of between 5 and 15 feet in the central portion of the Site as well as in the southwest portion of the Site from 5 feet to 7.5 feet below grade (see **Figures 3A-3C** for exceedances in remaining soils). In addition, while VOC, SVOC and metal COCs remain in the Site groundwater, they are not expected to migrate offsite.

The selected remedy for the Site was the implementation of ECs and ICs, including the following:

Institutional Controls:

- Groundwater Use Restriction: The use of groundwater underlying the controlled property as identified in the Environmental Easement is prohibited without treatment to render it safe for use as drinking water for industrial proposes, and the user must first notify and obtain written approval from the NYSDEC and the Ulster County Department of Health.

- Land Use Restriction: The controlled property as described in the Environmental Easement is limited to restricted-residential use. Vegetable gardens and farming on the controlled property is prohibited.

- Site Management Plan: Any intrusive activities, including building renovation/expansion, subgrade utility line repair/relocation, and new construction which will cause a disturbance beneath the 2 feet topsoil cover must be conducted in accordance with the NYSDEC approved SMP.

- Monitoring Plan: Monitor, maintain and replace as necessary and as required by the NYSDEC any on-Site Groundwater Monitoring Wells as depicted on Schedule A Survey and set forth in Section 3.3 of the NYSDEC approved SMP and revised SMP.

Engineering Controls:

- Cover System: No significant or widespread impacted areas were identified within the surface soil samples collected at the Site. The surface soil samples collected at the Site meet the Restricted Residential Use Criteria and will be utilized as a soil cover. Due to the presence of "clean" surface soils, up to at least a depth of 2 feet below grade, the NYSDEC has allowed the use of the in-place soils to act as a soil cover. As such, a demarcation layer was not required. Any fill material brought to the Site will meet the requirements for the identified Site use as set forth in 6 NYCRR Part 375-6.7(d).

- Vapor Mitigation: Should a building(s) be erected, prior to construction, a Soil Vapor Intrusion (SVI) Investigation shall be conducted in accordance with the applicable guidance in effect at the time of the investigation. If the results of the SVI investigation demonstrate a need for a sub-slab vapor extraction system, an appropriate system shall be designed, constructed and maintained.

- Groundwater Monitoring Wells: Maintain and replace as necessary and as required by the NYSDEC, MW-13, MW-14, MW-15, MW-16, MW-17, MW-18, MW-19, MW-20, MW-21, MW-22 and one offsite well (MW-23), as depicted on Schedule A Survey and as set forth in Section 3.3 of the NYSDEC approved SMP and Revised SMP.

An Environmental Easement was recorded to provide an enforceable legal instrument to ensure compliance with all ECs and ICs placed on the Site. A SMP was implemented that specified the methods necessary to ensure compliance with all ECs and ICs required by the Environmental Easement for COCs that remains at the Site. Specifically, the SMP and Revised SMP include provisions for the implementation and maintenance of the controls currently in-place, including surface soils as a soil cover, for a soil management plan for any future Site excavation, and for a monitored natural attenuation program to address groundwater.

Annual groundwater sampling has been completed as part of the natural attenuation program since the SMP was established in 2014, and continued as part of this current PRR in April 2014, November 2014, June 2016, November 2017, and January 2019 (sampling events were not conducted in 2018 or 2020). The Revised SMP approved in May 2021 called for continued annual monitoring from 2021 through 2023, as determined by the NYSDEC, until residual groundwater concentrations are found to be consistently below NYSDEC standards or have become asymptotic at an acceptable level over an extended period or when termination is granted by the NYSDEC. The first annual groundwater sampling event conducted under the Revised SMP was completed in September 2021 with a second annual groundwater sampling event completed in September 2022. The third, fourth, and fifth annual groundwater sampling events were completed in September 2023, November 2024, and October 2025, respectively.

Following the 2017 groundwater monitoring event, it was determined by the NYSDEC that metals and PCB constituents met remedial objectives for the Site, and sampling of these constituents was

discontinued. However, the continued annual sampling and analysis of groundwater wells for VOCs and SVOCs is to continue until the NYSDEC grants termination of the annual sampling.

3.0 EVALUATION OF REMEDY PERFORMANCE, EFFECTIVENESS & PROTECTIVENESS

The remedial action objectives (RAOs) for this Site are to eliminate or reduce to the extent practicable:

- Groundwater RAOs for Public Health Protection:
  - Prevent ingestion of groundwater with levels exceeding drinking water standards.

- Soil RAOs for Public Health Protection:
  - Prevent ingestion/direct contact with impacted soil.

- Soil Vapor RAOs for Public Health Protection
  - Mitigate impacts to public health resulting from the existing, or the potential for, soil vapor intrusion into buildings at the Site

Below is a summary of the effectiveness of the remedy in the achieving the above RAOs:

- Groundwater RAOs:
  - The IC of restricting groundwater use has been effective in preventing ingestion of impacted groundwater. In addition, groundwater sampling as part of the IC and EC, natural attenuation monitoring program indicates that COC levels have generally remained consistent with or are lower since the remedy was selected
- Soil RAOs:
  - The EC, or the soil cover, has been inspected annually and found to be intact and undisturbed. The soil cover has been effective in preventing ingestion and direct contact with impacted soil since the remedy was selected.

- Soil Vapor RAOs:
  - No buildings have been constructed on the Site since the remedy was selected. Therefore, there are no current concerns of soil vapor intrusion or impacts to public health.

4.0 INSTITUTIONAL AND ENGINEERING CONTROL PLAN

4.1 Institutional Controls

The Site has a series of ICs in the form of Site restrictions. Adherence to these ICs is required by the Environmental Easement. Site restrictions that apply to the Site are:

- The Site may only be used for restricted residential use provided that the long-term Engineering and ICs included in the SMP and Revised SMP are employed;
- The Site may not be used for a higher level of use, such as unrestricted residential use without additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- All future activities on the Site that will cause a disturbance beneath the 2-foot topsoil cover must be conducted in accordance with the NYSDEC approved SMP;
- The use of the groundwater underlying the Site is prohibited without treatment rendering it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval from the NYSDEC and Ulster County Department of Health;
- Vegetable gardens and farming on the Site are prohibited; and;
- Monitoring, maintaining and replacing any on-site Groundwater Monitoring wells as depicted on Schedule A Survey and as set forth in Section 3.3 of the NYSDEC approved SMP and revised SMP, as necessary and as required by the NYSDEC.

4.2 Engineering Controls

The EC system for this Site includes the following:

- Exposure to remaining impacts in subsurface soil at the Site is prevented by a soil cover system in place over the Site. This cover system is comprised of a minimum of 24 inches of existing surface soils with a grassy cover.
- The potential for vapor intrusion must be evaluated for any buildings developed and any potential impacts that are identified must be monitored or mitigated;
- Groundwater monitoring must be conducted and the maintenance and replacement of wells MW-13, MW-14, MW-15, MW-16, MW-17, MW-18, MW-19, MW-20, MW-21, MW-22 and one offsite well (MW-23) must be conducted as necessary and as required by the NYSDEC.

4.3 Remedial Action Objective Status

All ICs/ECs remain in place and are fully effective in meeting the RAOs for the Site.

4.4 Corrective Measures

No corrective measures were necessary to address any deficiencies in the ICs/ECs in place at the Site.

4.5 Conclusions and Recommendations

No steps are required at this time to address any deficiencies in the ICs/ECs.

4.6 IC/EC Certification

The completed IC/EC certifications for the Site are included in **Appendix A**.

5.0 MONITORING PLAN COMPLIANCE

5.1 Components of Monitoring Plan as Outlined in the SMP

Monitoring Program	Frequency	Matrix	Analysis
Groundwater	Semi-annual (1st year)	Groundwater	VOCs, SVOCs, TAL Metals (total and dissolved), PCBs
Groundwater	Annual (years 2-5)	Groundwater	VOCs, SVOCs, PCBs (2016-2019), TAL Metals (total and dissolved) (2016-2017)
Groundwater	Annual (years 6-8)	Groundwater	VOCs and SVOCs (2021-2023)
Inspection	Annual, or within 5 days of severe weather	Soil Cover	NA

5.2 Monitoring Completed

5.2.1 Groundwater Monitoring

Annual sampling was completed at the Site as part of this PRR in October 2025. Groundwater sampling was completed at the required wells in accordance with the Revised SMP. The laboratory analysis completed is outlined above. The results tables and graphs of results depicting the COC concentrations for current and historic sampling events are included in **Appendix B** and **Figure 4.** Below is a summary of the results and trends the sampling events.

- HRP did not observe non-aqueous phase liquid (NAPL) or a sheen on any of the groundwater samples collected at the site, during the October 2025 sampling event;
- VOCs were detected at concentrations exceeding TOGS standards in three (MW-13, MW-14, and MW-19) of the 11 samples collected from onsite monitoring wells. VOCs were not detected at concentrations exceeding TOGS standards in the offsite monitoring well (MW-23);
- SVOCs were detected at concentrations exceeding TOGS standards in two (MW-13 and MW-14) of the eleven samples collected from onsite monitoring wells. SVOCs were not detected at concentrations exceeding TOGS standards in the offsite monitoring well (MW-23);
- In general, concentrations of detected VOCs and SVOCs are consistent with or lower than concentrations detected in previous sampling rounds (2008-2019 and 2021-2024). In addition, the results of the annual sampling events do not indicate offsite migration is occurring;

- The RAOs for groundwater are being met in that the prevention of ingestion of groundwater containing COC levels exceeding drinking water standards continue to be employed at the Site; and

- The monitoring of groundwater at the Site was completed in full compliance with the monitoring plan outlined in the SMP.

5.2.2 Site Annual Inspection

A site-wide inspection was conducted in October 2025 and is recorded on the Inspection Forms in **Appendix C**. The Site perimeter is fenced and the Site lies within private property owned by Watchtower, which prohibits public access to the Site. The Site was properly maintained (i.e. mowed and free of debris). The existing soil cover at the Site was intact. No changes in Site use since the Certification of Completion was approved were noted.

Currently the Site remedy does not rely on any mechanical systems, such as sub-slab depressurization systems or air sparge/soil vapor extraction systems to protect the public health and the environment. However, should a sub-slab depressurization system be installed in the future based on the results of a SVI evaluation, then the SMP will be amended as appropriate to include an Operation and Maintenance Plan and an associated Section 5.0, Inspection Reporting and Certifications.

Other than the existing soil cover at the Site no ECs have been implemented.

5.3 Comparisons to Remedial Objectives

The EC for the soil cover was inspected and determined to be intact and undisturbed. The soil cover has been effective in preventing ingestion and direct contact with impacted soil since the remedy was selected. Therefore, this RAO is being met at this time.

The groundwater monitoring activities indicate, in general, COC concentrations are remaining the same or are lower than previous sampling events. Therefore, the RAO for groundwater have been met via ICs, including the continued monitoring and the restricting of groundwater use at the Site.

No buildings have been constructed at the Site since the remedy was selected. Therefore, there are no concerns of SVI or impacts to the public health.

These portions of the Site remedy are in compliance with the SMP.

5.4 Monitoring Deficiencies

No monitoring deficiencies were noted for the Site.

6.0 CONCLUSIONS AND RECOMMENDATIONS

The periodic review process is used for determining if a remedy continues to be properly managed, and if the remedy continues to be protective of human health and the environment.

6.1 Conclusions

The following conclusions discuss the effectiveness of the Site's remedial system in comparison to the applicable Site remedial goals derived from the SMP and Decision Document for the Site and DER-10.

Compliance & Performance with the SMP:

1. The ECs and ICs currently in place are effective in protecting human health and the environment, and are compliant with provisions specified in the SMP.

2. The remedial action objectives for the Site are being or have been met.

3. Monitoring Plan - The Site inspection and groundwater monitoring activities indicate remedial action objectives for the Site are being or have been met.

6.2 Recommendations

The Revised SMP requires another PRR be completed and submitted at the end of sampling for the period 2026-2029. Annual groundwater sampling will continue as outlined in the 2021 Revised SMP.

The requirements in the SMP state that the groundwater monitoring program would be conducted over a five-year period (2014-2018) with annual monitoring occurring for three additional years (2021-2023). Annual monitoring as set forth in the 2021 Revised SMP for the Site will continue until the NYSDEC grants termination. At the end of 2026, the need for additional annual monitoring will be assessed. The remaining objectives of the SMP shall remain in place.

FIGURES



0 1,000 2,000 4,000 6,000 8,000

Feet

1 inch = 2,000 feet

N

USGS Quadrangle Information
Quad ID: 41074-F2
Name: Gardiner, New York
Date Rev: 1957
Date Pub: 1961

Figure 1
Site Location Map
(Topographic Quadrangle)
10 Sawmill Place
Wallkill, New York
HRP# WES5900.WM
Scale 1" = 2,000'

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

Path: S:\Data\WWESFI - WEST FIRM, PLLC\CONFIDENTIAL CLIENT\WES5900WM\GIS\Site Location SRA-C.mxd



LEGEND

- –MONITORING WELL
- –SURFICIAL SOIL SAMPLE
- –TEST PIT
- –SOIL VAPOR POINT
- –SOIL BORING
- –GORE SORBER
- –DECOMMISSIONED MONITORING WELL LOCATION



HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

NORTH

0 40' 80'

REVISIONS

NO.	DATE

DESIGNED BY: PM
DRAWN BY: BOB
REVIEWED BY: MEW

ISSUE DATE: 03/10/2021
PROJECT NUMBER: WES5902.WM
SHEET SIZE: 11"x17"

SRA-C SITE PLAN
900 RED MILLS ROAD
WALLKILL, NEW YORK

SHEET NO.
Fig. 2

DRAWING NAME: S:\Data\W\WESH - WEST FIRM, PLLC\CONFIDENTIAL CLIENT\WES5902WM\WP\SRA-C\Figures\Figure 1 - Site Plan.dwg LAYOUT: 11X17 LANDSCAPE PLOT DATE: Mar 10, 2021 - 9:27am OPERATOR: BOB



COMPOUND	UNRESTRICTED	COMMERCIAL
Acetone	50 mg/kg	500,000 mg/kg
Indeno (1,2,3-cd) Pyrene	500 ug/kg	5,600 mg/kg
Benzo (b) Fluoranthene	1,000 ug/kg	5,600 ug/kg
Fluoranthene	100,000 ug/kg	500,000 ug/kg
Benzo (k) Fluoranthene	800 ug/kg	56000 ug/kg
Chrysene	1000 ug/kg	56000 ug/kg
Benzo (a) pyrene	1000 ug/kg	1000 ug/kg
Benzo (a) anthracene	1000 ug/kg	5600 ug/kg
Nickel	30 mg/kg	310 mg/kg
Chromium	30 mg/kg	1500 mg/kg
Manganese	1600 mg/kg	10000 mg/kg

LEGEND

- –MONITORING WELL
- –SURFICIAL SOIL SAMPLE
- –TEST PIT
- –SOIL VAPOR POINT
- –SOIL BORING
- –GORE SORBER
- –EXCEEDS UNRESTRICTED
- –EXCEEDS COMMERCIAL

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

NORTH

0 40' 80'

REVISIONS

NO.	DATE

DESIGNED BY: JJL
DRAWN BY: DML
REVIEWED BY: CEL

ISSUE DATE: 5/11/2015
PROJECT NUMBER: P260.PR
SHEET SIZE: 11"x17"

SRA-C SAMPLE EXCEEDANCES (SURFACE SOILS)

900 RED MILLS ROAD
WALLKILL, NEW YORK

FIGURE
3A

DRAWING NAME: S:\Data\SYSTOGR - STOCKLI GREEN SLEVIN & PETERS, LLP\CONFIDENTIAL, 900 RED MILLS ROAD, WALLKILL, NY\STO3001P2\CAD\PRR Reports\SRA-C\P260PR - Fig 3A - Sample Exceedances Surface Soils.dwg LAYOUT: 11X17 LANDSCAPE PLOT DATE: May 12, 2015 - 11:27am OPERATOR: DML

COMPOUND	UNRESTRICTED	COMMERCIAL
1,1,2-Trichlorotrifluoroethane	NE	NE
1,1-Dichloroethane	270 ug/kg	240,000 ug/kg
Acetone	50 ug/kg	500,000 ug/kg
Methylene Chloride	50 ug/kg	500,000 ug/kg
Acetone	50 u/kg	500,000 u/kg
Benzo (a) pyrene	1,000 ug/kg	1,000 ug/kg
Benzo (b) fluoranthene	1,000 ug/kg	5,600 ug/kg
Benzo (g,h,i) perylene	100,000 ug/kg	500,000 ug/kg
Benzo (k) fluoranthene	800 ug/kg	56,000 ug/kg
Chrysene	1,000 ug/kg	56,000 ug/kg
Indeno (1,2,3-cd) pyrene	500 ug/kg	5,600 ug/kg
Copper	50 mg/kg	270 mg/kg
Lead	63 mg/kg	1,000 mg/kg
Nickel	30 mg/kg	310 mg/kg
Zinc	109 mg/kg	10,000 mg/kg



LEGEND

- –MONITORING WELL
- –SURFICIAL SOIL SAMPLE
- –TEST PIT
- –SOIL VAPOR POINT
- –SOIL BORING
- –GORE SORBER
- –EXCEEDS UNRESTRICTED
- –EXCEEDS COMMERCIAL

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

NORTH

0 40' 80'

REVISIONS

NO.	DATE

DESIGNED BY: JJL
DRAWN BY: DML
REVIEWED BY: CEL

ISSUE DATE: 5/11/2015
PROJECT NUMBER: P260.PR
SHEET SIZE: 11"x17"

SRA-C SAMPLE EXCEEDANCES (TEST PIT SOILS)

900 RED MILLS ROAD
WALLKILL, NEW YORK

FIGURE
3B

DRAWING NAME: S:\Data\S\STOGR - STOCKLI GREEN SLEVIN & PETERS, LLP\CONFIDENTIAL, 900 RED MILLS ROAD, WALLKILL, NY\STO3001P2\CAD\PRR Reports\SRA-C\P260PR - Fig 3B - Sample Exceedances Test Pit Soils.dwg LAYOUT: 11X17 LANDSCAPE PLOT DATE: May 12, 2015 - 10:39am OPERATOR: DML

COMPOUND	UNRESTRICTED	COMMERCIAL
1,4-Dioxane	100 ug/kg	130,000 ug/kg
Copper	50 mg/kg	270 mg/kg
Lead	63 mg/kg	1,000 mg/kg
Zinc	109 mg/kg	10,000 mg/kg
4,4'-DDT (p,p')	3 ug/kg	47000 ug/kg



LEGEND

- –MONITORING WELL
- –SURFICIAL SOIL SAMPLE
- –TEST PIT
- –SOIL VAPOR POINT
- –SOIL BORING
- –GORE SORBER
- –EXCEEDS UNRESTRICTED
- –EXCEEDS COMMERCIAL

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

NORTH

0 40' 80'

REVISIONS

NO.	DATE

DESIGNED BY: JJL
DRAWN BY: DML
REVIEWED BY: CEL

ISSUE DATE: 5/11/2015
PROJECT NUMBER: P260.PR
SHEET SIZE: 11"x17"

SRA-C SAMPLE EXCEEDANCES (SOIL BORING SOILS)

900 RED MILLS ROAD
WALLKILL, NEW YORK

FIGURE
3C

DRAWING NAME: S:\Data\S\STOGR - STOCKLI GREEN SLEVIN & PETERS, LLP\CONFIDENTIAL, 900 RED MILLS ROAD, WALLKILL, NY\STO3001P2\CAD\PRR Reports\SRA-C\P260PR - Fig 3C - Sample Exceedances Soil Boring Soils.dwg LAYOUT: 11X17 LANDSCAPE PLOT DATE: May 12, 2015 - 10:54am OPERATOR: DML

LEGEND	
⌖	Monitoring Well
VOC	Volatile Organic Compound
NE	Not Established
SVOC	Semi-Volatile Organic Compound
µg/l	micrograms per liter
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 µg/L in late 2021

1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion



MW-14	
10/22/2025	
VOCs (µg/L)	
1,1-Dichloroethane	3.6
1,2,4-Trimethylbenzene	7.9
4-Isopropyltoluene	1.1
Benzene	6.2
Chlorobenzene	0.76
Chloroethane	74
Dichlorodifluoromethane (Freon12)	4.6
Ethyl ether	12
Ethylbenzene	51
Isopropylbenzene	100
Naphthalene	190
n-Butylbenzene	3.4
n-Propylbenzene	240
p-Isopropyltoluene	1.1
sec-Butylbenzene	5.3
Tetrahydrofuran	4.5
Toluene	0.94
SVOCs (µg/L)	
1-Methylnaphthalene	11
2-Methylnaphthalene	9.6
Acenaphthene	6.9
Carbazole	4.1
Dibenzofuran	2.9
Fluorene	2.8
N-Nitrosodiphenylamine	0.96
Naphthalene	66
Phenanthrene	2.5

MW-17	
10/21/2025	
VOCs (µg/L)	
1,1-Dichloroethane	0.29
1,1-Dichloroethene	1.3
1,2,4-Trimethylbenzene	0.42
1,2-Dichloroethane	0.31
1,3,5-Trimethylbenzene	0.39
4-Methyl-2-pentanone (MIBK)	2.1
Acetone	5.2
Dichlorodifluoromethane (Freon12)	2.4
Ethylbenzene	0.26
Methylene chloride	0.31
Tetrahydrofuran	1.4
Toluene	2.1
Trichlorofluoromethane (Freon11)	3.9
Total Xylene	1.22
SVOCs (µg/L)	
No Detections	

MW-19	
10/21/2025	
VOCs (µg/L)	
1,2,4-Trimethylbenzene	9.6
1,2-Dichloroethane	7.2
Acetone	24
Dichlorodifluoromethane (Freon12)	11
Ethylbenzene	4.5
Isopropylbenzene	1.9
Toluene	15
Trichlorofluoromethane (Freon11)	66
Total Xylene	8.7
SVOCs (µg/L)	
No Detections	

MW-13	
10/21/2025	
VOCs (µg/L)	
1,1-Dichloroethane	11
1,2,4-Trimethylbenzene	10
1,3,5-Trimethylbenzene	4.2
2-Butanone (MBK)	38
4-Isopropyltoluene	2.2
4-Methyl-2-pentanone (MIBK)	140
Acetone	98
Benzene	2.9
Dichlorodifluoromethane (Freon12)	23
Ethyl ether	9.5
Ethylbenzene	41
Isopropylbenzene	3.3
Methyl tert-butyl ether (MTBE)	2.8
Naphthalene	3.4
n-Propylbenzene	2.1
p-Isopropyltoluene	2.2
Tetrahydrofuran	200
Toluene	110
Total Xylene	132
Vinyl chloride	5.6
SVOCs (µg/L)	
3 & 4-Methylphenol	130
Aniline	110
Benzoic acid	73
Naphthalene	2
Phenanthrene	1
Phenol	100

Compound	Groundwater NYSDEC Class GA Criteria
VOCs (µg/L)	
1,1-Dichloroethane	5
1,2,4-Trimethylbenzene	5
1,2-Dichloroethane	0.6
1,3,5-Trimethylbenzene	5
2-Butanone (MBK)	50
4-Isopropyltoluene	5
4-Methyl-2-pentanone (MIBK)	50
Acetone	50
Benzene	1
Chlorobenzene	5
Chloroethane	5
Dichlorodifluoromethane (Freon12)	5
Ethyl ether	NE
Ethylbenzene	0.6
Isopropylbenzene	5
Methyl tert-butyl ether (MTBE)	10
Naphthalene	10
n-Butylbenzene	5
n-Propylbenzene	5
p-Isopropyltoluene	NE
sec-Butylbenzene	5
Tetrahydrofuran	50
Toluene	5
Trichlorofluoromethane (Freon11)	5
Total Xylene	5
SVOCs (µg/L)	
1-Methylnaphthalene	NE
2-Methylnaphthalene	NE
3 & 4-Methylphenol	NE
Acenaphthene	20
Aniline	5
Benzoic acid	NE
Carbazole	NE
Dibenzofuran	NE
Fluorene	50
N-Nitrosodiphenylamine	50
Naphthalene	10
Phenanthrene	50
Phenol	1

HRP
MOVE YOUR ENVIRONMENT FORWARD
ONE FAIRCHILD SQUARE
SUITE 110
CLIFTON PARK, NY 12065
(518) 877-7101
HRPASSOCIATES.COM

NORTH

0 40' 80'

REVISIONS

NO.	DATE

DESIGNED BY: JG
DRAWN BY: BOB
REVIEWED BY: MEW

ISSUE DATE: 12/26/2025
PROJECT NUMBER: WES5902.WM
SHEET SIZE: 11"x17"

SRA-C GROUNDWATER EXCEEDANCE MAP

900 RED MILLS ROAD
WALLKILL, NEW YORK

FIGURE NO.
3

APPENDIX A
IC/EC Certifications

Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form

Site Details **Box 1**

Site No. C356044

Site Name Sawmill Place Remediation Area C SRA-C

Site Address: 10 Sawmill Place Zip Code: 12589
City/Town: Wallkill
County: Ulster
Site Acreage: 2.840

Reporting Period: April 15, 2023 to April 15, 2026

	YES	NO
1. Is the information above correct?	☒	☐
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	☐	☒
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	☐	☒
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	☐	☒
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	☐	☒

Box 2

	YES	NO
6. Is the current site use consistent with the use(s) listed below? Restricted-Residential, Commercial, and Industrial	☒	☐
7. Are all ICs in place and functioning as designed?	☒	☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

_____ _____
Signature of Owner, Remedial Party or Designated Representative Date

Box 2A

	YES	NO
8. Has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?	☐	☒

If you answered YES to question 8, include documentation or evidence that documentation has been previously submitted with this certification form.

9. Are the assumptions in the Qualitative Exposure Assessment still valid? (The Qualitative Exposure Assessment must be certified every five years)	☒	☐

If you answered NO to question 9, the Periodic Review Report must include an updated Qualitative Exposure Assessment based on the new assumptions.

SITE NO. C356044 **Box 3**

Description of Institutional Controls

Parcel	Owner	Institutional Control
99.004-1-11	Watchtower Bible and Tract Society of NY	Ground Water Use Restriction Landuse Restriction Monitoring Plan Site Management Plan IC/EC Plan

1. Groundwater Use Restriction: The use of groundwater underlying the property is prohibited without treatment to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval from the Department and the Ulster County Department of Health.

2. Land Use Restriction: The controlled property as described in the environmental easement is restricted to a restricted-residential use. Vegetable gardens and farming on the controlled property is prohibited.

3. Site Management Plan: Any intrusive activities, including building renovation/expansion, subgrade utility line repair/relocation, and new construction which will cause a disturbance beneath the 2 feet topsoil cover must be conducted in accordance with the Department approved Site Management Plan (SMP).

4. Monitoring Plan: Monitor, maintain, and replace as necessary any on-site and one off-site Groundwater Monitoring Wells as depicted on Schedule A Survey and as set forth in Section 3.3 of the Department approved SMP.

Box 4

Description of Engineering Controls

Parcel	Engineering Control
99.004-1-11	Cover System

1. Cover System: Any soil on the property must be covered by a barrier layer approved by the Department such as concrete, asphalt, structures, or a minimum two (2) feet soil cover underlain by a demarcation barrier (e.g. geotextile) for vegetated areas. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for the identified site use as set forth in 6NYCRR Part 375-6.7(d).

2. Vapor Mitigation: Should a building(s) be erected, prior to construction, a Soil Vapor Intrusion (SVI) Investigation shall be conducted in accordance with the applicable guidance in effect at the time of the investigation. If the results of this SVI investigation demonstrate the need for a sub-slab vapor extraction system, an appropriate system shall be designed, constructed and maintained.

3. Groundwater Monitoring Wells: Maintain and replace as necessary, MW-13, MW-14, MW-15, MW-16, MW-17, MW-18, MW-19, MW-20, MW-21, MW-22, and one off-site well, as depicted on Schedule A Survey and as set forth in Section 3.3 of the Department approved SMP.

Box 5

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

   a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

   b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES	NO
☒	☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

   (a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

   (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

   (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

   (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

   (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES	NO
☒	☐

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

_____ _____

Signature of Owner, Remedial Party or Designated Representative — Date

IC CERTIFICATIONS
SITE NO. C356044

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Thomas S. Seguljic (print name) at HRP Associates, Inc.
1 Fairchild Square, Suite 110
Clifton Park, NY 12065 (print business address),

am certifying as Designated Representative Rendering Certification (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.



Signature of Owner, Remedial Party, or Designated Representative Rendering Certification

5/11/26
Date

EC CERTIFICATIONS

Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Mark Wright, P.G. (print name) at HRP Associates, Inc. 1 Fairchild Square, Suite 110, Clifton Park, NY 12065 (print business address),

am certifying as a Qualified Environmental Professional for the Owner (Owner or Remedial Party)

Signature of Qualified Environmental Professional, for the Owner or Remedial Party, Rendering Certification	Stamp (Required for PE)	Date
		5/11/26

APPENDIX B
Tables and Graphs of Groundwater Results

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trimethylbenzene	1,2-Dichloroethane	1,3,5-Trimethylbenzene	1,4-Dioxane *	2-Butanone (MEK)	4-Isopropyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	11.4	ND	11.6	ND	5.2	ND	18.2	ND	154.0	ND	3.6
	8/20/09	17.2	ND	7.3	ND	3.6	ND	34.3	4.2	215	84.9	3.2
	12/7/11	3.7	ND	3.2	ND	1.5	ND	4	1.7	47.8	ND	0.8
	7/31/12	13.5	ND	10.2	ND	4	ND	28.4	3.3	106	129	ND
	4/28/14	9.95	ND	18.6	ND	7.35	ND	ND	3.6	24.2	ND	2.5
	11/21/14	ND	ND	16.0	ND	6.8	ND	ND	4.2	ND	51.0	3.2
	4/27/15	13.4	ND	14.5	ND	5.7	ND	ND	3.4	44.2	ND	2.4
	6/13/16	23.3	ND	13.8	ND	6.5	4.4	ND	4.3	56.7	26	3.6
	11/14/17	19.6	ND	10.3	ND	5.85	ND	ND	3.9	73.8	ND	2.45
	1/22/19	22	ND	13	ND	5	ND	5	3	50	21	3
	9/21/21	13	ND	10	ND	ND	ND	ND	ND	55	ND	ND
	9/21/22	17	9.2	13	ND	ND	ND	ND	ND	80	ND	ND
	9/26/23	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	12	ND	13	ND	6.1	ND	ND	NA	85	ND	3
	10/21/25	11	ND	10	ND	4.2	ND	38	2.2	140	98	2.9
MW-14	12/23/08	ND	ND	1,620	ND	72.3	ND	ND	9.8	ND	ND	9.7
	8/20/09	6.3	ND	1,370	7.8	20.4	270	ND	9.4	ND	ND	12.6
	12/7/11	ND	ND	1,900	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	1,600	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	1,700	ND	ND	ND	ND	ND	ND	ND	ND
	11/21/14	ND	ND	1,550	ND	ND	ND	ND	ND	ND	ND	8.2
	4/27/15	ND	ND	1,530	ND	ND	ND	ND	ND	ND	ND	6
	6/13/16	8.2	ND	816	ND	12.8	10	ND	11.2	ND	100	6.0
	1/26/18	5.95	ND	380	ND	3.7	ND	ND	3.55	ND	ND	5.2
	1/22/19	6.0	ND	530	0.6	1	ND	ND	3	ND	2	5
	9/21/21	6.0	ND	200	ND	ND	ND	ND	ND	ND	ND	5.4
	9/23/22	4.4	ND	59	ND	ND	ND	ND	ND	ND	ND	4.8
	9/26/23	5.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.3
	11/18/24	ND	ND	14	ND	5.1	ND	ND	NA	ND	ND	4.4
	10/22/25	3.6	ND	7.9	ND	ND	ND	ND	1.1	ND	ND	6.2
MW-15	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.5	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.2	ND
MW-16	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	57.6	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	101.0	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	71.4	ND	ND	ND	6.67	ND
	4/28/14	ND	ND	ND	ND	ND	81.0	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	68.0	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	62.0	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	41	ND	ND	ND	4.4	ND
	11/15/17	ND	ND	ND	ND	ND	75.6	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	82	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		5	5	5	0.6	5	NE+	50	5	NE	50	1

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trimethylbenzene	1,2-Dichloroethane	1,3,5-Trimethylbenzene	1,4-Dioxane *	2-Butanone (MEK)	4-Isopropyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	**1.2**	ND	ND	ND	ND	ND	ND	ND	ND	**9.4**	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	**17.8**	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	**0.9**	ND	**0.3**	**0.4**	**0.2**	ND	**1.5**	ND	ND	**4.3**	ND
	11/14/17	**0.71**	ND	ND	**0.36**	ND	ND	**1.42**	**0.68**	**1.27**	**4.38**	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	**0.2**	ND	**2**	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	**0.29**	**1.3**	**0.42**	**0.31**	**0.39**	ND	ND	ND	**2.1**	**5.2**	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	**8.8**	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	**4.8**	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	**12**	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	**2**	ND
MW-19	9/2/09	ND	ND	**3.1**	**2.8**	**1.6**	ND	ND	ND	ND	**7.3**	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	**5.5**	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	**9**	ND	**8**	**1.4**	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	**6.6**	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	**6**	**8**	**3**	ND	**0.6**	ND	**0.9**	**5**	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	**5.6**	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	**11**	**7.5**	**5.9**	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	**9.6**	**7.2**	ND	ND	ND	ND	ND	**24**	ND
MW-20	8/1/12	ND	ND	ND	ND	ND	ND	**3.89**	ND	ND	**24.4**	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	**0.4**	ND	ND	**0.23**	ND	ND	ND	**4.2**	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**5**	**5**	**5**	**0.6**	**5**	**NE+**	**50**	**5**	**NE**	**50**	**1**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
VOCs Volatile Organic Compounds
* 1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
\+ 1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trimethylbenzene	1,2-Dichloroethane	1,3,5-Trimethylbenzene	1,4-Dioxane *	2-Butanone (MEK)	4-Isopropyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	**0.68**	ND	**1.02**	ND	ND	ND	ND	ND	ND	**11.9**	ND
	4/29/14	ND	ND	ND	ND	ND	**16.5**	ND	ND	ND	**4.5**	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	**6.2**	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	**4.6**	**4.2**	ND	ND	**67.2**	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	**5.2**	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	**2**	ND	ND	ND	**5.7**	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**5**	**5**	**5**	**0.6**	**5**	**NE+**	**50**	**5**	**NE**	**50**	**1**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Carbon disulfide	Chlorobenzene	Chloroethane	Chloromethane	Chloroform	cis-1,2-Dichloroethene	Ethanol	Dichlorodifluoromethane (Freon12)	Ethyl ether	Ethyl tert-butyl ether	Ethylbenzene	Isopropylbenzene
Units		µg/L	µg/L	µg/L	u/gl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	**2.7**	ND	ND	ND	ND	ND	ND	**91.0**	**5.6**	ND	**43.4**	**2.7**
	8/20/09	**8.4**	ND	**23.8**	ND	ND	ND	ND	**48.2**	**18.4**	ND	**32.8**	ND
	12/7/11	**1.3**	ND	ND	ND	ND	ND	ND	**10.5**	**9.1**	ND	**11**	**0.8**
	7/31/12	**4.1**	ND	ND	ND	ND	ND	ND	**28**	**60.8**	ND	**36**	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	**28.4**	**54.2**	ND	**40.8**	**4.6**
	11/21/14	**5.1**	ND	**9.2**	ND	ND	ND	ND	**47.1**	**27**	ND	**52.4**	**4.4**
	4/27/15	**2.3**	ND	ND	ND	ND	ND	ND	**32.2**	**10**	ND	**41.7**	**3.7**
	6/13/16	ND	ND	ND	**6.2**	ND	ND	ND	**46.1**	**48.6**	ND	**53.1**	**4**
	11/14/17	**4.45**	ND	ND	ND	ND	ND	ND	**27.6**	**22.7**	ND	**34.5**	**4.25**
	1/22/19	**2**	**0.4**	**11**	ND	ND	**0.9**	ND	**19**	**170**	ND	**42**	**3**
	9/21/21	ND	ND	ND	ND	ND	ND	ND	**10**	**36**	ND	**35**	ND
	9/21/22	ND	ND	ND	ND	ND	ND	NA	**23**	**24**	ND	**42**	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	**12**	ND	ND	**24**	ND
	11/19/24	ND	ND	ND	ND	ND	ND	NA	**23**	**10**	ND	**51**	**3.6**
	10/21/25	ND	ND	ND	ND	ND	ND	NA	**23**	**9.5**	ND	**41**	**3.3**
MW-14	12/23/08	ND	ND	**283**	ND	ND	ND	ND	ND	**15.3**	ND	**63.5**	**163.0**
	8/20/09	ND	ND	**895**	ND	ND	ND	ND	ND	**19**	ND	**52.5**	**115**
	12/7/11	ND	ND	**170**	ND	ND	ND	ND	**30**	ND	ND	**82.5**	**206**
	7/31/12	ND	ND	**406**	ND	ND	ND	ND	**36.5**	ND	ND	**80.5**	**137**
	4/28/14	ND	ND	**81.5**	ND	ND	ND	ND	ND	ND	ND	**68**	**168**
	11/21/14	ND	ND	**220**	ND	ND	ND	ND	ND	**17.0**	ND	**75.8**	**166**
	4/27/15	ND	ND	**86.8**	ND	ND	ND	ND	**27.5**	**16.0**	ND	**71.8**	**142**
	6/13/16	ND	ND	**47.5**	ND	ND	ND	ND	**48**	**14.5**	ND	**62**	**94**
	1/26/18	ND	ND	**50.6**	ND	ND	ND	ND	**7.25**	**13.7**	ND	**46.8**	**82.6**
	1/22/19	ND	**0.7**	**52**	ND	ND	**0.4**	ND	**16**	**12**	ND	**59**	**120**
	9/21/21	ND	ND	**29**	ND	ND	ND	ND	**17**	**13**	ND	**64**	**100**
	9/23/22	ND	ND	**90**	ND	ND	ND	ND	ND	**9.6**	ND	**52**	**74**
	9/26/23	ND	ND	**50**	ND	ND	ND	ND	**13**	ND	ND	**60**	**110**
	11/18/24	ND	ND	**130**	ND	ND	ND	NA	ND	**10**	ND	**44**	**90**
	10/22/25	ND	**0.76**	**74**	ND	ND	ND	NA	**4.6**	**12**	ND	**51**	**100**
MW-15	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	**0.4**	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	**27.6**	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	**0.46**	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
MW-16	12/23/08	**0.6**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	**35.7**	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	NA	**0.57**	ND	ND	ND	ND
NYSDEC Class GA Criteria		**60**	**5**	**5**	**NE**	**7**	**5**	**NE**	**5**	**NE**	**NE**	**0.6**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Carbon disulfide	Chlorobenzene	Chloroethane	Chloromethane	Chloroform	cis-1,2-Dichloroethene	Ethanol	Dichlorodifluoromethane (Freon12)	Ethyl ether	Ethyl tert-butyl ether	Ethylbenzene	Isopropylbenzene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	ND	ND	ND	ND	ND	ND	ND	**15.5**	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	**12**	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	**13**	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	**2.6**	ND	ND	**9.25**	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	**17.3**	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	**5.7**	ND	ND	ND	ND
	6/13/16	**0.3**	ND	ND	ND	ND	ND	ND	**12**	ND	ND	**0.2**	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	**7.99**	ND	ND	**0.58**	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	**3**	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	**2.2**	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	**2.4**	ND	ND	**0.26**	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	**3**	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	**0.5**	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	**0.81**	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	**29.9**	**0.9**	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	**0.29**	ND	ND	ND	ND
MW-19	9/2/09	ND	**0.6**	ND	ND	ND	ND	ND	**20.7**	ND	ND	**1.5**	**0.6**
	12/7/11	ND	ND	ND	ND	ND	ND	ND	**26.2**	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	**22.8**	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	**13.5**	ND	ND	ND	ND
	11/20/14	ND	ND	ND	**20.8**	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	**16.9**	ND	ND	**3.2**	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	**25.8**	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	**13.6**	ND	ND	ND	ND
	1/22/19	**0.3**	**1**	ND	ND	ND	ND	ND	**12**	**1**	ND	**2**	**1**
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	**23.0**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	**2.6**	ND	ND	ND	ND	NA	**7.3**	ND	ND	**5.2**	**2.3**
	10/21/25	ND	ND	ND	ND	ND	ND	NA	**11.0**	ND	ND	**4.5**	**1.9**
MW-20	8/1/12	**1.22**	ND	ND	ND	ND	ND	ND	**1.02**	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	**1.69**	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	**0.8**	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	**0.6**	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	**1.1**	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	**0.62**	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	**0.3**	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	1.5	ND	ND	ND	ND
NYSDEC Class GA Criteria		**60**	**5**	**5**	**NE**	**7**	**5**	**NE**	**5**	**NE**	**NE**	**0.6**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Carbon disulfide	Chlorobenzene	Chloroethane	Chloromethane	Chloroform	cis-1,2-Dichloroethene	Ethanol	Dichlorodifluoromethane (Freon12)	Ethyl ether	Ethyl tert-butyl ether	Ethylbenzene	Isopropylbenzene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	**2.23**	ND	**11.4**	ND	ND	ND	ND	**0.91**	**5.89**	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	**2.74**	ND	ND	ND
	11/20/14	ND	ND	**1.2**	ND	ND	ND	ND	ND	**3.7**	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	**2.8**	ND	ND	ND
	6/13/16	ND	**1**	ND	ND	ND	ND	**27**	ND	**3.9**	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	**1.86**	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	**1**	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	NA	**0.25**	**1.4**	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	**43.6**	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
MW-23	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	**30.2**	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**60**	**5**	**5**	**NE**	**7**	**5**	**NE**	**5**	**NE**	**NE**	**0.6**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Methyl acetate	Methyl tert-butyl ether (MTBE)	Methylene chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Butanol / butyl alcohol	Tetrachloroethene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	ND	**8.4**	**5.8**	**13.4**	ND	ND	ND	ND	ND	ND
	8/20/09	ND	**9.0**	**7.1**	**5.4**	ND	ND	ND	ND	**144**	ND
	12/7/11	ND	**1.1**	ND	**1.0**	ND	ND	ND	ND	ND	ND
	7/31/12	ND	**5.35**	ND	**4.1**	ND	ND	ND	ND	**135**	ND
	4/28/14	ND	**2.05**	ND	**4.7**	ND	**4.1**	ND	ND	ND	ND
	11/21/14	ND	**6.1**	**3.0**	**8.5**	ND	**3.4**	ND	ND	**116**	ND
	4/27/15	ND	ND	ND	**5.7**	ND	**3.2**	ND	ND	ND	ND
	6/13/16	ND	**3.5**	ND	**4.2**	**2.2**	**4**	ND	**2.2**	**57.8**	ND
	11/14/17	ND	**3.65**	ND	**6.3**	ND	**4.7**	ND	ND	**45.9**	ND
	1/22/19	ND	**3**	**2**	**4**	**0.3**	**3**	ND	ND	**39**	**0.4**
	9/21/21	**17**	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	**3.4**	ND	**5.1**	ND	**2.8**	**2.1**	ND	**47**	ND
	10/21/25	ND	**2.8**	ND	**3.4**	ND	**2.1**	**2.2**	ND	ND	ND
MW-14	12/23/08	ND	ND	ND	**292.0**	**15.6**	**376.0**	ND	**19.3**	ND	ND
	8/20/09	ND	ND	**9.4**	**247**	**10.8**	**261**	ND	**10.8**	ND	ND
	12/7/11	ND	ND	ND	**278**	ND	**489**	ND	ND	ND	ND
	7/31/12	ND	ND	ND	**239**	ND	**314**	ND	ND	ND	ND
	4/28/14	ND	ND	ND	**182**	ND	**364**	ND	ND	ND	ND
	11/21/14	ND	ND	ND	**246**	**11.2**	**328**	ND	**11.6**	ND	ND
	4/27/15	ND	ND	ND	**163**	**14**	**346**	ND	**10**	ND	ND
	6/13/16	ND	ND	ND	**153**	**16.2**	**180**	ND	**15.8**	ND	ND
	1/26/18	ND	ND	ND	**165**	**9.9**	**194**	ND	**7.6**	ND	ND
	1/22/19	ND	ND	**0.4**	**170**	**6**	**240**	ND	**7**	ND	ND
	9/21/21	ND	ND	ND	**160**	**6.7**	**220**	**2.5**	**5.1**	ND	ND
	9/23/22	ND	ND	ND	**140**	**5.9**	**180**	ND	**4.5**	ND	ND
	9/26/23	ND	ND	ND	NE	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	**140**	**7.4**	**210**	ND	**5.0**	ND	ND
	10/22/25	ND	ND	ND	**190**	**3.4**	**240**	**1.1**	**5.3**	ND	ND
MW-15	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**10**	**5**	**10**	**5**	**5**	**NE**	**5**	**NE**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
VOCs Volatile Organic Compounds
* 1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
\+ 1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Methyl acetate	Methyl tert-butyl ether (MTBE)	Methylene chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Butanol / butyl alcohol	Tetrachloroethene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	ND	ND	**0.8**	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	**0.31**	ND	ND	ND	ND	ND	ND	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-19	9/2/09	ND	ND	ND	ND	ND	**0.9**	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	**6.4**	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	**9**	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	**24**	ND	**1**	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	**2.1**	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	**54.9**	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	**15.3**	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	**13.8**	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	**7.9**	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**10**	**5**	**10**	**5**	**5**	**NE**	**5**	**NE**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
VOCs Volatile Organic Compounds
* 1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+ 1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Methyl acetate	Methyl tert-butyl ether (MTBE)	Methylene chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	p-Isopropyltoluene	sec-Butylbenzene	Tert-Butanol / butyl alcohol	Tetrachloroethene
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	ND	**1.58**	ND	ND	ND	ND	ND	ND	**15.6**	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**10**	**5**	**10**	**5**	**5**	**NE**	**5**	**NE**	**5**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane (Freon 11)	Total Xylene	Vinyl chloride	Bromobenzene	di-isopropyl ether	tert-Butylbenzene	Styrene	1,2-Dichloropropane
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	263.0	161.0	ND	ND	129.5	10.1	ND	ND	ND	ND	ND
	8/20/09	287	202	ND	ND	110.8	16.2	ND	ND	ND	ND	ND
	12/7/11	37.6	15.4	ND	ND	29.8	6.1	ND	ND	ND	ND	ND
	7/31/12	222	86.9	ND	ND	104.9	14.5	ND	ND	ND	ND	ND
	4/28/14	83.8	390	ND	ND	119.2	6.25	ND	ND	ND	ND	ND
	11/21/14	276	157	ND	ND	182.2	33.6	ND	ND	ND	ND	ND
	4/27/15	73.6	288	ND	ND	128.2	10.3	ND	ND	ND	ND	ND
	6/13/16	180	212	ND	ND	176	ND	ND	ND	ND	ND	ND
	11/14/17	137	182	ND	ND	128.2	14.7	ND	ND	ND	ND	ND
	1/22/19	220	190	0.2	0.8	139	10	ND	ND	ND	2	0.7
	9/21/21	210	100	ND	ND	85	ND	ND	ND	ND	ND	ND
	9/21/22	280	190	ND	ND	142	ND	ND	ND	ND	ND	ND
	9/26/23	ND	110	ND	ND	73	ND	ND	ND	ND	ND	ND
	11/19/24	160	200	ND	ND	182	5.8	ND	ND	ND	ND	ND
	10/21/25	200	110	ND	ND	132	5.6	ND	ND	ND	ND	ND
MW-14	12/23/08	ND	7.3	ND	ND	25.4	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Nd
	11/21/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	Nd
	4/27/15	ND	ND	ND	ND	9.5	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	10.2	ND	ND	ND	ND	ND	ND
	1/26/18	ND	ND	ND	ND	9.5	ND	ND	ND	ND	ND	ND
	1/22/19	8	2	ND	ND	6.8	0.2	0.3	0.3	0.3	ND	0.2
	9/21/21	ND	ND	ND	ND	4.7	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	2.1	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	4.5	0.94	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	12/23/08	0.7	ND	ND	9.0	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	8.1	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	5.55	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	6.3	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	1.69	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	2.2	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND
MW-16	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	3.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	2.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	4.16	ND	ND	ND	ND	ND	Nd	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	3.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	4.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	6.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	1.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		50	5	5	5	5	2	5	NE	5	5	1

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
VOCs Volatile Organic Compounds
* 1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
\+ 1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane (Freon 11)	Total Xylene	Vinyl chloride	Bromobenzene	di-Isopropyl ether	tert-Butylbenzene	Styrene	1,2-Dichloropropane
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	ND	**1.3**	ND	**479**	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	**282**	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	**363**	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	**171**	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	**17.2**	ND	**16**	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	**50.3**	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	**7.3**	ND	**33.7**	**0.4**	ND	ND	ND	ND	ND	ND
	11/14/17	ND	**14**	ND	**20.7**	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	**4**	ND	**8**	ND	ND	ND	ND	ND	ND	ND
	9/20/21	ND	ND	ND	**2**	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	**2.3**	ND	**5.2**	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	**1.1**	ND	**2.1**	ND	ND	ND	ND	ND	ND	ND
	10/21/25	**1.4**	**2.1**	ND	**3.9**	**1.22**	ND	ND	ND	ND	ND	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-19	9/2/09	ND	**1.1**	ND	**1,390**	**2.6**	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	**977**	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	**1,800**	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	**411**	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	**1,320**	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	**525**	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	**1,180**	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	**1,740**	ND	ND	ND	ND	ND	ND	ND
	1/22/19	**0.9**	**5**	**0.4**	**980**	**5**	ND	ND	ND	ND	ND	**0.2**
	9/20/21	ND	ND	ND	**790**	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	**720**	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	**8.9**	ND	**220**	**11**	ND	ND	ND	ND	ND	ND
	11/18/24	ND	**19**	ND	**98**	**10**	ND	ND	ND	ND	ND	ND
	10/21/25	ND	**15**	ND	**66**	**8.7**	ND	ND	ND	ND	ND	ND
MW-20	8/1/12	**2.13**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	**1.34**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	Nd	ND	ND
	11/14/17	**2.44**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**50**	**5**	**5**	**5**	**5**	**2**	**5**	**NE**	**5**	**5**	**1**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
VOCs Volatile Organic Compounds
* 1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+ 1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Volatile Organic Compounds
Detections Only

Parameter		Tetrahydrofuran	Toluene	Trichloroethene	Trichlorofluoromethane (Freon 11)	Total Xylene	Vinyl chloride	Bromobenzene	di-Isopropyl ether	tert-Butylbenzene	Styrene	1,2-Dichloropropane
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	**5.38**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	**4.25**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	**6.5**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	**3.6**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	**5.6**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	**2.44**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	**1**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/23/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**50**	**5**	**5**	**5**	**5**	**2**	**5**	**NE**	**5**	**5**	**1**

NYSDEC Class GA Criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, Class GA standards/guidance values from Table 1

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA	Not Analyzed
NE	Not Established
µg/L	micrograms per Liter
VOCs	Volatile Organic Compounds
*	1,4-Dioxane was analyzed using EPA method 8270C SIM during the 2016 sampling event. 1,4-Dioxane was analyzed using EPA method 8270D during all other events.
+	1,4-Dioxane Class GA Criteria to adopt the value of 0.35 ppb in late 2021/2022

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		1-Methylnaphthalene	2-Methylphenol	2-Methylnaphthalene	3 & 4-Methylphenol	2,4-Dichlorophenol	2,4-Dimethylphenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Atrazine	Benzo(a) anthracene	Benzo(b)flouranthene	Benzoic acid
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	**5.7**	ND	ND	ND	ND	**8.91**	ND	ND	ND	ND	**2.46**
	7/31/12	ND	ND	ND	**27.8**	ND	ND	ND	ND	**45.6**	ND	ND	ND	ND	**27.2**
	4/28/14	ND	ND	ND	**21.3**	ND	ND	ND	ND	**5.52**	ND	ND	ND	ND	**36.7**
	11/21/14	ND	ND	ND	**69**	ND	ND	ND	ND	**62.1**	ND	ND	ND	ND	**83.1**
	4/27/15	ND	ND	ND	**28.6**	ND	ND	ND	ND	**27.3**	ND	ND	ND	ND	**28.8**
	6/13/16	ND	**2.35**	ND	**45.2**	ND	**1.86**	ND	ND	**46.1**	ND	ND	ND	ND	**38.4**
	11/14/17	ND	ND	ND	**66**	ND	ND	ND	ND	**79**	**0.79**	ND	**0.07**	**0.15**	**78**
	1/22/19	**0.6**	**2**	**0.5**	**78**	ND	ND	**0.3**	ND	**95**	**0.8**	ND	ND	ND	**53**
	9/21/21	ND	ND	ND	**48**	ND	ND	ND	ND	**65**	ND	ND	ND	ND	**29**
	9/21/22	ND	ND	ND	**170**	ND	ND	ND	ND	**160**	ND	ND	ND	ND	**92**
	9/26/23	ND	ND	ND	**47**	ND	ND	ND	ND	NA	ND	ND	ND	ND	**93**
	11/19/24	ND	ND	ND	**190**	ND	ND	ND	ND	**160**	ND	NA	ND	ND	**93**
	10/21/25	ND	ND	ND	**130**	ND	ND	ND	ND	**110**	ND	NA	ND	ND	**73**
MW-14	12/23/08	**26.9**	ND	**31.9**	ND	ND	ND	**28.5**	**1.0**	ND	**2.04**	ND	ND	ND	ND
	8/20/09	**24.1**	ND	**25.7**	ND	ND	ND	**20.7**	ND	ND	ND	ND	ND	ND	ND
	12/7/11	**15.5**	ND	**10.4**	ND	ND	ND	**19.9**	ND	ND	**0.892**	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	**4.73**	ND	ND	ND	ND	ND	ND	ND
	4/28/14	**11.3**	ND	**10.7**	ND	**0.874**	**1.73**	**10.9**	ND	ND	ND	ND	ND	ND	ND
	11/21/14	**11.1**	ND	**8.12**	ND	ND	**2.39**	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	**8.94**	ND	**5.6**	ND	ND	ND	**8.59**	ND	ND	ND	ND	ND	ND	ND
	6/13/16	**8.98**	ND	**10.2**	ND	ND	ND	**6.7**	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	**8**	ND	**2**	ND	ND	ND	**7**	**0.3**	ND	**0.4**	**5**	ND	ND	ND
	9/21/21	**14**	ND	**16**	ND	ND	ND	**9.9**	ND	ND	ND	ND	ND	ND	ND
	9/22/22	**6**	ND	ND	ND	ND	ND	**5.4**	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	**18**	ND	ND	ND	**11.0**	ND	ND	ND	ND	ND	ND	ND
	11/18/24	**11**	ND	**8.5**	ND	ND	ND	**7.2**	ND	ND	ND	NA	ND	ND	ND
	10/22/25	**11**	ND	**9.6**	ND	ND	ND	**6.9**	ND	ND	ND	NA	ND	ND	ND
MW-15	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/21/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.2**	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	NE	**0.1**	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
MW-16	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**NE**	**NE**	**NE**	**5**	**50**	**20**	**20**	**5**	**50**	**7.5**	**0.002**	**0.002**	**NE**

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		1-Methylnaphthalene	2-Methylphenol	2-Methylnaphthalene	3 & 4-Methylphenol	2,4-Dichlorophenol	2,4-Dimethylphenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Atrazine	Benzo(a) anthracene	Benzo(b)flouranthene	Benzoic acid
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	**4.55**
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	**0.37**	ND	**0.45**	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	**0.4**	**ND**	ND	**0.2**	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	**23**
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.05**	**0.04**	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
MW-19	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20//14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	**0.05**	ND	**0.05**	ND	ND	ND	ND
	1/22/19	ND	**0.60**	**0.10**	**0.60**	ND	ND	**0.20**	ND	ND	ND	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	**22**
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
MW-20	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20//14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.04**	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
NYSDEC Class GA Criteria		NE	NE	NE	NE	5	50	20	20	5	50	7.5	0.002	0.002	NE

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		1-Methylnaphthalene	2-Methylphenol	2-Methylnaphthalene	3 & 4-Methylphenol	2,4-Dichlorophenol	2,4-Dimethylphenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Atrazine	Benzo(a) anthracene	Benzo(b)flouranthene	Benzoic acid
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.08**	ND	**0.02**	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	ND	NT	NT	NT
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/21/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
MW-23	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
	10/22/25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**NE**	**NE**	**NE**	**5**	**50**	**20**	**20**	**5**	**50**	**7.5**	**0.002**	**0.002**	**NE**

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		Benzyl alcohol	Bis(2-ethylhexyl)phthalate	Carbazole	Dibenzofuran	Diethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	N-Nitrosodiphenylamine	Naphthalene	Phenanthrene	Phenol	Pyrene	Pentachlorophenol
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-13	12/23/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.6	ND	ND
	7/31/12	2.41	ND	ND	ND	ND	ND	ND	ND	ND	1.34	ND	46.6	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.67	ND	24.3	ND	ND
	11/21/14	6.96	ND	ND	ND	ND	ND	ND	ND	ND	2.23	ND	78.1	ND	ND
	4/27/15	3.12	11.3	ND	ND	ND	1.64	ND	ND	ND	2.77	ND	34.7	ND	ND
	6/13/16	ND	2.26	ND	ND	ND	ND	ND	ND	ND	2.43	ND	38.4	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	0.19	ND	ND	2.3	0.12	73	0.34	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	0.2	50	ND	1
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	99	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	28	ND	ND
	11/19/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	2.4	1.0	100	ND	ND
MW-14	12/23/08	ND	ND	ND	ND	ND	ND	1.5	15.1	ND	149.0	13.8	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	9.6	ND	179	9.23	ND	ND	ND
	12/7/11	ND	ND	5.76	4.18	ND	ND	7.77	ND	ND	66.6	4.27	ND	ND	ND
	7/31/12	ND	3.29	6.83	3.4	ND	ND	ND	4.49	ND	ND	1.14	ND	ND	ND
	4/28/14	ND	ND	5.17	5.16	ND	ND	ND	5.12	1.58	7.95	4.39	ND	ND	ND
	11/21/14	ND	ND	6.00	4.77	ND	ND	ND	4.62	ND	3.01	4.46	ND	ND	ND
	4/27/15	ND	3.33	5.48	3.97	ND	ND	ND	3.83	1.49	ND	3.24	ND	ND	ND
	6/13/16	ND	ND	4.36	2.56	ND	ND	ND	2.49	ND	55.1	2.7	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	91	ND	ND	ND	ND
	1/22/19	ND	ND	5	3	ND	ND	0.4	3	ND	ND	2	0.7	0.2	ND
	9/21/21	ND	ND	ND	4.8	ND	ND	ND	ND	ND	110	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.4	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	28	ND	ND	ND	ND
	10/22/25	NA	ND	4.1	2.9	ND	ND	ND	2.8	0.96	66	2.5	ND	ND	ND
MW-15	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/21/14	ND	1.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	12/23/08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/20/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	1.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	12.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		NE	5	NE	NE	50	50	50	50	50	10	50	1	50	NE

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		Benzyl alcohol	Bis(2-ethylhexyl)phthalate	Carbazole	Dibenzofuran	Diethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	N-Nitrosodiphenylamine	Naphthalene	Phenanthrene	Phenol	Pyrene	Pentachlorophenol
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-17	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	**0.11**	ND	ND	ND	**0.1**	ND	**0.08**	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-18	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/28/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	**2.10**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	**1.88**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	**4.33**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	**0.12**	ND	ND	ND	ND	ND	**0.12**	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-19	9/2/09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/7/11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/31/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20//14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.37**	**0.05**	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	**0.60**	ND	ND	ND	ND
	9/20/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-20	8/1/12	ND	ND	ND	ND	ND	**2.68**	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	**6.27**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20//14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	**3.95**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		NE	5	NE	NE	50	50	50	50	50	10	50	1	50	NE

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 1
SRA-C
10 Sawmill Place, Wallkill, New York
Groundwater Laboratory Analytical Results 2008-2025
Semi-Volatile Organic Compounds
Detections Only

Parameter		Benzyl alcohol	Bis(2-ethylhexyl)phthalate	Carbazole	Dibenzofuran	Diethyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	N-Nitrosodiphenylamine	Naphthalene	Phenanthrene	Phenol	Pyrene	Pentachlorophenol
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-21	8/1/12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/2014	ND	**2.25**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	**5.7**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	N	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	4/29/14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	**25**	ND	ND	ND	**3.25**	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/16	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	ND
	11/14/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/25/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/18/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/21/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	4/29/14	ND	**1.57**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/20/14	ND	**1.30**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/15	ND	**2.80**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	**1.91**	ND	ND	ND	ND
	11/15/17	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/21/21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/22/22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	9/26/23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/19/24	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/22/25	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NYSDEC Class GA Criteria		**NE**	**5**	**NE**	**NE**	**50**	**50**	**50**	**50**	**50**	**10**	**50**	**1**	**50**	**NE**

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Legend:

ND	Parameter not detected above the laboratory reporting limit
1	Parameter reported at a concentration greater than NYSDEC Class GA Criteria
1	Parameter reported above the laboratory reporting limit but below the applicable regulatory standard/criterion

NA Not Analyzed
NE Not Established
µg/L micrograms per Liter
SVOCs Series Semi-Volatile Organic Compounds
* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected after April 2015.

Table 3
SRA-C
10 Sawmill Place
Shawangunk, New York
Groundwater - Analyzed for TAL Metals (Total)
(Only detected constituents are listed)

Parameter		Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc
Units		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
MW-13	12/23/09	NA	NA	NA	NA	NA	ND	NA	ND	NA	NA	NA	ND	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA
	8/20/09	0.423	0.0058	0.0198	0.0844	0.0012	0.0011	ND	0.0026	0.002	0.0039	0.566	ND	1.63	0.0693	ND	0.0092	ND	ND	0.0024	123	0.0034	0.0136	0.0281
	12/7/11	0.361	ND	0.0034	0.133	ND	0.0002	111	ND	0.0017	0.0023	4.36	ND	13.2	0.816	0.00007	0.004	7.5	ND	ND	46.9	0.003	ND	0.0228
	7/31/12	0.126	ND	0.0127	0.07	ND	ND	50.4	0.0031	0.0005	ND	0.204	0.0016	2.67	0.0233	ND	0.0057	14.9	ND	ND	119	ND	0.0132	0.0262
	4/28/14	0.387	ND	0.006	0.033	ND	ND	30.9	0.0026	ND	ND	0.906	ND	2.02	0.0269	ND	0.0045	10.3	ND	ND	70.7	ND	0.0106	0.0517
	11/20/14	0.313	ND	0.0096	0.0806	ND	ND	36.0	0.0028	ND	0.0024	0.399	ND	2.61	0.0162	ND	0.0037	15.5	ND	ND	115	ND	0.0091	0.023
	4/27/15	0.25	ND	0.0046	`	0.0002	0.0002	19.8	0.002	0.0007	ND	0.504	0.0028	0.772	0.0118	ND	0.0037	10.2	ND	ND	67.4	ND	0.013	0.0418
	6/13/16	0.28	0.0059	0.0076	0.0536	ND	ND	64.3	ND	ND	0.003	0.11	ND	0.592	0.005	ND	ND	13.5	ND	ND	83.9	ND	0.0074	0.0121
	11/14/17	0.47	0.0018	0.008	0.0428	ND	ND	42.5	0.0023	ND	0.003	0.702	ND	0.658	0.0134	ND	0.0044	11.9	ND	ND	75.6	ND	0.0101	0.017
MW-14	12/23/08	NA	NA	NA	NA	NA	ND	NA	ND	NA	NA	NA	ND	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA
	8/20/09	0.045	ND	0.003	0.189	ND	0.0009	94.1	ND	0.0005	0.0043	19.1	ND	25.3	0.852	ND	ND	19.7	ND	ND	46.8	ND	ND	0.035
	12/7/11	0.239	ND	ND	0.162	ND	0.0002	78	ND	ND	ND	8.96	ND	18.7	0.826	ND	0.0011	22.4	ND	ND	78.4	ND	ND	0.0182
	7/31/12	0.168	ND	ND	0.15	ND	ND	60.6	ND	0.0004	ND	7.2	0.0027	18.4	0.479	ND	0.0015	28.9	ND	ND	81.9	ND	0.0021	0.0203
	4/28/14	0.442	ND	0.0022	0.126	ND	ND	59	0.002	ND	ND	6.65	ND	ND	0.529	ND	0.0024	ND	ND	ND	70.8	ND	0.0022	0.0237
	11/20/14	0.0052	ND	ND	0.174	ND	ND	72.4	0.0014	ND	ND	8.84	ND	24.1	0.531	ND	ND	27.6	ND	ND	69.6	ND	ND	0.0098
	4/27/15	0.415	ND	ND	0.124	0.0002	ND	53.8	0.0018	0.0006	ND	6.67	0.004	19.7	0.563	ND	0.002	25.5	ND	ND	72	ND	0.0026	0.0254
	6/13/16	0.0543	ND	ND	0.128	ND	ND	50.6	ND	ND	0.0028	4.5	ND	20.6	0.292	ND	ND	27.5	ND	ND	63.6	ND	0.0016	0.015
	11/14/17	0.232	ND	ND	0.158	ND	ND	72.8	0.0016	ND	ND	6.72	ND	23.1	0.76	ND	ND	21.3	ND	ND	53.3	ND	0.0012	0.007
MW-15	12/23/08	NA	NA	NA	NA	NA	ND	NA	ND	NA	NA	NA	ND	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA
	8/20/09	0.011	ND	0.0063	0.0686	ND	0.0002	127	ND	0.0018	0.0046	2.63	ND	29.3	2.92	ND	0.0014	8.20	ND	ND	31.7	ND	ND	0.0145
	12/7/11	0.0518	ND	ND	0.0646	ND	ND	123	ND	ND	ND	1.26	ND	28.3	0.87	ND	0.0008	5.54	ND	ND	24.6	ND	ND	ND
	8/1/12	0.0606	ND	0.0032	0.0555	ND	ND	112	ND	0.0006	0.0067	1.09	ND	22.4	0.614	ND	0.0016	4.09	ND	ND	22.9	ND	ND	ND
	4/28/14	0.165	ND	ND	0.0642	ND	ND	109	0.0014	ND	0.0024	0.918	ND	24.2	0.696	ND	0.0018	4.50	ND	ND	25.00	ND	ND	0.0105
	11/20/14	0.406	ND	0.0030	0.0767	ND	ND	134	0.0020	ND	ND	2.76	ND	34.7	1.52	ND	0.0020	4.98	ND	ND	33.10	ND	ND	0.0052
	4/27/15	0.127	ND	ND	0.0603	0.0001	ND	99.2	0.0013	0.0004	ND	1.52	ND	23.8	0.578	ND	ND	4.85	ND	ND	25.70	ND	0.001	0.0054
	6/13/16	ND	0.0055	ND	0.0543	ND	ND	122	ND	ND	0.0027	1.1	ND	22.2	0.479	ND	ND	3.33	ND	ND	26	ND	ND	ND
	11/15/17	0.036	ND	0.0021	0.104	ND	ND	162	0.0012	ND	ND	4.8	ND	44.3	1.81	ND	ND	4.83	ND	ND	38.5	ND	ND	0.0038
MW-16	12/23/08	NA	NA	NA	NA	NA	ND	NA	ND	NA	NA	NA	ND	NA	NA	ND	NA	NA	NA	NA	NA	NA	NA	NA
	8/20/09	0.16	ND	ND	0.0116	ND	ND	268	ND	0.0004	0.0035	0.334	ND	404	0.0853	ND	0.0023	4.57	ND	ND	94.8	ND	ND	0.0187
	12/7/11	0.301	ND	ND	0.0117	ND	ND	180	ND	ND	ND	0.287	ND	113	0.0428	ND	0.002	3.27	ND	ND	65.8	ND	ND	0.0033
	7/31/12	5.52	ND	0.0024	0.0416	ND	0.0002	237	0.0074	0.0021	0.008	5.66	0.0047	292	0.205	ND	0.0073	4.75	ND	ND	75.1	ND	0.0098	0.0158
	4/28/14	0.473	ND	ND	0.0100	ND	ND	173	0.0018	ND	0.0022	0.602	ND	213	0.0564	ND	0.0034	2.82	ND	ND	60.7	ND	0.002	0.0099
	11/21/14	18.1	ND	0.0100	0.217	0.0012	ND	164	0.0273	0.0198	0.0402	32.6	0.0222	209	1.70	ND	0.0381	6.71	ND	ND	60.2	ND	0.0314	0.0836
	4/27/15	0.299	ND	ND	0.0088	0.0001	ND	161	0.0014	ND	ND	0.365	ND	204	0.02	ND	0.0024	2.98	ND	ND	67.6	ND	0.002	0.0094
	6/13/16	0.158	ND	ND	0.0083	ND	ND	150	0.0016	ND	0.0047	0.32	ND	175	0.0217	ND	ND	2.94	ND	ND	61.6	ND	ND	0.006
	11/15/17	2.1	ND	ND	0.02	ND	ND	170	0.003	ND	0.0042	2.18	ND	238	0.0648	ND	0.0044	3.78	ND	ND	71.6	ND	0.0024	0.009
MW-17	9/2/09	0.0127	ND	0.0084	0.457	ND	ND	250	ND	0.0002	ND	0.307	ND	23.3	1.52	ND	0.0012	12.60	ND	ND	13.4	0.0069	ND	0.0152
	12/7/11	0.123	ND	ND	0.489	ND	ND	ND	ND	ND	ND	0.726	ND	24.3	1.46	ND	ND	10.50	ND	ND	13	ND	ND	0.0062
	7/31/12	0.146	ND	ND	0.522	ND	ND	292	ND	ND	ND	0.265	0.0018	26.8	1.51	ND	0.0006	11.30	ND	ND	15.5	ND	ND	0.0042
	4/28/14	0.119	ND	ND	0.594	ND	ND	210	0.0024	ND	ND	0.639	ND	22.1	1.55	ND	0.0014	8.20	ND	ND	11.8	ND	ND	0.0062
	11/21/14	0.0271	ND	ND	0.72	ND	ND	247	0.0018	ND	ND	0.379	ND	25.8	1.60	ND	ND	9.61	ND	ND	15.2	ND	ND	0.0078
	4/27/15	0.042	ND	ND	0.65	ND	ND	214	0.0018	ND	ND	0.507	ND	25.2	1.62	ND	ND	8.67	ND	ND	12.5	ND	0.0008	0.0174
	6/13/16	0.0321	ND	ND	0.629	ND	ND	222	0.0021	ND	ND	0.515	ND	25.9	1.67	ND	ND	8.08	ND	ND	13.5	ND	ND	0.0062
	11/14/17	0.34	0.002	ND	0.79	ND	ND	228	0.0018	ND	ND	1.9	ND	25.9	1.62	ND	ND	8.5	ND	ND	13.7	ND	ND	0.0054
MW-18	9/2/09	6.28	ND	0.0199	0.372	ND	ND	176	0.0184	0.0055	0.143	17.5	0.0447	21.4	1.23	0.00043	0.0201	32.3	ND	ND	99.8	0.008	0.0101	0.275
	12/7/11	0.642	ND	0.0047	0.21	ND	0.0002	128	ND	ND	0.0059	3.29	ND	28.9	0.68	ND	0.0022	13.7	ND	ND	56.2	ND	ND	0.0162
	8/1/12	4.74	ND	0.0042	0.132	ND	0.0005	52.7	0.0118	0.0034	0.0374	8.94	0.0271	12.1	0.355	ND	0.011	12.2	ND	ND	39.2	ND	0.0084	0.0706
	4/28/14	0.362	ND	0.0024	0.148	ND	ND	102	0.0019	ND	0.0051	1.88	ND	20.9	0.0222	ND	0.0024	6.72	ND	ND	23.4	ND	ND	0.0106
	11/21/14	5.60	0.0027	0.0106	0.250	0.0004	ND	89	0.0143	0.0046	0.067	13.5	0.0742	22.1	0.544	ND	0.0158	14.0	ND	ND	54.4	ND	0.0113	0.145
	4/27/15	0.74	ND	0.0031	0.154	0.0002	ND	82.7	0.0024	0.0006	0.0036	1.79	0.0037	18.6	0.253	ND	0.0026	9.6	ND	ND	42.3	ND	0.0022	0.0136
	6/13/16	6.32	0.0043	0.0082	0.249	ND	0.0008	74.8	0.0151	0.0049	0.0471	11.7	0.0192	16.9	0.506	0.00016	0.0143	14.4	ND	ND	57	ND	0.011	0.0874
	11/14/17	16.4	0.0064	0.0074	0.245	0.0008	ND	65	0.0342	0.0104	0.122	27.7	0.0624	17.7	0.714	0.00041	0.0312	12	ND	ND	39.4	ND	ND	0.212
MW-19	9/2/09	0.0668	ND	ND	0.157	ND	ND	294	ND	0.0003	ND	5.76	ND	27	1.7	ND	0.001	13.1	ND	ND	18.2	0.0166	ND	0.0142
	12/7/11	0.0294	ND	ND	0.147	ND	0.0001	297	ND	ND	ND	3.92	ND	24.4	1.35	ND	ND	10.4	ND	ND	13.8	ND	ND	0.0028
	7/31/12	0.0207	ND	ND	0.145	ND	ND	354	ND	ND	0.0022	2.33	0.0022	28.6	1.58	ND	0.0018	11.6	ND	ND	16.6	ND	ND	0.0127
	4/29/14	ND	ND	ND	0.133	ND	ND	278	0.0018	ND	ND	4.76	ND	26.1	1.14	ND	0.0014	7.61	ND	ND	11.5	ND	ND	0.0101
	11/21/14	0.0201	ND	ND	0.176	ND	ND	349	0.0014	ND	0.0030	1.67	ND	30.4	1.04	ND	0.0030	12.7	ND	ND	20.8	ND	ND	0.0218
	4/27/15	0.0362	ND	ND	0.248	0.0001	ND	272	0.0018	ND	ND	6.49	ND	29.2	1.7	ND	ND	10.2	ND	ND	16.8	ND	0.0012	0.0065
	6/13/16	ND	ND	ND	0.216	ND	ND	294	0.0016	ND	ND	2.05	ND	25.5	1.58	ND	ND	9.39	ND	ND	17	ND	ND	ND
	11/14/17	ND	ND	ND	0.264	ND	ND	295	0.0013	ND	ND	0.209	ND	29.4	1.08	ND	ND	9.4	ND	ND	17.6	ND	ND	0.0024
MW-20	8/1/12	4.06	ND	ND	0.0698	ND	ND	49.9	ND	0.0017	0.0022	1.52	0.0028	20.8	0.622	ND	0.0038	7.99	ND	ND	109	ND	0.0024	0.0122
	4/29/14	150	ND	0.0381	0.667	0.0191	0.0016	334	0.0758	0.041	0.122	75	0.152	80.7	3.68	0.00034	0.0836	18.1	ND	ND	49.8	ND	0.0916	0.295
	11/21/14	1.03	ND	0.0025	0.0616	ND	ND	45.5	0.0015	ND	ND	0.646	ND	16.7	0.67	ND	0.0021	5.00	ND	ND	40.8	ND	ND	0.0037
	4/27/15	0.706	ND	ND	0.0662	0.0003	ND	47.9	0.0016	0.0006	ND	0.718	0.0029	21	0.495	ND	0.0022	5.36	ND	ND	40.4	ND	0.0017	0.0202
	6/13/16	0.946	ND	ND	0.0647	ND	ND	46.2	0.0016	0.0008	0.003	0.882	ND	20.4	0.598	ND	ND	4.45	ND	ND	33.8	ND	ND	0.0084
	11/14/17	0.0992	ND	ND	0.0646	ND	ND	57.4	ND	ND	ND	0.107	ND	27.2	0.246	ND	0.0011	4.49	ND	ND	37.7	ND	ND	0.004
MW-21	8/1/12	0.0406	ND	ND	0.0702	ND	ND	47.2	ND	0.0016	ND	0.0496	ND	22.8	1.18	ND	0.0074	12.7	ND	ND	105	0.0044	0.0017	0.0103
	4/29/14	6.86	ND	0.0057	0.115	0.0004	ND	64.4	0.0154	0.005	0.0148	9.48	0.0084	30.9	1.53	ND	0.014	6.01	ND	ND	103	0.0027	0.0148	0.0647
	11/21/14	3.97	ND	0.0042	0.115	ND	ND	55.2	0.0084	0.003	0.0088	6.84	0.0038	27.7	0.903	ND	0.0093	4.8	ND	ND	119	ND	0.0102	0.0315
	4/27/15	0.0674	ND	ND	0.0615	0.0002	ND	57.2	ND	ND	ND	0.262	ND	22.4	0.598	ND	0.0014	3.61	ND	ND	97.8	ND	0.0008	0.012
	6/13/16	0.431	ND	ND	0.0773	ND	ND	58.3	0.0016	0.0007	0.0039	0.976	ND	25.4	0.437	ND	ND	3.43	ND	ND	88.2	ND	ND	0.0093
	11/14/17	0.0558	ND	0.0036	0.064	ND	ND	53.3	0.0009	ND	ND	1.34	ND	27.4	0.592	ND	ND	3.15	ND	ND	51.8	ND	ND	0.94
MW-22	4/29/14	0.84	ND	ND	0.0846	ND	ND	58.2	0.0071	ND	0.0028	1.1	ND	35.9	0.0548	ND	0.003	4.64	ND	ND	97.8	ND	ND	0.0132
	11/21/14	0.934	ND	ND	0.0892	ND	ND	69.7	0.0052	ND	0.0034	0.968	ND	41.1	0.635	ND	0.0032	4.92	ND	ND	113	ND	0.0021	0.0042
	4/27/28	0.549	ND	ND	0.0696	0.0002	ND	59.6	0.0068	0.0004	0.004	0.625	0.0021	33	0.103	ND	0.002	4.66	ND	ND	142	ND	0.0024	0.0098
	6/13/16	0.157	ND	ND	0.0662	ND	ND	67.2	0.0045	ND	0.0047	0.194	ND	32.8	0.0449	ND	ND	3.97	ND	ND	111	ND	ND	0.0174
	11/14/17	0.0961	ND	ND	0.0546	ND	ND	60.1	0.0012	ND	ND	0.101	ND	33.5	0.53	ND	0.0018	3.56	ND	ND	74.6	ND	ND	0.0026
MW-23	4/29/14	25.1	ND	0.0137	0.248	0.0012	ND	93.8	0.098	0.0171	0.0622	43.2	0.0228	42.3	0.976	ND	0.0429	25.9	ND	ND	48.4	0.0024	0.0404	0.116
	11/21/14	1.57	ND	0.0038	0.0706	ND	ND	36.3	0.0054	ND	0.0044	2.83	ND	26.6	0.151	ND	0.003	13.9	ND	ND	44	ND	0.003	0.0108
	4/28/15	0.733	ND	ND	0.0859	0.0002	0.0002	40.5	0.0026	0.0002	ND	1.11	ND	30.6	0.158	ND	ND	12.3	ND	ND	45.4	ND	0.002	0.0105
	6/13/16	3.08	ND	ND	0.109	ND	ND	50.7	0.0088	0.0019	0.0071	4.32	ND	30.4	0.206	ND	ND	9.77	ND	ND	40.9	ND	0.0055	0.0134
	11/15/17	0.0942	ND	ND	0.066	ND	ND	45.3	ND	ND	ND	0.345	ND	26	0.0694	ND	ND	8.9	ND	ND	32.1	ND	ND	0.0026
NYSDEC Class GA		2	0.0030	0.0250	1.0	0.0030	0.0050	NE	0.0500	0.0050	0.2000	0.3000	0.0250	35.0	0.3000	0.0007	0.1000	NE	0.0100	0.0500	20.0	0.0005	NE	2.0

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Bold Sample Exceeds NYSDEC Class GA Criteria

NE Not Established

mg/l milligrams per liter

ND Not Detected above laboratory detection limits

* Note: Monitoring well MW-12 was destroyed, as such no samples were able to be collected in April 2015.

Table 4
SRA-C
10 Sawmill Place
Shawangunk, New York
Groundwater - Analyzed for TAL Metals (Dissolved)
(Only detected constituents are listed)

Parameter		Aluminum	Antimony	Arsenic	Barium	Beryllium	Calcium	Cobalt	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Nickel	Potassium	Sodium	Thallium	Vanadium	Zinc	Silver
Units		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
MW-13	4/29/14	0.134	ND	0.0056	0.0281	ND	30.4	ND	0.0018	ND	0.119	0.0032	1.88	0.013	0.0051	10.1	68.2	ND	0.0109	0.0664	ND
	11/20/14	0.206	ND	0.0094	0.0718	ND	35.6	ND	ND	ND	ND	ND	2.28	0.0084	0.0039	14.7	109	ND	0.0082	0.0048	ND
	4/27/15	0.125	ND	0.0081	0.0245	ND	24.9	ND	0.0019	ND	0.089	ND	0.95	0.004	0.0027	10.3	64.8	ND	0.0124	0.0114	ND
	6/13/16	0.245	0.003	0.0066	0.0523	ND	76.9	ND	0.0016	ND	ND	ND	0.656	0.006	ND	13.6	82	ND	0.0081	ND	0.0017
	11/14/17	0.232	ND	0.0093	0.0398	ND	46	ND	0.001	MD	0.0157	ND	0.634	0.0068	0.0032	11.7	69.5	ND	0.0084	0.0042	ND
MW-14	4/28/14	0.0174	ND	ND	0.0929	ND	57.00	ND	ND	ND	ND	ND	19.7	0.457	ND	22.2	69.2	ND	ND	0.0032	ND
	11/20/14	ND	ND	0.0019	0.175	ND	73.00	ND	ND	ND	8.88	ND	23.7	0.487	ND	27.0	69.7	ND	ND	ND	ND
	4/27/15	0.009	ND	0.0027	0.107	ND	59.20	0.0002	0.0016	ND	0.0556	ND	22.2	9.495	ND	25.0	70	ND	ND	0.006	ND
	6/13/16	ND	ND	ND	0.119	ND	47.6	ND	0.0016	ND	4.2	ND	20.6	0.271	ND	25	57.7	ND	0.0017	0.0073	ND
	11/14/17	0.0627	ND	0.0022	0.163	ND	68	ND	ND	ND	6.89	ND	23.1	0.618	0.0009	24	54.5	ND	ND	0.0067	ND
MW-15	4/28/14	0.025	ND	ND	0.0654	ND	113	ND	ND	ND	ND	ND	25.8	0.698	0.0015	4.64	26.8	ND	ND	0.008	ND
	11/20/14	0.045	ND	0.0023	0.0714	ND	131	ND	ND	ND	1.88	ND	33.0	1.42	ND	4.77	33.3	ND	ND	0.0028	ND
	4/27/15	0.0152	ND	ND	0.0564	ND	98.4	0.0002	0.0012	ND	0.0144	ND	23.7	0.516	ND	4.52	22.8	ND	ND	0.0101	ND
	6/13/16	ND	ND	ND	0.0516	ND	120	ND	ND	ND	0.831	ND	23	0.442	ND	3.06	24.4	ND	ND	ND	ND
	11/15/17	0.0422	ND	0.0026	0.088	ND	154	ND	ND	ND	3.19	ND	40.7	1.4	0.0015	4.09	34.1	ND	ND	0.003	ND
MW-16	4/28/14	0.0249	ND	ND	0.0072	ND	166	ND	ND	ND	ND	ND	223	0.0344	0.0028	2.62	59.7	ND	ND	0.0053	ND
	11/21/14	1.85	ND	ND	0.0159	ND	147	ND	0.002	0.003	1.91	ND	195	0.0828	0.0038	3.25	59.5	ND	0.0034	0.0064	ND
	4/27/15	0.0092	ND	ND	0.0082	0.0001	166	ND	0.0013	ND	0.009	0.0025	228	0.008	0.002	2.72	63.6	ND	0.14	0.0128	ND
	6/13/16	ND	ND	ND	0.0068	ND	139	ND	ND	ND	ND	ND	176	0.0045	ND	2.57	55.6	ND	ND	ND	ND
	11/15/17	ND	0.0016	ND	0.0085	ND	138	ND	ND	ND	0.0357	ND	196	0.0118	0.0032	3.33	62.2	ND	ND	0.0064	ND
MW-17	4/29/14	0.0261	ND	ND	0.642	ND	224	ND	ND	ND	0.355	ND	23.9	1.65	ND	8.72	12.9	ND	ND	ND	ND
	11/21/14	ND	ND	ND	0.726	ND	252	ND	ND	ND	0.185	ND	25.6	1.56	ND	9.47	15.5	ND	ND	ND	ND
	4/27/15	0.0516	ND	ND	0.62	ND	208	ND	0.0018	ND	0.0566	ND	24.9	1.56	ND	8.26	12	ND	ND	0.0225	ND
	6/13/16	ND	ND	ND	0.631	ND	228	ND	ND	ND	0.381	ND	26	1.64	ND	7.84	13	ND	ND	ND	ND
	11/14/17	ND	0.0018	ND	0.831	ND	227	ND	ND	ND	1.12	ND	25.9	1.64	ND	8.88	13.8	ND	ND	0.0034	ND
MW-18	4/29/14	0.0214	ND	ND	0.144	ND	103	ND	ND	0.0036	ND	ND	21.4	0.208	0.0032	6.76	23.9	ND	ND	0.0132	ND
	11/21/14	0.0056	ND	0.0058	0.162	ND	81.1	ND	ND	ND	0.478	ND	21.1	0.281	ND	13.3	61.8	ND	ND	ND	ND
	4/27/15	0.0115	ND	0.0036	0.143	ND	89	ND	0.0012	ND	0.0114	ND	20	0.168	ND	8.74	40.8	ND	ND	0.02	ND
	6/13/16	0.0314	0.0025	0.0036	0.175	ND	70.4	ND	ND	ND	0.445	ND	16.9	0.277	ND	12.8	55.6	ND	ND	ND	ND
	11/14/17	0.0202	ND	0.0038	0.0841	ND	46.4	ND	ND	ND	0.124	ND	13.5	0.174	0.001	11.3	61.8	ND	0.0014	ND	ND
MW-19	4/29/14	ND	ND	0.0022	0.12	ND	278	ND	ND	ND	ND	ND	24.2	1.22	ND	7.9	10	ND	ND	0.0048	ND
	11/21/14	ND	ND	ND	0.167	ND	334	ND	ND	ND	1.41	ND	29.9	1.11	ND	12.1	20.4	ND	ND	ND	ND
	4/27/15	0.0074	ND	ND	0.221	ND	299	ND	0.0015	ND	0.298	ND	30.4	1.73	ND	10	16.2	ND	ND	0.0061	ND
	6/13/16	ND	ND	ND	0.216	ND	301	ND	0.0015	ND	2.02	ND	27.8	1.59	ND	9.39	16.2	ND	ND	ND	ND
	11/14/17	ND	0.0032	ND	0.261	ND	303	ND	0.001	ND	0.065	ND	29.7	1.12	0.001	9.68	18.3	ND	ND	ND	ND
MW-20	4/29/14	ND	ND	ND	0.0536	ND	44.9	ND	ND	ND	ND	ND	14.8	0.356	0.0018	4.82	43.5	ND	ND	0.0049	ND
	11/21/14	ND	ND	0.003	0.048	ND	45.5	ND	ND	ND	ND	ND	16.6	0.576	ND	4.68	39.8	0.0022	ND	ND	ND
	4/27/15	0.0324	ND	0.0031	0.0607	0.0003	46.9	ND	ND	ND	0.0142	ND	21.3	0.306	ND	4.83	37.3	ND	ND	0.0073	0.0014
	6/13/16	ND	ND	ND	0.0556	ND	44.1	ND	ND	ND	0.0121	ND	21.6	0.481	ND	3.84	30.9	ND	ND	0.0048	ND
	11/14/17	0.024	ND	ND	0.0603	ND	55.2	ND	ND	ND	0.0092	ND	27.8	0.0767	0.0018	4.43	38.4	ND	ND	0.0066	ND
MW-21	4/29/14	0.0131	ND	0.0022	0.071	ND	65.8	ND	ND	ND	ND	ND	27.5	1.15	0.0024	4.95	87.5	ND	ND	0.0567	ND
	11/21/14	1.79	ND	0.0048	0.0932	ND	51.6	ND	0.0026	0.0027	1.73	ND	25.6	0.727	0.0034	4.26	112	ND	0.0046	0.0086	ND
	4/27/15	0.0674	0.0028	ND	0.0615	0.0002	56.3	ND	0.001	ND	0.0092	ND	22.8	0.167	ND	3.33	88.8	ND	ND	ND	ND
	6/13/16	ND	ND	ND	0.0718	ND	58	ND	ND	ND	0.052	ND	25.5	0.626	ND	3.08	87.3	ND	ND	ND	ND
	11/14/17	ND	ND	0.0036	0.0744	ND	56.5	ND	ND	ND	0.708	ND	30	0.645	0.0017	3.17	70.8	ND	ND	0.0034	ND
MW-22	4/29/14	ND	ND	ND	0.0667	ND	57.8	ND	0.0016	ND	ND	ND	31.2	0.0036	ND	4.35	81.2	ND	ND	0.0049	ND
	11/21/14	1.03	ND	0.0019	0.0852	ND	70.4	ND	0.0043	0.003	1.2	ND	40.9	0.888	0.0028	5.32	116	0.0018	0.0024	0.0046	ND
	4/27/15	0.0079	ND	ND	0.0666	ND	60	ND	0.0041	ND	0.0107	ND	33.5	0.0344	ND	4.18	136	ND	0.0012	0.0072	ND
	6/13/16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/14/17	0.0343	ND	0.0015	0.0594	ND	59.8	ND	ND	ND	0.0464	ND	37.2	0.672	0.0024	3.59	63.8	ND	ND	ND	ND
MW-23	4/29/14	0.0228	ND	ND	0.074	ND	61.4	ND	0.0018	0.0022	ND	ND	28.9	0.0497	ND	22.8	40.8	ND	ND	ND	ND
	11/21/14	1.57	ND	0.0038	0.0674	ND	35.4	ND	0.0032	0.0031	1.91	ND	25.5	0.128	0.0018	13.6	42.7	ND	0.0034	0.0065	ND
	4/28/15	0.0082	ND	ND	0.0798	ND	39.6	ND	0.001	ND	0.0192	ND	31.3	0.125	ND	11.3	43.1	ND	ND	0.0158	ND
	6/13/16	0.0265	0.0032	ND	0.0862	ND	47.9	ND	ND	ND	0.0669	ND	32	0.105	ND	8.45	38.6	ND	ND	ND	ND
	11/15/17	ND	ND	ND	0.0682	ND	45.2	ND	ND	0.0025	0.136	ND	27.6	0.0605	ND	9.27	34.2	ND	ND	ND	0.0021
NYSDEC Class GA		2	0.0030	0.0250	1.0	0.0030	NE	0.0050	0.0500	0.2000	0.3000	0.0250	35.0	0.3000	0.1000	NE	20.0	0.0005	NE	2.0	0.0500

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Bold Sample Exceeds NYSDEC Class GA Criteria
NA Not Analyzed
NE Not Established
mg/l milligrams per liter
ND Not Detected above laboratory detection limits

Table 5
SRA-C
10 Sawmill Place
Shawangunk, New York
Groundwater - Analyzed for PCBs
(Only detected constituents are listed)

Parameter		Total PCBs
Units		ug/l
MW-13	12/9/11	**0.528**
	7/31/12	**2.72**
	4/28/14	**1.06**
	6/13/16	**0.947**
	11/14/17	**0.859**
	1/22/19	**0.53**
MW-14	12/9/11	ND
	7/31/12	ND
	4/28/14	ND
	6/13/16	ND
	11/14/17	ND
	1/22/19	ND
MW-15	12/9/11	ND
	8/1/12	ND
	4/28/14	ND
	6/13/16	ND
	11/15/17	ND
	1/22/19	ND
MW-16	12/9/11	ND
	7/31/12	ND
	4/27/14	ND
	6/13/16	ND
	11/15/17	ND
	1/22/19	ND
MW-17	12/9/11	ND
	7/31/12	**1.04**
	4/28/14	ND
	6/13/16	ND
	11/14/17	**1.59**
	1/22/19	**1.3**
MW-18	12/9/11	ND
	8/1/12	ND
	4/28/14	ND
	6/13/16	ND
	11/14/17	ND
	1/22/19	ND
MW-19	12/9/11	ND
	7/31/12	ND
	4/28/14	ND
	6/13/16	ND
	11/14/17	ND
	1/22/19	ND
MW-20	8/1/12	ND
	4/29/14	ND
	6/13/16	ND
	11/14/17	ND
	1/22/19	ND
MW-21	4/29/14	ND
	6/13/16	ND
	11/14/17	ND
	1/22/19	ND
MW-22	4/29/14	NA
	6/13/16	NA
	11/14/17	ND
	1/22/19	ND
MW-23	4/28/14	ND
	6/13/16	ND
	11/15/17	ND
	1/22/19	ND
NYSDEC Class GA Criteria		0.09

NYSDEC class GA criteria are from NYSDEC Technical and Operational Guidance Series (TOGS 1.1.1), Ambient water quality, class GA standards/guidance values from Table 1.

Bold	Sample Exceeds NYSDEC Class GA Criteria
NA	Not Analyzed
NE	Not Established
mg/l	milligrams per liter
ug/l	micrograms per liter
PCBs	Polychlorinated Biphenyl
ND	Not Detected above laboratory detection limits
Noted:	Wells in SRA-C not sampled in November 2014 for PCBs and Pesticides

SRA-C
Groundwater Results 2008-2025
MW-13



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-13



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-13



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-14



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-14



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-17



HRP Associates, Inc.

SRA-C
Groundwater Results 2008-2025
MW-19



HRP Associates, Inc.

APPENDIX C
Inspection Form