ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Site Management Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

NYSDEC Site No. C360070B

December 2013

THIS PAGE INTENTIONALLY LEFT BLANK

ARCADIS

Certification Statement

I, Margaret A. Carrillo-Sheridan, P.E., certify that I am currently a New York State registered professional engineer, and that this *Site Management Plan* was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10) and that all activities were performed in full accordance with the DER-approved work plan and any DER-approved modifications.



Margaret A Carrillo-Sheridan Date: 12/6/13

Margaret A. Carrillo-Sheridan, P.E.
NYS PE License No. 082251
ARCADIS of New York, Inc.
6723 Towpath Road, P.O. Box 66
Syracuse, NY 13214-0066
315.671.9671

Site Management Plan

Former GM Assembly Plant
East Parcel Site
Sleepy Hollow, New York
NYSDEC Site No. C360070B

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
P O Box 66
Syracuse
New York 13214-0066
Tel 315 446 9120
Fax 315 449 0017

Our Ref.:
B0064462.0001

Date:
December 2013

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

THIS PAGE INTENTIONALLY LEFT BLANK

ARCADIS

Raymond M. Kapp
Principal Scientist
Project Manager

Jenna C. Melwiki
Staff Environmental Engineer

Site Management Plan

Former GM Assembly Plant
East Parcel Site
Sleepy Hollow, New York
NYSDEC Site No. C360070B

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
P O Box 66
Syracuse
New York 13214-0066
Tel 315 446 9120
Fax 315 449 0017

Our Ref.:
B0064462.0001

Date:
December 2013

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

THIS PAGE INTENTIONALLY LEFT BLANK

Revisions to Final Approved Site Management Plan

Revision #	Submitted Date	Summary of Revision	DEC Approval Date

THIS PAGE INTENTIONALLY LEFT BLANK

Acronyms and Abbreviations vi

1. Introduction and Description of Remedial Program 1

1.1 Introduction 1

1.1.1 General 1

1.1.2 Purpose 2

1.1.3 Revisions 3

1.2 Site Background 3

1.2.1 Site Location and Description 3

1.2.2 Site History 4

1.2.2.1 Historic Development and Use 4

1.2.2.2 Historic Environmental Reports 5

1.2.2.3 Anticipated Future Land Use 6

1.2.3 Geologic Conditions 7

1.3 Summary of Remedial Investigation Findings 8

1.3.1 Soil 8

1.3.2 Site-Related Groundwater 9

1.3.3 Site-Related Soil Vapor Intrusion 9

1.4 Summary of Remedial Actions 10

1.4.1 Removal of Contaminated Materials from the Site 11

1.4.2 Site-Related Treatment Systems 11

1.4.3 Remaining Contamination 11

1.4.3.1 Soil 11

1.4.3.2 Groundwater 12

1.4.3.3 Soil Gas 12

2. Engineering and Institutional Control Plan 15

2.1 Introduction 15

2.1.1 General 15

2.1.2 Purpose 15

2.2 Engineering Controls 16

2.2.1 Engineering Control Systems 16

2.2.1.1 Cover System 16

2.2.1.2 Mitigation of Soil Vapor Intrusion 20

2.2.2 Criteria for Completion of Remediation 22

2.2.2.1 Final Cover System 23

2.2.2.2 Sub-slab Depressurization System (SSDS) 23

2.3 Institutional Controls 23

2.3.1 Excavation Work Plan 26

2.3.2 Soil Vapor Intrusion Evaluation 26

2.4 Inspections and Notifications 28

2.4.1 Inspections 28

2.4.2 Notifications 29

2.5 Contingency Plan 30

2.5.1 Emergency Telephone Numbers 30

2.5.2 Directions to Emergency Health Facility 32

2.5.3 Response Procedures 35

3. Site Monitoring Plan 37

3.1 Introduction 37

3.1.1 General 37

3.1.2 Purpose and Schedule 37

3.2 Cover System Monitoring 38

3.3 Media Monitoring Program 39

3.3.1 Soil Vapor Intrusion Monitoring 39

3.4 Site-Wide Inspection 39

3.5 Monitoring Quality Assurance/Quality Control 40

3.6 Monitoring Reporting Requirements 41

4. Operation and Maintenance Plan 43

5. Inspections, Reporting and Certifications 45

5.1 Site Inspections 45

5.1.1 Inspection Frequency 45

5.1.2 Inspection Forms, Sampling Data, and Maintenance Reports 45

5.1.3 Evaluation of Records and Reporting 45

5.2 Certification of Engineering and Institutional Controls 46

5.3 Periodic Review Report 48

5.4 Corrective Measures Plan 49

6. References 50

Tables

Table 1 Soil Cleanup Objectives for the Site

Table 2 Remedial Investigation Soil, Groundwater, Soil Vapor, and Methane Contaminant Summary

Table 3 Summary of Remaining Soil Contamination Above Unrestricted Levels

Table 4 Summary of Remaining Soil Contamination Above Restricted Residential Levels

Table 5 Emergency Contact Numbers (in-text table)

Table 6 Other Contact Numbers (in-text table)

Table 7 Media Monitoring Schedule (in-text table)

Table 8 Schedule of Monitoring/Inspection Reports (in-text table)

Figures

Figure 1 Site Location Map

Figure 2 East Parcel Site BCA Limits

Figure 3 Site Fill History

Figure 4 Riverfront Development Concept Plan

Figure 5 Groundwater Flow Figure

Figure 6 Remedial Investigation Soil Sampling Locations

Figure 7 Remedial Investigation Groundwater Sampling Locations

Figure 8 Remedial Investigation Soil Vapor and Methane Data

Figure 9 Location of Remaining Soil Contamination Above Unrestricted Levels

Figure 10 Existing Cover Map

Figure 11 Typical Cover Details for Future Cover Types

Figure 12 Map of Route from Site to Hospital

Appendices

A Excavation Work Plan

B Responsibilities of Owner and Remedial Party

C Environmental Easement

D Environmental Easement Survey with Metes and Bounds

E DER-10 Appendix 5 – Allowable Constituent Levels for Imported Fill or Soil

F Health and Safety Plan

G Community Air Monitoring Plan

H Field Sampling Plan

I Site-wide Inspection Form

J Quality Assurance Plan

K Stormwater Pollution Control Plan

L Letter from New York State Department of Health Re: Soil Vapor Intrusion Investigation

EC As-Built Drawings (Future Submittal after Redevelopment)

Enclosure

Analytical Data for Soils Remaining on East Parcel (CD)

Acronyms and Abbreviations

ASP	Analytical Services Protocol
BCA	Brownfield Cleanup Agreement
BCP	Brownfield Cleanup Program
bgs	below ground surface
CAMP	Community Air Monitoring Plan
COC	Certificate of Completion
DEIS	Draft Environmental Impact Statement
DPW	Department of Public Works
DUSR	Data Usability Summary Report
ECL	Environmental Conservation Law
EWP	Excavation Work Plan
GM	General Motors
GMC	General Motors Corporation
GM LLC	General Motors LLC
HASP	Health and Safety Plan
HVAC	Heating, Ventilation and Air Conditioning
IC/EC(s)	Institutional and Engineering Control(s)
IRM	Interim Remedial Measures
LEL	Lower Explosive Limit
NYS	New York State
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
O&M	Operation & Maintenance
OMM Plan	Operations and Maintenance Plan
PAH	Polycyclic Aromatic Hydrocarbon
ppmv	parts per million by volume
QA	Quality Assurance
QC	Quality Control
RAOs	Remedial Action Objectives
RI	Remedial Investigation

Roseland	Roseland/Sleepy Hollow, LLC
RWP	Remedial Work Plan
SCOs	Soil Clean-up Objectives
Site	Former General Motors Assembly Plant
SMP	Site Management Plan
SSDS	Sub-Slab Depressurization System
SVI	Soil Vapor Intrusion
SVOCs	Semi-volatile Organic Compounds
TAL	Target Analyte List
TCL	Target Compound List
Village	Village of Sleepy Hollow
VOCs	Volatile Organic Compounds

THIS PAGE INTENTIONALLY LEFT BLANK

1. Introduction and Description of Remedial Program

1.1 Introduction

This Site Management Plan (SMP) has been prepared as required as an element of the remedial program at the Former General Motors Assembly Plant, East Parcel Site (hereinafter referred to as the "Site") under the New York State (NYS) Brownfield Cleanup Program (BCP) administered by New York State Department of Environmental Conservation (NYSDEC). The Site was remediated in accordance with Brownfield Cleanup Agreement (BCA) Index# C360070-12-10 which was executed on December 31, 2010 and amended August 20, 2013. The Site is part of the parcel that was covered by the original BCA West Parcel (Index # A3-0514-0305) which was executed with an effective date of May 12, 2005. The effective date of the BCA for the West Parcel, Index No.: C36070-12-10, as amended is also May 12, 2005.

1.1.1 General

General Motors LLC (GM LLC) entered into two BCAs with the NYSDEC to remediate a 96.2 acre property located in the Village of Sleepy Hollow (Village), Westchester County, New York. One BCA was issued for the West Parcel (including South Parcel) and the second BCA was issued for the East Parcel. Both shared a single site identification number (C360070) for the entire property. These BCAs required the Remedial Party, GM LLC, to investigate and remediate contaminated media at the entire property. On August 20, 2013, NYSDEC amended the BCAs and issued two separate BCA site identification numbers, creating the "West Parcel Site" (C360070) and the "East Parcel Site" (C360070B) to allow for independent environmental management of the West Parcel (including South Parcel) and the East Parcel respectively, for redevelopment and future use. This SMP is specific to the East Parcel Site, as redefined in August 2013.

The site location and boundaries of the 28.29-acre East Parcel Site are provided in Figures 1 and 2 respectively. The boundaries of the Site are more fully described in the metes and bounds site description that is part of the Environmental Easement (see Appendices C and D).

After completion of the remedial work described in the Remedial Work Plan (ARCADIS 2012c), some contamination was left in the subsurface at this Site, which is hereafter referred to as 'remaining contamination." This SMP was

prepared to manage remaining contamination at the site until the Environmental Easement is extinguished in accordance with Environmental Conservation Law (ECL) Article 71, Title 36. All reports associated with the Site can be viewed by contacting the NYSDEC or its successor agency managing environmental issues in New York State.

This SMP was prepared by ARCADIS, on behalf of GM LLC in accordance with the requirements in NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010, and the guidelines provided by NYSDEC. This SMP addresses the means for implementing the Institutional and Engineering Controls (IC/ECs) that are required by the Environmental Easement for the Site.

The responsibilities of the Owner and the Remedial Party for implementing the SMP are specified in Appendix B. The names and addresses of these parties are also provided in Appendix B.

1.1.2 Purpose

The Site contains contamination left after completion of the remedial action. Engineering Controls have been incorporated into the Site remedy to control exposure to remaining contamination during the use of the Site to protect public health and the environment. An Environmental Easement granted to the NYSDEC, and recorded with the Westchester County Clerk, will require compliance with this SMP and all IC/ECs placed on the Site. The Institutional Controls place restrictions on Site use, and mandate operation, maintenance, monitoring and reporting measures for all IC/ECs. This SMP specifies the methods necessary to document compliance with all IC/ECs required by the Environmental Easement for contamination that remains at the site. This plan has been approved by the NYSDEC, and compliance with this plan is required by the grantor of the Environmental Easement and the grantor's successors and assigns. This SMP may only be revised with the approval of the NYSDEC.

This SMP provides a detailed description of all procedures required to manage remaining contamination at the Site after completion of the Remedial Action, including: (1) implementation and management of all IC/ECs; (2) media monitoring; (3) operation and maintenance of all treatment, collection, containment, or recovery systems; (4) performance of periodic inspections, certification of results, and submittal of Periodic Review Reports; and (5) defining criteria for termination of treatment system operations.

To address these needs, this SMP includes two plans: (1) an Engineering and Institutional Control Plan for implementation and management of IC/ECs; and (2) a Monitoring Plan for implementation of Site Monitoring Should active measures be required by NYSDEC and NYSDOH for soil vapor or methane mitigation based on soil vapor intrusion sampling, an Operation and Maintenance Plan will be required (including, where appropriate, preparation of an Operation and Maintenance Manual for complex systems).

This plan also includes a description of Periodic Review Reports for the periodic submittal of data, information, recommendations, and certifications to NYSDEC.

It is important to note that:

- This SMP details the site-specific implementation procedures that are required by the Environmental Easement. Failure to properly implement the SMP is a violation of the environmental easement, which is grounds for revocation of the Certificate of Completion (COC).

- Failure to comply with this SMP is also a violation of ECL, 6NYCRR Part 375 and the BCA (Index # C360070-12-10) for the Site, and thereby subject to applicable penalties.

1.1.3 Revisions

Revisions to this plan will be proposed in writing to the NYSDEC's project manager. In accordance with the Environmental Easement for the Site, the NYSDEC will provide a notice of any approved changes to the SMP, and append these notices to the SMP that is retained in its files.

1.2 Site Background

1.2.1 Site Location and Description

The Site is located in the Village of Sleepy Hollow, County of Westchester New York, and is identified in the BCA, Amendment 1 as Tax Section 115.11, Block 1, Lot 2 and Section 115.11, Block 1, Lot 85 on the Town of Mt. Pleasant Tax Map. The East Parcel Site (Site No. C360070B) contains approximately 28.29 acres of land generally bounded by Sleepy Hollow's DeVries Park to the north; Philipsburg Manor, a restored early 18th century farm with public access, to the northeast; Continental Street gate to

the east; residential properties, Sleepy Hollow's Senior Center and Barnhart Park to the east-southeast; Beekman Avenue to the south; and an active Metro-North rail corridor to the West (Figure 2). The boundaries of the Site are more fully described in Appendix D – Metes and Bounds.

1.2.2 Site History

1.2.2.1 Historic Development and Use

Most of the East Parcel Site (low lying area) was formerly an embayment of the Hudson River, at the former mouth of the Pocantico River. Historical fill material was initially placed in a north-south strip across the embayment during the 1840s to support the construction of a railway between New York City and Albany, leaving much of the low lying area of the Site as isolated marsh land, with the Pocantico River routed through a culvert under the railway. By the late 1800s, the Site was part of the Kingsland Estate. By the early 1920s, local government had acquired the Site. The Village (formerly the Village of North Tarrytown) filled a portion of the East Parcel with municipal refuse during the 1920s. Also during this period, the Pocantico River, which had flowed into the Hudson River immediately south of present day Kingsland Point Park, was diverted north of the site to follow the path of a creek that currently discharges through Kingsland Point Park. The Village continued to add soil fill on top of the municipal refuse and throughout the rest of the low lying area of the parcel during subsequent decades to reclaim this area for use as school athletic fields.

General Motors Corporation (GMC) acquired the East Parcel from the Village in 1960 and added additional fill, consisting of dredged sands from the Hudson River, and finished the filled area with asphalt or concrete surfaces to reach the current grade throughout most of the parcel. GMC used the East Parcel for employee parking, and temporary storage of newly assembled automobiles. GMC constructed an enclosed pedestrian bridge over the railway to access their assembly plant located on the west side of the tracks, a small brick faced building used as a lounge/break room by personnel readying new vehicles for transport offsite via rail and truck, an overhead viaduct and roadway to provide vehicle access to the lot from Beekman Avenue, rail sidings for loading vehicles onto rail cars, and a paved parking area. The brick building and the mechanical ramps used to access rail cars were removed when the assembly plant was demolished (1997-1999). The entrance to the enclosed pedestrian bridge over the railway remains on the site and is secured to prevent access. The viaduct has been closed to all traffic. The asphalt and concrete surfaces, as well as the vegetated soil and drainage ditches along the perimeter areas are part of the existing cover

system. Portions of the asphalt and concrete surfaces have been penetrated by vegetation.

The Site is currently maintained in a restricted limited use condition with controlled access. The rail sidings, located along the west side of the Site, are active for occasional temporary storage of rail cars and general access to the tracks by Metro-North. The Village Department of Public Works (DPW) processes construction soil and yard wastes (leaves, grass and tree cuttings) for recycling on the paved area south of the Continental Street entrance under a license agreement with GM LLC. These current uses are supported by an existing cover system, Site access controls consisting of fences and lockable gates, and terms of the Village's license agreement with GM LLC. Other short term license agreements are executed each year for event parking on the East Parcel under Village supervision. Railroad authorities (Metro-North and CONRAIL) exercise easements to access the tracks from the East Parcel.

1.2.2.2 Historic Environmental Reports

When the former assembly plant decommissioning process was initiated, GMC initiated a Phase I Environmental Site Assessment that entailed a thorough assessment of current and historical GMC operations to determine if petroleum or potentially hazardous chemical constituents had been released to the Site environment, on all of their parcels, including the East Parcel Site. This led to a series of subsurface investigations, including the East Parcel Site. The findings of these investigations can be found in the following reports, which have been previously submitted to the NYSDEC:

- *Phase I Environmental Site Assessment, Tarrytown Assembly Plant* (EMCON, 1996).

- *Phase II Environmental Site Investigation, Tarrytown Assembly Plant* (EMCON, 1997).

- *Phase III Extent of Contamination Study, Former Tarrytown Assembly Plant* (EMCON, 2001).

Additionally, on behalf of Roseland/Sleepy Hollow, LLC (Roseland), a former prospective developer of the Site, EcolSciences, Inc. performed soil and groundwater sampling at the Site during August 2002. Their sampling was conducted as part of Roseland's due diligence investigation for the contemplated site use. The findings of

that investigation can be found in *Due Diligence Sampling Results for the General Motors Corporation Tarrytown Assembly Plant Property* (EcolSciences 2002).

Data from these reports were used to plan and were made part of a remedial investigation (RI) conducted under the BCA.

At the completion of the RI, GMC conducted a supplemental soil investigation of a portion of the East Parcel that has been contemplated for donation to Historic Hudson Valley. The findings can be found in *Investigation Report for Supplemental Soil Investigation of Proposed East Parcel Donation Land* (ARCADIS 2009). The collective findings of the RI and the supplemental soil investigation within the East Parcel Site are summarized in Section 1.3.

1.2.2.3 Anticipated Future Land Use

The anticipated future uses of the Site are municipal public works, with the possibility of some recreational uses.

The proposed Site Development Plan and other details contemplated for the proposed development are presented in the Findings Resolution adopted by the Village on July 24, 2007 (Village of Sleepy Hollow 2007) and amended on January 25, 2011 (Village of Sleepy Hollow 2011a) and the Special Permit and Concept Plan Approval adopted by the Village on June 7, 2011 (Village of Sleepy Hollow 2011b). The proposed site development plan for all of the former General Motors (GM) Assembly Plant parcels is provided on Figure 4 (which includes the East Parcel).

The BCA for the Site recognizes the intended future uses as restricted-residential/commercial development and open public space. Restricted uses, as defined in 6NYCRR Part 375-1.8, include:

- "Restricted-residential use," which is the land use category which shall only be considered when there is common ownership or a single owner/managing entity of the site. Restricted-residential use shall, at a minimum, include restrictions which:
  - Prohibit any vegetable gardens on a site, although community vegetable gardens may be considered with Department approval.
  - Prohibit single family housing.
  - Includes active recreational uses, which are public uses with a reasonable potential for soil contact.

- "Commercial use," which is the land use category which shall only be considered for the primary purpose of buying, selling or trading of merchandise or services. Commercial use includes passive recreational uses, which are public uses with limited potential for soil contact.

In addition, "restricted-residential use" is a land use category that does not allow the Site to be used for planting fruit-bearing trees, raising livestock or producing animal products for human consumption.

"Restricted use" is a use with imposed restrictions, such as environmental easements, which as part of the remedy selected for the Site, requires a site management plan and relies on institutional controls or engineering controls to manage exposure to contamination remaining at a site.

1.2.3 Geologic Conditions

Over 80% of the Site acreage is developed on historic fill (Figure 3), which is of varying composition and thickness, ranging from approximately 6 to 20 feet of fill beneath the existing cover in the paved low lying area (prior to redevelopment). The hillsides along the south/southeast side appear to have been disturbed historically with cut/fill activity. The fill placed into the former marsh and river bed (the paved area) consists mainly of soil, rock, and dredged sands, with a limited area containing municipal refuse as generally outlined on Figure 3.

The fill is underlain in areas by soft organic clay and peat deposits associated with the historic bay/marsh at the former mouth of the Pocantico River, as well as silt and clay deposits. These soft deposits typically range in thickness from 20-40 feet. Beneath these deposits, a layer of compact granular till (silty sand with gravel and occasional cobbles and boulders) overlies the bedrock with a thickness ranging from 1 foot to more than 10 feet. The underlying bedrock is weathered to relatively unweathered gneiss. The depth to bedrock is variable across the Site, ranging from approximately 20 feet below ground surface (bgs) to greater than 75 feet.

The direction of groundwater flow is westerly toward the Hudson River with local variations. Groundwater exists within the historic fill and natural deposits. A representative groundwater flow map is shown in Figure 5.

1.3 Summary of Remedial Investigation Findings

A RI was performed to characterize the nature and extent of contamination at the site. Site sampling for the RI was completed in 2004. A supplemental soil investigation of a portion of the East Parcel Site (contemplated for donation to Historic Hudson Valley) was conducted in 2008. The results of the RI, and the supplemental investigation of the East Parcel, respectively, are described in detail in the following reports:

- *Remedial Investigation Report (RIR) Former General Motors Assembly Plant Site, Sleepy Hollow, New York (*ARCADIS 2012a*).*

- *Investigation Report for Supplemental Soil Investigation of Proposed East Parcel Donation Land* (ARCADIS 2009).

The RI and the supplemental investigation were conducted under NYSDEC oversight, building upon data supplied by GMC and Roseland from prior due diligence investigations. Generally, the RI determined that contamination at the East Parcel Site is associated with historical fill in the low lying area (ARCADIS 2012a). The supplemental investigation added further chemical characterization of the historic fill north of the Continental Street entrance.

Below is a summary of Site conditions when the RI was performed during 2003-2004, as well as Site conditions encountered in the supplemental investigation. Table 2 (as presented in the RI Report), summarizes the chemical constituents detected by study and by environmental media in the East Parcel.

1.3.1 Soil

The historic fill on the East Parcel is comprised of municipal refuse on the east end, imported soil fill throughout the former Pocantico River bed and marsh prior to GMC ownership (pre-1960), and sediment dredged from the Hudson River to grade the area for parking lot construction by GMC in 1960. Domestic refuse, typically consisting of glass, coal ash, shells, ceramic material, metal debris, and decomposed organic material was found in subsurface samples from the former Village landfill area within the East Parcel.

Based on the data presented in the RI and supplemental soil investigation reports, metals found in the East Parcel Site fill at levels above restricted residential Soil Clean-

up Objectives (SCOs) were arsenic, barium chromium, copper, lead manganese and mercury. Fill materials containing lead and polycyclic aromatic hydrocarbons (PAHs) at levels above restricted residential SCOs are generally associated with the refuse layer in the former Village landfill area.

During the supplemental investigation of the proposed donation land, test borings were advanced up to 12 feet bgs (to native sediment) to obtain a more detailed estimation of the village landfill limits. As a result of this investigation, the estimated limits of the former village landfill were refined to the outline shown in Figure 3. The municipal refuse layer, including variable deposits of coal ash, was encountered as shallow as 6 feet below grade where it may be up to 6 feet thick, and as deep as 10 feet below grade where it was found to be less than 2 feet thick. These findings are consistent with the refuse layer encountered in the RI and pre-RI investigations.

1.3.2 Site-Related Groundwater

Groundwater samples collected from monitoring wells (observation wells) during the site investigations on the East Parcel (Figure 7) contained detectable concentrations of one or more Target Analyte List (TAL) metals, but no evidence of organic Target Compound List (TCL) or Priority Pollutant organic constituents in groundwater above NYS Class GA standards specified in 6NYCRR Part 703. The metals detected in groundwater on the East Parcel at levels greater than the standards are summarized in Table 2. Unfiltered groundwater samples contained low levels of arsenic, cadmium, chromium and lead above the standards, whereas only dissolved arsenic was detected above the standards in filtered samples. Class GA groundwater is protected for drinking water use. The use of groundwater underlying the East Parcel Site is prohibited without necessary water quality treatment, as described in the Environmental Easement (Appendix C).

1.3.3 Site-Related Soil Vapor Intrusion

A soil gas survey was performed during the RI to evaluate the general presence or absence of methane gas and volatile organic vapors beneath the existing cover within and around the former Village landfill (refuse) area. The findings are summarized as follows:

Methane

A soil gas survey performed at the East Parcel indicated high levels of methane (70-100% combustible gas) under the asphalt covering over and adjacent to the former Village landfill. Levels less than 1% to 70% were also prevalent under a significant portion of the paved area (see Figure 8). Methane is primarily attributed to decomposition of historic municipal waste, with a possible contribution from decomposition of natural organic matter underlying the historic fill material. No combustible gas was detected in unpaved areas around the perimeter of the asphalt, with the exception of a small area near the junction of the Village and County sanitary sewers in the southwest corner of the low lying area.

Volatile Organic Compounds (VOCs) in Soil Vapor

Volatile organic compounds (VOCs) were detected in soil vapor samples throughout the paved areas on the East Parcel. Trace levels of chlorinated VOCs and petroleum-derived VOCs in vapor were detected within the refuse area and beyond the refuse area, consistent with extent of methane (Figure 8).

1.4 Summary of Remedial Actions

No actions to remove grossly contaminated soil were required for the East Parcel Site.

The following is a summary of the Remedial Actions performed at the Site:

- Maintenance of the existing cover system consisting of asphalt, concrete slabs, railroad sidings, and vegetated soil with limited controlled access to minimize human exposure to remaining contaminated soil/fill remaining at the Site.

- After redevelopment, the cover system will consist of:
  - A demarcation barrier over soil or historic fill material that does not meet 6 NYCRR Part 375 SCOs for unrestricted use.
  - A barrier cap system throughout the entire Site consisting of either or a combination of surface soil cover for landscaped/naturally vegetated areas, pavement over non-vegetated areas, or permanent buildings.

- Execution and recording of an Environmental Easement to restrict land use and prevent future exposure to any contamination remaining at the Site (see Appendix C).

- Development and implementation of this SMP for long term management of remaining contamination as required by the Environmental Easement, which includes plans for: (1) IC/ECs, (2) monitoring, (3) provisions for implementing actions recommended to address potential exposures related to soil vapor intrusion, and () reporting;

- Remedial activities prior to redevelopment were completed at the Site in 2013, with the recording of the Environmental Easement and completion of this SMP.

1.4.1 Removal of Contaminated Materials from the Site

No contaminated material removal actions were required as part of the Site remedy.

1.4.2 Site-Related Treatment Systems

No long-term treatment systems were required or installed as part of the Site remedy.

1.4.3 Remaining Contamination

Remaining contamination associated with historic fill and industrial land use at the former GMC facility is present within the Site at levels exceeding Track 1 (unrestricted) SCOs. Table 3 summarizes the results of all soil samples remaining at the Site after completion of the Remedial Actions that exceed the Track 1 (unrestricted) SCOs. Because there is no defined area within the Site where Track 1 SCOs are confirmed to be met, Table 3 provides a range of constituent concentrations remaining within the East Parcel. Table 4 provides a similar range of constituent concentrations in East Parcel soils that exceed restricted residential SCOs. Figure 9 provides the locations of all samples from soil and historic fill remaining at concentrations exceeding unrestricted SCOs at the Site. The available data for these samples is provided on a CD at the end of this SMP.

1.4.3.1 Soil

Soil and historic fill remaining at the site contain metals (arsenic, barium chromium, copper, lead manganese and mercury) as well as PAHs at levels exceeding unrestricted use SCOs (Table 3). Fill materials containing lead and PAHs at levels above restricted residential SCOs are generally associated with the refuse layer in

former Village landfill area. Figure 9 provides the location of samples included in the "remaining soil contamination" database provided on a CD at the back of this SMP.

Fill containing metals exceeding restricted residential use SCOs (as listed on Table 4) are encountered directly beneath the existing cover system, to as deep as the native sediments, with localized variations. PAHs are associated with the refuse layer, which is encountered approximately 6-10 feet below the surface on the east side of the low lying paved area. Historic fill thickness typically ranges from approximately 6 to 12 feet below the existing cover throughout the low lying area.

The only active utilities on the Site, prior to redevelopment, are the Site storm drains, Village of Sleepy Hollow storm drain and sanitary sewer lines, and a regional sanitary sewer main that is owned by Westchester County.

1.4.3.2 Groundwater

Site groundwater is not significantly contaminated, but contains metals detected at levels above Class GA drinking water standards. Within the low lying area, groundwater resides in the historic fill layer, including buried refuse. As discussed in the Interim Remedial Measures (IRM) Decision Document, groundwater in the vicinity of the Site is not used as a potable water supply. As described in Section 2.3, institutional control measures specified in the Environmental Easement will prohibit the use of site groundwater without treatment and NYSDOH, Westchester County, and NYSDEC approval.

1.4.3.3 Soil Gas

Soil gas/vapors remaining at the Site include methane attributable to decomposition of natural organic matter.

Soil gas and vapors remaining onsite include:

- High levels of methane (up to 100% combustible gas) under the asphalt in the vicinity of the former Village landfill, with levels up to 70% under a significant portion of the paved area.

- Trace levels of chlorinated VOCs and petroleum-derived VOCs were detected within the refuse area and beyond the refuse area, consistent with extent of methane.

There are no pre-redevelopment buildings on the Site. Requirements to address potential methane or soil vapor intrusion (SVI) associated with any future building construction are discussed in Section 2.3.2.

THIS PAGE INTENTIONALLY LEFT BLANK

2. Engineering and Institutional Control Plan

2.1 Introduction

2.1.1 General

Since remaining contaminated soil and groundwater and soil vapor exists beneath the Site, IC/ECs are required to protect human health and the environment. This Engineering and Institutional Control Plan describes the procedures for the implementation and management of all IC/ECs at the Site. The Engineering and Institutional Control Plan is one component of the SMP and is subject to revision by NYSDEC.

2.1.2 Purpose

This plan provides:

- A description of all IC/ECs on the Site.
- The basic implementation and intended role of each IC/EC.
- A description of the key components of the institutional controls set forth in the Environmental Easement (Appendix C).
- A description of the features to be evaluated during each required inspection and periodic review.
- A description of plans and procedures to be followed for implementation of IC/ECs, such as the implementation of the Excavation Work Plan (EWP; Appendix A) for the proper handling of remaining contamination that may be disturbed during maintenance or redevelopment work on the Site.
- Any other provisions necessary to identify or establish methods for implementing the IC/ECs required by the site remedy, as determined by the NYSDEC.

2.2 Engineering Controls

2.2.1 Engineering Control Systems

2.2.1.1 Cover System

Existing Cover System

Exposure to remaining contamination in soil/fill at the Site is prevented by an existing pre-development cover system over the Site. This cover system: as shown on Figure 10, consists of the following:

- Bituminous pavement and concrete parking surfaces.
- Vegetated strips and hillsides between pavement and the property lines.
- Closed bituminous ramp and viaduct bridge.
- Vegetated open and closed drainage ditch system.
- Rail sidings within gravel bedding, with bituminous and concrete access strips.

The existing cover system will be maintained by the Owner or Remedial Party until the Site undergoes final redevelopment. The final cover system requirements are summarized below.

Final Cover System

The cover system for the Site, to be completed during site redevelopment is described in the IRM Decision Document and summarized in the final June 2012 Decision Document. For this site, the cover system will consist of:

- A demarcation barrier consisting of a geotextile fabric or a structural surface (e.g., concrete or asphalt) over soil or historic fill material that does not meet 6 NYCRR Part 375 SCOs for unrestricted use (see Appendix E for SCOs).
- A final barrier cap system throughout the entire Site consisting of either or a combination of:

- A 2-foot-thick soil cover for landscaped or naturally vegetated areas.
- Pavement (or similar hard surfaces) over non-vegetated areas.
- Permanent buildings or similar structures.
- Soils imported to the Site will meet the requirements set forth in 6 NYCRR Part 375-6.7(d) for restricted residential use;(i.e., the lower of restricted residential SCOs or protection of groundwater SCOs, as provided in Appendix 5 of DER-10 under "Restricted Residential Use" (See Appendix E).

The demarcation barrier in combination with a 2 feet thick surface cover, pavement, or permanent structures is collectively referred to hereafter as the *final cover system*.

The approximate extent of the final cover system is expected be consistent with the Riverfront Development Concept Plan shown on Figure 4. Components of the final cover system are generally described below and presented on Figure 11.

Demarcation Barrier

Demarcation barriers will consist of either:

· Layer of highly visible synthetic geotextile or other approved synthetic material that identifies the interface between historical or intermediate fill that does not meet 6 NYCRR Part 375 SCOs for unrestricted use (see Appendix E for unrestricted use SCOs) and the permanent final soil cover system.

· Hard surface that also serves as the final cover system.

A demarcation fabric will be placed beneath the final soil cover system to identify the limits of the barrier in order to alert persons conducting future intrusive activities (through visual controls). A demarcation fabric will not be required under building slabs, because the slabs and any underlying vapor barriers will satisfy the permanent demarcation function. Similarly, pavement will serve a dual function of demarcation barrier and final cover, except where specified below under public roads and right-of ways. Figure 11 shows the typical cross sections for each final remedial cover type to be used on the Site. Disruption of materials beneath any of these demarcation barriers requires adherence to the Excavation Work Plan (EWP) provided in Appendix A.

In accordance with the IRM Decision Document, all new underground utilities constructed within public roads and public right-of-ways that overlay historic fill or soils that do not meet SCOs for restricted residential use (Table 1), will include an additional

highly visible synthetic demarcation barrier throughout the trench to separate historical fill or other material that does not meet SCOs for restricted residential use from the installed approved trench backfill, described below. This additional demarcation barrier will also run beneath the pavement on all new public roads overlying historic fill and soil that does not meet restricted residential SCOs. Although pavement is an acceptable demarcation barrier, the addition of a highly visible barrier beneath the public pavement is intended to alert Village DPW or utility workers who service or make connections to underground utilities that work beneath this demarcation is not permitted without adherence to the EWP provided in Appendix A. Absence of the highly visible barrier under roadways over these new utility corridors indicates that the area being accessed contains “approved backfill”, as defined in Appendix A, requiring no special handling. All excavations beneath the existing cover system or final demarcation barrier must adhere to the EWP (Appendix A).

Underground Utility Trench Backfill

In accordance with the IRM Decision Document, all materials used as backfill for underground utilities installed in public right-of-ways and service laterals during Site development and in the future will meet the Site SCOs for the surface soil cover system. Specifically, where underground utility installation or access requires excavation into existing historic fill or other material that does not meet the SCOs in Table 1, the excavated material will be replaced with approved backfill consisting of existing Site soils meeting the SCOs listed in 6 NYCRR Part 375, Table 375-6.8(b) for “restricted residential” use (see Table 1);or imported soils meeting SCOs for restricted residential use provided in Appendix 5 of DER-10 under “Restricted Residential Use” (see Appendix E). Prior to this backfill placement, a demarcation barrier will be placed along the bottom and sides of each affected utility trench (as practicable) to separate approved backfill materials from surrounding soil or fill. The installation will provide a minimum of 1 foot of approved backfill material between the invert of buried utilities and the bottom demarcation barrier, as well as a minimum of 2 feet of approved backfill material (meeting SCOs in Table 1) between the buried utilities and sidewall demarcation barriers. Approved backfill material will be brought up to the final cover system. The Owner or Remedial Party will be responsible for specifying the compaction requirements and drainage characteristics of backfill material needed to meet project design requirements and applicable building codes and confirming compatibility of the demarcation barrier with the utility type. See the EWP (Appendix A) for additional requirements regarding soil management.

Existing utilities located in areas of historic fill at the Site that will continue to be used in their current condition and configuration, without disturbance by construction activities, will not be uncovered and backfilled with approved backfill material. The likelihood of damage to existing utilities significantly outweighs the potential benefits of replacing historic fill with approved backfill. However, maintenance and repair of retained existing underground utilities will be subject to the requirements of this SMP, including adherence to the EWP (Appendix A) and replacement of excavated material with approved backfill, if excavation beneath the cover system is required to access existing underground utilities.

Surface Soil Cover

The surface soil cover will consist of a minimum 2-foot-thick surface soil cap supporting grass, natural vegetation or other landscape features, and will be separated from historical fill by a synthetic demarcation barrier (described in Section 2.2.1.1). Fill and topsoil materials that make up the surface soil cover will consist of:

- Existing site soils meeting the SCOs listed in 6 NYCRR Part 375, Table 375-6.8(b) for “restricted residential” use (see Table 1).

- Imported soils meeting SCOs for restricted residential use provided in Appendix 5 of DER-10 under “Restricted Residential Use” (see Appendix E).

The required soil cover thickness will be verified by a licensed land surveyor and certified by a professional engineer at the time of installation. As described in Section 2.2, the soil cover system will be inspected, maintained and repaired as necessary to prevent public contact with the underlying historical fill or other soils not meeting the SCOs required for the soil cover system.

Soil Cover Supporting New Trees

Vegetation such as shrubs and trees with root balls that must be placed to a depth beneath the final cover system will be planted to provide a 1-foot minimum buffer around the root ball consisting of approved backfill consisting of existing Site soils meeting the SCOs listed in 6 NYCRR Part 375, Table 375-6.8(b) for “restricted residential” use (see Table 1);or imported soils meeting SCOs for restricted residential use provided in Appendix 5 of DER-10 under “Restricted Residential Use” (see Appendix E). A highly visible synthetic and water-permeable demarcation barrier will be installed between the clean soil buffer and historical fill or other material that does not

meet SCOs for surface soil cover to provide a visible demarcation, if the shrub/tree must be replaced in the future. Handling soil or fill beneath the demarcation barrier, either during initial planting or subsequent tree or shrub replacement, will be performed in accordance with the EWP (Appendix A).

Hard Surface Cover

The hard surface cover system will consist of asphalt, concrete or other impervious surfaces meeting state and local building codes. Surfaces meeting this requirement may include building slabs, roadways, parking areas and walkways installed in accordance with applicable building codes and permits. Buildings and other impervious surfaces will serve a dual function as a demarcation barrier and final cover. However, as described above, an additional highly visible demarcation barrier will be required under all hard-surface public roads and public right-of-ways to demarcate the interface between historical or intermediate fill that does not meet 6 NYCRR Part 375 SCOs for restricted residential use (Table 1) and the final cover system. The hard surface cover system will be maintained and repaired as necessary to prevent public contact with historical fill or other soils that do not meet the SCOs required for the soil cover system.

2.2.1.2 Mitigation of Soil Vapor Intrusion

To address soil vapor intrusion (SVI), the final Decision Document (NYSDEC 2012), specifies the ECs outlined in the IRM Decision Document (NYSDEC 2007) and adds a provision for this SMP to include SVI evaluation. Collectively, the remedy includes:

- Mitigation measures, as necessary, to address potential intrusion of volatile organic vapors into future indoor air space.

- Mitigation measures, as necessary, to address the potential for intrusion of methane into future indoor air space.

- A provision for evaluation of the potential for soil vapor intrusion for any buildings developed on the site, including provision for implementing actions recommended to address exposures related to soil vapor intrusion.

Basis for Evaluation and Mitigation

The phrase "soil vapor intrusion" refers to the process by which volatile chemicals migrate from a subsurface source into the indoor air of buildings. Soil vapor, also

referred to as soil gas, is the air found in the pore spaces between soil particles. Primarily because of a difference between interior and exterior pressures, soil vapor can enter a building through cracks or perforations in slabs or basement floors and walls, and through openings around sump pumps or where pipes and electrical wires go through the foundation. For example, heating, ventilation and air conditioning (HVAC) systems and/or the operation of large mechanical appliances (e.g., exhaust fans, dryers) may create a negative pressure that can draw soil vapor into the building. This intrusion is similar to how radon gas enters buildings from the subsurface.

Volatile Organic Compounds

Soil vapor can become contaminated when chemicals evaporate from subsurface sources. Chemicals that can emit vapors are called "volatile chemicals." Volatile chemicals include VOCs, some semi-volatile organic compounds (SVOCs), and some inorganic substances such as elemental mercury. There are no known or suspected sources of elemental mercury on the Site. Volatile organic soil vapor contamination on the East Parcel appears to be associated with the refuse area, which is also the primary source of methane gas, but extends throughout much of the paved area. While it may be impractical to remove the sources of VOC vapors, buildings can be designed and constructed with proven precautionary controls, if needed, to mitigate the potential intrusion of soil vapors into indoor air space.

Methane

Methane gas was found beneath the asphalt on the East Parcel Site at levels as high as 100%, as summarized in Sections 1.3.3 and 1.4.3.3. Methane is primarily attributed to decomposition of historic municipal waste, with a possible contribution from decomposition of natural organic matter underlying the historic fill material. Methane is lighter than air, colorless, odorless, non-carcinogenic and flammable. Because methane is lighter than air, it has a tendency to rise from depth to the ground surface where it dissipates into the atmosphere. Where a relatively impermeable barrier (e.g., a concrete slab or asphalt) is present at the ground surface, the potential exists for methane to accumulate beneath that barrier. Methane has the potential to infiltrate through flooring material or cracks, accumulate under footings and in enclosed spaces (e.g., small rooms, vaults, wall spaces), and then cause a fire or explosion when an ignition source (e.g., pilot flame, electrical spark, cigarette) is present. As discussed above for mitigation of VOC vapor intrusion, buildings can be designed and constructed with proven precautionary controls, if needed, to mitigate the potential intrusion of methane gas into indoor air space.

In accordance with the Decision Document, a site-wide approach to methane and soil vapor intrusion (SVI) evaluation will be implemented on the East Parcel as discussed in Section 2.3.2. The results of the evaluation will provide a basis for location-specific mitigation requirements.

Mitigation Measures

The SVI evaluation performed prior to building construction may indicate the need for mitigation measures to eliminate potential methane hazards or exposure to vapors in the proposed structures. At the discretion of the Owner or Remedial Party, an SVI mitigation system may be installed as an element of the building foundation without first conducting an investigation. Under this discretionary approach, the mitigation system for a slab-on-grade foundation design will include a vapor barrier and passive sub-slab depressurization system (SSDS) that is capable of being converted to an active system based on sampling (see Section 2.3.2 for design and approval requirements for SVI mitigation systems).

As described in NYSDOH's *Guidance for Evaluating Soil Vapor Intrusion in the State of New York* (October 2006), active SSDS is a system that uses a fan-powered vent and piping to draw vapors from the soil beneath the building's slab (i.e., essentially creating a vacuum beneath the slab) and discharge them to the atmosphere. This results in lower sub-slab air pressure relative to indoor air pressure, which prevents the infiltration of sub-slab vapors into the building. USEPA has defined passive SSDS as a system designed to achieve lower sub-slab air pressure relative to indoor air pressure by use of a vent pipe routed through the conditioned space of a building and venting to the outdoor air, thereby relying solely on the convective flow of air upward in the vent to draw air from beneath the slab (http://www.epa.gov/radon/pubs/newconst.html).

Procedures for operating and maintaining the SSDS, if required, will be documented in an Operation and Maintenance Plan (see Section 4 of this SMP). Procedures for monitoring the system, if required, are included in the Monitoring Plan (Section 3 of this SMP). The Monitoring Plan also addresses severe condition inspections in the event that a severe condition, which may affect controls at the Site, occurs.

2.2.2 Criteria for Completion of Remediation

Generally, the remedial processes will be considered to be completed when effectiveness monitoring indicates that the remedy has achieved the remedial action objectives (RAOs) identified by the decision document. The framework for

determining when remedial processes are complete is provided in Section 6.6 of NYSDEC DER-10.

2.2.2.1 Final Cover System

The final cover system is a permanent control and the quality and integrity of this system will be inspected at defined, regular intervals in perpetuity.

2.2.2.2 Sub-slab Depressurization System (SSDS)

Active SSDS, if installed, will not be discontinued unless prior written approval is granted by the NYSDEC. In the event that monitoring data indicates that the SSDS is no longer required, a proposal to discontinue the SSDS will be submitted by the property owner or remedial party to the NYSDEC and NYSDOH.

2.3 Institutional Controls

A series of Institutional Controls is required by the Remedial Work Plan (RWP) and Decision Document to: (1) implement, maintain and monitor Engineering Control systems; (2) prevent future exposure to remaining contamination by controlling disturbances of the subsurface contamination; and, (3) limit the use and development of the Site to restricted residential uses, which includes commercial (including public works) and recreational uses. Adherence to these Institutional Controls on the Site is required by the Environmental Easement and will be implemented under this SMP. These Institutional Controls, as listed in the Environmental Easement (Appendix C), are:

- The Controlled Property may be used for: Restricted Residential as described in 6 NYCRR Part 375-1.8 (g) (2) (ii), Commercial as described in 6 NCYRR Part 375-1.8(g) (2) (iii) and Industrial as described in 6 NYCRR Part 375-1.8(g) (2) (iv) [although land use is subject to local zoning laws].

- All Engineering Controls must be operated and maintained as specified in this SMP.

- All Engineering Controls on the Controlled Property must be inspected at a frequency and in a manner defined in the SMP.

- The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Westchester County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from NYSDEC.

- Groundwater and other environmental or public health monitoring must be performed as defined in this SMP[there is no requirement for groundwater monitoring at this Site].

- Data and information pertinent to Site Management for the Controlled Property must be reported at the frequency and in a manner defined in this SMP.

- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the SMP.

- Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP.

- Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical components of the remedy shall be performed as defined in the SMP.

- Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by this Environmental Easement.

The Environmental Easement specifies that the Controlled Property shall not be used for Residential purposes as defined in 6 NYCRR 375--1.8(g)(2)(i), and the above-stated controls may not be discontinued without an amendment or extinguishment of the Environmental Easement.

The Environmental Easement also requires compliance with the Environmental Easement and this SMP by the Grantor and the Grantor's successors and assigns. Institutional Controls may not be discontinued without an amendment to or extinguishment of the Environmental Easement.

The Site has a series of Institutional Controls in the form of Site restrictions. Adherence to these Institutional Controls is required by the Environmental Easement. Site restrictions that apply to the Controlled Property are:

- The property may only be used for restricted residential, commercial, and industrial uses (subject to local zoning laws) provided that the long-term Engineering and Institutional Controls included in this SMP are employed.

- The property may not be used for a higher level of use, such as unrestricted use without additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC.

- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with this SMP, as stated in the Environmental Easement.

- The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use, as stated in the Environmental Easement.

- The potential for vapor intrusion must be evaluated for any buildings developed on the Site, and any potential impacts that are identified must be monitored or mitigated (see Section 2.3.2).

- Vegetable gardens and farming on the property are prohibited.

- The site owner or remedial party will submit to NYSDEC a written statement that certifies, under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP. NYSDEC retains the right to access such Controlled Property at any time in order to evaluate the continued maintenance of any and all controls. This certification shall be submitted annually, or an alternate period of time that NYSDEC may allow and will be made by an expert that the NYSDEC finds acceptable.

2.3.1 Excavation Work Plan

The Site has been remediated for restricted residential use. Any future intrusive work that will penetrate the soil cover or cap, or encounter or disturb the remaining contamination, including any modifications or repairs to the cover system will be performed in compliance with the EWP that is attached as Appendix A to this SMP. Any work conducted pursuant to the EWP must also be conducted in accordance with the procedures defined in a Health and Safety Plan (HASP) and Community Air Monitoring Plan (CAMP) prepared for the Site. A sample HASP is attached as Appendix F to this SMP that is in current compliance with DER-10, and 29 CFR 1910, 29 CFR 1926, and all other applicable federal, state and local regulations. A site-specific CAMP, in a format previously approved by NYSDEC for use on the Site, is provided in Appendix G. The CAMP includes a typical location map for air monitoring stations, although actual monitoring station locations are to be based on the location of the intrusive work, prevailing wind directions, and the location of the nearest receptors. Based on future changes to State and federal health and safety requirements, and specific methods employed by future contractors, the HASP and CAMP will be updated and re-submitted with the notification provided in Section A-1 of the EWP (Appendix A). Any intrusive construction work will be performed in compliance with the EWP, HASP and CAMP, and will be included in the periodic inspection and certification reports submitted under the Site Management Reporting Plan (See Section 5).

The Site owner (or Remedial Party as identified in Appendix B), and parties performing this work at the site, are responsible for the safe performance of all intrusive work, the structural integrity of excavations, proper disposal of excavation de-water, control of runoff from open excavations into remaining contamination, and for structures that may be affected by excavations (such as building foundations and bridge footings). The Site owner or Remedial Party is responsible for conducting Site development activities in a manner that will not interfere with, or otherwise impair or compromise, the engineering controls described in this SMP.

2.3.2 Soil Vapor Intrusion Evaluation

Prior to the construction of any enclosed structures located over areas that contain remaining contamination and the potential for SVI, including methane, has been identified (see Figure 8) an SVI evaluation will be performed to determine whether any mitigation measures are necessary to address potential exposure to vapors in the proposed structure. Alternatively, an SVI mitigation system may be installed as an

element of the building foundation without first conducting an investigation. This mitigation system will include a vapor barrier and passive SSDS that is capable of being converted to an active system.

Prior to conducting an SVI investigation or installing a mitigation system, a work plan will be developed and submitted by the Owner and/or Remedial Party specified in Appendix B to the NYSDEC and NYSDOH for approval. This work plan will be developed in accordance with the most recent NYSDOH "Guidance for Evaluating Vapor Intrusion in the State of New York". Measures to be employed to mitigate potential vapor intrusion will be evaluated, selected, designed, installed prior to building occupancy, and maintained based on the SVI evaluation, the NYSDOH guidance, and construction details of the proposed structure.

The pre-construction SVI evaluation may be designed to demonstrate the absence of contamination that could result in the potential for soil vapor intrusion in specific sub-areas of the site. Contamination with the potential for soil vapor intrusion may be present in Site soil, groundwater and/or soil vapor. If NYSDEC and NYSDOH approve a defined sub-area of the site to be excluded from SVI mitigation requirements based on the results of the pre-construction SVI investigation, no mitigation measures or post-construction testing requirements outlined in this SMP will apply to buildings in the excluded areas.

For this Site, NYSDOH has determined that sub-slab soil vapor samples (or their equivalent as approved by NYSDOH) will be collected post-construction and prior to occupancy of all slab-on-grade buildings. [This applies to all building not previously excluded by NYSDEC and NYSDOH from this requirement based a successful demonstration that there is no need for SVI mitigation associated with proposed buildings within a specific sub-area of the Site, as described above.] It is anticipated that this sampling may be conducted via a built-in sampling port and gate valve in the vent pipe riser (or equivalent method) for buildings with passive SSDS installed. Absence of a passive SSDS in slab-on-grade construction in non-excluded areas does not remove this requirement. In the approach outlined by the NYSDOH (Appendix L), if the results of any of the sub-slab soil vapor samples collected from a building outside the heating season indicate that SVI is not a concern, another [sub-slab] sample will be collected from the same structure during the heating season to verify the results. If the results of any of the sub-slab soil vapor samples indicate that SVI may be of concern, the [Owner and/or Remedial Party as identified in Appendix B to this SMP] will be advised to actively vent the SSDS installed when the building was constructed.

Preliminary (unvalidated) SVI sampling data will be forwarded to the NYSDEC and NYSDOH for initial review and interpretation. Upon validation, the final data will be transmitted to the agencies, along with a recommendation for follow-up action, such as mitigation. If the property is owned by a third party, validated SVI data will be transmitted to the property owner within 30 days of validation. If any indoor air test results exceed NYSDOH guidelines, relevant NYSDOH fact sheets will be provided to all tenants and occupants of the property within15 days of receipt of validated data.

SVI sampling results, evaluations, and follow-up actions will also be summarized in the next Periodic Review Report.

2.4 Inspections and Notifications

2.4.1 Inspections

Inspections of all remedial components installed at the Site will be conducted by the Owner and/or Remedial Party specified in Appendix B at the frequency specified in the SMP Monitoring Plan schedule. A comprehensive site-wide inspection will be conducted annually, regardless of the frequency of the Periodic Review Report. The inspections will determine and document the following:

- Whether Engineering Controls continue to perform as designed.
- If these controls continue to be protective of human health and the environment.
- Compliance with requirements of this SMP and the Environmental Easement.
- Achievement of remedial performance criteria.
- Sampling and analysis of appropriate media during monitoring events.
- If Site records are complete and up to date.
- Changes, or needed changes, to the remedial or monitoring system.

Inspections will be conducted in accordance with the procedures set forth in the Monitoring Plan of this SMP (Section 3). The reporting requirements are outlined in the Periodic Review Reporting section of this plan (Section 5.3).

If an emergency, such as a natural disaster or an unforeseen failure of any of the ECs occurs, an inspection of the site will be conducted within 5 days of the event to verify the effectiveness of the EC/ICs implemented at the site by a qualified environmental professional as determined by NYSDEC.

2.4.2 Notifications

Notifications will be submitted by the property owner or Remedial Party to the NYSDEC as needed for the following reasons:

- 60-day advance notice of any proposed changes in Site use that are required under the terms of the BCA, 6NYCRR Part 375, and/or ECL.

- 7-day advance notice of any proposed ground-intrusive activities pursuant to the EWP.

- Notice within 48 hours of any damage or defect to the foundation, structures or engineering control that reduces or has the potential to reduce the effectiveness of an Engineering Control and likewise any action to be taken to mitigate the damage or defect.

- Verbal notice by noon of the following day of any emergency, such as a fire, flood, or earthquake that reduces or has the potential to reduce the effectiveness of Engineering Controls in place at the Site, with written confirmation within 7 days that includes a summary of actions taken, or to be taken, and the potential impact to the environment and the public.

- Follow-up status reports on actions taken to respond to any emergency event requiring ongoing responsive action shall be submitted to the NYSDEC within 45 days and shall describe and document actions taken to restore the effectiveness of the Environmental Controls.

Any change in the ownership of the site or the responsibility for implementing this SMP will include the following notifications:

- At least 60 days prior to the change, the NYSDEC will be notified in writing of the proposed change. This will include a certification that the prospective purchaser has been provided with a copy of the BCA and all approved work plans and reports, including this SMP.

- Within 15 days after the transfer of all or part of the Site, the new owner's name, contact representative, and contact information will be confirmed in writing.

2.5 Contingency Plan

Emergencies may include injury to personnel, fire or explosion, environmental release, or serious weather conditions. Emergencies that may cause an environmental release may occur during site construction activities. Construction plans prepared by contractors will provide a contingency plan to address appropriate response to emergencies that may release Site contaminants, including but not limited to construction-related petroleum or chemical spills and releases. Construction Health and Safety Plans will be developed consistent with this Section, including response to emergencies that may result in personal injury.

If active SSDS or any other active methane of organic vapor intrusion mitigation systems are installed and rely on electrical power after buildings are constructed, a contingency plan to provide temporary power to these systems will be included with the mitigation system designs and any required associated Operations & Maintenance (O&M) plans.

2.5.1 Emergency Telephone Numbers

In the event of any environmentally related situation or unplanned occurrence requiring assistance the Owner and/or Remedial Party or Owner's and/or Remedial Party's representative(s) should contact the appropriate party from the contact list below (see Table 5). For emergencies, appropriate emergency response personnel should be contacted. Prompt contact should also be made to the qualified environmental professional and the Owner's representative listed in Table 6, representing the Owner and Remedial Party identified in Appendix B. These emergency contact lists must be maintained in an easily accessible location at the site.

Table 5: Emergency Contact Numbers

Medical, Fire, and Police:	911
One Call Center:	(800) 272-4480 (3 day notice required for utility markout)
Poison Control Center:	(800) 222-1222
Pollution Toxic Chemical Oil Spills:	(800) 424-8802
NYSDEC Spills Hotline	(800) 457-7362

Table 6: Other Contact Numbers

Raymond M. Kapp, ARCADIS of New York, Inc., Qualified Environmental Professional on behalf of General Motors, LLC	201-797-7400, Ext 4388
James F. Hartnett, General Motors, LLC – for Owner/Remedial Party	315-856-0211

* Note: Emergency contact numbers are subject to change and should be updated as necessary.


2.5.2 Directions to Emergency Health Facility

Site Location: 60 Continental Street, Sleepy Hollow, NY 10591
Nearest Hospital Name: Phelps Memorial Hospital
Hospital Location: 701 N Broadway, Sleepy Hollow, NY 10591
Hospital Telephone: (914) 366-3000
Directions to the Hospital:

1. Head east on Continental Ave toward Kendall Ave – 200 ft.
2. Slight right onto Kendall Ave – 400 ft.
3. Turn left onto Howard St. – 0.1 Mi
4. Take the first left onto Pocantico St. – 0.1 Mi
5. Turn left onto US-9 North / Broadway – 1.3 Mi
6. Turn left into Phelps Memorial Medical Center

Total Distance: 1.7 miles
Total Estimated Time: 5 minutes

Map Showing Route from the Site to the Hospital



REFERENCE: BASE MAP FROM GOOGLE.

Emergency Notification Procedure:

Step 1: Dial 911 (if necessary) and/or Work Care 800-455-6155 (mandatory for ARCADIS staff)
Step 2: Contact ARCADIS project manager
Step 3: Contact ARCADIS H&S manager
Step 4: Contact Client

----- Hospital Route

The East Parcel hospital route:

1. Head east on Continental Ave toward Kendall Ave – 200 ft.
2. Slight right onto Kendall Ave – 400 ft.
3. Turn left onto Howard St. – 0.1 Mi
4. Take the first left onto Pocantico St. 0.1 Mi
5. Turn left onto US-9 North / Broadway – 1.3 Mi
6. Turn left into Phelps Memorial Medical Center

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

MAP OF ROUTE FROM SITE TO HOSPITAL

ARCADIS

FIGURE 12

THIS PAGE INTENTIONALLY LEFT BLANK

2.5.3 Response Procedures

As appropriate, the fire department and other emergency response group will be notified immediately by telephone of the emergency. The emergency telephone number list is found at the beginning of this Contingency Plan (Table 6). The list will also be posted prominently at the Site and made readily available to all personnel at all times.

Contractor Contingency Plans for construction activities will also include:

- Response procedures for spills.
- Emergency evacuation plans.
- Amendments to the contingency plan for chemicals used on the site.

THIS PAGE INTENTIONALLY LEFT BLANK

3. Site Monitoring Plan

3.1 Introduction

3.1.1 General

The Monitoring Plan describes the measures for evaluating the performance and effectiveness of the remedy to reduce or mitigate contamination at the Site, the soil cover system, and all affected site media identified below. Monitoring of other Engineering Controls is described in Chapter 4, Operation, Monitoring and Maintenance Plan. This Monitoring Plan may only be revised with the approval of NYSDEC.

On-site environmental monitoring devices, including but not limited to vapor mitigation systems (if installed), must be protected and replaced as necessary to ensure the devices function in the manner specified in this SMP.

3.1.2 Purpose and Schedule

This Monitoring Plan describes the methods to be used for:

- Assessing achievement of the remedial performance criteria.
- Evaluating site information periodically to confirm that the remedy continues to be effective in protecting public health and the environment.
- Preparing the necessary reports for the various monitoring activities.

To adequately address these issues, this Monitoring Plan provides information on:

- Reporting requirements.
- Quality Assurance/Quality Control (QA/QC) requirements.
- Annual inspection and periodic certification.

Monitoring of the performance of the remedy and overall reduction in contamination on-site will be conducted for the first 5 years following the construction or installation of engineering controls, unless otherwise specified in Table 7 (below). The frequency

thereafter will be determined by NYSDEC. Monitoring programs are summarized in Table 8 and outlined in detail in Sections 3.2 through 3.3 below.

Table 7: Media Monitoring/Inspection Schedule

Monitoring Program	Frequency*	Matrix	Analysis
Cover System	Annual	None	None

* The frequency of events will be conducted as specified until otherwise approved by NYSDEC and NYSDOH.

3.2 Cover System Monitoring

The cover system will be inspected, maintained and repaired as necessary to prevent public contact with historical fill or other soils that do not meet the SCOs required for the soil cover system. The cover system will be inspected annually (unless a more frequent inspection is required by NYSDEC during periods of major construction). In accordance with DER-10, certification that a soil cover or site cap remains effective by inspection could be provided by a qualified environmental professional, while an engineering evaluation of settlement measurements for a composite cap (e.g., soil with synthetic liner) to determine whether a liner may be breached would require a professional engineer's certification.

The inspection of the surface cover system will typically include inspection of the following:

- Hard surface cover for evidence of deep cracks, potholes, cuts, depressions and/or rutting exposing demarcation barriers and historic fill.

- Surface soil cover to identify any areas where there is evidence of:
  - Excessive settlement or erosion relative to the surrounding areas.
  - Excessive ponding of surface water that could damage the soil cover.
  - Exposed or damaged underlying demarcation barrier(s).
  - Animal burrows or invasive deep-rooted vegetation that could compromise the integrity of the cover system.

- Modifications to the surface cover system with respect to repairs or changes in cover system construction.

The cover system inspection will be made part of the site-wide Inspection described in Section 3.4.

3.3 Media Monitoring Program

There is no requirement for groundwater monitoring on the East Parcel Site. The need for other media monitoring and the overall sampling frequency, will be proposed by the Owner or Remedial Party and approved by NYSDEC. Sampling frequency in monitoring programs, should they be required, may be modified with the approval of NYSDEC. The SMP will be modified to reflect changes in sampling plans approved by NYSDEC.

3.3.1 Soil Vapor Intrusion Monitoring

There are no requirements for SVI monitoring prior to re-development. However, NYSDEC or NYSDOH will determine the need for an SVI monitoring plan following review of the SVI evaluations described in Section 2.3.2 as well as any SVI mitigation plans prepared by the Owner or Remedial party. If a monitoring plan is required, it will be incorporated into the SMP by the Owner and/or Remedial Party.

Any required SVI monitoring will be performed in accordance with the most recent NYSDOH “Guidance for Evaluating Vapor Intrusion in the State of New York.”

3.4 Site-Wide Inspection

Site-wide inspections will be performed on a regular schedule at a minimum of once a year. Site-wide inspections will also be performed after all severe weather conditions that may affect Engineering Controls or monitoring devices. During these inspections, an inspection form will be completed (Appendix I). The form will compile sufficient information to assess the following:

- Compliance with all ICs, including Site usage.
- An evaluation of the condition and continued effectiveness of ECs.
- General Site conditions at the time of the inspection.
- The site management activities being conducted including, where appropriate, confirmation sampling and a health and safety inspection.

- Compliance with permits and schedules included in the SMP.

- Confirm that Site records are up to date.

3.5 Monitoring Quality Assurance/Quality Control

If media monitoring is required by NYSDEC and incorporated into a revision to this SMP, all sampling and analyses will be performed in accordance with the requirements of the Quality Assurance Plan (QAP) prepared for the site (Appendix J). Main Components of the QAP include:

- QA/QC Objectives for Data Measurement.

- Sampling Program:
  - Sample containers will be properly washed, decontaminated, and appropriate preservative will be added (if applicable) prior to their use by the analytical laboratory. Containers with preservative will be tagged as such.
  - Sample holding times will be in accordance with the NYSDEC Analytical Services Protocol (ASP) requirements.
  - Field QC samples (e.g., trip blanks, coded field duplicates, and matrix spike/matrix spike duplicates) will be collected as necessary.

- Sample Tracking and Custody.

- Calibration Procedures:
  - All field analytical equipment will be calibrated immediately prior to each day's use. Calibration procedures will conform to manufacturer's standard instructions.
  - The laboratory will follow all calibration procedures and schedules as specified in USEPA SW-846 and subsequent updates that apply to the instruments used for the analytical methods.

- Analytical Procedures.

- Preparation of a Data Usability Summary Report (DUSR), which will present the results of data validation, including a summary assessment of laboratory data packages, sample preservation and chain of custody procedures, and a summary assessment of precision, accuracy, representativeness, comparability, and completeness for each analytical method.

- Internal QC and Checks.

- QA Performance and System Audits.

- Preventative Maintenance Procedures and Schedules.

- Corrective Action Measures.

3.6 Monitoring Reporting Requirements

Forms and any other information generated during regular monitoring events and inspections will be kept on file onsite. All forms, and other relevant reporting formats used during the monitoring/inspection events, will be (1) subject to approval by NYSDEC and (2) submitted at the time of the Periodic Review Report, as specified in Section 5.3.

All monitoring results (if media monitoring is required) will be reported to NYSDEC on a periodic basis in the Periodic Review Report. A letter report will also be prepared [if required by NYSDEC], subsequent to each sampling event. The letter report will include, at a minimum:

- Date of event.

- Personnel conducting sampling.

- Description of the activities performed.

- Type of samples collected, if media monitoring is added to this monitoring plan (e.g., sub-slab vapor, indoor air, outdoor air, etc.).

- Copies of all field forms completed (e.g., sampling logs, chain-of-custody documentation, inspection checklists, etc.).

- Sampling results, if any, in comparison to appropriate standards/criteria.
- A figure illustrating sample type and sampling locations.
- Copies of all laboratory data sheets and the required laboratory data deliverables required for all points sampled (to be submitted electronically in the NYSDEC-identified format).
- Relevant observations, conclusions, or recommendations.
- Analytical data will be reported in hard copy or digital format as determined by NYSDEC. A summary of the monitoring program deliverables are summarized in Table 8 below.

Table 8: Schedule of Monitoring/Inspection Reports

Task	Reporting Frequency*
Cover System/Site-wide Inspection	Annual

* The frequency of events will be conducted as specified until otherwise approved by NYSDEC

4. Operation and Maintenance Plan

NYSDEC and NYSDOH may require an active SSDS in site buildings designed for occasional or continuous occupancy. If such systems are to be operated, an operations and maintenance plan (OMM Plan) will be required and will include the components outlined below where applicable to the system design. If no buildings rely on an active SSDS, or any other mechanical system to protect human health or the environment, an OMM plan will not be included in this SMP.

If required by NYSDEC, an OMM Plan for active mechanical mitigation/remedial systems installed in the future will be developed and made part of this SMP as outlined below:

- Includes the steps necessary to allow individuals unfamiliar with the Site to operate and maintain any sub-slab depressurization systems.

- Includes an operation and maintenance contingency plan.

- Will be updated periodically to reflect changes in site conditions or the manner in which any sub-slab depressurization Systems are operated and maintained.

Information on non-mechanical Engineering Controls (i.e. soil cover system) is provided in Section 2 - Engineering and Institutional Control Plan. A copy of the OMM Plan, along with the complete SMP, will be kept at the site. An OMM Plan is not to be used as a stand-alone document, but as a component document of the SMP.

THIS PAGE INTENTIONALLY LEFT BLANK

5. Inspections, Reporting and Certifications

5.1 Site Inspections

5.1.1 Inspection Frequency

All inspections will be conducted at the frequency specified in the schedules provided in Section 3 Monitoring Plan. At a minimum, a site-wide inspection will be conducted annually. Inspections of remedial components will also be conducted whenever a severe condition has taken place, such as an erosion or flooding event that may affect the Engineering Controls.

5.1.2 Inspection Forms, Sampling Data, and Maintenance Reports

A general site-wide inspection form will be completed during the site-wide inspection (see Appendix I). Inspection and reporting forms are subject to NYSDEC revision.

All applicable inspection forms and other records, including all media sampling data and system maintenance reports, generated for the Site during the reporting period will be provided in electronic format in the Periodic Review Report, as specified in Section 5.3.

5.1.3 Evaluation of Records and Reporting

The results of the inspection and site monitoring data will be evaluated as part of the IC/EC certification to confirm that the:

- IC/ECs are in place, are performing properly, and remain effective.
- The Monitoring Plan is being implemented.
- Operation and maintenance activities are being conducted properly and based on the above items.
- The site remedy continues to be protective of public health and the environment and is performing as designed in the RWP and FER.

Records maintained by the Owner and/or Remedial Party will be reviewed to support the annual certification. Relevant records will include, but may not be limited to:

- Permits applied for or received for new construction and renovations.
- Notifications to the NYSDEC related to surface cover alterations and implementation of the EWP (Appendix A).
- Certificates of occupancy and vapor mitigation system details for new construction or renovation initiated since the last certification inspection in areas where active or passive soil vapor mitigation is required.
- Underground utility repairs or alterations, public and private.
- Cover system repair and restoration documentation.
- Documentation of all activities that required implementation of the EWP (Appendix A), including daily CAMP reports, soil sampling results, waste transportation and disposal records, and construction water management records.
- Documentation of approved fill quality and delivered quantities.
- Records required in the O&M plans developed for any active mitigation systems.
- Records required in the groundwater monitoring program, including any authorized repairs, replacements or abandonment of monitoring wells.

5.2 Certification of Engineering and Institutional Controls

After the last inspection of the reporting period, a qualified environmental professional or, where an engineering evaluation of the ECs is required to certify the IC/ECs, a Professional Engineer licensed to practice in New York State will prepare the following certification on behalf of the Owner and/or Remedial Party identified in Appendix B:

For each institutional or engineering control identified for the Site, I certify that all of the following statements are true:

- The inspection of the Site to confirm the effectiveness of the institutional and engineering controls required by the remedial program was performed under my direction.

- The institutional control and/or engineering control employed at this Site is unchanged from the date the control was put in place, or last approved by the Department.

- Nothing has occurred that would impair the ability of the control to protect the public health and environment.

- Nothing has occurred that would constitute a violation or failure to comply with any site management plan for this control.

- Access to the Site will continue to be provided to the Department to evaluate the remedy, including access to evaluate the continued maintenance of this control.

- If a financial assurance mechanism is required under the oversight document for the Site, the mechanism remains valid and sufficient for the intended purpose under the document.

- Use of the Site is compliant with the environmental easement.

- The engineering control systems are performing as designed and are effective.

- No new information has come to my attention, including groundwater monitoring data from wells located at the Site boundary, if any, to indicate that the assumptions made in the qualitative exposure assessment of offsite contamination are no longer valid.

- To the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program and generally accepted engineering practices.

- The information presented in this report is accurate and complete.

I certify that all information and statements in this certification form are true. I understand that a false statement made herein is punishable as a Class “A” misdemeanor, pursuant to Section 210.45 of the Penal Law. I, [name], of [business address], am certifying as [Owner and/or Remedial Party or Owner’s and/or Remedial Party’s Designated Site Representative] (and if the site consists of multiple

properties): [I have been authorized and designated by all site owners to sign this certification] for the Site.

Every five years the following certification will be added:

- The assumptions made in the qualitative exposure assessment remain valid.

The signed certification will be included in the Periodic Review Report described below.

5.3 Periodic Review Report

A Periodic Review Report will be submitted by the Owner and/or Remedial Party to the Department every year, beginning fifteen months after the Certificate of Completion is issued until NYSDEC approves an alternate schedule. Because the Site will remain in an undeveloped condition under an existing cover system until redevelopment work actively commences, the Periodic Review Report will be limited to an inspection of the existing cover system. In the event that the Site is subdivided into separate parcels with different ownership, a single Periodic Review Report will be prepared that addresses the Site described in Appendix D (Metes and Bounds). The report will be prepared in accordance with NYSDEC DER-10 and submitted within 30 days of the end of each certification period. Media sampling results will also incorporated into the Periodic Review Report. The report will include:

- Identification, assessment and certification of all ICs/ECs required by the remedy for the Site.

- Results of the required annual site inspections and severe condition inspections, if applicable.

- All applicable inspection forms and other records generated for the site during the reporting period in electronic format.

- A summary of any discharge monitoring data and/or information generated during the reporting period with comments and conclusions.

- If sampling is conducted, data summary tables and graphical representations of contaminants of concern by media (e.g., soil vapor), which include a listing of all

compounds analyzed, along with the applicable standards, with all exceedances highlighted. These will include a presentation of past data as part of an evaluation of contaminant concentration trends.

- Results of all analyses, copies of all laboratory data sheets, and the required laboratory data deliverables for all samples collected during the reporting period will be submitted electronically in a NYSDEC-approved format.

- A Site evaluation, which includes the following:
  - The compliance of the remedy with the requirements of the site-specific RWP, IRM Decision Document and final Decision Document.
  - Any new conclusions or observations regarding Site contamination based on inspections or data generated by the Monitoring Plan for the media being monitored.
  - Recommendations regarding any necessary changes to the remedy and/or Monitoring Plan.
  - The overall performance and effectiveness of the remedy.

The Periodic Review Report will be submitted, in hard-copy format, to the NYSDEC Central Office and Regional Office in which the Site is located, and in electronic format to NYSDEC Central Office, Regional Office and the NYSDOH Bureau of Environmental Exposure Investigation.

5.4 Corrective Measures Plan

If any component of the remedy is found to have failed, or if the periodic certification cannot be provided due to the failure of an institutional or engineering control, a corrective measures plan will be submitted to the NYSDEC for approval. This plan will explain the failure and provide the details and schedule for performing work necessary to correct the failure. Unless an emergency condition exists, no work will be performed pursuant to the corrective measures plan until it is approved by the NYSDEC.

THIS PAGE INTENTIONALLY LEFT BLANK

6. References

ARCADIS. 2009. Investigation Report for Supplemental Soil Investigation of Proposed East Parcel Donation Land, Former General Motors Assembly Plant Site, Sleepy Hollow, NY.

ARCADIS. 2012a. Remedial Investigation Report, Former General Motors Assembly Plant Site, Sleepy Hollow, NY.

ARCADIS. 2012c. Remedial Work Plan, General Motors LLC, Former General Motors Assembly Plant Site, Sleepy Hollow, New York. June.

EcolSciences, Inc. 2005. Assessment of Ecological Resources for Lighthouse Landing Redevelopment Project. Prepared for Roseland/Sleepy Hollow, LLC. Short Hills, N.J.

EMCON. 1996. Phase I Environmental Site Assessment, General Motors Tarrytown Assembly Plant.

EMCON. 1997. Phase II Environmental Site Investigation, General Motors Tarrytown Assembly Plant.

EMCON. 2001. Phase III Extent of Contamination Study, General Motors Tarrytown Assembly Plant.

NYSDEC. 2007. Decision Document, Interim Remedial Measure, Former General Motors North Tarrytown Assembly Plant Village of Sleepy Hollow, Westchester County Site No. C360070, July 2007.

NYSDEC. 2010. DER-10, Technical Guidance for Site Investigation and Remediation. New York State Department of Environmental Conservation. May 2010.

NYSDOH. 2006. Guidance for Evaluating Soil Vapor Intrusion in the State of New York. October 2006.

Title 6 of the New York State Compilation of Codes, Rules and Regulations Part 375 (6NYCRR Part 375).

Village of Sleepy Hollow. 2007. Resolution Adopting Environmental Findings Statement for Lighthouse Landing at Sleepy Hollow (Findings Statement), July 24, 2007.

Village of Sleepy Hollow. 2011a. Amended Findings Resolution for Lighthouse Landing at Sleepy Hollow , adopted January 25, 2011.

Village of Sleepy Hollow. 2011b. Special Permit and Concept Plan Approval adopted by the Village on June 7, 2011.

ARCADIS

Tables

Table 1
Soil Cleanup Objectives for the Site

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health Restricted-Residential use**
Metals		
Arsenic	7440-38-2	16[f]
Barium	7440-39-3	400
Beryllium	7440-41-7	72
Cadmium	7440-43-9	4.3
Chromium, hexavalent [h]	18540-29-9	110
Chromium, trivalent [h]	16065-83-1	180
Copper	7440-50-8	270
Total Cyanide [h]		27
Lead	7439-92-1	400
Manganese	7439-96-5	2,000[f]
Total Mercury		0.81[j]
Nickel	7440-02-0	310
Selenium	7782-49-2	180
Silver	7440-22-4	180
Zinc	7440-66-6	10,000[d]
PCBs/Pesticides		
2,4,5-TP Acid (Silvex)	93-72-1	100[a]
4,4'-DDE	72-55-9	8.9
4,4'-DDT	50-29-3	7.9
4,4'-DDD	72-54-8	13
Aldrin	309-00-2	0.097
alpha-BHC	319-84-6	0.48
beta-BHC	319-85-7	0.36
Chlordane (alpha)	5103-71-9	4.2
delta-BHC	319-86-8	100[a]
Dibenzofuran	132-64-9	59
Dieldrin	60-57-1	0.2
Endosulfan I	959-98-8	24[i]
Endosulfan II	33213-65-9	24[i]
Endosulfan sulfate	1031-07-8	24[i]
Endrin	72-20-8	11
Heptachlor	76-44-8	2.1
Lindane	58-89-9	1.3
Polychlorinated biphenyls	1336-36-3	1

Table 1
Soil Cleanup Objectives for the Site

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health Restricted-Residential use**
Semivolatiles		
Acenaphthene	83-32-9	100[a]
Acenapthylene	208-96-8	100[a]
Anthracene	120-12-7	100[a]
Benz(a)anthracene	56-55-3	1[f]
Benzo(a)pyrene	50-32-8	1[f]
Benzo(b)fluoranthene	205-99-2	1[f]
Benzo(g,h,i)perylene	191-24-2	100[a]
Benzo(k)fluoranthene	207-08-9	3.9
Chrysene	218-01-9	3.9
Dibenz(a,h)anthracene	53-70-3	0.33[e]
Fluoranthene	206-44-0	100[a]
Fluorene	86-73-7	100[a]
Indeno(1,2,3-cd)pyrene	193-39-5	0.5[f]
m-Cresol	108-39-4	100[a]
Naphthalene	91-20-3	100[a]
o-Cresol	95-48-7	100[a]
p-Cresol	106-44-5	100[a]
Pentachlorophenol	87-86-5	6.7
Phenanthrene	85-01-8	100[a]
Phenol	108-95-2	100[a]
Pyrene	129-00-0	100[a]
Volatiles		
1,1,1-Trichloroethane	71-55-6	100[a]
1,1-Dichloroethane	75-34-3	26
1,1-Dichloroethene	75-35-4	100[a]
1,2-Dichlorobenzene	95-50-1	100[a]
1,2-Dichloroethane	107-06-2	3.1
cis-1,2-Dichloroethene	156-59-2	100[a]
trans-1,2-Dichloroethene	156-60-5	100[a]
1,3-Dichlorobenzene	541-73-1	49
1,4-Dichlorobenzene	106-46-7	13
1,4-Dioxane	123-91-1	13
Acetone	67-64-1	100[b]
Benzene	71-43-2	4.8
Butylbenzene	104-51-8	100[a]
Carbon tetrachloride	56-23-5	2.4
Chlorobenzene	108-90-7	100[a]
Chloroform	67-66-3	49

Table 1
Soil Cleanup Objectives for the Site

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health Restricted-Residential use**
Ethylbenzene	100-41-4	41
Hexachlorobenzene	118-74-1	1.2
Methyl ethyl ketone	78-93-3	100[a]
Methyl tert-butyl ether	1634-04-4	100[a]
Methylene chloride	75-09-2	100[a]
n-Propylbenzene	103-65-1	100[a]
sec-Butylbenzene	135-98-8	100[a]
tert-Butylbenzene	98-06-6	100[a]
Tetrachloroethene	127-18-4	19
Toluene	108-88-3	100[a]
Trichloroethene	79-01-6	21
1,2,4-Trimethylbenzene	95-63-6	52
1,3,5- Trimethylbenzene	108-67-8	52
Vinyl chloride	75-01-4	0.9
Xylene (mixed)	1330-20-7	100[a]

All soil cleanup objectives (SCOs) are in parts per million (ppm).

Footnotes:

[a] The SCOs for residential, restricted-residential and ecological resources use were capped at a maximum value of 100 ppm. See TSD section 9.3.

[b] The SCOs for commercial use were capped at a maximum value of 500 ppm. See TSD section 9.3.

[c] The SCOs for industrial use and the protection of groundwater were capped at a maximum value of 1000 ppm. See TSD section 9.3.

[d] The SCOs for metals were capped at a maximum value of 10,000 ppm. See TSD section 9.3.

[e] For constituents where the calculated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the SCO value.

[g] This SCO is derived from data on mixed isomers of BHC.

[h] The SCO for this specific compound (or family of compounds) is considered to be met if the analysis for the total species of this contaminant is below the specific SCO.

[i] This SCO is for the sum of endosulfan I,endosulfan II, and endosulfan sulfate.

[j] This SCO is the lower of the values for mercury (elemental) or mercury (inorganic salts). See TSD Table 5.6-1.

Table 2
Remedial Investigation Soil, Groundwater, Soil Vapor and Methane Contaminant Summary

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Investigation Area	Data Source	Analyses	Constituents of Concern (1)	Concentration Range (ppm unless noted) (2)	Screening Value (ppm unless noted) (3)
1. Former Village Refuse Area - East Parcel	EMCON 1997-2001 (Including Fill Area B)	TCL/TAL	Arsenic	ND - 19.4	7.5 or SB
			Chromium	12.5 - 697	50 or SB
			Copper	11.5 - 217	25 or SB
			Lead	4.85 - 43,500	400
			Mercury	ND - 2.12	0.1
			Nickel	15.8 - 41.6	13 or SB
			Zinc	43.4 - 1000	20 or SB
	EcolSciences 2002	TCL/TAL	Arsenic	ND - 18.6	7.5 or SB
			Beryllium	ND - 0.70	0.16 or SB
			Copper	6.9 - 7560	25 or SB
			Lead	2.7 - 1,030	400
			Mercury	ND - 0.51	0.1
			Nickel	10.9 - 45.2	13 or SB
			Zinc	26.5 - 1870	20 or SB
	BBL 2006	Lead	Lead	ND - 3,490	400
2. Background Fill - East Parcel (Area L and Rail Spur)	EMCON 1997-2001	TCL/TAL	Arsenic	ND - 8.07	7.5 or SB
		TCL VOCs	Lead	5.02 - 1090	400
		TCL SVOCs	Mercury	ND - 7.3	0.1
		RCRA Metals	Nickel	14.6 - 20.9	13 or SB
			Zinc	40.2 - 134	20 or SB
3. Groundwater - East Parcel	EMCON 1997-2001	TCL VOCs	*Total Metals* (4)		
		TCL SVOCs	Chromium	ND - 0.086	0.050
		TAL	Lead	ND - 0.070	0.025
			Dissolved Metals (5)	COCs Meet Criteria	
	EcolSciences 2002	TCL VOCs	*Total Metals* (4)		
		TCL SVOCs	Arsenic	ND - 0.035.6	0.025
		TAL	Cadmium	ND - 0.0055	0.005
			Dissolved Metals (5)		
			Arsenic	ND - 0.0339	0.025
4. Soil Gas- East Parcel	BBL 2006	Methane	Methane	ND - 100%	NA
		H_2S	H_2S	ND - 1.5 ppm	NA
		TO-15 VOCs	Freon 12	ND - 4.4 ug/m3	NA
		CO, CO_2,O_2	Freon 113	ND - 21 ug/m3	NA
		Hydrocarbons	Benzene	ND - 17 ug/m3	NA
		TO-15 VOCs	Trichloroethene	ND - 25 ug/m3	NA
			Toluene	ND - 49 ug/m3	NA
			Tetrachloroethene	ND - 96 ug/m3	NA
			Ethylbenzene	ND - 4.4 ug/m3	NA
			m,p-Xylene	ND - 16 ug/m3	NA
			o-Xylene	ND - 6.8 ug/m3	NA
			1,3-Butadiene	ND - 19 ug/m3	NA
			Hexane	ND - 79 ug/m3	NA
			Cyclohexane	ND - 53 ug/m3	NA
			Heptane	ND - 33 ug/m3	NA
			Acetone	ND - 87 ug/m3	NA
			2-Propanol	ND - 41 ug/m3	NA
			2-Butanone (MEK)	ND - 12 ug/m3	NA
			Ethanol	ND - 32 ug/m3	NA
			Methyl-t-butyl ether	ND - 14ug/m3	NA

Acronyms and Abbreviations:

TCL/TAL - Target Compound List/Target Analyte List
ND - Non Detect
NA - Not Analyzed
SB - Site Background
VOCs - Volatile Organic Compounds
SVOCs - Semi-volatile Organic Compounds
RCRA - Resource Conservation and Recovery Act
BBL - Blasland, Bouck, & Lee, Inc.
ppm - parts per million
COCs - Constituents of Concern
$\mu g/m^3$ - microgram/cubic meter
TO-15 - Environmental Protection Agency Compendium Method TO-15
USEPA - United States Environmental Protection Agency
NYSDOH - New York State Department of Health

Notes:

(1) Constituents confirmed by Site sampling, with at least one concentration reported above screening value. List excludes abundant inorganic constituents (e.g., aluminum, calcium, iron, magnesium, manganese, potassium, sodium), inherent in most Site fill and soils. PAOCs with 100% of analyzed COCs below screening values are listed.
(2) Range reflects all results from references listed.
(3) Screening values for soil from TAGM 4046, as amended, and as utilized in the RI. Lead value of 400 ppm in soil, per USEPA, as specified by NYSDOH. Groundwater values per Class GA Standards and Guidance. For this site, TAGM 4046 screening values have been replaced by 6NYCRR Part 375 SCOs for Restricted Residential Use
(4) Total PCB values for surface / subsurface residential
(5) Analyses for Total Metals (unfiltered samples) may be biased high due to sample turbidity (suspended solids).
(6) Analyses for Dissolved Metals are from samples filtered in the field to remove suspended solids.

Table 3
Summary of Remaining Soil Contamination Above Unrestricted Levels

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives	Range Remaining in Site Soils (mg/kg)
Metals		
Arsenic	13 [c]	0.74 - 19.4
Barium	350 [c]	6.0 - 638
Beryllium	7.2	0.11 - 1.2
Cadmium	2.5 [c]	0.25 - 3.1
Chromium, hexavalent [e]	1 [b]	-
Chromium, trivalent [e]	30 [c]	4.1 - 697 [g]
Copper	50	6.3 - 7,560
Total Cyanide [e,f]	27	2.06 - 3.99
Lead	63 [c]	2.1 - 43,500 [h]
Manganese	1,600 [c]	65.7 - 2,900
Total Mercury	0.18 [c]	0.02 - 61.4
Nickel	30	5.9 - 54.2
Selenium	3.9 [c]	1.4 - 49.7
Silver	2	1.6 - 3.6
Zinc	109 [c]	16.9 - 1,870
PCBs/Pesticides		
2,4,5-TP Acid (Silvex) [f]	3.8	NA
4,4'-DDE	0.0033 [b]	ND - 0.012
4,4'-DDT	0.0033 [b]	ND
4,4'-DDD	0.0033 [b]	ND
Aldrin	0.005 [c]	ND
alpha-BHC	0.02	ND
beta-BHC	0.036	ND
Chlordane (alpha)	0.094	ND
delta-BHC [g]	0.04	ND
Dibenzofuran [f]	7	0.0086 - 0.044
Dieldrin	0.005 [c]	ND
Endosulfan I [d,f]	2.4	ND
Endosulfan II [d,f]	2.4	ND
Endosulfan sulfate [d,f]	2.4	ND
Endrin	0.014	ND
Heptachlor	0.042	ND
Lindane	0.1	ND
Polychlorinated biphenyls	0.1	ND
Semivolatile organic compounds		
Acenaphthene	20	0.014 - 2.0
Acenapthylene [f]	100 [a]	0.015 - 0.4

Table 3
Summary of Remaining Soil Contamination Above Unrestricted Levels

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives	Range Remaining in Site Soils (mg/kg)
Anthracene [f]	100 [a]	0.04 - 1.6
Benz(a)anthracene [f]	1 [c]	0.046 - 1.5
Benzo(a)pyrene	1 [c]	0.044 - 1.6
Benzo(b)fluoranthene [f]	1 [c]	0.058 - 1.6
Benzo(g,h,i)perylene [f]	100	0.026 - 1.1
Benzo(k)fluoranthene [f]	0.8 [c]	0.028 - 1.3
Chrysene [f]	1 [c]	0.038 - 1.7
Dibenz(a,h)anthracene [f]	0.33 [b]	0.03 - 0.4
Fluoranthene [f]	100 [a]	0.014 - 3.0
Fluorene	30	0.022 - 0.087
Indeno(1,2,3-cd)pyrene [f]	0.5 [c]	0.029 - 1.1
m-Cresol [f]	0.33 [b]	NA
Naphthalene [f]	12	0.012 - 0.089
o-Cresol [f]	0.33 [b]	NA
p-Cresol [f]	0.33 [b]	NA
Pentachlorophenol	0.8 [b]	ND
Phenanthrene [f]	100	0.019 - 3.6
Phenol	0.33 [b]	ND
Pyrene [f]	100	0.013 - 2.2
Volatile organic compounds		
1,1,1-Trichloroethane [f]	0.68	ND
1,1-Dichloroethane [f]	0.27	ND
1,1-Dichloroethene [f]	0.33	ND
1,2-Dichlorobenzene [f]	1.1	ND
1,2-Dichloroethane	0.02 [c]	ND
cis-1,2-Dichloroethene [f]	0.25	0.0004 - 0.5
trans-1,2-Dichloroethene [f]	0.19	ND
1,3-Dichlorobenzene [f]	2.4	ND
1,4-Dichlorobenzene	1.8	ND
1,4-Dioxane	0.1 [b]	ND
Acetone	0.05	0.014 - 130
Benzene	0.06	ND
n-Butylbenzene [f]	12	ND
Carbon tetrachloride [f]	0.76	ND
Chlorobenzene	1.1	ND
Chloroform	0.37	ND
Ethylbenzene [f]	1	ND
Hexachlorobenzene [f]	0.33 [b]	ND

Table 3
Summary of Remaining Soil Contamination Above Unrestricted Levels

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives	Range Remaining in Site Soils (mg/kg)
Methyl ethyl ketone	0.12	NA
Methyl tert-butyl ether [f]	0.93	ND
Methylene chloride	0.05	0.0008 - 8.1
n-Propylbenzene [f]	3.9	ND
sec-Butylbenzene [f]	11	ND
tert-Butylbenzene [f]	5.9	ND
Tetrachloroethene	1.3	ND - 0.2
Toluene	0.7	0.0004 - 0.0014
Trichloroethene	0.47	0.0005 - 0.56
1,2,4-Trimethylbenzene [f]	3.6	ND
1,3,5-Trimethylbenzene [f]	8.4	ND
Vinyl chloride [f]	0.02	ND - 0.17
Xylene (mixed)	0.26	ND

All soil cleanup objectives (SCOs) are in parts per million (ppm).

General Notes:

Consituents with levels above Unrestricted Use SCO.

ND = Not Detected.

NA = Not Analyzed

Footnotes:

[a] The SCOs for unrestricted use were capped at a maximum value of 100 ppm. See Technical Support Document (TSD), section 9.3.

[b] For constituents where the calculated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the Track 1 SCO valu

[c] For constituents where the calculated SCO was lower than the rural soil background concentration, as determined by the Department and Department of Health rural soil survey, the rural soil background concentration is used as the Track 1 SCO value for this use of the site.

[d] SCO is the sum of endosulfan I, endosulfan II and endosulfan sulfate.

[e] The SCO for this specific compound (or family of compounds) is considered to be met if the analysis for the total species of this contaminant is below the specific SCO.

[f] Protection of ecological resources SCOs were not developed for contaminants identified in Table 375-6.8(b) with "NS". Where such contaminants appear in Table 375-6.8(a), the applicant may be required by the Department to calculate a protection of ecological resources SCO according to the TSD.

[g] Range presented is for total chromium detected, which includes all forms. Trivalent chromium is the most commonly occurring natural form.

[h] The maximum lead value is an outlier. Duplicate analysis of the same sample indicated 1,270 ppm. Excluding outlier, maximim lead is 3,490 ppm.

Table 4
Summary of Remaining Soil Contamination Above Restricted Residential Levels

Site Management Plant
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(b): Restricted Use Soil Cleanup Objectives - Restricted Residential	Range Remaining in Site Soils (mg/kg)
Metals		
Arsenic	16[d]	0.74 - 19.4
Barium	400	6.0 - 638
Beryllium	72	0.11 - 1.2
Cadmium	4.3	0.25 - 3.1
Chromium, hexavalent [e]	110	-
Chromium, trivalent [e]	180	4.1 - 697 [h]
Copper	270	6.3 - 7,560
Total Cyanide [e]	27	2.06 - 3.99
Lead	400	2.1 - 43,500 [i]
Manganese	2,000[d]	65.7 - 2,900
Total Mercury	0.81[g]	0.02 - 61.4
Nickel	310	5.9 - 54.2
Selenium	180	1.4 - 49.7
Silver	180	1.6 - 3.6
Zinc	10,000[c]	16.9 - 1,870
PCBs/Pesticides		
2,4,5-TP Acid (Silvex)	100[a]	NA
4,4'-DDE	8.9	ND - 0.012
4,4'-DDT	7.9	ND
4,4'-DDD	13	ND
Aldrin	0.097	ND
alpha-BHC	0.48	ND
beta-BHC	0.36	ND
Chlordane (alpha)	4.2	ND
delta-BHC	100[a]	ND
Dibenzofuran	59	0.0086 - 0.044
Dieldrin	0.2	ND
Endosulfan I	24[f]	ND
Endosulfan II	24[f]	ND
Endosulfan sulfate	24[f]	ND
Endrin	11	ND
Heptachlor	2.1	ND
Lindane	1.3	ND
Polychlorinated biphenyls	1	ND

Table 4
Summary of Remaining Soil Contamination Above Restricted Residential Levels

Site Management Plant
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(b): Restricted Use Soil Cleanup Objectives - Restricted Residential	Range Remaining in Site Soils (mg/kg)
Semivolatiles		
Acenaphthene	100[a]	0.014 - 2.0
Acenapthylene	100[a]	0.015 - 0.4
Anthracene	100[a]	0.04 - 1.6
Benz(a)anthracene	1[d]	0.046 - 1.5
Benzo(a)pyrene	1[d]	0.044 - 1.6
Benzo(b)fluoranthene	1[d]	0.058 - 1.6
Benzo(g,h,i)perylene	100[a]	0.026 - 1.1
Benzo(k)fluoranthene	3.9	0.028 - 1.3
Chrysene	3.9	0.038 - 1.7
Dibenz(a,h)anthracene	0.33	0.03 - 0.4
Fluoranthene	100[a]	0.014 - 3.0
Fluorene	100[a]	0.022 - 0.087
Indeno(1,2,3-cd)pyrene	0.5[d]	0.029 - 1.1
m-Cresol	100[a]	NA
Naphthalene	100[a]	0.012 - 0.089
o-Cresol	100[a]	NA
p-Cresol	100[a]	NA
Pentachlorophenol	6.7	ND
Phenanthrene	100[a]	0.019 - 3.6
Phenol	100[a]	ND
Pyrene	100[a]	0.013 - 2.2
Volatile organic compounds		
1,1,1-Trichloroethane	100[a]	ND
1,1-Dichloroethane	26	ND
1,1-Dichloroethene	100[a]	ND
1,2-Dichlorobenzene	100[a]	ND
1,2-Dichloroethane	3.1	ND
cis-1,2-Dichloroethene	100[a]	0.0004 - 0.5
trans-1,2-Dichloroethene	100[a]	ND
1,3-Dichlorobenzene	49	ND
1,4-Dichlorobenzene	13	ND
1,4-Dioxane	13	ND
Acetone	100[b]	0.014 - 130
Benzene	4.8	ND
Butylbenzene	100[a]	ND
Carbon tetrachloride	2.4	ND
Chlorobenzene	100[a]	ND
Chloroform	49	ND
Ethylbenzene	41	ND
Hexachlorobenzene	1.2	ND

Table 4
Summary of Remaining Soil Contamination Above Restricted Residential Levels

Site Management Plant
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant	Table 375-6.8(b): Restricted Use Soil Cleanup Objectives - Restricted Residential	Range Remaining in Site Soils (mg/kg)
Methyl ethyl ketone	100[a]	NA
Methyl tert-butyl ether	100[a]	ND
Methylene chloride	100[a]	0.0008 - 8.1
n-Propylbenzene	100[a]	ND
sec-Butylbenzene	100[a]	ND
tert-Butylbenzene	100[a]	ND
Tetrachloroethene	19	ND - 0.2
Toluene	100[a]	0.0004 - 0.0014
Trichloroethene	21	0.0005 - 0.56
1,2,4-Trimethylbenzene	52	ND
1,3,5- Trimethylbenzene	52	ND
Vinyl chloride	0.9	ND - 0.17
Xylene (mixed)	100[a]	ND

All soil cleanup objectives (SCOs) are in parts per million (ppm).

General Notes:

Consituents with levels above Restricted Residential Use SCO.

ND = Not Detected.

NA = Not Analyzed

Footnotes:

[a] The SCOs for residential, restricted-residential and ecological resources use were capped at a maximum value of 100 ppm. See TSD section 9.3.

[b] The SCOs for commercial use were capped at a maximum value of 500 ppm. See TSD section 9.3.

[c] The SCOs for metals were capped at a maximum value of 10,000 ppm. See TSD section 9.3.

[d] For constituents where the calculated SCO was lower than the rural soil background concentration as determined by the Department and Department of Health rural soil survey, the rural soil background concentration is used as the Track 2 SCO value for this use of the site.

[e] The SCO for this specific compound (or family of compounds) is considered to be met if the analysis for the total species of this contaminant is below the specific SCO.

[f] This SCO is for the sum of endosulfan I,endosulfan II, and endosulfan sulfate.

[g] This SCO is the lower of the values for mercury (elemental) or mercury (inorganic salts). See TSD Table 5.6-1.

[h] Range presented is for total chromium detected, which includes all forms. Trivalent chromium is the most commonly occurring natural form.

[i] The maximum lead value is an outlier. Duplicate analysis of the same sample indicated 1,270 ppm. Excluding outlier, maximim lead is 3,490 ppm.

Table 5
Applicable SCOs for Potential Special Uses of East Parcel by HHV

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Land Use	Soil Cleanup Objectives (SCOs)		
	UNRESTRICTED	RESIDENTIAL	RESTRICTED RESIDENTIAL
TILLING (direct contact issue only)			√
GRAZING GRASSES (animals not consumed/demonstration farming only)		√	
GRAZING GRASSES (animals/offspring may leave demonstration farm)	√		
ORCHARD		√	
VEGETABLE GARDEN		√	

Notes:
1. SCOs are specified in 6NYCRR Part 375 (see SMP Appendix E for SCOs).
2. Track 4 cleanup is anticipated - depth of soils which must meet SCO corresponds to depth that potential future use may come in contact with (backup documentation would be required): Tilling - depth that plow blade penetrates/turns soil; Grazing grasses/orchard/vegetable garden - SCOs must be met to the depth of the root systems (including tap root).
HHV = Historic Hudson Valley

ARCADIS


Figures



REFERENCE: BASE MAP USGS 7.5 MIN. QUAD., WHITE PLAINS, NY, 1967, PHOTOREVISED 1979.

2000' 0 2000'

Approximate Scale: 1" = 2000'



Area Location

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN


SITE LOCATION MAP

ARCADIS

FIGURE
1

08/06/2013 SYRACUSE, NY-ENV/CAD DJHOWES
B0064462/0001/00067/CDR/64462N03.CDR

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENVCAD\SYRACUSE\ACTIVE\00644620\001\00067\DWG\SMP\EAST\64462G02.dwg LAYOUT: 2 SAVED: 10/15/2013 10:40 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:52 AM BY: KOWALCZYK, STEVE
XREFS:
IMAGES:
64462X00



LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- OH — OVERHEAD LINES
- CHAINLINK FENCE

NOTES:

1. BASEMAP INFORMATION OBTAINED FROM SURVEY COMPLETED ON SEPTEMBER 9, 2011 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.
2. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.
3. BCA SITE ENVIRONMENTAL EASEMENT AREA INCLUDES BOTH TAX LOTS FOR A TOTAL OF 28.2905 ACRES.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

SITE PLAN
EAST PARCEL SITE BCA LIMITS

ARCADIS

FIGURE
2

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENV\CAD\SYRACUSE\ACTIB0064462\0001100067\DWG\SMP\EAST\64462G03.dwg LAYOUT: 3 SAVED: 10/15/2013 10:43 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS: IMAGES:
64462X00
64462X10

KENDALL AVENUE EXTENSION

CONTINENTAL STREET

ELM STREET

ANDREWS LANE

BARNHART AVENUE

BEEKMAN AVENUE

B/L

REFUSE AREA

B

A

L

1840s FILL

HUDSON RIVER RAILROAD

0 160' 320'

GRAPHIC SCALE

LEGEND:

BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY

FILL AREA	APPROXIMATE PERIOD OF HISTORIC FILL PLACEMENT
A	1926 – 1933
B	1926 – 1933
L	1960

APPROXIMATE EXTENT OF REFUSE

NOTES:


1. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
2. FILL AREAS AS PRESENTED IN REMEDIAL INVESTIGATION REPORT, FORMER GENERAL MOTORS ASSEMBLY PLANT SITE, SLEEPY HOLLOW NY, JANUARY 2012, WITH REFUSE EXTENT UPDATED BASED ON DATA PROVIDED IN INVESTIGATION REPORT, SUPPLEMENTAL SOIL INVESTIGATION OF EAST PARCEL DONATION LAND, APRIL 2009.
3. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

SITE FILL HISTORY

ARCADIS

FIGURE
3



LIGHTHOUSE LANDING AT SLEEPY HOLLOW
Sleepy Hollow, New York

GENERAL MOTORS LLC
300 Renaissance Center
Mail Code 482-C30-C96
Detroit, MI 48265

SITE ENGINEER & LANDSCAPE ARCHITECT:
DIVNEY • TUNG • SCHWALBE
Intelligent Land Use
Divney Tung Schwalbe, LLP
One North Broadway
White Plains, NY 10601
P: 914.428.0010
F: 914.428.0017

N 0 60 120 200

NOTE: ALL SITE DESIGN CONCEPTS AND INFORMATION INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF DIVNEY TUNG SCHWALBE, LLP. SAID DRAWINGS WAS CREATED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT INDICATED HEREON AND SHALL NOT BE USED BY OR DISCLOSED TO ANY PERSON OR ENTITY WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF DIVNEY TUNG SCHWALBE, LLP.

WRITTEN DIMENSIONS ON THIS DRAWING SHALL HAVE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATIONS FROM DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

LEGAL NOTICE: IT IS A VIOLATION OF ARTICLE 145 OF THE NEW YORK STATE EDUCATION LAW FOR ANY PERSON TO ALTER THIS DOCUMENT IN ANY WAY EXCEPT AS PROVIDED IN SECTION 7209 (2), ARTICLE 145, NEW YORK STATE EDUCATION LAW.

REVISIONS
NO. DATE ISSUE

© Divney Tung Schwalbe, LLP 2010

DRAWING TITLE:
RIVERFRONT DEVELOPMENT CONCEPT PLAN -
MASTER SITE PLAN

DRAWN BY: JEB	CHECKED BY: AVT
PROJECT NO.: 690	DATE: 12/03/10

DRAWING NO.: SP-1.0

NOTE:
The West Parcel and South Parcel shown on this concept plan will be managed under a separate Site Management Plan for the West Parcel Site.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

RIVERFRONT DEVELOPMENT CONCEPT PLAN

ARCADIS

FIGURE
4

10/10/2013 SYRACUSE, NY-ENV/CAD-DJHOWES
B006446200010000670DR\64462G07.CDR

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENVCAD\SYRACUSE\ACTIVE\00644620001\00067\DWG\SMP\EAST\64462C05.dwg LAYOUT: 5 SAVED: 10/15/2013 10:42 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS: IMAGES:
64462x00
64462x04

KENDALL AVENUE EXTENSION

CONTINENTAL STREET

ELM STREET

ANDREWS LANE

BARNHART AVENUE

BEEKMAN AVENUE

METRO-NORTH RAILROAD

6

5.5

5

4.5

4

3.5

0 160' 320'

GRAPHIC SCALE

LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- 6 — GROUND WATER ELEVATION CONTOUR IN FEET (DASHED WHERE INFERRED) – MAY 1997
- GROUND WATER FLOW DIRECTION

NOTES:


1. GROUNDWATER ELEVATIONS FROM MAY 1997.
2. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
3. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

GROUNDWATER FLOW FIGURE

ARCADIS

FIGURE
5



NOTES:

1. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
2. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.
3. FIGURE INCLUDES SOIL AND HISTORIC FILL SAMPLE LOCATIONS FROM REMEDIAL INVESTIGATION REPORT, 2012 (INCLUDING PRE-RI REPORTS), IRM COMPLETION REPORT, 2008, AND SUPPLEMENTAL SOIL INVESTIGATION OF PROPOSED EAST PARCEL DONATION LAND, 2009.

LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- 2003 SI SOIL BORING
- 2008 TEST BORING LOCATION
- TEST BORING (PHASE II)
- WASTE CHARACTERIZATION TEST PIT (PHASE II)
- TEST BORING (SUPPLEMENTAL PHASE II)
- DUE DILIGENCE SOIL SAMPLE (2002)
- APPROXIMATE EXTENT OF REFUSE
- CHAIN LINK FENCE

0 160' 320'

GRAPHIC SCALE


FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

REMEDIAL INVESTIGATION SOIL SAMPLING LOCATIONS

ARCADIS

FIGURE 6

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENVCAD\SYRACUSE\ACTIB\006446200010\00067\DWG\SIMPLE\ASTI64462G06.dwg LAYOUT: 6 SAVED: 10/15/2013 10:42 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS:
64462x00
64462X15
64462X04
IMAGES:



LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- FORMER MONITORING WELL LOCATION
- 4.5 GROUNDWATER ELEVATION CONTOUR – MAY 1997
- GROUNDWATER FLOW DIRECTION

NOTES:

1. GROUNDWATER ELEVATIONS FROM MAY 1997.
2. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
3. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

REMEDIAL INVESTIGATION GROUNDWATER SAMPLING LOCATIONS

ARCADIS

FIGURE
7

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENV\CAD\SYRACUSE\ACTIB\06446200\100067\DWG\SMP\EAST\64462G07.dwg LAYOUT: 7 SAVED: 10/15/2013 10:42 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS:
64462x00
64462X04
IMAGES:

SG-22		
	SG22	Duplicate
Freon 12	4.4	ND
Freon 113	14	21
Benzene	ND	8.4
Trichloroethene	5.5	25
Toluene	5.8	25
Tetrachloroethene	12	50
Hexane	26	79
Cyclohexane	18	53
Heptane	12	33
Acetone	23	73
Ethanol	15	32

SG-15	
Benzene	17
Toluene	14
m,p-Xylene	5.2
1,3-Butadiene	12
Hexane	45
Cyclohexane	34
Heptane	19
Acetone	50
2-Propanol	41
2-Butanone (methl ethyl ketone)	12
Ethanol	15
Methyl-t-butyl ether (MTBE)	14

SG-32	
Trichloroethene	22
Toluene	26
Tetrachloroethene	96
1,3-Butadiene	19
Hexane	19
Cyclohexane	18
Acetone	87

SG-18	
Benzene	3.3
Toluene	49
Ethylbenzene	4.4
m,p-Xylene	16
o-Xylene	6.8
Hexane	41
Cyclohexane	26
Heptane	12
Acetone	18
2-Propanol	31
Ethanol	12

KENDALL AVENUE EXTENSION
ELM STREET
ANDREWS LANE
CONTINENTAL STREET
METRO-NORTH RAILROAD

SG-01 SG-02 SG-03 SG-04 SG-05 SG-06 SG-07 SG-08 SG-09 SG-10 SG-11 SG-12 SG-13 SG-14 SG-15 SG-16 SG-17 SG-18 SG-19 SG-20 SG-21 SG-22 SG-23 SG-24 SG-25 SG-26 SG-27 SG-28 SG-29 SG-30 SG-31 SG-32 SG-33 SG-34 SG-35 SG-36 SG-37 SG-38 SG-39 SG-40 SG-41 SG-42 SG-43 SG-44 SG-45 SG-46 SG-47

LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- APPROXIMATE LIMITS OF REFUSE
- SOIL-GAS MEASUREMENT AND/OR SAMPLE LOCATION
- 70-100% METHANE
- 40-70% METHANE
- 0-40% METHANE
- EXTENT OF PAVED AREA
- CHAIN LINK FENCE

NOTES:

1. METHANE DATA FROM OCTOBER 2003.
2. SAMPLE RESULTS FOR VOCs SHOWN IN ug/m^3.
3. ND = CONSTITUENT NOT DETECTED.
4. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
5. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.

0 160' 320'
GRAPHIC SCALE


FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

REMEDIAL INVESTIGATION SOIL VAPOR AND METHANE DATA

ARCADIS

FIGURE 8

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENVCAD\SYRACUSE\ACTIB\064462\000100067\DWG\SMP\EAST\64462G08.dwg LAYOUT: 8 SAVED: 10/15/2013 10:50 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS:
64462X04
64462X00
IMAGES:



NOTES:

1. BASE MAP PROVIDED BY AMEC EARTH & ENVIRONMENTAL, NEW YORK, NEW YORK, DATED APRIL 2004.
2. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.
3. SAMPLING LOCATIONS SHOWN EXHIBIT SOIL CONSTITUENTS AT LEVELS GREATER THAN 6NYCRR PART 375 SOIL CLEANUP OBJECTIVES FOR UNRESTRICTED USE.

LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- 2003 SI SOIL BORING
- 2008 TEST BORING LOCATION
- TEST BORING (PHASE II)
- WASTE CHARACTERIZATION TEST PIT (PHASE II)
- TEST BORING (SUPPLEMENTAL PHASE II)
- DUE DILIGENCE SOIL SAMPLE (2002)
- CHAIN LINK FENCE

0 160' 320'

GRAPHIC SCALE

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN


LOCATION OF REMAINING SOIL CONTAMINATION ABOVE UNRESTRICTED LEVELS

ARCADIS

FIGURE
9

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENVCAD\SYRACUSE\ACTIVE\64462\000100067\DWG\SIMPLE\AST64462G09.dwg LAYOUT: 9 SAVED: 10/15/2013 10:44 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:53 AM BY: KOWALCZYK, STEVE
XREFS:
IMAGES:
64462x00
64462X15
64462X04

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENV\CAD\SYRACUSE\ACTIB0064462\000010\0067\DWG\SMP\EAST\64462G10.dwg LAYOUT: 10 SAVED: 10/15/2013 10:45 AM ACADVER: 18.1S (LMS TECH) PAGESETUP: B-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/15/2013 10:54 AM BY: KOWALCZYK, STEVE
XREFS:
IMAGES:
64462X13
64462X14
64462X00



LEGEND:

- BCA SITE ENVIRONMENTAL EASEMENT BOUNDARY
- BITUMINOUS PAVEMENT
- GRAVEL COVER
- VEGETATED SOIL
- CHAIN LINK FENCE

NOTES:

1. EXISTING COVER TYPES DETERMINED BASED ON FIELD CONDITIONS APRIL, 2013.
2. COVER SYSTEM BOUNDARIES ARE APPROXIMATE.
3. BASE MAP INFORMATION TAKEN FROM CHAS H. SELLS INC. 1997 SURVEY AND DELANO TOPOGRAPHIC SURVEY, 2004.
4. BCA SITE BOUNDARY INFORMATION OBTAINED FROM ENVIRONMENTAL EASEMENT SURVEY PERFORMED IN JULY 2013 BY FIRST ORDER, LLC AND PROVIDED BY CROWN SERVICES GROUP ON AUGUST 15, 2013.

0 160' 320'


GRAPHIC SCALE

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

EXISTING COVER MAP

ARCADIS

FIGURE
10




TYPICAL SOIL COVER 1

NOT TO SCALE

NOTES:

1. DEMARCATION BARRIER WILL BE INSTALLED BELOW SOIL COVER TO IDENTIFY THE INTERFACE BETWEEN THE PERMANENT SURFACE FILL AND HISTORICAL FILL. APPROVED MATERIAL WILL BE HIGHLY VISIBLE COLORED SYNTHETIC GEOTEXTILE MATERIAL.
2. TOP 2 FT OF SOIL COVER SHALL MEET SOIL CLEANUP OBJECTIVES (SCOs) FOR RESTRICTED RESIDENTIAL USE.
3. GENERAL FILL DEPTH CAN BE INCREASED TO ACCOMMODATE PLANTINGS WITH DEEPER ROOT ZONES.




TYPICAL ASPHALT ROAD 2

NOT TO SCALE

NOTES:

1. SUBBASE WILL CONSIST OF 12 INCHES TYPE 2 MATERIAL WITH COMPACTION TO 95% THROUGHOUT THE SUBBASE.
2. BASE ASPHALT COURSE WILL BE A 2.5–INCH COMPACTED DEPTH. TOP ASPHALT COURSE WILL BE 1.5 INCH COMPACTED DEPTH.
3. DEMARCATION BARRIER WILL BE INSTALLED BELOW COVER SYSTEM TO IDENTIFY THE INTERFACE BETWEEN THE APPROVED PERMANENT COVER SYSTEM AND HISTORICAL FILL. MATERIAL WILL BE HIGHLY VISIBLE COLORED SYNTHETIC GEOTEXTILE MATERIAL.




TYPICAL BUILDING SLAB ON GRADE WITH ENVIRONMENTAL VAPOR BARRIER 3

NOT TO SCALE

NOTES:

1. ENVIRONMENTAL VAPOR BARRIER WILL BE A MINIMUM 15–MIL POLYETHYLENE OR EQUIVALENT REINFORCED POLYETHYLENE, AND WILL MEET ASTM E1745 CLASS A.
2. MINIMUM 6" OVERLAP AT ALL SEAMS.
3. VAPOR COLLECTION PIPING WILL BE 3" PVC PERFORATED DRAIN PIPE.
4. NO DEMARCATION BARRIERS REQUIRED UNDER PERMANENT BUILDING SLABS.




DRAINAGE FEATURE DETAIL 4

NOT TO SCALE

NOTE:

1. LINER SHALL ALSO SERVE AS DEMARCATION BARRIER.



TYPICAL UTILITY TRENCH 5

NOT TO SCALE

NOTES:

1. CLEAN BACKFILL WILL BE PLACED AROUND SUBSURFACE UTILITIES. THE USE OF DEMARCATION BARRIER WILL BE USED AROUND CLEAN FILL AREAS, AS SHOWN.
2. UTILITY TRENCHES WILL PROVIDE A MINIMUM OF 1 FT OF APPROVED BACKFILL BETWEEN UTILITY INVERT AND BOTTOM DEMARCATION BARRIER AND MINIMUM OF 2 FT OF APPROVED BACKFILL BETWEEN UTILITY AND SIDEWALL DEMARCATION BARRIER.


FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

TYPICAL COVER DETAILS FOR FINAL COVER TYPES

ARCADIS

FIGURE 11

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: B. DECLERCQ LYR: ON=*;OFF=*REF*
G:\ENV\CAD\SYRACUSE\ACT\B0064462\0001\0006\7\DWG\SMP\EAST\64462G11.DWG LAYOUT: 11 SAVED: 9/4/2013 3:19 PM ACADVER: 18.1S (LMS TECH) PAGESETUP: 17X11.PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 9/4/2013 3:24 PM BY: GETTS, BRIAN
XREFS:
IMAGES:
64462X00



REFERENCE: BASE MAP FROM GOOGLE.

Emergency Notification Procedure:

Step 1: Dial 911 (if necessary) and/or Work Care 800-455-6155 (mandatory for ARCADIS staff)
Step 2: Contact ARCADIS project manager
Step 3: Contact ARCADIS H&S manager
Step 4: Contact Client

- - - - - Hospital Route

The East Parcel hospital route:

1. Head east on Continental Ave toward Kendall Ave – 200 ft.
2. Slight right onto Kendall Ave – 400 ft.
3. Turn left onto Howard St. – 0.1 Mi
4. Take the first left onto Pocantico St. 0.1 Mi
5. Turn left onto US-9 North / Broadway – 1.3 Mi
6. Turn left into Phelps Memorial Medical Center

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

MAP OF ROUTE FROM SITE TO HOSPITAL

ARCADIS

FIGURE
12

08/06/2013 SYRACUSE, NY-ENV/CAD DJHOWES
B0064462/0001/00067/CDR/64462g04.CDR

ARCADIS

Appendix A

Excavation Work Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Appendix A – Excavation Work Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS

Table of Contents

Acronyms and Abbreviations		**iii**
1.	**Introduction**	**1**
2.	**Notification**	**2**
3.	**Soil Screening Methods**	**4**
4.	**Stockpile Methods**	**5**
5.	**Materials Excavation and Load Out**	**6**
6.	**Materials Transport OffSite**	**7**
7.	**Materials Disposal Off-Site**	**8**
8.	**Materials Reuse On-Site**	**9**
9.	**Fluids Management**	**11**
10.	**Cover System Restoration**	**12**
11.	**Backfill from Off-Site Sources**	**13**
12.	**Stormwater Pollution Prevention**	**17**
13.	**Contingency Plan**	**19**
14.	**Community Air Monitoring Plan**	**20**
15.	**Odor Control Plan**	**21**
16.	**Dust Control Plan**	**23**
17.	**Other Nuisances**	**24**

Tables

Table A-1 Criteria for On-Site Reuse of Excavated Materials (In-Text Table)

Table A-2 Soil Cleanup Objectives for the Site – Unrestricted Use

Table A-3 Soil Cleanup Objectives for the Site – Restricted Residential Use

Table A-4 Allowable Constituent Levels For Imported Fill or Soil

Table A-5 Criteria for Imported Soils (In-Text Table)

Figures

Figure A-1 East Parcel Truck Transport Routes

Acronyms and Abbreviations

BCA	Brownfield Cleanup Agreement
BUD	Beneficial Use Determination
CAMP	Community Air Monitoring Plan
CFR	Code of Federal Regulations
COC	Certificate of Completion
DER	Division of Environmental Remediation
EWP	Excavation Work Plan
HASP	Health and Safety Plan
IC	Institutional Controls
NYCRR	New York Codes, Rules, and Regulations
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
NYSDOT	New York State Department of Transportation
PCB	polychlorinated biphenyl
RP	Remedial Party
RWP	Remedial Work Plan
SCOs	Soil Clean-up Objectives
SMP	Site Management Plan
SPDES	State Pollutant Discharge Elimination System
SWPPP	Stormwater Pollution Prevention Plan
TAL	Target Analyte List
TCL	Target Compound List

1. Introduction

This Excavation Work Plan (EWP), prepared in support of the Site Management Plan (SMP), establishes procedures to follow in the event that soil excavation or other intrusive activities are required for specific areas at the Former General Motors Assembly Plant East Parcel Site in Sleepy Hollow, New York Site (hereinafter referred to as the "Site"). The Site was remediated in accordance with Brownfield Cleanup Agreement (BCA) Index# C360070-12-10 administered by New York State Department of Environmental Conservation (NYSDEC) and executed on December 31, 2010 and amended August 20, 2012.

As described in the SMP, after completion of the remedial work, impacted materials, including soil, groundwater, and soil gas/vapor remain at the site. Impacted materials may be encountered in excavations throughout the low lying area (paved areas) and around the edges of the paved areas, including the rail sidings and drainage ditches. Soils on the vegetated slopes should contain little to no historic fill, although no testing of slope soils was conducted during the RI or previous investigations to confirm soil quality. Unless data are provided to the Department to demonstrate that existing soils in certain areas of the site meet 6NYCRR Part 375 Soil Cleanup Objectives (SCOs) for Unrestricted Use, all excavation activities must adhere to this EWP.

Note that simple excavations may only require compliance with a portion of the EWP. For example, excavation of a small volume of soil from above the water table that is directly loaded for off-site disposal would not require the stockpiling or fluids management provisions of this EWP.

2. Notification

At least 15 days prior to the start of any activity that is anticipated to encounter remaining contamination, the Site owner or their representative will notify the Department. Currently, this notification will be made to:

Ms. Jamie Verrigni
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, NY 12233-7014
jlverrig@gw.dec.state.ny.us

and

Site Control Section
Bureau of Technical Support
New York State Department of Environmental Conservation
625 Broadway
Albany, NY 12233-7020

This notification will include:

- A detailed description of the work to be performed, including the location and areal extent, plans for Site re-grading, intrusive elements or utilities to be installed below the soil cover, estimated volumes of contaminated soil to be excavated and any work that may impact an engineering control.
- A summary of environmental conditions anticipated in the work areas, including the nature and concentration levels of contaminants of concern, potential presence of grossly contaminated media, and plans for any pre-construction sampling.
- A schedule for the work, detailing the start and completion of all intrusive work.
- A summary of the applicable components of this EWP.
- A statement that the work will be performed in compliance with this EWP and 29 Code of Federal Regulations (CFR) 1910.120.
- A copy of the contractor's health and safety plan (HASP), in electronic format, if it differs from the HASP provided in Appendix H of this SMP document.
- Identification of disposal facilities for potential waste streams.

- Identification of sources of any anticipated backfill, along with all required chemical testing results.

3. Soil Screening Methods

Visual, olfactory and instrument-based soil screening will be performed by a qualified environmental professional during all remedial and development excavations into known or potentially contaminated material (remaining contamination). Soil screening will be performed regardless of when the invasive work is done and will include all excavation and invasive work performed during development, such as excavations for foundations and utility work, after issuance of the Certificate of Completion (COC).

Soils will be segregated based on previous environmental data and screening results into material that requires off-site disposal, material that requires testing, material that can be returned to the subsurface, and material that can be used as cover soil.

4. Stockpile Methods

Soil stockpiles of excavated materials will be continuously encircled with a berm and/or silt fence. Hay bales will be used as needed near catch basins, surface waters and other discharge points.

Stockpiles will be kept covered at all times with appropriately anchored tarps. Stockpiles will be routinely inspected and damaged tarp covers will be promptly replaced.

Stockpiles will be inspected at a minimum once each week and after every storm event. Results of inspections will be recorded in a logbook and maintained at the Site and available for inspection by NYSDEC.

5. Materials Excavation and Load Out

A qualified environmental professional or person under their supervision will oversee all invasive work and the excavation and load-out of all excavated material.

The owner of the property and its contractors are solely responsible for safe execution of all invasive and other work performed under this SMP.

The presence of utilities and easements on the Site will be investigated by the qualified environmental professional. It will be determined whether a risk or impediment to the planned work under this SMP is posed by utilities or easements on the Site.

Loaded vehicles leaving the Site will be appropriately lined, tarped, securely covered, manifested, and placarded in accordance with appropriate federal, state, local, and New York State Department of Transportation (NYSDOT) requirements (and all other applicable transportation requirements).

A truck wash will be operated onsite. The qualified environmental professional will be responsible for ensuring that all outbound trucks will be washed at the truck wash before leaving the Site until the activities performed under this section are complete.

Locations where vehicles enter or exit the Site shall be inspected daily for evidence of off-site soil tracking.

The qualified environmental professional will be responsible for ensuring that all egress points for truck and equipment transport from the Site are clean of dirt and other materials derived from the Site during intrusive excavation activities. Cleaning of the adjacent streets will be performed as needed to maintain a clean condition with respect to site-derived materials.

6. Materials Transport OffSite

All transport of materials will be performed by licensed haulers in accordance with appropriate local, State, and Federal regulations, including 6 New York Codes, Rules, and Regulations (NYCRR) Part 364. Haulers will be appropriately licensed and trucks properly placarded.

Material transported by trucks exiting the Site will be secured with tight-fitting covers. Loose-fitting canvas-type truck covers will be prohibited. If loads contain wet material capable of producing free liquid, truck liners will be used.

All trucks will be washed prior to leaving the Site. Truck wash waters will be collected and disposed of offsite in an appropriate manner.

Truck transport routes (Figure A-1) are as follows:

1. Head east on Continental Ave toward Kendall Ave – 200 ft.
2. Slight right onto Kendall Ave – 400 ft.
3. Turn left onto Howard St. – 0.1 Mi
4. Take the first left onto Pocantico St. to US-9 / Broadway.

All trucks loaded with Site materials will exit the vicinity of the Site using only these approved truck routes. This is the most appropriate route and takes into account: (a) limiting transport through residential areas and past sensitive sites; (b) use of city mapped truck routes; (c) prohibiting off-site queuing of trucks entering the facility; (d) limiting total distance to major highways; (e) promoting safety in access to highways; and (f) overall safety in transport; (g) community input (where necessary).

Trucks will be prohibited from stopping and idling in the neighborhood outside the project Site.

Egress points for truck and equipment transport from the Site will be kept clean of dirt and other materials during Site remediation and development.

Queuing of trucks will be performed onsite in order to minimize offsite disturbance. Offsite queuing will be prohibited.

7. Materials Disposal Off-Site

All soil/fill/solid waste excavated and removed from the Site will be treated as contaminated and regulated material and will be transported and disposed in accordance with all local, State (including 6NYCRR Part 360) and Federal regulations. If disposal of soil/fill from this Site is proposed for unregulated off-site disposal (i.e. clean soil removed for development purposes), a formal request with an associated plan will be made to the NYSDEC. Unregulated off-site management of materials from this Site will not occur without formal NYSDEC approval.

Off-site disposal locations for excavated soils will be identified in the pre-excavation notification. This will include estimated quantities and a breakdown by class of disposal facility if appropriate, i.e. hazardous waste disposal facility, solid waste landfill, petroleum treatment facility, Construction/Demolition recycling facility, etc. Actual disposal quantities and associated documentation will be reported to the NYSDEC in the Periodic Review Report. This documentation will include: waste profiles, test results, facility acceptance letters, manifests, bills of lading and facility receipts.

Non-hazardous historic fill and contaminated soils taken off-site will be handled, at minimum, as a Municipal Solid Waste per 6NYCRR Part 360-1.2. Material that does not meet Track 1 unrestricted Soil Clean-up Objectives (SCOs) is prohibited from being taken to a New York State recycling facility (6NYCRR Part 360-16 Registration Facility).

8. Materials Reuse On-Site

Soil which exists at a site, which is used to construct a soil cover, site cap system or as excavation backfill, or which may be exported offsite for reuse, must meet the requirements of DER-10, Section 5.4 (e), as applicable to the site. Chemical criteria for onsite reuse of material have been approved by NYSDEC and are listed in Table A-1 below.

Table A-1
Criteria for On-Site Reuse of Excavated Materials

Soil on Site	Reuse on Site	Offsite Export and Reuse
Meets Unrestricted Use SCOs	Without restrictions	Without restrictions
Meets Restricted Residential Use SCOs	In the soil cover or as backfill within the area of the site subject to institutional controls (IC)	Not allowed, unless going to a site with IC subject to a 6NYCRR Part 360 Beneficial Use Determination (BUD)
Exceeds Restricted Residential Use SCOs	Placement below the final cover system within the area subject to IC, except use as backfill for utility trenches in the public right of way	Not allowed, unless going to a site with IC subject to a 6NYCRR Part 360 Beneficial Use Determination (BUD)

The qualified environmental professional will ensure that procedures defined for materials reuse in this SMP are followed and that unacceptable material does not remain on-site. Contaminated on-site material, including historic fill and contaminated soil, that is acceptable for re-use on-site will be placed below the demarcation layer or impervious surface, and will not be reused within a cover soil layer, within landscaping berms, or as backfill for subsurface utility lines.

Based on the available database for remaining contamination, it may be assumed that existing site soil does not meet restricted residential use SCOs unless testing results demonstrate otherwise. Sampling and analysis of excavated backfill to qualify it for unrestricted or restricted residential uses or offsite reuse will be performed in

accordance with the Field Sampling Plan for the Site (Appendix H in this SMP). Representative sampling in accordance with Section 5.4 (e) 10 and Table 5.4 (e) 10 of DER-10 (Appendix H in this SMP), will be utilized to characterize excavated soil.

Any demolition material, not already approved in a BUD and proposed for reuse on-site will be sampled for PCBs, lead, TAL Metals, SVOCs, and PCBs if no prior data are available, and the results will be reported to the NYSDEC for acceptance. Concrete crushing or processing onsite will not be performed without prior NYSDEC approval. Organic matter (wood, roots, stumps, etc.) or other solid waste derived from clearing and grubbing of the Site will not be reused on-site as fill.

9. Fluids Management

All liquids to be removed from the Site, including excavation dewatering and groundwater monitoring well purge and development waters, will be handled, transported and disposed in accordance with applicable local, state, and federal regulations. Dewatering, purge and development fluids will not be recharged back to the land surface or subsurface of the Site, but will be managed offsite.

Discharge of water generated during large-scale construction activities to surface waters (i.e., a local pond, stream or river) will be performed under a State Pollutant Discharge Elimination System (SPDES) permit.

10. Cover System Restoration

After the completion of soil removal and any other invasive activities, the cover system will be restored in a manner that complies with the IRM Decision Document, the Final Decision Document and the final Remedial Work Plan (RWP). The demarcation layer, consisting of orange snow fencing material or equivalent material (e.g., orange or yellow geotextile) will be placed to provide a visual reference to the top of the 'Remaining Contamination Zone', the zone that requires adherence to special conditions for disturbance of remaining contaminated soils defined in this Site Management Plan. If the type of cover system changes from that which exists prior to the excavation (i.e., a soil cover is replaced by asphalt), this will constitute a modification of the cover element of the remedy and the upper surface of the Remaining Contamination. A figure showing the modified surface will be included in the subsequent Periodic Review Report and in any updates to the Site Management Plan.

11. Backfill from Off-Site Sources

All materials proposed for import onto the site will be approved by the qualified environmental professional and will be in compliance with provisions in this SMP prior to receipt at the Site.

Material from industrial sites, spill sites, or other environmental remediation sites or potentially contaminated sites will not be imported to the site.

All imported soils will meet the backfill and cover soil quality standards established in 6NYCRR 375-6.7(d). Based on an evaluation of the land use (restricted residential with prohibited use of groundwater), the resulting soil quality standards are SCOs for restricted residential use provided in Appendix 5 of DER-10 under “Restricted Residential Use” (see Table A-4). Soil imported to a site for use in a soil cap, soil cover or as backfill must meet the criteria summarized in Table A-5 below.

Table A-5
Criteria for Imported Soils

Proposed Use	Criteria
Soil Cover System	Meets SCOs for restricted residential use provided in Appendix 5 of DER-10 under "Restricted Residential Use" (See Table A-4).
Public Utility Trench Backfill	Meets SCOs for restricted residential use provided in Appendix 5 of DER-10 under "Restricted Residential Use" (See Table A-4).
Fill beneath the Cover System	Meets SCOs for restricted residential use provided in Appendix 5 of DER-10 under "Restricted Residential Use"(See Table A-4) and is free of extraneous debris or solid waste, or is approved for use by a 6NYCRR Part 360 Beneficial Use Determination (BUD), or meets the definition of exempt fill under 6NYCRR Part 360.

The imported fill should be sampled and analyzed in accordance with Section 5.4(e) 10 and Table 5.4(e)10 of DER-10 , as described in Appendix H to this SMP.

Imported Materials Other Than Soils

Consistent with DER-10, Section 5.4(e), the following material may be imported, without chemical testing provided that it contains less than 10% by weight material which would pass through a size 80 sieve and consists of:

i. gravel, rock or stone, consisting of virgin material from a permitted mine or quarry; or

ii. for placement under the final cover system other than use in public utility trenches, recycled concrete or brick from a NYSDEC registered construction and demolition debris processing facility if the material conforms to the requirements of Section 304 of the

New York State Department of Transportation Standard Specifications Construction and Materials Volume 1 (2002).

The Owner must provide documentation of the source of fill to Division of Environmental Remediation (DER) for approval of the source of the material before it is used on the site, which should include:

iii. the name of the person providing the documentation and relationship to the source of the fill

iv. the location where the fill was obtained;

v. identification of any state or local approvals as a fill source; and

vi. if no prior approval is available for the source, a brief history of the use of the property which is the source of the fill.

Bills of lading should be provided to DER to document that the fill delivered was from a DER-approved source(s).

For use of such materials as fill under the final cover system, DER may issue site-specific exemption for one or more of the requirements described or referenced above, based upon site- specific conditions, such as:

vii. use and redevelopment of the site;

viii. depth of the placement of the backfill material relative to the surface or subsurface structures

ix. depth of the placement of the backfill material relative to groundwater;

x. volume of backfill material;

xi. potential for odor from the backfill material;

xii. presence of historic fill in the vicinity of the site;

xiii. NYSDEC-issued beneficial use determination, pursuant to 6 NYCRR Part 360;

xiv. background levels of contamination in areas surrounding the site.

Soils that meet 'exempt' fill requirements under 6 NYCRR Part 360, but do not meet backfill or cover soil objectives for this site, will not be imported onto the Site without prior approval by NYSDEC. Solid waste will not be imported onto the Site.

Trucks entering the Site with imported soils will be securely covered with tight fitting covers. Imported soils will be stockpiled separately from excavated materials and covered to prevent dust releases.

12. Stormwater Pollution Prevention

Permit Requirements

Construction activities in New York that disturb one or more acres of land must (with some exceptions for agricultural projects, silviculture projects and maintenance activities) be authorized under a SPDES Permit for Stormwater Discharges from Construction Activity.

An owner or operator of a construction activity that is subject to SPDES regulation must obtain permit coverage through either an individual SPDES permit that addresses the stormwater discharges, or obtain coverage under the current SPDES General Permit for Stormwater Discharges from Construction Activity prior to the commencement of construction activity. The current General Permit (GP-0-10-001) for New York State was issued in January 2010. An owner or operator of a construction activity that is eligible for coverage under General Permit GP-0-10-001 must obtain coverage under the permit prior to the commencement of construction activity. The NYSDEC will determine the eligibility of the Owner to obtain a General Permit, and may require that the Owner apply for and/or obtain either an individual SPDES permit or an alternative SPDES General Permit. However, if the Owner or Remedial Party (RP) is performing work that meets the definition of "remedial program" in 6 NYCRR Part 375, the substantive requirements of a SPDES permit would have to be met, but a formal permit would not be required for such work.

Municipal construction operations by the Village (including roadway and underground utility installation, maintenance and repair) are covered under their MS4 Permit issued through the SPDES program. The Village's MS4 Permit requires the use of best management practices for stormwater pollution prevention. However, the Village must comply with all other requirements of this SMP applicable to construction and maintenance associated with underground utilities, disruption and restoration of the final cover system, and dust control.

Stormwater Pollution Prevention Plan

A Stormwater Pollution Prevention Plan (SWPPP) will be required by any stormwater permit issued for construction activities, or alternatively, will be required by the Department for construction performed as a remedial activity (e.g., handling soil and fill until completion of the final cap system) by the Owner or RP performing this work under the BCA, regardless of the size of the construction project. An SWPPP is a plan for

controlling runoff and pollutants from a site during and after construction activities. The principle objective of an SWPPP is to comply with the NYSDEC SPDES Stormwater Permit (or equivalent) for construction activities by planning and implementing the following practices:

- reduction or elimination of erosion and sediment loading to water bodies during construction
- control of the impact of stormwater runoff on the water quality of receiving waters
- control of the increased volume and peak rate of runoff during and after construction
- maintenance of stormwater controls during and after completion of construction

An example site-specific SWPPP is provided in Appendix K of this SMP. General procedures, for disruption or handling of soil or backfill, are outlined below.

Barriers and hay bale checks will be installed and inspected once a week and after every storm event. Results of inspections will be recorded in a logbook and maintained at the Site and available for inspection by NYSDEC. All necessary repairs shall be made immediately.

Accumulated sediments will be removed as required to keep the barrier and hay bale check functional.

All undercutting or erosion of the silt fence toe anchor shall be repaired immediately with appropriate backfill materials.

Manufacturer's recommendations will be followed for replacing silt fencing damaged due to weathering.

Erosion and sediment control measures identified in the SMP shall be observed to ensure that they are operating correctly. Where discharge locations or points are accessible, they shall be inspected to ascertain whether erosion control measures are effective in preventing significant impacts to receiving waters

Silt fencing or hay bales will be installed around the entire perimeter of the construction area.

13. Contingency Plan

If underground tanks or other previously unidentified contaminant sources are found during post-remedial subsurface excavations or development related construction, excavation activities will be suspended until sufficient equipment is mobilized to address the condition.

Sampling will be performed on product, sediment and surrounding soils, etc. as necessary to determine the nature of the material and proper disposal method. Chemical analysis will be performed for full a full list of analytes (Target Analyte List [TAL] metals; Target Compound List [TCL] volatiles and semi-volatiles, TCL pesticides and polychlorinated biphenyl [PCBs]), unless the Site history and previous sampling results provide a sufficient justification to limit the list of analytes. In this case, a reduced list of analytes will be proposed to the NYSDEC for approval prior to sampling.

Identification of unknown or unexpected contaminated media identified by screening during invasive site work will be promptly communicated by phone to NYSDEC's Project Manager. Reportable quantities of petroleum product will also be reported to the NYSDEC spills hotline. These findings will be also included in the periodic reports prepared pursuant to Section 5 of the SMP.

14. Community Air Monitoring Plan

A Community Air Monitoring Plan (CAMP) will be implemented during all ground intrusive activities. The applicable CAMP is provided in Appendix G of this SMP, based on a previously implemented CAMP at the Site A figure showing the location of air sampling stations based on generally prevailing wind conditions is included in Appendix G. These locations will be adjusted on a daily or more frequent basis based on actual wind directions to provide an upwind and at least two downwind monitoring stations.

Exceedances of action levels listed in the CAMP will be reported to NYSDEC and New York State Department of Health (NYSDOH) Project Managers.

15. Odor Control Plan

This odor control plan is capable of controlling emissions of nuisance odors off-site and on-site, if there are residents or tenants on the property. Specific odor control methods to be used on a routine basis will include:

- Performing activities that may generate odors during normal working hours
- Covering vehicles transporting materials on-site when possible and in accordance with Department of Transportation requirements when transporting materials offsite
- Maintaining covered/tarped stockpiles on site with covering at the end of each work shift, at a minimum.
- Loading trucks such that material will not be dropped from heights above the truck body
- Cleaning excavated material spills immediately
- Reporting and addressing odor complaints accordingly with appropriate follow-up

If nuisance odors are identified at the Site boundary, or if odor complaints are received, work will be halted and the source of odors will be identified and corrected. Work will not resume until all nuisance odors have been abated. NYSDEC and NYSDOH will be notified of all odor events and of any other complaints about the project. Implementation of all odor controls, including the halt of work, is the responsibility of the property owner's Remediation Engineer, and any measures that are implemented will be discussed in the Periodic Review Report.

All necessary means will be employed to prevent onsite and offsite nuisances. At a minimum, these measures will include: (a) limiting the area of open excavations and size of soil stockpiles; (b) shrouding open excavations with tarps and other covers; and (c) using foams to cover exposed odorous soils. If odors develop and cannot be otherwise controlled, additional means to eliminate odor nuisances will include: (d) direct load-out of soils to trucks for offsite disposal; (e) use of chemical odorants in spray or misting systems; and, (f) use of staff to monitor odors in surrounding neighborhoods.

If nuisance odors develop during intrusive work that cannot be corrected, or where the control of nuisance odors cannot otherwise be achieved due to on-site conditions or close proximity to sensitive receptors, odor control will be achieved by sheltering

the excavation and handling areas in a temporary containment structure equipped with appropriate air venting/filtering systems.

16. Dust Control Plan

A dust suppression plan that addresses dust management during invasive on-site work will include, at a minimum, the items listed below:

- Dust suppression will be achieved through the use of a dedicated on-site water truck for road wetting. The truck will be equipped with a water cannon capable of spraying water directly onto off-road areas including excavations and stockpiles.
- Clearing and grubbing of larger sites will be done in stages to limit the area of exposed, unvegetated soils vulnerable to dust production.
- Gravel will be used on roadways to provide a clean and dust-free road surface.
- On-site roads will be limited in total area to minimize the area required for water truck sprinkling.

17. Other Nuisances

A plan for rodent control will be developed and utilized by the contractor prior to and during Site clearing and Site grubbing, and during all remedial work.

A plan will be developed and utilized by the contractor for all remedial work to ensure compliance with local noise control ordinances.

ARCADIS

Tables

Table A-2

Soil Cleanup Objectives for the Site - Unrestricted Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use
Metals	
Arsenic	13
Barium	350
Beryllium	7.2
Cadmium	2.5
Chromium, Hexavalent[1]	1 [3]
Chromium, Trivalent[1]	30
Copper	50
Cyanide	27
Lead	63
Manganese	1600
Mercury (total)	0.18
Nickel	30
Selenium	3.9
Silver	2
Zinc	109
PCBs/Pesticides	
2,4,5-TP Acid (Silvex)	3.8
4,4'-DDE	0.0033[3]
4,4'-DDT	0.0033[3]
4,4'-DDD	0.0033[3]
Aldrin	0.005
Alpha-BHC	0.02
Beta-BHC	0.036
Chlordane (alpha)	0.094
Delta-BHC	0.04
Dibenzofuran	7
Dieldrin	0.005
Endosulfan I	2.4[2]
Endosulfan II	2.4[2]
Endosulfan sulfate	2.4[2]
Endrin	0.014
Heptachlor	0.042
Lindane	0.1
Polychlorinated biphenyls	0.1

Table A-2

Soil Cleanup Objectives for the Site - Unrestricted Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use
Semi-volatile Organic Compounds	
Acenaphthene	20
Acenaphthylene	100
Anthracene	100
Benzo(a)anthracene	1
Benzo(a)pyrene	1
Benzo(b)fluoranthene	1
Benzo(g,h,i)perylene	100
Benzo(k)fluoranthene	0.8
Chrysene	1
Dibenz(a,h)anthracene	0.33[3]
Fluoranthene	100
Fluorene	30
Indeno(1,2,3-cd)pyrene	0.5
m-Cresol(s)	0.33[3]
Naphthalene	12
o-Cresol(s)	0.33[3]
p-Cresol(s)	0.33
Pentachlorophenol	0.8[3]
Phenanthrene	100
Phenol	0.33[3]
Pyrene	100
Volatile Organic Compounds	
1,1,1-Trichloroethane	0.68
1,1-Dichloroethane	0.27
1,1-Dichloroethene	0.33
1,2-Dichlorobenzene	1.1
1,2-Dichloroethane	0.02
1,2-Dichloroethene(cis)	0.25
1,2-Dichloroethene(trans)	0.19
1,3-Dichlorobenzene	2.4
1,4-Dichlorobenzene	1.8
1,4-Dioxane	0.1[3]
Acetone	0.05
Benzene	0.06
Butylbenzene	12
Carbon tetrachloride	0.76
Chlorobenzene	1.1

Table A-2

Soil Cleanup Objectives for the Site - Unrestricted Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use
Chloroform	0.37
Ethylbenzene	1
Hexachlorobenzene	0.33[3]
Methyl ethyl ketone	0.12
Methyl tert-butyl ether	0.93
Methylene chloride	0.05
Propylbenzene-n	3.9
Sec-Butylbenzene	11
Tert-Butylbenzene	5.9
Tetrachloroethene	1.3
Toluene	0.7
Trichloroethene	0.47
Trimethylbenzene-1,2,4	3.6
Trimethylbenzene-1,3,5	8.4
Vinyl chloride	0.02
Xylene (mixed)	0.26

Source: This table is derived from soil cleanup objective (SCO) tables in 6 NYCRR 375. Table 375-6.8(a) is the source for unrestricted use.

All concentrations are in parts per million (ppm)

Footnotes:

[1]The SCO for Hexavalent or Trivalent Chromium is considered to be met if the analusis for the total species of this contaminant is below the specific SCO for Hexavalent Chromium.

[2]The SCO is the sum of endosulfan I, endosulfan II and endosulfan sulfate.

[3]For constituents where the calcalated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the Track 1 SCO value.

Table A-3

Soil Cleanup Objectives for the Site - Restricted Residential Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health, Restricted-Residential Use**
Metals		
Arsenic	7440-38-2	16[f]
Barium	7440-39-3	400
Beryllium	7440-41-7	72
Cadmium	7440-43-9	4.3
Chromium, hexavalent [h]	18540-29-9	110
Chromium, trivalent [h]	16065-83-1	180
Copper	7440-50-8	270
Total Cyanide [h]		27
Lead	7439-92-1	400
Manganese	7439-96-5	2,000[f]
Total Mercury		0.81[j]
Nickel	7440-02-0	310
Selenium	7782-49-2	180
Silver	7440-22-4	180
Zinc	7440-66-6	10,000[d]
PCBs/Pesticides		
2,4,5-TP Acid (Silvex)	93-72-1	100[a]
4,4'-DDE	72-55-9	8.9
4,4'-DDT	50-29-3	7.9
4,4'-DDD	72-54-8	13
Aldrin	309-00-2	0.097
alpha-BHC	319-84-6	0.48
beta-BHC	319-85-7	0.36
Chlordane (alpha)	5103-71-9	4.2
delta-BHC	319-86-8	100[a]
Dibenzofuran	132-64-9	59
Dieldrin	60-57-1	0.2
Endosulfan I	959-98-8	24[i]
Endosulfan II	33213-65-9	24[i]
Endosulfan sulfate	1031-07-8	24[i]
Endrin	72-20-8	11
Heptachlor	76-44-8	2.1
Lindane	58-89-9	1.3
Polychlorinated biphenyls	1336-36-3	1

Table A-3

Soil Cleanup Objectives for the Site - Restricted Residential Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health, Restricted-Residential Use**
Semivolatiles		
Acenaphthene	83-32-9	100[a]
Acenapthylene	208-96-8	100[a]
Anthracene	120-12-7	100[a]
Benz(a)anthracene	56-55-3	1[f]
Benzo(a)pyrene	50-32-8	1[f]
Benzo(b)fluoranthene	205-99-2	1[f]
Benzo(g,h,i)perylene	191-24-2	100[a]
Benzo(k)fluoranthene	207-08-9	3.9
Chrysene	218-01-9	3.9
Dibenz(a,h)anthracene	53-70-3	0.33[e]
Fluoranthene	206-44-0	100[a]
Fluorene	86-73-7	100[a]
Indeno(1,2,3-cd)pyrene	193-39-5	0.5[f]
m-Cresol	108-39-4	100[a]
Naphthalene	91-20-3	100[a]
o-Cresol	95-48-7	100[a]
p-Cresol	106-44-5	100[a]
Pentachlorophenol	87-86-5	6.7
Phenanthrene	67580	100[a]
Phenol	108-95-2	100[a]
Pyrene	129-00-0	100[a]
Volatiles		
1,1,1-Trichloroethane	71-55-6	100[a]
1,1-Dichloroethane	75-34-3	26
1,1-Dichloroethene	75-35-4	100[a]
1,2-Dichlorobenzene	95-50-1	100[a]
1,2-Dichloroethane	107-06-2	3.1
cis-1,2-Dichloroethene	156-59-2	100[a]
trans-1,2-Dichloroethene	156-60-5	100[a]
1,3-Dichlorobenzene	541-73-1	49
1,4-Dichlorobenzene	106-46-7	13
1,4-Dioxane	123-91-1	13
Acetone	67-64-1	100[b]
Benzene	71-43-2	4.8
Butylbenzene	104-51-8	100[a]
Carbon tetrachloride	56-23-5	2.4

Table A-3

Soil Cleanup Objectives for the Site - Restricted Residential Use

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Table 375-6.8(b): Restricted Use Soil Cleanup Objectives		
Contaminant	**CAS Number**	**Protection of Public Health, Restricted-Residential Use**
Chlorobenzene	108-90-7	100[a]
Chloroform	67-66-3	49
Ethylbenzene	100-41-4	41
Hexachlorobenzene	118-74-1	1.2
Methyl ethyl ketone	78-93-3	100[a]
Methyl tert-butyl ether	1634-04-4	100[a]
Methylene chloride	64164	100[a]
n-Propylbenzene	103-65-1	100[a]
sec-Butylbenzene	135-98-8	100[a]
tert-Butylbenzene	72477	100[a]
Tetrachloroethene	127-18-4	19
Toluene	108-88-3	100[a]
Trichloroethene	65386	21
1,2,4-Trimethylbenzene	95-63-6	52
1,3,5- Trimethylbenzene	108-67-8	52
Vinyl chloride	63923	0.9
Xylene (mixed)	1330-20-7	100[a]

All soil cleanup objectives (SCOs) are in parts per million (ppm).

Footnotes:

[a] The SCOs for residential, restricted-residential and ecological resources use were capped at a maximum value of 100 ppm. See TSD section 9.3.

[b] The SCOs for commercial use were capped at a maximum value of 500 ppm. See TSD section 9.3.

[c] The SCOs for industrial use and the protection of groundwater were capped at a maximum value of 1000 ppm. See TSD section 9.3.

[d] The SCOs for metals were capped at a maximum value of 10,000 ppm. See TSD section 9.3.

[e] For constituents where the calculated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the SCO value.

[g] This SCO is derived from data on mixed isomers of BHC.

[h] The SCO for this specific compound (or family of compounds) is considered to be me if the analysis for the total species of this contaminant is below the specific SCO.

[i] This SCO is for the sum of endosulfan I,endosulfan II, and endosulfan sulfate.

[j] This SCO is the lower of the values for mercury (elemental) or mercury (inorganic salt See TSD Table 5.6-1.

Table A-4

Allowable Constituent Levels for Imported Fill or Soil

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Restricted Residential Use
Metals	
Arsenic	16
Barium	400
Beryllium	47
Cadmium	4.3
Chromium, Hexavalent[1]	19
Chromium, Trivalent[1]	180
Copper	270
Cyanide	27
Lead	400
Manganese	2000
Mercury (total)	0.73
Nickel	130
Selenium	4
Silver	8.3
Zinc	2480
PCBs/Pesticides	
2,4,5-TP Acid (Silvex)	3.8
4,4'-DDE	8.9
4,4'-DDT	7.9
4,4'-DDD	13
Aldrin	0.097
Alpha-BHC	0.02
Beta-BHC	0.09
Chlordane (alpha)	2.9
Delta-BHC	0.25
Dibenzofuran	59
Dieldrin	0.1
Endosulfan I	24
Endosulfan II	24
Endosulfan sulfate	24
Endrin	0.06
Heptachlor	0.38
Lindane	0.1
Polychlorinated biphenyls	1

Table A-4

Allowable Constituent Levels for Imported Fill or Soil

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Restricted Residential Use
Semi-volatile Organic Compounds	
Acenaphthene	98
Acenaphthylene	100
Anthracene	100
Benzo(a)anthracene	1
Benzo(a)pyrene	1
Benzo(b)fluoranthene	1
Benzo(g,h,i)perylene	100
Benzo(k)fluoranthene	1.7
Chrysene	1
Dibenz(a,h)anthracene	0.33[3]
Fluoranthene	100
Fluorene	100
Indeno(1,2,3-cd)pyrene	0.5
m-Cresol(s)	0.33[3]
Naphthalene	12
o-Cresol(s)	0.33[3]
p-Cresol(s)	0.33
Pentachlorophenol	0.8[3]
Phenanthrene	100
Phenol	0.33[3]
Pyrene	100
Volatile Organic Compounds	
1,1,1-Trichloroethane	0.68
1,1-Dichloroethane	0.27
1,1-Dichloroethene	0.33
1,2-Dichlorobenzene	1.1
1,2-Dichloroethane	0.02
1,2-Dichloroethene(cis)	0.25
1,2-Dichloroethene(trans)	0.19
1,3-Dichlorobenzene	2.4
1,4-Dichlorobenzene	1.8
1,4-Dioxane	0.1[3]
Acetone	0.05
Benzene	0.06
Butylbenzene	12
Carbon tetrachloride	0.76
Chlorobenzene	1.1

Table A-4

Allowable Constituent Levels for Imported Fill or Soil

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Restricted Residential Use
Chloroform	0.37
Ethylbenzene	1
Hexachlorobenzene	1.2
Methyl ethyl ketone	0.12
Methyl tert-butyl ether	0.93
Methylene chloride	0.05
Propylbenzene-n	3.9
Sec-Butylbenzene	11
Tert-Butylbenzene	5.9
Tetrachloroethene	1.3
Toluene	0.7
Trichloroethene	0.47
Trimethylbenzene-1,2,4	3.6
Trimethylbenzene-1,3,5	8.4
Vinyl chloride	0.02
Xylene (mixed)	1.6

Source: This table is derived from soil cleanup objective (SCO) tables in 6 NYCRR 375. Table 375.6.8(b) is the source for restricted use. Restricted Residential Use values represent the lower of restricted residential SCOs or protection of groundwater SCOs, as presented in DER-10, Appendix 5.

All concentrations are in parts per million (ppm)


Footnotes:

[1]The SCO for Hexavalent or Trivalent Chromium is

[3]For constituents where the calcalated SCO was lower than

ARCADIS

Figures



REFERENCE: BASE MAP FROM GOOGLE.

The East Parcel truck route:

- - - - - Truck Route

1. Head east on Continental Ave toward Kendall Ave - 200 ft.
2. Slight right onto Kendall Ave - 400 ft.
3. Turn left onto Howard St. - 0.1 Mi
4. Take the first left onto Pocantico St. to US- 9 / Broadway

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK
SITE MANAGEMENT PLAN

TRUCK ROUTE

ARCADIS

FIGURE
A-1

08/06/2013 SYRACUSE, NY-ENV/CAD DJHOWES
B0064462/0001/00067/CDR/64462g02.CDR

ARCADIS

Appendix B

Responsibilities of Owner and Remedial Party

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Appendix B –

Responsibilities of Owner and Remedial Party

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS

Table of Contents

Acronyms and Abbreviations ii

1. Introduction 1

2. Site Owner's Responsibilities 2

3. Remedial Party Responsibilities 4

4. Future Conditions 6

Attachments

Attachment 1 Lease Agreement, Town of Mount Pleasant Industrial Development Agency and General Motors Corporation, September 13, 1985. Liber 8231, page 131.

Acronyms and Abbreviations

BCA	Brownfield Cleanup Agreement
NYSDEC	New York State Department of Environmental Conservation
OSHA	Occupational Safety and Health Administration
RP	Remedial Party
SMP	Site Management Plan
TMPIDA	Town of Mount Pleasant Industrial Development Agency

ARCADIS

Former General Motors
Assembly Plant
East Parcel Site
Sleepy Hollow, New York

1. Introduction

The responsibilities for implementing the Site Management Plan ("SMP") for the Former General Motors Assembly Plant East Parcel Site (the "Site"), number C360070B, are divided between the Site owner(s) and a Remedial Party, as defined below. The owner is currently listed as:

Owners:

- Town of Mount Pleasant Industrial Development Agency ("TMPIDA"), having an office at One Town Hall Plaza, Valhalla, Westchester County, State of New York, 10595 (the "Fee Owner") and;
- General Motors LLC, having an office at 30200 Mound Road, Warren, Macomb County, State of Michigan, 48090, (the" Beneficial Owner").

General Motors LLC, as the Beneficial Owner of the Site, assumes all responsibilities of the Site "owner" as described herein, until the property is sold to a new owner (see Section 4.7 of attached Lease Agreement, September 13, 1985).

Solely for the purposes of this document and based upon the facts related to a particular site and the remedial program being carried out, the term Remedial Party ("RP") refers to any of the following: certificate of completion holder, volunteer, applicant, responsible party, Homeowners Association, Property Owners Association, and /or Master Association and, in the event the New York State Department of Environmental Conservation ("NYSDEC") is carrying out remediation or site management, the NYSDEC and/or an agent acting on its behalf. The RP is:

- General Motors LLC, having an office at 30200 Mound Road, Warren, Macomb County, State of Michigan, 48090 ("the Applicant" to the BCA)

Nothing on this page shall supersede the provisions of an Environmental Easement, agreement, or other legally binding document that affects rights and obligations relating to the site.

2. Site Owner's Responsibilities

The Site Owner(s) responsibilities with regard to Subsection (2) through (10, below may be performed, with the assent of NYSDEC, by a Homeowners Association, Property Owners Association and/or Master Association. Such assent by NYSDEC and performance does not exempt the owner(s) from responsibility under the Environmental Easement, agreement, or other legally binding document that affects rights and obligations relating to the site.

1) The owner shall follow the provisions of the SMP as they relate to future construction and excavation at the site.

2) In accordance with a periodic time frame determined by the NYSDEC, the owner shall periodically certify, in writing, that all Institutional Controls set forth in an Environmental Easement remain in place and continue to be complied with. The owner shall provide a written certification to the RP, upon the RP's request, in order to allow the RP to include the certification in the site's Periodic Review Report (PRR) certification to the NYSDEC.

3) In the event the site is delisted, the owner remains bound by the Environmental Easement, and shall submit, upon request by the NYSDEC, a written certification that the Environmental Easement, is still in place and has been complied with.

4) The owner shall grant access to the site to the RP and the NYSDEC and its agents for the purposes of performing activities required under the SMP and assuring compliance with the SMP.

5) The owner is responsible for assuring the security of the remedial components located on its property to the best of its ability. In the event that damage to the remedial components or vandalism is evident, the owner shall notify the site's RP and NYSDEC in accordance with the timeframes indicated in Section 2.4.2-Notifications.

6) In the event some action or inaction by the owner adversely impacts the site, the owner must notify the site's RP and the NYSDEC in accordance with the time frame indicated in Section 2.4.2 Notifications and (ii) coordinate the performance of necessary corrective actions with the RP.

7) The owner must notify the RP and the NYSDEC of any change in ownership of the site property (identifying the tax map numbers in any correspondence) and provide contact information for the new owner of the site properties. 6 NYCRR Part 375-1 contains notification requirements applicable to any construction or activity changes and changes in ownership. Among the notification requirements is the following: Sixty days prior written notification must be made to the NYSDEC. Notification is to be submitted to the NYSDEC Division of Environmental Remediation's Site Control Section. Notification requirements for a change in use are detailed in Section 2.4 of the SMP. A 60-Day Advance Notification Form and Instructions are found at http://www.dec.ny.gov/chemical/76250.html.

8) If an owner has a written agreement to perform work for the RP, a description of the activities may be inserted here. (The corresponding agreement should also be included in the SMP.)

9) NYSDEC and NYSDOH may require the owner to activate an existing passive vapor or methane mitigation system installed by the owner or RP during building construction, or to install an active mitigation system where no passive system is available to activate Until such time as the NYSDEC deems the vapor mitigation system unnecessary, the owner shall operate the system, pay for the utilities for the system's operation, and report any maintenance issues to the RP and the NYSDEC.

10) In accordance with the tenant notification law, within 15 days of receipt, the owner must supply a copy of any vapor intrusion data, that is produced with respect to structures and that exceeds NYSDOH or OSHA guidelines on the site, whether produced by the NYSDEC, RP, or owner, to the tenants on the property. The owner must otherwise comply with the tenant and occupant notification provisions of Environmental Conservation Law Article 27, Title 24.

3. Remedial Party Responsibilities

1) The RP must follow the SMP provisions regarding any construction and/or excavation it undertakes at the site.

2) The RP shall report to the NYSDEC all activities required for remediation, operation, maintenance, monitoring, and reporting. Such reporting includes, but is not limited to, periodic review reports and certifications, electronic data deliverables, corrective action work plans and reports, and updated SMPs.

3) Before accessing the site property to undertake a specific activity, the RP shall provide the owner advance notification that shall include an explanation of the work expected to be completed. The RP shall provide to (i) the owner, upon the owner's request, (ii) the NYSDEC, and (iii) other entities, if required by the SMP, a copy of any data generated during the site visit and/or any final report produced.

4) If the NYSDEC determines that an update of the SMP is necessary, the RP shall update the SMP and obtain final approval from the NYSDEC. Within 5 business days after NYSDEC approval, the RP shall submit a copy of the approved SMP to the owner(s).

5) The RP shall notify the NYSDEC and the owner of any changes in RP ownership and/or control and of any changes in the party/entity responsible for the operation, maintenance, and monitoring of and reporting with respect to any remedial system (Engineering Controls). The RP shall provide contact information for the new party/entity. Such activity constitutes a Change of Use pursuant to 375-1.11(d) and requires 60-days prior notice to the NYSDEC. A 60-Day Advance Notification Form and Instructions are found at http://www.dec.ny.gov/chemical/76250.html .

6) The RP shall notify the NYSDEC of any damage to or modification of the systems as required under Section 2.4.2 - Notifications of the SMP.

7) The RP is responsible for the proper maintenance of any installed vapor intrusion mitigation systems associated with the site, as required in Section 4 of the SMP.

8) Prior to a change in use that impacts the remedial system or requirements and/or responsibilities for implementing the SMP, the RP shall submit to the NYSDEC for approval an amended SMP.

9) Any change in use, change in ownership, change in site classification (*e.g.*, delisting), reduction or expansion of remediation, and other significant changes related to the site may result in a change in responsibilities and, therefore, necessitate an update to the SMP and/or updated legal documents. The RP shall contact the Department to discuss the need to update such documents.

4. Future Conditions

Change in RP ownership and/or control and/or site ownership does not affect the RP's obligations with respect to the site unless a legally binding document executed by the NYSDEC releases the RP of its obligations.

Future site owners and RPs and their successors and assigns are required to carry out the activities set forth above.

ARCADIS

Attachment 1

Lease Agreement, Town of Mount Pleasant Industrial Development Agency and General Motors Corporation, September 13, 1985, Liber 8231, Page 131

U08085277

LIBER 8231 PAGE 131

Town of Mount Pleasant Industrial Development Agency

and

General Motors Corporation

LEASE AGREEMENT

Dated September 13, 1985

Industrial Development Bond
(General Motors Corporation Project - 1985 Series)

TABLE OF CONTENTS

		Page
Preambles		1
	ARTICLE I	
	DEFINITIONS AND INTERPRETATION	
Section 1.1	Definitions	4
Section 1.2	Interpretation	8
	ARTICLE II	
	REPRESENTATIONS AND WARRANTIES	
Section 2.1	Representations by the Agency	10
Section 2.2	Representations by the Lessee	11
	ARTICLE III	
	THE LEASE	
Section 3.1	Lease Clauses	14
Section 3.2	Other Amounts Payable	15
Section 3.3	Manner of Payment	15
Section 3.4	Obligation Unconditional	15
Section 3.5	Security Clauses	16
Section 3.6	Issuance of Initial Bonds	17
Section 3.7	Issuance of Additional Bonds	17
Section 3.8	Effective Date and Term	18
	ARTICLE IV	
	THE PROJECT	
Section 4.1	Completion of the Project	20
Section 4.2	Payment of Additional Project Costs by Lessee	21
Section 4.3	Completion Certificate	22
Section 4.4	No Warranty Regarding Condition, Suitability or Cost of Project	22

Section 4.5	Taxes	22
Section 4.6	Insurance	22
Section 4.7	Compliance with Law	23
Section 4.8	Maintenance and Repair	23
Section 4.9	Disposition of Project Realty by Lessee	23
Section 4.10	Leasing of the Project Realty and the Project Equipment	24
Section 4.11	Project Equipment	24

ARTICLE V

CONDEMNATION, DAMAGE AND DESTRUCTION

Section 5.1	No Abatement of Payments Hereunder	24
Section 5.2	Project Disposition Upon Condemnation Damage or Destruction	25
Section 5.3	Application of Net Proceeds of Insurance or Condemnation	25

ARTICLE VI

COVENANTS

Section 6.1	Service of Process	25
Section 6.2.	Indemnification, Payment of Expenses and Advances	27
Section 6.3	Incorporation of Use of Bond Proceeds Agreement	27
Section 6.4	Further Assurances and Corrective Instruments	28
Section 6.5	Covenant by Lessee as to Compliance with Indenture	28
Section 6.6	Assignment of Financing Documents	29
Section 6.7	Inspection	29
Section 6.8	Default Notification	29
Section 6.9	Covenant Against Discrimination	29

ARTICLE VII

EVENTS OF DEFAULT AND REMEDIES

Section 7.1	Events of Default	29
Section 7.2	Remedies on Default	30

Section 7.3 Remedies Cumulative..... 30

ARTICLE VIII

PREPAYMENT PROVISIONS

Section 8.1 Optional Prepayment..... 31
Section 8.2. Notice of Prepayment..... 32

ARTICLE IX

GENERAL

Section 9.1 Indenture..... 32
Section 9.2 Benefit of and Enforcement by Bondholders. 33
Section 9.3 Force Majeure..... 33
Section 9.4 Amendments..... 33
Section 9.5 Notices..... 34
Section 9.6 Prior Agreements Superseded..... 34
Section 9.7 Execution of Counterparts..... 34

Appendices

A. Description of Project Realty
B. Description of Project Equipment

Town of Mount Pleasant Industrial Development Agency
and
General Motors Corporation

LEASE AGREEMENT

THIS LEASE AGREEMENT, made and dated September 13, 1985 by and between the Town of Mount Pleasant Industrial Development Agency (the "Agency"), a corporate governmental agency, constituting a public benefit corporation of the State of New York, and General Motors Corporation, a corporation organized and existing under the laws of the State of Delaware (the "Lessee"),

WITNESSETH THAT:

WHEREAS, the New York State Industrial Development Agency Act and the Agency's enabling legislation, respectively constituting Article 18-A and Section 927 of the General Municipal Law (Chapter 24 of the Consolidated Laws of New York), as amended (the "Act"), declares that the policy of the State is (i) to promote the economic welfare, recreational opportunities and prosperity of its inhabitants and (ii) to promote, attract, encourage and develop recreation and economically sound commerce and industry through governmental action for the purpose of preventing unemployment and economic deterioration through industrial development agencies; and

WHEREAS, the Act provides that the term "project" as used therein means any land, any building or other improvement, and all real and personal properties, including but not limited to machinery, equipment and other facilities deemed necessary or desirable in connection therewith, or incidental thereto, whether or not in existence or under construction, which shall be suitable for manufacturing, warehousing, research, commercial or industrial purposes; and

WHEREAS, the Act provides that the Agency shall have the power, for the purposes of promoting, developing, encouraging and assisting the acquisition, construction, reconstruction, improvement, maintenance, equipping and furnishing industrial, manufacturing, warehousing, commercial, research, recreation and industrial pollution control facilities in order to advance the job opportunities, health, general prosperity and economic welfare of the people of the State, (i) to acquire by purchase, grant, lease, gift or condemnation and to use real property or rights or easements therein for its corporate purposes, (ii) to sell, convey, mortgage, lease, pledge, exchange or otherwise dispose of such property in such manner as the Agency shall determine, (iii) to make leases and contracts with any person, firm, partnership, corporation, municipality or State agency, (iv) to acquire, construct, reconstruct, lease, improve, maintain, equip or furnish projects, and (v) to borrow money, to

* 1 TOWN HALL PLAZA, VALHALLA, N.Y.
** 3044 WEST GRAND BOULEVARD, DETROIT, MICHIGAN

issue bonds and provide for the rights of the holders thereof, and to pledge as security for the payment of its bonds all or any part of the revenues derived from the lease of a project; and

WHEREAS, by resolution adopted August 27, 1985 in furtherance of the purposes of the Act, the Agency has accepted the application of the Lessee for assistance in financing a project consisting of the renovation and expansion of a building, together with the acquisition and installation of machinery and equipment related thereto, all to be used as a paint shop in the manufacturing of automobiles located in the Town of Mount Pleasant, New York; and

WHEREAS, the Agency has determined based on the representations of the Lessee that the Project will not result in the removal of an industrial, manufacturing, warehousing or commercial plant or facility of the Lessee from one area of the State to another area of the State or in the abandonment of one or more of the plants or facilities of the Lessee within the State; and

WHEREAS, the financing of the Project will maintain employment by the Lessee in the State; and

WHEREAS, the Lessee is acting in accordance with orders of the New York State Department of Environmental Conservation; and

WHEREAS, the Agency has by a further resolution adopted September 12, 1985, authorized the issuance of $175,000,000 principal amount of its Industrial Development Bond (General Motors Corporation Project - 1985 Series) for the purpose of providing such financing (the "Initial Bonds"); and

WHEREAS, pursuant to such resolution the Initial Bonds are to be secured by an Indenture of Trust of even date herewith, by and between the Agency and The First National Bank of Chicago, as Trustee; and

WHEREAS, additional funds may be necessary to repair, relocate, rebuild or restore the Project following damage, destruction, taking or condemnation thereof or to provide extensions, additions, improvements or facilities to the project and provision is made in the Indenture for the issuance from time to time of Additional Bonds on a parity with the Initial Bonds; and

WHEREAS, the Lessee, in order to induce the Agency to enter into the transactions contemplated hereby and to cause the

purchase of the Bonds, has concurrently herewith executed and delivered to the Trustee a Lessee Guaranty dated September 13, 1985 pursuant to which the Lessee will unconditionally guaranty the payment of the Initial Bonds; and

WHEREAS, the Initial Bonds and any Additional Bonds shall be special obligations of the Agency, payable solely from the revenues or other receipts, funds or moneys to be derived by the Agency under this Agreement or the Indenture, as may be amended and supplemented from time to time, and from any amounts otherwise available under the Indenture for the payment of the Initial Bonds; and

WHEREAS, the Agency proposes to lease the Project to the Lessee, and the Lessee desires to lease the Project from the Agency upon the terms and conditions herein set forth;

WHEREAS, the Lessee acknowledges that the Agency is providing financing for the project in furtherance of the Agency's corporate purposes under the Act, that the accomplishment of these purposes is dependent upon the compliance of the Lessee with its covenants contained in this Agreement, that the Agency has a resulting beneficial interest in the Project, and that the Lessee's use of and interest in the Project as provided hereby are in furtherance of the discharge of a public purpose;

NOW, THEREFORE, in consideration of the premises and of the mutual representations, covenants and agreements herein set forth, the Agency and the Lessee, each binding itself, its successors and assigns, do mutually promise, covenant and agree as follows (provided that in the performance of the agreements of the Agency herein contained, any obligation it may incur for the payment of money shall not be an obligation, debt or liability of the State or the Town of Mount Pleasant and neither the State nor the Town of Mount Pleasant shall be liable on any obligation so incurred, but any such obligation shall be payable solely out of the revenues or other receipts, funds or moneys to be derived by the Agency under this Agreement or the Indenture and from any amounts otherwise available under the Indenture for the payment of the Initial Bonds):

ARTICLE I

DEFINITIONS AND INTERPRETATION

Section 1.1. Definitions. For the purposes of this Agreement, the following words and terms shall have the respective meanings set forth as follows, and any capitalized word or term used but not defined herein is used as defined in the Indenture:

"Act" means the New York State Industrial Development Agency Act and the Agency's enabling legislation, respectively constituting Article 18-A and Section 927 of the General Municipal Law (Chapter 24 of the Consolidated Laws of New York), as amended.

"Additional Bonds" means one or more series of additional Bonds, other than the Initial Bonds, authorized and issued by the Agency pursuant to the Indenture.

"Agency" means the Town of Mount Pleasant Industrial Development Agency, a corporate governmental agency, constituting a public benefit corporation of the State of New York duly organized and existing under the laws of the State, and any body, board, authority, agency or other political subdivision or instrumentality of the State which shall hereafter succeed to the powers, duties and functions thereof.

"Agreement" means this Lease Agreement and any amendments and supplements hereto.

"Authorized Representative" means, in the case of the Agency, the Chairman, the Vice-Chairman or the Secretary thereof and, in the case of the Lessee, the Chairman, President, any Vice President, Treasurer or Secretary thereof or the designee in writing of any of the foregoing, and, when used with reference to the performance of any act, the discharge of any duty or the execution of any certificate or other document, any officer, employe or other person authorized to perform such act, discharge such duty or execute such certificate or other document.

"Bond" means the Initial Bonds and any Additional Bonds.

"Bondholder" or "holder" or words of similar import, when used with reference to Bonds, shall mean any person who shall be the registered owner of any Outstanding Bond.

"Business Day" means any day on which banks located in Chicago, Illinois are not required or authorized to remain closed and on which the New York Stock Exchange, Inc. is not closed.

"Code" means the Internal Revenue Code of 1954, as amended.

"Completion Date" means the date of completion of the Project as specified and established in accordance with Section 4.3 hereof.

"Debt Service Fund" means the special trust fund so designated, established pursuant to Section 5.3 of the Indenture.

"Event of Default" means an Event of Default as defined in subsection 7.1 hereof.

"Financing Documents" (1), when used with respect to the Lessee, means all documents and agreements executed and delivered by the Lessee as security for or in connection with the issuance of the Bonds, including this Agreement, the Use of Bond Proceeds Agreement, the Lessee Guaranty, the Payment in Lieu of Taxes Agreement and all other documents and agreements executed and delivered by the Lessee in connection with any of the foregoing, and (2) when used with respect to the Agency, means any of the foregoing documents and agreements to which the Agency is a direct party. The Financing Documents do not include any documents or agreements to which the Lessee is not a direct party, including the Bonds or the Indenture.

"Indenture" means the Indenture of Trust, of even date herewith, by and between the Agency and the Trustee, together with all indentures supplemental thereto made and entered into in accordance therewith.

"Initial Bonds" means the $175,000,000 Industrial Development Bond (General Motors Corporation Project - 1985 Series) authorized and issued pursuant to Section 2.3 of the Indenture.

"Interest Payment Date" shall mean each date on which interest is payable on the Bonds as provided in Article II hereof (or, if such date is not a Business Day, the immediately succeeding Business Day).

"Lessee" means (i) General Motors Corporation, a corporation organized and existing under the laws of the State of Delaware, and its successors and assigns and (ii) any surviving, resulting or transferee corporation as provided in Section 6.1 hereof.

"Lessee Guaranty" means the Lessee Guaranty from the Lessee to the Trustee, dated September 13, 1985.

"Net Proceeds" when used with respect to any insurance or condemnation award, means the gross proceeds from such award less all expenses (including attorney's fees and any extraordinary expenses of the Trustee) incurred by the Trustee in the collection thereof.

"Outstanding", when used with reference to a Bond or Bonds, as of any particular date, means all Bonds which have been authenticated and delivered under the Indenture, except:

(1) any Bonds cancelled by the Trustee because of payment or redemption prior to maturity or surrendered to the Trustee for cancellation;

(2) any Bond (or portion of a Bond) for the payment or redemption of which there has been separately set aside and held in the Redemption Account either:

(a) moneys in an amount sufficient to effect payment of the principal or applicable Redemption Price thereof, together with accrued interest on such Bond to the payment or redemption date, which payment or redemption date shall be specified in irrevocable instructions given to the Trustee to apply such moneys to such payment on the date so specified; or

(b) obligations of the kind described in subsection 12.1(B) of the Indenture in such principal amounts, of such maturities, bearing such interest and otherwise having such terms and qualifications as shall be necessary to provide moneys in an amount sufficient to effect payment of the principal or applicable Redemption Price of such Bond, together with accrued interest on such Bond to the payment or redemption date, which payment or redemption date shall be specified in irrevocable instructions given to the Trustee to apply such obligations to such payment on the date so specified; or

(c) any combination of (a) and (b) above;

(3) Bonds in exchange for or in lieu of which other Bonds shall have been authenticated and delivered under Article III of the Indenture; and

(4) any Bond deemed to have been paid as provided in subsection 12.1(B) of the Indenture.

"Paying Agent" means any paying agent for the Bonds appointed pursuant to subsection 9.1(B) of the Indenture (and may include the Trustee), and its successor or successors and any other corporation which may at any time be substituted in its place in accordance with the Indenture.

"Payment in Lieu of Taxes Agreement" means the Payment in Lieu of Taxes Agreement, dated September 13, 1985, between the Agency and the Lessee.

"Permitted Encumbrances" mean, as of any particular date, (i) liens for taxes not yet due and payable, (ii) this Agreement and the Indenture, (iii) utility, access and other easements and rights of way, that will not interfere with or impair the value or use of the Project as herein provided, (iv) any mechanic's, laborer's, materialman's, supplier's or vendor's lien or right in respect thereof if payment is not yet due and payable and for which statutory lien rights exist, (v) such minor defects, irregularities, easements, and, rights-of-way (including agreements with any railroad the purpose of which is to service the railroad siding) as normally exist with respect to property similar in character to the Project and which do not materially impair the value or use of the property affected thereby for the purpose for which it was acquired hereunder and (vi) any mortgage, lien, security interest or other encumbrance to which the Agency and the Trustee may consent as provided in Section 4.9 hereof.

"Pollution Control Equipment" means the equipment and pollution control facilities located at the Project Realty and financed, in part, with the proceeds of the Agency's Pollution Control Revenue Bonds (General Motors Corporation Project) in the estimated aggregate principal amount of $20,000,000.

"Principal and Interest Account" means the special trust account of the Debt Service Fund so designated, established pursuant to Section 5.3 of the Indenture.

"Project" includes the Project Realty and the Project Equipment, and means the renovation and expansion of a building, together with the acquisition and installation of machinery and equipment related thereto, all to be used as a paint shop in the manufacturing of automobiles.

"Project Costs" means all costs and expenses of the Project for which the Trustee is permitted to make payment as provided in subsection 5.2(B) of the Indenture.

"Project Equipment" means all personal property, goods, leasehold improvements, machinery, equipment, furnishings, furniture, fixtures, tools and attachments wherever located and

whether now owned or hereafter acquired, acquired in whole or in part with the proceeds of the Bonds, and any additions and accessions thereto, substitutions therefor and replacements thereof, including without limitation the Project Equipment described in the Description of Project Equipment included in the appendices hereto, as amended from time to time in accordance herewith but excluding for all purposes whatsoever the Pollution Control Equipment.

"Project Fund" means the special trust fund so designated, established pursuant to Section 5.2 of the Indenture.

"Project Realty" means the realty and the improvements to the realty financed in whole or in part from the proceeds of the Bonds together with all replacements, improvements, extensions, substitutions, restorations and additions to such improvements which are made pursuant hereto including, without limitation the Project Realty described in the Description of Project Realty included in the appendices hereto, as amended from time to time in accordance herewith.

"Redemption Price" means, when used with respect to a Bond or a portion thereof, the principal amount of such Bond or portion plus the applicable premium, if any, payable upon redemption thereof pursuant to the Indenture.

"State" means the State of New York.

"Supplemental Indenture" means any indenture supplemental to the Indenture or amendatory of the Indenture, adopted by the Agency in accordance with Article X of the Indenture.

"Term", when used with reference to this Agreement, means the term of this Agreement determined as provided in Article III hereof.

"Trustee" means The First National Bank of Chicago, Chicago, Illinois, and its successor or successors hereafter appointed in the manner provided in the Indenture.

"Use of Bond Proceeds Agreement" means the Use of Bond Proceeds Agreement, dated September 13, 1985, among the Agency, the Lessee and the Trustee, and any amendments and supplements thereto.

Section 1.2. Interpretation. In this Agreement:

(1) The terms "hereby", "hereof", "hereto", "herein", "hereunder" and any similar terms, as used in this Agreement, refer to this Agreement, and the term "hereafter" means

after, and the term "heretofore" means before, the date of this Agreement.

(2) Words of the masculine gender mean and include correlative words of the feminine and neuter genders and words importing the singular number mean and include the plural number and vice versa.

(3) Words importing persons include firms, associations, partnerships (including limited partnerships), trusts, corporations and other legal entities, including public bodies, as well as natural persons.

(4) Any headings preceding the texts of the several Articles and Sections of this Agreement, and any table of contents appended to copies hereof, shall be solely for convenience of reference and shall not constitute a part of this Agreement, nor shall they affect its meaning, construction or effect.

(5) Except for the cases described in Sections 3.7 (A) and 4.9(A) hereinbelow, all approvals, consents and acceptances required to be given or made by any person or party hereunder shall be at the sole discretion of the party whose approval, consent or acceptance is required.

(6) All notices to be given hereunder shall be given in writing within a reasonable time unless otherwise specifically provided.

(7) This Agreement shall be governed by and construed in accordance with the applicable laws of the State.

(8) If any provision of this Agreement shall be ruled invalid by any court of competent jurisdiction, the invalidity of such provision shall not affect any of the remaining provisions hereof.

ARTICLE II

REPRESENTATIONS AND WARRANTIES

Section 2.1. Representations by the Agency. The Agency represents and warrants that:

(1) It is a corporate governmental agency, constituting a public benefit corporation of the State of New York, duly organized and existing under the laws of the State including the Act. The Agency is authorized to issue the Bonds in accordance with the Act and to use the proceeds thereof to finance the Project.

(2) The Agency has complied with the provisions of the Act and has full power and authority pursuant to the Act to consummate all transactions contemplated by the Bonds, the Indenture and the Financing Documents.

(3) By resolution duly adopted by the Agency and still in full force and effect, the Agency has authorized the execution, delivery and due performance of the Bonds, the Indenture and the Financing Documents, and the taking of any and all action as may be required on the part of the Agency to carry out, give effect to and consummate the transactions contemplated by this Agreement, and all approvals necessary in connection with the foregoing have been received.

(4) The Bonds have been duly authorized, executed, authenticated, issued and delivered, constitute valid and binding special obligations of the Agency payable solely from revenues or other receipts, funds or moneys pledged therefor under the Indenture and from any amounts otherwise available under the Indenture, and are entitled to the benefit of the Indenture. Neither the State nor the Town of Mount Pleasant is obligated to pay the Bonds or the interest thereon. Neither the faith and credit nor the taxing power of the State nor the Town of Mount Pleasant is pledged for the payment of the principal, and premium, if any, of and interest on the Bonds.

(5) The execution and delivery of the Bonds, the Indenture and the Financing Documents and compliance with the provisions thereof, will not conflict with or constitute on the part of the Agency a violation of, breach of or default under its by-laws or any statute, indenture, mortgage, deed of trust, note agreement or other agreement or instrument to which the Agency is a party or by which the Agency is bound, or, to the knowledge of the Agency, any order, rule or regulation of any court or governmental agency or body having

jurisdiction over the Agency or any of its activities or properties, and all consents, approvals, authorizations and orders of governmental or regulatory authorities which are required for the consummation of the transactions contemplated thereby have been obtained.

(6) Subject to the provisions of this Agreement and the Indenture, the Agency will apply the proceeds of the Bonds to the purposes specified in the Indenture and the Financing Documents.

(7) There is no action, suit, proceeding or investigation at law or in equity before or by any court, public board or body pending or threatened against or affecting the Agency, or to the best knowledge of the Agency, any basis therefor, wherein an unfavorable decision, ruling or finding would adversely affect the transactions contemplated hereby or by the Indenture, or which, in any way, would adversely affect the validity of the Bonds, the Indenture or the Financing Documents, or any agreement or instrument to which the Agency is a party and which is used or contemplated for use in consummation of the transactions contemplated hereby and by the Indenture.

(8) It has not made any commitment or taken any action which will result in a valid claim for any finders or similar fees or commitments in respect of the transactions contemplated by this Agreement.

(9) The representations of the Agency set forth in the Agency Tax Certification delivered concurrently with the execution and delivery hereof are by this reference incorporated in this Agreement as though fully set forth herein.

Section 2.2. Representations by the Lessee. The Lessee represents and warrants that:

(1) The Lessee has been duly incorporated and validly exists as a corporation in good standing under the laws of the State of Delaware, is duly qualified to transact business as a corporation in good standing under the laws of the State and has the power to enter into and perform and has duly executed and delivered the Financing Documents.

(2) The Financing Documents constitute valid and legally binding obligations of the Lessee, enforceable in accordance with their respective terms.

(3) Neither the execution and delivery of the Financing Documents, the consummation of the transactions contemplated

thereby, nor the fulfillment by the Lessee of or compliance by the Lessee with the terms and conditions thereof is prevented or limited by or conflicts with or results in a material breach of, or material default under the terms, conditions or provisions of any contractual or other restriction on the Lessee, evidence of its indebtedness or agreement or instrument of whatever nature to which the Lessee is now a party or by which it is bound, or constitutes a material default under any of the foregoing. No event has occurred and no condition exists which, upon the execution and delivery of any Financing Documents, constitutes an Event of Default hereunder or an event of default thereunder or, but for the lapse of time or the giving of notice, would constitute an Event of Default hereunder or an event of default thereunder.

(4) There is no action or proceeding pending or, to the knowledge of the Lessee, threatened against the Lessee before any court, administrative agency or arbitration board that may materially and adversely affect the ability of the Lessee to perform its obligations under the Financing Documents and all authorizations, consents and approvals of governmental bodies or agencies required of the Lessee in connection with the execution and delivery of the Financing Documents and in connection with the performance of the Lessee's obligations hereunder or thereunder have been obtained.

(5) The execution, delivery and performance of the Financing Documents and any other instrument delivered by the Lessee pursuant to the terms hereof or thereof are within the corporate powers of the Lessee and are not in contravention of law or of the Lessee's certificate of incorporation or by-laws, as amended to date, or of any undertaking or agreement to which the Lessee is a party or by which it is bound.

(6) The Lessee represents that it has not made any commitment or taken any action which will result in a valid claim for any finders' or similar fees or commitments in respect of the transactions described in this Agreement.

(7) The Project is of a character included within the definition of a "project" in the Act, and its estimated cost is equal to or in excess of $175,000,000. The Lessee intends the Project to be and continue to be an authorized project under the Act during the Term of this Agreement.

(8) All amounts shown in Schedule A of the Use of Bond Proceeds Agreement are eligible costs of a project financed by bonds issued by the Agency under the Act, and may be financed by amounts in the Project Fund under the Indenture.

None of the proceeds of the Bonds will be used directly or indirectly as working capital or to finance inventory.

(9) The Project is in compliance with all applicable federal, State and local laws and ordinances (including rules and regulations) relating to zoning, building, safety and environmental quality. The Lessee intends to proceed with due diligence to complete the Project pursuant to Section 4.1 hereof.

(10) The availability of financial assistance from the Agency as provided herein and in the Indenture has induced the Lessee to locate the Project in the State. The Lessee does not intend to sublease the project.

(11) The Lessee will not take or omit to take any action which action or omission will in any way cause the proceeds of the Bonds to be applied in a manner contrary to that provided in the Indenture and the Financing Documents as in force from time to time.

(12) The Lessee has, for one dollar and other good and valuable consideration, arranged the conveyance by deed to the Agency of, and the Agency has, good and marketable title in fee simple to the Project Realty, subject only to Permitted Encumbrances, sufficient for the purposes of this Agreement.

(13) The Lessee has, for one dollar and other good and valuable consideration, arranged the conveyance by bill of sale to the Agency of, and the Agency has, good and merchantable title to the Project Equipment owned by the Lessee as of the date hereof, free and clear of liens and encumbrances except Permitted Encumbrances.

(14) The completion of the Project will not result in the removal of an industrial, manufacturing, warehousing or commercial plant or facility of the Lessee from one area of the State to another area of the State or in the abandonment of one or more of the plants or facilities of the Lessee within the State.

ARTICLE III

THE LEASE

Section 3.1. Lease Clauses. (A) Subject to the conditions and in accordance with the terms of this Agreement, the Agency agrees to finance the Project through the issuance of the Initial Bonds and the Lessee agrees to undertake and complete the Project on behalf of the Agency in the manner provided in this Article and in Article IV hereof. The Agency shall deposit the proceeds of the Initial Bonds and any Additional Bonds into the Project Fund and such proceeds shall be held, invested and disbursed at the direction of the Lessee on the terms and conditions set forth in the Indenture.

(B) The Agency agrees to lease the Project to the Lessee and the Lessee agrees to lease the Project from the Agency for and during the Term hereinafter provided and upon and subject to the terms and conditions hereinafter set forth. The Lessee intends during the Term of this Agreement to use and occupy the Project for the purposes stated in the preambles hereto, but neither any sublease of the Project nor the failure to use and occupy the Project as aforesaid shall abate or reduce the amount payable by the Lessee to the Agency under the provisions of this Agreement. This Agreement shall be deemed and construed to be a "net agreement", and the Lessee shall pay absolutely net during the Term hereof all payments required hereunder, free of any deductions, and without abatement, deduction or setoff, other than those herein expressly provided. The Agency shall not take any action, other than as provided in Article VIII hereof, to prevent the Lessee from having quiet and peaceable possession and enjoyment of the Project during the Term and will, at the request of the Lessee and at the Lessee's cost, cooperate with the Lessee in order to assure such possession and enjoyment.

(C) On or before each due date for the payment of the principal of or interest on the Bonds, until the principal or Redemption Price, if any, of and interest on the Bonds shall have been fully paid or provision for the payment thereof shall have been made in accordance with the Indenture, the Lessee shall make rental payments to the Trustee for the account of the Agency in an amount which, when added to any moneys then on deposit in the Debt Service Fund and available therefor, shall be equal to the amount payable on such due date with respect to the Bonds as provided in Section 5.3 of the Indenture, including amounts due for the payment of the principal of and interest on the Bonds. In addition, the Lessee shall pay to the Trustee, as and when the same shall become due; all other amounts due under the Financing Documents. The Lessee shall have the option to prepay its rental

obligation in whole or in part at the times and in the manner provided in Article VIII hereof.

(D) Anything herein to the contrary notwithstanding, any amount at any time held in the Principal and Interest Account of the Debt Service Fund by the Trustee pursuant to this Section shall be credited against the next succeeding rental payment obligation of the Lessee as provided in subsection 3.1(C) hereof. If, on any due date for payments with respect to the Bonds, the balance in the Debt Service Fund is insufficient to make such payments, the Lessee agrees forthwith to pay the amount of the deficiency. If at any time the amount held by the Trustee in the Debt Service Fund shall be sufficient to pay or provide for the payment of the Bonds in accordance with Section 12.1 of the Indenture, the Lessee shall not be obligated to make any further payments under the foregoing provisions.

Section 3.2. Other Amounts Payable. (A) The Lessee hereby further expressly agrees to pay to the Trustee as and when the same shall become due, (i) an amount equal to the initial and annual fees of the Trustee for the ordinary services of the Trustee rendered and its ordinary expenses incurred under the Indenture, including fees and expenses as registrar and in connection with preparation of new Bonds upon exchanges or transfers, (ii) the reasonable fees and charges of the Trustee and any Paying Agents on the Bonds for acting as paying agents as provided in the Indenture, and (iii) the reasonable fees and charges of the Trustee for extraordinary services rendered by it and extraordinary expenses incurred by it under the Indenture, including reasonable counsel fees.

(B) The Lessee also agrees to pay all amounts payable by it under the Financing Documents at the time and in the manner therein provided.

Section 3.3. Manner of Payment. The payments provided for in Section 3.1 hereof shall be made by any reasonable method providing immediately available funds at the time and place of payment directly to the Trustee for the account of the Agency and shall be deposited in the Debt Service Fund. The additional payments provided for in Section 3.2 shall be made in the same manner directly to the entitled party or to the Trustee for its own use or disbursement or to the Paying Agents, as the case may be.

Section 3.4 Obligation Unconditional. The obligations of the Lessee under the Financing Documents shall be absolute and unconditional, irrespective of any defense or any rights of setoff, recoupment or counterclaim it might otherwise have against the Agency or the Trustee. The Lessee will not suspend or discontinue any such payment or terminate this Agreement

(other than in the manner provided for hereunder) for any cause, including, without limiting the generality of the foregoing, any acts or circumstances that may constitute failure of consideration, failure of title, or commercial frustration of purpose, or any damage to or destruction of the Project, or the taking by eminent domain of title to or the right of temporary use of all or any part of the Project, or any change in the tax or other laws of the United States, the State or any political subdivision of either thereof, or any failure of the Agency or the Trustee to perform and observe any agreement or covenant, whether expressed or implied, or any duty, liability or obligation arising out of or connected with the Financing Documents.

Section 3.5. Security Clauses. (A) The Agency hereby notifies the Lessee and the Lessee acknowledges that, among other things, the Lessee's rental payments and all of the Agency's right, title and interest under the Financing Documents to which it is a party (except its rights under Sections 6.2 hereof) are being concurrently with the execution and delivery hereof endorsed, pledged and assigned without recourse by the Agency to the Trustee as security for the Bonds as provided in the Indenture.

(B) In connection with the transactions contemplated by the Financing Documents, the Lessee has caused the conveyance to the Agency of title to the Project. The Agency covenants and agrees not to sell, convey, mortgage, encumber or otherwise dispose of its interest in the Project except as permitted hereby.

(C) The Agency will, at the request of the Lessee, grant such rights of way or easements over, across, or under, the Project Realty, or grant such permits or licenses in respect to the use thereof, free from the interest of the Agency, as shall be necessary or convenient for the operation or use of the Project, including but not limited to leases, easements or rights of way for utility, roadway, railroad or similar purposes in connection with the Project, or for the utilization of the real property adjacent to or near the Project and owned by or leased to the Lessee, but only if such leases, rights of way, easements, permits, or licenses shall not materially and adversely affect the operation of the Project. The Agency agrees to execute and deliver and to cause and direct the Trustee to execute and deliver any and all instruments necessary or appropriate to confirm and grant any such right of way or easement or any such permit or license and to release the same from the lien of its interest hereunder. No release or conveyance effected under the provisions of this subsection shall entitle the Lessee to any abatement or diminution of the amounts payable hereunder.

Section 3.6. Issuance of Initial Bonds. The Agency has concurrently with the execution and delivery hereof sold and delivered the Initial Bonds under and pursuant to a resolution adopted by the Agency on September 12, 1985, authorizing their issuance under and pursuant to the Indenture. The proceeds of sale of the Initial Bonds shall be applied as provided in Articles IV and V of the Indenture.

Section 3.7. Issuance of Additional Bonds. (A) If the Lessee is not in default hereunder or under the Financing Documents, the Agency may, on written request of an Authorized Representative of the Lessee which shall not be unreasonably denied, from time to time, issue Additional Bonds on a parity with the Initial Bonds in aggregate amounts as requested by the Lessee, but only for the purposes and upon the terms and conditions stated herein, in the Indenture and in the Act. Additional Bonds shall be issued only for one or more of the following purposes: (1) to pay the cost of completing the Project (including payment of costs referred to in Section 4.2 hereof); (2) to pay the additional costs, in excess of Net Proceeds of insurance or condemnation awards, to repair, relocate, rebuild or restore the Project Realty or Project Equipment following damage, destruction or taking by condemnation of all or a part thereof; (3) to pay the costs of making at any time or from time to time such additions, extensions or other improvements to the Project Realty or Project Equipment, as the Lessee deems necessary or desirable; or (4) to refund Outstanding Bonds. Any such completion, restoration, additions, extensions or improvements shall become a part of the Project Realty and Project Equipment. In each case, the costs of the issuance and sale of the Additional Bonds and capitalized interest for such period and other costs reasonably related to the financing as shall be agreed upon by the Lessee and the Agency may be included in the cost thereof.

(B) No Additional Bonds shall be issued unless (1) the terms of such Additional Bonds, the purchase price to be paid therefor and the manner in which the proceeds therefrom are to be disbursed shall have been approved in writing by the Lessee and the Agency, (2) the Lessee and the Agency shall have entered into a supplement to the Financing Documents reaffirming the representations and covenants of the Agency and the Lessee therein contained, describing the completion, restoration, additions, extensions, improvements or facilities to be acquired and constructed or performed and making provisions for the conveyance, transfer and securing of such real property or interests therein as may be necessary or required therefor, and adjusting the aggregate amount payable hereunder to an amount sufficient to pay, as and when the same matures and becomes due, the principal or Redemption Price, if any, of and interest on such Additional Bonds and other amounts due under the Financing

Documents, and (3) the Agency and the Trustee shall have entered into a Supplemental Indenture authorizing the issuance of such Additional Bonds and setting forth the terms thereof and describing or otherwise identifying any real or personal property to be secured by the Indenture in connection with the issuance of such Additional Bonds, and the Agency shall have otherwise complied with the provisions of the Indenture and the Act with respect to the issuance of such Additional Bonds.

Section 3.8. Effective Date and Term. (A) This Agreement shall become effective upon its execution and delivery by the parties hereto, shall remain in full force from such date and, subject to the provisions hereof (including particularly Articles VII and VIII), shall expire on such date as the Indenture shall be discharged and satisfied in accordance with the provisions of subsection 12.1(A) thereof. The Lessee's obligations under Sections 6.2 hereof, however, and all of its payment and performance obligations with respect to the Project hereunder and under the Financing Documents shall survive the expiration of this Agreement.

(B) Upon such expiration or earlier termination the Lessee shall have the option to purchase the Project for the purchase price of one dollar. To secure such undertaking of the Agency and to evidence the unsecured nature of the Lessee's obligations hereunder, the Agency has executed and delivered to the Trustee a deed to the Project in form and substance equivalent to the deed to the Project received by the Agency from the Lessee. The Trustee, in the Indenture, has agreed to deliver the deed to the Lessee in order that the Lessee or its agent might record such deed upon the written direction of an Authorized Representative of the Lessee accompanied by a certificate of the Agency that the Term hereof has expired. Such reacquisition by the Lessee shall not abate or reduce amounts due the Agency hereunder and under the other Financing Documents. Upon any such purchase the Agency shall deliver to the Lessee any documents and take or cause the Trustee to take such actions as may be necessary to effect the cancellation of the Lessee's rental obligation, effect the cancellation, release and satisfaction of the Financing Documents and evidence the termination of this Agreement. If so requested, the Agency shall execute and deliver an updated deed to the Project to the Lessee. The Agency shall convey title to the Project as the Project then exists, subject to the following: (i) any Permitted Encumbrances to which title to the Project was subject when conveyed to the Agency; (ii) any liens, easements and encumbrances created at the request of the Lessee or to the creation or suffering of which the Lessee consented; (iii) any liens and encumbrances resulting from the failure of the Lessee to perform or observe any of the agreements on its part contained in this Agreement; and (iv) any liens for taxes or assessments not then delinquent. The Agency

and the Trustee shall also deliver to the Lessee any and all documents releasing and conveying to the Lessee all of their rights and interests in and to any rights of action, or any insurance proceeds or condemnation award, with respect to the Project.

ARTICLE IV

THE PROJECT

Section 4.1. Completion of the Project. (A) The Lessee agrees that it will, on behalf of the Agency, undertake and complete the Project for the purposes and in the manner intended hereby and by the Lessee's application for assistance to the Agency and in accordance with the plans and specifications therefor which have been prepared by or on behalf of the Lessee and placed on file in the principal office of the Trustee, and that it will cause such improvements to be made to the Project Realty as are necessary for the operation thereof in the manner herein provided.

(B) The Lessee affirms that it shall bear all of the reasonable costs and expenses in connection with the preparation of the Financing Documents and the Indenture, the preparation and delivery of any legal instruments and documents necessary in connection therewith and their filing and recording, if required, and all taxes and charges payable in connection with any of the foregoing. Such costs and all other costs of the Project shall be paid from the Project Fund or at the discretion of the Lessee in the manner and to the extent provided in the Indenture.

(C) The Agency hereby confirms and restates that the Lessee is the Agency's sole and exclusive agent respecting the acquisition and the construction of the Project. The Lessee hereby agrees that in order to effectuate the purposes of the Financing Documents, it will make, execute, acknowledge and deliver any contracts, orders, receipts, writings and instructions with any other persons, firms or corporations and in general do all things which may be requisite or proper, all for the purpose of carrying out and completing the Project. So long as the Lessee is not in default under any of the provisions of this Agreement, the Lessee shall have full power to carry out the acts and agreements provided in this Section and such power is granted and conferred solely, exclusively and irrevocably by the Agency to the Lessee, and is accepted by the Lessee, and shall not be terminated by act of the Agency or of the Lessee. The Lessee shall complete the Project with all reasonable dispatch. If for any reason the completion of such work does not occur within this period, there shall be no liability on the part of the Agency and no diminution in or postponement of the payments required in Section 3.1 hereof to be paid by the Lessee.

(D) The Lessee shall obtain all necessary approvals from any and all governmental agencies requisite to the completion of the Project and in compliance with all State and local laws, ordinances and regulations applicable thereto. Upon

completion of the Project, the Lessee shall obtain all required permits and authorizations from appropriate authorities, if any be required, authorizing the operation and uses of the Project for the purposes contemplated hereby.

(E) The Lessee covenants that it will take such action and institute such proceedings as shall be necessary to cause and require all contractors and material suppliers to complete their contracts diligently in accordance with the terms of the contracts, including, without limitation, the correcting of any defective work.

(F) In the event of default by any contractor or subcontractor or supplier under any contract made by it in connection with the Project, the Lessee will promptly proceed, to the extent it deems appropriate in the circumstances, either separately or in conjunction with others, to exhaust the remedies of the Lessee against the contractor or subcontractor or supplier so in default.

(G) The Lessee may, in its own name or, with the consent of the Agency, in the name of the Agency, prosecute or defend any action or proceeding or take other action involving any such contractor, subcontractor, supplier or surety which the Lessee deems reasonably necessary, and in such event the Agency hereby agrees to cooperate fully with the Lessee and to take all action necessary to effect the substitution of the Lessee for the Agency in any such action or proceeding. Any amount recovered by way of damages, refunds, adjustments or otherwise in connection with the foregoing shall be paid into the Project Fund or to the Lessee, as the Lessee shall direct.

(H) If any lien shall be filed against the interest of the Agency, the Lessee, or the Trustee in the Project or asserted against any amount payable hereunder, by reason of work, labor, services or materials supplied or claimed to have been supplied on or to the Project at the request or with the permission of the Lessee, or anyone claiming under the Lessee, the Lessee shall, within thirty days after receipt of notice of the filing thereof or the assertion thereof against such amounts, cause the same to be discharged of record, or effectively prevent the enforcement or foreclosure thereof against the Project or such amounts, by contest, payment, deposit, bond, order of court or otherwise. Nothing contained in this Agreement shall be construed as constituting the express or implied consent to or permission of the Agency for the performance of any labor or services or the furnishing of any materials that would give rise to any such lien against the Agency's interest in the Project.

Section 4.2. Payment of Additional Project Costs by Lessee. In the event that moneys in the Project Fund are not

sufficient to pay the costs of the Project in full, the Lessee shall nonetheless complete the Project and shall pay that portion of the costs of the Project as may be in excess of the moneys available therefor in the Project Fund and shall not be entitled to any reimbursement therefor from the Agency or from the Trustee or from the owners of any of the Bonds, except from the proceeds of any Additional Bonds which may be issued for such purpose, nor shall it be entitled to any diminution of the amounts payable under the Financing Documents.

Section 4.3. Completion Certificate. The date of completion of the Project shall be evidenced to the Trustee by the certificate of an Authorized Representative of the Lessee stating that the Project has been completed in accordance with the Agreement and in accordance with the plans and specifications therefor. Notwithstanding the foregoing, such certificate shall state (1) that it is given without prejudice to any rights of the Lessee against third parties which exist at the date of such certificate or which may subsequently come into being, (2) that it is given only for the purposes of this Section and (3) that no person other than the Trustee or the Agency may benefit therefrom.

Section 4.4. No Warranty Regarding Condition, Suitability or Cost of Project. Neither the Agency, nor the Trustee, nor any Bondholder makes any warranty, either expressed or implied, as to the Project or its condition or that it will be suitable for the Lessee's purposes or needs, or that the insurance required hereunder will be adequate to protect the Lessee's business or interest, or that the proceeds of the Bonds will be sufficient to pay the costs of the Project.

Section 4.5. Taxes. (A) The Lessee will pay when due all (1) special assessments, ad valorem levies, water rates and sewer use or rental charges, and (2) payments in lieu of taxes required by the Payment in Lieu of Taxes Agreement.

(B) The Lessee shall be required to make payments in lieu of taxes and assessments pursuant to the Payment in Lieu of Taxes Agreement.

Section 4.6. Insurance. (A) The Lessee shall insure the Project Realty and the Project Equipment against loss or damage by fire, flood, lightning, windstorm, vandalism and malicious mischief and other hazards, casualties, contingencies and extended coverage risks in such amounts and in such manner as is customary with companies in the same or similar business, and shall pay when due the premiums thereon. Any such property insurance shall be written or endorsed to make any proceeds payable to the Lessee, the Agency and the Trustee as their respective interests may appear. In the event of loss or damage

to the Project Realty or Project Equipment the Net Proceeds of any insurance provided under this subsection shall be applied by the Lessee to repair or replace the Project Realty or the Project Equipment or shall be deposited in the Redemption Account. Any excess proceeds of insurance remaining after application as required by this Section shall be paid to the Lessee.

(B) The Lessee further agrees that it will at all times carry public liability insurance with respect to the Project Realty and Project Equipment in the minimum amount of $5,000,000. Any such policy of public liability insurance may contain provisions for a deductible amount not in excess of ten percent of the amount of the coverage thereunder. In the event of a public liability occurrence, the Net Proceeds of the insurance provided under this subsection shall be applied to satisfy or extinguish the liability.

(C) As an alternative to the hazard insurance and public liability insurance requirements of subsections (A) or (B) above the Lessee may self-insure against hazard or public liability risks if self-insurance is the Lessee's customary method of insuring against such risks in similar circumstances. Amounts available under any such self-insurance arrangement upon the occurrence of an insured event shall be applied in the same manner as the Net Proceeds of any insurance maintained pursuant to such subsections would have been applied.

(D) The insurance coverage required by this Section may be effected under overall blanket or excess coverage policies of the Lessee or any affiliate and may be carried with any insurer other than an unauthorized insurer under applicable State law.

Section 4.7. Compliance with Law. The Lessee will observe and comply with all laws, regulations, ordinances, rules, and orders (including without limitation those relating to zoning, land use, environmental protection, air, water and land pollution, wetlands, health, equal opportunity, minimum wages, worker's compensation and employment practices) of any federal, state, municipal or other governmental authority relating to the Project Realty and the Project Equipment except during any period during which the Lessee at its expense and in its name shall be in good faith contesting its obligation to comply therewith.

Section 4.8. Maintenance and Repair. At its own expense, the Lessee will keep and maintain the Project Realty and the Project Equipment in good condition, working order and repair, will not commit or suffer any waste thereof, and will make all repairs and replacements thereto which it may consider appropriate in connection therewith.

Section 4.9. Disposition of Project Realty by Lessee. (A) The Lessee shall not sell, assign, encumber (other than Permitted Encumbrances), convey or otherwise dispose of its interest in the Project Realty or any part thereof during the Term without the prior written consent of the Agency, except as permitted hereby, such consent not to be unreasonably withheld.

(B) In the event the Agency consents to any disposition of the Lessee's interest in the Project Realty, the proceeds of the disposition shall be deposited in the Redemption Account of the Debt Service Fund for the redemption of Bonds under the Indenture. No conveyance or release effected under the provisions of this Section shall entitle the Lessee to any abatement or diminution of the amounts payable hereunder or with respect to the Bonds or relieve the Lessee of the obligation to perform all of its covenants and agreements under the Financing Documents.

Section 4.10. Leasing of the Project Realty and the Project Equipment (A) The Lessee may sublease the Project Realty or the Project Equipment to any person during the Term of this Agreement so long as, in the opinion of counsel satisfactory to the Agency and the Lessee, the Project will continue to constitute a "Project" within the meaning of the Act upon prior written notice to the Agency and the Trustee. No sub-lease shall relieve the Lessee from primary liability for any of its obligations hereunder, and in the event of any such sublease the Lessee shall continue to remain primarily liable for payment of the applicable amounts specified in Article III hereof and for performance and observance of the other agreements on its part herein provided to be performed and observed by it to the same extent as though no sublease had been made.

Section 4.11. Project Equipment. (A) The Lessee shall have the right to install, operate, use and dispose of the Project Equipment in the normal and ordinary course of its business operations, and shall not be required to replace any item of Project Equipment deemed unnecessary or obsolete by the Lessee.

(B) The Lessee shall maintain with the Trustee a reasonably detailed description of each item of property constituting the Project Equipment. Without limiting the foregoing, the Project Equipment list appended hereto at the date of execution and delivery of this Agreement shall be modified to the extent required by this Section in connection with any disbursement for Project Equipment from the Project Fund and any replacement of items of Project Equipment under this Section or under Section 5.2 hereof.

ARTICLE V

CONDEMNATION,
DAMAGE AND DESTRUCTION

Section 5.1. No Abatement of Payments Hereunder. If the Project Realty or the Project Equipment shall be damaged or either partially or totally destroyed, or if title to or the temporary use of the whole or any part thereof shall be taken or condemned by a competent authority for any public use or purpose, there shall be no abatement or reduction in the amounts payable by the Lessee hereunder and the Lessee shall continue to be obligated to make such payments. In any such case the Lessee shall promptly give written notice thereof to the Agency and the Trustee.

Section 5.2. Project Disposition Upon Condemnation, Damage or Destruction. In the event of any such condemnation, damage or destruction the Lessee at its option shall:

(1) At its own cost, repair, restore or reconstruct the Project Realty and the Project Equipment to substantially its condition immediately prior to such event or to a condition of at least equivalent value, regardless of whether or not the proceeds of any and all policies of insurance covering such damage or destruction, or the amount of the award or compensation or damages recovered on account of such taking or condemnation, shall be available or sufficient to pay the cost thereof;

(2) At its own cost, replace or relocate the Project Realty and the Project Equipment at its site in such fashion as to render the replacement or relocated structures, improvements and items, machinery, equipment or other property of equivalent value to the Project Realty and the Project Equipment immediately prior to such event; or

(3) If and as permitted by Section 8.1 hereof, exercise its option to prepay its rental obligation in whole or in part and, if in full, purchase the Project.

Section 5.3. Application of Net Proceeds of Insurance or Condemnation. (A) The Net Proceeds from any insurance or condemnation award with respect to the Project Realty or the Project Equipment shall be either (1) applied by the Lessee to pay for the cost of making such repairs, restorations, reconstructions, replacements or relocations, or to reimburse the Lessee therefor from time to time as provided in the Indenture or (2) if the Lessee elects prepayment of the rental obligation, such proceeds shall be deposited in the Debt Service Fund and

applied to the payment or redemption of the Bonds, with credit given against the rental obligation in the amount so applied.

(B) Notwithstanding the provisions of subsection (A) of this Section, any insurance or condemnation proceeds attributable to improvements, machinery, equipment and other property installed in or about the Project Realty and the Project Equipment, but which do not constitute a portion of the Project Realty and the Project Equipment, shall be paid directly to the Lessee. The Trustee and the Agency agree to execute such documents as may be reasonably necessary to accomplish the purposes of this subsection.

(C) The Lessee shall advise the Trustee and the Agency in all matters pertaining to the settlement or adjustment of any and all claims and demands for damages on account of any taking or condemnation of the Project Realty or the Project Equipment or pertaining to the settlement, compromising or arbitration of any claim on account of any damage or destruction thereof.

ARTICLE VI

COVENANTS

Section 6.1. Service of Process. The Lessee covenants and agrees that during the Term of this Agreement it will continue to be a corporation either organized under the laws of or duly qualified to do business as a foreign corporation in the State and in all jurisdictions necessary in the operation of its business.

Section 6.2. Indemnification, Payment of Expenses, and Advances. (A) The Lessee agrees to protect, defend and hold harmless the Trustee, the Paying Agent, the Agency, members, servants, agents, officers and employes of the Trustee, the Paying Agent and the Agency (each an "Indemnified Party") from any claim, demand, suit, action or other proceeding whatsoever by any person or entity whatsoever, arising or purportedly arising from or in connection with the Financing Documents, the Indenture, the Bonds, or the transactions contemplated thereby or actions taken thereunder by any person, except for any bad faith, willful misconduct or gross negligence on the part of the Indemnified Party.

(B) The Agency and the Trustee shall not be liable for any damage or injury to the persons or property of the Lessee or its members, officers, agents, servants or employes, or any other person who may be about the Project Realty and the Project Equipment due to any act or omission of any person other than the Agency or the Trustee or their respective members, officers, agents, servants and employes.

(C) All covenants, stipulations, promises, agreements and obligations of the Agency contained herein shall be deemed to be the covenants, stipulations, promises, agreements and obligations of the Agency and not of any member, officer or employe of the Agency in its individual capacity, and no recourse shall be had for the payment of the Bonds or for any claim based thereon or hereunder against any member, officer or employe of the Agency or any natural person executing the Bonds.

(D) In case any action shall be brought against one or more of the Indemnified Parties based upon any of the above and in respect of which indemnity may be sought against the Lessee, such Indemnified Party shall promptly notify the Lessee in writing, enclosing a copy of all papers served, but the omission so to notify the Lessee of any such action shall not relieve it of any liability which it may have to any Indemnified Party otherwise than under this Section 6.2. In case any such action shall be brought against any Indemnified Party and it shall

notify the Lessee of the commencement thereof, the Lessee shall be entitled to participate in and, to the extent that it shall wish, to assume the defense thereof, and after notice from the Lessee to such Indemnified Party of the Lessee's election so to assume the defense thereof, the Lessee shall not be liable to such Indemnified Party for any legal or other expenses, other than reasonable costs of investigation subsequently incurred by such Indemnified Party with the prior written consent of the Lessee. The Indemnified Party shall have the right to employ its own counsel in any such action, but the fees and expenses of such counsel shall be at the expense of such Indemnified Party unless (i) the employment of counsel by such Indemnified Party has been authorized by the Lessee or (ii) the Indemnified Party shall have reasonably concluded that there may be a conflict of interest between the Lessee and the Indemnified Party in the conduct of the defense of such action (in which case the Lessee shall not have the right to direct the defense of such action on behalf of the Indemnified Party).

(E) The Lessee also agrees to pay all reasonable and necessary out-of-pocket expenses of the Agency in connection with the issuance of the Bonds, the administration of the Financing Documents and the enforcement of its rights thereunder.

(F) Any obligation of the Lessee to the Agency under this Section shall be separate from and independent of the other obligations of the Lessee hereunder, and may be enforced directly by the Agency or the Trustee against the Lessee irrespective of any action taken by or on behalf of the Bondholders.

(G) The obligations of the Lessee under this section, notwithstanding any other provisions contained in the Financing Documents, shall survive the termination of this Agreement, and for the enforcement thereof the Agency shall have recourse to the general credit of the Lessee.

Section 6.3. Incorporation of Use of Bond Proceeds Agreement. The representations, warranties, covenants and statements of expectation of the Lessee set forth in the Use of Bond Proceeds Agreement are by this reference incorporated in this Agreement as though fully set forth herein.

Section 6.4. Further Assurances and Corrective Instruments. The Agency and the Lessee agree that they will, from time to time, execute, acknowledge and deliver, or cause to be executed, acknowledged and delivered, such supplements hereto and such further instruments as may reasonably be required for correcting any inadequate or incorrect description of the Project Realty or Project Equipment or for carrying out the intention of or facilitating the performance of this Agreement.

Section 6.5. Covenant by Lessee as to Compliance with Indenture. The Lessee covenants and agrees that it will comply with the provisions of the Indenture with respect to the Lessee and that the Trustee and the Bondholders shall have the power and authority provided in the Indenture. The Lessee further agrees to aid in the furnishing to the Agency or the Trustee of opinions that may be required under the Indenture.

Section 6.6. Assignment of Financing Documents. The Agency agrees that it will not assign or transfer any of the Financing Documents or the revenues and other receipts, funds and moneys to be received thereunder during the Term except to the Trustee as provided in this Agreement and the Indenture.

Section 6.7. Inspection. The Agency, Trustee and their duly authorized agents shall have the right after reasonable notice to the Lessee at all reasonable times to enter upon and to examine and inspect the Project Realty and the Project Equipment. The Agency and the Trustee shall also be permitted, at all reasonable times, and after reasonable notice, to examine the books and records of the Lessee with respect to costs and expenses incurred in the construction or acquisition of the Project Realty and the Project Equipment.

Section 6.8. Default Notification. Upon becoming aware of any condition or event which constitutes, or with the giving of notice or the passage of time would constitute, an Event of Default, the Lessee immediately shall deliver to the Agency and the Trustee a notice stating the existence and nature thereof and specifying the corrective steps the Lessee is taking with respect thereto.

Section 6.9. Covenant Against Discrimination. The Lessee in the performance of this Agreement will not discriminate or permit discrimination against any person or group of persons on the grounds of race, color, religion, national origin, age, sex, marital status, physical handicap, political beliefs, mental retardation or history of mental disorder in any manner prohibited by the laws of the United States or of the State.

ARTICLE VII

EVENTS OF DEFAULT AND REMEDIES

Section 7.1. Events of Default. Any one or more of the following shall constitute an "Event of Default" hereunder:

(1) Any representation or warranty made by the Lessee in the Financing Documents or any certificate, statement, data or information furnished by the Lessee in connection therewith or included by the Lessee in its application to the Agency for assistance proves at any time to have been incorrect when made in any material respect.

(2) Failure by the Lessee to pay any amount that has become due and payable with respect to the Bonds pursuant to the Financing Documents.

(3) The occurrence of an "Event of Default" under the Indenture.

(4) Failure by the Lessee to observe or perform any covenant, condition or agreement hereunder or under the Financing Documents (except those referred to above) and (a) continuance of such failure for a period of sixty days after receipt by the Lessee of written notice specifying the nature of such failure or (b) if by reason of the nature of such failure the same cannot be remedied within the sixty day period, the Lessee fails to proceed with reasonable diligence after receipt of the notice to cure the failure.

Section 7.2. Remedies on Default. (A) Whenever any Event of Default shall have occurred, the Trustee, or the Agency where so provided herein, may take any one or more of the following actions:

(1) The Trustee, as and to the extent provided in Article VIII of the Indenture, may cause all amounts payable under the Financing Documents to be immediately due and payable upon notice as provided therein, whereupon the same shall become immediately due and payable.

(2) The Agency, without the consent of the Trustee or any Bondholder, may proceed to enforce the obligations of the Lessee to the Agency under Section 6.2 of this Agreement.

(3) The Agency, with the prior written consent of the Trustee, may by written notice to the Lessee terminate this Agreement;

(4) The Trustee may take whatever action at law or in equity it may have to collect the amounts then due and thereafter to become due, or to enforce the performance or observance of the obligations, agreements, and covenants of the Lessee under the Financing Documents.

(B) In the event that any Event of Default or any proceeding taken by the Agency (or by the Trustee on behalf of the Agency) thereon shall be waived or determined adversely to the Agency, then the Event of Default shall be annulled and the Agency and the Lessee shall be restored to their former rights hereunder, but no such waiver or determination shall extend to any subsequent or other default or impair any right consequent thereon.

Section 7.3. Remedies Cumulative. No remedy herein conferred upon or reserved to the Agency or the Trustee is intended to be exclusive of any other available remedy or remedies but each and every such remedy shall be cumulative and shall be in addition to every remedy given under this Agreement or now or hereafter existing at law or in equity or by statute. Delay or omission to exercise any right or power accruing upon any default or failure by the Agency to insist upon the strict performance of any of the covenants and agreements herein set forth or to exercise any rights or remedies upon default by the Lessee hereunder shall not impair any such right or power or be considered or taken as a waiver or relinquishment for the future of the right to insist upon and to enforce, by injunction or other appropriate legal or equitable remedy, strict compliance by the Lessee with all of the covenants and conditions hereof, or of the right to exercise any such rights or remedies, if such default by the Lessee be continued or repeated.

ARTICLE VIII

PREPAYMENT PROVISIONS

Section 8.1. Optional Prepayment. The Lessee shall have, and is hereby granted, the option to prepay its rental obligation as a whole or in part at any time by delivering a written notice to the Trustee in accordance with the Indenture, with a copy to the Agency, setting forth the amount to be prepaid, the amount of Bonds requested to be redeemed with the proceeds of such payment, and the date during the term of this Agreement on which such Bonds are to be redeemed. Such prepayment must be sufficient to provide moneys for the payment of interest and Redemption Price in accordance with the terms of the Bonds requested to be redeemed with such prepayment and all other amounts then due under the Financing Documents. In the event of any complete prepayment of its rental obligation, the Lessee shall, at the time of such prepayment, also pay or provide for the payment of all reasonable and necessary fees and expenses of the Agency, Trustee and Paying Agent accrued and to accrue through the final payment of all the Bonds. Any such prepayments shall be applied to the redemption of Bonds in the manner provided in Section 6.2 of the Indenture, and credited against payments due hereunder in the same manner.

Section 8.2. Notice of Prepayment. To exercise any options granted in this Article, or to consummate the acceleration of the rental payments as set forth in this Article, the written notice to the Trustee shall be signed by an Authorized Representative of the Lessee and shall specify therein the date of prepayment, which date shall be not less than fifteen days nor more than sixty days from the date the notice is mailed. A duplicate copy of any written notice hereunder shall also be filed with the Agency.

ARTICLE IX

GENERAL

Section 9.1. Indenture. (A) Moneys received from the sale of the Bonds and all rental payments made by the Lessee and all other moneys received by the Agency or the Trustee under the Financing Documents shall be applied solely and exclusively in the manner and for the purposes expressed and specified in the Indenture and in the Bonds and as provided in this Agreement.

(B) The Lessee shall have and may exercise all the rights, powers and authority given the Lessee in the Indenture and in the Bonds, and the Indenture and the Bonds shall not be modified, altered or amended in any manner which adversely affects such rights, powers and authority or otherwise adversely affects the Lessee without the prior written consent of the Lessee.

Section 9.2. Benefit of and Enforcement by Bondholders. The Agency and the Lessee agree that this Agreement is executed in part to induce the purchase by others of the Bonds and for the further securing of the Bonds, and accordingly that all covenants and agreements on the part of the Agency and the Lessee as to the amounts payable with respect to the Bonds hereunder are hereby declared to be for the benefit of the owners from time to time of the Bonds and may be enforced as provided in the Indenture on behalf of the Bondholders by the Trustee.

Section 9.3. Force Majeure. In case by reason of force majeure either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement, then except as otherwise expressly provided in this Agreement, if such party shall give notice and full particulars of such force majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied on, the obligations of the party giving such notice, other than the obligation of the Lessee to make the payments required under the terms hereof so far as they are effected by such force majeure, shall be suspended during the continuance of the inability then claimed which shall include a reasonable time for the removal of the effect thereof, but for no longer period, and such parties shall endeavor to remove or overcome such inability with all reasonable dispatch. The term "force majeure", as employed herein, means acts of God, strikes, lockouts or other industrial disturbances, acts of the public enemy, orders of any kind of the Government of the United States, of the State or any civil or military authority, insurrections, riots, epidemics, landslides, lightning, earthquakes, volcanoes, fires, hurricanes, tornadoes, storms, floods, washouts, droughts, arrests, restraining of

government and people, civil disturbances, explosions, partial or entire failure of utilities, shortages of labor, material, supplies or transportation, or any other similar or different cause not reasonably within the control of the party claiming such inability. It is understood and agreed that the settlement of existing or impending strikes, lockouts or other industrial disturbances shall be entirely within the discretion of the party having the difficulty and that the above requirements that any force majeure shall be reasonably beyond the control of the party and shall be remedied with all reasonable dispatch shall be deemed to be fulfilled even though such existing or impending strikes, lockouts and other industrial disturbances may not be settled and could have been settled by acceding to the demands of the opposing person or persons.

Section 9.4. Amendments. This Agreement may be amended only with the concurring written consent of the Trustee and, under certain circumstances, the Bondholders given in accordance with the provisions of the Indenture.

Section 9.5. Notices. All notices, certificates or other communications hereunder shall be sufficiently given and shall be deemed given when delivered or when mailed by registered or certified mail, postage prepaid, addressed as follows: if to the Agency, at One Town Hall Plaza, Valhalla, New York 10595, Attention: David C. Dempsey, Esq., Secretary; if to the Lessee, at 3044 West Grand Boulevard, Detroit, Michigan 48202, Attention: General Counsel, with a copy to 767 Fifth Avenue, New York, New York 10153, Attention: Treasurer; and if to the Trustee, at Suite 0126, One First National Plaza, Chicago, Illinois 60670, Attention: Corporate Trust Department. A duplicate copy of each notice, certificate or other communication given hereunder by either the Agency or the Lessee to the other shall also be given to the Trustee. A copy of each notice given hereunder to the Trustee shall also be given to each institutional Bondholder. The Agency, the Lessee and the Trustee may, by notice given hereunder, designate any further or different addresses to which subsequent notices, certificates or other communications shall be sent.

Section 9.6. Prior Agreements Superseded. This Agreement, together with all agreements executed by the parties concurrently herewith or in conjunction with the sale of the Initial Bonds, shall completely and fully supersede all other prior understandings or agreements, both written and oral, between the Agency and the Lessee relating to the lending of money and the Project, including those contained in any commitment letter executed in anticipation of the issuance of the Initial Bonds.

Section 9.7. Execution of Counterparts. This Agreement may be executed simultaneously in several counterparts each of which shall be an original and all of which shall constitute but one and the same instrument.

LIBER 8231 PAGE 169

IN WITNESS WHEREOF, the Agency has caused this Agreement to be executed in its corporate name by a duly Authorized Representative and its corporate seal to be hereunto affixed and attested by its Secretary or Assistant Secretary, and the Lessee has caused this Agreement to be executed in its corporate name by its duly authorized officer all as of the date first above written.

(SEAL)

Attest:

Name: David C. Dempsey
Secretary

Town of Mount Pleasant
Industrial Development Agency

By Richard F. Oakley

Name: Richard F. Oakley, Chairman
Authorized Representative

General Motors Corporation

By _____
Name: Courtney F. Jones
Title: Treasurer

By _____
Attorney-in-Fact

IN WITNESS WHEREOF, the Agency has caused this Agreement to be executed in its corporate name by a duly Authorized Representative and its corporate seal to be hereunto affixed and attested by its Secretary or Assistant Secretary, and the Lessee has caused this Agreement to be executed in its corporate name by its duly authorized officer all as of the date first above written.

Town of Mount Pleasant
Industrial Development Agency

By_____

Name:
Authorized Representative

(SEAL)

ATTEST:

By: _____
Title: Assistant Secretary

GENERAL MOTORS CORPORATION

By: Courtney F. Jones
Title: Treasurer

By: _____
Title: Attorney-in-fact pursuant to Power of Attorney

STATE OF NEW YORK)
:ss.:
COUNTY OF NEW YORK)

On this 16th day of September, 1985, before me, a notary public in and for this State and County, personally appeared Richard P. Oakley and David C. Dempsey, both to me personally known, who being by me duly sworn did depose and say that they reside at 7 Hays Hill Road, Pleasantville, New York and 109 West Lake Drive, Valhalla, New York, respectively, and that they are the Chairman and Secretary, respectively, of the Town of Mount Pleasant Industrial Development Agency, a corporate governmental agency, constituting a public benefit corporation of the State of New York, that the seal affixed to the foregoing instrument is the seal of the Agency and that the instrument was signed, sealed and delivered on behalf of the Agency by authority of its members; and the Chairman and Secretary acknowledged the execution and delivery of the instrument to be the voluntary act and deed of the Agency.

Notary Public

THERESE ANN LAPPE
Notary Public, State of New York
No. 43-4696491
Qualified in Richmond County
Certificate filed in New York County
Commission Expires March 30, 1987

0526c-3

STATE OF NEW YORK)
) ss.
COUNTY OF NEW YORK)

On the 12th day of September, 1985, before me personally came Henry D. Edelman, to me known, who, being by me duly sworn, did depose and say that he resides at North Tarrytown, New York; that he is the Director, Financing, Investments and Financial Planning of GENERAL MOTORS CORPORATION, the Corporation described in and which executed the foregoing instrument; that he knows the seal of said Corporation; that the seal affixed to said instrument is such Corporate Seal; that it was so affixed by authority of the Board of Directors of said Corporation; and that pursuant to Power of Attorney dated September 10, 1985 and in full force and effect he executed the foregoing instrument as Attorney in Fact for Courtney F. Jones, Treasurer of General Motors Corporation, duly authorized by said Board of Directors to so issue the foregoing instrument to be executed.



Notary Public
KATHERINE A. KOENIG, Notary Public
State of New York, No. 03-4775078
Qualified in Bronx County
Certificate Filed in New York County
Commission Expires March 30, 1986

APPENDICES

PARCEL I
PLOT A

ALL that certain parcel of land, now or formerly under the waters of the Hudson River, in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, being bounded and described as follows:

BEGINNING at a point on the original high water line of the Hudson River where the same is intersected by the boundary line of a grant of land under water made by the State of New York to Maxwell-Briscoe Motor Company dated July 17, 1909, and at which point of beginning is Monument No. 2 as shown on "Map Showing Proposed Property Line between A.P. Husted Co. and Chevrolet Motor Co." dated January 7, 1921 made by Jas. R. Losee, and filed in the Office of the County Clerk, Division of Land Records, formerly Register's Office of Westchester County, New York, on May 6, 1925 in Volume 52 of Maps page 68 and on "Map of Property to the conveyed to Village of North Tarrytown in the Village of North Tarrytown, Town of Mount Pleasant, Westchester Co. N.Y." dated July 29, 1921, made by Ward Carpenter & Co. Inc., and filed in the Office of the County Clerk, Division of Land Records, formerly Register's Office of Westchester County, New York, on November 14, 1921, in Volume 53 of Maps, page 42

running thence along the boundary line between the properties of A.P. Husted on the south and of General Motors Corporation on the north, established by Agreement dated April 27, 1921 and recorded in the Office of the County Clerk, Division of Land Records, formerly Register's Office of Westchester County, New York, on June 25, 1921, in Liber 2315 cp 267, south 81° 58' 20" West 617.65 feet to a point in the westerly boundary line of a Grant made to Thomas J. and Elizabeth Lawrence by the State of New York on January 30, 1886.

thence along said line on a course, north 7° 45' 00" west 109.47 feet to a point

thence into the waters of the Hudson River the following courses and distances:

north 59° 49' 45" west 793.30 feet

north 5° 22' 10" east 1021.82 feet to the point of intersection with the westerly line of lands granted to Ambrose C. Kingsland June 7, 1871

EXHIBIT A

running thence due East through the aforesaid Grant to Ambrose C. Kingsland and a further Grant to Ambrose C. Kingsland December 4, 1857, 319.43 feet to a point in the original highwater line of the Hudson River which point is also on the interior line of said Ambrose C. Kingsland Grant made December 4, 1857

running thence along the said interior line of the latter grant to Ambrose C. Kingsland and along the original high water line of the Hudson River the following courses and distances as shown in said Grant, south 23° 15' 00" east 103 feet, south 50° 30' 00" east 184 feet, north 40° 00' 00" east 400 feet, north 62° 15' 00" east 267 feet, south 60° 30' 00" east 207 feet, south 33° 45' 00" east 70 feet to a point where the original high water line of the Hudson River is intersected by the southerly boundary line of the aforesaid Grant to Ambrose C. Kingsland dated December 4, 1857

thence still along the original high water line of the Hudson River and along the easterly boundary line of the aforementioned Grant to Ambrose C. Kingsland dated June 7, 1871, the following courses and distances as shown in said Grant:

south 44° 50' east 90 feet
south 11° 40' east 367 feet
south 19° 35' east 122.25 feet
south 3° 15' west 222.5 feet
south 18° 15' west 108.5 feet
south 76° 00' west 58.5 feet, and
north 66° 50' west 15 feet to a point where the southerly boundary line of the said Grant to Ambrose C. Kingsland dated June 7, 1871, intersects the original high water line of the Hudson River

thence still along the original high water line of the Hudson River and along the interior boundary lines of the Grant made to Maxwell-Briscoe Motor Company by the State of New York dated June 17, 1909, the following courses and distances as shown in said Grant:

south 62° 30' west 128 feet
south 8° 30' west 338 feet
south 65° 30' west 113 feet, and
south 2° 04' 00" east 416.23 feet to the point and place of BEGINNING.

PLOT B

ALL that certain piece or parcel of land situated in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester, State of New York, more particularly bounded and described as follows:

BEGINNING at a point where the northerly side of Beekman Avenue intersects the westerly side of the right of way of the New York Central and the Hudson River Railroad, and running thence along the northerly and northwesterly side of Beekman Avenue the following courses and distances, to wit; south 76° 52' west 404 feet; south 64° 49' west 50 feet; south 37° 21' west 75 feet; south 24° 6' west 72 feet; south 23° 19' west 66 feet; south 1° 21' east 42 feet, to land formerly of Nathaniel W. Husted, now deceased; thence along the last mentioned land north 54° 22' west 46 feet to the dividing line between land under water of Hudson River granted to Armenia Husted and others on October 29, 1887, by the People of the State of New York, and land formerly of Thomas J. Lawrence and Elizabeth Lawrence, the latter being part of the premises herein described; and thence along said dividing line and along the southerly line of land granted to Thomas J. Lawrence and Elizabeth Lawrence by the People of the State of New York, on January 30, 1886, on a course south 81° 56' west 624 feet to the southwesterly corner of the land so granted; thence partly along the westerly exterior line of the land so granted and partly along the westerly exterior line of land granted by the People of the State of New York, to Charles Smith on July 1, 1871, on a course north 7° 45' west 884 feet, more or less, to the southerly line or side of land under water granted to Ambrose C. Kingsland by Letters Patent dated June 7, 1871, and recorded June 7, 1871, in Book 42 of Patents at page 101, and thence due west along the southerly line or side of the lands so granted to Ambrose C. Kingsland to the southwest corner of said land so granted to said Ambrose C. Kingsland; thence due north 725 feet; thence northeasterly 250 feet more or less to the point where the line of high water mak on the east shore of the Hudson River is intersected by the westerly line or side of lands described in deed of the Maxwell Motor Company, Inc., to Chevrolet Motor Co., dated the 24th day of July, 1914, and recorded in the Office of the Register of the County of Westchester in Liber 2060 of deeds, page 420, on the 29th day of July, 1914, at 11 o'clock and 56 minutes A.M. said point being the southwesterly corner of the lands granted in the last above described deed; thence northeasterly along the westerly side of the last above mentioned land 743 feet and 6 inches to an iron rod set in the ground marking the northwesterly corner of the said premises; running thence at right angles to the last above mentioned course to the center line of Pocantico River; thence in a northerly and northeasterly direction along the center line of said River to the point of intersection of said center line with the westerly line or side of the right of

way of the New York Central and Hudson River Railroad Company; thence southeasterly along the said westerly side of said right of way 824 feet more or less, to a point at the southeasterly corner of lands conveyed to the party of the first part by the above mentioned deed of Maxwell Motor Company, Inc. dated July 24, 1914; which point is marked by an iron rod set in the ground; running thence westerly along the dividing line between the last above mentioned and described premises and premises of the New York Central and Hudson River Railroad Company 9¼ feet to a point where the southerly side or line of said premises is intersected by the westerly side or line of the lands of the New York Central and Hudson River Railroad Company; running thence southerly along the westerly side or line of the land of the said Railroad Company to the point of intersection of said westerly line with the northerly line of Beekman Avenue, and thence westerly along the said northerly line of Beekman Avenue, 42 feet to the point or place of beginning, be the above distances and dimensions more or less.

EXCEPTING therefrom, that portion of Plot B which constitues a portion of Plot A, hereinabove described.

PLOT C

ALL that certain plot, piece or parcel of land, situate, lying and being in the village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

BEGINNING at a point on the westerly side or line of the New York Central and Hudson River Railroad Company adjoining lands conveyed to the Village of North Tarrytown by Benjamin F. Seaver, which point is distant 42.64 feet northerly from a point opposite 33 feet at right angles from station 138 plus 190.6 on the monumented center line of the New York Central and Hudson River Railroad Company; thence along the westerly side of property of the above railroad company on a course South 5° 09' 30" west a distance of 42.64 feet; thence North 84° 50' 30" west 5.50 feet; thence South 5° 09' 30" west 6.44 feet; thence on a curve with a radius of 8,109.5 feet, a distance of 385.99 feet; thence South 4° 09' 30" west a distance of 40.56 feet to the center line of the Pocantico River; thence along the center line of said Pocantico River, as same winds and turns, the following courses and distances: North 87° 50' 10" west 86.16 feet; South 60° 08' 20" west 60.07 feet; South 20° 43' 55" west 178.54; thence on a curve to the right whose radius is 49.40 feet, a distance of 107.82 feet; thence North 34° 13' 00" west 138.85 feet; thence North 55° 29' 40" west 84.32 feet; thence North 42° 53' 45" east 696.95 feet to the point or place of beginning.

PLOT D

ALL that certain plot, piece or parcel of land, situate, lying and being in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

BEGINNING at a point on the northerly line of a tract of land conveyed to the Maxwell-Briscoe Motor Company by deed dated October 1, 1906, and recorded on October 8, 1906 in Liber 1772 cp 223, which point is distant 64.41 feet measured on a course South 56° 17' 30" east from a monument set at the northwesterly corner of property of the Maxwell Briscoe Motor Co.; thence South 56° 17' 30" east 115.23 feet to the center of the Pocantico River; thence along the center of Pocantico River North 6° 02' 00" east 184.41 feet; thence continuing along the center line of said Pocantico River, North 39° 21' 10" east 50.33 feet to an angle and property conveyed to the Village of North Tarrytown; thence along said property conveyed to the Village of North Tarrytown, South 42° 53' 45" west 216.17 feet to the point or place of BEGINNING.

EXCEPTING from Plots B, C and D all that certain tract of land conveyed by General Motors Corporation to the New York Central Railroad Company in Liber 2758 cp 406, said tract being described in said deed as follows:

BEGINNING at a point in the westerly exterior line of land of said railroad said point being opposite station 136 plus 100 of and distant forty-four and six tenths (44.6) feet radially from the monumented center line of the main line of the party of the second part; and running thence Southwesterly, one hundred two and twenty-four hundredths (102.24) feet, more or less, to a point opposite station 136 plus 100 of and distant sixty-two and five tenths (62.5) feet radially from said center line; thence northerly concentric with said center line ten hundred thirty-eight and ninety-eight hundredths (1038.98) feet, more or less, to a point opposite station 137 plus 131 of said center line; thence still northerly by a straight line, two hundred fifteen and seventy-seven hundredths (215.77) feet, more or less, to a point opposite station 137 plus 345 of and distant sixty-seven (67) feet radially from said center line; thence northwesterly one hundred seventy-three and seventy-seven (173.77) hundredths feet, more or less to a point opposite station 137 plus 505 of and distant one hundred thirty (130) feet radially from said center line; thence northerly by a straight line, six hundred twenty-two and twenty-five hundredths (622.25) feet, more or less, to a point in the division line between land of the party of the first part and land of the Westchester County Park Commission, said point being opposite station 138 plus 117.68 of and distant one hundred twenty-four (124) feet radially from said center line; thence northeasterly along said division line one hundred forty-seven and fifty-one hundredths (147.51) feet, more or less, to said westerly exterior line; thence southerly along said exterior line, two thousand, two hundred thirty-three and twenty-four hundredths (2233.24) feet, more or less, to the place of beginning. ALSO, EXCEPTING such portion of the above described premises conveyed or intended to be conveyed to the County of Westchester and shown as Parcel 1-A in agreement dated the 2nd day of November, 1926, between the partyof the first part and the County of Westchester, acting by the Westchester County Park Commission, and more particularly bounded and described as follows:

BEGINNING at a point on the division line between lands of the party of the first part and lands now or formerly of the Village of North Tarrytown, said point being the southwest corner of the parcel herein described; thence from said point of beginning and along said lands of said Village, north 31° 27' 29" east, one hundred forty-seven and fifty-one hundredths (147.51) feet to the westerly right of way line of the New York Central Railroad (Hudson Division) and to other lands now or formerly of the party of the first part; thence along said other lands of

the party of the first part the following courses and distances: South 8° 14' 40" west one hundred seventeen and forty-one hundredths (60.92) feet to the aforesaid lands of the Village of North Tarrytown at the point or place of beginning.

PLOT E

ALL that certain plot, piece or parcel of land, situate, lying and being in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and state of New York, being more particularly bounded and described as follows:

BEGINNING at a point marked by a monument on the Northerly line of lands of the Maxwell Briscoe Motor Company, at the northwest corner thereof; thence along the property of the said Maxwell Briscoe Motor Company South 33° 42' 30" West 743.00 feet to mean high water mark of the Hudson River; thence along mean high water mark of the Hudson River North 24° 53' 40" West 23.43 feet to property conveyed to the Village of North Tarrytown; thence along said property conveyed to the Village of North Tarrytown North 33° 42' 30" East 730.79 feet to a point distant 30 feet North 56° 17' 30" West from the monument first mentioned; thence South 56° 17' 30" East 20 feet to the point or place of beginning.

PARCEL II

All that parcel of land in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

Beginning at the point of intersection of the northerly line of land now or formerly of the Estate of Hyman Levy and the easterly line of land of the New York Central Railroad Company (Hudson Division);

thence running northerly along the easterly line of land of the New York Central Railroad Company on a curve to the right having a radius of 8004.19 feet a distance of 219.99 feet to a corner of said last mentioned land;

thence running along said land of the New York Central Railroad Company on a line radial to the last mentioned curve, South 70° 05' 28" West 13 feet to an angle point in said railroad company's land;

thence running northerly still along the easterly line of said land of the New York Central Railroad Company on a curve to the right having a radius of 8017.19 feet a distance of 279.19 feet (the radial of which curve at the north end thereof bearing North 72° 05' 11" East) to the southerly line of land of Union Free School District Number 1;

thence running along said last mentioned land, North 73° 21' 30" East 358.30 feet;

thence running along other land belonging to the Village of North Tarrytown the following courses and distances:

South 41° 24' 50" West 202.185 feet
South 13° 19' 50" West 31.39 feet
Southwesterly on a curve to the left whose radial bears South 55° 55' 10" East from the last described point and having a radius of 217 feet a distance of 207.46 feet to a point of tangency;

South 20° 41' 50" East 52 feet to a point of curve and southerly on a curve to the left tangent to the previous course and having a radius of 367 feet a distance of 113.50 feet to the northerly line of land now or formerly of the Estate of Hyman Levy;

-over-

thence running along said last mentioned land, South 60° 48' 40" West 83.325 feet to the point of beginning.

And also, all that certain parcel of land situate in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York being bounded and described as follows:

Beginning at a point formed by the intersection of the Westerly side of Andrews Lane with the northerly side of Elm Street which point also marks the northeasterly corner of lands now or formerly of P.R. Mallory & Company, Inc.

thence on a course and along lands, now or formerly of The Village of North Tarrytown, South 73° 21' 30" West 600.15 feet to lands of the New York Central and Hudson River Railroad Company;

thence along said lands in a northerly direction on a curve to the right having a radius of 8017.19 feet , a central angle of 11° 33' 44" , an arc length of 1530.83 feet to lands of the Village of North Tarrytown;

thence thru said lands South 88° 44' 10" East 834 feet to a corner; South 2° 48' 50" West 658.74 feet to another corner and South 88° 44' 10" East 428.24 feet to the Westerly side of Kendall Avenue;

thence along the same South 1° 20' 10" East 197.48 feet to a corner and lands, now or formerly of Tompkins;

thence along the same South 88° 39' 50" West 100 feet to a corner;

thence along lands, now or formerly of Tompkins, Fitzpatrick, Benedickovic, Kavickey and Kosilla on a course South 1° 20' 10" East 364.03 feet to the northerly side of Elm Street;

thence along the same on a course South 73° 21' 30" West 248.77 feet to the point and place of beginning.

Together with the benefits and subject to the burdens set forth in Easement Agreements recorded in Liber 6002 cp 418 and Liber 6097 cp 364 .

EXCEPTING THEREFROM:

All that parcel of land located in the Village of North Tarrytown, Town of Mount Pleasant, Westchester County, New York, particularly described as follows:

Beginning at a point which lies North 1° 20' 10" West, a distance of 364.03 feet from a point in the northerly side of Elm Street and on the line between lands of Kosilla

-over-

and others and Union Free School District No. 1; said point of beginning being at the intersection of the lands now of General Motors Corporation with the lands of Warren and Eleanor Tompkins;

thence running along the division line between said lands of General Motors Corporation and lands of Warren and Eleanor Tompkins, North 88° 39' 50" East, a distance of 100 feet to the westerly side of Kendall Avenue;

thence running along said side of Kendall Avenue, North 1° 20' 10" West 8 feet to a point;

thence running through lands of General Motors Corporation South 88° 39' 50" West 100 feet and South 1° 20' 10" East 8 feet to the point or place of beginning.

AND FURTHER EXCEPTING FROM THE ABOVE DESCRIBED PREMISES;

All of that certain piece or parcel of land located in the Village of North Tarrytown, Town of Mount Pleasant, Westchester County, New York, being particularly described as follows:

Beginning at a point on the Westerly side of Kendall Avenue and on the Northerly line of land heretofore conveyed by the General Motors Corporation to Warren and Eleanor Tompkins and

running thence over and across land of the grantor herein, in a Northwesterly direction and along the arc of a curve to the left having a radius of 122.49 feet, a distance of 70.03 feet;

thence running North 34° 05' 30" West, a distance of 42.33 feet;

thence running along the arc of a curve to the left having a radius of 134.00 feet, a distance of 120.73 feet;

thence running North 85° 42' 40" West, a distance of 288.55 feet and North 2° 48' 50" East, a distance of 17.94 feet to the line of land of Sleepy Hollow Restorations, Inc.;

thence running along the line of land of said Sleepy Hollow Restorations, Inc., South 88° 44' 10" East, a distance of 428.24 feet to the Westerly side of Kendall Avenue;

-over-

thence running along the Westerly side of Kendall Avenue, South 1° 20' 10" East, a distance of 189.48 feet to the point or place of beginning.

PARCEL III

ALL that certain plot, piece or parcel of land, situate, lying and being in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

COMMENCING at a point formed by the intersection of the northerly line of Beekman Avenue with the division line between lands of The New York Central Railroad Company on the west and lands of 664 Holding Corporation on the east said point being distant easterly 100.00 feet measured at right angles from the original center line of the New York Central and Hudson River Railroad, said center line being marked by stone monuments set in the ground; and running

1. thence south 66° 42' 30" west along the northerly line of Beekman Avenue, 40.00 feet to a point distant easterly 60.00 feet measured at right angles from said monumented center line;

2. thence north 23° 55' 30" west parallel with said monumented center line, 7.76 feet;

3. thence northerly along a curve to the right drawn with a radius of 8,010.19 feet concentric with said monumented center line 82.24 feet;

4. thence south 66° 39' 48" west 19.06 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;

5. thence northerly along a curve to the right drawn with radius of 8,029.25 feet concentric with said monumented center line; 227.41 feet;

6. thence north 68° 17' 10" east 6.65 feet;

7. thence north 21° 40' 40" west 10.90 feet;

8. thence south 68° 21' 50" west 6.65 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;

9. thence northerly along a curve to the right drawn with a radius of 8,029.25 feet concentric with said monumented center line, 14.01 feet;

10. thence north 68° 27' 50" east 5.45 feet to a point distant easterly 46.39 feet measured radially from said monumented center line;

11. thence northerly along a curve to the right drawn with a radius of 8,023.80 feet concentric with said monumented center line; 227.88 feet;

-over-

12. thence north 70° 05' 28" east 19.61 feet to a point distant easterly 66.00 feet measured radially from said monumented center line;

13. thence southerly along a curve to the left drawn with a radius of 8,004.19 feet concentric with said monumented center line, 318.17 feet;

14. thence north 67° 48' 39" east 34.00 feet to a point distant easterly 100.00 feet measured radially from said monumented center line;

15. thence southerly along a curve to the left drawn with a radius of 7,970.19 feet concentric with said monumented center line, 241.46 feet;

16. thence south 23° 55' 30" east 8.20 feet to the northerly line of Beekman Avenue and the point and place of beginning.

TOGETHER WITH an easement and subject to the terms therein, as set forth in easement agreement between The New York Central Railroad Company and General Motors Corporation, dated November 4, 1960, recorded December 5, 1960 in Liber 6069 at page 273, in, over, along and upon the following property situate in the Village of North Tarrytown, Town of Mount Pleasant, County of Westthester and State of New York, bounded and described as follows:

COMMENCING at a point formed by the intersection of the northerly line of Beekman Avenue with the division line between lands now or formerly of The New York Central Railroad Company on the west and lands of 664 Holding Corporation on the east, said point being distant easterly 100.00 feet measured at right angles from the original center line of the New York Central and Hudson River Railroad, said center line being marked by stone monuments set in the ground; and running

thence south 66° 42' 30" west along the northerly line of Beekman Avenue, 40.00 feet to a point distant easterly 60.00 feet measured at right angles from said monumented center line;

thence north 23° 55' 30" west parallel with said monumented center line, 7.76 feet;

thence northerly along a curve to the right drawn with a radius of 8,010.19 feet concentric with said monumented center line, 82.24 feet;

thence south 66° 39' 48" west 19.06 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;

thence northerly along a curve to the right drawn with a radius of 8,029.25 feet concentric with said monumented center line, 86.84 feet to the point and place of beginning of the parcel of land herein described; and running

thence north 35° 11' 10" west 59.48 feet;

thence north 21° 48' 20" west 124.59 feet;

thence north 7° 36' 30" west 78.59 feet to a point distant easterly 46.39 feet measured radially from said monumented center line;

-Over-

thence southerly along a curve to the left drawn with a radius of 8,023.80 feet a length of 93.21 feet;

thence south 68° 27' 50" west 5.45 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;

thence southerly along a curve to the left drawn with a radius of 8,029.25 feet concentric with said monumented center line 14.01 feet;

thence north 68° 21' 50" east 6.65 feet;

thence south 21° 40' 40" east 10.90 feet;

thence south 68° 17' 10" west 6.65 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;

thence southerly along a curve to the left drawn with a radius of 8,029.25 feet concentric with said monumented center line 140.57 feet to the point and place of beginning.

PARCEL IV

All that certain plot, piece or parcel of land, situate, lying and being in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

Beginning at a point on the southwesterly side of Hudson Street distant 221.34 feet southerly from the intersection between said southwesterly side of Hudson Street and the southerly side of Beekman Avenue, said point of beginning also being at the division line between the premises described therein on the north, and lands now or formerly belonging to the Village of North Tarrytown on the south, said division line being determined by Boundary Agreement recorded in Liber 2920 cp 462;

running thence along said lands now or formerly belonging to the Village of North Tarrytown, the following courses and distances:
South 52° 53' 10" West 97.16 feet,
North 55° 00' 40" West 2.10 feet,
South 62° 31' 50" West 89 feet, and
South 24° 50' 10" West 83.58 feet to a point on the northeasterly side of River Street;

thence running along said northeasterly side of River Street and along the southerly side of Beekman Avenue the following courses and distances:
North 63° 55' 50" West 135 feet,
North 49° 40' 30" West 38.83 feet,
North 29° 55' 30" West 30.81 feet,
North 15° 58' 30" West 26.95 feet,
North 3° 15' 30" West 25.32 feet,
North 8° 07' 30" East 25.02 feet,
North 21° 28' 30" East 25.96 feet,
North 27° 37' 30" East 26.92 feet,
North 40° 02' 30" East 30.23 feet,
North 56° 15' 50" East 37.62 feet, and
North 66° 39' 10" East 163.00 feet to the corner formed by the intersection of the southwesterly side of Hudson Street and the southerly side of Beekman Avenue;

thence running along the said southwesterly side of Hudson Street, South 40° 03' 20" East 221.34 feet to the lands now or formerly of the Village of North Tarrytown and the point or place of beginning.

Description of Project Equipment

"Project Equipment" means all personal property, goods, leasehold improvements, machinery, equipment, furnishings, furniture, fixtures, tools and attachments wherever located and whether now owned or hereafter acquired, acquired in whole or in part with the proceeds of the Bonds, and any additions and accessions thereto, substitutions therefor and replacements thereof, including without limitation the Project Equipment described in the Description of Project Equipment included in the appendices hereto, as amended from time to time in accordance herewith but excluding for all purposes whatsoever the Pollution Control Equipment.

LEASE

TOWN OF MOUNT PLEASANT
INDUSTRIAL DEVELOPMENT AGENCY

TO

GENERAL MOTORS CORPORATION

DATED: SEPTEMBER 13, 1985

The premises affected by this Lease are shown on the Tax Map of the Town of Mount Pleasant as follows:

Section:	15	15	15	16
Block:	1	7	15	2
Lot:	1	11	1	27

Recorded and returned to:

JOSEPH B. GLATTHAAR
Bleakley & Schmidt
123 Main Street
White Plains, New York 10601

TG 6185 7917

T/Col T.G.

LIBER 8231 PAGE 191

LIBER 8231 PAGE 192

WESTCHESTER COUNTY CLERK RECORDING PAGE
(THIS PAGE IS PART OF THE INSTRUMENT)

RECEIVED
WESTCHESTER COUNTY CLERK
1985 OCT -4 PM 3:50

TYPE OF INSTRUMENT LAG — DATE
STATUTORY CHARGE 5 — MTGE AMT
RECORDING CHARGE 183 — EXEMPT YES ___ NO ___
FILING CHARGE — REC'D TAX ON ABOVE MTGE
CROSS REFERENCE — BASIC $
CERT/RECEIPT — ADDITIONAL $
EXMD BY C 887 — SUBTOTAL $
SPECIAL $
TOTAL $
SERIAL NO

CONSID

ANDREW J. SPANO
WESTCHESTER COUNTY CLERK

RECEIVED
$
REAL ESTATE

TRANSFER TAX
WESTCHESTER
COUNTY

02 BEDFORD
06 CORTLANDT
09 EASTCHESTER
11 GREENBURGH
12 HARRISON
16 LEWISBORO
17 MAMARONECK
19 MT KISCO
20 MT PLEASANT
21 MT VERNON
22 NEW CASTLE
23 NEW ROCHELLE
24 NORTH CASTLE
26 NORTH SALEM
28 OSSINING
30 PEEKSKILL
31 PELHAM
35 POUND RIDGE
36 RYE CITY
37 RYE TOWN
38 SCARSDALE
39 SOMERS
42 WHITE PLAINS
43 YONKERS
44 YORKTOWN

TERMINAL NO Y527L0080 — TRANSFER FEES NO — DATE RET'D

66998

0337B001 10/04/85CPA 188.00

SECTION
BLOCK
LOT
VILLAGE
TOWN
COUNTY

RECORD AND RETURN TO:

THE FOREGOING INSTRUMENT WAS ENDORSED FOR THE RECORD AS FOLLOWS:
THE PROPERTY AFFECTED BY THIS INSTRUMENT IS SITUATE IN THE
[X] TOWN [ ] CITY OF MT. PLEASANT, COUNTY OF WESTCHESTER
N.Y. A TRUE COPY OF THE ORIGINAL LEASE AGREEMENT RECORDED
IN THE DIVISION OF LAND RECORDS OF THE COUNTY CLERK'S OFFICE OF
WESTCHESTER COUNTY ON OCT. 4, 1985 AT 3:50 P.M. IN
LIBER 8231 PAGE 131 IN THE BOOK OF DEEDS
WITNESS MY HAND AND OFFICIAL SEAL:

ANDREW J. SPANO, COUNTY CLERK

ARCADIS

Appendix C

Environmental Easement

The Office of the Westchester County Clerk: This page is part of the instrument; the County Clerk will rely on the information provided on this page for purposes of indexing this instrument. To the best of submitter's knowledge, the information contained on this Recording and Endorsement Cover Page is consistent with the information contained in the attached document.

533193185EAS0052

Westchester County Recording & Endorsement Page

Submitter Information

Name:	Frontier Abstract and Research Services, Inc.	Phone:	585-955-6111
Address 1:	30 West Broad Street	Fax:	585-955-6175
Address 2:	Suite 100	Email:	recordings@frontierabstract.com
City/State/Zip:	Rochester NY 14614	Reference for Submitter:	GM-60 Continental Street

Document Details

Control Number: **533193185** Document Type: **Easement (EAS)**

Package ID: 20131115000960010002 Document Page Count: **12** Total Page Count: **14**

Parties

☐ Additional Parties on Continuation page

1st PARTY		2nd PARTY	
1: GENERAL MOTORS LLC	- Other	1: NEW YORK STATE OF	- Other
2: TOWN OF MT PLEASANT INDUSTRIAL DVLP AGENCY	- Other	2:	

Property

☑ Additional Properties on Continuation page

Street Address: 60 CONTINENTAL STREET Tax Designation: 115.11-1-2

City/Town: MOUNT PLEASANT Village: SLEEPY HOLLOW

Cross- References

☐ Additional Cross-Refs on Continuation page

1: 2: 3: 4:

Supporting Documents

1: TP-584

Recording Fees

Statutory Recording Fee:	$40.00
Page Fee:	$65.00
Cross-Reference Fee:	$0.00
Mortgage Affidavit Filing Fee:	$0.00
RP-5217 Filing Fee:	$0.00
TP-584 Filing Fee:	$5.00
Total Recording Fees Paid:	**$110.00**

Transfer Taxes

Consideration:	$0.00
Transfer Tax:	$0.00
Mansion Tax:	$0.00
Transfer Tax Number:	8717

Mortgage Taxes

Document Date:

Mortgage Amount:

Basic:	$0.00
Westchester:	$0.00
Additional:	$0.00
MTA:	$0.00
Special:	$0.00
Yonkers:	$0.00
Total Mortgage Tax:	**$0.00**

Dwelling Type: Exempt: ☐

Serial #:

RECORDED IN THE OFFICE OF THE WESTCHESTER COUNTY CLERK

Recorded: 03/07/2014 at 10:45 AM

Control Number: **533193185**

Witness my hand and official seal

Timothy C.Idoni
Westchester County Clerk

Record and Return To

☐ Pick-up at County Clerk's office

NYSDEC - OFFICE OF GENERAL COUNSEL
625 BROADWAY

ALBANY, NY 12233-5500
Attn: ROSALIE RUSINKO, ESQ.

The Office of the Westchester County Clerk: This page is part of the instrument; the County Clerk will rely on the information provided on this page for purposes of indexing this instrument. To the best of submitter's knowledge, the information contained on this Recording and Endorsement Cover Page is consistent with the information contained in the attached document.

533193185EAS0052

Westchester County Recording & Endorsement Page

Document Details

Control Number: **533193185** Document Type: **Easement (EAS)**

Package ID: 201311150009600 1002 Document Page Count: 12 Total Page Count: 14

Properties Addendum

60 CONTINENTAL STREET 10591 MOUNT PLEASANT SLEEPY HOLLOW 115.11 1 85

ENVIRONMENTAL EASEMENT GRANTED PURSUANT TO ARTICLE 71, TITLE 36 OF THE NEW YORK STATE ENVIRONMENTAL CONSERVATION LAW

THIS INDENTURE made this 11th day of February, 2014, between Owner(s) Town of Mount Pleasant Industrial Development Agency ("TMPIDA"), having an office at One Town Hall Plaza, Valhalla, County of Westchester, State of New York 10595 (the "Grantor Fee Owner") and General Motors LLC, having an office at 30200 Mound Road, Warren, Macomb County, State of Michigan 48090, (the "Grantor Beneficial Owner"), (collectively referred to as the "Grantor"), and The People of the State of New York (the "Grantee."), acting through their Commissioner of the Department of Environmental Conservation (the "Commissioner", or "NYSDEC" or "Department" as the context requires) with its headquarters located at 625 Broadway, Albany, New York 12233,

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to encourage the remediation of abandoned and likely contaminated properties ("sites") that threaten the health and vitality of the communities they burden while at the same time ensuring the protection of public health and the environment; and

WHEREAS, the Legislature of the State of New York has declared that it is in the public interest to establish within the Department a statutory environmental remediation program that includes the use of Environmental Easements as an enforceable means of ensuring the performance of operation, maintenance, and/or monitoring requirements and the restriction of future uses of the land, when an environmental remediation project leaves residual contamination at levels that have been determined to be safe for a specific use, but not all uses, or which includes engineered structures that must be maintained or protected against damage to perform properly and be effective, or which requires groundwater use or soil management restrictions; and

WHEREAS, the Legislature of the State of New York has declared that Environmental Easement shall mean an interest in real property, created under and subject to the provisions of Article 71, Title 36 of the New York State Environmental Conservation Law ("ECL") which contains a use restriction and/or a prohibition on the use of land in a manner inconsistent with engineering controls which are intended to ensure the long term effectiveness of a site remedial program or eliminate potential exposure pathways to hazardous waste or petroleum; and

WHEREAS, Grantor, is the owner of real property located at the address of 60 Continental Street in the Village of Sleepy Hollow, County of Westchester and State of New York, known and designated on the tax map of the Town of Mount Pleasant as tax map parcel numbers: Section 115.11 Block 1 Lots 2 and 85, being the same as Parcel II and Parcel III of that property conveyed to Grantor Fee Owner by deed dated September 13, 1985 and recorded in the Westchester County Clerk's Office in Liber 8231 Page 193. The property subject to this Environmental Easement (the "Controlled Property") comprises approximately 28.2905 +/- acres, and is hereinafter more fully described in the Land Title Survey dated May 1, 2013, last revised December 6, 2013 prepared by First Order, LLC, which will be attached to the Site Management Plan. The Controlled Property description is set forth in and attached hereto as Schedule A; and

WHEREAS, solely in accordance with its statutory duties as set forth in Article 18-A of the New York General Municipal Law, TMPIDA agreed to provide bond financing for a portion of the cost of developing the former General Motors North Tarrytown real property (the "Property") pursuant to certain findings and determinations in its resolution dated August 27, 1985, and its bond resolution dated September 12, 1985; and

WHEREAS, as required by the statutory provisions of Article 18-A of the New York State General Municipal Law, General Motors Corp. conveyed its title in the Property to TMPIDA as security for part of the bond issuance, by deed dated September 13, 1985 and recorded in Westchester County Liber 8231 and Page 193; and

WHEREAS, General Motors Corp. retained the rights of beneficial owner of the Property pursuant to its Lease with Grantor Fee Owner dated September 13, 1985, and recorded in Westchester County Liber 8231 and Page 131; and

WHEREAS, pursuant to an Order of the Bankruptcy Court Southern District of New York, dated July 5, 2009, General Motors Corp. transferred to General Motors Company all of its interest in the Property by Quitclaim deed dated September 16, 2009 and recorded as Control No. 4923300692; and

WHEREAS, by Certificate of Conversion filed in the office of the Delaware Secretary on October 16, 2009, General Motors Company changed its name to General Motors LLC; and

WHEREAS, the East Parcel Brownfield Cleanup Site is a portion of the Property; and

WHEREAS, the Department accepts this Environmental Easement in order to ensure the protection of public health and the environment and to achieve the requirements for remediation established for the Controlled Property until such time as this Environmental Easement is extinguished pursuant to ECL Article 71, Title 36; and

NOW THEREFORE, in consideration of the mutual covenants contained herein and the terms and conditions of Brownfield Cleanup Agreement Index Number: C360070-12-10 (East Parcel), as amended, Grantor conveys to Grantee a permanent Environmental Easement pursuant to ECL Article 71, Title 36 in, on, over, under, and upon the Controlled Property as more fully described herein ("Environmental Easement"):

1. Purposes. Grantor and Grantee acknowledge that the Purposes of this Environmental Easement are: to convey to Grantee real property rights and interests that will run with the land in perpetuity in order to provide an effective and enforceable means of encouraging the reuse and redevelopment of this Controlled Property at a level that has been determined to be safe for a specific use while ensuring the performance of operation, maintenance, and/or monitoring requirements; and to ensure the restriction of future uses of the land that are inconsistent with the above-stated purpose.

2. Institutional and Engineering Controls. The controls and requirements listed in the Department approved Site Management Plan ("SMP") including any and all Department approved amendments to the SMP are incorporated into and made part of this Environmental Easement.

These controls and requirements apply to the use of the Controlled Property, run with the land, are binding on the Grantor and the Grantor's successors and assigns, and are enforceable in law or equity against any owner of the Controlled Property, any lessees and any person using the Controlled Property.

A. (1) The Controlled Property may be used for:

Restricted Residential as described in 6 NYCRR Part 375-1.8(g)(2)(ii), Commercial as described in 6 NYCRR Part 375-1.8(g)(2)(iii) and Industrial as described in 6 NYCRR Part 375-1.8(g)(2)(iv)

(2) All Engineering Controls must be operated and maintained as specified in the Site Management Plan (SMP);

(3) All Engineering Controls must be inspected at a frequency and in a manner defined in the SMP;

(4) The use of groundwater underlying the property is prohibited without necessary water quality treatment as determined by the NYSDOH or the Westchester County Department of Health to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the Department;

(5) Groundwater and other environmental or public health monitoring must be performed as defined in the SMP;

(6) Data and information pertinent to Site Management of the Controlled Property must be reported at the frequency and in a manner defined in the SMP;

(7) All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the SMP;

(8) Monitoring to assess the performance and effectiveness of the remedy must be performed as defined in the SMP;

(9) Operation, maintenance, monitoring, inspection, and reporting of any mechanical or physical components of the remedy shall be performed as defined in the SMP;

(10) Access to the site must be provided to agents, employees or other representatives of the State of New York with reasonable prior notice to the property owner to assure compliance with the restrictions identified by this Environmental Easement.

B. The Controlled Property shall not be used for Residential purposes as defined in 6NYCRR 375-1.8(g)(2)(i), and the above-stated engineering controls may not be discontinued without an amendment or extinguishment of this Environmental Easement.

C. The SMP describes obligations that the Grantor assumes on behalf of Grantor, its successors and assigns. The Grantor's assumption of the obligations contained in the SMP which

may include sampling, monitoring, and/or operating a treatment system, and providing certified reports to the NYSDEC, is and remains a fundamental element of the Department's determination that the Controlled Property is safe for a specific use, but not all uses. The SMP may be modified in accordance with the Department's statutory and regulatory authority. The Grantor and all successors and assigns, assume the burden of complying with the SMP and obtaining an up-to-date version of the SMP from:

Site Control Section
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, New York 12233
Phone: (518) 402-9553

D. Grantor must provide all persons who acquire any interest in the Controlled Property a true and complete copy of the SMP that the Department approves for the Controlled Property and all Department-approved amendments to that SMP.

E. Grantor covenants and agrees that until such time as the Environmental Easement is extinguished in accordance with the requirements of ECL Article 71, Title 36 of the ECL, the property deed and all subsequent instruments of conveyance relating to the Controlled Property shall state in at least fifteen-point bold-faced type:

This property is subject to an Environmental Easement held by the New York State Department of Environmental Conservation pursuant to Title 36 of Article 71 of the Environmental Conservation Law.

F. Grantor covenants and agrees that this Environmental Easement shall be incorporated in full or by reference in any leases, licenses, or other instruments granting a right to use the Controlled Property.

G. Grantor covenants and agrees that it shall, at such time as NYSDEC may require, submit to NYSDEC a written statement by an expert the NYSDEC may find acceptable certifying under penalty of perjury, in such form and manner as the Department may require, that:

(1) the inspection of the site to confirm the effectiveness of the institutional and engineering controls required by the remedial program was performed under the direction of the individual set forth at 6 NYCRR Part 375-1.8(h)(3).

(2) the institutional controls and/or engineering controls employed at such site:

(i) are in-place;

(ii) are unchanged from the previous certification, or that any identified changes to the controls employed were approved b the NYSDEC and that all controls are in the Department-approved format; and

(iii) that nothing has occurred that would impair the ability of such control to protect the public health and environment;

(3) the owner will continue to allow access to such real property to evaluate the continued maintenance of such controls;

(4) nothing has occurred that would constitute a violation or failure to comply with any site management plan for such controls;

(5) the report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

(6) to the best of his/her knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and

(7) the information presented is accurate and complete.

3. Right to Enter and Inspect. Grantee, its agents, employees, or other representatives of the State may enter and inspect the Controlled Property in a reasonable manner and at reasonable times to assure compliance with the above-stated restrictions.

4. Reserved Grantor's Rights. Grantor reserves for itself, its assigns, representatives, and successors in interest with respect to the Property, all rights as fee owner of the Property, including:

A. Use of the Controlled Property for all purposes not inconsistent with, or limited by the terms of this Environmental Easement;

B. The right to give, sell, assign, or otherwise transfer part or all of the underlying fee interest to the Controlled Property, subject and subordinate to this Environmental Easement;

5. Enforcement

A. This Environmental Easement is enforceable in law or equity in perpetuity by Grantor, Grantee, or any affected local government, as defined in ECL Section 71-3603, against the owner of the Property, any lessees, and any person using the land. Enforcement shall not be defeated because of any subsequent adverse possession, laches, estoppel, or waiver. It is not a defense in any action to enforce this Environmental Easement that: it is not appurtenant to an interest in real property; it is not of a character that has been recognized traditionally at common law; it imposes a negative burden; it imposes affirmative obligations upon the owner of any interest in the burdened property; the benefit does not touch or concern real property; there is no privity of estate or of contract; or it imposes an unreasonable restraint on alienation.

B. If any person violates this Environmental Easement, the Grantee may revoke the Certificate of Completion with respect to the Controlled Property.

C. Grantee shall notify Grantor of a breach or suspected breach of any of the terms of this Environmental Easement. Such notice shall set forth how Grantor can cure such breach or

suspected breach and give Grantor a reasonable amount of time from the date of receipt of notice in which to cure. At the expiration of such period of time to cure, or any extensions granted by Grantee, the Grantee shall notify Grantor of any failure to adequately cure the breach or suspected breach, and Grantee may take any other appropriate action reasonably necessary to remedy any breach of this Environmental Easement, including the commencement of any proceedings in accordance with applicable law.

D. The failure of Grantee to enforce any of the terms contained herein shall not be deemed a waiver of any such term nor bar any enforcement rights.

6. Notice. Whenever notice to the Grantee (other than the annual certification) or approval from the Grantee is required, the Party providing such notice or seeking such approval shall identify the Controlled Property by referencing the following information:

County, NYSDEC Site Number, NYSDEC Brownfield Cleanup Agreement, State Assistance Contract or Order Number, and the County tax map number or the Liber and Page or computerized system identification number.

Parties shall address correspondence to:

Site Number: C360070B
Office of General Counsel
NYSDEC
625 Broadway
Albany New York 12233-5500

With a copy to:

Site Control Section
Division of Environmental Remediation
NYSDEC
625 Broadway
Albany, NY 12233

All notices and correspondence shall be delivered by hand, by registered mail or by Certified mail and return receipt requested. The Parties may provide for other means of receiving and communicating notices and responses to requests for approval.

7. Recordation. Grantor shall record this instrument, within thirty (30) days of execution of this instrument by the Commissioner or her/his authorized representative in the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

8. Amendment. Any amendment to this Environmental Easement may only be executed by the Commissioner of the New York State Department of Environmental Conservation or the Commissioner's Designee, and filed with the office of the recording officer for the county or counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

9. Extinguishment. This Environmental Easement may be extinguished only by a release by the Commissioner of the New York State Department of Environmental Conservation, or the Commissioner's Designee, and filed with the office of the recording officer for the county or

counties where the Property is situated in the manner prescribed by Article 9 of the Real Property Law.

10. Joint Obligation. If there are two or more parties identified as Grantor herein, the obligations imposed by this instrument upon them shall be joint and several.

IN WITNESS WHEREOF, Grantor has caused this instrument to be signed in its name.

Town of Mount Pleasant Industrial Development Agency:

By: _____

Print Name: Carl Fulgenzi

Title: Chairman Date: 12/19/13

Grantor's Acknowledgment

STATE OF NEW YORK)
) ss:
COUNTY OF Westchester)

On the 19th day of December in the year 2013, before me, the undersigned, personally appeared Carl Fulgenzi, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

_____
Notary Public - State of New York

DARIUS C. CHMIELEWSKI
NOTARY PUBLIC, State of New York
No. 02CH6069064
Qualified in Westchester County
Commission Expires March 4, 2017

Execution Recommended

General Motors LLC:

By: _____

Print Name: Debra Homic Hoge

Title: Global Director Real Estate Date: 11-26-13

Grantor's Acknowledgment

STATE OF ~~NEW YORK~~ Michigan)
) ss:
COUNTY OF WAYNE)

On the 26th day of NOVEMBER in the year 2013, before me, the undersigned, personally appeared DEBRA H. HOGE, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s), or the person upon behalf of which the individual(s) acted, executed the instrument.

_____
Notary Public - State of ~~New York~~ Michigan

LOIS C JONES
Notary Public, State of Michigan
County of Wayne
My Commission Expires Jan. 23, 2019
Acting in the County of WAYNE

THIS ENVIRONMENTAL EASEMENT IS HEREBY ACCEPTED BY THE PEOPLE OF THE STATE OF NEW YORK, Acting By and Through the Department of Environmental Conservation as Designee of the Commissioner,

By: _____

Robert W. Schick, Director
Division of Environmental Remediation

Grantee's Acknowledgment

STATE OF NEW YORK)
) ss:
COUNTY OF ALBANY)

On the 11th day of February, in the year 2014 before me, the undersigned, personally appeared Robert Schick, personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name is (are) subscribed to the within instrument and acknowledged to me that he/she/ executed the same in his/her/ capacity as Designee of the Commissioner of the State of New York Department of Environmental Conservation, and that by his/her/ signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

_____
Notary Public - State of New York

David J. Chiusano
Notary Public, State of New York
No. 01CH5032146
Qualified in Schenectady County
Commission Expires August 22, 2014

SCHEDULE "A" PROPERTY DESCRIPTION

East Parcel Site Easement Area Part 1 (Sec. 115.11 Block 1 Lot 2)

BEGINNING at a point formed by the intersection of the Westerly side of Andrews Lane with the northerly side of Elm Street which point also marks the northeasterly corner of lands of the Village of Sleepy Hollow, and from said beginning point running thence

1. South 72°57'52" West a distance of 241.72 feet to a point, thence

Running the following courses along lands of the Village of Sleepy Hollow:

2. South 41°01'06" West a distance of 202.35 feet to a point, thence
3. South 12°56'06" West a distance of 31.38 feet to a point, thence
4. Along the arc of a non-tangent curve to the left having a radius of 217.00 feet, turning a central angle of 54°46'45", for an arc length of 207.47 feet, the chord of which bears South 06°17'48" West for a distance of 199.66 feet to a point, thence
5. South 21°05'34" East a distance of 52.00 feet to a point, thence
6. Along the arc of a tangent curve to the left with a radius of 367.00 feet, turning a central angle of 17°45'48", for an arc length of 113.78 feet, the chord of which bears South 29°58'28" East for a distance of 113.33 feet to a point, thence;

7. Along the northwesterly line of lands of Manuel Chimbo, South 60°20'39" West a distance of 83.39 feet to a point, thence

8. Along Sec. 115.11 Block 1 Lot 85 on the arc of a non-tangent curve to the right having a radius of 8004.95 feet, turning a central angle of 01°34'40", for an arc length of 220.45 feet, the chord of which bears North 21°05'37" West for a distance of 220.44 feet to a point, thence

9. Continuing along the same, South 69°41'44" West a distance of 13.00 feet to a point, thence

10. Along the easterly line of the Metro North Railroad on the arc of a non-tangent curve to the right having a radius of 8017.95 feet, turning a central angle of 12°56'03", for an arc length of 1809.99 feet, the chord of which bears North 13°50'15" West for a distance of 1806.15 feet to a point, thence

11. Along the southerly line of lands of The Village of Sleepy Hollow, South 89°07'56" East a distance of 834.01 feet to a point, thence

12. Along the westerly line of lands of Historic Hudson Valley, South 02°25'04" West a distance of 676.68 feet to a point, thence

Running the following courses along the southerly line of Continental Avenue:

13. Along South 86°06'26" East a distance of 288.55 feet to a point, thence
14. Along the arc of a tangent curve to the right with a radius of 134.01 feet, turning a central angle of 51°37'10", for an arc length of 120.73 feet, the chord of which bears South 60°17'51" East for a distance of 116.69 feet to a point, thence;
15. Along South 34°29'16" East a distance of 42.32 feet to a point, thence

16. Along the arc of a tangent curve to the right with a radius of 122.50 feet, turning a central angle of 32°45'20", for an arc length of 70.03 feet, the chord of which bears South 18°06'36" East for a distance of 69.08 feet to a point, thence;

17. Along the northerly line of Victoria M. Jenkins, South 88°16'04" West a distance of 100.00 feet to a point, thence

18. Continuing along said Jenkins and extending along lands of John Zoumboulis, lands of Direitino Family Irrev. Trust, lands of Samuel Kovicky, lands of Marcia Sousa, and lands of Antonio Iannarelli, South 01°43'56" East a distance of 294.27 feet to a point, thence

19. Along the northerly line of lands of the Village of Sleepy Hollow, South 72°57'52" West a distance of 269.30 feet to a point, thence

20. Continuing along the same, South 17°02'08" East a distance of 75.00 feet to the point and place of beginning.

Containing 1,212,620 square feet or 27.8379 acres of land.

East Parcel Site Easement Area Part 2 (Sec. 115.11 Block 1 Lot 85)

BEGINNING at a point formed by the intersection of the easterly line of the Metro North Railroad, Hudson Division with the northwesterly line of Beekman Avenue, and from said beginning point running thence

Running the following courses along said Metro North Railroad Hudson Division:

1. North 24°19'14" West a distance of 7.34 feet to a point, thence
2. Along the arc of a tangent curve to the right with a radius of 8010.95 feet, turning a central angle of 00°35'18", for an arc length of 82.26 feet, the chord of which bears North 24°01'35" West for a distance of 82.26 feet to a point, thence;
3. South 66°16'04" West a distance of 19.06 feet to a point, thence
4. Along the arc of a non-tangent curve to the right having a radius of 8030.01 feet, turning a central angle of 01°37'21", for an arc length of 227.39 feet, the chord of which bears North 22°55'16" West for a distance of 227.39 feet to a point, thence
5. North 67°53'25" East a distance of 6.65 feet to a point, thence
6. North 22°04'27" West a distance of 10.90 feet to a point, thence
7. South 67°58'05" West a distance of 5.89 feet to a point, thence
8. Along the arc of a non-tangent curve to the right having a radius of 8029.25 feet, turning a central angle of 00°06'00", for an arc length of 14.00 feet, the chord of which bears North 21°58'55" West for a distance of 14.00 feet to a point, thence
9. North 68°04'05" East a distance of 4.69 feet to a point, thence
10. Along the arc of a non-tangent curve to the right having a radius of 8024.56 feet, turning a central angle of 01°37'38", for an arc length of 227.92 feet, the chord of which bears North 21°07'06" West for a distance of 227.91 feet to a point, thence
11. North 69°41'44" East a distance of 6.61 feet to a point, thence
12. Along lands of Mount Pleasant IDA and extending along lands of Manuel Chimbo, Ojito Oliverio, lands of Rene S. Hernandez, and lands of Union Building Corporation on the arc of a non-tangent curve to the right having a radius of 8004.95 feet, turning a central angle of 02°16'51", for an arc length of 318.68 feet, the chord of which bears South 21°26'42" East for a distance of 318.65 feet to a point, thence

Running the following courses along said Union Building Corporation:

13. North 67°24'52" East a distance of 34.00 feet to a point, thence

14. Along the arc of a non-tangent curve to the left having a radius of 7970.95 feet, turning a central angle of 01°44'06", for an arc length of 241.37 feet, the chord of which bears South 23°27'11" East for a distance of 241.36 feet to a point, thence
15. South 24°19'14" East a distance of 7.75 feet to a point on the northwesterly line of Beekman Avenue, thence

16. Along the northwesterly line of Beekman Avenue, South 66°16'16" West a distance of 40.00 feet to the point and place of beginning.

Containing 19,717 square feet or 0.4526 acres of land.

Total Environmental Easement Area:

1,232,337 square feet or 28.2905 Ac.

ARCADIS

Appendix D

Environmental Easement Survey
with Metes and Bounds

NOTES CORRESPONDING TO SCHEDULE B

Chicago Title Insurance Company, Commitment No. 5046121, Commitment Date: March 22, 2013 at 7:59 a.m.

3. Covenants, conditions, easements, leases, agreements of record, etc. more fully set forth in schedule herein: See Herein

a. Grant Reservation of Easement Rights in deed from Philipse Manor Company to Edward H. Ryan dated September 29, 1906 and recorded October 4, 1906 in Liber 1773 page 349. (See attached Exhibit A) – AFFECT ON SUBJECT PROPERTY UNKNOWN, EXACT LOCATION OF PROPERTY NOT SPECIFIED.

b. Grant of Sewer Easement for Caleb W. Storm and Margaretta J. Storm to Village of North Tarrytown dated March 5, 1898 and recorded March 12, 1898 in Liber 1484 page 243. (See attached Exhibit B) – AFFECT ON SUBJECT PROPERTY UNKNOWN, EXACT LOCATION OF PROPERTY NOT SPECIFIED.

c. Grant of Sewer Easement from Cornelius W. Kingsland, et al, to Village of North Tarrytown dated March 1, 1898 and recorded June 4, 1898 in Liber 1492 page 342. (See attached Exhibit C) – DOCUMENT PROVIDED ILLEGIBLE.

d. Grant of Sewer Easement from Cornelius W. Kingsland, et al, to Village of North Tarrytown dated July 5, 1898 and recorded September 24, 1898 in Liber 1499 page 289, referenced to filed map vol. 86 page 62. (See attached Exhibit D) – DOES NOT AFFECT SUBJECT PROPERTY.

e. Grant of Easement in deed from Isabel C Morse to N.Y.C. & H.R.R. Co., dated November 15, 1907 and recorded November 26, 1907 in Liber 1826 page 77, referenced to filed map vol. 26 page 72. (See attached Exhibit E) – AFFECTS SUBJECT PROPERTY AS SHOWN.

f. Grant of Easement in deed from Philipse Manor Company to N.Y.C. & H.R.R. Co. dated December 16, 1913 and recorded December 31, 1913 in Liber 2042 page 319 and 316. (See attached Exhibit F) – AFFECTS SUBJECT PROPERTY BUT CANNOT BE PLOTTED, WIDTH OF EASEMENT NOT SPECIFIED IN DESCRIPTION OF EASEMENT.

g. Easements and Agreements in deeds from Philipse Manor Company to N.Y.C. & H.R.R. Co., dated May 9, 1912 and recorded June 15, 1912 in Liber 1988 page 230, referenced to filed map No. 1985. (See attached Exhibit G) – DOES NOT AFFECT SUBJECT PROPERTY. REFERENCED CROSSING LOCATED NORTH OF SUBJECT PROPERTY.

h. Grant of Easement in deed from N.Y.C. & H.R.R. Co., to Philipse Manor Company dated November 2, 1911 and recorded June 16, 1912 in Liber 1989 page 27, referenced to filed map Vol. 37 page 12. (See attached Exhibit H) – DOES NOT AFFECT SUBJECT PROPERTY.

i. [OMIT]

j. Easements recited in deed from Three Hundred and Three Fifth Avenue Corporation to Chevrolet Motor Company of New York, Inc., dated January 14, 1919 and recorded January 18, 1919 in Liber 2185 page 74. (See attached exhibit J) – DOES NOT AFFECT SUBJECT PROPERTY.

k. [OMIT]

l. [OMIT]

m. [OMIT]

n. [OMIT]

o. [OMIT]

p. [OMIT]

q. [OMIT]

r. [OMIT]

s. Restrictive covenants set forth in deed from the County of Westchester to General Motors Corporation dated April 11, 1960 and recorded April 13, 1960 in Liber 6002 page 490. (See attached exhibit S) – AFFECTS SUBJECT PROPERTY, BUT CANNOT BE PLOTTED, BLANKET IN NATURE.

t. Easements reserved in deed from Village of North Tarrytown to General Motors Corporation dated April 12, 1960 and recorded April 13, 1960 in Liber 6002 page 477. (See attached exhibit T) – AFFECTS SUBJECT PROPERTY AS SHOWN ON SURVEY.

u. Restrictive covenants and easements in deed from Union Free School District No. 1 to General Motor Corporation dated April 11, 1960 and recorded April 13, 1960 in Liber 6002 page 487. (See attached exhibit U) – AFFECTS SUBJECT PROPERTY, RECITES EASEMENTS 3, 4, 5 AND 6 IN EXCEPTION T ABOVE. NO ADDITIONAL EASEMENTS TO PLOT.

v. Restrictive covenants in deed from Town of Mount Pleasant to James Vallo and Lorraine Vallo dated June 9, 1960 and recorded July 28, 1960 in Liber 6033 page 416. (See attached exhibit V) – AFFECT ON SUBJECT PROPERTY UNKNOWN, BUT CANNOT BE PLOTTED VOLUME 33 OF MAPS AT PAGE 44 NOT PROVIDED.

w. Together with the benefits and subject to the burdens in a certain Grant of Easement from the Incorporated Village of North Tarrytown to General Motors Corporation dated April 12, 1960 and recorded April 13, 1960 in Liber 6002 page 418. (See attached exhibit W) – AFFECTS SUBJECT PROPERTY, AS SHOWN ON SURVEY, VARIABLE WIDTH DRAINAGE EASEMENT.

x. [OMIT]

y. Together with the benefits and subject to the burdens of a certain Easement Agreement between The New York Central Railroad Company and General Motors Corporation dated November 4, 1960 and recorded December 5, 1960 in Liber 6069 page 273; referenced to filed map no. 12534. (See attached exhibit Y) – AFFECTS SUBJECT PROPERTY, AS SHOWN ON SURVEY, OVERHEAD ROADWAY VIADUCT.

z. Together with the benefits and subject to the burdens of a certain Easement Agreement between The New York Central Railroad Company and General Motors Corporation dated October 5, 1960 and recorded April 13, 1961 in Liber 6097 page 364; referenced to filed map no. 12760. (See attached exhibit Z) – AFFECTS SUBJECT PROPERTY, AS SHOWN ON SURVEY, 25 FOOT WIDE RIGHT OF WAY FOR A FOOT BRIDGE OVER RAILROAD.

aa. Grant of Sewer Easement and restrictive covenants and agreement in instrument from General Motors Corporation to The County of Westchester dated September 6, 1974 and recorded November 12, 1974 in Liber 7232 page 421, corrected by instrument dated February 6, 1978 and recorded March 13, 1978 in Liber 7455 page 773; reference to filed map No. 18272, 18274, 18376 and 19254. (See attached exhibit AA) – AFFECTS SUBJECT PROPERTY, AS SHOWN ON SURVEY, 10 FOOT WIDE DRAINAGE EASEMENT, 12 FOOT AND VARIABLE WIDTH SANITARY SEWER EASEMENT.

bb. [OMIT]

cc. Terms, covenants, conditions agreements and other matters set forth in a certain Lease Agreement between Town of Mount Pleasant Industrial Development Agency (Agency) and General Motors Corporation (Lessee) dated September 13, 1985 and recorded October 4, 1985 in Liber 8231 page 131. (See attached exhibit CC) – AFFECTS SUBJECT PROPERTY, BUT CANNOT BE PLOTTED, BLANKET IN NATURE

4. Any lease, grant, exception or reservation of minerals or mineral rights appearing in the public records. Nothing herein shall insure against loss or damage resulting from subsidence. – AFFECTS SUBJECT PROPERTY, BUT CANNOT BE PLOTTED, BLANKET IN NATURE

5. No title is insured to such portions of the premises in Schedule "A" lying within the bounds of deed Liber 1030 page 237 as corrected by Liber 1043 page 233, conveying parts of River Street, Hudson Street and Beekman Avenue. – AFFECTS SUBJECT PROPERTY, BUT CANNOT BE PLOTTED, BLANKET IN NATURE

6. Subject to the rights and easements, if any, acquired by any public utility company to maintain its poles and operate its wires and lines, etc., in, to and over the premises and in, to and over the streets adjacent thereto with the rights to trim trees. – AFFECTS SUBJECT PROPERTY, BUT CANNOT BE PLOTTED, BLANKET IN NATURE

SURVEYORS NOTE

22' WIDE LICENSE FOR SLOPE RIGHTS GRANTED PER LIBER 6002 PAGE 414 WAS ESTABLISHED FOR THE BENEFIT OF GENERAL MOTORS CORPORATION OVER THE LANDS OF THE INCORPORATED VILLAGE OF NORTH TARRYTOWN.

LEGEND

MONUMENT FOUND	POWERPOLE	SS	SAN.SEWER LINE
MONUMENT SET	GUY WIRE	S	SEWER MANHOLE
P.K. NAIL FOUND	LIGHT POLE	C/O	CLEAN OUT
P.K. NAIL SET	STREET LIGHT POLE	SD	STORM DRAIN LINE
BENCHMARK	ELEC. TRANSFORMER	D	STORM DRAIN MANHOLE
	AIR CONDITIONER	A/D	AREA DRAIN
(R) RECORD DATA	ELECTRIC		CURB INLET
(M) MEASURED DATA	OVERHEAD ELECTRIC	MW	MONITORING WELL
(C) CALCULATED DATA	ELEC. MANHOLE	T	TELEPHONE LINE
R/W RIGHT OF WAY	ELECTRIC METER	O/H T	OVERHEAD TELEPHONE
BSL BACK SET LINE		W	WATER LINE
RCP REINFORCED CONC PIPE	PAY PHONE	W	WATER MANHOLE
CMP CORRUGATED METAL PIPE	TELEPHONE BOX		WATER VALVE
PVC PLASTIC PIPE	TELEPHONE MANHOLE	W	WATER METER
MTL METAL	TELEPHONE POLE		HYDRANT
L/S LANDSCAPING	SIGN	G	GAS MANHOLE
TREE	STOP SIGN	G	GAS VALVE
POB POINT OF BEGINNING	TRAFFIC SIGNAL	G	GAS METER
POC POINT OF COMMENCEMENT			STEEL POLES
	CABLE TELEVISION	G	GAS LINE
	OVERHEAD CABLE		
ENVIRONMENTAL EASEMENT BOUNDARY			

IT IS A VIOLATION OF THE STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. UNAUTHORIZED ALTERATION OR ADDITION TO A SURVEY MAP BEARING A LICENSED LAND SURVEYOR'S SEAL IS A VIOLATION OF SECTION 7209. SUB-DIVISION 2. OF THE NEW YORK STATE EDUCATION LAW.
COPIES FROM THE ORIGINAL OF THIS SURVEY MAP NOT MARKED WITH AN ORIGINAL OF THE LAND SURVEYOR'S INKED SEAL OR HIS EMBOSSED SEAL SHALL NOT BE CONSIDERED TO BE VALID TRUE COPY.
CERTIFICATIONS INDICATED HEREON SHALL RUN ONLY TO THE PERSON FOR WHOM THE SURVEY IS PREPARED AND ON HIS BEHALF TO THE TITLE COMPANY. GOVERNMENTAL AGENCY AND LENDING INSTITUTION LISTED HEREON. CERTIFICATIONS ARE NOT TRANSFERABLE TO ADDITIONAL INSTITUTIONS OR SUBSEQUENT OWNERS.

RECORD LEGAL DESCRIPTION

PARCEL II, Liber 8231 page 193

RECORDED OCTOBER 4, 1985

ALL that parcel of land in the Village of Sleepy Hollow (formerly North Tarrytown) Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

BEGINNING at a point of intersection of the northerly line of land now or formerly of the Estate of Hyman Levy and the easterly line of land of the New York Central Railroad Company (Hudson Division);

THENCE running northerly along the easterly line of land of the New York Central Railroad Company on a curve to the right having a radius of 8004.19 feet a distance of 219.99 feet to a corner of said last mentioned land;
THENCE RUNNING along said land of the New York Central Railroad Company on a line radial to the last mentioned curve, South 70 degrees 05 minutes 28 seconds West 13 feet to an angle point in said railroad company's land;
THENCE RUNNING northerly still along the easterly, line of said land of the New York Central Railroad Company on a curve to the right having a radius of 8017.19 feet a distance of 278.19 feet (the radial of which curve at the north end thereof bearing North 72 degrees 05 minutes 11 seconds East) to the southerly line of land of Union Free School District Number 1;
THENCE RUNNING along said last mentioned land, North 73 degrees 21 minutes 30 seconds East 358.30 feet;
THENCE RUNNING along other land belonging to the Village of North Tarrytown the following courses and distances:
South 41 degrees 24 minutes 50 seconds West 202.185 feet; South 13 degrees 19 minutes 50 seconds West 31.39 feet;
Southwesterly on a curve to the left whose radial bears South 55 degrees 55 minutes 10 seconds East from the last described point and having a radius of 217 feet a distance of 207.46 feet to a point of tangency;
South 20 degrees 41 minutes 50 seconds East 52 feet to a point of curve and southerly on a curve to the left tangent to the previous course having a radius of 367 feet a distance of 113.50 feet to the northerly line of land now or formerly of the Estate of Hyman Levy;
THENCE RUNNING along said last mentioned land, South 60 degrees 48 minutes 40 seconds West 83.325 feet to the point of beginning.

AND ALSO,

ALL that certain parcel of land situate in the Village of Sleepy Hollow (formerly North Tarrytown) Town of Mount Pleasant, County of Westchester and State of New York being bounded and described as follows:

BEGINNING at a point formed by the intersection of the Westerly side of Andrews Lane with the northerly side of Elm Street which point also marks the northeasterly corner of lands now or formerly of P.R. Mallory & Company, Inc.;

THENCE on a course and along lands, now or formerly of The Village of North Tarrytown, South 73 degrees 21 minutes 30 seconds West 600.15 feet to lands of the New York Central and Hudson River Railroad Company;
THENCE along said lands in a northerly direction on a curve to the right having a radius 8017.19, a central angle of 11 degrees 33 minutes 44 seconds an arc length of 1530.83 feet to lands of the Village of North Tarrytown;
THENCE thru said lands South 88 degrees 44 minutes 10 seconds East 834 feet to a corner; South 2 degrees 48 minutes 50 seconds West 658.74 feet to another corner and South 88 degrees 44 minutes 10 seconds East 428.24 feet to the Westerly side of Kendall Avenue;
THENCE along the same South 1 degree 20 minutes 10 seconds East 197.48 feet to a corner and lands, now or formerly of Tompkins;
THENCE along the same South 88 degrees 39 minutes 50 seconds West 100 feet to a corner;
THENCE along lands, now or formerly of Tompkins, Fitzpatrick, Benedickovic, Kavickey and Kosilla on a course South 1 degree 20 minutes 10 seconds East 364.03 feet to the northerly side of Elm Street;
THENCE along the same on a course South 73 degrees 21 minutes 30 seconds West 248.77 feet to the point and place of BEGINNING.

TOGETHER with the benefits and subject to the burdens set forth in Easement Agreements recorded in Liber 6002 cp 418 and Liber 6097 cp 364.

EXCEPTING THEREFROM:

ALL that parcel of land located in the Village of Sleepy Hollow, (formerly North Tarrytown) Town of Mount Pleasant, Westchester County, New York, particularly described as follows:

BEGINNING at a point which lies North 1 degree 20 minutes 10 seconds West, a distance of 364.03 feet from a point in the northerly side of Elm Street and on the line between lands of Kosilla and others and Union Free School District No. 1, said point of beginning being at the intersection of the lands now of General Motors Corporation with the lands of Warren and Eleanor Tompkins;

THENCE RUNNING along the division line between said lands of General Motors Corporation and lands of Warren and Eleanor Tompkins, North 88 degrees 39 minutes 50 seconds East, a distance of 100 feet to the westerly side of Kendall Avenue;
THENCE RUNNING along said side of Kendall Avenue, North 1 degree 20 minutes 10 seconds West 8 feet to a point;
THENCE RUNNING through lands of General Motors Corporation South 88 degrees 39 minutes 50 seconds West 100 feet and South 1 degree 20 minutes 10 seconds East 8 feet to the point or place of BEGINNING;

AND FURTHER EXCEPTING FROM THE ABOVE DESCRIBED PREMISES: ALL of that certain piece or parcel of land located in the Village of Sleepy Hollow (formerly North Tarrytown), Town of Mount Pleasant, Westchester County, New York, being particularly described as follows:

BEGINNING at a point on the westerly side of Kendall Avenue and on the northerly line of land heretofore conveyed by the General Motors Corporation to Warren and Eleanor Tompkins; and

RUNNING THENCE over and across land of the grantor herein, in a Northwesterly direction and along the arc of a curve to the left having a radius of 122.49 feet, a distance of 70.03 feet;
THENCE RUNNING North 34 degrees 05 minutes 30 seconds West, a distance of 42.33 feet;
THENCE RUNNING along the arc of a curve to the left having a radius of 134.00 feet, a distance of 120.73 feet;
THENCE RUNNING North 85 degrees 42 minutes 40 seconds West, a distance of 288.55 feet and North 2 degrees 48 minutes 50 seconds East, a distance of 17.94 feet to the line of land of Sleepy Hollow Restoration, Inc.;
THENCE RUNNING along the line of land of said Sleepy Hollow Restorations, Inc., South 88 degrees 44 minutes 10 seconds East, a distance of 428.24 feet to the Westerly side of Kendall Avenue;
THENCE RUNNING along the Westerly side of Kendall Avenue, South 1 degree 20 minutes 10 seconds East, a distance of 189.48 feet to the point or place of BEGINNING.

PARCEL III, Liber 8231 page 193

ALL that certain plot, piece or parcel of land, situate, lying and being in the Village of Sleepy Hollow (formerly North Tarrytown), Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

COMMENCING at a point formed by the intersection of the northerly line of Beekman Avenue with the division line between lands of The New York Central Railroad Company on the west and lands of 664 Holding Corporation on the east said point being distant easterly 100.00 feet measured at right angles from the original center line of the New York Central and Hudson River Railroad, said center line being marked by stone monuments set in the ground; and running

1) Thence South 66 degrees 42 minutes 30 seconds West along the northerly line of Beekman Avenue, 40.00 feet to a point distant easterly 60.00 feet measured at right angles from said monumented center line;
2) Thence North 23 degrees 55 minutes 30 seconds West parallel with said monumented center line, 7.76 feet;
3) Thence Northerly along a curve to the right drawn with a radius of 8,010.19 feet concentric with said monumented center line 82.24 feet;
4) Thence South 66 degrees 39 minutes 48 seconds West 19.06 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;
5) Thence Northerly along a curve to the right drawn with radius of 8,029.25 feet concentric with said monumented center line, 227.41 feet;
6) Thence North 68 degrees 17 minutes 10 seconds East 6.65 feet;
7) Thence North 21 degrees 40 minutes 40 seconds West 10.90 feet;
8) Thence South 68 degrees 21 minutes 50 seconds West 6.65 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;
9) Thence Northerly along a curve to the right drawn with a radius of 8,029.25 feet concentric with said monumented center line, 14.01 feet;
10) Thence North 68 degrees 27 minutes 50 seconds East 5.45 feet to a point distant easterly 46.39 feet measured radially from said monumented center line;
11) Thence Northerly along a curve to the right drawn with a radius of 8,023.80 feet concentric with said monumented center line, 227.88 feet;
12) Thence North 70 degrees 05 minutes 28 seconds East 19.61 feet to a point distant easterly 66.00 feet measured radially from said monumented center line;
13) Thence Southerly along a curve to the left drawn with a radius of 8,004.19 feet concentric with said monumented center line, 318.17 feet;
14) Thence North 67 degrees 48 minutes 39 seconds East 34.00 feet to a point distant easterly 100.00 feet measured radially from said monumented center line;
15) Thence Southerly along a curve to the left drawn with a radius of 7,970.19 feet concentric with said monumented center line 241.46 feet;
16) Thence South 23 degrees 55 minutes 30 seconds East 8.20 feet to the northerly line of Beekman Avenue and the point and place of BEGINNING.


TOGETHER WITH an easement and subject to the terms therein, as set forth in easement agreement between The New York Center Railroad Company and General Motors Corporation, dated November 4, 1960, recorded December 5, 1960 in Liber 6069 at page 273, in, over, along and upon the following property situate in the Village of North Tarrytown, Town of Mount Pleasant, County of Westchester and State of New York, bounded and described as follows:

COMMENCING at a point formed by the intersection of the northerly line of Beekman Avenue with the division line between lands now or formerly of The New York Central Railroad Company on the west and lands of 664 Holding Corporation on the east, said point being distant easterly 100.00 feet measured at right angles from the original center line of the New York Central and Hudson River Railroad, said center line being marked by stone monuments set in the ground; and running

THENCE South 66 degrees 42 minutes 30 seconds West along the northerly line of Beekman Avenue, 40.00 feet to a point distant easterly 60.00 feet measured at right angles from said monumented center line;
THENCE North 23 degrees 55 minutes 30 seconds West parallel with said monumented center line, 7.76 feet;
THENCE Northerly along a curve to the right drawn with a radius of 8,010.19 feet concentric with said monumented center line, 82.24 feet;
THENCE South 66 degrees 39 minutes 48 seconds West 19.06 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;
THENCE Northerly along a curve to the right drawn with a radius of 8,029.25 feet concentric with said monumented center line, 86.84 feet to the point and place of beginning of the parcel of land herein described; and running
THENCE North 35 degrees 11 minutes 10 seconds West 59.48 feet;
THENCE North 21 degrees 48 minutes 20 seconds West 124.59 feet;
THENCE North 7 degrees 36 minutes 30 seconds West 78.59 feet to a point distant easterly 46.39 feet measured radially from said monumented center line;
THENCE Southerly along a curve to the left drawn with a radius of 8,023.80 feet a length of 93.21 feet;
THENCE South 68 degrees 27 minutes 50 seconds East 5.45 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;
THENCE southerly along a curve to the left drawn with a radius of 8,029.25 feet concentric with said monumented center line 14.01 feet;
THENCE North 68 degrees 21 minutes 50 seconds East 6.65 feet;
THENCE South 21 degrees 40 minutes 40 seconds East 10.90 feet;
THENCE South 68 degrees 17 minutes 10 seconds West 6.65 feet to a point distant easterly 40.94 feet measured radially from said monumented center line;
THENCE Southerly along a curve to the left drawn with a radius of 8,029.25 feet concentric with said monumented center line 140.57 feet to the point and place of BEGINNING.

The engineering and institutional controls for this Easement are set forth in the Site Management Plan (SMP). A copy of the SMP must be obtained by any party with an interest in the property. The SMP can be obtained from NYS Department of Environmental Conservation, Division of Environmental Remediation, Site Control Section, 625 Broadway, Albany, NY 12233 or at derweb@gw.dec.state.ny.us.

VICINITY MAP — NOT TO SCALE



ENVIRONMENTAL EASEMENT SURVEY

REVISIONS

NO.	DESCRIPTION	DATE	REV. BY
0	ORIGINAL PLANISSUE	5-1-2013	JWS
1	PER CLIENT REVIEW	6-18-2013	JWS
2	PER UPDATED TITLE COMMITMENT	7-16-2013	JWS
3	PER UPDATED TITLE COMMITMENT	8-15-2013	JWS
4	PER NYSDEC REVIEW	11-20-2013	JWS
5	PER NYSDEC REVIEW	12-05-2013	JWS
6	PER NYSDEC REVIEW	12-06-2013	JWS

FILE NAME: 2116

FLOOD DATA This property is in Zone "X" (UNSHADED), "X" (SHADED) & "AE" the Flood Insurance Rate Map,Community Panel No. 36119C0253F and IS PARTIALLY in a Specialwhich has an effective date of SEPTEMBER 28, 2007 Flood Hazard Area. Field surveying was not performed to determine this zone. An elevation certificate may be needed to verify this determination or apply for an amendment from the Federal Emergency Management Agency.

SURVEYOR'S NAME & FIRM NAME:
FIRST ORDER, LLC
1700 SULLIVAN TRAIL, SUITE 3
EASTON, PA 18040
Phone (610) 438-5840 Fax (610) 438-0004
WWW.FIRSTORDERLLC.NET

SURVEYOR'S CERTIFICATION

To: The People of the State of New York acting through their Commissioner of the Department of Environmental Conservation; General Motors LLC; and to the Title Company

I HEREBY CERTIFY THAT THIS SURVEY HAS BEEN PERFORMED IN THE FIELD UNDER MY SUPERVISION, AND TO THE BEST OF MY KNOWLEDGE, BELIEF, AND INFORMATION, THAT THIS SURVEY HAS BEEN PERFORMED IN ACCORDANCE WITH CURRENTLY ACCEPTED ACCURACY STANDARDS. THAT THE PROPERTY LINES AND RELATIONSHIP OF BUILDINGS AND OTHER STRUCTURES TO THE PROPERTY LINES AND THE LAND INDICATED HEREON IS CORRECT, AND THAT THERE ARE NO ENCROACHMENTS OF BUILDINGS OR STRUCTURES ONTO SAID LAND EXCEPT AS SHOWN.

THE OFFSETS SHOWN ARE NOT TO BE USED FOR THE CONSTRUCTION OF ANY STRUCTURE, FENCE, PERMANENT ADDITION, ETC.

The field work was completed on September 9, 2011.

STATE OF NEW YORK — JACK W. SHOEMAKER — LICENSED LAND SURVEYOR — 050495

Jack W. Shoemaker
New York Professional Land Surveyor 50495

FOR QUESTIONS REGARDING THIS SURVEY CONTACT:

CROWN SERVICES GROUP
5016 S. PLAZA DR. NEWBURGH, IN 47630
Ph. 812-490-5602 Fax 812-490-5606

PREPARED FOR: GENERAL MOTORS LLC


PROJECT LOCATION: WESTCHESTER COUNTY STATE OF NEW YORK

NYSDEC SITE NO. C360070B
CSG JOB NUMBER: 11238-08

PROJECT ADDRESS: EAST PARCEL SITE 60 CONTINENTAL STREET SLEEPY HOLLOW, NY

SHEET 1 OF 2

The engineering and institutional controls for this Easement are set forth in the Site Management Plan (SMP). A copy of the SMP must be obtained by any party with an interest in the property. The SMP can be obtained from NYS Department of Environmental Conservation, Division of Environmental Remediation, Site Control Section, 625 Broadway, Albany, NY 12233 or at derweb@gw.dec.state.ny.us.



Total Environmental Easement Area:

1,232,337 square feet or 28.2906 Ac.

Environmental Easement Description – Site C360070B

East Parcel Site Easement Area Part 1 (Sec. 115.11 Block 1 Lot 2)

BEGINNING at a point formed by the intersection of the Westerly side of Andrews Lane with the northerly side of Elm Street which point also marks the northeasterly corner of lands of the Village of Sleepy Hollow, and from said beginning point running thence

1. South 72°57'52" West a distance of 241.72 feet to a point, thence

Running the following courses along lands of the Village of Sleepy Hollow:

2. South 41°01'06" West a distance of 202.35 feet to a point, thence
3. South 12°56'06" West a distance of 31.38 feet to a point, thence
4. Along the arc of a non-tangent curve to the left having a radius of 217.00 feet, turning a central angle of 54°46'45", for an arc length of 207.47 feet, the chord of which bears South 06°17'48" West for a distance of 199.66 feet to a point, thence
5. South 21°05'34" East a distance of 52.00 feet to a point, thence
6. Along the arc of a tangent curve to the left with a radius of 367.00 feet, turning a central angle of 17°45'48", for an arc length of 113.78 feet, the chord of which bears South 29°58'28" East for a distance of 113.33 feet to a point, thence;

7. Along the northwesterly line of lands of Manuel Chimbo, South 60°20'39" West a distance of 83.39 feet to a point, thence

8. Along Sec. 115.11 Block 1 Lot 85 on the arc of a non-tangent curve to the right having a radius of 8004.95 feet, turning a central angle of 01°34'40", for an arc length of 220.45 feet, the chord of which bears North 21°05'37" West for a distance of 220.44 feet to a point, thence

9. Continuing along the same, South 69°41'44" West a distance of 13.00 feet to a point, thence

10. Along the easterly line of the Metro North Railroad on the arc of a non-tangent curve to the right having a radius of 8017.95 feet, turning a central angle of 12°56'03", for an arc length of 1809.99 feet, the chord of which bears North 13°50'15" West for a distance of 1806.15 feet to a point, thence

11. Along the southerly line of lands of The Village of Sleepy Hollow, South 89°07'56" East a distance of 834.01 feet to a point, thence

12. Along the westerly line of lands of Historic Hudson Valley, South 02°25'04" West a distance of 676.68 feet to a point, thence

Running the following courses along the southerly line of Continental Avenue:

13. Along South 86°06'26" East a distance of 288.55 feet to a point, thence
14. Along the arc of a tangent curve to the right with a radius of 134.01 feet, turning a central angle of 51°37'10", for an arc length of 120.73 feet, the chord of which bears South 60°17'51" East for a distance of 116.69 feet to a point, thence;
15. Along South 34°29'16" East a distance of 42.32 feet to a point, thence
16. Along the arc of a tangent curve to the right with a radius of 122.50 feet, turning a central angle of 32°45'20", for an arc length of 70.03 feet, the chord of which bears South 18°06'36" East for a distance of 69.08 feet to a point, thence;

17. Along the northerly line of Victoria M. Jenkins, South 88°16'04" West a distance of 100.00 feet to a point, thence

18. Continuing along said Jenkins and extending along lands of John Zoumboulis, lands of Direitino Family Irrev. Trust, lands of Samuel Kovicky, lands of Marcia Sausa, and lands of Antonio Iannarelli, South 01°43'56" East a distance of 294.27 feet to a point, thence

19. Along the northerly line of lands of the Village of Sleepy Hollow, South 72°57'52" West a distance of 269.30 feet to a point, thence

20. Continuing along the same, South 17°02'08" East a distance of 75.00 feet to the point and place of beginning.

Containing 1,212,620 square feet or 27.8379 acres of land.

East Parcel Site Easement Area Part 2 (Sec. 115.11 Block 1 Lot 85)

BEGINNING at a point formed by the intersection of the easterly line of the Metro North Railroad, Hudson Division with the northwesterly line of Beekman Avenue, and from said beginning point running thence

Running the following courses along said Metro North Railroad Hudson Division:

1. North 24°19'14" West a distance of 7.34 feet to a point, thence
2. Along the arc of a tangent curve to the right with a radius of 8010.95 feet, turning a central angle of 00°35'18", for an arc length of 82.26 feet, the chord of which bears North 24°01'35" West for a distance of 82.26 feet to a point, thence;
3. South 66°16'04" West a distance of 19.06 feet to a point, thence
4. Along the arc of a non-tangent curve to the right having a radius of 8030.01 feet, turning a central angle of 01°37'21", for an arc length of 227.39 feet, the chord of which bears North 22°55'16" West for a distance of 227.39 feet to a point, thence
5. North 67°53'25" East a distance of 6.65 feet to a point, thence
6. North 22°04'27" West a distance of 10.90 feet to a point, thence
7. South 67°58'05" West a distance of 5.89 feet to a point, thence
8. Along the arc of a non-tangent curve to the right having a radius of 8029.25 feet, turning a central angle of 00°06'00", for an arc length of 14.00 feet, the chord of which bears North 21°58'55" West for a distance of 14.00 feet to a point, thence
9. North 68°04'05" East a distance of 4.69 feet to a point, thence
10. Along the arc of a non-tangent curve to the right having a radius of 8024.56 feet, turning a central angle of 01°37'38", for an arc length of 227.92 feet, the chord of which bears North 21°07'06" West for a distance of 227.91 feet to a point, thence
11. North 69°41'44" East a distance of 19.61 feet to a point, thence
12. Along lands of Mount Pleasant IDA and extending along lands of Manuel Chimbo, Ojito Oliverio, lands of Rene S. Hernandez, and lands of Union Building Corporation on the arc of a non-tangent curve to the right having a radius of 8004.95 feet, turning a central angle of 02°16'51", for an arc length of 318.68 feet, the chord of which bears South 21°26'42" East for a distance of 318.65 feet to a point, thence

Running the following courses along said Union Building Corporation:

13. North 67°24'52" East a distance of 34.00 feet to a point, thence
14. Along the arc of a non-tangent curve to the left having a radius of 7970.95 feet, turning a central angle of 01°44'06", for an arc length of 241.37 feet, the chord of which bears South 23°27'11" East for a distance of 241.36 feet to a point, thence
15. South 24°19'14" East a distance of 7.75 feet to a point on the northwesterly line of Beekman Avenue, thence

16. Along the northwesterly line of Beekman Avenue, South 66°16'16" West a distance of 40.00 feet to the point and place of beginning.

Containing 19,717 square feet or 0.4526 acres of land.

East Parcel Site Easement Area Part 1

LINE TABLE 1		
LINE NO	BEARING	DISTANCE
L1	S72°57'52"W	241.72'
L2	S41°01'06"W	202.35'
L3	S12°56'06"W	31.38'
L4	S21°05'34"E	52.00'
L5	S60°20'39"W	83.39'
L6	S69°41'44"W	13.00'
L7	S89°07'56"E	834.01'
L8	S02°25'04"W	676.68'
L9	S86°06'26"E	288.55'
L10	S34°29'16"E	42.32'
L11	S88°16'04"W	100.00'
L12	S01°43'56"E	294.27'
L13	S72°57'52"W	269.30'
L14	S17°02'08"E	75.00'

East Parcel Site Easement Area Part 2

LINE TABLE 2		
LINE NO	BEARING	DISTANCE
L15	N24°19'14"W	7.34'
L16	S66°16'04"W	19.06'
L17	N67°53'25"E	6.65'
L18	N22°04'27"W	10.90'
L19	S67°58'05"W	5.89'
L20	N68°04'05"E	4.69'
L21	N69°41'44"E	19.61'
L22	N67°24'52"E	34.00'
L23	S24°19'14"E	7.75'
L24	S66°16'16"W	40.00'

CURVE TABLE 1						
CURVE NO.	RADIUS	LENGTH	TANGENT	CH. BRG.	CH. DIST.	DELTA
C1	217.00'	207.47'	112.43'	S06°17'48"W	199.66'	54°46'45"
C2	367.00'	113.78'	57.35'	S29°58'28"E	113.33'	17°45'48"
C3	8004.95'	220.45'	110.23'	N21°05'37"W	220.44'	01°34'40"
C4	8017.95'	1809.99'	908.86'	N13°50'15"W	1806.15'	12°56'03"
C5	134.01'	120.73'	64.81'	S60°17'51"E	116.69'	51°37'10"
C6	122.50'	70.03'	36.00'	S18°06'36"E	69.08'	32°45'20"

CURVE TABLE 2						
CURVE NO.	RADIUS	LENGTH	TANGENT	CH. BRG.	CH. DIST.	DELTA
C7	8010.95'	82.26'	41.13'	N24°01'35"W	82.26'	0°35'18"
C8	8030.01'	227.39'	113.70'	N22°55'16"W	227.39'	1°37'21"
C9	8029.25'	14.00'	7.00'	N21°58'55"W	14.00'	0°06'00"
C10	8024.56'	227.92'	113.97'	N21°07'06"W	227.91'	1°37'38"
C11	8004.95'	318.68'	159.36'	S21°26'42"E	318.65'	02°16'51"
C12	7970.95'	241.37'	120.70'	S23°27'11"E	241.36'	1°44'06"

IT IS A VIOLATION OF THE STATE EDUCATION LAW FOR ANY PERSON, UNLESS ACTING UNDER THE DIRECTION OF A LICENSED LAND SURVEYOR, TO ALTER AN ITEM IN ANY WAY. UNAUTHORIZED ALTERATION OR ADDITION TO A SURVEY MAP BEARING A LICENSED LAND SURVEYOR'S SEAL IS A VIOLATION OF SECTION 7209, SUB-DIVISION 2, OF THE NEW YORK STATE EDUCATION LAW.
COPIES FROM THE ORIGINAL OF THIS SURVEY MAP NOT MARKED WITH AN ORIGINAL OF THE LAND SURVEYOR'S INKED SEAL OR HIS EMBOSSED SEAL SHALL NOT BE CONSIDERED TO BE VALID TRUE COPY.
CERTIFICATIONS INDICATED HEREON SHALL RUN ONLY TO THE PERSON FOR WHOM THE SURVEY IS PREPARED AND ON HIS BEHALF TO THE TITLE COMPANY, GOVERNMENTAL AGENCY AND LENDING INSTITUTION LISTED HEREON. CERTIFICATIONS ARE NOT TRANSFERABLE TO ADDITIONAL INSTITUTIONS OR SUBSEQUENT OWNERS.

STATE OF NEW YORK
JACK SHOEMAKER
050496
LICENSED LAND SURVEYOR

0 100 200'
SCALE: 1" = 100'

FOR QUESTIONS REGARDING THIS SURVEY CONTACT:

CROWN SERVICES GROUP
5016 S. PLAZA DR. NEWBURGH, IN 47630
Ph. 812-490-5602 Fax 812-490-5606

ENVIRONMENTAL EASEMENT SURVEY

REVISIONS			
NO.	DESCRIPTION	DATE	REV. BY
0	ORIGINAL PLANSSUE	5-1-2013	JWS
1	PER CLIENT REVIEW	6-14-2013	JWS
2	PER UPDATED TITLE COMMITMENT	7-16-2013	JWS
3	PER UPDATED TITLE COMMITMENT	8-15-2013	JWS
4	PER NYSDEC REVIEW	11-22-2013	JWS
5	PER NYSDEC REVIEW	12-05-2013	JWS
6	PER NYSDEC REVIEW	12-06-2013	JWS

SURVEYOR'S NAME & FIRM NAME: FIRST ORDER, LLC
FILE NAME: 2116
1700 SULLIVAN TRAIL, SUITE 3
EASTON, PA 18040
Phone (610) 438-5840 Fax (610) 438-0004
WWW.FIRSTORDERLLC.NET

PREPARED FOR: GENERAL MOTORS LLC

PROJECT LOCATION: WESTCHESTER COUNTY STATE OF NEW YORK

NYSDEC SITE NO. C360070B
CSG JOB NUMBER: 11238-08

PROJECT ADDRESS: EAST PARCEL SITE
60 CONTINENTAL STREET
SLEEPY HOLLOW, NY

SHEET 2 OF 2

ARCADIS

Appendix E

DER-10 Appendix 5 – Allowable Constituent Levels for Imported Fill or Soil

Appendix E
Allowable Constituent Levels for Imported Fill or Soil from DER-10 Appendix 5

Site Management Plan
General Motors LLC
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use	Residential Use	Restricted Residential Use	Commercial or Industrial Use	If Ecological Resources are Present
Metals					
Arsenic	13	16	16	16	13
Barium	350	350	400	400	433
Beryllium	7.2	14	47	47	10
Cadmium	2.5	2.5	4.3	7.5	4
Chromium, Hexavalent[1]	1[3]	19	19	19	1[3]
Chromium, Trivalent[1]	30	36	180	1500	41
Copper	50	270	270	270	50
Cyanide	27	27	27	27	NS
Lead	63	400	400	450	63
Manganese	1600	2000	2000	2000	1600
Mercury (total)	0.18	0.73	0.73	0.73	0.18
Nickel	30	130	130	130	30
Selenium	3.9	4	4	4	3.9
Silver	2	8.3	8.3	8.3	2
Zinc	109	2200	2480	2480	109
PCBs/Pesticides					
2,4,5-TP Acid (Silvex)	3.8	3.8	3.8	3.8	NS
4,4'-DDE	0.0033[3]	1.8	8.9	17	0.0033[3]
4,4'-DDT	0.0033[3]	1.7	7.9	47	0.0033[3]
4,4'-DDD	0.0033[3]	2.6	13	14	0.0033[3]
Aldrin	0.005	0.019	0.097	0.19	0.14
Alpha-BHC	0.02	0.02	0.02	0.02	0.04[4]
Beta-BHC	0.036	0.072	0.09	0.09	0.6
Chlordane (alpha)	0.094	0.91	2.9	2.9	1.3
Delta-BHC	0.04	0.25	0.25	0.25	0.04[4]
Dibenzofuran	7	14	59	210	NS
Dieldrin	0.005	0.039	0.1	0.1	0.006
Endosulfan I	2.4[2]	4.8	24	102	NS
Endosulfan II	2.4[2]	4.8	24	102	NS
Endosulfan sulfate	2.4[2]	4.8	24	200	NS
Endrin	0.014	0.06	0.06	0.06	0.014
Heptachlor	0.042	0.38	0.38	0.38	0.14
Lindane	0.1	0.1	0.1	0.1	6
Polychlorinated biphenyls	0.1	1	1	1	1
Semi-volatile Organic Compounds					
Acenaphthene	20	98	98	98	20
Acenaphthylene	100	100	100	107	NS
Anthracene	100	100	100	500	NS

Appendix E
Allowable Constituent Levels for Imported Fill or Soil from DER-10 Appendix 5

Site Management Plan
General Motors LLC
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use	Residential Use	Restricted Residential Use	Commercial or Industrial Use	If Ecological Resources are Present
Benzo(a)anthracene	1	1	1	1	NS
Benzo(a)pyrene	1	1	1	1	2.6
Benzo(b)fluoranthene	1	1	1	1.7	NS
Benzo(g,h,i)perylene	100	100	100	500	NS
Benzo(k)fluoranthene	0.8	1	1.7	1.7	NS
Chrysene	1	1	1	1	NS
Dibenz(a,h)anthracene	0.33[3]	0.33[3]	0.33[3]	0.56	NS
Fluoranthene	100	100	100	500	NS
Fluorene	30	100	100	386	30
Indeno(1,2,3-cd)pyrene	0.5	0.5	0.5	5.6	NS
m-Cresol(s)	0.33[3]	0.33[3]	0.33[3]	0.33[3]	NS
Naphthalene	12	12	12	12	NS
o-Cresol(s)	0.33[3]	0.33[3]	0.33[3]	0.33[3]	NS
p-Cresol(s)	0.33	0.33	0.33	0.33	NS
Pentachlorophenol	0.8[3]	0.8[3]	0.8[3]	0.8[3]	0.8[3]
Phenanthrene	100	100	100	500	NS
Phenol	0.33[3]	0.33[3]	0.33[3]	0.33[3]	30
Pyrene	100	100	100	500	NS
Volatile Organic Compounds					
1,1,1-Trichloroethane	0.68	0.68	0.68	0.68	NS
1,1-Dichloroethane	0.27	0.27	0.27	0.27	NS
1,1-Dichloroethene	0.33	0.33	0.33	0.33	NS
1,2-Dichlorobenzene	1.1	1.1	1.1	1.1	NS
1,2-Dichloroethane	0.02	0.02	0.02	0.02	10
1,2-Dichloroethene(cis)	0.25	0.25	0.25	0.25	NS
1,2-Dichloroethene(trans)	0.19	0.19	0.19	0.19	NS
1,3-Dichlorobenzene	2.4	2.4	2.4	2.4	NS
1,4-Dichlorobenzene	1.8	1.8	1.8	1.8	20
1,4-Dioxane	0.1[3]	0.1[3]	0.1[3]	0.1[3]	0.1
Acetone	0.05	0.05	0.05	0.05	2.2
Benzene	0.06	0.06	0.06	0.06	70
Butylbenzene	12	12	12	12	NS
Carbon tetrachloride	0.76	0.76	0.76	0.76	NS
Chlorobenzene	1.1	1.1	1.1	1.1	40
Chloroform	0.37	0.37	0.37	0.37	12
Ethylbenzene	1	1	1	1	NS
Hexachlorobenzene	0.33[3]	0.33[3]	1.2	3.2	NS
Methyl ethyl ketone	0.12	0.12	0.12	0.12	100
Methyl tert-butyl ether	0.93	0.93	0.93	0.93	NS

Appendix E
Allowable Constituent Levels for Imported Fill or Soil from DER-10 Appendix 5

Site Management Plan
General Motors LLC
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Constituent	Unrestricted Use	Residential Use	Restricted Residential Use	Commercial or Industrial Use	If Ecological Resources are Present
Methylene chloride	0.05	0.05	0.05	0.05	12
Propylbenzene-n	3.9	3.9	3.9	3.9	NS
Sec-Butylbenzene	11	11	11	11	NS
Tert-Butylbenzene	5.9	5.9	5.9	5.9	NS
Tetrachloroethene	1.3	1.3	1.3	1.3	2
Toluene	0.7	0.7	0.7	0.7	36
Trichloroethene	0.47	0.47	0.47	0.47	2
Trimethylbenzene-1,2,4	3.6	3.6	3.6	3.6	NS
Trimethylbenzene-1,3,5	8.4	8.4	8.4	8.4	NS
Vinyl chloride	0.02	0.02	0.02	0.02	NS
Xylene (mixed)	0.26	1.6	1.6	1.6	0.26

Source: This table is derived from soil cleanup objective (SCO) tables in 6 NYCRR 375. Table 375-6.8(a) is the source for unrestricted use and Table 375.6.8(b) is the source for restricted use. Restricted Residential Use values represent the lower of restricted residential SCOs or protection of groundwater SCOs.

Shaded values do not apply to the Site.

All concentrations are in parts per million (ppm)

NS = Not Specified

Footnotes:

[1]The SCO for Hexavalent or Trivalent Chromium is considered to be met if the analusis for the total species of this contaminant is below the specific SCO for Hexavalent Chromium.

[2]The SCO is the sum of endosulfan I, endosulfan II and endosulfan sulfate.

[3]For constituents where the calcalated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the Track 1 SCO value.

[4]This SCO is derived from data on mixed isomers of BHC.

ARCADIS

Appendix F

Health and Safety Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Appendix F – Site-Specific Health and Safety Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS


Emergency Information

Site Address: 60 Continental Street
Sleepy Hollow, NY 12996

Local Police -Sleepy Hollow –	911 and 914.631.0800
Local Ambulance/EMS –	911 and 914.631.1962
Local Fire Department – Sleepy Hollow	911 and 914.366.5119
Local Hospital – Phelps Memorial Hospital (Emergency Room)	914.366.3570
Local Weather Data	weather.com
Poison Control (New York Regional)	800.222.1222
NYS Spill Hotline (all reportable spills in New York)	800.457.7362
National Response Center (all spills in reportable quantities, including spills to surface waters)	800.424.8802
Underground Utilities Notification Service	811 or 800-962-7962
Project-Specific Health and Safety Administrator **(specify)**	

Directions to Hospital:

Medical Facility:	Phelps Memorial Hospital
Address:	701 N. Broadway, Sleepy Hollow, NY 10591
Phone Number:	914.366.3000 (main); 914.366.3570(emergency)



Travel Time: Approximately 6 minutes

General Information

Site Type: (Check as many as applicable}

X	Active		Secure	X	Industrial		Landfill		Service station
	Inactive	X	Unsecured	X	Commercial		Well field		Water work
			Uncontrolled	X	Residential	X	Railroad		Undeveloped
Other specify: The Hudson River borders the West parcel of the Site. Easements exist for sewer pipelines that cross the Site.									

Surrounding Area and Topography (select one):

☑ Surrounding area and topography are presented in the Site Management Plan

☐ Surrounding area and topography (*briefly describe*):

Site Background (select one):

☑ Site background is presented in the Site Management Plan
☐ Site background (*briefly describe)*:

ARCADIS

Project Tasks

The following tasks are identified for this project:

Examples: "Drilling/soil sampling", "Surveying", "Inspections"

		Supporting Document(s)			
		JLA	Field H&S Handbook	STAR Plan or TCP	Other (specify below)
1	Driving	☑	☑	☐	☐
2	Construction Observation	☑	☑	☐	☐
3	Surveying	☑	☑	☐	☐
4	Earthwork/Excavation	☑	☑	☐	☐
5		☑	☑	☐	☐
6					

☐ Subcontractor supplied H&S information is attached

Print any relevant JLAs for this scope of work and attach.

FHSHB and/or applicable STAR Plan/TCP are required to be on site even if not referenced above.

Other (state document and if attached):

☑ Utility clearance required?

Roles and Responsibilities

	Name	*Role*	*Additional Responsibilities*
1			
2			
3			
4			
5			
6			

Training

All ARCADIS employees are required to have the following training:	*Selected ARCADIS employees are required to have the following additional training:*	Names or Numbers from above
☑ 40 hr HAZW OPER w current refresh.	☐ Not applicable	
☐ 24 hr HAZW OPER	☑ First aid/CPR/BBP	
☐ 10 hr Construction	☐ 30 hr Construction	
☐ HazMat #1 (Ground/Air/MOT)	☐ 10 hr Construction	
☐ HazMat #4 (MOT)	☐ HazMat #1 (Gr./Air/MOT)	
HazCom/Emergency Action Plan	☐ HazMat #4 (MOT)	
☐ LPS (classroom); or	Confined space entrant	
☐ LPS (on-line)	☐ Confined space rescue	
☑ PPE	☐ Excavation CP	
☑ Respiratory protection	☐ Electrical (NFPA 70E)	
☐ Smith System (hands on)	☐ Lockout/Tagout	
☑ Smith System (on-line)	☐ LPS (classroom)	
☐ OTS/eRailsafe	☐ OTS/eRailsafe	
☐ Client specific:	☑ Smith Sys. (hands on)	
	☐ Boating safety	
☐ Other:	☐ Other:	

☑ ARCADIS subcontractors are also required to have the above training applicable to all employee

Hazard Analysis

Rank the hazards using HIGH (H), MEDIUM (M) or LOW (L) based on current site knowledge. For hazards that are not applicable, leave blank.

Rank the hazards using the chart below:

Severity	Consequence		Probability				
	Property Damage	Injury	Frequent	Likely	Occasional	Seldom	Unlikely
	> $100,000	Fatality	H	H	H	H	M
	> $10,000	Injury Requiring Hospitalization	H	H	H	M	L
	> $1000	Injury Requiring Medical Treatment Beyond First Aid	H	M	M	L	L
	< $1000	Injury Requiring First Aid	M	L	L	L	L

Identify and rank relevant hazards expected to be encountered on this project:

Biological		***Mechanical***		***Chemical/Radiation***	
	Biting/stinging insects		Cuts on equipment/tools		Not applicable
	Biting animals		Pinch points on equipment		General
	Poisonous plants		Burns from equipment		Dusts, toxic
	Phys. damaging plants		Struck by equipment		Dusts, nuisance
					Chemicals, ARCADIS use
Driving		***Motion***			Chemicals, corrosive
	Night driving		Lifting/awkward body positions		Chemicals, explosive
	Off-road driving		Struck by vehicle/traffic		Chemicals, flammable
	Urban driving				Chemicals, oxidizing
	All terrain vehicle	***Personal Safety***			Chemicals, toxic
	Boat		Working late/night		Chemicals, reactive
			Working alone		Radiation, ionizing
Electrical			High crime area		Radiation, non-ionizing
	Wet environments				
	Electrical panels	***Pressure***		***Compound Specific***	
	Electric utilities		Utilities (gas, water, etc)		PCBs
	Electric power tools		Compressed gas cylinders		
			Compressed air/aerosols		Chromium
Environment			Hydraulic systems		Copper
	Heat				Lead
	Cold	***Sound***			Mercury
	Lightning		Equipment noise		Zinc
	Inclement weather		Tool noise	***Gravity***	
	High wind		Traffic noise (vehicle/train/etc)		Slip, trip, fall
					Fall from height
					Ladders or scaffolds
					Struck by falling object

ARCADIS

Hazard Communication (HazCom)

List the chemicals anticipated to be used on this project subject to HazCom requirements.

List the chemicals anticipated to be used on project subject to HazCom requirements.

(Modify quantities as needed)

	Acids/Bases	Qty
☐	Not applicable	
☐	Hydrochloric acid	<500 ml
☐	Nitric acid	<500 ml
☐	Sulfuric acid	<500 ml
☐	Sodium hydroxide	<500 ml
☐	Zinc acetate	<500 ml
☐	Ascorbic acid	<500 ml
☐	Acetic acid	<500 ml
☐	Other:	

	Decontamination	Qty
☐	Not applicable	
☐	Alconox	≤ 5 lbs
☐	Liquinox	≤ 1 gal
☐	Acetone	≤ 1 gal
☐	Methanol	≤ 1 gal
☐	Hexane	≤ 1 gal
☐	Isopropyl alcohol	≤ 4 gal
☐	Nitric acid	≤ 1 L
☐	Other:	

	Calibration	**Qty.**
☐	Not applicable	
☐	Isobutylene/air	1 cyl
☐	Methane/air	1 cyl
☐	Pentane/air	1 cyl
☐	Hydrogen/air	1 cyl
☐	Propane/air	1 cyl
☐	Hydrogen sulfide/air	1 cyl
☐	Carbon monoxide/air	1 cyl
☐	pH standards (4,7,10)	≤ 1 gal
☐	Conductivity standards	≤ 1 gal
☐	Other:	

	Fuels	Qty.
☐	Not applicable	
☐	Gasoline	≤ 5 gal
☐	Diesel	≤ 5 gal
☐	Kerosene	≤ 5 gal
☐	Propane	1 cyl
☐	Other:	

	Kits	Qty.
☐	Not applicable	
☐	Hach (specify):	1 kit
☐	DTECH (specify):	1 kit
☐	EPA 5035 Soil (specify kit):	1 kit
☐	Other:	

	Remediation	Qty.
☐	Not applicable	
☐	Other:	
☐	Other:	
☐	Other:	
☐	Other:	

	Other:	Qty.
☐	Not applicable	
☐	Spray paint	≤ 6 cans
☐	Bentonite	
☐	Concrete patch	
☐	Pipe primer	≤ 1 can
☐	Mineral spirits	≤ 1 gal

Material safety data sheets (MSDSs) must be available to field staff. Manufacturer supplied MSDSs are preferred, however, if the manufacturer's MSDS cannot be located, use the source provided below. Indicate below how MSDS information will be provided:

☐ Not applicable
☐ Printed copy in company vehicle
☐ Printed copy in the project trailer/office
☐ Printed copy attached
☐ Electronic copy on field computer

Bulk quantities of the following materials will be stored:

Contact the project H&S contact for information in determining code and regulatory requirements associated with bulk storage of materials.

ARCADIS

☐ Chemical air monitoring is not required for this project.

For projects requiring air monitoring, list the relevant constituents representing a hazard to site workers.

Constituent	Max. Conc. Units	TWA	Units	STEL	Units	IDLH	Units	LEL/UEL (%)	VD Air=1	VP (mm Hg)	IP (eV)
None	ppm		-		-		-				
None	ppm		-		-		-				
None	ppm		-		-		-				
None	ppm		-		-		-				
None	ppm		-		-		-				
None	ppm		-		-		-				

Notes: TWAs are ACGIH 8 hr-TLVs unless noted.
p-ppm m-mg/m3
s- skin c-ceiling
r- resipirable i-inhalable
c2- ceiling (2 hr) se-sensitizer
"9999" - NA O-OSHA PEL
N-NIOSH 10 hr REL
"#N/A" -Constituent is not in database, manually enter information

Monitoring Equipment and General Protocols

Air monitoring is required for any task or activity where employees have potential exposure to vapors or particulates above the TWA. Action levels below are appropriate for most situations. Contact the project H&S contact for all stop work situations. Check instruments to be used.

Monitoring Frequency: _____

	Instrument				Actions
☐	Photoionization Detector		<		Continue work
			-		Sustained >5 min. continuous monitor, review eng. controls and PPE, proceed with caution
	Lamp (eV):		>		Sustained >5 min. stop work, contact SSO
☐	Flame Ionization Detector (FID)		<		Continue work
			-		Sustained >5 min. continuous monitor, review eng. controls and PPE, use caution
			>		Sustained >5 min. stop work, contact SSO
☐	LEL/O2 Meter	0-10% LEL			Continue work
		>10-25% LEL			Continuous monitor, review eng. controls, proceed with caution
		>25% LEL			Stop work, evacuate, contact SSO
		19.5%-23.5% O2			Normal, continue work
		<19.5% O2			O2 deficient, stop work, evacuate, cont. SSO
		>23.5% O2			O2 enriched, stop work, evacuate, contact SSO
☐	Colorimetric Indicator Tube (CIT)	≤PEL/TLV			Continue work
		>PEL/TLV			Stop work, review eng. controls and PPE,
	Compound(s):				contact SSO
☐	Sound Level Meter or Dosimeter	>80 dBA, sustained			Monitor continuously, continue work
		>85 dBA, sustained			Review controls, use hearing protection
		Result dBA-(NRR-7dBA)>90dBA			Stop work, contact SSO
☐	Particulate Monitor (mists, aerosols, dusts in mg/m^3)		<	2.5	Continue work
		2.5	-	5.00	Use engineering controls, monitor continuously
			>	5.00	Stop work, review controls, contact SSO
☐	Radiation Survey Meter	Specify:			Specify:
☐	Other: Visual monitoring for dust	Specify:			Specify: If dust is observed, actions will be taken to minimize the visible dust (i.e., modifying construction activities, utilizing a water truck)

Monitoring

ARCADIS

Personal Protective Equipment (PPE)

Level D or Level D Modified:					Specify Type:
☐	Hard hat	☐	Snake chaps/guards	☐ Coveralls:	
☐	Safety glasses	☐	Briar chaps	☐ Apron:	
☐	Safety goggles	☐	Chainsaw chaps	☐ Chem. resistant gloves:	
☐	Face shield	☐	Sturdy boot	☐ Gloves other:	
☐	Hearing protection	☐	Steel toe boot	☐ Chemical boot:	
☐	Rain suit	☐	Metatarsal boot	☐ Boot other:	
☐	Other:			☐ Traffic vest:	
				☐ Life vest:	

Task specific PPE:	A Personal Flotation Device/Life Vest will be required to be worn by workers who are working within 10 feet of the water.
Comments:	

Medical Surveillance (*check all that apply*)

- ☐ Medical Surveillance is not required for this project.
- ☐ HAZWOPER medical surveillance applies to all site workers on the project.
- ☐ HAZWOPER medical surveillance applies to all subcontractors on the project.
- ☐ HAZWOPER medical surveillance applies to all site workers on the project except:
- ☐ Other medical surveillance required (describe type and who is required to participate):
- ☐ Client drug and/or alcohol testing required.

Hazardous Materials Shipping and Transportation (*check all that apply*)

- ☐ Not applicable, no HazMat will be transported or shipped
- ☐ A Shipping Determination has been reviewed and provided to field staff
- ☐ A Shipping Determination is attached
- ☐ All HazMat will be transported under Materials of Trade
- ☐ Other (specify):

Roadway Work Zone Safety (*check all that apply*)

- ☐ Not applicable for this project.
- ☐ All or portions of the work conducted under a TCP
- ☐ All or portions of the work conducted under a STAR Plan
- ☐ TCP or STAR Plan provided to field staff
- ☐ TCP or STAR Plan attached
- ☐ Other (specify):

Commercial Motor Vehicles (CMVs)

- ☐ This project will **not** utilize CMV drivers
- ☐ This project will utilize CMV drivers

ARCADIS

Site Control (*check all that apply*)

- ☐ Not applicable for this project.
- ☐ Site control protocols are addressed in JLA or other supporting document (attach)
- ☐ Maintain an exclusion zone of _____ ft. around the active work area
- ☐ Site control is integrated into the STAR Plan or TCP for the project
- ☐ Level C site control - refer to Level C Supplement attached
- ☐ Other (specify):

Existing project controls in place. Additional fencing may be added to control vehicle access to staging area.

Decontamination (*check all that apply*)

- ☐ Not applicable for this project.
- ☐ Decontamination protocols are addressed in JLA or other governing document (attach)
- ☐ Level D work- wash hands and face prior to consuming food, drink or tobacco.
- ☐ Level D Modified work- remove coveralls and contain, wash hands and face prior to consuming food, drink or tobacco. Ensure footwear is clean of site contaminants
- ☐ Level C work - refer to the Level C supplement attached.
- ☐ Other (specify):

Sanitation *(check all that apply)*

- ☐ Mobile operation with access to off-site restrooms and potable water
- ☐ Restroom facilities on site provided by client or other contractor
- ☐ Project to provide portable toilets (1 per 20 workers)
- ☐ Potable water available on site
- ☐ Project to provide potable water (assume 1 gal./person/day)
- ☐ Project requires running water (hot and cold, or tepid) with soap and paper towels

Safety Briefings (*check all that apply*)

- ☐ Safety briefing required daily
- ☐ Safety briefing required twice a day
- ☐ Safety briefings required at the following frequency: _____
- ☐ Subcontractors to participate in safety briefings
- ☐ Participate in client/contractor safety briefings
- ☐ Other (specify):

Safety Equipment and Supplies

Safety equipment/supply requirements are addressed in the JLA for the task being performed. *If work is not performed under a JLA, the following safety equipment is required to be present on site in good condition (Check all that apply):*

☐ First aid kit	☐ Insect repellent
☐ Bloodborne pathogens kit	☐ Sunscreen
☐ Fire extinguisher	☐ Air horn
☐ Eyewash (ANSI compliant)	☐ Traffic cones
☐ Eyewash (bottle)	☐ 2-way radios
☐ Drinking water	☐ Heat stress monitor
☐ Other: _____	_____

ARCADIS

Signatures

I have read, understand and agree to abide by the requirements presented in this health and safety plan. I understand that I have the absolute right to stop work if I recognize an unsafe condition affecting my work until corrected.

Printed Name	Signature	Date

Add additional sheets if necessary

☐ Subcontractor Acknowledgement Form attached

You have an absolute right to STOP WORK if unsafe conditions exist!

Attachment F-1

Tailgate Meeting Checklist

ARCADIS

TAILGATE HEALTH & SAFETY MEETING FORM

This form documents the tailgate meeting conducted. Personnel who perform work operations on-site during the day are required to attend this meeting and to acknowledge their attendance, at least daily.

Project Name:			**Project Location:**
Date:	**Time:**	**Conducted by:**	**Signature/Title:**
Client:		**Client Contact:**	**Subcontractor companies:**

Tailgate Meeting

Tasks (list the tasks for the day):

1 _____ 3 _____ 5 _____

2 _____ 4 _____ 6 _____

Other Hazardous Activities - Check the box if there are any other party activities that may pose hazards to operations ☐ If there are none, write "None" here: _____

If yes, describe them here: _____

How will they be controlled? _____

Pre-work Authorization - check activities to be conducted that require permit issuance or completion of a checklist or similar before work begins:

	Doc #		Doc #		Doc #
☐ Not applicable		☐ Working at Height		☐ Confined Space	
☐ Energy Isolation (LOTO)		☐ Excavation/Trenching		☐ Hot Work	
☐ Mechanical Lifting Ops		☐ Overhead & Buried Utilities		☐ Other permit	

Discuss following questions (for some review previous day's post activities). **Check if yes :** ☐ Topics from Corp H&S to cover?

☐ Incidents from day before to review?	☐ Lessons learned from the day before?	☐ Any Stop Work Interventions yesterday?
☐ Any corrective actions from yesterday?	☐ Will any work deviate from plan?	☐ If deviations, notify PM & client
☐ JLAs or procedures are available?	☐ Field teams to "dirty" JLAs, as needed?	☐ All equipment checked & OK?
☐ Staff has appropriate PPE?	☐ Staff knows Emergency Plan (EAP)?	☐ Staff knows gathering points?

Comments:

Recognize the hazards (check all those that are discussed) (Examples are provided) and **assess the risks** (Low, Medium, High - circle risk level) - Provide an overall assessment of hazards to be encountered today and briefly list them under the hazard category.

☐ Gravity (i.e., ladder, scaffold, trips) (L M H)	☐ Motion (i.e., traffic, moving water) (L M H)	☐ Mechanical (i.e., augers, motors) (L M H)
☐ Electrical (i.e., utilities, lightning) (L M H)	☐ Pressure (i.e., gas cylinders, wells) (L M H)	☐ Environment (i.e., heat, cold, ice) (L M H)
☐ Chemical (i.e., fuel, acid, paint) (L M H)	☐ Biological (i.e., ticks, poison ivy) (L M H)	☐ Radiation (i.e., alpha, sun, laser) (L M H)
☐ Sound (i.e., machinery, generators) (L M H)	☐ Personal (i.e. alone, night, not fit) (L M H)	☐ Driving (i.e. car, ATV, boat, dozer) (L M H)

ARCADIS

Continue on Page 2

TAILGATE HEALTH & SAFETY MEETING FORM - Pg. 2

Control the hazards (Check all and discuss those methods to control the hazards that will be implemented for the day): Review the HASP, applicable JLAs, and other control processes. Discuss and document any additional control processes.

☒	**STOP WORK AUTHORITY** (Must be addressed in every Tailgate meeting - (*See statements below*)				
☐	Elimination	☐	Substitution	☐	Isolation
☐	Engineering controls	☐	Administrative controls	☐	Monitoring
☐	General PPE Usage	☐	Hearing Conservation	☐	Respiratory Protection
☐	Personal Hygiene	☐	Exposure Guidelines	☐	Decon Procedures
☐	Emergency Action Plan (EAP)	☐	Fall Protection	☐	Work Zones/Site Control
☐	JLA to be developed/used ***(specify)***	☐	LPO conducted ***(specify job/JLA)***	☐	Traffic Control
☐		☐		☐	Other ***(specify)***
☐		☐		☐	

Signature and Certification Section - Site Staff and Visitors

Name/Company/Signature	Initial & Sign in Time	Initial & Sign out Time	I have read and understand the HASP

Visitor Name/Co - not involved in work

In	Out
In	Out
In	Out
In	Out

Post Daily Activities Review - Review at end of day or before next day's work (Check those applicable and explain:)

☐ Lessons learned and best practices learned today: _____

☐ Incidents that occurred today: _____

☐ Any Stop Work interventions today? _____

☐ Corrective/Preventive Actions needed for future work: _____

☐ Any other H&S issues: _____

Attachment F-2

PPE Checklist

ARCADIS

R = Equipment required to be present on the site. **O** = Optional equipment. Subcontractors must have the same equipment listed here as a minimum.

Description (Put Specific Material or Type in Box)	Level Of Protection		
	D	C	B
Body			
Coveralls			
Chemical Protective Suit (include type in cell, e.g., Tyvek, Saranex, PVC, etc.)			
Splash Apron			
Rain Suit			
Traffic Safety Vest (reflective) or Reflective T-Shirt			
Head			
Hard Hat (if does not create other hazard)			
Head Warmer (depends on temperature and weather conditions)			
Eyes & Face			
Safety Glasses (incorporate sun protection as necessary)			
Goggles (based on hazard)			
Splash Guard (based on hazard)			
Ears			
Ear Plugs			
Ear Muffs			
Hands and Arms			
Outer Chemical Resistant Gloves (specify the type of glove based on chemical hazard)			
Inner Chemical Resistant Gloves (specify the type of glove based on chemical hazard)			
Insulated Gloves			
Work Gloves*			
Foot			
Safety Boots (steel toe and shank)			
Rubber, Chemical Resistant Boots			
Rubber Boots			
Disposable Boot Covers			
Respiratory Protection			
1/2 Mask APR			
Full Face APR			
Dust Protection			
Powered APR			
SCBA			
Air Line			

ARCADIS

Appendix G

Community Air Monitoring Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Community Air Monitoring Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS

Community Air Monitoring Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
P O Box 66
Syracuse
New York 13214-0066
Tel 315 446 9120
Fax 315 449 0017

Our Ref.:
B00644.64462 #10

Date:
December 2013

ARCADIS

Table of Contents

1. Introduction **1**

1.1 Site Description 1

1.2 Summary of Site Activities 1

1.3 Potential Air Emissions Related to Site Activities 2

2. Air Monitoring Activities **3**

2.1 Monitoring Locations 3

2.2 Monitoring Methods 3

2.3 Action Levels 4

2.3.1 Total VOC Action Levels 4

2.3.2 PM_{10} Action Levels 5

2.4 Emission Control Measures 6

2.5 Meteorological Monitoring 6

2.6 Instrument Calibration 7

3. Reporting and Notification **8**

4. Acronyms and Abbreviations **9**

5. References **10**

Figures

Figure 1 Site Location

Figure 2 Potential Air Monitoring Locations

Attachments

G-1 New York State Department of Health Generic Community Air Monitoring Plan (Appendix 1A of DER-10)

G-2 Fugitive Dust Suppression and Particulate Monitoring (Appendix 1B of DER-10)

G-3 Community Air Monitoring Log

G-4 Exceedance Notification Report

1. Introduction

This Community Air Monitoring Plan (CAMP) describes the air monitoring that will be conducted for particulates (i.e. dust) and volatile organic compounds (VOCs) at the perimeter of the work area for future intrusive work at the former General Motors Assembly Plant site located in Sleepy Hollow, New York (site). This CAMP does not establish action levels for worker respiratory protection: the construction contractor will be required to implement air monitoring in the worker breathing zone for the purposes of worker protection in accordance with a contractor's Health and Safety Plan (HASP). Rather, the intent of this CAMP is to provide a measure of protection for potential downwind community receptors, including residences, businesses, and people not directly involved with the remedial activities. If action levels specified in this CAMP are exceeded, then increased monitoring, corrective actions to abate emissions, and/or work shutdown will be required. This CAMP provides mechanisms to monitor air quality at the work area perimeter and includes criteria for implementing dust/vapor controls in order to meet specific action levels.

This CAMP draws upon the New York State Department of Health (NYSDOH) Generic *Community Air Monitoring Plan* (provided as Attachment G-1), and the New York State Department of Environmental Conservation (NYSDEC)'s program for *Fugitive Dust Suppression and Particulate Monitoring (*provided as Attachment G-2). These documents provide guidance for developing and implementing an air monitoring program for community protection.

1.1 Site Description

The Site is located in the Village of Sleepy Hollow, County of Westchester New York, and is identified in the BCA, Amendment 1 as Tax Section 115.11, Block 1, Lot 2 and Section 115.11, Block 1, Lot 85 on the Town of Mt. Pleasant Tax Map. The Site contains approximately 28.29 acres of land generally bounded by Sleepy Hollow's DeVries Park to the north; Philipsburg Manor, a restored early 18th century farm with public access, to the northeast; Continental Avenue gate to the east; residential properties, Sleepy Hollow's Senior Center and Barnhart Park to the east-southeast; Beekman Avenue to the south; and an active Metro-North rail corridor to the West.

1.2 Summary of Site Activities

The site has been remediated for restricted residential use. Any future intrusive work that will penetrate the soil cover or cap, or encounter or disturb the remaining

contamination, including any modifications or repairs to the existing cover system will be performed in compliance with the Excavation Work Plan (EWP) that is attached as Appendix A to the SMP. Any work conducted pursuant to the EWP must also be conducted in accordance with the procedures defined in the site HASP and this CAMP prepared for the site. Any intrusive construction work will be performed in compliance with the EWP, HASP and CAMP, and will be included in the periodic inspection and certification reports submitted under the Site Management Reporting Plan.

1.3 Potential Air Emissions Related to Site Activities

Activities with the potential to impact air quality include, but may not be limited to, the following:

- Construction activities may expose historic fill
- Installation and removal of waterfront structures
- Staging and handling of excavated material
- Relocation and grading of excavated material
- Loading trucks or containers for onsite relocation or offsite disposal
- Site restoration activities

2. Air Monitoring Activities

Ambient air monitoring will be implemented at the site for total VOCs and particulate matter less than 10 microns in diameter (PM_{10}) during the intrusive activities listed in Section 1.3. Ambient air monitoring will also be conducted whenever excavated material piles are exposed to wind, and will continue until such material is under temporary (polyethylene tarps) or interim (e.g., concrete millings or gravel) cover, or placed under the final cover system (e.g., soil cap, building or pavement). In the event that excavated material piles cannot be covered at the end of the work shift, ambient air monitoring will be performed continuously until covering is completed during a subsequent work shift. Additional ambient air monitoring may be conducted at other times and locations, as needed.

Total VOCs and PM_{10} levels in ambient air will be continuously measured in real-time using portable instruments. The sample location rationale, sampling methods, action levels, and abatement procedures are discussed below.

2.1 Monitoring Locations

A minimum of three work area perimeter monitoring locations will be selected (one upwind and two downwind) based on the established work areas, proximity to potential community receptors, and prevailing wind direction. This pattern will facilitate upwind and downwind monitoring, and will be adaptable to potential changes in wind direction. The upwind and down wind air monitoring locations will be designated daily, based on changes in prevailing wind direction. Additional monitoring stations may be utilized to monitor the downwind work areas based on the extent of work activities. Potential air monitoring locations are shown in Figure 2, and will include more than three possible locations as the work expands.

2.2 Monitoring Methods

Total VOCs in ambient air will be monitored and recorded using a portable photoionization detector (PID) with data-logging capabilities (MiniRae 2000 or equivalent). The PID will be housed in a watertight shelter attached to a tripod and set at a height of approximately five feet above the ground. Total VOC levels will be measured continuously and recorded at 15-minute average intervals.

Particulate monitoring will involve daily real-time monitoring performed using a MIE dataRAM Model DR-2000 or 4000 (DR), MIE dataRAM Model pDR-1000 (pDR), Met

One E-BAM, or equivalent with data logging capabilities for measuring airborne particulates. Each monitor will be equipped to monitor and record concentrations of particulate matter with a diameter less than 10 micrometers. PM_{10} levels will be measured continuously and recorded at 15-minute average intervals.

VOC and PM_{10} levels at the community air monitoring stations will be checked periodically and notifications from the monitoring levels when action levels are exceeded will be responded to immediately. Initial and maximum action levels, as well as the required response actions, are Specified in Section 2.3. If the action levels are exceeded, the appropriate actions will be taken to reach allowable VOC and/or PM_{10} levels. When it is determined that vapor or dust control measures are adequate and allowable airborne contaminant levels have been obtained, work activities will resume. Notification and reporting to NYSDEC and NYSDOH will be conducted as described in Section 3.0. As a result of sensitivity to moisture, the monitors will be carefully observed during humid or rainy weather. During sustained steady rain events, community air monitoring stations will not be operable, due to sensitivity to moisture. During these sustained rain events the precipitation will act as a control measure for offsite migration of contaminants and community air monitoring will not be conducted.

In addition, monitoring for airborne particulates provides a qualitative assessment regarding the potential for other airborne contaminants, such as metals in the excavated materials. Metals are relatively non-volatile, so that the most likely route of migration for these constituents during the performance of the work is via wind-blown airborne particulates. Therefore, daily monitoring for airborne particulates is generally sufficient to assess potential off-site migration.

2.3 Action Levels

The site perimeter action levels provided below for VOCs and particulates are based on the values provided in the NYSDOH generic CAMP (NYSDOH, 2002; also provided as Attachment G-1) and will be used to initiate response actions, if necessary, based on real-time monitoring.

2.3.1 Total VOC Action Levels

The following total VOC action levels and responses will be implemented at the site during intrusive construction activities that may generate emissions:

- If the ambient air concentration of total VOCs at the downwind perimeter of the work area exceeds 5 parts per million (ppm) above background (upwind location) for the 15-minute average, intrusive site activities will be temporarily halted while monitoring continues. If the total VOC concentration readily decreases (through observation of instantaneous readings) below 5 ppm above background, then intrusive site activities will resume with continuous monitoring.

- If the ambient air concentrations of total VOCs at the downwind perimeter of the work area persist at levels in excess of 5 ppm above background, but less than 25 ppm above background, intrusive site work activities will be halted, the source of the elevated VOC concentrations identified, corrective actions to reduce or abate the emissions undertaken, and air monitoring will continue. Once these actions have been implemented, intrusive site work activities will resume provided the following two conditions are met.

  – The VOC concentration at half the distance to the nearest residential or occupied commercial building or parkland (in no case less than 20 feet) is below 5 ppm above background for the 15-minute average.

  – The VOC level 200 feet downwind of the work area or half the distance to the nearest occupied parkland or residential/commercial structure (whichever is less, but in no case less than 20 feet) is below 5 ppm over background for the 15-minute average.

- If the ambient air concentrations of total VOCs are above 25 ppm above background at the perimeter of the work area, intrusive site activities will stop and emission control measures will be implemented.

2.3.2 PM_{10} Action Levels

The following PM_{10} action levels and responses will be implemented at the perimeter of the work area during remedial activities that may generate emissions and are designed to be protective of off-site receptors for metals:

- If the ambient air concentration of PM_{10} at one (or more) of the sampling locations is noted at levels in excess of 100 micrograms per cubic meter ($\mu g/m^3$) above background (upwind location) for the 15-minute average, or if airborne dust is observed leaving the work area, intrusive site activities will be

temporarily halted. The source of the elevated PM_{10} concentration is to be identified, corrective actions to reduce or abate the emissions will be undertaken, and air monitoring will continue. Work may continue following the implementation of dust suppression techniques provided the PM_{10} levels do not exceed 150 µg/m^3 above background for the15-minute average and provided that no visible dust is migrating from the work area.

- If after implementation of dust suppression techniques, PM_{10} levels are greater than 150 µg/m^3 above background, work will stop and site activities will be re-evaluated. Work will resume after dust suppression measures and other controls are implemented and PM_{10} levels are less than 150 µg/m^3 above background and no visible dust is migrating from the work area.

2.4 Emission Control Measures

The following emission control measures may be used if action levels are exceeded during remedial activities:

- Applying water to exposed excavated material piles
- Covering excavated material piles with poly sheeting or other appropriate material
- Reducing surface area of exposed material areas
- Excavating, loading, handling, and backfilling materials in a manner that minimizes dust generation
- Periodically removing dirt/debris from access roads and active vehicle transportation routes
- Spraying water on access roads and active vehicle transportation routes
- Hauling excavated materials and clean backfill materials in properly tarped/covered vehicles
- Restricting vehicle speeds on access roads and active vehicle transportation routes

2.5 Meteorological Monitoring

Meteorological monitoring of wind direction and temperature will be conducted at an established onsite station located in accordance with industry practice. A wind sock or anemometer will be used to measure wind direction, and a thermometer will be used for temperature readings. Meteorological readings will be recorded at a minimum of

once per hour. Alternatively, an electronic weather station will be established to measure and record onsite wind direction and temperature. Regional weather conditions will be obtained from online weather sources.

2.6 Instrument Calibration

The VOC and PM_{10} instruments will be calibrated in accordance with each of the equipment manufacturer's calibration and quality assurance requirements. Each equipment calibration event will be recorded in a logbook or electronically.

3. Reporting and Notification

Air monitoring data will be collected continuously from VOC and PM_{10} monitors during intrusive site activities via real-time monitoring devices. The daily recorded ranges will be summarized in a daily Community Air Monitoring Log (Attachment G-3).

The NYSDEC will be notified if a maximum VOC or PM_{10} action level is exceeded during construction activities. The notification should include: 1) the community air monitoring data; 2) the suspected cause of exceedances; and 3) corrective actions implemented or to be implemented as a result of the exceedance. An Exceedance Notification Report (Attachment G-4) will be completed to document the notification.

Air monitoring data and reports will be made available for NYSDOH and NYSDEC personnel for review..

4. Acronyms and Abbreviations

CAMP	Community Air Monitoring Plan
EWP	Excavation Work Plan
GM	General Motors Corporation
HASP	Health and Safety Plan
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
OVA	organic vapor analyzer
PID	photoionization detector
PM_{10}	particulate matter less than 10 microns in diameter
ppm	part per million
$\mu g/m^3$	micrograms per cubic meter
VOC	Volatile Organic Compound

5. References

NYSDEC. 1989. Fugitive Dust Suppression and Particulate Monitoring Program at Inactive Hazardous Waste Sites. Technical and Administrative Guidance Memorandum (TAGM 4031). New York State Department of Environmental Conservation. October 1989.

NYSDOH. 2002. Generic Community Air Monitoring Plan. New York State Department of Health. December 2002.

ARCADIS

Figures



REFERENCE: BASE MAP USGS 7.5 MIN. QUAD., WHITE PLAINS, NY, 1967, PHOTOREVISED 1979.

2000' 0 2000'

Approximate Scale: 1" = 2000'



Area Location

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK

COMMUNITY AIR MONITORING PLAN


SITE LOCATION MAP

ARCADIS

FIGURE
1

08/06/2013 SYRACUSE, NY-ENV/CAD DJHOWES
B0064462/0001/00067/CDR/64462N02.CDR

CITY: SYRACUSE DIV/GROUP: ENV CAD DB: K.SARTORI LYR: ON=*;OFF=*REF*
G:\ENV\CAD\SYRACUSE\ACTIB0064462\0001\100067\DWG\CAMPE\AST\64462G02.dwg LAYOUT: 2 SAVED: 10/10/2013 1:10 PM ACADVER: 18.1S (LMS TECH) PAGESETUP: DWG-PDF PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 10/10/2013 1:10 PM BY: KOWALCZYK, STEVE
XREFS: IMAGES: PROJECTNAME: --
64462X00
64462X03
64462X06
64462X09



LEGEND:

- ENVIRONMENTAL EASEMENT BOUNDARY
- POTENTIAL AIR MONITORING STATION LOCATION

0 160’ 320’

GRAPHIC SCALE

NOTES:

1. AS–BUILT SURVEY OF THE EAST PARCEL PARKING LOT PERFORMED BY KENNON SURVEYING SERVICES INC. ON DECEMBER 18, 2012 AND PROVIDED BY SEVENSON ENVIRONMENTAL SERVICES INC. ON FEBRUARY 12, 2013.
2. EXAMPLE MONITORING STATIONS SHOWN, ACTUAL MONITORING STATION LOCATIONS MUST BE DETERMINED BASED ON THE LOCATION OF THE WORK, PREVAILING WIND DIRECTIONS, AND THE LOCATION OF THE NEAREST RECEPTORS.

FORMER GENERAL MOTORS ASSEMBLY PLANT
EAST PARCEL SITE
SLEEPY HOLLOW, NEW YORK

COMMUNITY AIR MONITORING PLAN

AIR MONITORING STATION LOCATION

ARCADIS

FIGURE
2

ARCADIS

Attachment G-1

New York State Department of Health
Generic Community Air Monitoring
Plan (Appendix 1A of DER-10)

Appendix 1A
New York State Department of Health
Generic Community Air Monitoring Plan

Overview

A Community Air Monitoring Plan (CAMP) requires real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is not intended for use in establishing action levels for worker respiratory protection. Rather, its intent is to provide a measure of protection for the downwind community (i.e., off-site receptors including residences and businesses and on-site workers not directly involved with the subject work activities) from potential airborne contaminant releases as a direct result of investigative and remedial work activities. The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that work activities did not spread contamination off-site through the air.

The generic CAMP presented below will be sufficient to cover many, if not most, sites. Specific requirements should be reviewed for each situation in consultation with NYSDOH to ensure proper applicability. In some cases, a separate site-specific CAMP or supplement may be required. Depending upon the nature of contamination, chemical- specific monitoring with appropriately-sensitive methods may be required. Depending upon the proximity of potentially exposed individuals, more stringent monitoring or response levels than those presented below may be required. Special requirements will be necessary for work within 20 feet of potentially exposed individuals or structures and for indoor work with co-located residences or facilities. These requirements should be determined in consultation with NYSDOH.

Reliance on the CAMP should not preclude simple, common-sense measures to keep VOCs, dust, and odors at a minimum around the work areas.

Community Air Monitoring Plan

Depending upon the nature of known or potential contaminants at each site, real-time air monitoring for VOCs and/or particulate levels at the perimeter of the exclusion zone or work area will be necessary. Most sites will involve VOC and particulate monitoring; sites known to be contaminated with heavy metals alone may only require particulate monitoring. If radiological contamination is a concern, additional monitoring requirements may be necessary per consultation with appropriate DEC/NYSDOH staff.

Continuous monitoring will be required for all ground intrusive activities and during the demolition of contaminated or potentially contaminated structures. Ground intrusive activities include, but are not limited to, soil/waste excavation and handling, test pitting or trenching, and the installation of soil borings or monitoring wells.

Periodic monitoring for VOCs will be required during non-intrusive activities such as the collection of soil and sediment samples or the collection of groundwater samples from existing monitoring wells. “Periodic” monitoring during sample collection might reasonably consist of taking a reading upon arrival at a sample location, monitoring while opening a well cap or

overturning soil, monitoring during well baling/purging, and taking a reading prior to leaving a sample location. In some instances, depending upon the proximity of potentially exposed individuals, continuous monitoring may be required during sampling activities. Examples of such situations include groundwater sampling at wells on the curb of a busy urban street, in the midst of a public park, or adjacent to a school or residence.

VOC Monitoring, Response Levels, and Actions

Volatile organic compounds (VOCs) must be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous basis or as otherwise specified. Upwind concentrations should be measured at the start of each workday and periodically thereafter to establish background conditions, particularly if wind direction changes. The monitoring work should be performed using equipment appropriate to measure the types of contaminants known or suspected to be present. The equipment should be calibrated at least daily for the contaminant(s) of concern or for an appropriate surrogate. The equipment should be capable of calculating 15-minute running average concentrations, which will be compared to the levels specified below.

1. If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities must be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities can resume with continued monitoring.

2. If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the exclusion zone or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet, is below 5 ppm over background for the 15-minute average.

3. If the organic vapor level is above 25 ppm at the perimeter of the work area, activities must be shutdown.

4. All 15-minute readings must be recorded and be available for State (DEC and NYSDOH) personnel to review. Instantaneous readings, if any, used for decision purposes should also be recorded.

Particulate Monitoring, Response Levels, and Actions

Particulate concentrations should be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. The particulate monitoring should be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment must be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration should be visually assessed during all work activities.

1. If the downwind PM-10 particulate level is 100 micrograms per cubic meter (mcg/m^3) greater than background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques must be employed. Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed 150 mcg/m^3 above the upwind level and provided that no visible dust is migrating from the work area.

2. If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 mcg/m^3 above the upwind level, work must be stopped and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 mcg/m^3 of the upwind level and in preventing visible dust migration.

3. All readings must be recorded and be available for State (DEC and NYSDOH) and County Health personnel to review.

December 2009

ARCADIS

Attachment G-2

Fugitive Dust Suppression and Particulate Monitoring (Appendix 1B of DER-10)

Appendix 1B
Fugitive Dust and Particulate Monitoring

A program for suppressing fugitive dust and particulate matter monitoring at hazardous waste sites is a responsibility on the remedial party performing the work. These procedures must be incorporated into appropriate intrusive work plans. The following fugitive dust suppression and particulate monitoring program should be employed at sites during construction and other intrusive activities which warrant its use:

1. Reasonable fugitive dust suppression techniques must be employed during all site activities which may generate fugitive dust.

2. Particulate monitoring must be employed during the handling of waste or contaminated soil or when activities on site may generate fugitive dust from exposed waste or contaminated soil. Remedial activities may also include the excavation, grading, or placement of clean fill. These control measures should not be considered necessary for these activities.

3. Particulate monitoring must be performed using real-time particulate monitors and shall monitor particulate matter less than ten microns (PM10) with the following minimum performance standards:

(a) Objects to be measured: Dust, mists or aerosols;
(b) Measurement Ranges: 0.001 to 400 mg/m3 (1 to 400,000 :ug/m3);
(c) Precision (2-sigma) at constant temperature: +/- 10 :g/m3 for one second averaging; and +/- 1.5 g/m3 for sixty second averaging;
(d) Accuracy: +/- 5% of reading +/- precision (Referred to gravimetric calibration with SAE fine test dust (mmd= 2 to 3 :m, g= 2.5, as aerosolized);
(e) Resolution: 0.1% of reading or 1g/m3, whichever is larger;
(f) Particle Size Range of Maximum Response: 0.1-10;
(g) Total Number of Data Points in Memory: 10,000;
(h) Logged Data: Each data point with average concentration, time/date and data point number
(i) Run Summary: overall average, maximum concentrations, time/date of maximum, total number of logged points, start time/date, total elapsed time (run duration), STEL concentration and time/date occurrence, averaging (logging) period, calibration factor, and tag number;
(j) Alarm Averaging Time (user selectable): real-time (1-60 seconds) or STEL (15 minutes), alarms required;
(k) Operating Time: 48 hours (fully charged NiCd battery); continuously with charger;
(l) Operating Temperature: -10 to 50^{o} C (14 to 122^{o} F);
(m) Particulate levels will be monitored upwind and immediately downwind at the working site and integrated over a period not to exceed 15 minutes.

4. In order to ensure the validity of the fugitive dust measurements performed, there must be appropriate Quality Assurance/Quality Control (QA/QC). It is the responsibility of the remedial party to adequately supplement QA/QC Plans to include the following critical features: periodic instrument calibration, operator training, daily instrument performance (span) checks, and a record keeping plan.

5. The action level will be established at 150 ug/m3 (15 minutes average). While conservative,

this short-term interval will provide a real-time assessment of on-site air quality to assure both health and safety. If particulate levels are detected in excess of 150 ug/m3, the upwind background level must be confirmed immediately. If the working site particulate measurement is greater than 100 ug/m3 above the background level, additional dust suppression techniques must be implemented to reduce the generation of fugitive dust and corrective action taken to protect site personnel and reduce the potential for contaminant migration. Corrective measures may include increasing the level of personal protection for on-site personnel and implementing additional dust suppression techniques (see paragraph 7). Should the action level of 150 ug/m3 continue to be exceeded work must stop and DER must be notified as provided in the site design or remedial work plan. The notification shall include a description of the control measures implemented to prevent further exceedances.

6. It must be recognized that the generation of dust from waste or contaminated soil that migrates off-site, has the potential for transporting contaminants off-site. There may be situations when dust is being generated and leaving the site and the monitoring equipment does not measure PM10 at or above the action level. Since this situation has the potential to allow for the migration of contaminants off-site, it is unacceptable. While it is not practical to quantify total suspended particulates on a real-time basis, it is appropriate to rely on visual observation. If dust is observed leaving the working site, additional dust suppression techniques must be employed. Activities that have a high dusting potential--such as solidification and treatment involving materials like kiln dust and lime--will require the need for special measures to be considered.

7. The following techniques have been shown to be effective for the controlling of the generation and migration of dust during construction activities:

(a) Applying water on haul roads;
(b) Wetting equipment and excavation faces;
(c) Spraying water on buckets during excavation and dumping;
(d) Hauling materials in properly tarped or watertight containers;
(e) Restricting vehicle speeds to 10 mph;
(f) Covering excavated areas and material after excavation activity ceases; and
(g) Reducing the excavation size and/or number of excavations.

Experience has shown that the chance of exceeding the 150ug/m3 action level is remote when the above-mentioned techniques are used. When techniques involving water application are used, care must be taken not to use excess water, which can result in unacceptably wet conditions. Using atomizing sprays will prevent overly wet conditions, conserve water, and provide an effective means of suppressing the fugitive dust.

8. The evaluation of weather conditions is necessary for proper fugitive dust control. When extreme wind conditions make dust control ineffective, as a last resort remedial actions may need to be suspended. There may be situations that require fugitive dust suppression and particulate monitoring requirements with action levels more stringent than those provided above. Under some circumstances, the contaminant concentration and/or toxicity may require additional monitoring to protect site personnel and the public. Additional integrated sampling and chemical analysis of the dust may also be in order. This must be evaluated when a health and safety plan is developed and when appropriate suppression and monitoring requirements are established for protection of health and the environment.

ARCADIS

Attachment G-3

Community Air Monitoring Log

Daily Air Monitoring Report

Project:	**Project Number:** **Task Number:** **Date:**
Contractor Company:	**Day of Week:** S M T W T F S
Contractor On-site Representative:	**CAMP Daily Report Number:**
Engineer Company:	**Report By:**
Engineer On-site Representative:	

Weather Conditions	Temperature	Humidity	Wind	Precipitation[1]
	Low: °F High: °F	Low: % High: %	Direction: Degrees: Speed: mph	inches

Work Day Morning (0700 to1200) Perimeter Air Monitoring Data Summary

Station ID	Upwind/Downwind	TVOC Min Avg* [2]	TVOC Max Avg* [2]	PM-10 Min Avg* [2]	PM-10 Max Avg* [2]
C-1					
C-2					
C-3					
C-4					
C-5					
C-6					

Work Day Afternoon (1200 to 1700) Perimeter Air Monitoring Data Summary

Station ID	Upwind/Downwind	TVOC Min Avg* [2]	TVOC Max Avg* [2]	PM-10 Min Avg* [2]	PM-10 Max Avg* [2]
C-1					
C-2					
C-3					
C-4					
C-5					
C-6					

Post-Work Day (If Required) Perimeter Air Monitoring Data Summary

Station ID	Upwind/Downwind	TVOC Min Avg* [2]	TVOC Max Avg* [2]	PM-10 Min Avg* [2]	PM-10 Max Avg* [2]
C-1					
C-2					
C-3					
C-4					
C-5					
C-6					

* - Volatile Organics reported in parts per million (ppm)

** - Particulates reported in micrograms per cubic meter (µg/m^3)

[1] - Daily precipitation information obtained from www.weather.com

[2] - Averages are based on a rolling 15-minute time weighted average

CAMP Action Level Alerts :

Number of Alerts Exceeding Maximum Action Levels:

Actions Taken in Response to Alerts:

Attachments:
Daily CAMP Stations Map
Exceedance Notification Report

Certification:
Representative completing report: _____ Date: _____

ARCADIS

Attachment G-4

Exceedance Notification Report

EXCEEDANCE NOTIFICATION REPORT

COMMUNITY AIR MONITORING PROGRAM
FORMER GM ASSEMBLY PLANT SITE – SLEEPY HOLLOW, NY

EXCEEDANCE DATE: _____

I. Maximum Action Levels Exceeded

Time/Time Range	*TVOC> 25 ppm 15-min average*	*PM10 >150 µg/m^3 15-min average*	*Total Duration Minutes*

What was the cause (nature) and location of the exceedance(s)?

_____
_____
_____
_____
_____

Contractor Representative(s) Notified: _____Time:_____

NYSDEC Representative(s) Notified: _____Time:_____

II. Corrective Action(s)

Action Taken:

_____
_____
_____
_____

Time of Action:_____

III. Verification of Corrective Action(s)

Monitoring Data Confirming Corrective Action: Time: _____

_____
_____

Representative completing report: _____Date: _____

ARCADIS

Appendix H

Field Sampling Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Appendix H - Field Sampling Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS

Appendix H
Field Sampling Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
Syracuse
New York 13214-0066
Tel 315.446.9120
Fax 315.449.0017

Our Ref.:
B0064462.0001

Date:
December 2013

ARCADIS

Table of Contents

Acronyms and Abbreviations i

1. Introduction 1

1.1 Site Description 1

1.2 Overview of Anticipated Site Activities 1

2. Field Sampling Procedures 3

2.1 Sampling Backfill from Off-Site Sources 4

2.1.1 Sampling Objective 4

2.1.2 Sampling Protocols 4

2.1.3 Analytical Laboratory Testing 5

2.2 Sampling On-Site Material for Reuse 5

2.2.1 Sampling Objective 5

2.2.2 Sampling Protocols 6

2.2.3 Analytical Laboratory Testing 7

2.3 Sampling On-Site Material for Disposal 8

2.3.1 Sampling Objective 8

2.3.2 Sampling Protocols 8

2.3.3 Analytical Laboratory Testing 8

2.4 Soil Vapor Intrusion Sampling for Buildings - Subsurface and Sub-slab 9

2.4.1 Sampling Objective 9

2.4.2 Sampling Protocols 9

2.4.3 Analytical Laboratory Testing 10

2.5 Indoor Air Sampling for Buildings if Required 10

2.5.1 Sampling Objective 10

2.5.2 Sampling Protocols 11

2.5.3 Analytical Laboratory Testing 11

Tables

Table H-1 Sampling Activities (In-Text Table)

Table H-2 Recommended Number of Soil Samples for Soil Imported to or Exported from the Site

Table H-3 Sampling Collection, Handling and Analytical Protocols

Table H-4 Backfill Sampling Analytical Parameters and Methods (In-Text Table)

Table H-5 Criteria for On-Site Reuse of Excavated Materials (In-Text Table)

Table H-6 On-Site Material Sampling for Reuse Analytical Parameters and Methods (In-Text Table)

Table H-7 On-Site Material Sampling for Disposal Analytical Parameters and Methods (In-Text Table)

Table H-8 SVI Sampling Analytical Parameters and Methods (In-Text Table)

Table H-9 Indoor Air Sampling Analytical Parameters and Methods (In-Text Table)

Attachments

H-1 Standard Operating Procedures

Acronyms and Abbreviations

BUD	Beneficial Use Determination
ELAP	Environmental Laboratory Approval Program
FSP	Field Sampling Plan
MS/MSD	matrix spike/matrix spike duplicate
NTU	nephelometric turbidity units
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
QAP	Quality Assurance Plan
QA/QC	quality assurance/quality control
Site	Former General Motors Assembly Plant East Parcel Site
SMP	Site Management Plan
SOP	Standard Operating Procedure
USEPA	United States Environmental Protection Agency

ARCADIS

1. Introduction

This Field Sampling Plan (FSP) has been prepared in support of the Site Management Plan (SMP), to support future soil excavation, other intrusive activities, pre- and post-construction soil gas sampling, and long-term monitoring to assess the performance and effectiveness of the remedy at the Former General Motors Assembly Plant, East Parcel Site in Sleepy Hollow, New York Site (hereinafter referred to as the "Site").

This FSP will be used as a guide for performing the following sampling and analytical activities:

- Sampling Backfill from Off-Site Sources
- Sampling On-Site Materials
- Indoor Air Sampling
- Soil Vapor Intrusion Sampling

Changes to the sampling procedures, analytical methods or sampling frequency will be subject to NYDEC approval.

The remainder of this section presents a description of the site location and a summary of the anticipated site activities.

1.1 Site Description

The Site is located in the Village of Sleepy Hollow, County of Westchester New York, and is identified in the BCA, Amendment 1 as Tax Section 115.11, Block 1, Lot 2 and Section 115.11, Block 1, Lot 85 on the Town of Mt. Pleasant Tax Map. The Site contains approximately 28.29 acres of land generally bounded by Sleepy Hollow's DeVries Park to the north; Philipsburg Manor, a restored early 18th century farm with public access, to the northeast; Continental Avenue gate to the east; residential properties, Sleepy Hollow's Senior Center and Barnhart Park to the east-southeast; Beekman Avenue to the south; and an active Metro-North rail corridor to the West.

1.2 Overview of Anticipated Site Activities

Soil excavation and other intrusive activities are anticipated for future Site development. Preparation of the Site for new construction may include the following anticipated activities:

- demolition of existing concrete slabs and foundations

- removal of asphalt cover
- reprocessing and on-site recycling of Site concrete and asphalt materials, including existing stockpiles
- removal of existing foundations, underground utilities and other subsurface obstructions
- installation of new utilities and foundations
- importation of fill materials
- surface grading and filling

Following Site preparation and throughout various stages of Site development and construction, a final cover system for the Site will be established. The final cover system provides a physical exposure barrier that must be restored if the cover is breached to permit additional construction of foundations or utilities, or for the maintenance and repair of utilities within or beneath the cover system. Once the final cover system is constructed, any future activity that disrupts the final cover system and exposes soil or fill materials beneath the cover system will be subject to general and specific requirements of the SMP.

2. Field Sampling Procedures

This section provides procedures for implementing the sample collection and analysis activities listed in Table H-1. Laboratories selected will be New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program- (ELAP-) certified.

Table H-1 below summarizes the sampling activities included in this FSP.

Table H-1 — Sampling Activities

Sampling Activity	Frequency*	Matrix	Analysis
Sampling Backfill from Off-Site Sources	Prior to Placement of Imported Backfill Materials On-Site	Soil	Metals, PCBs, Pesticides, SVOCs, VOCs
Sampling On-Site Material for Reuse	Prior to Placement of On-Site Materials for Reuse On-Site as Final Cover Soil	Soil	Metals, PCBs, Pesticides, SVOCs, VOCs
Sampling On-Site Material for Disposal	Prior to Transport of On-Site Materials to Off Site facility for Disposal	Soil	TCLP Metals and/or other parameters as required by disposal facility
Soil Vapor Evaluation Sampling	Prior to Construction SVI Evaluation (where needed)	Subsurface soil gas under existing cover system	Methane and VOCs
Soil Vapor Intrusion Sampling	Prior to Occupancy for slab-on-grade buildings unless exempted by NYSDEC and NYSDOH.	Sub-slab Soil Gas from readily accessible in-line sampling system or other method approved by NYSDEC and NYSDOH	Methane and VOCs
Indoor Air Sampling	Prior to Occupancy of certain buildings, only if required by NYSDEC or NYSDOH	Indoor Air With All Doors and Windows Closed and Heating System Operating	Methane and VOCs

2.1 Sampling Backfill from Off-Site Sources

2.1.1 Sampling Objective

Soil imported to a site for use in a soil cap, soil cover or as backfill must meet the criteria summarized in the SMP.

2.1.2 Sampling Protocols

Where required for previously unapproved non-exempt sources requiring sampling and analysis, representative sample(s) will be collected and analyzed in accordance with Section 5.4 (e) 10 and Table 5.4(e)10 of DER-10 to demonstrate that the off-site materials are suitable for use on-site (see Table H-2 for these requirements).

Per DER-10 Section 5.4(e)3ii, a minimum of one sample will be analyzed from every new source, at the following sampling frequency for:

- Soil or sand imported from a virgin mine/pit, at least one round of characterization samples for the initial 100 cubic yards of material, in accordance with Table 5.4(e)10;
- Material sources other than a virgin mine/pit (e.g., a former manufacturing site), in accordance with Table 5.4(e)10; or
- Sites where large amounts of cover material/backfill are required, the sampling frequency can be reduced from that specified in Table 5.4(e)10 once a trend of compliance is established.

The following Standard Operating Procedures (SOPs; Attachment H-1) are applicable for sampling backfill from off-site sources:

1. Surface & Subsurface Soil Sampling Using Manual Methods
2. Compositing or Homogenizing Samples
3. Field Equipment Decontamination
4. Chain-of-Custody, Handling, Packing and Shipping

A summary of the sample collection, handling, and analytical protocols is included in Table H-3.

2.1.3 Analytical Laboratory Testing

All analyses (listed below in Table H-4) will be conducted by a NYSDOH ELAP-certified laboratory.

Table H-4 — Backfill Sampling Analytical Parameters and Methods

Constituent	Analytical Method
TAL Metals	USEPA SW-846 Method 6010B & 7471A (mercury)
TCL SVOCs; CP-51[1] Gasoline and Fuel Oil SVOCs	USEPA SW-846 Method 8270C
CP-51[2] Gasoline and Fuel Oil VOCs	USEPA SW-846 Method 8021B
TCL VOCs	USEPA SW-846 Method 8260B
PCBs; TCL Pesticides and PCBs	USEPA SW-846 Method 8082 (PCBs) & 8081A (Pesticides)

Note:

1. Commissioner Policy (CP) 51/Soil Cleanup Guidance - New York State Department of Environmental Conservation

2.2 Sampling On-Site Material for Reuse

2.2.1 Sampling Objective

Soil which exists at the site which is used to construct the final soil cover or as excavation backfill for public utility trenches and tree planting must meet the criteria for each end use as described in the SMP. Criteria for reuse of onsite excavated materials applicable to the site are summarized in Table H-5 below, as further detailed in Appendix A (Excavation Work Plan).

Table H-5 – Criteria for On-Site Reuse of Excavated Materials

Soil on Site	Reuse on Site	Offsite Export and Reuse
Meets Unrestricted Use SCOs	Without restrictions	Without restrictions
Meets Restricted Residential Use SCOs	In the soil cover or as backfill within the area of the site subject to institutional controls (IC)	Not allowed, unless going to a site with IC subject to a 6NYCRR Part 360 Beneficial Use Determination (BUD)
Exceeds Restricted Residential Use SCOs	Placement below the final cover system within the area subject to IC, except use as backfill for utility trenches in the public right of way	Not allowed, unless going to a site with IC subject to a 6NYCRR Part 360 Beneficial Use Determination (BUD)

2.2.2 Sampling Protocols

Based on the available database for remaining contamination, it may be assumed that existing site soil does not meet restricted residential use SCOs unless testing results demonstrate otherwise. Sampling and analysis of excavated backfill to qualify it for unrestricted or restricted residential uses or offsite reuse will be performed. Representative sampling in accordance with Section 5.4 (e) 10 and Table 5.4 (e) 10 of DER-10 (see Table H-2), will be utilized to characterize excavated soil.

Any demolition material, not already approved in a BUD and proposed for reuse on-site will be sampled for PCBs, lead, TAL metals, SVOCs, and PCBs and the results will be reported to the NYSDEC for acceptance.

Sampling will be performed on historic fill materials or petroleum product encountered in excavations that are either not suitable for or not approved for re-use as necessary to determine the nature of the material and proper disposal method. Chemical analysis will be performed for full a full list of analytes (TAL metals; TCL volatiles and semi-volatiles, TCL pesticides and PCBs), unless the site history and previous sampling results provide a sufficient justification to limit the list of analytes. In this case, a reduced list of analytes will be proposed to the NYSDEC for approval prior to sampling.

The following Standard Operating Procedures (SOPs; Attachment H-1) are applicable for sampling on-site material for reuse:

1. Surface & Subsurface Soil Sampling Using Manual Methods
2. Compositing or Homogenizing Samples
3. Field Equipment Decontamination
4. Chain-of-Custody, Handling, Packing and Shipping

A summary of the sample collection, handling, and analytical protocols is included in Table H-3.

2.2.3 Analytical Laboratory Testing

All analyses (listed below in Table H-6) will be conducted by a NYSDOH ELAP-certified laboratory.

Table H-6— On-Site Material Sampling for Reuse Analytical Parameters and Methods

Constituent	Analytical Method
TAL Metals	USEPA SW-846 Method 6010B & 7471A (mercury)
TCL SVOCs; CP-51[1] Gasoline and Fuel Oil SVOCs	USEPA SW-846 Method 8270C
CP-51[1] Gasoline and Fuel Oil VOCs	USEPA SW-846 Method 8021B
TCL VOCs	USEPA SW-846 Method 8260B
PCBs; TCL Pesticides and PCBs	USEPA SW-846 Method 8082 (PCBs) & 8081A (Pesticides)

Note:
1. Commissioner Policy (CP) 51/Soil Cleanup Guidance - New York State Department of Environmental Conservation

2.3 Sampling On-Site Material for Disposal

2.3.1 Sampling Objective

All soil/fill/solid waste excavated and removed from the site for offsite disposal will be treated as contaminated and regulated material and will be transported and disposed in accordance with Appendix A, Excavation Work Plan.

2.3.2 Sampling Protocols

One representative sample of will be collected per 500 cy of each type of waste material. From each 500 cy stockpile, 5 grabs will be composited into one sample (for analysis other than VOCs). If analysis is to include VOCs, 2 additional discreet samples will be collected for VOC analysis.

The following SOPs (Attachment H-1) are applicable for sampling on-site material for disposal:

1. Surface & Subsurface Soil Sampling Using Manual Methods
2. Compositing or Homogenizing Samples
3. Field Equipment Decontamination
4. Chain-of-Custody, Handling, Packing and Shipping

A summary of the sample collection, handling, and analytical protocols is included in Table H-3.

Paint filter testing (USEPA SW846 Method 9095) or equivalent field methods should be conducted on excavated soils/fill to evaluate the presence of free liquids in a representative sample of the material prior to transport off site.

2.3.3 Analytical Laboratory Testing

For waste characterization of excavated soil/fill/solid waste that will be removed from the site for offsite disposal, analysis should be performed for TCLP metals (at a minimum) and for other parameters based on waste generator knowledge from prior sampling, requirements of the offsite waste management facility, and applicable regulations. Analytical methods for waste characterization are provided in USEPA SW846.

All analyses (including those listed below in Table H-7) for waste characterization will be conducted by a NYSDOH ELAP-certified laboratory. All results will be reviewed by

the waste generator for conformance with disposal facility acceptance protocols/sampling requirements.

Table H-7 — On-Site Material Sampling for Disposal Analytical Parameters and Methods

Constituent	Analytical Method
TCLP Metals	USEPA SW846 Method 1311

Note: Additional analysis may be required to satisfy disposal facility requirements and applicable regulations.

2.4 Soil Vapor Intrusion Sampling for Buildings - Subsurface and Sub-slab

2.4.1 Sampling Objective

Where the potential for soil vapor intrusion (SVI) has been identified, or not previously performed, an SVI evaluation will be performed to determine whether any mitigation measures are necessary to eliminate potential exposure to soil vapors that may be present beneath proposed structures. SVI evaluations on the site will address both methane (combustible) gas and volatile vapors unless data support reduced parameters. In addition, sampling of sub-slab soil vapors will be performed prior to new building occupancy of slab-on-grade buildings unless exempted by NYSDEC and NYSDOH. As outlined in the SMP, pre-construction SVI evaluations can be waived if an SVI mitigation system, or equivalent protection, is installed and approved by NYSDEC and NYSDOH.

2.4.2 Sampling Protocols

Sampling of soil gas for SVI evaluations, pre-or post-construction, will be performed in accordance with a work plan prepared by the Owner and/or Remedial Party and approved by NYSDEC and NYSDOH. Depending on the requirement of the approved work plan, SVI sampling can be performed using one or more of the following:

- Temporary subsurface probes installed into the existing cover system at the time of the sampling, prior to building construction.
- Readily accessible in-line sampling system (or equivalent) installed as part of a sub-slab depressurization system (SSDS) installed in slab-on-grade buildings.

- Any other method of sampling post-construction sub-slab soil gas approved by NYSDEC and NYSDOH.

Monitoring will be completed, submitted and the proposed operational conditions for the SSDS approved by NYSDEC and/or NYSDOH prior to occupancy.

The following SOPs (Attachment H-1) are applicable for soil vapor intrusion evaluations and/or post-construction sub-slab soil vapor sampling from buildings with installed passive SSD systems:

1. Sub-Slab Soil Gas Sampling Using USEPA Method TO-15 – Temporary Probe Approach
2. Sub-Slab Soil Gas Sampling and Analysis Using USEPA Method TO-15 - Permanent Probe Approach(installation procedures will be modified for in-line sampling systems)
3. Field Equipment Decontamination
4. Chain-of-Custody, Handling, Packing and Shipping

A summary of the sample collection, handling, and analytical protocols is included in Table H-3.

2.4.3 Analytical Laboratory Testing

All analyses (listed in Table H-8) will be conducted by a NYSDOH ELAP-certified laboratory.

Table H-8 — SVI Sampling Analytical Parameters and Methods

Constituent	Analytical Method
VOCs	USEPA TO-15
Methane	Flame Ionization Detector, ASTM-D1946

2.5 Indoor Air Sampling for Buildings if Required

2.5.1 Sampling Objective

If it is determined to be necessary by NYSDEC and NYSDOH, indoor air samples will be collected from future buildings at the site prior to occupancy in a manner consistent

with applicable NYSDOH guidance at the time of sampling. Said determination will be made by NYSDEC and NYSDOH. Concentrations of VOCs in air will be evaluated using the air guidelines provided in the NYSDOH guidance document titled "Guidance for Evaluating Soil Vapor Intrusion in the State of New York," dated October 2006 (or the most recent version if there is an updated version available).

2.5.2 Sampling Protocols

Pre-occupancy indoor air sampling will be performed continuously over at least one 24-hour period, with the windows and doors in the occupied space closed and the heating system running to maintain a higher temperature than the outdoor atmosphere. Sampling and analysis will be performed in accordance with the most recent NYSDOH “Guidance for Evaluating Vapor Intrusion in the State of New York”.

The following SOPs (Attachment H-1) are applicable for soil vapor intrusion sampling for buildings with passive SSD systems:

1. Indoor Air or Ambient Air Sampling and Analysis Using USEPA Method TO-15
2. Field Equipment Decontamination
3. Chain-of-Custody, Handling, Packing and Shipping

A summary of the sample collection, handling, and analytical protocols is included in Table H-3.

2.5.3 Analytical Laboratory Testing

All analyses (listed below in Table H-9) will be conducted by a NYSDOH ELAP-certified laboratory.

Table H-9 — Indoor Air Sampling Analytical Parameters and Methods

Constituent	Analytical Method
VOCs	USEPA TO-15
Methane	Flame Ionization Detector, ASTM-D1946

ARCADIS

Tables

Table H-2

Recommended Number of Soil Samples for Soil Imported to or Exported from the Site

Site Management Plan
Former General Motors Assembly Plant East Parcel Site, Sleepy Hollow, NY

Contaminant[1]	VOCs	SVOCs, Inorganics & PCBs/Pesticides	
Soil Quantity (cubic yards)	**Discrete Samples**	**Composite**	**Discrete Samples/Composite**
0-50	1	1	3-5 discrete samples from different locations in the fill being provided will comprise a composite sample for analysis
50-100	2	1	
100-200	3	1	
200-300	4	1	
300-400	4	2	
400-500	5	2	
500-800	6	2	
800-1000	7	2	
>1000	Add an additional 2 VOC and 1 composite for each additional 1000 cubic yards or consult with DER		

Source: This table is derived from Table 5.4(e)10 of the NYSDEC DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Footnote:

[1]Per DER-10 Section 5.4(e)3ii, a minimum of one sample will be analyzed from every new source, at the following sampling frequency for:
(1) soil or sand imported from a virgin mine/pit, at least one round of characterization samples for the initial 100 cubic yards of material, in accordance with Table 5.4(e)10 below;
(2) material sources other than a virgin mine/pit (e.g., a former manufacturing site), in accordance with Table 5.4(e)10; or
(3) sites where large amounts of cover material/backfill are required, the sampling frequency can be reduced from that specified in Table 5.4(e)10 once a trend of compliance is established.

TABLE H-3
SAMPLE COLLECTION, HANDLING, AND ANALYTICAL PROTOCOLS
FIELD SAMPLING PLAN

FORMER GENERAL MOTORS ASSEMBLY PLANT EAST PARCEL SITE, SLEEPY HOLLOW, NY

Laboratory Analytical Parameter	Analytical Method	Sample Preservation	Analytical Holding Time[1] (days)	Container
1. Sampling Backfill from Off-Site Sources				
Lead, TAL Metals	USEPA SW-846 Method 6010B & 7471A (mercury)	Cool to 4°C	Analysis (180), except mercury (26)	4 oz. glass, wide mouth container with Teflon® lined cap
TCL SVOCs; CP-51[2] Gasoline and Fuel Oil SVOCs	USEPA SW-846 Method 8270C	Cool to 4°C	Extraction (10); Analysis (40)	4 oz. glass, wide mouth container with Teflon® lined cap
CP-51[2] Gasoline and Fuel Oil VOCs	USEPA SW-846 Method 8021B	Cool to 4°C; no headspace	Analysis (10)	4 oz. glass, wide mouth container with Teflon® lined septum cap
TCL VOCs	USEPA SW-846 Method 8260B	Cool to 4°C; no headspace	Analysis (10)	4 oz. glass, wide mouth container with Teflon® lined septum cap
PCBs; TCL Pesticides and PCBs	USEPA SW-846 Method 8082 (PCBs) & 8081A (Pesticides)	Cool to 4°C	Extraction (10); Analysis (40)	4 oz. glass, wide mouth container with Teflon® lined cap
2. Sampling On-Site Material for Reuse				
Lead, TAL Metals	USEPA SW-846 Method 6010B & 7471A (mercury)	Cool to 4°C	Analysis (180), except mercury (26)	4 oz. glass, wide mouth container with Teflon® lined cap
TCL SVOCs; CP-51[2] Gasoline and Fuel Oil SVOCs	USEPA SW-846 Method 8270C	Cool to 4°C	Extraction (10); Analysis (40)	4 oz. glass, wide mouth container with Teflon® lined cap
CP-51[2] Gasoline and Fuel Oil VOCs	USEPA SW-846 Method 8021B	Cool to 4°C; no headspace	Analysis (10)	4 oz. glass, wide mouth container with Teflon® lined septum cap
TCL VOCs	USEPA SW-846 Method 8260B	Cool to 4°C; no headspace	Analysis (10)	4 oz. glass, wide mouth container with Teflon® lined septum cap
PCBs; TCL Pesticides and PCBs	USEPA SW-846 Method 8082 (PCBs) & 8081A (Pesticides)	Cool to 4°C	Extraction (10); Analysis (40)	4 oz. glass, wide mouth container with Teflon® lined cap

TABLE H-3
SAMPLE COLLECTION, HANDLING, AND ANALYTICAL PROTOCOLS
FIELD SAMPLING PLAN

FORMER GENERAL MOTORS ASSEMBLY PLANT EAST PARCEL SITE, SLEEPY HOLLOW, NY

Laboratory Analytical Parameter	Analytical Method	Sample Preservation	Analytical Holding Time[1] (days)	Container
3. Sampling On-Site Material for Disposal				
TCLP Metals	USEPA SW846 1311	Cool to 4°C	180 days	125 mL wide mouth glass or plastic with Teflon®cap
4. Soil Vapor Intrusion Sampling				
VOCs	USEPA TO-15	Maintain Pressure	Analysis (5)	SUMMA Canister
Methane	USEPA 3C or ASTM 1946	None	Collection (30)	SUMMA Canister
5. Indoor Air Sampling				
VOCs	USEPA TO-15	Maintain Pressure	Analysis (5)	SUMMA Canister
Methane	USEPA 3C or ASTM 1946	None	Collection (30)	SUMMA Canister

[1] Verified Time of Sample Receipt (at laboratory), per Analytical Services Protocol (ASP)
[2] Commissioner Policy (CP) 51/Soil Cleanup Guidance - New York State Department of Environmental Conservation

ARCADIS

Attachments

ARCADIS

Attachment H-1

Standard Operating Procedures

ATTACHMENT H-1
STANDARD OPERATING PROCEDURES

FIELD SAMPLING PLAN
SITE MANAGEMENT PLAN APPENDIX H
FORMER GENERAL MOTORS ASSEMBLY PLANT EAST PARCEL SITE
SLEEPY HOLLOW, NY

1. Compositing or Homogenizing Samples
2. Surface and Subsurface Soil Sampling Using Manual Methods
3. Sub-Slab Soil Gas Sampling Using USEPA Method TO-15 Temporary Probe Approach
4. Sub-Slab Soil Gas Sampling and Analysis Using USEPA Method TO-15 Permanent Probe Approach
5. Indoor Air or Ambient Air Sampling and Analysis Using USEPA Method TO-15
6. Field Equipment Decontamination
7. Chain-of-Custody, Handling, Packing and Shipping

ARCADIS
Infrastructure, environment, facilities


Imagine the result

Compositing or Homogenizing Samples

Rev. #: 01

Rev Date: March 11, 2009

Approval Signatures

Prepared by:  Date: 3/11/09
Andrew Korik

Reviewed by:  Date: 3/11/09
Michael Gefell (Technical Expert)

I. Scope and Application

The general procedures to be used in composting/homogenizing solid and semisolid samples are outlined below.

II. Personnel Qualifications

ARCADIS personnel directing, supervising, or leading compositing and/or homogenizing of samples should have a minimum of 2 years of previous field experience and current health and safety training including 40-hour HAZWOPER training, site supervisor training, site-specific training, first aid, and CPR, as needed. Field personnel will also be compliant with client-specific training requirements. In addition, ARCADIS field sampling personnel will be versed in the relevant SOPs and posses the required skills and experience necessary to successfully complete the desired field work

III. Equipment List

The following materials will be available, as required, when compositing or homogenizing samples.

- personal protective equipment (PPE), as specified by the site Health and Safety Plan (HASP)
- stainless steel, plastic, glass or ceramic spoon (or disposable equivalent)
- stainless steel, plastic, glass or ceramic bowl (or disposable equivalent)
- stainless steel, plastic, glass or ceramic jar/bottle (or disposable equivalent)
- shovel or trowel
- plastic sheeting
- decontamination supplies
- digital camera (if allowed by facility policy)
- appropriate sample containers and forms
- field notebook and/or personal digital assistant (PDA)

IV. Cautions

The field crew must be aware of the potential chemicals of concern (COCs), and equipped with a variety of sample homogenizing equipment. The field crew must take care not to use equipment that may react with suspected COCs. For example, stainless steel implements should not be used to homogenize strongly acidic materials.

Soil, sediment, sludge and other solid/semisolid materials that are easily mixed should be thoroughly homogenized. Excessive, vigorous mixing should be avoided as COCs can be mobilized/liberated posing a health and safety risk and diminishing the representativeness of the sample.

Implements used for compositing/homogenizing should be thoroughly decontaminated between samples. Field blanks and rinse blanks should be obtained.

A Shipping Determination must be performed, by DOT-trained personnel, for all environmental and geotechnical samples that are to be shipped, as well as some types of equipment/supplies that are to be shipped.

V. Health and Safety Considerations

- Sample compositing/homogenizing will be performed using procedures consistent with the project Health and Safety Plan.
- Appropriate personal protective equipment (PPE) must be worn by all field personnel within the designated work area.
- Air monitoring may be required during certain field activities as required in the Site Health and Safety Plan.

ARCADIS field personnel will be familiar and compliant with Client-specific health and safety requirements.

VI. Procedure

Samples may require homogenization across a given depth interval, or several discrete grabs (usually five) may be combined into a composite sample. Samples for volatile organic compound (VOC) analysis will not be homogenized or composited. The procedure for mixing samples is provided below.

1. Mix the materials in a stainless steel (or appropriate non-reactive material) bowl using a stainless steel spoon (or disposable equivalents). When dealing with large sample quantities, use disposable plastic sheeting and a shovel or trowel. Note: When preparing samples for metals analyses, do not use disposable aluminum (or metal tools or trays other than stainless steel), as it may influence the analytical results.

2. Flatten the pile by pressing the top without further mixing.

3. Divide the circular pile by into equal quarters by dividing out two diameters at right angles.

4. Mix each quarter individually using appropriate non-reactive bowls, spoons and/or sheeting.

5. Mix two quarters (as described above) to form halves, then mix the two halves to form a composite or homogenous sample.

6. Place composite or homogenized sample into specified containers. Remaining material will be disposed of in accordance with project requirements and applicable regulations.

VII. Waste Management

Investigation-derived waste will be managed as described in the Investigation-Derived Waste Handling and Storage SOP.

VIII. Data Recording and Management

Sample identification, interval depth (if appropriate), sample date and time will be recorded in the field notebook, the boring log, and/or the PDA. The sample will also be identified on an appropriate chain of custody form, for submittal to an analytical laboratory for analysis. Consider digital photography to record unusual field conditions or to document compliance (i.e. proper labeling and storage of drums/IDW containers).

IX. Quality Assurance

All materials to be re-used for sample compositing/homogenizing will be decontaminated as appropriate. Field blanks and rinse blanks will be collected to evaluate decontamination procedures and to provide an indication as to whether external contamination has potentially been introduced.

X. References

Not Applicable.

ARCADIS
Infrastructure, environment, facilities

Imagine the result


Surface and Subsurface Soil Sampling Using Manual Methods

Rev. #: 1

Rev Date: March 6, 2009

Approval Signatures

Prepared by:  Date: 3/6/09

Reviewed by:  Date: 3/6/09
(Technical Expert)

I. Scope and Application

This document describes procedures for surface and subsurface soil sampling using hand tools.

II. Personnel Qualifications

ARCADIS personnel directing, supervising, or leading soil sampling activities should have a minimum of 2 years of previous environmental soil sampling experience. ARCADIS personnel providing assistance to soil sample collection and associated activities should have a minimum of 6 months of related experience or an advanced degree in environmental sciences.

III. Equipment List

The following materials will be available, as required, during soil sampling activities:

- personal protective equipment (PPE), as specified by the site Health and Safety Plan (HASP);
- stainless steel bowls;
- stainless steel spoons;
- stainless steel spades;
- stainless steel hand augers;
- indelible ink pens;
- engineer's ruler or survey rod;
- sealable plastic bags (e.g., Ziploc®);
- equipment decontamination materials
- sample bottles and preservatives appropriate for the parameters to be sampled for laboratory analysis, if any;
- transport container with ice (if sampling for laboratory analysis);
- appropriate sample containers and forms; and

- field notebook and/or personal digital assistant (PDA).

Documentation forms and notebooks to have on hand include: soil sample log forms, chain-of-custody forms, sample labels and seals, field logbook/PDA.

IV. Cautions / Hazards

Task specific Job Safety Analysis (JSAs) must be developed to identify site hazards associated with the investigation and reviewed by all field crew members prior to the start of work. Safe Performance Self-Assessment (SPSA) to be performed by employees before performing a new task. Underground utilities will be cleared per the ARCADIS Utility Location Policy and Procedure.

V. Health and Safety Considerations

Soil sample collection will be performed in accordance with a site-specific Health and Safety Plan (HASP) and task specific JSA forms, copies of which will be present on site during such activities.

VI. Procedure

Soil samples may be collected at intervals from the ground surface to various depths. Sample locations will be identified using stakes, flagging, or other appropriate means, and will be noted in a field logbook, PDA, and/or soil sampling logs. Sample points will be located by surveying, use of a global positioning system (GPS), and/or measurements from other surveyed site features.

1. Equipment that will come in contact with the soil sample should be cleaned in accordance with the appropriate equipment decontamination SOP(s), or else new, disposable equipment should be used. Collect equipment blanks in accordance with the project Quality Assurance Project Plan (QAPP).

2. Clear the ground surface of brush, root mat, grass, leaves, or other debris.

3. Use a spade, spoon, scoop, or hand auger to collect a sample of the required depth interval.

4. Use an engineer's ruler to verify that the sample is collected to the correct depth and record the top and bottom depths from the ground surface.

5. To collect samples below the surface interval, remove the surface interval first; then collect the deeper interval. To prevent the hole from collapsing, it may be

necessary to remove a wider section from the surface or use cut polyvinyl chloride (PVC) tubing or pipe to maintain the opening.

6. Collect samples for volatile organic compounds (VOCs) as discrete samples using Encore® samplers or cut syringes (see Extraction/Preservation of Soil/Sediment Samples for VOCs SOP).

7. Homogenize samples for other analyses across the required interval or mix them with other discrete grab samples to form a composite sample (see Compositing or Homogenizing Samples SOP).

8. Place sample in clean sample container; label with sample identification number, date, and time of collection; and place on ice (if obtained for laboratory analysis). Prepare samples for packaging and shipping to the laboratory in accordance with the Chain-of-Custody Handling, Packing, and Shipping SOP.

9. Backfill sample holes to grade with native material or with clean builder's sand or other suitable material.

VII. Waste Management

Waste soils will be managed as specified in the FSP or Work Plan, and according to state and /or federal requirements. Personal Protective Equipment (PPE) and decontamination fluids will be contained separately and staged at the project site for appropriate disposal. Waste containers must be a sealed and labeled at the time of generation. Labels will indicate date, sample locations, site name, city, state, and description of the matrix (e.g., soil, PPE).

VIII. Data Recording and Management

Field documentation such as log book entries and chain-of –custody records will be transmitted to the ARCADIS PM or Task Manager each day unless otherwise directed. The field team leader will retain all site documentation while in the field and add to project files when the field mobilization is complete.

IX. Quality Assurance

Quality assurance samples (rinse blanks, duplicates, and MS/MSDs) will be collected at the frequency specified in the FSP and/or QAPP and depending on the project quality objectives. Reusable soil sampling equipment will be cleaned prior to use following equipment cleaning SOP. Field rinse blanks will be used to confirm that decontamination procedures are sufficient and samples are representative of site

conditions. Any deviations from the SOP will be discussed with the project manager prior to changing any field procedures.

ARCADIS
Infrastructure, environment, buildings

Imagine the result

Sub-Slab Soil-Gas Sampling Using Method TO-15 – Temporary Probe Approach

SOP # 427199

Rev. #: 4

Rev Date: July 8, 2010

Approval Signatures

Prepared by: _____ Date: 07/08/2010
Mitch Wacksman and Andrew Gutherz

Approved by: _____ Date: 07/08/2010
Christopher Lutes and Nadine Weinberg

I. Scope and Application

This document describes the procedures for installing temporary sub-slab sampling probes and collect sub-slab soil gas samples for the analysis of volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) Method TO-15. Method TO-15 uses a 1-liter, 3-liter, or 6-liter SUMMA® passivated stainless steel canister. An evacuated 6-liter SUMMA canister (less than 28 inches of mercury [Hg]) will provide a recoverable whole-gas sample of approximately 5 liters when allowed to fill to a vacuum of 5 inches of Hg. The whole-air sample is then analyzed for VOCs using a quadrupole or ion-trap gas chromatograph/mass spectrometer (GC/MS) system to provide compound detection limits of 0.5 parts per billion volume (ppbv).

These procedures are not recommended if the probe is to be sampled more than once. Under those conditions refer to ARCADIS SOP for permanent sub-slab soil gas installations. The following sections list the necessary equipment and detailed instructions for installing temporary sub-slab soil gas probes and collecting soil-gas samples for VOC analysis.

II. Personnel Qualifications

ARCADIS field sampling personnel will have current health and safety training, including 40-hour Hazardous Waste Operations and Emergency Response (HAZWOPER) training. Site supervisor training, site-specific training, first-aid, and cardiopulmonary resuscitation (CPR) may be appropriate at some sites. ARCADIS field sampling personnel will be well versed in the relevant SOPs and possess the required skills and experience necessary to successfully complete the desired field work. ARCADIS personnel responsible for leading sub-slab soil-gas sample collection activities must have previous sub-slab soil-gas sampling experience.

III. Health and Safety Considerations

All sampling personnel should review the appropriate health and safety plan (HASP) and job loss analysis (JLA) prior to beginning work to be aware of all potential hazards associated with the job site and the specific task. Field sampling must be carefully conducted to minimize the potential for injury and the spread of hazardous substances. For sub-slab vapor probe installation, drilling with an electric concrete impact drill should be done only by personnel with prior experience using such a piece of equipment and with the appropriate health and safety measures in place as presented in the JLA. It is possible to encounter high concentrations of VOCs in sub-slab soil gas, so the amount of time the borehole remains open should be minimized. For the same reason, when installing sub-slab probes in spaces with minimal dilution potential, such as closets, it is advisable to provide local ventilation. Finally, sub-slab

probe installation should be completed 24 hours in advance or after any indoor air sampling to avoid cross contamination of the indoor air samples.

IV. Equipment List

The equipment required to install a temporary sub-slab vapor probe is presented below. Modifications to account for project- or regulatory-specific requirements should be noted in the accompanying work plan:

- Appropriate personal protective equipment (PPE; as required by the HASP and the JLA);
- Hammer drill (Hilti, Bosch Hammer, or equilivant);
- 1/2 inch-diameter concrete drill bit (drill bit length contingent on slab thickness);
- Hand tools including open-end wrench (typically 9/16-inch), pliers, channel lock pliers, etc;
- 1/4-inch OD tubing (Teflon, nylon, or Teflon-lined); Note that Nylaflow tubing has a somewhat higher background level of BTEX and much poorer recovery of tirchlorobenzene and naphthalene then Teflon, so should not be used on sites where these compounds are a concern (Hayes, 2006).
- Teflon® tape;
- Work gloves;
- Nitrle gloves;
- Hydrated bentonite, VOC-free modeling clay that complies with ASTM D4236 (McMaster Carr 6102T11 recommended) or wax to seal drill hole (see cautions section);
- Whisk broom and dust pan;
- Bottle brush;
- Ground fault circuit interrupter (GFCI);
- Extension cords rated for amperage required for hammer drill;
- Plastic sheeting; and

- Shop vacuum with clean fine-particle filter.

The equipment required for sub-slab soil gas sample collection is presented below:

- 1, 3, or 6-liter stainless steel SUMMA® canisters (order at least one extra, if feasible) (batch certified canisters or individual certified canisters as required by the project) ;
- Flow controllers with in-line particulate filters and vacuum gauges; flow controllers are pre-calibrated to specified sample duration (e.g., 30 minutes, 8 hours, 24 hours) or flow rate (e.g., 200 milliliters per minute [mL/min]); confirm with the laboratory that the flow controller comes with an in-line particulate filter and pressure gauge (order at least one extra, if feasible);
- Extra 1/4-inch Swagelok front and back compression sleeves;
- Swage-Lok fittings;
- Decontaminated stainless steel Swagelok or comparable “T” fitting and needle valve for isolation of purge pump;
- Two 3-inch lengths of 1/4-inch OD Teflon tubing;
- Stainless steel duplicate “T” fitting provided by the laboratory (if collecting duplicate [i.e., split] samples);
- Portable vacuum pump capable of producing very low flow rates (e.g., 100 to 200 milliliters per minute [mL/min]); vacuum pump should also be equipped with a vacuum gauge;
- Rotameter or an electric flow sensor if vacuum pump does not have and accurate flow gauge;
- Tracer gas testing supplies if applicable (refer to SOP ”Adminstering Tracer Gas” #416199);
- Appropriate-sized open-end wrench (typically 9/16-inch and1/2”);

- Photo Ionization Detector (PID) with a lamp of 11.7 eV; detectable to ppb range (optional);
- Tedlar bag to collect purge air;
- Portable weather meter, if appropriate (temperature, barometric pressure, humidity, etc);
- Quick setting grout or sika flex to seal abandoned holes;
- Chain-of-custody (COC) form;
- Sample collection log (attached); and
- Field notebook.

V. Cautions

The following cautions and field tips should be reviewed and considered prior to installing or collecting a sub-slab soil gas sample.

- When drilling sample collection holes be mindful of utilities that may be in the area. Always complete utility location, identification and marking before installing subslab ports as required by the ARCADIS Utility Location Policy and Procedure. Be aware that public utility locator organizations frequently do not provide location information within buildings so alternative lines of evidence must be used. If the driller is concerned about a particular location, consult the project manager about moving it to another location. Don't be hesitant to use your Stop Work Authority, if something doesn't seem right stop and remedy the situation.
- Sampling personnel should not handle hazardous substances (such as gasoline), permanent marking pens, wear/apply fragrances, or smoke cigarettes/cigars before and/or during the sampling event.
- Ensure that the flow controller is pre-calibrated to the proper sample collection duration (confirm with laboratory). Sample integrity can be compromised if sample collection is extended to the point that the canister reaches atmospheric pressure. Sample integrity is maintained if sample collection is terminated prior to the target duration and a measurable vacuum (e.g., 3–7 inches Hg) remains in the canister when sample collection is terminated. Do not let sample canister reach atmospheric pressure (e.g., 0-inches Hg).

- Field personnel will properly seal the vapor probe at the slab surface to prevent leaks of atmosphere into the soil vapor probe during purging and sampling. Temporary points should be fit snug into the pre-drilled hole using Teflon® tape or modeling clay and sealed with hydrated bentonite, clay or wax at the surface. If this is not done properly, the integrity of the sample port may be compromised.

- Modeling clay or other materials used to seal the hole should only be obtained from an approved ARCADIS source and should not be purchased off the shelf from an unapproved retail source. Data indicate that some modeling clays may contain VOCs that can affect sample results.

- It is important to record the canister pressure, start and stop times and sample identification on a proper field sampling form. Often Summa canisters are collected over a 24 hour period. The time/pressure should be recorded at the start of sampling, and then again one or two hours later. It is a good practice to lightly tap the pressure gauge with your finger before reading it to make sure it isn't stuck. If the canister is running correctly for a 24 hour period then the vacuum will have decreased slightly after an hour or two (for example from 29" to 27"). Consult your project manager (PM), risk assessor or air sampling expert by phone if the Summa canister does not appear to be working properly.

- Ensure that there is still measureable vacuum in the Summa after sampling. Sometimes the gauges sent from the lab have offset errors, or they stick.

- When sampling carefully consider elevation. If your site is over 2,000' above sea level or the difference in elevation between your site and your lab is more than 2,000' then pressure effects will be significant. If you take your samples at a high elevation they will contain less air for a given ending pressure reading. High elevation samples analyzed at low elevation will result in more dilution at the lab, which could affect reporting limits. Conversely low elevation samples when received at high elevation may appear to not have much vacuum left in them http://www.uigi.com/Atmos_pressure.html.

- If possible, have equipment shipped two to three days before the scheduled start of the sampling event so that all materials can be checked. Order replacements if needed.

- Requesting extra canisters from the laboratory should also be considered to ensure that you have enough equipment on site in case of an equipment failure.

- Check the seal around the soil-gas sampling port by using a tracer gas (e.g., helium) or other method established in the appropriate guidance document.

VI. Procedure

Temporary sub-slab soil vapor probes are installed using equipment and procedures that allows the point to be installed quickly and abandoned after an initial sample is collected. These procedures are not recommended if the probe is to be sampled more than once. Under those conditions refer to ARCADIS SOP for permanent sub-slab soil gas installations.

Sub-slab Soil Gas Point Installation

1. Complete the ARCADIS Utility Locate SOP prior to drilling activities.

2. Remove, only to the extent necessary, any covering on top of the slab (e.g., carpet).

3. Lay down plastic sheeting to keep the work area clean. Check to make sure shop vacuum is working properly and fine concrete particles will not pass through filter

4. Drill a 1/2-inch-diameter hole into the concrete slab using the electric drill. Do not fully penetrate the slab at this time. Stop drilling approximately 1 inch short of penetrating the slab.

5. Use the shop vacuum, bottle brush and dust broom to clean up the work area and material that may have fallen into and around the drill hole..

6. Advance the 1/2-inch drill bit the remaining thickness of the slab and approximately 3 inches into the sub-slab material to create an open cavity. Note (if possible) from the drill cuttings any evidence for the types of materials in the immediate sub-slab – i.e. moisture barriers, sand, gravel, shrinkage gap?

7. Use the bottle brush, whisk broom, and dust pan to quickly clean material around and within the hole. The hole should not be left open for any extended length of time to ensure that VOCs below the slab do not migrate into indoor air. Do not use the shop vacuum to clean up the drill hole after the full thickness of the slab has been penetrated.

8. Re-drill the 1/2 – inch hole to ensure it remains clear. This can also be accomplished using a piece of steel rod, sample tubing, or even a piece of heavy wire (coat hanger).

9. Wrap the tubing with Teflon® tape or modeling clay, to the extent necessary, for a snug fit of tubing and hole.

10. Insert the tubing approximately 2 to 3 inches into the slab; tubing should not contact material beneath the slab. Tubing should be capped with clay or other fitting so it does not provide a pathway for vapor movement.

11. Prepare a hydrated bentonite mixture and apply bentonite at slab surface around the tubing. Instead of hydrated bentonite, either VOC free modeling clay (McMaster-Carr #6102T11) or wax may be used for the temporary seal around the tubing where it enters the slab.

12. Proceed to soil gas sample collection after waiting a minimum of 1 hour for equilibration following probe installation.

Sub-Slab Soil Gas Sample Collection

Once the temporary sample probe is installed, the following procedure should be used to collect the sample in the Summa canister.

1. Record the following information on the sample log, if appropriate (contact the local airport or other suitable information source [e.g., site-specific measurements, weatherunderground.com] to obtain the information):

    a. wind speed and direction;

    b. ambient temperature;

    c. barometric pressure; and

    d. relative humidity.

2. Assemble the sample train by removing the cap from the SUMMA canister and connecting the Swagelok T-fitting to the can using a short length of 1/4-inch OD Teflon tubing. The flow controller with in-line particulate filter and vacuum gauge is then attached to the T-fitting. The Swagelok (or similar) two-way valve is connected to the free end of the T-fitting using a short length of ¼-inch OD Teflon tubing.

3. When collecting duplicate or other quality assurance/quality control (QA/QC) samples as required by applicable regulations and guidance, couple two SUMMA canisters using stainless steel Swagelok duplicate sample T-fitting supplied by the laboratory. Attach flow controller with in-line particulate filter and vacuum gauge to duplicate sample T-fitting provided by the laboratory.

4. Perform a leak-down-test by replacing the nut which secures sample tubing with the cap from the canister. This will create a closed system. Open the canister valve and quickly close it; the vacuum should increase approaching 30" Hg. If there are no leaks in the system this vacuum should be held. If vacuum holds proceed with sample collection; if not attempt to rectify the situation by tightening fittings.

5. Attach Teflon sample tubing from the temporary probe to the flow controller using Swagelok fittings.

6. Connect the two-way valve and the portable purge pump using a length of Teflon sample tubing.

7. Record on the sample log and COC form the flow controller number with the appropriate SUMMA® canister number.

8. If appropriate, the seal around the soil-gas sampling port and the numerous connections comprising the sampling train will be evaluated for leaks using helium as a tracer gas. The helium tracer gas will be administered according to the methods established in the appropriate guidance documents and SOP: Administering Helium Tracer Gas.

9. Open the two-way valve and purge the soil-gas sampling port and tubing with the portable sampling pump. Purge approximately three volumes of air from the soil-gas sampling port and sampling line using a flow rate of 200 mL/min or less. Purge volume is calculated by the following equation "purge volume = 3 x Pi x inner radius of tubing^2 x length of tubing. Purge air will be collected into a Tedlar bag to provide that VOCs are not released into interior spaces. Measure organic vapor levels and tracer gas within the Tedlar bag, as appropriate.

10. Close the two-way valve to isolate the purge pump.

11. Open the SUMMA® canister valve to initiate sample collection. Record on the sample log (attached) the time sampling began and the canister pressure.

If the initial vacuum pressure registers less than -25 inches of Hg, then the SUMMA® canister is not appropriate for use and another canister should be used.

Sampling flow rate should be 200 mL/min or less.

12. Take a photograph of the SUMMA® canister and surrounding area unless prohibited by the building owner.

13. Check the SUMMA canister approximately half way through the sample duration and note progress on sample logs.

Termination of Sample Collection

1. Arrive at the SUMMA® canister location at least 10 to 15 minutes prior to the end of the required sampling interval in order to have sufficient time to terminate the sample collection.

2. Record the final vacuum pressure. Stop collecting the sample by closing the SUMMA® canister valves. The canister should have a minimum amount of vacuum (ideally 3-7 inches of Hg or slightly greater).

3. Record the date and local time (24-hour basis) of valve closing on the sample collection log and COC form.

4. Remove the particulate filter and flow controller from the SUMMA® canister, re-install the brass plug on the canister fitting, and tighten with the appropriate wrench.

5. Package the canister and flow controller in the shipping container supplied by the laboratory for return shipment to the laboratory. The SUMMA® canister does not require preservation with ice or refrigeration during shipment.

6. Complete the appropriate forms and sample labels as directed by the laboratory (e.g., affix card with a string).

7. Complete the COC form and place the requisite copies in a shipping container. Close the shipping container and affix a custody seal to the container closure. Ship the container to the laboratory via overnight carrier (e.g., Federal Express) for analysis.

8. A Shipping Determination must be performed, by DOT-trained personnel, for all environmental and geotechnical samples that are to be shipped, as well as some types of environmental equipment/supplies that are to be shipped.

9. Remove the tubing and grout the hole in the slab with quick-setting hydraulic cement powder, Sika-Flex, or other material similar to the slab. This step must be done carefully to ensure that the abandoned sampling point does not become a preferential flow pathway.

10. Replace the surface covering (e.g., carpet) to the extent practicable. Sample collection location should be returned to pre-sampling conditions/

VII. Waste Management

The volume of waste materials generated by these activities should be minimal. Personal protective equipment, such as gloves and other disposable equipment (i.e., tubing) should be collected by field personnel for proper disposal.

VIII. Data Recording and Management

Information collected in the field should be recorded in the field notebook as well as written on the field sampling log and COC, as appropriate. The field notebook and sampling log must include the project name, sample date, sample start and finish time, sample location (e.g., global positioning system [GPS] coordinates, distance from permanent structure [e.g., two walls, corner of room]), canister serial number, flow controller serial number, initial vacuum reading, and final pressure reading. Field sampling logs and COC records will be transmitted to the PM.

IX. Quality Assurance

Duplicate samples should be collected in the field as a quality assurance step. Generally, duplicates are taken of 10% of samples, but project specific requirements should take precedence.

Soil-gas sample analysis will generally be performed using USEPA TO-15 methodology or a project specific constituent list. Method TO-15 uses a quadrupole or ion-trap GC/MS with a capillary column to provide optimum detection limits (typically 0.5-ppbv for most VOCs).

X. References

ASTM – “Standard Guide for Soil Gas Monitoring in the Vadose Zone”, D5314-92.

Hayes, H. C., D.J. Benton and N. Khan "Impact of Sampling media on Soil Gas Measurements" Presented with short paper at AWMA Vapor Intrusion Conference January 2006, Philadelphia PA.

ITRC "Vapor Intrusion Pathway: A Practical Guide", January 2007, Appendix F: "regulators Checklist for Reviewing Soil Gas Data"




DIAGRAM OF TEMPORARY SUB-SLAB SAMPLE POINT

ARCADIS

ARCADIS
Infrastructure, environment, facilities

Imagine the result

Sub-Slab Soil Gas Sampling and Analysis Using USEPA Method TO-15 – Permanent Probe Approach

SOP # 425199

Rev. #: 2

Rev Date: July 7, 2010

Approval Signatures

Prepared by: _____ Date: 07/07/2010
Mitch Wacksman and Andrew Gutherz

Approved by: _____ Date: 07/07/2010
Christopher Lutes and Nadine Weinberg

I. Scope and Application

This document describes the procedures for installing permanent sub-slab sampling probe and collecting sub-slab soil-gas samples for the analysis of volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) Method TO-15 (TO-15). Method TO-15 uses a 1-liter 3-liter or 6-liter SUMMA® passivated stainless steel canister. An evacuated SUMMA canister (less than 28 inches of mercury [Hg]) will provide a recoverable whole-gas sample of approximately 5 liters when allowed to fill to a vacuum of 6 inches of Hg. The whole-air sample is then analyzed for VOCs using a quadrupole or ion-trap gas chromatograph/mass spectrometer (GS/MS) system to provide compound detection limits of 0.5 parts per billion volume (ppbv).

The following sections list the necessary equipment and detailed instructions for installing permanent sub-slab soil-gas probes and collecting soil-gas samples for VOC analysis.

II. Personnel Qualifications

ARCADIS field sampling personnel will have current health and safety training, including 40-hour HAZWOPER training, site supervisor training, site-specific training, first-aid, and cardiopulmonary resuscitation (CPR), as needed. ARCADIS field sampling personnel will be well versed in the relevant standard operating procedures (SOPs) and possess the required skills and experience necessary to successfully complete the desired field work. ARCADIS personnel responsible for leading sub-slab soil-gas sample collection activities must have previous sub-slab soil-gas sampling experience.

III. Health and Safety Considerations

All sampling personnel should review the appropriate health and safety plan (HASP) and job loss analysis (JLA) prior to beginning work to be aware of all potential hazards associated with the job site and the specific task. Field sampling must be carefully performed to minimize the potential for injury and the spread of hazardous substances. For sub-slab vapor probe installation, drilling with an electric concrete impact drill should be done only by personnel with prior experience using such a piece of equipment or directly supervised by an experienced person and with the appropriate health and safety measures in place as presented in the JLA It is possible to encounter high concentrations of VOCs in subslab soil gas, so the amount of time the borehole remains open should be minimized. For the same reason, when installing subslab probes in spaces with minimal dilution potential, such as closets, it is advisable to provide local ventilation. Finally, subslab probe installation should be

completed 24 hours in advance or after any indoor air sampling to avoid cross contamination of the indoor air samples.

IV. Equipment List

The equipment required to install a permanent sub-slab vapor probe is presented below:

- Appropriate personal protective equipment (PPE; as required by the site specific HASP and the JLA)
- Electric hammer drill (big – Bosch, Hilti, etc.);
- 1/2-inch and 1 ½-inch diameter concrete drill bits for impact drill (drill bit length contingent on slab thickness;
- Decontaminated stainless steel vapor probe (typically 1/4-inch outside diameter [OD] stainless steel tubing, 1/4-inch Swagelok by 1/4-inch Swagelok female coupling, (or equilivant), 1/4-inch Swagelok cap);
- Extra ¼-inch Swagelok front and back compression sleeves;
- Stainless steel washers;
- Tubing cutter with heavy-duty cutting wheel;
- Hand tools, including open-end wrench (typically $^{9}/_{16}$-inch), pliers, channel lock pliers, etc.;
- Teflon tape;
- Quick-setting non-shrink grout powder;
- Potable water for mixing grout;
- Disposable cups and spoons for mixing grout;
- Spray bottle with potable water;
- Whisk broom and dust pan;
- Paper towels;

- Nitrile gloves;
- Work gloves;
- Knee pads;
- Bottle brush;
- Ground fault circuit interrupter (GFCI);
- Extension cords capable of amperage required for hammer drill;
- Plastic sheeting; and
- Shop vacuum with clean fine-particle filter.

The equipment required for subslab soil-gas sample collection is presented below:

- 1,3, or 6 – liter stainless steel SUMMA® canisters (order at least one extra, if feasible) (batch certified canisters or individual certified canisters as required by the project) ;
- Flow controllers with in-line particulate filters and vacuum gauges; flow controllers are pre-calibrated to specified sample duration (e.g.,30 minutes) or flow rate (e.g., 200 milliliters per minute [mL/min]); confirm with the laboratory that the flow controller comes with an in-line particulate filter and pressure gauge (order at least one extra, if feasible);
- 1/4-inch ID tubing (Teflon®, or similar);
- 1/4-inch Swagelok by 1/8-inch NPT male stainless steel coupling;
- Extra1/4-inch Swagelok front and back compression sleeves
- Decontaminated stainless steel Swagelok or comparable “T” fitting and needle valve for isolation of purge pump;
- Two 3-inch lengths of 1/4-inch OD Teflon tubing
- Stainless steel duplicate “T” fitting provided by the laboratory (if collecting duplicate [i.e., split] samples);

- Portable vacuum pump capable of producing very low flow rates (e.g., 100 to 200 mL/min) with vacuum gauge;
- Rotameter or an electric flow sensor if vacuum pump does not have an accurate flow gauge (Bios DryCal or equivalent);
- Tracer gas testing supplies (refer to "Administering Tracer Gas" SOP #416199);
- Appropriate-sized open-end wrench (typically 9/16-inch and ½");
- Tedlar® bag to collect purge air or length of tubing sufficient to vent it outside the structure;
- Portable weather meter, if appropriate;
- Chain-of-custody (COC) form;
- Sample collection log (attached);
- Nitrile gloves;
- Work gloves;
- Field notebook

V. Cautions

The following cautions and field tips should be reviewed and considered prior to installing or collecting a sub-slab soil-gas sample.

- When drilling sample collection holes, be mindful of utilities that may be in the area. Always complete utility location, identification and marking before installing subslab ports as required by the ARCADIS Utility Location Policy and Procedure. Be aware that public utility locator organizations frequently do not provide location information within buildings so alternative lines of evidence must be used. If the driller is concerned about a particular location, consult the project manager about moving it to another location. Do not hesitate to use Stop Work Authority; if something doesn't seem right stop and remedy the situation.
- Supplies such as stainless steel tubing and drill bit length will be based on the thickness of the slab encountered. Every effort will be made to establish the thickness of the slab during the preliminary investigation activities, such as

interviews with site personnel, review of construction drawings, building walk through and utility clearance process.

- Sampling personnel should not handle hazardous substances (such as gasoline), permanent marking pens (sharpies), wear/apply fragrances, or smoke cigarettes/cigars before and/or during the sampling event.

- Ensure that the flow controller is pre-calibrated to the proper sample collection duration (confirm with laboratory). Sample integrity can be compromised if sample collection is extended to the point that the canister reaches atmospheric pressure. Sample integrity is maintained if sample collection is terminated prior to the target duration and a measurable vacuum (e.g., 3 -7 – inches Hg) remains in the canister when sample collection is terminated.

- Field personnel will properly seal the vapor port at the slab surface to prevent leaks of atmosphere into the soil vapor port during purging and sampling. Permanent ports will be fit snug into the predrilled hole using Teflon tape or modeling clay and cemented into the ground. If this is not done properly, the integrity of the sample port may be compromised.

- It is important to record the canister pressure, start and stop times, and sample identification on a proper field sampling form. Often SUMMA canisters are collected with a 24-hour averaging period. You should observe and record the time/pressure at the start, and then again one or two hours after starting the sample collection. It is a good practice to lightly tap the pressure gauge with your finger before reading it to make sure it is not stuck. If the canister is running correctly for a 24-hour period, the vacuum will have decreased slightly after one or two hours (for example from 29 inches to 27 inches). Consult your project manager, risk assessor or air sampling expert by phone if the SUMMA canister does not appear to be working properly.

- Ensure that there is still measureable vacuum in the SUMMA® after sampling. Sometimes the gauges sent from labs have offset errors, or they stick.

- Many times the gauges sent from labs have large offset errors, or the gauge needle does not move freely in response to changes in vacuum. For the most precise pressure readings, consider using a separate, more sensitive, device to check pressure at the beginning of the sampling period in a clean atmosphere. This should be done without moving a significant flow into the canister – for example using a pressure gauge on a dead-end leg. If used, this device must be tested beforehand to confirm that it does not introduce contaminants to the SUMMA canister during pressure checks

- When sampling carefully consider elevation. If your site is over 2,000' above sea level or the difference in elevation between your site and your lab is more than 2,000' then pressure effects will be significant. If you take your samples at a high elevation they will contain less air for a given ending pressure reading. High elevation samples analyzed at low elevation will result in more dilution at the lab, which could affect reporting limits. Conversely low elevation samples when received at high elevation may appear to not have much vacuum left in them. http://www.uigi.com/Atmos_pressure.html.

- If possible, have equipment shipped a two to three days before the scheduled start of the sampling event so that all materials can be checked. Order replacements if needed.

- Requesting extra canisters and flow controllers from the laboratory should also be considered to ensure that you have enough equipment on site in case of an equipment failure.

- Check the seal around the soil-gas sampling port by using a tracer gas (e.g., helium) or other method established in the appropriate guidance document. See SOP "Administering Tracer Gas" #416199.

VI. Procedure

Permanent Vapor Probe Installation

Permanent sub-slab soil vapor probes are installed using an electric drill and manual placement of the probe. After a dry fit, the vapor probe is inserted into the hole and grouted with a quick-setting non-shrink grout powder. The vapor probe is equipped with a plug. The cap is removed and a compression fitting nut and ferrules are used to allow collection of a soil gas sample through Teflon tubing. The vapor probe and tubing will be purged with a portable sampling pump prior to collecting the soil gas sample. Detailed installation methods are as follows:

1. Complete the ARCADIS Utility Locate procedure prior to drilling activities.

2. Assemble the sample port assembly (stainless steel tubing, stainless steel Swagelok coupling, Swagelok nut). Teflon tape should never be used with Swagelok connections.

3. Remove, only to the extent necessary, any covering on top of the slab (e.g., carpet) if present.

4. Lay down plastic sheeting to keep the work area clean. Check to make sure shop vacuum is working properly and fine concrete particles will not pass through filter.

5. Advance the 1½-inch drill bit approximately 1½ inches into the slab. This hole is drilled deep enough to permit the top of the coupling to be set flush with the slab when the ¼-inch tubing is inserted into the ½-inch hole drilled under Step 7, below. Clean up cuttings with shop vacuum, bottle brush, and dust pan.

6. Drill a 1/2-inch-diameter hole into the concrete slab using the electric drill. Do not fully penetrate the slab at this time. Stop drilling approximately 1 inch short of penetrating the slab.

7. Use the shop vacuum, bottle brush and dust broom to clean up the work area and material that may have fallen into and around the drill hole.

8. Advance the 1/2-inch drill bit the remaining thickness of the slab and approximately 3 inched into the sub-slab material to create an open cavity. Record any observations from the drill cuttings if possible regarding approximate soil types and presence or absence of a plastic subslab sheet.

9. Use the bottle brush, dust broom and dust pan to clean material around and within the hole. Do not use the shop vacuum to clean up the drill hole after the full thickness of the slab has been penetrated.

10. Using an assembled sample probe assembly, test fit the components so that the proper length of ¼-inch tubing and depth of the 1½-inch hole provides enough space for the stainless steel coupling. Adjust so that the coupling will lie flush with the slab surface and does not create a tripping hazard.

11. Redrill the ½ inch hole to ensure it remains clear. This can also be accomplished using a piece of steel rod, sample tubing or a piece of heavy wire (e.g., coat hanger).

12. Wrap the sample probe assembly with Teflon tape, to the extent necessary, for a snug fit of the assembly and hole. Teflon tape or stainless steel washers can also be used to achieve the proper depth of the sample port assembly. Ensure that Teflon tape or stainless steel washers do not interfere with the cement that will be used to permanently fix and seal the sample probe.

13. Prepare a mixture of nonshrink cement and water according to the manufactures directions in a disposable cup using a plastic spoon for mixing.

14. Before cementing in the sample probe, moisten the bore hole with the spray bottle to provide better adhesion

15. Cement in the sample probe using the plastic spoon to apply the cement into the annular space between the coupling and the 1½-inch drill hole

16. Replace the surface covering (e.g., carpet) if warranted. Sample collection location should be returned to presampling conditions to the extent feasible given the presence of a permanent probe.

17. All permanent sub-slab sample probes should be allowed to sit and equilibrate for a minimum of 24 hours before proceeding to sample collection.

Sub-Slab Soil-Gas Sample Collection

Once the permanent sample port is installed, the following procedures should be used to collect the sample in a SUMMA canister

1. Record the following information on the sample log, if appropriate (contact the local airport or other suitable information source [e.g., site-specific measurements, weatherunderground.com] to obtain the information):

    a. wind speed and direction;

    b. ambient temperature;

    c. barometric pressure; and

    d. relative humidity.

2. Assemble the sample train by removing the cap from the SUMMA canister and connecting the Swagelok T-fitting to the can using a short length of 1/4-inch OD stainless steel tubing. The flow controller with in-line particulate filter and vacuum gauge is then attached to the T-fitting. The Swagelok two-way valve is connected to the free end of the T-fitting using a short length of ¼-inch OD Teflon tubing.

3. When collecting duplicate or other quality assurance/quality control (QA/QC) samples as required by applicable regulations and guidance, couple two SUMMA canisters using stainless steel Swagelok duplicate sample T-fitting supplied by the laboratory. Attach flow controller with in-line particulate filter and vacuum gauge to duplicate sample T-fitting provided by the laboratory.

4. Attach Teflon sample tubing to the flow controller using Swagelok fittings.

5. Remove the flush hex plug and install the male treaded coupling fitting into the sub-slab port, applying Teflon tape to seal the NPT threaded male end. Teflon tape should never be used on Swagelok compression fitting connections.

6. Connect the male threaded coupling fitting and the flow controller using a length of Teflon sample tubing.

7. Connect the two-way valve and the portable purge pump using a length of Teflon sample tubing.

8. Record on the sample log and COC form the flow controller number with the appropriate SUMMA® canister number.

    a. Perform a leak-down-test by replacing the nut which secures sample tubing with the cap from the canister. This will create a closed system. Open the canister valve and quickly close it; the vacuum should increase approaching 30" Hg. If there are no leaks in the system this vacuum should be held. If vacuum holds proceed with sample collection; if not attempt to rectify the situation by tightening fittings.

9. Open the two-way valve and purge the soil-gas sampling port and tubing with the portable sampling pump. Purge approximately three volumes of air from the soil-gas sampling port and sampling line using a flow rate of 200 mL/min. Purge volume is calculated by the following equation "purge volume = 3 x Pi x inner radius of tubing^2 x length of tubing. Purge air will be collected into a Tedlar bag to provide that VOCs are not released into interior spaces. Measure organic vapor levels and tracer gas within the Tedlar bag, as appropriate.

10. The seal around the soil-gas sampling port and the numerous connections comprising the sampling train will be evaluated for leaks using helium as a tracer gas. The helium tracer gas will be administered according to the methods established in the appropriate guidance documents and SOP: Administering Helium Tracer Gas.

11. Close the two-way valve to isolate the purge pump.

12. Open the SUMMA® canister valve to initiate sample collection. Record on the sample log (attached) the time sampling began and the canister pressure.

If the initial vacuum pressure registers less than -25 inches of Hg, then the SUMMA® canister is not appropriate for use and another canister should be used.

13. Take a photograph of the SUMMA® canister and surrounding area.

14. Check the SUMMA canister approximately half way through the sample duration and note progress on sample logs.

Termination of Sample Collection

1. Arrive at the SUMMA® canister location at least 1-2 hours prior to the end of the required sampling interval (e.g., 8, 24-hours).

2. Record the final vacuum pressure. Stop collecting the sample by closing the SUMMA® canister valves. The canister should have a minimum amount of vacuum (approximately 6 inches of Hg or slightly greater).

3. Record the date and local time (24-hour basis) of valve closing on the sample collection log and COC form.

4. Disconnect sample tubing from the sample port; replace flush-mount cap.

5. Remove the particulate filter and flow controller from the SUMMA® canister, re-install the brass plug on the canister fitting, and tighten with the appropriate wrench.

6. Package the canister and flow controller in the shipping container supplied by the laboratory for return shipment to the laboratory. The SUMMA® canister does not require preservation with ice or refrigeration during shipment.

7. Complete the appropriate forms and sample labels as directed by the laboratory (e.g., affix card with a string).

8. Complete the COC form and place the requisite copies in a shipping container. Close the shipping container and affix a custody seal to the container closure. Ship the container to the laboratory via overnight carrier (e.g., Federal Express) for analysis.

VII. Waste Management

No specific waste management procedures are required.

VIII. Data Recording and Management

Measurements will be recorded on the sample log at the time of measurement with notations of the project name, sample date, sample start and finish time, sample location (e.g., GPS coordinates, distance from permanent structure [e.g., two walls, corner of room]), canister serial number, flow controller serial number, initial vacuum reading, and final pressure reading. Field sampling logs and COC records will be transmitted to the Project Manager.

IX. Quality Assurance

Soil-gas sample analysis will be performed using USEPA TO-15 methodology. This method uses a quadrupole or ion-trap GC/MS with a capillary column to provide optimum detection limits. The GC/MS system requires a 1-liter gas sample (which can easily be recovered from a 6-liter canister) to provide a 0.5-ppbv detection limit. The 6-liter canister also provides several additional 1-liter samples in case subsequent re-analyses or dilutions are required. This system also offers the advantage of the GC/MS detector, which confirms the identity of detected compounds by evaluating their mass spectra in either the SCAN or SIM mode.

Duplicate samples should be collected in the field as a quality assurance step. Generally, duplicates are taken of 10% of samples, but project specific requirements should take precedence.

X. References

DiGiulio et. al. 2003. Draft Standard Operating Procedure (SOP) for Installation of Sub-Slab Vapor Probes and Sampling Using EPA TO-15 to Support Vapor Intrusion Investigations. http://www.cdphe.state.co.us/hm/indoorair.pdf (Attachment C)

Di Giulio et. Al. 2006. Assessment of Vapor intrusion in Homes Near the Raymark Superfund Site Using Basement and Sub-Slab Air Samples. USEPA. EPA/600/R-05/147.

New York State Department of Health (NYSDOH). 2005. DRAFT "Guidance for Evaluating Soil Vapor Intrusion in the State of New York" February 23, 2005.

Sub-slab Soil Vapor Sample Collection Log

Client:		**Sample ID:**	
Project:		**Boring Equipment:**	
Location:		**Sealant:**	
Project #:		**Tubing Information:**	
Samplers:		**Miscellaneous Equipment:**	
`		**Subcontractor:**	
Sampling Depth:		**Equipment:**	
Time and Date of Installation:		**Moisture Content of Sampling Zone):**	
		Approximate Purge Volume:	

Instrument Readings:

Date	Time	Canister Vacuum (a) (inches of Hg)	Temperature (°F)	Relative Humidity (%)	Air Speed (mph)	Barometric Pressure (inches of Hg)	PID (ppb)

(a) Record canister information at a minimum at the beginning and end of sampling

SUMMA Canister Information:

Size (circle one):	**1 L 6 L**	**Initial Helium Shroud:**	
Canister ID:		**Final Helium Shroud:**	
Flow Controller ID:		**Tracer Test Passed:**	**Yes No**
Notes:		**Notes:**	

Tracer Test Information (if applicable):

General Observations/Notes:

Approximating One-Well Volume (for purging):

When using 1¼-inch "Dummy Point" and a 6-inch sampling interval, the sampling space will have a volume of approximately 150 mL. Each foot of ¼-inch tubing will have a volume of approximately 10 mL.

ARCADIS
Infrastructure, environment, facilities

Imagine the result

Indoor Air or Ambient Air Sampling and Analysis Using USEPA Method TO-15

SOP # 765199

Rev. #: 2

Rev Date: July 7, 2010

Approval Signatures

Prepared by: _____ Date: 07/07/2010
Mitch Wacksman and Andrew Gutherz

Approved by: _____ Date: 07/07/2010
Christopher Lutes and Nadine Weinberg

I. Scope and Application

This standard operating procedure (SOP) describes the procedures to collect indoor air or ambient air samples for the analysis of volatile organic compounds (VOCs) using United States Environmental Protection Agency (USEPA) Method TO-15 (TO-15). The TO-15 method uses a 6-liter SUMMA® passivated stainless steel canister. An evacuated SUMMA® canister (<28 inches of mercury [Hg]) will provide a recoverable whole-gas sample of approximately 5 liters when allowed to fill to a vacuum of 6 inches of Hg. The whole-air sample is then analyzed for VOCs using a quadrupole or ion-trap gas chromatograph/mass spectrometer (GS/MS) system to provide compound detection limits of 0.5 parts per billion volume (ppbv).

The following sections list the necessary equipment and provide detailed instructions for placing the sampling device and collecting indoor air samples for VOC analysis.

II. Personnel Qualifications

ARCADIS field sampling personnel will have current health and safety training, including 40-hour HAZWOPER training, site supervisor training, site-specific training, first aid, and cardiopulmonary resuscitation (CPR), as needed. ARCADIS field sampling personnel will be well versed in the relevant SOPs and possess the required skills and experience necessary to successfully complete the desired field work. ARCADIS personnel responsible for leading indoor air sample collection activities must have previous indoor air sampling experience.

III. Health and Safety Considerations

All sampling personnel should review the appropriate health and safety plan (HASP) and job safety analysis (JSA) prior to beginning work to be aware of all potential hazards associated with the job site and the specific task. The following are examples of hazards that are often encountered in conducting indoor air sampling:

- In crawl spaces, hazards often include low head room, limited light, poisonous insects, venomous snakes, and sharp debris.
- In residential buildings and neighborhoods unfamiliar dogs can pose a hazard. Even though proper permission for sampling may have been secured, it is still possible to encounter persons suspicious of or hostile to the sampling team.
- In occupied industrial buildings be aware of the physical hazards of ongoing industrial processes. Examples include moving forklifts and equipment pits.

IV. Equipment List

The equipment required for indoor air sample collection is presented below:

- 6-liter, stainless steel SUMMA® canisters (order at least one extra, if feasible);
- Flow controllers with in-line particulate filters and vacuum gauges (flow controllers are pre-calibrated by the laboratory to a specified sample duration [e.g., 8-hour]). Confirm with lab that flow controller is equipped with an in-line particulate filter and pressure gauge (order an extra set for each extra SUMMA® canister, if feasible);
- Appropriate-sized open-end wrenches (typically 9/16-inch);
- Chain-of-custody (COC) form;
- Building survey and product inventory form (example attached);
- Portable photoionization detector (PID) (for use identifying potential background sources during building survey described below);
- Sample collection log (attached);
- Camera if photography is permitted at sampling locations;
- Portable weather meter, if appropriate;
- Box, chair, tripod, or similar to hold canister above the ground surface; and
- Teflon sample tubing may be used to sample abnormal situations (i.e., sumps, where canisters must be hidden, etc.). In these situations ¼-inch Swagelok fittings or other methods may be appropriate to affix tubing to canister. Staff should check this before heading out into field.

V. Cautions

Care must be taken to minimize the potential for introducing interferences during the sampling event. As such, keep ambient air canisters away from heavy pedestrian traffic areas (e.g., main entranceways, walkways) if possible. If the canisters are not to be overseen for the entire sample duration, precautions should be taken to maintain the security of the sample (e.g., do not place in areas regularly accessed by the public, fasten the sampling device to a secure object using lock and chain, label the canister

to indicate it is part of a scientific project, notify local authorities, place the canister in secure housing that does not disrupt the integrity/validity of the sampling event). Sampling personnel should not handle hazardous substances (such as gasoline), permanent marking pens (sharpies), wear/apply fragrances, or smoke cigarettes before and/or during the sampling event.

Ensure that the flow controller is pre-calibrated to the proper sample collection duration (confirm with laboratory). Sample integrity can be compromised if sample collection is extended to the point that the canister reaches atmospheric pressure. Sample integrity is maintained if sample collection is terminated prior to the target duration and a measurable vacuum (e.g., 5–inches Hg) remains in the canister when sample collection is terminated.

VI. Procedure

Initial Building Survey for Indoor Air Samples (if applicable to project)

1. Complete the appropriate building survey form and product inventory form (e.g., state-specific form, USEPA form, or ARCADIS form, [Attachment A]) as necessary in advance of sample collection.

2. Survey the area for the apparent presence of items or materials that may potentially produce or emit constituents of concern and interfere with analytical laboratory analysis of the collected sample. Record relevant information on survey form and document with photographs.

3. Record date, time, location, and other relevant notes on the sampling form.

4. Items or materials that contain constituents of concern and/or exhibit elevated PID readings shall be considered probable sources of VOCs. Request approval of the owner or occupant to have these items removed to a structure not attached to the target structure at least 48 hours prior to sampling if possible.

5. Set a date and time with the owner or occupant to return for placement of SUMMA® canisters.

Preparation of SUMMA®-Type Canister and Collection of Sample

1. Record the following information on the sampling form (use a hand-held weather meter, contact the local airport or other suitable information source [e.g., weatherunderground.com] to obtain the following information):

    - ambient temperature;

- barometric pressure;
- wind speed; and
- relative humidity.

2. Choose the sample location in accordance with the sampling plan. If a breathing zone sample is required, place the canister on a ladder, tripod, box, or other similar stand to locate the canister orifice 3 to 5 feet above ground or floor surface. If the canister will not be overseen for the entire sampling period, secure the canisters as appropriate (e.g., lock and chain). Canister may be affixed to wall/ceiling support with nylon rope or placed on a stable surface. In general, areas near windows, doors, air supply vents, and/or other potential sources of "drafts" shall be avoided.

3. Record SUMMA® canister serial number and flow controller number on the sampling log and chain of custody (COC) form. Assign sample identification on canister ID tag, and record on the sample collection log (Attachment B), and COC form.

4. Remove the brass dust cap from the SUMMA® canister. Attach the flow controller with in-line particulate filter and vacuum gauge to the SUMMA® canister with the appropriate-sized wrench. Tighten with fingers first, then gently with the wrench. Use caution not to over tighten fittings.

5. Open the SUMMA® canister valve to initiate sample collection. Record the date and local time (24-hour basis) of valve opening on the sample collection log, and COC form. Collection of duplicate samples will include collecting two samples side by side at the same time.

6. Record the initial vacuum pressure in the SUMMA® canister on the sample log and COC form. If the initial vacuum pressure registers less than -25 inches of Hg, then the SUMMA® canister is not appropriate for use and another canister should be used.

7. Take a photograph of the SUMMA® canister and surrounding area, if possible.

8. Check the SUMMA canister approximately half way through the sample duration and note progress on sample logs.

Termination of Sample Collection

1. Arrive at the SUMMA® canister location at least 1-2 hours prior to the end of the sampling interval (e.g., 8-hour, 24-hour).

2. Stop collecting the sample when the canister vacuum reaches approximately 7 inches of Hg (leaving some vacuum in the canister provides a way to verify if the canister leaks before it reaches the laboratory) or when the desired sample time has elapsed.

3. Record the final vacuum pressure. Stop collecting the sample by closing the SUMMA® canister valve. Record the date, local time (24-hour basis) of valve closing on the sample collection log, and COC form.

4. Remove the particulate filter and flow controller from the SUMMA® canister, re-install brass cap on canister fitting, and tighten with wrench.

5. Package the canister and flow controller in the shipping container supplied by the laboratory for return shipment to the laboratory. The SUMMA® canister does not require preservation with ice or refrigeration during shipment.

6. Complete the appropriate forms and sample labels as directed by the laboratory (e.g., affix card with string).

7. Complete COC form and place requisite copies in shipping container. Close shipping container and affix custody seal to container closure. Ship to laboratory via overnight carrier (e.g., Federal Express) for analysis.

VII. Waste Management

No specific waste management procedures are required.

VIII. Data Recording and Management

Notes taken during the initial building survey will be recorded on the sample log, with notations of project name, sample date, sample time, and sample location (e.g., description and GPS coordinates if available) sample start and finish times, canister serial number, flow controller number, initial vacuum reading, and final vacuum reading. Sample logs and COC records will be transmitted to the Task Manager or Project Manager. A building survey form and product inventory form (Attachment A) may also be completed for each building within the facility being sampled during each sampling event as applicable.

IX. Quality Assurance

Indoor air or ambient air sample analysis will be performed using USEPA Method TO-15. This method uses a quadrupole or ion-trap GC/MS with a capillary column to provide optimum detection limits. The GC/MS system requires a 1-liter gas sample (which can easily be recovered from a 6-liter canister) to provide a 0.5 ppbv detection limit. The 6-liter canister also provides several additional 1-liter samples in case subsequent re-analyses or dilutions are required. This system also offers the advantage of the GC/MS detector, which confirms the identity of detected compounds by evaluating their mass spectra in either the SCAN or SIM mode.

Duplicate samples should be collected in the field as a quality assurance step. Generally, duplicates are taken of 10% of samples, but project specific requirements should take precedence.

Building Survey and Product Inventory Form

Directions: This form must be completed for each residence or area involved in indoor air testing.

Preparer's Name: _____

Date/Time Prepared: _____

Preparer's Affiliation: _____

Phone No.: _____

Purpose of Investigation: _____

1. OCCUPANT:

Interviewed: Y / N

Last Name: _____ First Name: _____

Address: _____

County: _____

Home Phone: _____ Office Phone: _____

Number of Occupants/Persons at this Location: _____

Age of Occupants: _____

2. OWNER OR LANDLORD: (Check if Same as Occupant ___)

Interviewed: Y / N

Last Name: _____ First Name: _____

Address: _____

County: _____

Home Phone: _____ Office Phone: _____

3. BUILDING CHARACTERISTICS:

Type of Building: (circle appropriate response)

Residential	School	Commercial/Multi-use
Industrial	Church	Other: _____

If the Property is Residential, Type? (circle appropriate response)

Ranch		2-Family 3-Family
Raised Ranch	Split Level	Colonial
Cape Cod	Contemporary	Mobile Home
Duplex	Apartment House	Townhouses/Condos
Modular	Log Home	Other:_____

If Multiple Units, How Many? _____

If the Property is Commercial, Type?

Business Type(s) _____

Does it include residences (i.e., multi-use)? Y / N If yes, how many? _____

Other Characteristics:

Number of Floors_____ Building Age_____

Is the Building Insulated? Y / N How Air-Tight? Tight / Average / Not Tight

4. AIRFLOW:

Use air current tubes or tracer smoke to evaluate airflow patterns and qualitatively describe:

Airflow Between Floors

_____

_____

_____

Airflow Near Source

Outdoor Air Infiltration

Infiltration Into Air Ducts

5. BASEMENT AND CONSTRUCTION CHARACTERISTICS: (circle all that apply)

a.	**Above grade construction:**	wood frame	concrete	stone brick	
b.	**Basement type:**	full	crawlspace	slab	other _____
c.	**Basement floor:**	concrete	dirt	stone	other _____
d.	**Basement floor:**	uncovered	covered	covered with _____	
e.	**Concrete floor:**	unsealed	sealed	sealed with _____	
f.	**Foundation walls:**	poured	block stone	other _____	
g.	**Foundation walls:**	unsealed	sealed	sealed with _____	
h.	**The basement is:**	wet	damp	dry	moldy
i.	**The basement is:**	finished	unfinished	partially finished	
j.	**Sump present?**	Y / N			
k.	**Water in sump?**	Y / N / NA			

Basement/lowest level depth below grade: _____(feet)

Identify potential soil vapor entry points and approximate size (e.g., cracks, utility ports, drains)

_____

Are the basement walls or floor sealed with waterproof paint or epoxy coatings? Y / N

6. HEATING, VENTILATING, AND AIR CONDITIONING: (circle all that apply)

Type of heating system(s) used in this building: (circle all that apply – note primary)

Hot air circulation	Heat pump	Hot water baseboard
Space heaters	Stream radiation	Radiant floor
Electric baseboard	Wood stove	Outdoor wood boiler
Other _____		

The primary type of fuel used is:

Natural base	Fuel oil	Kerosene
Electric	Propane	Solar
Wood coal		

Domestic hot water tank fueled by: _____

Boiler/furnace located in: Basement Outdoors Main Floor Other_____

Air conditioning: Central Air Window Units Open Windows None

Are there air distribution ducts present? Y / N

Describe the supply and cold air return ductwork, and its condition where visible, including whether there is a cold air return and the tightness of duct joints. Indicate the locations on the floor plan diagram.

_____

_____

_____

7. OCCUPANCY:

Is basement/lowest level occupied? Full-time Occasionally Seldom Almost Never

General Use of Each Floor (e.g., family room, bedroom, laundry, workshop, storage):

Basement _____

1st Floor _____

2nd Floor _____

3rd Floor _____

4th Floor _____

8. FACTORS THAT MAY INFLUENCE INDOOR AIR QUALITY:

a. Is there an attached garage? Y / N

b. Does the garage have a separate heating unit? Y / N / NA

c. Are petroleum-powered machines or vehicles stored in the garage (e.g., lawnmower, ATV, car)?

Y / N / NA Please specify: _____

d. Has the building ever had a fire? Y / N When? _____

e. Is a kerosene or unvented gas space heater present? Y / N Where? _____

f. Is there a workshop or hobby/craft area? Y / N Where & Type? _____

g. Is there smoking in the building? Y / N How frequently? _____

h. Have cleaning products been used recently? Y / N When & Type? _____

i. Have cosmetic products been used recently? Y / N When & Type? _____

j. Has painting/staining been done in the last 6 months? Y / N Where & When? _____

k. Is there new carpet, drapes or other textiles? Y / N Where & When? _____

l. Have air fresheners been used recently? Y / N When & Type? _____

m. Is there a kitchen exhaust fan? Y / N If yes, where _____

n. Is there a bathroom exhaust fan? Y / N If yes, where vented?_____

o. Is there a clothes dryer? Y / N If yes, is it vented outside? Y / N

p. Has there been a pesticide application? Y / N When & Type?_____

q. Are there odors in the building? Y / N

If yes, please describe: _____

Do any of the building occupants use solvents (e.g., chemical manufacturing or laboratory, auto mechanic or auto body shop, painting, fuel oil delivery, boiler mechanic, pesticide application, cosmetologist) at work? Y / N

If yes, what types of solvents are used? _____

If yes, are their clothes washed at work? Y / N

Do any of the building occupants regularly use or work at a dry-cleaning service? (circle appropriate response)

Yes, use dry-cleaning regularly (weekly) No

Yes, use dry-cleaning infrequently (monthly or less) Unknown

Yes, work at a dry-cleaning service

Is there a radon mitigation system for the building/structure? Y / N

Date of Installation: _____

Is the system active or passive? Active/Passive

Are there any Outside Contaminant Sources? (circle appropriate responses)

Contaminated site with 1000-foot radius? Y / N Specify _____

Other stationary sources nearby (e.g., gas stations, emission stacks, etc.): _____

_____

Heavy vehicle traffic nearby (or other mobile sources): _____

9. WATER AND SEWAGE:

Water Supply: Public Water Drilled Well Driven Well Dug Well Other: _____

Sewage Disposal: Public Sewer Septic Tank Leach Field Dry Well Other: _____

10. RELOCATION INFORMATION: (for oil spill residential emergency)

a. Provide reasons why relocation is recommended: _____

_____

b. Residents choose to: remain in home relocate to friends/family relocate to hotel/motel


c. Responsibility for costs associated with reimbursement explained? Y / N

d. Relocation package provided and explained to residents? Y / N


11. FLOOR PLANS:

Draw a plan view sketch of the basement and first floor of the building. Indicate air sampling locations, possible indoor air pollution sources and PID meter readings. If the building does not have a basement, please note.

Basement:




First Floor:



12. OUTDOOR PLOT:

Draw a sketch of the area surrounding the building being sampled. If applicable, provide information on spill locations, potential air contamination sources (industries, gas stations, repair shops, landfills, etc.), outdoor air sampling location(s), and PID meter readings.

Also indicate compass direction, wind direction and speed during sampling, the locations of the well and septic system, if applicable, and a qualifying statement to help locate the site on a topographic map.



13. PRODUCT INVENTORY FORM:

Make and Model of field instrument used: _____

List specific products found in the residence or area that have the potential to affect indoor air quality (e.g., gasoline or kerosene storage cans, glues, paints, cleaning solvents/products, polishes/waxes, new furniture/ carpet, nail polish/hairspray/cologne).

Location	Product Description	Size (units)	Condition*	Chemical Ingredients	Field Instrument Reading (units)	Photo** Y/N

Indoor Air/Ambient Air Sample Collection Log

		Sample ID:	
Client:		**Outdoor/Indoor:**	
Project:		**Sample Intake Height:**	
Location:		**Tubing Information:**	
Project #:		**Miscellaneous Equipment:**	
Samplers:		**Time On/Off:**	
Sample Point Location:		**Subcontractor:**	

Instrument Readings:

Date	Time	Canister Vacuum (a) (inches of Hg)	Temperature (°F)	Relative Humidity (%)	Air Speed (mph)	Barometric Pressure (inches of Hg)	PID (ppb)

(a) Record canister information at a minimum at the beginning and end of sampling

SUMMA Canister Information:

Size (circle one):	**1 L 6 L**
Canister ID:	
Flow Controller ID:	
Notes:	

General Observations/Notes:

ARCADIS
Infrastructure, environment, facilities


Imagine the result

Field Equipment Decontamination

Rev. #: 3

Rev Date: April 26, 2010

Approval Signatures

Prepared by:  Date: 4/26/2010

Keith Shepherd

Reviewed by:  Date: 4/26/2010

Richard Murphy (Technical Expert)

I. Scope and Application

Equipment decontamination is performed to ensure that sampling equipment that contacts a sample, or monitoring equipment that is brought into contact with environmental media to be sampled, is free from analytes of interest and/or constituents that would interfere with laboratory analysis for analytes of interest. Equipment must be cleaned prior to use for sampling or contact with environmental media to be sampled, and prior to shipment or storage. The effectiveness of the decontamination procedure should be verified by collecting and analyzing equipment blank samples.

The equipment cleaning procedures described herein includes pre-field, in the field, and post-field cleaning of sampling tools which will be conducted at an established equipment decontamination area (EDA) on site (as appropriate). Equipment that may require decontamination at a given site includes: soil sampling tools; groundwater, sediment, and surface-water sampling devices; water testing instruments; down-hole instruments; and other activity-specific sampling equipment. Non-disposable equipment will be cleaned before collecting each sample, between sampling events, and prior to leaving the site. Cleaning procedures for sampling equipment will be monitored by collecting equipment blank samples as specified in the applicable work plan or field sampling plan. Dedicated and/or disposable (not to be re-used) sampling equipment will not require decontamination.

II. Personnel Qualifications

ARCADIS field sampling personnel will have current health and safety training, including 40-hour HAZWOPER training, site supervisor training, and site-specific training, as needed. In addition, ARCADIS field sampling personnel will be versed in the relevant SOPs and possess the skills and experience necessary to successfully complete the desired fieldwork. The project HASP and other documents will identify any other training requirements such as site specific safety training or access control requirements.

III. Equipment List

- health and safety equipment, as required in the site Health and Safety Plan (HASP)
- distilled water

- Non-phosphate detergent such as Alconox or, if sampling for phosphorus phosphorus-containing compounds, Luminox (or equivalent).
- tap water
- rinsate collection plastic containers
- DOT-approved waste shipping container(s), as specified in the work plan or field sampling plan (if decontamination waste is to be shipped for disposal)
- brushes
- large heavy-duty garbage bags
- spray bottles
- (Optional) – Isoprophyl alcohol (free of ketones) or methanol
- Ziploc-type bags
- plastic sheeting

IV. Cautions

Rinse equipment thoroughly and allow the equipment to dry before re-use or storage to prevent introducing solvent into sample medium. If manual drying of equipment is required, use clean lint-free material to wipe the equipment dry.

Store decontaminated equipment in a clean, dry environment. Do not store near combustion engine exhausts.

If equipment is damaged to the extent that decontamination is uncertain due to cracks or dents, the equipment should not be used and should be discarded or submitted for repair prior to use for sample collection.

A proper shipping determination will be performed by a DOT-trained individual for cleaning materials shipped by ARCADIS.

V. Health and Safety Considerations

Review the material safety data sheets (MSDS) for the cleaning materials used in decontamination. If solvent is used during decontamination, work in a well-ventilated area and stand upwind while applying solvent to equipment. Apply solvent in a manner that minimizes potential for exposure to workers. Follow health and safety procedures outlined in the HASP.

VI. Procedure

A designated area will be established to clean sampling equipment in the field prior to sample collection. Equipment cleaning areas will be set up within or adjacent to the specific work area, but not at a location exposed to combustion engine exhaust. Detergent solutions will be prepared in clean containers for use in equipment decontamination.

Cleaning Sampling Equipment

1. Wash the equipment/pump with potable water.

2. Wash with detergent solution (Alconox, Liquinox or equivalent) to remove all visible particulate matter and any residual oils or grease.

3. If equipment is very dirty, precleaning with a brush and tap water may be necessary.

4. (Optional) – Flush with isopropyl alcohol (free of ketones) or with methanol. This step is optional but should be considered when sampling in highly impacted media such as non-aqueous phase liquids or if equipment blanks from previous sampling events showed the potential for cross contamination of organics.

5. Rinse with distilled/deionized water.

Decontaminating Submersible Pumps

Submersible pumps may be used during well development, groundwater sampling, or other investigative activities. The pumps will be cleaned and flushed before and between uses. This cleaning process will consist of an external detergent solution wash and tap water rinse, a flush of detergent solution through the pump, followed

by a flush of potable water through the pump. Flushing will be accomplished by using an appropriate container filled with detergent solution and another contained filled with potable water. The pump will run long enough to effectively flush the pump housing and hose (unless new, disposable hose is used). Caution should be exercised to avoid contact with the pump casing and water in the container while the pump is running (do not use metal drums or garbage cans) to avoid electric shock. Disconnect the pump from the power source before handling. The pump and hose should be placed on or in clean polyethylene sheeting to avoid contact with the ground surface.

VII. Waste Management

Equipment decontamination rinsate will be managed in conjunction with all other waste produced during the field sampling effort. Waste management procedures are outlined in the work plan or Waste Management Plan (WMP).

VIII. Data Recording and Management

Equipment cleaning and decontamination will be noted in the field notebook. Information will include the type of equipment cleaned, the decontamination location and any deviations from this SOP. Specific factors that should be noted include solvent used (if any), and source of water.

Any unusual field conditions should be noted if there is potential to impact the efficiency of the decontamination or subsequent sample collection.

An inventory of the solvents brought on site and used and removed from the site will be maintained in the files. Records will be maintained for any solvents used in decontamination, including lot number and expiration date.

Containers with decontamination fluids will be labeled.

IX. Quality Assurance

Equipment blanks should be collected to verify that the decontamination procedures are effective in minimizing potential for cross contamination. The equipment blank is prepared by pouring deionized water over the clean and dry tools and collecting the deionized water into appropriate sample containers. Equipment blanks should be analyzed for the same set of parameters that are performed on the field samples collected with the equipment that was cleaned. Equipment blanks are collected per equipment set, which represents all of the tools needed to collect a specific sample.

X. References

USEPA Region 9, Field Sampling Guidance #1230, Sampling Equipment Decontamination.

USEPA Region 1, Low Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells.

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

Chain-of-Custody, Handling, Packing and Shipping

Rev. #: 2

Rev Date: March 6, 2009

Approval Signatures

Prepared by: _____ Date: 3/6/09
Caron Koll

Reviewed by: _____ Date: 3/6/09
Jane Kennedy(Technical Expert)

I. Scope and Application

This Standard Operating Procedure (SOP) describes the chain-of-custody, handling, packing, and shipping procedures for the management of samples to decrease the potential for cross-contamination, tampering, mis-identification, and breakage, and to insure that samples are maintained in a controlled environment from the time of collection until receipt by the analytical laboratory.

II. Personnel Qualifications

ARCADIS field sampling personnel will have current health and safety training, including 40-hour HAZWOPER training, Department of Transportation (DOT) training, site supervisor training, and site-specific training, as needed. In addition, ARCADIS field sampling personnel will be versed in the relevant SOPs and possess the skills and experience necessary to successfully complete the desired field work.

III. Equipment List

The following list provides materials that may be required for each project. Project documents and sample collection requirements should be reviewed prior to initiating field operations:

- indelible ink pens (black or blue);
- polyethylene bags (resealable-type);
- clear packing tape, strapping tape, duct tape;
- chain of custody
- DOT shipping forms, as applicable
- custody seals or tape;
- appropriate sample containers and labels,;
- insulated coolers of adequate size for samples and sufficient ice to maintain 4°C during collection and transfer of samples;
- wet ice;
- cushioning and absorbent material (i.e., bubble wrap or bags);

- temperature blank
- sample return shipping papers and addresses; and
- field notebook.

IV. Cautions

Review project requirements and select appropriate supplies prior to field mobilization.

Insure that appropriate sample containers with applicable preservatives, coolers, and packing material have been supplied by the laboratory.

Understand the offsite transfer requirements for the facility at which samples are collected.

If overnight courier service is required schedule pick-up or know where the drop-off service center is located and the hours of operation. Prior to using air transportation, confirm air shipment is acceptable under DOT and International Air Transport Association (IATA) regulation

Schedule pick-up time for laboratory courier or know location of laboratory/service center and hours of operation.

Understand DOT and IATA shipping requirements and evaluate dangerous goods shipping regulations relative to the samples being collected (i.e. complete an ARCADIS shipping determination). Review the ARCADIS SOPs for shipping, packaging and labeling of dangerous goods. Potential samples requiring compliance with this DOT regulation include:

- Methanol preservation for Volatile Organic Compounds in soil samples
- Non-aqueous phase liquids (NAPL)

V. Health and Safety Considerations

Follow health and safety procedures outlined in the project/site Health and Safety Plan (HASP).

Use caution and appropriate cut resistant gloves when tightening lids to 40 mL vials. These vials can break while tightening and can lacerate hand. Amber vials (thinner glass) are more prone to breakage.

Some sample containers contain preservatives.

- The preservatives must be retained in the sample container and should in no instance be rinsed out.
- Preservatives may be corrosive and standard care should be exercised to reduce potential contact to personnel skin or clothing. Follow project safety procedures if spillage is observed.
- If sample container caps are broken discard the bottle. Do not use for sample collection.

VI. Procedure

Chain-of-Custody Procedures

1. Prior to collecting samples, complete the chain-of-custody record header information by filling in the project number, project name, and the name(s) of the sampling technician(s) and other relevant project information. Attachment 1 provides an example chain-o- custody record

2. Chain-of-custody information MUST be printed legibly using indelible ink (black or blue).

3. After sample collection, enter the individual sample information on the chain-of-custody:

    a. Sample Identification indicates the well number or soil location that the sample was collected from. Appropriate values for this field include well locations, grid points, or soil boring identification numbers (e.g., MW-3, X-20, SB-30). When the depth interval is included, the complete sample ID would be “SB-30 (0.5-1.0) where the depth interval is in feet. Please note it is very important that the use of hyphens in sample names and depth units (i.e., feet or inches) remain consistent for all samples entered on the chain-of-custody form. DO NOT use the apostrophe or quotes in the sample ID. Sample names may also use the abbreviations “FB,” “TB,” and “DUP” as prefixes or suffixes to indicate that the sample is a field blank, trip blank, or field duplicate, respectively. NOTE: The sample

nomenclature may be dictated by the project database and require unique identification for each sample collected for the project. Consult the project data management plan for additional information regarding sample identification.

b. List the date of sample collection. The date format to be followed should be mm/dd/yy (e.g., 03/07/09) or mm/dd/yyyy (e.g. 03/07/2009).

c. List the time that the sample was collected. The time value should be presented using military format. For example, 3:15 P.M. should be entered as 15:15.

d. The composite field should be checked if the sample is a composite over a period of time or from several different locations and mixed prior to placing in sample containers.

e. The “Grab”. field should be marked with an “X” if the sample was collected as an individual grab sample. (e.g. monitoring well sample or soil interval).

f. Any sample preservation should be noted.

g. The analytical parameters that the samples are being analyzed for should be written legibly on the diagonal lines. As much detail as possible should be presented to allow the analytical laboratory to properly analyze the samples. For example, polychlorinated biphenyl (PCB) analyses may be represented by entering “PCBs” or “Method 8082.” Multiple methods and/or analytical parameters may be combined for each column (e.g., PCBs/VOCs/SVOCs or 8082/8260/8270). These columns should also be used to present project-specific parameter lists (e.g., Appendix IX+3 target analyte list. Each sample that requires a particular parameter analysis will be identified by placing the number of containers in the appropriate analytical parameter column. For metals in particular, indicate which metals are required.

h. Number of containers for each method requested. This information may be included under the parameter or as a total for the sample based on the chain of custody form used.

i. Note which samples should be used for site specific matrix spikes.

j. Indicate any special project requirements.

k. Indicate turnaround time required.

l. Provide contact name and phone number in the event that problems are encountered when samples are received at the laboratory.

m. If available attach the Laboratory Task Order or Work Authorization forms

n. The remarks field should be used to communicate special analytical requirements to the laboratory. These requirements may be on a per sample basis such as “extract and hold sample until notified,” or may be used to inform the laboratory of special reporting requirements for the entire sample delivery group (SDG). Reporting requirements that should be specified in the remarks column include: 1) turnaround time; 2) contact and address where data reports should be sent; 3) name of laboratory project manager; and 4) type of sample preservation used.

o. The “Relinquished By” field should contain the signature of the sampling technician who relinquished custody of the samples to the shipping courier or the analytical laboratory.

p. The “Date” field following the signature block indicates the date the samples were relinquished. The date format should be mm/dd/yyyy (e.g., 03/07/2005).

q. The “Time” field following the signature block indicates the time that the samples were relinquished. The time value should be presented using military format. For example, 3:15 P.M. should be entered as 15:15.

r. The “Received By” section is signed by sample courier or laboratory representative who received the samples from the sampling technician or it is signed upon laboratory receipt from the overnight courier service.

3. Complete as many chain-of-custody forms as necessary to properly document the collection and transfer of the samples to the analytical laboratory.

4. Upon completing the chain-of-custody forms, forward two copies to the analytical laboratory and retain one copy for the field records.

5. If electronic chain-of-custody forms are utilized, sign the form and make 1 copy for ARCADIS internal records and forward the original with the samples to the laboratory.

Handling Procedures

1. After completing the sample collection procedures, record the following information in the field notebook with indelible ink:

   - project number and site name;
   - sample identification code and other sample identification information, if appropriate;
   - sampling method;
   - date;
   - name of sampler(s);
   - time;
   - location (project reference);
   - location of field duplicates and both sample identifications;
   - locations that field QC samples were collected including equipment blanks, field blanks and additional sample volume for matrix spikes; and
   - any comments.

2. Complete the sample label with the following information in indelible ink:

   - sample type (e.g., surface water);
   - sample identification code and other sample identification information, if applicable;
   - analysis required;
   - date;
   - time sampled; and
   - initials of sampling personnel;

- sample matrix; and
- preservative added, if applicable.

3. Cover the label with clear packing tape to secure the label onto the container and to protect the label from liquid.

4. Confirm that all caps on the sample containers are secure and tightly closed.

5. In some instances it may be necessary to wrap the sample container cap with clear packing tape to prevent it from becoming loose.

6. For some projects individual custody seals may be required. Custody seal evidence tape may be placed on the shipping container or they may be placed on each sample container such that the cooler or cap cannot be opened without breaking the custody seal. The custody seal should be initialed and dated prior to relinquishing the samples.

Packing Procedures

Following collection, samples must be placed on wet ice to initiate cooling to 4°C immediately. Retain samples on ice until ready to pack for shipment to the laboratory.

1. Secure the outside and inside of the drain plug at the bottom of the cooler being used for sample transport with “Duct” tape.

2. Place a new large heavy duty plastic garbage bag inside each cooler

3. Place each sample bottle wrapped in bubble wrap inside the garbage bag. VOC vials may be grouped by sample in individual resealable plastic bags). If a cooler temperature blank is supplied by the laboratory, it should be packaged following the same procedures as the samples. If the laboratory did not include a temperature blank, do not add one. Place 1 to 2 inches of cushioning material (i.e., vermiculite) at the bottom of the cooler.

4. Place the sealed sample containers upright in the cooler.

5. Package ice in large resealable plastic bags and place inside the large garbage bag in the cooler. Samples placed on ice will be cooled to and maintained at a temperature of approximately 4°C.

6. Fill the remaining space in the cooler with cushioning material such as bubble wrap. The cooler must be securely packed and cushioned in an upright position and be surrounded (Note: to comply with 49 CFR 173.4, filled cooler must not exceed 64 pounds).

7. Place the completed chain-of-custody record(s) in a large resealable bag and tape the bag to the inside of the cooler lid.

8. Close the lid of the cooler and fasten with packing tape.

9. Wrap strapping tape around both ends of the cooler.

10. Mark the cooler on the outside with the following information: shipping address, return address, “Fragile, Handle with Care” labels on the top and on one side, and arrows indicating “This Side Up” on two adjacent sides.

11. Place custody seal evidence tape over front right and back left of the cooler lid, initial and date, then cover with clear plastic tape.

Note: Procedure numbers 2, 3, 5, and 6 may be modified in cases where laboratories provide customized shipping coolers. These cooler types are designed so the sample bottles and ice packs fit snugly within preformed styrofoam cushioning and insulating packing material.

Shipping Procedures

1. All samples will be delivered by an express carrier within 48 hours of sample collection. Alternatively, samples may be delivered directly to the laboratory or laboratory service center or a laboratory courier may be used for sample pickup.

2. If parameters with short holding times are required (e.g., VOCs [EnCore™ Sampler], nitrate, nitrite, ortho-phosphate and BOD), sampling personnel will take precautions to ship or deliver samples to the laboratory so that the holding times will not be exceeded.

3. Samples must be maintained at 4°C±2°C until shipment and through receipt at the laboratory

4. All shipments must be in accordance with DOT regulations and ARCADIS dangerous goods shipping SOPs.

5. When the samples are received by the laboratory, laboratory personnel will complete the chain-of-custody by recording the date and time of receipt of samples, measuring and recording the internal temperature of the shipping container, and checking the sample identification numbers on the containers to ensure they correspond with the chain-of-custody forms.

Any deviations between the chain-of-custody and the sample containers, broken containers, or temperature excursions will be communicated to ARCADIS immediately by the laboratory.

VII. Waste Management

Not applicable

VIII. Data Recording and Management

Chain-of-custody records will be transmitted to the ARCADIS PM or designee at the end of each day unless otherwise directed by the ARCADIS PM. The sampling team leader retains copies of the chain-of-custody forms for filing in . the project file. Record retention shall be in accordance with project requirements.

IX. Quality Assurance

Chain-of-custody forms will be legibly completed in accordance with the applicable project documents such as Sampling and Analysis Plan (SAP), Quality Assurance Project Plan (QAPP), Work Plan, or other project guidance documents. A copy of the completed chain-of-custody form will be sent to the ARCADIS Project Manager or designee for review.

X. References

Not Applicable

Attachment 1

ARCADIS
Infrastructure, environment, facilities

ID#:

CHAIN OF CUSTODY & LABORATORY ANALYSIS REQUEST FORM

Page ___ of ___

Lab Work Order #

Send Results to:

Contact & Company Name: | Telephone:

Address: | Fax:

City | State | Zip | E-mail Address:

Project Name/Location (City, State): | Project #:

Sampler's Printed Name: | Sampler's Signature:

Sample ID	Collection Date	Collection Time	Type (✓) Comp	Type (✓) Grab	Matrix

Preservative								
Filtered (✓)								
# of Containers								
Container Information								

PARAMETER ANALYSIS & METHOD

REMARKS

Keys

Preservation Key:
A. H_2SO_4
B. HCL
C. HNO_3
D. NaOH
E. None
F. Other: _____
G. Other: _____
H. Other: _____

Container Information Key:
1. 40 ml Vial
2. 1 L Amber
3. 250 ml Plastic
4. 500 ml Plastic
5. Encore
6. 2 oz. Glass
7. 4 oz. Glass
8. 8 oz. Glass
9. Other: _____
10. Other: _____

Matrix Key:
SO - Soil | SE - Sediment | NL - NAPL/Oil
W - Water | SL - Sludge | SW - Sample Wipe
T - Tissue | A - Air | Other: _____

Special Instructions/Comments:

☐ Special QA/QC Instructions(✓):

Laboratory Information and Receipt		Relinquished By	Received By	Relinquished By	Laboratory Received By
Lab Name:	Cooler Custody Seal (✓)	Printed Name:	Printed Name:	Printed Name:	Printed Name:
☐ Cooler packed with ice (✓)	☐ Intact ☐ Not Intact	Signature:	Signature:	Signature:	Signature:
Specify Turnaround Requirements:	Sample Receipt:	Firm:	Firm/Courier:	Firm/Courier:	Firm:
Shipping Tracking #:	Condition/Cooler Temp: _____	Date/Time:	Date/Time:	Date/Time:	Date/Time:

20730826 CofC AR Form 01.12.2007

Distribution: **WHITE – Laboratory returns with results** **YELLOW – Lab copy** **PINK – Retained by BBL**

ARCADIS

Appendix I

Site-wide Inspection Form

ANNUAL SITE-WIDE INSPECTION CHECKLIST
FORMER GENERAL MOTORS ASSEMBLY PLANT EAST PARCEL SITE

DOCUMENT REVIEW

Conducted By: _____
Representing: _____ Review Start Date: _____

1. ☐ Check here to confirm that the Environmental Easement (EE) has been reviewed.

2. ☐ Check here to confirm that the Plan of Restricted Area (as revised if appropriate) has been reviewed.

3. ☐ Check here to confirm that the description of this property in the Final Engineering Report and the as-built survey drawings covering this property included in the Final Engineering Report (and any alternative plan proposed for the comparison described in Item 8 on next page) have been reviewed.

4. Are there any recorded amendments to or releases from the EE, and/or any known conditional exceptions under the EE and of which the reviewing party has a copy, and/or any other documents in the Owner's possession relevant to the EE or the use of the property?
   ☐ No
   ☐ Yes – If yes, review those items for background information purposes and list them below (along with the book and page reference in the Registry of Deeds where applicable). (Note that the document reviewer has no obligation to verify the accuracy or completeness of any of these documents, either as of the time they were prepared or as compared to the current conditions.)

   _____
   _____
   _____
   _____
   _____

5. Review Completed Date: _____

VISUAL ON-SITE INSPECTION

Conducted By: _____
Representing _____ Inspection Start Date: _____

1. Weather

   _____

2. List other individuals and their company/agency that were present during the visual on-site inspection.

   _____
   _____
   _____

3. Is there any visual evidence of activities and uses of the property since the last inspection that are potentially contrary to the restrictions of the EE?
   ☐ No
   ☐ Yes - If yes, describe below.

   _____
   _____
   _____
   _____

4. Is there any visual evidence of utility work or building construction, modification, addition, or demolition at the property since the last inspection?
   ☐ No
   ☐ Yes - If yes, describe below and show the location(s) of such activity on a plan.

   _____
   _____
   _____
   _____

ANNUAL SITE-WIDE INSPECTION CHECKLIST
FORMER GENERAL MOTORS ASSEMBLY PLANT EAST PARCEL SITE

5. Is there any visual evidence of soil excavation at the property that generated more than 10 cubic yards of soil since the last inspection?
   - ☐ No
   - ☐ Yes - If yes, describe below and show the location(s) of such activity on a plan.

6. Is there any visual evidence of significant soil erosion at the property since the last inspection, specifically in the soil cover or clean fill areas and/or the riverbank area?
   - ☐ No
   - ☐ Yes - If yes, describe below and show the location(s) of such erosion on a plan.

7. Is there any visual evidence of significant pavement construction, disturbance, or excavations at the property since the last inspection?
   - ☐ No
   - ☐ Yes - If yes, describe below and show the location(s) of such activity on a plan.

8. Is there any visual evidence of significant distrubance to or movement of the riprap installed in the Riverbank Area?
   - ☐ No
   - ☐ Yes - If yes, describe below and show the location(s) of such activity on a plan.

10. If any of the conditions listed in the response to Questions 4 through 9 appears likely to have significantly altered the surface grade of the property compared to the surface grade shown on the as-built drawings included in the Final Engineering Report (or an alternative, more recent plan proposed by the Owner), identify the approximate area/location(s) of such grade change on a plan and compare the new surface grade in such area(s) to the surface grade shown on the above listed drawing and/or plan. (If the Owner proposes use of an alternative plan for this comparison, include a copy of that plan and describe the rationale for its proposed use.)

11. Inspection Completed: _____

**If necessary, attached additional pages for descriptions of any items observed related to the above questions.

ARCADIS

Appendix J

Quality Assurance Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

Imagine the result

General Motors LLC

Appendix J
Quality Assurance Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

ARCADIS

Appendix J
Quality Assurance Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
Syracuse
New York 13214-0066
Tel 315.446.9120
Fax 315.449.0017

Our Ref.:
B0064462.0001

Date:
December 2013

ARCADIS

Table of Contents

Acronyms and Abbreviations i

1. Introduction 1

1.1 Site Description 1

1.2 Overview of Anticipated Site Activities 1

2. DQOs 3

2.1 DQO Process 3

2.2 Project DQOs 5

3. Sample Handling, Packaging, and Shipping 7

3.1 Sample Containers and Preservation 7

3.2 Sample Labeling 7

3.3 Sample Packaging 7

3.4 Sample Shipping 8

3.5 Sample Documentation 8

4. Field QA/QC 10

4.1 Field Instrument Calibration and Preventive Maintenance 10

4.2 Field QA/QC Samples 10

4.2.1 Sample Containers 11

4.2.2 Field Duplicates 11

4.2.3 Rinse Blanks 11

4.2.4 Trip Blanks 11

4.2.5 MS/MSD 11

5. Laboratory QA/QC 12

5.1 Laboratory Analytical Procedures 12

5.2 Laboratory QC 12

6. Data Reduction, Reporting, and Review 13

6.1 Field Data Reduction, Review, and Reporting 13

6.1.1 Field Data Reduction/Review 13

6.1.2 Field Data Reporting 14

6.2 Laboratory Data Reduction, Review, and Reporting 14

6.2.1 Laboratory Data Reduction/Review 14

6.2.2 Laboratory Data Reporting 14

6.2.3 Laboratory Data Review and Validation 15

7. References 16

Tables

J-1 Summary of Sampling Data Quality Objectives (in text)

Acronyms and Abbreviations

ASP	Analytical Services Protocol
COC	constituent of concern
DQO	data quality objective
EDD	electronic data deliverable
ELAP	Environmental Laboratory Approval Program
FSP	Field Sampling Plan
MS/MSD	matrix spike/matrix spike duplicate
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
QAP	Quality Assurance Plan
QA/QC	quality assurance/quality control
Site	Former General Motors Assembly Plant East Parcel Site
SOP	Standard Operating Procedure
USEPA	United States Environmental Protection Agency

1. Introduction

This Quality Assurance Plan (QAP) has been prepared in support of the Site Management Plan (SMP), to support future soil excavation or other intrusive activities at the Former General Motors Assembly Plant, East Parcel Site in Sleepy Hollow, New York Site (hereinafter referred to as the "Site"). This QAP presents policy, functional activities, and quality assurance/quality control (QA/QC) protocols necessary to achieve data quality objectives (DQOs) dictated by the intended use of the data generated during sampling and analysis.

This QAP summarizes appropriate and applicable QA/QC elements and procedures for sampling activities, including:

- Discussion of project DQOs
- Sample handling, packaging, and documentation procedures
- Field QA/QC procedures
- Laboratory QA/QC procedures
- Data reduction, review, validation, and reporting procedures

The remainder of this section presents a description of the site location and a summary of anticipated site activities.

1.1 Site Description

The Site is located in the Village of Sleepy Hollow, County of Westchester New York, and is identified in the BCA, Amendment 1 as Tax Section 115.11, Block 1, Lot 2 and Section 115.11, Block 1, Lot 85 on the Town of Mt. Pleasant Tax Map. The Site contains approximately 28.29 acres of land generally bounded by Sleepy Hollow's DeVries Park to the north; Philipsburg Manor, a restored early 18th century farm with public access, to the northeast; Continental Avenue gate to the east; residential properties, Sleepy Hollow's Senior Center and Barnhart Park to the east-southeast; Beekman Avenue to the south; and an active Metro-North rail corridor to the West.

1.2 Overview of Anticipated Site Activities

Soil excavation and other intrusive activities are anticipated for future Site development. Preparation of the Site for new construction may include the following anticipated activities:

- demolition of existing concrete slabs and foundations
- removal of asphalt cover

- reprocessing and on-site recycling of Site concrete and asphalt materials, including existing stockpiles
- removal of existing foundations, underground utilities and other subsurface obstructions
- installation of new utilities and foundations
- importation of fill materials
- surface grading and filling

Following Site preparation and throughout various stages of Site development and construction, a final cover system for the Site will be established. The final cover system provides a physical exposure barrier that must be restored if the cover is breached to permit additional construction of foundations or utilities, or for the maintenance and repair of utilities within or beneath the cover system. Once the final cover system is constructed, any future activity that disrupts the final cover system and exposes soil or fill materials beneath the cover system will be subject to general and specific requirements of the SMP.

This QAP will be used as a guide for the following sampling activities:

- Sampling Backfill from Off-Site Sources
- Sampling On-Site Materials
- Indoor Air Sampling
- Soil Vapor Intrusion Sampling

2. DQOs

The overall QA objective for the site sampling activities is to generate valid and useable data. Project DQOs are identified in this section for the sampling activities so that the procedures for sampling, laboratory analysis and data review and reporting will be of adequate quality and sufficient quantity to form a sound basis for project decision-making.

2.1 DQO Process

The DQO process, as described in the USEPA's QA/G-4 FSP instruction document, is intended to provide a "logical framework" for planning field investigations. The following section addresses, in turn, each of the seven sequential steps in the USEPA QA/G-4 DQO process.

Step 1: State the Problem

Based on the available database for remaining contamination, it may be assumed that existing site materials do not meet criteria for future intended uses of the site unless testing results demonstrate otherwise. Sampling and analysis of site materials to qualify it for future onsite uses as final cover soil or offsite reuse will be performed in accordance with the Field Sampling Plan (Appendix H) for the site. The following sampling events may be required for anticipated site activities:

- Sampling Backfill from Off-Site Sources
- Sampling On-Site Materials
- Indoor Air Sampling
- Soil Vapor Intrusion Sampling

Sampling and analysis activities are intended to generate data to supplement the existing site database and to support project decision-making activities at this Site. Criteria for imported backfill, on-site soils/materials and soil vapor/indoor air are presented in the SMP.

Step 2: Identify the Goal of the Study

The initial use of the data is descriptive (concentration) and there is no decision point for this descriptive application. Subsequent to review of the descriptive information, an evaluation will be performed based on the data. The decision required in this case is to

determine if analyzed constituents of concern (COCs) are present in levels above acceptable standards for the respective sample type.

Step 3: Identify Information Inputs

Information inputs incorporate both the concentration and distribution of COCs in site media. A fundamental basis for decision-making is that a sufficient number of data points of acceptable quality are available to support the project decisions. Thus, the necessary input for the decision is the proportion of non-rejected (usable) data points.

The data will be evaluated for completeness and general conformance with requirements of this QAP and the SMP, and consistency among data sets and with historical data, as appropriate.

Step 4: Define the Boundaries of the Study

The Site boundaries are shown on the figures presented in the SMP.

Step 5: Develop the Analytical Approach

The decision on whether data can be used will be based on the review of laboratory results and results of data review and evaluation (including data validation results if performed). Following review, evaluation, and validation, the data will be flagged, as appropriate, and any use restrictions noted.

Step 6: Specify Performance or Acceptance Criteria

Specifications for this step call for: 1) giving forethought to corrective actions to improve data usability; and 2) understanding the representative nature of the sampling design. This QAP has been designed to meet these specifications. Sampling and analysis activities have been developed based on a review of previous site data and knowledge of present site conditions. Corrective actions are described elsewhere in this QAP.

Step 7: Develop the Plan for Obtaining Data

The overall QA objective is to develop and implement procedures for field sampling, chain-of-custody, laboratory analysis, and reporting that will provide results to support the evaluation of the site data. Specific procedures for sampling, chain-of-custody, laboratory instrument calibration, laboratory analysis, data reporting, internal QC,

preventive maintenance of field equipment, and corrective action are described in other sections of this QAP.

2.2 Project DQOs

DQOs are qualitative and quantitative statements that specify the quality of the data required to support decisions made during site-related activities and are based on the end uses of the data to be collected. As such, different data uses may require different levels of data quality. The three analytical categories listed below address various data uses and the QA/QC effort and methods required to achieve the desired level of quality:

- Screening Data - Screening data affords a quick assessment of work area characteristics or conditions. Screening data is applicable for data collection activities that involve rapid, non-rigorous methods of analysis and QA. Screening data is generally applied to physical and/or chemical properties of samples, relative concentration differences, and preliminary health and safety assessment.

- Screening Data with Definitive Confirmation - Screening data provides rapid identification and quantitation; however, the quantitation may be relatively imprecise. Screening data with definitive confirmation is available for data collection activities that require qualitative and/or quantitative verification of a select portion of sample findings (10% or more). The data can also be used to verify less rigorous laboratory-based methods.

- Definitive Data - Definitive data are generated using rigorous analytical methods, such as approved USEPA reference methods, which produce tangible raw data (e.g., chromatograms, spectra, digital values) in the form of paper printouts or computer-generated electronic files. Data are analyte-specific, with confirmation of analyte identity and concentration.

It is anticipated that both the screening and definitive data categories will be used during anticipated site activities. For sampling activities, three levels of data reporting are available:

- Level 1 - Minimal Reporting - Minimal or “results only” reporting is used for analyses that, either due to their nature (e.g., field monitoring) or the intended data use (e.g., preliminary screening), do not generate or require extensive supporting documentation.

- Level 2 - Modified Reporting - Modified reporting is used for analyses performed following standard USEPA/NYSDEC-approved methods and QA/QC protocols and that, based on the intended data use, require some QC supporting documentation (but not, however, full ASP Category B reporting).

- Level 3 - Full Reporting - Full ASP Category B reporting is used for analyses that, based on the intended data use, require full documentation including back up, for review.

The table below summarizes stated DQOs for each sampling activity, relative to data uses, data reporting level, and data quantity.

Table J-1 – Summary of Sampling Data Quality Objectives

Sampling Activity	Data Use	Data Reporting Level
Sampling Backfill from Off-Site Sources	Determine if imported backfill meets criteria for on-site application.	Level 2
Sampling On-Site Material for Reuse	Determine if on-site materials meets criteria for on-site reuse of excavated materials as presented in the SMP and Excavation Work Plan (Appendix A).	Level 2
Sampling On-Site Material for Disposal	Characterize on-site materials for off-site disposal. Specific analytical parameters will be based on the requirements of the selected disposal facility(ies).	Level 2
Soil Vapor Intrusion Sampling	Determine whether mitigation measures are necessary to eliminate exposure to vapors in enclosed structures located over areas that contain remaining contamination, where the potential for SVI has been identified.	Level 2
Indoor Air Sampling	Determine whether mitigation measures are necessary to eliminate exposure to vapors in enclosed structures located over areas that contain remaining contamination, where the potential for SVI has been identified.	Level 2

3. Sample Handling, Packaging, and Shipping

This section describes handling, packaging, and shipping procedures for soil, water, and air samples subject to laboratory analyses. The FSP (Appendix H) presents the analytical parameters and methods, requirements for sample containers, sample preservation, and holding time.

3.1 Sample Containers and Preservation

Appropriate sample containers and preservation methods for soil/sediment, air, and water samples will be in accordance with the most recent ASP requirements (NYSDEC 2005), unless otherwise noted. All sample containers will meet the guidelines specified in Specification and Guidance for Obtaining Contaminant-Free Sample Containers (USEPA 540/R-93/051) and Office of Solid Waste and Emergency Response Directive 9240.0-05A (USEPA 1992). The New York State Department of Health (NYSDOH) ELAP-certified laboratory will supply appropriate sample containers in sealed cartons, as well as sample labels and preservatives.

3.2 Sample Labeling

The field personnel will be responsible for properly labeling containers. Sample labeling procedures are described in the Standard Operating Procedures for Packing, Handling, and Shipping Environmental Samples, which is included in the FSP (Appendix H, Attachment H-1).

3.3 Sample Packaging

Sample custody seals and packing materials for filled sample containers will be provided by the NYSDOH ELAP-certified laboratory. The filled, labeled, and sealed containers will be placed in a cooler, on ice, and carefully packed to minimize the possibility of container breakage. Procedures for packaging samples for transport are presented below:

1. Using duct tape, secure the outside and inside of the drain plug at the bottom of the cooler that is used for sample transport.

2. Wrap bottles in bubble wrap or other cushioning material.

3. Place 1 or 2 inches of cushioning material at the bottom of the cooler.

4. Place the sealed sample containers in the cooler.

5. Repackage ice in sealed plastic bags (ice will be double-bagged) and place loosely in the cooler.

6. Fill the remaining space in the cooler with cushioning material.

7. Place chain-of-custody forms in a sealed plastic bag, and tape the forms to the inside of the cooler lid.

8. Close the lid of the cooler and fasten with duct tape.

9. Wrap strapping tape around both ends of the cooler at least twice.

10. Mark the cooler on the outside with the following information: shipping address and return address. Cover the labels with clear plastic tape. Place two signed custody seal labels on the cooler, one each over the front and back of the cooler lid, to be evidence that the lid was not opened during shipment.

3.4 Sample Shipping

The packaged samples will be shipped via either express overnight carrier or courier (or hand-delivered by sampling personnel) to the laboratory within 48 hours of sample collection. Additional information regarding sample shipping for environmental samples is included in the Standard Operating Procedures for Packing, Handling, and Shipping Environmental Samples included in the FSP (Appendix H, Attachment H-1)

3.5 Sample Documentation

Field personnel will provide comprehensive documentation covering all aspects of field sampling and chain-of-custody. This documentation will constitute a record that will allow for the reconstruction of sampling events described in the FSP (Appendix H) to aid in the data review and interpretation process. All documents, records, and information relating to performance of the sampling events described in the FSP (Appendix H) will be retained in the project file onsite until project completion.

Daily documentation of sampling activities (when conducted) will be recorded in a field notebook (i.e., a waterproof, bound notebook) that will contain a record of sampling activities performed at the work area. Applicable notes will be made in the field notebook as to the location of sample collection, physical observations, sample depths,

and weather conditions. Field personnel performing sampling activities will also document the activities and conditions using photos taken with a digital camera. A videotape recorder may also be used as necessary.

Chain-of-custody forms will provide the record of responsibility for sample collection, transport, and submittal to the laboratory. Chain-of-custody forms will be filled out at each sampling location, at a group of sampling locations, or at the end of each day of sampling by one of the field personnel designated to be responsible for sample custody. In the event that the samples are relinquished by the designated sampling person to other sampling or field personnel, the chain-of-custody form will be signed and dated by the appropriate personnel to document the sample transfer. The original chain-of-custody form will accompany the samples to the laboratory and copies will be forwarded to the project files. Persons will have custody of samples when the samples are in their physical possession, in their view after being in their possession, or in their physical possession and secured so they cannot be tampered with. In addition, when samples are secured in a restricted area accessible only to authorized personnel, they will be deemed to be in the custody of such authorized personnel.

4. Field QA/QC

This section summarizes the QA/QC requirements for field sampling activities associated with soil, soil gas or air sampling.

4.1 Field Instrument Calibration and Preventive Maintenance

Field personnel will be responsible for maintaining a master calibration/maintenance log, following procedures specified in this QAP, for each measuring device. Each log will include at a minimum, where applicable:

- Name of device and/or instrument calibrated
- Device/instrument serial/ID number
- Device/instrument owner/supplier
- Frequency of calibration
- Date(s) of calibration(s)
- Results of calibration(s)
- Name of person(s) performing calibration(s)
- Identification of calibration gas (as applicable)
- Buffer solutions (pH meter only) and/or other solutions that may be used for measuring field parameters

Equipment to be used each day will be calibrated before beginning the day's activities or as suggested by the manufacturer. Health and safety monitoring equipment will be calibrated and maintained in accordance with the manufacturer's specifications.

In the event that an internally calibrated field instrument fails to meet calibration/ checkout procedures, it will be returned to the manufacturer for service. Equipment found to be out of tolerance during the period of use will be removed from the field.

All equipment that requires charging or batteries will be fully charged and have fresh batteries. Appropriate spare parts will be made available for field meters, as practicable.

4.2 Field QA/QC Samples

Field QC checks, including QC checks for field measurements, sample containers, field duplicates, and rinse blanks, are discussed below.

4.2.1 Sample Containers

New, certified-clean sample containers for soil, water, and air samples to be analyzed during the field sampling activities will be supplied by the analytical laboratory as described above.

4.2.2 Field Duplicates

Field duplicates will be collected to verify the reproducibility of the sampling methods. Field duplicates will be prepared by placing well-homogenized aliquots from the same sample location into individual sample containers, which are submitted blind to the laboratory. In general, field duplicates will be analyzed at a 5% frequency (every 20 samples) for each analytical parameter and sample matrix.

4.2.3 Rinse Blanks

Rinse blanks are used to monitor the cleanliness of re-usable sampling equipment and the effectiveness of the sampling device decontamination procedures. Rinse blanks will be prepared and submitted for analysis once for every 20 samples collected (or once per SDG if less than 20 samples in the SDG) with each pre-cleaned sampling device. Rinse blanks will be prepared by filling sample containers with analyte-free water (supplied by the laboratory) that has been routed through a cleaned sampling device. When dedicated sampling devices are used, or sample containers are used to collect the samples, rinse blanks will not be necessary.

4.2.4 Trip Blanks

For volatile organic compound (VOC) analysis, trip blanks will be prepared at a frequency of one per cooler containing samples for VOC analyses. Trip blanks are applied in sample validation to determine if cross-contamination has occurred between samples during shipment.

4.2.5 MS/MSD

As appropriate, triple sample volumes will be collected from select sample locations for each matrix to perform matrix spike/matrix spike duplicate (MS/MSD) analyses. MS/MSD samples will be collected at frequency of one per 20 samples.

5. Laboratory QA/QC

This section summarizes the QA/QC requirements for laboratory analytical activities associated with sampling activities. Laboratory QC procedures will be conducted in a manner consistent with relevant regulatory guidance. The laboratory will have current NYSDOH ELAP certification.

5.1 Laboratory Analytical Procedures

The FSP (Appendix H) summarizes the laboratory analytical requirements, and provides specifics related to each sample medium to be analyzed and methods to be used for this project. Methods specified in the most current ASP (NYSDEC 2005) will be used, where applicable.

Results from the analysis of soil or sediment samples will be reported as dry weight. The QC limits for samples with Level 3 reporting are presented in the most recent version of the ASP (NYSDEC 2005).

5.2 Laboratory QC

Internal laboratory QC checks will be used to monitor data integrity. These checks will include method blanks, MSs/MSDs, surrogate spikes, calibration standards, and laboratory control samples (LCS). One method blank will be analyzed with each analytical series associated with no more than 20 samples. MS/MSD pairs will be analyzed at a 5% frequency (every 20 samples). MS blanks will be analyzed at a frequency of one blank associated with no more than 20 samples. Surrogate spike compounds will be selected using the guidance provided in the analytical methods summarized in the FSP (Appendix H) and the most recent version of the ASP (NYSDEC 2005).

Instrument calibration procedures will follow the specifications provided by the instrument manufacturer or specific analytical method used. Instrument calibration procedures for all parameters will be as specified in the most recent ASP (NYSDEC 2005) or in the analytical method. Laboratory control charts will be used to determine long-term instrument trends.

6. Data Reduction, Reporting, and Review

After field and laboratory data are obtained, the data will be subject to the following activities:

- Reduction or manipulation mathematically or otherwise into meaningful and useful forms
- Review
- Organization, interpretation, and reporting
- Validation/data usability assessment (if necessary based on preliminary data review)

6.1 Field Data Reduction, Review, and Reporting

The reduction, review, and reporting of data collected in the field is discussed below.

6.1.1 Field Data Reduction/Review

Information collected in the field through visual observation, manual measurement, and/or field instrumentation will be recorded in field notebooks, data sheets, and/or on forms. Such data will be reviewed for adherence to this QAP and the FSP (Appendix H) and for consistency. Concerns identified as a result of this review will be discussed with field personnel, corrected if possible, and (as necessary) incorporated into the data evaluation process.

Field data calculations, transfers, and interpretations for data collected and conducted by the appropriate personnel and reviewed for accuracy by an appropriate project designee. All logs and documents will be checked for:

- General completeness
- Readability
- Use of appropriate procedures
- Appropriate instrument calibration and maintenance
- Reasonableness in comparison to present and past data collected
- Correct sample locations
- Correct calculations and interpretations

6.1.2 Field Data Reporting

Where appropriate, field data forms will be processed and included in appropriate reports. The original field logs, documents, and data reductions will be kept in the project file at the Site.

6.2 Laboratory Data Reduction, Review, and Reporting

The laboratory reduction, review, and reporting of analytical data are discussed below.

6.2.1 Laboratory Data Reduction/Review

The calculations used for data reduction are specified in each of the analytical methods previously referenced. Whenever possible, analytical data are transferred directly from the instrument to a computerized data system. Raw data are entered into permanently bound laboratory notebooks. The data entered are sufficient to document all factors used to arrive at the reported value.

Concentration calculations for chromatographic analyses are based on response factors. Quantitation is performed using either internal or external standards.

Inorganic analyses are based on regression analysis. Regression analysis is used to fit a curve through the calibration standard data. The sample concentrations are then calculated using the resulting regression equation.

6.2.2 Laboratory Data Reporting

Where appropriate, laboratory data forms will be processed and included in appropriate reports. The original logs, documents, and data reductions will be kept in the project file onsite.

Non-aqueous values are reported on a dry-weight basis. Unless otherwise specified, all values are reported uncorrected for blank contamination.

Analytical results for all samples will be delivered in electronic data deliverable (EDD) format and will also be provided in a full data package in a scanned electronic media (Adobe® Acrobat® .pdf). In addition, the final data will be uploaded to NYSDEC's Equis Database, in the format specified by NYSDEC at http://www.dec.ny.gov/chemical/62440.html.

6.2.3 Laboratory Data Review and Validation

Data verification and data validation will be conducted after samples have been collected and analyzed. Verification and validation will provide an understanding of the data quality and usability. If correctable data quality issues are discovered as a result of the data verification and validation activities, the findings must be immediately provided to the appropriate data generator so that appropriate corrective action can be taken to prevent the problem from recurring.

The usability of the analytical data will be assessed by using a tiered approach. Data will initially undergo data verification, which will provide the first test of the quality of the results. Criteria-based checking of the laboratory-reported QC results against the limits defined will be used to qualify data. Data verification will be performed on 100% of the data. The specific measures evaluated during verification and the associated criteria will include:

- Holding times
- Accuracy (by evaluating laboratory control spike recovery and MS recovery)
- Precision (by evaluating laboratory duplicate results)
- Blank contamination (laboratory method blanks and field generated blanks)
- Surrogate compound recoveries
- Calibration (this includes but is not limited to tuning and GC/MS calibration for organics or initial/continuing calibration for organics and inorganics, etc., for Level 3 data reporting only)
- Review of Matrix Spike/matrix spike duplicates and lab control samples
- Review of sample results (this includes but is not limited to compound identification, quantitation, and reported detection limit verification, for Level 3 data reporting only)

This verification process will provide an understanding of the data quality based on those QC indicators that have the most influence on qualification of data.

Full data validation (i.e., manual qualitative and quantitative checking) will be performed only on analytical results that are subject to question. Any data validation reports generated will be kept in the project file onsite until completion of the project.

7. References

NYSDEC. 1994. Technical and Administration Guidance Memorandum (TAGM) 4046, Determination of Soil Cleanup Objectives and Cleanup Levels.

NYSDEC. 2005. Analytical Services Protocol. July.

USEPA. 1992. Specification and Guidance for Obtaining Contaminant-Free Sample Containers (USEPA 540/R-93/051) and OSWER Directive 9240.0-05

ARCADIS

Appendix K

Stormwater Pollution Control Plan

ARCADIS
Infrastructure · Water · Environment · Buildings

General Motors LLC

Appendix K
Storm Water Pollution Prevention Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

December 2013

Appendix K
Storm Water Pollution Prevention Plan

Former General Motors Assembly Plant
East Parcel Site
Sleepy Hollow, New York

Prepared for:
General Motors LLC

Prepared by:
ARCADIS of New York, Inc.
6723 Towpath Road
P.O. Box 66
Syracuse
New York 13214-0066
Tel 315.446.9120
Fax 315.449.0017

Our Ref.:
B0064462.0001

Date:
December 2013

ARCADIS

Table of Contents

1. Introduction **1**

1.1 General 1

1.2 Site Description 1

1.3 Overview of Anticipated On-Site Activities 2

2. Erosion and Sediment Control Plan **3**

2.1 General 3

2.2 Erosion and Sediment Control Measures 3

2.3 Inspection and Maintenance of Erosion and Sediment Control Measures 5

2.4 Site Restoration 5

3. Pollution Prevention Plan **6**

3.1 General 6

3.2 Spill Prevention Plan 6

3.3 Spill Response Plan 7

1. Introduction

1.1 General

This Storm Water Pollution Prevention Plan (SWPPP) prepared in support of the Site Management Plan (SMP), to support future soil excavation or other intrusive activities at the Former General Motors Assembly Plant, East Parcel Site in Sleepy Hollow, New York Site (hereinafter referred to as the "Site"). During future intrusive activities, storm water management practices will be implemented to 1) control potential impacts (i.e., erosion and sediment loading) to Site-related storm water runoff; and 2) achieve the following objectives:

- reduction or elimination of erosion and sediment loading to water bodies during construction
- control of the impact of stormwater runoff on the water quality of receiving waters
- control of the increased volume and peak rate of runoff during and after construction
- maintenance of stormwater controls during and after completion of construction

A project-specific SWPPP will be required by stormwater permits issued for construction activities, or alternatively, will be required by the Department for construction performed as a remedial activity (e.g., handling soil and fill until completion of the final cap system) by the Owner performing this work under the BCA. The NYSDEC may require that the project-specific SWPPP include post-construction stormwater management practices that will be used and/or constructed to reduce pollutants in stormwater discharges. The project-specific SWPPP will require proper selection, sizing and siting of stormwater management practices to protect water resources from stormwater impacts.

The project-specific SWPPP should be prepared in accordance with the minimum requirements of this SWPPP.

1.2 Site Description

The Site is located in the Village of Sleepy Hollow, County of Westchester New York, and is identified in the BCA, Amendment 1 as Tax Section 115.11, Block 1, Lot 2 and Section 115.11, Block 1, Lot 85 on the Town of Mt. Pleasant Tax Map. The Site contains approximately 28.29 acres of land generally bounded by Sleepy Hollow's DeVries Park to the north; Philipsburg Manor, a restored early 18th century farm with public access, to the northeast; Continental Avenue gate to the east; residential properties, Sleepy Hollow's Senior Center and Barnhart Park to the east-southeast; Beekman Avenue to the south; and an active Metro-North rail corridor to the West.

1.3 Overview of Anticipated On-Site Activities

Soil excavation and other intrusive activities are anticipated for future Site development. Preparation of the Site for new construction may include the following anticipated activities:

- demolition of existing concrete slabs and foundations
- removal of asphalt cover
- reprocessing and on-site recycling of Site concrete and asphalt materials, including existing stockpiles
- removal of existing foundations, underground utilities and other subsurface obstructions
- installation of new utilities and foundations
- importation of fill materials
- surface grading and filling

Following Site preparation and throughout various stages of Site development and construction, a final cover system for the Site will be established. The final cover system provides a physical exposure barrier that must be restored if the cover is breached to permit additional construction of foundations or utilities, or for the maintenance and repair of utilities within or beneath the cover system. Once the final cover system is constructed, any future activity that disrupts the final cover system and exposes soil or fill materials beneath the cover system will be subject to general and specific requirements of this SWPPP.

2. Erosion and Sediment Control Plan

2.1 General

Construction activities in New York that disturb one or more acres of land must (with some exceptions for agricultural projects, silviculture projects and maintenance activities) be authorized under a SPDES Permit for stormwater discharges from construction activity. Pursuant to Section 402 of the Clean Water Act (CWA), stormwater discharges from certain construction activities (including discharges through a municipal separate storm sewer system) are unlawful unless they are authorized by a National Pollutant Discharge Elimination System (NPDES) permit or by a state permit program. New York's SPDES is a NPDES-approved program with permits issued in accordance with the New York State Environmental Conservation Law (ECL).

An owner or operator of a construction activity that is subject to SPDES regulation must obtain permit coverage through either an individual SPDES permit that addresses the stormwater discharges, or obtain coverage under the current SPDES General Permit for Stormwater Discharges from Construction Activity prior to the commencement of construction activity. The current General Permit (GP-0-10-001) for New York State was issued in January 2010. An owner or operator of a construction activity that is eligible for coverage under General Permit GP-0-10-001 must obtain coverage under the permit prior to the commencement of construction activity. The NYSDEC will determine the eligibility of the Owner to obtain a General Permit, and may require that the Owner apply for and/or obtain either an individual SPDES permit or an alternative SPDES General Permit. However, if someone who has signed the BCA is performing work that meets the definition of "remedial program" in 6 NYCRR Part 375, the substantive requirements of a SPDES permit would have to be met, but a formal permit would not be required for such work.

Municipal construction operations by the Village (including roadway and underground utility installation, maintenance and repair) are covered under their MS4 Permit issued through the SPDES program. The Village's MS4 Permit requires the use of best management practices for stormwater pollution prevention. However, the Village must also comply with requirements of the SMP (other than obtaining a separate permit for construction stormwater) when handling historical fill.

2.2 Erosion and Sediment Control Measures

Erosion and sediment control measures will be installed prior to initiating intrusive activities as site preparation activities allow. Additional erosion and sediment control measures may be required during construction to achieve the storm water management objectives of this SWPPP.

The erosion and sediment control measures that maybe used during onsite construction include the following:

- Silt Fencing/Hay Bale Dikes: Silt fencing and/or hay bale dikes will be used to reduce the potential for migration of suspended sediments beyond the project work limits. Hay bale dikes may be installed in lieu of or in addition to silt fencing.

- Material Staging Areas: Material staging areas with perimeter berms and will be used to reduce the potential for migration of stockpiled materials (via storm water runoff) to adjacent areas. Materials will be staged in these areas will be covered with polyethylene tarps whenever the materials are not actively being placed.

- Equipment/Personnel Cleaning Areas: These areas will be used for the cleaning of personnel and equipment prior to leaving the Site.

- Temporary Seeding: Temporary seeding will be applied to provide a temporary protective cover in disturbed areas when construction activities have temporarily ceased (as deemed necessary by the Owner) or to provide cover when permanent seeding is likely to fail due to mid-summer heat and drought.

- Turbidity Controls: Water-based sedimentation (re-suspension) controls will be utilized during the performance of excavation activities in or near the river. These controls include operational and equipment controls and use of diversion barriers (e.g., Jersey barriers and water stilling techniques. Turbidity controls will be installed immediately upstream of active work areas, visually inspected on a daily basis, and maintained throughout the construction period. Turbidity monitoring will be performed. Additionally, turbidity curtains or silt fence may be used to provide additional turbidity control in the event that the water stilling techniques are not found to sufficiently control the effects of construction on the turbidity levels in the Hudson River. If monitoring results indicate that stilling techniques are not sufficiently controlling the effects of construction on the turbidity levels in the Hudson River, additional turbidity control measures, such as use of turbidity curtains or silt fence, will be implemented.

- Dust Controls: Dust control measures will be implemented to reduce the potential for the dust generation.

- Good Housekeeping Practices: Good housekeeping practices will be implemented to reduce the potential for construction materials becoming entrained in storm water discharges from the Site. Throughout construction, the Site will be maintained in a

neat and orderly condition. This will include routine waste management activities (e.g., the collection and disposal of trash, rubbish, construction waste, and sanitary wastes); prompt cleanup of spills liquid or dry; and prompt cleanup of materials tracked by construction vehicles.

2.3 Inspection and Maintenance of Erosion and Sediment Control Measures

Inspections of erosion and sediment controls will be performed to confirm that the erosion and sediment control plan is being implemented properly and remains functional relative to Site conditions. Erosion and sediment controls will be maintained in accordance with the NYS Standards and Specifications and to the satisfaction of the Owner and NYSDEC. Inspection reports that summarize the results of the weekly inspections will be prepared.

Maintenance of existing erosion and sediment controls and/or required installation of additional controls, as determined during inspections, will be initiated within 48 hours following the inspection and completed prior to the next scheduled inspection. If Site conditions (e.g., weather, ground conditions) prevent maintenance/installation activities from being completed prior to the next inspection, such conditions will be noted in the subsequent inspection report and maintenance/installation activities will be completed as soon as Site conditions permit. Erosion and sediment control measures will be maintained for the duration of the construction until such time that the Site has been stabilized (i.e., soil-disturbing activities at the Site have been completed, and a uniform vegetative cover has been established or equivalent stabilization measures, such as the use of mulches, woodchips, geotextiles, or stone cover have been installed.

2.4 Site Restoration

Areas disturbed by intrusive construction activities will be restored. A final Site inspection will be performed to verify that disturbed areas are stabilized with the prescribed soil cover, woodchips, or stone. If inadequacies are found during the inspection, measures will be implemented to correct inadequate areas and another final Site inspection will be performed. Following acceptance of final site stabilization, temporary erosion and sediment control features that are no longer needed (e.g., silt fencing, hay bale dikes, etc.) will be removed.

3. Pollution Prevention Plan

3.1 General

A project-specific Pollution Prevention Plan for the Site should be prepared in accordance with the minimum requirements listed below. In general, the project-specific Pollution Prevention Plan will outline measures to prevent spills from occurring (a Spill Prevention Plan) and measures to be implemented in the event of a spill or spill-related emergency (a Spill Response Plan). Each of these components is briefly described below.

3.2 Spill Prevention Plan

Prior to mobilization, each piece of equipment to be brought onsite will be visually inspected for potential sources of spills of hydraulic fluid, engine oil, transmission fluid, fuel, grease, etc. (by inspecting the condition of hydraulic cylinders, hoses, gaskets, fuel tanks, etc.). If a potential spill source is identified, the necessary repairs or replacement of equipment will be performed prior to mobilizing such equipment to the Site.

The following precautions will be taken to minimize potential spills of fuel during construction:

- Conduct refueling activities on level ground within a designated area away from steep slopes.
- Place on-site fuel storage tanks in containment areas.
- Do not leave equipment unattended during refueling.
- Do not re-fill internal combustion engine fuel tanks with a flammable liquid while the engine is running.
- Replace fuel caps before starting the engine.
- Secure (i.e., lock) fuel pump dispensers when not in use to avoid accidental fuel release.
- Conduct visual inspections of equipment/portable fuel tanks to check for leaks. If leaks are observed, transfer the tank contents to an alternate tank and replace or repair the leaking tank, as appropriate.
- Maintain equipment in accordance with the manufacturer's specifications.
- Operate vehicles and equipment safely, and park them a safe distance away from site hazards and sensitive resources, to the extent practicable.
- Locate and operate diesel-powered bypass pumps within a fully-lined containment area.

3.3 Spill Response Plan

Appropriate spill response procedures will be implemented when responding to unplanned releases of oil, products, or other materials to soil, surface water, or sediment during the project. Spills will be immediately reported. An emergency contact list will be maintained on Site with phone numbers for the following personnel throughout construction activities: the Sleepy Hollow Fire Department; ambulance service; local, county, and state police; and local hospital. Responsible personnel should be identified who will be in a position at all times to receive incoming phone calls and to dispatch personnel and equipment in the event of an emergency situation. A spill kit will also be maintained at the Site throughout construction that includes solid booms (harbor booms), sorbents, absorbent booms, and fire extinguishers.

The following spill response procedures will be implemented:

- Ceasing Operation of the Affected Equipment: This will consist of shutting off the equipment and/or closing any valves and stopping the leak, if possible.

- Containing the Spill: If the spilled material is floating on a water surface, spill-absorbent pads/booms will be placed across the path of the floating spill. If the spilled material sinks below the water surface, a dam, weir, or other containment method will be used to stop the flow of the spilled material. If the spill occurs on land, a containment unit will be constructed to stop the flow of the spilled material. Absorbent material will be applied as necessary.

- Cleaning Up the Spill: Spills in water will be recovered using pumps, sorbent material, etc. as necessary until the spilled material is recovered (and no sheen or other evidence related to the spill is observed on the water surface). Spills on land will be recovered using pumps, sorbent material, and heavy equipment, as necessary until the spilled material is recovered. Other activities to be conducted during spill cleanup activities include: removing impacted soil/sorbent pads; and using rags and cleaning solution to remove excess spilled material from equipment.

- Containerizing Spill Materials: Spill materials, impacted soil, sorbent pads, etc. will be containerized in New York State Department of Transportation (NYSDOT)-approved containers. The containers will be labeled with the waste type and date of accumulation in accordance with applicable regulations. Samples will be collected to characterize the spilled materials for disposal.

- Disposing of Spill Materials: Impacted materials and spill cleanup debris will be disposed of at a facility permitted to accept the materials.

- Performing Post-Spill Maintenance: Following cleanup of the spill, verification and documentation that used spill cleanup material and equipment have been disposed of or decontaminated, will be performed, as appropriate. If the equipment that caused the spill cannot be properly repaired, replacement equipment will be obtained.

ARCADIS

Appendix L

Letter from New York State Department of Health Re: Soil Vapor Intrusion Investigation

STATE OF NEW YORK
DEPARTMENT OF HEALTH

Flanigan Square, 547 River Street, Troy, New York 12180-2216

Richard F. Daines, M.D.
Commissioner

RECEIVED
MAY 23 2007
REMEDIAL BUREAU D

May 17, 2007

Mr. Frank Guido
Assistant Commissioner
Westchester County Health Department
145 Huguenot Street
New Rochelle, New York 10801

Re: Soil Vapor Intrusion Investigation
Former GM Tarrytown Site
Site #C360070
Sleepy Hollow (V), Westchester County

Dear Mr. Guido:

I am in receipt of your May 8, 2007 letter concerning the May 3, 2007 conference call with the New York State Department of Health (NYSDOH), the New York State Department of Environmental Conservation and the Westchester County Health Department (WCHD) to discuss the soil vapor intrusion (SVI) investigation proposed for the Former GM Tarrytown site. In review of your interpretation of said conference call, I am providing the following clarification of the State's position concerning the SVI Investigation of the referenced site.

During the investigation of the Former GM Tarrytown site, volatile organic compounds (VOCs) were detected in on-site groundwater, soil and/or soil gas. Due to the presence of VOCs in the aforementioned site media, the potential exists for SVI to occur in structures planned for this site. In order to evaluate this potential pathway of exposure, the NYSDOH will require the collection of sub-slab soil vapor samples from all buildings constructed slab on grade. The collection and evaluation of sub-slab soil vapor samples will be conducted in accordance with the State's October 2006, "Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York" (State's Guidance).

The sub-slab soil vapor samples will be collected post construction and prior to building occupancy. At least one sample will be collected during the heating season as SVI may be enhanced in a closed, heated structure. If the results of the samples collected from a building outside of the heating season indicates that SVI is not a

concern, another sample will be collected from the same structure during the heating season to verify results. If the results of any of the sub-slab soil vapor samples indicate that SVI may be of concern, the developer will be advised to actively vent the sub-slab depressurization system installed when the building was constructed.

As was discussed during the May 3, 2007 conference call, this seasonal approach for evaluating SVI is consistent with the State's Guidance and is applied throughout New York State. The WCHD's concern that using the results of samples collected outside of the heating season to evaluate the potential for SVI to occur in a structure may allow residents "to be exposed to unacceptable concentrations of chemicals for up to 6-8 months" is not supported by data from SVI investigations conducted in the State of New York. In our experience, evaluating SVI conditions using the results of sub-slab soil vapor samples collected in the non-heating season has lead to similar recommendations as those based on sub-slab soil vapor samples collected during the heating season. However, until a complete analysis of these data is conducted, the seasonal sampling recommendation will be followed as per the State's Guidance.

The NYSDOH believes that the measures described to evaluate SVI in slab on grade structures proposed for this site and the provisions for activating the sub-slab depressurization systems are protective of public health. Should you have any questions, please call me at (518) 402-7880.

Sincerely,

Joseph P. Crua, PHS III, M.P.H.
Bureau of Environmental
Exposure Investigation

cc: Mr. G. Litwin/Mr. M. Rivara
Mr. J. White/Mr. J. Moras – NYSDEC
Mr. E. Belmore - NYSDEC
Mr. C. Torres/Mr. C. Lalak – WCHD
Mr. R. Pergadia – NYSDEC, Reg 3

ARCADIS

Enclosure

Analytical Data for Soils
Remaining on the East Parcel Site

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1D	1FL	1FL	1J	1J	1K
Depth Interval		1 - 3	2 - 4	6 - 8	7 - 9	6 - 8	0.5 - 2
Date Collected:		07/05/96	07/08/96	07/08/96	07/19/96	07/19/96	07/19/96
Sample Name:		1D1	1FL	1FL	1J	1J	1K-EXT
Easting (ft)		666637.7225	666295.2392	666295.2392	666996.935	666996.935	666824.7488
Northing (ft)	Units	821742.9076	821783.8921	821783.8921	821313.8454	821313.8454	821552.8549
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
1,1,2,2-Tetrachloroethane	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	ND [ND]	ND	ND	0.11 [0.12]	ND	ND
2-Hexanone	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
4-Methyl-2-pentanone	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Acetone	mg/kg	0.028 [ND]	ND	0.020	0.60 [0.41]	0.093	ND
Benzene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1D	1FL	1FL	1J	1J	1K
Depth Interval		1 - 3	2 - 4	6 - 8	7 - 9	6 - 8	0.5 - 2
Date Collected:		07/05/96	07/08/96	07/08/96	07/19/96	07/19/96	07/19/96
Sample Name:		1D1	1FL	1FL	1J	1J	1K-EXT
Easting (ft)		666637.7225	666295.2392	666295.2392	666996.935	666996.935	666824.7488
Northing (ft)	Units	821742.9076	821783.8921	821783.8921	821313.8454	821313.8454	821552.8549
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	0.0074 [ND]	ND	ND	ND [ND]	ND	ND
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1D	1FL	1FL	1J	1J	1K
Depth Interval		1 - 3	2 - 4	6 - 8	7 - 9	6 - 8	0.5 - 2
Date Collected:		07/05/96	07/08/96	07/08/96	07/19/96	07/19/96	07/19/96
Sample Name:		1D1	1FL	1FL	1J	1J	1K-EXT
Easting (ft)		666637.7225	666295.2392	666295.2392	666996.935	666996.935	666824.7488
Northing (ft)	Units	821742.9076	821783.8921	821783.8921	821313.8454	821313.8454	821552.8549
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	2.0
Acenaphthylene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Anthracene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	1.6
Benzo(a)anthracene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Benzo(a)pyrene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Benzo(b)fluoranthene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Benzo(g,h,i)perylene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Benzo(k)fluoranthene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Butylbenzylphthalate	mg/kg	ND [ND]	ND	1.6	1.6 [ND]	ND	ND
Carbazole	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Chrysene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Dibenzo(a,h)anthracene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Dibenzofuran	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	0.67 [ND]	3.3	2.4	5.3 [1.7]	3.3	ND
Di-n-Octylphthalate	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Fluoranthene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Fluorene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1D	1FL	1FL	1J	1J	1K
Depth Interval		1 - 3	2 - 4	6 - 8	7 - 9	6 - 8	0.5 - 2
Date Collected:		07/05/96	07/08/96	07/08/96	07/19/96	07/19/96	07/19/96
Sample Name:		1D1	1FL	1FL	1J	1J	1K-EXT
Easting (ft)		666637.7225	666295.2392	666295.2392	666996.935	666996.935	666824.7488
Northing (ft)	Units	821742.9076	821783.8921	821783.8921	821313.8454	821313.8454	821552.8549
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	3.6
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Total C-PAHs	mg/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Total SVOCs	mg/kg	0.67 [ND]	3.3	4.0	6.9 [1.7]	3.3	7.2
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	ND [ND]	ND	ND	ND [ND]	ND	ND
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	8,240 [7,960]	8,280 [8,050]	13,300	4,280 [4,440]	3,760	9,900
ANTIMONY	mg/kg	6.86 U [6.81 U]	6.70 U [6.75 U]	8.01 U	11.5 U [11.8 U]	12.5 U	7.80 U
Arsenic	mg/kg	1.14 U [1.14 U]	1.12 U [1.12 U]	5.45	11.5 [17.7]	19.4	1.30 U
Barium	mg/kg	31.0 [16.0]	18.4 [19.8]	53.3	204 [274]	137	36.5
Beryllium	mg/kg	0.571 U [0.568 U]	0.558 U [0.562 U]	0.668 U	0.954 U [0.984 U]	1.04 U	0.650 U
Cadmium	mg/kg	0.571 U [0.568 U]	0.558 U [0.562 U]	0.668 U	0.954 U [0.984 U]	2.96	0.650 U
CALCIUM	mg/kg	2,500 [1,680]	8,530 [5,160]	3,910	4,890 [7,490]	13,800	10,200
Chromium	mg/kg	12.5 [12.6]	11.6 [11.8]	21.8	33.5 [41.6]	697	12.8
COBALT	mg/kg	7.18 [6.21]	6.03 [5.63]	8.97	9.54 U [10.1]	10.4 U	6.50 U
Copper	mg/kg	18.4 [12.4]	12.3 [13.2]	20.9	148 [217]	100	11.5

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	1D 1 - 3 07/05/96 1D1 666637.7225 821742.9076	1FL 2 - 4 07/08/96 1FL 666295.2392 821783.8921	1FL 6 - 8 07/08/96 1FL 666295.2392 821783.8921	1J 7 - 9 07/19/96 1J 666996.935 821313.8454	1J 6 - 8 07/19/96 1J 666996.935 821313.8454	1K 0.5 - 2 07/19/96 1K-EXT 666824.7488 821552.8549
Iron	mg/kg	19,500 [17,700]	18,600 [17,700]	33,700	163,000 [192,000]	223,000	20,100
Lead	mg/kg	8.04 [6.18]	5.02 [8.75]	56.3	43,500 [1,270]	310	4.85
MAGNESIUM	mg/kg	4,490 [4,200]	4,690 [5,070]	5,360	964 [995]	1,010	5,800
Manganese	mg/kg	215 [175]	201 [178]	464	545 [1,000]	1,900	205
Mercury	mg/kg	0.171 U [0.170 U]	0.167 U [0.169 U]	0.200 U	0.762 [0.999]	0.417	0.195 U
Nickel	mg/kg	16.5 [16.2]	14.8 [14.6]	20.9	33.9 [41.6]	26.7	17.7
POTASSIUM	mg/kg	1,210 [954]	988 [1,130]	1,590	451 [478]	270	1,320
Selenium	mg/kg	4.01 [4.25]	2.95 [2.85]	7.05	33.6 [43.8]	49.7	4.72
Silver	mg/kg	1.14 U [1.14 U]	1.12 U [1.12 U]	1.34 U	3.60 [2.34]	2.58	1.30 U
SODIUM	mg/kg	NA	193 [183]	313	161 [405]	1.04 U	318
THALLIUM	mg/kg	1.14 U [1.14 U]	1.12 U [1.12 U]	1.34 U	1.91 U [1.97 U]	2.09 U	1.30 U
VANADIUM	mg/kg	25.1 [12.8]	18.6 [17.2]	27.3	24.4 [28.0]	29.9	13.5
Zinc	mg/kg	47.9 [43.4]	40.2 [40.4]	134	374 [377]	1,000	45.6
Miscellaneous							
Cyanide	mg/kg	1.14 U [1.14 U]	1.12 U [1.12 U]	1.34 U	3.99 [1.97 U]	2.09 U	1.3 U
Total Solids	%	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1K	1K	1L	1M	41-1/FILL-L	41-2
Depth Interval		5 - 7	6 - 7	7 - 8	7 - 8		
Date Collected:		07/19/96	07/19/96	07/19/96	07/19/96	08/15/02	08/15/02
Sample Name:		1K	1K-EXT	1L	1M	Fill-L-6	AOC-41-2-2
Easting (ft)		666824.7488	666824.7488	666758.7192	666765.4202	666187.2505	666196.4728
Northing (ft)	Units	821552.8549	821552.8549	821770.2191	821845.4344	821592.8101	821843.0901
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1221	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1232	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1242	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1248	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1254	mg/kg	ND	ND	ND	ND	0.072 U	0.074 U
AROCLOR 1260	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1262	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
AROCLOR 1268	mg/kg	NA	NA	NA	NA	0.072 U	0.074 U
Total PCBs	mg/kg	ND	ND	ND	ND	ND	ND
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	ND	ND	ND	ND	0.0052 U	NA
1,1,2,2-Tetrachloroethane	mg/kg	ND	1.3	ND	ND	0.0010 U	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	0.0031 U	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	0.0052 U	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	0.0021 U	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	0.0021 U	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	0.0010 U	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	ND	ND	0.043	0.043	0.0052 U	NA
2-Hexanone	mg/kg	ND	ND	ND	ND	0.0052 U	NA
4-Methyl-2-pentanone	mg/kg	ND	ND	ND	ND	0.0052 U	NA
Acetone	mg/kg	ND	ND	0.17	0.17	0.030	NA
Benzene	mg/kg	ND	ND	ND	ND	0.0010 U	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	0.0010 U	NA
Bromoform	mg/kg	NA	NA	NA	NA	0.0042	NA
Bromomethane	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Carbon Disulfide	mg/kg	ND	ND	ND	ND	0.00090 J	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	0.0021 U	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Chloroethane	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Chloroform	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Chloromethane	mg/kg	NA	NA	NA	NA	0.0052 U	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	0.00040 J	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	0.0052 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1K	1K	1L	1M	41-1/FILL-L	41-2
Depth Interval		5 - 7	6 - 7	7 - 8	7 - 8		
Date Collected:		07/19/96	07/19/96	07/19/96	07/19/96	08/15/02	08/15/02
Sample Name:		1K	1K-EXT	1L	1M	Fill-L-6	AOC-41-2-2
Easting (ft)		666824.7488	666824.7488	666758.7192	666765.4202	666187.2505	666196.4728
Northing (ft)	Units	821552.8549	821552.8549	821770.2191	821845.4344	821592.8101	821843.0901
Dibromochloromethane	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Ethylbenzene	mg/kg	ND	ND	ND	ND	0.0042 U	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	ND	ND	ND	ND	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	ND	ND	0.022	ND	0.0031 U	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	0.0052 U	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	0.0010 U	NA
Toluene	mg/kg	ND	ND	ND	ND	0.0052 U	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	0.0052 U	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	0.0010 U	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	0.0052 U	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	1.4 U	1.5 U
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	0.071 U	0.073 U
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	0.071 U	0.073 U
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2-Chlorophenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2-Methylnaphthalene	mg/kg	ND	ND	ND	ND	0.36 U	0.016 J
2-Methylphenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
2-Nitroaniline	mg/kg	NA	NA	NA	NA	0.71 U	0.73 U
2-Nitrophenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	0.71 U	0.73 U
3-Nitroaniline	mg/kg	NA	NA	NA	NA	0.71 U	0.73 U
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	1.4 U	1.5 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1K	1K	1L	1M	41-1/FILL-L	41-2
Depth Interval		5 - 7	6 - 7	7 - 8	7 - 8		
Date Collected:		07/19/96	07/19/96	07/19/96	07/19/96	08/15/02	08/15/02
Sample Name:		1K	1K-EXT	1L	1M	Fill-L-6	AOC-41-2-2
Easting (ft)		666824.7488	666824.7488	666758.7192	666765.4202	666187.2505	666196.4728
Northing (ft)	Units	821552.8549	821552.8549	821770.2191	821845.4344	821592.8101	821843.0901
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
4-Chloroaniline	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
4-Methylphenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
4-Nitroaniline	mg/kg	NA	NA	NA	NA	0.71 U	0.73 U
4-Nitrophenol	mg/kg	NA	NA	NA	NA	1.4 U	1.5 U
Acenaphthene	mg/kg	ND	ND	ND	ND	0.014 J	0.070 J
Acenaphthylene	mg/kg	ND	ND	ND	ND	0.042 J	0.015 J
Anthracene	mg/kg	ND	ND	ND	ND	0.20 J	0.10 J
Benzo(a)anthracene	mg/kg	ND	ND	ND	0.49	0.31	0.21
Benzo(a)pyrene	mg/kg	ND	ND	ND	0.49	0.10	0.20
Benzo(b)fluoranthene	mg/kg	ND	ND	ND	0.75	0.67	0.24
Benzo(g,h,i)perylene	mg/kg	ND	ND	ND	ND	0.069 J	0.082 J
Benzo(k)fluoranthene	mg/kg	ND	ND	ND	ND	0.29	0.12
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
bis(2-Ethylhexyl)phthalate	mg/kg	ND	ND	ND	ND	0.081 J	0.37 U
Butylbenzylphthalate	mg/kg	ND	ND	ND	0.92	0.36 U	0.12 J
Carbazole	mg/kg	ND	ND	ND	ND	0.23 J	0.039 J
Chrysene	mg/kg	ND	ND	ND	0.47	0.92	0.23 J
Dibenzo(a,h)anthracene	mg/kg	ND	ND	ND	ND	0.036 U	0.030 J
Dibenzofuran	mg/kg	ND	ND	ND	ND	0.035 J	0.029 J
Diethylphthalate	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
Dimethylphthalate	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
Di-n-Butylphthalate	mg/kg	ND	ND	1.4	4.3	0.36 U	0.37 U
Di-n-Octylphthalate	mg/kg	ND	ND	ND	ND	0.36 U	0.37 U
Fluoranthene	mg/kg	ND	ND	ND	0.82	1.7	0.42
Fluorene	mg/kg	ND	ND	ND	ND	0.043 J	0.041 J
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	0.071 U	0.073 U
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
Hexachloroethane	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
Indeno(1,2,3-cd)pyrene	mg/kg	ND	ND	ND	ND	0.097	0.10
Isophorone	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
Naphthalene	mg/kg	ND	ND	ND	ND	0.36 U	0.019 J
Nitrobenzene	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	0.036 U	0.037 U
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		1K	1K	1L	1M	41-1/FILL-L	41-2
Depth Interval		5 - 7	6 - 7	7 - 8	7 - 8		
Date Collected:		07/19/96	07/19/96	07/19/96	07/19/96	08/15/02	08/15/02
Sample Name:		1K	1K-EXT	1L	1M	Fill-L-6	AOC-41-2-2
Easting (ft)		666824.7488	666824.7488	666758.7192	666765.4202	666187.2505	666196.4728
Northing (ft)	Units	821552.8549	821552.8549	821770.2191	821845.4344	821592.8101	821843.0901
Pentachlorophenol	mg/kg	NA	NA	NA	NA	1.4 U	1.5 U
Phenanthrene	mg/kg	ND	ND	ND	ND	0.36	0.29 J
Phenol	mg/kg	NA	NA	NA	NA	0.36 U	0.37 U
Pyrene	mg/kg	ND	ND	ND	0.82	1.6	0.48
Total C-PAHs	mg/kg	ND	ND	ND	2.2	NA	NA
Total SVOCs	mg/kg	ND	ND	1.4	9.1	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	0.0072 U	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	0.012	NA
4,4'-DDE	ug/kg	ND	ND	ND	ND	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	0.0072 U	NA
4,4'-DDT	ug/kg	ND	ND	ND	ND	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Alpha-BHC	ug/kg	ND	ND	ND	ND	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Dieldrin	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endrin	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Heptachlor	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	0.0072 U	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	0.072 U	NA
Toxaphene	mg/kg	NA	NA	NA	NA	0.072 U	NA
Inorganics							
ALUMINUM	mg/kg	6,780	7,600	9,380	9,450	9,520	8,150
ANTIMONY	mg/kg	8.50 U	8.45 U	8.36 U	8.36 U	1.20 U	1.30 U
Arsenic	mg/kg	4.68	4.10	6.10	15.5	1.60	3.20
Barium	mg/kg	104	115	226	177	60.0	33.8 B
Beryllium	mg/kg	0.708 U	0.704 U	0.696 U	0.696 U	0.210 B	0.240 B
Cadmium	mg/kg	0.708 U	0.704 U	0.696 U	0.696 U	0.0860 U	0.0880 U
CALCIUM	mg/kg	1,970	2,610	6,640	4,760	2,700	3,650
Chromium	mg/kg	13.8	16.5	13.5	17.8	20.0	15.8
COBALT	mg/kg	8.16	7.86	7.88	7.20	8.00 B	7.00 B
Copper	mg/kg	37.6	71.1	44.6	44.6	36.2	14.8

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	1K 5 - 7 07/19/96 1K 666824.7488 821552.8549	1K 6 - 7 07/19/96 1K-EXT 666824.7488 821552.8549	1L 7 - 8 07/19/96 1L 666758.7192 821770.2191	1M 7 - 8 07/19/96 1M 666765.4202 821845.4344	41-1/FILL-L 08/15/02 Fill-L-6 666187.2505 821592.8101	41-2 08/15/02 AOC-41-2-2 666196.4728 821843.0901
Iron	mg/kg	9,270	14,000	24,200	21,300	17,300	18,400
Lead	mg/kg	138	245	307	300	6.00	19.9
MAGNESIUM	mg/kg	1,160	2,180	1,500	3,590	4,640	4,140
Manganese	mg/kg	92.7	153	189	211	282	223
Mercury	mg/kg	0.212 U	2.12	0.466	0.280	0.0700	3.70
Nickel	mg/kg	15.8	17.8	20.5	16.5	14.7	16.4
POTASSIUM	mg/kg	902	1,090	1,570	1,330	1,080	1,070 B
Selenium	mg/kg	3.04	3.80	7.57	5.54	0.900 U	0.920 U
Silver	mg/kg	1.42 U	1.41 U	1.39 U	1.39 U	0.300 U	0.310 U
SODIUM	mg/kg	364	431	338	441	246 B	178 B
THALLIUM	mg/kg	1.42 U	1.41 U	1.39 U	1.39 U	1.00 U	1.00 U
VANADIUM	mg/kg	24.8	27.7	39.8	25.7	26.8	17.3
Zinc	mg/kg	119	136	283	214	34.2	66.2
Miscellaneous							
Cyanide	mg/kg	1.42 U	1.41 U	2.06	1.39 U	0.5 U	NA
Total Solids	%	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		41-3	43-1	43-2	43-3	43-4	43-5
Depth Interval							
Date Collected:		08/15/02	08/14/02	08/14/02	08/14/02	08/14/02	08/14/02
Sample Name:		AOC-41-3-3	AOC-43-1-4	AOC-43-2-4	AOC-43-3-4	AOC-43-4-4	AOC-43-5-4
Easting (ft)		666105.741	666568.2214	666643.4783	666325.5714	666282.6741	666476.4
Northing (ft)	Units	822015.6298	821020.5386	821153.5409	821250.8287	821424.188	821531.4096
PCBs							
AROCLOR 1016	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1221	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1232	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1242	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1248	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1254	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1260	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1262	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
AROCLOR 1268	mg/kg	0.07 U	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
Total PCBs	mg/kg	ND	ND	ND	ND	ND	ND
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
1,1,2,2-Tetrachloroethane	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
1,1,2-Trichloroethane	mg/kg	NA	0.0032 U	0.0032 U	0.0033 U	0.0034 U	0.0034 U
1,1-Dichloroethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
1,1-Dichloroethene	mg/kg	NA	0.0021 U	0.0021 U	0.0022 U	0.0023 U	0.0023 U
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	0.0021 U	0.0021 U	0.0022 U	0.0023 U	0.0023 U
1,2-Dichloropropane	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
2-Hexanone	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
4-Methyl-2-pentanone	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Acetone	mg/kg	NA	0.026	0.017	0.027	0.027	0.033
Benzene	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
Bromodichloromethane	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
Bromoform	mg/kg	NA	0.0051	0.0042 U	0.0027 J	0.0049	0.0059
Bromomethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Carbon Disulfide	mg/kg	NA	0.0053	0.0053 U	0.0014 J	0.0014 J	0.0014 J
Carbon Tetrachloride	mg/kg	NA	0.0021 U	0.0021 U	0.0022 U	0.0023 U	0.0023 U
Chlorobenzene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Chloroethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Chloroform	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Chloromethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
cis-1,2-Dichloroethene	mg/kg	NA	0.0053 U	0.0053 U	0.00040 J	0.0057 U	0.0056 U
cis-1,3-Dichloropropene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	41-3 08/15/02 AOC-41-3-3 666105.741 822015.6298	43-1 08/14/02 AOC-43-1-4 666568.2214 821020.5386	43-2 08/14/02 AOC-43-2-4 666643.4783 821153.5409	43-3 08/14/02 AOC-43-3-4 666325.5714 821250.8287	43-4 08/14/02 AOC-43-4-4 666282.6741 821424.188	43-5 08/14/02 AOC-43-5-4 666476.4 821531.4096
Dibromochloromethane	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Ethylbenzene	mg/kg	NA	0.0042 U	0.0042 U	0.0044 U	0.0046 U	0.0045 U
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	0.0032 U	0.00080 J	0.0016 J	0.0010 J	0.0014 J
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
Toluene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
trans-1,2-Dichloroethene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
trans-1,3-Dichloropropene	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Trichloroethene	mg/kg	NA	0.0010 U	0.0010 U	0.0011 U	0.0011 U	0.0011 U
Vinyl Chloride	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Xylenes (total)	mg/kg	NA	0.0053 U	0.0053 U	0.0055 U	0.0057 U	0.0056 U
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
1,2-Dichlorobenzene	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
1,3-Dichlorobenzene	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
1,4-Dichlorobenzene	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2,4,6-Trichlorophenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2,4-Dichlorophenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2,4-Dimethylphenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2,4-Dinitrophenol	mg/kg	1.4 U	1.5 U	1.5 U	1.5 U	1.6 U	1.6 U
2,4-Dinitrotoluene	mg/kg	0.070 U	0.074 U	0.074 U	0.075 U	0.078 U	0.078 U
2,6-Dinitrotoluene	mg/kg	0.070 U	0.074 U	0.074 U	0.075 U	0.078 U	0.078 U
2-Chloronaphthalene	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2-Chlorophenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2-Methylnaphthalene	mg/kg	0.019 J	0.12 J	0.37 U	0.37 U	0.39 U	0.39 U
2-Methylphenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
2-Nitroaniline	mg/kg	0.70 U	0.74 U	0.74 U	0.75 U	0.78 U	0.78 U
2-Nitrophenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	0.70 U	0.74 U	0.74 U	0.75 U	0.78 U	0.78 U
3-Nitroaniline	mg/kg	0.70 U	0.74 U	0.74 U	0.75 U	0.78 U	0.78 U
4,6-Dinitro-2-methylphenol	mg/kg	1.4 U	1.5 U	1.5 U	1.5 U	1.6 U	1.6 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	41-3 08/15/02 AOC-41-3-3 666105.741 822015.6298	43-1 08/14/02 AOC-43-1-4 666568.2214 821020.5386	43-2 08/14/02 AOC-43-2-4 666643.4783 821153.5409	43-3 08/14/02 AOC-43-3-4 666325.5714 821250.8287	43-4 08/14/02 AOC-43-4-4 666282.6741 821424.188	43-5 08/14/02 AOC-43-5-4 666476.4 821531.4096
4-Bromophenyl-phenylether	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
4-Chloro-3-Methylphenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
4-Chloroaniline	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
4-Chlorophenyl-phenylether	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
4-Methylphenol	mg/kg	0.35 U	0.011 J	0.37 U	0.37 U	0.39 U	0.39 U
4-Nitroaniline	mg/kg	0.70 U	0.74 U	0.74 U	0.75 U	0.78 U	0.78 U
4-Nitrophenol	mg/kg	1.4 U	1.5 U	1.5 U	1.5 U	1.6 U	1.6 U
Acenaphthene	mg/kg	0.014 J	0.032 J	0.37 U	0.37 U	0.39 U	0.39 U
Acenaphthylene	mg/kg	0.040 J	0.025 J	0.37 U	0.37 U	0.39 U	0.39 U
Anthracene	mg/kg	0.047 J	0.040 J	0.37 U	0.37 U	0.39 U	0.39 U
Benzo(a)anthracene	mg/kg	0.10	0.064	0.037 U	0.037 U	0.046	0.039 U
Benzo(a)pyrene	mg/kg	0.095	0.088	0.037 U	0.037 U	0.044	0.039 U
Benzo(b)fluoranthene	mg/kg	0.15	0.14	0.037 U	0.037 U	0.058	0.039 U
Benzo(g,h,i)perylene	mg/kg	0.029 J	0.15 J	0.37 U	0.37 U	0.026 J	0.39 U
Benzo(k)fluoranthene	mg/kg	0.058	0.058	0.037 U	0.037 U	0.028 J	0.039 U
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
bis(2-Chloroethyl)ether	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
bis(2-Chloroisopropyl)ether	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
bis(2-Ethylhexyl)phthalate	mg/kg	0.073 J	2.9	0.078 J	0.087 J	0.39 U	0.39 U
Butylbenzylphthalate	mg/kg	0.35 U	0.21 J	0.37 U	0.37 U	0.39 U	0.39 U
Carbazole	mg/kg	0.011 J	0.023 J	0.37 U	0.37 U	0.39 U	0.39 U
Chrysene	mg/kg	0.10 J	0.068 J	0.37 U	0.37 U	0.038 J	0.39 U
Dibenzo(a,h)anthracene	mg/kg	0.035 U	0.038	0.037 U	0.037 U	0.039 U	0.039 U
Dibenzofuran	mg/kg	0.0086 J	0.044 J	0.37 U	0.37 U	0.39 U	0.39 U
Diethylphthalate	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Dimethylphthalate	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Di-n-Butylphthalate	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Di-n-Octylphthalate	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Fluoranthene	mg/kg	0.20 J	0.13 J	0.37 U	0.37 U	0.053 J	0.39 U
Fluorene	mg/kg	0.022 J	0.029 J	0.37 U	0.37 U	0.39 U	0.39 U
Hexachlorobenzene	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
Hexachlorobutadiene	mg/kg	0.070 U	0.074 U	0.074 U	0.075 U	0.078 U	0.078 U
Hexachlorocyclopentadiene	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Hexachloroethane	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
Indeno(1,2,3-cd)pyrene	mg/kg	0.032 J	0.15	0.037 U	0.037 U	0.029 J	0.039 U
Isophorone	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Naphthalene	mg/kg	0.012 J	0.089 J	0.37 U	0.37 U	0.39 U	0.39 U
Nitrobenzene	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	0.035 U	0.037 U	0.037 U	0.037 U	0.039 U	0.039 U
N-Nitrosodiphenylamine	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	41-3 08/15/02 AOC-41-3-3 666105.741 822015.6298	43-1 08/14/02 AOC-43-1-4 666568.2214 821020.5386	43-2 08/14/02 AOC-43-2-4 666643.4783 821153.5409	43-3 08/14/02 AOC-43-3-4 666325.5714 821250.8287	43-4 08/14/02 AOC-43-4-4 666282.6741 821424.188	43-5 08/14/02 AOC-43-5-4 666476.4 821531.4096
Pentachlorophenol	mg/kg	1.4 U	1.5 U	1.5 U	1.5 U	1.6 U	1.6 U
Phenanthrene	mg/kg	0.12 J	0.16 J	0.37 U	0.37 U	0.019 J	0.39 U
Phenol	mg/kg	0.35 U	0.37 U	0.37 U	0.37 U	0.39 U	0.39 U
Pyrene	mg/kg	0.23 J	0.14 J	0.37 U	0.37 U	0.043 J	0.39 U
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
4,4'-DDE	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Alpha-BHC	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Delta-BHC	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Dieldrin	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endosulfan I	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endosulfan II	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endosulfan Sulfate	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endrin	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endrin Aldehyde	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Endrin Ketone	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Gamma-BHC (Lindane)	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Heptachlor	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Heptachlor Epoxide	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Methoxychlor	mg/kg	NA	0.0074 U	0.0075 U	0.0075 U	0.0079 U	0.0078 U
Total Chlordane	mg/kg	NA	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
Toxaphene	mg/kg	NA	0.074 U	0.075 U	0.075 U	0.079 U	0.078 U
Inorganics							
ALUMINUM	mg/kg	7,780	5,750	5,600	6,950	6,460	6,760
ANTIMONY	mg/kg	1.20 U	1.30 U	1.30 U	1.30 U	1.40 U	1.40 U
Arsenic	mg/kg	2.40	1.10 B	0.740 B	0.820 B	1.40	0.750 U
Barium	mg/kg	45.7	8.20 B	7.60 B	8.30 B	20.7 B	10.9 B
Beryllium	mg/kg	0.190 B	0.110 B	0.110 B	0.160 B	0.190 B	0.140 B
Cadmium	mg/kg	0.330 B	0.0890 U	0.0890 U	0.0900 U	0.0940 U	0.0930 U
CALCIUM	mg/kg	7,060	50,800	24,700	5,800	8,520	1,760
Chromium	mg/kg	10.4	7.90	7.80	9.50	10.5	8.90
COBALT	mg/kg	10.7	4.40 B	4.40 B	5.60 B	5.40 B	5.30 B
Copper	mg/kg	128	6.90	6.90	8.60	8.90	7.50

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	41-3 08/15/02 AOC-41-3-3 666105.741 822015.6298	43-1 08/14/02 AOC-43-1-4 666568.2214 821020.5386	43-2 08/14/02 AOC-43-2-4 666643.4783 821153.5409	43-3 08/14/02 AOC-43-3-4 666325.5714 821250.8287	43-4 08/14/02 AOC-43-4-4 666282.6741 821424.188	43-5 08/14/02 AOC-43-5-4 666476.4 821531.4096
Iron	mg/kg	28,700	13,200	12,900	15,300	15,400	14,500
Lead	mg/kg	26.6	2.90	2.70	3.80	4.80	3.00
MAGNESIUM	mg/kg	4,220	3,720	3,510	4,180	3,800	4,020
Manganese	mg/kg	278	281	164	146	216	134
Mercury	mg/kg	0.390	0.0190 U	0.0190 U	0.0190 U	0.0200 B	0.0190 U
Nickel	mg/kg	10.9	12.3	12.0	15.3	13.5	14.4
POTASSIUM	mg/kg	844 B	531 B	533 B	680 B	863 B	619 B
Selenium	mg/kg	1.70	0.930 U	0.940 U	0.940 U	0.990 U	0.980 U
Silver	mg/kg	0.290 U	0.310 U	0.310 U	0.310 U	0.330 U	0.330 U
SODIUM	mg/kg	390 B	449 B	343 B	179 B	307 B	111 B
THALLIUM	mg/kg	0.990 U	1.00 U	1.10 U	1.10 U	1.10 U	1.10 U
VANADIUM	mg/kg	42.0	7.60 B	7.60 B	9.30 B	11.3 B	8.50 B
Zinc	mg/kg	75.7	31.8	31.5	38.9	42.3	37.0
Miscellaneous							
Cyanide	mg/kg	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Total Solids	%	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		43-6	43-7	43-8	43-9	A-1	A-1
Depth Interval						0.5 - 2	2 - 4
Date Collected:		08/14/02	08/14/02	08/14/02	08/14/02	03/18/08	03/18/08
Sample Name:		AOC-43-6-6	AOC-43-7-6	AOC-43-8-4	AOC-43-9-7	A-1(0.5-2.0)(03-18-08)	A-1(2.0-4.0)(03-18-08)
Easting (ft)		666636.9494	666606.74	666729.112	667010.5874	666786.6	666786.6
Northing (ft)	Units	821596.7895	821441.1197	821278.4201	821224.9534	821686.7	821686.7
PCBs							
AROCLOR 1016	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1221	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1232	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1242	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1248	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1254	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1260	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1262	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
AROCLOR 1268	mg/kg	0.081 U	0.078 U	0.073 U	0.1 U	NA	NA
Total PCBs	mg/kg	ND	ND	ND	ND	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	0.0012 U	0.0011 U	0.0010 U	0.15 U	NA	NA
1,1,2-Trichloroethane	mg/kg	0.0035 U	0.0034 U	0.0031 U	0.44 U	NA	NA
1,1-Dichloroethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
1,1-Dichloroethene	mg/kg	0.0023 U	0.0022 U	0.0021 U	0.29 U	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	0.0023 U	0.0022 U	0.0021 U	0.29 U	NA	NA
1,2-Dichloropropane	mg/kg	0.0012 U	0.0011 U	0.0010 U	0.15 U	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	0.0072	0.0056 U	0.0052 U	0.73 U	NA	NA
2-Hexanone	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
4-Methyl-2-pentanone	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Acetone	mg/kg	0.092	0.055	0.014	0.73 U	NA	NA
Benzene	mg/kg	0.0012 U	0.0011 U	0.0010 U	0.15 U	NA	NA
Bromodichloromethane	mg/kg	0.0012 U	0.0011 U	0.0010 U	0.15 U	NA	NA
Bromoform	mg/kg	0.0046 U	0.0027 J	0.013	0.58 U	NA	NA
Bromomethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Carbon Disulfide	mg/kg	0.0035 J	0.00090 J	0.00060 J	0.73 U	NA	NA
Carbon Tetrachloride	mg/kg	0.0023 U	0.0022 U	0.0021 U	0.29 U	NA	NA
Chlorobenzene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Chloroethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Chloroform	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Chloromethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
cis-1,2-Dichloroethene	mg/kg	0.0058 U	0.0056 U	0.00060 J	0.50 J	NA	NA
cis-1,3-Dichloropropene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	43-6 08/14/02 AOC-43-6-6 666636.9494 821596.7895	43-7 08/14/02 AOC-43-7-6 666606.74 821441.1197	43-8 08/14/02 AOC-43-8-4 666729.112 821278.4201	43-9 08/14/02 AOC-43-9-7 667010.5874 821224.9534	A-1 0.5 - 2 03/18/08 A-1(0.5-2.0)(03-18-08) 666786.6 821686.7	A-1 2 - 4 03/18/08 A-1(2.0-4.0)(03-18-08) 666786.6 821686.7
Dibromochloromethane	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Ethylbenzene	mg/kg	0.0046 U	0.0045 U	0.0041 U	0.58 U	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	0.0035 U	0.0034 U	0.00080 J	0.44 U	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	0.0012 U	0.0011 U	0.0010 U	0.20	NA	NA
Toluene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
trans-1,2-Dichloroethene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
trans-1,3-Dichloropropene	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Trichloroethene	mg/kg	0.0012 U	0.0011 U	0.00050 J	0.56	NA	NA
Vinyl Chloride	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.17 J	NA	NA
Xylenes (total)	mg/kg	0.0058 U	0.0056 U	0.0052 U	0.73 U	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
1,2-Dichlorobenzene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
1,3-Dichlorobenzene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
1,4-Dichlorobenzene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2,4,6-Trichlorophenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2,4-Dichlorophenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2,4-Dimethylphenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2,4-Dinitrophenol	mg/kg	1.6 U	1.6 U	1.4 U	2.0 U	NA	NA
2,4-Dinitrotoluene	mg/kg	0.081 U	0.078 U	0.072 U	0.099 U	NA	NA
2,6-Dinitrotoluene	mg/kg	0.081 U	0.078 U	0.072 U	0.099 U	NA	NA
2-Chloronaphthalene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2-Chlorophenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2-Methylnaphthalene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2-Methylphenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
2-Nitroaniline	mg/kg	0.81 U	0.78 U	0.72 U	0.99 U	NA	NA
2-Nitrophenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	0.81 U	0.78 U	0.72 U	0.99 U	NA	NA
3-Nitroaniline	mg/kg	0.81 U	0.78 U	0.72 U	0.99 U	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	1.6 U	1.6 U	1.4 U	2.0 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	43-6 08/14/02 AOC-43-6-6 666636.9494 821596.7895	43-7 08/14/02 AOC-43-7-6 666606.74 821441.1197	43-8 08/14/02 AOC-43-8-4 666729.112 821278.4201	43-9 08/14/02 AOC-43-9-7 667010.5874 821224.9534	A-1 0.5 - 2 03/18/08 A-1(0.5-2.0)(03-18-08) 666786.6 821686.7	A-1 2 - 4 03/18/08 A-1(2.0-4.0)(03-18-08) 666786.6 821686.7
4-Bromophenyl-phenylether	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
4-Chloro-3-Methylphenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
4-Chloroaniline	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
4-Chlorophenyl-phenylether	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
4-Methylphenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
4-Nitroaniline	mg/kg	0.81 U	0.78 U	0.72 U	0.99 U	NA	NA
4-Nitrophenol	mg/kg	1.6 U	1.6 U	1.4 U	2.0 U	NA	NA
Acenaphthene	mg/kg	0.023 J	0.39 U	0.36 U	0.50 U	NA	NA
Acenaphthylene	mg/kg	0.046 J	0.39 U	0.36 U	0.50 U	NA	NA
Anthracene	mg/kg	0.073 J	0.39 U	0.36 U	0.50 U	NA	NA
Benzo(a)anthracene	mg/kg	0.23	0.039 U	0.036 U	0.050 U	NA	NA
Benzo(a)pyrene	mg/kg	0.26	0.039 U	0.036 U	0.050 U	NA	NA
Benzo(b)fluoranthene	mg/kg	0.34	0.039 U	0.036 U	0.050 U	NA	NA
Benzo(g,h,i)perylene	mg/kg	0.093 J	0.39 U	0.36 U	0.50 U	NA	NA
Benzo(k)fluoranthene	mg/kg	0.17	0.039 U	0.036 U	0.050 U	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
bis(2-Chloroethyl)ether	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.10 J	NA	NA
Butylbenzylphthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Carbazole	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Chrysene	mg/kg	0.24 J	0.39 U	0.36 U	0.50 U	NA	NA
Dibenzo(a,h)anthracene	mg/kg	0.030 J	0.039 U	0.036 U	0.050 U	NA	NA
Dibenzofuran	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Diethylphthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Dimethylphthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Di-n-Butylphthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Di-n-Octylphthalate	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Fluoranthene	mg/kg	0.48	0.014 J	0.36 U	0.50 U	NA	NA
Fluorene	mg/kg	0.025 J	0.39 U	0.36 U	0.50 U	NA	NA
Hexachlorobenzene	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
Hexachlorobutadiene	mg/kg	0.081 U	0.078 U	0.072 U	0.099 U	NA	NA
Hexachlorocyclopentadiene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Hexachloroethane	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	0.12	0.039 U	0.036 U	0.050 U	NA	NA
Isophorone	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Naphthalene	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Nitrobenzene	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	0.040 U	0.039 U	0.036 U	0.050 U	NA	NA
N-Nitrosodiphenylamine	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	43-6 08/14/02 AOC-43-6-6 666636.9494 821596.7895	43-7 08/14/02 AOC-43-7-6 666606.74 821441.1197	43-8 08/14/02 AOC-43-8-4 666729.112 821278.4201	43-9 08/14/02 AOC-43-9-7 667010.5874 821224.9534	A-1 0.5 - 2 03/18/08 A-1(0.5-2.0)(03-18-08) 666786.6 821686.7	A-1 2 - 4 03/18/08 A-1(2.0-4.0)(03-18-08) 666786.6 821686.7
Pentachlorophenol	mg/kg	1.6 U	1.6 U	1.4 U	2.0 U	NA	NA
Phenanthrene	mg/kg	0.26 J	0.39 U	0.36 U	0.50 U	NA	NA
Phenol	mg/kg	0.40 U	0.39 U	0.36 U	0.50 U	NA	NA
Pyrene	mg/kg	0.51	0.013 J	0.36 U	0.50 U	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
4,4'-DDE	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Alpha-BHC	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Delta-BHC	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Dieldrin	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endosulfan I	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endosulfan II	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endosulfan Sulfate	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endrin	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endrin Aldehyde	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Endrin Ketone	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Gamma-BHC (Lindane)	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Heptachlor	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Heptachlor Epoxide	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Methoxychlor	mg/kg	0.0081 U	0.0078 U	0.0073 U	0.010 U	NA	NA
Total Chlordane	mg/kg	0.081 U	0.078 U	0.073 U	0.10 U	NA	NA
Toxaphene	mg/kg	0.081 U	0.078 U	0.073 U	0.10 U	NA	NA
Inorganics							
ALUMINUM	mg/kg	7,780	6,540	6,330	6,120	NA	NA
ANTIMONY	mg/kg	1.40 U	1.20 U	1.30 U	18.3	NA	NA
Arsenic	mg/kg	2.90	16.9	1.20	18.6	1.00 U	NA
Barium	mg/kg	25.5 B	31.5 B	8.50 B	261	61.7	NA
Beryllium	mg/kg	0.270 B	0.130 B	0.120 B	0.700	0.510 U	NA
Cadmium	mg/kg	0.0970 U	0.0850 U	0.0870 U	0.250 B	0.510 U	NA
CALCIUM	mg/kg	1,190 B	954 B	10,700	18,300	NA	NA
Chromium	mg/kg	11.9	10.6	9.00	35.0	14.1 J	NA
COBALT	mg/kg	6.40 B	5.30 B	5.10 B	8.50 B	NA	NA
Copper	mg/kg	13.5	11.2	8.90	7,560	13.8	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	43-6 08/14/02 AOC-43-6-6 666636.9494 821596.7895	43-7 08/14/02 AOC-43-7-6 666606.74 821441.1197	43-8 08/14/02 AOC-43-8-4 666729.112 821278.4201	43-9 08/14/02 AOC-43-9-7 667010.5874 821224.9534	A-1 0.5 - 2 03/18/08 A-1(0.5-2.0)(03-18-08) 666786.6 821686.7	A-1 2 - 4 03/18/08 A-1(2.0-4.0)(03-18-08) 666786.6 821686.7
Iron	mg/kg	15,900	11,600	13,900	67,700	NA	NA
Lead	mg/kg	11.5	5.10	5.20	1,030	9.00	NA
MAGNESIUM	mg/kg	3,110	2,500	3,860	1,500	NA	NA
Manganese	mg/kg	127	155	156	848	336	NA
Mercury	mg/kg	0.0200 B	0.0200 B	0.0400	0.510	0.0900 J	0.0400 U
Nickel	mg/kg	14.9	10.9	14.3	45.2	10.9	NA
POTASSIUM	mg/kg	743 B	1,120	562 B	502 B	NA	NA
Selenium	mg/kg	1.00 U	0.890 U	0.910 U	1.40	1.00 U	NA
Silver	mg/kg	0.340 U	0.300 U	0.300 U	1.60 B	1.00 U	NA
SODIUM	mg/kg	320 B	806 B	181 B	587 B	NA	NA
THALLIUM	mg/kg	1.10 U	1.00 U	1.00 U	1.30 U	NA	NA
VANADIUM	mg/kg	14.6	14.3	9.70 B	53.9	NA	NA
Zinc	mg/kg	49.1	26.5	36.7	1,870	61.7	NA
Miscellaneous							
Cyanide	mg/kg	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA
Total Solids	%	NA	NA	NA	NA	94.9	89.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-1	A-1	A-2	A-2	A-2	A-2
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-1(4.0-6.0)(03-18-08)	A-1(6.0-8.0)(03-18-08)	A-2(0.5-2.0)(03-18-08)	A-2(2.0-4.0)(03-18-08)	A-2(2.0-4.0)(09-23-08)	A-2(4.0-6.0)(03-18-08)
Easting (ft)		666786.6	666786.6	666787.7	666787.7	666787.7	666787.7
Northing (ft)	Units	821686.7	821686.7	821775.9	821775.9	821775.9	821775.9
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-1	A-1	A-2	A-2	A-2	A-2
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-1(4.0-6.0)(03-18-08)	A-1(6.0-8.0)(03-18-08)	A-2(0.5-2.0)(03-18-08)	A-2(2.0-4.0)(03-18-08)	A-2(2.0-4.0)(09-23-08)	A-2(4.0-6.0)(03-18-08)
Easting (ft)		666786.6	666786.6	666787.7	666787.7	666787.7	666787.7
Northing (ft)	Units	821686.7	821686.7	821775.9	821775.9	821775.9	821775.9
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-1	A-1	A-2	A-2	A-2	A-2
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-1(4.0-6.0)(03-18-08)	A-1(6.0-8.0)(03-18-08)	A-2(0.5-2.0)(03-18-08)	A-2(2.0-4.0)(03-18-08)	A-2(2.0-4.0)(09-23-08)	A-2(4.0-6.0)(03-18-08)
Easting (ft)		666786.6	666786.6	666787.7	666787.7	666787.7	666787.7
Northing (ft)	Units	821686.7	821686.7	821775.9	821775.9	821775.9	821775.9
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-1	A-1	A-2	A-2	A-2	A-2
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-1(4.0-6.0)(03-18-08)	A-1(6.0-8.0)(03-18-08)	A-2(0.5-2.0)(03-18-08)	A-2(2.0-4.0)(03-18-08)	A-2(2.0-4.0)(09-23-08)	A-2(4.0-6.0)(03-18-08)
Easting (ft)		666786.6	666786.6	666787.7	666787.7	666787.7	666787.7
Northing (ft)	Units	821686.7	821686.7	821775.9	821775.9	821775.9	821775.9
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	2.50 J	NA	1.10 U	NA
Barium	mg/kg	NA	NA	26.4	NA	21.8	NA
Beryllium	mg/kg	NA	NA	0.560 U	NA	0.570 U	NA
Cadmium	mg/kg	NA	NA	0.560 U	NA	0.570 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	12.1 J	NA	12.7	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	13.2	NA	15.7	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-1	A-1	A-2	A-2	A-2	A-2
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-1(4.0-6.0)(03-18-08)	A-1(6.0-8.0)(03-18-08)	A-2(0.5-2.0)(03-18-08)	A-2(2.0-4.0)(03-18-08)	A-2(2.0-4.0)(09-23-08)	A-2(4.0-6.0)(03-18-08)
Easting (ft)		666786.6	666786.6	666787.7	666787.7	666787.7	666787.7
Northing (ft)	Units	821686.7	821686.7	821775.9	821775.9	821775.9	821775.9
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	NA	14.1	NA	15.2	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	237	NA	181	NA
Mercury	mg/kg	0.290	0.190	1.30 J	2.30	NA	0.130
Nickel	mg/kg	NA	NA	12.9	NA	17.5	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	1.10 U	NA	1.10 U	NA
Silver	mg/kg	NA	NA	1.10 U	NA	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	41.7	NA	49.3	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	86.9	86.5	87.9	79.7	88	67.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-2	A-2	A-2	A-3	A-3	A-3
Depth Interval		4 - 6	6 - 8	6 - 8	0 - 2	2 - 4	2 - 4
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	03/18/08	09/23/08
Sample Name:		A-2(4.0-6.0)(09-23-08)	A-2(6.0-8.0)(03-18-08)	A-2(6.0-8.0)(09-23-08)	A-3(0.0-2.0)(03-18-08)	A-3(2.0-4.0)(03-18-08)	A-3(2.0-4.0)(09-23-08)
Easting (ft)		666787.7	666787.7	666787.7	666791.5	666791.5	666791.5
Northing (ft)	Units	821775.9	821775.9	821775.9	821875.8	821875.8	821875.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-2	A-2	A-2	A-3	A-3	A-3
Depth Interval		4 - 6	6 - 8	6 - 8	0 - 2	2 - 4	2 - 4
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	03/18/08	09/23/08
Sample Name:		A-2(4.0-6.0)(09-23-08)	A-2(6.0-8.0)(03-18-08)	A-2(6.0-8.0)(09-23-08)	A-3(0.0-2.0)(03-18-08)	A-3(2.0-4.0)(03-18-08)	A-3(2.0-4.0)(09-23-08)
Easting (ft)		666787.7	666787.7	666787.7	666791.5	666791.5	666791.5
Northing (ft)	Units	821775.9	821775.9	821775.9	821875.8	821875.8	821875.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-2	A-2	A-2	A-3	A-3	A-3
Depth Interval		4 - 6	6 - 8	6 - 8	0 - 2	2 - 4	2 - 4
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	03/18/08	09/23/08
Sample Name:		A-2(4.0-6.0)(09-23-08)	A-2(6.0-8.0)(03-18-08)	A-2(6.0-8.0)(09-23-08)	A-3(0.0-2.0)(03-18-08)	A-3(2.0-4.0)(03-18-08)	A-3(2.0-4.0)(09-23-08)
Easting (ft)		666787.7	666787.7	666787.7	666791.5	666791.5	666791.5
Northing (ft)	Units	821775.9	821775.9	821775.9	821875.8	821875.8	821875.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-2	A-2	A-2	A-3	A-3	A-3
Depth Interval		4 - 6	6 - 8	6 - 8	0 - 2	2 - 4	2 - 4
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	03/18/08	09/23/08
Sample Name:		A-2(4.0-6.0)(09-23-08)	A-2(6.0-8.0)(03-18-08)	A-2(6.0-8.0)(09-23-08)	A-3(0.0-2.0)(03-18-08)	A-3(2.0-4.0)(03-18-08)	A-3(2.0-4.0)(09-23-08)
Easting (ft)		666787.7	666787.7	666787.7	666791.5	666791.5	666791.5
Northing (ft)	Units	821775.9	821775.9	821775.9	821875.8	821875.8	821875.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.30 U	NA	3.90	3.00 J	NA	2.60
Barium	mg/kg	72.5	NA	208	55.1	NA	11.4
Beryllium	mg/kg	0.650 U	NA	0.620 U	0.550 U	NA	0.570 U
Cadmium	mg/kg	0.650 U	NA	3.10	0.740	NA	0.570 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	19.9	NA	20.7	25.8 J	NA	13.5
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	18.5	NA	105	37.3	NA	11.5

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-2	A-2	A-2	A-3	A-3	A-3
Depth Interval		4 - 6	6 - 8	6 - 8	0 - 2	2 - 4	2 - 4
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	03/18/08	09/23/08
Sample Name:		A-2(4.0-6.0)(09-23-08)	A-2(6.0-8.0)(03-18-08)	A-2(6.0-8.0)(09-23-08)	A-3(0.0-2.0)(03-18-08)	A-3(2.0-4.0)(03-18-08)	A-3(2.0-4.0)(09-23-08)
Easting (ft)		666787.7	666787.7	666787.7	666791.5	666791.5	666791.5
Northing (ft)	Units	821775.9	821775.9	821775.9	821875.8	821875.8	821875.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	61.8	NA	560	135	NA	5.80
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	198	NA	437	238	NA	176
Mercury	mg/kg	NA	0.240	NA	1.70 J	0.560	NA
Nickel	mg/kg	15.5	NA	16.0	20.5	NA	16.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	NA	1.20 U	1.10 U	NA	1.10 U
Silver	mg/kg	1.30 U	NA	1.20 U	1.10 U	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	66.1	NA	1,070	152	NA	41.3
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	72.8	58.8	77.4	87.1	84.1	83.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-3	A-3	A-3	A-3	A-4	A-4
Depth Interval		4 - 6	4 - 6	6 - 8	6 - 8	0 - 2	2 - 4
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	03/18/08
Sample Name:		A-3(4.0-6.0)(03-18-08)	A-3(4.0-6.0)(09-23-08)	A-3(6.0-8.0)(03-18-08)	A-3(6.0-8.0)(09-23-08)	A-4(0.0-2.0)(03-18-08)	A-4(2.0-4.0)(03-18-08)
Easting (ft)		666791.5	666791.5	666791.5	666791.5	666795.3	666795.3
Northing (ft)	Units	821875.8	821875.8	821875.8	821875.8	821975.8	821975.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-3	A-3	A-3	A-3	A-4	A-4
Depth Interval		4 - 6	4 - 6	6 - 8	6 - 8	0 - 2	2 - 4
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	03/18/08
Sample Name:		A-3(4.0-6.0)(03-18-08)	A-3(4.0-6.0)(09-23-08)	A-3(6.0-8.0)(03-18-08)	A-3(6.0-8.0)(09-23-08)	A-4(0.0-2.0)(03-18-08)	A-4(2.0-4.0)(03-18-08)
Easting (ft)		666791.5	666791.5	666791.5	666791.5	666795.3	666795.3
Northing (ft)	Units	821875.8	821875.8	821875.8	821875.8	821975.8	821975.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-3	A-3	A-3	A-3	A-4	A-4
Depth Interval		4 - 6	4 - 6	6 - 8	6 - 8	0 - 2	2 - 4
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	03/18/08
Sample Name:		A-3(4.0-6.0)(03-18-08)	A-3(4.0-6.0)(09-23-08)	A-3(6.0-8.0)(03-18-08)	A-3(6.0-8.0)(09-23-08)	A-4(0.0-2.0)(03-18-08)	A-4(2.0-4.0)(03-18-08)
Easting (ft)		666791.5	666791.5	666791.5	666791.5	666795.3	666795.3
Northing (ft)	Units	821875.8	821875.8	821875.8	821875.8	821975.8	821975.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-3	A-3	A-3	A-3	A-4	A-4
Depth Interval		4 - 6	4 - 6	6 - 8	6 - 8	0 - 2	2 - 4
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	03/18/08
Sample Name:		A-3(4.0-6.0)(03-18-08)	A-3(4.0-6.0)(09-23-08)	A-3(6.0-8.0)(03-18-08)	A-3(6.0-8.0)(09-23-08)	A-4(0.0-2.0)(03-18-08)	A-4(2.0-4.0)(03-18-08)
Easting (ft)		666791.5	666791.5	666791.5	666791.5	666795.3	666795.3
Northing (ft)	Units	821875.8	821875.8	821875.8	821875.8	821975.8	821975.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	13.9	NA	7.00	1.60 J	NA
Barium	mg/kg	NA	76.6	NA	72.0	18.3	NA
Beryllium	mg/kg	NA	1.00	NA	0.990	0.550 U	NA
Cadmium	mg/kg	NA	0.750 U	NA	0.850 U	0.550 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	33.0	NA	29.7	12.5 J	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	32.0	NA	209	12.7	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-3	A-3	A-3	A-3	A-4	A-4
Depth Interval		4 - 6	4 - 6	6 - 8	6 - 8	0 - 2	2 - 4
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	03/18/08
Sample Name:		A-3(4.0-6.0)(03-18-08)	A-3(4.0-6.0)(09-23-08)	A-3(6.0-8.0)(03-18-08)	A-3(6.0-8.0)(09-23-08)	A-4(0.0-2.0)(03-18-08)	A-4(2.0-4.0)(03-18-08)
Easting (ft)		666791.5	666791.5	666791.5	666791.5	666795.3	666795.3
Northing (ft)	Units	821875.8	821875.8	821875.8	821875.8	821975.8	821975.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	87.2	NA	41.7	9.20	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	568	NA	484	163	NA
Mercury	mg/kg	0.200	NA	0.120	NA	0.140 J	0.0400 U
Nickel	mg/kg	NA	31.4	NA	29.8	15.9	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.50 U	NA	1.70 U	1.10 U	NA
Silver	mg/kg	NA	1.50 U	NA	1.70 U	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	131	NA	106	41.8	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	66.7	64.1	64.3	58.3	89.1	86.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-4	A-4	A-4	A-4	A-4	A-5
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-4(2.0-4.0)(09-23-08)	A-4(4.0-6.0)(03-18-08)	A-4(4.0-6.0)(09-23-08)	A-4(6.0-8.0)(03-18-08)	A-4(6.0-8.0)(09-23-08)	A-5(0.0-2.0)(03-18-08)
Easting (ft)		666795.3	666795.3	666795.3	666795.3	666795.3	666798.9
Northing (ft)	Units	821975.8	821975.8	821975.8	821975.8	821975.8	822075.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-4	A-4	A-4	A-4	A-4	A-5
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-4(2.0-4.0)(09-23-08)	A-4(4.0-6.0)(03-18-08)	A-4(4.0-6.0)(09-23-08)	A-4(6.0-8.0)(03-18-08)	A-4(6.0-8.0)(09-23-08)	A-5(0.0-2.0)(03-18-08)
Easting (ft)		666795.3	666795.3	666795.3	666795.3	666795.3	666798.9
Northing (ft)	Units	821975.8	821975.8	821975.8	821975.8	821975.8	822075.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-4	A-4	A-4	A-4	A-4	A-5
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-4(2.0-4.0)(09-23-08)	A-4(4.0-6.0)(03-18-08)	A-4(4.0-6.0)(09-23-08)	A-4(6.0-8.0)(03-18-08)	A-4(6.0-8.0)(09-23-08)	A-5(0.0-2.0)(03-18-08)
Easting (ft)		666795.3	666795.3	666795.3	666795.3	666795.3	666798.9
Northing (ft)	Units	821975.8	821975.8	821975.8	821975.8	821975.8	822075.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-4	A-4	A-4	A-4	A-4	A-5
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-4(2.0-4.0)(09-23-08)	A-4(4.0-6.0)(03-18-08)	A-4(4.0-6.0)(09-23-08)	A-4(6.0-8.0)(03-18-08)	A-4(6.0-8.0)(09-23-08)	A-5(0.0-2.0)(03-18-08)
Easting (ft)		666795.3	666795.3	666795.3	666795.3	666795.3	666798.9
Northing (ft)	Units	821975.8	821975.8	821975.8	821975.8	821975.8	822075.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.10 U	NA	4.70	NA	10.3	8.70 J
Barium	mg/kg	10.3	NA	19.5	NA	43.6	26.2
Beryllium	mg/kg	0.540 U	NA	0.580 U	NA	0.950	0.540 U
Cadmium	mg/kg	0.540 U	NA	0.580 U	NA	0.760 U	0.540 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	10.2	NA	16.5	NA	31.9	14.5 J
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	11.4	NA	14.1	NA	26.4	15.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-4	A-4	A-4	A-4	A-4	A-5
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/23/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-4(2.0-4.0)(09-23-08)	A-4(4.0-6.0)(03-18-08)	A-4(4.0-6.0)(09-23-08)	A-4(6.0-8.0)(03-18-08)	A-4(6.0-8.0)(09-23-08)	A-5(0.0-2.0)(03-18-08)
Easting (ft)		666795.3	666795.3	666795.3	666795.3	666795.3	666798.9
Northing (ft)	Units	821975.8	821975.8	821975.8	821975.8	821975.8	822075.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	4.60	NA	10.6	NA	24.4	16.8
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	140	NA	262	NA	589	202
Mercury	mg/kg	NA	0.0700	NA	0.0500	NA	0.250 J
Nickel	mg/kg	14.9	NA	17.4	NA	28.7	15.3
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	NA	1.20 U	NA	1.50 U	1.10 U
Silver	mg/kg	1.10 U	NA	1.20 U	NA	1.50 U	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	38.5	NA	49.8	NA	94.1	46.0
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	89.2	70.3	84.7	69.7	63	90.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-5	A-5	A-5	A-5	A-5	A-5
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		A-5(2.0-4.0)(03-18-08)	A-5(2.0-4.0)(09-23-08)	A-5(4.0-6.0)(03-18-08)	A-5(4.0-6.0)(09-23-08)	A-5(6.0-8.0)(03-18-08)	A-5(6.0-8.0)(09-23-08)
Easting (ft)		666798.9	666798.9	666798.9	666798.9	666798.9	666798.9
Northing (ft)	Units	822075.8	822075.8	822075.8	822075.8	822075.8	822075.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-5	A-5	A-5	A-5	A-5	A-5
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		A-5(2.0-4.0)(03-18-08)	A-5(2.0-4.0)(09-23-08)	A-5(4.0-6.0)(03-18-08)	A-5(4.0-6.0)(09-23-08)	A-5(6.0-8.0)(03-18-08)	A-5(6.0-8.0)(09-23-08)
Easting (ft)		666798.9	666798.9	666798.9	666798.9	666798.9	666798.9
Northing (ft)	Units	822075.8	822075.8	822075.8	822075.8	822075.8	822075.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-5	A-5	A-5	A-5	A-5	A-5
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		A-5(2.0-4.0)(03-18-08)	A-5(2.0-4.0)(09-23-08)	A-5(4.0-6.0)(03-18-08)	A-5(4.0-6.0)(09-23-08)	A-5(6.0-8.0)(03-18-08)	A-5(6.0-8.0)(09-23-08)
Easting (ft)		666798.9	666798.9	666798.9	666798.9	666798.9	666798.9
Northing (ft)	Units	822075.8	822075.8	822075.8	822075.8	822075.8	822075.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-5	A-5	A-5	A-5	A-5	A-5
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		A-5(2.0-4.0)(03-18-08)	A-5(2.0-4.0)(09-23-08)	A-5(4.0-6.0)(03-18-08)	A-5(4.0-6.0)(09-23-08)	A-5(6.0-8.0)(03-18-08)	A-5(6.0-8.0)(09-23-08)
Easting (ft)		666798.9	666798.9	666798.9	666798.9	666798.9	666798.9
Northing (ft)	Units	822075.8	822075.8	822075.8	822075.8	822075.8	822075.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.50	NA	1.20	NA	6.40
Barium	mg/kg	NA	12.5	NA	11.8	NA	30.0
Beryllium	mg/kg	NA	0.530 U	NA	0.580 U	NA	0.670 U
Cadmium	mg/kg	NA	0.530 U	NA	0.580 U	NA	0.670 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	18.5	NA	10.2	NA	22.2
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	10.7	NA	10.6	NA	18.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-5	A-5	A-5	A-5	A-5	A-5
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/23/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		A-5(2.0-4.0)(03-18-08)	A-5(2.0-4.0)(09-23-08)	A-5(4.0-6.0)(03-18-08)	A-5(4.0-6.0)(09-23-08)	A-5(6.0-8.0)(03-18-08)	A-5(6.0-8.0)(09-23-08)
Easting (ft)		666798.9	666798.9	666798.9	666798.9	666798.9	666798.9
Northing (ft)	Units	822075.8	822075.8	822075.8	822075.8	822075.8	822075.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	5.00	NA	4.70	NA	15.7
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	196	NA	163	NA	404
Mercury	mg/kg	0.0400 U	NA	0.0400 U	NA	0.0900	NA
Nickel	mg/kg	NA	17.4	NA	15.4	NA	21.9
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	NA	1.20 U	NA	1.30 U
Silver	mg/kg	NA	1.10 U	NA	1.20 U	NA	1.30 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	37.0	NA	37.3	NA	67.9
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	86.2	92	84.7	84.5	75.8	75

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-6	A-6	A-6	A-6	A-6
Depth Interval		0 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-6(0.0-2.0)(03-18-08)	A-6(2.0-4.0)(03-18-08)	A-6(2.0-4.0)(09-23-08)	A-6(4.0-6.0)(03-18-08)	A-6(4.0-6.0)(09-23-08)	A-6(6.0-8.0)(03-18-08)
Easting (ft)		666802.6	666802.6	666802.6	666802.6	666802.6	666802.6
Northing (ft)	Units	822175.8	822175.8	822175.8	822175.8	822175.8	822175.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-6	A-6	A-6	A-6	A-6
Depth Interval		0 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-6(0.0-2.0)(03-18-08)	A-6(2.0-4.0)(03-18-08)	A-6(2.0-4.0)(09-23-08)	A-6(4.0-6.0)(03-18-08)	A-6(4.0-6.0)(09-23-08)	A-6(6.0-8.0)(03-18-08)
Easting (ft)		666802.6	666802.6	666802.6	666802.6	666802.6	666802.6
Northing (ft)	Units	822175.8	822175.8	822175.8	822175.8	822175.8	822175.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-6	A-6	A-6	A-6	A-6
Depth Interval		0 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-6(0.0-2.0)(03-18-08)	A-6(2.0-4.0)(03-18-08)	A-6(2.0-4.0)(09-23-08)	A-6(4.0-6.0)(03-18-08)	A-6(4.0-6.0)(09-23-08)	A-6(6.0-8.0)(03-18-08)
Easting (ft)		666802.6	666802.6	666802.6	666802.6	666802.6	666802.6
Northing (ft)	Units	822175.8	822175.8	822175.8	822175.8	822175.8	822175.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-6	A-6	A-6	A-6	A-6
Depth Interval		0 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-6(0.0-2.0)(03-18-08)	A-6(2.0-4.0)(03-18-08)	A-6(2.0-4.0)(09-23-08)	A-6(4.0-6.0)(03-18-08)	A-6(4.0-6.0)(09-23-08)	A-6(6.0-8.0)(03-18-08)
Easting (ft)		666802.6	666802.6	666802.6	666802.6	666802.6	666802.6
Northing (ft)	Units	822175.8	822175.8	822175.8	822175.8	822175.8	822175.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	3.00 J	NA	1.20	NA	1.10 U	NA
Barium	mg/kg	58.9	NA	12.5	NA	10.5	NA
Beryllium	mg/kg	0.870 U	NA	0.570 U	NA	0.560 U	NA
Cadmium	mg/kg	0.870 U	NA	0.570 U	NA	0.560 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	26.5 J	NA	12.2	NA	10.9	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	38.5	NA	12.0	NA	10.4	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-6	A-6	A-6	A-6	A-6
Depth Interval		0 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		A-6(0.0-2.0)(03-18-08)	A-6(2.0-4.0)(03-18-08)	A-6(2.0-4.0)(09-23-08)	A-6(4.0-6.0)(03-18-08)	A-6(4.0-6.0)(09-23-08)	A-6(6.0-8.0)(03-18-08)
Easting (ft)		666802.6	666802.6	666802.6	666802.6	666802.6	666802.6
Northing (ft)	Units	822175.8	822175.8	822175.8	822175.8	822175.8	822175.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	62.8	NA	5.70	NA	4.30	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	444	NA	168	NA	154	NA
Mercury	mg/kg	0.500 J	0.0500	NA	0.0400 U	NA	0.0400 U
Nickel	mg/kg	25.5	NA	17.0	NA	15.6	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.70 U	NA	1.10 U	NA	1.10 U	NA
Silver	mg/kg	1.70 U	NA	1.10 U	NA	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	124	NA	39.3	NA	37.3	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	54.8	77.4	87.3	85.3	87.5	84.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-7	A-7	A-7	A-7	B-1S
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 3
Date Collected:		09/23/08	03/18/08	03/18/08	03/18/08	03/18/08	03/31/97
Sample Name:		A-6(6.0-8.0)(09-23-08)	A-7(0.5-1.0)(03-18-08)	A-7(2.0-4.0)(03-18-08)	A-7(4.0-6.0)(03-18-08)	A-7(6.0-8.0)(03-18-08)	B-1, S-1
Easting (ft)		666802.6	666806.4	666806.4	666806.4	666806.4	666400.825
Northing (ft)	Units	822175.8	822275.8	822275.8	822275.8	822275.8	820622.0455
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	ND
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-7	A-7	A-7	A-7	B-1S
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 3
Date Collected:		09/23/08	03/18/08	03/18/08	03/18/08	03/18/08	03/31/97
Sample Name:		A-6(6.0-8.0)(09-23-08)	A-7(0.5-1.0)(03-18-08)	A-7(2.0-4.0)(03-18-08)	A-7(4.0-6.0)(03-18-08)	A-7(6.0-8.0)(03-18-08)	B-1, S-1
Easting (ft)		666802.6	666806.4	666806.4	666806.4	666806.4	666400.825
Northing (ft)	Units	822175.8	822275.8	822275.8	822275.8	822275.8	820622.0455
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	ND
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-7	A-7	A-7	A-7	B-1S
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 3
Date Collected:		09/23/08	03/18/08	03/18/08	03/18/08	03/18/08	03/31/97
Sample Name:		A-6(6.0-8.0)(09-23-08)	A-7(0.5-1.0)(03-18-08)	A-7(2.0-4.0)(03-18-08)	A-7(4.0-6.0)(03-18-08)	A-7(6.0-8.0)(03-18-08)	B-1, S-1
Easting (ft)		666802.6	666806.4	666806.4	666806.4	666806.4	666400.825
Northing (ft)	Units	822175.8	822275.8	822275.8	822275.8	822275.8	820622.0455
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-7	A-7	A-7	A-7	B-1S
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 3
Date Collected:		09/23/08	03/18/08	03/18/08	03/18/08	03/18/08	03/31/97
Sample Name:		A-6(6.0-8.0)(09-23-08)	A-7(0.5-1.0)(03-18-08)	A-7(2.0-4.0)(03-18-08)	A-7(4.0-6.0)(03-18-08)	A-7(6.0-8.0)(03-18-08)	B-1, S-1
Easting (ft)		666802.6	666806.4	666806.4	666806.4	666806.4	666400.825
Northing (ft)	Units	822175.8	822275.8	822275.8	822275.8	822275.8	820622.0455
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.10 U	1.40	1.20 U	1.20	2.00	ND
Barium	mg/kg	10.4	17.0	10.5	8.00	6.00	108
Beryllium	mg/kg	0.570 U	0.560 U	0.590 U	0.600 U	0.570 U	NA
Cadmium	mg/kg	0.570 U	0.560 U	0.590 U	0.600 U	0.570 U	ND
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	10.9	12.5	10.9	7.00	5.20	31.0
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	10.7	12.9	11.2	6.50	10.5	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		A-6	A-7	A-7	A-7	A-7	B-1S
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 3
Date Collected:		09/23/08	03/18/08	03/18/08	03/18/08	03/18/08	03/31/97
Sample Name:		A-6(6.0-8.0)(09-23-08)	A-7(0.5-1.0)(03-18-08)	A-7(2.0-4.0)(03-18-08)	A-7(4.0-6.0)(03-18-08)	A-7(6.0-8.0)(03-18-08)	B-1, S-1
Easting (ft)		666802.6	666806.4	666806.4	666806.4	666806.4	666400.825
Northing (ft)	Units	822175.8	822275.8	822275.8	822275.8	822275.8	820622.0455
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	4.40	6.10	5.00	2.20	2.10	31.4
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	155	228	158	549	270	NA
Mercury	mg/kg	NA	0.370 J	0.0500	0.0400 U	0.0400 U	7.30
Nickel	mg/kg	15.7	14.3	15.5	9.60	7.00	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.10 U	1.20 U	1.20 U	1.10 U	ND
Silver	mg/kg	1.10 U	1.10 U	1.20 U	1.20 U	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	39.1	37.6	38.5	22.6	16.9	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	85.6	86.7	86	84.5	86.8	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2S	B-3S	B-4S	B-5S	B-5S	B-1
Depth Interval		7 - 8	14 - 14.9	14 - 16	10 - 11	6 - 7.5	1 - 2
Date Collected:		04/03/97	04/03/97	04/03/97	04/03/97	03/28/97	03/19/08
Sample Name:		B-2,S-4	B-3,S-8	B-4,S-8	B-5,S-6	B-5S-4A	B-1(1.0-2.0)(03-19-08)
Easting (ft)		666376.549	666255.8217	666214.128	666098.3833	666098.3833	666674
Northing (ft)	Units	820829.8537	821244.3245	821542.2703	822063.1479	822063.1479	821681.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	ND	34	130	ND	ND	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-2S 7 - 8 04/03/97 B-2,S-4 666376.549 820829.8537	B-3S 14 - 14.9 04/03/97 B-3,S-8 666255.8217 821244.3245	B-4S 14 - 16 04/03/97 B-4,S-8 666214.128 821542.2703	B-5S 10 - 11 04/03/97 B-5,S-6 666098.3833 822063.1479	B-5S 6 - 7.5 03/28/97 B-5S-4A 666098.3833 822063.1479	B-1 1 - 2 03/19/08 B-1(1.0-2.0)(03-19-08) 666674 821681.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	ND	8.1	ND	ND	ND	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2S	B-3S	B-4S	B-5S	B-5S	B-1
Depth Interval		7 - 8	14 - 14.9	14 - 16	10 - 11	6 - 7.5	1 - 2
Date Collected:		04/03/97	04/03/97	04/03/97	04/03/97	03/28/97	03/19/08
Sample Name:		B-2,S-4	B-3,S-8	B-4,S-8	B-5,S-6	B-5S-4A	B-1(1.0-2.0)(03-19-08)
Easting (ft)		666376.549	666255.8217	666214.128	666098.3833	666098.3833	666674
Northing (ft)	Units	820829.8537	821244.3245	821542.2703	822063.1479	822063.1479	821681.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2S	B-3S	B-4S	B-5S	B-5S	B-1
Depth Interval		7 - 8	14 - 14.9	14 - 16	10 - 11	6 - 7.5	1 - 2
Date Collected:		04/03/97	04/03/97	04/03/97	04/03/97	03/28/97	03/19/08
Sample Name:		B-2,S-4	B-3,S-8	B-4,S-8	B-5,S-6	B-5S-4A	B-1(1.0-2.0)(03-19-08)
Easting (ft)		666376.549	666255.8217	666214.128	666098.3833	666098.3833	666674
Northing (ft)	Units	820829.8537	821244.3245	821542.2703	822063.1479	822063.1479	821681.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	ND	ND	8.07	2.79	NA	1.10 U
Barium	mg/kg	24.0	25.2	638	25.8	NA	144
Beryllium	mg/kg	NA	NA	NA	NA	NA	0.530 U
Cadmium	mg/kg	ND	ND	2.80	ND	NA	0.530 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	13.5	27.5	27.1	13.3	NA	15.6
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	21.6

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-2S 7 - 8 04/03/97 B-2,S-4 666376.549 820829.8537	B-3S 14 - 14.9 04/03/97 B-3,S-8 666255.8217 821244.3245	B-4S 14 - 16 04/03/97 B-4,S-8 666214.128 821542.2703	B-5S 10 - 11 04/03/97 B-5,S-6 666098.3833 822063.1479	B-5S 6 - 7.5 03/28/97 B-5S-4A 666098.3833 822063.1479	B-1 1 - 2 03/19/08 B-1(1.0-2.0)(03-19-08) 666674 821681.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	7.01	7.20	1,090	7.44	NA	7.30
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	300
Mercury	mg/kg	ND	ND	1.51	ND	NA	0.170 J
Nickel	mg/kg	NA	NA	NA	NA	NA	13.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	ND	ND	2.44	ND	NA	1.10 U
Silver	mg/kg	NA	NA	NA	NA	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	69.7
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	NA	NA	NA	NA	NA	92.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-1	B-1	B-1	B-2	B-2	B-2
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-1(2.0-4.0)(03-19-08)	B-1(4.0-6.0)(03-19-08)	B-1(6.0-8.0)(03-19-08)	B-2(0.5-2.0)(03-19-08)	B-2(0.5-2.0)(03-20-08)	B-2(2.0-4.0)(03-19-08)
Easting (ft)		666674	666674	666674	666687.7	666687.7	666687.7
Northing (ft)	Units	821681.8	821681.8	821681.8	821777.3	821777.3	821777.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	R	NA
2-Butanone	mg/kg	NA	NA	NA	NA	0.011 U	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	0.011 U	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	0.011 U	NA
Acetone	mg/kg	NA	NA	NA	NA	0.019 J	NA
Benzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Bromoform	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Bromomethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	0.0017 J	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Chloroethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Chloroform	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Chloromethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	0.0055 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-1 2 - 4 03/19/08 B-1(2.0-4.0)(03-19-08) 666674 821681.8	B-1 4 - 6 03/19/08 B-1(4.0-6.0)(03-19-08) 666674 821681.8	B-1 6 - 8 03/19/08 B-1(6.0-8.0)(03-19-08) 666674 821681.8	B-2 0.5 - 2 03/19/08 B-2(0.5-2.0)(03-19-08) 666687.7 821777.3	B-2 0.5 - 2 03/20/08 B-2(0.5-2.0)(03-20-08) 666687.7 821777.3	B-2 2 - 4 03/19/08 B-2(2.0-4.0)(03-19-08) 666687.7 821777.3
Dibromochloromethane	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	0.0055 U	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
o-Xylene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Styrene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Toluene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	0.0014 J	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	0.0055 U	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	1.9 U	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	0.37 U	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	0.37 U	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	0.37 U	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	0.37 U	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	1.9 U	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	0.37 U	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	1.9 U	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	1.9 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-1	B-1	B-1	B-2	B-2	B-2
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-1(2.0-4.0)(03-19-08)	B-1(4.0-6.0)(03-19-08)	B-1(6.0-8.0)(03-19-08)	B-2(0.5-2.0)(03-19-08)	B-2(0.5-2.0)(03-20-08)	B-2(2.0-4.0)(03-19-08)
Easting (ft)		666674	666674	666674	666687.7	666687.7	666687.7
Northing (ft)	Units	821681.8	821681.8	821681.8	821777.3	821777.3	821777.3
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	0.37 U	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	0.37 U	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	0.37 U	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	1.9 U	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	1.9 U	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Anthracene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	0.37 U	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	0.37 U	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	0.37 U	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Carbazole	mg/kg	NA	NA	NA	NA	0.37 U	NA
Chrysene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	0.37 U	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	0.37 U	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Fluorene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	0.37 U	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Isophorone	mg/kg	NA	NA	NA	NA	0.37 U	NA
Naphthalene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	0.37 U	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	0.37 U	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	0.37 U	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	0.37 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-1	B-1	B-1	B-2	B-2	B-2
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-1(2.0-4.0)(03-19-08)	B-1(4.0-6.0)(03-19-08)	B-1(6.0-8.0)(03-19-08)	B-2(0.5-2.0)(03-19-08)	B-2(0.5-2.0)(03-20-08)	B-2(2.0-4.0)(03-19-08)
Easting (ft)		666674	666674	666674	666687.7	666687.7	666687.7
Northing (ft)	Units	821681.8	821681.8	821681.8	821777.3	821777.3	821777.3
Pentachlorophenol	mg/kg	NA	NA	NA	NA	1.9 U	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Phenol	mg/kg	NA	NA	NA	NA	0.37 U	NA
Pyrene	mg/kg	NA	NA	NA	NA	0.37 U	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	1.10 U	NA	2.30
Barium	mg/kg	NA	NA	NA	33.1	NA	22.1
Beryllium	mg/kg	NA	NA	NA	0.550 U	NA	0.540 U
Cadmium	mg/kg	NA	NA	NA	0.550 U	NA	0.540 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	11.5	NA	16.5
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	11.5	NA	17.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-1 2 - 4 03/19/08 B-1(2.0-4.0)(03-19-08) 666674 821681.8	B-1 4 - 6 03/19/08 B-1(4.0-6.0)(03-19-08) 666674 821681.8	B-1 6 - 8 03/19/08 B-1(6.0-8.0)(03-19-08) 666674 821681.8	B-2 0.5 - 2 03/19/08 B-2(0.5-2.0)(03-19-08) 666687.7 821777.3	B-2 0.5 - 2 03/20/08 B-2(0.5-2.0)(03-20-08) 666687.7 821777.3	B-2 2 - 4 03/19/08 B-2(2.0-4.0)(03-19-08) 666687.7 821777.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	NA	NA	5.40	NA	12.1
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	184	NA	211
Mercury	mg/kg	0.0500	0.0600	0.0800	0.120 J	NA	0.0400 U
Nickel	mg/kg	NA	NA	NA	14.5	NA	15.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	1.10 U	NA	1.10 U
Silver	mg/kg	NA	NA	NA	1.10 U	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	42.2	NA	47.2
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	79.1	86.4	76.2	91	90.4	78.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2	B-2	B-2	B-2	B-2	B-3
Depth Interval		2 - 4	4 - 6	5.5 - 6	6 - 8	6.5 - 8	0.5 - 2
Date Collected:		03/20/08	03/19/08	03/20/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-2(2.0-4.0)(03-20-08)	B-2(4.0-6.0)(03-19-08)	B-2(5.5-6.0)(03-20-08)	B-2(6.0-8.0)(03-19-08)	B-2(6.5-8.0)(03-20-08)	B-3(0.5-2.0)(03-19-08)
Easting (ft)		666687.7	666687.7	666687.7	666687.7	666687.7	666691.4
Northing (ft)	Units	821777.3	821777.3	821777.3	821777.3	821777.3	821877.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,1,2,2-Tetrachloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,1,2-Trichloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,1-Dichloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,1-Dichloroethene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,2,4-Trimethylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,2-Dichlorobenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,2-Dichloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,2-Dichloropropane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,3,5-Trimethylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,3-Dichlorobenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,4-Dichlorobenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
1,4-Dioxane	mg/kg	R [R]	NA	R	NA	R	NA
2-Butanone	mg/kg	0.037 [0.015]	NA	0.013	NA	0.015 UJ	NA
2-Hexanone	mg/kg	0.014 U [0.012 U]	NA	0.012 U	NA	0.015 UJ	NA
4-Methyl-2-pentanone	mg/kg	0.014 U [0.012 U]	NA	0.012 U	NA	0.015 UJ	NA
Acetone	mg/kg	0.22 [0.11]	NA	0.059	NA	0.046 J	NA
Benzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Bromodichloromethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Bromoform	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Bromomethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Carbon Disulfide	mg/kg	0.0015 J [0.0011 J]	NA	0.00083 J	NA	0.00075 J	NA
Carbon Tetrachloride	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Chlorobenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Chloroethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Chloroform	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Chloromethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
cis-1,2-Dichloroethene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
cis-1,3-Dichloropropene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2	B-2	B-2	B-2	B-2	B-3
Depth Interval		2 - 4	4 - 6	5.5 - 6	6 - 8	6.5 - 8	0.5 - 2
Date Collected:		03/20/08	03/19/08	03/20/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-2(2.0-4.0)(03-20-08)	B-2(4.0-6.0)(03-19-08)	B-2(5.5-6.0)(03-20-08)	B-2(6.0-8.0)(03-19-08)	B-2(6.5-8.0)(03-20-08)	B-3(0.5-2.0)(03-19-08)
Easting (ft)		666687.7	666687.7	666687.7	666687.7	666687.7	666691.4
Northing (ft)	Units	821777.3	821777.3	821777.3	821777.3	821777.3	821877.3
Dibromochloromethane	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Ethylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Isopropylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
m&p-Xylenes	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Methyl tert-butyl ether	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Methylene Chloride	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
n-Butylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
n-Propylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
o-Xylene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
sec-Butylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Styrene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
tert-Butylbenzene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Tetrachloroethene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Toluene	mg/kg	0.0069 U [0.0061 U]	NA	0.00051 J	NA	0.0075 UJ	NA
trans-1,2-Dichloroethene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
trans-1,3-Dichloropropene	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Trichloroethene	mg/kg	0.0019 J [0.0015 J]	NA	0.0017 J	NA	0.0027 J	NA
Vinyl Chloride	mg/kg	0.0069 U [0.0061 U]	NA	0.0059 U	NA	0.0075 UJ	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
1,2-Dichlorobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
1,3-Dichlorobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
1,4-Dichlorobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,4,5-Trichlorophenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,4,6-Trichlorophenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,4-Dichlorophenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,4-Dimethylphenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,4-Dinitrophenol	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
2,4-Dinitrotoluene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2,6-Dinitrotoluene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2-Chloronaphthalene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2-Chlorophenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2-Methylnaphthalene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2-Methylphenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
2-Nitroaniline	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
2-Nitrophenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
3&4-Methylphenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
3,3'-Dichlorobenzidine	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
3-Nitroaniline	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
4,6-Dinitro-2-methylphenol	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2	B-2	B-2	B-2	B-2	B-3
Depth Interval		2 - 4	4 - 6	5.5 - 6	6 - 8	6.5 - 8	0.5 - 2
Date Collected:		03/20/08	03/19/08	03/20/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-2(2.0-4.0)(03-20-08)	B-2(4.0-6.0)(03-19-08)	B-2(5.5-6.0)(03-20-08)	B-2(6.0-8.0)(03-19-08)	B-2(6.5-8.0)(03-20-08)	B-3(0.5-2.0)(03-19-08)
Easting (ft)		666687.7	666687.7	666687.7	666687.7	666687.7	666691.4
Northing (ft)	Units	821777.3	821777.3	821777.3	821777.3	821777.3	821877.3
4-Bromophenyl-phenylether	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
4-Chloro-3-Methylphenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
4-Chloroaniline	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
4-Chlorophenyl-phenylether	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
4-Nitrophenol	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
Acenaphthene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.059 J	NA
Acenaphthylene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.40 J	NA
Anthracene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.34 J	NA
Benzo(a)anthracene	mg/kg	0.17 J [0.083 J]	NA	0.39 U	NA	1.5	NA
Benzo(a)pyrene	mg/kg	0.18 J [0.084 J]	NA	0.39 U	NA	1.6	NA
Benzo(b)fluoranthene	mg/kg	0.14 J [0.073 J]	NA	0.39 U	NA	1.6	NA
Benzo(g,h,i)perylene	mg/kg	0.13 J [0.052 J]	NA	0.39 U	NA	1.1	NA
Benzo(k)fluoranthene	mg/kg	0.16 J [0.078 J]	NA	0.39 U	NA	1.3	NA
Benzyl Alcohol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
bis(2-Chloroethoxy)methane	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
bis(2-Chloroethyl)ether	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	0.46 U [0.40 U]	NA	0.067 J	NA	0.49 U	NA
Butylbenzylphthalate	mg/kg	0.12 J [0.068 J]	NA	0.39 U	NA	0.49 U	NA
Carbazole	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.060 J	NA
Chrysene	mg/kg	0.19 J [0.092 J]	NA	0.39 U	NA	1.7	NA
Dibenzo(a,h)anthracene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.40 J	NA
Dibenzofuran	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Diethylphthalate	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Dimethylphthalate	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Di-n-Butylphthalate	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Di-n-Octylphthalate	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Fluoranthene	mg/kg	0.31 J [0.18 J]	NA	0.39 U	NA	3.0	NA
Fluorene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.087 J	NA
Hexachlorobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Hexachlorobutadiene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Hexachlorocyclopentadiene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Hexachloroethane	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Indeno(1,2,3-cd)pyrene	mg/kg	0.13 J [0.056 J]	NA	0.39 U	NA	1.1	NA
Isophorone	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Naphthalene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Nitrobenzene	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
N-Nitrosodimethylamine	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
N-Nitroso-di-n-propylamine	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
N-Nitrosodiphenylamine	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2	B-2	B-2	B-2	B-2	B-3
Depth Interval		2 - 4	4 - 6	5.5 - 6	6 - 8	6.5 - 8	0.5 - 2
Date Collected:		03/20/08	03/19/08	03/20/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-2(2.0-4.0)(03-20-08)	B-2(4.0-6.0)(03-19-08)	B-2(5.5-6.0)(03-20-08)	B-2(6.0-8.0)(03-19-08)	B-2(6.5-8.0)(03-20-08)	B-3(0.5-2.0)(03-19-08)
Easting (ft)		666687.7	666687.7	666687.7	666687.7	666687.7	666691.4
Northing (ft)	Units	821777.3	821777.3	821777.3	821777.3	821777.3	821877.3
Pentachlorophenol	mg/kg	2.4 U [2.1 U]	NA	2.0 U	NA	2.5 U	NA
Phenanthrene	mg/kg	0.15 J [0.072 J]	NA	0.39 U	NA	0.94	NA
Phenol	mg/kg	0.46 U [0.40 U]	NA	0.39 U	NA	0.49 U	NA
Pyrene	mg/kg	0.27 J [0.12 J]	NA	0.39 U	NA	2.2	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.30 U	NA	7.10	NA	1.20 U
Barium	mg/kg	NA	66.5	NA	373	NA	82.1
Beryllium	mg/kg	NA	0.660 U	NA	0.650 U	NA	0.880
Cadmium	mg/kg	NA	0.660 U	NA	1.40	NA	0.590 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	23.2	NA	24.2	NA	25.5
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	18.0	NA	97.7	NA	38.6

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-2	B-2	B-2	B-2	B-2	B-3
Depth Interval		2 - 4	4 - 6	5.5 - 6	6 - 8	6.5 - 8	0.5 - 2
Date Collected:		03/20/08	03/19/08	03/20/08	03/19/08	03/20/08	03/19/08
Sample Name:		B-2(2.0-4.0)(03-20-08)	B-2(4.0-6.0)(03-19-08)	B-2(5.5-6.0)(03-20-08)	B-2(6.0-8.0)(03-19-08)	B-2(6.5-8.0)(03-20-08)	B-3(0.5-2.0)(03-19-08)
Easting (ft)		666687.7	666687.7	666687.7	666687.7	666687.7	666691.4
Northing (ft)	Units	821777.3	821777.3	821777.3	821777.3	821777.3	821877.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	37.5	NA	1,610	NA	11.5
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	253	NA	305	NA	226
Mercury	mg/kg	NA	0.0500	NA	1.20	NA	0.0400 U
Nickel	mg/kg	NA	20.0	NA	14.7	NA	30.6
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.30 U	NA	2.30	NA	1.20 U
Silver	mg/kg	NA	1.30 U	NA	1.30 U	NA	1.20 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	63.9	NA	676	NA	91.5
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	72.2 [82]	76.3	84.5	76.3	66.8	82.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-3	B-3	B-3	B-4	B-4	B-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-3(2.0-4.0)(03-19-08)	B-3(4.0-6.0)(03-19-08)	B-3(6.0-8.0)(03-19-08)	B-4(0.5-2.0)(03-19-08)	B-4(2.0-4.0)(03-19-08)	B-4(4.0-6.0)(03-19-08)
Easting (ft)		666691.4	666691.4	666691.4	666695.2	666695.2	666695.2
Northing (ft)	Units	821877.3	821877.3	821877.3	821977.3	821977.3	821977.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-3	B-3	B-3	B-4	B-4	B-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-3(2.0-4.0)(03-19-08)	B-3(4.0-6.0)(03-19-08)	B-3(6.0-8.0)(03-19-08)	B-4(0.5-2.0)(03-19-08)	B-4(2.0-4.0)(03-19-08)	B-4(4.0-6.0)(03-19-08)
Easting (ft)		666691.4	666691.4	666691.4	666695.2	666695.2	666695.2
Northing (ft)	Units	821877.3	821877.3	821877.3	821977.3	821977.3	821977.3
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-3	B-3	B-3	B-4	B-4	B-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-3(2.0-4.0)(03-19-08)	B-3(4.0-6.0)(03-19-08)	B-3(6.0-8.0)(03-19-08)	B-4(0.5-2.0)(03-19-08)	B-4(2.0-4.0)(03-19-08)	B-4(4.0-6.0)(03-19-08)
Easting (ft)		666691.4	666691.4	666691.4	666695.2	666695.2	666695.2
Northing (ft)	Units	821877.3	821877.3	821877.3	821977.3	821977.3	821977.3
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-3	B-3	B-3	B-4	B-4	B-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-3(2.0-4.0)(03-19-08)	B-3(4.0-6.0)(03-19-08)	B-3(6.0-8.0)(03-19-08)	B-4(0.5-2.0)(03-19-08)	B-4(2.0-4.0)(03-19-08)	B-4(4.0-6.0)(03-19-08)
Easting (ft)		666691.4	666691.4	666691.4	666695.2	666695.2	666695.2
Northing (ft)	Units	821877.3	821877.3	821877.3	821977.3	821977.3	821977.3
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.40	1.40 U	4.80	1.20 U	7.30	4.50
Barium	mg/kg	12.9	101	79.1	94.2	44.3	176
Beryllium	mg/kg	0.590 U	1.00	0.710 U	0.590 U	0.670 U	1.20
Cadmium	mg/kg	0.590 U	0.750	0.710 U	0.590 U	0.670 U	0.740 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	11.1	33.0	26.7	15.7	26.9	31.6
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	11.0	39.2	29.8	15.3	26.2	34.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-3	B-3	B-3	B-4	B-4	B-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-3(2.0-4.0)(03-19-08)	B-3(4.0-6.0)(03-19-08)	B-3(6.0-8.0)(03-19-08)	B-4(0.5-2.0)(03-19-08)	B-4(2.0-4.0)(03-19-08)	B-4(4.0-6.0)(03-19-08)
Easting (ft)		666691.4	666691.4	666691.4	666695.2	666695.2	666695.2
Northing (ft)	Units	821877.3	821877.3	821877.3	821977.3	821977.3	821977.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	4.70	24.7	33.0	8.40	25.8	22.1
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	156	2,440	367	246	420	1,020
Mercury	mg/kg	0.0400 U	0.0700	0.0700	0.130 J	0.330	0.0500
Nickel	mg/kg	15.1	36.0	17.1	16.4	22.0	54.2
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.20 U	1.40 U	1.40 U	1.20 U	1.30 U	1.50 U
Silver	mg/kg	1.20 U	1.40 U	1.40 U	1.20 U	1.30 U	1.50 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	36.6	103	56.6	61.3	74.3	126
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	83.4	75.8	69.5	83.9	64.7	69.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-4	B-5	B-5	B-5	B-5	B-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	6 - 8
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	09/23/08
Sample Name:		B-4(6.0-8.0)(03-19-08)	B-5(0.5-2.0)(03-19-08)	B-5(2.0-4.0)(03-19-08)	B-5(4.0-6.0)(03-19-08)	B-5(6.0-8.0)(03-19-08)	B-5(6.0-8.0)(09-23-08)
Easting (ft)		666695.2	666698.9	666698.9	666698.9	666698.9	666698.9
Northing (ft)	Units	821977.3	822077.3	822077.3	822077.3	822077.3	822077.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-4	B-5	B-5	B-5	B-5	B-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	6 - 8
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	09/23/08
Sample Name:		B-4(6.0-8.0)(03-19-08)	B-5(0.5-2.0)(03-19-08)	B-5(2.0-4.0)(03-19-08)	B-5(4.0-6.0)(03-19-08)	B-5(6.0-8.0)(03-19-08)	B-5(6.0-8.0)(09-23-08)
Easting (ft)		666695.2	666698.9	666698.9	666698.9	666698.9	666698.9
Northing (ft)	Units	821977.3	822077.3	822077.3	822077.3	822077.3	822077.3
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-4	B-5	B-5	B-5	B-5	B-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	6 - 8
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	09/23/08
Sample Name:		B-4(6.0-8.0)(03-19-08)	B-5(0.5-2.0)(03-19-08)	B-5(2.0-4.0)(03-19-08)	B-5(4.0-6.0)(03-19-08)	B-5(6.0-8.0)(03-19-08)	B-5(6.0-8.0)(09-23-08)
Easting (ft)		666695.2	666698.9	666698.9	666698.9	666698.9	666698.9
Northing (ft)	Units	821977.3	822077.3	822077.3	822077.3	822077.3	822077.3
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-4	B-5	B-5	B-5	B-5	B-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	6 - 8
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	09/23/08
Sample Name:		B-4(6.0-8.0)(03-19-08)	B-5(0.5-2.0)(03-19-08)	B-5(2.0-4.0)(03-19-08)	B-5(4.0-6.0)(03-19-08)	B-5(6.0-8.0)(03-19-08)	B-5(6.0-8.0)(09-23-08)
Easting (ft)		666695.2	666698.9	666698.9	666698.9	666698.9	666698.9
Northing (ft)	Units	821977.3	822077.3	822077.3	822077.3	822077.3	822077.3
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	7.00	1.10 U	7.20	5.80	4.90	6.90
Barium	mg/kg	54.6	42.3	40.8	56.3	61.9	59.4
Beryllium	mg/kg	0.900 U	0.530 U	0.710	0.820 U	0.850 U	1.00
Cadmium	mg/kg	0.900 U	0.530 U	0.710 U	0.820 U	0.850 U	0.850 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	31.0	12.0	29.2	27.9	30.9	35.0
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	29.6	11.8	30.4	18.3	24.3	31.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-4	B-5	B-5	B-5	B-5	B-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	6 - 8
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	09/23/08
Sample Name:		B-4(6.0-8.0)(03-19-08)	B-5(0.5-2.0)(03-19-08)	B-5(2.0-4.0)(03-19-08)	B-5(4.0-6.0)(03-19-08)	B-5(6.0-8.0)(03-19-08)	B-5(6.0-8.0)(09-23-08)
Easting (ft)		666695.2	666698.9	666698.9	666698.9	666698.9	666698.9
Northing (ft)	Units	821977.3	822077.3	822077.3	822077.3	822077.3	822077.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	29.2	7.20	27.6	25.9	25.0	27.5
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	375	185	452	180	293	356
Mercury	mg/kg	0.190	0.440 J	0.180	0.0700	0.170	NA
Nickel	mg/kg	30.1	15.4	24.6	18.5	29.9	32.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.80 U	1.10 U	1.40 U	1.60 U	1.70 U	1.70 U
Silver	mg/kg	1.80 U	1.10 U	1.40 U	1.60 U	1.70 U	1.70 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	97.6	45.2	83.8	61.9	67.6	96.0
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	52.1	94	67.6	57	58	58

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-6	B-6	B-6	B-6	B-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		B-6(0.5-2.0)(03-18-08)	B-6(2.0-4.0)(03-18-08)	B-6(2.0-4.0)(09-23-08)	B-6(4.0-6.0)(03-18-08)	B-6(4.0-6.0)(09-23-08)	B-6(6.0-8.0)(03-18-08)
Easting (ft)		666702.6	666702.6	666702.6	666702.6	666702.6	666702.6
Northing (ft)	Units	822177.2	822177.2	822177.2	822177.2	822177.2	822177.2
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-6	B-6	B-6	B-6	B-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		B-6(0.5-2.0)(03-18-08)	B-6(2.0-4.0)(03-18-08)	B-6(2.0-4.0)(09-23-08)	B-6(4.0-6.0)(03-18-08)	B-6(4.0-6.0)(09-23-08)	B-6(6.0-8.0)(03-18-08)
Easting (ft)		666702.6	666702.6	666702.6	666702.6	666702.6	666702.6
Northing (ft)	Units	822177.2	822177.2	822177.2	822177.2	822177.2	822177.2
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-6	B-6	B-6	B-6	B-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		B-6(0.5-2.0)(03-18-08)	B-6(2.0-4.0)(03-18-08)	B-6(2.0-4.0)(09-23-08)	B-6(4.0-6.0)(03-18-08)	B-6(4.0-6.0)(09-23-08)	B-6(6.0-8.0)(03-18-08)
Easting (ft)		666702.6	666702.6	666702.6	666702.6	666702.6	666702.6
Northing (ft)	Units	822177.2	822177.2	822177.2	822177.2	822177.2	822177.2
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-6	B-6	B-6	B-6	B-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		B-6(0.5-2.0)(03-18-08)	B-6(2.0-4.0)(03-18-08)	B-6(2.0-4.0)(09-23-08)	B-6(4.0-6.0)(03-18-08)	B-6(4.0-6.0)(09-23-08)	B-6(6.0-8.0)(03-18-08)
Easting (ft)		666702.6	666702.6	666702.6	666702.6	666702.6	666702.6
Northing (ft)	Units	822177.2	822177.2	822177.2	822177.2	822177.2	822177.2
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	2.30 J [2.20 J]	NA	1.10 U	NA	1.10 U	NA
Barium	mg/kg	21.0 [20.3]	NA	12.7	NA	11.7	NA
Beryllium	mg/kg	0.560 U [0.550 U]	NA	0.570 U	NA	0.560 U	NA
Cadmium	mg/kg	0.560 U [0.550 U]	NA	0.570 U	NA	0.560 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	11.9 J [15.4 J]	NA	9.80	NA	11.7	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	12.6 [12.0]	NA	9.20	NA	9.10	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-6	B-6	B-6	B-6	B-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/23/08	03/18/08	09/23/08	03/18/08
Sample Name:		B-6(0.5-2.0)(03-18-08)	B-6(2.0-4.0)(03-18-08)	B-6(2.0-4.0)(09-23-08)	B-6(4.0-6.0)(03-18-08)	B-6(4.0-6.0)(09-23-08)	B-6(6.0-8.0)(03-18-08)
Easting (ft)		666702.6	666702.6	666702.6	666702.6	666702.6	666702.6
Northing (ft)	Units	822177.2	822177.2	822177.2	822177.2	822177.2	822177.2
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	7.40 [6.80]	NA	3.90	NA	3.90	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	178 [170]	NA	156	NA	154	NA
Mercury	mg/kg	1.80 J [1.20 J]	0.0400 U [0.0400 U]	NA	0.150 [0.130]	NA	0.140 [0.170]
Nickel	mg/kg	14.5 [15.9]	NA	14.4	NA	15.1	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U [1.10 U]	NA	1.10 U	NA	1.10 U	NA
Silver	mg/kg	1.10 U [1.10 U]	NA	1.10 U	NA	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	46.3 [44.9]	NA	38.3	NA	38.0	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	89.1 [89.3]	86.7 [86.2]	86.2	74.6 [79.2]	89	69.8 [65.9]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-7	B-7	B-7	B-7	B-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/23/08	03/18/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		B-6(6.0-8.0)(09-23-08)	B-7(0.5-2.0)(03-18-08)	B-7(2.0-4.0)(03-18-08)	B-7(2.0-4.0)(09-23-08)	B-7(4.0-6.0)(03-18-08)	B-7(4.0-6.0)(09-23-08)
Easting (ft)		666702.6	666706.3	666706.3	666706.3	666706.3	666706.3
Northing (ft)	Units	822177.2	822277.1	822277.1	822277.1	822277.1	822277.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-7	B-7	B-7	B-7	B-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/23/08	03/18/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		B-6(6.0-8.0)(09-23-08)	B-7(0.5-2.0)(03-18-08)	B-7(2.0-4.0)(03-18-08)	B-7(2.0-4.0)(09-23-08)	B-7(4.0-6.0)(03-18-08)	B-7(4.0-6.0)(09-23-08)
Easting (ft)		666702.6	666706.3	666706.3	666706.3	666706.3	666706.3
Northing (ft)	Units	822177.2	822277.1	822277.1	822277.1	822277.1	822277.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-7	B-7	B-7	B-7	B-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/23/08	03/18/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		B-6(6.0-8.0)(09-23-08)	B-7(0.5-2.0)(03-18-08)	B-7(2.0-4.0)(03-18-08)	B-7(2.0-4.0)(09-23-08)	B-7(4.0-6.0)(03-18-08)	B-7(4.0-6.0)(09-23-08)
Easting (ft)		666702.6	666706.3	666706.3	666706.3	666706.3	666706.3
Northing (ft)	Units	822177.2	822277.1	822277.1	822277.1	822277.1	822277.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-7	B-7	B-7	B-7	B-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/23/08	03/18/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		B-6(6.0-8.0)(09-23-08)	B-7(0.5-2.0)(03-18-08)	B-7(2.0-4.0)(03-18-08)	B-7(2.0-4.0)(09-23-08)	B-7(4.0-6.0)(03-18-08)	B-7(4.0-6.0)(09-23-08)
Easting (ft)		666702.6	666706.3	666706.3	666706.3	666706.3	666706.3
Northing (ft)	Units	822177.2	822277.1	822277.1	822277.1	822277.1	822277.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	5.60	2.20 J	NA	1.10 U	NA	1.10 U
Barium	mg/kg	26.8	31.7	NA	10.4	NA	11.1
Beryllium	mg/kg	0.680 U	0.560 U	NA	0.560 U	NA	0.570 U
Cadmium	mg/kg	0.680 U	0.560 U	NA	0.560 U	NA	0.570 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	21.2	12.4 J	NA	9.90	NA	9.30
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	18.1	12.2	NA	9.80	NA	8.50

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-6	B-7	B-7	B-7	B-7	B-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/23/08	03/18/08	03/18/08	09/23/08	03/18/08	09/23/08
Sample Name:		B-6(6.0-8.0)(09-23-08)	B-7(0.5-2.0)(03-18-08)	B-7(2.0-4.0)(03-18-08)	B-7(2.0-4.0)(09-23-08)	B-7(4.0-6.0)(03-18-08)	B-7(4.0-6.0)(09-23-08)
Easting (ft)		666702.6	666706.3	666706.3	666706.3	666706.3	666706.3
Northing (ft)	Units	822177.2	822277.1	822277.1	822277.1	822277.1	822277.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	16.7	6.10	NA	4.20	NA	3.60
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	378	230	NA	206	NA	145
Mercury	mg/kg	NA	0.160 J	0.910	NA	0.0600	NA
Nickel	mg/kg	19.6	15.3	NA	13.5	NA	13.4
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.40 U	1.10 U	NA	1.10 U	NA	1.10 U
Silver	mg/kg	1.40 U	1.10 U	NA	1.10 U	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	64.9	40.0	NA	34.4	NA	32.9
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	72.9	87.6	83.7	86.8	79.2	84.5

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-7	B-7	C-1	C-1	C-1	C-1
Depth Interval		6 - 8	6 - 8	1 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/23/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-7(6.0-8.0)(03-18-08)	B-7(6.0-8.0)(09-23-08)	C-1(1.0-2.0)(03-19-08)	C-1(2.0-4.0)(03-19-08)	C-1(4.0-6.0)(03-19-08)	C-1(6.0-8.0)(03-19-08)
Easting (ft)		666706.3	666706.3	666584.1	666584.1	666584.1	666584.1
Northing (ft)	Units	822277.1	822277.1	821679	821679	821679	821679
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-7	B-7	C-1	C-1	C-1	C-1
Depth Interval		6 - 8	6 - 8	1 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/23/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-7(6.0-8.0)(03-18-08)	B-7(6.0-8.0)(09-23-08)	C-1(1.0-2.0)(03-19-08)	C-1(2.0-4.0)(03-19-08)	C-1(4.0-6.0)(03-19-08)	C-1(6.0-8.0)(03-19-08)
Easting (ft)		666706.3	666706.3	666584.1	666584.1	666584.1	666584.1
Northing (ft)	Units	822277.1	822277.1	821679	821679	821679	821679
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-7 6 - 8 03/18/08 B-7(6.0-8.0)(03-18-08) 666706.3 822277.1	B-7 6 - 8 09/23/08 B-7(6.0-8.0)(09-23-08) 666706.3 822277.1	C-1 1 - 2 03/19/08 C-1(1.0-2.0)(03-19-08) 666584.1 821679	C-1 2 - 4 03/19/08 C-1(2.0-4.0)(03-19-08) 666584.1 821679	C-1 4 - 6 03/19/08 C-1(4.0-6.0)(03-19-08) 666584.1 821679	C-1 6 - 8 03/19/08 C-1(6.0-8.0)(03-19-08) 666584.1 821679
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		B-7	B-7	C-1	C-1	C-1	C-1
Depth Interval		6 - 8	6 - 8	1 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/23/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		B-7(6.0-8.0)(03-18-08)	B-7(6.0-8.0)(09-23-08)	C-1(1.0-2.0)(03-19-08)	C-1(2.0-4.0)(03-19-08)	C-1(4.0-6.0)(03-19-08)	C-1(6.0-8.0)(03-19-08)
Easting (ft)		666706.3	666706.3	666584.1	666584.1	666584.1	666584.1
Northing (ft)	Units	822277.1	822277.1	821679	821679	821679	821679
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	5.30	1.20 U	NA	NA	NA
Barium	mg/kg	NA	31.6	25.4	NA	NA	NA
Beryllium	mg/kg	NA	0.710 U	0.580 U	NA	NA	NA
Cadmium	mg/kg	NA	0.710 U	0.580 U	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	22.2	9.20	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	16.8	10.8	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	B-7 6 - 8 03/18/08 B-7(6.0-8.0)(03-18-08) 666706.3 822277.1	B-7 6 - 8 09/23/08 B-7(6.0-8.0)(09-23-08) 666706.3 822277.1	C-1 1 - 2 03/19/08 C-1(1.0-2.0)(03-19-08) 666584.1 821679	C-1 2 - 4 03/19/08 C-1(2.0-4.0)(03-19-08) 666584.1 821679	C-1 4 - 6 03/19/08 C-1(4.0-6.0)(03-19-08) 666584.1 821679	C-1 6 - 8 03/19/08 C-1(6.0-8.0)(03-19-08) 666584.1 821679
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	14.1	6.60	NA	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	417	193	NA	NA	NA
Mercury	mg/kg	0.270	NA	0.360 J	0.0400 U	0.120	0.0400 U
Nickel	mg/kg	NA	22.3	13.0	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.40 U	1.20 U	NA	NA	NA
Silver	mg/kg	NA	1.40 U	1.20 U	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	67.3	37.6	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	62.1	67.7	84.6	84.2	74.6	74.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-2	C-2	C-2	C-2
Depth Interval		0.5 - 2	1 - 2	2 - 4	2 - 4	4 - 6	5.5 - 6
Date Collected:		03/20/08	03/19/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(0.5-2.0)(03-20-08)	C-2(1.0-2.0)(03-19-08)	C-2(2.0-4.0)(03-19-08)	C-2(2.0-4.0)(03-20-08)	C-2(4.0-6.0)(03-19-08)	C-2(5.5-6.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666587.8	666587.8	666587.8	666587.8
Northing (ft)	Units	821778.9	821778.9	821778.9	821778.9	821778.9	821778.9
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,1,2,2-Tetrachloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,1,2-Trichloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,1-Dichloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,1-Dichloroethene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,2,4-Trimethylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,2-Dichlorobenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,2-Dichloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,2-Dichloropropane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,3,5-Trimethylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,3-Dichlorobenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,4-Dichlorobenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
1,4-Dioxane	mg/kg	R	NA	NA	R	NA	R
2-Butanone	mg/kg	0.011 U	NA	NA	0.013 U	NA	0.036
2-Hexanone	mg/kg	0.011 U	NA	NA	0.013 U	NA	0.014 U
4-Methyl-2-pentanone	mg/kg	0.011 U	NA	NA	0.013 U	NA	0.014 U
Acetone	mg/kg	0.022 U	NA	NA	0.035	NA	0.14
Benzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Bromodichloromethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Bromoform	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Bromomethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Carbon Disulfide	mg/kg	0.011 U	NA	NA	0.0044 J	NA	0.0020 J
Carbon Tetrachloride	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Chlorobenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Chloroethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Chloroform	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Chloromethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
cis-1,2-Dichloroethene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
cis-1,3-Dichloropropene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-2	C-2	C-2	C-2
Depth Interval		0.5 - 2	1 - 2	2 - 4	2 - 4	4 - 6	5.5 - 6
Date Collected:		03/20/08	03/19/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(0.5-2.0)(03-20-08)	C-2(1.0-2.0)(03-19-08)	C-2(2.0-4.0)(03-19-08)	C-2(2.0-4.0)(03-20-08)	C-2(4.0-6.0)(03-19-08)	C-2(5.5-6.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666587.8	666587.8	666587.8	666587.8
Northing (ft)	Units	821778.9	821778.9	821778.9	821778.9	821778.9	821778.9
Dibromochloromethane	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Ethylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Isopropylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
m&p-Xylenes	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Methyl tert-butyl ether	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Methylene Chloride	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
n-Butylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
n-Propylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
o-Xylene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
sec-Butylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Styrene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
tert-Butylbenzene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Tetrachloroethene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Toluene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.00052 J
trans-1,2-Dichloroethene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
trans-1,3-Dichloropropene	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Trichloroethene	mg/kg	0.0018 J	NA	NA	0.0020 J	NA	0.0022 J
Vinyl Chloride	mg/kg	0.0056 U	NA	NA	0.0063 U	NA	0.0072 U
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
1,2-Dichlorobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
1,3-Dichlorobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
1,4-Dichlorobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,4,5-Trichlorophenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,4,6-Trichlorophenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,4-Dichlorophenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,4-Dimethylphenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,4-Dinitrophenol	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
2,4-Dinitrotoluene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2,6-Dinitrotoluene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2-Chloronaphthalene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2-Chlorophenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2-Methylnaphthalene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2-Methylphenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
2-Nitroaniline	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
2-Nitrophenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
3&4-Methylphenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
3,3'-Dichlorobenzidine	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
3-Nitroaniline	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
4,6-Dinitro-2-methylphenol	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-2	C-2	C-2	C-2
Depth Interval		0.5 - 2	1 - 2	2 - 4	2 - 4	4 - 6	5.5 - 6
Date Collected:		03/20/08	03/19/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(0.5-2.0)(03-20-08)	C-2(1.0-2.0)(03-19-08)	C-2(2.0-4.0)(03-19-08)	C-2(2.0-4.0)(03-20-08)	C-2(4.0-6.0)(03-19-08)	C-2(5.5-6.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666587.8	666587.8	666587.8	666587.8
Northing (ft)	Units	821778.9	821778.9	821778.9	821778.9	821778.9	821778.9
4-Bromophenyl-phenylether	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
4-Chloro-3-Methylphenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
4-Chloroaniline	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
4-Chlorophenyl-phenylether	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
4-Nitrophenol	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
Acenaphthene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Acenaphthylene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Anthracene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzo(a)anthracene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzo(a)pyrene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzo(b)fluoranthene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzo(g,h,i)perylene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzo(k)fluoranthene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Benzyl Alcohol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
bis(2-Chloroethoxy)methane	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
bis(2-Chloroethyl)ether	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Butylbenzylphthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Carbazole	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Chrysene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Dibenzo(a,h)anthracene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Dibenzofuran	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Diethylphthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Dimethylphthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Di-n-Butylphthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Di-n-Octylphthalate	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Fluoranthene	mg/kg	0.37 U	NA	NA	0.055 J	NA	0.47 U
Fluorene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Hexachlorobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Hexachlorobutadiene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Hexachlorocyclopentadiene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Hexachloroethane	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Indeno(1,2,3-cd)pyrene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Isophorone	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Naphthalene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Nitrobenzene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
N-Nitrosodimethylamine	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
N-Nitroso-di-n-propylamine	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
N-Nitrosodiphenylamine	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-2	C-2	C-2	C-2
Depth Interval		0.5 - 2	1 - 2	2 - 4	2 - 4	4 - 6	5.5 - 6
Date Collected:		03/20/08	03/19/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(0.5-2.0)(03-20-08)	C-2(1.0-2.0)(03-19-08)	C-2(2.0-4.0)(03-19-08)	C-2(2.0-4.0)(03-20-08)	C-2(4.0-6.0)(03-19-08)	C-2(5.5-6.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666587.8	666587.8	666587.8	666587.8
Northing (ft)	Units	821778.9	821778.9	821778.9	821778.9	821778.9	821778.9
Pentachlorophenol	mg/kg	1.9 U	NA	NA	2.1 U	NA	2.4 U
Phenanthrene	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Phenol	mg/kg	0.37 U	NA	NA	0.42 U	NA	0.47 U
Pyrene	mg/kg	0.37 U	NA	NA	0.059 J	NA	0.47 U
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.10 U	8.30	NA	5.20	NA
Barium	mg/kg	NA	25.2	30.8	NA	70.2	NA
Beryllium	mg/kg	NA	0.530 U	0.650 U	NA	0.780	NA
Cadmium	mg/kg	NA	0.530 U	0.650 U	NA	0.690 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	11.5	25.3	NA	25.8	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	12.4	26.2	NA	25.4	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-2	C-2	C-2	C-2
Depth Interval		0.5 - 2	1 - 2	2 - 4	2 - 4	4 - 6	5.5 - 6
Date Collected:		03/20/08	03/19/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(0.5-2.0)(03-20-08)	C-2(1.0-2.0)(03-19-08)	C-2(2.0-4.0)(03-19-08)	C-2(2.0-4.0)(03-20-08)	C-2(4.0-6.0)(03-19-08)	C-2(5.5-6.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666587.8	666587.8	666587.8	666587.8
Northing (ft)	Units	821778.9	821778.9	821778.9	821778.9	821778.9	821778.9
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	5.00	22.6	NA	21.6	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	126	408	NA	487	NA
Mercury	mg/kg	NA	0.0500 J	0.300	NA	0.0800	NA
Nickel	mg/kg	NA	13.9	21.3	NA	27.8	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	1.30 U	NA	1.40 U	NA
Silver	mg/kg	NA	1.10 U	1.30 U	NA	1.40 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	33.0	73.3	NA	130	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	89.9	91.8	70	79.1	69.7	69.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-3	C-3	C-3	C-3
Depth Interval		6 - 8	6.5 - 7	0.5 - 2	0.5 - 2	2 - 4	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(6.0-8.0)(03-19-08)	C-2(6.5-7.0)(03-20-08)	C-3(0.5-2.0)(03-19-08)	C-3(0.5-2.0)(03-20-08)	C-3(2.0-4.0)(03-19-08)	C-3(2.0-4.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666591.4	666591.4	666591.4	666591.4
Northing (ft)	Units	821778.9	821778.9	821878.8	821878.8	821878.8	821878.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,1,2,2-Tetrachloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,1,2-Trichloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,1-Dichloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,1-Dichloroethene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,2,4-Trimethylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,2-Dichlorobenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,2-Dichloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,2-Dichloropropane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,3,5-Trimethylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,3-Dichlorobenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,4-Dichlorobenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
1,4-Dioxane	mg/kg	NA	R	NA	R	NA	R
2-Butanone	mg/kg	NA	0.013 U	NA	0.011 U	NA	0.012 U
2-Hexanone	mg/kg	NA	0.013 U	NA	0.011 U	NA	0.012 U
4-Methyl-2-pentanone	mg/kg	NA	0.013 U	NA	0.011 U	NA	0.012 U
Acetone	mg/kg	NA	0.042	NA	0.022 U	NA	0.023 U
Benzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Bromodichloromethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Bromoform	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Bromomethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Carbon Disulfide	mg/kg	NA	0.00065 J	NA	0.011 U	NA	0.0021 J
Carbon Tetrachloride	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Chlorobenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Chloroethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Chloroform	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Chloromethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
cis-1,2-Dichloroethene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
cis-1,3-Dichloropropene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-3	C-3	C-3	C-3
Depth Interval		6 - 8	6.5 - 7	0.5 - 2	0.5 - 2	2 - 4	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(6.0-8.0)(03-19-08)	C-2(6.5-7.0)(03-20-08)	C-3(0.5-2.0)(03-19-08)	C-3(0.5-2.0)(03-20-08)	C-3(2.0-4.0)(03-19-08)	C-3(2.0-4.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666591.4	666591.4	666591.4	666591.4
Northing (ft)	Units	821778.9	821778.9	821878.8	821878.8	821878.8	821878.8
Dibromochloromethane	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Ethylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Isopropylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
m&p-Xylenes	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Methyl tert-butyl ether	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Methylene Chloride	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
n-Butylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
n-Propylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
o-Xylene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
sec-Butylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Styrene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
tert-Butylbenzene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Tetrachloroethene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Toluene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
trans-1,2-Dichloroethene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
trans-1,3-Dichloropropene	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Trichloroethene	mg/kg	NA	0.0018 J	NA	0.0055 U	NA	0.0058 U
Vinyl Chloride	mg/kg	NA	0.0064 U	NA	0.0055 U	NA	0.0058 U
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
1,2-Dichlorobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
1,3-Dichlorobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
1,4-Dichlorobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,4,5-Trichlorophenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,4,6-Trichlorophenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,4-Dichlorophenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,4-Dimethylphenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,4-Dinitrophenol	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
2,4-Dinitrotoluene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2,6-Dinitrotoluene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2-Chloronaphthalene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2-Chlorophenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2-Methylnaphthalene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2-Methylphenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
2-Nitroaniline	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
2-Nitrophenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
3&4-Methylphenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
3,3'-Dichlorobenzidine	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
3-Nitroaniline	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
4,6-Dinitro-2-methylphenol	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-3	C-3	C-3	C-3
Depth Interval		6 - 8	6.5 - 7	0.5 - 2	0.5 - 2	2 - 4	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(6.0-8.0)(03-19-08)	C-2(6.5-7.0)(03-20-08)	C-3(0.5-2.0)(03-19-08)	C-3(0.5-2.0)(03-20-08)	C-3(2.0-4.0)(03-19-08)	C-3(2.0-4.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666591.4	666591.4	666591.4	666591.4
Northing (ft)	Units	821778.9	821778.9	821878.8	821878.8	821878.8	821878.8
4-Bromophenyl-phenylether	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
4-Chloro-3-Methylphenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
4-Chloroaniline	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
4-Chlorophenyl-phenylether	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
4-Nitrophenol	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
Acenaphthene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Acenaphthylene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Anthracene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Benzo(a)anthracene	mg/kg	NA	0.11 J	NA	0.36 U	NA	0.39 U
Benzo(a)pyrene	mg/kg	NA	0.087 J	NA	0.36 U	NA	0.39 U
Benzo(b)fluoranthene	mg/kg	NA	0.087 J	NA	0.36 U	NA	0.39 U
Benzo(g,h,i)perylene	mg/kg	NA	0.064 J	NA	0.36 U	NA	0.39 U
Benzo(k)fluoranthene	mg/kg	NA	0.078 J	NA	0.36 U	NA	0.39 U
Benzyl Alcohol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
bis(2-Chloroethoxy)methane	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
bis(2-Chloroethyl)ether	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Butylbenzylphthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Carbazole	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Chrysene	mg/kg	NA	0.11 J	NA	0.36 U	NA	0.39 U
Dibenzo(a,h)anthracene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Dibenzofuran	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Diethylphthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Dimethylphthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Di-n-Butylphthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Di-n-Octylphthalate	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Fluoranthene	mg/kg	NA	0.20 J	NA	0.36 U	NA	0.39 U
Fluorene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Hexachlorobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Hexachlorobutadiene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Hexachlorocyclopentadiene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Hexachloroethane	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Indeno(1,2,3-cd)pyrene	mg/kg	NA	0.054 J	NA	0.36 U	NA	0.39 U
Isophorone	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Naphthalene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Nitrobenzene	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
N-Nitrosodimethylamine	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
N-Nitroso-di-n-propylamine	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
N-Nitrosodiphenylamine	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-2	C-2	C-3	C-3	C-3	C-3
Depth Interval		6 - 8	6.5 - 7	0.5 - 2	0.5 - 2	2 - 4	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/20/08
Sample Name:		C-2(6.0-8.0)(03-19-08)	C-2(6.5-7.0)(03-20-08)	C-3(0.5-2.0)(03-19-08)	C-3(0.5-2.0)(03-20-08)	C-3(2.0-4.0)(03-19-08)	C-3(2.0-4.0)(03-20-08)
Easting (ft)		666587.8	666587.8	666591.4	666591.4	666591.4	666591.4
Northing (ft)	Units	821778.9	821778.9	821878.8	821878.8	821878.8	821878.8
Pentachlorophenol	mg/kg	NA	2.2 U	NA	1.9 U	NA	2.0 U
Phenanthrene	mg/kg	NA	0.11 J	NA	0.36 U	NA	0.39 U
Phenol	mg/kg	NA	0.42 U	NA	0.36 U	NA	0.39 U
Pyrene	mg/kg	NA	0.18 J	NA	0.36 U	NA	0.39 U
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	6.20	NA	1.10 U [1.10 U]	NA	1.80	NA
Barium	mg/kg	96.6	NA	21.5 [49.5]	NA	12.9	NA
Beryllium	mg/kg	0.670 U	NA	0.550 U [0.530 U]	NA	0.580 U	NA
Cadmium	mg/kg	0.670 U	NA	0.550 U [0.530 U]	NA	0.580 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	8.20	NA	10.4 [9.30]	NA	10.5	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	23.5	NA	10.6 [10.4]	NA	11.9	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	C-2 6 - 8 03/19/08 C-2(6.0-8.0)(03-19-08) 666587.8 821778.9	C-2 6.5 - 7 03/20/08 C-2(6.5-7.0)(03-20-08) 666587.8 821778.9	C-3 0.5 - 2 03/19/08 C-3(0.5-2.0)(03-19-08) 666591.4 821878.8	C-3 0.5 - 2 03/20/08 C-3(0.5-2.0)(03-20-08) 666591.4 821878.8	C-3 2 - 4 03/19/08 C-3(2.0-4.0)(03-19-08) 666591.4 821878.8	C-3 2 - 4 03/20/08 C-3(2.0-4.0)(03-20-08) 666591.4 821878.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	130	NA	4.40 [6.40]	NA	5.20	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	65.7	NA	142 [186]	NA	143	NA
Mercury	mg/kg	0.220	NA	0.0400 U [0.0300 U]	NA	0.0500 [0.0400 U]	NA
Nickel	mg/kg	9.20	NA	13.8 [12.0]	NA	15.9	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	NA	1.10 U [1.10 U]	NA	1.20 U	NA
Silver	mg/kg	1.30 U	NA	1.10 U [1.10 U]	NA	1.20 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	147	NA	35.1 [37.3]	NA	43.6	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	75.8	78.6	90.5 [91.1]	91.7	85.1 [85.5]	85.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-3	C-3	C-3	C-3	C-4	C-4
Depth Interval		4 - 6	4 - 6	6 - 8	7.5 - 8	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/19/08
Sample Name:		C-3(4.0-6.0)(03-19-08)	C-3(4.0-6.0)(03-20-08)	C-3(6.0-8.0)(03-19-08)	C-3(7.5-8.5)(03-20-08)	C-4(0.5-2.0)(03-19-08)	C-4(2.0-4.0)(03-19-08)
Easting (ft)		666591.4	666591.4	666591.4	666591.4	666595.7	666595.7
Northing (ft)	Units	821878.8	821878.8	821878.8	821878.8	821978.8	821978.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,1-Dichloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,1-Dichloroethene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,2-Dichloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,2-Dichloropropane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
1,4-Dioxane	mg/kg	NA	R	NA	R	NA	NA
2-Butanone	mg/kg	NA	0.013 U	NA	0.067	NA	NA
2-Hexanone	mg/kg	NA	0.013 U	NA	0.015 U	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	0.013 U	NA	0.015 U	NA	NA
Acetone	mg/kg	NA	0.035	NA	0.27	NA	NA
Benzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Bromodichloromethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Bromoform	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Bromomethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Carbon Disulfide	mg/kg	NA	0.0022 J	NA	0.0075 J	NA	NA
Carbon Tetrachloride	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Chlorobenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Chloroethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Chloroform	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Chloromethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-3	C-3	C-3	C-3	C-4	C-4
Depth Interval		4 - 6	4 - 6	6 - 8	7.5 - 8	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/19/08
Sample Name:		C-3(4.0-6.0)(03-19-08)	C-3(4.0-6.0)(03-20-08)	C-3(6.0-8.0)(03-19-08)	C-3(7.5-8.5)(03-20-08)	C-4(0.5-2.0)(03-19-08)	C-4(2.0-4.0)(03-19-08)
Easting (ft)		666591.4	666591.4	666591.4	666591.4	666595.7	666595.7
Northing (ft)	Units	821878.8	821878.8	821878.8	821878.8	821978.8	821978.8
Dibromochloromethane	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Ethylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Isopropylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
m&p-Xylenes	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Methyl tert-butyl ether	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Methylene Chloride	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
n-Butylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
n-Propylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
o-Xylene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
sec-Butylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Styrene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
tert-Butylbenzene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Tetrachloroethene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Toluene	mg/kg	NA	0.0065 U	NA	0.00087 J	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Trichloroethene	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Vinyl Chloride	mg/kg	NA	0.0065 U	NA	0.0076 U	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,4-Dichlorophenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,4-Dimethylphenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,4-Dinitrophenol	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2-Chloronaphthalene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2-Chlorophenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2-Methylnaphthalene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2-Methylphenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
2-Nitroaniline	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
2-Nitrophenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
3&4-Methylphenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
3-Nitroaniline	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-3	C-3	C-3	C-3	C-4	C-4
Depth Interval		4 - 6	4 - 6	6 - 8	7.5 - 8	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/19/08
Sample Name:		C-3(4.0-6.0)(03-19-08)	C-3(4.0-6.0)(03-20-08)	C-3(6.0-8.0)(03-19-08)	C-3(7.5-8.5)(03-20-08)	C-4(0.5-2.0)(03-19-08)	C-4(2.0-4.0)(03-19-08)
Easting (ft)		666591.4	666591.4	666591.4	666591.4	666595.7	666595.7
Northing (ft)	Units	821878.8	821878.8	821878.8	821878.8	821978.8	821978.8
4-Bromophenyl-phenylether	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
4-Chloroaniline	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
4-Nitrophenol	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
Acenaphthene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Acenaphthylene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Anthracene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzo(a)anthracene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzo(a)pyrene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Benzyl Alcohol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Butylbenzylphthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Carbazole	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Chrysene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Dibenzofuran	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Diethylphthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Dimethylphthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Di-n-Butylphthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Di-n-Octylphthalate	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Fluoranthene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Fluorene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Hexachlorobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Hexachlorobutadiene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Hexachloroethane	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Isophorone	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Naphthalene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Nitrobenzene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-3	C-3	C-3	C-3	C-4	C-4
Depth Interval		4 - 6	4 - 6	6 - 8	7.5 - 8	0.5 - 2	2 - 4
Date Collected:		03/19/08	03/20/08	03/19/08	03/20/08	03/19/08	03/19/08
Sample Name:		C-3(4.0-6.0)(03-19-08)	C-3(4.0-6.0)(03-20-08)	C-3(6.0-8.0)(03-19-08)	C-3(7.5-8.5)(03-20-08)	C-4(0.5-2.0)(03-19-08)	C-4(2.0-4.0)(03-19-08)
Easting (ft)		666591.4	666591.4	666591.4	666591.4	666595.7	666595.7
Northing (ft)	Units	821878.8	821878.8	821878.8	821878.8	821978.8	821978.8
Pentachlorophenol	mg/kg	NA	2.2 U	NA	5.2 U	NA	NA
Phenanthrene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Phenol	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Pyrene	mg/kg	NA	0.43 U	NA	1.0 U	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.50	NA	5.70	NA	5.90	2.00
Barium	mg/kg	109	NA	72.9	NA	26.9	15.2
Beryllium	mg/kg	0.730	NA	0.740 U	NA	0.600 U	0.580 U
Cadmium	mg/kg	0.640 U	NA	0.740 U	NA	0.600 U	0.580 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	23.4	NA	24.7	NA	20.7	12.0
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	24.5	NA	22.3	NA	20.7	9.40

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	C-3 4 - 6 03/19/08 C-3(4.0-6.0)(03-19-08) 666591.4 821878.8	C-3 4 - 6 03/20/08 C-3(4.0-6.0)(03-20-08) 666591.4 821878.8	C-3 6 - 8 03/19/08 C-3(6.0-8.0)(03-19-08) 666591.4 821878.8	C-3 7.5 - 8 03/20/08 C-3(7.5-8.5)(03-20-08) 666591.4 821878.8	C-4 0.5 - 2 03/19/08 C-4(0.5-2.0)(03-19-08) 666595.7 821978.8	C-4 2 - 4 03/19/08 C-4(2.0-4.0)(03-19-08) 666595.7 821978.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	16.9	NA	40.5	NA	15.8	7.30
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	2,900	NA	269	NA	348	173
Mercury	mg/kg	0.0400 U [0.120 J]	NA	0.130 [0.0500]	NA	0.180 J	NA
Nickel	mg/kg	26.2	NA	20.0	NA	20.7	14.9
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	NA	1.50 U	NA	1.20 U	1.20 U
Silver	mg/kg	1.30 U	NA	1.50 U	NA	1.20 U	1.20 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	77.6	NA	63.0	NA	63.3	37.3
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	76.5 [78.4]	76.7	68.4 [81.9]	65.5	81.5	82.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-4	C-4	C-4	C-5	C-5	C-5
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-4(2.0-4.0)(03-20-08)	C-4(4.0-6.0)(03-19-08)	C-4(6.0-8.0)(03-19-08)	C-5(0.5-2.0)(03-19-08)	C-5(2.0-4.0)(03-19-08)	C-5(4.0-6.0)(03-19-08)
Easting (ft)		666595.7	666595.7	666595.7	666598.8	666598.8	666598.8
Northing (ft)	Units	821978.8	821978.8	821978.8	822078.8	822078.8	822078.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-4	C-4	C-4	C-5	C-5	C-5
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-4(2.0-4.0)(03-20-08)	C-4(4.0-6.0)(03-19-08)	C-4(6.0-8.0)(03-19-08)	C-5(0.5-2.0)(03-19-08)	C-5(2.0-4.0)(03-19-08)	C-5(4.0-6.0)(03-19-08)
Easting (ft)		666595.7	666595.7	666595.7	666598.8	666598.8	666598.8
Northing (ft)	Units	821978.8	821978.8	821978.8	822078.8	822078.8	822078.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-4	C-4	C-4	C-5	C-5	C-5
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-4(2.0-4.0)(03-20-08)	C-4(4.0-6.0)(03-19-08)	C-4(6.0-8.0)(03-19-08)	C-5(0.5-2.0)(03-19-08)	C-5(2.0-4.0)(03-19-08)	C-5(4.0-6.0)(03-19-08)
Easting (ft)		666595.7	666595.7	666595.7	666598.8	666598.8	666598.8
Northing (ft)	Units	821978.8	821978.8	821978.8	822078.8	822078.8	822078.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-4	C-4	C-4	C-5	C-5	C-5
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-4(2.0-4.0)(03-20-08)	C-4(4.0-6.0)(03-19-08)	C-4(6.0-8.0)(03-19-08)	C-5(0.5-2.0)(03-19-08)	C-5(2.0-4.0)(03-19-08)	C-5(4.0-6.0)(03-19-08)
Easting (ft)		666595.7	666595.7	666595.7	666598.8	666598.8	666598.8
Northing (ft)	Units	821978.8	821978.8	821978.8	822078.8	822078.8	822078.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.40	3.50	1.30	1.10 U	4.00
Barium	mg/kg	NA	10.3	85.5	17.9	67.9	54.5
Beryllium	mg/kg	NA	0.570 U	0.770 U	0.510 U	0.540 U	0.800 U
Cadmium	mg/kg	NA	0.570 U	0.770 U	0.510 U	0.540 U	0.800 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	9.80	24.4	11.9	10.9	23.6
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	11.1	24.3	11.9	13.2	21.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-4	C-4	C-4	C-5	C-5	C-5
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-4(2.0-4.0)(03-20-08)	C-4(4.0-6.0)(03-19-08)	C-4(6.0-8.0)(03-19-08)	C-5(0.5-2.0)(03-19-08)	C-5(2.0-4.0)(03-19-08)	C-5(4.0-6.0)(03-19-08)
Easting (ft)		666595.7	666595.7	666595.7	666598.8	666598.8	666598.8
Northing (ft)	Units	821978.8	821978.8	821978.8	822078.8	822078.8	822078.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	4.30	16.4	5.30	4.50	20.1
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	139	349	168	206	196
Mercury	mg/kg	0.0400 U	0.0400 U	0.0900	0.0900 J	0.0300 U	0.0900
Nickel	mg/kg	NA	15.6	23.6	15.7	12.3	16.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	1.50 U	1.00 U	1.10 U	1.60 U
Silver	mg/kg	NA	1.10 U	1.50 U	1.00 U	1.10 U	1.60 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	38.4	68.5	39.3	44.4	47.4
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	81	84.7	62.9	94.1	92	69.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-5	C-6	C-6	C-6	C-6	C-6
Depth Interval		6 - 8	1 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		03/19/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		C-5(6.0-8.0)(03-19-08)	C-6(1.0-2.0)(03-18-08)	C-6(2.0-4.0)(03-18-08)	C-6(2.0-4.0)(09-22-08)	C-6(4.0-6.0)(03-18-08)	C-6(4.0-6.0)(09-22-08)
Easting (ft)		666598.8	666602.5	666602.5	666602.5	666602.5	666602.5
Northing (ft)	Units	822078.8	822178.6	822178.6	822178.6	822178.6	822178.6
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-5	C-6	C-6	C-6	C-6	C-6
Depth Interval		6 - 8	1 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		03/19/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		C-5(6.0-8.0)(03-19-08)	C-6(1.0-2.0)(03-18-08)	C-6(2.0-4.0)(03-18-08)	C-6(2.0-4.0)(09-22-08)	C-6(4.0-6.0)(03-18-08)	C-6(4.0-6.0)(09-22-08)
Easting (ft)		666598.8	666602.5	666602.5	666602.5	666602.5	666602.5
Northing (ft)	Units	822078.8	822178.6	822178.6	822178.6	822178.6	822178.6
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-5	C-6	C-6	C-6	C-6	C-6
Depth Interval		6 - 8	1 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		03/19/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		C-5(6.0-8.0)(03-19-08)	C-6(1.0-2.0)(03-18-08)	C-6(2.0-4.0)(03-18-08)	C-6(2.0-4.0)(09-22-08)	C-6(4.0-6.0)(03-18-08)	C-6(4.0-6.0)(09-22-08)
Easting (ft)		666598.8	666602.5	666602.5	666602.5	666602.5	666602.5
Northing (ft)	Units	822078.8	822178.6	822178.6	822178.6	822178.6	822178.6
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-5	C-6	C-6	C-6	C-6	C-6
Depth Interval		6 - 8	1 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		03/19/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		C-5(6.0-8.0)(03-19-08)	C-6(1.0-2.0)(03-18-08)	C-6(2.0-4.0)(03-18-08)	C-6(2.0-4.0)(09-22-08)	C-6(4.0-6.0)(03-18-08)	C-6(4.0-6.0)(09-22-08)
Easting (ft)		666598.8	666602.5	666602.5	666602.5	666602.5	666602.5
Northing (ft)	Units	822078.8	822178.6	822178.6	822178.6	822178.6	822178.6
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	8.50	1.10 U	NA	4.00 J [1.70]	NA	2.30 J [1.60]
Barium	mg/kg	50.1	37.3	NA	18.3 [11.5]	NA	17.6 J [12.3]
Beryllium	mg/kg	0.860	0.540 U	NA	0.560 U [0.560 U]	NA	0.690 U [0.600 U]
Cadmium	mg/kg	0.830 U	0.540 U	NA	0.560 U [0.560 U]	NA	0.690 U [0.600 U]
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	28.6	12.9	NA	15.9 [10.7]	NA	15.1 J [11.0]
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	30.0	23.5	NA	15.3 J [10.1]	NA	14.3 J [11.1]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-5	C-6	C-6	C-6	C-6	C-6
Depth Interval		6 - 8	1 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		03/19/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		C-5(6.0-8.0)(03-19-08)	C-6(1.0-2.0)(03-18-08)	C-6(2.0-4.0)(03-18-08)	C-6(2.0-4.0)(09-22-08)	C-6(4.0-6.0)(03-18-08)	C-6(4.0-6.0)(09-22-08)
Easting (ft)		666598.8	666602.5	666602.5	666602.5	666602.5	666602.5
Northing (ft)	Units	822078.8	822178.6	822178.6	822178.6	822178.6	822178.6
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	27.9	11.9	NA	11.0 J [5.60]	NA	8.90 J [5.00]
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	317	228	NA	235 [156]	NA	240 [175]
Mercury	mg/kg	0.100	7.40 J	0.120	NA	0.120	NA
Nickel	mg/kg	29.0	15.8	NA	16.8 [14.3]	NA	19.3 [15.6]
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.70 U	1.10 U	NA	1.10 U [1.10 U]	NA	1.40 U [1.20 U]
Silver	mg/kg	1.70 U	1.10 U	NA	1.10 U [1.10 U]	NA	1.40 U [1.20 U]
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	95.6	57.3	NA	50.5 [34.6]	NA	52.9 [41.9]
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	64.3	91.5	87.7	88.5 [89.6]	77	72 [79.8]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-6	C-6	C-7	C-7	C-7	C-7
Depth Interval		6 - 8	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	09/22/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		C-6(6.0-8.0)(03-18-08)	C-6(6.0-8.0)(09-22-08)	C-7(0.5-2.0)(03-18-08)	C-7(2.0-4.0)(03-18-08)	C-7(2.0-4.0)(09-22-08)	C-7(4.0-6.0)(03-18-08)
Easting (ft)		666602.5	666602.5	666606.3	666606.3	666606.3	666606.3
Northing (ft)	Units	822178.6	822178.6	822278.6	822278.6	822278.6	822278.6
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-6	C-6	C-7	C-7	C-7	C-7
Depth Interval		6 - 8	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	09/22/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		C-6(6.0-8.0)(03-18-08)	C-6(6.0-8.0)(09-22-08)	C-7(0.5-2.0)(03-18-08)	C-7(2.0-4.0)(03-18-08)	C-7(2.0-4.0)(09-22-08)	C-7(4.0-6.0)(03-18-08)
Easting (ft)		666602.5	666602.5	666606.3	666606.3	666606.3	666606.3
Northing (ft)	Units	822178.6	822178.6	822278.6	822278.6	822278.6	822278.6
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-6	C-6	C-7	C-7	C-7	C-7
Depth Interval		6 - 8	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	09/22/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		C-6(6.0-8.0)(03-18-08)	C-6(6.0-8.0)(09-22-08)	C-7(0.5-2.0)(03-18-08)	C-7(2.0-4.0)(03-18-08)	C-7(2.0-4.0)(09-22-08)	C-7(4.0-6.0)(03-18-08)
Easting (ft)		666602.5	666602.5	666606.3	666606.3	666606.3	666606.3
Northing (ft)	Units	822178.6	822178.6	822278.6	822278.6	822278.6	822278.6
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-6	C-6	C-7	C-7	C-7	C-7
Depth Interval		6 - 8	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	09/22/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		C-6(6.0-8.0)(03-18-08)	C-6(6.0-8.0)(09-22-08)	C-7(0.5-2.0)(03-18-08)	C-7(2.0-4.0)(03-18-08)	C-7(2.0-4.0)(09-22-08)	C-7(4.0-6.0)(03-18-08)
Easting (ft)		666602.5	666602.5	666606.3	666606.3	666606.3	666606.3
Northing (ft)	Units	822178.6	822178.6	822278.6	822278.6	822278.6	822278.6
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	3.90 [3.90]	1.60 J	NA	1.10 U [1.10 U]	NA
Barium	mg/kg	NA	25.5 [23.5]	21.2	NA	8.50 [9.20]	NA
Beryllium	mg/kg	NA	0.650 U [0.620 U]	0.570 U	NA	0.550 U [0.550 U]	NA
Cadmium	mg/kg	NA	0.650 U [0.620 U]	0.570 U	NA	0.550 U [0.550 U]	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	18.3 [17.9]	11.6 J	NA	6.20 [8.60]	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	13.8 [13.5]	10.7	NA	5.80 [7.10]	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	C-6 6 - 8 03/18/08 C-6(6.0-8.0)(03-18-08) 666602.5 822178.6	C-6 6 - 8 09/22/08 C-6(6.0-8.0)(09-22-08) 666602.5 822178.6	C-7 0.5 - 2 03/18/08 C-7(0.5-2.0)(03-18-08) 666606.3 822278.6	C-7 2 - 4 03/18/08 C-7(2.0-4.0)(03-18-08) 666606.3 822278.6	C-7 2 - 4 09/22/08 C-7(2.0-4.0)(09-22-08) 666606.3 822278.6	C-7 4 - 6 03/18/08 C-7(4.0-6.0)(03-18-08) 666606.3 822278.6
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	10.6 [11.8]	5.00	NA	2.30 [3.30]	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	346 [336]	166	NA	269 [167]	NA
Mercury	mg/kg	0.110	NA	0.180 J	0.0400 U	NA	0.0400 U
Nickel	mg/kg	NA	19.7 [19.3]	15.0	NA	8.30 [11.3]	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.30 U [1.20 U]	1.10 U	NA	1.10 U [1.10 U]	NA
Silver	mg/kg	NA	1.30 U [1.20 U]	1.10 U	NA	1.10 U [1.10 U]	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	57.1 [56.2]	39.7	NA	20.7 [28.0]	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	73.6	75.9 [77.3]	88.2	83.8	90.5 [88.9]	83.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-7	C-7	C-7	D-1	D-1	D-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-7(4.0-6.0)(09-22-08)	C-7(6.0-8.0)(03-18-08)	C-7(6.0-8.0)(09-22-08)	D-1(1.0-2.0)(03-19-08)	D-1(2.0-4.0)(03-19-08)	D-1(4.0-6.0)(03-19-08)
Easting (ft)		666606.3	666606.3	666606.3	666483.9	666483.9	666483.9
Northing (ft)	Units	822278.6	822278.6	822278.6	821680.4	821680.4	821680.4
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-7	C-7	C-7	D-1	D-1	D-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-7(4.0-6.0)(09-22-08)	C-7(6.0-8.0)(03-18-08)	C-7(6.0-8.0)(09-22-08)	D-1(1.0-2.0)(03-19-08)	D-1(2.0-4.0)(03-19-08)	D-1(4.0-6.0)(03-19-08)
Easting (ft)		666606.3	666606.3	666606.3	666483.9	666483.9	666483.9
Northing (ft)	Units	822278.6	822278.6	822278.6	821680.4	821680.4	821680.4
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-7	C-7	C-7	D-1	D-1	D-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-7(4.0-6.0)(09-22-08)	C-7(6.0-8.0)(03-18-08)	C-7(6.0-8.0)(09-22-08)	D-1(1.0-2.0)(03-19-08)	D-1(2.0-4.0)(03-19-08)	D-1(4.0-6.0)(03-19-08)
Easting (ft)		666606.3	666606.3	666606.3	666483.9	666483.9	666483.9
Northing (ft)	Units	822278.6	822278.6	822278.6	821680.4	821680.4	821680.4
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		C-7	C-7	C-7	D-1	D-1	D-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/19/08	03/19/08	03/19/08
Sample Name:		C-7(4.0-6.0)(09-22-08)	C-7(6.0-8.0)(03-18-08)	C-7(6.0-8.0)(09-22-08)	D-1(1.0-2.0)(03-19-08)	D-1(2.0-4.0)(03-19-08)	D-1(4.0-6.0)(03-19-08)
Easting (ft)		666606.3	666606.3	666606.3	666483.9	666483.9	666483.9
Northing (ft)	Units	822278.6	822278.6	822278.6	821680.4	821680.4	821680.4
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.20 U [1.10 U]	NA	1.20 U [1.20 U]	1.10 U [1.20]	NA	NA
Barium	mg/kg	15.2 J [9.50]	NA	10.1 [9.90]	30.8 [33.5]	NA	NA
Beryllium	mg/kg	0.590 U [0.570 U]	NA	0.590 U [0.610 U]	0.550 U [0.550 U]	NA	NA
Cadmium	mg/kg	0.590 U [0.570 U]	NA	0.590 U [0.610 U]	0.550 U [0.550 U]	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	10.8 [9.70]	NA	9.50 [9.40]	9.10 [11.2]	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	8.90 [12.0]	NA	9.10 [8.90]	9.40 [11.8]	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	C-7 4 - 6 09/22/08 C-7(4.0-6.0)(09-22-08) 666606.3 822278.6	C-7 6 - 8 03/18/08 C-7(6.0-8.0)(03-18-08) 666606.3 822278.6	C-7 6 - 8 09/22/08 C-7(6.0-8.0)(09-22-08) 666606.3 822278.6	D-1 1 - 2 03/19/08 D-1(1.0-2.0)(03-19-08) 666483.9 821680.4	D-1 2 - 4 03/19/08 D-1(2.0-4.0)(03-19-08) 666483.9 821680.4	D-1 4 - 6 03/19/08 D-1(4.0-6.0)(03-19-08) 666483.9 821680.4
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	3.80 [4.40]	NA	3.90 [4.10]	4.20 [5.70]	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	164 J [199]	NA	185 J [197]	195 [168]	NA	NA
Mercury	mg/kg	NA	0.0900	NA	0.0600 J [0.440 J]	0.0400 U [0.0400 U]	0.130 [0.110]
Nickel	mg/kg	14.3 [14.4]	NA	14.1 [13.4]	13.0 [15.7]	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.20 U [1.10 U]	NA	1.20 U [1.20 U]	1.10 U [1.10 U]	NA	NA
Silver	mg/kg	1.20 U [1.10 U]	NA	1.20 U [1.20 U]	1.10 U [1.10 U]	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	35.6 [37.3]	NA	34.6 [33.0]	32.5 [39.1]	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	85.4 [85.2]	67.1	84.9 [81.7]	89.3 [90.8]	84.6 [86.7]	75.7 [74.9]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-1	D-2	D-2	D-2	D-2	D-3
Depth Interval		6 - 8	1 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		D-1(6.0-8.0)(03-19-08)	D-2(1.0-2.0)(03-19-08)	D-2(2.0-4.0)(03-19-08)	D-2(4.0-6.0)(03-19-08)	D-2(6.0-8.0)(03-19-08)	D-3(0.5-2.0)(03-19-08)
Easting (ft)		666483.9	666487.8	666487.8	666487.8	666487.8	666491.4
Northing (ft)	Units	821680.4	821780.4	821780.4	821780.4	821780.4	821880.4
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-1 6 - 8 03/19/08 D-1(6.0-8.0)(03-19-08) 666483.9 821680.4	D-2 1 - 2 03/19/08 D-2(1.0-2.0)(03-19-08) 666487.8 821780.4	D-2 2 - 4 03/19/08 D-2(2.0-4.0)(03-19-08) 666487.8 821780.4	D-2 4 - 6 03/19/08 D-2(4.0-6.0)(03-19-08) 666487.8 821780.4	D-2 6 - 8 03/19/08 D-2(6.0-8.0)(03-19-08) 666487.8 821780.4	D-3 0.5 - 2 03/19/08 D-3(0.5-2.0)(03-19-08) 666491.4 821880.4
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-1 6 - 8 03/19/08 D-1(6.0-8.0)(03-19-08) 666483.9 821680.4	D-2 1 - 2 03/19/08 D-2(1.0-2.0)(03-19-08) 666487.8 821780.4	D-2 2 - 4 03/19/08 D-2(2.0-4.0)(03-19-08) 666487.8 821780.4	D-2 4 - 6 03/19/08 D-2(4.0-6.0)(03-19-08) 666487.8 821780.4	D-2 6 - 8 03/19/08 D-2(6.0-8.0)(03-19-08) 666487.8 821780.4	D-3 0.5 - 2 03/19/08 D-3(0.5-2.0)(03-19-08) 666491.4 821880.4
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-1	D-2	D-2	D-2	D-2	D-3
Depth Interval		6 - 8	1 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		D-1(6.0-8.0)(03-19-08)	D-2(1.0-2.0)(03-19-08)	D-2(2.0-4.0)(03-19-08)	D-2(4.0-6.0)(03-19-08)	D-2(6.0-8.0)(03-19-08)	D-3(0.5-2.0)(03-19-08)
Easting (ft)		666483.9	666487.8	666487.8	666487.8	666487.8	666491.4
Northing (ft)	Units	821680.4	821780.4	821780.4	821780.4	821780.4	821880.4
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.10 U	1.20 U	1.60	4.30	1.70
Barium	mg/kg	NA	10.0	10.9	12.2	65.1	11.1
Beryllium	mg/kg	NA	0.540 U	0.580 U	0.600 U	0.750	0.540 U
Cadmium	mg/kg	NA	0.540 U	0.580 U	0.600 U	0.650 U	0.540 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	10.2	8.40	9.90	22.2	10.8
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	8.70	7.50	9.30	24.8	7.90

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-1 6 - 8 03/19/08 D-1(6.0-8.0)(03-19-08) 666483.9 821680.4	D-2 1 - 2 03/19/08 D-2(1.0-2.0)(03-19-08) 666487.8 821780.4	D-2 2 - 4 03/19/08 D-2(2.0-4.0)(03-19-08) 666487.8 821780.4	D-2 4 - 6 03/19/08 D-2(4.0-6.0)(03-19-08) 666487.8 821780.4	D-2 6 - 8 03/19/08 D-2(6.0-8.0)(03-19-08) 666487.8 821780.4	D-3 0.5 - 2 03/19/08 D-3(0.5-2.0)(03-19-08) 666491.4 821880.4
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	5.30	3.20	5.30	24.2	5.10
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	142	130	153	387	131
Mercury	mg/kg	0.0400 U [0.0400 U]	0.0400 U	0.0400 U	0.0400 U	0.120	0.0800 J
Nickel	mg/kg	NA	12.4	12.5	13.9	21.2	13.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	1.20 U	1.20 U	1.30 U	1.10 U
Silver	mg/kg	NA	1.10 U	1.20 U	1.20 U	1.30 U	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	29.5	31.2	34.3	72.0	31.8
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	74.5 [79.7]	87.9	85.1	77.6	77.1	91.6

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-3	D-3	D-3	D-4	D-4	D-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		D-3(2.0-4.0)(03-19-08)	D-3(4.0-6.0)(03-19-08)	D-3(6.0-8.0)(03-19-08)	D-4(0.5-2.0)(03-19-08)	D-4(2.0-4.0)(03-19-08)	D-4(4.0-6.0)(03-19-08)
Easting (ft)		666491.4	666491.4	666491.4	666495.1	666495.1	666495.1
Northing (ft)	Units	821880.4	821880.4	821880.4	821980.3	821980.3	821980.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-3	D-3	D-3	D-4	D-4	D-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		D-3(2.0-4.0)(03-19-08)	D-3(4.0-6.0)(03-19-08)	D-3(6.0-8.0)(03-19-08)	D-4(0.5-2.0)(03-19-08)	D-4(2.0-4.0)(03-19-08)	D-4(4.0-6.0)(03-19-08)
Easting (ft)		666491.4	666491.4	666491.4	666495.1	666495.1	666495.1
Northing (ft)	Units	821880.4	821880.4	821880.4	821980.3	821980.3	821980.3
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-3 2 - 4 03/19/08 D-3(2.0-4.0)(03-19-08) 666491.4 821880.4	D-3 4 - 6 03/19/08 D-3(4.0-6.0)(03-19-08) 666491.4 821880.4	D-3 6 - 8 03/19/08 D-3(6.0-8.0)(03-19-08) 666491.4 821880.4	D-4 0.5 - 2 03/19/08 D-4(0.5-2.0)(03-19-08) 666495.1 821980.3	D-4 2 - 4 03/19/08 D-4(2.0-4.0)(03-19-08) 666495.1 821980.3	D-4 4 - 6 03/19/08 D-4(4.0-6.0)(03-19-08) 666495.1 821980.3
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-3	D-3	D-3	D-4	D-4	D-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/19/08	03/19/08	03/19/08	03/19/08	03/19/08	03/19/08
Sample Name:		D-3(2.0-4.0)(03-19-08)	D-3(4.0-6.0)(03-19-08)	D-3(6.0-8.0)(03-19-08)	D-4(0.5-2.0)(03-19-08)	D-4(2.0-4.0)(03-19-08)	D-4(4.0-6.0)(03-19-08)
Easting (ft)		666491.4	666491.4	666491.4	666495.1	666495.1	666495.1
Northing (ft)	Units	821880.4	821880.4	821880.4	821980.3	821980.3	821980.3
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.80	5.20	1.70	1.00 U	3.80	1.30 U
Barium	mg/kg	11.3	93.0	164	35.6	21.4	92.2
Beryllium	mg/kg	0.590 U	0.770	0.850	0.520 U	0.610 U	0.670 U
Cadmium	mg/kg	0.590 U	0.640 U	0.700 U	0.520 U	0.610 U	0.670 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	9.50	24.1	25.2	11.6	17.0	21.6
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	12.7	26.7	22.5	11.9	17.4	21.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-3 2 - 4 03/19/08 D-3(2.0-4.0)(03-19-08) 666491.4 821880.4	D-3 4 - 6 03/19/08 D-3(4.0-6.0)(03-19-08) 666491.4 821880.4	D-3 6 - 8 03/19/08 D-3(6.0-8.0)(03-19-08) 666491.4 821880.4	D-4 0.5 - 2 03/19/08 D-4(0.5-2.0)(03-19-08) 666495.1 821980.3	D-4 2 - 4 03/19/08 D-4(2.0-4.0)(03-19-08) 666495.1 821980.3	D-4 4 - 6 03/19/08 D-4(4.0-6.0)(03-19-08) 666495.1 821980.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	3.90	24.8	28.3	5.10	11.0	22.3
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	142	385	446	166	277	530
Mercury	mg/kg	0.0400 U	0.180	0.0600	0.0600 J	0.0400 U	0.0700
Nickel	mg/kg	13.5	23.0	21.2	16.0	17.6	18.0
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.20 U	1.30 U	1.40 U	1.00 U	1.20 U	1.30 U
Silver	mg/kg	1.20 U	1.30 U	1.40 U	1.00 U	1.20 U	1.30 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	34.7	77.8	71.8	41.2	50.9	65.2
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	85	72	75.2	94.3	75.2	74

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-4	D-5	D-5	D-5	D-5	D-6
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/19/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		D-4(6.0-8.0)(03-19-08)	D-5(0.5-2.0)(03-20-08)	D-5(2.0-4.0)(03-20-08)	D-5(4.0-6.0)(03-20-08)	D-5(6.0-8.0)(03-20-08)	D-6(0.5-2.0)(03-18-08)
Easting (ft)		666495.1	666498.9	666498.9	666498.9	666498.9	666502.6
Northing (ft)	Units	821980.3	822080.2	822080.2	822080.2	822080.2	822180.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,1,2-Trichloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,1-Dichloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,1-Dichloroethene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,2,4-Trimethylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,2-Dichlorobenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,2-Dichloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,2-Dichloropropane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,3,5-Trimethylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,3-Dichlorobenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,4-Dichlorobenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
1,4-Dioxane	mg/kg	NA	R [R]	R	R	R	NA
2-Butanone	mg/kg	NA	0.011 U [0.011 U]	0.013 U	0.096	0.022	NA
2-Hexanone	mg/kg	NA	0.011 U [0.011 U]	0.013 U	0.014 U	0.015 U	NA
4-Methyl-2-pentanone	mg/kg	NA	0.011 U [0.011 U]	0.013 U	0.014 U	0.015 U	NA
Acetone	mg/kg	NA	0.033 [0.023]	0.024 J	0.22	0.089	NA
Benzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Bromodichloromethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Bromoform	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Bromomethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Carbon Disulfide	mg/kg	NA	0.0021 J [0.00097 J]	0.0012 J	0.0053 J	0.0015 J	NA
Carbon Tetrachloride	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Chlorobenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Chloroethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Chloroform	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Chloromethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
cis-1,2-Dichloroethene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
cis-1,3-Dichloropropene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-4	D-5	D-5	D-5	D-5	D-6
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/19/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		D-4(6.0-8.0)(03-19-08)	D-5(0.5-2.0)(03-20-08)	D-5(2.0-4.0)(03-20-08)	D-5(4.0-6.0)(03-20-08)	D-5(6.0-8.0)(03-20-08)	D-6(0.5-2.0)(03-18-08)
Easting (ft)		666495.1	666498.9	666498.9	666498.9	666498.9	666502.6
Northing (ft)	Units	821980.3	822080.2	822080.2	822080.2	822080.2	822180.1
Dibromochloromethane	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Ethylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Isopropylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
m&p-Xylenes	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Methyl tert-butyl ether	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Methylene Chloride	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
n-Butylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
n-Propylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
o-Xylene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
sec-Butylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Styrene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
tert-Butylbenzene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Tetrachloroethene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Toluene	mg/kg	NA	0.00040 J [0.0054 U]	0.0066 U	0.0014 J	0.0074 U	NA
trans-1,2-Dichloroethene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
trans-1,3-Dichloropropene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Trichloroethene	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Vinyl Chloride	mg/kg	NA	0.0054 U [0.0054 U]	0.0066 U	0.0070 U	0.0074 U	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
1,2-Dichlorobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
1,3-Dichlorobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
1,4-Dichlorobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,4,5-Trichlorophenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,4,6-Trichlorophenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,4-Dichlorophenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,4-Dimethylphenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,4-Dinitrophenol	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
2,4-Dinitrotoluene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2,6-Dinitrotoluene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2-Chloronaphthalene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2-Chlorophenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2-Methylnaphthalene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2-Methylphenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
2-Nitroaniline	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
2-Nitrophenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
3&4-Methylphenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
3,3'-Dichlorobenzidine	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
3-Nitroaniline	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-4 6 - 8 03/19/08 D-4(6.0-8.0)(03-19-08) 666495.1 821980.3	D-5 0.5 - 2 03/20/08 D-5(0.5-2.0)(03-20-08) 666498.9 822080.2	D-5 2 - 4 03/20/08 D-5(2.0-4.0)(03-20-08) 666498.9 822080.2	D-5 4 - 6 03/20/08 D-5(4.0-6.0)(03-20-08) 666498.9 822080.2	D-5 6 - 8 03/20/08 D-5(6.0-8.0)(03-20-08) 666498.9 822080.2	D-6 0.5 - 2 03/18/08 D-6(0.5-2.0)(03-18-08) 666502.6 822180.1
4-Bromophenyl-phenylether	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
4-Chloro-3-Methylphenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
4-Chloroaniline	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
4-Chlorophenyl-phenylether	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
4-Nitrophenol	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
Acenaphthene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Acenaphthylene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Anthracene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Benzo(a)anthracene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.061 J	0.49 U	NA
Benzo(a)pyrene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.064 J	0.49 U	NA
Benzo(b)fluoranthene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.058 J	0.49 U	NA
Benzo(g,h,i)perylene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Benzo(k)fluoranthene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.051 J	0.49 U	NA
Benzyl Alcohol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
bis(2-Chloroethyl)ether	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	0.052 J [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Butylbenzylphthalate	mg/kg	NA	0.37 U [0.36 U]	0.13 J	0.46 U	0.49 U	NA
Carbazole	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Chrysene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.065 J	0.49 U	NA
Dibenzo(a,h)anthracene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Dibenzofuran	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Diethylphthalate	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Dimethylphthalate	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Di-n-Butylphthalate	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Di-n-Octylphthalate	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Fluoranthene	mg/kg	NA	0.37 U [0.36 U]	0.046 J	0.13 J	0.49 U	NA
Fluorene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Hexachlorobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Hexachlorobutadiene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Hexachlorocyclopentadiene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Hexachloroethane	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Isophorone	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Naphthalene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Nitrobenzene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
N-Nitrosodimethylamine	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
N-Nitrosodiphenylamine	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-4 6 - 8 03/19/08 D-4(6.0-8.0)(03-19-08) 666495.1 821980.3	D-5 0.5 - 2 03/20/08 D-5(0.5-2.0)(03-20-08) 666498.9 822080.2	D-5 2 - 4 03/20/08 D-5(2.0-4.0)(03-20-08) 666498.9 822080.2	D-5 4 - 6 03/20/08 D-5(4.0-6.0)(03-20-08) 666498.9 822080.2	D-5 6 - 8 03/20/08 D-5(6.0-8.0)(03-20-08) 666498.9 822080.2	D-6 0.5 - 2 03/18/08 D-6(0.5-2.0)(03-18-08) 666502.6 822180.1
Pentachlorophenol	mg/kg	NA	1.9 U [1.8 U]	2.3 U	2.4 U	2.5 U	NA
Phenanthrene	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.053 J	0.49 U	NA
Phenol	mg/kg	NA	0.37 U [0.36 U]	0.44 U	0.46 U	0.49 U	NA
Pyrene	mg/kg	NA	0.37 U [0.36 U]	0.046 J	0.10 J	0.49 U	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.70	3.30 J [1.10 U]	6.50	3.90	5.40	3.40 J
Barium	mg/kg	44.5	26.9 [11.7]	26.1	70.3	94.6	23.1
Beryllium	mg/kg	0.640 U	0.530 U [0.570 U]	0.620 U	0.650 U	0.890	0.530 U
Cadmium	mg/kg	0.640 U	0.530 U [0.570 U]	0.620 U	0.650 U	0.750 U	0.530 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	19.2	16.1 [12.5]	20.3	18.3	29.1	14.2 J
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	19.1	18.6 [12.0]	18.9	18.6	28.9	15.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-4	D-5	D-5	D-5	D-5	D-6
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/19/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		D-4(6.0-8.0)(03-19-08)	D-5(0.5-2.0)(03-20-08)	D-5(2.0-4.0)(03-20-08)	D-5(4.0-6.0)(03-20-08)	D-5(6.0-8.0)(03-20-08)	D-6(0.5-2.0)(03-18-08)
Easting (ft)		666495.1	666498.9	666498.9	666498.9	666498.9	666502.6
Northing (ft)	Units	821980.3	822080.2	822080.2	822080.2	822080.2	822180.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	27.3	13.3 [4.70]	15.3	22.6	18.7	12.4
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	228	214 [174]	374	202	310	207
Mercury	mg/kg	0.100	3.90 J [0.0400 U]	0.130 [0.110]	0.110 [0.0700]	0.0500 U [0.0700]	4.30 J
Nickel	mg/kg	13.8	16.7 [16.3]	19.5	16.8	29.7	16.7
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	1.10 UJ [1.10 UJ]	1.20 U	1.30 U	1.50 U	1.10 U
Silver	mg/kg	1.30 U	1.10 U [1.10 U]	1.20 U	1.30 U	1.50 U	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	47.7	61.1 [37.5]	60.9	53.9	80.5	60.3
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	76.3	93.2 [87.4]	75.3 [79.1]	71.9 [78]	67.5 [61.3]	91.6

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-6	D-6	D-6	D-6	D-6	D-6
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/22/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		D-6(2.0-4.0)(03-18-08)	D-6(2.0-4.0)(09-22-08)	D-6(4.0-6.0)(03-18-08)	D-6(4.0-6.0)(09-22-08)	D-6(6.0-8.0)(03-18-08)	D-6(6.0-8.0)(09-22-08)
Easting (ft)		666502.6	666502.6	666502.6	666502.6	666502.6	666502.6
Northing (ft)	Units	822180.1	822180.1	822180.1	822180.1	822180.1	822180.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-6	D-6	D-6	D-6	D-6	D-6
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/22/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		D-6(2.0-4.0)(03-18-08)	D-6(2.0-4.0)(09-22-08)	D-6(4.0-6.0)(03-18-08)	D-6(4.0-6.0)(09-22-08)	D-6(6.0-8.0)(03-18-08)	D-6(6.0-8.0)(09-22-08)
Easting (ft)		666502.6	666502.6	666502.6	666502.6	666502.6	666502.6
Northing (ft)	Units	822180.1	822180.1	822180.1	822180.1	822180.1	822180.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-6	D-6	D-6	D-6	D-6	D-6
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/22/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		D-6(2.0-4.0)(03-18-08)	D-6(2.0-4.0)(09-22-08)	D-6(4.0-6.0)(03-18-08)	D-6(4.0-6.0)(09-22-08)	D-6(6.0-8.0)(03-18-08)	D-6(6.0-8.0)(09-22-08)
Easting (ft)		666502.6	666502.6	666502.6	666502.6	666502.6	666502.6
Northing (ft)	Units	822180.1	822180.1	822180.1	822180.1	822180.1	822180.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-6	D-6	D-6	D-6	D-6	D-6
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/22/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		D-6(2.0-4.0)(03-18-08)	D-6(2.0-4.0)(09-22-08)	D-6(4.0-6.0)(03-18-08)	D-6(4.0-6.0)(09-22-08)	D-6(6.0-8.0)(03-18-08)	D-6(6.0-8.0)(09-22-08)
Easting (ft)		666502.6	666502.6	666502.6	666502.6	666502.6	666502.6
Northing (ft)	Units	822180.1	822180.1	822180.1	822180.1	822180.1	822180.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.50 [1.80]	NA	12.6 [12.0]	NA	2.70 [4.40]
Barium	mg/kg	NA	12.8 [13.1]	NA	53.8 [45.3]	NA	23.0 [24.3]
Beryllium	mg/kg	NA	0.550 U [0.540 U]	NA	1.10 [0.940]	NA	0.640 U [0.630 U]
Cadmium	mg/kg	NA	0.550 U [0.540 U]	NA	0.810 U [0.710 U]	NA	0.640 U [0.630 U]
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	10.6 [10.7]	NA	42.7 [37.2]	NA	16.0 [17.3]
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	9.70 [9.70]	NA	44.0 [38.5]	NA	12.9 [12.8]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-6	D-6	D-6	D-6	D-6	D-6
Depth Interval		2 - 4	2 - 4	4 - 6	4 - 6	6 - 8	6 - 8
Date Collected:		03/18/08	09/22/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		D-6(2.0-4.0)(03-18-08)	D-6(2.0-4.0)(09-22-08)	D-6(4.0-6.0)(03-18-08)	D-6(4.0-6.0)(09-22-08)	D-6(6.0-8.0)(03-18-08)	D-6(6.0-8.0)(09-22-08)
Easting (ft)		666502.6	666502.6	666502.6	666502.6	666502.6	666502.6
Northing (ft)	Units	822180.1	822180.1	822180.1	822180.1	822180.1	822180.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	4.60 [4.70]	NA	39.2 [35.3]	NA	8.70 [9.70]
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	172 [176]	NA	605 [545]	NA	313 [340]
Mercury	mg/kg	0.0500	NA	0.130	NA	0.0800	NA
Nickel	mg/kg	NA	14.0 [14.5]	NA	31.5 [29.0]	NA	17.8 [18.3]
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U [1.10 U]	NA	1.60 U [1.40 U]	NA	1.30 U [1.30 U]
Silver	mg/kg	NA	1.10 U [1.10 U]	NA	1.60 U [1.40 U]	NA	1.30 U [1.30 U]
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	36.1 [37.3]	NA	116 [105]	NA	49.7 [53.9]
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	83.8	89.8 [90]	73.7	60.3 [66.7]	66.8	76.4 [78.1]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	D-7	D-7	D-7	D-7	D-7
Depth Interval		1 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		D-7(1.0-2.0)(03-18-08)	D-7(2.0-4.0)(03-18-08)	D-7(2.0-4.0)(09-22-08)	D-7(4.0-6.0)(03-18-08)	D-7(4.0-6.0)(09-22-08)	D-7(6.0-8.0)(03-18-08)
Easting (ft)		666506.3	666506.3	666506.3	666506.3	666506.3	666506.3
Northing (ft)	Units	822280.1	822280.1	822280.1	822280.1	822280.1	822280.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	D-7	D-7	D-7	D-7	D-7
Depth Interval		1 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		D-7(1.0-2.0)(03-18-08)	D-7(2.0-4.0)(03-18-08)	D-7(2.0-4.0)(09-22-08)	D-7(4.0-6.0)(03-18-08)	D-7(4.0-6.0)(09-22-08)	D-7(6.0-8.0)(03-18-08)
Easting (ft)		666506.3	666506.3	666506.3	666506.3	666506.3	666506.3
Northing (ft)	Units	822280.1	822280.1	822280.1	822280.1	822280.1	822280.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	D-7	D-7	D-7	D-7	D-7
Depth Interval		1 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		D-7(1.0-2.0)(03-18-08)	D-7(2.0-4.0)(03-18-08)	D-7(2.0-4.0)(09-22-08)	D-7(4.0-6.0)(03-18-08)	D-7(4.0-6.0)(09-22-08)	D-7(6.0-8.0)(03-18-08)
Easting (ft)		666506.3	666506.3	666506.3	666506.3	666506.3	666506.3
Northing (ft)	Units	822280.1	822280.1	822280.1	822280.1	822280.1	822280.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	D-7	D-7	D-7	D-7	D-7
Depth Interval		1 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		D-7(1.0-2.0)(03-18-08)	D-7(2.0-4.0)(03-18-08)	D-7(2.0-4.0)(09-22-08)	D-7(4.0-6.0)(03-18-08)	D-7(4.0-6.0)(09-22-08)	D-7(6.0-8.0)(03-18-08)
Easting (ft)		666506.3	666506.3	666506.3	666506.3	666506.3	666506.3
Northing (ft)	Units	822280.1	822280.1	822280.1	822280.1	822280.1	822280.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	3.70 J	NA	2.20	NA	1.20 U	NA
Barium	mg/kg	32.0	NA	32.0	NA	10.4	NA
Beryllium	mg/kg	0.560 U	NA	0.550 U	NA	0.590 U	NA
Cadmium	mg/kg	0.560 U	NA	0.550 U	NA	0.590 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	15.3 J	NA	15.3	NA	8.90	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	14.1	NA	13.1	NA	7.70	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	D-7	D-7	D-7	D-7	D-7
Depth Interval		1 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		D-7(1.0-2.0)(03-18-08)	D-7(2.0-4.0)(03-18-08)	D-7(2.0-4.0)(09-22-08)	D-7(4.0-6.0)(03-18-08)	D-7(4.0-6.0)(09-22-08)	D-7(6.0-8.0)(03-18-08)
Easting (ft)		666506.3	666506.3	666506.3	666506.3	666506.3	666506.3
Northing (ft)	Units	822280.1	822280.1	822280.1	822280.1	822280.1	822280.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	10.3	NA	9.60	NA	3.10	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	241	NA	264	NA	200	NA
Mercury	mg/kg	1.20 J	0.0700	NA	0.0400 U	NA	0.0900
Nickel	mg/kg	17.8	NA	17.1	NA	11.8	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	NA	1.10 U	NA	1.20 U	NA
Silver	mg/kg	1.10 U	NA	1.10 U	NA	1.20 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	50.0	NA	47.8	NA	39.3	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	86.8	77.9	87.8	83.5	85.1	72.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	E-1	E-1	E-1	E-1	E-2
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		09/22/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		D-7(6.0-8.0)(09-22-08)	E-1(0.5-2.0)(03-20-08)	E-1(2.0-4.0)(03-20-08)	E-1(4.0-6.0)(03-20-08)	E-1(6.0-8.0)(03-20-08)	E-2(0.5-2.0)(03-20-08)
Easting (ft)		666506.3	666379	666379	666379	666379	666387.7
Northing (ft)	Units	822280.1	821681.7	821681.7	821681.7	821681.7	821781.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	R
2-Butanone	mg/kg	NA	NA	NA	NA	NA	0.011 U
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	0.011 U
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	0.011 U
Acetone	mg/kg	NA	NA	NA	NA	NA	0.022 U
Benzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Bromoform	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Bromomethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	0.00038 J
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Chloroethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Chloroform	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Chloromethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	0.0056 U

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-7 6 - 8 09/22/08 D-7(6.0-8.0)(09-22-08) 666506.3 822280.1	E-1 0.5 - 2 03/20/08 E-1(0.5-2.0)(03-20-08) 666379 821681.7	E-1 2 - 4 03/20/08 E-1(2.0-4.0)(03-20-08) 666379 821681.7	E-1 4 - 6 03/20/08 E-1(4.0-6.0)(03-20-08) 666379 821681.7	E-1 6 - 8 03/20/08 E-1(6.0-8.0)(03-20-08) 666379 821681.7	E-2 0.5 - 2 03/20/08 E-2(0.5-2.0)(03-20-08) 666387.7 821781.8
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	0.0056 U
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
o-Xylene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Styrene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Toluene	mg/kg	NA	NA	NA	NA	NA	0.00047 J
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	0.0056 U
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	1.9 U
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	0.37 U
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	0.37 U
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	0.37 U
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	0.37 U
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	1.9 U
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	0.37 U
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	1.9 U
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	1.9 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	D-7 6 - 8 09/22/08 D-7(6.0-8.0)(09-22-08) 666506.3 822280.1	E-1 0.5 - 2 03/20/08 E-1(0.5-2.0)(03-20-08) 666379 821681.7	E-1 2 - 4 03/20/08 E-1(2.0-4.0)(03-20-08) 666379 821681.7	E-1 4 - 6 03/20/08 E-1(4.0-6.0)(03-20-08) 666379 821681.7	E-1 6 - 8 03/20/08 E-1(6.0-8.0)(03-20-08) 666379 821681.7	E-2 0.5 - 2 03/20/08 E-2(0.5-2.0)(03-20-08) 666387.7 821781.8
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	0.37 U
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	0.37 U
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	0.37 U
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	1.9 U
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	1.9 U
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Anthracene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	0.37 U
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	0.37 U
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	0.37 U
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	4.7
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	0.066 J
Carbazole	mg/kg	NA	NA	NA	NA	NA	0.37 U
Chrysene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	0.37 U
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	0.37 U
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	0.37 U
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	0.37 U
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	0.37 U
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Fluorene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	0.37 U
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Isophorone	mg/kg	NA	NA	NA	NA	NA	0.37 U
Naphthalene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	0.37 U
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	0.37 U
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	0.37 U
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	0.37 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	E-1	E-1	E-1	E-1	E-2
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		09/22/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		D-7(6.0-8.0)(09-22-08)	E-1(0.5-2.0)(03-20-08)	E-1(2.0-4.0)(03-20-08)	E-1(4.0-6.0)(03-20-08)	E-1(6.0-8.0)(03-20-08)	E-2(0.5-2.0)(03-20-08)
Easting (ft)		666506.3	666379	666379	666379	666379	666387.7
Northing (ft)	Units	822280.1	821681.7	821681.7	821681.7	821681.7	821781.8
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	1.9 U
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Phenol	mg/kg	NA	NA	NA	NA	NA	0.37 U
Pyrene	mg/kg	NA	NA	NA	NA	NA	0.37 U
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.10 U	2.00	NA	NA	NA	1.70
Barium	mg/kg	8.70	28.4	NA	NA	NA	12.7
Beryllium	mg/kg	0.570 U	0.570 U	NA	NA	NA	0.550 U
Cadmium	mg/kg	0.570 U	0.570 U	NA	NA	NA	0.550 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	7.50	11.6	NA	NA	NA	9.10
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	6.70	11.4	NA	NA	NA	7.10

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		D-7	E-1	E-1	E-1	E-1	E-2
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		09/22/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		D-7(6.0-8.0)(09-22-08)	E-1(0.5-2.0)(03-20-08)	E-1(2.0-4.0)(03-20-08)	E-1(4.0-6.0)(03-20-08)	E-1(6.0-8.0)(03-20-08)	E-2(0.5-2.0)(03-20-08)
Easting (ft)		666506.3	666379	666379	666379	666379	666387.7
Northing (ft)	Units	822280.1	821681.7	821681.7	821681.7	821681.7	821781.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	3.00	4.90	NA	NA	NA	3.10
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	230	153 J	NA	NA	NA	116
Mercury	mg/kg	NA	0.0900	0.100	0.180	0.0700	0.0400 U
Nickel	mg/kg	10.2	15.9	NA	NA	NA	12.4
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.10 U	NA	NA	NA	1.10 U
Silver	mg/kg	1.10 U	1.10 U	NA	NA	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	26.0	38.2	NA	NA	NA	27.4
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	86.9	87.6	75.9	73.4	73.9	89.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-2	E-2	E-2	E-2	E-3	E-3
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-2(2.0-4.0)(03-20-08)	E-2(4.0-6.0)(03-20-08)	E-2(4.0-6.0)(09-22-08)	E-2(6.0-8.0)(03-20-08)	E-3(0.5-2.0)(03-20-08)	E-3(2.0-4.0)(03-20-08)
Easting (ft)		666387.7	666387.7	666387.7	666387.7	666391.4	666391.4
Northing (ft)	Units	821781.8	821781.8	821781.8	821781.8	821881.8	821881.8
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,1,2-Trichloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,1-Dichloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,1-Dichloroethene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,2,4-Trimethylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,2-Dichlorobenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,2-Dichloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,2-Dichloropropane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,3,5-Trimethylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,3-Dichlorobenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,4-Dichlorobenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
1,4-Dioxane	mg/kg	R	R	NA	R	NA	NA
2-Butanone	mg/kg	0.012 U	0.013 U	NA	0.043	NA	NA
2-Hexanone	mg/kg	0.012 U	0.013 U	NA	0.016 U	NA	NA
4-Methyl-2-pentanone	mg/kg	0.012 U	0.013 U	NA	0.016 U	NA	NA
Acetone	mg/kg	0.024 U	0.027 U	NA	0.17	NA	NA
Benzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Bromodichloromethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Bromoform	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Bromomethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Carbon Disulfide	mg/kg	0.0011 J	0.0013 J	NA	0.0015 J	NA	NA
Carbon Tetrachloride	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Chlorobenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Chloroethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Chloroform	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Chloromethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
cis-1,2-Dichloroethene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
cis-1,3-Dichloropropene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-2	E-2	E-2	E-2	E-3	E-3
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-2(2.0-4.0)(03-20-08)	E-2(4.0-6.0)(03-20-08)	E-2(4.0-6.0)(09-22-08)	E-2(6.0-8.0)(03-20-08)	E-3(0.5-2.0)(03-20-08)	E-3(2.0-4.0)(03-20-08)
Easting (ft)		666387.7	666387.7	666387.7	666387.7	666391.4	666391.4
Northing (ft)	Units	821781.8	821781.8	821781.8	821781.8	821881.8	821881.8
Dibromochloromethane	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Ethylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Isopropylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
m&p-Xylenes	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Methyl tert-butyl ether	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Methylene Chloride	mg/kg	0.0060 U	0.0066 U	NA	0.022	NA	NA
n-Butylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
n-Propylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
o-Xylene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
sec-Butylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Styrene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
tert-Butylbenzene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Tetrachloroethene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Toluene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
trans-1,2-Dichloroethene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
trans-1,3-Dichloropropene	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Trichloroethene	mg/kg	0.0011 J	0.0066 U	NA	0.0079 U	NA	NA
Vinyl Chloride	mg/kg	0.0060 U	0.0066 U	NA	0.0079 U	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
1,2-Dichlorobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
1,3-Dichlorobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
1,4-Dichlorobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,4,5-Trichlorophenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,4,6-Trichlorophenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,4-Dichlorophenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,4-Dimethylphenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,4-Dinitrophenol	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
2,4-Dinitrotoluene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2,6-Dinitrotoluene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2-Chloronaphthalene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2-Chlorophenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2-Methylnaphthalene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2-Methylphenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
2-Nitroaniline	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
2-Nitrophenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
3&4-Methylphenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
3,3'-Dichlorobenzidine	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
3-Nitroaniline	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-2	E-2	E-2	E-2	E-3	E-3
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-2(2.0-4.0)(03-20-08)	E-2(4.0-6.0)(03-20-08)	E-2(4.0-6.0)(09-22-08)	E-2(6.0-8.0)(03-20-08)	E-3(0.5-2.0)(03-20-08)	E-3(2.0-4.0)(03-20-08)
Easting (ft)		666387.7	666387.7	666387.7	666387.7	666391.4	666391.4
Northing (ft)	Units	821781.8	821781.8	821781.8	821781.8	821881.8	821881.8
4-Bromophenyl-phenylether	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
4-Chloro-3-Methylphenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
4-Chloroaniline	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
4-Chlorophenyl-phenylether	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
4-Nitrophenol	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
Acenaphthene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Acenaphthylene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Anthracene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Benzo(a)anthracene	mg/kg	0.40 U	0.44 U	NA	0.099 J	NA	NA
Benzo(a)pyrene	mg/kg	0.40 U	0.44 U	NA	0.13 J	NA	NA
Benzo(b)fluoranthene	mg/kg	0.40 U	0.44 U	NA	0.088 J	NA	NA
Benzo(g,h,i)perylene	mg/kg	0.40 U	0.44 U	NA	0.081 J	NA	NA
Benzo(k)fluoranthene	mg/kg	0.40 U	0.44 U	NA	0.091 J	NA	NA
Benzyl Alcohol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
bis(2-Chloroethyl)ether	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Butylbenzylphthalate	mg/kg	0.40 U	0.44 U	NA	0.26 J	NA	NA
Carbazole	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Chrysene	mg/kg	0.40 U	0.44 U	NA	0.12 J	NA	NA
Dibenzo(a,h)anthracene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Dibenzofuran	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Diethylphthalate	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Dimethylphthalate	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Di-n-Butylphthalate	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Di-n-Octylphthalate	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Fluoranthene	mg/kg	0.40 U	0.44 U	NA	0.20 J	NA	NA
Fluorene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Hexachlorobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Hexachlorobutadiene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Hexachlorocyclopentadiene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Hexachloroethane	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	0.40 U	0.44 U	NA	0.079 J	NA	NA
Isophorone	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Naphthalene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Nitrobenzene	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
N-Nitrosodimethylamine	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
N-Nitrosodiphenylamine	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-2	E-2	E-2	E-2	E-3	E-3
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-2(2.0-4.0)(03-20-08)	E-2(4.0-6.0)(03-20-08)	E-2(4.0-6.0)(09-22-08)	E-2(6.0-8.0)(03-20-08)	E-3(0.5-2.0)(03-20-08)	E-3(2.0-4.0)(03-20-08)
Easting (ft)		666387.7	666387.7	666387.7	666387.7	666391.4	666391.4
Northing (ft)	Units	821781.8	821781.8	821781.8	821781.8	821881.8	821881.8
Pentachlorophenol	mg/kg	2.1 U	2.3 U	NA	2.7 U	NA	NA
Phenanthrene	mg/kg	0.40 U	0.44 U	NA	0.057 J	NA	NA
Phenol	mg/kg	0.40 U	0.44 U	NA	0.52 U	NA	NA
Pyrene	mg/kg	0.40 U	0.44 U	NA	0.16 J	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	2.10	NA	1.20 U	3.20	2.20	5.20
Barium	mg/kg	17.6	NA	10.0	71.7	15.2	27.1
Beryllium	mg/kg	0.660 U	NA	0.580 U	0.710 U	0.550 U	0.630 U
Cadmium	mg/kg	0.660 U	NA	0.580 U	0.710 U	0.550 U	0.630 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	15.5	NA	9.90	35.9	11.9	21.1
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	13.7	NA	8.90	21.4	10.8	20.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	E-2 2 - 4 03/20/08 E-2(2.0-4.0)(03-20-08) 666387.7 821781.8	E-2 4 - 6 03/20/08 E-2(4.0-6.0)(03-20-08) 666387.7 821781.8	E-2 4 - 6 09/22/08 E-2(4.0-6.0)(09-22-08) 666387.7 821781.8	E-2 6 - 8 03/20/08 E-2(6.0-8.0)(03-20-08) 666387.7 821781.8	E-3 0.5 - 2 03/20/08 E-3(0.5-2.0)(03-20-08) 666391.4 821881.8	E-3 2 - 4 03/20/08 E-3(2.0-4.0)(03-20-08) 666391.4 821881.8
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	7.20	NA	4.40	19.8	5.40	15.1
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	243	NA	210	289	168 J	376
Mercury	mg/kg	0.0400 U	NA	0.0400 U	0.210	0.0600	0.210
Nickel	mg/kg	18.9	NA	13.9	22.3	15.7	21.7
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	NA	1.20 U	1.40 U	1.10 U	1.30 U
Silver	mg/kg	1.30 U	NA	1.20 U	1.40 U	1.10 U	1.30 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	48.9	NA	34.4	65.0	35.6	65.5
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	86.3	75.2	86.5	67	90.2	73.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-3	E-3	E-4	E-4	E-4	E-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-3(4.0-6.0)(03-20-08)	E-3(6.0-8.0)(03-20-08)	E-4(0.5-2.0)(03-20-08)	E-4(2.0-4.0)(03-20-08)	E-4(4.0-6.0)(03-20-08)	E-4(6.0-8.0)(03-20-08)
Easting (ft)		666391.4	666391.4	666395.1	666395.1	666395.1	666395.1
Northing (ft)	Units	821881.8	821881.8	821981.7	821981.7	821981.7	821981.7
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-3	E-3	E-4	E-4	E-4	E-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-3(4.0-6.0)(03-20-08)	E-3(6.0-8.0)(03-20-08)	E-4(0.5-2.0)(03-20-08)	E-4(2.0-4.0)(03-20-08)	E-4(4.0-6.0)(03-20-08)	E-4(6.0-8.0)(03-20-08)
Easting (ft)		666391.4	666391.4	666395.1	666395.1	666395.1	666395.1
Northing (ft)	Units	821881.8	821881.8	821981.7	821981.7	821981.7	821981.7
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	E-3 4 - 6 03/20/08 E-3(4.0-6.0)(03-20-08) 666391.4 821881.8	E-3 6 - 8 03/20/08 E-3(6.0-8.0)(03-20-08) 666391.4 821881.8	E-4 0.5 - 2 03/20/08 E-4(0.5-2.0)(03-20-08) 666395.1 821981.7	E-4 2 - 4 03/20/08 E-4(2.0-4.0)(03-20-08) 666395.1 821981.7	E-4 4 - 6 03/20/08 E-4(4.0-6.0)(03-20-08) 666395.1 821981.7	E-4 6 - 8 03/20/08 E-4(6.0-8.0)(03-20-08) 666395.1 821981.7
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-3	E-3	E-4	E-4	E-4	E-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-3(4.0-6.0)(03-20-08)	E-3(6.0-8.0)(03-20-08)	E-4(0.5-2.0)(03-20-08)	E-4(2.0-4.0)(03-20-08)	E-4(4.0-6.0)(03-20-08)	E-4(6.0-8.0)(03-20-08)
Easting (ft)		666391.4	666391.4	666395.1	666395.1	666395.1	666395.1
Northing (ft)	Units	821881.8	821881.8	821981.7	821981.7	821981.7	821981.7
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	12.7	1.30 U	1.10	1.10 U	6.80	1.20 U
Barium	mg/kg	55.2	101	18.8	20.8	52.7	71.2
Beryllium	mg/kg	1.10	0.800	0.520 U	0.530 U	0.800 U	0.590 U
Cadmium	mg/kg	0.800 U	0.660 U	0.520 U	0.530 U	0.800 U	0.590 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	42.9	24.9	9.80	11.7	31.7	17.8
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	41.4	22.2	6.30	9.40	24.1	17.5

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	E-3 4 - 6 03/20/08 E-3(4.0-6.0)(03-20-08) 666391.4 821881.8	E-3 6 - 8 03/20/08 E-3(6.0-8.0)(03-20-08) 666391.4 821881.8	E-4 0.5 - 2 03/20/08 E-4(0.5-2.0)(03-20-08) 666395.1 821981.7	E-4 2 - 4 03/20/08 E-4(2.0-4.0)(03-20-08) 666395.1 821981.7	E-4 4 - 6 03/20/08 E-4(4.0-6.0)(03-20-08) 666395.1 821981.7	E-4 6 - 8 03/20/08 E-4(6.0-8.0)(03-20-08) 666395.1 821981.7
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	38.0	13.8	4.20	3.90	28.8	10.2
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	661	238	119 J	119	425	314
Mercury	mg/kg	0.430	0.0900	0.0700	0.0400 U	0.190	0.0400 U
Nickel	mg/kg	33.9	21.7	11.5	12.9	23.9	18.0
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.60 U	1.30 U	1.00 U	1.10 U	1.60 U	1.20 U
Silver	mg/kg	1.60 U	1.30 U	1.00 U	1.10 U	1.60 U	1.20 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	120	86.9	25.2	31.1	73.3	44.5
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	65.7	78.9	93	92.5	67.3	80.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-5	E-5	E-5	E-5	E-6	E-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	09/22/08	03/18/08	03/18/08
Sample Name:		E-5(0.5-2.0)(03-20-08)	E-5(2.0-4.0)(03-20-08)	E-5(4.0-6.0)(03-20-08)	E-5(6.0-8.0)(09-22-08)	E-6(0.5-2.0)(03-18-08)	E-6(2.0-4.0)(03-18-08)
Easting (ft)		666398.9	666398.9	666398.9	666398.9	666402.6	666402.6
Northing (ft)	Units	822081.7	822081.7	822081.7	822081.7	822181.6	822181.6
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-5	E-5	E-5	E-5	E-6	E-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	09/22/08	03/18/08	03/18/08
Sample Name:		E-5(0.5-2.0)(03-20-08)	E-5(2.0-4.0)(03-20-08)	E-5(4.0-6.0)(03-20-08)	E-5(6.0-8.0)(09-22-08)	E-6(0.5-2.0)(03-18-08)	E-6(2.0-4.0)(03-18-08)
Easting (ft)		666398.9	666398.9	666398.9	666398.9	666402.6	666402.6
Northing (ft)	Units	822081.7	822081.7	822081.7	822081.7	822181.6	822181.6
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-5	E-5	E-5	E-5	E-6	E-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	09/22/08	03/18/08	03/18/08
Sample Name:		E-5(0.5-2.0)(03-20-08)	E-5(2.0-4.0)(03-20-08)	E-5(4.0-6.0)(03-20-08)	E-5(6.0-8.0)(09-22-08)	E-6(0.5-2.0)(03-18-08)	E-6(2.0-4.0)(03-18-08)
Easting (ft)		666398.9	666398.9	666398.9	666398.9	666402.6	666402.6
Northing (ft)	Units	822081.7	822081.7	822081.7	822081.7	822181.6	822181.6
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-5	E-5	E-5	E-5	E-6	E-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	09/22/08	03/18/08	03/18/08
Sample Name:		E-5(0.5-2.0)(03-20-08)	E-5(2.0-4.0)(03-20-08)	E-5(4.0-6.0)(03-20-08)	E-5(6.0-8.0)(09-22-08)	E-6(0.5-2.0)(03-18-08)	E-6(2.0-4.0)(03-18-08)
Easting (ft)		666398.9	666398.9	666398.9	666398.9	666402.6	666402.6
Northing (ft)	Units	822081.7	822081.7	822081.7	822081.7	822181.6	822181.6
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	3.90	1.30	7.30	8.30	1.70	1.40
Barium	mg/kg	34.6	13.2	35.4	49.5	30.0	19.7
Beryllium	mg/kg	0.530 U	0.550 U	0.650 U	0.750	0.580 U	0.560 U
Cadmium	mg/kg	0.530 U	0.550 U	0.650 U	0.720 U	0.580 U	0.560 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	19.9	13.1	24.8	32.4	14.5	12.4
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	21.3	11.5	23.2	25.3	14.1	11.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	E-5 0.5 - 2 03/20/08 E-5(0.5-2.0)(03-20-08) 666398.9 822081.7	E-5 2 - 4 03/20/08 E-5(2.0-4.0)(03-20-08) 666398.9 822081.7	E-5 4 - 6 03/20/08 E-5(4.0-6.0)(03-20-08) 666398.9 822081.7	E-5 6 - 8 09/22/08 E-5(6.0-8.0)(09-22-08) 666398.9 822081.7	E-6 0.5 - 2 03/18/08 E-6(0.5-2.0)(03-18-08) 666402.6 822181.6	E-6 2 - 4 03/18/08 E-6(2.0-4.0)(03-18-08) 666402.6 822181.6
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	25.1	6.60	18.9	30.4	12.0	7.00
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	257 J	156	453	715	259	206
Mercury	mg/kg	61.4	0.0600	0.320	0.250	0.770 J	0.310
Nickel	mg/kg	16.1	14.0	22.5	26.5	16.3	14.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.10 U	1.30 U	1.40 U	1.20 U	1.10 U
Silver	mg/kg	1.10 U	1.10 U	1.30 U	1.40 U	1.20 U	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	152	36.8	71.6	278	48.7	42.4
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	91.1	90.3	69.9	68.3	85.5	87.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-6	E-6	E-7	E-7	E-7	E-7
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		E-6(4.0-6.0)(03-18-08)	E-6(6.0-8.0)(03-18-08)	E-7(0.5-2.0)(03-18-08)	E-7(2.0-4.0)(03-18-08)	E-7(2.0-4.0)(09-22-08)	E-7(4.0-6.0)(03-18-08)
Easting (ft)		666402.6	666402.6	666406.2	666406.2	666406.2	666406.2
Northing (ft)	Units	822181.6	822181.6	822281.5	822281.5	822281.5	822281.5
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-6	E-6	E-7	E-7	E-7	E-7
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		E-6(4.0-6.0)(03-18-08)	E-6(6.0-8.0)(03-18-08)	E-7(0.5-2.0)(03-18-08)	E-7(2.0-4.0)(03-18-08)	E-7(2.0-4.0)(09-22-08)	E-7(4.0-6.0)(03-18-08)
Easting (ft)		666402.6	666402.6	666406.2	666406.2	666406.2	666406.2
Northing (ft)	Units	822181.6	822181.6	822281.5	822281.5	822281.5	822281.5
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-6	E-6	E-7	E-7	E-7	E-7
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		E-6(4.0-6.0)(03-18-08)	E-6(6.0-8.0)(03-18-08)	E-7(0.5-2.0)(03-18-08)	E-7(2.0-4.0)(03-18-08)	E-7(2.0-4.0)(09-22-08)	E-7(4.0-6.0)(03-18-08)
Easting (ft)		666402.6	666402.6	666406.2	666406.2	666406.2	666406.2
Northing (ft)	Units	822181.6	822181.6	822281.5	822281.5	822281.5	822281.5
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-6	E-6	E-7	E-7	E-7	E-7
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	09/22/08	03/18/08
Sample Name:		E-6(4.0-6.0)(03-18-08)	E-6(6.0-8.0)(03-18-08)	E-7(0.5-2.0)(03-18-08)	E-7(2.0-4.0)(03-18-08)	E-7(2.0-4.0)(09-22-08)	E-7(4.0-6.0)(03-18-08)
Easting (ft)		666402.6	666402.6	666406.2	666406.2	666406.2	666406.2
Northing (ft)	Units	822181.6	822181.6	822281.5	822281.5	822281.5	822281.5
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	2.80	7.20	2.60 J	NA	2.00	NA
Barium	mg/kg	12.1	35.7	27.6	NA	23.0	NA
Beryllium	mg/kg	0.580 U	0.730 U	0.540 U	NA	0.700 U	NA
Cadmium	mg/kg	0.580 U	0.730 U	0.540 U	NA	0.700 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	9.90	23.6	15.2 J	NA	16.7	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	14.2	17.9	16.1	NA	14.7	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	E-6 4 - 6 03/18/08 E-6(4.0-6.0)(03-18-08) 666402.6 822181.6	E-6 6 - 8 03/18/08 E-6(6.0-8.0)(03-18-08) 666402.6 822181.6	E-7 0.5 - 2 03/18/08 E-7(0.5-2.0)(03-18-08) 666406.2 822281.5	E-7 2 - 4 03/18/08 E-7(2.0-4.0)(03-18-08) 666406.2 822281.5	E-7 2 - 4 09/22/08 E-7(2.0-4.0)(09-22-08) 666406.2 822281.5	E-7 4 - 6 03/18/08 E-7(4.0-6.0)(03-18-08) 666406.2 822281.5
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	5.20	14.3	12.1	NA	10.7	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	272	480	230	NA	262	NA
Mercury	mg/kg	0.0400 U	0.100	0.750 J	0.910	NA	0.160
Nickel	mg/kg	13.5	23.0	16.1	NA	20.6	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.20 U	1.50 U	1.10 U	NA	1.40 U	NA
Silver	mg/kg	1.20 U	1.50 U	1.10 U	NA	1.40 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	34.7	68.2	51.1	NA	63.2	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	84.7	67.4	91.4	82.5	69.1	73.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-7	E-7	E-7	F-1	F-1	F-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-7(4.0-6.0)(09-22-08)	E-7(6.0-8.0)(03-18-08)	E-7(6.0-8.0)(09-22-08)	F-1(1.0-2.0)(03-20-08)	F-1(2.0-4.0)(03-20-08)	F-1(4.0-6.0)(03-20-08)
Easting (ft)		666406.2	666406.2	666406.2	666275.3	666275.3	666275.3
Northing (ft)	Units	822281.5	822281.5	822281.5	821680.9	821680.9	821680.9
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-7	E-7	E-7	F-1	F-1	F-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-7(4.0-6.0)(09-22-08)	E-7(6.0-8.0)(03-18-08)	E-7(6.0-8.0)(09-22-08)	F-1(1.0-2.0)(03-20-08)	F-1(2.0-4.0)(03-20-08)	F-1(4.0-6.0)(03-20-08)
Easting (ft)		666406.2	666406.2	666406.2	666275.3	666275.3	666275.3
Northing (ft)	Units	822281.5	822281.5	822281.5	821680.9	821680.9	821680.9
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-7	E-7	E-7	F-1	F-1	F-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-7(4.0-6.0)(09-22-08)	E-7(6.0-8.0)(03-18-08)	E-7(6.0-8.0)(09-22-08)	F-1(1.0-2.0)(03-20-08)	F-1(2.0-4.0)(03-20-08)	F-1(4.0-6.0)(03-20-08)
Easting (ft)		666406.2	666406.2	666406.2	666275.3	666275.3	666275.3
Northing (ft)	Units	822281.5	822281.5	822281.5	821680.9	821680.9	821680.9
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-7	E-7	E-7	F-1	F-1	F-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-7(4.0-6.0)(09-22-08)	E-7(6.0-8.0)(03-18-08)	E-7(6.0-8.0)(09-22-08)	F-1(1.0-2.0)(03-20-08)	F-1(2.0-4.0)(03-20-08)	F-1(4.0-6.0)(03-20-08)
Easting (ft)		666406.2	666406.2	666406.2	666275.3	666275.3	666275.3
Northing (ft)	Units	822281.5	822281.5	822281.5	821680.9	821680.9	821680.9
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.30 U	NA	3.70	5.40 U	NA	NA
Barium	mg/kg	13.3	NA	20.4	91.9	NA	NA
Beryllium	mg/kg	0.630 U	NA	0.720 U	0.540 U	NA	NA
Cadmium	mg/kg	0.630 U	NA	0.720 U	0.540 U	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	10.6	NA	17.5	28.9	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	9.20	NA	16.7	21.1	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		E-7	E-7	E-7	F-1	F-1	F-1
Depth Interval		4 - 6	6 - 8	6 - 8	1 - 2	2 - 4	4 - 6
Date Collected:		09/22/08	03/18/08	09/22/08	03/20/08	03/20/08	03/20/08
Sample Name:		E-7(4.0-6.0)(09-22-08)	E-7(6.0-8.0)(03-18-08)	E-7(6.0-8.0)(09-22-08)	F-1(1.0-2.0)(03-20-08)	F-1(2.0-4.0)(03-20-08)	F-1(4.0-6.0)(03-20-08)
Easting (ft)		666406.2	666406.2	666406.2	666275.3	666275.3	666275.3
Northing (ft)	Units	822281.5	822281.5	822281.5	821680.9	821680.9	821680.9
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	4.00	NA	12.4	6.20	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	210	NA	284	381	NA	NA
Mercury	mg/kg	NA	0.0400 U	NA	0.0300 U	0.0400	0.370
Nickel	mg/kg	15.1	NA	18.1	20.2	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.30 U	NA	1.40 U	1.10 UJ	NA	NA
Silver	mg/kg	1.30 U	NA	1.40 U	1.10 U	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	37.2	NA	54.8	39.6	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	79.7	85.7	69.1	91.8	92.2	88

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-1	F-2	F-2	F-2	F-2	F-3
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-1(6.0-8.0)(03-20-08)	F-2(0.5-2.0)(03-20-08)	F-2(2.0-4.0)(03-20-08)	F-2(4.0-6.0)(03-20-08)	F-2(6.0-8.0)(03-20-08)	F-3(0.5-2.0)(03-20-08)
Easting (ft)		666275.3	666287.8	666287.8	666287.8	666287.8	666291.4
Northing (ft)	Units	821680.9	821783.3	821783.3	821783.3	821783.3	821883.3
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-1	F-2	F-2	F-2	F-2	F-3
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-1(6.0-8.0)(03-20-08)	F-2(0.5-2.0)(03-20-08)	F-2(2.0-4.0)(03-20-08)	F-2(4.0-6.0)(03-20-08)	F-2(6.0-8.0)(03-20-08)	F-3(0.5-2.0)(03-20-08)
Easting (ft)		666275.3	666287.8	666287.8	666287.8	666287.8	666291.4
Northing (ft)	Units	821680.9	821783.3	821783.3	821783.3	821783.3	821883.3
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-1	F-2	F-2	F-2	F-2	F-3
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-1(6.0-8.0)(03-20-08)	F-2(0.5-2.0)(03-20-08)	F-2(2.0-4.0)(03-20-08)	F-2(4.0-6.0)(03-20-08)	F-2(6.0-8.0)(03-20-08)	F-3(0.5-2.0)(03-20-08)
Easting (ft)		666275.3	666287.8	666287.8	666287.8	666287.8	666291.4
Northing (ft)	Units	821680.9	821783.3	821783.3	821783.3	821783.3	821883.3
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-1	F-2	F-2	F-2	F-2	F-3
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-1(6.0-8.0)(03-20-08)	F-2(0.5-2.0)(03-20-08)	F-2(2.0-4.0)(03-20-08)	F-2(4.0-6.0)(03-20-08)	F-2(6.0-8.0)(03-20-08)	F-3(0.5-2.0)(03-20-08)
Easting (ft)		666275.3	666287.8	666287.8	666287.8	666287.8	666291.4
Northing (ft)	Units	821680.9	821783.3	821783.3	821783.3	821783.3	821883.3
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	2.60	1.10 U	7.80	4.00	1.40
Barium	mg/kg	NA	40.2	12.5	35.1	80.4	23.3
Beryllium	mg/kg	NA	0.560 U	0.570 U	0.690 U	0.630 U	0.570 U
Cadmium	mg/kg	NA	0.560 U	0.570 U	0.690 U	0.630 U	0.570 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	13.7	10.4	24.3	23.7	12.4
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	13.7	9.60	21.8	35.4	12.2

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-1	F-2	F-2	F-2	F-2	F-3
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-1(6.0-8.0)(03-20-08)	F-2(0.5-2.0)(03-20-08)	F-2(2.0-4.0)(03-20-08)	F-2(4.0-6.0)(03-20-08)	F-2(6.0-8.0)(03-20-08)	F-3(0.5-2.0)(03-20-08)
Easting (ft)		666275.3	666287.8	666287.8	666287.8	666287.8	666291.4
Northing (ft)	Units	821680.9	821783.3	821783.3	821783.3	821783.3	821883.3
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	10.6	3.90	18.8	145	4.90
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	236 J	155	494	301	160 J
Mercury	mg/kg	0.170	0.620	0.0400 U	0.210	0.390	0.100
Nickel	mg/kg	NA	15.6	14.6	22.0	22.1	15.6
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	1.10 U	1.40 U	1.30 U	1.10 U
Silver	mg/kg	NA	1.10 U	1.10 U	1.40 U	1.30 U	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	52.5	36.1	71.4	95.9	32.1
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	77.3	89.5	85.5	71.1	81.7	86.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-3	F-3	F-3	F-4	F-4	F-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-3(2.0-4.0)(03-20-08)	F-3(4.0-6.0)(03-20-08)	F-3(6.0-8.0)(03-20-08)	F-4(0.5-2.0)(03-20-08)	F-4(2.0-4.0)(03-20-08)	F-4(4.0-6.0)(03-20-08)
Easting (ft)		666291.4	666291.4	666291.4	666295.1	666295.1	666295.1
Northing (ft)	Units	821883.3	821883.3	821883.3	821983.2	821983.2	821983.2
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	F-3 2 - 4 03/20/08 F-3(2.0-4.0)(03-20-08) 666291.4 821883.3	F-3 4 - 6 03/20/08 F-3(4.0-6.0)(03-20-08) 666291.4 821883.3	F-3 6 - 8 03/20/08 F-3(6.0-8.0)(03-20-08) 666291.4 821883.3	F-4 0.5 - 2 03/20/08 F-4(0.5-2.0)(03-20-08) 666295.1 821983.2	F-4 2 - 4 03/20/08 F-4(2.0-4.0)(03-20-08) 666295.1 821983.2	F-4 4 - 6 03/20/08 F-4(4.0-6.0)(03-20-08) 666295.1 821983.2
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-3	F-3	F-3	F-4	F-4	F-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-3(2.0-4.0)(03-20-08)	F-3(4.0-6.0)(03-20-08)	F-3(6.0-8.0)(03-20-08)	F-4(0.5-2.0)(03-20-08)	F-4(2.0-4.0)(03-20-08)	F-4(4.0-6.0)(03-20-08)
Easting (ft)		666291.4	666291.4	666291.4	666295.1	666295.1	666295.1
Northing (ft)	Units	821883.3	821883.3	821883.3	821983.2	821983.2	821983.2
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-3	F-3	F-3	F-4	F-4	F-4
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-3(2.0-4.0)(03-20-08)	F-3(4.0-6.0)(03-20-08)	F-3(6.0-8.0)(03-20-08)	F-4(0.5-2.0)(03-20-08)	F-4(2.0-4.0)(03-20-08)	F-4(4.0-6.0)(03-20-08)
Easting (ft)		666291.4	666291.4	666291.4	666295.1	666295.1	666295.1
Northing (ft)	Units	821883.3	821883.3	821883.3	821983.2	821983.2	821983.2
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	8.90	6.80	1.20 U	5.90	4.40	1.40
Barium	mg/kg	56.7	76.6	39.1	26.6	22.0	83.3
Beryllium	mg/kg	0.870	0.780 U	0.640	0.600 U	0.620 U	0.610 U
Cadmium	mg/kg	0.730 U	0.780 U	0.620 U	0.600 U	0.620 U	0.610 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	31.0	29.8	13.4	21.8	16.3	21.3
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	29.8	24.0	15.9	23.9	13.7	21.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	F-3 2 - 4 03/20/08 F-3(2.0-4.0)(03-20-08) 666291.4 821883.3	F-3 4 - 6 03/20/08 F-3(4.0-6.0)(03-20-08) 666291.4 821883.3	F-3 6 - 8 03/20/08 F-3(6.0-8.0)(03-20-08) 666291.4 821883.3	F-4 0.5 - 2 03/20/08 F-4(0.5-2.0)(03-20-08) 666295.1 821983.2	F-4 2 - 4 03/20/08 F-4(2.0-4.0)(03-20-08) 666295.1 821983.2	F-4 4 - 6 03/20/08 F-4(4.0-6.0)(03-20-08) 666295.1 821983.2
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	23.8	30.0	4.40	21.0	11.6	15.4
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	622	188	103	327 J	313	521
Mercury	mg/kg	0.130	0.0900	0.0400 U	0.220	0.220	0.0400 U
Nickel	mg/kg	30.0	18.8	17.7	18.7	15.6	21.6
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.50 U	1.60 U	1.20 U	1.40	1.20 U	1.20 U
Silver	mg/kg	1.50 U	1.60 U	1.20 U	1.20 U	1.20 U	1.20 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	88.8	53.4	49.2	60.9	50.7	54.2
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	59.9	60.3	80.4	82	74.6	77.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-4	F-5	F-5	F-5	F-5	F-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	09/22/08	03/20/08
Sample Name:		F-4(6.0-8.0)(03-20-08)	F-5(0.5-2.0)(03-20-08)	F-5(2.0-4.0)(03-20-08)	F-5(4.0-6.0)(03-20-08)	F-5(4.0-6.0)(09-22-08)	F-5(6.0-8.0)(03-20-08)
Easting (ft)		666295.1	666298.8	666298.8	666298.8	666298.8	666298.8
Northing (ft)	Units	821983.2	822083.2	822083.2	822083.2	822083.2	822083.2
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,1,2,2-Tetrachloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,1,2-Trichloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,1-Dichloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,1-Dichloroethene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,2,4-Trimethylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,2-Dichlorobenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,2-Dichloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,2-Dichloropropane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,3,5-Trimethylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,3-Dichlorobenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,4-Dichlorobenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
1,4-Dioxane	mg/kg	NA	R [R]	R	R	NA	R
2-Butanone	mg/kg	NA	0.011 U [0.011 U]	0.012 U	0.012 U	NA	0.023
2-Hexanone	mg/kg	NA	0.011 U [0.011 U]	0.012 U	0.012 U	NA	0.017 U
4-Methyl-2-pentanone	mg/kg	NA	0.011 U [0.011 U]	0.012 U	0.012 U	NA	0.017 U
Acetone	mg/kg	NA	0.019 J [0.022 U]	0.024 U	0.024 U	NA	0.10
Benzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Bromodichloromethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Bromoform	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Bromomethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Carbon Disulfide	mg/kg	NA	0.00059 J [0.0010 J]	0.0012 J	0.00097 J	NA	0.00091 J
Carbon Tetrachloride	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Chlorobenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Chloroethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Chloroform	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Chloromethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
cis-1,2-Dichloroethene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
cis-1,3-Dichloropropene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	F-4 6 - 8 03/20/08 F-4(6.0-8.0)(03-20-08) 666295.1 821983.2	F-5 0.5 - 2 03/20/08 F-5(0.5-2.0)(03-20-08) 666298.8 822083.2	F-5 2 - 4 03/20/08 F-5(2.0-4.0)(03-20-08) 666298.8 822083.2	F-5 4 - 6 03/20/08 F-5(4.0-6.0)(03-20-08) 666298.8 822083.2	F-5 4 - 6 09/22/08 F-5(4.0-6.0)(09-22-08) 666298.8 822083.2	F-5 6 - 8 03/20/08 F-5(6.0-8.0)(03-20-08) 666298.8 822083.2
Dibromochloromethane	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Ethylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Isopropylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
m&p-Xylenes	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Methyl tert-butyl ether	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Methylene Chloride	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
n-Butylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
n-Propylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
o-Xylene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
sec-Butylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Styrene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
tert-Butylbenzene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Tetrachloroethene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Toluene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.00061 J
trans-1,2-Dichloroethene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
trans-1,3-Dichloropropene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Trichloroethene	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Vinyl Chloride	mg/kg	NA	0.0055 U [0.0054 U]	0.0060 U	0.0060 U	NA	0.0083 U
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
1,2-Dichlorobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
1,3-Dichlorobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
1,4-Dichlorobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,4,5-Trichlorophenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,4,6-Trichlorophenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,4-Dichlorophenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,4-Dimethylphenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,4-Dinitrophenol	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
2,4-Dinitrotoluene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2,6-Dinitrotoluene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2-Chloronaphthalene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2-Chlorophenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2-Methylnaphthalene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2-Methylphenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
2-Nitroaniline	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
2-Nitrophenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
3&4-Methylphenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
3,3'-Dichlorobenzidine	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
3-Nitroaniline	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
4,6-Dinitro-2-methylphenol	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-4	F-5	F-5	F-5	F-5	F-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	09/22/08	03/20/08
Sample Name:		F-4(6.0-8.0)(03-20-08)	F-5(0.5-2.0)(03-20-08)	F-5(2.0-4.0)(03-20-08)	F-5(4.0-6.0)(03-20-08)	F-5(4.0-6.0)(09-22-08)	F-5(6.0-8.0)(03-20-08)
Easting (ft)		666295.1	666298.8	666298.8	666298.8	666298.8	666298.8
Northing (ft)	Units	821983.2	822083.2	822083.2	822083.2	822083.2	822083.2
4-Bromophenyl-phenylether	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
4-Chloro-3-Methylphenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
4-Chloroaniline	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
4-Chlorophenyl-phenylether	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
4-Nitrophenol	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
Acenaphthene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Acenaphthylene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Anthracene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzo(a)anthracene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzo(a)pyrene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzo(b)fluoranthene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzo(g,h,i)perylene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzo(k)fluoranthene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Benzyl Alcohol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
bis(2-Chloroethoxy)methane	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
bis(2-Chloroethyl)ether	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Butylbenzylphthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.098 J
Carbazole	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Chrysene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Dibenzo(a,h)anthracene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Dibenzofuran	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Diethylphthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Dimethylphthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Di-n-Butylphthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Di-n-Octylphthalate	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Fluoranthene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Fluorene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Hexachlorobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Hexachlorobutadiene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Hexachlorocyclopentadiene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Hexachloroethane	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Indeno(1,2,3-cd)pyrene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Isophorone	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Naphthalene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Nitrobenzene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
N-Nitrosodimethylamine	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
N-Nitroso-di-n-propylamine	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
N-Nitrosodiphenylamine	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-4	F-5	F-5	F-5	F-5	F-5
Depth Interval		6 - 8	0.5 - 2	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	09/22/08	03/20/08
Sample Name:		F-4(6.0-8.0)(03-20-08)	F-5(0.5-2.0)(03-20-08)	F-5(2.0-4.0)(03-20-08)	F-5(4.0-6.0)(03-20-08)	F-5(4.0-6.0)(09-22-08)	F-5(6.0-8.0)(03-20-08)
Easting (ft)		666295.1	666298.8	666298.8	666298.8	666298.8	666298.8
Northing (ft)	Units	821983.2	822083.2	822083.2	822083.2	822083.2	822083.2
Pentachlorophenol	mg/kg	NA	3.7 U [1.8 U]	2.0 U	2.0 U	NA	2.8 U
Phenanthrene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Phenol	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Pyrene	mg/kg	NA	0.72 U [0.36 U]	0.39 U	0.40 U	NA	0.55 U
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	4.40	1.10 U [1.10 U]	1.10 U	1.20 U	1.10 U	5.80
Barium	mg/kg	49.4	90.4 [127]	39.8	11.9	10.9	33.5
Beryllium	mg/kg	0.740 U	0.550 U [0.530 U]	0.540 U	0.580 U	0.560 U	0.660
Cadmium	mg/kg	0.740 U	0.550 U [0.530 U]	0.540 U	0.580 U	0.560 U	0.590 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	19.4	11.8 [13.6]	13.6	10.6	10.2	25.4
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	17.6	12.1 [15.9]	14.4	11.0	9.40	23.8

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	F-4 6 - 8 03/20/08 F-4(6.0-8.0)(03-20-08) 666295.1 821983.2	F-5 0.5 - 2 03/20/08 F-5(0.5-2.0)(03-20-08) 666298.8 822083.2	F-5 2 - 4 03/20/08 F-5(2.0-4.0)(03-20-08) 666298.8 822083.2	F-5 4 - 6 03/20/08 F-5(4.0-6.0)(03-20-08) 666298.8 822083.2	F-5 4 - 6 09/22/08 F-5(4.0-6.0)(09-22-08) 666298.8 822083.2	F-5 6 - 8 03/20/08 F-5(6.0-8.0)(03-20-08) 666298.8 822083.2
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	12.9	5.00 [6.90]	8.80	4.20	4.00	20.7
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	365	259 [259]	222	159	158	424
Mercury	mg/kg	0.0500	0.540 [0.700]	0.0400 U [0.0400 U]	0.0400 U	NA	0.0500 U
Nickel	mg/kg	20.0	13.3 [13.9]	14.6	17.6	15.1	22.7
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.50 U	1.10 UJ [1.10 U]	1.10 U	1.20 U	1.10 U	1.20 U
Silver	mg/kg	1.50 U	1.10 U [1.10 U]	1.10 U	1.20 U	1.10 U	1.20 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	58.9	53.6 [85.8]	46.2	38.6	37.2	72.8
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	69.9	90.1 [92]	83.8 [85.6]	83.4	86.1	60.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-6	F-6	F-6	F-6	F-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		F-6(0.5-2.0)(03-18-08)	F-6(2.0-4.0)(03-18-08)	F-6(2.0-4.0)(09-22-08)	F-6(4.0-6.0)(03-18-08)	F-6(4.0-6.0)(09-22-08)	F-6(6.0-8.0)(03-18-08)
Easting (ft)		666302.5	666302.5	666302.5	666302.5	666302.5	666302.5
Northing (ft)	Units	822183.1	822183.1	822183.1	822183.1	822183.1	822183.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-6	F-6	F-6	F-6	F-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		F-6(0.5-2.0)(03-18-08)	F-6(2.0-4.0)(03-18-08)	F-6(2.0-4.0)(09-22-08)	F-6(4.0-6.0)(03-18-08)	F-6(4.0-6.0)(09-22-08)	F-6(6.0-8.0)(03-18-08)
Easting (ft)		666302.5	666302.5	666302.5	666302.5	666302.5	666302.5
Northing (ft)	Units	822183.1	822183.1	822183.1	822183.1	822183.1	822183.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	F-6 0.5 - 2 03/18/08 F-6(0.5-2.0)(03-18-08) 666302.5 822183.1	F-6 2 - 4 03/18/08 F-6(2.0-4.0)(03-18-08) 666302.5 822183.1	F-6 2 - 4 09/22/08 F-6(2.0-4.0)(09-22-08) 666302.5 822183.1	F-6 4 - 6 03/18/08 F-6(4.0-6.0)(03-18-08) 666302.5 822183.1	F-6 4 - 6 09/22/08 F-6(4.0-6.0)(09-22-08) 666302.5 822183.1	F-6 6 - 8 03/18/08 F-6(6.0-8.0)(03-18-08) 666302.5 822183.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-6	F-6	F-6	F-6	F-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		F-6(0.5-2.0)(03-18-08)	F-6(2.0-4.0)(03-18-08)	F-6(2.0-4.0)(09-22-08)	F-6(4.0-6.0)(03-18-08)	F-6(4.0-6.0)(09-22-08)	F-6(6.0-8.0)(03-18-08)
Easting (ft)		666302.5	666302.5	666302.5	666302.5	666302.5	666302.5
Northing (ft)	Units	822183.1	822183.1	822183.1	822183.1	822183.1	822183.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	4.40 J	NA	1.70	NA	2.70	NA
Barium	mg/kg	36.5	NA	18.8	NA	18.2	NA
Beryllium	mg/kg	0.820 U	NA	0.520 U	NA	0.570 U	NA
Cadmium	mg/kg	0.820 U	NA	0.520 U	NA	0.570 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	22.1 J	NA	13.3	NA	13.7	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	20.6	NA	12.3	NA	12.5	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-6	F-6	F-6	F-6	F-6
Depth Interval		0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6	6 - 8
Date Collected:		03/18/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		F-6(0.5-2.0)(03-18-08)	F-6(2.0-4.0)(03-18-08)	F-6(2.0-4.0)(09-22-08)	F-6(4.0-6.0)(03-18-08)	F-6(4.0-6.0)(09-22-08)	F-6(6.0-8.0)(03-18-08)
Easting (ft)		666302.5	666302.5	666302.5	666302.5	666302.5	666302.5
Northing (ft)	Units	822183.1	822183.1	822183.1	822183.1	822183.1	822183.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	13.9	NA	8.50	NA	8.70	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	352	NA	205	NA	209	NA
Mercury	mg/kg	0.880 J	0.820	NA	0.610	NA	0.210
Nickel	mg/kg	25.5	NA	16.2	NA	16.3	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.60 U	NA	1.00 U	NA	1.10 U	NA
Silver	mg/kg	1.60 U	NA	1.00 U	NA	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	72.5	NA	46.7	NA	46.6	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	60	91.3	91.8	84.9	88	68.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-7	F-7	F-7	F-7	F-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/22/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		F-6(6.0-8.0)(09-22-08)	F-7(0.5-2.0)(03-18-08)	F-7(2.0-4.0)(03-18-08)	F-7(2.0-4.0)(09-22-08)	F-7(4.0-6.0)(03-18-08)	F-7(4.0-6.0)(09-22-08)
Easting (ft)		666302.5	666306.3	666306.3	666306.3	666306.3	666306.3
Northing (ft)	Units	822183.1	822283.1	822283.1	822283.1	822283.1	822283.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-7	F-7	F-7	F-7	F-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/22/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		F-6(6.0-8.0)(09-22-08)	F-7(0.5-2.0)(03-18-08)	F-7(2.0-4.0)(03-18-08)	F-7(2.0-4.0)(09-22-08)	F-7(4.0-6.0)(03-18-08)	F-7(4.0-6.0)(09-22-08)
Easting (ft)		666302.5	666306.3	666306.3	666306.3	666306.3	666306.3
Northing (ft)	Units	822183.1	822283.1	822283.1	822283.1	822283.1	822283.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-7	F-7	F-7	F-7	F-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/22/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		F-6(6.0-8.0)(09-22-08)	F-7(0.5-2.0)(03-18-08)	F-7(2.0-4.0)(03-18-08)	F-7(2.0-4.0)(09-22-08)	F-7(4.0-6.0)(03-18-08)	F-7(4.0-6.0)(09-22-08)
Easting (ft)		666302.5	666306.3	666306.3	666306.3	666306.3	666306.3
Northing (ft)	Units	822183.1	822283.1	822283.1	822283.1	822283.1	822283.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-7	F-7	F-7	F-7	F-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/22/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		F-6(6.0-8.0)(09-22-08)	F-7(0.5-2.0)(03-18-08)	F-7(2.0-4.0)(03-18-08)	F-7(2.0-4.0)(09-22-08)	F-7(4.0-6.0)(03-18-08)	F-7(4.0-6.0)(09-22-08)
Easting (ft)		666302.5	666306.3	666306.3	666306.3	666306.3	666306.3
Northing (ft)	Units	822183.1	822283.1	822283.1	822283.1	822283.1	822283.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	12.0	2.90 J	NA	1.60	NA	6.90
Barium	mg/kg	70.4	28.7	NA	24.6	NA	33.7
Beryllium	mg/kg	1.20	0.530 U	NA	0.610 U	NA	0.650 U
Cadmium	mg/kg	0.790 U	0.530 U	NA	0.610 U	NA	0.650 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	44.6	14.0 J	NA	16.6	NA	24.1
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	42.0	14.4	NA	15.1	NA	24.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-6	F-7	F-7	F-7	F-7	F-7
Depth Interval		6 - 8	0.5 - 2	2 - 4	2 - 4	4 - 6	4 - 6
Date Collected:		09/22/08	03/18/08	03/18/08	09/22/08	03/18/08	09/22/08
Sample Name:		F-6(6.0-8.0)(09-22-08)	F-7(0.5-2.0)(03-18-08)	F-7(2.0-4.0)(03-18-08)	F-7(2.0-4.0)(09-22-08)	F-7(4.0-6.0)(03-18-08)	F-7(4.0-6.0)(09-22-08)
Easting (ft)		666302.5	666306.3	666306.3	666306.3	666306.3	666306.3
Northing (ft)	Units	822183.1	822283.1	822283.1	822283.1	822283.1	822283.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	37.9	11.9	NA	10.7	NA	20.3
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	795	221	NA	257	NA	444
Mercury	mg/kg	NA	0.750 J	0.800	NA	0.440	NA
Nickel	mg/kg	36.3	16.0	NA	19.2	NA	22.4
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.60 U	1.10 U	NA	1.20 U	NA	1.30 U
Silver	mg/kg	1.60 U	1.10 U	NA	1.20 U	NA	1.30 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	123	52.3	NA	57.9	NA	76.5
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	61.1	91.3	83.9	80.9	59.4	74.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-7	F-7	G-1	G-1	G-1	G-1
Depth Interval		6 - 8	6 - 8	1.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/22/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-7(6.0-8.0)(03-18-08)	F-7(6.0-8.0)(09-22-08)	G-1(1.5-2.0)(03-20-08)	G-1(2.0-4.0)(03-20-08)	G-1(4.0-6.0)(03-20-08)	G-1(6.0-8.0)(03-20-08)
Easting (ft)		666306.3	666306.3	666176.8	666176.8	666176.8	666176.8
Northing (ft)	Units	822283.1	822283.1	821684.7	821684.7	821684.7	821684.7
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-7	F-7	G-1	G-1	G-1	G-1
Depth Interval		6 - 8	6 - 8	1.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/22/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-7(6.0-8.0)(03-18-08)	F-7(6.0-8.0)(09-22-08)	G-1(1.5-2.0)(03-20-08)	G-1(2.0-4.0)(03-20-08)	G-1(4.0-6.0)(03-20-08)	G-1(6.0-8.0)(03-20-08)
Easting (ft)		666306.3	666306.3	666176.8	666176.8	666176.8	666176.8
Northing (ft)	Units	822283.1	822283.1	821684.7	821684.7	821684.7	821684.7
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-7	F-7	G-1	G-1	G-1	G-1
Depth Interval		6 - 8	6 - 8	1.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/22/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-7(6.0-8.0)(03-18-08)	F-7(6.0-8.0)(09-22-08)	G-1(1.5-2.0)(03-20-08)	G-1(2.0-4.0)(03-20-08)	G-1(4.0-6.0)(03-20-08)	G-1(6.0-8.0)(03-20-08)
Easting (ft)		666306.3	666306.3	666176.8	666176.8	666176.8	666176.8
Northing (ft)	Units	822283.1	822283.1	821684.7	821684.7	821684.7	821684.7
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-7	F-7	G-1	G-1	G-1	G-1
Depth Interval		6 - 8	6 - 8	1.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/22/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-7(6.0-8.0)(03-18-08)	F-7(6.0-8.0)(09-22-08)	G-1(1.5-2.0)(03-20-08)	G-1(2.0-4.0)(03-20-08)	G-1(4.0-6.0)(03-20-08)	G-1(6.0-8.0)(03-20-08)
Easting (ft)		666306.3	666306.3	666176.8	666176.8	666176.8	666176.8
Northing (ft)	Units	822283.1	822283.1	821684.7	821684.7	821684.7	821684.7
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	8.70	1.10 U	NA	NA	NA
Barium	mg/kg	NA	35.8	71.9	NA	NA	NA
Beryllium	mg/kg	NA	0.730	0.570 U	NA	NA	NA
Cadmium	mg/kg	NA	0.720 U	0.570 U	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	25.9	19.8	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	20.0	81.4	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		F-7	F-7	G-1	G-1	G-1	G-1
Depth Interval		6 - 8	6 - 8	1.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/18/08	09/22/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		F-7(6.0-8.0)(03-18-08)	F-7(6.0-8.0)(09-22-08)	G-1(1.5-2.0)(03-20-08)	G-1(2.0-4.0)(03-20-08)	G-1(4.0-6.0)(03-20-08)	G-1(6.0-8.0)(03-20-08)
Easting (ft)		666306.3	666306.3	666176.8	666176.8	666176.8	666176.8
Northing (ft)	Units	822283.1	822283.1	821684.7	821684.7	821684.7	821684.7
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	19.0	9.10	NA	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	561	297 J	NA	NA	NA
Mercury	mg/kg	0.120	NA	0.0400 U	0.0400 U	1.20	0.0400 U
Nickel	mg/kg	NA	24.3	17.4	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.40 U	1.10 U	NA	NA	NA
Silver	mg/kg	NA	1.40 U	1.10 U	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	76.4	40.8	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	71.7	68	88.2	86.4	90.6	85.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-2	G-2	G-2	G-2	G-3	G-3
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-2(0.5-2.0)(03-20-08)	G-2(2.0-4.0)(03-20-08)	G-2(4.0-6.0)(03-20-08)	G-2(6.0-8.0)(03-20-08)	G-3(1.0-2.0)(03-20-08)	G-3(2.0-4.0)(03-20-08)
Easting (ft)		666187.7	666187.7	666187.7	666187.7	666180.4	666180.4
Northing (ft)	Units	821784.7	821784.7	821784.7	821784.7	821884.7	821884.7
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-2	G-2	G-2	G-2	G-3	G-3
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-2(0.5-2.0)(03-20-08)	G-2(2.0-4.0)(03-20-08)	G-2(4.0-6.0)(03-20-08)	G-2(6.0-8.0)(03-20-08)	G-3(1.0-2.0)(03-20-08)	G-3(2.0-4.0)(03-20-08)
Easting (ft)		666187.7	666187.7	666187.7	666187.7	666180.4	666180.4
Northing (ft)	Units	821784.7	821784.7	821784.7	821784.7	821884.7	821884.7
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-2	G-2	G-2	G-2	G-3	G-3
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-2(0.5-2.0)(03-20-08)	G-2(2.0-4.0)(03-20-08)	G-2(4.0-6.0)(03-20-08)	G-2(6.0-8.0)(03-20-08)	G-3(1.0-2.0)(03-20-08)	G-3(2.0-4.0)(03-20-08)
Easting (ft)		666187.7	666187.7	666187.7	666187.7	666180.4	666180.4
Northing (ft)	Units	821784.7	821784.7	821784.7	821784.7	821884.7	821884.7
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-2	G-2	G-2	G-2	G-3	G-3
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-2(0.5-2.0)(03-20-08)	G-2(2.0-4.0)(03-20-08)	G-2(4.0-6.0)(03-20-08)	G-2(6.0-8.0)(03-20-08)	G-3(1.0-2.0)(03-20-08)	G-3(2.0-4.0)(03-20-08)
Easting (ft)		666187.7	666187.7	666187.7	666187.7	666180.4	666180.4
Northing (ft)	Units	821784.7	821784.7	821784.7	821784.7	821884.7	821884.7
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.00 U	NA	NA	NA	1.10 U	1.00 U
Barium	mg/kg	38.1	NA	NA	NA	83.9	40.8
Beryllium	mg/kg	0.510 U	NA	NA	NA	0.540 U	0.510 U
Cadmium	mg/kg	0.510 U	NA	NA	NA	0.540 U	0.510 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	13.9	NA	NA	NA	25.1	15.9
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	229	NA	NA	NA	77.2	18.8

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-2	G-2	G-2	G-2	G-3	G-3
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	1 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-2(0.5-2.0)(03-20-08)	G-2(2.0-4.0)(03-20-08)	G-2(4.0-6.0)(03-20-08)	G-2(6.0-8.0)(03-20-08)	G-3(1.0-2.0)(03-20-08)	G-3(2.0-4.0)(03-20-08)
Easting (ft)		666187.7	666187.7	666187.7	666187.7	666180.4	666180.4
Northing (ft)	Units	821784.7	821784.7	821784.7	821784.7	821884.7	821884.7
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	4.50	NA	NA	NA	27.7	22.0
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	285 J	NA	NA	NA	284 J	268
Mercury	mg/kg	0.0300 U	0.820	0.0600	1.70	7.90	0.250
Nickel	mg/kg	5.90	NA	NA	NA	19.1	17.5
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.00 U	NA	NA	NA	1.10 U	1.00 U
Silver	mg/kg	1.00 U	NA	NA	NA	1.10 U	1.00 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	47.9	NA	NA	NA	88.9	50.3
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	97.6	88.2	84.7	89.1	90.5	94.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-3	G-3	G-4	G-4	G-4	G-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-3(4.0-6.0)(03-20-08)	G-3(6.0-8.0)(03-20-08)	G-4(0.5-2.0)(03-20-08)	G-4(2.0-4.0)(03-20-08)	G-4(4.0-6.0)(03-20-08)	G-4(6.0-8.0)(03-20-08)
Easting (ft)		666180.4	666180.4	666195.1	666195.1	666195.1	666195.1
Northing (ft)	Units	821884.7	821884.7	821984.6	821984.6	821984.6	821984.6
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-3	G-3	G-4	G-4	G-4	G-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-3(4.0-6.0)(03-20-08)	G-3(6.0-8.0)(03-20-08)	G-4(0.5-2.0)(03-20-08)	G-4(2.0-4.0)(03-20-08)	G-4(4.0-6.0)(03-20-08)	G-4(6.0-8.0)(03-20-08)
Easting (ft)		666180.4	666180.4	666195.1	666195.1	666195.1	666195.1
Northing (ft)	Units	821884.7	821884.7	821984.6	821984.6	821984.6	821984.6
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-3	G-3	G-4	G-4	G-4	G-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-3(4.0-6.0)(03-20-08)	G-3(6.0-8.0)(03-20-08)	G-4(0.5-2.0)(03-20-08)	G-4(2.0-4.0)(03-20-08)	G-4(4.0-6.0)(03-20-08)	G-4(6.0-8.0)(03-20-08)
Easting (ft)		666180.4	666180.4	666195.1	666195.1	666195.1	666195.1
Northing (ft)	Units	821884.7	821884.7	821984.6	821984.6	821984.6	821984.6
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-3	G-3	G-4	G-4	G-4	G-4
Depth Interval		4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6	6 - 8
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-3(4.0-6.0)(03-20-08)	G-3(6.0-8.0)(03-20-08)	G-4(0.5-2.0)(03-20-08)	G-4(2.0-4.0)(03-20-08)	G-4(4.0-6.0)(03-20-08)	G-4(6.0-8.0)(03-20-08)
Easting (ft)		666180.4	666180.4	666195.1	666195.1	666195.1	666195.1
Northing (ft)	Units	821884.7	821884.7	821984.6	821984.6	821984.6	821984.6
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.10 U	7.40	1.20 U	1.30 U	1.30 U	3.40
Barium	mg/kg	52.2	30.7	14.7	89.5	53.8	37.5
Beryllium	mg/kg	0.530 U	0.590 U	0.580 U	0.670 U	0.640 U	0.660 U
Cadmium	mg/kg	0.530 U	0.590 U	0.580 U	0.670 U	0.640 U	0.660 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	25.3	27.7	13.0	26.9	17.5	17.0
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	25.4	32.8	12.9	23.0	19.8	15.8

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	G-3 4 - 6 03/20/08 G-3(4.0-6.0)(03-20-08) 666180.4 821884.7	G-3 6 - 8 03/20/08 G-3(6.0-8.0)(03-20-08) 666180.4 821884.7	G-4 0.5 - 2 03/20/08 G-4(0.5-2.0)(03-20-08) 666195.1 821984.6	G-4 2 - 4 03/20/08 G-4(2.0-4.0)(03-20-08) 666195.1 821984.6	G-4 4 - 6 03/20/08 G-4(4.0-6.0)(03-20-08) 666195.1 821984.6	G-4 6 - 8 03/20/08 G-4(6.0-8.0)(03-20-08) 666195.1 821984.6
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	12.6	29.8	4.80	99.7	13.2	12.4
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	251	385	159	204	198	349
Mercury	mg/kg	0.320	0.330	0.0400 U	0.580	0.0400 U	0.0500 U
Nickel	mg/kg	16.5	19.1	16.9	20.7	16.1	22.8
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.20 U	1.20 UJ	1.30 U	1.30 U	1.30 U
Silver	mg/kg	1.10 U	1.20 U	1.20 U	1.30 U	1.30 U	1.30 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	56.2	79.6	39.0	84.5	48.4	68.0
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	92.7	82.2	85.1	60.7	76.9	68.8

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-5	G-5	G-5	G-5	G-6	G-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/18/08	03/18/08
Sample Name:		G-5(0.5-2.0)(03-20-08)	G-5(2.0-4.0)(03-20-08)	G-5(4.0-6.0)(03-20-08)	G-5(6.0-8.0)(03-20-08)	G-6(0.5-2.0)(03-18-08)	G-6(2.0-4.0)(03-18-08)
Easting (ft)		666198.8	666198.8	666198.8	666198.8	666202.5	666202.5
Northing (ft)	Units	822084.6	822084.6	822084.6	822084.6	822184.5	822184.5
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-5	G-5	G-5	G-5	G-6	G-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/18/08	03/18/08
Sample Name:		G-5(0.5-2.0)(03-20-08)	G-5(2.0-4.0)(03-20-08)	G-5(4.0-6.0)(03-20-08)	G-5(6.0-8.0)(03-20-08)	G-6(0.5-2.0)(03-18-08)	G-6(2.0-4.0)(03-18-08)
Easting (ft)		666198.8	666198.8	666198.8	666198.8	666202.5	666202.5
Northing (ft)	Units	822084.6	822084.6	822084.6	822084.6	822184.5	822184.5
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-5	G-5	G-5	G-5	G-6	G-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/18/08	03/18/08
Sample Name:		G-5(0.5-2.0)(03-20-08)	G-5(2.0-4.0)(03-20-08)	G-5(4.0-6.0)(03-20-08)	G-5(6.0-8.0)(03-20-08)	G-6(0.5-2.0)(03-18-08)	G-6(2.0-4.0)(03-18-08)
Easting (ft)		666198.8	666198.8	666198.8	666198.8	666202.5	666202.5
Northing (ft)	Units	822084.6	822084.6	822084.6	822084.6	822184.5	822184.5
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-5	G-5	G-5	G-5	G-6	G-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/18/08	03/18/08
Sample Name:		G-5(0.5-2.0)(03-20-08)	G-5(2.0-4.0)(03-20-08)	G-5(4.0-6.0)(03-20-08)	G-5(6.0-8.0)(03-20-08)	G-6(0.5-2.0)(03-18-08)	G-6(2.0-4.0)(03-18-08)
Easting (ft)		666198.8	666198.8	666198.8	666198.8	666202.5	666202.5
Northing (ft)	Units	822084.6	822084.6	822084.6	822084.6	822184.5	822184.5
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	3.20	1.30	8.90	5.90	2.60 J	NA
Barium	mg/kg	31.2	25.4	49.3	65.4	28.7	NA
Beryllium	mg/kg	0.540 U	0.550 U	0.870	1.00	0.540 U	NA
Cadmium	mg/kg	0.540 U	0.550 U	0.690 U	0.740 U	0.540 U	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	14.4	13.6	36.2	32.7	14.1 J	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	13.9	12.8	37.6	28.9	13.8	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-5	G-5	G-5	G-5	G-6	G-6
Depth Interval		0.5 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/18/08	03/18/08
Sample Name:		G-5(0.5-2.0)(03-20-08)	G-5(2.0-4.0)(03-20-08)	G-5(4.0-6.0)(03-20-08)	G-5(6.0-8.0)(03-20-08)	G-6(0.5-2.0)(03-18-08)	G-6(2.0-4.0)(03-18-08)
Easting (ft)		666198.8	666198.8	666198.8	666198.8	666202.5	666202.5
Northing (ft)	Units	822084.6	822084.6	822084.6	822084.6	822184.5	822184.5
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	11.4	8.50	32.1	27.4	10.6	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	206 J	208	540	400	211	NA
Mercury	mg/kg	0.740	0.800	0.580	0.130	0.780 J	0.340
Nickel	mg/kg	15.8	16.4	27.6	29.4	15.9	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.10 U	1.40 U	1.50 U	1.10 U	NA
Silver	mg/kg	1.10 U	1.10 U	1.40 U	1.50 U	1.10 U	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	45.2	47.2	99.4	101	46.5	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	91.3	91.5	59.9	66.2	91.1	91.6

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-6	G-6	G-6	G-6	G-6	G-7
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/22/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		G-6(2.0-4.0)(09-22-08)	G-6(4.0-6.0)(03-18-08)	G-6(4.0-6.0)(09-22-08)	G-6(6.0-8.0)(03-18-08)	G-6(6.0-8.0)(09-22-08)	G-7(0.0-2.0)(03-18-08)
Easting (ft)		666202.5	666202.5	666202.5	666202.5	666202.5	666206.2
Northing (ft)	Units	822184.5	822184.5	822184.5	822184.5	822184.5	822284.4
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-6	G-6	G-6	G-6	G-6	G-7
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/22/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		G-6(2.0-4.0)(09-22-08)	G-6(4.0-6.0)(03-18-08)	G-6(4.0-6.0)(09-22-08)	G-6(6.0-8.0)(03-18-08)	G-6(6.0-8.0)(09-22-08)	G-7(0.0-2.0)(03-18-08)
Easting (ft)		666202.5	666202.5	666202.5	666202.5	666202.5	666206.2
Northing (ft)	Units	822184.5	822184.5	822184.5	822184.5	822184.5	822284.4
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-6	G-6	G-6	G-6	G-6	G-7
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/22/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		G-6(2.0-4.0)(09-22-08)	G-6(4.0-6.0)(03-18-08)	G-6(4.0-6.0)(09-22-08)	G-6(6.0-8.0)(03-18-08)	G-6(6.0-8.0)(09-22-08)	G-7(0.0-2.0)(03-18-08)
Easting (ft)		666202.5	666202.5	666202.5	666202.5	666202.5	666206.2
Northing (ft)	Units	822184.5	822184.5	822184.5	822184.5	822184.5	822284.4
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-6	G-6	G-6	G-6	G-6	G-7
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/22/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		G-6(2.0-4.0)(09-22-08)	G-6(4.0-6.0)(03-18-08)	G-6(4.0-6.0)(09-22-08)	G-6(6.0-8.0)(03-18-08)	G-6(6.0-8.0)(09-22-08)	G-7(0.0-2.0)(03-18-08)
Easting (ft)		666202.5	666202.5	666202.5	666202.5	666202.5	666206.2
Northing (ft)	Units	822184.5	822184.5	822184.5	822184.5	822184.5	822284.4
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.20	NA	12.3	NA	12.2	2.60 [3.50 J]
Barium	mg/kg	12.5	NA	65.3	NA	51.2	19.2 [23.9]
Beryllium	mg/kg	0.530 U	NA	1.20	NA	1.10	0.560 U [0.550 U]
Cadmium	mg/kg	0.530 U	NA	0.920	NA	0.800 U	0.560 U [0.550 U]
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	11.1	NA	55.7	NA	37.3	15.2 [18.6 J]
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	9.70	NA	58.6	NA	34.2	14.3 [17.3]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-6	G-6	G-6	G-6	G-6	G-7
Depth Interval		2 - 4	4 - 6	4 - 6	6 - 8	6 - 8	0 - 2
Date Collected:		09/22/08	03/18/08	09/22/08	03/18/08	09/22/08	03/18/08
Sample Name:		G-6(2.0-4.0)(09-22-08)	G-6(4.0-6.0)(03-18-08)	G-6(4.0-6.0)(09-22-08)	G-6(6.0-8.0)(03-18-08)	G-6(6.0-8.0)(09-22-08)	G-7(0.0-2.0)(03-18-08)
Easting (ft)		666202.5	666202.5	666202.5	666202.5	666202.5	666206.2
Northing (ft)	Units	822184.5	822184.5	822184.5	822184.5	822184.5	822284.4
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	5.50	NA	56.2	NA	31.8	10.6 [11.4]
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	165	NA	661	NA	611	244 [246]
Mercury	mg/kg	NA	0.210	NA	0.180	NA	0.580 J [0.590 J]
Nickel	mg/kg	14.8	NA	37.7	NA	32.5	18.1 [18.7]
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	NA	1.80 U	NA	1.60 U	1.10 U [1.10 U]
Silver	mg/kg	1.10 U	NA	1.80 U	NA	1.60 U	1.10 U [1.10 U]
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	39.5	NA	153	NA	112	50.3 [54.8]
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	92.9	78.7	54	67.3	59.7	89.8 [89.5]

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-7	G-7	G-7	H-4	H-4	H-4
Depth Interval		2 - 4	4 - 6	6 - 8	1.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-7(2.0-4.0)(03-18-08)	G-7(4.0-6.0)(03-18-08)	G-7(6.0-8.0)(03-18-08)	H-4(1.5-2.0)(03-20-08)	H-4(2.0-4.0)(03-20-08)	H-4(4.0-6.0)(03-20-08)
Easting (ft)		666206.2	666206.2	666206.2	666091.8	666091.8	666091.8
Northing (ft)	Units	822284.4	822284.4	822284.4	821986.2	821986.2	821986.2
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-7	G-7	G-7	H-4	H-4	H-4
Depth Interval		2 - 4	4 - 6	6 - 8	1.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-7(2.0-4.0)(03-18-08)	G-7(4.0-6.0)(03-18-08)	G-7(6.0-8.0)(03-18-08)	H-4(1.5-2.0)(03-20-08)	H-4(2.0-4.0)(03-20-08)	H-4(4.0-6.0)(03-20-08)
Easting (ft)		666206.2	666206.2	666206.2	666091.8	666091.8	666091.8
Northing (ft)	Units	822284.4	822284.4	822284.4	821986.2	821986.2	821986.2
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-7	G-7	G-7	H-4	H-4	H-4
Depth Interval		2 - 4	4 - 6	6 - 8	1.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-7(2.0-4.0)(03-18-08)	G-7(4.0-6.0)(03-18-08)	G-7(6.0-8.0)(03-18-08)	H-4(1.5-2.0)(03-20-08)	H-4(2.0-4.0)(03-20-08)	H-4(4.0-6.0)(03-20-08)
Easting (ft)		666206.2	666206.2	666206.2	666091.8	666091.8	666091.8
Northing (ft)	Units	822284.4	822284.4	822284.4	821986.2	821986.2	821986.2
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-7	G-7	G-7	H-4	H-4	H-4
Depth Interval		2 - 4	4 - 6	6 - 8	1.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-7(2.0-4.0)(03-18-08)	G-7(4.0-6.0)(03-18-08)	G-7(6.0-8.0)(03-18-08)	H-4(1.5-2.0)(03-20-08)	H-4(2.0-4.0)(03-20-08)	H-4(4.0-6.0)(03-20-08)
Easting (ft)		666206.2	666206.2	666206.2	666091.8	666091.8	666091.8
Northing (ft)	Units	822284.4	822284.4	822284.4	821986.2	821986.2	821986.2
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	1.70	1.20	6.00	5.10 U	NA	NA
Barium	mg/kg	12.4	13.8	78.6	32.9	NA	NA
Beryllium	mg/kg	0.540 U	0.540 U	0.650 U	0.510 U	NA	NA
Cadmium	mg/kg	0.540 U	0.540 U	0.650 U	0.510 U	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	10.5	12.3	26.3	4.10	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	10.0	18.8	19.0	195	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		G-7	G-7	G-7	H-4	H-4	H-4
Depth Interval		2 - 4	4 - 6	6 - 8	1.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/20/08	03/20/08	03/20/08
Sample Name:		G-7(2.0-4.0)(03-18-08)	G-7(4.0-6.0)(03-18-08)	G-7(6.0-8.0)(03-18-08)	H-4(1.5-2.0)(03-20-08)	H-4(2.0-4.0)(03-20-08)	H-4(4.0-6.0)(03-20-08)
Easting (ft)		666206.2	666206.2	666206.2	666091.8	666091.8	666091.8
Northing (ft)	Units	822284.4	822284.4	822284.4	821986.2	821986.2	821986.2
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	5.40	6.10	28.6	4.60	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	219	169	221	283	NA	NA
Mercury	mg/kg	0.310 [0.440]	0.330 [0.360]	0.0700 [0.0600]	0.0300 U	0.540	6.10
Nickel	mg/kg	12.9	14.7	18.4	6.70	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	1.10 U	1.10 U	1.30 U	1.00 UJ	NA	NA
Silver	mg/kg	1.10 U	1.10 U	1.30 U	1.00 U	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	33.0	40.0	51.8	46.7	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	90.5 [90.5]	84.8 [80.6]	73.1 [77.2]	95.6	92.3	88.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-4	H-5	H-5	H-5	H-5	H-6
Depth Interval		6 - 8	0 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		H-4(6.0-8.0)(03-20-08)	H-5(0.0-2.0)(03-20-08)	H-5(2.0-4.0)(03-20-08)	H-5(4.0-6.0)(03-20-08)	H-5(6.0-8.0)(03-20-08)	H-6(0.5-2.0)(03-18-08)
Easting (ft)		666091.8	666097.6	666097.6	666097.6	666097.6	666109.4
Northing (ft)	Units	821986.2	822088	822088	822088	822088	822186.1
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	H-4 6 - 8 03/20/08 H-4(6.0-8.0)(03-20-08) 666091.8 821986.2	H-5 0 - 2 03/20/08 H-5(0.0-2.0)(03-20-08) 666097.6 822088	H-5 2 - 4 03/20/08 H-5(2.0-4.0)(03-20-08) 666097.6 822088	H-5 4 - 6 03/20/08 H-5(4.0-6.0)(03-20-08) 666097.6 822088	H-5 6 - 8 03/20/08 H-5(6.0-8.0)(03-20-08) 666097.6 822088	H-6 0.5 - 2 03/18/08 H-6(0.5-2.0)(03-18-08) 666109.4 822186.1
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-4	H-5	H-5	H-5	H-5	H-6
Depth Interval		6 - 8	0 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		H-4(6.0-8.0)(03-20-08)	H-5(0.0-2.0)(03-20-08)	H-5(2.0-4.0)(03-20-08)	H-5(4.0-6.0)(03-20-08)	H-5(6.0-8.0)(03-20-08)	H-6(0.5-2.0)(03-18-08)
Easting (ft)		666091.8	666097.6	666097.6	666097.6	666097.6	666109.4
Northing (ft)	Units	821986.2	822088	822088	822088	822088	822186.1
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-4	H-5	H-5	H-5	H-5	H-6
Depth Interval		6 - 8	0 - 2	2 - 4	4 - 6	6 - 8	0.5 - 2
Date Collected:		03/20/08	03/20/08	03/20/08	03/20/08	03/20/08	03/18/08
Sample Name:		H-4(6.0-8.0)(03-20-08)	H-5(0.0-2.0)(03-20-08)	H-5(2.0-4.0)(03-20-08)	H-5(4.0-6.0)(03-20-08)	H-5(6.0-8.0)(03-20-08)	H-6(0.5-2.0)(03-18-08)
Easting (ft)		666091.8	666097.6	666097.6	666097.6	666097.6	666109.4
Northing (ft)	Units	821986.2	822088	822088	822088	822088	822186.1
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	1.10 U	NA	NA	NA	2.50 J
Barium	mg/kg	NA	30.0	NA	NA	NA	23.4
Beryllium	mg/kg	NA	0.560 U	NA	NA	NA	0.540 U
Cadmium	mg/kg	NA	0.560 U	NA	NA	NA	0.540 U
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	6.90	NA	NA	NA	12.8 J
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	169	NA	NA	NA	11.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	H-4 6 - 8 03/20/08 H-4(6.0-8.0)(03-20-08) 666091.8 821986.2	H-5 0 - 2 03/20/08 H-5(0.0-2.0)(03-20-08) 666097.6 822088	H-5 2 - 4 03/20/08 H-5(2.0-4.0)(03-20-08) 666097.6 822088	H-5 4 - 6 03/20/08 H-5(4.0-6.0)(03-20-08) 666097.6 822088	H-5 6 - 8 03/20/08 H-5(6.0-8.0)(03-20-08) 666097.6 822088	H-6 0.5 - 2 03/18/08 H-6(0.5-2.0)(03-18-08) 666109.4 822186.1
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	13.3	NA	NA	NA	9.10
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	220 J	NA	NA	NA	232
Mercury	mg/kg	0.0400 U	3.00	1.60	0.100	0.0700	0.180 J
Nickel	mg/kg	NA	6.10	NA	NA	NA	16.0
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	1.10 U	NA	NA	NA	1.10 U
Silver	mg/kg	NA	1.10 U	NA	NA	NA	1.10 U
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	52.1	NA	NA	NA	50.7
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	78.6	86	81.7	89.9	69.4	91.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-6	H-6	H-6	H-7	H-7	H-7
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	03/18/08	03/18/08
Sample Name:		H-6(2.0-4.0)(03-18-08)	H-6(4.0-6.0)(03-18-08)	H-6(6.0-8.0)(03-18-08)	H-7(0.5-2.0)(03-18-08)	H-7(2.0-4.0)(03-18-08)	H-7(4.0-6.0)(03-18-08)
Easting (ft)		666109.4	666109.4	666109.4	666096.6	666096.6	666096.6
Northing (ft)	Units	822186.1	822186.1	822186.1	822286.9	822286.9	822286.9
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	H-6 2 - 4 03/18/08 H-6(2.0-4.0)(03-18-08) 666109.4 822186.1	H-6 4 - 6 03/18/08 H-6(4.0-6.0)(03-18-08) 666109.4 822186.1	H-6 6 - 8 03/18/08 H-6(6.0-8.0)(03-18-08) 666109.4 822186.1	H-7 0.5 - 2 03/18/08 H-7(0.5-2.0)(03-18-08) 666096.6 822286.9	H-7 2 - 4 03/18/08 H-7(2.0-4.0)(03-18-08) 666096.6 822286.9	H-7 4 - 6 03/18/08 H-7(4.0-6.0)(03-18-08) 666096.6 822286.9
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-6	H-6	H-6	H-7	H-7	H-7
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	03/18/08	03/18/08
Sample Name:		H-6(2.0-4.0)(03-18-08)	H-6(4.0-6.0)(03-18-08)	H-6(6.0-8.0)(03-18-08)	H-7(0.5-2.0)(03-18-08)	H-7(2.0-4.0)(03-18-08)	H-7(4.0-6.0)(03-18-08)
Easting (ft)		666109.4	666109.4	666109.4	666096.6	666096.6	666096.6
Northing (ft)	Units	822186.1	822186.1	822186.1	822286.9	822286.9	822286.9
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-6	H-6	H-6	H-7	H-7	H-7
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	03/18/08	03/18/08
Sample Name:		H-6(2.0-4.0)(03-18-08)	H-6(4.0-6.0)(03-18-08)	H-6(6.0-8.0)(03-18-08)	H-7(0.5-2.0)(03-18-08)	H-7(2.0-4.0)(03-18-08)	H-7(4.0-6.0)(03-18-08)
Easting (ft)		666109.4	666109.4	666109.4	666096.6	666096.6	666096.6
Northing (ft)	Units	822186.1	822186.1	822186.1	822286.9	822286.9	822286.9
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	2.60 J	NA	NA
Barium	mg/kg	NA	NA	NA	31.5	NA	NA
Beryllium	mg/kg	NA	NA	NA	0.540 U	NA	NA
Cadmium	mg/kg	NA	NA	NA	0.540 U	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	36.1 J	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	17.3	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-6	H-6	H-6	H-7	H-7	H-7
Depth Interval		2 - 4	4 - 6	6 - 8	0.5 - 2	2 - 4	4 - 6
Date Collected:		03/18/08	03/18/08	03/18/08	03/18/08	03/18/08	03/18/08
Sample Name:		H-6(2.0-4.0)(03-18-08)	H-6(4.0-6.0)(03-18-08)	H-6(6.0-8.0)(03-18-08)	H-7(0.5-2.0)(03-18-08)	H-7(2.0-4.0)(03-18-08)	H-7(4.0-6.0)(03-18-08)
Easting (ft)		666109.4	666109.4	666109.4	666096.6	666096.6	666096.6
Northing (ft)	Units	822186.1	822186.1	822186.1	822286.9	822286.9	822286.9
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	NA	NA	10.8	NA	NA
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	236	NA	NA
Mercury	mg/kg	0.410	0.0400 U	0.0400 U	0.790 J	0.140	0.0400 U
Nickel	mg/kg	NA	NA	NA	17.3	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	1.10 U	NA	NA
Silver	mg/kg	NA	NA	NA	1.10 U	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	49.0	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	63.5	82.4	76.2	91.9	86.3	76.7

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-7	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1
Depth Interval		6 - 8	3 - 3.5	6 - 6.5	8.5 - 9	12	14
Date Collected:		03/18/08	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		H-7(6.0-8.0)(03-18-08)	SI-1-B1-A-1	SI-1-B1-B-1	SI-1-B1-C-1	SI-1-B1-D-1	SI-1-B1-E-1
Easting (ft)		666096.6	667007.0719	667007.0719	667007.0719	667007.0719	667007.0719
Northing (ft)	Units	822286.9	821221.6968	821221.6968	821221.6968	821221.6968	821221.6968
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-7	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1
Depth Interval		6 - 8	3 - 3.5	6 - 6.5	8.5 - 9	12	14
Date Collected:		03/18/08	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		H-7(6.0-8.0)(03-18-08)	SI-1-B1-A-1	SI-1-B1-B-1	SI-1-B1-C-1	SI-1-B1-D-1	SI-1-B1-E-1
Easting (ft)		666096.6	667007.0719	667007.0719	667007.0719	667007.0719	667007.0719
Northing (ft)	Units	822286.9	821221.6968	821221.6968	821221.6968	821221.6968	821221.6968
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-7	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1
Depth Interval		6 - 8	3 - 3.5	6 - 6.5	8.5 - 9	12	14
Date Collected:		03/18/08	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		H-7(6.0-8.0)(03-18-08)	SI-1-B1-A-1	SI-1-B1-B-1	SI-1-B1-C-1	SI-1-B1-D-1	SI-1-B1-E-1
Easting (ft)		666096.6	667007.0719	667007.0719	667007.0719	667007.0719	667007.0719
Northing (ft)	Units	822286.9	821221.6968	821221.6968	821221.6968	821221.6968	821221.6968
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-7	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1
Depth Interval		6 - 8	3 - 3.5	6 - 6.5	8.5 - 9	12	14
Date Collected:		03/18/08	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		H-7(6.0-8.0)(03-18-08)	SI-1-B1-A-1	SI-1-B1-B-1	SI-1-B1-C-1	SI-1-B1-D-1	SI-1-B1-E-1
Easting (ft)		666096.6	667007.0719	667007.0719	667007.0719	667007.0719	667007.0719
Northing (ft)	Units	822286.9	821221.6968	821221.6968	821221.6968	821221.6968	821221.6968
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		H-7	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1	SI-1-B1
Depth Interval		6 - 8	3 - 3.5	6 - 6.5	8.5 - 9	12	14
Date Collected:		03/18/08	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		H-7(6.0-8.0)(03-18-08)	SI-1-B1-A-1	SI-1-B1-B-1	SI-1-B1-C-1	SI-1-B1-D-1	SI-1-B1-E-1
Easting (ft)		666096.6	667007.0719	667007.0719	667007.0719	667007.0719	667007.0719
Northing (ft)	Units	822286.9	821221.6968	821221.6968	821221.6968	821221.6968	821221.6968
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	NA	115 *	44.9 *	80.2 *	93.3 *	12.0 *
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	0.0400 U	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	79.9	88.9	90.9	83.6	74.9	81.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2
Depth Interval		3.5 - 4	3.5 - 4	6.5 - 7	8 - 8.5	11 - 12	14 - 15
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B2-A-1	SI-1-B2-A-2	SI-1-B2-B-1	SI-1-B2-C-1	SI-1-B2-D-1	SI-1-B2-E-1
Easting (ft)		667014.5147	667014.5147	667014.5147	667014.5147	667014.5147	667014.5147
Northing (ft)	Units	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2
Depth Interval		3.5 - 4	3.5 - 4	6.5 - 7	8 - 8.5	11 - 12	14 - 15
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B2-A-1	SI-1-B2-A-2	SI-1-B2-B-1	SI-1-B2-C-1	SI-1-B2-D-1	SI-1-B2-E-1
Easting (ft)		667014.5147	667014.5147	667014.5147	667014.5147	667014.5147	667014.5147
Northing (ft)	Units	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B2 3.5 - 4 10/06/03 SI-1-B2-A-1 667014.5147 821221.7545	SI-1-B2 3.5 - 4 10/06/03 SI-1-B2-A-2 667014.5147 821221.7545	SI-1-B2 6.5 - 7 10/06/03 SI-1-B2-B-1 667014.5147 821221.7545	SI-1-B2 8 - 8.5 10/06/03 SI-1-B2-C-1 667014.5147 821221.7545	SI-1-B2 11 - 12 10/06/03 SI-1-B2-D-1 667014.5147 821221.7545	SI-1-B2 14 - 15 10/06/03 SI-1-B2-E-1 667014.5147 821221.7545
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2	SI-1-B2
Depth Interval		3.5 - 4	3.5 - 4	6.5 - 7	8 - 8.5	11 - 12	14 - 15
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B2-A-1	SI-1-B2-A-2	SI-1-B2-B-1	SI-1-B2-C-1	SI-1-B2-D-1	SI-1-B2-E-1
Easting (ft)		667014.5147	667014.5147	667014.5147	667014.5147	667014.5147	667014.5147
Northing (ft)	Units	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545	821221.7545
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B2 3.5 - 4 10/06/03 SI-1-B2-A-1 667014.5147 821221.7545	SI-1-B2 3.5 - 4 10/06/03 SI-1-B2-A-2 667014.5147 821221.7545	SI-1-B2 6.5 - 7 10/06/03 SI-1-B2-B-1 667014.5147 821221.7545	SI-1-B2 8 - 8.5 10/06/03 SI-1-B2-C-1 667014.5147 821221.7545	SI-1-B2 11 - 12 10/06/03 SI-1-B2-D-1 667014.5147 821221.7545	SI-1-B2 14 - 15 10/06/03 SI-1-B2-E-1 667014.5147 821221.7545
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	27.9 *	61.0 *	151 *	43.4	12.2 U*	11.6 U*
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	93	93.6	82.6	80.8	81.5	83.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B4
Depth Interval		3.5 - 4	7.5 - 8	12	14	15 - 16	3.5 - 4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B3-A-1	SI-1-B3-B-1	SI-1-B3-C-1	SI-1-B3-D-1	SI-1-B3-E-1	SI-1-B4-A-1
Easting (ft)		667010.7385	667010.7385	667010.7385	667010.7385	667010.7385	667011.464
Northing (ft)	Units	821225.1616	821225.1616	821225.1616	821225.1616	821225.1616	821230.1646
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B4
Depth Interval		3.5 - 4	7.5 - 8	12	14	15 - 16	3.5 - 4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B3-A-1	SI-1-B3-B-1	SI-1-B3-C-1	SI-1-B3-D-1	SI-1-B3-E-1	SI-1-B4-A-1
Easting (ft)		667010.7385	667010.7385	667010.7385	667010.7385	667010.7385	667011.464
Northing (ft)	Units	821225.1616	821225.1616	821225.1616	821225.1616	821225.1616	821230.1646
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B3 3.5 - 4 10/06/03 SI-1-B3-A-1 667010.7385 821225.1616	SI-1-B3 7.5 - 8 10/06/03 SI-1-B3-B-1 667010.7385 821225.1616	SI-1-B3 12 10/06/03 SI-1-B3-C-1 667010.7385 821225.1616	SI-1-B3 14 10/06/03 SI-1-B3-D-1 667010.7385 821225.1616	SI-1-B3 15 - 16 10/06/03 SI-1-B3-E-1 667010.7385 821225.1616	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-1 667011.464 821230.1646
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B3	SI-1-B4
Depth Interval		3.5 - 4	7.5 - 8	12	14	15 - 16	3.5 - 4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B3-A-1	SI-1-B3-B-1	SI-1-B3-C-1	SI-1-B3-D-1	SI-1-B3-E-1	SI-1-B4-A-1
Easting (ft)		667010.7385	667010.7385	667010.7385	667010.7385	667010.7385	667011.464
Northing (ft)	Units	821225.1616	821225.1616	821225.1616	821225.1616	821225.1616	821230.1646
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B3 3.5 - 4 10/06/03 SI-1-B3-A-1 667010.7385 821225.1616	SI-1-B3 7.5 - 8 10/06/03 SI-1-B3-B-1 667010.7385 821225.1616	SI-1-B3 12 10/06/03 SI-1-B3-C-1 667010.7385 821225.1616	SI-1-B3 14 10/06/03 SI-1-B3-D-1 667010.7385 821225.1616	SI-1-B3 15 - 16 10/06/03 SI-1-B3-E-1 667010.7385 821225.1616	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-1 667011.464 821230.1646
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	53.5	22.5	36.5	50.7	11.5 U	96.2
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	90.5	85.4	77.6	68.5	83.8	91.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B4	SI-1-B4	SI-1-B4	SI-1-B4	SI-1-B4	SI-1-B5
Depth Interval		3.5 - 4	7.5 - 8	11 - 12	14	15 - 16	4.8 - 6
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B4-A-2	SI-1-B4-B-1	SI-1-B4-C-1	SI-1-B4-D-1	SI-1-B4-E-1	SI-1-B5-A-1
Easting (ft)		667011.464	667011.464	667011.464	667011.464	667011.464	666996.8776
Northing (ft)	Units	821230.1646	821230.1646	821230.1646	821230.1646	821230.1646	821313.8526
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-2 667011.464 821230.1646	SI-1-B4 7.5 - 8 10/06/03 SI-1-B4-B-1 667011.464 821230.1646	SI-1-B4 11 - 12 10/06/03 SI-1-B4-C-1 667011.464 821230.1646	SI-1-B4 14 10/06/03 SI-1-B4-D-1 667011.464 821230.1646	SI-1-B4 15 - 16 10/06/03 SI-1-B4-E-1 667011.464 821230.1646	SI-1-B5 4.8 - 6 10/06/03 SI-1-B5-A-1 666996.8776 821313.8526
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-2 667011.464 821230.1646	SI-1-B4 7.5 - 8 10/06/03 SI-1-B4-B-1 667011.464 821230.1646	SI-1-B4 11 - 12 10/06/03 SI-1-B4-C-1 667011.464 821230.1646	SI-1-B4 14 10/06/03 SI-1-B4-D-1 667011.464 821230.1646	SI-1-B4 15 - 16 10/06/03 SI-1-B4-E-1 667011.464 821230.1646	SI-1-B5 4.8 - 6 10/06/03 SI-1-B5-A-1 666996.8776 821313.8526
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-2 667011.464 821230.1646	SI-1-B4 7.5 - 8 10/06/03 SI-1-B4-B-1 667011.464 821230.1646	SI-1-B4 11 - 12 10/06/03 SI-1-B4-C-1 667011.464 821230.1646	SI-1-B4 14 10/06/03 SI-1-B4-D-1 667011.464 821230.1646	SI-1-B4 15 - 16 10/06/03 SI-1-B4-E-1 667011.464 821230.1646	SI-1-B5 4.8 - 6 10/06/03 SI-1-B5-A-1 666996.8776 821313.8526
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B4 3.5 - 4 10/06/03 SI-1-B4-A-2 667011.464 821230.1646	SI-1-B4 7.5 - 8 10/06/03 SI-1-B4-B-1 667011.464 821230.1646	SI-1-B4 11 - 12 10/06/03 SI-1-B4-C-1 667011.464 821230.1646	SI-1-B4 14 10/06/03 SI-1-B4-D-1 667011.464 821230.1646	SI-1-B4 15 - 16 10/06/03 SI-1-B4-E-1 667011.464 821230.1646	SI-1-B5 4.8 - 6 10/06/03 SI-1-B5-A-1 666996.8776 821313.8526
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	243	48.8 *	16.5	60.9	12.0 U	56.2
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	92.2	93.5	79.1	79	80.8	87.4

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B5	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B7
Depth Interval		4.8 - 6	2.4 - 2.9	6 - 6.4	7 - 7.4	7.7 - 8	6 - 6.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B5-A-2	SI-1-B6-A-1	SI-1-B6-B-1	SI-1-B6-C-1	SI-1-B6-D-1	SI-1-B7-A-1
Easting (ft)		666996.8776	666992.2337	666992.2337	666992.2337	666992.2337	666997.6654
Northing (ft)	Units	821313.8526	821312.1928	821312.1928	821312.1928	821312.1928	821318.6875
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B5	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B7
Depth Interval		4.8 - 6	2.4 - 2.9	6 - 6.4	7 - 7.4	7.7 - 8	6 - 6.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B5-A-2	SI-1-B6-A-1	SI-1-B6-B-1	SI-1-B6-C-1	SI-1-B6-D-1	SI-1-B7-A-1
Easting (ft)		666996.8776	666992.2337	666992.2337	666992.2337	666992.2337	666997.6654
Northing (ft)	Units	821313.8526	821312.1928	821312.1928	821312.1928	821312.1928	821318.6875
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B5 4.8 - 6 10/06/03 SI-1-B5-A-2 666996.8776 821313.8526	SI-1-B6 2.4 - 2.9 10/06/03 SI-1-B6-A-1 666992.2337 821312.1928	SI-1-B6 6 - 6.4 10/06/03 SI-1-B6-B-1 666992.2337 821312.1928	SI-1-B6 7 - 7.4 10/06/03 SI-1-B6-C-1 666992.2337 821312.1928	SI-1-B6 7.7 - 8 10/06/03 SI-1-B6-D-1 666992.2337 821312.1928	SI-1-B7 6 - 6.4 10/06/03 SI-1-B7-A-1 666997.6654 821318.6875
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B5	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B7
Depth Interval		4.8 - 6	2.4 - 2.9	6 - 6.4	7 - 7.4	7.7 - 8	6 - 6.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B5-A-2	SI-1-B6-A-1	SI-1-B6-B-1	SI-1-B6-C-1	SI-1-B6-D-1	SI-1-B7-A-1
Easting (ft)		666996.8776	666992.2337	666992.2337	666992.2337	666992.2337	666997.6654
Northing (ft)	Units	821313.8526	821312.1928	821312.1928	821312.1928	821312.1928	821318.6875
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B5	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B6	SI-1-B7
Depth Interval		4.8 - 6	2.4 - 2.9	6 - 6.4	7 - 7.4	7.7 - 8	6 - 6.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B5-A-2	SI-1-B6-A-1	SI-1-B6-B-1	SI-1-B6-C-1	SI-1-B6-D-1	SI-1-B7-A-1
Easting (ft)		666996.8776	666992.2337	666992.2337	666992.2337	666992.2337	666997.6654
Northing (ft)	Units	821313.8526	821312.1928	821312.1928	821312.1928	821312.1928	821318.6875
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	78.5	11.8	321	210	898	720
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	85.5	93.3	70	71.8	52.6	70.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B7	SI-1-B7	SI-1-B8	SI-1-B8	SI-1-B8	SI-1-B8
Depth Interval		6 - 6.4	7 - 7.4	2 - 2.4	3.6 - 4	5 - 5.4	7 - 7.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B7-A-2	SI-1-B7-B-1	SI-1-B8-A-1	SI-1-B8-B-1	SI-1-B8-C-1	SI-1-B8-D-1
Easting (ft)		666997.6654	666997.6654	667000.5923	667000.5923	667000.5923	667000.5923
Northing (ft)	Units	821318.6875	821318.6875	821310.6495	821310.6495	821310.6495	821310.6495
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B7	SI-1-B7	SI-1-B8	SI-1-B8	SI-1-B8	SI-1-B8
Depth Interval		6 - 6.4	7 - 7.4	2 - 2.4	3.6 - 4	5 - 5.4	7 - 7.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B7-A-2	SI-1-B7-B-1	SI-1-B8-A-1	SI-1-B8-B-1	SI-1-B8-C-1	SI-1-B8-D-1
Easting (ft)		666997.6654	666997.6654	667000.5923	667000.5923	667000.5923	667000.5923
Northing (ft)	Units	821318.6875	821318.6875	821310.6495	821310.6495	821310.6495	821310.6495
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B7 6 - 6.4 10/06/03 SI-1-B7-A-2 666997.6654 821318.6875	SI-1-B7 7 - 7.4 10/06/03 SI-1-B7-B-1 666997.6654 821318.6875	SI-1-B8 2 - 2.4 10/06/03 SI-1-B8-A-1 667000.5923 821310.6495	SI-1-B8 3.6 - 4 10/06/03 SI-1-B8-B-1 667000.5923 821310.6495	SI-1-B8 5 - 5.4 10/06/03 SI-1-B8-C-1 667000.5923 821310.6495	SI-1-B8 7 - 7.4 10/06/03 SI-1-B8-D-1 667000.5923 821310.6495
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B7	SI-1-B7	SI-1-B8	SI-1-B8	SI-1-B8	SI-1-B8
Depth Interval		6 - 6.4	7 - 7.4	2 - 2.4	3.6 - 4	5 - 5.4	7 - 7.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B7-A-2	SI-1-B7-B-1	SI-1-B8-A-1	SI-1-B8-B-1	SI-1-B8-C-1	SI-1-B8-D-1
Easting (ft)		666997.6654	666997.6654	667000.5923	667000.5923	667000.5923	667000.5923
Northing (ft)	Units	821318.6875	821318.6875	821310.6495	821310.6495	821310.6495	821310.6495
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B7 6 - 6.4 10/06/03 SI-1-B7-A-2 666997.6654 821318.6875	SI-1-B7 7 - 7.4 10/06/03 SI-1-B7-B-1 666997.6654 821318.6875	SI-1-B8 2 - 2.4 10/06/03 SI-1-B8-A-1 667000.5923 821310.6495	SI-1-B8 3.6 - 4 10/06/03 SI-1-B8-B-1 667000.5923 821310.6495	SI-1-B8 5 - 5.4 10/06/03 SI-1-B8-C-1 667000.5923 821310.6495	SI-1-B8 7 - 7.4 10/06/03 SI-1-B8-D-1 667000.5923 821310.6495
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	3,490	2,000	10.4 U	14.2	79.7	441
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	68.1	50.3	95.1	86.5	85.9	62.3

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B8	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9
Depth Interval		8 - 8.4	2 - 2.4	4.6 - 5	5.6 - 6	6.6 - 7	7.6 - 8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B8-E-1	SI-1-B9-A-1	SI-1-B9-B-1	SI-1-B9-C-1	SI-1-B9-D-1	SI-1-B9-E-1
Easting (ft)		667000.5923	666998.0248	666998.0248	666998.0248	666998.0248	666998.0248
Northing (ft)	Units	821310.6495	821323.85	821323.85	821323.85	821323.85	821323.85
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B8	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9
Depth Interval		8 - 8.4	2 - 2.4	4.6 - 5	5.6 - 6	6.6 - 7	7.6 - 8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B8-E-1	SI-1-B9-A-1	SI-1-B9-B-1	SI-1-B9-C-1	SI-1-B9-D-1	SI-1-B9-E-1
Easting (ft)		667000.5923	666998.0248	666998.0248	666998.0248	666998.0248	666998.0248
Northing (ft)	Units	821310.6495	821323.85	821323.85	821323.85	821323.85	821323.85
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B8	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9
Depth Interval		8 - 8.4	2 - 2.4	4.6 - 5	5.6 - 6	6.6 - 7	7.6 - 8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B8-E-1	SI-1-B9-A-1	SI-1-B9-B-1	SI-1-B9-C-1	SI-1-B9-D-1	SI-1-B9-E-1
Easting (ft)		667000.5923	666998.0248	666998.0248	666998.0248	666998.0248	666998.0248
Northing (ft)	Units	821310.6495	821323.85	821323.85	821323.85	821323.85	821323.85
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B8 8 - 8.4 10/06/03 SI-1-B8-E-1 667000.5923 821310.6495	SI-1-B9 2 - 2.4 10/06/03 SI-1-B9-A-1 666998.0248 821323.85	SI-1-B9 4.6 - 5 10/06/03 SI-1-B9-B-1 666998.0248 821323.85	SI-1-B9 5.6 - 6 10/06/03 SI-1-B9-C-1 666998.0248 821323.85	SI-1-B9 6.6 - 7 10/06/03 SI-1-B9-D-1 666998.0248 821323.85	SI-1-B9 7.6 - 8 10/06/03 SI-1-B9-E-1 666998.0248 821323.85
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B8	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9	SI-1-B9
Depth Interval		8 - 8.4	2 - 2.4	4.6 - 5	5.6 - 6	6.6 - 7	7.6 - 8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B8-E-1	SI-1-B9-A-1	SI-1-B9-B-1	SI-1-B9-C-1	SI-1-B9-D-1	SI-1-B9-E-1
Easting (ft)		667000.5923	666998.0248	666998.0248	666998.0248	666998.0248	666998.0248
Northing (ft)	Units	821310.6495	821323.85	821323.85	821323.85	821323.85	821323.85
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	12.5 U	11.6	68.4	3,300	1,100	12.0 U
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	79	93.3	89.6	61.7	52.5	80.9

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B11
Depth Interval		2 - 2.4	5.2 - 5.6	6 - 6.4	8 - 8.4	9 - 9.4	2 - 2.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B10-A-1	SI-1-B10-B-1	SI-1-B10-C-1	SI-1-B10-D-1	SI-1-B10-E-1	SI-1-B11-A-1
Easting (ft)		666995.8509	666995.8509	666995.8509	666995.8509	666995.8509	667001.5015
Northing (ft)	Units	821303.8483	821303.8483	821303.8483	821303.8483	821303.8483	821315.7154
PCBs							
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA	NA
Volatile Organics							
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B11
Depth Interval		2 - 2.4	5.2 - 5.6	6 - 6.4	8 - 8.4	9 - 9.4	2 - 2.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B10-A-1	SI-1-B10-B-1	SI-1-B10-C-1	SI-1-B10-D-1	SI-1-B10-E-1	SI-1-B11-A-1
Easting (ft)		666995.8509	666995.8509	666995.8509	666995.8509	666995.8509	667001.5015
Northing (ft)	Units	821303.8483	821303.8483	821303.8483	821303.8483	821303.8483	821315.7154
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA	NA
Semivolatile Organics							
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B10 2 - 2.4 10/06/03 SI-1-B10-A-1 666995.8509 821303.8483	SI-1-B10 5.2 - 5.6 10/06/03 SI-1-B10-B-1 666995.8509 821303.8483	SI-1-B10 6 - 6.4 10/06/03 SI-1-B10-C-1 666995.8509 821303.8483	SI-1-B10 8 - 8.4 10/06/03 SI-1-B10-D-1 666995.8509 821303.8483	SI-1-B10 9 - 9.4 10/06/03 SI-1-B10-E-1 666995.8509 821303.8483	SI-1-B11 2 - 2.4 10/06/03 SI-1-B11-A-1 667001.5015 821315.7154
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B10	SI-1-B11
Depth Interval		2 - 2.4	5.2 - 5.6	6 - 6.4	8 - 8.4	9 - 9.4	2 - 2.4
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B10-A-1	SI-1-B10-B-1	SI-1-B10-C-1	SI-1-B10-D-1	SI-1-B10-E-1	SI-1-B11-A-1
Easting (ft)		666995.8509	666995.8509	666995.8509	666995.8509	666995.8509	667001.5015
Northing (ft)	Units	821303.8483	821303.8483	821303.8483	821303.8483	821303.8483	821315.7154
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA	NA
Organochlorine Pesticides							
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA	NA
Inorganics							
ALUMINUM	mg/kg	NA	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B10 2 - 2.4 10/06/03 SI-1-B10-A-1 666995.8509 821303.8483	SI-1-B10 5.2 - 5.6 10/06/03 SI-1-B10-B-1 666995.8509 821303.8483	SI-1-B10 6 - 6.4 10/06/03 SI-1-B10-C-1 666995.8509 821303.8483	SI-1-B10 8 - 8.4 10/06/03 SI-1-B10-D-1 666995.8509 821303.8483	SI-1-B10 9 - 9.4 10/06/03 SI-1-B10-E-1 666995.8509 821303.8483	SI-1-B11 2 - 2.4 10/06/03 SI-1-B11-A-1 667001.5015 821315.7154
Iron	mg/kg	NA	NA	NA	NA	NA	NA
Lead	mg/kg	10.2 U	10.3 U	59.8	339	12.1 U	17.0
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA	NA
Miscellaneous							
Cyanide	mg/kg	NA	NA	NA	NA	NA	NA
Total Solids	%	95	96.4	70.7	70	78.4	92.1

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11
Depth Interval		4.6 - 5	4.6 - 5	6.6 - 7	7.6 - 8	8.4 - 8.8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B11-B-1	SI-1-B11-B-2	SI-1-B11-C-1	SI-1-B11-D-1	SI-1-B11-E-1
Easting (ft)		667001.5015	667001.5015	667001.5015	667001.5015	667001.5015
Northing (ft)	Units	821315.7154	821315.7154	821315.7154	821315.7154	821315.7154
PCBs						
AROCLOR 1016	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1221	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1232	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1242	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1248	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1254	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1260	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1262	mg/kg	NA	NA	NA	NA	NA
AROCLOR 1268	mg/kg	NA	NA	NA	NA	NA
Total PCBs	mg/kg	NA	NA	NA	NA	NA
Volatile Organics						
1,1,1-Trichloroethane	mg/kg	NA	NA	NA	NA	NA
1,1,2,2-Tetrachloroethane	mg/kg	NA	NA	NA	NA	NA
1,1,2-Trichloroethane	mg/kg	NA	NA	NA	NA	NA
1,1-Dichloroethane	mg/kg	NA	NA	NA	NA	NA
1,1-Dichloroethene	mg/kg	NA	NA	NA	NA	NA
1,2,4-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,2-Dichloroethane	mg/kg	NA	NA	NA	NA	NA
1,2-Dichloropropane	mg/kg	NA	NA	NA	NA	NA
1,3,5-Trimethylbenzene	mg/kg	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,4-Dioxane	mg/kg	NA	NA	NA	NA	NA
2-Butanone	mg/kg	NA	NA	NA	NA	NA
2-Hexanone	mg/kg	NA	NA	NA	NA	NA
4-Methyl-2-pentanone	mg/kg	NA	NA	NA	NA	NA
Acetone	mg/kg	NA	NA	NA	NA	NA
Benzene	mg/kg	NA	NA	NA	NA	NA
Bromodichloromethane	mg/kg	NA	NA	NA	NA	NA
Bromoform	mg/kg	NA	NA	NA	NA	NA
Bromomethane	mg/kg	NA	NA	NA	NA	NA
Carbon Disulfide	mg/kg	NA	NA	NA	NA	NA
Carbon Tetrachloride	mg/kg	NA	NA	NA	NA	NA
Chlorobenzene	mg/kg	NA	NA	NA	NA	NA
Chloroethane	mg/kg	NA	NA	NA	NA	NA
Chloroform	mg/kg	NA	NA	NA	NA	NA
Chloromethane	mg/kg	NA	NA	NA	NA	NA
cis-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA
cis-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11
Depth Interval		4.6 - 5	4.6 - 5	6.6 - 7	7.6 - 8	8.4 - 8.8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B11-B-1	SI-1-B11-B-2	SI-1-B11-C-1	SI-1-B11-D-1	SI-1-B11-E-1
Easting (ft)		667001.5015	667001.5015	667001.5015	667001.5015	667001.5015
Northing (ft)	Units	821315.7154	821315.7154	821315.7154	821315.7154	821315.7154
Dibromochloromethane	mg/kg	NA	NA	NA	NA	NA
Ethylbenzene	mg/kg	NA	NA	NA	NA	NA
Isopropylbenzene	mg/kg	NA	NA	NA	NA	NA
m&p-Xylenes	mg/kg	NA	NA	NA	NA	NA
Methyl tert-butyl ether	mg/kg	NA	NA	NA	NA	NA
Methylene Chloride	mg/kg	NA	NA	NA	NA	NA
n-Butylbenzene	mg/kg	NA	NA	NA	NA	NA
n-Propylbenzene	mg/kg	NA	NA	NA	NA	NA
o-Xylene	mg/kg	NA	NA	NA	NA	NA
sec-Butylbenzene	mg/kg	NA	NA	NA	NA	NA
Styrene	mg/kg	NA	NA	NA	NA	NA
tert-Butylbenzene	mg/kg	NA	NA	NA	NA	NA
Tetrachloroethene	mg/kg	NA	NA	NA	NA	NA
Toluene	mg/kg	NA	NA	NA	NA	NA
trans-1,2-Dichloroethene	mg/kg	NA	NA	NA	NA	NA
trans-1,3-Dichloropropene	mg/kg	NA	NA	NA	NA	NA
Trichloroethene	mg/kg	NA	NA	NA	NA	NA
Vinyl Chloride	mg/kg	NA	NA	NA	NA	NA
Xylenes (total)	mg/kg	NA	NA	NA	NA	NA
Semivolatile Organics						
1,2,4-Trichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,2-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,3-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
1,4-Dichlorobenzene	mg/kg	NA	NA	NA	NA	NA
2,2'-Oxybis(1-Chloropropane)	mg/kg	NA	NA	NA	NA	NA
2,4,5-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA
2,4,6-Trichlorophenol	mg/kg	NA	NA	NA	NA	NA
2,4-Dichlorophenol	mg/kg	NA	NA	NA	NA	NA
2,4-Dimethylphenol	mg/kg	NA	NA	NA	NA	NA
2,4-Dinitrophenol	mg/kg	NA	NA	NA	NA	NA
2,4-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA
2,6-Dinitrotoluene	mg/kg	NA	NA	NA	NA	NA
2-Chloronaphthalene	mg/kg	NA	NA	NA	NA	NA
2-Chlorophenol	mg/kg	NA	NA	NA	NA	NA
2-Methylnaphthalene	mg/kg	NA	NA	NA	NA	NA
2-Methylphenol	mg/kg	NA	NA	NA	NA	NA
2-Nitroaniline	mg/kg	NA	NA	NA	NA	NA
2-Nitrophenol	mg/kg	NA	NA	NA	NA	NA
3&4-Methylphenol	mg/kg	NA	NA	NA	NA	NA
3,3'-Dichlorobenzidine	mg/kg	NA	NA	NA	NA	NA
3-Nitroaniline	mg/kg	NA	NA	NA	NA	NA
4,6-Dinitro-2-methylphenol	mg/kg	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11
Depth Interval		4.6 - 5	4.6 - 5	6.6 - 7	7.6 - 8	8.4 - 8.8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B11-B-1	SI-1-B11-B-2	SI-1-B11-C-1	SI-1-B11-D-1	SI-1-B11-E-1
Easting (ft)		667001.5015	667001.5015	667001.5015	667001.5015	667001.5015
Northing (ft)	Units	821315.7154	821315.7154	821315.7154	821315.7154	821315.7154
4-Bromophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA
4-Chloro-3-Methylphenol	mg/kg	NA	NA	NA	NA	NA
4-Chloroaniline	mg/kg	NA	NA	NA	NA	NA
4-Chlorophenyl-phenylether	mg/kg	NA	NA	NA	NA	NA
4-Methylphenol	mg/kg	NA	NA	NA	NA	NA
4-Nitroaniline	mg/kg	NA	NA	NA	NA	NA
4-Nitrophenol	mg/kg	NA	NA	NA	NA	NA
Acenaphthene	mg/kg	NA	NA	NA	NA	NA
Acenaphthylene	mg/kg	NA	NA	NA	NA	NA
Anthracene	mg/kg	NA	NA	NA	NA	NA
Benzo(a)anthracene	mg/kg	NA	NA	NA	NA	NA
Benzo(a)pyrene	mg/kg	NA	NA	NA	NA	NA
Benzo(b)fluoranthene	mg/kg	NA	NA	NA	NA	NA
Benzo(g,h,i)perylene	mg/kg	NA	NA	NA	NA	NA
Benzo(k)fluoranthene	mg/kg	NA	NA	NA	NA	NA
Benzyl Alcohol	mg/kg	NA	NA	NA	NA	NA
bis(2-Chloroethoxy)methane	mg/kg	NA	NA	NA	NA	NA
bis(2-Chloroethyl)ether	mg/kg	NA	NA	NA	NA	NA
bis(2-Chloroisopropyl)ether	mg/kg	NA	NA	NA	NA	NA
bis(2-Ethylhexyl)phthalate	mg/kg	NA	NA	NA	NA	NA
Butylbenzylphthalate	mg/kg	NA	NA	NA	NA	NA
Carbazole	mg/kg	NA	NA	NA	NA	NA
Chrysene	mg/kg	NA	NA	NA	NA	NA
Dibenzo(a,h)anthracene	mg/kg	NA	NA	NA	NA	NA
Dibenzofuran	mg/kg	NA	NA	NA	NA	NA
Diethylphthalate	mg/kg	NA	NA	NA	NA	NA
Dimethylphthalate	mg/kg	NA	NA	NA	NA	NA
Di-n-Butylphthalate	mg/kg	NA	NA	NA	NA	NA
Di-n-Octylphthalate	mg/kg	NA	NA	NA	NA	NA
Fluoranthene	mg/kg	NA	NA	NA	NA	NA
Fluorene	mg/kg	NA	NA	NA	NA	NA
Hexachlorobenzene	mg/kg	NA	NA	NA	NA	NA
Hexachlorobutadiene	mg/kg	NA	NA	NA	NA	NA
Hexachlorocyclopentadiene	mg/kg	NA	NA	NA	NA	NA
Hexachloroethane	mg/kg	NA	NA	NA	NA	NA
Indeno(1,2,3-cd)pyrene	mg/kg	NA	NA	NA	NA	NA
Isophorone	mg/kg	NA	NA	NA	NA	NA
Naphthalene	mg/kg	NA	NA	NA	NA	NA
Nitrobenzene	mg/kg	NA	NA	NA	NA	NA
N-Nitrosodimethylamine	mg/kg	NA	NA	NA	NA	NA
N-Nitroso-di-n-propylamine	mg/kg	NA	NA	NA	NA	NA
N-Nitrosodiphenylamine	mg/kg	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID:		SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11	SI-1-B11
Depth Interval		4.6 - 5	4.6 - 5	6.6 - 7	7.6 - 8	8.4 - 8.8
Date Collected:		10/06/03	10/06/03	10/06/03	10/06/03	10/06/03
Sample Name:		SI-1-B11-B-1	SI-1-B11-B-2	SI-1-B11-C-1	SI-1-B11-D-1	SI-1-B11-E-1
Easting (ft)		667001.5015	667001.5015	667001.5015	667001.5015	667001.5015
Northing (ft)	Units	821315.7154	821315.7154	821315.7154	821315.7154	821315.7154
Pentachlorophenol	mg/kg	NA	NA	NA	NA	NA
Phenanthrene	mg/kg	NA	NA	NA	NA	NA
Phenol	mg/kg	NA	NA	NA	NA	NA
Pyrene	mg/kg	NA	NA	NA	NA	NA
Total C-PAHs	mg/kg	NA	NA	NA	NA	NA
Total SVOCs	mg/kg	NA	NA	NA	NA	NA
Organochlorine Pesticides						
4,4'-DDD	mg/kg	NA	NA	NA	NA	NA
4,4'-DDE	mg/kg	NA	NA	NA	NA	NA
4,4'-DDE	ug/kg	NA	NA	NA	NA	NA
4,4'-DDT	mg/kg	NA	NA	NA	NA	NA
4,4'-DDT	ug/kg	NA	NA	NA	NA	NA
Aldrin	mg/kg	NA	NA	NA	NA	NA
Alpha-BHC	mg/kg	NA	NA	NA	NA	NA
Alpha-BHC	ug/kg	NA	NA	NA	NA	NA
Beta-BHC	mg/kg	NA	NA	NA	NA	NA
Delta-BHC	mg/kg	NA	NA	NA	NA	NA
Dieldrin	mg/kg	NA	NA	NA	NA	NA
Endosulfan I	mg/kg	NA	NA	NA	NA	NA
Endosulfan II	mg/kg	NA	NA	NA	NA	NA
Endosulfan Sulfate	mg/kg	NA	NA	NA	NA	NA
Endrin	mg/kg	NA	NA	NA	NA	NA
Endrin Aldehyde	mg/kg	NA	NA	NA	NA	NA
Endrin Ketone	mg/kg	NA	NA	NA	NA	NA
Gamma-BHC (Lindane)	mg/kg	NA	NA	NA	NA	NA
Heptachlor	mg/kg	NA	NA	NA	NA	NA
Heptachlor Epoxide	mg/kg	NA	NA	NA	NA	NA
Methoxychlor	mg/kg	NA	NA	NA	NA	NA
Total Chlordane	mg/kg	NA	NA	NA	NA	NA
Toxaphene	mg/kg	NA	NA	NA	NA	NA
Inorganics						
ALUMINUM	mg/kg	NA	NA	NA	NA	NA
ANTIMONY	mg/kg	NA	NA	NA	NA	NA
Arsenic	mg/kg	NA	NA	NA	NA	NA
Barium	mg/kg	NA	NA	NA	NA	NA
Beryllium	mg/kg	NA	NA	NA	NA	NA
Cadmium	mg/kg	NA	NA	NA	NA	NA
CALCIUM	mg/kg	NA	NA	NA	NA	NA
Chromium	mg/kg	NA	NA	NA	NA	NA
COBALT	mg/kg	NA	NA	NA	NA	NA
Copper	mg/kg	NA	NA	NA	NA	NA

Analytical Data for Soils Remaining on the East Parcel Site

Location ID: Depth Interval Date Collected: Sample Name: Easting (ft) Northing (ft)	Units	SI-1-B11 4.6 - 5 10/06/03 SI-1-B11-B-1 667001.5015 821315.7154	SI-1-B11 4.6 - 5 10/06/03 SI-1-B11-B-2 667001.5015 821315.7154	SI-1-B11 6.6 - 7 10/06/03 SI-1-B11-C-1 667001.5015 821315.7154	SI-1-B11 7.6 - 8 10/06/03 SI-1-B11-D-1 667001.5015 821315.7154	SI-1-B11 8.4 - 8.8 10/06/03 SI-1-B11-E-1 667001.5015 821315.7154
Iron	mg/kg	NA	NA	NA	NA	NA
Lead	mg/kg	78.6	70.5	2,590	261	13.1 U
MAGNESIUM	mg/kg	NA	NA	NA	NA	NA
Manganese	mg/kg	NA	NA	NA	NA	NA
Mercury	mg/kg	NA	NA	NA	NA	NA
Nickel	mg/kg	NA	NA	NA	NA	NA
POTASSIUM	mg/kg	NA	NA	NA	NA	NA
Selenium	mg/kg	NA	NA	NA	NA	NA
Silver	mg/kg	NA	NA	NA	NA	NA
SODIUM	mg/kg	NA	NA	NA	NA	NA
THALLIUM	mg/kg	NA	NA	NA	NA	NA
VANADIUM	mg/kg	NA	NA	NA	NA	NA
Zinc	mg/kg	NA	NA	NA	NA	NA
Miscellaneous						
Cyanide	mg/kg	NA	NA	NA	NA	NA
Total Solids	%	83.6	85.4	63.8	50.9	72.7

Notes
Analytical Data for Soils Remaining on the East Parcel Site

Qualifier Type	Lab	Definition
Inorganic	*	Laboratory duplicate analysis was outside control limits.
Inorganic	B	Indicates an estimated value between the instrument detection limit and the Reporting Limit (RL).
Inorganic	J	Indicates an estimated value.
Inorganic	ND	None detected.
Inorganic	R	Rejected.
Inorganic	U	The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
Inorganic	U*	
Inorganic	UJ	
Organic	J	Indicates an estimated value.
Organic	ND	None detected.
Organic	R	Rejected.
Organic	U	The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
Organic	UJ	

Datum	Horizontal Datum is New York State Plane coordinate system North American Datum (NAD83) New York, East, Zone 3101