

PHASE I ENVIRONMENTAL SITE ASSESSMENT

193-195 Nepperhan Avenue Yonkers, New York 10701

April 28, 2006

ACT File #: 5487-YONY

Prepared for:

Mr. Bill Fonte Trifont Realty 1955 Central Avenue Yonkers, New York 10710

CERTIFICATION

Property Location:

193-195 Nepperhan Avenue Yonkers, New York 10701

Advanced Cleanup Technologies, Inc. performed a Phase I Environmental Site Assessment on the above-referenced property. The Assessment included a property inspection, research into the historical uses of the property and surrounding land, a review of regulatory agency files pertaining to the property and an interview with the landlord regarding past and present conditions at the property.

The Phase I Assessment was performed to meet the minimum requirements established by ASTM's Standard Practice for Environmental Site Assessments (E 1527-00). The Assessment has also considered other environmental issues such as asbestos, radon and lead which are not covered by the ASTM standard.

The results of the assessment are contained in this report. Based upon this assessment, Advanced Cleanup Technologies, Inc. makes the following conclusions and representations concerning the scope of the assessment and the environmental quality of the property. The Phase I Environmental Site Assessment has revealed the following Recognized Environmental Condition at the subject property:

• Suspect asbestos-containing materials located at the subject property (Section 3.1).

We hereby certify that we have no interest, present or contemplated, in the properties inspected and that neither the employment to make the inspection nor the compensation is contingent on the value of the properties. The analyses, opinions and conclusions contained in this report are limited only by any reported assumptions or limiting conditions described herein, and are our personal unbiased professional opinions and conclusions.

We further certify that this inspection was performed in conformity with the ASTM Standard and the scope outlined in this report. This inspection report accurately reflects current federal, state and local guidelines.

Dated: April 28, 2006

X William K. Sisco Jam
By: William K. Sisco

Senior Project Manager

By: Paul Stewart

President

aul Stewart In

	TABLE OF CON	<u>TENTS</u>	Page No.
1.0	Introduction and Scope of the Assessmen	nt	1
2.0	Property Description		2
	2.1 Site Vicinity		2
	2.2 Site Construction Details		2
	2.3 Building Interior		3
	2.4 Building Exterior		3
3.0	Findings and Results of the Assessment		3
	3.1 Asbestos		3
	3.2 Hazardous Materials		4
	3.3 Storage Tanks		4
	3.4 Radon		5
	3.5 Drinking Water Quality		5
	3.6 Lead In Paint		5
	3.7 Polychlorinated Biphenyls (PCB's	s)	6
4.0	Prior Use Investigation		6
5.0	Neighborhood Hazardous Waste Activitie	es Review	7
6.0	Conclusion		10
7.0	Recommendations		10
8.0	Exclusions and Disclaimer		10

TABLE OF CONTENTS (cont.)

FIGURES

<u>NUMBER</u>	<u>TITLE</u>
1	Locational Diagram
2	Site Diagram
3	One Mile Radius Diagram
4	One-Quarter Mile Radius Diagram
	APPENDICES
<u>SECTION</u>	<u>TITLE</u>
A	Regulatory Agency Documents
В	Fire Insurance Maps
C	Database Search Results

1.0 INTRODUCTION AND SCOPE OF ASSESSMENT

Advanced Cleanup Technologies, Inc. (ACT) was retained to perform a Phase I Environmental Site Assessment of the property located at 193-195 Nepperhan Avenue, Yonkers, Westchester County, New York 10701. The Assessment was performed to meet or surpass the industry standard established by ASTM's Standard Practice for Environmental Site Assessments (E 1527-00). The purpose of the Assessment was to identify any Recognized Environmental Conditions at the property. As defined by the ASTM, a Recognized Environmental Condition is the presence of any hazardous substances or petroleum products on real estate under conditions that indicate an existing release, a past release, or a material threat of a release. ¹

The Assessment consisted of a visual inspection of the premises, interviews with property representatives regarding past and present conditions at the property, research into historical uses of the property and surrounding land and a review of regulatory agency files pertaining to the property. The Assessment also included an overview of the site's hydrogeologic setting and an evaluation of environmental risks associated with asbestos, radon and lead.

A site inspection was performed by Chris Repetti of ACT on April 26, 2006. A property representative, Filipe, provided access and information regarding the subject property. The owner of the property is Milio Brothers Inc. The inspection consisted of the following activities:

- A visual examination of the interior and exterior of the premises;
- An evaluation of land usage in the area surrounding the site;
- Photography of the site.

All relevant Westchester County and City of Yonkers agencies were contacted for information pertaining to this property, including:

- Department of Buildings;
- Department of Health;
- Department of Environmental Protection;
- Bureau of Fire Prevention.

Databases of environmental information maintained by Federal and State agencies were also searched for known sources of environmental contamination at the site and its vicinity.

¹ American Society for Testing and Materials Practice E 1527-00, Sec. 3.3.28.

2.0 PROPERTY DESCRIPTION

2.1 Site Vicinity

The subject property, 193-195 Nepperhan Avenue, is located in a residential and commercial area in the southern portion of Westchester County in New York. A Locational Diagram showing the site and its immediate vicinity is provided as Figure 1. The property is located along the western side of Nepperhan Avenue.

A one-story commercial building is located to the north of the subject property. A wooded area and parked vehicles are located to the east of the subject property. A parking lot and a church building are located to the south of the subject property. A parking lot is located to the west of the subject property.


The topography of the area is generally level. The vicinity of the site is approximately 112 feet above mean sea level. The ground surface in the vicinity of the property is covered with asphalt and concrete pavement. The general direction of ground water flow beneath the property is toward the southwest. The bedrock which underlies this portion of Westchester County is generally metamorphic in character and Ordovician and Precambrian in age. It lies close to the surface and is exposed in many locations.

2.2 Site Construction Details

The subject property consists of two (2) four-story residential apartment buildings which are connected (Photographs 1 through 3). The buildings each contain a full basement. The footprint of the combined buildings is approximately 5,500 square feet in area and the property is approximately 6,450 square feet in area. A Site Diagram is provided as Figure 2.

The electrical, natural gas and water services enter the building underground along the eastern property boundary. The utility meters are located in the basements of the buildings. The property is connected to the municipal sewer system. The buildings are provided heat and hot water via fuel oil-fired heating equipment located in each basement (Photograph 4). The heating equipment in the basement of 195 Nepperhan Avenue is inactive (Photograph 5). No stains, odors or evidence of spills were identified in the vicinity of the heating equipment at the property.

U.S.G.S. 7.5 Minute Series Topographic Map, Yonkers, New York




From USGS 7.5 Minute Topographic Map Of Yonkers, New York Quadrangle




Fig	ure 1
Location	nal Diagram
Job No. 5487-YONY	Date: 4/28/06
Dwg. No. 5487-01	Scale: 1"=2,000'
Drawn By: Steven Walls	Appr. By: William Sisco
Advanced Clean	up Technologies



Photograph 1: 193-195 Nepperhan Avenue, Yonkers, New York




Photograph 2: 193-195 Nepperhan Avenue, Yonkers, New York



Photograph 3: Rear Garage Structure



Photograph 4: Fuel Oil Fired Heating Equipment at 193 Nepperhan Avenue





Figu	re 2
Site Dia	ngram
Job No. 5487-YONY	Date: 4/27/04
Drawing No. 5487-02	Scale: NTS
Drawn By: William K. Sisco	Approved By: Paul Stewart
Advanced Cleanup Tea	hnologies Inc



Photograph 5: Inactive Fuel Oil Fired Heating Equipment at 195 Nepperhan Avenue



Photograph 6: Aboveground Fuel Oil Storage Tank 193 Nepperhan Avenue

2.3 Building Interior

The building at 193 Nepperhan Avenue consists of an occupied four-story apartment building with a commercial unit on the ground floor. The commercial unit consists of a Nail Salon. The building at 195 Nepperhan Avenue consists of a vacant four-story apartment building. The interior of 193 Nepperhan Avenue consist of tile, wood and carpet floors and painted plaster walls and ceilings. The interior of 195 Nepperhan Avenue is vacant, in disrepair and partially demolished.

The basements of the buildings contain the utility meters, heating equipment and storage areas. No floor drains were identified in the basements of the buildings.

2.4 Building Exterior

The exterior of the buildings are constructed of concrete block and brick masonry. The buildings have flat, tar roofs. The main entrances to the buildings are located along the eastern exterior walls, facing Nepperhan Avenue. A concrete sidewalk separates the building from Nepperhan Avenue. A one-story garage is connected to the rear of 193 Nepperhan Avenue. The garage building contains landscaping equipment, such as lawnmowers. An asphalt and soil rear yard area is located in the western portion of the property. No exterior storm water drains were identified at the property.

The property disposes of its solid waste via curbside service provided by the City of Yonkers. Solid waste is stored in garbage cans along the western side of the buildings. No evidence of hazardous waste was identified in the solid waste. No stains, odors or evidence of spills was observed in the vicinity of the solid waste.

3.0 FINDINGS AND RESULTS OF THE ASSESSMENT

3.1 Asbestos

A visual inspection of the property for asbestos-containing materials (ACM) such as pipe and boiler insulation, ceiling tiles and floor tiles was conducted. Approximately 50 linear feet of suspect asbestos-containing pipe insulation was identified in the basement of 195 Nepperhan Avenue. Approximately 600 square feet of suspect asbestos-containing floor tile was identified throughout each building. No additional suspect asbestos-containing materials were identified at the property.

The suspect asbestos-containing materials were identified in fair to good condition, found in low traffic areas and have a low potential for disturbance. Therefore, the suspect asbestos materials has a low potential for discharge. These findings comprise only a preliminary inspection of the subject property for ACM and should not be interpreted as a formal asbestos survey. All Federal, State and local regulations should be followed with respect to asbestos-containing materials if renovations or demolition are to be performed at the property.

3.2 Hazardous Materials

A visual inspection of the property was conducted for evidence of potential hazardous material contamination. No areas of stained or discolored ground, stressed vegetation or excavated areas were observed anywhere on the property. No indication of previous environmental investigations, such as groundwater monitoring wells, was observed at the property or any adjoining properties. No pits, ponds, or lagoons indicative of hazardous waste disposal were identified at the property. No 55 gallon drums were identified at the subject property.

3.3 Storage Tanks

An aboveground storage tank is located in the northern portion of the basement of 193 Nepperhan Avenue (Photograph 6). The tank is approximately 1,000 gallons in volume and store #2 fuel oil for the heating equipment. The tank is encased in concrete. No stains, odors or evidence of spills were identified in the vicinity of this aboveground storage tank. This aboveground storage tank does not appear to be impacting the environmental quality of the subject property.

The fill pipe and vent pipe associated with the aboveground storage tank were identified along the eastern exterior wall of the building. Minor oil staining was identified on the concrete sidewalk in the vicinity of the fill pipe. This staining should not impact the environmental quality of the subject property.

An inactive aboveground storage tank is located in the northern portion of the basement of 195 Nepperhan Avenue (Photograph 7). The tank is approximately 1,000 gallons in volume and stored #2 fuel oil for the inactive heating equipment. The tank is encased in concrete. No stains, odors or evidence of spills were identified in the vicinity of this inactive aboveground storage tank. This inactive aboveground storage tank does not appear to be impacting the environmental quality of the subject property.

The fill pipe and vent pipe associated with the inactive aboveground storage tank were identified along the eastern exterior wall of the building. No stains, odors or evidence of spills were identified in the vicinity of the fill pipe or vent pipe.



Photograph 7: Aboveground Fuel Oil Storage Tank 195 Nepperhan Avenue

The Westchester County Department of Health (WCDH) has not responded to our search requests for tank information at the time of this report. This information will be forwarded as soon as it has been received and evaluated.

3.4 Radon

The New York State Department of Health maintains records of average radon levels for New York State based upon County. The average level for Westchester County is 2.7 picoCuries per Liter (pCi/L). This level is considered to be within the normal background range. The United States Environmental Protection Agency (USEPA) standard for radon is 4.0 pCi/L.³

3.5 Drinking Water Quality

The subject property is supplied water by the local municipality. The quality of this water is monitored by the municipality for organics and inorganics, including lead, in accordance with Federal law. The municipality must maintain lead concentrations at less than 15 micrograms per liter.⁴

3.6 Lead In Paint

An inspection of the property for chipped, peeling or cracking paint was performed. No areas of chipped, peeling or deteriorating paint were identified at the property. Therefore, a paint sample was not obtained.

The building at the subject property was constructed prior to 1978. Lead content in paints manufactured and distributed prior to 1978 were not Federally regulated. Therefore, paints applied to the building surfaces prior to 1978 were probably lead based. As previously-mentioned, the painted surfaces at the building were identified in good condition.

These findings comprise only a preliminary inspection for lead-based paint at the subject property and should not be interpreted as a formal lead-based paint inspection. All Federal, State and local regulations should be followed with respect to lead-based paint if renovations or demolition activities affecting painted surfaces are to be performed.

New York State Department of Health Basement Radon Screening Data, March 1999.

⁴ USEPA Safe Drinking Water Act, 42 USC 300, et. seq. (1982).

3.7 Polychlorinated Biphenyls (PCB's)

No electrical transformers containing substantial amounts of PCB-contaminated oil or hydraulic fluid were observed at the property. The building does not contain any hydraulic elevators. No equipment which could contain substantial amounts of PCB-contaminated oil was identified at the property.

4.0 PRIOR USE INVESTIGATION

In order to determine the prior uses of the property, all available regulatory agency documents and Fire Insurance Maps regarding the subject property were obtained and reviewed. Appendix A contains copies of the regulatory agency documents.

The City of Yonkers provided ACT with information regarding the subject property. The tax map number for the property is Block 475, Lots 25 and 26. The property is zoned in a CM-District. The property is owned by Milio Brother Inc. The footprint of the building is approximately 5,500 square feet in area and the property is approximately 6,450 square feet in area. The buildings are listed as containing apartments and retail. The construction date of the building at 193 Nepperhan is listed as 1923. The construction date of the building at 195 Nepperhan is listed as 1909.

Fire Insurance Maps for the years 1917, 1951, 1956, 1971, 1978 and 1989 were obtained and evaluated by ACT at Cornell University Library, Ithaca, New York. The properties to the east are not provided coverage on the Fire Insurance Maps. Appendix B contains copies of the Fire Insurance Maps.

The 1917 Map indicates the subject property as containing the current two (2), four-story residential apartment buildings. The buildings contain stores on the ground floor. One of the stores is listed as hand laundry. The property address is 193-195 Nepperhan Avenue. The property to the south contains a residential apartment building with stores on the ground floor. The property to the north contains a two-story commercial building. The property to the west contains vacant land. The surrounding areas contain residential and commercial buildings.

The 1951 Map indicates the subject property as structurally unchanged. The rear of 193 Nepperhan is listed as sheet metal work. The property to the south is unchanged. The property to the north contains a one-story commercial building. The property to the west contains vacant land. The surrounding areas contain residential and commercial buildings.

The 1956 Map indicates the subject property as structurally unchanged. The usage of the rear of 193 Nepperhan is unreadable. The property to the south is unchanged. The property to the north contains a one-story commercial building. The property to the west contains vacant land. The surrounding areas contain residential and commercial buildings.

The 1971 Map indicates the subject property as structurally unchanged. The rear of 193 Nepperhan is listed as auto storage. Furniture storage is listed on the ground floor of 193 Nepperhan Avenue. The adjacent properties and surrounding areas are unchanged.

The 1978 Map indicates the subject property as structurally unchanged. The buildings are listed as containing apartments and stores. The property to the south is vacant. The property to the north contains a one-story commercial building. The property to the west contains vacant land. The surrounding areas contain residential and commercial buildings.

The 1989 Map indicates the subject property as unchanged. The adjacent properties and surrounding areas are unchanged.

The review of the regulatory agency documents and Fire Insurance Maps indicate that the property was developed prior to 1917 with the current four-story buildings. The property has been utilized for residential and commercial purposes since development. No evidence of hazardous material usage, storage or disposal at the subject property is present in these records.


5.0 NEIGHBORHOOD HAZARDOUS WASTE ACTIVITY REVIEW

In an effort to determine the potential impact from hazardous waste activities at the subject property and neighboring properties, a review of information on waste sites within one mile of the subject property was conducted. Figures 3 and 4 provide locations of plotted sites. Appendix C contains the results of the database searches. The review included a search of the following Federal data sources:

- National Priorities List (NPL);
- Comprehensive Environmental Response, Compensation, and Liability Act Information System (CERCLIS);
- Resource Conservation and Recovery Act Information System (RCRA);
- Emergency Response and Notification System (ERNS);

In addition, the review included a search of the following State data sources:

- New York State Department of Environmental Conservation (NYSDEC) listing of Leaking Underground Storage Tanks and Spills List;
- NYSDEC Solid Waste Management Facilities Database;
- NYSDEC listing of Inactive Hazardous Waste Disposal Sites or State equivalent NPL;
- NYSDEC listing of Inactive Hazardous Waste Disposal Site Study or State equivalent CERCLIS;
- NYSDEC listing of Petroleum Bulk Storage (PBS) Facilities.



The NPL and CERCLIS databases are maintained by the United States Environmental Protection Agency (USEPA) and contain records for each of the hazardous waste facilities nominated or chosen for cleanup under Superfund. The NPL database was searched for sites within a radius of 1 mile from the subject property. The subject property is not identified on the NPL database. No NPL sites are identified within 1 mile of the subject property.

The CERCLIS database was searched for sites within a radius of 1 mile from the subject property. The subject property is not identified on the CERCLIS database. One CERCLIS site is identified in the database within 1 mile of the subject property. The closest site is located approximately 2,804 feet west-northwest of the subject property. This site should not impact the environmental quality of the subject property.

The NYSDEC Solid Waste Landfill Facility database (SWLF) includes properties which are active solid waste disposal sites. The SWLF database was searched for sites within a radius of 1 mile of the subject property. The subject property is not identified on the SWLF database. One SWLF site is identified in the database within 1 mile of the subject property. This site is located approximately 2,335 feet north of the subject property. This site should not impact the environmental quality of the subject property.

The NYSDEC publication of Brownfield Cleanup Sites in New York State contains a listing of all properties and facilities where expansion or redevelopment is complicated by real or perceived environmental contamination. The subject property is not identified in the database. A total of 18 Brownfield sites are identified in the database within 1 mile of the subject property. The closest site is located approximately 1,920 feet north of the subject property. These sites should not impact the environmental quality of the subject property.

The RCRIS database includes listings of properties which are considered Hazardous Waste Treatment, Storage or Disposal (TSD) facilities or Hazardous Waste Generators/Transporters. The subject property is not listed in the RCRIS TSD database. No RCRIS TSD sites are identified within 1 mile of the subject property.

The RCRIS database includes listings of properties which are under going Corrective Action. The subject property is not listed in the Corrective Action database. No RCRIS Corrective Action sites are identified within 1 mile of the subject property.

The subject property is not listed as an RCRIS Hazardous Waste Generator/Transporter. A total of 13 RCRIS Hazardous Waste Generator/Transporter sites are identified within ½ mile of the subject property. The closest site is located approximately 148 feet northwest of the subject property. These Hazardous Waste Generator/Transporter sites should not impact upon the environmental quality of the subject property.

The ERNS database is a Federal listing of properties which emergency responses were made to in reference to hazardous waste. The ERNS database was searched for the subject property. The subject property is not listed in the ERNS database.

The NYSDEC Spills and Leaking Underground Storage Tank (LUST) lists were searched for all reported spills within ½ mile of the subject property. The subject property is not listed in the databases as containing a Spill or LUST. A total of 144 Spills or LUSTs have occurred within ½ mile of the property. The closest active site is located approximately 528 feet south-southeast of the subject property and has impacted soil. This site and the remaining active sites should not impact upon the environmental quality of the subject property.

The NYSDEC publication of Hazardous Substance Waste Disposal Sites in New York State, dated May 2000, contains a listing of all suspected properties and facilities in New York State that have been identified as possibly containing toxic or hazardous wastes and/or contamination in various forms. The subject property is not identified in the listing. No Hazardous Substance Waste Disposal sites are identified in the database within 1 mile of the subject property.

The NYSDEC publication of Inactive Hazardous Waste Disposal Sites in New York State, dated August 2004, contains a listing of all properties and facilities in New York State that have been identified as containing toxic or hazardous wastes and/or contamination in various forms. The subject property is not identified in the listing. One Inactive Hazardous Waste Disposal site is identified in the database within 1 mile of the subject property. This site is located approximately 5,209 feet north-northwest of the subject property. This site should not impact the environmental quality of the subject property.

The NYSDEC listing of Petroleum Bulk Storage (PBS) facilities was searched for any listings within ¼ mile of the subject property. The subject property is not identified in the PBS database. A total of 20 PBS facilities are identified in the database within ¼ mile of the property. These sites should not impact upon the environmental quality of the subject property.

6.0 CONCLUSIONS

The results of the Phase I Environmental Site Assessment are contained in this report. Based upon this assessment, Advanced Cleanup Technologies, Inc. makes the following conclusions and representations concerning the scope of the assessment and the environmental quality of the property. The Phase I Environmental Site Assessment has revealed the following Recognized Environmental Condition at the subject property:

• Suspect asbestos-containing materials located at the subject property (Section 3.1);

Except for this issue, no further assessment work is necessary in order to evaluate the environmental condition of the property.

7.0 RECOMMENDATIONS

Advanced Cleanup Technologies makes the following recommendation with respect to the above Recognized Environmental Condition at the property:

Suspect Asbestos-Containing Materials

An operation and maintenance (O & M) program should be instituted at the subject property in order to monitor the suspect asbestos-containing pipe insulation and floor tile for any future degradation. This O & M program can be performed by the maintenance staff of the building and can be instituted for approximately \$500.00. These findings comprise only a preliminary inspection of the subject property for asbestos-containing materials and should not be interpreted as a formal asbestos survey. All Federal, State and local regulations should be followed with respect to asbestos-containing materials if renovations or demolition are to be performed at the property.

8.0 EXCLUSIONS AND DISCLAIMER

The purpose of this investigation was to assess the potential environmental liabilities at the subject site with respect to data which Advanced Cleanup Technologies, Inc. has accumulated during the Phase I Environmental Site Assessment. The conclusions presented in this report are based solely on the observations of the site at the time of the investigation. Data provided, including information provided by others, was utilized in assessing the site conditions. The accuracy of this report is subject to the accuracy of the information provided. Advanced Cleanup Technologies, Inc. is not responsible for areas not seen or information not collected. This report is given without a warranty or guarantee of any kind, expressed or implied. Advanced Cleanup Technologies, Inc. assumes no responsibility for losses associated with the use of this report.

APPENDIX A REGULATORY AGENCY DOCUMENTS



May 1, 2006

Mr. Kevin Crozier FOIA Officer City Hall, City of Yonkers 40 South Broadway Yonkers, NY 10701

Dear Mr. Crozier:

We are writing pursuant to the Freedom of Information Law to request access to information available from your agencies. We would like to receive prior and current information regarding known or potential environmental and public health hazards regarding the property located at:

193-195 Nepperhan Avenue Yonkers, New York

Specifically, we would like to obtain access to current and previous assessment information, such as assessment cards, Building Department records, such as construction permits, date of building construction, property development, past usage and violations. We represent Trifont Realty in the property sale or refinance.

Please forward all correspondence to William K. Sisco at A.C.T.,115 Rome Street, Farmingdale, NY 11735; Phone (631) 293-4992, Fax (631) 293-4986. We would be happy to reimburse you for any costs incurred regarding the copying of information. Thank you for your assistance, we await your reply.


Sincerely,

William K. Sisco

Senior Project Manager

William K. Lesey

WKS:nl 5487



May 1, 2006

Freedom of Information Westchester County Department of Health 145 Huguenot Street New Rochelle, New York 10801 Fax: 914-813-5014

To whom it may concern:

We are writing pursuant to the New York State Freedom of Information Law to request access to information available from your agencies. We would like to receive prior and current information regarding the property located at:

193-195 Nepperhan Avenue Yonkers, NY

Specifically, we would like to obtain information regarding: chemical storage, bulk storage, tanks, spills, violations, inspections, permits, sampling, and emergency responses. Please forward all correspondence to William K. Sisco at A.C.T.,115 Rome Street, Farmingdale, NY 11735; Phone (631) 293-4992, Fax (631) 293-4986. We would be happy to reimburse you for any costs incurred regarding the copying of information. Thank you for your assistance, we await your reply.

Sincerely,

Willen & Sisco L. William K. Sisco

Senior Project Manager

WKS:nl 5487

Print This Page

Show Results

1.-475-26

Devin's Realty L1c, Prior Owner Owner First Name Owner Last Name Millio Brothers Inc Owner Details

10701 ZiD State \geq Yonkers Street Name Nepperhan Tax Map Address Details Street Number 9

Assessment Year 2005 \$ 496,144 Total Assessed Value \$ 19,300 Land Assessed Value Assessment Details \$ 3,900

Ded Can Number 38cd Unit Number Rentable Sqf Lot Sq. Ft. 3300 396 Building Perimeter Gross Floor Area 105 3Bed Unit Saft Total Aeres 7148 000 0.00 23sd Unit Number Zoning Code Stury Felding SHUT WOL Vear Built 1973 OM Number of Stories Property Details Unit Code Desc Property Class 398 111 3020 Square feet Apartment Ren retail

Sale Date (17137-mm-dd) Full Sales Price	Full Sales Price	Sale Type
01.00.000		
1.2002-09-19		

4/21/2006

	INDUSTRIAL TOTAL TOTA	AND COMPANY OF THE PROPERTY OF			
2.00 (1.00 (
7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Variable Var				TOTAL COMMENT TOTAL
20-Z/-Z	A Commence of the Commence of	CARACCE DATA EL ERVATE EL COMPRECIAL FORM TO THE TOTAL EL	FOR ANY CHECKER AND CHECKER AN	MACON	20 A A A A A A A A A A A A A A A A A A A
193 NEPPERHAN AVENUE DENN S. RELLANGELL 193 NEPPERHAN AVE YONKERS NY	and the second s	CALLED TO THE CALL OF THE CALL	MILL BEANS STELL BEANS STELL BEANS FLOCKRING F	MANAGER MAN	LIGHTONIA HANDARE CONTRACTOR PROPERTY ONE MATERIAL

37 W W W SOUND NAMES Park Services Service SECONDARY AL CHARACTER OF PALPART NOTE: NACHE SUNDENCE TOYAL SAME LAME AND BOLD ORGAN MOTAL VALUE NAME 757 10.00 COMMENCE AND VANCOUS MAN × 44 Store of the Massach Courty Paris DEP 18 37,00 005*8 3,500 15.54 E 71 3 70 (A) (A) (A) KUU 10 1 1019 I AND VAL J&FOTAL P\$31(48) -- CM(85)185% CANADA SANCE CHINE SAN TOOM ASSAULT RUSHES 大学 学者のこのないのはないのは DAME (NOON A SELVA) NOT THE SECTIONS SHAP MAKES CARACTONIA (DENIVATE (D'OMBRECHA) \$10 M \$4 W MON WAY MON ANN PL Separate Control of the Control of t NO PURPOSE A TENER 193 NEPPERHAN AVENUE

LEGENS KREELLEN LO 2-12-00

LEGENS BANLIK ON LO 2-12-00 10 X 10 M PLEIMING 200 mm 100000000 M1000 193 NEPPERMAN AVE SAN CASACIO Seast Assault AND SOMEWED MALL BUAMA SCON CONS 70 SEX X ZEO FLUCIONA CAR PURKS Daw Zw 24 A MANAGEMENT AND A SECOND AND A SECOND ASSECTION ASSECTI · 医外外外 3000 YCNKERS NY es. SENTENCE FOR MING OF N 198 S. MKCFEOOR MATALL HALF THREE PROFICE 25.44.2

E COMPANY		ow he	
2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SÉWRA BILLEICES SONAX VALLEY A CONTRACT YOUNGES A CENTRAL YOUNGES A NOTH YOUNGES S SAVE MILL YALLEY	2014	
95.048 95.048 95.048	S. S	19 X	
CONTRACTOR OF THE CONTRACTOR O			
		PROPERTY OWNERSHIP RECORD Walted Association Control of the cont	
1		PROPERTY COVINERS.	
100 May 100 Ma		1972 18,400 18,400 19,300 19,300 19,300	
Will No. Work		7, 3000 / 2000 /	
		TX W TX TX TX TX TX TX T	

		### 1	副の1994年では1995年	
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		PROPERTY OWNERSHIP RECORD	
\$410 x 340 x 320	1100 1110 1110 1110 1110 1110 1110 111	26 475- 26 475	15,400	19,300
SULDING PERMITS		47.8	The second secon	# #4320

Y Y Y

Print This Page

Show Results

PARCEL, ID 1,-475-25

Charles Market		
Owner Last Name	Owner First Name	Prior Owner
Millo Brothers Inc	3	Zerenga Gaetano,

Tax Map Address Details			Solid-Solid Control Co	
Street Number	Street Name	City	State	Ćį.
561	Nepperhan	Yonkers	ÀN	10701

Land Assessed ValueTotal Assessed ValueFull Market ValueAssessment Year\$ 2,700\$ 7,000\$ 179,9492005	Assessment Details			
00 \$ 7,000			Full Market Value	Assessment Year
	\$ 2,700	00012 \$		2005


	Company of the second s		
Property Details			
Property Cass	Zoning Code	Total Acres	101 Sq. Ft.
Aparonent	CM.	00.00	3150
Sed As	Vear Built	Building Perimeter	
Nen-contrib	\$961	830	WANTED TO THE
Number of Stories	Story Height	Gross Floor Area	Rentable Sq#
4.0	6	7860	1800
Unit Code Desc	Total Units	1 Bed Unit Suff	Ted Thi Number
Square feet	gratuoj	0	
2Bed Unit Soff	2Red Unit Number	3Bed Unit Sqft	38cd Unit Number
0	()	0	0
	The second secon		


Sale Date (3333-mm-dd) Full Sales Price		30.5
5005000	000023	South State of the


4/21/2006


1	# V 3 %	V V	ino I no I co	***************************************		X.											W			Ą								
						(\$0)		1000		20 10 10 10 10 10 10 10 10 10 10 10 10 10		2	97% 844									A Company of the Comp						
	24. 42. 48. 27. 48. 48.			And the second s) 2 20	23 34 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40			SELETON MACON F	S SIN MILL VALLEY					1881 1184								
	de l'altra				\$6.5 7944			Application of the second			4	44	7	*				÷.									and the fact of the second	
ALSESSMANT RECORD				And the second s														Ori						The state of the s			· · · · · · · · · · · · · · · · · · ·	d d
																				1000 millow 1000 1000 1000 1000 1000 1000 1000 10						agani ya ngampa a		
												8				And the second s												
																			The state of the s							we obtained the second of the	31 1.	
	######################################					Sand Company of the C												MALLE ADDRESS						the state of the second desired to the state of the second			dampt einerstegning gegebe eine Vergestransen in	
	327							A real programme of the second								The second secon		er in de la company de la comp						e de la company de la comp				A second distance of the second secon
	18000 180	- S	english on security of the sec			March (March 1977) Time Indian												The state of the s		×				The state of the s			and the state of t	
SIVA			Committee of the commit			And the second s												med franchische dem med de de de franchische des fan en de de de					131706	to to the first proposed from	99,5		The state of the s	the form of the state of the st
BURDING PERMIS	256	Prior	Are Demonstrated to the Characteristic Strategic Area Area Strategic Area Area Area Area Area Area Area Area		Two free manufactures from the comment	Overenge vor. 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	A Proposition of Community	The design of the second secon										CW NEWS NAME				and references from the comments of the	Shirt descriptors make states and	and any total type may day, year	the case was the case was		rati	
alt.	Ž.		And the second s			Martin (Charles Con V. Law (Con Addison Con)		Section Commence of the Commen														000 T T T T T T T T T T T T T T T T T T						

APPENDIX B FIRE INSURANCE MAPS









APPENDIX C DATABASE SEARCH RESULTS



* NPL, CERCLIS, INACTIVE HAZARDOUS WASTE REGISTRY SITES AND/OR REGISTRY QUALIFYING SITES * IDENTIFIED WITHIN 1 MILE SEARCH RADIUS

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

The New York State Department of Environmental Conservation issues Quarterly Status Reports of the Inactive Hazardous Disposal Site Registry. Part Five of those reports identifies "all sites that are under an investigation by the DEC in order to determine whether or not the site meets the statutory definition of an inactive hazardous waste disposal site."

Sites identified in Part Five are not currently listed in the Registry and may be added to the Registry or dropped from consideration. This section contains information on those sites.

Map Identification Number 1 PATCLIN CHEMICAL CO

66 ALEXANDER STREET

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2804 feet to the WNW

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE Revised zip code: NO CHANGE

SITE DESIGNATION:

NPL -

CERCLIS - X

NYSDEC REGISTRY -

NYSDEC REGISTRY QUALIFYING -

EPA Facility Id: NYD986925790

Site-ID: 0203907

USEPA COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY INFORMATION SYSTEM (CERCLIS)

SITE INFORMATION

EPA-ID: NYD986925790

Site Name: PATCLIN CHEMICAL CO Site Street: 66 ALEXANDER STREET Site City/State/Zip: YONKERS, NY 10701

NFRAP (No Further Remedial Activity Planned) Status: NOT DESIGNATED AS NFRAP

Owner Indicator: Unknown NPL Status Indicator: Not on the NPL

Incident Type: USGS Hydrological Unit: 02030101

Incident Category: RCRA Flag:

Non-NPL Status: Removal Only Site (No Site Assessment Work Needed)

Federal Facility Flag: Not a Federal Facility

SITE DESCRIPTION:

Request for archiving made by the Removal Program 8/31/2001 - Decision not to pursue Cost Recovery (J. Witkowski/L. Peterson

) Removal request for unarchiving 10/11/02 (J. Witkowski)

Financial Budget Source: Enforcement

OPERABLE UNIT INFORMATION

Operable Unit ID: 00 Operable Unit Name: SITEWIDE

ACTION INFORMATION

ADMIN ORDER ON CONSENT Actual Start Date: Name:

Lead: Federal Enforcement Actual Completion Date: 19940630 Operable Unit ID: Oualifier:

Planning Status: Category:

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Anomaly Indicator:

Name: PRP REMOVAL Actual Start Date: 19940922 Lead: Responsible Party Actual Completion Date: 19960926 Oualifier: Stabilized Operable Unit ID: 0.0 Planning Status: Category: Time Critical Primary

Financial Budget Source: Removal IFMS Entry: Both Intramural and Extramural Entry into IFMS

Anomaly Indicator:

Actual Start Date: Name: REMOVAL ASSESSMENT 19980331 Actual Completion Date: 19980331 Lead: EPA Fund-Financed

Operable Unit ID: Qualifier:

Planning Status: Category:

IFMS Entry: Financial Budget Source: Removal Both Intramural and Extramural Entry into IFMS

Anomaly Indicator:

Actual Start Date: 19980331 Name: REMOVAL

Actual Completion Date: 19980504 Lead: EPA Fund-Financed Qualifier: Stabilized Operable Unit ID:

Planning Status: Category: Emergency Primary Financial Budget Source: Removal IFMS Entry: Both Intramural and Extramural Entry into IFMS

Anomaly Indicator:

Actual Start Date: Name: REMOVAL NEGOTIATIONS

Actual Completion Date: 20020221 Lead: Federal Enforcement 0.0

Operable Unit ID: Qualifier: Planning Status:

Category:

IFMS Entry: Financial Budget Source: Enforcement Both Intramural and Extramural Entry into IFMS Anomaly Indicator:

Name: REMOVAL Actual Start Date: 20020115 Lead: EPA Fund-Financed Actual Completion Date: 20020314

Oualifier: Stabilized Operable Unit ID: Planning Status: Category: Primary Emergency

Financial Budget Source: Removal IFMS Entry: Both Intramural and Extramural Entry into IFMS

Anomaly Indicator:

ARCHIVE SITE Actual Start Date: Name:

Lead: EPA In-House Actual Completion Date: 20021009

Operable Unit ID: Oualifier: 0.0

Category: Planning Status:

IFMS Entry: No Entry into IFMS Financial Budget Source:

Anomaly Indicator:

FINANCIAL INFORMATION

REMOVAL Action Name: Financial Type: Commitment Date: Budget Source: Removal Amount: \$20000

IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL

Action Name: REMOVAL

Financial Type: Actual Obligation

Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Decommitment Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Deobligation Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Commitment Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL

Financial Type: Actual Obligation

Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Decommitment Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Deobligation Financial ID: 0001 19980415

Financial ID: 0001 Date: 19980417 \$20000 Amount: Planned/Actual: ACTUAL

Financial ID: 0001 Date: 19980417 \$20000 Amount: Planned/Actual: ACTUAL

Financial ID: 0001 Date: 20000510 \$2421 Amount: Planned/Actual: ACTUAL

0001 Financial ID: Date: 20011226 Amount: \$200000 Planned/Actual: ACTUAL

Financial ID: 0001 Date: 20020102 Amount: \$200000 Planned/Actual: ACTUAL

Financial ID: 0001 Date: 20020102 Amount: \$200000 Planned/Actual: ACTUAL

Financial ID: 0001 Date: 20020226

\$27857

20020304

20020306

20020306

20020308

20020327

20020515

20020522

20020618

20020717

\$26444

\$38178

\$17579

\$95144

\$47690

\$46578

\$580000

\$580000

\$580000

0002

0002

0002

0002

0003

0004

0002

0005

0006

Budget Source: Amount: Removal IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Commitment Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Financial ID: Action Name: REMOVAL Financial Type: Actual Obligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Decommitment Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Financial ID: Action Name: REMOVAL Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL Action Name: REMOVAL Financial ID: Financial Type: Deobligation Date: Budget Source: Removal Amount: IFMS Entry: Both Intramural and Extramural Entry into IFMS Planned/Actual: ACTUAL

Action Name: REMOVAL Financial Type: Deobligation Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Deobligation Budget Source: Removal

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Action Name: REMOVAL Financial Type: Deobligation Budget Source: Removal

Map Identification Number 2

IFMS Entry: Both Intramural and Extramural Entry into IFMS

Financial ID: 0007
Date: 20020919
Amount: \$2434
Planned/Actual: ACTUAL

Financial ID: 0009

Date:

Amount:

Planned/Actual: ACTUAL

Financial ID: 0008

Date: 20030319

Amount: \$123131

Planned/Actual: ACTUAL

20030319

\$372544

BICC CABLES Facility Id: 360051

1 POINT STREET YONKERS, NY 10702

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 5209 feet to the NNW

Revised street: 1 POINT ST
Revised zip code: NO CHANGE

SITE DESIGNATION: NPL - CERCLIS - NYSDEC REGISTRY - X NYSDEC REGISTRY QUALIFYING -

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INACTIVE HAZARDOUS WASTE DISPOSAL SITE INFORMATION

SITE CODE: 360051

CLASSIFICATION CODE: 2 REGION: 3 EPA ID:

CLASSIFICATION CODE DESCRIPTION:

Significant threat to the public health or environment - action required.

NAME OF SITE: BICC Cables STREET ADDRESS: 1 Point Street

TOWN/CITY: Yonkers ZIP: 10702 COUNTY: Westchester

SITE TYPE: Dump- Structure-X Lagoon- Landfill- Treatment Pond- ESTIMATED SIZE: 14 Acres

SITE OWNER/OPERATOR INFORMATION:

CURRENT OWNER(S):

NAME....: BICC Cables Corporation

ADDRESS..: 1 Crosfield Avenue, West Nyack, NY 10994

NAME....: BICC CABLES CORPORATION

ADDRESS..: 7920 ROCKVILLE ROAD, INDIANAPOLIS, INDIANA 46214

OWNER DURING DISPOSAL:

NAME....: BICC CABLES CORPORATION

OPERATOR(S) DURING DISPOSAL:

NAME....: BICC Cables Corporation

ADDRESS..: 1 Crosfield Avenue, West Nyack, NY 10994

NAME....: BICC CABLES CORPORATION

ADDRESS..: 1 CROSFIELD AVE, WEST NYACK, NY 10994

HAZARDOUS WASTE DISPOSAL PERIOD: from 1930s to 1970s

SITE DESCRIPTION:

The site is approximately 14 acres of which 360,000 sq. ft. is warehouse/office space structures. The rest of the site is open or paved/unpaved lots. The facility, in operations since 1886, ceased manufacturing of high voltage cables in 1996. BICC, the fourth corporation doing business on this property, is the present owner. Aerial photo's show that the property was expanded (into the Hudson River) via fill material from 1940 to 1976. In September 1997, BICC and NYSDEC entered into a Consent Order (CO) to perform a Preliminary Site Assessment (PSA) through the Spills Program. The PSA report showed levels of on-site PCB contaminated soils ranging from .018 ppm to 4,800 ppm. On-site soils contaminated with lead were at 14,800 ppm. Semi-volatile compounds and PAHs exceeded soil cleanup levels. The owner has entered into a Consent Order with the DEC for a Remedial Investigation/Feasibility Study (RI/FS). The soil is contaminated with PCBs and lead. The source of the contamination has not been identified. The oil in the remaining large transformers was tested. Some contained PCBs. Further investigation is necessary to determine the best remedial alternatives for the on-site soils. The site represents a significant threat to the environment for potential impact to the Hudson River and a public health concern because of the potential for exposure to PCB contaminated interior surfaces of the building and on-site soils. A work plan for sampling, including the interior of the building and river sediments has been approved. Most of the field work is complete. Based on a petition request, it has been determined that the Electric Power Research Institute (EPRI) laboratory (tax map number 2-2630-2), is not part of the BICC Cables Hazardous Waste site. This is the laboratory that was constructed on pilings over part of the river bank.

CONFIRMED HAZARDOUS WASTE DISPOSED:

OUANTITY

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:

Site soils contaminated with levels of PCBs (4,800 ppm) and lead (14,800 ppm). Contamination threats to the Hudson River flora and fauna exist.

ASSESSMENT OF HEALTH PROBLEMS:

Surface and subsurface soils are contaminated with polychlorinated biphenyls (PCBs) and polycyclic aromatic hydrocarbons (PAHs) at concentrations above applicable cleanup objectives. The presence of these contaminants in surface soils presents a potential exposure pathway through direct contact with or ingestion of contaminated soil. Subsurface contamination could result in human exposures if these soils are disturbed during on-site development activities. Some interior surfaces of the facility are contaminated with PCBs and lead. Direct contact with these

contaminated surfaces represents a potential exposure pathway. Many areas of the facility have been decontaminated and are used for motion picture filming activities. Groundwater is not known to be contaminated. The area is served by public water.

The New York State Department of Environmental Conservation has not publicly updated the following fields since 2003:

ANALYTICAL DATA AVAILABLE FOR: Air- Surface Water- Groundwater-X Soil-X Sediment-

APPLICABLE STANDARDS EXCEEDED IN: Groundwater- Drinking Water- Surface Water- Air-

GEOTECHNICAL INFORMATION:

SOIL/ROCK TYPE: Fill.

GROUNDWATER DEPTH: Range: 15 to 20 feet.

LEGAL ACTION: Type: Consent Order State-X Federal-

STATUS: Negotiation in Progress-X Order Signed-

REMEDIAL ACTION: Proposed- Under Design- In Progress- Completed-

NATURE OF ACTION:



* NO HAZARDOUS SUBSTANCE WASTE DISPOSAL SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS *



* BROWNFIELDS SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS *

BROWNFIELDS SITES IDENTIFIED WITHIN TWILE SEARCH RADIUS

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 3 104 ASHBURTON AVE Facility Id: V00361

104 ASHBURTON AVE. YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: 104 ASHBURTON AVE

Approximate distance from property: 1920 feet to the N Revised zip code: 10703

Brownfield Program: Voluntary Cleanup Program

Volunteer: Greyston Foundation

Map Identification Number 4 MAIN/HUDSON/HAWTH ORNE SITE Facility Id: C360076

MAIN ST., HUDSON ST., HAWTHORNE AVE. YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: HAWTHORN AVE BTW MAIN ST AND HUDSON ST

Approximate distance from property: 2476 feet to the W Revised zip code: NO CHANGE

Brownfield Program: Brownfield Cleanup Program

Map Identification Number 5 YONKERS DOWNTOWN WATERFRONT - PARCEL E Facility Id: V00190

FOOT OF MAIN STREET YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Revised street: MAIN ST

Approximate distance from property: 2700 feet to the W Revised zip code: NO CHANGE

Brownfield Program: Voluntary Cleanup Program

Volunteer: YONKERS COMMUNITY DEVELOPMENT AGENCY

Facility Id: B00045

YONKERS DOWNTOWN WATERFRONT SITE - PHASE **Map Identification Number 6**

> FOOT OF MAIN STREET YONKERS (C), NY 10701-

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2700 feet to the W

Brownfield Program: **Environmental Restoration Program** ADDRESS CHANGE INFORMATION

Revised street: MAIN ST

Revised zip code: NO CHANGE

Map Identification Number 7 HUDSON FILLING CONSTRUCTION & DEMOLITION

> 27, 65, 75 WATER GRANT WAY AND 100 MAIN STREET YONKERS (C), NY 10701-

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2706 feet to the W

Brownfield Program: **Environmental Restoration Program**

YONKERS PARCELS B AND C 1 ALEXANDER STREET

MAP LOCATION INFORMATION

Map Identification Number 8

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2749 feet to the WNW

Brownfield Program: Brownfield Cleanup Program

Map Identification Number 9 PATCLIN WAREHOUSE SITE

62 ALEXANDER STREET

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2762 feet to the WNW

Brownfield Program: **Environmental Restoration Program** Facility Id: B00199

ADDRESS CHANGE INFORMATION

Revised street: 100 MAIN ST Revised zip code: 10701

Facility Id: C360071

ADDRESS CHANGE INFORMATION

YONKERS, NY 10701-

Revised street: 1 ALEXANDER ST

Revised zip code: NO CHANGE

Facility Id: B00194 YONKERS (C), NY 10710-

ADDRESS CHANGE INFORMATION Revised street: 62 ALEXANDER ST

Revised zip code: 10701

Facility Id: V00440

Map Identification Number 10 NAVAL MILITIA SITE "PARCEL A"

21 ALEXANDER ST.

YONKERS, NY 10701-

YONKERS, NY 10701-

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2773 feet to the WNW

Brownfield Program:

Voluntary Cleanup Program

Volunteer:

WESTCHESTER COUNTY P

Map Identification Number 11

HABIRSHAW PROPERTY

35 ALEXANDER STREET

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2807 feet to the WNW

Brownfield Program:

Voluntary Cleanup Program

Volunteer:

WESTCHESTER COUNTY P

Map Identification Number 12

CON EDISON - WOODWORTH AVE. WORKS MGP

WOODWORTH & ASHBURTON AVE'S

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 2818 feet to the NW

Voluntary Cleanup Program

Volunteer:

Brownfield Program:

CONSOLIDATED EDISON C

Map Identification Number 13

YONKERS DOWNTOWN WATERFRONT SITE - PHASE

FOOT OF WELLS AVENUE

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2896 feet to the WNW

Brownfield Program: **Environmental Restoration Program** Revised street: 21 ALEXANDER ST Revised zip code: NO CHANGE

ADDRESS CHANGE INFORMATION

Facility Id: V00441

ADDRESS CHANGE INFORMATION

Revised street: 35 ALEXANDER ST

Revised zip code: NO CHANGE

YONKERS, NY

ADDRESS CHANGE INFORMATION

Revised street: WOODWORTH AVE / ASHBURTON AVE

Revised zip code: UNKNOWN

Facility Id: B00046

Facility Id: V00564

YONKERS (C), NY 10701-

ADDRESS CHANGE INFORMATION

Revised street: WELLS AVE Revised zip code: 10701

Facility Id: B00200

Facility Id: B00193

Facility Id: B00198

GLENWOOD POWER STATION Map Identification Number 14

45 WATER GRANT WAY

YONKERS (C), NY 10701-

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 2964 feet to the WNW

Brownfield Program:

Environmental Restoration Program

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE Revised zip code: NO CHANGE

Map Identification Number 15 HALSTEAD-QUINN/ATI TANK FARM

91 ALEXANDER STREET

YONKERS (C), NY 10710-

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 3157 feet to the NW

Brownfield Program: **Environmental Restoration Program** ADDRESS CHANGE INFORMATION Revised street: 91 ALEXANDER ST

ADDRESS CHANGE INFORMATION

Revised street: 59 BABCOCK PL

Revised zip code: 10701

Revised zip code: 10701

Map Identification Number 16 LIBERTY LINES BUS DEPOT

59 BOBCOCK PLACE

YONKERS (C), NY

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 3256 feet to the NW

Brownfield Program: **Environmental Restoration Program**

Map Identification Number 17 185 - 187 RIVERDALE AVE. Facility Id: C360074

185 RIVERDALE AVENUE

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 3581 feet to the SW

Brownfield Program: Brownfield Cleanup Program

YONKERS, NY 10701

ADDRESS CHANGE INFORMATION Revised street: NO CHANGE

Revised zip code: NO CHANGE

Facility Id: V00563

Facility Id: V00562

Facility Id: C360051

Map Identification Number 18 CON EDISON -NEPPERHAN AVE WORKS-YONK MGP

7-11 MOQUETTE ROW NORTH

YONKERS, NY

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 4221 feet to the NE

ADDRESS CHANGE INFORMATION Revised street: 9 N MOQUETTE ROW

Revised zip code: UNKNOWN

Brownfield Program:

Voluntary Cleanup Program

Volunteer: CONSOLIDATED EDISON C

Map Identification Number 19

CON EDISON - LUDLOW ST WORKS-YONKERS MGP

KNOWLES STREET

YONKERS, NY

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 4266 feet to the SW

Brownfield Program:

Voluntary Cleanup Program

Volunteer:

CONSOLIDATED EDISON C

Map Identification Number 20

BICC CABLES

1 POINT STREET

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 5277 feet to the NNW

Brownfield Program:

Brownfield Cleanup Program

ADDRESS CHANGE INFORMATION Revised street: KNOWLES ST / DOWNING ST / RR TRACKS

Revised zip code: 10705

YONKERS, NY 10701

ADDRESS CHANGE INFORMATION Revised street: 1 POINT ST Revised zip code: NO CHANGE

Facility Id: 60106



* SOLID WASTE FACILITIES IDENTIFIED WITHIN THE 1 MILE SEARCH RADIUS *

SOLID WASTE FACILITIES IDENTIFIED WITHIN THE TWILL SLAKET RADIOS

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 21 YONKERS GENERAL HOSPITAL

NO ADDRESS INFORMATION PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2) Revised street: 2 PARK AVE Approximate distance from property: 2335 feet to the N Revised zip code: 10703

This facility has been deleted from the reported data. Data reflects last reported information.

PERMIT PERMIT

NUMBER EXPIRES FACILITY TYPE FACILITY STATUS WASTE TYPES

INCINERATOR UNKNOWN



UNLEADED GASOLINE

DIESEL

* OIL STORAGE FACILITIES LARGER THAN 400,000 GALLONS IDENTIFIED WITHIN 1 MILE SEARCH RADIUS *

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

Map Identificati	ion Number 22	A.TARRICONE INC. 91 ALEXANDER ST.		YONKERS, NY 1070	5	Facility Id 3-2440
Site location ma	N INFORMATION pped by: ADDRESS tance from property	S MATCHING : 3157 feet to the NW		ADDRESS CHANGE Revised street: 91 Al Revised zip code: 107	LEXANDER ST	
TANK	TANK		PETROLEUM	CAPACITY	TANK	INSTALI
NUMBER	STATUS		PRODUCT	GALLONS	LOCATION	DATE
1 2 4 5 6 7 8 9 10 11 12 13 14 15 16	IN SERVICE	SERVICE	UNLEADED GASOLINE UNLEADED GASOLINE #1 2 OR 4 FUEL OIL DIESEL UNLEADED GASOLINE DIESEL #1 2 OR 4 FUEL OIL	1152000 1152000 708000 147000 157000 157000 1022000 147000 147000 147000 3000 3000 2000 275	ABOVEGROUND	12/83 12/83 00/00 00/00 00/00 00/00 00/00 00/00 00/00 00/00 08/91 08/91 01/92 01/95 08/92
Toxicity Informa	tion Summary					
CHEMICAL NAM	ления МЕ			CAS-NO AC TO	UTE TUMOR MUTAG REPF X TOX TOX TOX	RO IRRIT MCL TOX

113373000

68334305

Map Identification Number 23 REFINED SUGARS, INC. Facility Id 3-2320

ONE FEDERAL STREET YONKERS, NY 10702

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 3915 feet to the WSW

ADDRESS CHANGE INFORMATION Revised street: 1 FEDERAL STREET

Revised zip code: 10705

TANK	TANK	PETROLEUM	CAPACITY	TANK	INSTALL
NUMBER	STATUS	PRODUCT	GALLONS	LOCATION	DATE
	0.00== ================================				
70-1	CLOSED-REMOVED	#1 2 OR 4 FUEL OIL	108000	ABOVEGROUND	12/49
70-2	CLOSED-REMOVED	#1 2 OR 4 FUEL OIL	108000	ABOVEGROUND	12/49
70-3	CLOSED-REMOVED	#1 2 OR 4 FUEL OIL	108000	ABOVEGROUND	12/49
70-4	CLOSED-REMOVED	#1 2 OR 4 FUEL OIL	108000	ABOVEGROUND	12/49
70-5	IN SERVICE	#1 2 OR 4 FUEL OIL	190000	ABOVEGROUND	12/49
70-6	IN SERVICE	#1 2 OR 4 FUEL OIL	190000	ABOVEGROUND	12/49
70-7	IN SERVICE	#1 2 OR 4 FUEL OIL	338000	ABOVEGROUND	12/49
70-8	IN SERVICE	#1 2 OR 4 FUEL OIL	158000	ABOVEGROUND	12/49
70-9	IN SERVICE	#1 2 OR 4 FUEL OIL	158000	ABOVEGROUND	12/49
70-10	CLOSED-REMOVED	EMPTY	158000	ABOVEGROUND	12/49
FEUER-1	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
FEUER-2	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
FEUER-3	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
FEUER-4	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
FEUER-5	CLOSED-IN PLACE	EMPTY	1000	UNDERGROUND	12/54
BUS CO1	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
BUS CO2	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
BUS CO3	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
BUS CO4	CLOSED-IN PLACE	EMPTY	3000	UNDERGROUND	12/54
CHAR TANK	CLOSED-IN PLACE	EMPTY	12000	ABOVEGROUND 1/10 BELOW GROUND	12/54
DAY TK 1-1	IN SERVICE	#1 2 OR 4 FUEL OIL	75000	ABOVEGROUND	12/69
DISPATCH-1	CLOSED-REMOVED	EMPTY	6000	UNDERGROUND	12/61
LUBE OIL TA	IN SERVICE	OTHER	3000	ABOVEGROUND	12/85
_					

Map Identification Number 24 A. TARRICONE INC. Facility Id 3-2220

FOOT OF LUDLOW STREET YONKERS, NY 10705

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 5185 feet to the SW

ADDRESS CHANGE INFORMATION

Revised street: LUDLOW ST/FERNBROOK PL

Revised zip code: NO CHANGE

TANK	TANK	PETROLEUM	CAPACITY	TANK	INSTALL
NUMBER	STATUS	PRODUCT	GALLONS	LOCATION	DATE
1	IN SERVICE	UNLEADED GASOLINE	169579	ABOVEGROUND	00/00
	IN SERVICE	UNLEADED GASOLINE	169556	ABOVEGROUND	00/00
3	IN SERVICE	LEADED GASOLINE	169541	ABOVEGROUND	00/00
4	IN SERVICE	LEADED GASOLINE	169565	ABOVEGROUND	00/00

Copyright 2006	Toxics	Targeting.	Inc.	April 27.	2006
oopyngni zooo	1 0/1100	i ai gotii ig,		, .p ,	

193-195 Nepperhan Ave		193-195 Nepperhan Ave		
-----------------------	--	-----------------------	--	--

Pane	17
raye	; 17

5	IN SERVICE	UNLEADED GASOLINE	449521	ABOVEGROUND	00/00
6	IN SERVICE	UNLEADED GASOLINE	251711	ABOVEGROUND	00/00
7	IN SERVICE	UNLEADED GASOLINE	109832	ABOVEGROUND	00/00
8	IN SERVICE	UNLEADED GASOLINE	108247	ABOVEGROUND	00/00
9	IN SERVICE	UNLEADED GASOLINE	158224	ABOVEGROUND	00/00
10	IN SERVICE	UNLEADED GASOLINE	158106	ABOVEGROUND	00/00
11	IN SERVICE	UNLEADED GASOLINE	176311	ABOVEGROUND	00/00
12	IN SERVICE	UNLEADED GASOLINE	169500	ABOVEGROUND	00/00
13	IN SERVICE	UNLEADED GASOLINE	176002	ABOVEGROUND	00/00
14	IN SERVICE	UNLEADED GASOLINE	176314	ABOVEGROUND	00/00
Toxicity In	formation Summary				

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	TOX	TOX	IRRIT TOX	MCL
UNLEADED GASOLINE LEADED GASOLINE	113373000 8006619	X X	X X			X X	



* NO HAZARDOUS WASTE TREATMENT/STORAGE/DISPOSERS IDENTIFIED WITHIN THE 1 MILE SEARCH RADIUS *



* NO RCRA CORRECTIVE ACTION SITES IDENTIFIED WITHIN 1 MILE SEARCH RADIUS *



HAZARDOUS MATERIAL SPILLS INTRODUCTION

The Hazardous Material Spills in this section are divided into eight spill cause groupings. These include:

Active Spills Section: Spills with incomplete paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 1) Tank Failures
- 2) Tank Test Failures
- 3) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 4) Miscellanous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, and Vandalism.

Closed Status Spills Section: Spills with completed paperwork that may or may not be cleaned up (See Date Cleanup Ceased)

- 5) Tank Failures
- 6) Tank Test Failures
- 7) Unknown Spill Cause or Other Spill Cause Hazardous Spills
- 8) Miscellanous Spill Causes: Equipment Failure, Human Error, Tank Overfill, Deliberate Spill, Traffic Accidents, Housekeeping, Abandoned Drum, and Vandalism.

All spills within each spill cause category are presented in order of proximity to the subject site address.

Please note that spills reported within 0.25 mile (or one-eighth mile in Manhattan) are mapped and profiled.

Between 0.25 mile (or one-eighth mile in Manhattan) and 0.5 mile, only the following spills are mapped and profiled:

- * Tank Failures;
- * Tank Test Failures:
- * Unknown Spill Cause or Other Spill Cause;
- * Spills greater than 100 units of quantity; and
- * Spills reported in the NYSDEC Fall 1998 MTBE Survey.

A table at the end of each section presents a listing of reported Miscellanous Spills with less than 100 units located between 0.25 mile (or one-eighth mile in Manhattan) and 0.5 mile. These spills are neither mapped nor profiled.



ACTIVE TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 25 FAMILY MULTI USE BUILDING Spill Number: 0511200 Close Date:

45 PALISADE AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: NO CHANGE

Approximate distance from property: 713 feet to the WNW Revised zip code: UNKNOWN

Source of Spill: PRIVATE DWELLING Spiller: UNKNOWN - UNKNOWN NAME CUSTOMER Spiller Phone:

Notifier Type: Health Department Notifier Name: DANIELLE JACKSON Notifier Phone: (914) 224-7648
Caller Name: DANIELLE JACKSON Caller Agency: WESTCHESTER COUNTY HEALTH Caller Phone: (914) 224-7648

DEC Investigator: WCHD Contact for more spill info: DANIELLE JACKSON Contact Person Phone: (914) 224-7648

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/26/2005 TANK FAILURE NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 30.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

CLEAN UP IN PROCESS. THE FUEL OIL COMPANY AND OWNER ARE WORKING TO CLEAN IT UP.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 26

33 VICTOR ST

Spill Number: 0409734 Close Date:

YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE Revised zip code: 10701

Approximate distance from property: 1167 feet to the E

INSTITUTIONAL, EDUC, GOV, OTHER

Notifier Type: Other Caller Name:

Site location mapped by: ADDRESS MATCHING

SUZANNE LATSKY

DEC Investigator: JBODee

Spiller: MANNY FELIX Notifier Name: SUZANNE LATSKY Caller Agency: ABSOLUTE TANK

Contact for more spill info: MANNY FELIX

Caller Phone: (203) 882-9391 Contact Person Phone: (914) 879-9865

Spiller Phone: (914) 879-9865

Notifier Phone: (203) 882-9391

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date

Source of Spill:

Date Cleanup Ceased

Cause of Spill

Meets Cleanup Standards

Penalty Recommended

12/01/2004

TANK FAILURE

NO

Quantity

Resource(s)

Material Spilled

Material Class Quantity

Spilled Units

Recovered Units

Affected

#2 FUEL OIL

PETROLEUM

GALLONS 0

GALLONS SOIL

Caller Remarks:

fire marshall was present tank had holes in it.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 27 FORMER ATLANTIC S/S

111 YONKERS AVE.

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2112 feet to the ENE

GASOLINE STATION Affected Persons

Caller Name: ANNON

Source of Spill:

Notifier Type:

DEC Investigator: WXWADSWO

Spiller: Notifier Name:

> Caller Agency: Contact for more spill info:

Spill Number: 9400926 YONKERS. NY NO ZIP PROVIDED

Close Date:

ADDRESS CHANGE INFORMATION Revised street: NO CHANGE

Revised zip code: 10701

Spiller Phone: Notifier Phone:

Caller Phone: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spiller Phone: (914) 963-7049

Spill Date Date Cleanup Ceased		Cause of Spill	Meets Cle	Meets Cleanup Standards Pen			alty Recommended		
04/19/1994		TANK FAILURE	NO		NO				
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected		
GASOLINE		PETROLEUM	0	UNKNOWN	0	UNKNOWN	GROUNDWATER		

COLOR COMING FROM EXCAVATION OF U/G TANKS

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"

Map Identification Number 28 RESIDENCE Spill Number: 0506925 Close Date:

316 PRESCOTT ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2587 feet to the ESE
Revised street: NO CHANGE
Revised zip code: 10701

PETROLEUM

Source of Spill: PRIVATE DWELLING Spiller: HELEN PAWLOWSKI - RESIDENCE

Notifier Type: Other Notifier Name: ALISE BECCARIA Notifier Phone: (203) 775-9447 Caller Name: ALISE BECCARIA New ENGLAND TANK SERVICES Caller Phone: (203) 775-9447

DEC Investigator: JBODee Contact for more spill info: HELEN PAWLOWSKI Contact Person Phone: (914) 963-7049

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 09/07/2005 TANK FAILURE Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected

GALLONS

GALLONS

SOIL

Caller Remarks:

#2 FUEL OIL

Tank removal, Tank size 1000 gallons

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.



ACTIVE TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 29 RESIDENCE Spill Number: 0510025 Close Date:

90-100 LINDEN ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 528 feet to the SSE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: MARIA REESE - RESIDENCE Spiller Phone: () -

Notifier Type: Tank Tester Notifier Name: AMY TOY Notifier Phone: (800) 440-8265
Caller Name: AMY TOY Notifier Phone: (800) 440-8265
Caller Agency: ADVANCED SERVICES Caller Phone: (800) 440-8265

DEC Investigator: JBODee Contact for more spill info: MARIA REESE Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/21/2005 TANK TEST FAILURE NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 1000 Horner EZ Check Lor II 0.00 UNKNOWN

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 30 SILVA HOME

YONKERS, NY NO ZIP PROVIDED

Spill Number: 0506029

Close Date:

23 CHESTNUT STREET

ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Approximate distance from property: 759 feet to the NE Revised street: NO CHANGE Revised zip code: 10701

Source of Spill: PRIVATE DWELLING

Spiller: SILVA HOME - SILVA HOME

Spiller Phone: (917) 957-1293 Notifier Phone: (845) 225-5240

Notifier Type: Tank Tester Caller Name: KATHY MORGAN

MAP LOCATION INFORMATION

Notifier Name: KATHY MORGAN Caller Agency: US TANK TECH

Caller Phone: (845) 225-5240

DEC Investigator: JBODee

Contact for more spill info: SILVA HOME

Contact Person Phone: (917) 957-1293

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Spill Date

Cause of Spill Meets Cleanup Standards

Penalty Recommended

08/16/2005

TANK TEST FAILURE

NO

Resource(s)

Material Spilled

Material Class

Quantity

Spilled Units

Quantity Recovered Units

Affected

#2 FUEL OIL

PETROLEUM

GALLONS 0

GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number

Tank Size

Tank Test Method

Leak Rate

Gross Leak or Failure

1080

Horner EZ Check I or II

0.00

UNKNOWN

Caller Remarks:

UNCOVER REPAIR & RETEST

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 31

SHAH RESIDENCE

Spill Number: 0400609

Close Date:

36 OAK STREET

YONKERS, NY NO ZIP PROVIDED

ADDRESS CHANGE INFORMATION

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: NO CHANGE

Approximate distance from property: 985 feet to the ENE

Revised zip code: 10701

Spiller Phone: (914) 946-4300

Notifier Phone: (914) 946-4300

Source of Spill: PRIVATE DWELLING

Tank Tester Notifier Type: PAUL SCORZELLI Caller Name:

Notifier Name: PAUL SCORZELLI

Spiller: PAUL SCORZELLI - KHAWAR SHAH

Caller Agency: CARNELL ENVIRONMENTAL DEC Investigator: ibodee

Caller Phone: (914) 946-4300 Contact for more spill info: PAUL SCORZELLI Contact Person Phone: (914) 946-4300

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN Spill Class:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/19/2004 TANK TEST FAILURE

Material Quantity Resource(s) Material Quantity Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

FAILED TANK TEST:

DEC Investigator Remarks:

6-8-04 Tank tested by a potential buyer according to an attorney for the buyer. TG

Map Identification Number 32 YONKERS AVE POOL **Spill Number: 9704813** Close Date:

> **48 YONKERS AVE** YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 1107 feet to the ENE Revised zip code: 10701

COMMERCIAL/INDUSTRIAL Spiller: GENE TOLVE - YONKERS AVE POOL Source of Spill: Spiller Phone: (718) 265-3355 Notifier Phone: (718) 265-3355

Notifier Type: Tank Tester Notifier Name: GENE TOLVE

GENE TOLVE Caller Agency: STATE ENVIRONMENTAL SVCS Caller Phone: (718) 265-3355 Caller Name: Contact Person Phone: (718) 265-3355

Contact for more spill info: GENE TOLVE DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP:CORRECTIVE ACTION TAKEN

Cause of Spill Spill Date Date Cleanup Ceased Meets Cleanup Standards Penalty Recommended

TANK TEST FAILURE 07/22/1997

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Recovered Units Affected Units

#2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

55 1000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

1 of 2 tank failed the horner ez check 3 test

tank will be retested after approval from yuonkers

pass / fail test tank number 55 failed tank number 46 passed

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 33 HEALTH CENTER BUILDING Spill Number: 9704917 Close Date:

87 NEPPERHUN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 87 NEPPERHAN AVE

Approximate distance from property: 1278 feet to the SW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: ALBINA - HEALTH CENTER BUILDING Spiller Phone:

Notifier Type: Tank Tester Notifier Name: GENE TOLVE Notifier Phone: (718) 265-3355

Caller Name: GENE TOLVE Caller Agency: STATE ENVIRONMENTAL SVCS Caller Phone: (718) 265-3355

DEC Investigator: tdghiosa Contact for more spill info: ALBINA Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

07/24/1997 TANK TEST FAILURE NO NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

39 5000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

TANK TEST FAILURE -

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 34 RESIDENCE **Spill Number: 0508564** Close Date:

> 112 BEECH ST YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 1329 feet to the SE Revised zip code: 10701

PRIVATE DWELLING Source of Spill: Spiller: BES PERPETAJ - RESIDENCCE

Spiller Phone: (718) 716-1050 Notifier Phone: (914) 747-9741 Notifier Type: Tank Tester Notifier Name: MYRA JANDAN Caller Name: MYRA JANDAN Caller Agency: ELITE ENVIORMENTAL Caller Phone: (914) 747-9741 DEC Investigator: JBODee Contact for more spill info: BES PERPETAJ Contact Person Phone: (718) 716-1050

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 10/17/2005 TANK TEST FAILURE NO NO Material Material Quantity Quantity Resource(s) Units Spilled Class Spilled Recovered Units Affected #2 FUEL OIL PETROLEUM GALLONS GALLONS SOIL

Caller Remarks:

NONE

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 35 **PARKS & RECREATION ADMIN** Spill Number: 9706791 Close Date:

> 285 NEPPERHAN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE Approximate distance from property: 1385 feet to the NE Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ALBINA GLAZ - PARKS & RECREATION ADMIN Spiller Phone: (914) 377-6210

Notifier Type: Notifier Name: MICHAEL GIUSTINANI Notifier Phone: (718) 265-3355 Other Caller Name: ROSE MARIE CORTESE Caller Agency: STATE ENVIRONMENTAL SERVI Caller Phone: (718) 265-3355

Contact for more spill info: MICHAEL GIUSTNANI Contact Person Phone: (718) 265-3355 DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date

08/29/1997 TANK TEST FAILURE NO NO

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

3000 Horner EZ Check I or II 0.00 FAIL

Caller Remarks:

NOTIFIER WAS DOING A TANK TEST WHICH FAILED AND THEN PUMPED THE TANK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 36 AQUINNO HOME Spill Number: 0508813 Close Date:

63 PARK HILL AVE YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 1816 feet to the S Revised zip code: 10701 Source of Spill: PRIVATE DWELLING Spiller Spiller GASPAR AQUINNO - AQUINNO HOME Spiller Phone: (914) 525-2554

Notifier Type: Tank Tester Notifier Name: AMY TOY Notifier Phone: (800) 440-8265

Caller Name: ADVANCED SERVICES Caller Phone: (800) 440-8265

DEC Investigator: JBODee Caller Agency: ADVANCED SERVICES Caller Phone: (800) 440-8265

Caller Agency: ADVANCED SERVICES Caller Phone: (800) 440-8265

Caller Phone: (800) 440-8265

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

10/21/2005 TANK TEST FAILURE NO NO

Material Material Quantity Quantity Resource(s)
Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 1000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

No known impacts at this time; Advanced Services will notify oil company (Valley Oil) who will inform the owner as to option for proceeding.

Map Identification Number 37 ARMORY Spill Number: 0306124 Close Date:

127 NORTH BROADWAY YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 1869 feet to the NW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: JOE KELLY - ARMORY Spiller Phone: (914) 377-6912
Notifier Type: Tank Tester Notifier Name: ABRAHAM WACHSLER Notifier Phone: (718) 731-7011

Caller Name: ABRAHAM WACHSLER Caller Agency: NYC TANK TESTING Caller Phone: (718) 731-7011
DEC Investigator: WCHD Contact for more spill info: JOE KELLY Contact Person Phone: (914) 377-6912

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased		Cause of Spill	Meets Cle	Meets Cleanup Standards Penalty Recom			ded
09/09/2003			TANK TEST FAILURE	NO		NO		
Material Spilled			Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLEUM	0	GALLONS	0	GALLONS	SOIL
TANK TEST IN	ORMATION							
Tank Number	Tank Size Tank Test Method 5000 Horner EZ Check I or II		od	Leak Rate 0.00		Gross Leak or Failure		
			k I or II			UNKNOWN		
Caller Remarks		Horner EZ Chec	k I or II	0.00			UNKN(OWN
NO COMMENT	S MADE							
DEC Investigate	or Remarks:							

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"

Map Identification Number 38 COMMERCIAL Spill Number: 0507470 Close Date:

156 NORTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: NO CHANGE

Policed file and a 10701

Approximate distance from property: 2055 feet to the NNW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: TOM TOWLES - COMMERCIAL Spiller Phone: (914) 965-2747 Notifier Type: Tank Tester Notifier Name: MYRA JANDAN Spiller Phone: (914) 747-9741

Caller Name: MYRA JANDAN Caller Agency: ELITE ENVIORMENTAL Caller Phone: (914) 747-9741

DEC Investigator: WCHD Contact for more spill info: TOM TOWLES Contact Person Phone: (914) 965-2747

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

09/21/2005 TANK TEST FAILURE NO NO

Resource(s)

GROUNDWATER

Affected

Material Spilled			Material Class		Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLEUM		0	GALLONS	0	GALLONS	GROUNDWATER
TANK TEST INFO	DRMATION								
Tank Number	Tank Size	Tank Test Method	t		Leak Rate	;		Gross L	eak or Failure
1	1500	Horner EZ Check	I or II		0.00			UNKNO	OWN
Caller Remarks:	NO REMARI	KS GIVEN FOR TH	IIS SPILL						
DEC Investigator	Remarks: NO D	DEC INVESTIGATO	DR REMARKS GIVE	N FOR THIS SPIL	L.				
Map Identification	n Number 39	YONKERS COMI 164 ASHBURTOI			YONKERS, NY	NO ZIP PRO		er: 0507474	Close Date:
	ped by: ADDRES	SS MATCHING 2073 feet to the	NNE		ADDRESS CHA Revised street: Revised zip cod	NO CHANGE			
Source of Spill: Notifier Type: Caller Name: DEC Investigator:	Tank Tester ABRAHAM WEXI	EDUC, GOV, OTH LER		Notifier Name:	UNKNOWN NA ABRAHAM WE NYC TANK TES UNKNOWN NA	XLER ST	RS COMMUNI		Spiller Phone: (914) 423-5905 Notifier Phone: (718) 731-7011 Caller Phone: (718) 731-7011 at Person Phone: (914) 423-5905
Spill Class:	KNOWN RELEAS	SE WITH MINIMAL	POTENTIAL FOR F	IRE OR HAZARD	;DEC RESPONS	SE;WILLING R	P;CORRECTI	VE ACTION TA	AKEN
Spill Date	Date Cleanup Ce	ased	Cause of Spill		Meets Cle	anup Standar	ds Penal	ty Recommend	 led
09/21/2005			TANK TEST FAILU	JRE	NO		NO		

Quantity

Spilled

Units

GALLONS

Quantity

Recovered Units

GALLONS

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 10000 Horner EZ Check I or II 0.00 UNKNOWN

Material

PETROLEUM

Class

Caller Remarks:

Material

#2 FUEL OIL

Spilled

PBS No: 3-800417

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 40 ST JOHNS PARK CARE PAVILL Spill Number: 0310684 Close Date:

2 PARK AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 2182 feet to the N

Revised street: NO CHANGE
Revised zip code: 10703

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: Spiller: Spiller

Notifier Type: Tank Tester Notifier Name: LEW MACBRIEN Notifier Phone: (845) 561-1512
Caller Name: LEW MACBRIEN Caller Agency: IRA D CONKLIN AND SONS Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: LEE VIVARES Contact Person Phone: (914) 964-7565

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/16/2003 TANK TEST FAILURE NO NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 20000 Unknown 0.00 UNKNOWN

Caller Remarks:

TEST METHOD IS EZY 3 LOCATOR PLUS. TEST FAILED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - JACKSON"

Map Identification Number 41 ST JOHNS PARK CARE PAVILI Spill Number: 0208995 Close Date:

2 PARK AV YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2) Revised street: 2 PARK AVE Approximate distance from property: 2182 feet to the N Revised zip code: 10703

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME - SAME Spiller Phone: Notifier Type: Tank Tester Notifier Name: SAME

Caller Name: STEPHEN MCGUIRE Caller Agency: IRA D CONKLIN AND SONS Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: LEE VIVARES Contact Person Phone: (914) 964-7565

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/02/2002 TANK TEST FAILURE NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#4 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

2 20000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

fail - plumbing will be isolated and tank will be retested.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - SCHNEIDER"

Map Identification Number 42 SACORA HOME Spill Number: 0512871 Close Date:

342 PRESCOTT STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2605 feet to the E

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: Notifier Type: Caller Name: DEC Investigato	PRIVATE DWE Tank Tester AMY TOY rr: JBODee	ELLING	Notifier	· Name: AN Agency: AD	MY TOY OVANCED TA	CORA HOME ANK		Contac	Spiller Phone: (800) 440-8265 Notifier Phone: (800) 440-8265 Caller Phone: (800) 440-8265 et Person Phone: (800) 440-8265
Spill Class:	KNOWN RELE	ASE WITH MINIMA	L POTENTIAL FOR FIRE OR I	HAZARD;NC	DEC RESP	ONSE;WILLIN	G RP;CORRE	CTIVE ACTIO	N TAKEN
Spill Date	Date Cleanup (Ceased	Cause of Spill		Meets Cle	eanup Standar	ds Penalt	ty Recommend	led
02/07/2006			TANK TEST FAILURE		NO		NO		
Material Spilled			Material Class		Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLEUM		0	GALLONS	0	GALLONS	SOIL, GROUNDWATER
TANK TEST INF	ORMATION								
Tank Number	Tank Size	Tank Test Meth	od		Leak Rate	Э		Gross L	eak or Failure
1	1000	Horner EZY3/EZ	ZY3 Locator Plus		0.00			UNKNO	OWN
Caller Remarks:	NO REMA	RKS GIVEN FOR 1	 HIS SPILL						

DEC Investigator Remarks:

^{**} DEC WESTCHESTER SUB-OFFICE AND THE WESTCHESTER COUNTY HEALTH DEPT DID NOT RECEIVE THIS SPILL REPORT



ACTIVE UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 43 FORMER AMERICAN BANANA Spill Number: 0006193 Close Date:

15 SCHOOL ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 972 feet to the SW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: GEORGE CONTOS - FORMER AMERICAN BANANA Spiller Phone:

Notifier Type: Other Notifier Name: KENNETH PODOLSKI Notifier Phone: (914) 741-5472
Caller Name: JENEEN CIANFLONE Caller Agency: NATIONAL ENVIRONMENTAL Caller Phone: (914) 741-5472

DEC Investigator: jbodee Contact for more spill info: GEORGE CONTOS Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD;HIGHLY IMPROBABLE

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 08/24/2000 UNKNOWN NO NO Material Material Quantity Quantity Resource(s) Spilled Class Spilled Recovered Units Affected Units #2 FUEL OIL PETROLEUM 0 GALLONS GALLONS SOIL

Caller Remarks:

CONTAMINATED SOIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 08/24/2000 REPORTED TO J. HARDY ON DISPATCH DESK - TANK PULL: CONTAMINATED SOIL BEING REMOVED. WILL SUBMIT REPORT.

Close Date:

Spiller Phone:

Spill Number: 9305779

Map Identification Number 44 YONKERS INDUSTRIAL PARK

> 28 WELLS AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Revised street: 28 WELLS AVE.

Site location mapped by: MANUAL MAPPING (4) Approximate distance from property: 2464 feet to the WNW

Revised zip code: 10701

Source of Spill: UNKNOWN

Notifier Type: Affected Persons Notifier Phone: Notifier Name: CAROL ASH Caller Name: Caller Agency: PORT AUTH NY NJ Caller Phone: (212) 435-2229

Spiller:

DEC Investigator: jghardy Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD: DEC RESPONSE: UNABLE/UNWILLING RP: CORRECTIVE ACTION TAKEN

··

Meets Cleanup Standards Date Cleanup Ceased Cause of Spill Penalty Recommended Spill Date

08/10/1993 UNKNOWN NO NO

Material Material Quantity Quantity Resource(s)

Recovered Units Spilled Class Spilled Units Affected

UNKNOWN PETROLEUM PETROLEUM POUNDS POUNDS GROUNDWATER

Caller Remarks:

WATER SAMPLES SHOW CONTAMINATION

DEC Investigator Remarks:

5/13/99 LETTER SENT BY J. HARDY; IF PRODUCT MUST RE-START ACTIVE REMEDIATION.

6/24/99 LETTER SENT RE: HUDSON VIEW ASSOCIATES ASSUMING RESPONSIBILITY FOR REMEDIATION OF THIS SPILL.

02/15/01 LETTER SENT TO BERSHTEIN, LIPPMAN, BACHMAN BY J. HARDY; PORT AUTHORITY HAS REPRESENTED TO DEC THAT HUDSON VIEW ASSOCIATES HAS ASSUMED RESPONSIBILITY FOR REMEDIATION OF THIS SPILL - RESPOND WITH A SCHEDULE FOR A REMEDIAL ACTION PLAN WITHIN 15 DAYS.

03/15/01 LETTER SENT TO HUDSON VIEW ASSOCIATES BY J. HARDY: PROPOSED SCHEDULE FOR WORK DURING WEEK OF 4/23/01 IS APPROVED AND REQUIRED.

04/24/01 ALSO SEE SPILL 01-00920.

Map Identification Number 45 ODESSY MOTORS INC Spill Number: 0110228 Close Date:

188 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 2637 feet to the SSW

Revised street: NO CHANGE
Revised zip code: 10705

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: CALLER - ODESSY MOTORS INC Spiller Phone:

Notifier Type: Other Notifier Name: SCOTT TAYLOR Notifier Phone: (914) 741-5472
Caller Name: SCOTT TAYLOR SCOTT TAYLOR Caller Agency: NATIONAL ENVIORNMENTAL SP Caller Phone: (914) 741-5472

DEC Investigator: WCHD Contact for more spill info: CALLER Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

01/24/2002 UNKNOWN NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

GASOLINE PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

during soil sampling the results found to be contaminated soil. no clean as of yet.

DEC Investigator Remarks:

NES is doing work for buyer. Unregistered PBS facility. Four gasoline tanks, one fuel oil tank. Out of service for several years. Will be contacting WCDOH.

11/17/05 Marc Grazioli of the Westchester County Health Dept investigated this spill in 2004 but was unable to get any information. NES called in the spill based on PID readings but never took lab samples. It was a buyer/seller situation and NES were never hired to finish the assessment. Marc Grazioli wasn't able to track down the owner of the property because the Yonkers tax assessor has the wrong owner listed. Subsequently, the site burned down and was demolished. The notes on the spill from NES state the tanks were abandoned 25-30 years ago but the Yonkers Fire Dept has no records of tanks on site. Spill file closed and left as "Does not meet standards", iod

12/07/05 Westchester County Health Dept received a PBS application from the new property owners on 12-6-05. Spill file re-opened as per Barbara McDonald. jod

12/08/05 Letter from Barbara McDonald, WCHD, to Dino Rentoumis, Notify Dept 24 hrs prior to closing tank.

CITY

YONKERS

YONKERS

YONKERS



NO ACTIVE HAZARDOUS SPILLS - MISC. SPILL CAUSES - EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, AND VANDALISM - IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS.

All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

THE FOLLOWING ACTIVE SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE SEARCH RADIUS FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, OR VANDALISM. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.

FACILITY ID FACILITY NAME STREET
0512725 APT BUILDING 20 SOUTH BROADWAY
9909460 VACANT LOT 104 ASHBURTON AVE
0301966 CANTLO RESIDENCE 11 CEDAR ST



CLOSED STATUS TANK FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 46 PALERCIA Spill Number: 9011491 Close Date: 04/23/1991

121 ELM STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 427 feet to the E

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: BOB PALERCIA Spiller Phone: () 476-7617

Notifier Type: Fire Department Notifier Name: Notifier Phone:

Caller Name: LT. NIGRO DISPATCHER Caller Agency: YONKERS F.D. Caller Phone: () 307-7219

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

01/31/1991 04/18/1991 TANK FAILURE UNKNOWN NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 50.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

HD CONTACTED TO CLEAN UP AFTER HD ARRIVES LT. NIGRO COULD NOT BE CONTACTED AT EITHER NUM. LEFT MESSAGE ON BOB PALERCIA ANS.

MACHINE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

04/23/91: ARLENE RESTO FROM WCHO DID THE SITE INSPECTION AND SUPERVISED THE CLEAN UP.

Map Identification Number 47 PIT STOP Spill Number: 0210309 Close Date: 11/23/2004

79 PALISADES AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 819 feet to the NW

Revised street: NO CHANGE
Revised zip code: NO CHANGE

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: D SPYROPOULOS - PIT STOP Spiller Phone: (914) 963-1700

Notifier Type: Other Notifier Name: JACKIE PATT Notifier Phone: (845) 561-1512
Caller Name: JACKIE PATT Caller Agency: IRA CONKLIN Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: D SPYROPOULOS Contact Person Phone: (914) 963-1700

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Meets Cleanup Standards Spill Date Date Cleanup Ceased Cause of Spill PBS # Involved Penalty Recommended 01/13/2003 TANK FAILURE 3-800973 NO Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected GALLONS 0 GASOLINE PETROLEUM GALLONS SOIL

Caller Remarks:

some contaminated soil - clean up will occur soon. 1,000 AND 500 GAL TANKS. HOLES IN BOTH.

DEC Investigator Remarks:

7/29/04: Letter to D. Spyropoulos, Maipan Realty Corp., From Stefan Goreau, WCDOH dated 22Jul2004. Site closure report has been reviewed. Results indicate levels exceeding NYS guidelines. WCDOH requires at least one groundwater sample be taken. Results to be submitted within 60 days.

11/08/04 Also reported as spill 04-08384. jbo

12/15/04: Letter to D. Spyropoulos, Maipan Realty Corp dated 23Nov2004. Spill closed by Stefan Goreau, WCDOH.

Map Identification Number 48 RESIDENCE Spill Number: 0105251 Close Date: 04/24/2005

174 ELM ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1007 feet to the ESE

Revised street: NO CHANGE

Revised zip code: 10701

Approximate distance from property: 1097 feet to the ESE Revised zip code: 10701

Source of Spill: PRIVATE DWELLING

Other

Notifier Type: Caller Name: MARISOL PITTS

DEC Investigator: ibodee

Spiller: UNK - RESIDENCE Notifier Name: JUAN PADILLA

Caller Agency: TAKE PRIDE

Contact for more spill info: UNK

Spiller Phone: (000) 000-0000 ext. 0

Notifier Phone: (914) 969-1006 Caller Phone: (914) 969-1006

Contact Person Phone: (000) 000-0000 ext. 0

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN Spill Class:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

08/14/2001 TANK FAILURE NO

Material Quantity Quantity Resource(s) Material Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

tank failed - hed several holes in it when it was removed - unk clean up as of yet A CONTRACT OF THE PROPERTY OF

DEC Investigator Remarks:

04/24/05 CLEANUP REPORTEDLY COMPLETED BY TAKE PRIDE. OWNER IN DISPUTE WITH CONTRACTOR OVER PAYMENT, NO CLOSURE INFORMATION SUBMITTED TO DEC. FILE ADMINISTRATIVELY CLOSED. jod

Map Identification Number 49 RESIDENCE Spill Number: 9704098 Close Date: 12/10/1997

> 30 LOCUST HILL YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 30 LOCUST HILLS AVE

Approximate distance from property: 1121 feet to the NW Revised zip code: 10701

PRIVATE DWELLING Source of Spill: Spiller: ZEF BALAJ Spiller Phone: (718) 654-1319 Notifier Type: Notifier Name: ZEF BALAJ Notifier Phone: (718) 654-1319 Other

Caller Name: **BOB DECK** Caller Agency: PETROLEUM TANK CLEANERS Caller Phone: (718) 624-4842

Contact for more spill info: Contact Person Phone: (914) 738-0266 DEC Investigator: tdghiosa

KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD: DEC RESPONSE: WILLING RP: CORRECTIVE ACTION TAKEN Spill Class:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

07/05/1997 TANK FAILURE YES

Page 44

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#6 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

NOTIFIER NOTICED OIL SEEPING THROUGH BASEMENT WALL. PERSONNEL FROM PETROLEUM TANK CLEANERS RESPONDED AND DISCOVERED THAT TANK WAS LEAKING. TANK EVACUATED. REMEDIATION TO FOLLOW AS NECESSARY.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 07/07/97 INSPECTED SITE & ISSUED VIOLATIONS 873.2206 (1) (2) (3)

OF SANITARY CODE; DEC TO HANDLE CLEAN UP;

07/08/97 DRAINS VACCED OUT BUT RESIDUAL REMAINS; MORE CLEAN UP

IS NECESSARY; DEC HANDLING?

12/10/97 # 6 FUEL OIL CEASED DRAINING THROUGH RETAINING WALL;

TANK IS IN LOCATION WHERE REMOVAL WOULD JEOPORDIZE THE

BUILDING OR THE RETAINING WALL; PERMISSION GIVEN TO

ABANDONED IN PLACE;

Spiller Phone:

Map Identification Number: 0109060 Close Date: 03/13/2002

147 LINDEN STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1137 feet to the S

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: ALBERT FAKHOURY Spiller Phone: (914) 963-8623

Notifier Type: Other Notifier Name: Notifier Phone:

Caller Name: JIM ROOD Caller Agency: ROBISON OIL Caller Phone: (914) 345-5700 ext. 2

DEC Investigator: WCHD Contact for more spill info: ALBERT FAKHOURY Contact Person Phone: (914) 963-8623

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/11/2001 TANK FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

APPROX 1/2 INCH PRODUCT IN SUMP - SOME STAINING ON WALL - TANK WAS PUMPED OUT AND TEMPORARY TANK INSTALLED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCDOH" 03/13/2002 LETTER SENT TO A. FAKHOURY BY S. GOREAU (WCDOH); CLOSURE REPORT HAS BEEN REVIEWED. WCDOH REQUIRES NO FURTHER ACTION AT THIS TIME.

Map Identification Number 51 APT. HOUSE Spill Number: 9402315 Close Date: 06/21/1994

210 ELM STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 1569 feet to the ESE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: JOSEPH MORAY

Notifier Type: Citizen Notifier Name: Notifier Phone: Notifier Phone: Caller Name: MR. ANENDOLA Caller Agency: CITIZEN Caller Phone:

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class:	POSSIBLE REL WITH MIN PO	OTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ N	O DAMAGE);N	O DEC RESP	;WILLING RP;	CORR ACTION TAKEN	
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	eanup Standard	ls Penalt	y Recommend	led	
05/16/1994	06/21/1994	TANK FAILURE	NO		NO			
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
#2 FUEL OIL		PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL	
O-II D								

Caller Remarks:

550 TANK REMOVED AND IS LEAKING OIL TO SURROUNDING GROUND WCHD WILL INSPECT DAVE CLAYTON RESPONDED AND REPORTED THAT ONLY MINOR TRACES OF OIL EXIST WCHD CONFIRMS LITTLE OIL AROUND TANK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 52 JOE BARBERI Spill Number: 0106005 Close Date: 08/01/2002

30 PARK HILL AVENUE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1832 feet to the SSW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOE BARBERI Spiller Phone: (914) 476-5314

Notifier Type: Other Notifier Name: HAROLD PITTS Spiller Phone: (914) 969-1006

Caller Name: MARISOL PITTS Caller Agency: TAKE PRIDE ENVIRONMENTAL Caller Phone: (914) 969-1006

DEC Investigator: WCHD Contact for more spill info: JOE BARBERI Contact Person Phone: (914) 476-5314

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # Involve	ed	Meets Clear	nup Standards	Penalty Recommended
09/05/2001		TANK FAILURE	3-800823		YES		NO
Material Spilled		Material Class	Quantity Spilled Un	nits	Quantity Recovered	Units	Resource(s) Affected
GASOLINE		DETROI ELIM	0 6/	ALLONS	0	GALLONS	SOIL

.....

Caller Remarks:

SOIL CONTAMINATION FOUND DURING REMOVAL OF A 2000 GALLON AND A 3000 GALLON UNDERGROUND STORAGE TANKS. HOLES FOUND IN TANKS. UNKNOWN AMOUNT OF SOIL. UNKNOWN IF ANY GROUNDWATER AFFECTED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCDOH" 01/07/2002 LETTER SENT TO JOE BARBERI BY B. MCDONALD (WCDOH); REVIEW OF CLOSURE REPORT INDICATES THAT CONTAMINATION REMAINS ON SITE. MUST OBTAIN A GW SAMPLE FOR ANALYSIS; BASED ON RESULTS, FURTHER ACTION MAY BE NECESSARY.

08/01/02 LETTER SENT TO JOE BARBERI BY B. MCDONALD (WCHD). GROUNDWATER SAMPLING REPORT BY TAKE PRIDE HAS BEEN REVIEWED. GROUNDWATER HAS NOT BEEN IMPACTED BY SOIL CONTAMINATION. WCHD REQUIRES NFA AT THIS TIME.

Map Identification Number 53 Spill Number: 0306607 Close Date: 03/23/2004

16-18 WARBURTON AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 1842 feet to the W

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: CLIFFORD COOK Spiller Phone: (914) 968-2288

Notifier Type: Other Notifier Name: SELF Notifier Phone:

Caller Name: CHARLES TALLINGER Caller Agency: IVI ENVIRONMENTAL Caller Phone: (914) 694-9600

DEC Investigator: jbodee Contact for more spill info: CHARLES TALLINGER Contact Person Phone: (914) 694-9600

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD:HIGHLY IMPROBABLE

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 09/22/2003 TANK FAILURE YES Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected GALLONS 0 #2 FUEL OIL PETROLEUM GALLONS SOIL

Caller Remarks:

CALLER WOULD LIKE DEC TO CONTACT HIM REGARDING THIS INCIDENT

SPILL WAS CAUSED BY A HOLE IN A TANK THAT THEY WERE REMOVING. THEY HAVE LINED THE EXCAVATION WITH PLASTIC, BACK FILLED WITH CLEAN

FILL AND WILL BE BACK AT A LATER DATE TO RESUME CLEANUP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 03/23/04 IVI ENVIRONMENTAL DISPOSED OF LUST AND 55.45 TONS OF CONTAMINATED SOIL. SOME RESIDUAL CONTAMINATION AT OR BELOW TAGM LIMITS COULD NOT BE EXCAVATED DUE TO STRUCTURAL CONSIDERATIONS. NO FURTHER ACTION REQUIRED AT THIS TIME.

Map Identification Number 54 OFFICE BLDG. Spill Number: 9200221 Close Date: 07/13/1992

53 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1915 feet to the WSW
Revised street: NO CHANGE
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ORIGINAL CONSUMERS OIL Spiller Phone: (212) 893-3200

Notifier Type: Other Notifier Name: Notifier Phone:

Caller Name: DOUGLAS WILLIAMS Caller Agency: AL EASTMARD Caller Phone: (212) 378-3000

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/07/1992 07/13/1992 TANK FAILURE NO NO

Material Material Quantity Quantity Resource(s)
Spilled Units Recovered Units Affected

#6 FUEL OIL PETROLEUM 200.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

TANK OVERFILL MAY HAVE BEEN THE CAUSE OF TANK RUPTURE OIL CONTAINED ON CONCRETE FLOOR IN TANK ROOM PUMP OLD TANK VAC FREE PRODUCT ON FLOOR APPLY OIL DRY ON FLOOR WILL PICK UP & DISPOSE SPILL IS CONTA

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 07/27/92: TANK FOUND TO BE UNREGISTERED. FORM SENT 7-20-92.

Map Identification Number 55 DIV.OF MILIT.& NAVAL AFF. Spill Number: 9111897 Close Date: 03/10/1992

QUINCY PLACE OFF RT.9 YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 2079 feet to the NW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME Spiller Phone: () 963-6670

Notifier Type: Other Notifier Name: Notifier Phone:

Caller Name: CHUCK QUADLIN Caller Agency: LUZON Caller Phone: (800) 828-8249

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

02/19/1992 02/21/1992 TANK FAILURE UNKNOWN NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 UNKNOWN 0 UNKNOWN SOIL

Caller Remarks:

DISCOVERED SOIL WHILE REMOVING 1K U/G TANK PLAN TO STOCKPILE SOIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 56 DAN BERNSTEINE CO. Spill Number: 8909519 Close Date: 05/10/2004

47 MAIN STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2134 feet to the W

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: SAME Spiller Phone:

Notifier Type: Health Department Notifier Name: Notifier Phone:

Caller Name: ARLENE RESSO Caller Agency: WCHD Caller Phone: (914) 285-5024

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE WITH NO DAMAGE);HIGHLY IMPROBABLE

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cl	eanup Standar	ds Penal	ty Recommend	ded
12/27/1989		TANK FAILURE	NO		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM	0	POUNDS	0	POUNDS	SOIL

Caller Remarks:

NEIGHBOR AT 51 MAIN ST. COMPLAINED OF GAS FUMES CAUER FOUND #2 OR FUMES EMANATING FROM 47 ST. UG TANK SUSPECT LEAKING MR. BERNSTEINE CONTACTING TYREE TO CLEAN UP AND RELINE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Close Date: 04/16/2004 Map Identification Number 57 **GAS STATION** Spill Number: 0001220

104 WARBURTON AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 2191 feet to the NW Revised zip code: 10701

GASOLINE STATION Source of Spill: Spiller: UNK - UNK

Spiller Phone: (000) 000-0000 Notifier Type: Notifier Name: RITA KOREWICH Notifier Phone: (914) 693-0753 Other Caller Agency: CITIZEN Caller Phone: (914) 693-0753 Caller Name: RITA KOREWICH

Contact for more spill info: CALLER DEC Investigator: WCHD Contact Person Phone:

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; NO CORRECTIVE ACTION REQUIRED Spill Class:

Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # In	volved	Meets Clear	nup Standards	Penalty Recommended
08/24/1999		TANK FAILURE	3-16863	7	YES		NO
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE		PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Spiller Phone: (000) 000-0000

Caller Remarks:

caller reporting a spill of material from old gas tanks clean up was done however no report number was issued caller was reporting this for her husband with limited info. she was advised to contact dec regional office

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-LALAK" 05/02/00 CHRIS LALAK OF WCHD TO INSPECT. ALSO SEE SPILL 99-06218.

04/16/04 DUPLICATE REPORT. THIS SPILL FILE CLOSED BY CHRIS LALAK OF WESTCHESTER COUNTY HEALTH DEPARTMENT. jbo

Map Identification Number 58 DEPAUL GARAGE Spill Number: 0211566 Close Date: 12/02/2004

108 WARBURTON AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2225 feet to the NW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JERRY DEPAUL - APT BLDG

Notifier Type: Other Notifier Name: JACKIE PATT Notifier Phone: (845) 561-1512
Caller Name: JACKIE PATT Caller Agency: IRA CONKLIN Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: JERRY DEPAUL Contact Person Phone: (000) 000-0000

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # In	volved	Meets Clea	nup Standards	Penalty Recommended
02/21/2003		TANK FAILURE	3-168637	•	YES		NO
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE		PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

VACANT PROPERTY WAS A GAS STATION - IT HAS BEEN CLOSED SINCE 1999.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - GRAZIOLI" 10/6/03: Letter to Gerald DePaul from Stefan Goreau, WCDOH dated 10/01/2003. Site closure report has been reviewed. Further excavation of contaminated soil is required and sampling will be required after excavation. Results and report to be submitted by 12/15/2003.

12/15/04: Letter to Gerald DePaul, Estate of Mary DePaul dated 1Dec2004. Spill closed by Stefan Goreau, WCDOH.

Map Identification Number 59 POST OFFICE Spill Number: 0308550 Close Date: 11/13/2003

79 MAIN ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2415 feet to the W
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: USPO Spiller Phone:

Notifier Type: Other Notifier Name: JACKIE PATT Notifier Phone: (845) 561-1512
Caller Name: JACKIE PATT Caller Agency: IRA CONKLIN Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: JOANNE KUNNEY Contact Person Phone: (914) 697-7074

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cl	eanup Standard	ds Penal	ty Recommend	ded
11/12/2003		TANK FAILURE	NO		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROI FUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

cleanup in progress

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-SCHNEIDER" 11/13/03: Spill on concrete floor. No drains affected. Cleanup complete. NFA at this time.

Map Identification Number: 0104928 Close Date: 01/16/2002

86 MAIN ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2442 feet to the W
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: UNKNOWN - CITY OF YONKERS Spiller Phone:

Notifier Type: Other Notifier Name: HAROLD PITTS Notifier Phone: (914) 969-1006
Caller Name: JOSETTE SIMS Caller Agency: DEC Investigator: jbodee Contact for more spill info: TAKE PRIDE ENVIORNMENTAL Contact Person Phone: (914) 969-1006

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

08/07/2001 TANK FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

DURING TANK REMOVAL SOIL CONTAMINATION HAS BEEN DISCOVERED AT ABOVE LOCATION. INFORMATION FROM CALLER IS VERY LIMITED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 01/16/02 NFA REQUIRED BY WCHD (DANIELLE JACKSON)

Map Identification Number 61 CITY OF YONKERS Spill Number: 0107061 Close Date: 11/23/2001

55-57 HUDSON ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 2541 feet to the W

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: MR HANIGAN - CITY OF YONKERS Spiller Phone: (914) 377-6500

Notifier Type: Other Notifier Name: HAROLD PITTS Notifier Phone: (914) 969-1006
Caller Name: MARISOL PITTS Notifier Phone: (914) 969-1006
Caller Agency: TAKE PRIDE ENVIRONMENTAL Caller Phone: (914) 969-1006

DEC Investigator: WCHD Contact for more spill info: MARISOL PITTS Contact Person Phone: (914) 969-1006

Spill Class:	KNOWN RELEASE WITH MIN	IIMAL POTENTIAL FOR FIRE OR HA	ZARD;NO DEC RESPO	ONSE;WILLIN	G RP;CORRE	CTIVE ACTIO	N TAKEN
Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # Invo	olved	Meets Clear	nup Standards	Penalty Recommended
10/08/2001		TANK FAILURE	3-800874		YES		NO
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM	0	GALLONS	0	GALLONS	SOIL

Caller Remarks:

DURING TANK REMOVAL AT ABOVE LOCATION SOIL CONTAMINATION HAS BEEN DISCOVERED. TANKS HAVE BEEN REMOVED AND STORED ON SITE. AREA TO

BE EXCAVATED AND FURHTER REMEDIATION IS PENDING.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCDOH" 10/08/2001 TAKE PRIDE ADVISED NEED TO NOTIFY WCDOH.

11/23/2001 LETTER SENT TO CITY OF YONKERS BY F. BECK (WCDOH); BASED ON REVIEW OF CLOSURE REPORT, WCDOH REQUIRES NO FURTHER ACTION.

Map Identification Number 62 Spill Number: 0008096 Close Date: 10/12/2000

24 ASHBURTON AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2571 feet to the NNW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: N'EAST ENVIRONMENTAL INC Spiller Phone: (914) 777-1930
Notifier Type: Fire Department Notifier Name: JOSE RODRIGUEZ Notifier Phone: (914) 377-7525

Caller Name: JOSE RODRIGUEZ Notifier Phone: (914) 377-7525

Caller Name: JOSE RODRIGUEZ Caller Agency: YONKERS FD Caller Phone: (914) 377-7525

DEC Investigator: tdghiosa Contact for more spill info: N'EAST ENVIRONMENTAL INC Contact Person Phone: (914) 777-1930

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

10/02/2000 TANK FAILURE YES NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL	PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER
Caller Remarks:						
tank was abandoned - will be excavated tomorrow						
DEG.1 (* 1 D. 1						

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

10/10/2000 T. GHIOSAY MAY BE AWARE OF SITE. NE ENVIRONMENTAL TO REMOVE TANK TOMORROW, 10/11. TRI-STATE ENV. ALREADY PUMPED & CLEANED TANK & FOUND HOLES. MAY BE PRE-EXISTING SPILL NUMBER.

10/11/2000 ALSO SEE SPILL NUMBER 99-13674. UST REMOVED BY NORTHEAST ENVIRONMENTAL. NUMEROUS HOLES IN BOTTOM OF TANK. ONLY WATER PRESENT IN TANK PIT. CONTAMINATED SOIL TO BE EXCAVATED AND DISPOSED.

10/12/2000 DUPLICATE REPORT. THIS SPILL NUMBER CLOSED OUT. SEE SPILL NUMBER 99-13674.



CLOSED STATUS TANK TEST FAILURES IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 63 POLICE DEPT. HDQTR.GARAGE Spill Number: 8911573 Close Date: 12/16/1991

10 ST.CASAMIT AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: 10 ST CASIMIR AVE

Approximate distance from property: 264 feet to the NW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME Spiller Phone: Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: SABASTEIN LORIFICE Caller Agency: SUPPIER TANK LINING Caller Phone: (718) 230-5664

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD: DEC RESPONSE: WILLING RP: CORRECTIVE ACTION TAKEN Spill Class: Spill Date Date Cleanup Ceased Cause of Spill PBS # Involved Meets Cleanup Standards Penalty Recommended 03/08/1990 06/18/1953 TANK TEST FAILURE 3-493805 UNKNOWN NO Material Material Quantity Quantity Resource(s) Units Spilled Class Spilled Recovered Units Affected GASOLINE PETROLEUM 0 UNKNOWN 0 UNKNOWN GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

WILL UNCOVER AND RETEST HORNER EZYCHECK GROSS LEAK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "WADSWORTH"

Page 57

09/27/95: This is additional information about material spilled

from the translation of the old spill file: TANK TEST.

Map Identification Number 64 MOBIL

Spill Number: 8707521

Close Date: 02/11/1988

60 ELM ST.

YONKERS, NY NO ZIP PROVIDED ADDRESS CHANGE INFORMATION

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 458 feet to the WNW

Revised street: NO CHANGE

Revised zip code: 10701

GASOLINE STATION Source of Spill:

Spiller Phone: (914) 668-3793 Notifier Phone:

Notifier Type: Tank Tester Notifier Name: Caller Name: Caller Agency: DEC Investigator: jeokesso Contact for more spill info:

Caller Phone: Contact Person Phone:

POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN Spill Class:

Spiller: SAME

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/02/1987 02/11/1988 TANK TEST FAILURE UNKNOWN NO

Quantity Material Material Quantity Resource(s)

Recovered Units Units Spilled Class Spilled Affected

GASOLINE PETROLEUM 0 UNKNOWN 0 UNKNOWN GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

> Unknown UNKNOWN

Caller Remarks:

2-3K'S & 2K SYSTEM. -1.09 GPH . TO POSSIBLY REMOVE PRODUCT & INVESTYIGATE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "OKESSON" //: 2-11-88 NOT IN SERVICE, BUT REPAIRED & PASSED RET. TITE. L.R.

//: 2-11-88 NOT IN SERVICE, BUT REPAIRED & PASSED RET. TITE. N.F.A. L.R.

Map Identification Number 65 MOBIL Spill Number: 8707562 Close Date: 02/18/1988

60 ELIRA & SCHOOL ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 458 feet to the WNW

Revised street: 60 ELM ST
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: SAME Spiller Phone: Notifier Type: Tank Tester Notifier Name: Notifier Name: Same Spiller Phone: Notifier Phone: Caller Agency: Caller Phone: Caller Phone:

DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/02/1987 02/18/1988 TANK TEST FAILURE UNKNOWN NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

GASOLINE PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

2X3K & 1X2K 1.09GPH SUPER UNL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "

//: RETESTED & PASSED, LR 2-18-88 N.F.A.

11/29/95: This is additional information about material spilled from the translation of the old spill file: SUPER UNL.

Map Identification Number 66 ENGINE #1 YONKERS FD Spill Number: 9004600 Close Date: 07/25/1990

··

5-7 NEW SCHOOL STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE Approximate distance from property: 593 feet to the WNW Revised zip code: 10701

Spiller: CITY OF YONKERS Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller Phone:

Notifier Type: Tank Tester Notifier Phone: **Notifier Name:** Caller Name: ROBERT GANDELFO Caller Agency: TANK TESTING INC. Caller Phone: (718) 789-3770

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date Date Cleanup Ceased

07/25/1990 06/18/1953 TANK TEST FAILURE UNKNOWN NO

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected

SOIL

DIESEL PETROLEUM POUNDS POUNDS

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

> Unknown 0.00 UNKNOWN

Caller Remarks:

TANK IS EMPTY CITY OF YONKERS IS TAKING BIDS FOR TANK REMOVAL HORNER E-Z CHECK GROSS LEAK

DEC Investigator Remarks:

Administratively closed due to file review and/or information received. If new information arises to contradict this determination DEC reserves the right to reopen this spill without prejudice.

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH" 09/27/95: This is additional information about material spilled

from the translation of the old spill file: TANK TEST.

Page 60

Close Date: 03/08/1990

Map Identification Number 67 YONKERS FIRE ENGINE CO.#1

YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: NO CHANGE

Approximate distance from property: 593 feet to the WNW

Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME

Spiller Phone: Notifier Phone:

Notifier Type: Tank Tester TOM DESERA Caller Name:

Notifier Name: Caller Agency: SUPERIOR COAYING

Caller Phone: (718) 230-5664

DEC Investigator: WXWADSWO

Contact for more spill info:

Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/08/1990

UNKNOWN

Spill Number: 8911558

06/18/1953 TANK TEST FAILURE NO

Material Material

Quantity

Quantity

Resource(s)

Spilled

Class

Spilled Units Recovered Units

Affected

#2 FUEL OIL

PETROLEUM

UNKNOWN 0

UNKNOWN SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method

5-7 NEW SCHOOL STREET

Leak Rate

Gross Leak or Failure

Unknown

0.00

UNKNOWN

Caller Remarks:

NO ACTION YET DETERMINED

DEC Investigator Remarks:

Administratively closed due to file review and/or information received. If new information arises to contradict this determination DEC reserves the right to reopen this spill without prejudice.

Prior to Sept, 2004 data translation this spill Lead DEC Field was "WADSWORTH"

09/27/95: This is additional information about material spilled from the translation of the old spill file: TANK TEST.

DYNAMITE AUTOMOTIVE Spill Number: 8903518 **Map Identification Number 68** Close Date: 07/28/1989

> 222 NEPPERHAM AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Site location mapped by: MANUAL MAPPING (3) Revised street: 222 NEPPERHAN AV

Approximate distance from property: 956 feet to the NE Revised zip code: 10701

Source of Spill: **GASOLINE STATION** Spiller: Spiller Phone: Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: **DAVID MORGAN** Caller Agency: TRI STATE TANK SERVICE Caller Phone: (914) 434-7805

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN

Date Cleanup Ceased Cause of Spill PBS # Involved Meets Cleanup Standards Spill Date Penalty Recommended 07/07/1989 07/28/1989 TANK TEST FAILURE 3-489441 UNKNOWN Material Material Quantity Quantity Resource(s) Recovered Units Spilled Class Spilled Units Affected **GASOLINE** PETROLEUM GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

> Unknown 0.00 UNKNOWN

Caller Remarks:

TOIER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH" 07/28/89: THE 10K TANK WAS RETESTED AND PASSED. PIPING WAS THE CAUSE OF FAILURE, INSPECTION MADE ON 7/28/89 SHOWED CONTAM, SOIL TO BE REMOVED. OK TO BACKFILL.

Map Identification Number 69 ST.NICK. OF MYRA Spill Number: 8909083 Close Date: 07/30/1992

75 ASH STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1008 feet to the ESE
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME Spiller Phone: (914) 963-0451

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: STEVEN ASQUITH Caller Agency: TANK TECH CORP. Caller Phone: (914) 268-8265

DEC Investigator: wxwadswo Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/14/1989 07/30/1992 TANK TEST FAILURE UNKNOWN NO

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 0 POUNDS 0 POUNDS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

ond on the contract of the con

Caller Remarks:

PBS #104817 RECORD SHOWED 2K BUT IT IS 3K TANK HAS BEEN EXC.WILLRET.ONTHUR 12/21/89;12/15/89 FATHER SLESINSKI LEFT MESSAGE ON

ANS. MACHINE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTHH"

Map Identification Number 70 Spill Number: 9913275 Close Date: 08/31/2000

173 ELM ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 1067 feet to the ESE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: TONY DIDONATO Spiller Phone: (917) 299-8311
Notifier Type: Tank Tester Notifier Name: KEVIN SMITH Notifier Phone: (914) 225-5240

Caller Name: KATHY MORGAN Caller Agency: US TANK TECH Caller Phone: (914) 225-5240
DEC Investigator: jbodee Contact for more spill info: TONY DIDONATO Contact Person Phone: (917) 299-8311

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

02/23/2000 TANK TEST FAILURE YES NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

001 550 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

WILL REPAIR PIPING AND RETEST

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 08/31/2000 TAKE PIDE CUT, CLEANED AND ABANDONED TANK IN PLACE. NFA

Map Identification Number 71 + Spill Number: 0406395 Close Date: 12/12/2004

82 MAPLE STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1168 feet to the SE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: JOE RAPAGUA-REAL ESTATE Spiller Phone: (914) 774-5566

Notifier Type: Tank Tester Notifier Name: POALA CORONEL Notifier Phone: (914) 747-9741

Caller Name: Caller Agency: ELITE ENVIRONMENTAL Caller Phone: (914) 747-9741

DEC Investigator: jbodee Contact for more spill info: JOE RAPAGUA-REAL ESTATE Contact Person Phone: (914) 774-5566

Spill Class: POSSIBLE RELEASE WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE);NO DEC RESP;NO CORR ACTION REQUIRED

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 09/10/2004 TANK TEST FAILURE NO Material Quantity Quantity Resource(s) Material Recovered Units Spilled Class Spilled Units Affected UNKNOWN GROUNDWATER #2 FUEL OIL PETROLEUM 0 UNKNOWN 0 PETROLEUM #2 FUEL OIL 0 POUNDS 0 POUNDS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 550 Horner EZ Check I or II 0.00 UNKNOWN
1 550 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

to expose & retest or remove

DEC Investigator Remarks:

12/12/04 TANK PASSED AN ISOLATION RETEST AFTER PIPING WAS REMOVED. TANK IS IN POOR CONDITION. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jbo

Map Identification Number 72 APARTMENT BUILDING Spill Number: 0207870 Close Date: 02/04/2003

127-129 NEW MAIN STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: NO CHANGE

Approximate distance from property: 1294 feet to the WSW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MR KYUJUMG - APARTMENT BUILDING Spiller Phone: (914) 769-9261

Notifier Type: Tank Tester Notifier Name: SAME Notifier Phone:

Caller Name: ABRAHAM WACHSLER Caller Agency: NYC TANK TESTING Caller Phone: (718) 731-7011

DEC Investigator: WCHD Contact for more spill info: ABRAHAM WACHSLER Contact Person Phone: (718) 731-7011

Material

#2 FUEL OIL

Spilled

Resource(s) Affected

GROUNDWATER

Spill Date	Date Cleanup C	eased	Cause of Spill	Meets Cle	 eanup Standard	ds Penal	ty Recommend	ded
10/29/2002			TANK TEST FAILURE	YES		NO	,	
Material Spilled			Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLEUM	0	GALLONS	0	GALLONS	SOIL
TANK TEST INF	ORMATION							
Tank Number	Tank Size	Tank Test Metho	d	Leak Rate	е		Gross I	_eak or Failure
1	2000	Horner EZ Check	l or II	0.00			UNKNO	OWN
Caller Remarks:								
TANK FAILED T	HE TEST.							
DEC Investigator		53 POPLAR STR	OR REMARKS GIVEN FOR THIS SPIL	.L. YONKERS, NY	′ NO ZIP PRO		er: 0313217	Close Date: 05/06/2004
	pped by: ADDRE			ADDRESS CHARevised street:	ANGE INFORN NO CHANGE	MATION		
Source of Spill: Notifier Type: Caller Name: DEC Investigator	PRIVATE DWE Tank Tester MARTY MORG : jbodee		Notifier Name:	REALTY GANI MARTY MORG US TANK TEC REALTY GANI	SAN H		Contac	Spiller Phone: (914) 804-9360 Notifier Phone: (845) 225-5240 Caller Phone: (845) 225-5240 ct Person Phone: (914) 804-9360
Spill Class:	KNOWN RELEA	ASE WITH MINIMAL	POTENTIAL FOR FIRE OR HAZARD	;NO DEC RESP	ONSE;WILLIN	G RP;CORRE	ECTIVE ACTIC	N TAKEN
Spill Date	Date Cleanup C	ceased	Cause of Spill	Meets Cle	eanup Standard	ds Penal	ty Recommend	ded
03/02/2004			TANK TEST FAILURE	YES		NO		

Quantity Spilled

0

Units

GALLONS 0

Quantity

Recovered Units

GALLONS

Material

PETROLEUM

Class

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1000 0.00 Horner EZ Check I or II UNKNOWN

Caller Remarks:

RECOMMEND: UNCOVER REPAIR RETEST

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "O'DEE" 05/06/04 TANK PASSED RETEST AFTER PIPING WAS REPAIRED. NFA jbo

Map Identification Number 74 Spill Number: 0208265 Close Date: 03/20/2003

289 NEPPERHAN AV YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Site location mapped by: MANUAL MAPPING (3) Revised street: 289 NEPPERHAN AVE

Approximate distance from property: 1434 feet to the NE Revised zip code: 10701

COMMERCIAL/INDUSTRIAL Spiller: AL ACOSTA (SUPER.) Source of Spill:

Spiller Phone: (914) 969-1553 Notifier Name: PHILIP FAZIN Notifier Phone: (516) 939-2959 Notifier Type: Tank Tester Caller Name: PHILIP FAZIN Caller Agency: CROWN LEAK Caller Phone: (516) 939-2959 DEC Investigator: WCHD Contact for more spill info: AL ACOSTA (SUPER.) Contact Person Phone: (914) 969-1553

POSSIBLE RELEASE WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE);NO DEC RESP;NO CORR ACTION REQUIRED Spill Class:

Cause of Spill Spill Date Date Cleanup Ceased Meets Cleanup Standards Penalty Recommended 11/09/2002 TANK TEST FAILURE YES Material Quantity Quantity Resource(s) Material Spilled Class Spilled Units Recovered Units Affected #2 FUEL OIL PETROLEUM GALLONS 0 GALLONS

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

20000 Horner EZ Check I or II 0.00 FAIL Caller Remarks:

uncover, repair & retest

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 75 PBS Spill Number: 0305128 Close Date: 08/03/2005

25 NORTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1491 feet to the W

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: TREACY SAYERES Spiller Phone: (914) 965-9127 Notifier Type: Tank Tester Notifier Name: Caller Name: KATHY MORGAN Caller Agency: DEC Investigator: JBODee Contact for more spill info: TREACY SAYERES Spiller Phone: (914) 965-9127 Caller Name: KEVIN SMITH Notifier Phone: (845) 225-5240 US TANK TECH Caller Phone: (845) 225-5240 TREACY SAYERES Contact Person Phone: (914) 965-9127

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 08/14/2003 TANK TEST FAILURE Quantity Material Quantity Resource(s) Material Spilled Units Recovered Units Spilled Class Affected #2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

IT IS VAULTED TANK IN THE BASEMENT - ABANDOND OR REMOVE THE TANK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"

August 3, 2005: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod

Map Identification Number 76 Spill Number: 0301401 Close Date: 10/23/2003

105 OLIVER AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING Approximate distance from property: 1519 feet to the E ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE Revised zip code: 10701

Source of Spill: PRIVATE DWELLING

Notifier Type: Tank Tester

Spiller: Notifier Name: Spiller Phone: Notifier Phone:

Caller Name: MORRIS MORGAN Caller Agency: US TANK TECH Caller Phone: (845) 225-5240 DEC Investigator: jbodee Contact for more spill info: MR ROOKER Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; NO CORRECTIVE ACTION REQUIRED

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

05/08/2003 TANK TEST FAILURE YES NO

MaterialQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 550 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

will recomend uncover and pump

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 09/11/03 PROBABLE VENT LINE PROBLEM. TANK CAN'T BE REMOVED DUE TO STRUCTURAL CONSIDERATIONS. TANK TO BE CUT AND CLEANED AND SOIL SAMPLE TO OBTAINED FROM BASE.

10/23/03 CASTLTON REMOVED TANK. CONTAMINATED SOIL WAS ENCOUNTERED, BUT SAMPLE RESULTS WERE BENEATH TAGM LIMITS. NO SOIL WAS REMOVED. EXCAVATION BACKFILLED. NFA

Map Identification Number 77 NATIONAL WEST MINISTER BK Spill Number: 8802655 Close Date: 04/17/2005

20 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1607 feet to the WSW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: SAME Spiller Phone: () 963-6400

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: JOHN LEDDY Caller Agency: PRO TEST Caller Phone: (516) 321-4670

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE);NO DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/23/1988 TANK TEST FAILURE NO NO

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

LEAK RATE UNDETERMINABLE VISIBLE LEAK AT TOP BY MANHOLE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

See Spill 93-12820

Map Identification Number 78 PBS Spill Number: 0403027 Close Date: 09/11/2005

55 SCHOOL ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 1628 feet to the SSW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: NON-MAJOR FACILITY (>1100 GAL) Spiller: JOHN BURKHART Spiller Phone: (914) 438-3501

Notifier Type: Tank Tester Notifier Name: LEWIS MACBRIEN Notifier Phone: (845) 742-1703 Caller Name: LEWIS MACBRIEN Caller Agency: IRA CONKLIN Caller Phone: (845) 742-1703

DEC Investigator: JBODee Contact for more spill info: JOHN BURKHART Contact Person Phone: (914) 438-3501

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/18/2004 TANK TEST FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

2 20000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

tank test failed. contracting ira conklin to isolate and retest tank

DEC Investigator Remarks:

September 11, 2005: TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. BASED UPON INFORMATION PROVIDED TO DEC, NO FURTHER ACTION IS

REQUIRED AT THIS TIME. jod

Map Identification Number 79 OFFICE BUILDING Spill Number: 9610233 Close Date: 08/07/1997

ADDRESS CHANGE INFORMATION

30 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 1670 feet to the WSW Revised zip code: 10701

Spiller: LYNN BRIEN - OFFICE BUILDING Source of Spill: COMMERCIAL/INDUSTRIAL Spiller Phone: (914) 592-3500

Notifier Type: Other Notifier Name: Notifier Phone:

Caller Phone: (516) 667-2070 Caller Name: DAVE PULVERMILLER Caller Agency: MTS ENVRO SURV DEC Investigator: tdghiosa Contact for more spill info: LYNN BRIEN Contact Person Phone: (914) 592-3500

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN Spill Class:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/15/1996 TANK TEST FAILURE YES NO

Quantity Quantity Resource(s) Material Material Spilled Class Spilled Units Recovered Units Affected

#4 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

caller had no other info at this time

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 11/15/96 WILL RETEST

08/07/97 PROBLEM IN PIPING; PREP. FOR TANK ABANDONEMENT; TANK

INSPECTION REVEALED SOME TYPE OF INTERNAL LINING;

BORINGS WERE ATTEMPTED AROUND THE TANK; THEY HIT

SHALLOW BEDROCK; GEOLOGICAL RECORD SEARCH REVEALLED

VERY TIGHT/CONFINING ROCK; NO SIGNS OF CONTAMINATION;

Map Identification Number 80 OFFICE BUILDING

30 SOUTH BROADWAY

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1670 feet to the WSW

Spill Number: 8906911

Close Date: 08/17/1992

YONKERS, NY NO ZIP PROVIDED

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 10701

Spiller Phone: (914) 438-3501

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: SOUTH ASSOC. Spiller Phone: (516) 347-3336

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: DONALD CAMBLE Caller Agency: WC TANK TECH Caller Phone: (914) 564-9555

DEC Investigator: wxwadswo Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill PBS # Involved Meets Cleanup Standards Penalty Recommended

10/13/1989 06/18/1953 TANK TEST FAILURE 3-502618 UNKNOWN NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#4 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

5K, AES SYSTEM II, -.21279 GPH, PBS TO FOLLOW

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "W.WADSWORTH" 08/17/92: TANK PASSED RETEST.

Map Identification Number 81 WALSH HOMES Spill Number: 0403466 Close Date: 02/13/2005

75 WALSH RD YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION
ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1737 feet to the NNE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: NON-MAJOR FACILITY (>1100 GAL) Spiller: JOHN BURKHART - LOWEHR COURT

Notifier Type: Tank Tester Notifier Name: LEW MACBRIEN Notifier Phone: (845) 561-1512
Caller Name: LEW MACBRIEN Caller Agency: IRA D CONKLIN AND SONS Caller Phone: (845) 561-1512
DEC Investigator: WCHD Contact for more spill info: JOHN BURKHART Contact Person Phone: (914) 438-3501

Spill Date	Date Cleanup C	eased	Cause of S	Spill	Meets C	leanup Standard	ls Penal	ty Recommend	led
06/17/2004			TANK TES	ST FAILURE	YES		NO		
NO MATERIAL	NFORMATION GI	VEN FOR THIS SPIL	 _L						
TANK TEST INF	ORMATION								
Tank Number	Tank Size	Tank Test Method	I		Leak Ra	te		Gross L	eak or Failure
2	1	Unknown			0.00			UNKNO	DWN
Caller Remarks:	NO REMAI	RKS GIVEN FOR TH	IS SPILL						
DEC Investigato									
REQUIRED AT	THIS TIME. jod	YONKERS CITY		JACKSON OF THE WES	TOTILOTEN OC	JOHN THE METH		er: 8911572	Close Date: 02/07/1991
		40 SOUTH BROA	DWAY		YONKERS, N	Y NO ZIP PRO			
Site location ma	I INFORMATION pped by: ADDRE tance from propert	ESS MATCHING y: 1748 feet to the	WSW			HANGE INFORM t: NO CHANGE ode: 10701	IATION		
Source of Spill: Notifier Type: Caller Name: DEC Investigato	INSTITUTIONA Tank Tester SABASTEIN LC r: WXWADSWO	L, EDUC, GOV, OTH DRIFICE		Spiller: Notifier Name: Caller Agency: Contact for more spill info:	SAME SUPPIER TA	NK COAT.		Contac	Spiller Phone: Notifier Phone: Caller Phone: (718) 230-566 oft Person Phone:
Spill Date	Date Cleanup C	eased	Cause of	 Spill	PBS # Ir	nvolved	Meets Clea	nup Standards	Penalty Recommended
03/08/1990	06/18/1953		TANK TES	ST FAILURE	3-49398	8	UNKNOWN	I	NO
Material Spilled			Material Class		Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLE	EUM	0	UNKNOWN	0	UNKNOWN	SOIL
#Z I OLL OIL									
	ORMATION								
TANK TEST INF	ORMATION Tank Size	Tank Test Method	I		Leak Ra	te		Gross L	eak or Failure

Spiller Phone: (845) 889-4100 ext. 3

Caller Remarks:

TANK INSIDE TANK ROOM ON CONCRETE NOTICED VISIBLE LEAK IN PIPING AND MANHOLE COVER TO REPAIR AND RETEST HORNER EZYCHECK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"

03/19/91: TANK PASSED RETEST.

09/27/95: This is additional information about material spilled

from the translation of the old spill file: TANK TEST.

Map Identification Number 83 NYS OFFICE OF PUBLIC REC Spill Number: 0412125 Close Date: 05/03/2005

29 WARBURTON AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1834 feet to the WNW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: ROBERT FREY - NYS OFFICE OF PUBLIC REC

Notifier Type: Tank Tester Notifier Name: MARTY MORGAN Notifier Phone: (845) 225-5240 Caller Name: MARTY MORGAN Caller Agency: US TANK TECH Caller Phone: (845) 225-5240

DEC Investigator: WCHD Contact for more spill info: ROBERT FREY Contact Person Phone: (845) 889-4100 ext. 3

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended TANK TEST FAILURE 02/14/2005 Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected #2 FUEL OIL PETROLEUM GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 1500 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

PBS No: 3-264261

DEC Investigator Remarks:

PBS 3-264261

5/6/05: Letter to John Eberhard, NYS Office of Parks, Rec & His. Pres. from Wayne Schneider, WCDOH dated 3May2005. WCDOH requires

NFA at this time.

Map Identification Number 84 PUBLIC SCHOOL #23 Spill Number: 9500961 Close Date: 09/22/1995

56 VAN CORTLAND AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 56 VAN CORTLANDT PARK AV

Approximate distance from property: 1838 feet to the SE Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: Spiller: Spiller Phone: Notifier Type: Tank Tester Notifier Phone:

Notifier Type: Tank Tester Notifier Phone:

Caller Name: ROBERT KLESHDEY Caller Agency: DRY AS A BONE INC Caller Phone: (516) 678-5115

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

PBS # Involved Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 04/24/1995 09/22/1995 TANK TEST FAILURE 3-413550 YES Material Quantity Resource(s) Material Quantity Spilled Units Spilled Class Recovered Units Affected #4 FUEL OIL PETROLEUM UNKNOWN 0 UNKNOWN SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

E.I.R. HORNER EZY CHECK III GROSS LEAK

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "WADSWORTH"

Map Identification Number 85 NILSEN Spill Number: 9803957 Close Date: 03/03/2003

190 PALISADE AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1964 feet to the N

Revised street: NO CHANGE
Revised zip code: 10703

Source of Spill: PRIVATE DWELLING Spiller: KEN NILSEN - KEN NILSEN Spiller Phone: (914) 738-4331

Notifier Type: Tank Tester Notifier Name: ALBERTO LOPEZ Notifier Phone: (516) 321-4670
Caller Name: JOHN LEDDY Caller Agency: PROTEST ENTERPRISES Caller Phone: (516) 321-4670
DEC Investigator: jbode Contact for more spill info: KEN NILSEN Contact Person Phone: (914) 738-4331

Spill Class: POSSIBLE RELEASE WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE);NO DEC RESP;NO CORR ACTION REQUIRED

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/26/1998 TANK TEST FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 3000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" SEE SPILL 02-07962

Administratively Closed. jbo

Map Identification Number 86 NILSEN RESIDENCE Spill Number: 0207962 Close Date: 09/03/2003

190 PALISADES AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 190 PALISADE AVE

Approximate distance from property: 1964 feet to the N Revised zip code: 10703

Source of Spill: PRIVATE DWELLING Spiller: KEN NILSEN Spiller Phone: (914) 476-3814

Notifier Type: Tank Tester Notifier Name: A LOPEZ Notifier Phone: (631) 321-4670 Caller Name: JOHN LEDDY Caller Agency: PROTEST ENTERPRISES Caller Phone: (631) 321-4670

DEC Investigator: WCHD Contact for more spill info: KEN NILSEN Contact Person Phone: (914) 476-3814

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

10/31/2002 TANK TEST FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

Spinot Simot Cinio Cinio

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

reccommend uncover - repair and retest

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - SCHNEIDER" 09/03/03 TANK REMOVED, CLEAN UP SUFFICIENT.

Map Identification Number 87 ST MARY'S CHURCH Spill Number: 0300982 Close Date: 09/05/2003

103 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 2003 feet to the SW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: ST MARY'S CHURCH Spiller Phone:

Notifier Type: Tank Tester Notifier Name: A RODRIGUEZ Notifier Phone: (631) 321-4670
Caller Name: JIM DONELAN Caller Agency: DEC Investigator: WCHD Contact for more spill info: REV HUGH CORRIGAN Contact Person Phone: (914) 963-0156

Date Cleanup Ceased

Spill Class:

Spill Date

01/13/1999

Penalty Recommended

Spill Class:	POSSIBLE REL	WITH MIN POTENTIAI	L FOR FIRE OR HAZARD (OR KN	OWN RELEASE	W/ NO DAMA	GE);DEC RES	SP;WILLING R	P;CORR ACTION TAKEN	
Spill Date	Date Cleanup Ce	eased C	ause of Spill	Meets Cle	Meets Cleanup Standards Penalty F		ty Recommend	ecommended	
04/28/2003		TA	ANK TEST FAILURE	YES		NO			
Material Spilled		***	aterial lass	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
#2 FUEL OIL		PI	ETROLEUM	0	GALLONS	0	GALLONS	SOIL	
TANK TEST INF	ORMATION								
Tank Number	Tank Size	Tank Test Method		Leak Rate	Э		Gross L	∟eak or Failure	
1	2000	Horner EZ Check I o	r II	0.00			FAIL		
Caller Remarks:									
Tank test failure	at above location. C	Church is being advised	d of results.						
DEC Investigator	Remarks:								
	04 data translation t PASSED RETEST (eld was "WCHD - JACKSON"						
Map Identification	on Number 88	VOS SANTOS RESI 42 CLIFF ST	DENCE	YONKERS, NY	NO ZIP PRO		er: 9812676	Close Date: 04/30/2004	
	ped by: ADDRES	SS MATCHING : 2011 feet to the SE		ADDRESS CHA Revised street: Revised zip coo	NO CHANGE				
Source of Spill: Notifier Type: Caller Name: DEC Investigator	PRIVATE DWELI Tank Tester KATHY MORGAI : WCHD		Notifier Name:	US TANK TEC	Н	SANTOS RESI		Spiller Phone: (914) 423-3166 Notifier Phone: (914) 225-5240 Caller Phone: (914) 225-5240 ct Person Phone: (914) 423-3166	

POSSIBLE RELEASE WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE); DEC RESP; NO CORR ACTION REQUIRED

YES

Meets Cleanup Standards

Cause of Spill

TANK TEST FAILURE

Material Spilled			Material Class			uantity pilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM			0		GALLONS	0	GALLONS	SOIL
TANK TEST INF	ORMATION									
Tank Number	Tank Size	Tank Test Method	d		Le	eak Rate)		Gross L	eak or Failure
1	1500	Horner EZ Check	I or II		0.	.00			UNKNC	OWN
Caller Remarks:										
GROSS FAILUR	E ON TANK TEST	AT RESIDENCE Y	ESTERDAY.							
DEC Investigator	Remarks: NO [DEC INVESTIGATO	DR REMARKS GIVE	N FOR THIS SPIL	 LL.					
Map Identification	on Number 89	GAMBARDELLA 274 NEW MAIN S			YONKE	ERS, NY	NO ZIP PRO\		er: 0300868	Close Date: 05/27/2003
	ped by: ADDRES	SS MATCHING : 2026 feet to the	SSW		Revised	d street:	ANGE INFORM NO CHANGE le: 10701	ATION		
Source of Spill: Notifier Type: Caller Name: DEC Investigator	COMMERCIAL/II Tank Tester PAOLA CORONI WCHD		Contact fo	Spiller: Notifier Name: Caller Agency: or more spill info:	PAOLA ELITE	CORON	ESTING	RDELLA & SC		Spiller Phone: (914) 747-9741 Notifier Phone: (914) 747-9741 Caller Phone: (914) 747-9741 t Person Phone: (914) 747-9741
Spill Class:	POSSIBLE REL	WITH MIN POTEN	ΓIAL FOR FIRE OR Ι	HAZARD (OR KN	IOWN RE	EL W/ NO	O DAMAGE);N	O DEC RESP	;WILLING RP;	CORR ACTION TAKEN
Spill Date	Date Cleanup Ce	ased	Cause of Spill		M	leets Cle	anup Standard	s Penalt	y Recommend	ed
04/24/2003			TANK TEST FAILU	IRE	YI	ES		NO		
Material Spilled			Material Class			uantity pilled	Units	Quantity Recovered	Units	Resource(s) Affected
DIESEL GASOLINE			PETROLEUM PETROLEUM		0		GALLONS GALLONS	0 0	GALLONS GALLONS	SOIL SOIL

TANK TEST INFORMATION								
Tank Number	Tank Size	Tank Test Method	Leak Rate	Gross Leak or Failure				
1	2000	Horner EZ Check I or II	0.00	UNKNOWN				

Caller Remarks:

RECOMMEND TO EXPOSE AND RE-TEST

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 90 COMMUNITY BAPTIST CHURCH Spill Number: 0208451 Close Date: 04/30/2005

156 NORTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2055 feet to the NNW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: TOM TOWELS - COMMUNITY BAPTIST CHURCH Spiller Phone: (914) 965-2747

Notifier Type: Tank Tester Notifier Name: SAME Notifier Phone:

Caller Name: PAULA CORNELL Caller Agency: ELITE TANK TESTING Caller Phone: (914) 747-9741

DEC Investigator: WCHD Contact for more spill info: PAULA CORNELL Contact Person Phone: (914) 747-9741

.....

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/14/2002 TANK TEST FAILURE YES NO

Material Material Quantity Quantity Resource(s)
Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

1 3000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

TANK FAILED THE TEST. TOP OF THE TANK FAILED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-SCHNEIDER"

04/30/05 PBS FACILITY. TANK PASSED A RETEST AFTER PIPING WAS REPAIRED. FILE CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. iod

Map Identification Number 91 NYNEX Spill Number: 8805747 Close Date: 02/10/1992

40 MAIN ST. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2071 feet to the W
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: NYNEX Spiller Phone: (516) 747-3841

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: NICK EAGLE Caller Agency: TANK TECH CORP. Caller Phone: (914) 268-4153

DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 UNKNOWN 0 UNKNOWN GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

EXCAVATED. PIPING WILL BE REPAIRED. WILL BE RETESTED. PETRO TITE, LEAK RATE UNDETERMINABLE. 10,000 GAL TANK. PLAN TO REPAIR. WILL CONTACT J. OKESSON WITH TIGHT RETEST OR PLAN TO PULL TANK. SEE HISTORY

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was " " 11/03/88: 10000 TANK FAILED PETRO-TITE RETEST AT -.785 GPH.

TESTED BY TANK TECH CORP, AS PER TANK TEST REPORT.

ADDRESS CHANGE INFORMATION

Spill Number: 9903104 **Map Identification Number 92** APT BUILDING Close Date: 11/30/1999

> 153-155 NORTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 153 NORTH BROADWAY

Approximate distance from property: 2128 feet to the NNW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER

Spiller: ROBERT TAUBER Spiller Phone: (914) 472-1860 Notifier Type: Tank Tester Notifier Name: ROB TREPP Notifier Phone: (914) 592-3117 Caller Name: **ROB TREPP** Caller Agency: DORSON ENVIRONMENTAL Caller Phone: (914) 592-3117

Contact for more spill info: Contact Person Phone: DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill PBS # Involved Meets Cleanup Standards Spill Date Penalty Recommended 06/17/1999 TANK TEST FAILURE 3-800135 NO Material Material Quantity Quantity Resource(s) Recovered Units Spilled Class Spilled Units Affected #2 FUEL OIL PETROLEUM GALLONS 0 GALLONS SOIL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

> 2000 Horner EZ Check I or II 0.00 FAIL

Caller Remarks:

test was requested by owner.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 12/27/99 LETTER SENT TO TKO REALTY BY WCHD; MUST PROVIDE A

WRITTEN REPORT DETAILING THE WORK PERFORMED.

Map Identification Number 93 YONKERS GENERAL HOSPITAL Spill Number: 8804274 Close Date: 11/30/1989

2 PARK AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 2182 feet to the N

Revised street: 2 PARK AVE.

Revised zip code: 10703

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: YONKERS GENERAL HOSPITAL Spiller Phone: (914) 964-7566

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: JOHN NARADEZAY Caller Agency: YONKERS GENERAL HOSPITAL Caller Phone: (914) 964-7566

DEC Investigator: SLINGERLAND Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

#4 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

LEAK IN VENT LINE (VISIBLE HOLE) TO REPAIR AND RETEST. 20K. LEAK BEING REPAIRED. TESTING WAS STOPPED WHEN LEAK WAS NOTICED. WILL

BE RETESTED 8/22 WILL CALL BACK WITH UPDATES

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 94 ST JOHNS PARK CAR PAVIL Spill Number: 0311754 Close Date: 11/16/2004

2 PARK AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 2182 feet to the N

Revised street: NO CHANGE
Revised zip code: 10703

Page 84

INSTITUTIONAL, EDUC, GOV, OTHER Source of Spill: Spiller: Spiller Phone:

Notifier Name: ERIC DEITZ Notifier Type: Tank Tester Notifier Phone: (845) 564-9555 ERIC DEITZ Caller Name: Caller Agency: WCC TANK Caller Phone: (845) 564-9555

DEC Investigator: WCHD Contact for more spill info: LEE VIVARES Contact Person Phone: (914) 964-7716

KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN Spill Class:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

01/19/2004 TANK TEST FAILURE NO NO

NO MATERIAL INFORMATION GIVEN FOR THIS SPILL

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

20000 Horner EZ Check I or II 0.00 UNKNOWN

Caller Remarks:

TANK TEST FAILED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"

11/22/04: Letter to Greg Doerr, St. John's Riverside Hospital, dated 16Nov2004. Spill closed by Frederick Beck, Jr., WCDOH.

Map Identification Number 95 APT HOUSE Spill Number: 0202308 Close Date: 10/07/2002

> 7 JONES PL YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 2190 feet to the NNE Revised zip code: 10703

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LORIL MANNING Spiller Phone: (914) 699-4871 Notifier Type: Notifier Name: JIM DONELAN Notifier Phone: (631) 321-4670 Tank Tester

Caller Phone: (631) 321-4670 Caller Name: JIM DONELAN Caller Agency: PRO TEST ENTERPRISES

Contact for more spill info: DEC Investigator: jbodee Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE); NO DEC RESP; WILLING RP; CORR ACTION TAKEN

Spill Date	Date Cleanup Ceased Cause of Spill		Cause of Spill	Meets Cle	ds Penalt	Penalty Recommended		
06/03/2002			TANK TEST FAILURE	YES		NO		
Material Spilled			Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL			PETROLEUM	0	GALLONS	0	GALLONS	SOIL
TANK TEST INI	ORMATION							
Tank Number	Tank Size	Tank Test M	ethod	Leak Rate	e		Gross I	_eak or Failure
1	1000	Horner EZ C	heck I or II	0.00			FAIL	

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 10/07/02 TANK PASSED RETEST. NFA

Map Identification Number 96 ST. JOSEPHS MED. CENTER Spill Number: 9213722 Close Date: 04/16/1993

120 SOUTH BEUNT YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)
Approximate distance from property: 2191 feet to the SW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: SAME Spiller Phone:

Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: TIM BOSHMAN Caller Agency: TANK TECH Caller Phone: (914) 268-8265

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill PBS # Involved Meets Cleanup Standards Penalty Recommended

 DEC Investigator Remarks:

Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM	0	UNKNOWN	0	UNKNOWN	SOIL
TANK TEST INF	ORMATION						
Tank Number	Tank Size	Tank Test Method	Leak Rate	Leak Rate Gross Leak o		eak or Failure	
		Unknown	0.00			UNKNO	WN
Caller Remarks:							
WILL EIR							

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WADSWORTH"

Map Identification Number 97 DEPAUL BROTHERS Spill Number: 9203538 Close Date: 12/02/1993

108 WARBURTON AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2225 feet to the NW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: Spiller: Spiller Phone: Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: JIM SLAUGHTER Caller Agency: IRA CONKLIN Caller Phone: (914) 561-1512

DEC Investigator: WXWADSWO Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # Involved		Meets Cleanup Standards		Penalty Recommended
06/24/1992	12/02/1993	TANK TEST FAILURE	3-168637		UNKNOWN		NO
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE		PETROLEUM	0	POUNDS	0	POUNDS	GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

> Unknown 0.00 UNKNOWN

Caller Remarks:

TWO TANKS SEPARATE TESTS WILL EIR NOT SURE WHEN 4K SUPER TEST WAS ABORTED AFTER 15 MIN.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "WADSWORTH"

Map Identification Number 98 Spill Number: 0108703 Close Date: 12/09/2003

> YONKERS, NY NO ZIP PROVIDED 35 VARK ST

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 2377 feet to the SW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SISTER MARY CUMMING

Spiller Phone: (914) 476-7474 Notifier Type: Tank Tester Notifier Name: MANUEL CENTENO Notifier Phone: (718) 378-7000 Caller Name: **RENE LEWIS** Caller Agency: AL EASTMAN & SON Caller Phone: (718) 378-7000 ext. 2

DEC Investigator: WCHD Contact for more spill info: SISTER MARY CUMMING Contact Person Phone: (914) 476-7474

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Meets Cleanup Standards Penalty Recommended Spill Date Cause of Spill 11/30/2001 TANK TEST FAILURE YES Material Material Quantity Quantity Resource(s)

Recovered Units Affected Spilled Class Spilled Units

#6 FUEL OIL PETROLEUM GALLONS **GALLONS**

Caller Remarks:

not a product leak it is an air leak - investigating at this time

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-JACKSON"

12/09/03 CLOSED BY DANIELLE JACKSON OF THE WESTCHESTER COUNTY HEALTH DEPARTMENT.

Map Identification Number 99 PUBLIC SCHOOL #6 Spill Number: 8903954 Close Date: 07/30/1992

PUBLIC SCHOOL #6 YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 33 ASHBURTON AVE

Approximate distance from property: 2473 feet to the NNW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME Spiller Phone: Notifier Type: Tank Tester Notifier Name: Notifier Phone:

Caller Name: ROBERT CLARK Caller Agency: CHEM WASTE MGMT. Caller Phone: (614) 351-1777

DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#4 FUEL OIL PETROLEUM 0 UNKNOWN 0 UNKNOWN GROUNDWATER

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

20K TANK. HORNER EZY CHECK. HIGH VOL., NO RATE, UNABLE TO READ. TO ISOLATE & RETEST.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "



CLOSED STATUS UNKNOWN CAUSE SPILLS AND OTHER CAUSE SPILLS IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 100 TM 250 Spill Number: 0205412 Close Date: 08/23/2002

CASMIR AVE/COLUMBUS PL YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: ST CASIMIR AVE / COLUMBUS PL

Approximate distance from property: 380 feet to the NNW Revised zip code: NO CHANGE

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone: Notifier Type: Affected Persons Notifier Name: JAY SCHMITT Notifier Phone:

Caller Name: LARRY COSTA Caller Agency: CON ED Caller Phone: (212) 580-6763

DEC Investigator: jbodee Contact for more spill info: LARRY COSTA Contact Person Phone: (212) 580-6763

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

08/22/2002 UNKNOWN YES NO

Material Quantity Quantity Resource(s)
Spilled Class Spilled Units Recovered Units Affected

UNKNOWN MATERIAL OTHER 4.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

4 oz. spill comming off 24 hr diminimus. ref # 144674.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"

Map Identification Number 101 **GAS STATION** Spill Number: 9106904 Close Date: 07/21/1992

> PALISADES AVE.& ELM ST. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: PALISADE AVE / ELM ST

Approximate distance from property: 639 feet to the WNW Revised zip code: 10701

Source of Spill: **GASOLINE STATION** Spiller: Spiller Phone: Notifier Type: Fire Department Notifier Name: Notifier Phone:

Caller Name: LT. DUNN Caller Agency: YONKERS F.D. Caller Phone: (914) 423-7100

Contact Person Phone: Contact for more spill info: DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD: DEC RESPONSE: WILLING RP: CORRECTIVE ACTION TAKEN

Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date Date Cleanup Ceased

UNKNOWN 09/26/1991 06/18/1953 UNKNOWN NO

Material Material Quantity Quantity Resource(s) Recovered Units Affected Spilled Class Spilled Units

300.00 GALLONS 0.00 GASOLINE PETROLEUM GALLONS SEWER

Caller Remarks:

YONKERS HAZMAT ON SCENE COUNTY HAZMAT HAS BEEN PUT ON STANDBY SPILL IS BELIEVED TO HAVE COME FROM GAS PUMP MATERIAL GOT IN SEWER.

NOT KNOWN WHERE IT WENT AT THIS TIME

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 102 RESIDENTS **Spill Number: 0108863** Close Date: 03/18/2002

> 46-48 MAPLE STREET YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE Approximate distance from property: 702 feet to the SSE Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: SAME - MARIO POMPONIO

Spiller Phone: Notifier Type: Other Notifier Name: SAME Notifier Phone:

Caller Agency: US TANK TECH Caller Name: MARTY MORGAN Caller Phone: (845) 225-5240

Contact for more spill info: MARIO POMPONIO DEC Investigator: ibodee Contact Person Phone:

Spill Class:	KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN							
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		ls Penal	ty Recommend	led	
11/30/2001		OTHER	YES		NO			
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
#2 FUEL OIL		PETROLEUM	0	GALLONS	0	GALLONS	SOIL	

Caller Remarks:

FAILED SOIL SAMPLES SAMPLES WERE TAKEN NOV 30 AND RESULTS WERE RECEIVED TODAY

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 12/5/2001 CALLER STATES RESULTS AND REPORT WILL BE SENT TO SPILLER. THREE AROMATIC COMPOUNDS DETECTED OVER NYS SOIL GUIDELINES. CALL RECOMMENDS ADDITIONAL WORK.

03/18/2002 TANK PULLED BY TAKE PRIDE. SITE INSPECTED BY CITY OF YONKERS FD. NO LEAK OR CONTAMINATION EVIDENT. NO FURTHER ACTION.

Map Identification Number 103 GETTY S/S Spill Number: 9103437 Close Date: 11/12/1991

124-128 NEPERHAN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 126 NEPPERHAN AV

Approximate distance from property: 981 feet to the SW Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: SAME Spiller Phone:

Notifier Type: Citizen Notifier Name: Notifier Phone:

Caller Name: DOMINIC Caller Agency: CITIZEN Caller Phone: () 643-5784

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/27/1991 UNKNOWN UNKNOWN NO

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected **GASOLINE** PETROLEUM POUNDS **POUNDS** GROUNDWATER

Caller Remarks:

WHILE PUTTING IN BUILDING NOTICED CONTAMINATED DIRT AND PRODUCT POSSIBLY FLOATING IN GROUNDWATER TODD GHIOSAY TO CHECK OUT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 104 Spill Number: 0209929 Close Date: 12/31/2002

15 LOCUST HILL YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Revised street: 15 LOCUST HILL AV

Approximate distance from property: 1132 feet to the WNW Revised zip code: 10701

Source of Spill: TANK TRUCK Spiller: FERRENTINO OIL Spiller Phone: (718) 832-6700

Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: YONKERS PD Caller Agency: Caller Phone: (914) 377-7900

DEC Investigator: WCHD Contact for more spill info: YONKERS PD Contact Person Phone: (914) 377-7900

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/31/2002 UNKNOWN YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 50.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

APPROX 50 GALS SPILLED WHEN DELIVERY WAS BEING MADE TRUCK WAS PARKED ON INCLINE - POSS VALVE PROBLEM WITH TRUCK - PRODUCT DID

ENTER SEWER

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 105 PRIVATE HOME Spill Number: 0507442 Close Date: 10/29/2005

107 PALISADE AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 1139 feet to the NNW

Revised street: NO CHANGE
Revised zip code: 10703

Source of Spill: UNKNOWN Spiller: Spiller Phone:

Notifier Type: Responsible Party Notifier Name: MARY KENT Notifier Phone: (718) 832-6057 Caller Name: MARY KENT Caller Agency: FOURTH AVE TRANSPORT Caller Phone: (718) 832-6057

DEC Investigator: JBODee Contact for more spill info: MARY KENT Contact Person Phone: (718) 832-6057

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

09/21/2005 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s)
Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 15.00 GALLONS 15.00 GALLONS SOIL

Caller Remarks:

UNKNOWN, CALLER HAD NO FURTHER INFO: IS CLEANED UP

DEC Investigator Remarks:

9/23/05 FRED BECK FROM WESTCHESTER COUNTY HEALTH DEPT RESPONDED AND WILL FOLLOW UP WITH DEC. jod

October 29, 2005: CLEAN UP COMPLETED BY OIL COMPANY. SPILL FILE CLOSED BY FRED BECK OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS TIME. jod

Map Identification Number 106 VAULT # 496 Spill Number: 0003000 Close Date: 06/12/2000

YONKERS AV/OAK ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1146 feet to the ENE

Revised street: NO CHANGE
Revised zip code: 10701

Page 94

Source of Spill: UNKNOWN Spiller: CON ED Spiller Phone:

Notifier Type: Affected Persons Notifier Name: MR DIXON Notifier Phone: Caller Name: MIKE CESARE CON EDISON Notifier Phone: (212) 580-6763

DEC Investigator: mbmastro Contact for more spill info: MIKE CESARE Contact Person Phone: (212) 580-6763

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/09/2000 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s)
Spilled Class Spilled Units Recovered Units Affected

UNKNOWN PETROLEUM PETROLEUM 2.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

ABOVE MATERAIL DISCOVERED AT ABOVE LOCATION ON TOP OF 500 GALLONS

OF WATER. SAMPLE HAS BEEN TAKEN AND CLEANUP IS PENDING LAB

RESULTS. CON ED # 131775.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MASTRO"

Map Identification Number 107 CITY GARAGE Spill Number: 9313100 Close Date: 02/23/1994

87 NEPPERHAN AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1278 feet to the SW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: TANK TRUCK Spiller: CASTLE FUEL Spiller Phone: Notifier Type: Affected Persons Notifier Name: Notifier Phone:

Caller Name: DISP. MACK Caller Agency: YONKER F.D. Notifier Priorie: Notifier Priori

Callet Agerta, TONKERT.D. Callet Titotic. (1) 377-73

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		s Penal	ty Recommend	ed
02/04/1994	02/23/1994	UNKNOWN	NO		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM	400.00	GALLONS	0.00	GALLONS	SEWER

Caller Remarks:

CALLER SAYS DELIVERY TRUCK WAS SOURCE YONKERS SEWER DEPT. NOTIFIED F.D. WILL INVESTIGATE BOOMS ALONG CREEK & HUDSON ARE BEING PLACED BY YONKERS HAZ-MAT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Close Date: 04/30/1993 **Map Identification Number 108** SUN SERVICE CENTER Spill Number: 9013194

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 10701

47 YONKERS AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1280 feet to the ENE

GASOLINE STATION Source of Spill:

Notifier Type:

DEC

Caller Name: CARLOS TORRES

DEC Investigator: WXWADSWO

Spiller: SAME

Notifier Name:

Caller Agency: WCHD

Contact for more spill info:

Spiller Phone:

Notifier Phone:

Caller Phone: (914) 285-5038

Contact Person Phone:

Spill Class:	KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN							
Spill Date	Date Cleanup Ceased	Cause of Spill	PBS # Involved	Meets Cleanup Stan	dards Penalty Recommended			
03/26/1991	04/30/1993	UNKNOWN	3-600092	NO	NO			
Material Spilled		Material Class	Quantity Spilled Units	Quantity Recovered Units	Resource(s) Affected			
GASOLINE		PETROLEUM	0 UNKN	OWN 0 UNKNO	OWN GROUNDWATER			

TANK TEST INFORMATION

Tank Number Tank Size Tank Test Method Leak Rate Gross Leak or Failure

Unknown 0.00 UNKNOWN

Caller Remarks:

FUMES IN BASEMENT OF 59 YONKERS AVE. FAST EDDIE'S BAR/RESTURANT YONKERS F.D. ON SCENE LEAKING PUMP AT SUN SERVICE CENTER REPAIRED 3/26/91 L.TAYLOR TO INVESTIGATE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "WADSWORTH"

09/27/95: This is additional information about material spilled from the translation of the old spill file: FUMES.

Map Identification Number 109 MANHOLE #560 Spill Number: 0000214 Close Date: 04/06/2000

LAFAYETTE PL/PALLISADES YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: LAFAYETTE PL/PALISADE ST

Approximate distance from property: 1458 feet to the NNW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: UNK - UNK Spiller Phone: (000) 000-0000 Notifier Type: Affected Persons Notifier Name: BRIAN JOYCE Spiller Phone: (212) 580-6763

Caller Name: BRIAN JOYCE Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: jbodee Contact for more spill info: BRIAN JOYCE Contact Person Phone: (212) 580-6763

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/05/2000 UNKNOWN YES NO

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

UNKNOWN PETROLEUM PETROLEUM 5.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

NO SEWERS OR WATERWAYS AFFECTED- 5 GALLONS ON 100 GALLONS OF WATER.

CLEANUP PENDING LAB RESULTS- CON ED #130769

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 04/06/2000 CLEANUP REPORT SENT TO TARRYTOWN OFFICE. NFA

Map Identification Number 110 CUSTOMIZING REPAIR SHOP Spill Number: 0205007 Close Date: 08/14/2002

300 NEPERHAN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1468 feet to the NE

Revised street: 300 NEPPERHAN AVE
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: CUSTOMIZING REPAIR SHOP Spiller Phone: Notifier Type: Citizen Notifier Name: REFUSED Caller Agency: Caller Agency: Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended UNKNOWN 08/12/2002 Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected **SEWER GASOLINE** PETROLEUM 0 GALLONS GALLONS 0 WASTE OIL/USED OIL (NOT FUEL) PETROLEUM 0 GALLONS 0 GALLONS SEWER

Caller Remarks:

fire dept on scene at this time...material was commping from repair shop and went across parking lot of above and into sewers...sewers lead into the saw mill river.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 111 APT BUILDING Spill Number: 9714173 Close Date: 10/07/2002

130 BEACH ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION
Site location mapped by: ADDRESS MATCHING
ADDRESS CHANGE INFORMATION
Revised street: 130 BEECH ST

Approximate distance from property: 1534 feet to the SE Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:

Notifier Type: Health Department Notifier Name: YONKER FIRE DEPT Notifier Phone: (914) 593-5900 Caller Name: CARLOS TORRES Caller Agency: WESTCHESTER COUNTY HEALTH Caller Phone: (914) 637-4895

DEC Investigator: WCHD Contact for more spill info: NONE Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/21/1998 UNKNOWN NO NO

MaterialQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

Fuel oil is coming into the sump pit - tank from that building is down grade from sump pit so it must be coming from another location.

No further action.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 112 PRIVATE RESIDENCE Spill Number: 9702239 Close Date: 11/10/1997

20 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1607 feet to the WSW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: STEVE - PRIVATE RESIDENCE Spiller Phone: (914) 963-3200

Notifier Type: Other Notifier Name: STEVE Notifier Phone: (914) 963-3200 Caller Name: FRAN ARCHEY Caller Agency: A L EASTMOND Caller Phone: (718) 378-3000

DEC Investigator: tdghiosa Contact for more spill info: STEVE Contact Person Phone: (914) 963-3200

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

05/21/1997 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected #2 FUEL OIL PETROLEUM 20.00 **GALLONS** 0.00 **GALLONS** SOIL

Caller Remarks:

spill is in the process of being cleaned up by oil co

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 08/25/97: This spill was inadvertently assigned to Region 2 by

Dispatch Center. It is a Region 3 (Westchester county)

spill. AM Chieco.

Map Identification Number: 0211687 Close Date: 05/06/2004

30 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1670 feet to the WSW

Source of Spill: COMMERCIAL/INDUSTRIAL

Notifier Type: Responsible Party

Caller Name: JOE ABRUZESE

DEC Investigator: WCHD

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 10701

Spiller: LYNN PERSICO

Name: Building Super

Caller Agency: PERBAR REALTY

Contact for more spill info: LYNN PERSICO

Responsible Party Notifier Name: BUILDING SUPER Notifier Phone:

Caller Phone: (914) 522-0368 Contact Person Phone: (914) 592-3500

Spiller Phone: (914) 592-3500

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

02/25/2003 OTHER YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 5.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

EASTMEN TANK IS ENROUTE to pump/vac out water w/oil sheen from basement. Water line broke w/water going to basement & furnace. Oil from burners put sheen onto water.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - MANCINI" RECOMMENDED FOR CLOSURE BY WCHD-MANCINI.

Map Identification Number 114 YONKERS POST OFFOCE Spill Number: 0313368 Close Date: 03/05/2004

WARBURTON AVE & DOCK ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: WARBURTON AVE / DOCK ST

Approximate distance from property: 1824 feet to the WNW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: DAN CONAS - YONKERS POST OFFOCE Spiller Phone: (914) 378-3625

Notifier Type: Federal Government Notifier Name: TOM GIBBONS Notifier Phone: (914) 965-4072
Caller Name: TOM GIBBONS Caller Agency: US POSTAL SERVICE Caller Phone: (914) 965-4072
DEC Investigator: WCHD Contact for more spill info: DAN CONAS Contact Person Phone: (914) 378-3625

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended UNKNOWN 03/05/2004 Material Quantity Resource(s) Material Quantity Spilled Units Recovered Units Spilled Class Affected UNKNOWN PETROLEUM PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

there is an unknown petroleum that has contaminated the soil. they were doing excavating below the slab when they found the contaminated soil

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-MAGNUSON" 5/18/04: Letter to Postmaster, USPostal Service, Yonkers from Karen Magnuson, WCDOH dated 12May2004. Spill remediation report by

URS Corporation has been reviewed. WCDOH recommends NFA at this time.

Map Identification Number 115 OFFICE BUILDING Spill Number: 9400256 Close Date: 12/12/1994

45 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 1846 feet to the WSW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Spiller Phone: Notifier Type: Other Notifier Name: Notifier Phone:

Caller Name: MARK PARKER Caller Agency: LAW ENVIR. Caller Phone: (212) 768-3410

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/06/1994 12/12/1994 UNKNOWN NO

Material Quantity Quantity Resource(s) Material Spilled Spilled Units Recovered Units Affected Class

PETROLEUM UNKNOWN 0 UNKNOWN SOIL #4 FUEL OIL

Caller Remarks:

PHASE II INVESTIGATION FOUND CONTAMINATED SOIL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 116 RESIDENTS Spill Number: 0011293 Close Date: 07/08/2004

YONKERS, NY NO ZIP PROVIDED 17 MOUNT CARMEL

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Site location mapped by: ADDRESS MATCHING Revised street: 17 MOUNT CARMEL PL

Approximate distance from property: 1895 feet to the SSE Revised zip code: 10701 Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: N/A - CRYSTAL TRANSPORTATION Spiller Phone: (718) 828-3100

Notifier Type: Other Notifier Name: SAME Notifier Phone:

Caller Name: VERONICA DANIELS Caller Agency: COMMUNITY FUEL OIL CO Caller Phone: (914) 699-9557
DEC Investigator: WCHD Contact for more spill info: AUDREY SHIPMAN-OWNER Contact Person Phone: (914) 423-2648

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

01/16/2001 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s)
Spilled Class Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

THERE IS A OIL SPILL AT THE LOCATION. UKNOWN EXACTLY HOW IT HAPPENED FIRE DEPT IS ON THE SCENE ALSO. TENNANT NAME AT LOCATION IS

MR BARRA 914-423-2648

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 117 SERVICE BOX 532 Spill Number: 9614562 Close Date: 04/03/2003

53 SOUTH BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1915 feet to the WSW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Spiller: Spiller

Notifier Type: Other Notifier Name: MR DELAHOSE Notifier Phone: (914) 925-6205

Caller Name: JOE DEVOTI Caller Agency: CONED Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/18/1997 UNKNOWN NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

UNKNOWN MATERIAL OTHER 10.00 GALLONS 0.00 GALLONS SOIL

Page 103

Caller Remarks:

CALLER WASN'T SURE AT TIME OF CALL WHO EXACTLY IS RESPONSIBLE FOR THE SPILL - SPILL DISCOVERED AFTER A SMALL QTY OF THIS LIQUID LEAKED INTO THE BASEMENT OF 53 SOUTH BROADWAY

LEAKED INTO THE BASEMENT OF 33 SOUTH BROADWAT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "GHIOSAY"

Map Identification Number 118 SB264 Spill Number: 9912453 Close Date: 02/03/2000

84 ASHBURTON AV YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1929 feet to the N

Revised street: NO CHANGE
Revised zip code: 10703

PETROLEUM

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone: Notifier Type: Affected Persons Notifier Name: MCCABE Notifier Phone:

Caller Name: RICHARD ROACH Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: jbodee Contact for more spill info: CALLER Contact Person Phone: (212) 580-6763

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 01/31/2000 UNKNOWN YES Quantity Resource(s) Material Material Quantity Recovered Units Spilled Spilled Units Affected Class

100.00 GALLONS

0.00

GALLONS SOIL

129800

Caller Remarks:

DEC Investigator Remarks:

UNKNOWN PETROLEUM

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 2/03/2000 CLEANUP REPORT TO BE SENT TO TARRYTOWN OFFICE. NFA

Map Identification Number 119 VAULT 579 Spill Number: 0010184 Close Date: 12/11/2000

WARBURTON AV/ MAIN ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1941 feet to the W
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone: Notifier Type: Affected Persons Notifier Name: GRAHAM Notifier Phone:

Caller Name: RICHARD ROACH Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: CALLER Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/11/2000 UNKNOWN YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

UNKNOWN PETROLEUM 1.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

134712 clean up pending

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 120 Spill Number: 0008764 Close Date: 10/27/2000

ASH BURTON AVE/PALISADES YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: ASHBURTON AVE / PALISADE AV

Approximate distance from property: 1942 feet to the N Revised zip code: NO CHANGE

Source of Spill: UNKNOWN Spiller: CALLER - CON ED Spiller Phone: (212) 580-6763
Notifier Type: Responsible Party Notifier Name: MR GIBBS Notifier Phone: (212) 580-6763
Caller Name: JIMMY FOX Caller Agency: CON ED Caller Phone: (212) 580-6763

DEC Investigator: jbodee Contact for more spill info: JIMMY FOX Contact Person Phone: (212) 580-6763

Spill Class:	Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN										
Spill Date	Spill Date Date Cleanup Ceased Cause of Spill				ds Penalt	Penalty Recommended					
10/27/2000		UNKNOWN	YES	YES							
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected				
ETHYLENE GLYCOL HAZARDOUS MATERIAL				GALLONS	0	GALLONS	SOIL				

2 PTS OF AUTO SEAL WAS FOUND IN AN EXZCAVATION NEAR A GAS MAIN. CLEAN UP IN PROGRESS. CON ED 134-131.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE" 10/27/2000 CLEANUP REPORT TO BE SENT TO TARRYTOWN OFFICE. NFA

Spill Number: 0411247 Close Date: 01/17/2005 **Map Identification Number 121** ST. JOESPHS CHURCH

> 141 ASHBURTON AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 2051 feet to the NNE Revised zip code: 10703

COMMERCIAL/INDUSTRIAL Source of Spill: Spiller: JIM CAREY - CASTLE OIL TERMINAL

Spiller Phone: (718) 579-3410 Notifier Type: Notifier Name: JIM CAREY Notifier Phone: (718) 579-3410 Responsible Party Caller Agency: CASTLE OIL Caller Phone: (718) 579-3410 Caller Name: JIM CAREY

Contact for more spill info: JIM CAREY Contact Person Phone: (718) 579-3410 DEC Investigator: JBODee

Spill Class:	Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN										
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	anup Standard	s Penalt	y Recommende	ed				
01/17/2005		OTHER	YES		NO						
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected				
#4 FUEL OIL		PETROLEUM	5.00	GALLONS	5.00	GALLONS	SOIL				

Page 106

Caller Remarks:

Truck was parked on an incline. Oil ran from the top of the truck, down into the street. Material has been cleaned up

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 122 NY TEL Spill Number: 9415715 Close Date: 03/13/1995

40 MAIN STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2071 feet to the W

Revised street: NO CHANGE

Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Spiller: Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: JUNE CAREY Caller Agency: CASTLE OIL Caller Phone: (718) 579-3414

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/04/1995 03/13/1995 UNKNOWN NO NO

Material Quantity Quantity Resource(s)
Spilled Units Recovered Units Affected

#2 FUEL OIL PETROLEUM 40.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

YONKERS F.D. NOTIFIED & CLEAN UP CREW ENROUTE DRIVER PUT FUEL INTO WRONG TANK FUEL CLEANED UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 123 JERRY AUTO REPAIR Spill Number: 9209993 Close Date: 11/09/1994

23 SPRUCE STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2101 feet to the SE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: SAME Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: MIKE MESCOLA Caller Agency: JERRY AUTO Caller Phone: (914) 375-0404

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/27/1992 11/09/1994 UNKNOWN NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledUnitsRecoveredUnitsAffected

GASOLINE PETROLEUM 0 UNKNOWN 0 UNKNOWN AIR

Caller Remarks:

ODOR IN BUILDING F.D. & WCHD ON SITE MIKE MESCOLA ANSWERED BY FAX MACHINE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

/ / : NONE.

09/27/95: This is additional information about material spilled from the translation of the old spill file: ODOR.

111 YONKERS AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 2112 feet to the ENE Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: Spiller Phone:

DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/01/1991 10/11/1995 UNKNOWN NO NO

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

UNKNOWN MATERIAL OTHER 11111111POUNDS 111111111 POUNDS AIR

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

02/24/04 SPILL FILE CORRUPTED ON DATABASE. NO HARD COPY FILE EXISTS IN REGIONAL OFFICE, jbo

Map Identification Number 125 COMMERCIAL BUILDING Spill Number: 9502392 Close Date: 11/02/1999

153 NORTH BROADWAY YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2128 feet to the NNW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Spiller: Spiller

Notifier Type: Affected Persons Notifier Name: Notifier Phone:

Caller Name: ROBERT TAUBER Caller Agency: CITIZEN Caller Phone: (914) 472-1860

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

05/25/1995 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s)
Spilled Units Recovered Units Affected

WASTE OIL/USED OIL (NOT FUEL) PETROLEUM 0 POUNDS 0 POUNDS SOIL

Page 109

Caller Remarks:

MINOR AMOUNTS OF OIL COMING OUT OF REMOTE FILL ON SIDEWALK PROPERTY OWNER SAYS ITS NOT HIS TANK & IT MAY BE AN OLD WASTE OIL TANK SPEEDI-DRI HAS BEEN APPLIED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 11/02/99 LETTER SENT: SPILL CLOSED

Map Identification Number 126 MANHOLE 133 Spill Number: 0001341 Close Date: 05/04/2000

SO BROADWAY & VARK ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: SO BROADWAY / VARK ST

Approximate distance from property: 2142 feet to the SSW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone: Notifier Type: Other Notifier Name: MCCABE Notifier Phone:

Caller Name: RICHARD ROCHE Caller Agency: CON ED Caller Phone: (212) 580-6764

DEC Investigator: tdghiosa Contact for more spill info: RICHARD ROCHE Contact Person Phone: (212) 580-6764

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup S	Standards Penal	Penalty Recommended		
05/03/2000		UNKNOWN	YES	NO			
Material Spilled		Material Class	Quantity Spilled Units	Quantity Recovered	Units	Resource(s) Affected	
UNKNOWN	PETROLEUM	PETROLEUM	1.00 GALL	ONS 0.00	GALLONS	SOIL	

Caller Remarks:

1 qt unk oil on 1000 gals water on manhole sample taken clean up pending results - con ed 131185

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 05/04/2000 CLEANUP REPORT SENT TO TARRYTOWN. NFA

Map Identification Number 127 Spill Number: 0001050 Close Date: 04/26/2000 MH 0416

> VARK ST AND SO BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: VARK ST / SO BROADWAY

Approximate distance from property: 2142 feet to the SSW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:

Notifier Type: Notifier Name: BRUCE MARKET Notifier Phone: (212) 580-6763 Affected Persons Caller Name: RICHARD ROACH Caller Agency: CON EDISON Caller Phone: (212) 580-6763

Contact for more spill info: CALLER Contact Person Phone: DEC Investigator: RICCI

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date

04/26/2000 UNKNOWN YES

Material Material Quantity Quantity Resource(s) Spilled Units Spilled Class Affected

Recovered Units

UNKNOWN PETROLEUM PETROLEUM GALLONS 0 GALLONS SOIL

Caller Remarks:

sheen on water in manhole 131047

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 128 DISPATCHER, YONKERS F.D. Spill Number: 8710001 Close Date: 04/06/1988

> 55 MAIN ST YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 2234 feet to the W Revised zip code: 10701

Spiller Phone: (914) 963-0566 Source of Spill: UNKNOWN Spiller: UNK

Notifier Type: Notifier Phone: Fire Department Notifier Name:

ANNE RENNE Caller Agency: NYS DEC REG 3 N.P. Caller Phone: (914) 255-5453 Caller Name:

DEC Investigator: dxtraver Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN RELEASE W/ NO DAMAGE);DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		ds Penal	ty Recommend	led
02/29/1988	04/06/1988	UNKNOWN	UNKNOV	VN	NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
GASOLINE		PETROLEUM	0	GALLONS	0	GALLONS	SURFACE WATER

WOULD LIKE DEC RESPONCE, CALLBACK. CALLED DISPATCH, REQUESTED INFO FROM SCENE. F.D. TO RETURN CALLBACK.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TRAVER" 11/29/95: This is additional information about material spilled

from the translation of the old spill file: BUILD W /

GASOLINE ODOR.

Map Identification Number 129 YONKERS COMMERCE CENTER Spill Number: 8911306 Close Date: 05/15/1990

201 PALLISADES AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION
ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 201 PALISADE AV

Approximate distance from property: 2339 feet to the N Revised zip code: 10703

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: YONKERS ENG. DEPT. Spiller Phone: (914) 964-3174

Notifier Type: Other Notifier Name: Notifier Phone:

Caller Name: TOM DESENA Caller Agency: SUPPIER TANK COATING Caller Phone: (718) 230-5664
DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Contact of more spin into.

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

02/28/1990 05/15/1990 UNKNOWN UNKNOWN NO

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected #2 FUEL OIL PETROLEUM 100.00 **GALLONS** 0.00 **GALLONS** SOIL

Caller Remarks:

TANK IN VAULT CITY PLANS TO DO OWN CLEAN UP SPOKE WITH MR.MORRIS (914)964-3174 YONKERS TO CLEAN UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" / / : VAULT CLEANED UP N.F.A.

Map Identification Number 130 SHORELINE Spill Number: 8703024 Close Date: 04/06/1988

ADDRESS CHANGE INFORMATION

Revised street: 201 PALISADE AVE

Revised zip code: 10703

201 PALISADES AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2339 feet to the N

COMMERCIAL/INDUSTRIAL Spiller: SHORELINE OIL Source of Spill:

Spiller Phone: Notifier Type: Health Department Notifier Name: Notifier Phone: Caller Name: Caller Agency: Caller Phone: Contact for more spill info: Contact Person Phone: DEC Investigator: dxtraver

Penalty Recommended Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards 07/14/1987 04/06/1988 UNKNOWN UNKNOWN NO Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected UNKNOWN PETROLEUM PETROLEUM 125.00 GALLONS 0.00 **GALLONS** SOIL

Caller Remarks: NO REMARKS GIVEN FOR THIS SPILL

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TRAVER"

Map Identification Number 131 CON ED Spill Number: 9514526 Close Date: 02/15/1996

ATHERTON ST AT WELLS YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: ATHERTON ST / WELLS AVE

HAZARDOUS MATERIAL

Approximate distance from property: 2379 feet to the WNW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:

Notifier Type: Other Notifier Name: GIBBS Notifier Phone: (914) 925-6206 Caller Name: SOLICH Caller Agency: CON ED Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date 02/12/1995 UNKNOWN NO Material Material Quantity Quantity Resource(s) Spilled Units Recovered Units Affected Spilled Class HAZARDOUS MATERIAL GALLONS 0 XYLENE (MIXED) GALLONS SOIL

0

GALLONS 0

GALLONS

SOIL

Caller Remarks:

BENZOL

con ed doing excavation - dirt smelled funny - test done found

benzene - 20 ppm and xylene 400pmm

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 132 PORT AUTHORITY Spill Number: 9515827 Close Date: 11/12/1997

ARTHERTON ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (4) Revised street: ATHERTON ST

Approximate distance from property: 2395 feet to the WNW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN - UNKNOWN Spiller Phone:

Notifier Type: Other Notifier Name: MR MELE Notifier Phone: (212) 338-4647 Caller Name: TIM SOLICH Caller Agency: CON ED Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: MR MELE Contact Person Phone: (212) 338-4647

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

02/07/1996 UNKNOWN YES NO

MaterialQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

XYLENE (MIXED) HAZARDOUS MATERIAL 0 GALLONS 0 GALLONS SOIL

Caller Remarks:

con ed doing work on scene - found soil contamination

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 133 MANHOLE # V9528 Spill Number: 0000127 Close Date: 04/04/2000

354 NEPPERHAN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 2434 feet to the NE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKOWN Spiller Phone:

Notifier Type: Affected Persons Notifier Name: MR MARKERT Notifier Phone: (212) 580-6763
Caller Name: MARK SCHLAGEL Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: jghardy

Contact for more spill info: MARK SCHLAGEL

Contact Person Phone: (212) 580-6765

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/04/2000 UNKNOWN YES NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

ABOVE MATERIAL DISCOVERED AT ABOVE LOCATION. SAMPLE TAKEN AND

CLEANUP IS PENDING LAB RESULTS. CON ED # 130736. NO CALL BACK

REQEUSTED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "HARDY"

Map Identification Number 134 306 Spill Number: 0510585 Close Date: 01/31/2006

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 10705

306 NEW MAIN ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2468 feet to the SSW

Source of Spill: UNKNOWN Spiller Phone:

Notifier Type: Health Department Notifier Name: CHRIS LALAK Notifier Phone: (914) 224-7649

Caller Name: CHRIS LALAK Caller Agency: WESTCHESTER COUNTY HEALTH Caller Phone: (914) 224-7649

DEC Investigator: JBODee Contact for more spill info: CHRIS LALAK Contact Person Phone: (914) 224-7649

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:DEC RESPONSE:UNKNOWN RP:CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

12/08/2005 UNKNOWN YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledUnitsRecoveredUnitsAffected

GASOLINE PETROLEUM 0 GALLONS 0 GALLONS SEWER

Caller Remarks:

Gasoline odor in the sanitary sewer. Fire dept flushed the system and odors have disipated. Health dept will follow up

tomorrow.

DEC Investigator Remarks:

January 31, 2006: SPILL FILE CLOSED BY CHRIS LALAK OF THE WESTCHESTER COUNTY HEALTH DEPT. NO FURTHER ACTION IS REQUIRED AT THIS

TIME. jod

As per information from WCHD:

"0510585 NFA (306 N Main) odors disappeared"

Map Identification Number 135 STREET Spill Number: 9709745 Close Date: 11/21/1997

YONKERS, NY NO ZIP PROVIDED HERRIOT ST & NEW MAIN ST

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: HERRIOT ST / NEW MAIN ST

Approximate distance from property: 2476 feet to the SSW Revised zip code: 10701

UNKNOWN Source of Spill: Spiller: UNKNOWN Spiller Phone:

Notifier Type: Other Notifier Name: BAUMANN Notifier Phone: (914) 925-6205 Caller Name: STEVE ROMERO Caller Agency: CON ED Caller Phone: (212) 580-6763 Contact for more spill info: STEVE ROMERO Contact Person Phone: (212) 580-6763 DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date UNKNOWN 11/21/1997 Material Material Quantity Quantity Resource(s) Recovered Units Spilled Class Spilled Units Affected MOTOR OIL PETROLEUM GALLONS 0 GALLONS SEWER

Caller Remarks:

70 FOOT LONG SLICK ON ROADWAY - 1 GAL APPROX HAS GONE INTO MANHOLE AND INTO SEWER - UNK PERSON PUT SPEEDY DRY ON STREET - NOTHING DONE ABOUT SEWER

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 11/21/98 CON ED VEHICLE MOTOR OIL; USED SPEEDI-DRI;

Map Identification Number 136 MH 422 Spill Number: 0004018 Close Date: 07/03/2000

> **NEW MAIN ST/HARRIOT ST** YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: NEW MAIN ST/HERRIOT ST

Approximate distance from property: 2476 feet to the SSW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone:

Notifier Type: Affected Persons Notifier Name: MR TRAYNOR Notifier Phone: (212) 580-6763 Caller Name: JIMMY FOX Caller Agency: CON ED Caller Phone: (212) 580-6763 Contact for more spill info: JIMMY FOX Contact Person Phone: (212) 580-6763 DEC Investigator: jbodee

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD:NO DEC RESPONSE:WILLING RP:CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date

07/03/2000 UNKNOWN YES NO

Material Material Quantity Quantity Resource(s) Spilled Units Recovered Units Spilled Class Affected

UNKNOWN MATERIAL OTHER 1.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

1 pint on 100 gal of water...clean up pending test results. ref #132157

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'DEE"

Map Identification Number 137 AMMACO STATION. Spill Number: 0008137 Close Date: 08/09/2001

364 NEPPERHAM AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 364 NEPPERHAN AV

Approximate distance from property: 2509 feet to the NE Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: OWNER - AMMACO STATION. Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

MATTHEW MATCHETTE Caller Agency: CROMPCO CORPORATION Caller Name:

Caller Phone: (800) 646-3161

Contact for more spill info: CALLER Contact Person Phone: DEC Investigator: WCHD

Spill Class:	KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN										
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup S	Meets Cleanup Standards			enalty Recommended				
10/11/2000		OTHER	YES	YES							
Material Spilled		Material Class	Quantity Spilled Units	Qua Reco	ntity overed	Units	Resource(s) Affected				
GASOLINE		PETROLEUM	0 GALL	ONS 0		GALLONS	SOIL				

LINE TEST FALIURE. SPILL TO CONTAINMENT AREA. UNMESURABLE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCDOH" 10/11/2000 NOT LEAKING UNDER NORMAL OPERATING CONDITIONS - HAIRLINE CRACK. REPAIRS TO BE MADE BY NOON TOMORROW.

08/09/2001 PER J. O'DEE - SPILL CLOSED BY D. JACKSON (WCDOH); NO FURTHER ACTION.

Map Identification Number 138 YONKERS PUBLIC LIBRARY Spill Number: 0100920 Close Date: 11/26/2003

38 WELLS AVE YONKERS. NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 2526 feet to the WNW Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: UNKNOWN Spiller Phone: Notifier Type: Other Notifier Name: SAME Notifier Phone:

Caller Name: BRENT FULLUM Caller Agency: GRAMERCY GROUP Caller Phone: (914) 453-7007

DEC Investigator: WCHD Contact for more spill info: BRENT FULLUM Contact Person Phone: (914) 453-7007

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

									_
Spill Date Date Cleanup Ceased		Date Cleanup Ceased	Cause of Spill	PBS # Involved		Meets Clear	nup Standards	Penalty Recommended	_
	04/19/2001		UNKNOWN	3-800760		YES		NO	
	Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	-
	#2 FUEL OIL		PETROLEUM	0	GALLONS	0	GALLONS	GROUNDWATER	

Page 119

Caller Remarks:

DURING SOIL SAMPLING AT ABOVE LOCATION CONTAMINATION HAS BEEN

DISCOVERED. SAMPLING PERFORMED DURING CONSTRUCTION. CONTACT

CALLER FOR FURTHER INFORMATION. NORTHEAST ENVIORMENTAL HAS

BEEN CONTACTED FOR CLEANUP.

DEC Investigator Remarks:

04/25/01 Spill possibly related to spill 93-05779.

06/26/2001 LETTER SENT TO YONKERS INDUS. DEV. ASSOCIATION BY S. GOREAU (WCDOH); PER SITE CLOSURE REPORT, SOIL & GW SAMPLING SHOW THAT RESIDUAL CONTAMINATION REMAINS ON SITE IN EXCEEDANCE OF TAGM 4046. INSTALLATION OF ONE MONITORING WELL REQUIRED; WELL MUST BE SAMPLED EACH QUARTER FOR ONE YEAR AFTER WHICH A REVIEW WILL BE MADE.

10/06/03: Letter to CDP, Yonkers INc. from Stefan Goreau, WCDOH dated 09/29/2003. Another round of sampling results is due by 11/15/2003. Need for further assessment or sampling to be determined after review of report.

12/2/03: Letter to Edward Sheeran, Yonkers Industrial Development Assoc., from Stefan Goreau, WCDOH dated 26 Nov 2003. Final groundwater sampling results have been reviewed. Results were satisfactory WCDOH recommends NFA at this time.

Map Identification Number 139 VAULT 9398 Spill Number: 9900905 Close Date: 04/23/1999

85 RIVERDALE AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 2607 feet to the WSW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: CON EDISON Spiller Phone:

Notifier Type: Responsible Party Notifier Name: BUCCI Notifier Phone:

Caller Name: BILL MURPHY Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: DVWEHRFR Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/23/1999 UNKNOWN YES NO

Material Spilled	Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
UNKNOWN PETROLEUM	PETROLEUM	1.00	GALLONS	0.00	GALLONS	SOIL

1GAL OIL OIL ON 300GAL OF WATER IN VAULT - SUMP PUMP NOT WORKING - CHECKING TRAP - TREATING AS 50-499PPM OF PCB - SAMPLE TAKEN

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WEHRFRITZ"



CLOSED STATUS HAZARDOUS SPILLS - MISC. SPILL CAUSES - EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, AND VANDALISM - IDENTIFIED WITHIN 1/2 MILE SEARCH RADIUS.

All spills mapped and profiled within 1/4 mile. Between 1/4 mile and 1/2 mile search radius, spills reported to be greater than 100 units and spills reported in the NYSDEC Fall 1998 MTBE Survey are mapped and profiled. Spills reported to be less than 100 units are listed in a table at the end of this section.

Please Note: * - Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 140 TONY RUGGIERO INC. Spill Number: 9102553 Close Date: 06/05/1991

45 JOHNS STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (5)

Approximate distance from property: 281 feet to the WNW

Revised street: 45 JOHN ST
Revised zip code: 10701

Source of Spill: COMMERCIAL VEHICLE Spiller: SAME Spiller Phone: (914) 965-0555

Notifier Type: Health Department Notifier Name: Notifier Phone:

Caller Name: ED TORHAN Caller Agency: WCHD Caller Phone: (914) 285-5272

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/04/1991 06/18/1953 EQUIPMENT FAILURE UNKNOWN NO

Material Quantity Quantity Resource(s)

Spilled Class Spilled Units Recovered Units Affected

UNKNOWN PETROLEUM 0 UNKNOWN 0 UNKNOWN SOIL

Caller Remarks:

A LINE ON TRUCK RUPTURED SPILLING ON PAVEMENT AND GOT INTO STORM SEWER SAND AND PADS USED TO CLEAN UP WCHD WILL HANDLE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

09/27/95: This is additional information about material spilled from the translation of the old spill file: HYDRAULIC FLUID.

Map Identification Number 141 **SEATOWN SUPERMARKET** Spill Number: 9413376 Close Date: 02/10/1995

> **70 LINDEN STREET** YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 338 feet to the SE Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: Spiller Phone: Notifier Type: Notifier Name: Notifier Phone: Other

Caller Name: DAN LEE Caller Agency: TARRICONE FUEL Caller Phone: (914) 693-1132

Contact Person Phone: Contact for more spill info: DEC Investigator: tdghiosa

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD: DEC RESPONSE: WILLING RP: CORRECTIVE ACTION TAKEN

Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date Date Cleanup Ceased

01/07/1995 02/10/1995 EQUIPMENT FAILURE NO NO

Material Material Quantity Quantity Resource(s) Spilled Units Affected Spilled Class Recovered Units

#2 FUEL OIL PETROLEUM UNKNOWN 0 UNKNOWN SOIL

Caller Remarks:

PINHOLE IN BASEMENT TANK TANK BEING PUMPED DOWN SPILL CONTAINED AND BEING CLEANED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 142 225 NEPPERHAN AVE Spill Number: 9202963 Close Date: 06/12/1992

YONKERS, NY NO ZIP PROVIDED 225 NEPPERHAN AVE

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 434 feet to the NNE Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: MASTER PAINTING Spiller Phone:

Notifier Type: Responsible Party Notifier Name: Notifier Phone:

GEÖRGE NISTAZOS Caller Phone: (718) 472-5522 Caller Name: Caller Agency: MASTER PAINT & ROOFING

Contact for more spill info: Contact Person Phone: DEC Investigator: tdghiosa

Spill Class:	pill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN									
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards NO		Penalty Recommended					
06/11/1992	06/12/1992	HUMAN ERROR			NO					
Material Spilled		Material Class	Quantity Spilled Units	Quantity Recovered	Units	Resource(s) Affected				
DIESEL		PETROLEUM	5.00 GALLON	S 0.00	GALLONS	SOIL				

CAR RAN INTO DIRECTIONAL TRAFFIC SIGN CONTAINED ON PAVEMENT SPILLER DOING CLEAN UP WITH SAND WCHD ED TORHAN ON SITE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Spill Number: 9812528 Close Date: 05/14/2004 **Map Identification Number 143** STAR AUTO SERVICE

> 60 ELM ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 458 feet to the WNW Revised zip code: 10701

Source of Spill: **GASOLINE STATION** Spiller: ANTONE DACUD - STAR AUTO SERVICE

Spiller Phone: (914) 423-7330 Notifier Name: TOM BOLAND Notifier Phone: (973) 853-3080 Notifier Type: Other Caller Name: PAM BOLAND Caller Agency: NEW JERSEY TANK INC Caller Phone: (973) 853-3080

Contact for more spill info: ANTONE DACUD Contact Person Phone: (914) 423-7330 DEC Investigator: WCHD

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date **EQUIPMENT FAILURE** ______ Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected GASOLINE PETROLEUM GALLONS GALLONS SOIL

WHILE PULLING USTS FOUND CONTAMINATED SOIL - CLEAN UP HAS NOT BEGUN

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD-SCHNEIDER"
05/14/04 OWNER PROVIDED WASTE MANIFESTS AND SAMPLE RESULTS TO WCHD. SPILL FILE CLOSED BY WAYNE SCHNEIDER OF THE WESTCHESTER
COUNTY HEALTH DEPARTMENT. jbo

Map Identification Number 144 SCOT S/S Spill Number: 9303618 Close Date: 06/25/1993

60 ELM STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 458 feet to the WNW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: SAME Spiller Phone: Notifier Type: Fire Department Notifier Phone: Notifier Name:

Caller Name: CAPT. FIGUROA Caller Agency: YONKERS F.D. Caller Phone: () 377-7501

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES A FIRE OR HAZARD;HIGHLY IMPROBABLE

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 06/19/1993 06/25/1993 HOUSEKEEPING Quantity Material Material Quantity Resource(s) Recovered Units Spilled Class Spilled Units Affected GASOLINE PETROLEUM 5.00 GALLONS 0.00 GALLONS SURFACE WATER

Caller Remarks:

GAS STATION WORKING ON CARS RUN OFF INTO CREEK YONKERS F.D. ON SCENE APPLIED SORBENTS S/S HAS BEEN CITED USCG NOTIFIED AND SAW NOTHING SPOKE WITH ED DALANCY (WCHD) PRODUCT COMPLETELY DISPERSED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 145 SERVICE STATION Spill Number: 9208938 Close Date: 11/05/1992

60 ELM STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 458 feet to the WNW

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: GASOLINE STATION Spiller: MR. LAVISTA Spiller Phone:
Notifier Type: Fire Department Notifier Name: Notifier Phone:

Caller Name: CAPT. ANDREW FIGVOG Caller Agency: YONKERS FIRE DEPT. Notifier Priorie.

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/03/1992 11/05/1992 EQUIPMENT FAILURE NO NO

MaterialQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 5.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

U/G TANK HAS FAULTY CAP RAIN ENTERED TANK AND DISPLACED FUEL OIL CLEANED UP WITH SPEEDI-DRY FROM PAVEMENT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 146 @ Spill Number: 0412370 Close Date: 02/22/2005

25 RIVERVIEW PLACE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 618 feet to the E

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: TANK TRUCK Spiller: JOSEPH TOCCO - VALLEY OIL JFJ FUEL Spiller Phone: (914) 965-5395
Notifier Type: Responsible Party Notifier Name: ROBERT RZEMIENIEWSKI Notifier Phone: (914) 965-6397

Caller Name: JOESPH TOCCO Caller Agency: VALLEY OIL JFJ FUEL Caller Phone: (914) 965-6397
DEC Investigator: RDBENDEL Contact for more spill info: JOSEPH TOCCO Contact Person Phone: (914) 965-5395

Resource(s)

Affected

SOIL

0 :11 01	KNOWN BELEASE WITH	WINDAM DOTENTIAL FOR FIRE OR HAZARD	NO DEO DEOD			·OT!\/E_A OT!O	M TAKEN
Spill Class:Spill Date	Date Cleanup Ceased	MINIMAL POTENTIAL FOR FIRE OR HAZARD Cause of Spill		 eanup Standard		ty Recommend	
02/19/2005		TANK OVERFILL	YES		NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected
#2 FUEL OIL		PETROLEUM	15.00	GALLONS	15.00	GALLONS	SOIL
Caller Remarks:							
Driver filled tank	at wrong house, causing 15 g	allons of #2 oil to overfill, onto ground. Being o	leaned up prese	ently.			
DEC Investigator	r Remarks: NO DEC INVES	STIGATOR REMARKS GIVEN FOR THIS SPIL	.L.				
Map Identification		MIER CHURCH REC. PERHAN AVE.	YONKERS, NY	' NO ZIP PRO		er: 9010015	Close Date: 12/19/1990
	I INFORMATION pped by: ADDRESS MATCH ance from property: 641 fee		ADDRESS CHARevised street: Revised zip coo	NO CHANGE	IATION		
Source of Spill:	TANK TRUCK		CASTLE OIL				Spiller Phone:
Notifier Type: Caller Name: DEC Investigator	Responsible Party JIM CAREY r: tdghiosa	Notifier Name: Caller Agency: Contact for more spill info:	CASTLE OIL			Contac	Notifier Phone: Caller Phone: (212) 823-8800 ct Person Phone:
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	eanup Standard	ls Penali	ty Recommend	ded

UNKNOWN

Units

GALLONS

Quantity Spilled

15.00

NO

Recovered Units

GALLONS

Quantity

0.00

12/14/1990

Material

Spilled

SPILL CONTAINED ON CONCRETE CASTLE OIL ON WAY TO CLEAN UP JIM CAREY CALLED BACK AND SAID THE CLEAN UPWAS COMPLETE

HUMAN ERROR

PETROLEUM

Material

Class

DEC Investigator Remarks:

06/18/1953

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 148 ROADWAY Spill Number: 9209452 Close Date: 11/07/1997

OAK & ELM ST. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: OAK ST / ELM ST

Approximate distance from property: 783 feet to the ESE Revised zip code: 10701

Source of Spill: TANK TRUCK Spiller: ROBISON OIL Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: ED ALLEN Caller Agency: ROBISON OIL Caller Phone: (914) 345-5700

DEC Investigator: tdghiosa Contact Person Phone: Contact for more spill info:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/13/1992 EQUIPMENT FAILURE YES

Material Quantity Quantity Resource(s) Material Spilled Units Recovered Units Affected Spilled Class

PETROLEUM #2 FUEL OIL 2.00 GALLONS 0.00 GALLONS

Caller Remarks:

SUSPECT AIR ELIMINATOR FAILED OIL LEAKED TO PAVED STREET DRIVER CLEANED WITH SPEEDI-DRI PICKED UP AND WILL DISPOSE

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 149 POLE 7A **Spill Number: 9604105** Close Date: 06/26/1996

SCHOOL ST & MAPLE ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

ADDRESS CHANGE INFORMATION Site location mapped by: ADDRESS MATCHING Revised street: SCHOOL ST / MAPLE ST

Approximate distance from property: 801 feet to the SW Revised zip code: 10701 Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: TIM SOILCH - CON ED Spiller Phone: (212) 580-6764

Notifier Type: Responsible Party Notifier Name: MR BREARTON Notifier Phone: (914) 376-6622 Caller Name: LISA PRIMEGGIA Caller Agency: CON ED Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: LISA PRIMEGGIA Contact Person Phone: (212) 580-6763

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

06/25/1996 EQUIPMENT FAILURE YES NO

MaterialQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

TRANSFORMER OIL PETROLEUM 1.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

6 oz in soil - pole fell over into vacant lot - switch leaked - soil will be dug out - will be cleaned by 3am

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 150 ON STREET Spill Number: 9310247 Close Date: 11/24/1993

16 SCHOOL STREET YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 906 feet to the SW
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PASSENGER VEHICLE Spiller: Spiller Phone:

Notifier Type: Fire Department Notifier Name: Notifier Phone:

Caller Name: WHITE Caller Agency: YONKERS F.D. Caller Phone: () 377-7553

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: POSSIBLE REL WITH MIN POTENTIAL FOR FIRE OR HAZARD (OR KNOWN REL W/ NO DAMAGE):NO DEC RESP;WILLING RP;CORR ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

 Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected WASTE OIL/USED OIL (NOT FUEL) PETROLEUM 2.00 GALLONS 0.00 GALLONS SEWER

Caller Remarks:

FD RESPONDED PADDED UP OIL IN STORM DRAIN VEHICLE OWNER CLAIMS DRAIN PLUG LEAKED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 151 Spill Number: 0308379 Close Date: 11/17/2003

1 YONKERS AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 907 feet to the NNE
Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: JOHN MCCULLA Spiller Phone: (914) 709-8240

Notifier Type: Responsible Party Notifier Name: SELF Notifier Phone:

Caller Name: JOHN MCCULLA Caller Agency: AMERICAN SUGAR REFINING Caller Phone: (914) 709-8240
DEC Investigator: WATER UNIT Contact for more spill info: JOHN MCCULLA Contact Person Phone: (914) 709-8240

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD;HIGHLY IMPROBABLE

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended 11/07/2003 **EQUIPMENT FAILURE** NO NO Material Quantity Quantity Resource(s) Material Spilled Class Spilled Units Recovered Units Affected RAW SEWAGE OTHER GALLONS GALLONS SURFACE WATER

Caller Remarks:

caller states that a pumps failed causing an unknown amount of raw sewage to flow over the containment walls into the river

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "DOW"

Spiller Phone: (914) 345-5700

Map Identification Number 152 POLE W10 Spill Number: 0504913 Close Date: 08/23/2005

101 OAK ST/MAPLE ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: 101 OAK ST Approximate distance from property: 942 feet to the SE Revised zip code: 10701

Source of Spill:UNKNOWNSpiller:ERT DESK - CON EDSpiller Phone: (212) 580-8383Notifier Type:Responsible PartyNotifier Name:LARRY COSTANotifier Phone: (212) 580-6763Caller Name:LARRY COSTACaller Agency:CON EDCaller Phone: (212) 580-6763DEC Investigator:DXTRAVERContact for more spill info:ERT DESKContact Person Phone: (212) 580-8383

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

07/23/2005 EQUIPMENT FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

DIELECTRIC FLUID PETROLEUM 5.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

Transformer overloaded, leaking 5-10 gallons of dielectric fluid from transformer, spilling onto asphalt, concrete, private.

Pending cleanup.

DEC Investigator Remarks: NO DEC INVESTIGATOR REMARKS GIVEN FOR THIS SPILL.

Map Identification Number 153 RESIDENCE Spill Number: 0311582 Close Date: 01/14/2004

26 YONKERS AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 948 feet to the NE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: PRIVATE DWELLING Spiller: ED ALLAN - ROBOSON OIL

Notifier Type:Responsible PartyNotifier Name:ED ALLANNotifier Phone: (914) 345-5700Caller Name:ED ALLANCaller Agency:ROBISON OILCaller Phone: (914) 345-5700DEC Investigator:mbmastroContact for more spill info:MR NEHMAContact Person Phone: (914) 968-7828

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	Meets Cleanup Standards F		Penalty Recommended		
01/14/2004		EQUIPMENT FAILURE	YES		NO			
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
#2 FUEL OIL		PETROLEUM	10.00	GALLONS	0.00	GALLONS	SOIL	

FILL WAS FROZEN AND CAUSED OIL TO SPILL. IN PROCESS OF BEING CLEANED UP.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MASTRO"

Map Identification Number 154 27 POPLAR ST Spill Number: 9814908 Close Date: 02/26/2005

27 POPLAR ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2) Revised street: NO CHANGE Approximate distance from property: 957 feet to the SSE Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: CALLER - CRYSTAL TRANSPORTATION Spiller Phone: (718) 828-3100

Notifier Type: Responsible Party Caller Name: Notifier Name: ANTHONY DELGADO Notifier Phone: (718) 828-3100 Caller Name: CRYSTAL TRANS CORP Caller Phone: (718) 828-3100

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/16/1999 EQUIPMENT FAILURE NO NO

Material Quantity Quantity Resource(s)
Spilled Units Recovered Units Affected

#4 FUEL OIL PETROLEUM 7.00 GALLONS 7.00 GALLONS SOIL

Caller Remarks:

WHILE FILLING A TANK, OIL CAME OUT OF A VENT. CLEAN UP WILL BE DON E BY NATIONAL ENVIRONMENTAL SERVICES.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

2/26/05 7 gallon overfill--close

Map Identification Number 155 ENRICO FERMY MIDDLE SCH. Spill Number: 9008952 Close Date: 12/28/1990

POPLAR & LINDEN ST. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 957 feet to the SSE

Revised street: 27 POPLAR ST
Revised zip code: 10701

Source of Spill: COMMERCIAL VEHICLE Spiller: Spiller: Spiller Phone: Notifier Type: Fire Department Notifier Name: Notifier Phone:

Caller Name: LT.WILLIAM FITZPATRICK Caller Agency: YONKERS F.D. Caller Phone: (914) 377-7501

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

11/15/1990 12/28/1990 ABANDONED DRUM UNKNOWN NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

UNKNOWN PETROLEUM 0 POUNDS 0 POUNDS SOIL

Caller Remarks:

DRUM FELL OFF TRUCK SPILLAGE RAN INTO GUTTER AND SEWER F.D. APPLIED PADS & SAND WCHD HAS BEEN NOTIFIED AND WILL RESPOND WAITING FOR WCHD TO TEST TO DETERMINE HOW IT WILL BE DISPOSED

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 09/27/95: This is additional information about material spilled

from the translation of the old spill file: DRUM.

Map Identification Number 156 Spill Number: 9600398 Close Date: 04/09/1996

OAK ST & CHESTNUT ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: OAK ST / CHESTNUT ST

Approximate distance from property: 1016 feet to the ENE Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: RICHARD ROACH - CON ED Spiller Phone: (212) 580-6764
Notifier Type: Responsible Party Notifier Name: MR DESANTI Notifier Phone: (914) 925-6205

Caller Name: MR ROACH Notifier Name: MR DESANTI Notifier Phone: (914) 925-6205 Caller Name: MR ROACH Caller Agency: CON ED Caller Phone: (212) 580-6764

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/09/1996 EQUIPMENT FAILURE YES NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

CABLE OIL PETROLEUM 1.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

leak from areial cable

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 157 POLE #32 Spill Number: 0404219 Close Date: 07/20/2004

OAK STREET AND CHESNUT ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: OAK ST / CHESNUT ST

Approximate distance from property: 1016 feet to the ENE Revised zip code: UNKNOWN

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ERT DESK - POLE #32 Spiller Phone: (212) 580-8383

Notifier Type: Responsible Party Notifier Name: RON ELLIOTT Notifier Phone: (212) 580-6763
Caller Name: RON ELLIOTT Caller Agency: Contact for more spill info: ERT DESK FOLE #32

Notifier Type: Responsible Party Notifier Name: RON ELLIOTT Caller Phone: (212) 580-6763
Caller Name: Contact for more spill info: ERT DESK Contact Person Phone: (212) 580-8383

Spill Class:	Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD;NO DEC RESPONSE;WILLING RP;CORRECTIVE ACTION TAKEN									
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	eanup Standar	ds Penalt	Penalty Recommended				
07/20/2004		EQUIPMENT FAILURE	YES		NO					
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected			
DIELECTRIC F	- 	PETROLEUM	4.00	POUNDS	0.00	POUNDS	SOIL			
Caller Pemarks	·									

4 OUNCES SPILLED, AERIAL JOINT LEAKED, CLEANUP PENDING ADDITIONAL RESOURCES, NO TO THE 5 QUESTIONS, CONED #154431

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Close Date: 05/06/2004 **Map Identification Number 158** LAMAR REALITY Spill Number: 0303121

40 LOCUST HILL AV YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1154 feet to the NW

Source of Spill: PRIVATE DWELLING

Notifier Type: Local Agency

Caller Name: WAYNE SCHNEIDER

DEC Investigator: WCHD

ADDRESS CHANGE INFORMATION

Revised street: 40 LOCUST HILLS AV

Revised zip code: 10701

Spiller: THOMAS PORAZZIO - LAMAR REALITY

Notifier Name: WAYNE SCHNEIDER

Caller Agency: WESTCHESTER COUNTY HEALTH

Contact for more spill info: THOMAS PORAZZIO

Caller Phone: (914) 813-5972 Contact Person Phone: (718) 343-1336

Spiller Phone: (718) 343-1336 Notifier Phone: (914) 813-5972

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date 06/24/2003 EQUIPMENT FAILURE ______

Material Material Quantity Quantity Resource(s) Spilled Class Spilled Units Recovered Units Affected

#4 FUEL OIL PETROLEUM 1.00 GALLONS 1.00 GALLONS SOIL

leaky fill pipe caused spill - is being cleaned up

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "WCHD - SCHNEIDER" RECOMMENDED FOR CLOSURE BY WCHD-SCHNEIDER.

Map Identification Number 159 LIBERTY LINES EXPRESS Spill Number: 9705265 Close Date: 07/31/1997

100 NEPPEREHAN AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION
Site location mapped by: ADDRESS MATCHING
ADDRESS CHANGE INFORMATION
Revised street: 100 NEPPERHAN AVE

Approximate distance from property: 1212 feet to the SW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: LIBERTY LINES EXPRESS Spiller Phone: (914) 376-6413

Notifier Type: Other Notifier Name: LIBERTY LINES EXPRESS Notifier Phone: (914) 376-6413
Caller Name: LISA HAUER Caller Agency: TRI-STATE ENVIRONMENTAL Caller Phone: (914) 592-3385

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone: (914) 376-6413

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

O7/30/1997 TANK OVERFILL YES NO

Material Operation Operation Operation Description (Control of the Control of

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

KEROSENE PETROLEUM 50.00 GALLONS 50.00 GALLONS SOIL

Caller Remarks:

spill onto concrete all cleaned with speedy dry

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead DEC Field was "GHIOSAY"

Map Identification Number 160 AUTO GARAGE Spill Number: 0100774 Close Date: 03/06/2005

106 BEECH ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 1269 feet to the SE

Revised street: NO CHANGE
Revised zip code: 10701

Source of Spill: UNKNOWN Spiller: AUTO GARAGE Spiller Phone:

Notifier Type: Citizen Notifier Name: ROBERT DEPALO Notifier Phone: (914) 969-3494
Caller Name: ROBERT DEPALO Caller Agency: CITIZEN Caller Phone: (914) 969-3494

DEC Investigator: UNASSIGNED Contact for more spill info: Contact Person Phone:

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/20/2001 DELIBERATE NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

AUTO WASTE FLUIDS PETROLEUM 0 GALLONS 0 GALLONS GROUNDWATER

Caller Remarks:

AN ILLEGAL OPERATING REPAIR SHOP. NO NAME NO PHONE. CLLR SAW SUBJECT DUMPING AUTOMOBILE WASTE FLUID INTO CITY SEWER SYSTEM ON MORE THAN ONE OCCASION.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "

3/6/05 waste to sewer-law enforcemnt matter--close

Map Identification Number 161 CITY HALL Spill Number: 9313099 Close Date: 02/10/1995

87 NEPPERHAN AVE. YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1278 feet to the SW

Revised street: NO CHANGE

Revised zip code: 10701

Source of Spill: TANK TRUCK Spiller: CASTLE OIL Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: JIM CAREY Caller Agency: CASTLE OIL Caller Phone: (718) 823-8800

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spiller Phone: (914) 968-3434

Notifier Phone: (914) 561-1512

Caller Phone: (914) 561-1512

Spill Class:	KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN								
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cle	Meets Cleanup Standards			Penalty Recommended		
02/04/1994	02/10/1995	EQUIPMENT FAILURE	NO		NO				
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected		
#2 FUEL OIL		PETROLEUM	15.00	GALLONS	0.00	GALLONS	SOIL		
0 0									

Caller Remarks:

SPILL UNDER TRUCK ON ROAD PAVEMENT CREW TO CLEAN UP

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 162 SUN SERVICE STATION Spill Number: 9710244 Close Date: 07/31/1998

47 YONKERS AVE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1280 feet to the ENE

Source of Spill: **GASOLINE STATION**

Notifier Type: Other

JACKIE PIZZOLATO

Caller Name:

DEC Investigator: tdghiosa

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: 10701

Spiller: RAY DAHDAL - SUN SERVICE STATION

Notifier Name: JACKIE PIZZOLATO

Caller Agency: IRA D CONKLIN

Contact for more spill info: RAY DAHDAL Contact Person Phone: (914) 968-3434

KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards		ds Penal	Penalty Recommended		
12/05/1997		TANK OVERFILL	NO		NO			
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
GASOLINE		PETROLEUM	0	GALLONS	0	GALLONS	SOIL	

while retrofitting the tanks that noticed odors of gas in the soil they have 100 tons of soil with is mixed with gas from several years of overfilling the tanks

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 163 Spill Number: 0001148 Close Date: 06/30/2004

90 OLIVER ST YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1303 feet to the E

Revised street: 90 OLIVER AV

Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: DANIEL SILVESTRO - ATLAS FUEL OIL Spiller Phone: (718) 893-4400

Notifier Type: Responsible Party Notifier Name: RAMON TIRADO Notifier Phone:

Caller Name: DANIEL SILVESTRO Caller Agency: ATLAS FUEL OIL Caller Phone: (718) 893-4400
DEC Investigator: UNASSIGNED Contact for more spill info: DANIEL SILVESTRO Contact Person Phone: (718) 893-4400

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

04/28/2000 HUMAN ERROR NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

#2 FUEL OIL PETROLEUM 5.00 GALLONS 5.00 GALLONS SOIL

Caller Remarks:

ABOVE MATERIAL SPILLED DURING DELIVERY. ALL MATERIAL REPORTED AS

RECOVERED. NO CALL BACK REQEUSTED.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "

Map Identification Number 164 TM 579 Spill Number: 0102412 Close Date: 06/04/2001

> NEPPERHAM ST/WARBURTON AV YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: NO CHANGE Approximate distance from property: 1824 feet to the WNW Revised zip code: 10701

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: SAME - CON ED Spiller Phone:

Notifier Type: Affected Persons Notifier Name: MR MCGEEVER Notifier Phone: (212) 580-6763 Caller Name: MARK SCHLAGEL Caller Agency: CON EDISON Caller Phone: (212) 580-6765

Contact for more spill info: CALLER Contact Person Phone: DEC Investigator: rdbendel

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended Spill Date

06/04/2001 EQUIPMENT FAILURE YES NO

Material Material Quantity Quantity Resource(s) Spilled Units Recovered Units Spilled Class Affected

150.00 GALLONS 0.00 DIELECTRIC FLUID PETROLEUM GALLONS SOIL

Caller Remarks:

on 100 gals water.no sewers or fire 137466

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "BENDELL" 06/04/2001 TRANSFORER BROKE @ BOTTOM AND LEAKED. IN A VAULT. NO FURTHER ACTION.

Map Identification Number 165 ST. JOSEPH'S HOSPITAL Spill Number: 9006524 Close Date: 12/11/1990

YONKERS, NY NO ZIP PROVIDED 113 SOUTH BROADWAY

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 2006 feet to the SW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: ? Spiller Phone:

Notifier Type: Notifier Name: Notifier Phone: Other

Caller Phone: (201) 750-6555 Caller Name: PETE HARD Caller Agency: HESS

Contact for more spill info: Contact Person Phone: DEC Investigator: tdghiosa

Spill Class:	KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN							
Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standards			Penalty Recommended		
09/08/1990	12/11/1990	TANK OVERFILL	UNKNOWN		NO	NO		
Material Spilled		Material Class	Quantity Spilled	Units	Quantity Recovered	Units	Resource(s) Affected	
#6 FUEL OIL		PETROLEUM	100.00	GALLONS	0.00	GALLONS	SOIL	

SPILL ON CONCRETE 8 X 20 STAIN HESS CLAIMS THAT THE HOSPITAL IS THE SPILLER ALSO THAT THEY COULDN'T GET THROUGH TO THE HOT LINE CENTRAL OFFICE BELIEVES HESS DELIVERYMAN WAS ACTUAL SPILLER WCHD WAS NOT

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY" 09/21/90: GEORGE LATZ ENGINEER AT HOSPITAL: THEY HAVE CLEANED UP

HALF OF AREA.

Map Identification Number 166 YONKERS GENERAL HOSPITAL Spill Number: 8803859 Close Date: 09/15/1988

2 PARK AVENUE YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2) Revised street: 2 PARK AVE Approximate distance from property: 2182 feet to the N Revised zip code: 10703

Source of Spill: INSTITUTIONAL, EDUC, GOV, OTHER Spiller: YONKERS GENERAL HOSPITAL Spiller Phone: (914) 964-7349

Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: HELEN AMATRANO Caller Agency: YONKERS GENERAL HOSPITAL Caller Phone: (914) 964-7349

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE THAT CREATES POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date	Date Cleanup Ceased	Cause of Spill	Meets Cleanup Standard	ds Penalty Recomn	nended
07/03/1988	08/10/1988	HUMAN ERROR	UNKNOWN	NO	
Material Spilled		Material Class	Quantity Spilled Units	Quantity Recovered Units	Resource(s) Affected
#4 FUEL OIL		PETROLEUM	280.00 GALLONS	0.00 GALLON	IS SOIL

Caller Remarks:

WHILE SWITCHING OIL TANKS SWITCH NOT PUT ON & VALVE DID NOT CLOSE AND OIL ENTERED TANK AND OVERFLOWED FD RESPONDED HOSED DOWN, & CAT LITER APPLIED & REMOVED. TODD WILL INVESTIGATE.

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

09/15/88: HOSPITAL HIRED LUZON OIL TO EXCAVATE CONTAMINATED SOIL AND CLEAN OUTCATCH BASINS. ALL CONTAMINATED SOIL REMOVED AND
TRUCKED TO PROPER DIPOSAL FACILITY.

Map Identification Number 167 ST.JOSEPH'S NURSING HOME Spill Number: 9404600 Close Date: 07/08/1994

BROADWAY YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 2191 feet to the SW

Revised street: S BROADWAY

Revised zip code: '10701'

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: HESS Spiller Phone: Notifier Type: Responsible Party Notifier Name: Notifier Phone:

Caller Name: SCOTT DOUGLAS Caller Agency: HESS Caller Phone: (201) 489-5100

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Cause of Spill Meets Cleanup Standards Spill Date Date Cleanup Ceased Penalty Recommended 07/05/1994 EQUIPMENT FAILURE Material Material Quantity Quantity Resource(s) Spilled Units Recovered Units Affected Spilled Class

#6 FUEL OIL PETROLEUM 200.00 GALLONS 0.00 GALLONS SOIL

Page 142

Caller Remarks:

CLOGGED VENT CREW CLEANING UP NOW

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

Map Identification Number 168 VAULT #V9632 Spill Number: 9814438 Close Date: 02/26/2005

RIVERDALE AV & PROSPECT YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3) Revised street: RIVERDALE AV / PROSPECT ST

Approximate distance from property: 2242 feet to the WSW Revised zip code: 10701

Source of Spill: COMMERCIAL/INDUSTRIAL Spiller: CON EDISON Spiller Phone:

Notifier Type: Responsible Party Notifier Name: MR BUCCI Notifier Phone: (212) 580-6763
Caller Name: FRANK MASSERIA Caller Agency: CON EDISON Caller Phone: (212) 580-6763

DEC Investigator: tdghiosa Contact for more spill info: Contact Person Phone:

Spill Class: KNOWN RELEASE WITH MINIMAL POTENTIAL FOR FIRE OR HAZARD; NO DEC RESPONSE; WILLING RP; CORRECTIVE ACTION TAKEN

Spill Date Date Cleanup Ceased Cause of Spill Meets Cleanup Standards Penalty Recommended

03/03/1999 EQUIPMENT FAILURE NO NO

MaterialQuantityQuantityQuantityResource(s)SpilledClassSpilledUnitsRecoveredUnitsAffected

DIELECTRIC FLUID PETROLEUM 200.00 GALLONS 0.00 GALLONS SOIL

Caller Remarks:

11 PPM PCB HISTORICAL DATA - SAMPLES TAKEN - CLEAN UP BASED ON NAME PLATE DATA - SPILL CONTAINED IN VAULT WHERE TRANSFORMER

FAILED - SOME DID SPILL OVER INTO ADJOINING VAULT #V9680 - REF #123407

DEC Investigator Remarks:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "GHIOSAY"

2/26/05 transformer spill contained in vault and cleaned up--close

THE FOLLOWING CLOSED SPILLS FOR THIS CATEGORY WERE REPORTED BETWEEN 1/4 MILE AND 1/2 MILE FROM THE SUBJECT ADDRESS. THESE SPILLS WERE REPORTED TO BE LESS THAN 100 UNITS IN QUANTITY AND CAUSED BY: EQUIPMENT FAILURE, HUMAN ERROR, TANK OVERFILL, DELIBERATE SPILL, TRAFFIC ACCIDENT, HOUSEKEEPING, ABANDONED DRUM, OR VANDALISM. THESE SPILLS ARE NEITHER MAPPED NOR PROFILED IN THIS REPORT.

074.44.00	DECIDENCE	40 DELL DI	VONKEDO
9714166	RESIDENCE	12 BELL PL	YONKERS
9613807	RESIDENCE	12 BELL PLACE	YONKERS
0003039	POLE #1 TRANSFORMER	BEECH ST/POPLAR ST	YONKERS
0102350	PRO AUTO	61 YONKERS AVE	YONKERS
0205012	111071010	304 NEDDEDHANI AVE	YONKERS
	TDANCEODMED	162 WILLOW CTDEET	VONKERS
0203130	TRANSFORMER	163 WILLOW STREET	YONKERS
0308543	OVERFILL	144 OAK ST	YONKERS
9312820	COMM. BLDG.	20 SOUTH BROADWAY	YONKERS
9208055	CALIGARO APTS.	55 SCHOOL STREET	YONKERS
9801351	RESIDENCE	62 NORTH BROADWAY	YONKERS
0406271	APARTMENT	2 VAN COPTI ANDT DAPK AVE	YONKERS
		2 VAN CONTLANDI I ANN AVE	VONKERO
0408646	+	87 NORTH BROADWAY	YONKERS
8805915	YONKERS CITY HALL BLDG	40 SOUTH BROADWAY	YONKERS
0335008		POND ROAD	YONKERS
9911742	RESI: ROMAN	166 OAK ST	YONKERS
9309106	APT. BUILDING	45 PARK HILL AVE.	YONKERS
9902106	COMMERCIAL BLDG	15 S BROADWAY	YONKERS
9012908	45 SOUTH BROADWAY	45 COLITH BROADWAY	YONKERS
		45 500 TH BROADWAY	YONKERS
9101239	WESTCHESTER TOWN ASSOC.	45 SOUTH BROADWAY	YONKERS
0404817	PRIVATE RES.	11 GARFIELD ST.	YONKERS
0011296		17 MOUNT CARMEL PL	YONKERS
9311097	APT. COMPLEX	53 SOUTH BROADWAY	YONKERS
9912715	MANHOLE 148	WARBURTON AVE/MAIN ST	YONKERS
0007656	W W W W W W W W W W W W W W W W W W W	ASHRIDTON AVE/DALISADES A	YONKERS
			YONKERS
0305776	ANAOOO 0/0	PALISADES AV/ASIDURTON AV	YONKERS
9211479	AMOCO S/S	108 YONKERS AVE.	YONKERS
9208909	AMOCO S/S	102-108 YONKERS AVE	YONKERS
9411964	CONVENT OF MARY THE QUEEN	113 SOUTH BROADWAY	YONKERS
9312309	YONKERS SCHOOL	77 PARKHILL AVE	YONKERS
0310495	CRYSTAL TRANSPORTATION	127 ASHBURTON AVE	YONKERS
9809670	MANHOLE 367- NW CORNER	OF DOCK ST & WOODWORTH AV	YONKERS
0402344	WANTOLL 307- NW CORNER	127 COLITH DDOADWAY	YONKERS
		70 A OLIDUDTON AVE	YONKERS
9906008		/U ASHBURTON AVE	YONKERS
9308897	RESIDENCE	168 ASHBURTON	YONKERS
0100609	CITGO GAS STATION	111 YONKERS AVE	YONKERS
0105018		140 WEBSTER AVE	YONKERS
0210461	RESIDENTS	3 JONES PLACE	YONKERS
0502119	MH 416	VARK ST/S BROADWAY	YONKERS
9107831	ON STREET	A CUDUDTON & LOCUET LILL A	YONKERS
	ONSTREET	ASIDURIUN & LUCUSI TILL A	YONKERS
9810883	ADANDONED OAG CTATION	107 VAIN CORTLAND PK	YONKERS
9906218	ABANDONED GAS STATION	104 WARBARTON	YONKERS
9407548	ON ROAD	186 ASHBURTON AVE.	YONKERS
0410953	ROADWAY	23 HUDSON STREET	YONKERS
9814525	VAULT 9632	PROSPECT AV/RIVERDALE AV	YONKERS
9902541	PROSPECT & RIVERDALE	PROSPECT & RIVERDALE	YONKERS
9411651	NYS ARMORY	OLININ DI ACE	YONKERS
		12 BELL PL 12 BELL PLACE BEECH ST/POPLAR ST 61 YONKERS AVE 304 NEPPERHAN AVE 163 WILLOW STREET 144 OAK ST 20 SOUTH BROADWAY 55 SCHOOL STREET 62 NORTH BROADWAY 2 VAN CORTLANDT PARK AVE 87 NORTH BROADWAY 40 SOUTH BROADWAY 41 SOUTH BROADWAY 45 SOUTH BROADWAY 11 GARFIELD ST. 17 MOUNT CARMEL PL 53 SOUTH BROADWAY WARBURTON AVE/MAIN ST ASHBURTON AVE/PALISADES A PALISADES AV/ASHBURTON AV 108 YONKERS AVE 102-108 YONKERS AVE 113 SOUTH BROADWAY 77 PARKHILL AVE 127 ASHBURTON AVE 0F DOCK ST & WOODWORTH AV 127 SOUTH BROADWAY 70 ASHBURTON AVE 168 ASHBURTON 111 YONKERS AVE 140 WEBSTER AVE 3 JONES PLACE VARK ST/S BROADWAY ASHBURTON & LOCUST HILL A 107 VAN CORTLAND PK 104 WARBARTON 186 ASHBURTON AVE 23 HUDSON STREET PROSPECT & RIVERDALE AV PROSPECT & RIVERDALE QUINN PLACE ASHBURTON PL.& VINEYARD	VONKERS
9506343	ON ROADWAY	ASHBUKTUN PL.& VINEYAKU	YONKERS

9901970	VAULT 997	MARKET PL & MAIN ST	YONKERS
0207627		169 WEBSTER AVE	YONKERS
9805555	POLE #4	44 HUDSON STREET	YONKERS
0303203	POLE # 6	ST JOSEPH'S AV/WHLEN RD	WESTCHESTER
9514306	RESIDENCE	80 RIVERDALE AVENUE	YONKERS
9003634	PEPPI GAS STATION	364 NEPERTAN AVE.	YONKERS
9200442	APT BLDG	5 HAWTHORNE AVE.	YONKERS
9904189	COMMERCE MIDDLE SCHOOL	194 NORTH BROADWAY	YONKERS
8701257	PORT AUTHORITY	44 WELLS AVE	YONKERS
9604781	RESIDENCE	312 PRESCOTT ST	YONKERS
9906950	VAULT 9324	85 RIVERDALE AVE	YONKERS
9913674	RESIDENTS	150 WARBURTON AVE	YONKERS



* PETROLEUM BULK STORAGE FACILITIES LESS THAN 400,000 GALLONS IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS *

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 169 **HEADQUARTERS BLDG., POLICE DEP**

YONKERS, NY 10701

Source: NYS DEC

MAP LOCATION INFORMATION

10 ST. CASIMIR AVE.

ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: NO CHANGE Revised zip code: NO CHANGE

Approximate distance from property: 268 feet to the NW

Owner Name:

Expiration Date of the facility's registration certificate: 09/27/1994

CITY OF YONKERS, DPW

YONKERS, NY 10701

Owner Address: RM 311 CITY HALL Operator Name: CITY OF YONKERS, PD

Facility Phone #: (914) 963-4900

Facility Type:

TANK TANK TANK CAPACITY TANK NUMBER STATUS CONTENT GALLONS LOCATION INSTALL TEST **CLOSE** DATE DATE DATE

CLOSED-RMVD FROM GROUND

UNLEADED GASOLINE 2000 UNDERGROUND

12/63

12/91

Toxicity Information Summary

CAS-NO ACUTE TUMOR MUTAG REPRO IRRIT MCL CHEMICAL NAME TOX TOX TOX TOX UNLEADED GASOLINE 113373000 Χ Х

Map Identification Number 170 KHALIL BEHARAT Facility Id 3-601118

Facility Id 3-493805

Source: NYS DEC

41-43 LINDEN STREET

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 355 feet to the ENE

Revised street: NO CHANGE

Revised zip code: NO CHANGE

ADDRESS CHANGE INFORMATION

Expiration Date of the facility's registration certificate: 08/22/2002

Owner Name:

KHALIL BEHARAT & JADAN ABASSI

HARRISON, NY 10578

Owner Address: 11 MEADOW ST. Operator Name: KHALIL BEHARAT Facility Type: **Apartment Building**

Facility Phone #: (914) 835-8496

TANK NUMBER	TANK STATUS		TANK CONTENT	CAPACITY GALLONS	TANK LOCATION					INSTALL DATE	TEST DATE	CLOSE DATE
1	IN SERVICE		UNLEADED GASOLINE	2000	ABOVEGRO	DUND				00/25		
Toxicity Info	ormation Summary											
CHEMICAL				CAS-NO	TOX	TOX	MUTAG TOX	TOX	TOX			
UNLEADE	D GASOLINE			113373000	X	Χ			Χ			
Map Identi		DELM CORP. DELM STREET		YO	NKERS, NY 1	0701	Facility	ld 3-600 ⁻	195	Source: N	YS DEC	
Site location	ATION INFORMATION n mapped by: ADDRESS Nete distance from property:		WNW	Rev	DRESS CHAN vised street: N vised zip code	IO CHAN	GE	N				
Owner Nan Owner Add	ress: 60 ELM STREET ame: ANTHONY MAURO		01/31/1997 Facility	YONKERS Phone #: (91	, NY 10701 4) 476-5205							
TANK NUMBER	TANK STATUS		TANK CONTENT	CAPACITY GALLONS	TANK LOCATION					INSTALL DATE	TEST DATE	CLOSE DATE
1 2 3 4 5 6 7	IN SERVICE		UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE #1 2 OR 4 FUEL OIL	3000 3000 3000 3000 2000 2000 550	UNDERGRI UNDERGRI UNDERGRI UNDERGRI UNDERGRI UNDERGRI UNDERGRI	OUND OUND OUND OUND OUND				12/68 12/68 12/68 12/56 00/00 00/00 12/81		
Toxicity Info	ormation Summary											
CHEMICAL	NAME			CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL		
UNLEADE	D GASOLINE			113373000	X	Χ			Χ			

MOBIL S/S 06-FW9 RIGAGLIA BROS Map Identification Number 172

YONKERS, NY 10701

Source: NYS DEC

Source: NYS DEC

Facility Id 3-049336

Facility Id 3-493856

MAP LOCATION INFORMATION

60 ELM & SCHOOL ST

Site location mapped by: ADDRESS MATCHING

Revised street: 60 ELM ST

ADDRESS CHANGE INFORMATION

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Approximate distance from property: 458 feet to the WNW

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 03/24/1992

Owner Name: MOBIL OIL CORPORATION Owner Address: 3225 GALLOWS ROAD

FAIRFAX, VA 22037

Operator Name: V RIGAGLIA

Facility Phone #: (914) 423-2832

Facility Type: Retail Gasoline Sales

TANK	TANK	TANK	CAPACITY	TANK	INSTALL	TEST	CLOSE
NUMBER	STATUS	CONTENT	GALLONS	LOCATION	DATE	DATE	DATE
001 002 003 004 005 006	CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91	#1 2 OR 4 FUEL OIL UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE	550 3000 3000 3000 3000 3000 2000	UNDERGROUND UNDERGROUND UNDERGROUND UNDERGROUND UNDERGROUND UNDERGROUND UNDERGROUND UNDERGROUND	12/81 12/68 12/68 12/68 12/56 12/68	01/88 01/88 01/88 12/87 12/87	00/00 00/00 00/00 00/00 00/00 00/00 00/00

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
UNLEADED GASOLINE	113373000	Χ	Χ			Χ	

Map Identification Number 173

ENGINE NO. 1 FD

5-7 NEW SCHOOL STREET YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 601 feet to the WNW

Expiration Date of the facility's registration certificate: 09/27/1994

Owner Name: CITY OF YONKERS DPW

Owner Address: RM 311. CITY HALL

Operator Name: CITY OF YONKERS FD

YONKERS, NY 10701

Facility Type:

Facility Phone #: (914) 965-6178

TANK NUMBER	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	I			INSTALL DATE	TEST DATE	CLOSE DATE
11 12 22	CLOSED-IN PLACE CLOSED-IN PLACE CLOSED-RMVD FROM GROUND	#1 2 OR 4 FUEL OIL #1 2 OR 4 FUEL OIL DIESEL	1500 1500 1500	UNDERGR UNDERGR UNDERGR	OUND			00/00 00/00 00/00		12/91 12/91 01/92
Toxicity Info	ormation Summary									
CHEMICAL	NAME		CAS-NO	ACUTE TOX	TUMOR MUTA	G REPRO	IRRIT TOX	MCL		
DIESEL			68334305	Χ	X		Χ			

Map Identification Number 174 RIGAGLIA BROS SERVICE STATION 58 PALISADE AVE

YONKERS, NY 10701

Source: NYS DEC

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 621 feet to the WNW

ADDRESS CHANGE INFORMATION

Revised street: 58 PALISADE ST

Revised zip code: NO CHANGE

TOX TOX TOX TOX

Facility Id 3-177741

Expiration Date of the facility's registration certificate: 06/30/1992 Owner Name: RIGAGLIA BROS SERVICE STATION

Owner Address: 58 PALISADE AVE

YONKERS, NY 10701 Facility Phone #: (914) 476-5370 Operator Name: RIGAGLIA BROS SERVICE STATION

Facility Type:

UNLEADED GASOLINE

TANK NUMBER	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL DATE	TEST DATE	CLOSE DATE
001 002 003 004 005 006 007 008 009	CLOSED BEFORE 4/1/91 CLOSED BEFORE 4/1/91	UNLEADED GASOLINE UNLEADED GASOLINE UNLEADED GASOLINE OTHER OTHER OTHER OTHER OTHER OTHER OTHER #1 2 OR 4 FUEL OIL	4000 4000 4000 550 550 550 550 550	UNDERGROUND	07/80 07/80 07/80 00/00 00/00 00/00 00/00 00/00		00/00 00/00 00/00 00/00 00/00 00/00 00/00 00/00
Toxicity Info	ormation Summary _ NAME		 CAS-NO	ACUTE TUMOR MUTAG REPRO IRRI	 T MCL		

CHURCH OF ST CASIMIER Map Identification Number 175

Facility Id 3-067571

Source: NYS DEC

MAP LOCATION INFORMATION

239 NEPPERHAN AVENUE YONKERS, NY 10701

Site location mapped by: ADDRESS MATCHING

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Approximate distance from property: 640 feet to the NNE

Revised zip code: NO CHANGE

Owner Name:

Expiration Date of the facility's registration certificate:

12/18/2001

08/26/1992

TANK

CHURCH OF ST CASIMIR Owner Address: 239 NEPPERHAN AVENUE

YONKERS, NY 10701

Operator Name: CHURCH OF ST CASIMIR

Facility Phone #: (914) 963-1254

Facility Type:

CLOSE TANK TANK TANK CAPACITY TANK INSTALL TEST NUMBER STATUS CONTENT GALLONS LOCATION DATE DATE DATE IN SERVICE #1 2 OR 4 FUEL OIL 5000 UNDERGROUND VAULTED W/ ACCESS 00/46 08/95 1 2 IN SERVICE #1 2 OR 4 FUEL OIL 1080 UNDERGROUND 12/56

3 IN SERVICE

1500 UNDERGROUND #1 2 OR 4 FUEL OIL

Facility Id 3-169714

08/87

Source: NYS DEC

Map Identification Number 176

TODD SYSTEMS INC 50 ASH ST

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 753 feet to the SE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate:

TODD SYSTEMS INC Owner Name:

Owner Address: 50 ASH ST

YONKERS, NY 10701

Operator Name: TODD SYSTEMS INC

Facility Phone #: (914) 963-3400

Facility Type:

TANK TANK

NUMBER

CAPACITY **TANK** CONTENT **GALLONS** LOCATION

INSTALL **TEST** CLOSE DATE DATE DATE

CLOSED-IN PLACE

STATUS

#1 2 OR 4 FUEL OIL 2000 UNDERGROUND 00/00

12/56

10/87

Map Identification Number 177

MARGRET HUGHES MANOR

Facility Id 3-411620

Source: NYS DEC

111 WAVERLY ST

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

ADDRESS CHANGE INFORMATION Revised street: NO CHANGE

Approximate distance from property: 782 feet to the SSW

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 02/25/2003

Owner Name: BEN FRANKLIN ASSOC

Owner Address: 6 EXECUTIVE PLAZA, SUITE 200

Operator Name: GUS SALOMON

Facility Type:

YONKERS, NY 10704

Facility Phone #: (914) 963-0401

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER STATUS CONTENT GALLONS LOCATION DATE DATE

1 IN SERVICE #1 2 OR 4 FUEL OIL 10000 UNDERGROUND VAULTED W/ ACCESS 06/79

Map Identification Number 178 ENGINE NO. 6 FD Facility Id 3-493864 Source: NYS DEC

81 OAK STREET YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING
Approximate distance from property: 828 feet to the SE

Revised street: NO CHANGE
Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 09/27/1999

Owner Name: CITY OF YONKERS, DPW

Owner Address: RM. 311, CITY HALL YONKERS, NY 10701
Operator Name: CITY OF YONKERS FD Facility Phone #: (914) 377-7506

Facility Type: Other

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER STATUS CONTENT GALLONS LOCATION DATE DATE

13 IN SERVICE #1 2 OR 4 FUEL OIL 2000 ABOVEGROUND 12/60

Map Identification Number 179 FERMI Facility Id 3-413542 Source: NYS DEC

27 POPLAR ST. YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (2)

Approximate distance from property: 958 feet to the SSE

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 04/19/2003

Owner Name: YONKERS PUBLIC SCHOOLS

Owner Address: 145 PALMER RD. YONKERS, NY 10701

Operator Name: YONKERS PUBLIC SCHOOLS Facility Phone #: (914) 376-8008

Facility Type: School

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER **STATUS** CONTENT **GALLONS** LOCATION DATE DATE DATE

1 IN SERVICE #1 2 OR 4 FUEL OIL 20000 ABOVEGROUND 12/59

Map Identification Number 180 POWER TEST

128 NEPPERHAM AVE

Facility Id 3-137421

Facility Id 3-104817

Source: NYS DEC

Source: NYS DEC

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 965 feet to the SW

ADDRESS CHANGE INFORMATION Revised street: 128 NEPPERHAN AVE

Revised zip code: 10701

YONKERS, NY 10703

Expiration Date of the facility's registration certificate: 05/07/1992

Owner Name: POWER TEST PETROLEUM DIST INC

Owner Address: 125 JERICHO TURNPIKE Operator Name: RONALD DEMARCH SALES REP

JERICHO, NY 11753 Facility Phone #: (914) 969-9486

Facility Type:

TANK NUMBER	TANK STATUS	TANK CONTENT	CAPACITY GALLONS	TANK LOCATION	INSTALL TEST DATE DATE	CLOSE DATE
001	CLOSED BEFORE 4/1/91	LEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
002	CLOSED BEFORE 4/1/91	LEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
003	CLOSED BEFORE 4/1/91	UNLEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
004	CLOSED BEFORE 4/1/91	UNLEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
005	CLOSED BEFORE 4/1/91	UNLEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
006	CLOSED BEFORE 4/1/91	UNLEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
007	CLOSED BEFORE 4/1/91	UNLEADED GASOLINE	3000	UNDERGROUND	06/71	00/00
800	CLOSED BEFORE 4/1/91	OTHER	550	UNDERGROUND	06/71	00/00

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TOX	TOX	REPRO TOX	IRRIT TOX	MCL
UNLEADED GASOLINE	113373000	Χ	Χ			Χ	

Map Identification Number 181 GREEK CATHOLIC CHURCH/STNICHOL

75 ASH STREET

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1009 feet to the ESE

ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 03/24/1992

GREEK CATH CHURCH/ST NICHOLAS Owner Name:

Owner Address: 75 ASH STREET (MYRA)

Operator Name: CATHERINE BON

Facility Phone #: (914) 963-0451

YONKERS, NY 10701

Facility Type:

TANK	TANK		TANK	CAPACITY	TANK		INSTALL	TEST	CLOSE
NUMBER	STATUS		CONTENT	GALLONS	LOCATION		DATE	DATE	DATE
1	CLOSED-RMVD FROM	M GROUND	#1 2 OR 4 FUEL OIL	2400	UNDERGROUND		00/00		04/90
2 3	IN SERVICE IN SERVICE		#1 2 OR 4 FUEL OIL #1 2 OR 4 FUEL OIL	500 500	UNDERGROUND UNDERGROUND		04/90 04/90		
Map Identi	fication Number 182	LINDEN STREE	T POOL, DPW			Facility Id 3-494224	Source: N	YS DEC	
-		134 LINDEN ST	REET	YO	NKERS, NY 10701	-			
MAP LOCATION INFORMATION				DRESS CHANGE INFO					
	Site location mapped by: MANUAL MAPPING (3)				vised street: NO CHAN	-			
Approximat	Approximate distance from property: 1047 feet to the S			Rev	/ised zip code: NO CH	IANGE			

Expiration Date of the facility's registration certificate: 09/27/1999

Owner Name: CITY OF YONKERS, DPW

Owner Address: RM. 311, CITY HALL YONKERS, NY 10701
Operator Name: CITY OF YONKERS, DPW Facility Phone #: (914) 377-6270

Facility Type: Other

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER STATUS CONTENT **GALLONS** LOCATION DATE DATE DATE 44 IN SERVICE #1 2 OR 4 FUEL OIL 10000 **ABOVEGROUND** 00/00

YONKERS, NY 10701

Map Identification Number 183 YONKERS AVENUE POOL, DPW Facility Id 3-494240 Source: NYS DEC

48 YONKERS AVE.

MAP LOCATION INFORMATION
Site location mapped by: ADDRESS MATCHING
ADDRESS CHANGE INFORMATION
Revised street: NO CHANGE

Approximate distance from property: 1113 feet to the ENE Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 09/27/1999

Owner Name: CITY OF YONKERS, DPW

Owner Address: RM. 311, CITY HALL YONKERS, NY 10701
Operator Name: CITY OF YONKERS, DPW Facility Phone #: (914) 377-6270

Facility Type: Other

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER STATUS CONTENT **GALLONS** LOCATION DATE DATE DATE 46 IN SERVICE #1 2 OR 4 FUEL OIL 5000 UNDERGROUND 00/00 55 IN SERVICE #1 2 OR 4 FUEL OIL 1000 UNDERGROUND 00/00

ADDRESS CHANGE INFORMATION

Map Identification Number 184 MULTIPLE DWELLING Facility Id 3-166774 Source: NYS DEC

30 LOCUST HILL AVENUE YONKERS, NY 10701

MAP LOCATION INFORMATION
Site leasting manned by: ADDRESS MATCHING

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1127 feet to the NW

Revised street: 30 LOCUST HILLS AVE
Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 06/05/2002

Owner Name: ZELI REALTY CORPORATION

Owner Address: 3563 BAINBRIDGE AVE

Operator Name: ZEF BALAJ

Facility Type:

BRONX, NY 10467 Facility Phone #: (914) 968-3271

CLOSE TANK TANK TANK CAPACITY TANK INSTALL TEST NUMBER STATUS CONTENT **GALLONS** LOCATION DATE DATE DATE CLOSED-RMVD FROM GROUND #5 OR 6 FUEL OIL 5000 ABOVEGROUND 1/10 BELOW GROUND 00/00 03/98

1 IN SERVICE #5 OR 6 FUEL OIL 5000 ABOVEGROUND ON LEGS RACKS ETC 10/97

Map Identification Number 185 40 LOCUST HILL AVE Facility Id 3-326666 Source: NYS DEC

40 LOCUST HILL AVE YONKERS, NY 10701

MAP LOCATION INFORMATION
Site location mapped by: ADDRESS MATCHING
ADDRESS CHANGE INFORMATION
Revised street: 40 LOCUST HILLS AVE

Approximate distance from property: 1161 feet to the NW Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 02/03/2003

Owner Name: LAMAR REALTY CO

Owner Address: PO BOX 3545 HEW HYDE PARK, NY 11040 Operator Name: HASAN NICKI Facility Phone #: (914) 376-2511

Facility Type: Apartment Building

TANK TANK TANK CAPACITY TANK INSTALL TEST CLOSE NUMBER STATUS CONTENT GALLONS LOCATION DATE DATE

2 IN SERVICE #1 2 OR 4 FUEL OIL 2200 ABOVEGROUND ON LEGS RACKS ETC 02/91

The following tank(s) were either deleted from the reported data or the number was re-assigned.

1 IN SERVICE #5 OR 6 FUEL OIL 3000 UNDERGROUND 00/00

ADDRESS CHANGE INFORMATION

Revised zip code: NO CHANGE

YONKERS, NY 10701

Revised street: 50 LOCUST HILLS AVE

Source: NYS DEC

00/00

Map Identification Number 186 LAMAR REALTY CO LLC Facility Id 3-265667

YONKERS, NY 10701

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1212 feet to the NW

Expiration Date of the facility's registration certificate: 01/07/2003

Owner Name: LAMAR REALTY CO

Owner Address: P.O. BOX 3545
Operator Name: HASAN NICKI

Facility Type:

D. BOX 3545 NEW HYDE PARK, NY 11040 SAN NICKI Facility Phone #: (914) 376-2511

CLOSE TANK TANK TANK CAPACITY TANK INSTALL TEST NUMBER **STATUS** CONTENT **GALLONS** LOCATION DATE DATE DATE

1 IN SERVICE #5 OR 6 FUEL OIL 3000 UNDERGROUND

Map Identification Number 187 SUN SERVICE CENTER INC. Facility Id 3-600092 Source: NYS DEC

47 YONKERS AVE.

50 LOCUST HILL AVE

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE

Approximate distance from property: 1277 feet to the ENE Revised zip code: NO CHANGE

Expiration Date of the facility's registration certificate: 08/30/2001

Owner Name: BOB JUDISKY

Owner Address: 3176 STONELEIGH COURT YORKTOWN HEIGHTS, NY 10598

Operator Name: RAY DAHUAL Facility Type: Retail Gasoline Sales Facility Phone #: (914) 968-3434

TANK TANK TANK CAPACITY TANK INSTALL TEST

CLOSE NUMBER STATUS **GALLONS** LOCATION CONTENT DATE DATE DATE ' /' 1 IN SERVICE #5 OR 6 FUEL OIL 4000 UNDERGROUND 04/80 2 IN SERVICE #5 OR 6 FUEL OIL 4000 UNDERGROUND 04/80 ' /' 3 IN SERVICE #5 OR 6 FUEL OIL 4000 UNDERGROUND 04/80

Map Identification Number 188 HEALTH CENTER BUILDING, DPW Facility Id 3-493996 Source: NYS DEC

87 NEPPERHAN AVE. YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 1280 feet to the SW

Revised street: NO CHANGE

Revised zip code: NO CHANGE

Page 155

Expiration Date of the facility's registration certificate: 09/27/1999
Owner Name: CITY OF YONKERS, DPW
Owner Address: RM. 311, CITY HALL

Operator Name: CITY OF YONKERS, DPW Facility Type: Other

YONKERS, NY 10701

Facility Phone #: (914) 377-6270

TANK	TANK	TANK	CAPACITY	TANK	INSTALL	TEST	CLOSE
NUMBER	STATUS	CONTENT	GALLONS	LOCATION	DATE	DATE	DATE
39	IN SERVICE	#1 2 OR 4 FUEL OIL	5000	UNDERGROUND	00/00	08/90	

Facility Id: NYP004101705

Facility Id: NYP004101713



* HAZARDOUS WASTE GENERATORS/TRANSPORTERS IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS *

PLEASE NOTE: * Compass directions can vary substantially for sites located very close to the subject property address.

Map Identification Number 189 CONSOLIDATED EDISON

MH170-89 ELM ST

YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 148 feet to the NW*

ADDRESS CHANGE INFORMATION

Revised street: 89 ELM ST Revised zip code: 10701

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE

CODE DESCRIPTION

AMOUNT UNITS

WASTE WASTE

TRANSACTION TYPE

YEAR

D008 Lead 100 POUNDS

GENERATED

2002

Toxicity Information Summary

_____ CHEMICAL NAME CAS-NO ACUTE TUMOR MUTAG REPRO IRRIT MCL TOX TOX TOX TOX TOX ______ 7439921 Lead 0.05ma/L*

Map Identification Number 190

CONSOLIDATED EDISON

MH176-CASHMERE ST & ELM ST

YONKERS, NY NO ZIP PROVIDED

MAP LOCATION INFORMATION

Site location mapped by: MANUAL MAPPING (4)

Approximate distance from property: 249 feet to the WNW

ADDRESS CHANGE INFORMATION

Revised street: CASHMERE ST / ELM ST

Revised zip code: UNKNOWN

US EPA RCRA (Resource Conservation and Recovery Act) information not reported: Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE CODE DESCRIPTION			WASTE MOUNT	WASTE UNITS		TRANSAC TYPE	TION	YEAR
D008 Lead			25	POUND	S	GENERAT	ED	2002
Toxicity Information Summary								
CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPR TOX	O IRRIT	MCL	
Lead	7439921	X	Х	X	X		0.05mg/L*	
Map Identification Number 191 CONSOLIDATED EDISON 24 SAINT CASIMIR AVENUE EPA (RCRA) Name: CON ED - COLUMBUS AVE SUBSTATION EPA (RCRA) Address: 24 ST CASIMIR AVE	YONKERS, NY YO	10701 DNKERS,	NY 1070 [.]	13304		F	acility Id: N	YD986979557
MAP LOCATION INFORMATION Site location mapped by: ADDRESS MATCHING Approximate distance from property: 389 feet to the NNW	ADDRESS CHAN Revised street: Revised zip code	24 ST CA	SIMIR AV	-				
US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Land Disposal: Receives offsite waste: Storer: Treatment facility:	Notification date: Incinerator: Transporter:	11/12/19	991			Part A notif	ication date:	11/12/1991
Historically listed as the following USEPA RCRA Generator Size(s) as well: LARGE QUANTITY GENERATOR								
NYS DEC Manifested Waste Summary: Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year	reported.							
WASTE WASTE CODE DESCRIPTION			VASTE MOUNT	WASTE UNITS		TRANSAC TYPE	TION	YEAR
B002 Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm Other PCB Wastes including contaminated soil, solids, sludges, clothing, etc.			1600 10800			GENERAT GENERAT		1992 1991
Toxicity Information Summary								
CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPR TOX	O IRRIT TOX	MCL	
Petroleum oil or other liquid containing 50 ppm < PCBs < 500	1336363	Χ	X		X		5 ug/L	

Part A notification date: 01/11/1999

YEAR

Map Identification Number 192 CONSOLIDATED EDISON Facility Id: NYP004079943

V4421 WAVERLY ST & MAPLE YONKERS, NY 10700

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: WAVERLY ST / MAPLE ST

Approximate distance from property: 591 feet to the SSW Revised zip code: 10701

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE

B002 Petroleum oil or other liquid containing 50 ppm < PCBs < 500 ppm 829 KILOGRAMS GENERATED 2001

Toxicity Information Summary

CHEMICAL NAME

CAS-NO

ACUTE TUMOR MUTAG REPRO IRRIT MCL
TOX TOX TOX TOX

Petroleum oil or other liquid containing 50 ppm < PCBs < 500

1336363

X

X

X

5 ug/L

Map Identification Number 193 YONKERS FIRE DEPT-HEADQUARTERS Facility Id: NYR000065649

5-7 NEW SCHOOL ST YONKERS, NY 10701

EPA (RCRA) Name: YONKERS CITY OF FIRE DEPT HDQRS

EPA (RCRA) Address: 5-7 NEW SCHOOL ST YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 603 feet to the WNW

Revised street: NO CHANGE
Revised zip code: NO CHANGE

US EPA RCRA Type: SMALL QUANTITY GENERATOR Notification date: 01/11/1999

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

NVS DEC Manifacted Waste Summany:

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE CODE DESCRIPTION

WASTE WASTE TRANSACTION AMOUNT UNITS TYPE YEAR

D009 Mercury

1217 POUNDS GENERATED 1999

1997

Toxicity Information Summary

CHEMICAL NAME	CAS-NO	ACUTE TOX	TUMOR TOX	MUTAG TOX	REPRO TOX	IRRIT TOX	MCL
Mercury	7439976	X	Χ	Χ	Χ		.002mg/L*

Map Identification Number 194 CONSOLIDATED EDISON CO Facility Id: NYP004002846

SCHOOL AND MAPLE 314 . NY NO ZIP PROVIDED

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 801 feet to the SW

Revised street: SCHOOL ST / MAPLE ST
Revised zip code: 10701

US EPA RCRA (Resource Conservation and Recovery Act) information not reported; Site information reported by NYS DEC.

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE YEAR

Petroleum oil or other liquid containing 500 ppm or greater of PCBs.

2000 Fem of ground of the grou

Petroleum oil or other liquid containing 500 ppm or greater 1336363 X X X 5 ug/L

Map Identification Number 195 M B KAPLAN BATTERY SUPPLIES INC Facility Id: NYD019112143

79 PALISADES AVE YONKERS, NY 10701

EPA (RCRA) Name: M B KAPLAN BATTERY SUPPLIES INC
EPA (RCRA) Address: 79 PALISADES AVE
YONKERS, NY 10701

MAP LOCATION INFORMATION

Site legation manned by MANUAL MARRING (2)

Revised street: 70 PAUSARE AVE

Site location mapped by: MANUAL MAPPING (3)

Approximate distance from property: 809 feet to the NW

Revised street: 79 PALISADE AVE
Revised zip code: NO CHANGE

Part A notification date: 05/25/2000

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 01/03/1986 Part A notification date: 01/03/1986

Land Disposal: Receives offsite waste: Incinerator:

Storer: Treatment facility: Transporter: YES

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE YEAR

NONE Site reported by US EPA. No hazardous waste activity reported to NYS.

Map Identification Number 196 YONKERS FIRE STATION Facility Id: NYR000086231

81 OAK ST YONKERS, NY 10701

EPA (RCRA) Name: YONKERS CITY OF YONKERS FIRE STATION 6

EPA (RCRA) Address: 81 OAK ST YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Approximate distance from property: 828 feet to the SE

Revised street: NO CHANGE
Revised zip code: NO CHANGE

US EPA RCRA Type: SMALL QUANTITY GENERATOR Notification date: 05/25/2000

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE YEAR

D009 Mercury 10 POUNDS GENERATED 2000

Toxicity Information Summary

CHEMICAL NAME

CAS-NO

ACUTE TUMOR MUTAG REPRO IRRIT MCL

TOX TOX TOX TOX

TOX

Moreury 7/20076 V V V 002mg/L*

Mercury 7439976 X X X X .002mg/L*

Page 161

Part A notification date: 11/19/1992

Map Identification Number 197 NYSDOT BIN 1095460 Facility Id: NYD986972628

BRIDGE YONKERS AVE & NEPPERHAN YONKERS, NY 10701

EPA (RCRA) Name: NYSDOT BIN 1095460

EPA (RCRA) Address: BRIDGE YONKERS AVE & NEPPERHAN YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: YONKERS AVE / NEPPERHAN AV

Approximate distance from property: 878 feet to the NNE Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 08/27/1991 Part A notification date: 08/27/1991

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

Historically listed as the following USEPA RCRA Generator Size(s) as well:

LARGE QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE YEAR

NONE Site reported by US EPA. No hazardous waste activity reported to NYS.

Map Identification Number 198 BILL WOLF PETROLEUM Facility Id: NYD987022191

AMOCO-ASHBURNTON 133 NEPPERHAM YONKERS, NY NO ZIP PROVIDED

EPA (RCRA) Name: AMOCO

EPA (RCRA) Address: 366 NEPPERHAN AVE YONKERS, NY 107016502

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: 133 NEPPERHAN AVE

Approximate distance from property: 961 feet to the SW Revised zip code: 10701

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 11/19/1992

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

Historically listed as the following USEPA RCRA Generator Size(s) as well:

HISTORICALLY IISTED AS THE TOILOWING USEPA RCRA Generator Size(s) as well:

SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

Page 162

YEAR

WASTE WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE

D001 Solid waste that exhibits the characteristic of ignitability 275 GALLONS **GENERATED** 1993

Map Identification Number 199 FERMI MIDDLE SCHOOL Facility Id: NYR000027524

> 27 POPLAR ST YONKERS, NY 10701

EPA (RCRA) Name: YONKERS PUBLIC SCHOOLS EPA (RCRA) Address: 27 POPLAR ST YONKERS, NY 107014309

FERMI MIDDLE SCHOOL

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Revised street: NO CHANGE Site location mapped by: MANUAL MAPPING (2) Approximate distance from property: 961 feet to the SSE Revised zip code: NO CHANGE

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 07/30/1996 Part A notification date: 07/30/1996

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

Historically listed as the following USEPA RCRA Generator Size(s) as well:

EPA (RCRA) Name: SERVICE STATION

SMALL QUANTITY GENERATOR

NYS DEC Manifested Waste Summary: Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS **TYPE** YEAR

D009 Mercury 1500 POUNDS GENERATED 1997

TOX

TOX TOX TOX TOX

Toxicity Information Summary

ACUTE TUMOR MUTAG REPRO IRRIT MCL CHEMICAL NAME CAS-NO

7439976 Х Χ Х Χ .002ma/L* Mercury

Map Identification Number 200 SERVICE STATION Facility Id: NYD000702530

47 YONKERS AVE YONKERS, NY 10701

EPA (RCRA) Address: 47 YONKERS AVE YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING Revised street: NO CHANGE Approximate distance from property: 1277 feet to the ENE Revised zip code: NO CHANGE YEAR

YEAR

US EPA RCRA Type: GENERATOR TYPE NOT GIVEN Notification date: 08/18/1980 Part A notification date: 08/18/1980

Land Disposal: Receives offsite waste: Incinerator: Storer: Treatment facility: Transporter:

NYS DEC Manifested Waste Summary:

Waste Codes, Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION

CODE DESCRIPTION AMOUNT UNITS TYPE

NONE Site reported by US EPA. No hazardous waste activity reported to NYS.

Map Identification Number 201 YONKERS CITY HALL ANNEX Facility Id: NYR000065631

87 HEPPERHAN AVE YONKERS, NY 10701

EPA (RCRA) Name: YONKERS CITY OF CITY HALL ANNEX

EPA (RCRA) Address: 87 NEPPERHAN AVE YONKERS, NY 10701

MAP LOCATION INFORMATION ADDRESS CHANGE INFORMATION

Site location mapped by: ADDRESS MATCHING

Revised street: 87 NEPPERHAN AVE

Approximate distance from property: 1280 feet to the SW Revised zip code: NO CHANGE

US EPA RCRA Type: SMALL QUANTITY GENERATOR Notification date: 01/11/1999 Part A notification date: 01/11/1999

Land Disposal: Receives offsite waste: Incinerator:

Storer: Treatment facility: Transporter:

NYS DEC Manifested Waste Summary:
Waste Codes. Waste Units, and Transaction Types are only shown for the most recent year reported.

WASTE WASTE WASTE TRANSACTION
CODE DESCRIPTION AMOUNT UNITS TYPE

D009 Mercury 929 POUNDS GENERATED 1999

Toxicity Information Summary

Mercury 7439976 X X X X .002mg/L*

Mercury 7439976 X X X X .002mg/L**



* NO CHEMICAL STORAGE FACILITIES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS *



* NO TOXIC AIR, LAND AND WATER RELEASES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS *



* NO WASTEWATER DISCHARGES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS *



* NO AIR DISCHARGE FACILITIES IDENTIFIED WITHIN 1/4 MILE SEARCH RADIUS *



* NO CIVIL & ADMINISTRATIVE ENFORCEMENT DOCKET FACILITIES IDENTIFIED WITHIN THE 1/4 MILE SEARCH RADIUS *

U.S. EPA EMERGENCY RESPONSE NOTIFICATION SYSTEM (ERNS) AT THE LOCATION OR POTENTIALLY AT THE LOCATION OF 193-195 Nepperhan Ave Yonkers, NY 10701

* Any ERNS Spills listed below are NOT mapped in this report *

POTENTIALLY ONSITE ERNS:

Spill Number (ID): 110922 Spill Date: 06/07/1989

Location:

Spill City: YONKERS NY

Material Quantity Units Pounds Quantity Released Units Casno

Spilled Spilled in Water

EPOXY LIKE ODOR 0.00 UNK 0.00 0.00 UNK

Potentially Responsible Party (Discharger): PRECISION VALVE

Discharger Address: NEPPERHAN AVENUE

YONKERS

Dun and Bradstreet Number: Organization Type: PRIVATE CITIZEN

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: AIR

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F Operator Error: F Natural Phenomenon: F Dumping: F Other Cause: F

Unknown: F

Cause of the incident: Source of Release:

Type of Transportation Involved: UNKNOWN (NRC)

Action:

Description: UNK/UNK

Miscellaneous: CALLER STATED THAT THIS HAS BEEN GOING ON FOR ABOUT 8 MONTHS & IS VERY STRONG; CAN BE NOTICED ABOUT 500 YDS AWAY FROM

COATING FURNACE

Spill Number (ID): 128695 Spill Date: 11/26/1989

Location: BEHIND SERVICE STATION

Spill City: NY

Material Quantity Units Pounds Quantity Released Units Casno

Spilled Spilled in Water

UNKNOWN OIL 0.00 UNK 0.00 0.00 UNK

Potentially Responsible Party (Discharger): AMOCO SERVICE STATION

Discharger Address: NEPPERHAN AVE

YONKERS

Dun and Bradstreet Number: Organization Type: PRIVATE ENTERPRISE

Medium(s) Affected:

Air: F Land: T Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: CONCRETE

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure: F Operator Error: F Natural Phenomenon: F Dumping: F Other Cause: F

Unknown: F

Cause of the incident: Source of Release:

Type of Transportation Involved: FIXED FACILITY

Action: NONE

Description: UNKNOWN SOURCE AND CAUSE

Miscellaneous: NONE

Spill Number (ID): 200891 Spill Date: 01/13/1991

Location: NEPPERHAND AVE.

Spill City: YONKERS NY

Material Ouantity Units Pounds Ouantity Released Units Casno

Spilled Spilled in Water

BLACK SMOKE 0.00 UNK 0.00 0.00 NON

Potentially Responsible Party (Discharger):

Discharger Address:

Dun and Bradstreet Number: Organization Type:

Medium(s) Affected:

Air: T Land: F Water: F Groundwater: F Contained within Fixed Facility: F Other: F

Waterway Affected: AIR

Damages Incurred: F Estimated Cost of Property Damage: \$0.00

Cause(s):

Transportation Accident: F Equipment Failure:
Operator Error: F Natural Phenomenon:
Dumping: F Other Cause:

Unknown: F

Cause of the incident: Source of Release:

Type of Transportation Involved: FIXED FACILITY

Action: NONE

Description: SMOKE STACKS / COMPANY IS BURNING SOMETHING THAT PRODUCES THICK BLACK SMOKE.

Miscellaneous:

Copyright 2006 Toxics Targeting, Inc. April 27, 2006 '193-195 Nepperhan Ave'

Unmappable facilities for 'Westchester' County

Outline Marchae Barrita				
Solid Waste Facilit		CODD TRAIN	OT IIIV	7.T.D.
FACILITY ID 60C10	FACILITY NAME OLD SALEM	STREET	CITY	ZIP UNKNOWN
60C17				UNKNOWN
60R22	PINCHBECK BROS. LEAF COMP YONKERS COMPACT STATION			UNKNOWN
60R23	WESTCHESTER COUNTY TS			
60W06	ROSSINI TRUCKING CORP.			UNKNOWN UNKNOWN
60W09	ARJR TRUCKING CORP.			UNKNOWN
60W11	LAWTON ADAMS CONSTRUCTION			UNKNOWN
60W12	BEDFORD HILLS PECKHAM MAT			UNKNOWN
60Y17	PINCHBECK BROS.			UNKNOWN
60W10	A.R.J.R. TRUCKING	PO BOX 1076	YONKERS	10703
_	UNKNOWN CAUSE OR OTHER CAUSES - Active			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
9404354	CIS SITE			UNKNOWN
0107206	OLD STATION	YONKERS AVE	YONKERS	UNKNOWN
Hazardous Spills -	TANK FAILURES - Closed			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
9603983	DUNWOODIE GOLF COURSE	GRACE AVE OFF YONKERS AV	YONKERS	10701
9004571	TUMMULO RESIDENCE	FRANK TUMMULO RES	YONKERS	UNKNOWN
8909993	CASTLE OIL TERM.	ASHBURN & ELM ST.	YONKERS	UNKNOWN
0406031	252 BLAKE AVE	252 BLAKE AVE	YONKERS	UNKNOWN
Hagardong Spills	TANK TEST FAILURES - Closed			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8911314	STREET LIGHTING CENTER	24 SIMON STREET	YONKERS	UNKNOWN
8904927	YONKERS SCHOOL BOARD #14	YONKERS SCHOOL BOARD #14	YONKERS	UNKNOWN
8904355	P.S. #8	TOWNERD DEHOOF BOIND TT	YONKERS	UNKNOWN
8800372	OFFICE BLDG # 984	NORTH BROADWAY	YONKERS	10701
8709515	STERNS DEPT STORE	Noteth Brondwill	YONKERS	UNKNOWN
0412491	ARPARTMENT COMPLEX	157 HILLTOP ACRES	YONKERS	UNKNOWN
0403463	SCHLOBOHM HOUSES	WALSH RD	YONKERS	UNKNOWN
0211770	50111050111. 11000115	157 HILLTOP ACRES	YONKERS	UNKNOWN
0211769		157 HILLTOP ACRES	YONKERS	UNKNOWN
0211767	PBS	157 HILLTOP ACRES	YONKERS	UNKNOWN
	UNKNOWN CAUSE OR OTHER CAUSES - Closed			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8603984	PURE FOODS	PURE FOODS PLANT	1	UNKNOWN
9314128	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9304617	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9303352	111111111111111111111111111111111111111	11111111111111111111111111111111111111	1	UNKNOWN
9300540 9214444	11111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9214444		111111111111111111111111111111111111111	1	UNKNOWN
9214277	11111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9213143	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN UNKNOWN
9213143	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9212641	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9212483	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9210770	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9210770	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9209838	111111111111111111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
7207030			±	OTATITACMIA

9207278	111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9206720	111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9206227	111111111111111111111111	111111111111111111111111	1	UNKNOWN
9202663	111111111111111111111111	111111111111111111111111111111111111111	1	UNKNOWN
9201003	111111111111111111111111	111111111111111111111111	1	UNKNOWN
9200759	111111111111111111111111	111111111111111111111111	1	UNKNOWN
8800265				UNKNOWN
	OLD D.P.W. GARAGE	WARBURTON AVE BRIDGE	HASTINGS	
9207052	REAGENT CHEM TRUCKNOSPILL	ASSORTED INTERSTATE HWYS	MA, CT, NY & NJ	UNKNOWN
9908067	REFUSED	REFUSED	REFUSED	UNKNOWN
9912301	MAN HOLE # 594	ASH BURTON AVE	YONKERS	UNKNOWN
9912250	NEAR MAIN ST PUMP STATION	MAIN ST & HUDSON	YONKERS	UNKNOWN
9813376		35 CORPORATE DR	YONKERS	10701
9808569	LENOIR MANSION	NORTH BROADWAY	YONKERS	UNKNOWN
9805363	MH 2073 TO 2079	WINDOVER RD	YONKERS	UNKNOWN
9611954	POLE 77B	SAWMILL RIVER RD	YONKERS	10701
9608841	HUDSON RIVER	ALEXANDER ST	YONKERS	10701
9411130	CON ED WESTCH. SITE	MAIN POWER STATION	YONKERS	UNKNOWN
9309970	APT BLDG	33 LONDON ROAD	YONKERS	10701
9207771			YONKERS	UNKNOWN
	HUDSON RIVER	HUDSON RIVER		
9106355	TIBBETS BROOK PARK	YONKERS AVE.	YONKERS	UNKNOWN
9011569	HERIOT ST.	HERIOT ST.	YONKERS	10701
9008395	JONATHAN B.	YONKERS POTW	YONKERS	UNKNOWN
9002309	NEAR POLE # 6448	BALDWIN ROAD	YONKERS	UNKNOWN
9001085	SAWMILL RIVER ROAD	BEHIND YONKERS SEWER DEPT	YONKERS	UNKNOWN
8912080	HARLEM RIVER	HARLEM RIVER	YONKERS	UNKNOWN
8910122	HUDSON RIVER	NEAR YONKERS PIER	YONKERS	UNKNOWN
8900721		BROADWAY	YONKERS	UNKNOWN
8809621		SAW MILL CREEK	YONKERS	UNKNOWN
8807736	METRO NORTH	S. OF GEISTON STATION	YONKERS	UNKNOWN
8705158	UNK.	WARBURTON AVE.	YONKERS	10701
8601464	WESTCHESTER WASTE OILS	WESTCHESTER WASTE OIL CO.	YONKERS	UNKNOWN
	WESICHESIER WASIE OILS			
8600261		NORTHOF TREAVORPORT	YONKERS	UNKNOWN
8200827		NEPESHAN AVE.	YONKERS	UNKNOWN
8101758			YONKERS	UNKNOWN
8000011		NASCO GAS, INC.	YONKERS	UNKNOWN
7901552			YONKERS	10701
0509153	GARBAGE TRUCK	STEW LEONARD DRIVE	YONKERS	UNKNOWN
0505505	BRONX RIVER	NEAR CROSSING OF BRONX RI	YONKERS	UNKNOWN
0503572	MANHOLE # 15005	THOMAS PLACE/WEBSTER AVE	YONKERS	UNKNOWN
0409851	AMTRAK	GREYSTONE STATION	YONKERS	UNKNOWN
0407215	MRS FACILITY	STEW LEONARD DR.	YONKERS	UNKNOWN
0407064	VAULT #8879	128 OAK HILL RD	YONKERS	UNKNOWN
0405115	YONKERS PIER	GETTYS SQUARE	YONKERS	UNKNOWN
0313025	TONKERS FIER	39 MULFORD GARDENS	YONKERS	UNKNOWN
	MANUOLE 0110			
0305062	MANHOLE 2112	WILLIAM SCHROEDER ST	YONKERS	UNKNOWN
0305061	MANHOLE 2116	WILLIAM SCHROEDER ST	YONKERS	UNKNOWN
0202236	POLE 387	SERVICE ROAD	YONKERS	UNKNOWN
0112242	CHRISFIELD ST PUMPSTATION	CHRISFIELD ST	YONKERS	UNKNOWN
0105165	MAN HOLE 4504-FEDER99031	DUNWOODIE SUBSTATION	YONKERS	UNKNOWN
0102035	POLE # 24	SAWMILL RIVER RD	YONKERS	UNKNOWN
0101572	MAIN ST PUMP STATION	MAIN STREET	YONKERS	UNKNOWN
0100048		MAIN STREET	YONKERS	UNKNOWN
0012907	SAWMILL RIVER	SAME	YONKERS	UNKNOWN
0010166	MANHOLE 7772	ROCKWOOD AV/SWAMILL RIVER	YONKERS	UNKNOWN
0003160	TM 2106 SOUTH BROADWAY ON	EAST SIDE 20 FEET NORTH	YONKERS	UNKNOWN
0001650	SB #173	50 CAROLYN AVE	YONKERS	UNKNOWN
3001030	ου π±13	JO CAROLIN AVE	TOMETO	OTATITACAMIA
Hazardona Chilla	- MISC. SPILL CAUSES - Closed			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
8701776			CIII	UNKNOWN
0/01/0	COOKS	COOKS TAVERN		OWKINOMIN

0408788	LACAMELIA RESTAURANT	ROUTE 117		UNKNOWN
8607993	METRO NORTH	METRO NORTH	MP 56.3	UNKNOWN
9606764	FEEDER #71	DUNWOODIE TO RAINEY	NEW YORK CITY	UNKNOWN
9814827	AUGUST E MASERO CLUB	7TH ST	WESTCHESTER	UNKNOWN
0205401	CAPCI FROMER COMPARTMENT	27 KNOLLWOOD PARK	WESTCHESTER	UNKNOWN
9908657	SCARSDALE RD &	NORTH ARMY RD	YONKERS	UNKNOWN
9905104	POLE 105	105 LINWOOD AVE/LINWOOD P	YONKERS	UNKNOWN
9903885	TRANSFORMER T13	EDGEMONT RD/WINDOM RD	YONKERS	10701
9902650	POLE 4	STONELEITH ROAD /DIMSDALE	YONKERS	10701
9902247	STREET INTERSECTION	KENNEDY/MANHATTAN ST	YONKERS	10701
9901821	POLE #P12488	SAWMILL RIVER RD	YONKERS	10701
9813475	JUDGE RES	98 LOCKLAND AVE	YONKERS	10701
9812509	MANHOLE 256	PALISADES AV	YONKERS	UNKNOWN
9810285	METRO NORTH RR	MILE POST 13	YONKERS	10701
9808115	CON ED POLE #11	GLENNBROOK AVE	YONKERS	10705
9807367	CDEEN OIL CENTION	WALNUT ST	YONKERS	10701
9712241	GETTY OIL STATION	NEPPERHAN AVE	YONKERS	10701
9703838 9702261	BATES AVENUE	BATES AVENUE	YONKERS	10701
	DOLE 3 GUIDGU GE	511 COTHOFREMD RD	YONKERS	10701
9702254	POLE 2 CHURCH ST	AT DAVENPORT AVE	YONKERS	10701
9612165	YONKERS WATER PLANT	NEPPERHAN AV	YONKERS	UNKNOWN
9606246 9600781	YONKERS YARD	30 WEST STREET	YONKERS	10701
	MANHOLE 4913	CRESTWOOD UNIT SUBSTA	YONKERS	UNKNOWN
9509097 9505012	BASE OF POLE #6	ARMY RD N OF BEACH HILL	YONKERS	UNKNOWN
9504666	MANHOLE 1273	SAWMILL RIVER ROAD YONKERS AVE.	YONKERS	UNKNOWN
9416002	ROADWAY		YONKERS	UNKNOWN
9409517	ROBERT MARTIN BUENA VISTA AVE.	EXECUTIVE DRIVE BUENA VISTA AVE.	YONKERS	UNKNOWN 10701
9203313		BORDIS AVE.	YONKERS	
9012380	CONTRACTOR	HUDSON RIVER	YONKERS	UNKNOWN
9012088	HUDSON RIVER ROADSIDE	ELLIOT AVE	YONKERS YONKERS	UNKNOWN 10705
9010500	METRO NORTH	BUENA VISTA STREET	YONKERS	10701
9010500	SAWMILL SOUTH AVE.	SOUTH AVE.	YONKERS	UNKNOWN
9000630	CON ED SUBSTATION	COSMIC AVE.	YONKERS	UNKNOWN
8908440	AMOCO S/S	NEPPERHAN AVE.	YONKERS	UNKNOWN
8710830	THRUWAY @ I-90	SO OF TOLL BAR, YONKERS	YONKERS	UNKNOWN
8707051	AZABI	53 FILBRIGHT TERRACE	YONKERS	10701
8706534	ANYTIME DELIVERY	MILE PT. 5.58 WEST	YONKERS	UNKNOWN
8701720	METRO NORTH	BUEANA VISTA AVE	YONKERS	10701
8701445	CONSUMERS OIL	306 RAMSEY RD	YONKERS	UNKNOWN
8600019	COMBONERS OIL	SAWMILL RIVER RD.	YONKERS	10701
0505102	VAULT 9764	SOUTH BROADWAY	YONKERS	UNKNOWN
0503290	VAULT #9816	BUENDA VISTA AVE	YONKERS	UNKNOWN
0503279	VAULT #18057	MARYLEW AVE	YONKERS	UNKNOWN
0500929	@	HARRIMAN STREET	YONKERS	UNKNOWN
0409386	RESIDENCE	254 EDWARDS PLACE	YONKERS	UNKNOWN
0408417	POLE 5	HAWTHORNE AVE	YONKERS	UNKNOWN
0408319	ENRICO FERM SCHOOL	27 POPLUAR STREET	YONKERS	UNKNOWN
0407692	NYS THRUWAY NORTH BOUND	MAIN LINE MILE #4	YONKERS	UNKNOWN
0405528	POLE #1	11 MARIAN AV	YONKERS	UNKNOWN
0404778	CON ED VEHICLE # 901803	WASHINGTON/RT 9 A	YONKERS	UNKNOWN
0403530	1111 1 704000	100 BOLMER ST	YONKERS	UNKNOWN
0401971		YONKERS AVE OFF DEAGAN	YONKERS	UNKNOWN
0400800	REAR YARD	1 RAMEO PLACE/WHISTLER	YONKERS	UNKNOWN
0311647	CON ED MANHOLE #1003	SOUTH PIER/BRIDGE	YONKERS	UNKNOWN
0309031	UNKNOWN	WESTCHESTER/QUEENS COUNTY	YONKERS	UNKNOWN
0305543	POLE T5 FEEDER 10W87	WEST SIDE OF KIMBLE AVENU	YONKERS	UNKNOWN
0305267	POLE #4995	PALLISADES AVE	YONKERS	UNKNOWN
0303586	TRANSFORMER VS-9107-15WO3	7382 HIGHLAND AV	YONKERS	UNKNOWN
0201213		VIA TRENTA RD END OF ST	YONKERS	UNKNOWN
				22.22.0

0200361	IN ROADWAY	ASHBURN AV	YONKERS	UNKNOWN
0110416	WASTE MANAGEMENT	STEWLEONARD DR	YONKERS	UNKNOWN
0110332		ON ST. CASHMIRE ST	YONKERS	UNKNOWN
0105362	VAULT 4036	GETTY SQUARE ISLAND	YONKERS	UNKNOWN
0102344		GRAMATAN DR/RIGHT AWAY	YONKERS	UNKNOWN
0100653	VAULT # 4822	YONKERS SEWAGE PLANT	YONKERS	UNKNOWN
0100652	VAULT # 4798	YONKERS SEWAGE PLATE	YONKERS	UNKNOWN
0100299		VOLZ PLACE	YONKERS	UNKNOWN
0013285	DEAD TREES NEXT TO STATION	47 WEST MORELAND DR	YONKERS	UNKNOWN
0012257	AME ZION CHURCH	42 BISHOP WALLS PLACE	YONKERS	UNKNOWN
0001322	MCLEAN AVE/MAJOR DEEGAN	TO S BROADWAY	YONKERS	10705
0000071	MANHOLE 148	NEW MAIN ST/W OF WARBUTON	YONKERS	10701
9901276	FEEDER Y50 PIPE	DUNWOODY SUB/GLENWOOD SUB	YONKERS TO LONG ISLAND	UNKNOWN
8703211	NY TEL	POND RD	YORKTOWN	UNKNOWN
Petroleum Bulk Stor	rage Facilities			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
3–185779	DUNWOODIE GOLF COURSE	WASYLENKO LANE	YONKERS	10701
3-600074	WILLIAM A. SCHLOBOHM HOUSES	SCHOOL STREET - BUILDING #3	YONKERS	10701
3-601064	MONTEFIORE MEDICAL CENTER	SOUTH WESTCHESTER EXECUTIVE PARK	YONKERS	10703
3-001004	MONIEFICRE MEDICAL CENTER	SOUTH WESTCHESTER EXECUTIVE PARK	IONNERS	10703
Hazardous Waste Ger	eration or Transport Facilities			
FACILITY ID	FACILITY NAME	STREET	CITY	ZIP
NYP004003604	CONSOLIDATED EDISON CO	LAWRENCE PARK 44		UNKNOWN
NYP004019873	ONSOLIDATED EDISON CO	V579 WARBURTON & MESSERAN		UNKNOWN
NYP004020095	CONSOLIDATED EDISON CO	5 LAKE SIRE DR		UNKNOWN
NYP004020319	CONSOLIDATED EDISON CO	#5402 WELLSAVE		UNKNOWN
NYP004026936	CONSOLIDATED EDISON CO	V4798 GRAND & CLINTON		UNKNOWN
NYP004019519	CONSOLIDATED EDISON CO	16 HORBORT AVE	CWP	UNKNOWN
NYP004028908	CONSOLIDATED EDISON	MH11572-MAMARONECK & MERROW	N/S	UNKNOWN
NYP004011862	CONSOLIDATED EDISON	GRAND ST	NEW YORK	UNKNOWN
NYP004012175	CONSOLIDATED EDISON	V 7393 - CROTON & SEIFRIGDE	NEW YORK	UNKNOWN
NYP004027942	CONSOLIDATED EDISON	MAINBODY @ GLEN OAKS	NEW YORK	UNKNOWN
NYP004028536	CONSOLIDATED EDISON	BEAR RIDGE SUBSTATION	NEW YORK	UNKNOWN
NYP004034757	CONSOLIDATED EDISON	MH6135-61 34TH ST & ALEXANDER	NEW YORK	UNKNOWN
NYP004036752	CONSOLIDATED EDISON	NANNY HAGEN RD 3/D SONIA RD	NEW YORK	UNKNOWN
NYP004043071	CONSOLIDATED EDISON	V0641-BEAKLEY & HARRISON	NEW YORK	UNKNOWN
NYP004055752	CONSOLIDATED EDISON	MH1015-SAWMILL RIVER RD	NEW YORK	UNKNOWN
NYP004068086	CONSOLIDATED EEDISON	V3484-RICHBELL RD	NEW YORK	UNKNOWN
NYP004082087	CONSOLIDATED EDISON	MH4051 49 WILLOW ST	NEW YORK	UNKNOWN
NYP004104873	CONSOLIDATED EDISON	MANOR CIRCLE	NEW YORK	UNKNOWN
NYP004105201	CONSOIDATED EDISON	V8161-ELMSFORD S/S & CHESTER	NEW YORK	UNKNOWN
NYP004106209	CONSOLIDATED EDISON	S LAKESIDE DR	NEW YORK	UNKNOWN
NYP000929075	CONSOLIDATED EDISON	645 WOODS ST	QUEENS	UNKNOWN
NYP000930479	CONSOLIDATED EDISON CO	V6312-LENOX	QUEENS	UNKNOWN
NYP004004586	CONSOLIDATED EDISON	#52 - BONNIE BRIAR	QUEENS	UNKNOWN
NYP004004750	CONSOLIDATED EDISON	V 5639 - 41 MAIDEN LA	QUEENS	UNKNOWN
NYP004007324	CONSOLIDATED EDISON	MH 7793 - YONKERS AVE & RR BRI	QUEENS	UNKNOWN
NYP004008801	CONSOLIDATED EDISON	CAPACHOR - BRIARCLIFF SHOP	QUEENS	UNKNOWN
NYP004009528	CONSOLIDATED EDISON	SOMMERS PL #2	QUEENS	UNKNOWN
NYP004010827	CONSOLIDATED EDISON	V 4078 - BELMONT & STOWE	QUEENS	UNKNOWN
NYP004012167	CONSOLIDATED EDISON	#33-CHESTER HEIGHTS	QUEENS	UNKNOWN
NYP004016044	CONSOLIDATED EDISON	509 - SAW MILL RD	QUEENS	UNKNOWN
NYP010000800	NYCDEP	BERGEN ST	UNDERHILL	UNKNOWN
NYP004044582	CONSOLIDATED EDISON	TM5262-130 UNION AVE	WESTCHESTER	UNKNOWN
NYP004052676	CONSOLIDATED EDISON	MH148-NEW MAIN	WESTCHESTER	UNKNOWN
NYP004099446	CONSOLIDATED EDISON	CHENWORTH & DREW	WESTCHESTER	UNKNOWN
NYP004101085	CONSOLIDATED EDISON	POLE W4 - PALUMBO ST	WESTCHESTER	UNKNOWN
NYP004117131	CONSOLIDATED EDISON	56 INTERVALE	WESTCHESTER	UNKNOWN
NY0000073197	NEW YORK STATE THRUWAY AUTHORITY	MILEPOST 2.7	YONKERS	UNKNOWN

NYD001705904 GESTETNER CORPORATION GESTETNER PARK YONKERS NYD010944064 GESTETNER CORP GESTETNER PARK PO BOX 819 YONKERS	UNKNOWN UNKNOWN 10701 UNKNOWN
	10701 UNKNOWN
NUDOCOCCIO DECENIO DE CONTRE C	UNKNOWN
NYP000913319 NYNEX BROADWAY AND YONKERS AVE YONKERS	
NYP004009254 CONSOLIDATED EDISON MH 2057 - CARLE AVE YONKERS	
NYP004036398 CONSOLIDATED EDISON HILLVIEW S/S YONKERS	UNKNOWN
NYP004055679 CONSOLIDATED EDISON MH7368 YONKERS	UNKNOWN
NYP004056446 CONSOLIDATED EDISON MH10298-BROOKSIDE & HALT ST YONKERS	UNKNOWN
NYP004074423 CONSOLIDATED EDISON ERG #171 #44 SUFFOLK TRAIL YONKERS	10701
NYP004095386 CONSOLIDATED EDISON CARYL LANSCAPE YONKERS	UNKNOWN
NYP004097101 CONSOLIDATED EDISON MH13968-STAUNTON ST & SUMNER YONKERS	UNKNOWN
NYP004098398 CONSOLIDATED EDISON HARTY PL YONKERS	UNKNOWN
NYP004101101 CONSOLIDATED EDISON IROQUOIS POLE 15 YONKERS	UNKNOWN
NYP004101291 CONSOLIDATED EDISON DUNWOODE MH618 YONKERS	10701
NYP004110032 CONSOLIDATED EDISON V 130 YONKERS	10701
NYR000102285 SACRED HEART HOUSING CORP 1 FINIAN SULLIVAN DRIVE YONKERS	10703
NYR000116665 GAZZETTE PRESS 16 YONKERS ST YONKERS	10701
Wastewater Discharges	
FACILITY ID FACILITY NAME STREET CITY	ZIP
NY0247618 EASTCHESTER REM PROJ SS 06-EOB	UNKNOWN
NYU200201	10703
NYU300082 NYC DEPT. OF ENV. PROTECTION	UNKNOWN
NYU300090 4 IRVING PLACE ROOM 1618S NEW YORK	UNKNOWN
NYU300021 YONKERS C STORM SEW YONKERS C	10701
Air Releases	
FACILITY ID FACILITY NAME STREET CITY	ZIP
3611900014 YONKERS INCIN ROUTE 9A YONKERS	UNKNOWN
3611900108 NAVY RESRVE TRAINING NO STREET ADDRESS YONKERS	UNKNOWN

Hazardous waste codes presented in individual Toxic Information Profiles are defined below.

B002	Petroleum oil or other liquid containing 50 ppm or greater of PCBs but less than 500 ppm PCBs.
	This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit
	breakers, reclosers and cable.

B003 Petroleum oil or other liquid containing 500 ppm or greater of PCBs.

B007 Other PCB Wastes including contaminated soil, solids, sludges, clothing, rags, and dredge material.

D001 Solid waste that exhibits the characteristic of ignitability, but is not listed under any other hazardous waste code.

D008 Lead

D009 Mercury

Source: U. S. Environmental Protection Agency