

JOHN V. SODERBERG, P.E.

PO Box 263
Stony Brook, NY 11790
Phone 631-751-6458
Fax 631-675-1185
Cell 631 834-9537
Email jvsode@hotmail.com

August 10, 2020

Natasha Court
Westchester County Department of Health (WCDOH)
Bureau of Environmental Quality
145 Huguenot Street
New Rochelle, NY 10801

Re: On Site Inspection for July 2020
Schmukler's Cleaners
358-364 North Ave. New Rochelle, New York
Site No.: C360088 Index No.: A3-0542-0306


On July 15, 2020 personnel were at the above mentioned site for quarterly monitoring and maintenance operations. Personnel returned to the site listed above to gauge influent and effluent PID readings on all carbon drum unit ports. PID readings were also taken at each vapor point location. Attached to this report are the following:

- * Field Maintenance Logs
- * Tables
- * Lab Data
- * Chain of Custody

During this on-site inspection personnel did obtain, via Summa Cannister, six (6) liter 30 second grabs of the VES influent and VES effluent emissions point post-carbon filtration. While on site personnel recorded PID readings, air flow concentrations and obtained a stack emission sample via test method TO-15. Additionally, during this site visit, monitoring wells MW-11, MW-12, BW-2 and BW-4 were exhibiting a slight sheen and approximately 2.5 gallons of product were bailed from the wells, collectively. Pig socks were also installed in the wells in an attempt to absorb any residual product.

- * The next quarterly monitoring and sampling event is scheduled for October 2020.
- * Carbon Drum change-out (Drum 1 and 2) was performed on November 27, 2019.
- * Quarterly reporting to WCCDOH (Natasha) and NYSDEC (Kiera Thompson) August 10, 2020.

Sincerely,


John V. Soderberg P.E

cc: Hal Shapiro
Kiera Thompson (NYSDEC)
Justin Halpin (BEI)

John V. Soderberg P.E
SVE/SSDS System Monitor and Maintenance

Site Name: Schmukler Cleaner **Site# C360088 Index# A3-0542-0306**
Address: New Rochelle , NY **Quarterly testing**

Remediation System Present?
Type of System?
SVE/SSDS
Sampling Date: 07/15/20

PID Readings, MiniRae 2000, in ppm
Primary Drum: **Secondary Drum:**
Influent Carbon: 0.0 Carbon Middle: 0.0
Final Effluent Carbon: 0.0
Pressure Readings
Pressure : 2 psi
Pre motor vac : 18 " VAC

Sampling Instructions: 1 Effluent + 1 Influent Air Sample to Alpha Analytical Lab


Site Data

Wells	Air Flow Ft/min	PID ppm
V-1	4000	0.0
V-2	4300	0.0
V-3	4100	0.0
V-4	3900	0.0
V-5 (downstairs pipe)	3000	0.0
PV-1	—	—
PV-2	—	—
PV-3	—	—
PV-4	—	—
PV-5	—	—
PV-6	—	—

Comments: NA

* na=not available

Site Inspection:
Was Carbon Drum Replaced ? Y ___ N ___ X ___
Was System Shutdown Warning Light On ___ X ___ Off ___
If Off Why?
Any Visible Signs Of Leaks? NO
Was Water Knockout Drum Emptied? Y ___ N ___ X ___
How Much Water Was Drained? 0 gal.
Indicate Any Sampling Procedures:
One (1) Influent and one (1) Effluent Air Sample
(6 Liter SUMMA Canisters tested via EPA Method TO-15)
Sampled by: Toby Wolczynski



John V. Soderberg P.E.
 PO Box 263
 Stony Brook, NY

Schmuklers Cleaners
358-364 North Ave.
New Rochelle, NY
Site# C360088

- Key**
- Basement Area
 - Check Valve
 - Permanent Vapor Point
 - Sample Point
 - Vapor Extraction Well

Drawn by: JGH

Schmukler's Cleaners, New Rochelle NY**PID Readings For Inf./Eff. Carbon Drum Sample Points ppm**

Before Drum Replaced

Date	INF.	Middle	EFF.	INF.	Middle	EFF.
6-Nov-09	4.50	0.00	0.00			
13-Nov-09	7.30	0.00	0.00			
20-Nov-09	3.50	0.00	0.00			
30-Nov-09	3.90	0.00	0.00			
22-Dec-09	5.30	0.00	0.00			
18-Jan-10	3.50	0.00	0.00			
5-Mar-10	5.10	2.30	0.00			
20-Apr-10	2.60	0.30	0.00			
12-May-10	21.70	1.20	0.00			
16-Jun-10	20.80	1.80	0.00			
6-Jul-10	20.40	4.70	0.00			
13-Aug-10	32.50	2.00	0.00			
17-Sep-10	89.00	0.70	0.00			
11-Oct-10	156.00	0.80	0.00			
3-Nov-10	98.60	1.75	0.00			
3-Dec-10	145.10	2.30	0.00			
3-Jan-11	87.42	2.60	0.00			
4-Feb-11	38.70	4.20	0.00			
1-Mar-11	92.60	7.30	0.00			
4-Apr-11	165.00	3.30	0.00	166.00	3.30	0.10
9-May-11	18.04	0.00	0.00			
24-Jun-11	12.10	2.90	0.00			
21-Jul-11	34.00	0.70	0.00			
2-Aug-11	40.70	0.70	0.00			
13-Sep-11	18.10	1.40	0.00			
3-Oct-11	16.90	0.00	0.00			
11-Nov-11	42.34	0.00	0.00	50.00	5.60	0.20
5-Dec-11	37.40	2.30	0.00			
18-Jan-12	38.50	1.90	0.00			
9-Feb-12	40.23	0.50	0.00			
22-Mar-12	46.80	0.90	0.00			
30-Apr-12	54.60	1.30	0.00			
22-May-12	51.30	1.70	0.00			
13-Jul-12	59.93	4.20	0.20			
8-Aug-12	61.5	1.2	0.2			
6-Sep-12	74.3	4.5	1.1			
3-Oct-12	60.00	1.00	0.00	33.2	18.6	3.3
13-Nov-12	51.20	6.30	0.00			
6-Dec-12	45.60	5.30	0.00			
10-Jan-13	77.90	4.60	0.00			
6-Feb-13	28.70	2.60	0.00	32.20	5.60	2.40
11-Mar-13	30.00	1.10	0.00			
13-Apr-13	0.00	0.00	0.00			
1-May-13	0.00	0.00	0.00			
28-Jun-13	18.90	2.30	0.90			
17-Jul-13	49.20	2.10	0.00			
8-Aug-13	44.90	1.50	0.00			
28-Oct-13	46.80	2.00	0.00			
13-Jan-14	111.00	1.25	0.00	116.00	2.10	1.90
10-Apr-14	39.00	1.50	0.00			
10-Jul-14	32.30	1.50	0.00			
1-Oct-14	2.90	1.00	0.00	2.90	1.40	0.90
30-Jan-15	3.20	0.40	0.00			
1-Apr-15	40.20	2.50	0.00			
15-Jul-15	37.60	1.50	0.00	*carbon change Oct. 2015		
12-Oct-15	35.50	5.10	0.30	35.00	0.00	0.00
26-Jan-16	37.20	2.20	0.00			
18-Apr-16	32.23	2.00	0.00			
27-Jul-16	12.90	1.00	0.00			
21-Oct-16	18.40	6.20	0.00	*carbon change Nov. 2016		
31-Jan-17	2.70	0.00	0.00			
25-Apr-17	2.00	0.00	0.00			
25-Jul-17	1.70	2.00	0.00			
2-Nov-17	0.60	0.60	0.00			
21-Dec-17	12.50	0.00	0.00	*3 Bags of carbon Installed		
12-Apr-18	0.30	0.20	0.00			
8-May-18	0.20	0.20	0.00			
30-Jul-18	0.00	0.00	0.00			
17-Oct-18	0.00	0.00	0.00	*carbon change Oct. 26, 2018		
31-Jan-19	0.00	0.00	0.00			
22-Apr-19	0.00	0.00	0.00			
23-Jul-19	0.40	0.00	0.00			
31-Oct-19	4.00	0.90	0.00			
27-Nov-19	0.90	0.00	0.00	*carbon change		
13-Jan-20	0.70	0.50	0.00			
23-Apr-20	0.90	0.70	0.00			
15-Jul-20	0.00	0.00	0.00			

Schmukler's Cleaners
358-364 North Ave.
New Rochelle, NY
As of April 2020
Table-4
VOCs (ppbv)

Effluent Air	PCE	TCE
July-20	0.444	n/d
April-20	0.341	n/d
January-20	n/d	n/d
October-19	52.5	4.73
July-19	0.868	n/d
April-19	28.9	0.367
January-19	n/d	n/d
July-18	350	43

Influent Air	PCE	TCE
July-20	143	10.6
April-20	356	61.1
January-20	349	59.4



ANALYTICAL REPORT

Lab Number:	L2031215
Client:	WRS Environmental Services, Inc. 17 Old Dock Road Yaphank, NY 11980
ATTN:	Justin Halpin
Phone:	(631) 924-8111
Project Name:	SCHMUKLERS CLEANERS
Project Number:	15217
Report Date:	08/11/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2031215-01	INF	SOIL_VAPOR	NEW ROCHELLE, NY	07/15/20 09:06	07/28/20
L2031215-02	EFF	SOIL_VAPOR	NEW ROCHELLE, NY	07/15/20 09:11	07/28/20

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on July 7, 2020. The canister certification results are provided as an addendum.

L2031215-01: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

The WG1397068-3 LCS recoveries for propylene (142%) and 3-chloropropene (136%) are above the upper 130% acceptance limit. All samples associated with this LCS do not have reportable amounts of these analytes.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 08/11/20

AIR

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

SAMPLE RESULTS

Lab ID: L2031215-01 D
 Client ID: INF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:06
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 08/09/20 00:34
 Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.430	0.400	--	2.13	1.98	--		2
Chloromethane	0.436	0.400	--	0.900	0.826	--		2
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.400	--	ND	2.80	--		2
Vinyl chloride	ND	0.400	--	ND	1.02	--		2
1,3-Butadiene	ND	0.400	--	ND	0.885	--		2
Bromomethane	ND	0.400	--	ND	1.55	--		2
Chloroethane	ND	0.400	--	ND	1.06	--		2
Ethyl Alcohol	ND	10.0	--	ND	18.8	--		2
Vinyl bromide	ND	0.400	--	ND	1.75	--		2
Acetone	3.24	2.00	--	7.70	4.75	--		2
Trichlorofluoromethane	ND	0.400	--	ND	2.25	--		2
iso-Propyl Alcohol	1.60	1.00	--	3.93	2.46	--		2
1,1-Dichloroethene	ND	0.400	--	ND	1.59	--		2
tert-Butyl Alcohol	ND	1.00	--	ND	3.03	--		2
Methylene chloride	ND	1.00	--	ND	3.47	--		2
3-Chloropropene	ND	0.400	--	ND	1.25	--		2
Carbon disulfide	ND	0.400	--	ND	1.25	--		2
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.400	--	ND	3.07	--		2
trans-1,2-Dichloroethene	ND	0.400	--	ND	1.59	--		2
1,1-Dichloroethane	ND	0.400	--	ND	1.62	--		2
Methyl tert butyl ether	ND	0.400	--	ND	1.44	--		2
2-Butanone	ND	1.00	--	ND	2.95	--		2
cis-1,2-Dichloroethene	22.4	0.400	--	88.8	1.59	--		2



Project Name: SCHMUKLERS CLEANERS**Lab Number:** L2031215**Project Number:** 15217**Report Date:** 08/11/20**SAMPLE RESULTS**

Lab ID: L2031215-01 D
 Client ID: INF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:06
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	1.00	--	ND	3.60	--		2
Chloroform	ND	0.400	--	ND	1.95	--		2
Tetrahydrofuran	ND	1.00	--	ND	2.95	--		2
1,2-Dichloroethane	ND	0.400	--	ND	1.62	--		2
n-Hexane	ND	0.400	--	ND	1.41	--		2
1,1,1-Trichloroethane	ND	0.400	--	ND	2.18	--		2
Benzene	ND	0.400	--	ND	1.28	--		2
Carbon tetrachloride	ND	0.400	--	ND	2.52	--		2
Cyclohexane	ND	0.400	--	ND	1.38	--		2
1,2-Dichloropropane	ND	0.400	--	ND	1.85	--		2
Bromodichloromethane	ND	0.400	--	ND	2.68	--		2
Xylene (Total)	ND	0.400	--	ND	1.74	--		2
1,4-Dioxane	ND	0.400	--	ND	1.44	--		2
Trichloroethene	10.6	0.400	--	57.0	2.15	--		2
2,2,4-Trimethylpentane	ND	0.400	--	ND	1.87	--		2
Heptane	ND	0.400	--	ND	1.64	--		2
cis-1,3-Dichloropropene	ND	0.400	--	ND	1.82	--		2
4-Methyl-2-pentanone	ND	1.00	--	ND	4.10	--		2
trans-1,3-Dichloropropene	ND	0.400	--	ND	1.82	--		2
1,1,2-Trichloroethane	ND	0.400	--	ND	2.18	--		2
Toluene	ND	0.400	--	ND	1.51	--		2
1,2-Dichloroethene (total)	22.4	0.400	--	88.8	1.59	--		2
2-Hexanone	ND	0.400	--	ND	1.64	--		2
1,3-Dichloropropene, Total	ND	0.400	--	ND	1.82	--		2
Dibromochloromethane	ND	0.400	--	ND	3.41	--		2
1,2-Dibromoethane	ND	0.400	--	ND	3.07	--		2



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

SAMPLE RESULTS

Lab ID: L2031215-01 D
 Client ID: INF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:06
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tetrachloroethene	143	0.400	--	970	2.71	--		2
Chlorobenzene	ND	0.400	--	ND	1.84	--		2
Ethylbenzene	ND	0.400	--	ND	1.74	--		2
p/m-Xylene	ND	0.800	--	ND	3.47	--		2
Bromoform	ND	0.400	--	ND	4.14	--		2
Styrene	ND	0.400	--	ND	1.70	--		2
1,1,2,2-Tetrachloroethane	ND	0.400	--	ND	2.75	--		2
o-Xylene	ND	0.400	--	ND	1.74	--		2
4-Ethyltoluene	ND	0.400	--	ND	1.97	--		2
1,3,5-Trimethylbenzene	ND	0.400	--	ND	1.97	--		2
1,2,4-Trimethylbenzene	ND	0.400	--	ND	1.97	--		2
Benzyl chloride	ND	0.400	--	ND	2.07	--		2
1,3-Dichlorobenzene	ND	0.400	--	ND	2.40	--		2
1,4-Dichlorobenzene	ND	0.400	--	ND	2.40	--		2
1,2-Dichlorobenzene	ND	0.400	--	ND	2.40	--		2
1,2,4-Trichlorobenzene	ND	0.400	--	ND	2.97	--		2
Hexachlorobutadiene	ND	0.400	--	ND	4.27	--		2

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	91		60-140
Bromochloromethane	97		60-140
chlorobenzene-d5	90		60-140



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

SAMPLE RESULTS

Lab ID: L2031215-02
 Client ID: EFF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:11
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 08/09/20 01:14
 Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.373	0.200	--	1.84	0.989	--		1
Chloromethane	0.458	0.200	--	0.946	0.413	--		1
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethyl Alcohol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	1.59	1.00	--	3.78	2.38	--		1
Trichlorofluoromethane	0.207	0.200	--	1.16	1.12	--		1
iso-Propyl Alcohol	3.60	0.500	--	8.85	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
tert-Butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	0.259	0.200	--	1.03	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	18.3	0.200	--	72.6	0.793	--		1



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

SAMPLE RESULTS

Lab ID: L2031215-02
 Client ID: EFF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:11
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Xylene (Total)	ND	0.200	--	ND	0.869	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,2-Dichloroethene (total)	18.6	0.200	--	73.7	0.793	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,3-Dichloropropene, Total	ND	0.200	--	ND	0.908	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

SAMPLE RESULTS

Lab ID: L2031215-02
 Client ID: EFF
 Sample Location: NEW ROCHELLE, NY

Date Collected: 07/15/20 09:11
 Date Received: 07/28/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tetrachloroethene	0.444	0.200	--	3.01	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	87		60-140
Bromochloromethane	93		60-140
chlorobenzene-d5	87		60-140



Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 08/08/20 17:26

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1397068-4								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethyl Alcohol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
iso-Propyl Alcohol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
tert-Butyl Alcohol	ND	0.500	--	ND	1.52	--		1

Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 08/08/20 17:26

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1397068-4								
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
Xylene (Total)	ND	0.200	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Isopropyl Ether	ND	0.200	--	ND	0.836	--		1
Ethyl-Tert-Butyl-Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	0.200	--	ND	0.793	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,3-Dichloropropene, Total	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1



Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 08/08/20 17:26

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1397068-4								
Cyclohexane	ND	0.200	--	ND	0.688	--		1
Tertiary-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl Acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1



Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 08/08/20 17:26

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1397068-4								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane (C9)	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
o-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
p-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane (C10)	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1

Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 08/08/20 17:26

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1397068-4								
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane (C12)	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1397068-3								
Chlorodifluoromethane	77		-		70-130	-		
Propylene	142	Q	-		70-130	-		
Propane	78		-		70-130	-		
Dichlorodifluoromethane	87		-		70-130	-		
Chloromethane	94		-		70-130	-		
1,2-Dichloro-1,1,2,2-tetrafluoroethane	97		-		70-130	-		
Methanol	73		-		70-130	-		
Vinyl chloride	101		-		70-130	-		
1,3-Butadiene	98		-		70-130	-		
Butane	107		-		70-130	-		
Bromomethane	109		-		70-130	-		
Chloroethane	105		-		70-130	-		
Ethyl Alcohol	83		-		40-160	-		
Dichlorofluoromethane	98		-		70-130	-		
Vinyl bromide	103		-		70-130	-		
Acrolein	87		-		70-130	-		
Acetone	90		-		40-160	-		
Acetonitrile	73		-		70-130	-		
Trichlorofluoromethane	105		-		70-130	-		
iso-Propyl Alcohol	93		-		40-160	-		
Acrylonitrile	89		-		70-130	-		
Pentane	111		-		70-130	-		
Ethyl ether	82		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1397068-3								
1,1-Dichloroethene	108		-		70-130	-		
tert-Butyl Alcohol	83		-		70-130	-		
Methylene chloride	104		-		70-130	-		
3-Chloropropene	136	Q	-		70-130	-		
Carbon disulfide	102		-		70-130	-		
1,1,2-Trichloro-1,2,2-Trifluoroethane	120		-		70-130	-		
trans-1,2-Dichloroethene	103		-		70-130	-		
1,1-Dichloroethane	110		-		70-130	-		
Methyl tert butyl ether	108		-		70-130	-		
Vinyl acetate	120		-		70-130	-		
2-Butanone	120		-		70-130	-		
cis-1,2-Dichloroethene	108		-		70-130	-		
Ethyl Acetate	111		-		70-130	-		
Chloroform	103		-		70-130	-		
Tetrahydrofuran	124		-		70-130	-		
2,2-Dichloropropane	90		-		70-130	-		
1,2-Dichloroethane	118		-		70-130	-		
n-Hexane	96		-		70-130	-		
Isopropyl Ether	94		-		70-130	-		
Ethyl-Tert-Butyl-Ether	101		-		70-130	-		
1,2-Dichloroethene (total)	106		-			-		
1,2-Dichloroethene (total)	106		-			-		
1,1,1-Trichloroethane	107		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS

Project Number: 15217

Lab Number: L2031215

Report Date: 08/11/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1397068-3								
1,1-Dichloropropene	93		-		70-130	-		
Benzene	99		-		70-130	-		
Carbon tetrachloride	104		-		70-130	-		
Cyclohexane	106		-		70-130	-		
Tertiary-Amyl Methyl Ether	90		-		70-130	-		
Dibromomethane	98		-		70-130	-		
1,2-Dichloropropane	113		-		70-130	-		
Bromodichloromethane	107		-		70-130	-		
1,4-Dioxane	112		-		70-130	-		
Trichloroethene	109		-		70-130	-		
2,2,4-Trimethylpentane	110		-		70-130	-		
Methyl Methacrylate	83		-		40-160	-		
Heptane	113		-		70-130	-		
cis-1,3-Dichloropropene	102		-		70-130	-		
4-Methyl-2-pentanone	113		-		70-130	-		
trans-1,3-Dichloropropene	87		-		70-130	-		
1,1,2-Trichloroethane	107		-		70-130	-		
Toluene	116		-		70-130	-		
1,3-Dichloropropane	95		-		70-130	-		
2-Hexanone	118		-		70-130	-		
Dibromochloromethane	121		-		70-130	-		
1,2-Dibromoethane	108		-		70-130	-		
Butyl Acetate	92		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS

Lab Number: L2031215

Project Number: 15217

Report Date: 08/11/20

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1397068-3								
Octane	106		-		70-130	-		
Tetrachloroethene	118		-		70-130	-		
1,1,1,2-Tetrachloroethane	102		-		70-130	-		
Chlorobenzene	110		-		70-130	-		
Ethylbenzene	116		-		70-130	-		
p/m-Xylene	117		-		70-130	-		
Bromoform	124		-		70-130	-		
Styrene	107		-		70-130	-		
1,1,2,2-Tetrachloroethane	116		-		70-130	-		
o-Xylene	117		-		70-130	-		
1,2,3-Trichloropropane	96		-		70-130	-		
Nonane (C9)	105		-		70-130	-		
Isopropylbenzene	101		-		70-130	-		
Bromobenzene	100		-		70-130	-		
o-Chlorotoluene	102		-		70-130	-		
n-Propylbenzene	104		-		70-130	-		
p-Chlorotoluene	103		-		70-130	-		
4-Ethyltoluene	108		-		70-130	-		
1,3,5-Trimethylbenzene	108		-		70-130	-		
tert-Butylbenzene	104		-		70-130	-		
1,2,4-Trimethylbenzene	114		-		70-130	-		
Decane (C10)	106		-		70-130	-		
Benzyl chloride	122		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS

Project Number: 15217

Lab Number: L2031215

Report Date: 08/11/20

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1397068-3								
1,3-Dichlorobenzene	120		-		70-130	-		
1,4-Dichlorobenzene	115		-		70-130	-		
sec-Butylbenzene	100		-		70-130	-		
p-Isopropyltoluene	100		-		70-130	-		
1,2-Dichlorobenzene	116		-		70-130	-		
n-Butylbenzene	113		-		70-130	-		
1,2-Dibromo-3-chloropropane	98		-		70-130	-		
Undecane	110		-		70-130	-		
Dodecane (C12)	109		-		70-130	-		
1,2,4-Trichlorobenzene	125		-		70-130	-		
Naphthalene	104		-		70-130	-		
1,2,3-Trichlorobenzene	110		-		70-130	-		
Hexachlorobutadiene	112		-		70-130	-		

Lab Duplicate Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS

Project Number: 15217

Lab Number: L2031215

Report Date: 08/11/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1397068-5 QC Sample: L2031215-02 Client ID: EFF						
Dichlorodifluoromethane	0.373	0.374	ppbV	0		25
Chloromethane	0.458	0.453	ppbV	1		25
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	ND	ppbV	NC		25
Vinyl chloride	ND	ND	ppbV	NC		25
1,3-Butadiene	ND	ND	ppbV	NC		25
Bromomethane	ND	ND	ppbV	NC		25
Chloroethane	ND	ND	ppbV	NC		25
Ethyl Alcohol	ND	ND	ppbV	NC		25
Vinyl bromide	ND	ND	ppbV	NC		25
Acetone	1.59	1.61	ppbV	1		25
Trichlorofluoromethane	0.207	0.224	ppbV	8		25
iso-Propyl Alcohol	3.60	3.58	ppbV	1		25
1,1-Dichloroethene	ND	ND	ppbV	NC		25
tert-Butyl Alcohol	ND	ND	ppbV	NC		25
Methylene chloride	ND	ND	ppbV	NC		25
3-Chloropropene	ND	ND	ppbV	NC		25
Carbon disulfide	ND	ND	ppbV	NC		25
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	ND	ppbV	NC		25
trans-1,2-Dichloroethene	0.259	0.263	ppbV	2		25
1,1-Dichloroethane	ND	ND	ppbV	NC		25
Methyl tert butyl ether	ND	ND	ppbV	NC		25

Lab Duplicate Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1397068-5 QC Sample: L2031215-02 Client ID: EFF						
2-Butanone	ND	ND	ppbV	NC		25
cis-1,2-Dichloroethene	18.3	18.7	ppbV	2		25
Ethyl Acetate	ND	ND	ppbV	NC		25
Chloroform	ND	ND	ppbV	NC		25
Tetrahydrofuran	ND	ND	ppbV	NC		25
1,2-Dichloroethane	ND	ND	ppbV	NC		25
n-Hexane	ND	ND	ppbV	NC		25
1,1,1-Trichloroethane	ND	ND	ppbV	NC		25
Benzene	ND	ND	ppbV	NC		25
Carbon tetrachloride	ND	ND	ppbV	NC		25
Cyclohexane	ND	ND	ppbV	NC		25
1,2-Dichloropropane	ND	ND	ppbV	NC		25
Xylene (Total)	ND	ND	ppbV	NC		25
Bromodichloromethane	ND	ND	ppbV	NC		25
1,4-Dioxane	ND	ND	ppbV	NC		25
Trichloroethene	ND	ND	ppbV	NC		25
2,2,4-Trimethylpentane	ND	ND	ppbV	NC		25
Heptane	ND	ND	ppbV	NC		25
cis-1,3-Dichloropropene	ND	ND	ppbV	NC		25
4-Methyl-2-pentanone	ND	ND	ppbV	NC		25
trans-1,3-Dichloropropene	ND	ND	ppbV	NC		25

Lab Duplicate Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1397068-5 QC Sample: L2031215-02 Client ID: EFF						
1,1,2-Trichloroethane	ND	ND	ppbV	NC		25
Toluene	ND	ND	ppbV	NC		25
1,2-Dichloroethene (total)	18.6	18.9	ppbV	2		25
2-Hexanone	ND	ND	ppbV	NC		25
1,3-Dichloropropene, Total	ND	ND	ppbV	NC		25
Dibromochloromethane	ND	ND	ppbV	NC		25
1,2-Dibromoethane	ND	ND	ppbV	NC		25
Tetrachloroethene	0.444	0.409	ppbV	8		25
Chlorobenzene	ND	ND	ppbV	NC		25
Ethylbenzene	ND	ND	ppbV	NC		25
p/m-Xylene	ND	ND	ppbV	NC		25
Bromoform	ND	ND	ppbV	NC		25
Styrene	ND	ND	ppbV	NC		25
1,1,1,2-Tetrachloroethane	ND	ND	ppbV	NC		25
o-Xylene	ND	ND	ppbV	NC		25
4-Ethyltoluene	ND	ND	ppbV	NC		25
1,3,5-Trimethylbenzene	ND	ND	ppbV	NC		25
1,2,4-Trimethylbenzene	ND	ND	ppbV	NC		25
Benzyl chloride	ND	ND	ppbV	NC		25
1,3-Dichlorobenzene	ND	ND	ppbV	NC		25
1,4-Dichlorobenzene	ND	ND	ppbV	NC		25

Lab Duplicate Analysis

Batch Quality Control

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1397068-5 QC Sample: L2031215-02 Client ID: EFF						
1,2-Dichlorobenzene	ND	ND	ppbV	NC		25
1,2,4-Trichlorobenzene	ND	ND	ppbV	NC		25
Hexachlorobutadiene	ND	ND	ppbV	NC		25

Project Name: SCHMUKLERS CLEANERS

Project Number: 15217

Serial_No:08112015:51
Lab Number: L2031215

Report Date: 08/11/20

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L2031215-01	INF	1797	6.0L Can	07/07/20	325584	L2026734-06	Pass	-29.4	-1.5	-	-	-	-
L2031215-02	EFF	2980	6.0L Can	07/07/20	325584	L2026734-06	Pass	-29.6	-2.6	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 06/29/20 23:08
 Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	92		60-140
Bromochloromethane	92		60-140
chlorobenzene-d5	96		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 06/29/20 23:08
 Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.050	--	ND	0.188	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2026734
Report Date: 08/11/20

Air Canister Certification Results

Lab ID: L2026734-06
 Client ID: CAN 1692 SHELF 40
 Sample Location:

Date Collected: 06/25/20 07:00
 Date Received: 06/25/20
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	92		60-140
bromochloromethane	93		60-140
chlorobenzene-d5	97		60-140

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Serial_No:08112015:51
Lab Number: L2031215
Report Date: 08/11/20

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
NA	Present/Intact

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2031215-01A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-LL(30)
L2031215-02A	Canister - 6 Liter	NA	NA			Y	Absent		TO15-LL(30)

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

Report Format: Data Usability Report



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration. (DoD and NYSDEC Part 375 PFAS only.)
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration

Report Format: Data Usability Report



Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

Data Qualifiers

Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Project Name: SCHMUKLERS CLEANERS
Project Number: 15217

Lab Number: L2031215
Report Date: 08/11/20

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12 Non-methane organics

EPA 3C Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

EPA 522.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



CHAIN OF CUSTODY

AIR ANALYSIS

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

PAGE 1 OF 1

Date Rec'd in Lab: 7/31/20

ALPHA Job #: L2031215

Client Information

Client: W3
 Address: 17 Old North St
Yonkers NY
 Phone:
 Fax:

Email: J.Helpin@wvns.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Project Information

Project Name: Schwab's Clean
 Project Location: New Canaan
 Project #: 15217
 Project Manager: Justin Helpin
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: _____ Time: _____

Report Information - Data Deliverables

FAX
 ADEx
 Criteria Checker: _____
 (Default based on Regulatory Criteria Indicated)
 Other Formats: _____
 EMAIL (standard pdf report)
 Additional Deliverables: _____
 Report to: (if different than Project Manager)

Billing Information

Same as Client info PO #: 32434

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

ANALYSIS

TO-15
 TO-15 SIM
 APH Substrate Non-petroleum HCs
 Fixed Gases
 Sulfides & Mercaptans by TO-15

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION					Sample Matrix*	Sampler's Initials	Can Size	I D Can	I D - Flow Controller	TO-15	TO-15 SIM	APH Substrate Non-petroleum HCs	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum											
<u>31218-01</u>	<u>inf</u>	<u>7/15</u>	<u>9:05</u>	<u>9:06</u>	<u>-15.4</u>	<u>-2.0</u>	<u>SV</u>	<u>TW</u>	<u>6L</u>	<u>1791</u>	<u>—</u>	<u>X</u>					
<u>02</u>	<u>off</u>	<u>7/15</u>	<u>9:10</u>	<u>9:10</u>	<u>-21.6</u>	<u>-2.0</u>	<u>SV</u>	<u>TW</u>	<u>6L</u>	<u>1791</u>	<u>—</u>	<u>X</u>					

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:

Date/Time

Received By:

Date/Time

[Signature]

7/28/20 12:00
7/28/20 15:25
7/31/20 02:30

[Signature]

7/28/20 12:00
7/28/20 15:25
7/31/20 02:30