



Environmental, Planning, and Engineering Consultants

34 South Broadway
Suite 401
White Plains, NY 10601
tel: 914 949-7336
fax: 914 949-7559
www.akrf.com

October 11, 2021

Mr. Matthew Hubicki
Project Manager
NYSDEC
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7016

Re: Progress Report – September 2021
Polychrome West Site
City of Yonkers, Westchester County
NYSDEC BCP Site No. C360099

Dear Mr. Hubicki:

This Progress Report has been prepared by AKRF, Inc. (AKRF) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the month of September 2021.

Community Air Monitoring Plan (CAMP) observations were as follows:

- No intrusive soil work occurred below the final cover system at the Site during the September 2021 reporting period.
- On September 8, 9, 21, and 23, 2021, handheld equipment was used to monitor volatile organic compounds (VOCs), oxygen, and hydrogen sulfide (H₂S) during dense non-aqueous phase liquid (DNAPL) coal tar gauging and removal activities, in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Site Management Plan (SMP). Air monitoring was performed within the work zone. No VOC or H₂S exceedances were recorded during the DNAPL removal activities.

Site Activities:

- During the month of September, no on-Site excavation activities below the final cover system occurred.
- On September 8 and 21, 2021, DNAPL gauging was conducted at NW-1, NW-3, NW-4, NW-5, NW-6, NW-7, NW-8, NW-9, NW-10, NW-10S, NW-11, and NW-12. Gauging of groundwater monitoring wells MW-A, MW-B, MW-C, MW-D, MW-E, and MW-F will be performed during the next annual groundwater sampling event in December 2021. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the September 2021 monitoring events in NW-5, NW-6, NW-8, NW-10, and NW-11 (9/8 only), as summarized below and detailed in the attached Table 1.

Recovery Well ID	DNAPL Thickness 9/8/2021 (feet)	DNAPL Thickness 9/21/2021 (feet)
NW-5	8.18	8.28
NW-6	5.60	5.70
NW-8	0.97	0.93
NW-10	5.16	3.32
NW-11	0.90	ND

ND – No Detection

Note: Measured DNAPL thicknesses are estimated.

- On September 8 and 21, 2021, AKRF performed DNAPL removal activities with a 2-inch submersible pump and dedicated tubing at recovery wells NW-8 (~1.5 gallons total) and NW-10 (~7 gallons total). The recovered DNAPL was containerized in a Department of Transportation (DOT)-approved 55-gallon drum, labeled as hazardous waste, and staged on the PW Site in Grid Cell B1 (see Figure 2).
- On September 9 and 23, 2021, AKRF performed oversight during additional DNAPL removal, which was completed by Eastern Environmental of Manorville, New York (Eastern). DNAPL was removed from recovery well NW-5 (~17.8 gallons total), NW-6 (~23 gallons removed), and NW-11 (~3.4 gallons removed, 9/9 only) utilizing a vacuum truck to apply vacuum on an internal 1-inch pipe within the recovery well. The recovered DNAPL was containerized in a DOT-approved 55-gallon drum, labeled as hazardous waste, and staged on-Site in Grid Cell B1 (see Figure 2) for off-site disposal at an appropriate receiving facility. Following DNAPL removal, the vacuum truck was decontaminated using a steam pressure washer with the decontamination fluids drummed on-Site.
- On September 9, 2021, Eastern removed one drum of used personal protective equipment (PPE) and oily debris generated during previous DNAPL recovery events. The drum was disposed of at Clean Waters of New York in Staten Island, New York. The non-hazardous waste manifest is included in Attachment A and will be included in the Periodic Review Report (PRR) for 2021.
- On September 17, 2021, Brookside Environmental (Brookside) removed one drum of decontamination wash water generated during previous DNAPL recovery events. The drum was disposed of at Clean Waters of New York in Staten Island, New York. The non-hazardous waste manifest is included in Attachment A and will be included in the PRR for 2021.
- On September 23, 2021, Veolia Environmental Services (VES) picked up two drums of DNAPL generated during the July, August, and September 2021 DNAPL pumping events for off-site disposal at their facility in Flanders, New Jersey. The hazardous waste disposal manifest is included in Attachment A and will be included in the PRR.
- On September 24, 2021, AKRF submitted the revised “*Workplan for DNAPL Recovery Upgrades*” to address the August 25, 2021, NYSDEC comments.
- A total of approximately 52.7 gallons of DNAPL were recovered during the reporting period and a total of 805.2 gallons of DNAPL have been recovered year to date. Since DNAPL removal activities began in January 2020, a total of 1,311.2 gallons of DNAPL have been removed, transported, and disposed of. DNAPL recovery totals are summarized in Table 2.

The following work is planned for October 2021:

- AKRF anticipates completing DNAPL gauging and removal in October 2021 using the same methods as described above while long-term trends and alternate recovery methods are evaluated;
- DNAPL recovery well monitoring and DNAPL recovery at a frequency of once every two weeks; and
- Disposal, as needed, of recovered DNAPL (i.e., coal tar) and used PPE/field supplies.

If you have any questions or require additional information, please contact me at (914) 922-2387.

Sincerely,
AKRF, Inc.



Patrick McHugh, P.E.
Environmental Engineer

Encl.: Figure 1 – Site Location Map
 Figure 2 – Site Plan with Reference Grid
 Figure 3 – NAPL Recovery & Groundwater Monitoring Well Location Plan
 Table 1 – Polychrome West Well Gauging Table
 Table 2 – Polychrome West DNAPL Recovery Totals
 Attachment A – Eastern, Brookside, and Veolia Manifests

cc (electronic copy only): Kevin Carpenter/Scott Deyette – NYSDEC
 Sarita Wagh – NYSDOH
 Glen Moran/Christopher Reynolds/Jon Vogel/ Michael Simpson – AVB
 Marc Godick/Steve Grens/Rebecca Kinal – AKRF

ATTACHMENTS

©2018 AKRF, Inc Q:\Projects\40566 - AVALONBAY YONKERSTechnical\Hazmat\CAD\40566 Fig 2 WC Grid (Polychrome West).dwg last save: mvelieux 1/5/2018 2:34 PM



Aerial Source:
2014 New York Statewide Digital Orthoimagery.



LEGEND

PROJECT SITE BOUNDARY

1



ALPHANUMERIC GRID



Polychrome West Site
BCP Site C360099
Yonkers, New York




440 Park Avenue South, New York, NY 10016

SITE PLAN WITH REFERENCE GRID

DATE

PROJECT NO.
40566

FIGURE
2



0 30 60 120

SCALE IN FEET



Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
MW-A	10/7/2020	9:15	ND	5.86	ND	11.16	NA	NA	
	10/21/2020	8:20	ND	5.96	ND	11.20	NA	NA	
	11/4/2020	5:55	ND	6.42	ND	11.21	NA	NA	
	11/18/2020	9:40	ND	5.82	ND	11.28	NA	NA	
	12/1/2020	8:25	ND	3.20	ND	11.17	NA	NA	
	12/16/2020	8:10	ND	5.75	ND	11.19	NA	NA	
	12/29/2020	8:15	ND	4.96	ND	11.18	NA	NA	
	1/13/2021	7:30	ND	5.18	ND	11.16	NA	NA	
	1/27/2021	8:15	ND	4.25	ND	11.33	NA	NA	
	2/8/2021	9:00	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:10	ND	4.91	ND	11.28	NA	NA	
	3/10/2021	8:15	ND	5.28	ND	11.25	NA	NA	
	3/24/2021	8:02	ND	4.91	ND	11.19	NA	NA	
	4/7/2021	8:30	ND	4.27	ND	11.18	NA	NA	
	4/21/2021	9:10	ND	5.17	ND	11.15	NA	NA	
	5/5/2021	8:30	ND	4.40	ND	11.19	NA	NA	
	5/17/2021	8:30	ND	5.92	ND	11.18	NA	NA	
	6/2/2021	8:09	ND	5.39	ND	11.19	NA	NA	
	6/16/2021	8:50	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33	ND	5.95	ND	11.25	NA	NA	
	7/14/2021	8:10	ND	5.72	ND	11.24	NA	NA	
	7/27/2021	7:57	ND	5.67	ND	11.21	NA	NA	
MW-B	10/7/2020	9:20	ND	9.10	ND	12.68	NA	NA	
	10/21/2020	8:15	ND	9.22	ND	12.70	NA	NA	
	11/4/2020	6:00	ND	9.54	ND	12.89	NA	NA	
	11/18/2020	9:45	ND	9.08	ND	13.03	NA	NA	
	12/1/2020	8:30	ND	7.25	ND	12.78	NA	NA	
	12/16/2020	8:05	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10	ND	8.25	ND	12.78	NA	NA	
	1/13/2021	7:35	ND	8.17	ND	12.72	NA	NA	
	1/27/2021	8:10	ND	7.98	ND	12.92	NA	NA	
	2/8/2021	8:50	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:05	ND	8.24	ND	12.81	NA	NA	
	3/10/2021	8:25	ND	8.27	ND	12.82	NA	NA	
	3/24/2021	8:07	ND	8.14	ND	12.74	NA	NA	
	4/7/2021	8:35	ND	7.81	ND	12.77	NA	NA	
	4/21/2021	9:15	ND	8.28	ND	12.76	NA	NA	
	5/5/2021	8:35	ND	7.59	ND	12.72	NA	NA	
	5/17/2021	8:35	ND	9.14	ND	12.72	NA	NA	
	6/2/2021	8:14	ND	8.15	ND	12.73	NA	NA	
	6/16/2021	8:55	ND	9.08	ND	12.85	NA	NA	
	6/30/2021	8:30	ND	9.19	ND	12.81	NA	NA	
	7/14/2021	8:15	ND	9.13	ND	12.81	NA	NA	
	7/27/2021	7:54	ND	9.17	ND	12.86	NA	NA	
MW-C	10/7/2020	9:25	ND	8.39	ND	12.83	NA	NA	
	10/21/2020	8:12	ND	8.43	ND	12.47	NA	NA	
	11/4/2020	6:05	ND	8.50	ND	12.59	NA	NA	
	11/18/2020	9:50	ND	7.87	ND	12.35	NA	NA	
	12/1/2020	8:35	ND	5.89	ND	12.37	NA	NA	
	12/16/2020	8:00	ND	7.80	ND	12.31	NA	NA	
	12/29/2020	8:05	ND	7.19	ND	12.42	NA	NA	
	1/13/2021	7:30	ND	7.31	ND	12.49	NA	NA	
	1/27/2021	8:05	ND	6.85	ND	12.54	NA	NA	
	2/8/2021	8:40	ND	7.24	ND	12.50	NA	NA	
	2/24/2021	8:00	ND	7.20	ND	12.45	NA	NA	
	3/10/2021	8:30	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10	ND	7.21	ND	12.35	NA	NA	
	4/7/2021	8:40	ND	6.11	ND	12.36	NA	NA	
	4/21/2021	9:20	ND	7.41	ND	12.36	NA	NA	
	5/5/2021	8:40	ND	6.71	ND	12.36	NA	NA	
	5/17/2021	8:40	ND	8.30	ND	12.30	NA	NA	
	6/2/2021	8:20	ND	7.73	ND	12.31	NA	NA	
	6/16/2021	8:58	ND	8.37	ND	12.56	NA	NA	
	6/30/2021	8:25	ND	7.40	ND	12.40	NA	NA	
	7/14/2021	8:20	ND	8.10	ND	12.41	NA	NA	
	7/27/2021	7:51	ND	8.29	ND	12.64	NA	NA	
MW-D	10/7/2020	9:35	ND	8.60	ND	15.95	NA	NA	
	10/21/2020	8:10	ND	8.45	ND	15.83	NA	NA	
	11/4/2020	6:10	ND	9.27	ND	16.02	NA	NA	
	11/18/2020	9:55	ND	8.93	ND	16.18	NA	NA	
	12/1/2020	8:40	ND	7.86	ND	15.94	NA	NA	
	12/16/2020	7:55	ND	8.91	ND	15.86	NA	NA	
	12/29/2020	8:00	ND	8.75	ND	15.91	NA	NA	
	1/13/2021	7:55	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00	ND	8.65	ND	16.02	NA	NA	
	2/8/2021	8:30	ND	8.72	ND	15.92	NA	NA	
	2/24/2021	7:50	ND	8.61	ND	15.93	NA	NA	
	3/10/2021	8:40	ND	9.06	ND	15.96	NA	NA	
	3/24/2021	8:12	ND	8.87	ND	15.92	NA	NA	
	4/7/2021	8:45	ND	8.42	ND	15.90	NA	NA	
	4/21/2021	9:25	ND	8.32	ND	15.87	NA	NA	
	5/5/2021	8:45	ND	7.96	ND	15.83	NA	NA	
	5/17/2021	8:45	ND	8.69	ND	15.83	NA	NA	
	6/2/2021	8:25	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01	ND	8.40	ND	16.01	NA	NA	
	6/30/2021	8:20	ND	8.86	ND	15.96	NA	NA	
	7/14/2021	8:25	ND	8.21	ND	15.91	NA	NA	
	7/27/2021	7:48	ND	8.15	ND	15.98	NA	NA	

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
MW-E	10/7/2020	9:40	ND	8.72	ND	12.70	NA	NA	
	10/21/2020	8:05	ND	8.97	ND	12.75	NA	NA	
	11/4/2020	6:15	ND	9.15	ND	12.63	NA	NA	
	11/18/2020	10:00	ND	8.54	ND	12.59	NA	NA	
	12/1/2020	8:45	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50	ND	8.81	ND	12.51	NA	NA	
	12/29/2020	7:55	ND	8.27	ND	12.53	NA	NA	
	1/13/2021	8:00	ND	8.64	ND	12.72	NA	NA	
	1/27/2021	7:45	ND	7.98	ND	12.67	NA	NA	
	2/8/2021	8:20	ND	8.11	ND	12.53	NA	NA	
	2/24/2021	7:45	ND	7.90	ND	12.57	NA	NA	
	3/10/2021	8:45	ND	8.39	ND	12.57	NA	NA	
	3/24/2021	8:14	ND	8.11	ND	12.71	NA	NA	
	4/7/2021	8:50	ND	7.77	ND	12.51	NA	NA	
	4/21/2021	9:30	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50	ND	7.54	ND	12.68	NA	NA	
	5/17/2021	8:50	ND	9.06	ND	12.70	NA	NA	
	6/2/2021	8:30	ND	8.70	ND	12.63	NA	NA	
	6/16/2021	9:05	ND	9.08	ND	12.59	NA	NA	
	6/30/2021	8:15	ND	9.14	ND	12.70	NA	NA	
	7/14/2021	8:00	ND	8.96	ND	12.55	NA	NA	
	7/27/2021	7:46	ND	8.89	ND	12.72	NA	NA	
MW-F	10/7/2020	8:45	ND	9.39	ND	17.61	NA	NA	
	10/21/2020	9:00	ND	9.16	ND	17.65	NA	NA	
	11/4/2020	6:25	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35	ND	9.41	ND	18.19	NA	NA	
	12/1/2020	8:20	ND	9.14	ND	17.69	NA	NA	
	12/16/2020	8:15	ND	9.53	ND	17.57	NA	NA	
	12/29/2020	8:20	ND	9.29	ND	17.68	NA	NA	
	1/13/2021	7:25	ND	9.55	ND	17.96	NA	NA	
	1/27/2021	8:20	ND	9.77	ND	17.75	NA	NA	
	2/8/2021	9:05	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:15	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	8:50	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/24/2021	8:19	ND	9.45	ND	17.60	NA	NA	Innaccessible due to snow coverage
	4/7/2021	8:55	ND	9.20	ND	17.67	NA	NA	
	4/21/2021	8:55	ND	9.08	ND	17.65	NA	NA	
	5/5/2021	9:00	ND	9.05	ND	17.58	NA	NA	
	5/17/2021	8:55	ND	9.51	ND	17.58	NA	NA	
	6/2/2021	8:05	ND	8.90	ND	17.60	NA	NA	
	6/16/2021	8:00	ND	9.02	ND	17.69	NA	NA	
	6/30/2021	8:37	ND	9.47	ND	17.69	NA	NA	
	7/14/2021	8:05	ND	8.69	ND	17.65	NA	NA	
	7/27/2021	8:01	ND	8.58	ND	17.69	NA	NA	
NW-1	10/7/2020	9:05	ND	7.68	ND	20.31	NA	NA	
	10/21/2020	9:05	ND	7.77	ND	20.42	NA	NA	
	11/4/2020	6:55	ND	8.12	ND	20.42	NA	NA	
	11/18/2020	10:20	ND	7.74	ND	21.25	NA	NA	
	12/1/2020	9:30	ND	5.02	ND	20.28	NA	NA	
	12/16/2020	9:15	ND	7.40	ND	20.34	NA	NA	
	12/29/2020	9:15	ND	6.81	ND	20.34	NA	NA	
	1/13/2021	8:40	ND	6.67	ND	20.36	NA	NA	
	1/27/2021	9:05	ND	6.02	ND	20.39	NA	NA	
	2/8/2021	9:15	ND	6.93	ND	20.45	NA	NA	
	2/24/2021	9:15	ND	6.81	ND	26.47	NA	NA	
	3/10/2021	10:15	ND	7.19	ND	26.39	NA	NA	
	3/24/2021	9:08	ND	6.95	ND	20.43	NA	NA	
	4/7/2021	9:00	ND	6.34	ND	20.33	NA	NA	
	4/21/2021	9:00	ND	7.30	ND	20.34	NA	NA	
	5/5/2021	9:45	ND	6.70	ND	20.33	NA	NA	
	5/17/2021	9:20	ND	7.74	ND	20.34	NA	NA	
	6/2/2021	9:19	ND	7.43	ND	20.31	NA	NA	
	6/16/2021	9:43	ND	7.61	ND	20.43	NA	NA	
	6/30/2021	9:00	ND	7.89	ND	20.40	NA	NA	
	7/14/2021	9:00	ND	7.46	ND	20.41	NA	NA	
	7/27/2021	8:43	ND	7.40	ND	20.41	NA	NA	
	8/11/2021	11:05	ND	6.75	ND	20.42	NA	NA	
	8/23/2021	9:50	ND	5.15	ND	20.44	NA	NA	
	9/8/2021	8:37	ND	6.95	ND	20.43	NA	NA	
	9/21/2021	10:05	ND	5.93	ND	20.48	NA	NA	
NW-3	10/7/2020	11:05	ND	7.46	ND	33.05	NA	NA	
	10/21/2020	9:15	ND	8.06	ND	33.22	NA	NA	
	11/4/2020	7:05	ND	8.42	ND	33.15	NA	NA	
	11/18/2020	10:30	ND	7.94	ND	34.24	NA	NA	
	12/1/2020	9:35	ND	6.05	ND	33.06	NA	NA	
	12/16/2020	9:20	ND	7.66	ND	32.98	NA	NA	
	12/29/2020	9:20	ND	6.96	ND	32.32	NA	NA	
	1/13/2021	8:45	ND	6.99	ND	33.30	NA	NA	
	1/27/2021	9:10	ND	6.67	ND	33.09	NA	NA	
	2/8/2021	9:25	ND	7.09	ND	33.11	NA	NA	
	2/24/2021	9:20	ND	7.09	ND	33.11	NA	NA	
	3/10/2021	10:20	ND	7.28	ND	33.67	NA	NA	
	3/24/2021	9:13	ND	7.01	ND	32.98	NA	NA	
	4/7/2021	9:05	ND	6.57	ND	33.04	NA	NA	
	4/21/2021	9:10	ND	7.20	ND	33.05	NA	NA	
	5/5/2021	9:55	ND	6.63	ND	33.04	NA	NA	
	5/17/2021	9:25	ND	7.99	ND	33.00	NA	NA	
	6/2/2021	9:25	ND	7.42	ND	33.00	NA	NA	
	6/16/2021	9:48	ND	7.73	ND	32.96	NA	NA	
	6/30/2021	8:55	ND	7.84	ND	33.05	NA	NA	
	7/14/2021	9:05	ND	7.74	ND	33.03	NA	NA	
	7/27/2021	8:40	ND	7.89	ND	33.06	NA	NA	
	8/11/2021	11:10	ND	7.04	ND	33.10	NA	NA	
	8/23/2021	9:55	ND	5.97	ND	33.04	NA	NA	
	9/8/2021	8:45	ND	7.27	ND	33.10	NA	NA	
	9/21/2021	10:09	ND	6.27	ND	33.08	NA	NA	

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-4	10/7/2020	11:20	ND	8.73	Trace	43.24	NA	NA	
	10/21/2020	9:45	ND	8.85	ND	43.21	NA	NA	
	11/4/2020	7:35	ND	9.44	ND	43.23	NA	NA	
	11/18/2020	10:40	ND	9.22	ND	44.98	NA	NA	
	12/1/2020	10:20	ND	7.95	ND	43.26	NA	NA	
	12/16/2020	9:40	ND	9.16	ND	43.19	NA	NA	
	12/29/2020	10:20	ND	8.84	ND	42.23	NA	NA	
	1/13/2021	9:35	ND	8.79	ND	43.16	NA	NA	
	1/27/2021	9:40	ND	8.74	ND	43.22	NA	NA	
	2/8/2021	11:00	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	9:45	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	10:30	ND	9.34	Trace	43.55	NA	NA	
	3/24/2021	9:23	ND	8.65	ND	43.29	NA	NA	
	4/7/2021	9:10	ND	8.66	ND	43.16	NA	NA	
	4/21/2021	9:15	ND	8.58	ND	43.17	NA	NA	
	5/5/2021	9:58	ND	8.43	ND	43.20	NA	NA	
	5/17/2021	9:30	ND	9.06	ND	43.19	NA	NA	
	6/2/2021	9:30	ND	8.81	ND	43.11	NA	NA	
	6/16/2021	9:52	ND	8.71	ND	43.20	NA	NA	
	6/30/2021	9:35	ND	8.96	ND	43.24	NA	NA	
	7/14/2021	9:35	ND	8.61	ND	43.30	NA	NA	
	7/27/2021	9:15	ND	8.63	ND	43.17	NA	NA	
	8/11/2021	11:25	ND	8.73	ND	43.19	NA	NA	
	8/23/2021	10:20	ND	8.03	ND	43.13	NA	NA	
	9/8/2021	9:42	ND	8.51	ND	43.20	NA	NA	
	9/21/2021	11:20	ND	8.62	ND	43.16	NA	NA	
NW-5	10/7/2020	12:20	ND	7.89	29.62	37.50	NA	7.88	Pre-pumping measurement
	10/14/2020	12:45	ND	8.90	ND	37.63	NA	NA	Post-pumping measurement ~6 gallons removed
	10/21/2020	11:00	ND	7.93	30.12	37.61	NA	7.49	Pre-pumping measurement
	10/21/2020	11:30	ND	7.93	ND	38.12	NA	NA	Post-pumping measurement ~10 gallons removed
	11/4/2020	9:00	ND	8.61	30.48	38.08	NA	7.60	Pre-pumping measurement
	11/5/2020	9:30	ND	8.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:40	ND	8.08	29.99	38.02	NA	8.03	
	11/19/2020	9:30	ND	8.06	30.06	38.02	NA	7.96	Pre-pumping measurement
	11/19/2020	10:00	ND	8.09	ND	38.25	NA	NA	Post-pumping measurement ~12 gallons removed
	12/1/2020	11:15	ND	6.62	29.76	38.01	NA	8.25	Pre-pumping measurement
	12/2/2020	9:35	ND	6.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	12/16/2020	11:20	ND	7.79	29.70	38.10	NA	8.40	Pre-pumping measurement
	12/18/2020	10:30	ND	7.52	ND	37.70	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:30	ND	7.97	29.60	38.21	NA	8.61	
	12/30/2020	9:45	ND	8.00	29.57	38.11	NA	8.54	Pre-pumping measurement
	12/30/2020	10:45	ND	8.01	ND	38.22	NA	NA	Post-pumping measurement ~10 gallons removed
	1/13/2021	10:30	ND	7.49	29.99	38.21	NA	8.22	
	1/14/2021	8:50	ND	7.87	29.98	38.21	NA	8.23	Pre-pumping measurement
	1/14/2021	10:00	ND	8.02	ND	38.21	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2021	10:55	ND	7.58	29.90	38.11	NA	8.21	
	1/28/2021	9:00	ND	7.60	29.90	38.11	NA	8.21	Pre-pumping measurement
	1/28/2021	9:30	ND	7.70	ND	38.11	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:40	ND	8.70	30.00	38.11	NA	8.11	
	2/11/2021	10:30	ND	7.95	30.00	38.78	NA	8.78	Pre-pumping measurement
	2/11/2021	11:40	ND	7.97	ND	38.78	NA	NA	Post-pumping measurement ~15 gallons removed
	2/24/2021	10:30	ND	8.23	29.80	38.78	NA	8.98	
	2/25/2021	8:40	ND	8.23	29.80	38.76	NA	8.96	Pre-pumping measurement
	2/25/2021	10:25	ND	8.25	ND	38.76	NA	NA	Post-pumping measurement ~9 gallons removed
	3/10/2021	11:50	ND	8.48	29.79	38.50	NA	8.71	
	3/11/2021	9:15	ND	8.14	29.98	38.50	NA	8.52	Pre-pumping measurement
	3/11/2021	11:15	ND	8.29	ND	38.50	NA	NA	Post-pumping measurement ~10 gallons removed
	3/24/2021	10:04	ND	8.26	30.46	38.42	NA	7.96	
	3/25/2021	8:58	ND	7.92	30.34	38.42	NA	8.08	Pre-pumping measurement
	3/25/2021	11:20	ND	7.47	ND	38.72	NA	NA	Post-pumping measurement ~13 gallons removed
	4/7/2021	9:15	ND	8.01	30.30	38.72	NA	8.42	
	4/8/2021	8:15	ND	7.66	29.90	38.00	NA	8.10	Pre-pumping measurement
	4/8/2021	11:20	NM	NM	NM	NM	NM	NM	No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot well sump.
	4/21/2021	9:20	ND	8.35	29.80	38.72	NA	8.92	The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is replaced.
	5/5/2021	12:00	ND	8.20	29.12	37.88	NA	8.76	
	5/6/2021	10:10	ND	7.81	29.45	37.88	NA	8.43	Pre-pumping measurement
	5/6/2021	11:40	ND	8.31	ND	37.88	NA	NA	Post-pumping measurement ~10 gallons removed
	5/17/2021	11:30	ND	8.67	27.94	37.94	NA	10.00	
	5/20/2021	9:30	ND	8.63	27.90	37.94	NA	10.04	Pre-pumping measurement
	5/20/2021	10:30	ND	8.67	ND	37.94	NA	NA	Post-pumping measurement ~13 gallons removed
	6/2/2021	10:55	ND	8.90	30.20	38.34	NA	8.14	
	6/3/2021	9:00	ND	8.90	30.17	38.31	NA	8.14	Pre-pumping measurement
	6/3/2021	9:45	ND	8.93	ND	38.40	NA	NA	Post-pumping measurement ~13 gallons removed
	6/16/2021	10:52	ND	8.67	29.71	38.34	NA	8.63	
	6/17/2021	8:25	ND	8.66	29.70	38.34	NA	8.64	Pre-pumping measurement
	6/17/2021	9:55	ND	8.70	ND	38.34	NA	NA	Post-pumping measurement ~17 gallons removed
	6/30/2021	11:00	ND	8.98	29.98	38.65	NA	8.67	
	7/1/2021	8:15	ND	8.80	29.98	38.65	NA	8.67	Pre-pumping measurement
	7/1/2021	8:35	ND	8.82	ND	38.65	NA	NA	Post-pumping measurement ~4.7 gallons removed
	7/14/2021	10:45	ND	7.95	29.90	38.65	NA	8.75	
	7/15/2021	9:15	ND	8.75	29.90	38.65	NA	8.75	Pre-pumping measurement
	7/15/2021	9:55	ND	8.80	ND	38.65	NA	NA	Post-pumping measurement ~5.95 gallons removed
	7/27/2021	3:36	ND	7.59	29.80	38.19	NA	8.39	
	7/29/2021	8:45	ND	8.70	29.80	38.19	NA	8.39	Pre-pumping measurement

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-5 (cont.)	7/29/2021	9:20	ND	8.75	ND	38.19	NA	NA	Post-pumping measurement ~9.35 gallons removed
	8/11/2021	13:05	ND	7.20	30.30	38.19	NA	7.89	
	8/12/2021	8:35	ND	8.95	30.30	38.19	NA	7.89	Pre-pumping measurement
	8/12/2021	9:45	ND	8.97	ND	38.19	NA	NA	Post-pumping measurement ~5.95 gallons removed
	8/23/2021	12:45	ND	5.98	29.60	38.18	NA	8.58	
	8/24/2021	8:10	ND	7.81	29.60	38.18	NA	8.58	Pre-pumping measurement
	8/24/2021	8:35	ND	7.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/8/2021	11:35	ND	6.82	30.00	38.18	NA	8.18	
	9/9/2021	8:50	ND	6.81	30.00	38.18	NA	8.18	Pre-pumping measurement
	9/9/2021	9:05	ND	6.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/21/2021	12:15	ND	6.98	29.90	38.18	NA	8.28	
	9/23/2021	8:25	ND	8.00	29.90	38.18	NA	8.28	Pre-pumping measurement
	9/23/2021	8:45	ND	8.01	ND	38.18	NA	NA	Post-pumping measurement ~11 gallons removed
	10/14/2020	8:45	ND	8.55	ND	37.20	NA	ND	Post-pumping measurement ~6 gallons removed
	10/21/2020	10:40	ND	9.00	33.37	38.35	NA	4.98	Pre-pumping measurement
NW-6	10/21/2020	12:00	ND	9.00	ND	38.38	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2020	8:45	ND	9.66	32.28	36.06	NA	3.78	Pre-pumping measurement
	11/5/2020	10:00	ND	9.64	ND	38.31	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:25	ND	9.16	33.39	38.10	NA	4.71	
	11/19/2020	10:00	ND	9.15	33.43	38.09	NA	4.66	Pre-pumping measurement
	11/19/2020	10:15	ND	9.16	ND	38.14	NA	NA	Post-pumping measurement ~3 gallons removed
	12/1/2020	11:00	ND	7.98	34.41	37.12	NA	2.71	Pre-pumping measurement
	12/2/2020	10:05	ND	8.01	ND	37.12	NA	NA	Post-pumping measurement ~5 gallons removed
	12/16/2020	11:00	ND	9.20	33.20	37.12	NA	3.92	Pre-pumping measurement
	12/18/2020	12:00	ND	8.70	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:10	ND	8.75	33.35	38.10	NA	4.75	
	12/30/2020	11:15	ND	8.71	33.33	38.10	NA	4.77	Pre-pumping measurement
	12/30/2020	11:45	ND	8.73	ND	38.12	NA	NA	Post-pumping measurement ~5 gallons removed
	1/13/2021	10:15	ND	8.45	33.44	38.10	NA	4.66	
	1/14/2021	8:25	ND	8.87	33.31	38.10	NA	4.79	Pre-pumping measurement
	1/14/2021	8:40	ND	8.92	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	1/27/2021	11:15	ND	8.63	34.00	38.35	NA	4.35	
	1/28/2021	10:15	ND	8.70	34.00	38.35	NA	4.35	Pre-pumping measurement
	1/28/2021	10:40	ND	8.73	ND	38.37	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:20	ND	7.98	33.95	38.37	NA	4.42	
	2/11/2021	12:05	ND	7.55	33.90	38.38	NA	4.48	Pre-pumping measurement
	2/11/2021	12:20	ND	7.54	ND	38.36	NA	NA	Post-pumping measurement ~5 gallons removed
	2/24/2021	10:20	ND	8.86	33.10	38.36	NA	5.26	
	2/25/2021	10:45	ND	8.80	33.10	38.37	NA	5.27	Pre-pumping measurement
	2/25/2021	10:55	ND	8.82	ND	38.37	NA	NA	Post-pumping measurement ~5 gallons removed
	3/10/2021	11:40	ND	8.48	33.60	38.32	NA	4.72	
	3/11/2021	11:38	ND	8.26	32.80	38.32	NA	5.52	Pre-pumping measurement
	3/11/2021	11:50	ND	9.04	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	3/24/2021	9:59	ND	8.84	33.04	38.12	NA	5.08	
	3/25/2021	11:27	ND	8.61	32.98	38.10	NA	5.12	Pre-pumping measurement
	3/25/2021	11:43	ND	9.41	ND	38.14	NA	NA	Post-pumping measurement ~7 gallons removed
	4/7/2021	9:15	ND	8.45	33.25	38.15	NA	4.90	
	4/8/2021	12:00	ND	8.45	33.29	38.15	NA	4.86	Pre-pumping measurement
	4/8/2021	12:20	ND	8.54	ND	38.35	NA	NA	Post-pumping measurement ~20 gallons removed
	4/21/2021	9:25	ND	8.59	33.22	38.50	NA	5.28	
	4/22/2021	10:15	ND	8.82	33.01	38.48	NA	5.47	Pre-pumping measurement
	4/22/2021	10:45	ND	8.87	ND	38.45	NA	NA	Post-pumping measurement ~15 gallons removed
	5/5/2021	11:00	ND	8.40	33.41	38.52	NA	5.11	
	5/6/2021	12:45	ND	8.61	33.45	38.50	NA	5.05	No vacuum event performed at NW-6
	5/17/2021	11:00	ND	9.10	31.89	37.99	NA	6.10	
	5/20/2021	10:45	ND	9.11	31.85	38.00	NA	6.15	Pre-pumping measurement
	5/20/2021	11:15	ND	9.14	ND	38.06	NA	NA	Post-pumping measurement ~7 gallons removed
	6/2/2021	10:35	ND	8.75	32.18	38.49	NA	6.31	
	6/3/2021	10:00	ND	8.74	32.16	38.49	NA	6.33	Pre-pumping measurement
	6/3/2021	10:30	ND	8.78	ND	38.49	NA	NA	Post-pumping measurement ~9 gallons removed
	6/16/2021	10:34	ND	8.84	32.50	38.03	NA	5.53	
	6/17/2021	10:10	ND	8.83	32.50	38.00	NA	5.50	Pre-pumping measurement
	6/17/2021	10:35	ND	8.84	ND	38.05	NA	NA	Post-pumping measurement ~17.25 gallons removed
	6/30/2021	10:35	ND	9.11	33.00	38.10	NA	5.10	
	7/1/2021	8:50	ND	9.18	33.00	38.10	NA	5.10	Pre-pumping measurement
	7/1/2021	9:20	ND	9.19	ND	38.10	NA	NA	Post-pumping measurement ~5.5 gallons removed
	7/14/2021	10:25	ND	8.45	32.95	37.70	NA	4.75	
	7/15/2021	10:35	ND	8.65	32.95	37.70	NA	4.75	Pre-pumping measurement
	7/15/2021	11:05	ND	8.69	ND	37.70	NA	NA	Post-pumping measurement ~15.3 gallons removed
	7/27/2021	11:05	ND	8.36	33.05	36.78	NA	3.73	
	7/29/2021	9:45	ND	9.02	33.05	36.78	NA	3.73	Pre-pumping measurement
	7/29/2021	10:15	ND	9.09	ND	36.78	NA	NA	Post-pumping measurement ~18.7 gallons removed
	8/11/2021	12:50	ND	8.32	33.00	36.77	NA	3.77	
	8/12/2021	11:15	ND	8.70	33.00	37.40	NA	4.40	No pumping due to stinger maintenance
	8/23/2021	12:25	ND	7.11	31.55	37.40	NA	5.85	
	8/24/2021	9:30	ND	8.00	31.55	37.40	NA	5.85	Pre-pumping measurement
	8/24/2021	9:45	ND	8.01	ND	37.40	NA	NA	Post-pumping measurement ~17.9 gallons removed
	9/8/2021	11:05	ND	7.97	31.80	37.40	NA	5.60	
	9/9/2021	9:25	ND	8.28	31.80	37.40	NA	5.60	Pre-pumping measurement
	9/9/2021	9:35	ND	8.31	ND	37.40	NA	NA	Post-pumping measurement ~2.6 gallons removed
	9/21/2021	12:35	ND	8.02	31.70	37.40	NA	5.70	
	9/23/2021	9:30	ND	8.54	31.70	37.40	NA	5.70	Pre-pumping measurement
	9/23/2021	9:40	ND	8.55	ND	37.40	NA	NA	Post-pumping measurement ~20.4 gallons removed
NW-7	10/7/2020	10:55	ND	9.24	ND	22.85	NA	NA	
	10/21/2020	8:55	ND	9.02	ND	23.05	NA	NA	
	11/4/2020	7:15	ND	9.15	ND	22.97	NA	NA	
	11/18/2020	10:25	ND	9.37	ND	23.82	NA	NA	
	12/1/2020	9:25	ND	8.89	ND	22.98	NA	NA	
	12/16/2020	9:10	ND	9.41	ND	22.84	NA	NA	

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-7 (Cont.)	12/29/2020	9:25	ND	9.14	ND	22.97	NA	NA	
	1/13/2021	8:35	ND	9.51	ND	22.92	NA	NA	
	1/27/2021	9:00	ND	9.67	ND	22.94	NA	NA	
	2/8/2021	9:10	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:15	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	10:10	ND	9.40	ND	22.95	NA	NA	
	3/24/2021	9:32	ND	9.27	ND	22.96	NA	NA	
	4/7/2021	9:20	ND	9.00	ND	22.90	NA	NA	
	4/21/2021	9:30	ND	8.90	ND	22.89	NA	NA	
	5/5/2021	9:40	ND	8.90	ND	22.86	NA	NA	
	5/17/2021	9:35	ND	9.33	ND	22.89	NA	NA	
	6/2/2021	9:14	ND	8.76	ND	22.85	NA	NA	
	6/16/2021	9:40	ND	8.85	ND	22.97	NA	NA	
	6/30/2021	9:02	ND	9.29	ND	22.93	NA	NA	
	7/14/2021	8:55	ND	8.55	ND	22.89	NA	NA	
	7/27/2021	8:30	ND	8.39	ND	22.92	NA	NA	
	8/11/2021	11:00	ND	9.02	ND	22.90	NA	NA	
	8/23/2021	9:40	ND	7.70	ND	22.90	NA	NA	
	9/8/2021	8:30	ND	8.37	ND	22.93	NA	NA	
	9/21/2021	9:57	ND	8.97	ND	22.95	NA	NA	
NW-8	10/7/2020	13:40	ND	9.93	35.24	36.24	NA	1.00	Pre-pumping measurement
	10/7/2020	14:30	ND	9.93	ND	36.24	NA	NA	Post-pumping measurement ~1 gallon removed
	10/21/2020	14:30	ND	9.70	35.33	36.23	NA	0.90	Pre-pumping measurement
	10/21/2020	14:45	ND	9.70	ND	36.25	NA	NA	Post-pumping measurement ~0.75 gallon removed
	11/4/2020	9:15	ND	10.75	Trace	38.14	NA	NA	
	11/18/2020	12:50	ND	10.18	35.49	37.54	NA	2.05	Pre-pumping measurement
	11/18/2020	12:50	ND	10.18	ND	37.54	NA	NA	Post-pumping measurement ~2 gallons removed
	12/1/2020	11:55	ND	8.88	35.04	36.32	NA	1.28	Pre-pumping measurement
	12/1/2020	12:30	ND	8.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	12/16/2020	12:45	ND	9.97	35.15	36.30	NA	1.15	Pre-pumping measurement
	12/16/2020	13:15	ND	9.97	ND	36.30	NA	NA	Post-pumping measurement ~1 gallon removed
	12/29/2020	12:00	ND	10.26	35.35	36.28	NA	0.93	Pre-pumping measurement
	12/29/2020	12:15	ND	10.26	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	1/13/2021	12:15	ND	9.80	35.50	36.28	NA	0.78	Pre-pumping measurement
	1/13/2021	12:35	ND	9.82	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	1/27/2021	12:30	ND	10.01	35.40	36.28	NA	0.88	Pre-pumping measurement
	1/27/2021	12:40	ND	9.92	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2021	12:30	ND	10.80	35.55	36.27	NA	0.72	Pre-pumping measurement
	2/8/2021	12:50	ND	10.80	ND	36.27	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2021	11:35	ND	10.50	35.50	36.33	NA	0.83	Pre-pumping measurement
	2/24/2021	12:25	ND	10.52	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/10/2021	12:30	ND	10.62	35.50	36.28	NA	0.78	Pre-pumping measurement
	3/10/2021	13:00	ND	10.65	ND	36.33	NA	NA	Post-pumping measurement ~0.75 gallon removed
	3/24/2021	12:32	ND	10.42	35.42	36.34	NA	0.92	Pre-pumping measurement
	3/24/2021	13:15	ND	10.52	ND	36.36	NA	NA	Post-pumping measurement ~0.75 gallon removed
	4/7/2021	12:30	ND	10.19	35.56	36.23	NA	0.67	Pre-pumping measurement
	4/7/2021	13:15	ND	10.25	ND	36.23	NA	NA	Post-pumping measurement ~1 gallon removed
	4/21/2021	12:55	ND	10.30	35.74	36.24	NA	0.50	Pre-pumping measurement
	4/21/2021	13:20	ND	10.31	ND	36.29	NA	NA	Post-pumping measurement ~1 gallon removed
	5/5/2021	13:20	ND	10.18	35.81	36.28	NA	0.47	Pre-pumping measurement
	5/5/2021	13:45	ND	10.20	ND	36.26	NA	NA	Post-pumping measurement ~1 gallon removed
	5/17/2021	13:00	ND	10.52	35.39	36.28	NA	0.89	Pre-pumping measurement
	5/17/2021	13:45	ND	10.44	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/2/2021	12:10	ND	10.51	35.39	36.28	NA	0.89	Pre-pumping measurement
	6/2/2021	12:40	ND	10.53	ND	36.30	NA	NA	Post-pumping measurement ~0.75 Gallon removed
	6/16/2021	13:10	ND	10.24	35.56	36.28	NA	0.72	Pre-pumping measurement
	6/16/2021	13:35	ND	10.19	ND	36.33	NA	NA	Post-pumping measurement ~0.5 Gallon removed
	6/30/2021	12:30	ND	10.65	32.49	35.64	NA	3.15	Pre-pumping measurement
	6/30/2021	12:55	ND	10.66	ND	35.67	NA	NA	Post-pumping measurement ~1 Gallon removed
	7/14/2021	12:45	ND	9.77	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/14/2021	13:15	ND	9.80	ND	36.32	NA	NA	Post-pumping measurement ~0.5 Gallon removed
	7/27/2021	13:10	ND	9.41	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/27/2021	13:40	ND	9.47	ND	36.32	NA	NA	Post-pumping measurement ~0.5 Gallon removed
	8/11/2021	13:30	ND	9.55	35.25	36.35	NA	1.10	Pre-pumping measurement
	8/11/2021	14:00	ND	9.60	ND	36.35	NA	NA	Post-pumping measurement ~1 Gallon removed
	8/23/2021	13:15	ND	8.50	35.75	36.32	NA	0.57	Pre-pumping measurement
	8/23/2021	13:45	ND	8.53	ND	36.32	NA	NA	Post-pumping measurement ~0.5 Gallon removed
	9/8/2021	13:20	ND	9.06	35.40	36.37	NA	0.97	Pre-pumping measurement
	9/8/2021	13:55	ND	9.09	ND	36.37	NA	NA	Post-pumping measurement ~0.5 Gallon removed
	9/21/2021	14:15	ND	9.63	35.40	36.33	NA	0.93	Pre-pumping measurement
	9/21/2021	14:50	ND	9.65	ND	36.33	NA	NA	Post-pumping measurement ~1 Gallon removed

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-9	10/7/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/14/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/21/2020	9:30	ND	10.83	32.96	33.56	NA	0.60	Pre-pumping measurement
	10/21/2020	16:15	ND	10.83	ND	33.56	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/4/2020	8:15	ND	11.27	Trace	33.60	NA	NA	
	11/18/2020	10:50	ND	10.89	ND	34.56	NA	NA	
	12/1/2020	10:10	ND	9.26	ND	33.57	NA	NA	
	12/16/2020	9:55	ND	10.66	ND	33.47	NA	NA	
	12/29/2020	10:40	ND	10.39	ND	33.63	NA	NA	
	1/13/2021	9:40	ND	10.25	ND	33.53	NA	NA	
	1/27/2021	9:50	ND	10.09	33.30	33.58	NA	0.28	Pre-pumping measurement
	1/27/2021	11:50	ND	10.22	ND	33.58	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2020	12:20	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	2/24/2021	9:40	ND	10.49	ND	33.72	NA	NA	
	3/10/2021	10:50	ND	10.78	Trace	33.70	NA	NA	
	3/24/2021	9:05	ND	10.45	Trace	33.61	NA	NA	
	4/7/2021	9:25	ND	10.01	Trace	33.51	NA	NA	
	4/21/2021	9:35	ND	10.30	ND	33.52	NA	NA	
	5/5/2021	10:10	ND	9.92	ND	33.52	NA	NA	
	5/17/2021	9:50	ND	10.95	ND	33.49	NA	NA	
	6/2/2021	11:10	ND	10.72	ND	33.51	NA	NA	
	6/16/2021	10:30	ND	10.58	ND	33.42	NA	NA	
	6/30/2021	9:45	ND	10.95	ND	33.52	NA	NA	
	7/14/2021	9:40	ND	10.44	ND	33.53	NA	NA	
	7/27/2021	9:30	ND	10.36	ND	33.53	NA	NA	
	8/11/2021	11:30	ND	10.16	ND	33.53	NA	NA	
	8/23/2021	10:35	ND	8.97	ND	33.48	NA	NA	
	9/8/2021	9:30	ND	10.03	ND	33.48	NA	NA	
	9/21/2021	11:05	ND	9.69	ND	33.50	NA	NA	
NW-10	10/7/2020	14:05	ND	10.15	27.23	33.58	NA	6.35	Pre-pumping measurement
	10/7/2020	15:00	ND	10.15	ND	33.58	NA	NA	Post-pumping measurement ~4.5 gallons removed
	10/21/2020	14:50	ND	9.92	28.38	33.57	NA	5.19	Pre-pumping measurement
	10/21/2020	15:45	ND	9.92	ND	33.57	NA	NA	Post-pumping measurement ~4.75 gallons removed
	11/4/2020	9:45	ND	11.08	28.00	33.74	NA	5.74	Pre-pumping measurement
	11/4/2020	10:00	ND	11.08	ND	33.74	NA	NA	Post-pumping measurement ~4.25 gallons removed
	11/18/2020	13:25	ND	10.49	27.14	33.75	NA	6.61	Pre-pumping measurement
	11/18/2020	14:15	ND	10.49	ND	33.75	NA	NA	Post-pumping measurement ~4.5 gallons removed
	12/1/2020	12:35	ND	9.19	28.83	33.66	NA	4.83	Pre-pumping measurement
	12/1/2020	13:20	ND	9.19	ND	33.66	NA	NA	Post-pumping measurement ~3.5 gallons removed
	12/16/2020	11:30	ND	10.51	27.80	33.65	NA	5.85	Pre-pumping measurement
	12/16/2020	12:00	ND	10.51	ND	33.65	NA	NA	Post-pumping measurement ~4 gallons removed
	12/29/2020	12:30	ND	10.52	30.90	33.73	NA	2.83	Pre-pumping measurement
	12/29/2020	13:00	ND	10.52	ND	33.73	NA	NA	Post-pumping measurement ~3.5 gallons removed
	1/13/2021	11:20	ND	10.11	28.28	33.73	NA	5.45	Pre-pumping measurement
	1/13/2021	12:10	ND	10.15	ND	33.73	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2021	13:10	ND	10.30	28.00	33.64	NA	5.64	Pre-pumping measurement
	1/27/2021	13:25	ND	10.44	ND	33.64	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	13:00	ND	10.97	29.85	33.65	NA	3.80	Pre-pumping measurement
	2/8/2021	13:30	ND	11.00	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	2/24/2021	10:40	ND	10.56	29.68	33.64	NA	3.96	Pre-pumping measurement
	2/24/2021	11:30	ND	10.58	ND	33.64	NA	NA	Post-pumping measurement ~3 gallons removed
	3/10/2021	13:30	ND	10.90	29.48	33.73	NA	4.25	Pre-pumping measurement
	3/10/2021	14:00	ND	10.94	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	3/24/2021	11:30	ND	10.56	31.11	33.54	NA	2.43	Pre-pumping measurement
	3/24/2021	12:15	ND	10.68	ND	33.68	NA	NA	Post-pumping measurement ~4 gallons removed
	4/7/2021	11:45	ND	10.24	29.29	33.70	NA	4.41	Pre-pumping measurement
	4/7/2021	12:15	ND	10.30	ND	33.70	NA	NA	Post-pumping measurement ~4 gallons removed
	4/21/2021	12:15	ND	10.49	30.29	33.59	NA	3.30	Pre-pumping measurement
	4/21/2021	12:45	ND	10.48	ND	33.61	NA	NA	Post-pumping measurement ~3 gallons removed
	5/5/2021	12:30	ND	10.37	30.42	33.59	NA	3.17	Pre-pumping measurement
	5/5/2021	12:55	ND	9.69	ND	33.60	NA	NA	Post-pumping measurement ~3 gallons removed
	5/17/2021	11:58	ND	10.95	30.01	33.59	NA	3.58	Pre-pumping measurement
	5/17/2021	12:45	ND	10.86	ND	33.59	NA	NA	Post-pumping measurement ~3 gallons removed
	6/2/2021	11:30	ND	10.76	29.17	33.59	NA	4.42	Pre-pumping measurement
	6/2/2021	12:00	ND	10.81	ND	33.59	NA	NA	Post-pumping measurement ~4 gallons removed
	6/16/2021	11:55	ND	10.63	29.81	33.67	NA	3.86	Pre-pumping measurement
	6/16/2021	12:55	ND	10.59	ND	33.67	NA	NA	Post-pumping measurement ~3.5 gallons removed
	6/30/2021	11:50	ND	10.98	32.45	33.64	NA	1.19	Pre-pumping measurement
	6/30/2021	12:15	ND	11.01	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	7/14/2021	12:00	ND	10.19	30.05	33.69	NA	3.64	Pre-pumping measurement
	7/14/2021	12:30	ND	10.22	ND	33.69	NA	NA	Post-pumping measurement ~3 gallons removed
	7/27/2021	12:20	ND	9.90	29.40	33.79	NA	4.39	Pre-pumping measurement
	7/27/2021	12:50	ND	10.20	ND	33.79	NA	NA	Post-pumping measurement ~3.5 gallons removed
	8/11/2021	14:30	ND	9.96	29.80	33.73	NA	3.93	Pre-pumping measurement
	8/11/2021	14:45	ND	9.97	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	8/23/2021	14:15	ND	8.80	31.05	33.70	NA	2.65	Pre-pumping measurement
	8/23/2021	14:45	ND	8.87	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	9/8/2021	12:15	ND	9.51	28.50	33.66	NA	5.16	Pre-pumping measurement
	9/8/2021	12:55	ND	9.53	ND	33.66	NA	NA	Post-pumping measurement ~4 gallons removed
	9/21/2021	13:10	ND	9.64	30.30	33.62	NA	3.32	Pre-pumping measurement
	9/21/2021	13:40	ND	9.66	ND	33.62	NA	NA	Post-pumping measurement ~3 gallons removed

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-10S	10/7/2020	10:45	ND	10.50	ND	18.00	NA	NA	
	10/21/2020	9:25	ND	10.49	ND	18.02	NA	NA	
	11/4/2020	7:25	ND	10.33	ND	18.04	NA	NA	
	11/18/2020	10:35	ND	10.51	ND	18.04	NA	NA	
	12/1/2020	9:40	ND	9.82	ND	18.01	NA	NA	
	12/16/2020	9:00	ND	10.82	ND	17.92	NA	NA	
	12/29/2020	9:00	ND	10.57	ND	18.02	NA	NA	
	1/13/2021	8:30	ND	10.62	ND	18.06	NA	NA	
	1/27/2021	8:50	ND	10.57	ND	18.03	NA	NA	
	2/8/2021	10:00	ND	10.50	ND	17.98	NA	NA	
	2/24/2021	9:20	ND	9.55	ND	18.07	NA	NA	
	3/10/2021	10:00	ND	10.89	ND	18.06	NA	NA	
	3/24/2021	9:02	ND	10.67	ND	17.93	NA	NA	
	4/7/2021	9:30	ND	10.27	ND	18.01	NA	NA	
	4/21/2021	9:36	ND	10.23	ND	18.00	NA	NA	
	5/5/2021	9:35	ND	10.01	ND	17.97	NA	NA	
	5/17/2021	9:45	ND	10.72	ND	17.94	NA	NA	
	6/2/2021	11:20	ND	10.46	ND	17.96	NA	NA	
	6/16/2021	9:45	ND	10.41	ND	18.04	NA	NA	
	6/30/2021	9:10	ND	10.63	ND	18.02	NA	NA	
	7/14/2021	8:50	ND	10.03	ND	17.98	NA	NA	
	7/27/2021	8:23	ND	9.94	ND	18.07	NA	NA	
	8/11/2021	11:20	ND	10.23	ND	17.98	NA	NA	
	8/23/2021	10:10	ND	9.20	ND	18.07	NA	NA	
	9/8/2021	8:55	ND	10.89	ND	18.04	NA	NA	
	9/21/2021	10:30	ND	10.10	ND	18.03	NA	NA	
NW-11	10/7/2020	11:55	ND	4.13	21.71	22.80	NA	1.09	Pre-pumping measurement
	10/14/2020	8:30	ND	5.70	ND	22.90	NA	ND	Post-pumping measurement ~3 gallons removed
	10/21/2020	10:25	ND	4.12	ND	22.87	NA	NA	
	11/4/2020	8:25	ND	4.08	ND	22.73	NA	NA	
	11/18/2020	11:15	ND	4.11	Trace	23.36	NA	NA	
	12/1/2020	10:00	ND	3.95	Trace	22.81	NA	NA	
	12/16/2020	10:15	ND	4.09	Trace	22.85	NA	NA	
	12/29/2020	10:50	ND	4.01	ND	22.79	NA	NA	
	1/13/2021	10:10	ND	4.13	21.55	22.79	NA	1.24	
	1/14/2021	8:10	ND	4.13	21.44	22.71	NA	1.27	Pre-pumping measurement
	1/14/2021	8:20	ND	4.46	ND	22.71	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2021	10:50	ND	4.24	22.70	23.00	NA	0.30	
	1/28/2021	8:45	ND	4.36	22.70	23.00	NA	0.30	Pre-pumping measurement
	1/28/2021	8:55	ND	4.38	ND	23.00	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	10:55	ND	4.20	ND	22.80	NA	NA	
	2/24/2021	9:50	ND	4.09	22.48	22.98	NA	0.50	
	2/25/2021	8:20	ND	4.11	22.45	22.98	NA	0.53	Pre-pumping measurement
	2/25/2021	8:25	ND	4.12	ND	22.97	NA	NA	Post-pumping measurement ~2 gallons removed
	3/10/2021	11:30	ND	4.06	22.48	22.91	NA	0.43	
	3/11/2021	8:40	ND	4.08	22.34	22.91	NA	0.57	Pre-pumping measurement
	3/11/2021	8:50	ND	6.51	ND	22.96	NA	NA	Post-pumping measurement ~2 gallons removed
	3/24/2021	9:50	ND	3.78	ND	22.81	NA	NA	
	4/7/2021	9:35	ND	3.41	22.54	22.90	NA	0.36	
	4/8/2021	8:10	ND	3.48	22.65	22.90	NA	0.25	
	4/21/2021	9:45	ND	3.88	22.52	22.88	NA	0.36	
	4/22/2021	9:00	ND	3.91	22.49	22.88	NA	0.39	
	5/5/2021	10:55	ND	3.83	22.25	22.88	NA	0.63	
	5/6/2021	7:16	ND	3.84	22.60	22.88	NA	0.28	
	5/17/2021	10:21	ND	3.82	ND	22.86	NA	NA	
	6/2/2021	9:49	ND	3.80	21.84	22.89	NA	1.05	
	6/3/2021	8:40	ND	3.82	21.84	22.89	NA	1.05	Pre-pumping measurement
	6/3/2021	8:50	ND	3.85	ND	22.91	NA	NA	Post-pumping measurement ~3 gallons removed
	6/16/2021	10:25	ND	3.80	ND	22.74	NA	NA	
	6/30/2021	10:07	ND	3.86	ND	22.74	NA	NA	
	7/14/2021	9:20	ND	3.77	ND	22.96	NA	NA	
	7/27/2021	9:25	ND	3.83	21.83	22.93	NA	1.10	
	7/29/2021	8:10	ND	3.84	21.83	22.93	NA	1.10	Pre-pumping measurement
	7/29/2021	8:25	ND	8.25	ND	22.93	NA	NA	Post-pumping measurement ~5.1 gallons removed
	8/11/2021	11:40	ND	3.96	ND	23.00	NA	NA	
	8/23/2021	10:55	ND	3.81	22.65	22.80	NA	0.15	
	9/8/2021	9:52	ND	3.80	22.05	22.95	NA	0.90	
	9/9/2021	8:20	ND	3.76	22.05	22.95	NA	0.90	Pre-pumping measurement
	9/9/2021	8:25	ND	7.20	ND	22.95	NA	NA	Post-pumping measurement ~3.4 gallons removed
	9/21/2021	11:38	ND	3.83	ND	23.00	NA	NA	

Table 1
Polychrome West
Yonkers, NY
Well Gauging Measurements

Well ID	Date:	Time:	Depth to LNAPL (Ft.)	Depth to Water (Ft.)	Depth to DNAPL (Ft.)	Total Depth (Ft.)	LNAPL Thickness (Ft.)	DNAPL Thickness (Ft.)	Comments
NW-12	10/7/2020	11:15	ND	3.75	ND	21.10	NA	NA	
	10/21/2020	8:50	ND	3.76	ND	21.25	NA	NA	
	11/4/2020	7:35	ND	3.86	ND	21.20	NA	NA	
	11/18/2020	10:20	ND	4.02	ND	21.89	NA	NA	
	12/1/2020	9:20	ND	3.70	ND	21.29	NA	NA	
	12/16/2020	9:05	ND	3.98	ND	21.13	NA	NA	
	12/29/2020	9:05	ND	3.92	ND	21.14	NA	NA	
	1/13/2021	9:45	ND	4.00	ND	21.55	NA	NA	
	1/27/2021	8:55	ND	4.10	ND	21.25	NA	NA	
	2/8/2021	10:15	ND	4.04	ND	NA	NA	NA	Bottom depth not measured.
	2/24/2021	9:10	ND	3.89	ND	21.18	NA	NA	
	3/10/2021	10:40	ND	3.83	ND	21.33	NA	NA	
	3/24/2021	9:28	ND	3.71	ND	21.23	NA	NA	
	4/7/2021	9:40	ND	3.64	ND	21.16	NA	NA	
	4/21/2021	9:50	ND	3.64	ND	21.23	NA	NA	
	5/5/2021	10:05	ND	3.61	ND	21.17	NA	NA	
	5/17/2021	9:55	ND	3.71	ND	21.15	NA	NA	
	6/2/2021	9:39	ND	3.55	ND	21.21	NA	NA	
	6/16/2021	9:35	ND	3.65	ND	21.14	NA	NA	
	6/30/2021	9:05	ND	3.69	ND	21.16	NA	NA	
	7/14/2021	9:15	ND	3.53	ND	21.19	NA	NA	
	7/27/2021	8:38	ND	3.54	ND	21.11	NA	NA	
	8/11/2021	11:15	ND	3.73	ND	21.26	NA	NA	
	8/23/2021	10:15	ND	3.49	ND	21.12	NA	NA	
	9/8/2021	9:18	ND	3.36	ND	21.26	NA	NA	
	9/21/2021	10:17	ND	3.59	ND	21.15	NA	NA	
Notes: Pre/post pumping event readings are bolded. LNAPL - Light Non-Aqueous Phase Liquid DNAPL - Dense Non-Aqueous Phase Liquid * - Estimated due to High Viscous DNAPL NA - Not Applicable NM - Not Measurable (High Viscosity)									

Table 2
Polychrome West
Yonkers, NY
DNAPL Recovery Totals

Recovery Event	DNAPL Recovered Volume (gal)												Disposal Info		
	NW-1	NW-3	NW-4	NW-5	NW-6	NW-7	NW-8	NW-9	NW-10	NW-11	NW-12	Event Total	Date Generated	Off-Site Disposal Date	Disposal Location
2020 Total	NA	NA	NA	203	142	NA	37	0.5	88.5	35	NA	506	1/9/2020 – 12/30/2020	2/21/2020 – 2/11/2021	Veolia ES
Jan-21	NA	NA	NA	28	23	NA	2	1	6.5	9	NA	69.5	1/13, 1/14, 1/27, and 1/28	2/11/2021	Veolia ES
Feb-21	NA	NA	NA	24	10	NA	1	NA	6	2	NA	43	2/8, 2/11, 2/24, and 2/25	3/26/2021	Veolia ES
Mar-21	NA	NA	NA	23	13	NA	1.5	NA	7	2	NA	46.5	3/10, 3/11, 3/24, and 3/25	4/20/2021	Veolia ES
Apr-21	NA	NA	NA	330	35	NA	2	NA	7	NA	NA	374	4/7, 4/8, 4/21, and 4/22	4/20 and 5/3/2021	Veolia ES
May-21	NA	NA	NA	23	7	NA	1.75	NA	6	NA	NA	37.75	5/5, 5/6, 5/17, and 5/20	6/16/2021	Veolia ES
Jun-21	NA	NA	NA	30	26.25	NA	2.25	NA	10.5	3	NA	72	6/2, 6/3, 6/30	8/11/21021	Veolia ES
Jul-21	NA	NA	NA	20	39.5	NA	1	NA	6.5	5.1	NA	72.1	7/1, 7/14, 7/15, 7/27, 7/29	8/11/2021	Veolia ES
Aug-21	NA	NA	NA	12.75	17.9	NA	1.5	NA	5.5	NA	NA	37.65	8/11, 8/12, 8/23, 8/24	9/23/2021	Veolia ES
Sep-21	NA	NA	NA	17.8	23	NA	1.5	NA	7	3.4	NA	52.7	9/8, 9/9, 9/21, 9/23	*9/23/21 and Pending	Veolia ES
TOTAL TO DATE:												1311.2	gallons		

Notes: * On September 23, 2021 Veolia ES disposed of 110 gallons of DNAPL, including the remaining 45.85 gallons of DNAPL that were generated at NW-5, NW-6, NW-8, NW-10, and NW-11 on July 1, 14, 15, 27, and 29, 2021, the 37.65 gallons of DNAPL that were generated at NW-5, NW-6, NW-8, and NW-10 on August 11, 12, 23, and 24, 2021, and 26.5 gallons of DNAPL that were generated at NW-5, NW-6, NW-8, NW-10, and NW-11 on September 8, 9, 21, and 23, 2021. The remaining 26.2 gallons of DNAPL that were generated at NW-5 and NW-6 on September 23, 2021 are currently pending off-site disposal.

DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable

ATTACHMENT A
EASTERN, BROOKSIDE, AND VEOLIA MANIFESTS

34095

AKRF
94 Alexander

NON-HAZARDOUS
WASTE MANIFEST

1. Generator ID Number

2. Page 1 of 1

3. Emergency Response Phone
631-727-2700

4. Waste Tracking Number

5. Generator's Name and Mailing Address
1499 Port AD
FAARZELDT
94 Alexander St.
Yonkers, NY 10701

Generator's Site Address (if different than mailing address)
137-715 ALEXANDER ST
YONKERS NY 10701

Generator's Phone: 914-937-2700

6. Transporter 1 Company Name
Eastern Environmental Resources, Inc.

U.S. EPA ID Number
NYR000135624

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address
Cleanwater of New York
3749 Richmond Terrace
Staten Island, NY

U.S. EPA ID Number

Facility's Phone:

9. Waste Shipping Name and Description
1. Non Hazardous, Non RCRA Solids
(Spent PPE)

10. Containers
No. Type
41 DM

11. Total
Quantity
160

12. Unit
Wt./Vol.
P

13. Special Handling Instructions and Additional Information
P. Slavin
J. Slavin

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Officer's Printed/Typed Name
Suzanne Cestone

Signature
Suzanne Cestone

Month Day Year
9 9 21

15. International Shipments
☐ Import to U.S.
☐ Export from U.S.

Port of entry/exit:
Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name
Patrick Slavin

Signature
Patrick Slavin

Month Day Year
9 16 21

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space
☐ Quantity
☐ Type
☐ Residue
☐ Partial Rejection
☐ Full Rejection

(1) PPE Drum

Manifest Reference Number:

U.S. EPA ID Number

17b. Alternate Facility (or Generator)

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name
Alexian Acende

Signature
Alexian Acende

Month Day Year
9 16 21

GENERATOR

INT'L

TRANSPORTER

DESIGNATED FACILITY

NON-HAZARDOUS
WASTE MANIFEST

1. Generator ID Number

Not required

2. Page 1 of 1

3. Emergency Response Phone

631-608-8810

4. Waste Tracking Number

91721-2481

5. Generator's Name and Mailing Address

Avalon Yonkers Sun Sites, LLC
1499 Post Road
Fairfield CT 06824

Generator's Phone: 201 694-3957

Generator's Site Address (if different than mailing address)

Polychrome West
137-145 Alexander Street
Yonkers NY 10701

6. Transporter 1 Company Name

Brookside Environmental, Inc.

U.S. EPA ID Number

NYR000081661

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

Clean Water of New York
3249 Richmond Terrace
Staten Island NY 10303

Facility's Phone: 718 981-4600

U.S. EPA ID Number

NYD0000968545

9. Waste Shipping Name and Description

10. Containers

No.

Type

11. Total
Quantity12. Unit
Wt./Vol.

1. Non-RCRA, non-DOT waste, liquid

01

DM

50

G

2.

3.

4.

13. Special Handling Instructions and Additional Information

1) Groundwater. Approval #: 237-238

14. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offor's Printed/Typed Name

Signature

Month Day Year

JOAN Rosado

[Signature]

9 17 21

15. International Shipments

☐ Import to U.S.☐ Export from U.S.

Port of entry/exit:

Transporter Signature (for exports only):

Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

Oscar Penado

[Signature]

9 17 21

Transporter 2 Printed/Typed Name

Signature

Month Day Year

9 17 21

17. Discrepancy

17a. Discrepancy Indication Space

☐ Quantity☐ Type☐ Residue☐ Partial Rejection☐ Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

[Signature]

[Signature]

10 4 21

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYD001833847	2. Page 1 of 1	3. Emergency Response Phone (877) 818-0087	4. Manifest Tracking Number 002060069 VES		
5. Generator's Name and Mailing Address AVALON SUN SITES LLC. 1499 POST ROAD FAIRFIELD, CT 06824 Generator's Phone: 203 415-7300		Generator's Site Address (if different than mailing address) 137-145 ALEXANDER STREET POLYCHROME WEST YONKERS, NY 10701					
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number NJ D 0 8 0 6 3 1 3 6 9					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS L.L.C. 1 EDEN LANE FLANDERS, NJ 07836 Facility's Phone: 973 347-7111		U.S. EPA ID Number NJ D 9 8 0 5 3 6 5 9 3					
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
X	1. UN1993, WASTE FLAMMABLE LIQUIDS, n.o.s., (BENZENE, COAL TAR), 3, II	2	DM		P	D001	B
	2.					D018	
	3.						
	4.						
14. Special Handling Instructions and Additional Information ER Service Contracted by VESTS - Contract retained by generator confers agency authority on initial transporter to add or substitute additional transporters on generator's behalf - 1) W: 797344 A-MARPULPH							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name Melissa Norone		Signature [Signature]		Month Day Year 09 23 21			
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: _____ Transporter signature (for exports only): _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name Vito DeC...		Signature [Signature]		Month Day Year 09 25 21			
Transporter 2 Printed/Typed Name		Signature		Month Day Year			
18. Discrepancy							
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection							
Manifest Reference Number: _____							
18b. Alternate Facility (or Generator)						U.S. EPA ID Number	
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)						Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name		Signature		Month Day Year			