



Consulting
Engineers and
Scientists

April 26, 2022
Project 2201010
VIA EMAIL: matthew.hubicki@dec.ny.gov

Mr. Matthew Hubicki
Project Manager, NYSDEC
Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7016

Dear Mr. Hubicki:

**Re: Progress Report – March 2022
Polychrome West Site
City of Yonkers, Westchester County
NYSDEC BCP Site No. C360099**

This Progress Report has been prepared by GEI Consultants, Inc., P.C. (GEI), under contract with Consolidated Edison Company of New York (Con Edison) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the month of March 2022.

Site Activities

On March 17, 18, 28, and April 1, 2022, DNAPL gauging was conducted at NW-1, NW-3, NW-4, NW-5, NW-6, NW-7, NW-8, NW-9, NW-10, NW-10S, NW-11, and NW-12. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the March monitoring events in NW-5, NW-6, NW-8, NW-9, NW-10, and NW-11 as summarized in Table 1. DNAPL measurements from 2022 are provided in Table 2.

DNAPL was removed from recovery wells NW-8 and NW-10 using a 2-inch submersible pump and dedicated tubing and from recovery wells NW-5 and NW-6 using submersible gas displacement pumps and dedicated tubing. Less than 0.5 feet of measurable DNAPL was detected at recovery wells NW-9 and NW-11 (i.e., no DNAPL recovery required). DNAPL gauging and recovery amounts for the March event are summarized in Table 1.

The recovered DNAPL was containerized in Department of Transportation (DOT)-approved 55-gallon drums, labeled as hazardous waste, and picked up from the Site each day for off-site disposal at an appropriate receiving facility.

A total of approximately 42 gallons of DNAPL were recovered during the reporting period. Since the start of 2022, a total of 130 gallons of DNAPL have been removed. DNAPL recovery totals for 2022 are summarized in Table 3.

The following changes to the monitoring program are proposed:

- Approval is requested to abandon the following NAPL recovery wells which have not had measurable NAPL observed during the initial 2 years of monitoring as described by the NYSDEC in the letter dated August 25, 2021. Wells will be abandoned in accordance with procedures detailed in NYSDEC CP-43: Groundwater Monitoring Well Decommissioning Policy.
 - NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12
- In accordance with Section 4.5 of the NYSDEC-approved SMP, approval is requested to discontinue gauging of these NAPL recovery wells (NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12) pending well abandonment.
- NAPL recovery wells NW-8, NW-9, and NW-11 have not had measurable NAPL levels greater than the 3-foot-deep solid sump (see Table 2 and Attachment 1). Approval is requested to discontinue twice monthly gauging/removal and perform the gauging/removal on a monthly basis.

The following work is planned for April:

- Complete DNAPL gauging and removal in April 2022 using the same methods as described above at a frequency of once every two weeks while long-term trends and alternate recovery methods are evaluated; and
- Disposal, as needed, of recovered DNAPL and used personal protective equipment and field supplies.

If you have any questions or require any further information, please contact Melissa Abt at Con Edison at (718) 204-4331 or via electronic mail at abtm@coned.com.

Sincerely,

GEI CONSULTANTS, INC., P.C.



Matt O'Neil, P.E.
Vice President, Program Manager



Melissa Felter, P.G.
Project Manager

MO/MF:bdp

Attachments: Table 1 – March 2022 DNAPL Summary
Table 2 – 2022 Well Gauging Measurements
Table 3 – 2022 DNAPL Recovery Totals
Figure 1 – Site Location Map
Figure 2 – Site Plan with Reference Grid
Figure 3 – NAPL Recovery & Groundwater Monitoring Well Location Plan
Attachment A – Historic Well Gauging Measurements

c: Kevin Carpenter/Scott Deyette, NYSDEC
Glen Moran/Christopher Reynolds/Jon Vogel/Michael Simpson, AVB
Kenneth Kaiser/Melissa Abt, Con Edison

Tables

Table 1 - March 2022 DNAPL Summary**Polychrome West Site**

Yonkers, New York

Recovery Well ID	DNAPL Thickness (feet) 3/17/22 and 3/18/22	DNAPL Thickness (feet) 3/28/22 and 4/1/22	Total DNAPL Removed (Gallons) 3/17/22 through 4/1/22
NW-5	8.8	7.75	14
NW-6	1.2	2.3	12
NW-8	1.8	0.69	4
NW-9	0.42	0.35	0
NW-10	3.6	1.5	12
NW-11	0.35	0.34	0

Note: Measured DNAPL thicknesses are estimated

Table 2 - 2022 Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-1	1/13/2022	9:20 AM	7.82	ND	20.41	NA	
	1/27/2022	9:30 AM	7.77	ND	20.41	NA	
	2/7/2022	8:30 AM	7.78	ND	20.38	NA	
	2/24/2022	8:15 AM	7.65	ND	20.41	NA	
	3/17/2022	10:45 AM	6.08	ND	20.38	NA	
	3/28/2022	11:45 AM	7.65	ND	20.35	NA	
NW-3	1/13/2022	9:25 AM	7.79	ND	33.01	NA	
	1/27/2022	9:15 AM	7.81	ND	33.00	NA	
	2/7/2022	8:45 AM	7.96	ND	32.99	NA	
	2/24/2022	8:30 AM	7.80	ND	33.01	NA	
	3/17/2022	10:50 AM	6.45	ND	33.25	NA	
	3/28/2022	11:50 AM	7.75	ND	32.95	NA	
NW-4	1/13/2022	9:30 AM	9.32	ND	43.21	NA	
	1/27/2022	9:42 AM	9.26	ND	43.21	NA	
	2/7/2022	9:00 AM	9.09	ND	43.19	NA	
	2/24/2022	8:40 AM	9.18	ND	43.22	NA	
	3/17/2022	10:57 AM	8.86	ND	43.21	NA	
	3/28/2022	11:55 AM	8.92	ND	43.10	NA	
NW-5	1/13/2022	11:30 AM	9.41	28.16	38.15	9.99	
	1/14/2022	8:30 AM	9.41	28.16	38.15	9.99	Pre-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	9.41	28.14	38.15	10.01	
	1/28/2022	9:00 AM	7.71	29.71	38.15	8.44	Pre-pumping measurement ~15 gallons removed
	2/7/2022	9:15 AM	8.48	29.65	38.15	8.50	
	2/9/2022	8:30 AM	8.42	29.29	38.15	8.86	Pre-pumping measurement ~12 gallons removed
	2/24/2022	8:30 AM	9.31	29.97	38.17	8.20	
	2/25/2022	9:30 AM	9.31	29.97	38.17	8.20	Pre-pumping measurement ~13 gallons removed
	3/17/2022	11:04 AM	7.65	35.3	37.50	2.2	
	3/18/2022	8:15 AM	7.70	29.6	38.40	8.8	Pre-pumping measurement ~4 gallons removed
NW-6	3/28/2022	8:17 AM	8.02	29.69	37.54	7.75	Pre-pumping measurement ~10 gallons removed
	1/13/2022	10:55 AM	9.45	33.42	37.38	3.96	
	1/14/2022	10:00 AM	9.45	33.42	37.38	3.96	Pre-pumping measurement ~5 gallons removed
	1/27/2022	11:00 AM	9.41	34.61	37.38	2.77	
	1/28/2022	10:00 AM	9.42	34.6	37.38	2.78	Pre-pumping measurement ~4 gallons removed
	2/7/2022	9:30 AM	9.25	33.31	37.38	4.07	
	2/9/2022	11:00 AM	9.21	33.01	37.38	4.37	Pre-pumping measurement ~4 gallons removed
	2/24/2022	8:45 AM	9.33	35.61	37.36	1.75	
	2/25/2022	11:30 AM	9.33	35.61	37.36	1.75	Pre-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	8.70	36.2	37.40	1.2	Pre-pumping measurement ~2 gallons removed
NW-6	3/28/2022	9:25 AM	8.75	30.9	33.20	2.3	Pre-pumping measurement ~10 gallons removed

Table 2 - 2022 Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-7	2/7/2022	9:45 AM	9.19	ND	22.90	NA	
	2/24/2022	9:00 AM	9.66	ND	22.88	NA	
	3/17/2022	10:15 AM	9.47	ND	23.00	NA	
	3/28/2022	11:30 AM	9.17	ND	22.50	NA	
NW-8	1/13/2022	11:05 AM	10.86	35.29	36.32	1.03	Pre-pumping measurement ~1.5 gallons removed
	1/27/2022	2:00 PM	10.79	35.79	36.32	0.53	Pre-pumping measurement ~1 gallons removed
	2/7/2022	1:00 PM	10.42	35.82	36.32	0.50	Pre-pumping measurement ~0.5 gallons removed
	2/24/2022	2:00 PM	10.74	36.05	36.31	0.26	Pre-pumping measurement ~0.5 gallons removed
	3/18/2022	9:20 AM	10.30	34.4	36.20	1.80	Pre-pumping measurement ~2 gallons removed
	3/28/2022	12:48 PM	10.80	35.65	36.30	0.65	Pre-Pumping Measurement- Pumping not conducted 3/28/2022
	4/1/2022	8:35 AM	10.38	35.57	36.26	0.69	Pre-pumping measurement ~2 gallons removed
NW-9	1/13/2022	9:45 AM	11.14	ND	33.97	NA	
	1/27/2022	10:22 AM	11.11	ND	33.49	NA	
	2/7/2022	10:00 AM	11.01	ND	33.49	NA	
	2/24/2022	10:15 AM	11.01	ND	33.49	NA	
	3/18/2022	9:40 AM	10.50	33.08	33.50	0.42	
	3/28/2022	12:25 PM	10.65	33.05	33.40	0.35	
NW-10	1/13/2022	11:15 AM	10.91	31.65	33.70	2.05	Pre-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	10.83	32.51	33.70	1.19	Pre-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30 PM	10.62	32.42	33.70	1.28	Pre-pumping measurement ~1 gallons removed
	2/24/2022	1:30 PM	10.77	32.91	33.70	0.79	Pre-pumping measurement ~1.5 gallons removed
	3/18/2022	10:00 AM	10.66	30.06	33.66	3.6	Pre-pumping measurement ~4 gallons removed
	3/28/2022	12:15 PM	10.05	32.05	33.55	1.5	Pre-pumping measurement ~8 gallons removed
NW-10S	1/13/2022	9:05 AM	11.01	ND	18.01	NA	
	1/27/2022	9:10 AM	11.00	ND	18.01	NA	
	2/7/2022	10:15 AM	10.89	ND	18.00	NA	
	2/24/2022	10:30 AM	10.96	ND	18.00	NA	
	3/18/2022	9:45 AM	10.65	ND	17.90	NA	
	3/28/2022	12:20 PM	10.50	ND	17.90	NA	
NW-11	1/13/2022	10:45 AM	4.41	ND	22.99	NA	
	1/27/2022	10:50 AM	4.41	22.48	22.99	0.51	
	1/28/2022	8:30 AM	4.39	22.44	22.99	0.55	Pre-pumping measurement ~4 gallons removed
	2/7/2022	10:40 AM	4.11	ND	23.00	NA	
	2/24/2022	11:00 AM	4.32	22.68	22.98	0.30	
	3/17/2022	10:04 AM	4.12	22.60	22.95	0.35	
	3/28/2022	11:15 PM	4.02	22.56	22.90	0.34	
NW-12	1/13/2022	9:40 AM	4.16	ND	21.11	NA	
	1/27/2022	9:37 AM	4.11	ND	21.10	NA	
	2/7/2022	9:37 AM	4.11	ND	21.10	NA	
	2/24/2022	11:10 AM	4.07	ND	21.11	NA	
	3/17/2022	10:10 AM	3.89	ND	21.30	NA	
	3/28/2022	11:20 AM	3.92	ND	21.20	NA	

Notes:

- Pre-pumping event readings are bolded
- DNAPL - Dense Non-Aqueous Phase Liquid
- NA - Not Applicable
- ND - Not Detected

Table 3 - 2022 DNAPL Recovery Totals**Polychrome West Site**

Yonkers, New York

	DNAPL Recovered Volume (gal)			
Recovery Event	Jan-22	Feb-22	Mar-22	Total DNAPL Recovered (Gallons)
NW-1	NA	NA	NA	0
NW-3	NA	NA	NA	0
NW-4	NA	NA	NA	0
NW-5	30	25	14	69
NW-6	9	10	12	31
NW-7	NA	NA	NA	0
NW-8	2.5	1.0	4.0	8
NW-9	NA	NA	NA	0
NW-10	4.00	2.50	12.00	19
NW-11	4	NA	NA	4
NW-12	NA	NA	NA	0
Event Total	49.50	38.50	42.00	130.00
Date Generated	1/13, 1/14, 1/27, 1/28	2/7/22, 2/9/22, 2/24/22, 2/25/22	3/17/22, 3/18/22, 3/28/22, 4/1/22.	
Off-Site Disposal Date	2/8/2022 and Pending	Pending	Pending	
Disposal Location	Veolia ES	Veolia ES	Clean Earth North Jersey	


Notes:

* On December 17, 2021, Veolia ES disposed of 55 gallons of DNAPL, including the 8.6 gallons of DNAPL that were generated on August 12 and 24, 2021, the 16.7 gallons of DNAPL that were generated on September 9, and 23, 2021, the 11.5 gallons of DNAPL that were generated on October 8 and 21, 2021, and the 18.2 gallons of DNAPL that were generated on November 5 and 19, 2021. The remaining 3.8 gallons of DNAPL that were generated on November 19, 2021 and the 15.5 gallons of DNAPL that were generated on December 2 and 15, 2021 and the 13 gallons of DNAPL that were generated on 1/14/2022 are currently pending off-site disposal.

DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable

Figures



SOURCE:

USA Topo Maps layer, accessed via ArcGIS online,
Copyright:© 2013 National Geographic Society, i-cubed.

0 2000 4000



SCALE: 1" = 2000'

Polychrome West (PCW)
Yonkers, New York

Privileged and Confidential
Attorney-Client Work Communication



Project 1901167

SITE LOCATION MAP


April 2022

Fig. 1



LEGEND

 PROJECT SITE BOUNDARY

 ALPHANUMERIC GRID

Aerial Source:
2014 New York Statewide Digital Orthoimagery.

Polychrome West (PCW)
Yonkers, New York

Privileged and Confidential
Attorney-Client Work Communication




Project 1901167

SITE PLAN WITH
REFERENCE GRID

April 2022

Fig. 2



LEGEND

- BCP SITE
- RESIDENTIAL BUILDING
- PARKING GARAGE (OPEN)
- ESPLANADE
- GRASS PAVER
- ASPHALT
- LANDSCAPED
- RIP RAP
- NAPL RECOVERY WELL
- GROUNDWATER MONITORING WELL LOCATIC (SHALLOW NAPL RECOVERY)



Polychrome West (PCW)
Yonkers, New York

Privileged and Confidential
Attorney-Client Work Communication



Project 1901167

NAPL RECOVERY AND
GROUNDWATER
MONITORING WELLS

April 2022

Fig. 3

Attachment A

Historic Well Gauging Measurements

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-A	10/7/2020	9:15 AM	ND	5.86	ND	11.16	NA	NA	
	10/21/2020	8:20 AM	ND	5.96	ND	11.20	NA	NA	
	11/4/2020	5:55 AM	ND	6.42	ND	11.21	NA	NA	
	11/18/2020	9:40 AM	ND	5.82	ND	11.28	NA	NA	
	12/1/2020	8:25 AM	ND	3.20	ND	11.17	NA	NA	
	12/16/2020	8:10 AM	ND	5.75	ND	11.19	NA	NA	
	12/29/2020	8:15 AM	ND	4.96	ND	11.18	NA	NA	
	1/13/2021	7:30 AM	ND	5.18	ND	11.16	NA	NA	
	1/27/2021	8:15 AM	ND	4.25	ND	11.33	NA	NA	
	2/8/2021	9:00 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:10 AM	ND	4.91	ND	11.28	NA	NA	
	3/10/2021	8:15 AM	ND	5.28	ND	11.25	NA	NA	
	3/24/2021	8:02 AM	ND	4.91	ND	11.19	NA	NA	
	4/7/2021	8:30 AM	ND	4.27	ND	11.18	NA	NA	
	4/21/2021	9:10 AM	ND	5.17	ND	11.15	NA	NA	
	5/5/2021	8:30 AM	ND	4.40	ND	11.19	NA	NA	
	5/17/2021	8:30 AM	ND	5.92	ND	11.18	NA	NA	
	6/2/2021	8:09 AM	ND	5.39	ND	11.19	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	7/14/2021	8:10 AM	ND	5.72	ND	11.24	NA	NA	
	7/27/2021	7:57 AM	ND	5.67	ND	11.21	NA	NA	
	12/21/2021	10:00 AM	ND	4.74	ND	11.56	NA	NA	
MW-B	10/7/2020	9:20 AM	ND	9.10	ND	12.68	NA	NA	
	10/21/2020	8:15 AM	ND	9.22	ND	12.70	NA	NA	
	11/4/2020	6:00 AM	ND	9.54	ND	12.89	NA	NA	
	11/18/2020	9:45 AM	ND	9.08	ND	13.03	NA	NA	
	12/1/2020	8:30 AM	ND	7.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	1/13/2021	7:35 AM	ND	8.17	ND	12.72	NA	NA	
	1/27/2021	8:10 AM	ND	7.98	ND	12.92	NA	NA	
	2/8/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:05 AM	ND	8.24	ND	12.81	NA	NA	
	3/10/2021	8:25 AM	ND	8.27	ND	12.82	NA	NA	
	3/24/2021	8:07 AM	ND	8.14	ND	12.74	NA	NA	
	4/7/2021	8:35 AM	ND	7.81	ND	12.77	NA	NA	
	4/21/2021	9:15 AM	ND	8.28	ND	12.76	NA	NA	
	5/5/2021	8:35 AM	ND	7.59	ND	12.72	NA	NA	
	5/17/2021	8:35 AM	ND	9.14	ND	12.72	NA	NA	
	6/2/2021	8:14 AM	ND	8.15	ND	12.73	NA	NA	
	6/16/2021	8:55 AM	ND	9.08	ND	12.85	NA	NA	
	6/30/2021	8:30 AM	ND	9.19	ND	12.81	NA	NA	
	7/14/2021	8:15 AM	ND	9.13	ND	12.81	NA	NA	
	7/27/2021	7:54 AM	ND	9.17	ND	12.86	NA	NA	
	12/21/2021	10:33 AM	ND	8.05	ND	12.86	NA	NA	
MW-C	10/7/2020	9:25 AM	ND	8.39	ND	12.83	NA	NA	
	10/21/2020	8:12 AM	ND	8.43	ND	12.47	NA	NA	
	11/4/2020	6:05 AM	ND	8.50	ND	12.59	NA	NA	
	11/18/2020	9:50 AM	ND	7.87	ND	12.35	NA	NA	
	12/1/2020	8:35 AM	ND	5.89	ND	12.37	NA	NA	
	12/16/2020	8:00 AM	ND	7.80	ND	12.31	NA	NA	
	12/29/2020	8:05 AM	ND	7.19	ND	12.42	NA	NA	
	1/13/2021	7:30 AM	ND	7.31	ND	12.49	NA	NA	
	1/27/2021	8:05 AM	ND	6.85	ND	12.54	NA	NA	
	2/8/2021	8:40 AM	ND	7.24	ND	12.50	NA	NA	
	2/24/2021	8:00 AM	ND	7.20	ND	12.45	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	4/7/2021	8:40 AM	ND	6.11	ND	12.36	NA	NA	
	4/21/2021	9:20 AM	ND	7.41	ND	12.36	NA	NA	
	5/5/2021	8:40 AM	ND	6.71	ND	12.36	NA	NA	
	5/17/2021	8:40 AM	ND	8.30	ND	12.30	NA	NA	
	6/2/2021	8:20 AM	ND	7.73	ND	12.31	NA	NA	
	6/16/2021	8:58 AM	ND	8.37	ND	12.56	NA	NA	
	6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA	
	7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA	
	7/27/2021	7:51 AM	ND	8.29	ND	12.64	NA	NA	
	12/21/2021	11:50 AM	ND	6.99	ND	12.55	NA	NA	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-D	10/7/2020	9:35 AM	ND	8.60	ND	15.95	NA	NA	
	10/21/2020	8:10 AM	ND	8.45	ND	15.83	NA	NA	
	11/4/2020	6:10 AM	ND	9.27	ND	16.02	NA	NA	
	11/18/2020	9:55 AM	ND	8.93	ND	16.18	NA	NA	
	12/1/2020	8:40 AM	ND	7.86	ND	15.94	NA	NA	
	12/16/2020	7:55 AM	ND	8.91	ND	15.86	NA	NA	
	12/29/2020	8:00 AM	ND	8.75	ND	15.91	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	2/8/2021	8:30 AM	ND	8.72	ND	15.92	NA	NA	
	2/24/2021	7:50 AM	ND	8.61	ND	15.93	NA	NA	
	3/10/2021	8:40 AM	ND	9.06	ND	15.96	NA	NA	
	3/24/2021	8:12 AM	ND	8.87	ND	15.92	NA	NA	
	4/7/2021	8:45 AM	ND	8.42	ND	15.90	NA	NA	
	4/21/2021	9:25 AM	ND	8.32	ND	15.87	NA	NA	
	5/5/2021	8:45 AM	ND	7.96	ND	15.83	NA	NA	
	5/17/2021	8:45 AM	ND	8.69	ND	15.83	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/30/2021	8:20 AM	ND	8.86	ND	15.96	NA	NA	
	7/14/2021	8:25 AM	ND	8.21	ND	15.91	NA	NA	
	7/27/2021	7:48 AM	ND	8.15	ND	15.98	NA	NA	
	12/23/2021	7:50 AM	ND	8.80	ND	16.30	NA	NA	
MW-E	10/7/2020	9:40 AM	ND	8.72	ND	12.70	NA	NA	
	10/21/2020	8:05 AM	ND	8.97	ND	12.75	NA	NA	
	11/4/2020	6:15 AM	ND	9.15	ND	12.63	NA	NA	
	11/18/2020	10:00 AM	ND	8.54	ND	12.59	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/29/2020	7:55 AM	ND	8.27	ND	12.53	NA	NA	
	1/13/2021	8:00 AM	ND	8.64	ND	12.72	NA	NA	
	1/27/2021	7:45 AM	ND	7.98	ND	12.67	NA	NA	
	2/8/2021	8:20 AM	ND	8.11	ND	12.53	NA	NA	
	2/24/2021	7:45 AM	ND	7.90	ND	12.57	NA	NA	
	3/10/2021	8:45 AM	ND	8.39	ND	12.57	NA	NA	
	3/24/2021	8:14 AM	ND	8.11	ND	12.71	NA	NA	
	4/7/2021	8:50 AM	ND	7.77	ND	12.51	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	5/17/2021	8:50 AM	ND	9.06	ND	12.70	NA	NA	
	6/2/2021	8:30 AM	ND	8.70	ND	12.63	NA	NA	
	6/16/2021	9:05 AM	ND	9.08	ND	12.59	NA	NA	
	6/30/2021	8:15 AM	ND	9.14	ND	12.70	NA	NA	
	7/14/2021	8:00 AM	ND	8.96	ND	12.55	NA	NA	
	7/27/2021	7:46 AM	ND	8.89	ND	12.72	NA	NA	
	12/23/2021	9:50 AM	ND	8.91	ND	12.78	NA	NA	
MW-F	10/7/2020	8:45 AM	ND	9.39	ND	17.61	NA	NA	
	10/21/2020	9:00 AM	ND	9.16	ND	17.65	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	12/1/2020	8:20 AM	ND	9.14	ND	17.69	NA	NA	
	12/16/2020	8:15 AM	ND	9.53	ND	17.57	NA	NA	
	12/29/2020	8:20 AM	ND	9.29	ND	17.68	NA	NA	
	1/13/2021	7:25 AM	ND	9.55	ND	17.96	NA	NA	
	1/27/2021	8:20 AM	ND	9.77	ND	17.75	NA	NA	
	2/8/2021	9:05 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	Innaccessible due to snow coverage
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	4/21/2021	8:55 AM	ND	9.08	ND	17.65	NA	NA	
	5/5/2021	9:00 AM	ND	9.05	ND	17.58	NA	NA	
	5/17/2021	8:55 AM	ND	9.51	ND	17.58	NA	NA	
	6/2/2021	8:05 AM	ND	8.90	ND	17.60	NA	NA	
	6/16/2021	8:00 AM	ND	9.02	ND	17.69	NA	NA	
	6/30/2021	8:37 AM	ND	9.47	ND	17.69	NA	NA	
	7/14/2021	8:05 AM	ND	8.69	ND	17.65	NA	NA	
	7/27/2021	8:01 AM	ND	8.58	ND	17.69	NA	NA	
	12/21/2021	8:27 AM	ND	10.86	ND	17.70	NA	NA	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-1	10/7/2020	9:05 AM	ND	7.68	ND	20.31	NA	NA	
	10/21/2020	9:05 AM	ND	7.77	ND	20.42	NA	NA	
	11/4/2020	6:55 AM	ND	8.12	ND	20.42	NA	NA	
	11/18/2020	10:20 AM	ND	7.74	ND	21.25	NA	NA	
	12/1/2020	9:30 AM	ND	5.02	ND	20.28	NA	NA	
	12/16/2020	9:15 AM	ND	7.40	ND	20.34	NA	NA	
	12/29/2020	9:15 AM	ND	6.81	ND	20.34	NA	NA	
	1/13/2021	8:40 AM	ND	6.67	ND	20.36	NA	NA	
	1/27/2021	9:05 AM	ND	6.02	ND	20.39	NA	NA	
	2/8/2021	9:15 AM	ND	6.93	ND	20.45	NA	NA	
	2/24/2021	9:15 AM	ND	6.81	ND	26.47	NA	NA	
	3/10/2021	10:15 AM	ND	7.19	ND	26.39	NA	NA	
	3/24/2021	9:08 AM	ND	6.95	ND	20.43	NA	NA	
	4/7/2021	9:00 AM	ND	6.34	ND	20.33	NA	NA	
	4/21/2021	9:00 AM	ND	7.30	ND	20.34	NA	NA	
	5/5/2021	9:45 AM	ND	6.70	ND	20.33	NA	NA	
	5/17/2021	9:20 AM	ND	7.74	ND	20.34	NA	NA	
	6/2/2021	9:19 AM	ND	7.43	ND	20.31	NA	NA	
	6/16/2021	9:43 AM	ND	7.61	ND	20.43	NA	NA	
	6/30/2021	9:00 AM	ND	7.89	ND	20.40	NA	NA	
	7/14/2021	9:00 AM	ND	7.46	ND	20.41	NA	NA	
	7/27/2021	8:43 AM	ND	7.40	ND	20.41	NA	NA	
	8/11/2021	11:05 AM	ND	6.75	ND	20.42	NA	NA	
	8/23/2021	9:50 AM	ND	5.15	ND	20.44	NA	NA	
	9/8/2021	8:37 AM	ND	6.95	ND	20.43	NA	NA	
	9/21/2021	10:05 AM	ND	5.93	ND	20.48	NA	NA	
	10/7/2021	10:03 AM	ND	5.66	ND	20.36	NA	NA	
	10/20/2021	7:45 AM	ND	7.37	ND	20.34	NA	NA	
	11/4/2021	10:20 AM	ND	5.16	ND	20.45	NA	NA	
	11/17/2021	7:45 AM	ND	6.53	ND	20.47	NA	NA	
	12/1/2021	9:55 AM	ND	7.43	ND	20.41	NA	NA	
	12/14/2021	8:20 AM	ND	7.90	ND	20.41	NA	NA	
	12/28/2021	10:30 AM	ND	7.21	ND	20.40	NA	NA	
	1/13/2022	9:20 AM	ND	7.82	ND	20.41	NA	NA	
	1/27/2022	9:30 AM	ND	7.77	ND	20.41	NA	NA	
	2/7/2022	8:30	ND	7.78	ND	20.38	NA	NA	
	2/24/2022	8:15	ND	7.65	ND	20.41	NA	NA	
	3/17/2022	10:45 AM	ND	6.08	ND	20.38	NA	NA	
	3/28/2022	11:45 AM	ND	7.65	ND	20.35	NA	NA	
NW-3	10/7/2020	11:05 AM	ND	7.46	ND	33.05	NA	NA	
	10/21/2020	9:15 AM	ND	8.06	ND	33.22	NA	NA	
	11/4/2020	7:05 AM	ND	8.42	ND	33.15	NA	NA	
	11/18/2020	10:30 AM	ND	7.94	ND	34.24	NA	NA	
	12/1/2020	9:35 AM	ND	6.05	ND	33.06	NA	NA	
	12/16/2020	9:20 AM	ND	7.66	ND	32.98	NA	NA	
	12/29/2020	9:20 AM	ND	6.96	ND	32.32	NA	NA	
	1/13/2021	8:45 AM	ND	6.99	ND	33.30	NA	NA	
	1/27/2021	9:10 AM	ND	6.67	ND	33.09	NA	NA	
	2/8/2021	9:25 AM	ND	7.09	ND	33.11	NA	NA	
	2/24/2021	9:20 AM	ND	7.09	ND	33.11	NA	NA	
	3/10/2021	10:20 AM	ND	7.28	ND	33.67	NA	NA	
	3/24/2021	9:13 AM	ND	7.01	ND	32.98	NA	NA	
	4/7/2021	9:05 AM	ND	6.57	ND	33.04	NA	NA	
	4/21/2021	9:10 AM	ND	7.20	ND	33.05	NA	NA	
	5/5/2021	9:55 AM	ND	6.63	ND	33.04	NA	NA	
	5/17/2021	9:25 AM	ND	7.99	ND	33.00	NA	NA	
	6/2/2021	9:25 AM	ND	7.42	ND	33.00	NA	NA	
	6/16/2021	9:48 AM	ND	7.73	ND	32.96	NA	NA	
	6/30/2021	8:55 AM	ND	7.84	ND	33.05	NA	NA	
	7/14/2021	9:05 AM	ND	7.74	ND	33.03	NA	NA	
	7/27/2021	8:40 AM	ND	7.89	ND	33.06	NA	NA	
	8/11/2021	11:10 AM	ND	7.04	ND	33.10	NA	NA	
	8/23/2021	9:55 AM	ND	5.97	ND	33.04	NA	NA	
	9/8/2021	8:45 AM	ND	7.27	ND	33.10	NA	NA	
	9/21/2021	10:09 AM	ND	6.27	ND	33.08	NA	NA	
	10/7/2021	10:09 AM	ND	6.04	ND	33.09	NA	NA	
	10/20/2021	10:20 AM	ND	6.68	ND	33.03	NA	NA	
	11/4/2021	10:25 AM	ND	5.69	ND	32.99	NA	NA	
	11/17/2021	7:50 AM	ND	6.63	ND	33.05	NA	NA	
	12/1/2021	10:00 AM	ND	7.45	ND	33.04	NA	NA	
	12/14/2021	8:25 AM	ND	7.81	ND	33.02	NA	NA	
	12/28/2021	10:45 AM	ND	7.24	ND	33.02	NA	NA	
	1/13/2022	9:25 AM	ND	7.79	ND	33.01	NA	NA	
	1/27/2022	9:15 AM	ND	7.81	ND	33.00	NA	NA	
	2/7/2022	8:45	ND	7.96	ND	32.99	NA	NA	
	2/24/2022	8:30	ND	7.80	ND	33.01	NA	NA	
	3/17/2022	10:50 AM	ND	6.45	ND	33.25	NA	NA	
	3/28/2022	11:50 AM	ND	7.75	ND	32.95	NA	NA	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-4	10/7/2020	11:20 AM	ND	8.73	Trace	43.24	NA	NA	
	10/21/2020	9:45 AM	ND	8.85	ND	43.21	NA	NA	
	11/4/2020	7:35 AM	ND	9.44	ND	43.23	NA	NA	
	11/18/2020	10:40 AM	ND	9.22	ND	44.98	NA	NA	
	12/1/2020	10:20 AM	ND	7.95	ND	43.26	NA	NA	
	12/16/2020	9:40 AM	ND	9.16	ND	43.19	NA	NA	
	12/29/2020	10:20 AM	ND	8.84	ND	42.23	NA	NA	
	1/13/2021	9:35 AM	ND	8.79	ND	43.16	NA	NA	
	1/27/2021	9:40 AM	ND	8.74	ND	43.22	NA	NA	
	2/8/2021	11:00 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	9:45 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	10:30 AM	ND	9.34	Trace	43.55	NA	NA	
	3/24/2021	9:23 AM	ND	8.65	ND	43.29	NA	NA	
	4/7/2021	9:10 AM	ND	8.66	ND	43.16	NA	NA	
	4/21/2021	9:15 AM	ND	8.58	ND	43.17	NA	NA	
	5/5/2021	9:58 AM	ND	8.43	ND	43.20	NA	NA	
	5/17/2021	9:30 AM	ND	9.06	ND	43.19	NA	NA	
	6/2/2021	9:30 AM	ND	8.81	ND	43.11	NA	NA	
	6/16/2021	9:52 AM	ND	8.71	ND	43.20	NA	NA	
	6/30/2021	9:35 AM	ND	8.96	ND	43.24	NA	NA	
	7/14/2021	9:35 AM	ND	8.61	ND	43.30	NA	NA	
	7/27/2021	9:15 AM	ND	8.63	ND	43.17	NA	NA	
	8/11/2021	11:25 AM	ND	8.73	ND	43.19	NA	NA	
	8/23/2021	10:20 AM	ND	8.03	ND	43.13	NA	NA	
	9/8/2021	9:42 AM	ND	8.51	ND	43.20	NA	NA	
	9/21/2021	11:20 AM	ND	8.62	ND	43.16	NA	NA	
	10/7/2021	10:15 AM	ND	8.56	ND	43.19	NA	NA	
	10/20/2021	10:30 AM	ND	8.65	ND	43.14	NA	NA	
	11/4/2021	12:45 PM	ND	8.17	ND	43.25	NA	NA	
	11/17/2021	8:50 AM	ND	8.90	ND	43.19	NA	NA	
	12/1/2021	10:05 AM	ND	9.00	ND	43.22	NA	NA	
	12/14/2021	9:00 AM	ND	9.49	ND	43.19	NA	NA	
	12/28/2021	11:00 AM	ND	8.58	ND	43.19	NA	NA	
	1/13/2022	9:30 AM	ND	9.32	ND	43.21	NA	NA	
	1/27/2022	9:42 AM	ND	9.26	ND	43.21	NA	NA	
	2/7/2022	9:00	ND	9.09	ND	43.19	NA	NA	
	2/24/2022	8:40	ND	9.18	ND	43.22	NA	NA	
	3/17/2022	10:57 AM	ND	8.86	ND	43.21	NA	NA	
	3/28/2022	11:55 AM	ND	8.92	ND	43.10	NA	NA	
NW-5	10/7/2020	12:20 PM	ND	7.89	29.62	37.50	NA	7.88	Pre-pumping measurement
	10/14/2020	12:45 PM	ND	8.90	ND	37.63	NA	NA	Post-pumping measurement ~6 gallons removed
	10/21/2020	11:00 AM	ND	7.93	30.12	37.61	NA	7.49	Pre-pumping measurement
	10/21/2020	11:30 AM	ND	7.93	ND	38.12	NA	NA	Post-pumping measurement ~10 gallons removed
	11/4/2020	9:00 AM	ND	8.61	30.48	38.08	NA	7.60	Pre-pumping measurement
	11/5/2020	9:30 AM	ND	8.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:40 AM	ND	8.08	29.99	38.02	NA	8.03	
	11/19/2020	9:30 AM	ND	8.06	30.06	38.02	NA	7.96	Pre-pumping measurement
	11/19/2020	10:00 AM	ND	8.09	ND	38.25	NA	NA	Post-pumping measurement ~12 gallons removed
	12/1/2020	11:15 AM	ND	6.62	29.76	38.01	NA	8.25	Pre-pumping measurement
	12/2/2020	9:35 AM	ND	6.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	12/16/2020	11:20 AM	ND	7.79	29.70	38.10	NA	8.40	Pre-pumping measurement
	12/18/2020	10:30 AM	ND	7.52	ND	37.70	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:30 AM	ND	7.97	29.60	38.21	NA	8.61	
	12/30/2020	9:45 AM	ND	8.00	29.57	38.11	NA	8.54	Pre-pumping measurement
	12/30/2020	10:45 AM	ND	8.01	ND	38.22	NA	NA	Post-pumping measurement ~10 gallons removed
	1/13/2021	10:30 AM	ND	7.49	29.99	38.21	NA	8.22	
	1/14/2021	8:50 AM	ND	7.87	29.98	38.21	NA	8.23	Pre-pumping measurement
	1/14/2021	10:00 AM	ND	8.02	ND	38.21	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2021	10:55 AM	ND	7.58	29.90	38.11	NA	8.21	
	1/28/2021	9:00 AM	ND	7.60	29.90	38.11	NA	8.21	Pre-pumping measurement
	1/28/2021	9:30 AM	ND	7.70	ND	38.11	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:40 AM	ND	8.70	30.00	38.11	NA	8.11	
	2/11/2021	10:30 AM	ND	7.95	30.00	38.78	NA	8.78	Pre-pumping measurement
	2/11/2021	11:40 AM	ND	7.97	ND	38.78	NA	NA	Post-pumping measurement ~15 gallons removed
	2/24/2021	10:30 AM	ND	8.23	29.80	38.78	NA	8.98	
	2/25/2021	8:40 AM	ND	8.23	29.80	38.76	NA	8.96	Pre-pumping measurement
	2/25/2021	10:25 AM	ND	8.25	ND	38.76	NA	NA	Post-pumping measurement ~9 gallons removed
	3/10/2021	11:50 AM	ND	8.48	29.79	38.50	NA	8.71	
	3/11/2021	9:15 AM	ND	8.14	29.98	38.50	NA	8.52	Pre-pumping measurement
	3/11/2021	11:15 AM	ND	8.29	ND	38.50	NA	NA	Post-pumping measurement ~10 gallons removed
	3/24/2021	10:04 AM	ND	8.26	30.46	38.42	NA	7.96	
	3/25/2021	8:58 AM	ND	7.92	30.34	38.42	NA	8.08	Pre-pumping measurement
	3/25/2021	11:20 AM	ND	7.47	ND	38.72	NA	NA	Post-pumping measurement ~13 gallons removed
	4/7/2021	9:15 AM	ND	8.01	30.30	38.72	NA	8.42	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5 (con't)	4/8/2021	8:15 AM	ND	7.66	29.90	38.00	NA	8.10	Pre-pumping measurement
	4/8/2021	11:20 AM							No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot well sump.
	4/21/2021	9:20 AM							The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is replaced.
	5/5/2021	12:00 PM	ND	8.20	29.12	37.88	NA	8.76	
	5/6/2021	10:10 AM	ND	7.81	29.45	37.88	NA	8.43	Pre-pumping measurement
	5/6/2021	11:40 AM	ND	8.31	ND	37.88	NA	NA	Post-pumping measurement ~10 gallons removed
	5/17/2021	11:30 AM	ND	8.67	27.94	37.94	NA	10.00	
	5/20/2021	9:30 AM	ND	8.63	27.90	37.94	NA	10.04	Pre-pumping measurement
	5/20/2021	10:30 AM	ND	8.67	ND	37.94	NA	NA	Post-pumping measurement ~13 gallons removed
	6/2/2021	10:55 AM	ND	8.90	30.20	38.34	NA	8.14	
	6/3/2021	9:00 AM	ND	8.90	30.17	38.31	NA	8.14	Pre-pumping measurement
	6/3/2021	9:45 AM	ND	8.93	ND	38.40	NA	NA	Post-pumping measurement ~13 gallons removed
	6/16/2021	10:52 AM	ND	8.67	29.71	38.34	NA	8.63	
	6/17/2021	8:25 AM	ND	8.66	29.70	38.34	NA	8.64	Pre-pumping measurement
	6/17/2021	9:55 AM	ND	8.70	ND	38.34	NA	NA	Post-pumping measurement ~17 gallons removed
	6/30/2021	11:00 AM	ND	8.98	29.98	38.65	NA	8.67	
	7/1/2021	8:15 AM	ND	8.80	29.98	38.65	NA	8.67	Pre-pumping measurement
	7/1/2021	8:35 AM	ND	8.82	ND	38.65	NA	NA	Post-pumping measurement ~4.7 gallons removed
	7/14/2021	10:45 AM	ND	7.95	29.90	38.65	NA	8.75	
	7/15/2021	9:15 AM	ND	8.75	29.90	38.65	NA	8.75	Pre-pumping measurement
	7/15/2021	9:55 AM	ND	8.80	ND	38.65	NA	NA	Post-pumping measurement ~5.95 gallons removed
	7/27/2021	3:36 AM	ND	7.59	29.80	38.19	NA	8.39	
	7/29/2021	8:45 AM	ND	8.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	7/29/2021	9:20 AM	ND	8.75	ND	38.19	NA	NA	Post-pumping measurement ~9.35 gallons removed
	8/11/2021	1:05 PM	ND	7.20	30.30	38.19	NA	7.89	
	8/12/2021	8:35 AM	ND	8.95	30.30	38.19	NA	7.89	Pre-pumping measurement
	8/12/2021	9:45 AM	ND	8.97	ND	38.19	NA	NA	Post-pumping measurement ~5.95 gallons removed
	8/23/2021	12:45 PM	ND	5.98	29.60	38.18	NA	8.58	
	8/24/2021	8:10 AM	ND	7.81	29.60	38.18	NA	8.58	Pre-pumping measurement
	8/24/2021	8:35 AM	ND	7.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/8/2021	11:35 AM	ND	6.82	30.00	38.18	NA	8.18	
	9/9/2021	8:50 AM	ND	6.81	30.00	38.18	NA	8.18	Pre-pumping measurement
	9/9/2021	9:05 AM	ND	6.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/21/2021	12:15 PM	ND	6.98	29.90	38.18	NA	8.28	
	9/23/2021	8:25 AM	ND	8.00	29.90	38.18	NA	8.28	Pre-pumping measurement
	9/23/2021	8:45 AM	ND	8.01	ND	38.18	NA	NA	Post-pumping measurement ~11 gallons removed
	10/7/2021	12:45 PM	ND	6.76	30.11	38.18	NA	8.07	
	10/8/2021	8:50 AM	ND	7.81	29.99	38.18	NA	8.19	Pre-pumping measurement
	10/8/2021	9:25 AM	ND	7.61	ND	38.18	NA	NA	Post-pumping measurement ~6.75 gallons removed
	10/20/2021	11:30 AM	ND	7.40	29.80	38.19	NA	8.39	
	10/21/2021	8:30 AM	ND	7.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	10/21/2021	9:05 AM	ND	7.75	ND	38.19	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2021	1:35 PM	ND	8.15	29.50	38.18	NA	8.68	
	11/5/2021	8:50 AM	ND	7.05	30.09	38.19	NA	8.10	Pre-pumping measurement
	11/5/2021	9:15 AM	ND	7.12	ND	38.19	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:25 PM	ND	8.35	29.50	38.18	NA	8.68	
	11/19/2021	10:45 AM	ND	7.86	29.50	38.18	NA	8.68	Pre-pumping measurement
	11/19/2021	11:45 AM	ND	7.87	ND	38.18	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	12:00 PM	ND	9.13	28.86	38.17	NA	9.31	
	12/2/2021	9:05 AM	ND	7.38	28.86	38.17	NA	9.31	Pre-pumping measurement
	12/2/2021	9:40 AM	ND	7.39	ND	38.17	NA	NA	Post-pumping measurement ~3 gallons removed
	12/14/2021	12:20 PM	ND	9.59	29.20	38.18	NA	8.98	
	12/15/2021	9:30 AM	ND	8.98	29.70	38.18	NA	8.48	Pre-pumping measurement
	12/15/2021	10:10 AM	ND	9.01	ND	38.18	NA	NA	Post-pumping measurement ~5 gallons removed
	12/28/2021	11:15	ND	8.52	29.70	38.16	NA	8.46	
	12/29/2021	8:00 AM	ND	7.32	29.65	38.15	NA	8.50	Pre-pumping measurement
	12/29/2021	8:50 AM	ND	9.06	ND	38.17	NA	NA	Post-pumping measurement ~445 gallons removed
	1/13/2022	11:30 AM	ND	9.41	28.16	38.15	NA	9.99	
	1/14/2022	8:30 AM	ND	9.41	28.16	38.15	NA	9.99	Pre-pumping measurement
	1/14/2022	9:10 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	ND	9.41	28.14	38.15	NA	10.01	
	1/28/2022	9:00 AM	ND	7.71	29.71	38.15	NA	8.44	Pre-pumping measurement
	1/28/2022	9:30 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	2/7/2022	9:15	ND	8.48	29.65	38.15	NA	8.50	
	2/9/2022	8:30	ND	8.42	29.29	38.15	NA	8.86	Pre-pumping measurement
	2/9/2022	9:30	ND	9.61	ND	38.15	NA	NA	Post-pumping measurement ~12 gallons removed
	2/24/2022	8:30	ND	9.31	29.97	38.17	NA	8.20	
	2/25/2022	9:30	ND	9.31	29.97	38.17	NA	8.20	Pre-pumping measurement
	2/25/2022	10:15	ND	9.61	ND	38.17	NA	NA	Post-pumping measurement ~13 gallons removed
	3/17/2022	11:04 AM	ND	7.65	35.3	37.50	NA	2.2	
	3/18/2022	8:15 AM	ND	7.70	29.6	38.40	NA	8.8	Pre-pumping measurement
	3/18/2022	11:45 AM	ND	ND	32.3	37.50	NA	6.1	Post-pumping measurement ~4 gallons removed

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5 (cont.)	3/28/2022	8:17 AM	ND	8.02	29.69	37.54	NA	7.75	Pre-pumping measurement
	3/28/2022	3:00 PM	ND	ND	30.54	37.54	ND	7.0	Post-pumping measurement ~10 gallons removed
NW-6	10/7/2020	12:05 PM	ND	9.01	33.26	38.32	NA	5.06	Pre-pumping measurement
	10/14/2020	8:45 AM	ND	8.55	ND	37.20	NA	ND	Post-pumping measurement ~6 gallons removed
	10/21/2020	10:40 AM	ND	9.00	33.37	38.35	NA	4.98	Pre-pumping measurement
	10/21/2020	12:00 PM	ND	9.00	ND	38.38	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2020	8:45 AM	ND	9.66	32.28	36.06	NA	3.78	Pre-pumping measurement
	11/5/2020	10:00 AM	ND	9.64	ND	38.31	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:25 AM	ND	9.16	33.39	38.10	NA	4.71	
	11/19/2020	10:00 AM	ND	9.15	33.43	38.09	NA	4.66	Pre-pumping measurement
	11/19/2020	10:15 AM	ND	9.16	ND	38.14	NA	NA	Post-pumping measurement ~3 gallons removed
	12/1/2020	11:00 AM	ND	7.98	34.41	37.12	NA	2.71	Pre-pumping measurement
	12/2/2020	10:05 AM	ND	8.01	ND	37.12	NA	NA	Post-pumping measurement ~5 gallons removed
	12/16/2020	11:00 AM	ND	9.20	33.20	37.12	NA	3.92	Pre-pumping measurement
	12/18/2020	12:00 PM	ND	8.70	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:10 AM	ND	8.75	33.35	38.10	NA	4.75	
	12/30/2020	11:15 AM	ND	8.71	33.33	38.10	NA	4.77	Pre-pumping measurement
	12/30/2020	11:45 AM	ND	8.73	ND	38.12	NA	NA	Post-pumping measurement ~5 gallons removed
	1/13/2021	10:15 AM	ND	8.45	33.44	38.10	NA	4.66	
	1/14/2021	8:25 AM	ND	8.87	33.31	38.10	NA	4.79	Pre-pumping measurement
	1/14/2021	8:40 AM	ND	8.92	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	1/27/2021	11:15 AM	ND	8.63	34.00	38.35	NA	4.35	
	1/28/2021	10:15 AM	ND	8.70	34.00	38.35	NA	4.35	Pre-pumping measurement
	1/28/2021	10:40 AM	ND	8.73	ND	38.37	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:20 AM	ND	7.98	33.95	38.37	NA	4.42	
	2/11/2021	12:05 PM	ND	7.55	33.90	38.38	NA	4.48	Pre-pumping measurement
	2/11/2021	12:20 PM	ND	7.54	ND	38.36	NA	NA	Post-pumping measurement ~5 gallons removed
	2/24/2021	10:20 AM	ND	8.86	33.10	38.36	NA	5.26	
	2/25/2021	10:45 AM	ND	8.80	33.10	38.37	NA	5.27	Pre-pumping measurement
	2/25/2021	10:55 AM	ND	8.82	ND	38.37	NA	NA	Post-pumping measurement ~5 gallons removed
	3/10/2021	11:40 AM	ND	8.48	33.60	38.32	NA	4.72	
	3/11/2021	11:38 AM	ND	8.26	32.80	38.32	NA	5.52	Pre-pumping measurement
	3/11/2021	11:50 AM	ND	9.04	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	3/24/2021	9:59 AM	ND	8.84	33.04	38.12	NA	5.08	
	3/25/2021	11:27 AM	ND	8.61	32.98	38.10	NA	5.12	Pre-pumping measurement
	3/25/2021	11:43 AM	ND	9.41	ND	38.14	NA	NA	Post-pumping measurement ~7 gallons removed
	4/7/2021	9:15 AM	ND	8.45	33.25	38.15	NA	4.90	
	4/8/2021	12:00 PM	ND	8.45	33.29	38.15	NA	4.86	Pre-pumping measurement
	4/8/2021	12:20 PM	ND	8.54	ND	38.35	NA	NA	Post-pumping measurement ~20 gallons removed
	4/21/2021	9:25 AM	ND	8.59	33.22	38.50	NA	5.28	
	4/22/2021	10:15 AM	ND	8.82	33.01	38.48	NA	5.47	Pre-pumping measurement
	4/22/2021	10:45 AM	ND	8.87	ND	38.45	NA	NA	Post-pumping measurement ~15 gallons removed
	5/5/2021	11:00 AM	ND	8.40	33.41	38.52	NA	5.11	
	5/6/2021	12:45 PM	ND	8.61	33.45	38.50	NA	5.05	No vacuum event performed at NW-6
	5/17/2021	11:00 AM	ND	9.10	31.89	37.99	NA	6.10	
	5/20/2021	10:45 AM	ND	9.11	31.85	38.00	NA	6.15	Pre-pumping measurement
	5/20/2021	11:15 AM	ND	9.14	ND	38.06	NA	NA	Post-pumping measurement ~7 gallons removed
	6/2/2021	10:35 AM	ND	8.75	32.18	38.49	NA	6.31	
	6/3/2021	10:00 AM	ND	8.74	32.16	38.49	NA	6.33	Pre-pumping measurement
	6/3/2021	10:30 AM	ND	8.78	ND	38.49	NA	NA	Post-pumping measurement ~9 gallons removed
	6/16/2021	10:34 AM	ND	8.84	32.50	38.03	NA	5.53	
	6/17/2021	10:10 AM	ND	8.83	32.50	38.00	NA	5.50	Pre-pumping measurement
	6/17/2021	10:35 AM	ND	8.84	ND	38.05	NA	NA	Post-pumping measurement ~17.25 gallons removed
	6/30/2021	10:35 AM	ND	9.11	33.00	38.10	NA	5.10	
	7/1/2021	8:50 AM	ND	9.18	33.00	38.10	NA	5.10	Pre-pumping measurement
	7/1/2021	9:20 AM	ND	9.19	ND	38.10	NA	NA	Post-pumping measurement ~5.5 gallons removed
	7/14/2021	10:25 AM	ND	8.45	32.95	37.70	NA	4.75	
	7/15/2021	10:35 AM	ND	8.65	32.95	37.70	NA	4.75	Pre-pumping measurement
	7/15/2021	11:05 AM	ND	8.69	ND	37.70	NA	NA	Post-pumping measurement ~15.3 gallons removed
	7/27/2021	11:05 AM	ND	8.36	33.05	36.78	NA	3.73	
	7/29/2021	9:45 AM	ND	9.02	33.05	36.78	NA	3.73	Pre-pumping measurement
	7/29/2021	10:15 AM	ND	9.09	ND	36.78	NA	NA	Post-pumping measurement ~18.7 gallons removed
	8/11/2021	12:50 PM	ND	8.32	33.00	36.77	NA	3.77	
	8/12/2021	11:15 AM	ND	8.70	33.00	37.40	NA	4.40	No pumping due to stinger maintenance
	8/23/2021	12:25 PM	ND	7.11	31.55	37.40	NA	5.85	
	8/24/2021	9:30 AM	ND	8.00	31.55	37.40	NA	5.85	Pre-pumping measurement
	8/24/2021	9:45 AM	ND	8.01	ND	37.40	NA	NA	Post-pumping measurement ~17.9 gallons removed
	9/8/2021	11:05 AM	ND	7.97	31.80	37.40	NA	5.60	
	9/9/2021	9:25 AM	ND	8.28	31.80	37.40	NA	5.60	Pre-pumping measurement
	9/9/2021	9:35 AM	ND	8.31	ND	37.40	NA	NA	Post-pumping measurement ~2.6 gallons removed
	9/21/2021	12:35 PM	ND	8.02	31.70	37.40	NA	5.70	
	9/23/2021	9:30 AM	ND	8.54	31.70	37.40	NA	5.70	Pre-pumping measurement
	9/23/2021	9:40 AM	ND	8.55	ND	37.40	NA	NA	Post-pumping measurement ~20.4 gallons removed
	10/7/2021	12:15 PM	ND	7.88	32.01	37.40	NA	5.39	
	10/8/2021	10:06 AM	ND	8.41	31.90	37.40	NA	5.50	Pre-pumping measurement
	10/8/2021	10:28 AM	ND	8.85	ND	37.60	NA	NA	Post-pumping measurement ~22.5 gallons removed

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6 (cont.)	10/20/2021	12:10 PM	ND	8.33	32.50	37.41	NA	4.91	
	10/21/2021	10:00 AM	ND	7.30	32.50	37.41	NA	4.91	Pre-pumping measurement
	10/21/2021	10:10 AM	ND	7.33	ND	37.41	NA	NA	Post-pumping measurement ~8 gallons removed
	11/4/2021	1:25 PM	ND	8.02	32.00	37.40	NA	5.40	
	11/5/2021	9:25 AM	ND	8.75	32.11	37.41	NA	5.30	Pre-pumping measurement
	11/5/2021	10:10 AM	ND	8.15	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:10 PM	ND	8.52	32.00	37.40	NA	5.40	
	11/19/2021	12:30 PM	ND	7.78	32.00	37.40	NA	5.40	Pre-pumping measurement
	11/19/2021	12:45 PM	ND	7.79	ND	37.40	NA	NA	Post-pumping measurement ~8 gallons removed
	12/1/2021	11:39 AM	ND	9.38	31.98	37.40	NA	5.42	
	12/2/2021	10:10 AM	ND	8.43	31.98	37.40	NA	5.42	Pre-pumping measurement
	12/2/2021	10:20 AM	ND	8.44	ND	37.40	NA	NA	Post-pumping measurement ~4 gallons removed
	12/14/2021	12:40 PM	ND	9.66	32.20	37.40	NA	5.20	
	12/15/2021	11:00 AM	ND	9.06	32.20	37.40	NA	5.20	Pre-pumping measurement
	12/15/2021	11:02 AM	ND	9.08	ND	37.40	NA	NA	Post-pumping measurement ~6 gallons removed
	12/28/2021	11:30 AM	ND	8.79	32.35	37.40	NA	5.05	
	12/29/2021	9:10 AM	ND	8.35	32.29	37.38	NA	5.09	Pre-pumping measurement
	12/29/2021	10:05 AM	ND	8.41	ND	37.40	NA	NA	Post-pumping measurement ~15 gallons removed
	1/13/2022	10:55 AM	ND	9.45	33.42	37.38	NA	3.96	
	1/14/2022	10:00 AM	ND	9.45	33.42	37.38	NA	3.96	Pre-pumping measurement
	1/14/2022	10:15 AM	ND	9.36	ND	37.38	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2022	11:00 AM	ND	9.41	34.61	37.38	NA	2.77	
	1/28/2022	10:00 AM	ND	9.42	34.6	37.38	NA	2.78	Pre-pumping measurement
	1/28/2022	10:30 AM	ND	9.39	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	9:30	ND	9.25	33.31	37.38	NA	4.07	
	2/9/2022	11:00	ND	9.21	33.01	37.38	NA	4.37	Pre-pumping measurement
	2/9/2022	11:05	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/24/2022	8:45	ND	9.33	35.61	37.36	NA	1.75	
	2/25/2022	11:30	ND	9.33	35.61	37.36	NA	1.75	Pre-pumping measurement
	2/25/2022	12:00	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	ND	8.70	36.2	37.40	NA	1.2	Pre-pumping measurement
	3/17/2022	2:30 PM	ND	ND	37.02	37.40	NA	0.38	Post Pumping Measurement ~ 2 gallons removed
	3/28/2022	9:25 AM	ND	8.75	30.9	33.20	NA	2.3	Pre-pumping measurement
	3/28/2022	1:30 PM	ND	ND	32.2	33.20	NA	1.0	Post Pumping Measurement ~ 10 gallons removed
NW-7	10/7/2020	10:55 AM	ND	9.24	ND	22.85	NA	NA	
	10/21/2020	8:55 AM	ND	9.02	ND	23.05	NA	NA	
	11/4/2020	7:15 AM	ND	9.15	ND	22.97	NA	NA	
	11/18/2020	10:25 AM	ND	9.37	ND	23.82	NA	NA	
	12/1/2020	9:25 AM	ND	8.89	ND	22.98	NA	NA	
	12/16/2020	9:10 AM	ND	9.41	ND	22.84	NA	NA	
	12/29/2020	9:25 AM	ND	9.14	ND	22.97	NA	NA	
	1/13/2021	8:35 AM	ND	9.51	ND	22.92	NA	NA	
	1/27/2021	9:00 AM	ND	9.67	ND	22.94	NA	NA	
	2/8/2021	9:10 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	10:10 AM	ND	9.40	ND	22.95	NA	NA	
	3/24/2021	9:32 AM	ND	9.27	ND	22.96	NA	NA	
	4/7/2021	9:20 AM	ND	9.00	ND	22.90	NA	NA	
	4/21/2021	9:30 AM	ND	8.90	ND	22.89	NA	NA	
	5/5/2021	9:40 AM	ND	8.90	ND	22.86	NA	NA	
	5/17/2021	9:35 AM	ND	9.33	ND	22.89	NA	NA	
	6/2/2021	9:14 AM	ND	8.76	ND	22.85	NA	NA	
	6/16/2021	9:40 AM	ND	8.85	ND	22.97	NA	NA	
	6/30/2021	9:02 AM	ND	9.29	ND	22.93	NA	NA	
	7/14/2021	8:55 AM	ND	8.55	ND	22.89	NA	NA	
	7/27/2021	8:30 AM	ND	8.39	ND	22.92	NA	NA	
	8/11/2021	11:00 AM	ND	9.02	ND	22.90	NA	NA	
	8/23/2021	9:40 AM	ND	7.70	ND	22.90	NA	NA	
	9/8/2021	8:30 AM	ND	8.37	ND	22.93	NA	NA	
	9/21/2021	9:57 AM	ND	8.97	ND	22.95	NA	NA	
	10/7/2021	9:50 AM	ND	8.82	ND	22.93	NA	NA	
	10/20/2021	7:40 AM	ND	8.83	ND	22.94	NA	NA	
	11/4/2021	10:15 AM	ND	8.55	ND	22.91	NA	NA	
	11/17/2021	7:40 AM	ND	8.95	ND	22.91	NA	NA	
	12/1/2021	9:40 AM	ND	9.51	ND	22.92	NA	NA	
	12/14/2021	8:15 AM	ND	9.75	ND	22.90	NA	NA	
	12/28/2021	11:40 AM	ND	9.63	ND	22.91	NA	NA	
	2/7/2022	9:45	ND	9.19	ND	22.90	NA	NA	
	2/24/2022	9:00	ND	9.66	ND	22.88	NA	NA	
	3/17/2022	10:15 AM	ND	9.47	ND	23.00	NA	NA	
	3/28/2022	11:30 AM	ND	9.17	ND	22.50	NA	NA	
NW-8	10/7/2020	1:40 PM	ND	9.93	35.24	36.24	NA	1.00	Pre-pumping measurement
	10/7/2020	2:30 PM	ND	9.93	ND	36.24	NA	NA	Post-pumping measurement ~1 gallon removed
	10/21/2020	2:30 PM	ND	9.70	35.33	36.23	NA	0.90	Pre-pumping measurement
	10/21/2020	2:45 PM	ND	9.70	ND	36.25	NA	NA	Post-pumping measurement ~0.75 gallon removed

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-8 (cont.)	11/4/2020	9:15 AM	ND	10.75	Trace	38.14	NA	NA	
	11/18/2020	12:50 PM	ND	10.18	35.49	37.54	NA	2.05	Pre-pumping measurement
	11/18/2020	12:50 PM	ND	10.18	ND	37.54	NA	NA	Post-pumping measurement ~2 gallons removed
	12/1/2020	11:55 AM	ND	8.88	35.04	36.32	NA	1.28	Pre-pumping measurement
	12/1/2020	12:30 PM	ND	8.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	12/16/2020	12:45 PM	ND	9.97	35.15	36.30	NA	1.15	Pre-pumping measurement
	12/16/2020	1:15 PM	ND	9.97	ND	36.30	NA	NA	Post-pumping measurement ~1 gallon removed
	12/29/2020	12:00 PM	ND	10.26	35.35	36.28	NA	0.93	Pre-pumping measurement
	12/29/2020	12:15 PM	ND	10.26	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	1/13/2021	12:15 PM	ND	9.80	35.50	36.28	NA	0.78	Pre-pumping measurement
	1/13/2021	12:35 PM	ND	9.82	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	1/27/2021	12:30 PM	ND	10.01	35.40	36.28	NA	0.88	Pre-pumping measurement
	1/27/2021	12:40 PM	ND	9.92	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2021	12:30 PM	ND	10.80	35.55	36.27	NA	0.72	Pre-pumping measurement
	2/8/2021	12:50 PM	ND	10.80	ND	36.27	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2021	11:35 AM	ND	10.50	35.50	36.33	NA	0.83	Pre-pumping measurement
	2/24/2021	12:25 PM	ND	10.52	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/10/2021	12:30 PM	ND	10.62	35.50	36.28	NA	0.78	Pre-pumping measurement
	3/10/2021	1:00 PM	ND	10.65	ND	36.33	NA	NA	Post-pumping measurement ~0.75 gallon removed
	3/24/2021	12:32 PM	ND	10.42	35.42	36.34	NA	0.92	Pre-pumping measurement
	3/24/2021	1:15 PM	ND	10.52	ND	36.36	NA	NA	Post-pumping measurement ~0.75 gallon removed
	4/7/2021	12:30 PM	ND	10.19	35.56	36.23	NA	0.67	Pre-pumping measurement
	4/7/2021	1:15 PM	ND	10.25	ND	36.23	NA	NA	Post-pumping measurement ~1 gallon removed
	4/21/2021	12:55 PM	ND	10.30	35.74	36.24	NA	0.50	Pre-pumping measurement
	4/21/2021	1:20 PM	ND	10.31	ND	36.29	NA	NA	Post-pumping measurement ~1 gallon removed
	5/5/2021	1:20 PM	ND	10.18	35.81	36.28	NA	0.47	Pre-pumping measurement
	5/5/2021	1:45 PM	ND	10.20	ND	36.26	NA	NA	Post-pumping measurement ~1 gallon removed
	5/17/2021	1:00 PM	ND	10.52	35.39	36.28	NA	0.89	Pre-pumping measurement
	5/17/2021	1:45 PM	ND	10.44	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/2/2021	12:10 PM	ND	10.51	35.39	36.28	NA	0.89	Pre-pumping measurement
	6/2/2021	12:40 PM	ND	10.53	ND	36.30	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/16/2021	1:10 PM	ND	10.24	35.56	36.28	NA	0.72	Pre-pumping measurement
	6/16/2021	1:35 PM	ND	10.19	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	6/30/2021	12:30 PM	ND	10.65	32.49	35.64	NA	3.15	Pre-pumping measurement
	6/30/2021	12:55 PM	ND	10.66	ND	35.67	NA	NA	Post-pumping measurement ~1 gallon removed
	7/14/2021	12:45 PM	ND	9.77	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/14/2021	1:15 PM	ND	9.80	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	7/27/2021	1:10 PM	ND	9.41	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/27/2021	1:40 PM	ND	9.47	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	8/11/2021	1:30 PM	ND	9.55	35.25	36.35	NA	1.10	Pre-pumping measurement
	8/11/2021	2:00 PM	ND	9.60	ND	36.35	NA	NA	Post-pumping measurement ~1 gallon removed
	8/23/2021	1:15 PM	ND	8.50	35.75	36.32	NA	0.57	Pre-pumping measurement
	8/23/2021	1:45 PM	ND	8.53	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/8/2021	1:20 PM	ND	9.06	35.40	36.37	NA	0.97	Pre-pumping measurement
	9/8/2021	1:55 PM	ND	9.09	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/21/2021	2:15 PM	ND	9.63	35.40	36.33	NA	0.93	Pre-pumping measurement
	9/21/2021	2:50 PM	ND	9.65	ND	36.33	NA	NA	Post-pumping measurement ~1 gallon removed
	10/7/2021	1:45 PM	ND	9.32	35.27	36.37	NA	1.10	Pre-pumping measurement
	10/7/2021	2:05 PM	ND	9.43	ND	36.34	NA	NA	Post-pumping measurement ~1.25 gallon removed
	10/20/2021	1:30 PM	ND	9.92	35.50	36.27	NA	0.77	Pre-pumping measurement
	10/20/2021	2:10 PM	ND	9.95	ND	36.27	NA	NA	Post-pumping measurement ~1 gallon removed
	11/4/2021	5:00 PM	ND	10.18	34.80	36.37	NA	1.57	Pre-pumping measurement
	11/4/2021	5:25 PM	ND	10.20	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/17/2021	2:00 PM	ND	10.28	35.80	36.27	NA	0.47	
	12/1/2021	1:30 PM	ND	10.34	34.78	36.32	NA	1.54	Pre-pumping measurement
	12/1/2021	1:50 PM	ND	10.36	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	12/14/2021	2:15 PM	ND	11.36	35.60	36.33	NA	0.73	Pre-pumping measurement
	12/14/2021	2:45 PM	ND	11.39	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	12/28/2021	1:00 PM	ND	10.34	35.41	36.32	NA	0.91	Pre-pumping measurement
	12/28/2021	1:20 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/13/2022	11:05 AM	ND	10.86	35.29	36.32	NA	1.03	Pre-pumping measurement
	1/13/2022	2:00 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/27/2022	2:00 PM	ND	10.79	35.79	36.32	NA	0.53	Pre-pumping measurement
	1/27/2022	2:30 PM	ND	10.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	2/7/2022	13:00	ND	10.42	35.82	36.32	NA	0.50	Pre-pumping measurement
	2/7/2022	13:30	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2022	14:00	ND	10.74	36.05	36.31	NA	0.26	Pre-pumping measurement
	2/24/2022	14:30	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/18/2022	9:20 AM	ND	10.30	34.4	36.20	NA		Pre-pumping measurement
	3/18/2022	1:00 PM	ND	ND	36.08	36.20	NA	0.12	Post-pumping measurement ~2 gallon removed
	3/28/2022	12:48 PM	ND	10.80	35.65	36.30	NA	0.65	Pre-Pumping Measurement- Pumping not conducted 3/28/2022
	4/1/2022	8:35 AM	ND	10.38	35.57	36.26	NA	0.69	Pre-pumping measurement
	4/1/2022	10:40 AM	ND	10.38	36.21	36.26	NA	0.05	Post-pumping measurement ~ 2 gallons removed
NW-9	10/7/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/14/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-9 (con't)	10/21/2020	9:30 AM	ND	10.83	32.96	33.56	NA	0.60	Pre-pumping measurement
	10/21/2020	4:15 PM	ND	10.83	ND	33.56	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/4/2020	8:15 AM	ND	11.27	Trace	33.60	NA	NA	
	11/18/2020	10:50 AM	ND	10.89	ND	34.56	NA	NA	
	12/1/2020	10:10 AM	ND	9.26	ND	33.57	NA	NA	
	12/16/2020	9:55 AM	ND	10.66	ND	33.47	NA	NA	
	12/29/2020	10:40 AM	ND	10.39	ND	33.63	NA	NA	
	1/13/2021	9:40 AM	ND	10.25	ND	33.53	NA	NA	
	1/27/2021	9:50 AM	ND	10.09	33.30	33.58	NA	0.28	Pre-pumping measurement
	1/27/2021	11:50 AM	ND	10.22	ND	33.58	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2020	12:20 PM	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	2/24/2021	9:40 AM	ND	10.49	ND	33.72	NA	NA	
	3/10/2021	10:50 AM	ND	10.78	Trace	33.70	NA	NA	
	3/24/2021	9:05 AM	ND	10.45	Trace	33.61	NA	NA	
	4/7/2021	9:25 AM	ND	10.01	Trace	33.51	NA	NA	
	4/21/2021	9:35 AM	ND	10.30	ND	33.52	NA	NA	
	5/5/2021	10:10 AM	ND	9.92	ND	33.52	NA	NA	
	5/17/2021	9:50 AM	ND	10.95	ND	33.49	NA	NA	
	6/2/2021	11:10 AM	ND	10.72	ND	33.51	NA	NA	
	6/16/2021	10:30 AM	ND	10.58	ND	33.42	NA	NA	
	6/30/2021	9:45 AM	ND	10.95	ND	33.52	NA	NA	
	7/14/2021	9:40 AM	ND	10.44	ND	33.53	NA	NA	
	7/27/2021	9:30 AM	ND	10.36	ND	33.53	NA	NA	
	8/11/2021	11:30 AM	ND	10.16	ND	33.53	NA	NA	
	8/23/2021	10:35 AM	ND	8.97	ND	33.48	NA	NA	
	9/8/2021	9:30 AM	ND	10.03	ND	33.48	NA	NA	
	9/21/2021	11:05 AM	ND	9.69	ND	33.50	NA	NA	
	10/7/2021	10:35 AM	ND	9.66	ND	33.48	NA	NA	
	10/20/2021	10:40 AM	ND	10.89	ND	33.46	NA	NA	
	11/4/2021	12:50 PM	ND	10.32	ND	32.55	NA	NA	
	11/17/2021	9:00 AM	ND	10.27	ND	33.48	NA	NA	
	12/1/2021	10:35 AM	ND	10.74	ND	33.51	NA	NA	
	12/14/2021	9:15 AM	ND	11.18	ND	33.48	NA	NA	
	12/28/2021	11:50 AM	ND	10.39	ND	33.45	NA	NA	
	1/13/2022	9:45 AM	ND	11.14	ND	33.97	NA	NA	
	1/27/2022	10:22 AM	ND	11.11	ND	33.49	NA	NA	
	2/7/2022	10:00	ND	11.01	ND	33.49	NA	NA	
	2/24/2022	10:15	ND	11.01	ND	33.49	NA	NA	
	3/18/2022	9:40 AM	ND	10.50	33.08	33.50	NA	0.42	
	3/28/2022	12:25 PM	ND	10.65	33.05	33.40	NA	0.35	
NW-10	10/7/2020	2:05 PM	ND	10.15	27.23	33.58	NA	6.35	Pre-pumping measurement
	10/7/2020	3:00 PM	ND	10.15	ND	33.58	NA	NA	Post-pumping measurement ~4.5 gallons removed
	10/21/2020	2:50 PM	ND	9.92	28.38	33.57	NA	5.19	Pre-pumping measurement
	10/21/2020	3:45 PM	ND	9.92	ND	33.57	NA	NA	Post-pumping measurement ~4.75 gallons removed
	11/4/2020	9:45 AM	ND	11.08	28.00	33.74	NA	5.74	Pre-pumping measurement
	11/4/2020	10:00 AM	ND	11.08	ND	33.74	NA	NA	Post-pumping measurement ~4.25 gallons removed
	11/18/2020	1:25 PM	ND	10.49	27.14	33.75	NA	6.61	Pre-pumping measurement
	11/18/2020	2:15 PM	ND	10.49	ND	33.75	NA	NA	Post-pumping measurement ~4.5 gallons removed
	12/1/2020	12:35 PM	ND	9.19	28.83	33.66	NA	4.83	Pre-pumping measurement
	12/1/2020	1:20 PM	ND	9.19	ND	33.66	NA	NA	Post-pumping measurement ~3.5 gallons removed
	12/16/2020	11:30 AM	ND	10.51	27.80	33.65	NA	5.85	Pre-pumping measurement
	12/16/2020	12:00 PM	ND	10.51	ND	33.65	NA	NA	Post-pumping measurement ~4 gallons removed
	12/29/2020	12:30 PM	ND	10.52	30.90	33.73	NA	2.83	Pre-pumping measurement
	12/29/2020	1:00 PM	ND	10.52	ND	33.73	NA	NA	Post-pumping measurement ~3.5 gallons removed
	1/13/2021	11:20 AM	ND	10.11	28.28	33.73	NA	5.45	Pre-pumping measurement
	1/13/2021	12:10 PM	ND	10.15	ND	33.73	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2021	1:10 PM	ND	10.30	28.00	33.64	NA	5.64	Pre-pumping measurement
	1/27/2021	1:25 PM	ND	10.44	ND	33.64	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	1:00 PM	ND	10.97	29.85	33.65	NA	3.80	Pre-pumping measurement
	2/8/2021	1:30 PM	ND	11.00	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	2/24/2021	10:40 AM	ND	10.56	29.68	33.64	NA	3.96	Pre-pumping measurement
	2/24/2021	11:30 AM	ND	10.58	ND	33.64	NA	NA	Post-pumping measurement ~3 gallons removed
	3/10/2021	1:30 PM	ND	10.90	29.48	33.73	NA	4.25	Pre-pumping measurement
	3/10/2021	2:00 PM	ND	10.94	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	3/24/2021	11:30 AM	ND	10.56	31.11	33.54	NA	2.43	Pre-pumping measurement
	3/24/2021	12:15 PM	ND	10.68	ND	33.68	NA	NA	Post-pumping measurement ~4 gallons removed
	4/7/2021	11:45 AM	ND	10.24	29.29	33.70	NA	4.41	Pre-pumping measurement
	4/7/2021	12:15 PM	ND	10.30	ND	33.70	NA	NA	Post-pumping measurement ~4 gallons removed
	4/21/2021	12:15 PM	ND	10.49	30.29	33.59	NA	3.30	Pre-pumping measurement
	4/21/2021	12:45 PM	ND	10.48	ND	33.61	NA	NA	Post-pumping measurement ~3 gallons removed
	5/5/2021	12:30 PM	ND	10.37	30.42	33.59	NA	3.17	Pre-pumping measurement
	5/5/2021	12:55 PM	ND	9.69	ND	33.60	NA	NA	Post-pumping measurement ~3 gallons removed
	5/17/2021	11:58 AM	ND	10.95	30.01	33.59	NA	3.58	Pre-pumping measurement
	5/17/2021	12:45 PM	ND	10.86	ND	33.59	NA	NA	Post-pumping measurement ~3 gallons removed
	6/2/2021	11:30 AM	ND	10.76	29.17	33.59	NA	4.42	Pre-pumping measurement
	6/2/2021	12:00 PM	ND	10.81	ND	33.59	NA	NA	Post-pumping measurement ~4 gallons removed

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10 (con't)	6/16/2021	11:55 AM	ND	10.63	29.81	33.67	NA	3.86	Pre-pumping measurement
	6/16/2021	12:55 PM	ND	10.59	ND	33.67	NA	NA	Post-pumping measurement ~3.5 gallons removed
	6/30/2021	11:50 AM	ND	10.98	32.45	33.64	NA	1.19	Pre-pumping measurement
	6/30/2021	12:15 PM	ND	11.01	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	7/14/2021	12:00 PM	ND	10.19	30.05	33.69	NA	3.64	Pre-pumping measurement
	7/14/2021	12:30 PM	ND	10.22	ND	33.69	NA	NA	Post-pumping measurement ~3 gallons removed
	7/27/2021	12:20 PM	ND	9.90	29.40	33.79	NA	4.39	Pre-pumping measurement
	7/27/2021	12:50 PM	ND	10.20	ND	33.79	NA	NA	Post-pumping measurement ~3.5 gallons removed
	8/11/2021	2:30 PM	ND	9.96	29.80	33.73	NA	3.93	Pre-pumping measurement
	8/11/2021	2:45 PM	ND	9.97	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	8/23/2021	2:15 PM	ND	8.80	31.05	33.70	NA	2.65	Pre-pumping measurement
	8/23/2021	2:45 PM	ND	8.87	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	9/8/2021	12:15 PM	ND	9.51	28.50	33.66	NA	5.16	Pre-pumping measurement
	9/8/2021	12:55 PM	ND	9.53	ND	33.66	NA	NA	Post-pumping measurement ~4 gallons removed
	9/21/2021	1:10 PM	ND	9.64	30.30	33.62	NA	3.32	Pre-pumping measurement
	9/21/2021	1:40 PM	ND	9.66	ND	33.62	NA	NA	Post-pumping measurement ~3 gallons removed
	10/7/2021	1:00 PM	ND	9.45	30.45	33.64	NA	3.19	Pre-pumping measurement
	10/7/2021	1:30 PM	ND	9.45	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	10/20/2021	12:30 PM	ND	10.00	30.10	33.63	NA	3.53	Pre-pumping measurement
	10/20/2021	1:10 PM	ND	10.03	ND	33.63	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/4/2021	4:10 PM	ND	10.29	30.45	33.70	NA	3.25	Pre-pumping measurement
	11/4/2021	4:45 PM	ND	9.45	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/17/2021	1:00 PM	ND	10.40	30.30	33.65	NA	3.35	Pre-pumping measurement
	11/17/2021	1:45 PM	ND	10.41	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/1/2021	1:00 PM	ND	11.02	29.81	33.63	NA	3.82	Pre-pumping measurement
	12/1/2021	1:20 PM	ND	11.06	ND	33.63	NA	NA	Post-pumping measurement ~2.75 gallons removed
	12/14/2021	1:30 PM	ND	11.61	31.20	33.70	NA	2.50	Pre-pumping measurement
	12/14/2021	2:00 PM	ND	11.62	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/28/2021	12:30 PM	ND	10.49	32.08	33.70	NA	1.62	Pre-pumping measurement
	12/28/2021	12:50 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2 gallons removed
	1/13/2022	11:15 AM	ND	10.91	31.65	33.70	NA	2.05	Pre-pumping measurement
	1/13/2022	1:20 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	ND	10.83	32.51	33.70	NA	1.19	Pre-pumping measurement
	1/27/2022	1:30 PM	ND	10.62	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30	ND	10.62	32.42	33.70	NA	1.28	Pre-pumping measurement
	2/7/2022	13:00	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1 gallon removed
	2/24/2022	13:30	ND	10.77	32.91	33.70	NA	0.79	Pre-pumping measurement
	2/24/2022	14:00	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallon removed
	3/18/2022	10:00 AM	ND	10.66	30.06	33.66	NA	3.6	Pre-pumping measurement
	3/18/2022	1:20 PM	ND	ND	33.53	33.66	NA	0.13	Post-pumping measurement ~4 gallons removed
	3/28/2022	12:15 PM	ND	10.05	32.05	33.55	NA	1.5	Pre-pumping measurement
	3/28/2022	2:45 PM	ND	ND	33.05	33.55	NA	0.5	Post-pumping measurement ~8 gallons removed
NW-105	10/7/2020	10:45 AM	ND	10.50	ND	18.00	NA	NA	
	10/21/2020	9:25 AM	ND	10.49	ND	18.02	NA	NA	
	11/4/2020	7:25 AM	ND	10.33	ND	18.04	NA	NA	
	11/18/2020	10:35 AM	ND	10.51	ND	18.04	NA	NA	
	12/1/2020	9:40 AM	ND	9.82	ND	18.01	NA	NA	
	12/16/2020	9:00 AM	ND	10.82	ND	17.92	NA	NA	
	12/29/2020	9:00 AM	ND	10.57	ND	18.02	NA	NA	
	1/13/2021	8:30 AM	ND	10.62	ND	18.06	NA	NA	
	1/27/2021	8:50 AM	ND	10.57	ND	18.03	NA	NA	
	2/8/2021	10:00 AM	ND	10.50	ND	17.98	NA	NA	
	2/24/2021	9:20 AM	ND	9.55	ND	18.07	NA	NA	
	3/10/2021	10:00 AM	ND	10.89	ND	18.06	NA	NA	
	3/24/2021	9:02 AM	ND	10.67	ND	17.93	NA	NA	
	4/7/2021	9:30 AM	ND	10.27	ND	18.01	NA	NA	
	4/21/2021	9:36 AM	ND	10.23	ND	18.00	NA	NA	
	5/5/2021	9:35 AM	ND	10.01	ND	17.97	NA	NA	
	5/17/2021	9:45 AM	ND	10.72	ND	17.94	NA	NA	
	6/2/2021	11:20 AM	ND	10.46	ND	17.96	NA	NA	
	6/16/2021	9:45 AM	ND	10.41	ND	18.04	NA	NA	
	6/30/2021	9:10 AM	ND	10.63	ND	18.02	NA	NA	
	7/14/2021	8:50 AM	ND	10.03	ND	17.98	NA	NA	
	7/27/2021	8:23 AM	ND	9.94	ND	18.07	NA	NA	
	8/11/2021	11:20 AM	ND	10.23	ND	17.98	NA	NA	
	8/23/2021	10:10 AM	ND	9.20	ND	18.07	NA	NA	
	9/8/2021	8:55 AM	ND	10.89	ND	18.04	NA	NA	
	9/21/2021	10:30 AM	ND	10.10	ND	18.03	NA	NA	
	10/7/2021	9:41 AM	ND	10.06	ND	17.94	NA	NA	
	10/20/2021	7:45 AM	ND	10.40	ND	18.00	NA	NA	
	11/4/2021	12:30 PM	ND	9.92	ND	18.00	NA	NA	
	11/17/2021	8:00 AM	ND	10.39	ND	18.02	NA	NA	
	12/1/2021	9:20 AM	ND	10.64	ND	17.99	NA	NA	
	12/14/2021	8:05 AM	ND	11.10	ND	18.01	NA	NA	
	12/28/2021	12:05 PM	ND	10.39	ND	18.01	NA	NA	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10S (con't)	1/13/2022	9:05 AM	ND	11.01	ND	18.01	NA	NA	
	1/27/2022	9:10 AM	ND	11.00	ND	18.01	NA	NA	
	2/7/2022	10:15	ND	10.89	ND	18.00	NA	NA	
	2/24/2022	10:30	ND	10.96	ND	18.00	NA	NA	
	3/18/2022	9:45 AM	ND	10.65	ND	17.90	NA	NA	
	3/28/2022	12:20 PM	ND	10.50	ND	17.90	NA	NA	
NW-11	10/7/2020	11:55 AM	ND	4.13	21.71	22.80	NA	1.09	Pre-pumping measurement
	10/14/2020	8:30 AM	ND	5.70	ND	22.90	NA	ND	Post-pumping measurement ~3 gallons removed
	10/21/2020	10:25 AM	ND	4.12	ND	22.87	NA	NA	
	11/4/2020	8:25 AM	ND	4.08	ND	22.73	NA	NA	
	11/18/2020	11:15 AM	ND	4.11	Trace	23.36	NA	NA	
	12/1/2020	10:00 AM	ND	3.95	Trace	22.81	NA	NA	
	12/16/2020	10:15 AM	ND	4.09	Trace	22.85	NA	NA	
	12/29/2020	10:50 AM	ND	4.01	ND	22.79	NA	NA	
	1/13/2021	10:10 AM	ND	4.13	21.55	22.79	NA	1.24	
	1/14/2021	8:10 AM	ND	4.13	21.44	22.71	NA	1.27	Pre-pumping measurement
	1/14/2021	8:20 AM	ND	4.46	ND	22.71	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2021	10:50 AM	ND	4.24	22.70	23.00	NA	0.30	
	1/28/2021	8:45 AM	ND	4.36	22.70	23.00	NA	0.30	Pre-pumping measurement
	1/28/2021	8:55 AM	ND	4.38	ND	23.00	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	10:55 AM	ND	4.20	ND	22.80	NA	NA	
	2/24/2021	9:50 AM	ND	4.09	22.48	22.98	NA	0.50	
	2/25/2021	8:20 AM	ND	4.11	22.45	22.98	NA	0.53	Pre-pumping measurement
	2/25/2021	8:25 AM	ND	4.12	ND	22.97	NA	NA	Post-pumping measurement ~2 gallons removed
	3/10/2021	11:30 AM	ND	4.06	22.48	22.91	NA	0.43	
	3/11/2021	8:40 AM	ND	4.08	22.34	22.91	NA	0.57	Pre-pumping measurement
	3/11/2021	8:50 AM	ND	6.51	ND	22.96	NA	NA	Post-pumping measurement ~2 gallons removed
	3/24/2021	9:50 AM	ND	3.78	ND	22.81	NA	NA	
	4/7/2021	9:35 AM	ND	3.41	22.54	22.90	NA	0.36	
	4/8/2021	8:10 AM	ND	3.48	22.65	22.90	NA	0.25	
	4/21/2021	9:45 AM	ND	3.88	22.52	22.88	NA	0.36	
	4/22/2021	9:00 AM	ND	3.91	22.49	22.88	NA	0.39	
	5/5/2021	10:55 AM	ND	3.83	22.25	22.88	NA	0.63	
	5/6/2021	7:16 AM	ND	3.84	22.60	22.88	NA	0.28	
	5/17/2021	10:21 AM	ND	3.82	ND	22.86	NA	NA	
	6/2/2021	9:49 AM	ND	3.80	21.84	22.89	NA	1.05	
	6/3/2021	8:40 AM	ND	3.82	21.84	22.89	NA	1.05	Pre-pumping measurement
	6/3/2021	8:50 AM	ND	3.85	ND	22.91	NA	NA	Post-pumping measurement ~3 gallons removed
	6/16/2021	10:25 AM	ND	3.80	ND	22.74	NA	NA	
	6/30/2021	10:07 AM	ND	3.86	ND	22.74	NA	NA	
	7/14/2021	9:20 AM	ND	3.77	ND	22.96	NA	NA	
	7/27/2021	9:25 AM	ND	3.83	21.83	22.93	NA	1.10	
	7/29/2021	8:10 AM	ND	3.84	21.83	22.93	NA	1.10	Pre-pumping measurement
	7/29/2021	8:25 AM	ND	8.25	ND	22.93	NA	NA	Post-pumping measurement ~5.1 gallons removed
	8/11/2021	11:40 AM	ND	3.96	ND	23.00	NA	NA	
	8/23/2021	10:55 AM	ND	3.81	22.65	22.80	NA	0.15	
	9/8/2021	9:52 AM	ND	3.80	22.05	22.95	NA	0.90	
	9/9/2021	8:20 AM	ND	3.76	22.05	22.95	NA	0.90	Pre-pumping measurement
	9/9/2021	8:25 AM	ND	7.20	ND	22.95	NA	NA	Post-pumping measurement ~3.4 gallons removed
	9/21/2021	11:38 AM	ND	3.83	ND	23.00	NA	NA	
	10/7/2021	11:45 AM	ND	3.72	22.10	22.96	NA	0.86	
	10/8/2021	7:25 AM	ND	3.73	22.06	22.95	NA	0.89	Pre-pumping measurement
	10/8/2021	8:33 AM	ND	7.75	ND	22.96	NA	NA	Post-pumping measurement ~4 gallons removed
	10/20/2021	11:20 AM	ND	3.75	ND	22.90	NA	NA	
	11/4/2021	12:55 PM	ND	3.82	22.55	22.82	NA	0.27	
	11/17/2021	9:15 AM	ND	4.03	22.20	22.79	NA	0.59	
	11/19/2021	10:05 AM	ND	4.06	22.20	22.79	NA	0.59	Pre-pumping measurement
	11/19/2021	10:20 AM	ND	4.07	ND	22.79	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	11:25 AM	ND	4.21	ND	22.97	NA	NA	
	12/14/2021	12:00 PM	ND	4.51	22.70	23.00	NA	0.30	
	12/28/2021	12:10 PM	ND	4.51	22.59	23.01	NA	0.42	
	1/13/2022	10:45 AM	ND	4.41	ND	22.99	NA	NA	
	1/27/2022	10:50 AM	ND	4.41	22.48	22.99	NA	0.51	
	1/28/2022	8:30 AM	ND	4.39	22.44	22.99	NA	0.55	Pre-pumping measurement
	1/28/2022	8:35 AM	ND	4.50	ND	22.99	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	10:40	ND	4.11	ND	23.00	NA	NA	
	2/24/2022	11:00	ND	4.32	22.68	22.98	NA	0.30	
	3/17/2022	10:04 AM	ND	4.12	22.60	22.95	NA	0.35	
	3/28/2022	11:15 PM	ND	4.02	22.56	22.90	NA	0.34	
NW-12	10/7/2020	11:15 AM	ND	3.75	ND	21.10	NA	NA	
	10/21/2020	8:50 AM	ND	3.76	ND	21.25	NA	NA	
	11/4/2020	7:35 AM	ND	3.86	ND	21.20	NA	NA	
	11/18/2020	10:20 AM	ND	4.02	ND	21.89	NA	NA	
	12/1/2020	9:20 AM	ND	3.70	ND	21.29	NA	NA	
	12/16/2020	9:05 AM	ND	3.98	ND	21.13	NA	NA	

Attachment A - Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-12 (con't)	12/29/2020	9:05 AM	ND	3.92	ND	21.14	NA	NA	
	1/13/2021	9:45 AM	ND	4.00	ND	21.55	NA	NA	
	1/27/2021	8:55 AM	ND	4.10	ND	21.25	NA	NA	
	2/8/2021	10:15 AM	ND	4.04	ND	NA	NA	NA	Bottom depth not measured.
	2/24/2021	9:10 AM	ND	3.89	ND	21.18	NA	NA	
	3/10/2021	10:40 AM	ND	3.83	ND	21.33	NA	NA	
	3/24/2021	9:28 AM	ND	3.71	ND	21.23	NA	NA	
	4/7/2021	9:40 AM	ND	3.64	ND	21.16	NA	NA	
	4/21/2021	9:50 AM	ND	3.64	ND	21.23	NA	NA	
	5/5/2021	10:05	ND	3.61	ND	21.17	NA	NA	
	5/17/2021	9:55 AM	ND	3.71	ND	21.15	NA	NA	
	6/2/2021	9:39 AM	ND	3.55	ND	21.21	NA	NA	
	6/16/2021	9:35 AM	ND	3.65	ND	21.14	NA	NA	
	6/30/2021	9:05 AM	ND	3.69	ND	21.16	NA	NA	
	7/14/2021	9:15 AM	ND	3.53	ND	21.19	NA	NA	
	7/27/2021	8:38 AM	ND	3.54	ND	21.11	NA	NA	
	8/11/2021	11:15 AM	ND	3.73	ND	21.26	NA	NA	
	8/23/2021	10:15 AM	ND	3.49	ND	21.12	NA	NA	
	9/8/2021	9:18 AM	ND	3.36	ND	21.26	NA	NA	
	9/21/2021	10:17 AM	ND	3.59	ND	21.15	NA	NA	
	10/7/2021	10:20 AM	ND	3.46	ND	21.11	NA	NA	
	10/20/2021	7:35 AM	ND	3.58	ND	22.17	NA	NA	
	11/4/2021	10:30 AM	ND	3.62	ND	21.12	NA	NA	
	11/17/2021	8:05 AM	ND	3.81	ND	21.05	NA	NA	
	12/1/2021	10:10 AM	ND	4.07	ND	21.04	NA	NA	
	12/14/2021	8:30 AM	ND	4.24	ND	21.09	NA	NA	
	12/28/2021	12:15 PM	ND	4.17	ND	21.10	NA	NA	
	1/13/2022	9:40 AM	ND	4.16	ND	21.11	NA	NA	
	1/27/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/7/2022	9:37	ND	4.11	ND	21.10	NA	NA	
	2/24/2022	11:10	ND	4.07	ND	21.11	NA	NA	
	3/17/2022	10:10 AM	ND	3.89	ND	21.30	NA	NA	
	3/28/2022	11:20 AM	ND	3.92	ND	21.20	NA	NA	

Notes:

Pre/post pumping event readings are bolded.
LNAPL - Light Non-Aqueous Phase Liquid
DNAPL - Dense Non-Aqueous Phase Liquid
* - Estimated due to High Viscous DNAPL
NA - Not Applicable
NM - Not Measurable (High Viscosity)