



Consulting  
Engineers and  
Scientists

August 15, 2022  
Project 2201010

**Via email:** [matthew.hubicki@dec.ny.gov](mailto:matthew.hubicki@dec.ny.gov)

Mr. Matthew Hubicki  
Project Manager, NYSDEC  
Division of Environmental Remediation  
625 Broadway  
Albany, NY 12233-7016

Dear Mr. Hubicki:

**Re: Progress Report – July 2022  
Polychrome West Site  
City of Yonkers, Westchester County  
NYSDEC BCP Site No. C360099**

This Progress Report has been prepared by GEI Consultants, Inc., P.C. (GEI), under contract with Consolidated Edison Company of New York (Con Edison) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the month of July 2022.

### **Site Activities**

On July 7 and 21, 2022, DNAPL gauging was conducted at NW-1, NW-3, NW-4, NW-5, NW-6, NW-7, NW-8, NW-9, NW-10, NW-10S, NW-11, and NW-12. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the June monitoring events in NW-5, NW-6, NW-8, NW-9, NW-10, and NW-11 as summarized in Table 1. DNAPL measurements from 2022 are provided in Table 2.

DNAPL was removed from recovery wells NW-8, NW-10, and NW-11 using a 2-inch submersible pump and dedicated tubing and from recovery wells NW-5 and NW-6 using submersible gas displacement pumps and dedicated tubing. Less than 0.5 feet of measurable DNAPL was detected at recovery well NW-9 (i.e., no DNAPL recovery required). DNAPL gauging and recovery amounts for the July event are summarized in Table 1.

During the recovery efforts at NW-5 on July 22, a leak sprung in the tubing leading to the drum. While the crew had laid plastic sheeting down, there was splatter outside of the plastic onto the sidewalk. Upon the crew observing the leak, the pump was immediately shut off, the amount lost to sidewalk/soil was approximately 3-ounces. The crew containerized any impacted soil and used absorbent pads along with simple green to wipe down the sidewalk. Con Edison reported the spill to NYSDEC as incident number 2203523. This spill has been closed.

The recovered DNAPL was containerized in Department of Transportation (DOT)-approved 55-gallon drums, labeled as hazardous waste, and picked up from the Site for off-site disposal at

an appropriate receiving facility. Waste disposal manifests for June are provided as Attachment A.

A total of approximately 36 gallons of DNAPL were recovered during the reporting period. Since the start of 2022, a total of 375 gallons of DNAPL have been removed. DNAPL recovery totals for 2022 are summarized in Table 3.

The following changes to the monitoring program were proposed in the July monthly report and are pending NYSDEC approval:

- Approval is requested to reduce the gauging frequency to annual the following NAPL recovery wells which have not had measurable NAPL observed during the initial two years of monitoring.
  - NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12
- NAPL recovery wells NW-8, NW-9, and NW-11 have not had measurable NAPL levels greater than the 3-foot-deep solid sump (see Table 2 and Attachment B). Approval is requested to discontinue twice monthly gauging/removal and perform the gauging/removal on a monthly basis.

The following work is planned for August:

- Complete DNAPL gauging and removal in August 2022 using the same methods as described above at a frequency of once every two weeks while long-term trends and alternate recovery methods are evaluated; and
- Disposal, as needed, of recovered DNAPL and used personal protective equipment and field supplies.


If you have any questions or require any further information, please contact Melissa Abt at Con Edison at 718-204-4331 or via electronic mail at [abtm@coned.com](mailto:abtm@coned.com).

Sincerely,

GEI CONSULTANTS, INC., P.C.



Matt O'Neil, P.E.  
Vice President, Program Manager



Melissa Felter, P.G.  
Project Manager

MO/MF:bdp

Attachments: Table 1 – July 2022 DNAPL Summary  
 Table 2 – 2022 Well Gauging Measurements  
 Table 3 – 2022 DNAPL Recovery Totals  
 Fig. 1 – Site Location Map  
 Fig. 2 – Site Plan with Reference Grid  
 Fig. 3 – NAPL Recovery & Groundwater Monitoring Well Location Plan  
 Attachment A – Waste Disposal Manifests  
 Attachment B – Historic Well Gauging Measurements

c: Kevin Carpenter/Scott Deyette, NYSDEC  
 Glen Moran/Christopher Reynolds/Jon Vogel/Michael Simpson, AVB  
 Kenneth Kaiser/Melissa Abt, Con Edison

# Tables

---

**Table 1. July 2022 DNAPL Summary**  
**Polychrome West Site**  
 Yonkers, New York

<b>Recovery Well ID</b>	<b>DNAPL Thickness (feet) 7/7/2022</b>	<b>DNAPL Thickness (feet) 7/21/2022</b>	<b>Total DNAPL Removed (Gallons) 7/7/2022-7/22/2022</b>
NW-5	6.23	7.3	20
NW-6	6.22	6.6	5
NW-8	0.9	1.7	3.5
NW-9	0.47	0.35	NA
NW-10	1.38	2.1	4.5
NW-11	0.9	0.9	3

Note: Measured DNAPL thicknesses are estimated

Note: NA- Not Applicable



**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-1	1/13/2022	9:20 AM	7.82	ND	20.41	NA	
	1/27/2022	9:30 AM	7.77	ND	20.41	NA	
	2/7/2022	8:30 AM	7.78	ND	20.38	NA	
	2/24/2022	8:15 AM	7.65	ND	20.41	NA	
	3/17/2022	10:45 AM	6.08	ND	20.38	NA	
	3/28/2022	11:45 AM	7.65	ND	20.35	NA	
	4/13/2022	11:11 AM	7.10	ND	20.47	NA	
	4/29/2022	10:45 AM	8.02	ND	21.40	NA	
	5/12/2022	11:50 AM	7.15	ND	20.41	NA	
	5/25/2022	11:00 AM	7.21	ND	20.34	NA	
	6/9/2022	12:00 PM	7.32	ND	20.35	NA	
	6/23/2022	10:44 AM	7.28	ND	20.65	NA	
	7/7/2022	1:58 PM	7.40	ND	20.31	NA	
	7/22/2022	9:22 AM	7.28	ND	20.58	NA	
NW-3	1/13/2022	9:25 AM	7.79	ND	33.01	NA	
	1/27/2022	9:15 AM	7.81	ND	33.00	NA	
	2/7/2022	8:45 AM	7.96	ND	32.99	NA	
	2/24/2022	8:30 AM	7.80	ND	33.01	NA	
	3/17/2022	10:50 AM	6.45	ND	33.25	NA	
	3/28/2022	11:50 AM	7.75	ND	32.95	NA	
	4/13/2022	11:20 AM	6.95	ND	33.25	NA	
	4/29/2022	11:10 AM	7.88	ND	32.96	NA	
	5/12/2022	11:55 AM	6.68	ND	32.93	NA	
	5/25/2022	11:05 AM	7.16	ND	32.91	NA	
	6/9/2022	12:10 PM	7.57	ND	32.92	NA	
	6/23/2022	10:47 AM	7.54	ND	33.32	NA	
	7/7/2022	2:01 PM	7.50	ND	32.92	NA	
	7/22/2022	9:25 AM	7.37	ND	33.20	NA	
NW-4	1/13/2022	9:30 AM	9.32	ND	43.21	NA	
	1/27/2022	9:42 AM	9.26	ND	43.21	NA	
	2/7/2022	9:00 AM	9.09	ND	43.19	NA	
	2/24/2022	8:40 AM	9.18	ND	43.22	NA	
	3/17/2022	10:57 AM	8.86	ND	43.21	NA	
	3/28/2022	11:55 AM	8.92	ND	43.10	NA	
	4/13/2022	11:30 AM	8.82	ND	43.40	NA	
	4/29/2022	11:55 AM	8.78	ND	43.22	NA	
	5/12/2022	12:00 PM	8.45	ND	43.15	NA	
	5/25/2022	11:10 AM	8.67	ND	43.12	NA	
	6/9/2022	12:20 PM	8.31	ND	43.10	NA	
	6/23/2022	10:51 AM	8.60	ND	43.53	NA	
	7/7/2022	2:05 PM	8.96	ND	43.15	NA	
	7/22/2022	9:30 AM	8.60	ND	43.46	NA	
NW-5	1/13/2022	11:30 AM	9.41	28.16	38.15	9.99	
	1/14/2022	8:30 AM	9.41	28.16	38.15	9.99	Pre-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	9.41	28.14	38.15	10.01	
	1/28/2022	9:00 AM	7.71	29.71	38.15	8.44	Pre-pumping measurement ~15 gallons removed
	2/7/2022	9:15 AM	8.48	29.65	38.15	8.50	
	2/9/2022	8:30 AM	8.42	29.29	38.15	8.86	Pre-pumping measurement ~12 gallons removed
	2/24/2022	8:30 AM	9.31	29.97	38.17	8.20	
	2/25/2022	9:30 AM	9.31	29.97	38.17	8.20	Pre-pumping measurement ~13 gallons removed
	3/17/2022	11:04 AM	7.65	35.3	37.50	2.2	
	3/18/2022	8:15 AM	7.70	29.6	38.40	8.8	Pre-pumping measurement ~4 gallons removed
	3/28/2022	8:17 AM	8.02	29.69	37.54	7.75	Pre-pumping measurement ~10 gallons removed
	4/13/2022	7:56 AM	7.90	29.7	37.50	7.8	Pre-pumping measurement ~21 gallons removed
	4/28/2022	8:40 AM	8.08	29.71	37.47	7.76	Pre-pumping measurement ~3 gallons removed
	5/12/2022	8:10 AM	7.34	30.44	37.09	6.65	Pre-pumping measurement ~25 gallons removed
5/25/2022	8:25 AM	7.62	30.59	37.08	6.49	Pre-pumping measurement ~11 gallons removed	
6/9/2022	9:20 AM	7.61	29.63	37.10	7.47	Pre-pumping measurement ~17 gallons removed	
6/23/2022	11:15 AM	8.37	29.62	37.17	7.55	Pre-pumping measurement ~25 gallons removed	
7/8/2022	12:36 PM	8.35	31.11	37.34	6.23	Pumping not completed- equipment malfunction.	
7/22/2022	8:35 AM	8.12	30.0	37.30	7.3	Pre-pumping measurement ~20 gallons removed	

**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-6	1/13/2022	10:55 AM	9.45	33.42	37.38	3.96	
	1/14/2022	10:00 AM	9.45	33.42	37.38	3.96	Pre-pumping measurement ~5 gallons removed
	1/27/2022	11:00 AM	9.41	34.61	37.38	2.77	
	1/28/2022	10:00 AM	9.42	34.6	37.38	2.78	Pre-pumping measurement ~4 gallons removed
	2/7/2022	9:30 AM	9.25	33.31	37.38	4.07	
	2/9/2022	11:00 AM	9.21	33.01	37.38	4.37	Pre-pumping measurement ~4 gallons removed
	2/24/2022	8:45 AM	9.33	35.61	37.36	1.75	
	2/25/2022	11:30 AM	9.33	35.61	37.36	1.75	Pre-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	8.70	36.2	37.40	1.2	Pre-pumping measurement ~2 gallons removed
	3/28/2022	9:25 AM	8.75	30.9	33.20	2.3	Pre-pumping measurement ~10 gallons removed
	4/13/2022	10:50 AM	8.60	30.55	33.05	2.5	Pre-pumping measurement ~16 gallons removed
	4/28/2022	12:20 PM	8.91	30.82	37.47	7.51	Pre-pumping measurement ~6 gallons removed
	5/12/2022	11:40 AM	8.65	31.25	37.85	6.6	Pre-pumping measurement ~8.5 gallons removed
	5/25/2022	10:40 PM	8.87	30.98	37.51	6.53	Pre-pumping measurement ~6.5 gallons removed
	6/9/2022	11:50 AM	8.62	30.9	37.50	6.6	Pre-pumping measurement ~6.5 gallons removed
	6/23/2022	8:45 AM	8.46	31.0	38.18	7.18	Pre-pumping measurement ~8 gallons removed
7/8/2022	10:35 AM	8.83	30.74	36.96	6.22	Pre-pumping measurement ~2 gallons removed	
7/21/2022	8:25 AM	8.36	31.0	37.60	6.6	Pre-pumping measurement ~3 gallons removed	
NW-7	2/7/2022	9:45 AM	9.19	ND	22.90	NA	
	2/24/2022	9:00 AM	9.66	ND	22.88	NA	
	3/17/2022	10:15 AM	9.47	ND	23.00	NA	
	3/28/2022	11:30 AM	9.17	ND	22.50	NA	
	4/13/2022	9:35 AM	8.95	ND	22.95	NA	
	4/29/2022	12:25 AM	9.28	ND	22.58	NA	
	5/12/2022	11:35 AM	8.87	ND	22.80	NA	
	5/25/2022	10:30 AM	9.13	ND	22.77	NA	
	6/9/2022	11:45 AM	8.58	ND	22.75	NA	
	6/23/2022	10:40 AM	9.22	ND	23.22	NA	
7/7/2022	1:52 PM	9.55	ND	22.47	NA		
7/22/2022	9:05 AM	8.83	ND	23.15	NA		
NW-8	1/13/2022	11:05 AM	10.86	35.29	36.32	1.03	Pre-pumping measurement ~1.5 gallons removed
	1/27/2022	2:00 PM	10.79	35.79	36.32	0.53	Pre-pumping measurement ~1 gallons removed
	2/7/2022	1:00 PM	10.42	35.82	36.32	0.50	Pre-pumping measurement ~0.5 gallons removed
	2/24/2022	2:00 PM	10.74	36.05	36.31	0.26	Pre-pumping measurement ~0.5 gallons removed
	3/18/2022	9:20 AM	10.30	34.4	36.20	1.80	Pre-pumping measurement ~2 gallons removed
	3/28/2022	12:48 PM	10.80	35.65	36.30	0.65	Pre-Pumping Measurement- Pumping not conducted 3/28/2022
	4/1/2022	8:35 AM	10.38	35.57	36.26	0.69	Pre-pumping measurement ~2 gallons removed
	4/13/2022	10:35 AM	10.25	35.6	36.20	0.6	Pre-Pumping Measurement ~6 gallons removed
	4/29/2022	9:15 AM	10.52	35.22	36.18	0.96	Pre-pumping measurement ~7 gallons removed
	5/12/2022	12:25 PM	10.15	35.75	36.30	0.55	Pre-Pumping Measurement ~3.6 gallons removed
	5/25/2022	11:45 AM	10.25	35.41	36.22	0.81	Pre-pumping measurement ~5.6 gallons removed
6/9/2022	12:50 PM	10.04	35.49	36.24	0.75	Pre-Pumping Measurement ~2.2 gallons removed	
6/23/2022	11:49 AM	10.34	35.45	36.25	0.8		
7/7/2022	2:11 PM	10.50	35.4	36.30	0.9	Pumping not completed	
7/21/2022	1:55 PM	10.28	34.56	36.26	1.7	Pre-Pumping Measurement ~3.5 gallons removed	
NW-9	1/13/2022	9:45 AM	11.14	ND	33.97	NA	
	1/27/2022	10:22 AM	11.11	ND	33.49	NA	
	2/7/2022	10:00 AM	11.01	ND	33.49	NA	
	2/24/2022	10:15 AM	11.01	ND	33.49	NA	
	3/18/2022	9:40 AM	10.50	33.08	33.50	0.42	
	3/28/2022	12:25 PM	10.65	33.05	33.40	0.35	
	4/13/2022	10:35 AM	10.20	32.88	33.28	0.4	
	4/29/2022	9:00 AM	10.65	33.08	33.50	0.42	
	5/12/2022	12:15 PM	10.19	33.06	33.51	0.45	
	5/25/2022	11:30 AM	10.35	33.11	33.55	0.44	
	6/9/2022	12:50 PM	10.24	33.11	33.56	0.45	
	6/23/2022	11:46 AM	10.52	ND	34.06	NA	
7/7/2022	2:22 PM	10.72	33.18	33.65	0.47		
7/21/2022	1:43 AM	10.46	33.15	33.50	0.35		

**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-10	1/13/2022	11:15 AM	10.91	31.65	33.70	2.05	Pre-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	10.83	32.51	33.70	1.19	Pre-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30 PM	10.62	32.42	33.70	1.28	Pre-pumping measurement ~1 gallons removed
	2/24/2022	1:30 PM	10.77	32.91	33.70	0.79	Pre-pumping measurement ~1.5 gallons removed
	3/18/2022	10:00 AM	10.66	30.06	33.66	3.6	Pre-pumping measurement ~4 gallons removed
	3/28/2022	12:15 PM	10.05	32.05	33.55	1.5	Pre-pumping measurement ~8 gallons removed
	4/13/2022	10:15 AM	10.32	31.05	33.50	2.45	Pre-pumping measurement ~7 gallons removed
	4/29/2022	8:15 AM	10.83	31.97	33.57	1.6	Pre-pumping measurement ~4 gallons removed
	5/12/2022	12:15 PM	10.15	32.51	33.61	1.1	Pre-pumping measurement ~5.2 gallons removed
	5/25/2022	11:25 AM					Pre-pumping measurement ~4.75 gallons removed
	6/9/2022	12:35 PM	10.18	31.81	33.58	1.77	Pre-pumping measurement ~2.6 gallons removed
	6/23/2022	11:08 AM					Pre-pumping measurement ~2.19 gallons removed
	7/7/2022	10:52 AM	10.49	33.51	34.56	1.05	
	7/21/2022	1:10 PM	10.99	32.22	33.60	1.38	Pre-pumping measurement ~1.5 gallons removed
NW-10S	1/13/2022	9:05 AM	11.01	ND	18.01	NA	
	1/27/2022	9:10 AM	11.00	ND	18.01	NA	
	2/7/2022	10:15 AM	10.89	ND	18.00	NA	
	2/24/2022	10:30 AM	10.96	ND	18.00	NA	
	3/18/2022	9:45 AM	10.65	ND	17.90	NA	
	3/28/2022	12:20 PM	10.50	ND	17.90	NA	
	4/13/2022	10:20 AM	10.28	ND	17.46	NA	
	4/29/2022	8:43 AM	10.61	ND	18.00	NA	
	5/12/2022	12:10 PM	10.04	ND	18.00	NA	
	5/25/2022	11:30 AM	10.24	ND	17.91	NA	
	6/9/2022	12:45 PM	10.02	ND	18.00	NA	
	6/23/2022	11:06 AM	10.22	ND	18.36	NA	
	7/8/2022	9:15 AM	10.02	ND	18.00	NA	
	7/21/2022	1:38 PM	10.21	ND	18.15	NA	
NW-11	1/13/2022	10:45 AM	4.41	ND	22.99	NA	
	1/27/2022	10:50 AM	4.41	22.48	22.99	0.51	
	1/28/2022	8:30 AM	4.39	22.44	22.99	0.55	Pre-pumping measurement ~4 gallons removed
	2/7/2022	10:40 AM	4.11	ND	23.00	NA	
	2/24/2022	11:00 AM	4.32	22.68	22.98	0.30	
	3/17/2022	10:04 AM	4.12	22.60	22.95	0.35	
	3/28/2022	11:15 PM	4.02	22.56	22.90	0.34	
	4/13/2022	9:27 AM	3.85	22.15	22.85	0.70	Pre-pumping measurement ~3 gallons removed
	4/29/2022	9:30 AM	3.93	22.44	22.83	0.34	
	5/12/2022	11:20 AM	3.88	22.60	22.85	0.25	
	5/25/2022	10:30 AM	3.93	22.39	22.84	0.45	
	6/9/2022	11:20 AM	3.86	21.93	22.83	0.90	Pre-pumping measurement ~2.5 gallons removed
	6/23/2022	11:59 AM	4.05	ND	22.84	0.53	Pumping not conducted
	7/7/2022	1:44 PM	4.28	21.97	22.87	0.90	Pumping not conducted
7/21/2022	11:49 AM	4.07	21.97	22.87	0.90	Pre-pumping measurement ~3.0 gallons removed	
NW-12	1/13/2022	9:40 AM	4.16	ND	21.11	NA	
	1/27/2022	9:37 AM	4.11	ND	21.10	NA	
	2/7/2022	9:37 AM	4.11	ND	21.10	NA	
	2/24/2022	11:10 AM	4.07	ND	21.11	NA	
	3/17/2022	10:10 AM	3.89	ND	21.30	NA	
	3/28/2022	11:20 AM	3.92	ND	21.20	NA	
	4/13/2022	9:20 AM	3.70	ND	21.02	NA	
	4/29/2022	11:00 AM	3.74	ND	21.22	NA	
	5/12/2022	11:30 AM	3.75	ND	20.92	NA	
	5/25/2022	10:25 AM	3.79	ND	21.12	NA	
	6/9/2022	11:30 AM	3.52	ND	21.12	NA	
	6/23/2022	10:35 AM	3.61	ND	21.22	NA	
	7/7/2022	1:35 PM	3.97	ND	20.93	NA	
	7/22/2022	11:35 AM	3.78	ND	21.72	NA	

Notes:

Pre-pumping event readings are bolded  
 DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable  
 ND - Not Detected

**Table 3. 2022 DNAPL Recovery Totals**

**Polychrome West Site**

Yonkers, New York

Recovery Event	DNAPL Recovered Volume (gal)							Total DNAPL Recovered (Gallons)
	Jan-22	Feb-22	Mar-22	Apr-22	May-22	Jun-22	Jul-22	
NW-1	NA	NA	NA	NA	NA	NA	NA	0
NW-3	NA	NA	NA	NA	NA	NA	NA	0
NW-4	NA	NA	NA	NA	NA	NA	NA	0
NW-5	30	25	14	24	36	42	20	191
NW-6	9	10	12	22	15	15	5	87.5
NW-7	NA	NA	NA	NA	NA	NA	NA	0
NW-8	2.5	1	4	13	9	2	3.5	35.4
NW-9	NA	NA	NA	NA	NA	NA	NA	0
NW-10	4	2.5	12	11	10	5	5	48.7
NW-11	4	NA	NA	3	NA	2.5	3	12.5
NW-12	NA	NA	NA	NA	NA	NA	NA	0
<b>Event Total</b>	<b>49.5</b>	<b>38.50</b>	<b>42</b>	<b>73</b>	<b>70</b>	<b>66</b>	<b>36</b>	<b>375</b>
<b>Date Generated</b>	1/13, 1/14, 1/27, 1/28	2/7/22, 2/9/22, 2/24/22, 2/25/22	3/17/22, 3/18/22, 3/28/22, 4/1/22.	4/13/2022, 4/14/2022, 4/28/2022, 4/29/2022	5/12/2022, 5/13/2022, 5/26/2022, 5/27/2022	6/9/2022, 6/23/2022,	7/7/2022, 7/21/2022	
<b>Off-Site Disposal Date</b>	2/8/2022 and Pending	Pending	Pending	Pending	Pending	Pending	Pending	
<b>Disposal Location</b>	Veolia ES	Veolia ES	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	


Notes:

DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable

# Figures

---



**SOURCE:**  
 USA Topo Maps layer, accessed via ArcGIS online,  
 Copyright:© 2013 National Geographic Society, i-cubed.



SCALE: 1" = 2000'

Polychrome West (PCW)  
 Yonkers, New York



SITE LOCATION MAP

Privileged and Confidential  
 Attorney-Client Work Communication

Project 2201010

August 2022

Fig. 1





**LEGEND**

 PROJECT SITE BOUNDARY

 ALPHANUMERIC GRID

Aerial Source:  
2014 New York Statewide Digital Orthoimagery.

Polychrome West (PCW)  
Yonkers, New York

Privileged and Confidential  
Attorney-Client Work Communication




Project 2201010

SITE PLAN WITH  
REFERENCE GRID


August 2022

Fig. 2



**LEGEND**

- BCP SITE
- RESIDENTIAL BUILDING
- PARKING GARAGE (OPEN)
- ESPLANADE
- GRASS PAVER
- ASPHALT
- LANDSCAPED
- RIP RAP
- NAPL RECOVERY WELL
- GROUNDWATER MONITORING WELL LOCATIC (SHALLOW NAPL RECOVERY)



SCALE: 1" = 100'

Polychrome West (PCW)  
Yonkers, New York



NAPL RECOVERY AND  
GROUNDWATER  
MONITORING WELLS

Privileged and Confidential  
Attorney-Client Work Communication

Project 2201010

August 2022

Fig. 3



# **Attachment A**

---

## **Waste Disposal Manifests**

Please print or type.

Form Approved. OMB No. 2050-0039

**UNIFORM HAZARDOUS WASTE MANIFEST**

1. Generator ID Number: NYR000254706  
 2. Page 1 of 1  
 3. Emergency Response Phone: 8008089717  
 4. Manifest Tracking Number: 016688228 FLE

5. Generator's Name and Mailing Address: Consolidated Edison of NY Inc Attn: Melissa  
 212-680-8389  
 31-01 20th Ave- Bldg 136 2nd fl  
 Astoria, NY 11105  
 Generator's Phone: ATTY MELISSA ABT  
 6. Transporter 1 Company Name: IWT Transport Inc  
 7. Transporter 2 Company Name: \_\_\_\_\_  
 8. Designated Facility Name and Site Address: Clean Earth of North Jersey, Inc.  
 9739444004  
 105 Jacobus Ave.  
 Kearny NJ 07082  
 Facility's Phone: \_\_\_\_\_

9a. HM: X  
 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)): 1RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III  
 10. Containers: No. 1, Type DM  
 11. Total Quantity: 55  
 12. Unit Wt./Vol.: G  
 13. Waste Codes: D018

X  
 2RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III  
 10. Containers: No. 1, Type DM  
 11. Total Quantity: 66  
 12. Unit Wt./Vol.: G  
 13. Waste Codes: D018

3. \_\_\_\_\_  
 4. \_\_\_\_\_

14. Special Handling Instructions and Additional Information:  
 (1) 2230800134 - Used PPE and sampling equipment-Haz. OSD 7-7-22  
 (2) 2230800135 - Purged NAPL and Groundwater-Haz. OSD 7-7-22  
 Order#: 2314189

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offoror's Printed/Typed Name: Jaime Ruca  
 Signature: [Signature]  
 Month: 7, Day: 7, Year: 22

16. International Shipments:  Import to U.S.  Export from U.S.  
 Transporter signature (for exports only): [Signature]  
 Port of entry/exit: \_\_\_\_\_  
 Date leaving U.S.: \_\_\_\_\_

17. Transporter Acknowledgment of Receipt of Materials  
 Transporter 1 Printed/Typed Name: Chris C. Hill  
 Signature: [Signature]  
 Transporter 2 Printed/Typed Name: \_\_\_\_\_  
 Signature: [Signature]  
 Month: 7, Day: 7, Year: 22

18. Discrepancy  
 18a. Discrepancy Indication Space:  Quantity  Type  Residue  Partial Rejection  Full Rejection  
 18b. Alternate Facility (or Generator): \_\_\_\_\_  
 Manifest Reference Number: \_\_\_\_\_  
 U.S. EPA ID Number: \_\_\_\_\_  
 Facility's Phone: \_\_\_\_\_  
 18c. Signature of Alternate Facility (or Generator): \_\_\_\_\_  
 Received Pending Manifest Review/Quality Control Data: \_\_\_\_\_

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)  
 1. H040 2. H040 3. \_\_\_\_\_ 4. \_\_\_\_\_

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a  
 Printed/Typed Name: Mahemadu Asang  
 Signature: [Signature]  
 Month: 7, Day: 8, Year: 22

DESIGNATED FACILITY TO EPA's e-MANIFEST SYSTEM

Please print or type.

46- 10/20/00

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number <b>016688229 FLE</b>		
5. Generator's Name and Mailing Address 212-580-8363 Consolidated Edison of NY Inc Attn: Melissa Pater 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105		Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80-94 Alexander St Yonkers, NY 10701		Generator's Phone:			
6. Transporter 1 Company Name WVI Transport Inc				U.S. EPA ID Number NJR990628182			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address 9793444004 Clean Earth of North Jersey, Inc. 105 Jacobus Ave. Kearny NJ 07032		U.S. EPA ID Number NJ0991291105		Facility's Phone:			
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
X	1. RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III	1	DM	55	G	D018	TSP
X	2. RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III	1	DM	55	G	D018	TSP
	3.						
	4.						
14. Special Handling Instructions and Additional Information (1) 2230800134 - Used PPE and sampling equipment-Haz (2) 2230800135 - Purged NAPL and Groundwater-Haz Order#: 2314190							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name Jaime Rivero							
Signature Jaime Rivero							
Month Day Year 17 10 00							
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Transporter signature (for exports only): _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name CHRIS FALLI				Signature [Signature]			
Transporter 2 Printed/Typed Name				Signature [Signature]			
Month Day Year 17 10 00				Month Day Year			
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
Manifest Reference Number:							
18b. Alternate Facility (or Generator) U.S. EPA ID Number							
Received Pending Manifest Review/Quality Control Data							
Facility's Phone:							
18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. H040		2. H040		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name				Signature			
Month Day Year				Month Day Year			

GENERATOR  
INT'L  
TRANSPORTER  
DESIGNATED FACILITY



<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYR000254706</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>8606089717</b>	4. Manifest Tracking Number <b>016688435 FLE</b>		
5. Generator's Name and Mailing Address <b>212-580-8383</b>		Consolidated Edison of NY Inc Att: Melissa Peller <b>31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105</b>		Generator's Site Address (if different than mailing address) <b>Consolidated Edison of NY Inc- 80- 94 Alexander St Yonkers, NY 10701</b>			
Generator's Phone: <b>ATTN MELISSA AP</b>					U.S. EPA ID Number <b>NJR986628162</b>		
6. Transporter 1 Company Name <b>IWT Transport Inc</b>					U.S. EPA ID Number		
7. Transporter 2 Company Name					U.S. EPA ID Number		
8. Designated Facility Name and Site Address <b>9733444004</b>		Clean Earth of North Jersey, Inc. <b>105 Jacobus Ave. Kearny NJ 07032</b>		U.S. EPA ID Number <b>NJD991291105</b>			
Facility's Phone:							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
X	<sup>1</sup> RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III	1	DM	55	G	D018	
X	<sup>2</sup> RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III	1	DM	55	G	D018	
	3.						
	4.						
14. Special Handling Instructions and Additional Information <b>(1) 2230800134 - Used PPE and sampling equipment-Haz. Order#: 2315587 -</b> <b>(2) 2230800135 - Purged NAPL and Groundwater-Haz</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name <b>Jaime Rivera</b>		Signature <i>Jaime Rivera</i>			Month <b>7</b>	Day <b>22</b>	Year <b>22</b>
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name <b>Chris Cifelli</b>		Signature <i>Chris Cifelli</i>			Month <b>7</b>	Day <b>22</b>	Year <b>22</b>
Transporter 2 Printed/Typed Name		Signature			Month	Day	Year
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number _____							
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator) _____ Month _____ Day _____ Year _____							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. <b>H040</b>	2. <b>H040</b>	3.	4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>			Month <b>7</b>	Day <b>22</b>	Year <b>22</b>



36

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number <b>NYR000254706</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>8606089717</b>	4. Manifest Tracking Number <b>016688436 FLE</b>		
5. Generator's Name and Mailing Address <b>212-580-8383</b>		Consolidated Edison of NY Inc Att: Melissa Felter <b>31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105</b>		Generator's Site Address (if different than mailing address) <b>Consolidated Edison of NY Inc- 80- 94 Alexander St Yonkers, NY 10701</b>			
Generator's Phone: <b>ATTN MELISSA FELTER</b>		6. Transporter 1 Company Name <b>IWT Transport Inc</b>		U.S. EPA ID Number <b>NJR986628162</b>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>9733444004</b>		Clean Earth of North Jersey, Inc. <b>105 Jacobus Ave. Kearny NJ 07032</b>		U.S. EPA ID Number <b>NJD991291105</b>			
Facility's Phone:							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
X	<b>1 RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III</b>	<b>1</b>	<b>DM</b>	<b>55</b>	<b>G</b>	<b>D018</b>	
X	<b>2 RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III</b>	<b>1</b>	<b>DM</b>	<b>55</b>	<b>G</b>	<b>D018</b>	
	3.						
	4.						
14. Special Handling Instructions and Additional Information <b>(1) 2230800134 - Used PPE and sampling equipment-Haz.</b> <b>(2) 2230800135 - Purged NAPL and Groundwater-Haz</b>				<b>Order#: 2315553</b>			
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offoror's Printed/Typed Name <b>Jaime Rivera</b>		Signature <i>Jaime Rivera</i>		Month Day Year <b>7 21 02</b>			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit:		Date leaving U.S.:			
17. Transporter Acknowledgment of Receipt of Materials		Transporter 1 Printed/Typed Name <b>CHRIS CIFELLI</b>		Signature <i>Chris Cifelli</i>		Month Day Year <b>7 21 02</b>	
		Transporter 2 Printed/Typed Name		Signature		Month Day Year	
18. Discrepancy		18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection		Manifest Reference Number:			
18b. Alternate Facility (or Generator)		Facility's Phone:		U.S. EPA ID Number			
				<b>Received Pending Manifest Review/Quality Control Data</b>			
18c. Signature of Alternate Facility (or Generator)				Month Day Year			
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. <b>H040</b>		2. <b>H040</b>		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name <i>[Signature]</i>		Signature <i>[Signature]</i>		Month Day Year <b>7 21 02</b>			

# **Attachment B**

---

## **Historic Well Gauging Measurements**

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-A	6/9/2022	6/23/2022	6/9/2022-6/23/2022	5.86	ND	11.16	NA	NA	
	1/7/1900	1:12 PM	42	5.96	ND	11.20	NA	NA	
	11/4/2020	4:19 AM	14.5	6.42	ND	11.21	NA	NA	
	1/0/1900	7:12 PM	2.2	5.82	ND	11.28	NA	NA	
	1/0/1900	ND	ND	3.20	ND	11.17	NA	NA	
	1/1/1900	1:12 AM	4.79	5.75	ND	11.19	NA	NA	
	1/0/1900	12:43 PM	2.5	4.96	ND	11.18	NA	NA	
	1/13/2021	7:30 AM	ND	5.18	ND	11.16	NA	NA	
	1/27/2021	8:15 AM	ND	4.25	ND	11.33	NA	NA	
	2/8/2021	9:00 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:10 AM	ND	4.91	ND	11.28	NA	NA	
	3/10/2021	8:15 AM	ND	5.28	ND	11.25	NA	NA	
	3/24/2021	8:02 AM	ND	4.91	ND	11.19	NA	NA	
	4/7/2021	8:30 AM	ND	4.27	ND	11.18	NA	NA	
	4/21/2021	9:10 AM	ND	5.17	ND	11.15	NA	NA	
	5/5/2021	8:30 AM	ND	4.40	ND	11.19	NA	NA	
	5/17/2021	8:30 AM	ND	5.92	ND	11.18	NA	NA	
	6/2/2021	8:09 AM	ND	5.39	ND	11.19	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	7/14/2021	8:10 AM	ND	5.72	ND	11.24	NA	NA	
	7/27/2021	7:57 AM	ND	5.67	ND	11.21	NA	NA	
	12/21/2021	10:00 AM	ND	4.74	ND	11.56	NA	NA	
MW-B	10/7/2020	9:20 AM	ND	9.10	ND	12.68	NA	NA	
	10/21/2020	8:15 AM	ND	9.22	ND	12.70	NA	NA	
	11/4/2020	6:00 AM	ND	9.54	ND	12.89	NA	NA	
	11/18/2020	9:45 AM	ND	9.08	ND	13.03	NA	NA	
	12/1/2020	8:30 AM	ND	7.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	1/13/2021	7:35 AM	ND	8.17	ND	12.72	NA	NA	
	1/27/2021	8:10 AM	ND	7.98	ND	12.92	NA	NA	
	2/8/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:05 AM	ND	8.24	ND	12.81	NA	NA	
	3/10/2021	8:25 AM	ND	8.27	ND	12.82	NA	NA	
	3/24/2021	8:07 AM	ND	8.14	ND	12.74	NA	NA	
	4/7/2021	8:35 AM	ND	7.81	ND	12.77	NA	NA	
	4/21/2021	9:15 AM	ND	8.28	ND	12.76	NA	NA	
	5/5/2021	8:35 AM	ND	7.59	ND	12.72	NA	NA	
	5/17/2021	8:35 AM	ND	9.14	ND	12.72	NA	NA	
	6/2/2021	8:14 AM	ND	8.15	ND	12.73	NA	NA	
	6/16/2021	8:55 AM	ND	9.08	ND	12.85	NA	NA	
	6/30/2021	8:30 AM	ND	9.19	ND	12.81	NA	NA	
	7/14/2021	8:15 AM	ND	9.13	ND	12.81	NA	NA	
	7/27/2021	7:54 AM	ND	9.17	ND	12.86	NA	NA	
	7/14/2021	8:15 AM	ND	9.13	ND	12.81	NA	NA	
7/27/2021	7:54 AM	ND	9.17	ND	12.86	NA	NA		
12/21/2021	10:33 AM	ND	8.05	ND	12.86	NA	NA		

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-C	10/7/2020	9:25 AM	ND	8.39	ND	12.83	NA	NA	
	10/21/2020	8:12 AM	ND	8.43	ND	12.47	NA	NA	
	11/4/2020	6:05 AM	ND	8.50	ND	12.59	NA	NA	
	11/18/2020	9:50 AM	ND	7.87	ND	12.35	NA	NA	
	12/1/2020	8:35 AM	ND	5.89	ND	12.37	NA	NA	
	12/16/2020	8:00 AM	ND	7.80	ND	12.31	NA	NA	
	12/29/2020	8:05 AM	ND	7.19	ND	12.42	NA	NA	
	1/13/2021	7:30 AM	ND	7.31	ND	12.49	NA	NA	
	1/27/2021	8:05 AM	ND	6.85	ND	12.54	NA	NA	
	2/8/2021	8:40 AM	ND	7.24	ND	12.50	NA	NA	
	2/24/2021	8:00 AM	ND	7.20	ND	12.45	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	4/7/2021	8:40 AM	ND	6.11	ND	12.36	NA	NA	
	4/21/2021	9:20 AM	ND	7.41	ND	12.36	NA	NA	
	5/5/2021	8:40 AM	ND	6.71	ND	12.36	NA	NA	
	5/17/2021	8:40 AM	ND	8.30	ND	12.30	NA	NA	
	6/2/2021	8:20 AM	ND	7.73	ND	12.31	NA	NA	
6/16/2021	8:58 AM	ND	8.37	ND	12.56	NA	NA		
6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA		
7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA		
6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA		
7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA		
7/27/2021	7:51 AM	ND	8.29	ND	12.64	NA	NA		
12/21/2021	11:50 AM	ND	6.99	ND	12.55	NA	NA		
MW-D	10/7/2020	9:35 AM	ND	8.60	ND	15.95	NA	NA	
	10/21/2020	8:10 AM	ND	8.45	ND	15.83	NA	NA	
	11/4/2020	6:10 AM	ND	9.27	ND	16.02	NA	NA	
	11/18/2020	9:55 AM	ND	8.93	ND	16.18	NA	NA	
	12/1/2020	8:40 AM	ND	7.86	ND	15.94	NA	NA	
	12/16/2020	7:55 AM	ND	8.91	ND	15.86	NA	NA	
	12/29/2020	8:00 AM	ND	8.75	ND	15.91	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	2/8/2021	8:30 AM	ND	8.72	ND	15.92	NA	NA	
	2/24/2021	7:50 AM	ND	8.61	ND	15.93	NA	NA	
	3/10/2021	8:40 AM	ND	9.06	ND	15.96	NA	NA	
	3/24/2021	8:12 AM	ND	8.87	ND	15.92	NA	NA	
	4/7/2021	8:45 AM	ND	8.42	ND	15.90	NA	NA	
	4/21/2021	9:25 AM	ND	8.32	ND	15.87	NA	NA	
	5/5/2021	8:45 AM	ND	7.96	ND	15.83	NA	NA	
	5/17/2021	8:45 AM	ND	8.69	ND	15.83	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
6/30/2021	8:20 AM	ND	8.86	ND	15.96	NA	NA		
7/14/2021	8:25 AM	ND	8.21	ND	15.91	NA	NA		
7/27/2021	7:48 AM	ND	8.15	ND	15.98	NA	NA		
12/23/2021	7:50 AM	ND	8.80	ND	16.30	NA	NA		



**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
 Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-E	10/7/2020	9:40 AM	ND	8.72	ND	12.70	NA	NA	
	10/21/2020	8:05 AM	ND	8.97	ND	12.75	NA	NA	
	11/4/2020	6:15 AM	ND	9.15	ND	12.63	NA	NA	
	11/18/2020	10:00 AM	ND	8.54	ND	12.59	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/29/2020	7:55 AM	ND	8.27	ND	12.53	NA	NA	
	1/13/2021	8:00 AM	ND	8.64	ND	12.72	NA	NA	
	1/27/2021	7:45 AM	ND	7.98	ND	12.67	NA	NA	
	2/8/2021	8:20 AM	ND	8.11	ND	12.53	NA	NA	
	2/24/2021	7:45 AM	ND	7.90	ND	12.57	NA	NA	
	3/10/2021	8:45 AM	ND	8.39	ND	12.57	NA	NA	
	3/24/2021	8:14 AM	ND	8.11	ND	12.71	NA	NA	
	4/7/2021	8:50 AM	ND	7.77	ND	12.51	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
5/17/2021	8:50 AM	ND	9.06	ND	12.70	NA	NA		
6/2/2021	8:30 AM	ND	8.70	ND	12.63	NA	NA		
6/16/2021	9:05 AM	ND	9.08	ND	12.59	NA	NA		
6/30/2021	8:15 AM	ND	9.14	ND	12.70	NA	NA		
7/14/2021	8:00 AM	ND	8.96	ND	12.55	NA	NA		
7/27/2021	7:46 AM	ND	8.89	ND	12.72	NA	NA		
12/23/2021	9:50 AM	ND	8.91	ND	12.78	NA	NA		
MW-F	10/7/2020	8:45 AM	ND	9.39	ND	17.61	NA	NA	
	10/21/2020	9:00 AM	ND	9.16	ND	17.65	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	12/1/2020	8:20 AM	ND	9.14	ND	17.69	NA	NA	
	12/16/2020	8:15 AM	ND	9.53	ND	17.57	NA	NA	
	12/29/2020	8:20 AM	ND	9.29	ND	17.68	NA	NA	
	1/13/2021	7:25 AM	ND	9.55	ND	17.96	NA	NA	
	1/27/2021	8:20 AM	ND	9.77	ND	17.75	NA	NA	
	2/8/2021	9:05 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	Inaccessible due to snow coverage
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	4/21/2021	8:55 AM	ND	9.08	ND	17.65	NA	NA	
	5/5/2021	9:00 AM	ND	9.05	ND	17.58	NA	NA	
	5/17/2021	8:55 AM	ND	9.51	ND	17.58	NA	NA	
	6/2/2021	8:05 AM	ND	8.90	ND	17.60	NA	NA	
	6/16/2021	8:00 AM	ND	9.02	ND	17.69	NA	NA	
	6/30/2021	8:37 AM	ND	9.47	ND	17.69	NA	NA	
	7/14/2021	8:05 AM	ND	8.69	ND	17.65	NA	NA	
7/27/2021	8:01 AM	ND	8.58	ND	17.69	NA	NA		
12/21/2021	8:27 AM	ND	10.86	ND	17.70	NA	NA		

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-1	10/7/2020	9:05 AM	ND	7.68	ND	20.31	NA	NA	
	10/21/2020	9:05 AM	ND	7.77	ND	20.42	NA	NA	
	11/4/2020	6:55 AM	ND	8.12	ND	20.42	NA	NA	
	11/18/2020	10:20 AM	ND	7.74	ND	21.25	NA	NA	
	12/1/2020	9:30 AM	ND	5.02	ND	20.28	NA	NA	
	12/16/2020	9:15 AM	ND	7.40	ND	20.34	NA	NA	
	12/29/2020	9:15 AM	ND	6.81	ND	20.34	NA	NA	
	1/13/2021	8:40 AM	ND	6.67	ND	20.36	NA	NA	
	1/27/2021	9:05 AM	ND	6.02	ND	20.39	NA	NA	
	2/8/2021	9:15 AM	ND	6.93	ND	20.45	NA	NA	
	2/24/2021	9:15 AM	ND	6.81	ND	26.47	NA	NA	
	3/10/2021	10:15 AM	ND	7.19	ND	26.39	NA	NA	
	3/24/2021	9:08 AM	ND	6.95	ND	20.43	NA	NA	
	4/7/2021	9:00 AM	ND	6.34	ND	20.33	NA	NA	
	4/21/2021	9:00 AM	ND	7.30	ND	20.34	NA	NA	
	5/5/2021	9:45 AM	ND	6.70	ND	20.33	NA	NA	
	5/17/2021	9:20 AM	ND	7.74	ND	20.34	NA	NA	
	6/2/2021	9:19 AM	ND	7.43	ND	20.31	NA	NA	
	6/16/2021	9:43 AM	ND	7.61	ND	20.43	NA	NA	
	6/30/2021	9:00 AM	ND	7.89	ND	20.40	NA	NA	
	7/14/2021	9:00 AM	ND	7.46	ND	20.41	NA	NA	
	7/27/2021	8:43 AM	ND	7.40	ND	20.41	NA	NA	
	8/11/2021	11:05 AM	ND	6.75	ND	20.42	NA	NA	
	8/23/2021	9:50 AM	ND	5.15	ND	20.44	NA	NA	
	9/8/2021	8:37 AM	ND	6.95	ND	20.43	NA	NA	
	9/21/2021	10:05 AM	ND	5.93	ND	20.48	NA	NA	
	10/7/2021	10:03 AM	ND	5.66	ND	20.36	NA	NA	
	10/20/2021	7:45 AM	ND	7.37	ND	20.34	NA	NA	
	11/4/2021	10:20 AM	ND	5.16	ND	20.45	NA	NA	
	11/17/2021	7:45 AM	ND	6.53	ND	20.47	NA	NA	
	12/1/2021	9:55 AM	ND	7.43	ND	20.41	NA	NA	
	12/14/2021	8:20 AM	ND	7.90	ND	20.41	NA	NA	
	12/28/2021	10:30 AM	ND	7.21	ND	20.40	NA	NA	
	1/13/2022	9:20 AM	ND	7.82	ND	20.41	NA	NA	
	1/27/2022	9:30 AM	ND	7.77	ND	20.41	NA	NA	
	2/7/2022	8:30 AM	ND	7.78	ND	20.38	NA	NA	
	2/24/2022	8:15 AM	ND	7.65	ND	20.41	NA	NA	
	3/17/2022	10:45 AM	ND	6.08	ND	20.38	NA	NA	
	3/28/2022	11:45 AM	ND	7.65	ND	20.35	NA	NA	
	4/13/2022	11:11 AM	ND	7.10	ND	20.47	NA	NA	
	4/29/2022	10:45 AM	ND	8.02	ND	21.40	NA	NA	
	5/12/2022	11:50 AM	ND	7.15	ND	20.41	NA	NA	
5/25/2022	11:00 AM	ND	7.21	ND	20.34	NA	NA		
6/9/2022	12:00 PM	ND	7.32	ND	20.35	NA	NA		
6/23/2022	10:44 AM	ND	7.28	ND	20.65	NA	NA		
7/7/2022	1:58 PM	ND	7.40	ND	20.31	NA	NA		
7/22/2022	9:22 AM	ND	7.28	ND	20.58	NA	NA		

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-3	10/7/2020	11:05 AM	ND	7.46	ND	33.05	NA	NA	
	10/21/2020	9:15 AM	ND	8.06	ND	33.22	NA	NA	
	11/4/2020	7:05 AM	ND	8.42	ND	33.15	NA	NA	
	11/18/2020	10:30 AM	ND	7.94	ND	34.24	NA	NA	
	12/1/2020	9:35 AM	ND	6.05	ND	33.06	NA	NA	
	12/16/2020	9:20 AM	ND	7.66	ND	32.98	NA	NA	
	12/29/2020	9:20 AM	ND	6.96	ND	32.32	NA	NA	
	1/13/2021	8:45 AM	ND	6.99	ND	33.30	NA	NA	
	1/27/2021	9:10 AM	ND	6.67	ND	33.09	NA	NA	
	2/8/2021	9:25 AM	ND	7.09	ND	33.11	NA	NA	
	2/24/2021	9:20 AM	ND	7.09	ND	33.11	NA	NA	
	3/10/2021	10:20 AM	ND	7.28	ND	33.67	NA	NA	
	3/24/2021	9:13 AM	ND	7.01	ND	32.98	NA	NA	
	4/7/2021	9:05 AM	ND	6.57	ND	33.04	NA	NA	
	4/21/2021	9:10 AM	ND	7.20	ND	33.05	NA	NA	
	5/5/2021	9:55 AM	ND	6.63	ND	33.04	NA	NA	
	5/17/2021	9:25 AM	ND	7.99	ND	33.00	NA	NA	
	6/2/2021	9:25 AM	ND	7.42	ND	33.00	NA	NA	
	6/16/2021	9:48 AM	ND	7.73	ND	32.96	NA	NA	
	6/30/2021	8:55 AM	ND	7.84	ND	33.05	NA	NA	
	7/14/2021	9:05 AM	ND	7.74	ND	33.03	NA	NA	
	7/27/2021	8:40 AM	ND	7.89	ND	33.06	NA	NA	
	8/11/2021	11:10 AM	ND	7.04	ND	33.10	NA	NA	
	8/23/2021	9:55 AM	ND	5.97	ND	33.04	NA	NA	
	9/8/2021	8:45 AM	ND	7.27	ND	33.10	NA	NA	
	9/21/2021	10:09 AM	ND	6.27	ND	33.08	NA	NA	
	10/7/2021	10:09 AM	ND	6.04	ND	33.09	NA	NA	
	10/20/2021	10:20 AM	ND	6.68	ND	33.03	NA	NA	
	11/4/2021	10:25 AM	ND	5.69	ND	32.99	NA	NA	
	11/17/2021	7:50 AM	ND	6.63	ND	33.05	NA	NA	
	12/1/2021	10:00 AM	ND	7.45	ND	33.04	NA	NA	
	12/14/2021	8:25 AM	ND	7.81	ND	33.02	NA	NA	
	12/28/2021	10:45 AM	ND	7.24	ND	33.02	NA	NA	
	1/13/2022	9:25 AM	ND	7.79	ND	33.01	NA	NA	
	1/27/2022	9:15 AM	ND	7.81	ND	33.00	NA	NA	
	2/7/2022	8:45 AM	ND	7.96	ND	32.99	NA	NA	
	2/24/2022	8:30 AM	ND	7.80	ND	33.01	NA	NA	
	3/17/2022	10:50 AM	ND	6.45	ND	33.25	NA	NA	
	3/28/2022	11:50 AM	ND	7.75	ND	32.95	NA	NA	
	4/13/2022	11:20 AM	ND	6.95	ND	33.25	NA	NA	
	4/29/2022	11:10 AM	ND	7.88	ND	32.96	NA	NA	
	5/12/2022	11:55 AM	ND	6.68	ND	32.93	NA	NA	
5/25/2022	11:05 AM	ND	7.16	ND	32.91	NA	NA		
6/9/2022	12:10 PM	ND	7.57	ND	32.92	NA	NA		
6/23/2022	10:47 AM	ND	7.54	ND	33.32	NA	NA		
7/7/2022	2:01 PM	ND	7.50	ND	32.92	NA	NA		
7/22/2022	9:25 AM	ND	7.37	ND	33.20	NA	NA		

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-4	10/7/2020	11:20 AM	ND	8.73	Trace	43.24	NA	NA	
	10/21/2020	9:45 AM	ND	8.85	ND	43.21	NA	NA	
	11/4/2020	7:35 AM	ND	9.44	ND	43.23	NA	NA	
	11/18/2020	10:40 AM	ND	9.22	ND	44.98	NA	NA	
	12/1/2020	10:20 AM	ND	7.95	ND	43.26	NA	NA	
	12/16/2020	9:40 AM	ND	9.16	ND	43.19	NA	NA	
	12/29/2020	10:20 AM	ND	8.84	ND	42.23	NA	NA	
	1/13/2021	9:35 AM	ND	8.79	ND	43.16	NA	NA	
	1/27/2021	9:40 AM	ND	8.74	ND	43.22	NA	NA	
	2/8/2021	11:00 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	9:45 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	10:30 AM	ND	9.34	Trace	43.55	NA	NA	
	3/24/2021	9:23 AM	ND	8.65	ND	43.29	NA	NA	
	4/7/2021	9:10 AM	ND	8.66	ND	43.16	NA	NA	
	4/21/2021	9:15 AM	ND	8.58	ND	43.17	NA	NA	
	5/5/2021	9:58 AM	ND	8.43	ND	43.20	NA	NA	
	5/17/2021	9:30 AM	ND	9.06	ND	43.19	NA	NA	
	6/2/2021	9:30 AM	ND	8.81	ND	43.11	NA	NA	
	6/16/2021	9:52 AM	ND	8.71	ND	43.20	NA	NA	
	6/30/2021	9:35 AM	ND	8.96	ND	43.24	NA	NA	
	7/14/2021	9:35 AM	ND	8.61	ND	43.30	NA	NA	
	7/27/2021	9:15 AM	ND	8.63	ND	43.17	NA	NA	
	8/11/2021	11:25 AM	ND	8.73	ND	43.19	NA	NA	
	8/23/2021	10:20 AM	ND	8.03	ND	43.13	NA	NA	
	9/8/2021	9:42 AM	ND	8.51	ND	43.20	NA	NA	
	9/21/2021	11:20 AM	ND	8.62	ND	43.16	NA	NA	
	10/7/2021	10:15 AM	ND	8.56	ND	43.19	NA	NA	
	10/20/2021	10:30 AM	ND	8.65	ND	43.14	NA	NA	
	11/4/2021	12:45 PM	ND	8.17	ND	43.25	NA	NA	
	11/17/2021	8:50 AM	ND	8.90	ND	43.19	NA	NA	
	12/1/2021	10:05 AM	ND	9.00	ND	43.22	NA	NA	
	12/14/2021	9:00 AM	ND	9.49	ND	43.19	NA	NA	
	12/28/2021	11:00 AM	ND	8.58	ND	43.19	NA	NA	
	1/13/2022	9:30 AM	ND	9.32	ND	43.21	NA	NA	
	1/27/2022	9:42 AM	ND	9.26	ND	43.21	NA	NA	
	2/7/2022	9:00 AM	ND	9.09	ND	43.19	NA	NA	
	2/24/2022	8:40 AM	ND	9.18	ND	43.22	NA	NA	
	3/17/2022	10:57 AM	ND	8.86	ND	43.21	NA	NA	
	3/28/2022	11:55 AM	ND	8.92	ND	43.10	NA	NA	
	4/13/2022	11:30 AM	ND	8.82	ND	43.40	NA	NA	
	4/29/2022	11:55 AM	ND	8.78	ND	43.22	NA	NA	
	5/12/2022	12:00 PM	ND	8.45	ND	43.15	NA	NA	
5/25/2022	11:10 AM	ND	8.67	ND	43.12	NA	NA		
6/9/2022	12:20 PM	ND	8.31	ND	43.10	NA	NA		
6/23/2022	10:51 AM	ND	8.60	ND	43.53	NA	NA		
7/7/2022	2:05 PM	ND	8.96	ND	43.15	NA	NA		
7/22/2022	9:30 AM	ND	8.60	ND	43.46	NA	NA		

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	10/7/2020	12:20 PM	ND	7.89	29.62	37.50	NA	7.88	Pre-pumping measurement
	10/14/2020	12:45 PM	ND	8.90	ND	37.63	NA	NA	Post-pumping measurement ~6 gallons removed
	10/21/2020	11:00 AM	ND	7.93	30.12	37.61	NA	7.49	Pre-pumping measurement
	10/21/2020	11:30 AM	ND	7.93	ND	38.12	NA	NA	Post-pumping measurement ~10 gallons removed
	11/4/2020	9:00 AM	ND	8.61	30.48	38.08	NA	7.60	Pre-pumping measurement
	11/5/2020	9:30 AM	ND	8.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:40 AM	ND	8.08	29.99	38.02	NA	8.03	
	11/19/2020	9:30 AM	ND	8.06	30.06	38.02	NA	7.96	Pre-pumping measurement
	11/19/2020	10:00 AM	ND	8.09	ND	38.25	NA	NA	Post-pumping measurement ~12 gallons removed
	12/1/2020	11:15 AM	ND	6.62	29.76	38.01	NA	8.25	Pre-pumping measurement
	12/2/2020	9:35 AM	ND	6.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	12/16/2020	11:20 AM	ND	7.79	29.70	38.10	NA	8.40	Pre-pumping measurement
	12/18/2020	10:30 AM	ND	7.52	ND	37.70	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:30 AM	ND	7.97	29.60	38.21	NA	8.61	
	12/30/2020	9:45 AM	ND	8.00	29.57	38.11	NA	8.54	Pre-pumping measurement
	12/30/2020	10:45 AM	ND	8.01	ND	38.22	NA	NA	Post-pumping measurement ~10 gallons removed
	1/13/2021	10:30 AM	ND	7.49	29.99	38.21	NA	8.22	
	1/14/2021	8:50 AM	ND	7.87	29.98	38.21	NA	8.23	Pre-pumping measurement
	1/14/2021	10:00 AM	ND	8.02	ND	38.21	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2021	10:55 AM	ND	7.58	29.90	38.11	NA	8.21	
	1/28/2021	9:00 AM	ND	7.60	29.90	38.11	NA	8.21	Pre-pumping measurement
	1/28/2021	9:30 AM	ND	7.70	ND	38.11	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:40 AM	ND	8.70	30.00	38.11	NA	8.11	
	2/11/2021	10:30 AM	ND	7.95	30.00	38.78	NA	8.78	Pre-pumping measurement
	2/11/2021	11:40 AM	ND	7.97	ND	38.78	NA	NA	Post-pumping measurement ~15 gallons removed
	2/24/2021	10:30 AM	ND	8.23	29.80	38.78	NA	8.98	
	2/25/2021	8:40 AM	ND	8.23	29.80	38.76	NA	8.96	Pre-pumping measurement
	2/25/2021	10:25 AM	ND	8.25	ND	38.76	NA	NA	Post-pumping measurement ~9 gallons removed
	3/10/2021	11:50 AM	ND	8.48	29.79	38.50	NA	8.71	
	3/11/2021	9:15 AM	ND	8.14	29.98	38.50	NA	8.52	Pre-pumping measurement
	3/11/2021	11:15 AM	ND	8.29	ND	38.50	NA	NA	Post-pumping measurement ~10 gallons removed
	3/24/2021	10:04 AM	ND	8.26	30.46	38.42	NA	7.96	
3/25/2021	8:58 AM	ND	7.92	30.34	38.42	NA	8.08	Pre-pumping measurement	
3/25/2021	11:20 AM	ND	7.47	ND	38.72	NA	NA	Post-pumping measurement ~13 gallons removed	
4/7/2021	9:15 AM	ND	8.01	30.30	38.72	NA	8.42		
4/8/2021	8:15 AM	ND	7.66	29.90	38.00	NA	8.10	Pre-pumping measurement	
4/8/2021	11:20 AM								No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot
4/21/2021	9:20 AM		NM	NM	NM	NM	NM	NM	The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is
5/5/2021	12:00 PM	ND	8.35	29.80	38.72	NA	8.92		
5/6/2021	10:10 AM	ND	8.20	29.12	37.88	NA	8.76		
5/6/2021	11:40 AM	ND	7.81	29.45	37.88	NA	8.43	Pre-pumping measurement	
5/6/2021	11:40 AM	ND	8.31	ND	37.88	NA	NA	Post-pumping measurement ~10 gallons removed	
5/17/2021	11:30 AM	ND	8.67	27.94	37.94	NA	10.00		
5/20/2021	9:30 AM	ND	8.63	27.90	37.94	NA	10.04	Pre-pumping measurement	
5/20/2021	10:30 AM	ND	8.67	ND	37.94	NA	NA	Post-pumping measurement ~13 gallons removed	
6/2/2021	10:55 AM	ND	8.90	30.20	38.34	NA	8.14		
6/3/2021	9:00 AM	ND	8.90	30.17	38.31	NA	8.14	Pre-pumping measurement	
6/3/2021	9:45 AM	ND	8.93	ND	38.40	NA	NA	Post-pumping measurement ~13 gallons removed	
6/16/2021	10:52 AM	ND	8.67	29.71	38.34	NA	8.63		
6/17/2021	8:25 AM	ND	8.66	29.70	38.34	NA	8.64	Pre-pumping measurement	
6/17/2021	9:55 AM	ND	8.70	ND	38.34	NA	NA	Post-pumping measurement ~17 gallons removed	
6/30/2021	11:00 AM	ND	8.98	29.98	38.65	NA	8.67		
7/1/2021	8:15 AM	ND	8.80	29.98	38.65	NA	8.67	Pre-pumping measurement	
7/1/2021	8:35 AM	ND	8.82	ND	38.65	NA	NA	Post-pumping measurement ~4.7 gallons removed	
7/14/2021	10:45 AM	ND	7.95	29.90	38.65	NA	8.75		
7/15/2021	9:15 AM	ND	8.75	29.90	38.65	NA	8.75	Pre-pumping measurement	
7/15/2021	9:55 AM	ND	8.80	ND	38.65	NA	NA	Post-pumping measurement ~5.95 gallons removed	
7/27/2021	3:36 AM	ND	7.59	29.80	38.19	NA	8.39		
7/29/2021	8:45 AM	ND	8.70	29.80	38.19	NA	8.39	Pre-pumping measurement	

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5 (con't)	7/29/2021	9:20 AM	ND	8.75	ND	38.19	NA	NA	Post-pumping measurement ~9.35 gallons removed
	8/11/2021	1:05 PM	ND	7.20	30.30	38.19	NA	7.89	
	8/12/2021	8:35 AM	ND	8.95	30.30	38.19	NA	7.89	Pre-pumping measurement
	8/12/2021	9:45 AM	ND	8.97	ND	38.19	NA	NA	Post-pumping measurement ~5.95 gallons removed
	8/23/2021	12:45 PM	ND	5.98	29.60	38.18	NA	8.58	
	8/24/2021	8:10 AM	ND	7.81	29.60	38.18	NA	8.58	Pre-pumping measurement
	8/24/2021	8:35 AM	ND	7.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/8/2021	11:35 AM	ND	6.82	30.00	38.18	NA	8.18	
	9/9/2021	8:50 AM	ND	6.81	30.00	38.18	NA	8.18	Pre-pumping measurement
	9/9/2021	9:05 AM	ND	6.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/21/2021	12:15 PM	ND	6.98	29.90	38.18	NA	8.28	
	9/23/2021	8:25 AM	ND	8.00	29.90	38.18	NA	8.28	Pre-pumping measurement
	9/23/2021	8:45 AM	ND	8.01	ND	38.18	NA	NA	Post-pumping measurement ~11 gallons removed
	10/7/2021	12:45 PM	ND	6.76	30.11	38.18	NA	8.07	
	10/8/2021	8:50 AM	ND	7.81	29.99	38.18	NA	8.19	Pre-pumping measurement
	10/8/2021	9:25 AM	ND	7.61	ND	38.18	NA	NA	Post-pumping measurement ~6.75 gallons removed
	10/20/2021	11:30 AM	ND	7.40	29.80	38.19	NA	8.39	
	10/21/2021	8:30 AM	ND	7.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	10/21/2021	9:05 AM	ND	7.75	ND	38.19	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2021	1:35 PM	ND	8.15	29.50	38.18	NA	8.68	
	11/5/2021	8:50 AM	ND	7.05	30.09	38.19	NA	8.10	Pre-pumping measurement
	11/5/2021	9:15 AM	ND	7.12	ND	38.19	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:25 PM	ND	8.35	29.50	38.18	NA	8.68	
	11/19/2021	10:45 AM	ND	7.86	29.50	38.18	NA	8.68	Pre-pumping measurement
	11/19/2021	11:45 AM	ND	7.87	ND	38.18	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	12:00 PM	ND	9.13	28.86	38.17	NA	9.31	
	12/2/2021	9:05 AM	ND	7.38	28.86	38.17	NA	9.31	Pre-pumping measurement
	12/2/2021	9:40 AM	ND	7.39	ND	38.17	NA	NA	Post-pumping measurement ~3 gallons removed
	12/14/2021	12:20 PM	ND	9.59	29.20	38.18	NA	8.98	
	12/15/2021	9:30 AM	ND	8.98	29.70	38.18	NA	8.48	Pre-pumping measurement
	12/15/2021	10:10 AM	ND	9.01	ND	38.18	NA	NA	Post-pumping measurement ~5 gallons removed
	12/28/2021	11:15	ND	8.52	29.70	38.16	NA	8.46	
	12/29/2021	8:00 AM	ND	7.32	29.65	38.15	NA	8.50	Pre-pumping measurement
	12/29/2021	8:50 AM	ND	9.06	ND	38.17	NA	NA	Post-pumping measurement ~445 gallons removed
	1/13/2022	11:30 AM	ND	9.41	28.16	38.15	NA	9.99	
	1/14/2022	8:30 AM	ND	9.41	28.16	38.15	NA	9.99	Pre-pumping measurement
	1/14/2022	9:10 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	ND	9.41	28.14	38.15	NA	10.01	
	1/28/2022	9:00 AM	ND	7.71	29.71	38.15	NA	8.44	Pre-pumping measurement
	1/28/2022	9:30 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	2/7/2022	9:15 AM	ND	8.48	29.65	38.15	NA	8.50	
	2/9/2022	8:30 AM	ND	8.42	29.29	38.15	NA	8.86	Pre-pumping measurement
2/9/2022	9:30 AM	ND	9.61	ND	38.15	NA	NA	Post-pumping measurement ~12 gallons removed	
2/24/2022	8:30 AM	ND	9.31	29.97	38.17	NA	8.20		
2/25/2022	9:30 AM	ND	9.31	29.97	38.17	NA	8.20	Pre-pumping measurement	
2/25/2022	10:15 AM	ND	9.61	ND	38.17	NA	NA	Post-pumping measurement ~13 gallons removed	
3/17/2022	11:04 AM	ND	7.65	35.3	37.50	NA	2.2		
3/18/2022	8:15 AM	ND	7.70	29.6	38.40	NA	8.8	Pre-pumping measurement	
3/18/2022	11:45 AM	ND	ND	32.3	37.50	NA	6.1	Post-pumping measurement ~4 gallons removed	

# Attachment B. Historic Well Gauging Measurements

## Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5 (cont.)	3/28/2022	8:17 AM	ND	8.02	29.69	37.54	NA	7.75	Pre-pumping measurement
	3/28/2022	3:00 PM	ND	ND	30.54	37.54	ND	7.0	Post-pumping measurement ~10 gallons removed
	4/13/2022	7:56 AM	ND	7.90	29.7	37.50	NA	7.8	Pre-pumping measurement
	4/13/2022	2:40 PM	ND	7.90	34.05	37.50	NA	3.45	Post-pumping measurement ~21 gallons removed
	4/28/2022	8:40 AM	ND	8.08	29.71	37.47	ND	7.76	Pre-pumping measurement
	4/28/2022	3:00 PM	ND	ND	29.79	37.54	ND	7.75	Post-pumping measurement ~3 gallons removed. Tubing on pump dislodged.
	5/12/2022	8:10 AM	ND	7.34	30.44	37.09	ND	6.65	Pre-pumping measurement
	5/12/2022	14:50:00 PM	ND	ND	32.3	37.50	NA	5.2	Post-pumping measurement ~25 gallons removed
	5/25/2022	8:25 AM	ND	7.62	30.59	37.08	ND	6.49	Pre-pumping measurement
	5/25/2022	3:00 PM	ND	ND	30.61	37.08	ND	6.47	Post-pumping measurement ~11 gallons removed. Minimal recovery due to pump difficulties
	6/9/2022	9:20 AM	ND	7.61	29.63	37.10	ND	7.47	Pre-pumping measurement
	6/9/2022	2:50 PM	ND	ND	31.48	37.10	NA	5.62	Post-pumping measurement ~17 gallons removed
	6/23/2022	11:15 AM	ND	8.37	29.62	37.17	ND	7.55	Pre-pumping measurement
	6/23/2022	11:25 AM	ND	ND	35.1	37.17	ND	2.07	Post-pumping measurement ~25 gallons removed
	7/8/2022	12:36 PM	ND	8.35	31.11	37.34	ND	6.23	Pre-pumping measurement- no pumping completed, equipment malfunction
	7/21/2022	8:35 AM	ND	8.12	30.0	37.30	ND	7.3	Pre-pumping measurement
	7/21/2022	12:25 AM	ND	ND	31.8	37.30	ND	5.50	Post-pumping measurement ~20 gallons removed
NW-6	10/7/2020	12:05 PM	ND	9.01	33.26	38.32	NA	5.06	Pre-pumping measurement
	10/14/2020	8:45 AM	ND	8.55	ND	37.20	NA	ND	Post-pumping measurement ~6 gallons removed
	10/21/2020	10:40 AM	ND	9.00	33.37	38.35	NA	4.98	Pre-pumping measurement
	10/21/2020	12:00 PM	ND	9.00	ND	38.38	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2020	8:45 AM	ND	9.66	32.28	36.06	NA	3.78	Pre-pumping measurement
	11/5/2020	10:00 AM	ND	9.64	ND	38.31	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:25 AM	ND	9.16	33.39	38.10	NA	4.71	
	11/19/2020	10:00 AM	ND	9.15	33.43	38.09	NA	4.66	Pre-pumping measurement
	11/19/2020	10:15 AM	ND	9.16	ND	38.14	NA	NA	Post-pumping measurement ~3 gallons removed
	12/1/2020	11:00 AM	ND	7.98	34.41	37.12	NA	2.71	Pre-pumping measurement
	12/2/2020	10:05 AM	ND	8.01	ND	37.12	NA	NA	Post-pumping measurement ~5 gallons removed
	12/16/2020	11:00 AM	ND	9.20	33.20	37.12	NA	3.92	Pre-pumping measurement
	12/18/2020	12:00 PM	ND	8.70	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:10 AM	ND	8.75	33.35	38.10	NA	4.75	
	12/30/2020	11:15 AM	ND	8.71	33.33	38.10	NA	4.77	Pre-pumping measurement
	12/30/2020	11:45 AM	ND	8.73	ND	38.12	NA	NA	Post-pumping measurement ~5 gallons removed
	1/13/2021	10:15 AM	ND	8.45	33.44	38.10	NA	4.66	
	1/14/2021	8:25 AM	ND	8.87	33.31	38.10	NA	4.79	Pre-pumping measurement
	1/14/2021	8:40 AM	ND	8.92	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	1/27/2021	11:15 AM	ND	8.63	34.00	38.35	NA	4.35	
	1/28/2021	10:15 AM	ND	8.70	34.00	38.35	NA	4.35	Pre-pumping measurement
	1/28/2021	10:40 AM	ND	8.73	ND	38.37	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:20 AM	ND	7.98	33.95	38.37	NA	4.42	
	2/11/2021	12:05 PM	ND	7.55	33.90	38.38	NA	4.48	Pre-pumping measurement
	2/11/2021	12:20 PM	ND	7.54	ND	38.36	NA	NA	Post-pumping measurement ~5 gallons removed
	2/24/2021	10:20 AM	ND	8.86	33.10	38.36	NA	5.26	
	2/25/2021	10:45 AM	ND	8.80	33.10	38.37	NA	5.27	Pre-pumping measurement
	2/25/2021	10:55 AM	ND	8.82	ND	38.37	NA	NA	Post-pumping measurement ~5 gallons removed
	3/10/2021	11:40 AM	ND	8.48	33.60	38.32	NA	4.72	
	3/11/2021	11:38 AM	ND	8.26	32.80	38.32	NA	5.52	Pre-pumping measurement
	3/11/2021	11:50 AM	ND	9.04	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	3/24/2021	9:59 AM	ND	8.84	33.04	38.12	NA	5.08	
	3/25/2021	11:27 AM	ND	8.61	32.98	38.10	NA	5.12	Pre-pumping measurement
3/25/2021	11:43 AM	ND	9.41	ND	38.14	NA	NA	Post-pumping measurement ~7 gallons removed	
4/7/2021	9:15 AM	ND	8.45	33.25	38.15	NA	4.90		
4/8/2021	12:00 PM	ND	8.45	33.29	38.15	NA	4.86	Pre-pumping measurement	
4/8/2021	12:20 PM	ND	8.54	ND	38.35	NA	NA	Post-pumping measurement ~20 gallons removed	
4/21/2021	9:25 AM	ND	8.59	33.22	38.50	NA	5.28		
4/22/2021	10:15 AM	ND	8.82	33.01	38.48	NA	5.47	Pre-pumping measurement	
4/22/2021	10:45 AM	ND	8.87	ND	38.45	NA	NA	Post-pumping measurement ~15 gallons removed	
5/5/2021	11:00 AM	ND	8.40	33.41	38.52	NA	5.11		

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments	
NW-6 (cont.)	5/6/2021	12:45 PM	ND	8.61	33.45	38.50	NA	5.05	No vacuum event performed at NW-6	
	5/17/2021	11:00 AM	ND	9.10	31.89	37.99	NA	6.10		
	5/20/2021	10:45 AM	ND	9.11	31.85	38.00	NA	6.15	Pre-pumping measurement	
	5/20/2021	11:15 AM	ND	9.14	ND	38.06	NA	NA	Post-pumping measurement ~7 gallons removed	
	6/2/2021	10:35 AM	ND	8.75	32.18	38.49	NA	6.31		
	6/3/2021	10:00 AM	ND	8.74	32.16	38.49	NA	6.33	Pre-pumping measurement	
	6/3/2021	10:30 AM	ND	8.78	ND	38.49	NA	NA	Post-pumping measurement ~9 gallons removed	
	6/16/2021	10:34 AM	ND	8.84	32.50	38.03	NA	5.53		
	6/17/2021	10:10 AM	ND	8.83	32.50	38.00	NA	5.50	Pre-pumping measurement	
	6/17/2021	10:35 AM	ND	8.84	ND	38.05	NA	NA	Post-pumping measurement ~17.25 gallons removed	
	6/30/2021	10:35 AM	ND	9.11	33.00	38.10	NA	5.10		
	7/1/2021	8:50 AM	ND	9.18	33.00	38.10	NA	5.10	Pre-pumping measurement	
	7/1/2021	9:20 AM	ND	9.19	ND	38.10	NA	NA	Post-pumping measurement ~5.5 gallons removed	
	7/14/2021	10:25 AM	ND	8.45	32.95	37.70	NA	4.75		
	7/15/2021	10:35 AM	ND	8.65	32.95	37.70	NA	4.75	Pre-pumping measurement	
	7/15/2021	11:05 AM	ND	8.69	ND	37.70	NA	NA	Post-pumping measurement ~15.3 gallons removed	
	7/27/2021	11:05 AM	ND	8.36	33.05	36.78	NA	3.73		
	7/29/2021	9:45 AM	ND	9.02	33.05	36.78	NA	3.73	Pre-pumping measurement	
	7/29/2021	10:15 AM	ND	9.09	ND	36.78	NA	NA	Post-pumping measurement ~18.7 gallons removed	
	8/11/2021	12:50 PM	ND	8.32	33.00	36.77	NA	3.77		
	8/12/2021	11:15 AM	ND	8.70	33.00	37.40	NA	4.40	No pumping due to stinger maintenance	
	8/23/2021	12:25 PM	ND	7.11	31.55	37.40	NA	5.85		
	8/24/2021	9:30 AM	ND	8.00	31.55	37.40	NA	5.85	Pre-pumping measurement	
	8/24/2021	9:45 AM	ND	8.01	ND	37.40	NA	NA	Post-pumping measurement ~17.9 gallons removed	
	9/8/2021	11:05 AM	ND	7.97	31.80	37.40	NA	5.60		
	9/9/2021	9:25 AM	ND	8.28	31.80	37.40	NA	5.60	Pre-pumping measurement	
	9/9/2021	9:35 AM	ND	8.31	ND	37.40	NA	NA	Post-pumping measurement ~2.6 gallons removed	
	9/21/2021	12:35 PM	ND	8.02	31.70	37.40	NA	5.70		
	9/23/2021	9:30 AM	ND	8.54	31.70	37.40	NA	5.70	Pre-pumping measurement	
	9/23/2021	9:40 AM	ND	8.55	ND	37.40	NA	NA	Post-pumping measurement ~20.4 gallons removed	
	10/7/2021	12:15 PM	ND	7.88	32.01	37.40	NA	5.39		
	10/8/2021	10:06 AM	ND	8.41	31.90	37.40	NA	5.50	Pre-pumping measurement	
	10/8/2021	10:28 AM	ND	8.85	ND	37.60	NA	NA	Post-pumping measurement ~22.5 gallons removed	
	10/20/2021	12:10 PM		ND	8.33	32.50	37.41	NA	4.91	
	10/21/2021	10:00 AM	ND	7.30	32.50	37.41	NA	4.91	Pre-pumping measurement	
	10/21/2021	10:10 AM	ND	7.33	ND	37.41	NA	NA	Post-pumping measurement ~8 gallons removed	
	11/4/2021	1:25 PM	ND	8.02	32.00	37.40	NA	5.40		
	11/5/2021	9:25 AM	ND	8.75	32.11	37.41	NA	5.30	Pre-pumping measurement	
	11/5/2021	10:10 AM	ND	8.15	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed	
	11/17/2021	12:10 PM	ND	8.52	32.00	37.40	NA	5.40		
	11/19/2021	12:30 PM	ND	7.78	32.00	37.40	NA	5.40	Pre-pumping measurement	
	11/19/2021	12:45 PM	ND	7.79	ND	37.40	NA	NA	Post-pumping measurement ~8 gallons removed	
12/1/2021	11:39 AM	ND	9.38	31.98	37.40	NA	5.42			
12/2/2021	10:10 AM	ND	8.43	31.98	37.40	NA	5.42	Pre-pumping measurement		
12/2/2021	10:20 AM	ND	8.44	ND	37.40	NA	NA	Post-pumping measurement ~4 gallons removed		
12/14/2021	12:40 PM	ND	9.66	32.20	37.40	NA	5.20			
12/15/2021	11:00 AM	ND	9.06	32.20	37.40	NA	5.20	Pre-pumping measurement		
12/15/2021	11:02 AM	ND	9.08	ND	37.40	NA	NA	Post-pumping measurement ~6 gallons removed		
12/28/2021	11:30 AM	ND	8.79	32.35	37.40	NA	5.05			
12/29/2021	9:10 AM	ND	8.35	32.29	37.38	NA	5.09	Pre-pumping measurement		
12/29/2021	10:05 AM	ND	8.41	ND	37.40	NA	NA	Post-pumping measurement ~15 gallons removed		
1/13/2022	10:55 AM	ND	9.45	33.42	37.38	NA	3.96			
1/14/2022	10:00 AM	ND	9.45	33.42	37.38	NA	3.96	Pre-pumping measurement		
1/14/2022	10:15 AM	ND	9.36	ND	37.38	NA	NA	Post-pumping measurement ~5 gallons removed		
1/27/2022	11:00 AM	ND	9.41	34.61	37.38	NA	2.77			
1/28/2022	10:00 AM	ND	9.42	34.6	37.38	NA	2.78	Pre-pumping measurement		
1/28/2022	10:30 AM	ND	9.39	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed		
2/7/2022	9:30 AM	ND	9.25	33.31	37.38	NA	4.07			
2/9/2022	11:00 AM	ND	9.21	33.01	37.38	NA	4.37	Pre-pumping measurement		
2/9/2022	11:05 AM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed		



**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6 (cont.)	2/24/2022	8:45 AM	ND	9.33	35.61	37.36	NA	1.75	
	2/25/2022	11:30 AM	ND	9.33	35.61	37.36	NA	1.75	Pre-pumping measurement
	2/25/2022	12:00 PM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	ND	8.70	36.2	37.40	NA	1.2	Pre-pumping measurement
	3/17/2022	2:30 PM	ND	ND	37.02	37.40	NA	0.38	Post-pumping Measurement ~ 2 gallons removed
	3/28/2022	9:25 AM	ND	8.75	30.9	33.20	NA	2.3	Pre-pumping measurement
	3/28/2022	1:30 PM	ND	ND	32.2	33.20	NA	1.0	Post-pumping Measurement ~ 10 gallons removed
	4/13/2022	10:50 AM	ND	8.60	30.55	33.05	NA	2.5	Pre-pumping measurement
	4/14/2022	9:00 AM	ND	ND	33.01	33.35	NA	0.34	Post pumping measurement ~16 gallons removed
	4/28/2022	12:20 PM	ND	8.91	30.82	38.33	NA	7.51	Pre-pumping measurement
	4/28/2022	1:30 PM	ND	ND	33.24	38.33	NA	5.09	Post Pumping Measurement ~ 6 gallons removed
	5/12/2022	11:40 AM	ND	8.65	31.25	37.85	NA	6.6	Pre-pumping measurement
	5/13/2022	11:45 AM	ND	ND	33.28	37.86	NA	4.58	Post pumping measurement ~8.5 gallons removed
	5/25/2022	10:40 AM	ND	8.87	30.98	37.51	NA	6.53	Pre-pumping measurement
	5/25/2022	1:30 PM	ND	ND	33.38	37.72	NA	4.34	Post Pumping Measurement ~ 6.5 gallons removed
	6/9/2022	11:50 AM	ND	8.62	30.9	37.50	NA	6.6	Pre-pumping measurement
	6/9/2022	12:45 PM	ND	ND	33.12	37.50	NA	4.38	Post pumping measurement ~6.5 gallons removed
	6/23/2022	8:45 AM	ND	8.46	31.0	38.18	NA	7.18	Pre-pumping measurement
	6/23/2022	9:30 AM	ND	8.46	34.86	38.18	NA	3.32	Post Pumping Measurement ~8 gallons removed
	7/8/2022	10:35 AM	ND	8.83	30.74	36.96	NA	6.22	Pre-pumping measurement
7/8/2022	11:05 AM	ND	ND	32.06	36.96	NA	4.9	Post pumping measurement ~2.0 gallons removed	
7/21/2022	8:25 AM	ND	8.36	31.0	37.60	NA	6.6	Pre-pumping measurement	
7/21/2022	9:30 AM	ND	ND	33.08	37.60	NA	4.52	Post Pumping Measurement ~3.0 gallons removed	
NW-7	10/7/2020	10:55 AM	ND	9.24	ND	22.85	NA	NA	
	10/21/2020	8:55 AM	ND	9.02	ND	23.05	NA	NA	
	11/4/2020	7:15 AM	ND	9.15	ND	22.97	NA	NA	
	11/18/2020	10:25 AM	ND	9.37	ND	23.82	NA	NA	
	12/1/2020	9:25 AM	ND	8.89	ND	22.98	NA	NA	
	12/16/2020	9:10 AM	ND	9.41	ND	22.84	NA	NA	
	12/29/2020	9:25 AM	ND	9.14	ND	22.97	NA	NA	
	1/13/2021	8:35 AM	ND	9.51	ND	22.92	NA	NA	
	1/27/2021	9:00 AM	ND	9.67	ND	22.94	NA	NA	
	2/8/2021	9:10 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	10:10 AM	ND	9.40	ND	22.95	NA	NA	
	3/24/2021	9:32 AM	ND	9.27	ND	22.96	NA	NA	
	4/7/2021	9:20 AM	ND	9.00	ND	22.90	NA	NA	
	4/21/2021	9:30 AM	ND	8.90	ND	22.89	NA	NA	
	5/5/2021	9:40 AM	ND	8.90	ND	22.86	NA	NA	
	5/17/2021	9:35 AM	ND	9.33	ND	22.89	NA	NA	
	6/2/2021	9:14 AM	ND	8.76	ND	22.85	NA	NA	
	6/16/2021	9:40 AM	ND	8.85	ND	22.97	NA	NA	
	6/30/2021	9:02 AM	ND	9.29	ND	22.93	NA	NA	
	7/14/2021	8:55 AM	ND	8.55	ND	22.89	NA	NA	
	7/27/2021	8:30 AM	ND	8.39	ND	22.92	NA	NA	
	8/11/2021	11:00 AM	ND	9.02	ND	22.90	NA	NA	
	8/23/2021	9:40 AM	ND	7.70	ND	22.90	NA	NA	
	9/8/2021	8:30 AM	ND	8.37	ND	22.93	NA	NA	
	9/21/2021	9:57 AM	ND	8.97	ND	22.95	NA	NA	
	10/7/2021	9:50 AM	ND	8.82	ND	22.93	NA	NA	
	10/20/2021	7:40 AM	ND	8.83	ND	22.94	NA	NA	
	11/4/2021	10:15 AM	ND	8.55	ND	22.91	NA	NA	
	11/17/2021	7:40 AM	ND	8.95	ND	22.91	NA	NA	
	12/1/2021	9:40 AM	ND	9.51	ND	22.92	NA	NA	
	12/14/2021	8:15 AM	ND	9.75	ND	22.90	NA	NA	
12/28/2021	11:40 AM	ND	9.63	ND	22.91	NA	NA		
2/7/2022	9:45 AM	ND	9.19	ND	22.90	NA	NA		
2/24/2022	9:00 AM	ND	9.66	ND	22.88	NA	NA		
3/17/2022	10:15 AM	ND	9.47	ND	23.00	NA	NA		
3/28/2022	11:30 AM	ND	9.17	ND	22.50	NA	NA		
4/13/2022	9:35 AM	ND	8.95	ND	22.95	NA	NA		

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-7 (cont.)	4/29/2022	12:25 AM	ND	9.28	ND	22.58	NA	NA	
	5/12/2022	11:35 AM	ND	8.87	ND	22.80	NA	NA	
	5/25/2022	10:30 AM	ND	9.13	ND	22.77	NA	NA	
	6/9/2022	11:45 AM	ND	8.58	ND	22.75	NA	NA	
	6/23/2022	10:40 AM	ND	9.22	ND	23.22	NA	NA	
	7/7/2022	13:52: PM	ND	9.35	ND	22.47	NA	NA	
	7/22/2022	9:05 AM	ND	8.83	ND	23.15	NA	NA	
NW-8	10/7/2020	1:40 PM	ND	9.93	35.24	36.24	NA	1.00	Pre-pumping measurement
	10/7/2020	2:30 PM	ND	9.93	ND	36.24	NA	NA	Post-pumping measurement ~1 gallon removed
	10/21/2020	2:30 PM	ND	9.70	35.33	36.23	NA	0.90	Pre-pumping measurement
	10/21/2020	2:45 PM	ND	9.70	ND	36.25	NA	NA	Post-pumping measurement ~0.75 gallon removed
	11/4/2020	9:15 AM	ND	10.75	Trace	38.14	NA	NA	
	11/18/2020	12:50 PM	ND	10.18	35.49	37.54	NA	2.05	Pre-pumping measurement
	11/18/2020	12:50 PM	ND	10.18	ND	37.54	NA	NA	Post-pumping measurement ~2 gallons removed
	12/1/2020	11:55 AM	ND	8.88	35.04	36.32	NA	1.28	Pre-pumping measurement
	12/1/2020	12:30 PM	ND	8.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	12/16/2020	12:45 PM	ND	9.97	35.15	36.30	NA	1.15	Pre-pumping measurement
	12/16/2020	1:15 PM	ND	9.97	ND	36.30	NA	NA	Post-pumping measurement ~1 gallon removed
	12/29/2020	12:00 PM	ND	10.26	35.35	36.28	NA	0.93	Pre-pumping measurement
	12/29/2020	12:15 PM	ND	10.26	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	1/13/2021	12:15 PM	ND	9.80	35.50	36.28	NA	0.78	Pre-pumping measurement
	1/13/2021	12:35 PM	ND	9.82	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	1/27/2021	12:30 PM	ND	10.01	35.40	36.28	NA	0.88	Pre-pumping measurement
	1/27/2021	12:40 PM	ND	9.92	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2021	12:30 PM	ND	10.80	35.55	36.27	NA	0.72	Pre-pumping measurement
	2/8/2021	12:50 PM	ND	10.80	ND	36.27	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2021	11:35 AM	ND	10.50	35.50	36.33	NA	0.83	Pre-pumping measurement
	2/24/2021	12:25 PM	ND	10.52	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/10/2021	12:30 PM	ND	10.62	35.50	36.28	NA	0.78	Pre-pumping measurement
	3/10/2021	1:00 PM	ND	10.65	ND	36.33	NA	NA	Post-pumping measurement ~0.75 gallon removed
	3/24/2021	12:32 PM	ND	10.42	35.42	36.34	NA	0.92	Pre-pumping measurement
	3/24/2021	1:15 PM	ND	10.52	ND	36.36	NA	NA	Post-pumping measurement ~0.75 gallon removed
	4/7/2021	12:30 PM	ND	10.19	35.56	36.23	NA	0.67	Pre-pumping measurement
	4/7/2021	1:15 PM	ND	10.25	ND	36.23	NA	NA	Post-pumping measurement ~1 gallon removed
	4/21/2021	12:55 PM	ND	10.30	35.74	36.24	NA	0.50	Pre-pumping measurement
	4/21/2021	1:20 PM	ND	10.31	ND	36.29	NA	NA	Post-pumping measurement ~1 gallon removed
	5/5/2021	1:20 PM	ND	10.18	35.81	36.28	NA	0.47	Pre-pumping measurement
	5/5/2021	1:45 PM	ND	10.20	ND	36.26	NA	NA	Post-pumping measurement ~1 gallon removed
	5/17/2021	1:00 PM	ND	10.52	35.39	36.28	NA	0.89	Pre-pumping measurement
	5/17/2021	1:45 PM	ND	10.44	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/2/2021	12:10 PM	ND	10.51	35.39	36.28	NA	0.89	Pre-pumping measurement
	6/2/2021	12:40 PM	ND	10.53	ND	36.30	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/16/2021	1:10 PM	ND	10.24	35.56	36.28	NA	0.72	Pre-pumping measurement
	6/16/2021	1:35 PM	ND	10.19	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	6/30/2021	12:30 PM	ND	10.65	32.49	35.64	NA	3.15	Pre-pumping measurement
	6/30/2021	12:55 PM	ND	10.66	ND	35.67	NA	NA	Post-pumping measurement ~1 gallon removed
	7/14/2021	12:45 PM	ND	9.77	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/14/2021	1:15 PM	ND	9.80	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	7/27/2021	1:10 PM	ND	9.41	35.70	36.32	NA	0.62	Pre-pumping measurement
7/27/2021	1:40 PM	ND	9.47	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed	
8/11/2021	1:30 PM	ND	9.55	35.25	36.35	NA	1.10	Pre-pumping measurement	
8/11/2021	2:00 PM	ND	9.60	ND	36.35	NA	NA	Post-pumping measurement ~1 gallon removed	
8/23/2021	1:15 PM	ND	8.50	35.75	36.32	NA	0.57	Pre-pumping measurement	
8/23/2021	1:45 PM	ND	8.53	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed	
9/8/2021	1:20 PM	ND	9.06	35.40	36.37	NA	0.97	Pre-pumping measurement	
9/8/2021	1:55 PM	ND	9.09	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed	
9/21/2021	2:15 PM	ND	9.63	35.40	36.33	NA	0.93	Pre-pumping measurement	
9/21/2021	2:50 PM	ND	9.65	ND	36.33	NA	NA	Post-pumping measurement ~1 gallon removed	
10/7/2021	1:45 PM	ND	9.32	35.27	36.37	NA	1.10	Pre-pumping measurement	
10/7/2021	2:05 PM	ND	9.43	ND	36.34	NA	NA	Post-pumping measurement ~1.25 gallon removed	
10/20/2021	1:30 PM	ND	9.92	35.50	36.27	NA	0.77	Pre-pumping measurement	
10/20/2021	2:10 PM	ND	9.95	ND	36.27	NA	NA	Post-pumping measurement ~1 gallon removed	
11/4/2021	5:00 PM	ND	10.18	34.80	36.37	NA	1.57	Pre-pumping measurement	
11/4/2021	5:25 PM	ND	10.20	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed	
11/17/2021	2:00 PM	ND	10.28	35.80	36.27	NA	0.47		
12/1/2021	1:30 PM	ND	10.34	34.78	36.32	NA	1.54	Pre-pumping measurement	
12/1/2021	1:50 PM	ND	10.36	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed	
12/14/2021	2:15 PM	ND	11.36	35.60	36.33	NA	0.73	Pre-pumping measurement	
12/14/2021	2:45 PM	ND	11.39	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed	
12/28/2021	1:00 PM	ND	10.34	35.41	36.32	NA	0.91	Pre-pumping measurement	

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments	
NW-8 (cont.)	12/28/2021	1:20 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed	
	1/13/2022	11:05 AM	ND	10.86	35.29	36.32	NA	1.03	Pre-pumping measurement	
	1/13/2022	2:00 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed	
	1/27/2022	2:00 PM	ND	10.79	35.79	36.32	NA	0.53	Pre-pumping measurement	
	1/27/2022	2:30 PM	ND	10.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed	
	2/7/2022	1:00 PM	ND	10.42	35.82	36.32	NA	0.50	Pre-pumping measurement	
	2/7/2022	1:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed	
	2/24/2022	2:00 PM	ND	10.74	36.05	36.31	NA	0.26	Pre-pumping measurement	
	2/24/2022	2:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed	
	3/18/2022	9:20 AM	ND	10.30	34.4	36.20	NA	NA	Pre-pumping measurement	
	3/18/2022	1:00 PM	ND	ND	36.08	36.20	NA	0.12	Post-pumping measurement ~2 gallon removed	
	3/28/2022	12:48 PM	ND	10.80	35.65	36.30	NA	0.65	3/28/2022	
	4/1/2022	8:35 AM	ND	10.38	35.57	36.26	NA	0.69	Pre-pumping measurement	
	4/1/2022	10:40 AM	ND	10.38	36.21	36.26	NA	0.05	Post-pumping measurement ~ 2 gallons removed	
	4/13/2022	10:35 AM	ND	10.25	35.6	36.20	NA	0.6	Pre-pumping measurement	
	4/13/2022	11:45 AM	ND	ND	36.17	36.2	NA	0.03	Post-pumping measurement ~6 gallons removed	
	4/29/2022	9:15 AM	ND	10.52	35.22	36.18	NA	0.96	Pre-pumping measurement	
	4/29/2022	9:50 AM	ND	ND	36.03	36.18	NA	0.15	Pre-pumping measurement ~7 gallons removed	
	5/12/2022	12:25 AM	ND	10.15	35.75	36.30	NA	0.55	Pre-pumping measurement	
	5/13/2022	11:50 AM	ND	ND	35.97	36.29	NA	0.32	Post-pumping measurement ~3.6 gallons removed	
	5/25/2022	11:45 AM	ND	10.25	35.41	36.22	NA	0.81	Pre-pumping measurement	
	5/25/2022	12:30 PM	ND	ND	36.11	36.23	NA	0.12	Pre-pumping measurement ~5.6 gallons removed	
	6/9/2022	12:50 PM	ND	10.04	35.49	36.24	NA	0.75	Pre-pumping measurement	
	6/9/2022	1:50 PM	ND	ND	36.21	36.25	NA	0.04	Post-pumping measurement ~2.2 gallons removed	
	6/23/2022	11:49 AM	ND	10.34	35.45	36.25	NA	0.8		
	7/7/2022	14:11:00 PM	ND	10.5	35.4	36.3	NA	0.9	Pre-pumping measurement- pumping not conducted.	
	7/21/2022	13:55:00 PM	ND	10.28	34.56	36.26	NA	1.7	Pre-pumping measurement	
	7/21/2022	14:30:00 PM	ND	ND	36.21	36.26	NA	0.05	Pre-pumping measurement ~ 3.5 gallons removed.	
	NW-9	10/7/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
		10/14/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
		10/21/2020	9:30 AM	ND	10.83	32.96	33.56	NA	0.60	Pre-pumping measurement
		10/21/2020	4:15 PM	ND	10.83	ND	33.56	NA	NA	Post-pumping measurement ~0.5 gallon removed
11/4/2020		8:15 AM	ND	11.27	Trace	33.60	NA	NA		
11/18/2020		10:50 AM	ND	10.89	ND	34.56	NA	NA		
12/1/2020		10:10 AM	ND	9.26	ND	33.57	NA	NA		
12/16/2020		9:55 AM	ND	10.66	ND	33.47	NA	NA		
12/29/2020		10:40 AM	ND	10.39	ND	33.63	NA	NA		
1/13/2021		9:40 AM	ND	10.25	ND	33.53	NA	NA		
1/27/2021		9:50 AM	ND	10.09	33.30	33.58	NA	0.28	Pre-pumping measurement	
1/27/2021		11:50 AM	ND	10.22	ND	33.58	NA	NA	Post-pumping measurement ~1 gallon removed	
2/8/2020		12:20 PM	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well	
2/24/2021		9:40 AM	ND	10.49	ND	33.72	NA	NA		
3/10/2021		10:50 AM	ND	10.78	Trace	33.70	NA	NA		
3/24/2021		9:05 AM	ND	10.45	Trace	33.61	NA	NA		
4/7/2021		9:25 AM	ND	10.01	Trace	33.51	NA	NA		
4/21/2021		9:35 AM	ND	10.30	ND	33.52	NA	NA		
5/5/2021		10:10 AM	ND	9.92	ND	33.52	NA	NA		
5/17/2021		9:50 AM	ND	10.95	ND	33.49	NA	NA		
6/2/2021		11:10 AM	ND	10.72	ND	33.51	NA	NA		
6/16/2021		10:30 AM	ND	10.58	ND	33.42	NA	NA		
6/30/2021		9:45 AM	ND	10.95	ND	33.52	NA	NA		
7/14/2021		9:40 AM	ND	10.44	ND	33.53	NA	NA		
7/27/2021		9:30 AM	ND	10.36	ND	33.53	NA	NA		
8/11/2021		11:30 AM	ND	10.16	ND	33.53	NA	NA		
8/23/2021		10:35 AM	ND	8.97	ND	33.48	NA	NA		
9/8/2021		9:30 AM	ND	10.03	ND	33.48	NA	NA		
9/21/2021		11:05 AM	ND	9.69	ND	33.50	NA	NA		
10/7/2021		10:35 AM	ND	9.66	ND	33.48	NA	NA		
10/20/2021		10:40 AM	ND	10.89	ND	33.46	NA	NA		
11/4/2021		12:50 PM	ND	10.32	ND	32.55	NA	NA		
11/17/2021	9:00 AM	ND	10.27	ND	33.48	NA	NA			
12/1/2021	10:35 AM	ND	10.74	ND	33.51	NA	NA			
12/14/2021	9:15 AM	ND	11.18	ND	33.48	NA	NA			
12/28/2021	11:50 AM	ND	10.39	ND	33.45	NA	NA			

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-9 (Cont.)	1/13/2022	9:45 AM	ND	11.14	ND	33.97	NA	NA	
	1/27/2022	10:22 AM	ND	11.11	ND	33.49	NA	NA	
	2/7/2022	10:00 AM	ND	11.01	ND	33.49	NA	NA	
	2/24/2022	10:15 AM	ND	11.01	ND	33.49	NA	NA	
	3/18/2022	9:40 AM	ND	10.50	33.08	33.50	NA	0.42	
	3/28/2022	12:25 PM	ND	10.65	33.05	33.40	NA	0.35	
	4/13/2022	10:35 AM	ND	10.20	32.88	33.28	NA	0.4	
	4/29/2022	9:00 AM	ND	10.65	33.08	33.50	NA	0.42	
	5/12/2022	12:15 PM	ND	10.19	33.06	33.51	NA	0.45	
	5/25/2022	11:30 AM	ND	10.35	33.11	33.55	NA	0.44	
	6/9/2022	12:50 PM	ND	10.24	33.11	33.56	NA	0.45	
	6/23/2022	11:46 AM	ND	10.52	ND	34.06	NA	NA	
	7/7/2022	14:22:00 PM	ND	10.72	33.18	33.56	NA	0.47	
7/21/2022	13:43:00 AM	ND	10.46	33.15	33.50	NA	0.35		
NW-10	10/7/2020	2:05 PM	ND	10.15	27.23	33.58	NA	6.35	Pre-pumping measurement
	10/7/2020	3:00 PM	ND	10.15	ND	33.58	NA	NA	Post-pumping measurement ~4.5 gallons removed
	10/21/2020	2:50 PM	ND	9.92	28.38	33.57	NA	5.19	Pre-pumping measurement
	10/21/2020	3:45 PM	ND	9.92	ND	33.57	NA	NA	Post-pumping measurement ~4.75 gallons removed
	11/4/2020	9:45 AM	ND	11.08	28.00	33.74	NA	5.74	Pre-pumping measurement
	11/4/2020	10:00 AM	ND	11.08	ND	33.74	NA	NA	Post-pumping measurement ~4.25 gallons removed
	11/18/2020	1:25 PM	ND	10.49	27.14	33.75	NA	6.61	Pre-pumping measurement
	11/18/2020	2:15 PM	ND	10.49	ND	33.75	NA	NA	Post-pumping measurement ~4.5 gallons removed
	12/1/2020	12:35 PM	ND	9.19	28.83	33.66	NA	4.83	Pre-pumping measurement
	12/1/2020	1:20 PM	ND	9.19	ND	33.66	NA	NA	Post-pumping measurement ~3.5 gallons removed
	12/16/2020	11:30 AM	ND	10.51	27.80	33.65	NA	5.85	Pre-pumping measurement
	12/16/2020	12:00 PM	ND	10.51	ND	33.65	NA	NA	Post-pumping measurement ~4 gallons removed
	12/29/2020	12:30 PM	ND	10.52	30.90	33.73	NA	2.83	Pre-pumping measurement
	12/29/2020	1:00 PM	ND	10.52	ND	33.73	NA	NA	Post-pumping measurement ~3.5 gallons removed
	1/13/2021	11:20 AM	ND	10.11	28.28	33.73	NA	5.45	Pre-pumping measurement
	1/13/2021	12:10 PM	ND	10.15	ND	33.73	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2021	1:10 PM	ND	10.30	28.00	33.64	NA	5.64	Pre-pumping measurement
	1/27/2021	1:25 PM	ND	10.44	ND	33.64	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	1:00 PM	ND	10.97	29.85	33.65	NA	3.80	Pre-pumping measurement
	2/8/2021	1:30 PM	ND	11.00	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	2/24/2021	10:40 AM	ND	10.56	29.68	33.64	NA	3.96	Pre-pumping measurement
	2/24/2021	11:30 AM	ND	10.58	ND	33.64	NA	NA	Post-pumping measurement ~3 gallons removed
	3/10/2021	1:30 PM	ND	10.90	29.48	33.73	NA	4.25	Pre-pumping measurement
	3/10/2021	2:00 PM	ND	10.94	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	3/24/2021	11:30 AM	ND	10.56	31.11	33.54	NA	2.43	Pre-pumping measurement
	3/24/2021	12:15 PM	ND	10.68	ND	33.68	NA	NA	Post-pumping measurement ~4 gallons removed
	4/7/2021	11:45 AM	ND	10.24	29.29	33.70	NA	4.41	Pre-pumping measurement
	4/7/2021	12:15 PM	ND	10.30	ND	33.70	NA	NA	Post-pumping measurement ~4 gallons removed
	4/21/2021	12:15 PM	ND	10.49	30.29	33.59	NA	3.30	Pre-pumping measurement
	4/21/2021	12:45 PM	ND	10.48	ND	33.61	NA	NA	Post-pumping measurement ~3 gallons removed
5/5/2021	12:30 PM	ND	10.37	30.42	33.59	NA	3.17	Pre-pumping measurement	
5/5/2021	12:55 PM	ND	9.69	ND	33.60	NA	NA	Post-pumping measurement ~3 gallons removed	
5/17/2021	11:58 AM	ND	10.95	30.01	33.59	NA	3.58	Pre-pumping measurement	
5/17/2021	12:45 PM	ND	10.86	ND	33.59	NA	NA	Post-pumping measurement ~3 gallons removed	
6/2/2021	11:30 AM	ND	10.76	29.17	33.59	NA	4.42	Pre-pumping measurement	

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10 (con't)	6/2/2021	12:00 PM	ND	10.81	ND	33.59	NA	NA	Post-pumping measurement ~4 gallons removed
	6/16/2021	11:55 AM	ND	10.63	29.81	33.67	NA	3.86	Pre-pumping measurement
	6/16/2021	12:55 PM	ND	10.59	ND	33.67	NA	NA	Post-pumping measurement ~3.5 gallons removed
	6/30/2021	11:50 AM	ND	10.98	32.45	33.64	NA	1.19	Pre-pumping measurement
	6/30/2021	12:15 PM	ND	11.01	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	7/14/2021	12:00 PM	ND	10.19	30.05	33.69	NA	3.64	Pre-pumping measurement
	7/14/2021	12:30 PM	ND	10.22	ND	33.69	NA	NA	Post-pumping measurement ~3 gallons removed
	7/27/2021	12:20 PM	ND	9.90	29.40	33.79	NA	4.39	Pre-pumping measurement
	7/27/2021	12:50 PM	ND	10.20	ND	33.79	NA	NA	Post-pumping measurement ~3.5 gallons removed
	8/11/2021	2:30 PM	ND	9.96	29.80	33.73	NA	3.93	Pre-pumping measurement
	8/11/2021	2:45 PM	ND	9.97	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	8/23/2021	2:15 PM	ND	8.80	31.05	33.70	NA	2.65	Pre-pumping measurement
	8/23/2021	2:45 PM	ND	8.87	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	9/8/2021	12:15 PM	ND	9.51	28.50	33.66	NA	5.16	Pre-pumping measurement
	9/8/2021	12:55 PM	ND	9.53	ND	33.66	NA	NA	Post-pumping measurement ~4 gallons removed
	9/21/2021	1:10 PM	ND	9.64	30.30	33.62	NA	3.32	Pre-pumping measurement
	9/21/2021	1:40 PM	ND	9.66	ND	33.62	NA	NA	Post-pumping measurement ~3 gallons removed
	10/7/2021	1:00 PM	ND	9.45	30.45	33.64	NA	3.19	Pre-pumping measurement
	10/7/2021	1:30 PM	ND	9.45	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	10/20/2021	12:30 PM	ND	10.00	30.10	33.63	NA	3.53	Pre-pumping measurement
	10/20/2021	1:10 PM	ND	10.03	ND	33.63	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/4/2021	4:10 PM	ND	10.29	30.45	33.70	NA	3.25	Pre-pumping measurement
	11/4/2021	4:45 PM	ND	9.45	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/17/2021	1:00 PM	ND	10.40	30.30	33.65	NA	3.35	Pre-pumping measurement
	11/17/2021	1:45 PM	ND	10.41	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/1/2021	1:00 PM	ND	11.02	29.81	33.63	NA	3.82	Pre-pumping measurement
	12/1/2021	1:20 PM	ND	11.06	ND	33.63	NA	NA	Post-pumping measurement ~2.75 gallons removed
	12/14/2021	1:30 PM	ND	11.61	31.20	33.70	NA	2.50	Pre-pumping measurement
	12/14/2021	2:00 PM	ND	11.62	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/28/2021	12:30 PM	ND	10.49	32.08	33.70	NA	1.62	Pre-pumping measurement
	12/28/2021	12:50 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2 gallons removed
	1/13/2022	11:15 AM	ND	10.91	31.65	33.70	NA	2.05	Pre-pumping measurement
	1/13/2022	1:20 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	ND	10.83	32.51	33.70	NA	1.19	Pre-pumping measurement
	1/27/2022	1:30 PM	ND	10.62	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30 PM	ND	10.62	32.42	33.70	NA	1.28	Pre-pumping measurement
	2/7/2022	1:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1 gallon removed
	2/24/2022	1:30 PM	ND	10.77	32.91	33.70	NA	0.79	Pre-pumping measurement
	2/24/2022	2:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallon removed
	3/18/2022	10:00 AM	ND	10.66	30.06	33.66	NA	3.6	Pre-pumping measurement
	3/18/2022	1:20 PM	ND	ND	33.53	33.66	NA	0.13	Post-pumping measurement ~4 gallons removed
	3/28/2022	12:15 PM	ND	10.05	32.05	33.55	NA	1.5	Pre-pumping measurement
	3/28/2022	2:45 PM	ND	ND	33.05	33.55	NA	0.5	Post-pumping measurement ~8 gallons removed
	4/13/2022	10:15 AM	ND	10.32	31.05	33.50	NA	2.45	Pre-pumping measurement
	4/14/2022	10:30 AM	ND	ND	ND	33.5	NA	NA	Post-pumping measurement ~7 gallons removed
4/29/2022	8:15 AM	ND	10.83	31.97	33.57	NA	1.6	Pre-pumping measurement	
4/29/2022	9:00 PM	ND	ND	33.43	33.57	NA	0.14	Post-pumping measurement ~4 gallons removed	
5/12/2022	12:15 PM	ND	10.15	32.51	33.61	NA	1.1	Pre-pumping measurement	
5/13/2022	10:30 AM	ND	ND	33.54	33.61	NA	0.07	Post-pumping measurement ~5.2 gallons removed	
5/25/2022	11:25 AM	ND	10.37	31.77	33.57	NA	1.8	Pre-pumping measurement	
5/25/2022	11:50 AM	ND	ND	33.55	33.57	NA	0.02	Post-pumping measurement ~4.75 gallons removed	
6/9/2022	12:35 PM	ND	10.18	31.81	33.58	NA	1.77	Pre-pumping measurement	
6/9/2022	1:30 PM	ND	ND	33.57	33.6	NA	0.03	Post-pumping measurement ~2.6 gallons removed	
6/23/2022	11:08 AM	ND	10.49	33.51	34.56	NA	1.05	Pre-pumping measurement	
6/23/2022	11:30 AM	ND	ND	34.38	34.56	NA	0.18	Post-pumping measurement ~2.19 gallons removed	
7/7/2022	10:52 AM	ND	10.99	32.22	33.60	NA	1.38	Pre-pumping measurement	
7/7/2022	1:30 PM	ND	ND	33.55	33.6	NA	0.05	Post-pumping measurement ~2.0 gallons removed	
7/21/2022	13:10:00 PM	ND	10.54	31.48	33.58	NA	2.1	Pre-pumping measurement	
7/21/2022	14:00:00 AM		ND	ND	33.48	33.58	NA	0.1	Post-pumping measurement ~3.0 gallons removed

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10S	10/7/2020	10:45 AM	ND	10.50	ND	18.00	NA	NA	
	10/21/2020	9:25 AM	ND	10.49	ND	18.02	NA	NA	
	11/4/2020	7:25 AM	ND	10.33	ND	18.04	NA	NA	
	11/18/2020	10:35 AM	ND	10.51	ND	18.04	NA	NA	
	12/1/2020	9:40 AM	ND	9.82	ND	18.01	NA	NA	
	12/16/2020	9:00 AM	ND	10.82	ND	17.92	NA	NA	
	12/29/2020	9:00 AM	ND	10.57	ND	18.02	NA	NA	
	1/13/2021	8:30 AM	ND	10.62	ND	18.06	NA	NA	
	1/27/2021	8:50 AM	ND	10.57	ND	18.03	NA	NA	
	2/8/2021	10:00 AM	ND	10.50	ND	17.98	NA	NA	
	2/24/2021	9:20 AM	ND	9.55	ND	18.07	NA	NA	
	3/10/2021	10:00 AM	ND	10.89	ND	18.06	NA	NA	
	3/24/2021	9:02 AM	ND	10.67	ND	17.93	NA	NA	
	4/7/2021	9:30 AM	ND	10.27	ND	18.01	NA	NA	
	4/21/2021	9:36 AM	ND	10.23	ND	18.00	NA	NA	
	5/5/2021	9:35 AM	ND	10.01	ND	17.97	NA	NA	
	5/17/2021	9:45 AM	ND	10.72	ND	17.94	NA	NA	
	6/2/2021	11:20 AM	ND	10.46	ND	17.96	NA	NA	
	6/16/2021	9:45 AM	ND	10.41	ND	18.04	NA	NA	
	6/30/2021	9:10 AM	ND	10.63	ND	18.02	NA	NA	
	7/14/2021	8:50 AM	ND	10.03	ND	17.98	NA	NA	
	7/27/2021	8:23 AM	ND	9.94	ND	18.07	NA	NA	
	8/11/2021	11:20 AM	ND	10.23	ND	17.98	NA	NA	
	8/23/2021	10:10 AM	ND	9.20	ND	18.07	NA	NA	
	9/8/2021	8:55 AM	ND	10.89	ND	18.04	NA	NA	
	9/21/2021	10:30 AM	ND	10.10	ND	18.03	NA	NA	
	10/7/2021	9:41 AM	ND	10.06	ND	17.94	NA	NA	
	10/20/2021	7:45 AM	ND	10.40	ND	18.00	NA	NA	
	11/4/2021	12:30 PM	ND	9.92	ND	18.00	NA	NA	
	11/17/2021	8:00 AM	ND	10.39	ND	18.02	NA	NA	
	12/1/2021	9:20 AM	ND	10.64	ND	17.99	NA	NA	
	12/14/2021	8:05 AM	ND	11.10	ND	18.01	NA	NA	
	12/28/2021	12:05 PM	ND	10.39	ND	18.01	NA	NA	
	1/13/2022	9:05 AM	ND	11.01	ND	18.01	NA	NA	
	1/27/2022	9:10 AM	ND	11.00	ND	18.01	NA	NA	
	2/7/2022	10:15 AM	ND	10.89	ND	18.00	NA	NA	
	2/24/2022	10:30 AM	ND	10.96	ND	18.00	NA	NA	
	3/18/2022	9:45 AM	ND	10.65	ND	17.90	NA	NA	
	3/28/2022	12:20 PM	ND	10.50	ND	17.90	NA	NA	
	4/13/2022	10:20 AM	ND	10.28	ND	17.46	NA	NA	
	4/29/2022	8:43 AM	ND	10.61	ND	18.00	NA	NA	
	5/12/2022	12:10 PM	ND	10.04	ND	18.00	NA	NA	
	5/25/2022	11:30 AM	ND	10.24	ND	17.91	NA	NA	
	6/9/2022	12:45 PM	ND	10.02	ND	18.00	NA	NA	
	6/23/2022	11:06 AM	ND	10.22	ND	18.36	NA	NA	
7/8/2022	9:15 AM	ND	10.56	ND	18.00	NA	NA		
7/21/2022	13:38:00 PM	ND	10.21	ND	18.15	NA	NA		

**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-11	10/7/2020	11:55 AM	ND	4.13	21.71	22.80	NA	1.09	Pre-pumping measurement
	10/14/2020	8:30 AM	ND	5.70	ND	22.90	NA	ND	Post-pumping measurement ~3 gallons removed
	10/21/2020	10:25 AM	ND	4.12	ND	22.87	NA	NA	
	11/4/2020	8:25 AM	ND	4.08	ND	22.73	NA	NA	
	11/18/2020	11:15 AM	ND	4.11	Trace	23.36	NA	NA	
	12/1/2020	10:00 AM	ND	3.95	Trace	22.81	NA	NA	
	12/16/2020	10:15 AM	ND	4.09	Trace	22.85	NA	NA	
	12/29/2020	10:50 AM	ND	4.01	ND	22.79	NA	NA	
	1/13/2021	10:10 AM	ND	4.13	21.55	22.79	NA	1.24	
	1/14/2021	8:10 AM	ND	4.13	21.44	22.71	NA	1.27	Pre-pumping measurement
	1/14/2021	8:20 AM	ND	4.46	ND	22.71	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2021	10:50 AM	ND	4.24	22.70	23.00	NA	0.30	
	1/28/2021	8:45 AM	ND	4.36	22.70	23.00	NA	0.30	Pre-pumping measurement
	1/28/2021	8:55 AM	ND	4.38	ND	23.00	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	10:55 AM	ND	4.20	ND	22.80	NA	NA	
	2/24/2021	9:50 AM	ND	4.09	22.48	22.98	NA	0.50	
	2/25/2021	8:20 AM	ND	4.11	22.45	22.98	NA	0.53	Pre-pumping measurement
	2/25/2021	8:25 AM	ND	4.12	ND	22.97	NA	NA	Post-pumping measurement ~2 gallons removed
	3/10/2021	11:30 AM	ND	4.06	22.48	22.91	NA	0.43	
	3/11/2021	8:40 AM	ND	4.08	22.34	22.91	NA	0.57	Pre-pumping measurement
	3/11/2021	8:50 AM	ND	6.51	ND	22.96	NA	NA	Post-pumping measurement ~2 gallons removed
	3/24/2021	9:50 AM	ND	3.78	ND	22.81	NA	NA	
	4/7/2021	9:35 AM	ND	3.41	22.54	22.90	NA	0.36	
	4/8/2021	8:10 AM	ND	3.48	22.65	22.90	NA	0.25	
	4/21/2021	9:45 AM	ND	3.88	22.52	22.88	NA	0.36	
	4/22/2021	9:00 AM	ND	3.91	22.49	22.88	NA	0.39	
	5/5/2021	10:55 AM	ND	3.83	22.25	22.88	NA	0.63	
	5/6/2021	7:16 AM	ND	3.84	22.60	22.88	NA	0.28	
	5/17/2021	10:21 AM	ND	3.82	ND	22.86	NA	NA	
	6/2/2021	9:49 AM	ND	3.80	21.84	22.89	NA	1.05	
	6/3/2021	8:40 AM	ND	3.82	21.84	22.89	NA	1.05	Pre-pumping measurement
	6/3/2021	8:50 AM	ND	3.85	ND	22.91	NA	NA	Post-pumping measurement ~3 gallons removed
	6/16/2021	10:25 AM	ND	3.80	ND	22.74	NA	NA	
	6/30/2021	10:07 AM	ND	3.86	ND	22.74	NA	NA	
	7/14/2021	9:20 AM	ND	3.77	ND	22.96	NA	NA	
	7/27/2021	9:25 AM	ND	3.83	21.83	22.93	NA	1.10	
	7/29/2021	8:10 AM	ND	3.84	21.83	22.93	NA	1.10	Pre-pumping measurement
	7/29/2021	8:25 AM	ND	8.25	ND	22.93	NA	NA	Post-pumping measurement ~5.1 gallons removed
	8/11/2021	11:40 AM	ND	3.96	ND	23.00	NA	NA	
	8/23/2021	10:55 AM	ND	3.81	22.65	22.80	NA	0.15	
	9/8/2021	9:52 AM	ND	3.80	22.05	22.95	NA	0.90	
	9/9/2021	8:20 AM	ND	3.76	22.05	22.95	NA	0.90	Pre-pumping measurement
	9/9/2021	8:25 AM	ND	7.20	ND	22.95	NA	NA	Post-pumping measurement ~3.4 gallons removed
	9/21/2021	11:38 AM	ND	3.83	ND	23.00	NA	NA	
	10/7/2021	11:45 AM	ND	3.72	22.10	22.96	NA	0.86	
	10/8/2021	7:25 AM	ND	3.73	22.06	22.95	NA	0.89	Pre-pumping measurement
	10/8/2021	8:33 AM	ND	7.75	ND	22.96	NA	NA	Post-pumping measurement ~4 gallons removed
	10/20/2021	11:20 AM	ND	3.75	ND	22.90	NA	NA	
	11/4/2021	12:55 PM	ND	3.82	22.55	22.82	NA	0.27	
	11/17/2021	9:15 AM	ND	4.03	22.20	22.79	NA	0.59	
11/19/2021	10:05 AM	ND	4.06	22.20	22.79	NA	0.59	Pre-pumping measurement	
11/19/2021	10:20 AM	ND	4.07	ND	22.79	NA	NA	Post-pumping measurement ~6 gallons removed	
12/1/2021	11:25 AM	ND	4.21	ND	22.97	NA	NA		
12/14/2021	12:00 PM	ND	4.51	22.70	23.00	NA	0.30		
12/28/2021	12:10 PM	ND	4.51	22.59	23.01	NA	0.42		
1/13/2022	10:45 AM	ND	4.41	ND	22.99	NA	NA		
1/27/2022	10:50 AM	ND	4.41	22.48	22.99	NA	0.51		
1/28/2022	8:30 AM	ND	4.39	22.44	22.99	NA	0.55	Pre-pumping measurement	
1/28/2022	8:35 AM	ND	4.50	ND	22.99	NA	NA	Post-pumping measurement ~4 gallons removed	
2/7/2022	10:40 AM	ND	4.11	ND	23.00	NA	NA		
2/24/2022	11:00 AM	ND	4.32	22.68	22.98	NA	0.30		

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
 Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-11 (Cont.)	3/17/2022	10:04 AM	ND	4.12	22.60	22.95	NA	0.35	
	3/28/2022	11:15 PM	ND	4.02	22.56	22.90	NA	0.34	
	4/13/2022	9:27 AM	ND	3.85	22.15	22.85	NA	0.70	Pre-pumping measurement
	4/13/2022	1:57 PM	ND	5.10	ND	22.90	NA	NA	Post-pumping measurement ~3 gallons removed
	4/29/2022	9:30 AM	ND	3.93	22.44	22.83	NA	0.39	
	5/12/2022	11:20 PM	ND	3.88	22.60	22.85	NA	0.25	
	5/25/2022	10:30 AM	ND	3.93	22.39	22.84	NA	0.45	
	6/9/2022	11:20 PM	ND	3.86	21.93	22.83	NA	0.90	Pre-pumping measurement
	6/9/2022	12:20 PM	ND	ND	22.73	22.83	NA	0.10	Post-pumping measurement ~2.5 gallons removed
	6/23/2022	11:59 AM	ND	4.05	22.31	22.84	NA	0.53	
	7/7/2022	13:33:00 PM	ND	4.28	21.97	22.87	NA	0.90	Pumping not completed
	7/21/2022	11:45 AM	ND	ND	22.97	22.87	NA	0.90	Pre-pumping measurement
7/21/2022	12:15 PM	ND	4.07	22.52	22.87	NA	0.35	Post-pumping measurement ~3.0 gallons removed	
NW-12	10/7/2020	11:15 AM	ND	3.75	ND	21.10	NA	NA	
	10/21/2020	8:50 AM	ND	3.76	ND	21.25	NA	NA	
	11/4/2020	7:35 AM	ND	3.86	ND	21.20	NA	NA	
	11/18/2020	10:20 AM	ND	4.02	ND	21.89	NA	NA	
	12/1/2020	9:20 AM	ND	3.70	ND	21.29	NA	NA	
	12/16/2020	9:05 AM	ND	3.98	ND	21.13	NA	NA	
	12/29/2020	9:05 AM	ND	3.92	ND	21.14	NA	NA	
	1/13/2021	9:45 AM	ND	4.00	ND	21.55	NA	NA	
	1/27/2021	8:55 AM	ND	4.10	ND	21.25	NA	NA	
	2/8/2021	10:15 AM	ND	4.04	ND	NA	NA	NA	Bottom depth not measured.
	2/24/2021	9:10 AM	ND	3.89	ND	21.18	NA	NA	
	3/10/2021	10:40 AM	ND	3.83	ND	21.33	NA	NA	
	3/24/2021	9:28 AM	ND	3.71	ND	21.23	NA	NA	
	4/7/2021	9:40 AM	ND	3.64	ND	21.16	NA	NA	
	4/21/2021	9:50 AM	ND	3.64	ND	21.23	NA	NA	
	5/5/2021	10:05	ND	3.61	ND	21.17	NA	NA	
	5/17/2021	9:55 AM	ND	3.71	ND	21.15	NA	NA	
	6/2/2021	9:39 AM	ND	3.55	ND	21.21	NA	NA	
	6/16/2021	9:35 AM	ND	3.65	ND	21.14	NA	NA	
	6/30/2021	9:05 AM	ND	3.69	ND	21.16	NA	NA	
	7/14/2021	9:15 AM	ND	3.53	ND	21.19	NA	NA	
	7/27/2021	8:38 AM	ND	3.54	ND	21.11	NA	NA	
	8/11/2021	11:15 AM	ND	3.73	ND	21.26	NA	NA	
	8/23/2021	10:15 AM	ND	3.49	ND	21.12	NA	NA	
	9/8/2021	9:18 AM	ND	3.36	ND	21.26	NA	NA	
	9/21/2021	10:17 AM	ND	3.59	ND	21.15	NA	NA	
	10/7/2021	10:20 AM	ND	3.46	ND	21.11	NA	NA	
	10/20/2021	7:35 AM	ND	3.58	ND	22.17	NA	NA	
	11/4/2021	10:30 AM	ND	3.62	ND	21.12	NA	NA	
	11/17/2021	8:05 AM	ND	3.81	ND	21.05	NA	NA	
	12/1/2021	10:10 AM	ND	4.07	ND	21.04	NA	NA	
	12/14/2021	8:30 AM	ND	4.24	ND	21.09	NA	NA	
	12/28/2021	12:15 PM	ND	4.17	ND	21.10	NA	NA	
	1/13/2022	9:40 AM	ND	4.16	ND	21.11	NA	NA	
	1/27/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/7/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
2/24/2022	11:10 AM	ND	4.07	ND	21.11	NA	NA		
3/17/2022	10:10 AM	ND	3.89	ND	21.30	NA	NA		
3/28/2022	11:20 AM	ND	3.92	ND	21.20	NA	NA		
4/13/2022	9:20 AM	ND	3.70	ND	21.02	NA	NA		
4/29/2022	11:00 AM	ND	3.74	ND	21.22	NA	NA		
5/12/2022	11:30 AM	ND	3.75	ND	20.92	NA	NA		
5/26/2022	10:25 AM	ND	3.79	ND	21.12	NA	NA		
6/9/2022	11:30 AM	ND	3.52	ND	21.12	NA	NA		



**Attachment B. Historic Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
<b>NW-12 (Cont.)</b>	6/23/2022	10:35 AM	ND	3.61	ND	21.22	NA	NA	
	7/7/2022	13:35:00 PM	ND	3.97	ND	20.93	NA	NA	
	7/21/2022	11:35 AM	ND	3.78	ND	21.12	NA	NA	

Notes:

Pre/post pumping event readings are bolded.

LNAPL - Light Non-Aqueous Phase Liquid

DNAPL - Dense Non-Aqueous Phase Liquid

\* - Estimated due to High Viscous DNAPL

NA - Not Applicable

NM - Not Measurable (High Viscosity)