



Consulting  
Engineers and  
Scientists

August 15, 2022  
Project 2201010

**Via email:** [matthew.hubicki@dec.ny.gov](mailto:matthew.hubicki@dec.ny.gov)

Mr. Matthew Hubicki  
Project Manager, NYSDEC  
Division of Environmental Remediation  
625 Broadway  
Albany, NY 12233-7016

Dear Mr. Hubicki:

**Re: Progress Report – June 2022  
Polychrome West Site  
City of Yonkers, Westchester County  
NYSDEC BCP Site No. C360099**

This Progress Report has been prepared by GEI Consultants, Inc., P.C. (GEI), under contract with Consolidated Edison Company of New York (Con Edison) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the month of June 2022.

### **Site Activities**

On June 9 and 23, 2022, DNAPL gauging was conducted at NW-1, NW-3, NW-4, NW-5, NW-6, NW-7, NW-8, NW-9, NW-10, NW-10S, NW-11, and NW-12. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the June monitoring events in NW-5, NW-6, NW-8, NW-9, NW-10, and NW-11 as summarized in Table 1. DNAPL measurements from 2022 are provided in Table 2.

DNAPL was removed from recovery wells NW-8, NW-10, and NW-11 using a 2-inch submersible pump and dedicated tubing and from recovery wells NW-5 and NW-6 using submersible gas displacement or air lift pumps and dedicated tubing. Less than 0.5 feet of measurable DNAPL was detected at recovery well NW-9 (i.e., no DNAPL recovery required). DNAPL gauging and recovery amounts for the June event are summarized in Table 1.

The recovered DNAPL was containerized in Department of Transportation (DOT)-approved 55-gallon drums, labeled as hazardous waste, and picked up from the Site for off-site disposal at an appropriate receiving facility. Waste disposal manifests for June are provided as Attachment A.

A total of approximately 66 gallons of DNAPL were recovered during the reporting period. Since the start of 2022, a total of 339 gallons of DNAPL have been removed. DNAPL recovery totals for 2022 are summarized in Table 3.

The following changes to the monitoring program are proposed:

- Approval is requested to reduce the gauging frequency to annual the following NAPL recovery wells which have not had measurable NAPL observed during the initial 2 years of monitoring.
  - NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12
- NAPL recovery wells NW-8, NW-9, and NW-11 have not had measurable NAPL levels greater than the 3-foot-deep solid sump (see Table 2 and Attachment B). Approval is requested to discontinue twice monthly gauging/removal and perform the gauging/removal on a monthly basis.

The following work is planned for July:

- Complete DNAPL gauging and removal in July 2022 using the same methods as described above at a frequency of once every two weeks while long-term trends and alternate recovery methods are evaluated; and
- Disposal, as needed, of recovered DNAPL and used personal protective equipment and field supplies.


If you have any questions or require any further information, please contact Melissa Abt at Con Edison at 718-204-4331 or via electronic mail at [abtm@coned.com](mailto:abtm@coned.com).

Sincerely,

GEI CONSULTANTS, INC., P.C.



Matt O'Neil, P.E.  
Vice President, Program Manager



Melissa Felter, P.G.  
Project Manager

MO/MF:bdp

Attachments: Table 1 – June 2022 DNAPL Summary  
Table 2 – 2022 Well Gauging Measurements  
Table 3 – 2022 DNAPL Recovery Totals  
Fig. 1 – Site Location Map  
Fig. 2 – Site Plan with Reference Grid  
Fig. 3 – NAPL Recovery & Groundwater Monitoring Well Location Plan  
Attachment A – Waste Disposal Manifests  
Attachment B – Historic Well Gauging Measurements

c: Kevin Carpenter/Scott Deyette, NYSDEC  
Glen Moran/Christopher Reynolds/Jon Vogel/Michael Simpson, AVB  
Kenneth Kaiser/Melissa Abt, Con Edison

B:\Working\CON ED\1901167 PolyChrome East West Sites\01\_ADMIN\Data\_Sent\Monthly Reports\June 2022\PCW\report.C360099.2022-06-16.PCW-MonthlyReport\_June2022.docx

## Tables

---

**Table 1. June 2022 DNAPL Summary**  
**Polychrome West Site**  
Yonkers, New York

| Recovery<br>Well ID | DNAPL Thickness (feet)<br>6/9/2022 | DNAPL Thickness (feet)<br>6/23/2022 | Total DNAPL Removed (Gallons)<br>6/9/2022-6/23/2022 |
|---------------------|------------------------------------|-------------------------------------|-----------------------------------------------------|
| NW-5                | 7.47                               | 7.55                                | 42                                                  |
| NW-6                | 6.6                                | 7.18                                | 14.5                                                |
| NW-8                | 0.75                               | 0.8                                 | 2.2                                                 |
| NW-9                | 0.45                               | ND                                  | 0                                                   |
| NW-10               | 1.77                               | 1.05                                | 4.79                                                |
| NW-11               | 0.9                                | 0.53                                | 2.5                                                 |

Note: Measured DNAPL thicknesses are estimated

**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

| Well ID | Date      | Time     | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | DNAPL Thickness (feet) | Comments                                    |
|---------|-----------|----------|-----------------------|-----------------------|--------------------|------------------------|---------------------------------------------|
| NW-1    | 1/13/2022 | 9:20 AM  | 7.82                  | ND                    | 20.41              | NA                     |                                             |
|         | 1/27/2022 | 9:30 AM  | 7.77                  | ND                    | 20.41              | NA                     |                                             |
|         | 2/7/2022  | 8:30 AM  | 7.78                  | ND                    | 20.38              | NA                     |                                             |
|         | 2/24/2022 | 8:15 AM  | 7.65                  | ND                    | 20.41              | NA                     |                                             |
|         | 3/17/2022 | 10:45 AM | 6.08                  | ND                    | 20.38              | NA                     |                                             |
|         | 3/28/2022 | 11:45 AM | 7.65                  | ND                    | 20.35              | NA                     |                                             |
|         | 4/13/2022 | 11:11 AM | 7.10                  | ND                    | 20.47              | NA                     |                                             |
|         | 4/29/2022 | 10:45 AM | 8.02                  | ND                    | 21.40              | NA                     |                                             |
|         | 5/12/2022 | 11:50 AM | 7.15                  | ND                    | 20.41              | NA                     |                                             |
|         | 5/25/2022 | 11:00 AM | 7.21                  | ND                    | 20.34              | NA                     |                                             |
| NW-3    | 6/9/2022  | 12:00 PM | 7.32                  | ND                    | 20.35              | NA                     |                                             |
|         | 6/23/2022 | 10:44 AM | 7.28                  | ND                    | 20.65              | NA                     |                                             |
|         | 1/13/2022 | 9:25 AM  | 7.79                  | ND                    | 33.01              | NA                     |                                             |
|         | 1/27/2022 | 9:15 AM  | 7.81                  | ND                    | 33.00              | NA                     |                                             |
|         | 2/7/2022  | 8:45 AM  | 7.96                  | ND                    | 32.99              | NA                     |                                             |
|         | 2/24/2022 | 8:30 AM  | 7.80                  | ND                    | 33.01              | NA                     |                                             |
|         | 3/17/2022 | 10:50 AM | 6.45                  | ND                    | 33.25              | NA                     |                                             |
|         | 3/28/2022 | 11:50 AM | 7.75                  | ND                    | 32.95              | NA                     |                                             |
|         | 4/13/2022 | 11:20 AM | 6.95                  | ND                    | 33.25              | NA                     |                                             |
|         | 4/29/2022 | 11:10 AM | 7.88                  | ND                    | 32.96              | NA                     |                                             |
| NW-4    | 5/12/2022 | 11:55 AM | 6.68                  | ND                    | 32.93              | NA                     |                                             |
|         | 5/25/2022 | 11:05 AM | 7.16                  | ND                    | 32.91              | NA                     |                                             |
|         | 6/9/2022  | 12:10 PM | 7.57                  | ND                    | 32.92              | NA                     |                                             |
|         | 6/23/2022 | 10:47 AM | 7.54                  | ND                    | 33.32              | NA                     |                                             |
|         | 1/13/2022 | 9:30 AM  | 9.32                  | ND                    | 43.21              | NA                     |                                             |
|         | 1/27/2022 | 9:42 AM  | 9.26                  | ND                    | 43.21              | NA                     |                                             |
|         | 2/7/2022  | 9:00 AM  | 9.09                  | ND                    | 43.19              | NA                     |                                             |
|         | 2/24/2022 | 8:40 AM  | 9.18                  | ND                    | 43.22              | NA                     |                                             |
|         | 3/17/2022 | 10:57 AM | 8.86                  | ND                    | 43.21              | NA                     |                                             |
|         | 3/28/2022 | 11:55 AM | 8.92                  | ND                    | 43.10              | NA                     |                                             |
| NW-5    | 4/13/2022 | 11:30 AM | 8.82                  | ND                    | 43.40              | NA                     |                                             |
|         | 4/29/2022 | 11:55 AM | 8.78                  | ND                    | 43.22              | NA                     |                                             |
|         | 5/12/2022 | 12:00 PM | 8.45                  | ND                    | 43.15              | NA                     |                                             |
|         | 5/25/2022 | 11:10 AM | 8.67                  | ND                    | 43.12              | NA                     |                                             |
|         | 6/9/2022  | 12:20 PM | 8.31                  | ND                    | 43.10              | NA                     |                                             |
|         | 6/23/2022 | 10:51 AM | 8.60                  | ND                    | 43.53              | NA                     |                                             |
|         | 1/13/2022 | 11:30 AM | 9.41                  | 28.16                 | 38.15              | 9.99                   |                                             |
|         | 1/14/2022 | 8:30 AM  | 9.41                  | 28.16                 | 38.15              | 9.99                   | Pre-pumping measurement ~15 gallons removed |
|         | 1/27/2022 | 11:30 AM | 9.41                  | 28.14                 | 38.15              | 10.01                  |                                             |
|         | 1/28/2022 | 9:00 AM  | 7.71                  | 29.71                 | 38.15              | 8.44                   | Pre-pumping measurement ~15 gallons removed |
| NW-5    | 2/7/2022  | 9:15 AM  | 8.48                  | 29.65                 | 38.15              | 8.50                   |                                             |
|         | 2/9/2022  | 8:30 AM  | 8.42                  | 29.29                 | 38.15              | 8.86                   | Pre-pumping measurement ~12 gallons removed |
|         | 2/24/2022 | 8:30 AM  | 9.31                  | 29.97                 | 38.17              | 8.20                   |                                             |
|         | 2/25/2022 | 9:30 AM  | 9.31                  | 29.97                 | 38.17              | 8.20                   | Pre-pumping measurement ~13 gallons removed |
|         | 3/17/2022 | 11:04 AM | 7.65                  | 35.3                  | 37.50              | 2.2                    |                                             |
|         | 3/18/2022 | 8:15 AM  | 7.70                  | 29.6                  | 38.40              | 8.8                    | Pre-pumping measurement ~4 gallons removed  |
|         | 3/28/2022 | 8:17 AM  | 8.02                  | 29.69                 | 37.54              | 7.75                   | Pre-pumping measurement ~10 gallons removed |
|         | 4/13/2022 | 7:56 AM  | 7.90                  | 29.7                  | 37.50              | 7.8                    | Pre-pumping measurement ~21 gallons removed |
|         | 4/28/2022 | 8:40 AM  | 8.08                  | 29.71                 | 37.47              | 7.76                   | Pre-pumping measurement ~3 gallons removed  |
|         | 5/12/2022 | 8:10 AM  | 7.34                  | 30.44                 | 37.09              | 6.65                   | Pre-pumping measurement ~25 gallons removed |
| NW-5    | 5/25/2022 | 8:25 AM  | 7.62                  | 30.59                 | 37.08              | 6.49                   | Pre-pumping measurement ~11 gallons removed |
|         | 6/9/2022  | 9:20 AM  | 7.61                  | 29.63                 | 37.10              | 7.47                   | Pre-pumping measurement ~17 gallons removed |
| NW-5    | 6/23/2022 | 11:15 AM | 8.37                  | 29.62                 | 37.17              | 7.55                   | Pre-pumping measurement ~25 gallons removed |

**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

| Well ID | Date      | Time     | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | DNAPL Thickness (feet) | Comments                                                 |
|---------|-----------|----------|-----------------------|-----------------------|--------------------|------------------------|----------------------------------------------------------|
| NW-6    | 1/13/2022 | 10:55 AM | 9.45                  | 33.42                 | 37.38              | 3.96                   |                                                          |
|         | 1/14/2022 | 10:00 AM | 9.45                  | 33.42                 | 37.38              | 3.96                   | Pre-pumping measurement ~5 gallons removed               |
|         | 1/27/2022 | 11:00 AM | 9.41                  | 34.61                 | 37.38              | 2.77                   |                                                          |
|         | 1/28/2022 | 10:00 AM | 9.42                  | 34.6                  | 37.38              | 2.78                   | Pre-pumping measurement ~4 gallons removed               |
|         | 2/7/2022  | 9:30 AM  | 9.25                  | 33.31                 | 37.38              | 4.07                   |                                                          |
|         | 2/9/2022  | 11:00 AM | 9.21                  | 33.01                 | 37.38              | 4.37                   | Pre-pumping measurement ~4 gallons removed               |
|         | 2/24/2022 | 8:45 AM  | 9.33                  | 35.61                 | 37.36              | 1.75                   |                                                          |
|         | 2/25/2022 | 11:30 AM | 9.33                  | 35.61                 | 37.36              | 1.75                   | Pre-pumping measurement ~6 gallons removed               |
|         | 3/17/2022 | 10:31 AM | 8.70                  | 36.2                  | 37.40              | 1.2                    | Pre-pumping measurement ~2 gallons removed               |
|         | 3/28/2022 | 9:25 AM  | 8.75                  | 30.9                  | 33.20              | 2.3                    | Pre-pumping measurement ~10 gallons removed              |
|         | 4/13/2022 | 10:50 AM | 8.60                  | 30.55                 | 33.05              | 2.5                    | Pre-pumping measurement ~16 gallons removed              |
|         | 4/28/2022 | 12:20 PM | 8.91                  | 30.82                 | 37.47              | 7.51                   | Pre-pumping measurement ~6 gallons removed               |
|         | 5/12/2022 | 11:40 AM | 8.65                  | 31.25                 | 37.85              | 6.6                    | Pre-pumping measurement ~8.5 gallons removed             |
|         | 5/25/2022 | 10:40 PM | 8.87                  | 30.98                 | 37.51              | 6.53                   | Pre-pumping measurement ~6.5 gallons removed             |
| NW-7    | 6/9/2022  | 11:50 AM | 8.62                  | 30.9                  | 37.50              | 6.6                    | Pre-pumping measurement ~6.5 gallons removed             |
|         | 6/23/2022 | 8:45 AM  | 8.46                  | 31.0                  | 38.18              | 7.18                   | Pre-pumping measurement ~8 gallons removed               |
|         | 2/7/2022  | 9:45 AM  | 9.19                  | ND                    | 22.90              | NA                     |                                                          |
|         | 2/24/2022 | 9:00 AM  | 9.66                  | ND                    | 22.88              | NA                     |                                                          |
|         | 3/17/2022 | 10:15 AM | 9.47                  | ND                    | 23.00              | NA                     |                                                          |
|         | 3/28/2022 | 11:30 AM | 9.17                  | ND                    | 22.50              | NA                     |                                                          |
|         | 4/13/2022 | 9:35 AM  | 8.95                  | ND                    | 22.95              | NA                     |                                                          |
|         | 4/29/2022 | 12:25 AM | 9.28                  | ND                    | 22.58              | NA                     |                                                          |
|         | 5/12/2022 | 11:35 AM | 8.87                  | ND                    | 22.80              | NA                     |                                                          |
|         | 5/25/2022 | 10:30 AM | 9.13                  | ND                    | 22.77              | NA                     |                                                          |
|         | 6/9/2022  | 11:45 AM | 8.58                  | ND                    | 22.75              | NA                     |                                                          |
|         | 6/23/2022 | 10:40 AM | 9.22                  | ND                    | 23.22              | NA                     |                                                          |
|         | 1/13/2022 | 11:05 AM | 10.86                 | 35.29                 | 36.32              | 1.03                   | Pre-pumping measurement ~1.5 gallons removed             |
|         | 1/27/2022 | 2:00 PM  | 10.79                 | 35.79                 | 36.32              | 0.53                   | Pre-pumping measurement ~1 gallons removed               |
| NW-8    | 2/7/2022  | 1:00 PM  | 10.42                 | 35.82                 | 36.32              | 0.50                   | Pre-pumping measurement ~0.5 gallons removed             |
|         | 2/24/2022 | 2:00 PM  | 10.74                 | 36.05                 | 36.31              | 0.26                   | Pre-pumping measurement ~0.5 gallons removed             |
|         | 3/18/2022 | 9:20 AM  | 10.30                 | 34.4                  | 36.20              | 1.80                   | Pre-pumping measurement ~2 gallons removed               |
|         | 3/28/2022 | 12:48 PM | 10.80                 | 35.65                 | 36.30              | 0.65                   | Pre-Pumping Measurement- Pumping not conducted 3/28/2022 |
|         | 4/1/2022  | 8:35 AM  | 10.38                 | 35.57                 | 36.26              | 0.69                   | Pre-pumping measurement ~2 gallons removed               |
|         | 4/13/2022 | 10:35 AM | 10.25                 | 35.6                  | 36.20              | 0.6                    | Pre-Pumping Measurement ~6 gallons removed               |
|         | 4/29/2022 | 9:15 AM  | 10.52                 | 35.22                 | 36.18              | 0.96                   | Pre-pumping measurement ~7 gallons removed               |
|         | 5/12/2022 | 12:25 PM | 10.15                 | 35.75                 | 36.30              | 0.55                   | Pre-Pumping Measurement ~3.6 gallons removed             |
|         | 5/25/2022 | 11:45 AM | 10.25                 | 35.41                 | 36.22              | 0.81                   | Pre-pumping measurement ~5.6 gallons removed             |
|         | 6/9/2022  | 12:50 AM | 10.04                 | 35.49                 | 36.24              | 0.75                   | Pre-Pumping Measurement ~2.2 gallons removed             |
|         | 6/23/2022 | 11:49 AM | 10.34                 | 35.45                 | 36.25              | 0.8                    |                                                          |
|         | 1/13/2022 | 9:45 AM  | 11.14                 | ND                    | 33.97              | NA                     |                                                          |
|         | 1/27/2022 | 10:22 AM | 11.11                 | ND                    | 33.49              | NA                     |                                                          |
|         | 2/7/2022  | 10:00 AM | 11.01                 | ND                    | 33.49              | NA                     |                                                          |
| NW-9    | 2/24/2022 | 10:15 AM | 11.01                 | ND                    | 33.49              | NA                     |                                                          |
|         | 3/18/2022 | 9:40 AM  | 10.50                 | 33.08                 | 33.50              | 0.42                   |                                                          |
|         | 3/28/2022 | 12:25 PM | 10.65                 | 33.05                 | 33.40              | 0.35                   |                                                          |
|         | 4/13/2022 | 10:35 AM | 10.20                 | 32.88                 | 33.28              | 0.4                    |                                                          |
|         | 4/29/2022 | 9:00 AM  | 10.65                 | 33.08                 | 33.50              | 0.42                   |                                                          |
|         | 5/12/2022 | 12:15 PM | 10.19                 | 33.06                 | 33.51              | 0.45                   |                                                          |
|         | 5/25/2022 | 11:30 AM | 10.35                 | 33.11                 | 33.55              | 0.44                   |                                                          |
|         | 6/9/2022  | 12:50 PM | 10.24                 | 33.11                 | 33.56              | 0.45                   |                                                          |
|         | 6/23/2022 | 11:46 AM | 10.52                 | ND                    | 34.06              | ND                     |                                                          |
|         | 1/13/2022 | 11:15 AM | 10.91                 | 31.65                 | 33.70              | 2.05                   | Pre-pumping measurement ~2.5 gallons removed             |
|         | 1/27/2022 | 1:00 PM  | 10.83                 | 32.51                 | 33.70              | 1.19                   | Pre-pumping measurement ~1.5 gallons removed             |
|         | 2/7/2022  | 12:30 PM | 10.62                 | 32.42                 | 33.70              | 1.28                   | Pre-pumping measurement ~1 gallons removed               |
|         | 2/24/2022 | 1:30 PM  | 10.77                 | 32.91                 | 33.70              | 0.79                   | Pre-pumping measurement ~1.5 gallons removed             |
|         | 3/18/2022 | 10:00 AM | 10.66                 | 30.06                 | 33.66              | 3.6                    | Pre-pumping measurement ~4 gallons removed               |
| NW-10   | 3/28/2022 | 12:15 PM | 10.05                 | 32.05                 | 33.55              | 1.5                    | Pre-pumping measurement ~8 gallons removed               |
|         | 4/13/2022 | 10:15 AM | 10.32                 | 31.05                 | 33.50              | 2.45                   | Pre-pumping measurement ~7 gallons removed               |
|         | 4/29/2022 | 8:15 AM  | 10.83                 | 31.97                 | 33.57              | 1.6                    | Pre-pumping measurement ~4 gallons removed               |
|         | 5/12/2022 | 12:15 PM | 10.15                 | 32.51                 | 33.61              | 1.1                    | Pre-pumping measurement ~5.2 gallons removed             |
|         | 5/25/2022 | 11:25 AM |                       |                       |                    |                        | Pre-pumping measurement ~4.75 gallons removed            |
|         |           |          | 10.37                 | 31.77                 | 33.57              | 1.8                    |                                                          |
|         | 6/9/2022  | 12:35 PM | 10.18                 | 31.81                 | 33.58              | 1.77                   | Pre-pumping measurement ~2.6 gallons removed             |
|         | 6/23/2022 | 11:08 AM | 10.49                 | 33.51                 | 34.56              | 1.05                   | Pre-pumping measurement ~2.19 gallons removed            |

**Table 2. 2022 Well Gauging Measurements**

**Polychrome West Site**

Yonkers, New York

| Well ID | Date             | Time            | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | DNAPL Thickness (feet) | Comments                                     |
|---------|------------------|-----------------|-----------------------|-----------------------|--------------------|------------------------|----------------------------------------------|
| NW-10S  | 1/13/2022        | 9:05 AM         | 11.01                 | ND                    | 18.01              | NA                     |                                              |
|         | 1/27/2022        | 9:10 AM         | 11.00                 | ND                    | 18.01              | NA                     |                                              |
|         | 2/7/2022         | 10:15 AM        | 10.89                 | ND                    | 18.00              | NA                     |                                              |
|         | 2/24/2022        | 10:30 AM        | 10.96                 | ND                    | 18.00              | NA                     |                                              |
|         | 3/18/2022        | 9:45 AM         | 10.65                 | ND                    | 17.90              | NA                     |                                              |
|         | 3/28/2022        | 12:20 PM        | 10.50                 | ND                    | 17.90              | NA                     |                                              |
|         | 4/13/2022        | 10:20 AM        | 10.28                 | ND                    | 17.46              | NA                     |                                              |
|         | 4/29/2022        | 8:43 AM         | 10.61                 | ND                    | 18.00              | NA                     |                                              |
|         | 5/12/2022        | 12:10 PM        | 10.04                 | ND                    | 18.00              | NA                     |                                              |
|         | 5/25/2022        | 11:30 AM        | 10.24                 | ND                    | 17.91              | NA                     |                                              |
|         | 6/9/2022         | 12:45 PM        | 10.02                 | ND                    | 18.00              | NA                     |                                              |
|         | 6/23/2022        | 11:06 AM        | 10.22                 | ND                    | 18.36              | NA                     |                                              |
| NW-11   | 1/13/2022        | 10:45 AM        | 4.41                  | ND                    | 22.99              | NA                     |                                              |
|         | 1/27/2022        | 10:50 AM        | 4.41                  | 22.48                 | 22.99              | 0.51                   |                                              |
|         | <b>1/28/2022</b> | <b>8:30 AM</b>  | <b>4.39</b>           | <b>22.44</b>          | <b>22.99</b>       | <b>0.55</b>            | Pre-pumping measurement ~4 gallons removed   |
|         | 2/7/2022         | 10:40 AM        | 4.11                  | ND                    | 23.00              | NA                     |                                              |
|         | 2/24/2022        | 11:00 AM        | 4.32                  | 22.68                 | 22.98              | 0.30                   |                                              |
|         | 3/17/2022        | 10:04 AM        | 4.12                  | 22.60                 | 22.95              | 0.35                   |                                              |
|         | 3/28/2022        | 11:15 PM        | 4.02                  | 22.56                 | 22.90              | 0.34                   |                                              |
|         | <b>4/13/2022</b> | <b>9:27 AM</b>  | <b>3.85</b>           | <b>22.15</b>          | <b>22.85</b>       | <b>0.70</b>            | Pre-pumping measurement ~3 gallons removed   |
|         | 4/29/2022        | 9:30 AM         | 3.93                  | 22.44                 | 22.83              | 0.34                   |                                              |
|         | 5/12/2022        | 11:20 AM        | 3.88                  | 22.60                 | 22.85              | 0.25                   |                                              |
|         | 5/25/2022        | 10:30 AM        | 3.93                  | 22.39                 | 22.84              | 0.45                   |                                              |
|         | <b>6/9/2022</b>  | <b>11:20 AM</b> | <b>3.86</b>           | <b>21.93</b>          | <b>22.83</b>       | <b>0.90</b>            | Pre-pumping measurement ~2.5 gallons removed |
| NW-12   | 6/23/2022        | 11:59 AM        | 4.05                  | ND                    | 22.84              | 0.53                   |                                              |
|         | 1/13/2022        | 9:40 AM         | 4.16                  | ND                    | 21.11              | NA                     |                                              |
|         | 1/27/2022        | 9:37 AM         | 4.11                  | ND                    | 21.10              | NA                     |                                              |
|         | 2/7/2022         | 9:37 AM         | 4.11                  | ND                    | 21.10              | NA                     |                                              |
|         | 2/24/2022        | 11:10 AM        | 4.07                  | ND                    | 21.11              | NA                     |                                              |
|         | 3/17/2022        | 10:10 AM        | 3.89                  | ND                    | 21.30              | NA                     |                                              |
|         | 3/28/2022        | 11:20 AM        | 3.92                  | ND                    | 21.20              | NA                     |                                              |
|         | 4/13/2022        | 9:20 AM         | 3.70                  | ND                    | 21.02              | NA                     |                                              |
|         | 4/29/2022        | 11:00 AM        | 3.74                  | ND                    | 21.22              | NA                     |                                              |
|         | 5/12/2022        | 11:30 AM        | 3.75                  | ND                    | 20.92              | NA                     |                                              |
|         | 5/25/2022        | 10:25 AM        | 3.79                  | ND                    | 21.12              | NA                     |                                              |
|         | 6/9/2022         | 11:30 AM        | 3.52                  | ND                    | 21.12              | NA                     |                                              |
|         | 6/23/2022        | 10:35 AM        | 3.61                  | ND                    | 21.22              | NA                     |                                              |

Notes:

Pre-pumping event readings are bolded

DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable

ND - Not Detected

**Table 3. 2022 DNAPL Recovery Totals**  
**Polychrome West Site**  
Yonkers, New York


|                        | DNAPL Recovered Volume (gal) |                                  |                                    |                                            |                                            |                          |                                 |
|------------------------|------------------------------|----------------------------------|------------------------------------|--------------------------------------------|--------------------------------------------|--------------------------|---------------------------------|
| Recovery Event         | Jan-22                       | Feb-22                           | Mar-22                             | Apr-22                                     | May-22                                     | Jun-22                   | Total DNAPL Recovered (Gallons) |
| NW-1                   | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| NW-3                   | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| NW-4                   | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| NW-5                   | 30                           | 25                               | 14                                 | 24                                         | 36                                         | 42                       | 171                             |
| NW-6                   | 9                            | 10                               | 12                                 | 22                                         | 15                                         | 15                       | 83                              |
| NW-7                   | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| NW-8                   | 2.5                          | 1                                | 4                                  | 13                                         | 9                                          | 2                        | 32                              |
| NW-9                   | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| NW-10                  | 4                            | 2.5                              | 12                                 | 11                                         | 10                                         | 5                        | 44                              |
| NW-11                  | 4                            | NA                               | NA                                 | 3                                          | NA                                         | 2.5                      | 10                              |
| NW-12                  | NA                           | NA                               | NA                                 | NA                                         | NA                                         | NA                       | 0                               |
| Event Total            | 49.5                         | 38.50                            | 42                                 | 73                                         | 70                                         | 66                       | 339                             |
| Date Generated         | 1/13, 1/14, 1/27, 1/28       | 2/7/22, 2/9/22, 2/24/22, 2/25/22 | 3/17/22, 3/18/22, 3/28/22, 4/1/22. | 4/13/2022, 4/14/2022, 4/28/2022, 4/29/2022 | 5/12/2022, 5/13/2022, 5/26/2022, 5/27/2022 | 6/9/2022, 6/23/2022,     |                                 |
| Off-Site Disposal Date | 2/8/2022 and Pending         | Pending                          | Pending                            | Pending                                    | Pending                                    | Pending                  |                                 |
| Disposal Location      | Veolia ES                    | Veolia ES                        | Clean Earth North Jersey           | Clean Earth North Jersey                   | Clean Earth North Jersey                   | Clean Earth North Jersey |                                 |

Notes:

DNAPL - Dense Non-Aqueous Phase Liquid  
NA - Not Applicable

## Figures

---



**SOURCE:**

USA Topo Maps layer, accessed via ArcGIS online,  
Copyright:© 2013 National Geographic Society, i-cubed.

0 2000 4000



SCALE: 1" = 2000'

Polychrome West (PCW)  
Yonkers, New York

Privileged and Confidential  
Attorney-Client Work Communication



Project 2201010

SITE LOCATION MAP


August 2022

Fig. 1



**LEGEND**

 PROJECT SITE BOUNDARY

 ALPHANUMERIC GRID

Aerial Source:  
2014 New York Statewide Digital Orthoimagery.

Polychrome West (PCW)  
Yonkers, New York

Privileged and Confidential  
Attorney-Client Work Communication




Project 2201010

SITE PLAN WITH  
REFERENCE GRID

August 2022

Fig. 2



#### LEGEND

- BCP SITE
- RESIDENTIAL BUILDING
- PARKING GARAGE (OPEN)
- ESPLANADE
- GRASS PAVER
- ASPHALT
- LANDSCAPED
- RIP RAP
- NAPL RECOVERY WELL
- GROUNDWATER MONITORING WELL LOCATIC (SHALLOW NAPL RECOVERY)



Polychrome West (PCW)  
Yonkers, New York

Privileged and Confidential  
Attorney-Client Work Communication



Project 2201010

NAPL RECOVERY AND  
GROUNDWATER  
MONITORING WELLS

August 2022

Fig. 3

# **Attachment A**



---



## **Waste Disposal Manifests**

2309084

Please print or type.

Form Approved. OMB No. 2050-0039

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------|-------------------|-------------------|-------------------|-------------------|------|
| <b>UNIFORM HAZARDOUS WASTE MANIFEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                       | 1. Generator ID Number<br><b>NYR000254706</b>                                                                  |                | 2. Page 1 of<br><b>1</b> | 3. Emergency Response Phone<br><b>8606089717</b>                                                                                                   |                                                                                                   | 4. Manifest Tracking Number<br><b>016707093 FILE</b> |                   |                   |                   |                   |      |
| 5. Generator's Name and Mailing Address<br><b>Consolidated Edison of NY Inc<br/>718-204-4331<br/>31-01 20th Ave<br/>Long Island, NY 11105</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                       |                                                                                                                |                |                          | Generator's Site Address (if different than mailing address)<br><b>Consolidated Edison of NY Inc<br/>80- 94 Alexander St<br/>Yonkers, NY 10701</b> |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| Generator's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 6. Transporter 1 Company Name<br><b>IWT Transport Inc</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                       |                                                                                                                |                |                          | U.S. EPA ID Number<br><b>NJR986628162</b>                                                                                                          |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 7. Transporter 2 Company Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                       |                                                                                                                |                |                          | U.S. EPA ID Number                                                                                                                                 |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 8. Designated Facility Name and Site Address<br><b>Clean Earth of North Jersey, Inc.<br/>9733444004<br/>105 Jacobus Ave.<br/>Kearny NJ 07032</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |                                                                                                                |                |                          | U.S. EPA ID Number<br><b>NJD991291105</b>                                                                                                          |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| GENERATOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 9a. HM                                                                                                                                                                                                                | 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) |                |                          | 10. Containers<br>No. Type                                                                                                                         |                                                                                                   | 11. Total Quantity                                   | 12. Unit Wt./Vol. | 13. Waste Codes   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | X                                                                                                                                                                                                                     | 1. RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III                                             |                |                          | 1                                                                                                                                                  | DM                                                                                                | 55                                                   | G                 | D018              |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | X                                                                                                                                                                                                                     | 2. RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III                                                      |                |                          | 1                                                                                                                                                  | DM                                                                                                | 55                                                   | G                 | D018              |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       | 3.                                                                                                             |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       | 4.                                                                                                             |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 14. Special Handling Instructions and Additional Information<br>(1) 2230800134 - Used PPE and sampling equipment-Haz.<br>(2) 2230800135 - Purged NAPL and Groundwater-Haz<br><div style="text-align: center; font-size: 2em; border: 1px solid black; border-radius: 50%; width: 40px; margin: 0 auto;">7</div> Order#: 2309084 -                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.<br>I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| Generator's/Offor's Printed/Typed Name<br><b>Charles Cabrera</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |                                                                                                                |                |                          | Signature<br>                                                  |                                                                                                   |                                                      | Month<br><b>6</b> | Day<br><b>9</b>   | Year<br><b>22</b> |                   |      |
| INT'L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____<br>Transporter signature (for exports only): _____ Date leaving U.S.: _____   |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 17. Transporter Acknowledgment of Receipt of Materials                                                                                                                                                                |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| TRANSPORTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Transporter 1 Printed/Typed Name<br><b>Chris Cich</b>                                                                                                                                                                 |                                                                                                                |                |                          |                                                                                                                                                    | Signature<br> |                                                      |                   | Month<br><b>6</b> | Day<br><b>9</b>   | Year<br><b>22</b> |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Transporter 2 Printed/Typed Name                                                                                                                                                                                      |                                                                                                                |                |                          |                                                                                                                                                    | Signature                                                                                         |                                                      |                   | Month             | Day               | Year              |      |
| DESIGNATED FACILITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 18. Discrepancy                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Manifest Reference Number:                                                                                                                                                                                            |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 18b. Alternate Facility (or Generator)                                                                                                                                                                                |                                                                                                                |                |                          |                                                                                                                                                    | U.S. EPA ID Number                                                                                |                                                      |                   |                   |                   |                   |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Facility's Phone:                                                                                                                                                                                                     |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 18c. Signature of Alternate Facility (or Generator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   | Month             | Day               | Year |
| 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| 1. <b>H040</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                       |                                                                                                                | 2. <b>H040</b> |                          |                                                                                                                                                    | 3. <b>Received Pending Manifest Review/Quality Control Data</b>                                   |                                                      |                   | 4.                |                   |                   |      |
| 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                       |                                                                                                                |                |                          |                                                                                                                                                    |                                                                                                   |                                                      |                   |                   |                   |                   |      |
| Printed/Typed Name<br><b>Mahmoud Dasane</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                       |                                                                                                                |                |                          | Signature<br>                                                 |                                                                                                   |                                                      | Month<br><b>6</b> | Day<br><b>10</b>  | Year<br><b>22</b> |                   |      |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------|-------------------|-----------------|
| <b>UNIFORM HAZARDOUS WASTE MANIFEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                       | 1. Generator ID Number<br><b>NYR000254706</b>                                                                  |                | 2. Page 1 of<br><b>1</b>                                                                                                                                      | 3. Emergency Response Phone<br><b>8606089717</b>                                                  |                                  | 4. Manifest Tracking Number<br><b>016707094 FLE</b> |                   |                 |
| 5. Generator's Name and Mailing Address<br><b>Consolidated Edison of NY Inc</b><br><b>718-204-4331</b><br><b>31-01 20th Ave</b><br><b>Long Island, NY 11105</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |                                                                                                                |                | Generator's Site Address (if different than mailing address)<br><b>Consolidated Edison of NY Inc</b><br><b>80-94 Alexander St</b><br><b>Yonkers, NY 10701</b> |                                                                                                   |                                  |                                                     |                   |                 |
| 6. Transporter 1 Company Name<br><b>WT Transport Inc</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                       |                                                                                                                |                | U.S. EPA ID Number<br><b>NJR986628162</b>                                                                                                                     |                                                                                                   |                                  |                                                     |                   |                 |
| 7. Transporter 2 Company Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                       |                                                                                                                |                | U.S. EPA ID Number                                                                                                                                            |                                                                                                   |                                  |                                                     |                   |                 |
| 8. Designated Facility Name and Site Address<br><b>Lean Earth of North Jersey, Inc.</b><br><b>9733444004</b><br><b>105 Jacobus Ave.</b><br><b>Kearny NJ 07032</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                       |                                                                                                                |                | U.S. EPA ID Number<br><b>NJD991291105</b>                                                                                                                     |                                                                                                   |                                  |                                                     |                   |                 |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| GENERATOR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 9a. HM                                                                                                                                                                                                                | 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) |                |                                                                                                                                                               | 10. Containers<br>No. Type                                                                        |                                  | 11. Total Quantity                                  | 12. Unit Wt./Vol. | 13. Waste Codes |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | X                                                                                                                                                                                                                     | 1. RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III                                             |                |                                                                                                                                                               | 1 DM                                                                                              |                                  | 55                                                  | G                 | D018            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | X                                                                                                                                                                                                                     | 2. RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III                                                      |                |                                                                                                                                                               | 1 DM                                                                                              |                                  | 55                                                  | G                 | D018            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       | 3.                                                                                                             |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       | 4.                                                                                                             |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| 14. Special Handling Instructions and Additional Information<br>(1) 2230800134 - Used PPE and sampling equipment-Haz.<br>(2) 2230800135 - Purged NAPL and Groundwater-Haz<br><div style="text-align: right;">Order#: 2309086 -</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.<br>I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| Generator's/Offor's Printed/Typed Name<br><b>Charles Cabrera</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                       |                                                                                                                |                | Signature<br>                                                             |                                                                                                   | Month Day Year<br><b>6 10 22</b> |                                                     |                   |                 |
| INT'L                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____                                                      |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 17. Transporter Acknowledgment of Receipt of Materials                                                                                                                                                                |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| TRANSPORTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Transporter 1 Printed/Typed Name<br><b>CHRISTOPHER</b>                                                                                                                                                                |                                                                                                                |                |                                                                                                                                                               | Signature<br> |                                  | Month Day Year<br><b>6 10 22</b>                    |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Transporter 2 Printed/Typed Name                                                                                                                                                                                      |                                                                                                                |                |                                                                                                                                                               | Signature                                                                                         |                                  | Month Day Year                                      |                   |                 |
| DESIGNATED FACILITY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 18. Discrepancy                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Manifest Reference Number:                                                                                                                                                                                            |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 18b. Alternate Facility (or Generator)                                                                                                                                                                                |                                                                                                                |                |                                                                                                                                                               | U.S. EPA ID Number                                                                                |                                  |                                                     |                   |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Facility's Phone:                                                                                                                                                                                                     |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| 18c. Signature of Alternate Facility (or Generator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   | Month Day Year                   |                                                     |                   |                 |
| 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| 1. <b>H040</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                       |                                                                                                                | 2. <b>H040</b> |                                                                                                                                                               |                                                                                                   | 3.                               |                                                     | 4.                |                 |
| 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                       |                                                                                                                |                |                                                                                                                                                               |                                                                                                   |                                  |                                                     |                   |                 |
| Printed/Typed Name<br>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                       |                                                                                                                |                | Signature<br>                                                             |                                                                                                   | Month Day Year<br><b>6 10 22</b> |                                                     |                   |                 |

Please print or type.

2309451

Form Approved. OMB No. 2050-0039

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|--|
| <b>UNIFORM HAZARDOUS WASTE MANIFEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                | 1. Generator ID Number<br>NYR000254706                                                                    | 2. Page 1 of<br>1 | 3. Emergency Response Phone<br>8606089717        | 4. Manifest Tracking Number<br>016707249 FLE                                                                                              |                           |  |
| 5. Generator's Name and Mailing Address<br>212-580-8383                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                | Consolidated Edison of NY Inc Attn Melissa Heller<br>31-01 20th Ave- Bldg 136 2nd fl<br>Astoria, NY 11105 |                   |                                                  | Generator's Site Address (if different than mailing address)<br>Consolidated Edison of NY Inc<br>80- 94 Alexander St<br>Yonkers, NY 10701 |                           |  |
| Generator's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                |                                                                                                           |                   |                                                  | U.S. EPA ID Number<br>NJR986628162                                                                                                        |                           |  |
| 6. Transporter 1 Company Name<br>IWT Transport Inc                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                |                                                                                                           |                   |                                                  | U.S. EPA ID Number                                                                                                                        |                           |  |
| 7. Transporter 2 Company Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                |                                                                                                           |                   |                                                  | U.S. EPA ID Number                                                                                                                        |                           |  |
| 8. Designated Facility Name and Site Address<br>9733444004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                | Clean Earth of North Jersey, Inc.<br>105 Jacobus Ave.<br>Kearny NJ 07032                                  |                   |                                                  | U.S. EPA ID Number<br>NJD991291105                                                                                                        |                           |  |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 9a. HM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers<br>No. Type                                                                                |                   | 11. Total Quantity                               | 12. Unit Wt./Vol.                                                                                                                         | 13. Waste Codes           |  |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1 RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III                                              | 1                                                                                                         | DM                | 55                                               | G                                                                                                                                         | D018                      |  |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2 RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III                                                       | 1                                                                                                         | DM                | 55                                               | G                                                                                                                                         | D018                      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3.                                                                                                             |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4.                                                                                                             |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 14. Special Handling Instructions and Additional Information<br>(1) 2230800134 - Used PPE and sampling equipment-Haz.<br>(2) 2230800135 - Purged NAPL and Groundwater-Haz<br>Order#: 2309451 - 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.<br>I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| Generator's/Offor's Printed/Typed Name<br>Charles Cabrera                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                | Signature<br>                                                                                             |                   | Month Day Year<br>10 23 22                       |                                                                                                                                           |                           |  |
| 16. International Shipments<br><input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                | Port of entry/exit:<br>Date leaving U.S.:                                                                 |                   |                                                  |                                                                                                                                           |                           |  |
| 17. Transporter Acknowledgment of Receipt of Materials                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                | Transporter 1 Printed/Typed Name<br>Chris Cilli                                                           |                   | Signature<br>                                    |                                                                                                                                           | Month Day Year<br>6 23 22 |  |
| Transporter 2 Printed/Typed Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                | Signature                                                                                                 |                   | Month Day Year                                   |                                                                                                                                           |                           |  |
| 18. Discrepancy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 18b. Alternate Facility (or Generator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                |                                                                                                           |                   | Manifest Reference Number:<br>U.S. EPA ID Number |                                                                                                                                           |                           |  |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 18c. Signature of Alternate Facility (or Generator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           | Month Day Year            |  |
| 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| 1. H040                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                | 2. H040                                                                                                   |                   | 3.                                               |                                                                                                                                           | 4.                        |  |
| 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                |                                                                                                           |                   |                                                  |                                                                                                                                           |                           |  |
| Printed/Typed Name<br>Tony Roman                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                | Signature<br>                                                                                             |                   | Month Day Year<br>6 24 22                        |                                                                                                                                           |                           |  |

2309452

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------|
| <b>UNIFORM HAZARDOUS WASTE MANIFEST</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                | 1. Generator ID Number<br>NYR000254706                                                             | 2. Page 1 of<br>1 | 3. Emergency Response Phone<br>8606089717                                                                                                 | 4. Manifest Tracking Number<br>016707250 FLE |                 |
| 5. Generator's Name and Mailing Address<br>212-580-8383                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                | Consolidated Edison of NY Inc Attn Melissa<br>31-01 20th Ave- Bldg 136 2nd fl<br>Astoria, NY 11105 |                   | Generator's Site Address (if different than mailing address)<br>Consolidated Edison of NY Inc<br>80- 94 Alexander St<br>Yonkers, NY 10701 |                                              |                 |
| Generator's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 6. Transporter 1 Company Name<br>MT Transport Inc                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                |                                                                                                    |                   |                                                                                                                                           | U.S. EPA ID Number<br>NJR986628162           |                 |
| 7. Transporter 2 Company Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                |                                                                                                    |                   |                                                                                                                                           | U.S. EPA ID Number                           |                 |
| 8. Designated Facility Name and Site Address<br>9733444004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                | Clean Earth of North Jersey, Inc.<br>105 Jacobus Ave.<br>Kearny NJ 07032                           |                   |                                                                                                                                           | U.S. EPA ID Number<br>NJD991291105           |                 |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 9a. HM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) | 10. Containers<br>No. Type                                                                         |                   | 11. Total Quantity                                                                                                                        | 12. Unit Wt./Vol.                            | 13. Waste Codes |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1RQ, NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III                                               | 1                                                                                                  | DM                | 55                                                                                                                                        | G                                            | D018            |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2RQ, NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III                                                        | 1                                                                                                  | DM                | 55                                                                                                                                        | G                                            | D018            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 3.                                                                                                             |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4.                                                                                                             |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 14. Special Handling Instructions and Additional Information<br>(1) 2230800134 - Used PPE and sampling equipment-Haz<br>(2) 2230800135 - Purged NAPL and Groundwater-Haz<br>Order# 2309452 -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.<br>I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| Generator's/Offor's Printed/Typed Name<br>Charles Cobren                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                | Signature<br>                                                                                      |                   |                                                                                                                                           | Month<br>6                                   | Day<br>24       |
| 16. International Shipments<br><input type="checkbox"/> Import to U.S.<br><input type="checkbox"/> Export from U.S.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                | Port of entry/exit:<br>Date leaving U.S.:                                                          |                   | Year<br>22                                                                                                                                |                                              |                 |
| 17. Transporter Acknowledgment of Receipt of Materials                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| Transporter 1 Printed/Typed Name<br>Adam Mella                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                | Signature<br>                                                                                      |                   |                                                                                                                                           | Month<br>6                                   | Day<br>24       |
| Transporter 2 Printed/Typed Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                | Signature                                                                                          |                   |                                                                                                                                           | Month                                        | Day             |
| 18. Discrepancy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 18a. Discrepancy Indication Space<br><input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                | Manifest Reference Number:                                                                         |                   |                                                                                                                                           |                                              |                 |
| 18b. Alternate Facility (or Generator)<br>Received Pending Manifest Review/Quality Control Data                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                | U.S. EPA ID Number                                                                                 |                   |                                                                                                                                           |                                              |                 |
| Facility's Phone:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 18c. Signature of Alternate Facility (or Generator)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                |                                                                                                    |                   |                                                                                                                                           | Month                                        | Day             |
| 19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| 1.<br>HD40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 2.<br>HD40                                                                                                     | 3.                                                                                                 | 4.                |                                                                                                                                           |                                              |                 |
| 20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                |                                                                                                    |                   |                                                                                                                                           |                                              |                 |
| Printed/Typed Name<br>Don Monari                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                | Signature<br>                                                                                      |                   |                                                                                                                                           | Month<br>6                                   | Day<br>24       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |                                                                                                    |                   |                                                                                                                                           | Year<br>22                                   |                 |

## **Attachment B**

---

### **Historic Well Gauging Measurements**

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
 Yonkers, New York

| Well ID | Date       | Time      | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                          |
|---------|------------|-----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|-----------------------------------|
| MW-A    | 6/9/2022   | 6/23/2022 | 6/9/2022-6/23/2022    | 5.86                  | ND                    | 11.16              | NA                     | NA                     |                                   |
|         | 1/7/1900   | 1:12 PM   | 42                    | 5.96                  | ND                    | 11.20              | NA                     | NA                     |                                   |
|         | 11/4/2020  | 4:19 AM   | 14.5                  | 6.42                  | ND                    | 11.21              | NA                     | NA                     |                                   |
|         | 1/0/1900   | 7:12 PM   | 2.2                   | 5.82                  | ND                    | 11.28              | NA                     | NA                     |                                   |
|         | 1/0/1900   | ND        | ND                    | 3.20                  | ND                    | 11.17              | NA                     | NA                     |                                   |
|         | 1/1/1900   | 1:12 AM   | 4.79                  | 5.75                  | ND                    | 11.19              | NA                     | NA                     |                                   |
|         | 1/0/1900   | 12:43 PM  | 2.5                   | 4.96                  | ND                    | 11.18              | NA                     | NA                     |                                   |
|         | 1/13/2021  | 7:30 AM   | ND                    | 5.18                  | ND                    | 11.16              | NA                     | NA                     |                                   |
|         | 1/27/2021  | 8:15 AM   | ND                    | 4.25                  | ND                    | 11.33              | NA                     | NA                     |                                   |
|         | 2/8/2021   | 9:00 AM   | NA                    | NA                    | NA                    | NA                 | NA                     | NA                     | Inaccessible due to snow coverage |
|         | 2/24/2021  | 8:10 AM   | ND                    | 4.91                  | ND                    | 11.28              | NA                     | NA                     |                                   |
|         | 3/10/2021  | 8:15 AM   | ND                    | 5.28                  | ND                    | 11.25              | NA                     | NA                     |                                   |
|         | 3/24/2021  | 8:02 AM   | ND                    | 4.91                  | ND                    | 11.19              | NA                     | NA                     |                                   |
|         | 4/7/2021   | 8:30 AM   | ND                    | 4.27                  | ND                    | 11.18              | NA                     | NA                     |                                   |
|         | 4/21/2021  | 9:10 AM   | ND                    | 5.17                  | ND                    | 11.15              | NA                     | NA                     |                                   |
|         | 5/5/2021   | 8:30 AM   | ND                    | 4.40                  | ND                    | 11.19              | NA                     | NA                     |                                   |
|         | 5/17/2021  | 8:30 AM   | ND                    | 5.92                  | ND                    | 11.18              | NA                     | NA                     |                                   |
|         | 6/2/2021   | 8:09 AM   | ND                    | 5.39                  | ND                    | 11.19              | NA                     | NA                     |                                   |
|         | 6/16/2021  | 8:50 AM   | ND                    | 5.79                  | ND                    | 11.32              | NA                     | NA                     |                                   |
|         | 6/30/2021  | 8:33 AM   | ND                    | 5.95                  | ND                    | 11.25              | NA                     | NA                     |                                   |
|         | 6/16/2021  | 8:50 AM   | ND                    | 5.79                  | ND                    | 11.32              | NA                     | NA                     |                                   |
|         | 6/30/2021  | 8:33 AM   | ND                    | 5.95                  | ND                    | 11.25              | NA                     | NA                     |                                   |
|         | 7/14/2021  | 8:10 AM   | ND                    | 5.72                  | ND                    | 11.24              | NA                     | NA                     |                                   |
|         | 7/27/2021  | 7:57 AM   | ND                    | 5.67                  | ND                    | 11.21              | NA                     | NA                     |                                   |
|         | 12/21/2021 | 10:00 AM  | ND                    | 4.74                  | ND                    | 11.56              | NA                     | NA                     |                                   |
| MW-B    | 10/7/2020  | 9:20 AM   | ND                    | 9.10                  | ND                    | 12.68              | NA                     | NA                     |                                   |
|         | 10/21/2020 | 8:15 AM   | ND                    | 9.22                  | ND                    | 12.70              | NA                     | NA                     |                                   |
|         | 11/4/2020  | 6:00 AM   | ND                    | 9.54                  | ND                    | 12.89              | NA                     | NA                     |                                   |
|         | 11/18/2020 | 9:45 AM   | ND                    | 9.08                  | ND                    | 13.03              | NA                     | NA                     |                                   |
|         | 12/1/2020  | 8:30 AM   | ND                    | 7.25                  | ND                    | 12.78              | NA                     | NA                     |                                   |
|         | 12/16/2020 | 8:05 AM   | ND                    | 9.18                  | ND                    | 12.75              | NA                     | NA                     |                                   |
|         | 12/29/2020 | 8:10 AM   | ND                    | 8.25                  | ND                    | 12.78              | NA                     | NA                     |                                   |
|         | 12/16/2020 | 8:05 AM   | ND                    | 9.18                  | ND                    | 12.75              | NA                     | NA                     |                                   |
|         | 12/29/2020 | 8:10 AM   | ND                    | 8.25                  | ND                    | 12.78              | NA                     | NA                     |                                   |
|         | 1/13/2021  | 7:35 AM   | ND                    | 8.17                  | ND                    | 12.72              | NA                     | NA                     |                                   |
|         | 1/27/2021  | 8:10 AM   | ND                    | 7.98                  | ND                    | 12.92              | NA                     | NA                     |                                   |
|         | 2/8/2021   | 8:50 AM   | NA                    | NA                    | NA                    | NA                 | NA                     | NA                     | Inaccessible due to snow coverage |
|         | 2/24/2021  | 8:05 AM   | ND                    | 8.24                  | ND                    | 12.81              | NA                     | NA                     |                                   |
|         | 3/10/2021  | 8:25 AM   | ND                    | 8.27                  | ND                    | 12.82              | NA                     | NA                     |                                   |
|         | 3/24/2021  | 8:07 AM   | ND                    | 8.14                  | ND                    | 12.74              | NA                     | NA                     |                                   |
|         | 4/7/2021   | 8:35 AM   | ND                    | 7.81                  | ND                    | 12.77              | NA                     | NA                     |                                   |
|         | 4/21/2021  | 9:15 AM   | ND                    | 8.28                  | ND                    | 12.76              | NA                     | NA                     |                                   |
|         | 5/5/2021   | 8:35 AM   | ND                    | 7.59                  | ND                    | 12.72              | NA                     | NA                     |                                   |
|         | 5/17/2021  | 8:35 AM   | ND                    | 9.14                  | ND                    | 12.72              | NA                     | NA                     |                                   |
|         | 6/2/2021   | 8:14 AM   | ND                    | 8.15                  | ND                    | 12.73              | NA                     | NA                     |                                   |
|         | 6/16/2021  | 8:55 AM   | ND                    | 9.08                  | ND                    | 12.85              | NA                     | NA                     |                                   |
|         | 6/30/2021  | 8:30 AM   | ND                    | 9.19                  | ND                    | 12.81              | NA                     | NA                     |                                   |
|         | 7/14/2021  | 8:15 AM   | ND                    | 9.13                  | ND                    | 12.81              | NA                     | NA                     |                                   |
|         | 7/27/2021  | 7:54 AM   | ND                    | 9.17                  | ND                    | 12.86              | NA                     | NA                     |                                   |
|         | 7/14/2021  | 8:15 AM   | ND                    | 9.13                  | ND                    | 12.81              | NA                     | NA                     |                                   |
|         | 7/27/2021  | 7:54 AM   | ND                    | 9.17                  | ND                    | 12.86              | NA                     | NA                     |                                   |
|         | 12/21/2021 | 10:33 AM  | ND                    | 8.05                  | ND                    | 12.86              | NA                     | NA                     |                                   |
| MW-C    | 10/7/2020  | 9:25 AM   | ND                    | 8.39                  | ND                    | 12.83              | NA                     | NA                     |                                   |
|         | 10/21/2020 | 8:12 AM   | ND                    | 8.43                  | ND                    | 12.47              | NA                     | NA                     |                                   |
|         | 11/4/2020  | 6:05 AM   | ND                    | 8.50                  | ND                    | 12.59              | NA                     | NA                     |                                   |
|         | 11/18/2020 | 9:50 AM   | ND                    | 7.87                  | ND                    | 12.35              | NA                     | NA                     |                                   |
|         | 12/1/2020  | 8:35 AM   | ND                    | 5.89                  | ND                    | 12.37              | NA                     | NA                     |                                   |
|         | 12/16/2020 | 8:00 AM   | ND                    | 7.80                  | ND                    | 12.31              | NA                     | NA                     |                                   |
|         | 12/29/2020 | 8:05 AM   | ND                    | 7.19                  | ND                    | 12.42              | NA                     | NA                     |                                   |
|         | 1/13/2021  | 7:30 AM   | ND                    | 7.31                  | ND                    | 12.49              | NA                     | NA                     |                                   |
|         | 1/27/2021  | 8:05 AM   | ND                    | 6.85                  | ND                    | 12.54              | NA                     | NA                     |                                   |
|         | 2/8/2021   | 8:40 AM   | ND                    | 7.24                  | ND                    | 12.50              | NA                     | NA                     |                                   |
|         | 2/24/2021  | 8:00 AM   | ND                    | 7.20                  | ND                    | 12.45              | NA                     | NA                     |                                   |
|         | 3/10/2021  | 8:30 AM   | ND                    | 7.31                  | ND                    | 12.43              | NA                     | NA                     |                                   |
|         | 3/24/2021  | 8:10 AM   | ND                    | 7.21                  | ND                    | 12.35              | NA                     | NA                     |                                   |
|         | 3/10/2021  | 8:30 AM   | ND                    | 7.31                  | ND                    | 12.43              | NA                     | NA                     |                                   |
|         | 3/24/2021  | 8:10 AM   | ND                    | 7.21                  | ND                    | 12.35              | NA                     | NA                     |                                   |
|         | 4/7/2021   | 8:40 AM   | ND                    | 6.11                  | ND                    | 12.36              | NA                     | NA                     |                                   |
|         | 4/21/2021  | 9:20 AM   | ND                    | 7.41                  | ND                    | 12.36              | NA                     | NA                     |                                   |
|         | 5/5/2021   | 8:40 AM   | ND                    | 6.71                  | ND                    | 12.36              | NA                     | NA                     |                                   |
|         | 5/17/2021  | 8:40 AM   | ND                    | 8.30                  | ND                    | 12.30              | NA                     | NA                     |                                   |
|         | 6/2/2021   | 8:20 AM   | ND                    | 7.73                  | ND                    | 12.31              | NA                     | NA                     |                                   |
|         | 6/16/2021  | 8:58 AM   | ND                    | 8.37                  | ND                    | 12.56              | NA                     | NA                     |                                   |
|         | 6/30/2021  | 8:25 AM   | ND                    | 7.40                  | ND                    | 12.40              | NA                     | NA                     |                                   |
|         | 7/14/2021  | 8:20 AM   | ND                    | 8.10                  | ND                    | 12.41              | NA                     | NA                     |                                   |
|         | 6/30/2021  | 8:25 AM   | ND                    | 7.40                  | ND                    | 12.40              | NA                     | NA                     |                                   |
|         | 7/14/2021  | 8:20 AM   | ND                    | 8.10                  | ND                    | 12.41              | NA                     | NA                     |                                   |
|         | 7/27/2021  | 7:51 AM   | ND                    | 8.29                  | ND                    | 12.64              | NA                     | NA                     |                                   |
|         | 12/21/2021 | 11:50 AM  | ND                    | 6.99                  | ND                    | 12.55              | NA                     | NA                     |                                   |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|----------|
| MW-D    | 10/7/2020  | 9:35 AM  | ND                    | 8.60                  | ND                    | 15.95              | NA                     | NA                     |          |
|         | 10/21/2020 | 8:10 AM  | ND                    | 8.45                  | ND                    | 15.83              | NA                     | NA                     |          |
|         | 11/4/2020  | 6:10 AM  | ND                    | 9.27                  | ND                    | 16.02              | NA                     | NA                     |          |
|         | 11/18/2020 | 9:55 AM  | ND                    | 8.93                  | ND                    | 16.18              | NA                     | NA                     |          |
|         | 12/1/2020  | 8:40 AM  | ND                    | 7.86                  | ND                    | 15.94              | NA                     | NA                     |          |
|         | 12/16/2020 | 7:55 AM  | ND                    | 8.91                  | ND                    | 15.86              | NA                     | NA                     |          |
|         | 12/29/2020 | 8:00 AM  | ND                    | 8.75                  | ND                    | 15.91              | NA                     | NA                     |          |
|         | 1/13/2021  | 7:55 AM  | ND                    | 8.92                  | ND                    | 15.96              | NA                     | NA                     |          |
|         | 1/27/2021  | 8:00 AM  | ND                    | 8.65                  | ND                    | 16.02              | NA                     | NA                     |          |
|         | 1/13/2021  | 7:55 AM  | ND                    | 8.92                  | ND                    | 15.96              | NA                     | NA                     |          |
|         | 1/27/2021  | 8:00 AM  | ND                    | 8.65                  | ND                    | 16.02              | NA                     | NA                     |          |
|         | 2/8/2021   | 8:30 AM  | ND                    | 8.72                  | ND                    | 15.92              | NA                     | NA                     |          |
|         | 2/24/2021  | 7:50 AM  | ND                    | 8.61                  | ND                    | 15.93              | NA                     | NA                     |          |
|         | 3/10/2021  | 8:40 AM  | ND                    | 9.06                  | ND                    | 15.96              | NA                     | NA                     |          |
|         | 3/24/2021  | 8:12 AM  | ND                    | 8.87                  | ND                    | 15.92              | NA                     | NA                     |          |
|         | 4/7/2021   | 8:45 AM  | ND                    | 8.42                  | ND                    | 15.90              | NA                     | NA                     |          |
|         | 4/21/2021  | 9:25 AM  | ND                    | 8.32                  | ND                    | 15.87              | NA                     | NA                     |          |
|         | 5/5/2021   | 8:45 AM  | ND                    | 7.96                  | ND                    | 15.83              | NA                     | NA                     |          |
|         | 5/17/2021  | 8:45 AM  | ND                    | 8.69                  | ND                    | 15.83              | NA                     | NA                     |          |
|         | 6/2/2021   | 8:25 AM  | ND                    | 8.31                  | ND                    | 15.84              | NA                     | NA                     |          |
|         | 6/16/2021  | 9:01 AM  | ND                    | 8.40                  | ND                    | 16.01              | NA                     | NA                     |          |
|         | 6/2/2021   | 8:25 AM  | ND                    | 8.31                  | ND                    | 15.84              | NA                     | NA                     |          |
|         | 6/16/2021  | 9:01 AM  | ND                    | 8.40                  | ND                    | 16.01              | NA                     | NA                     |          |
|         | 6/30/2021  | 8:20 AM  | ND                    | 8.86                  | ND                    | 15.96              | NA                     | NA                     |          |
|         | 7/14/2021  | 8:25 AM  | ND                    | 8.21                  | ND                    | 15.91              | NA                     | NA                     |          |
|         | 7/27/2021  | 7:48 AM  | ND                    | 8.15                  | ND                    | 15.98              | NA                     | NA                     |          |
|         | 12/23/2021 | 7:50 AM  | ND                    | 8.80                  | ND                    | 16.30              | NA                     | NA                     |          |
| MW-E    | 10/7/2020  | 9:40 AM  | ND                    | 8.72                  | ND                    | 12.70              | NA                     | NA                     |          |
|         | 10/21/2020 | 8:05 AM  | ND                    | 8.97                  | ND                    | 12.75              | NA                     | NA                     |          |
|         | 11/4/2020  | 6:15 AM  | ND                    | 9.15                  | ND                    | 12.63              | NA                     | NA                     |          |
|         | 11/18/2020 | 10:00 AM | ND                    | 8.54                  | ND                    | 12.59              | NA                     | NA                     |          |
|         | 12/1/2020  | 8:45 AM  | ND                    | 7.39                  | ND                    | 12.67              | NA                     | NA                     |          |
|         | 12/16/2020 | 7:50 AM  | ND                    | 8.81                  | ND                    | 12.51              | NA                     | NA                     |          |
|         | 12/1/2020  | 8:45 AM  | ND                    | 7.39                  | ND                    | 12.67              | NA                     | NA                     |          |
|         | 12/16/2020 | 7:50 AM  | ND                    | 8.81                  | ND                    | 12.51              | NA                     | NA                     |          |
|         | 12/29/2020 | 7:55 AM  | ND                    | 8.27                  | ND                    | 12.53              | NA                     | NA                     |          |
|         | 1/13/2021  | 8:00 AM  | ND                    | 8.64                  | ND                    | 12.72              | NA                     | NA                     |          |
|         | 1/27/2021  | 7:45 AM  | ND                    | 7.98                  | ND                    | 12.67              | NA                     | NA                     |          |
|         | 2/8/2021   | 8:20 AM  | ND                    | 8.11                  | ND                    | 12.53              | NA                     | NA                     |          |
|         | 2/24/2021  | 7:45 AM  | ND                    | 7.90                  | ND                    | 12.57              | NA                     | NA                     |          |
|         | 3/10/2021  | 8:45 AM  | ND                    | 8.39                  | ND                    | 12.57              | NA                     | NA                     |          |
|         | 3/24/2021  | 8:14 AM  | ND                    | 8.11                  | ND                    | 12.71              | NA                     | NA                     |          |
|         | 4/7/2021   | 8:50 AM  | ND                    | 7.77                  | ND                    | 12.51              | NA                     | NA                     |          |
|         | 4/21/2021  | 9:30 AM  | ND                    | 8.06                  | ND                    | 12.51              | NA                     | NA                     |          |
|         | 5/5/2021   | 8:50 AM  | ND                    | 7.54                  | ND                    | 12.68              | NA                     | NA                     |          |
|         | 4/21/2021  | 9:30 AM  | ND                    | 8.06                  | ND                    | 12.51              | NA                     | NA                     |          |
|         | 5/5/2021   | 8:50 AM  | ND                    | 7.54                  | ND                    | 12.68              | NA                     | NA                     |          |
|         | 5/17/2021  | 8:50 AM  | ND                    | 9.06                  | ND                    | 12.70              | NA                     | NA                     |          |
|         | 6/2/2021   | 8:30 AM  | ND                    | 8.70                  | ND                    | 12.63              | NA                     | NA                     |          |
|         | 6/16/2021  | 9:05 AM  | ND                    | 9.08                  | ND                    | 12.59              | NA                     | NA                     |          |
|         | 6/30/2021  | 8:15 AM  | ND                    | 9.14                  | ND                    | 12.70              | NA                     | NA                     |          |
|         | 7/14/2021  | 8:00 AM  | ND                    | 8.96                  | ND                    | 12.55              | NA                     | NA                     |          |
|         | 7/27/2021  | 7:46 AM  | ND                    | 8.89                  | ND                    | 12.72              | NA                     | NA                     |          |
|         | 12/23/2021 | 9:50 AM  | ND                    | 8.91                  | ND                    | 12.78              | NA                     | NA                     |          |

## Attachment B. Historic Well Gauging Measurements

## Polychrome West Site

Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                           |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|------------------------------------|
| MW-F    | 10/7/2020  | 8:45 AM  | ND                    | 9.39                  | ND                    | 17.61              | NA                     | NA                     |                                    |
|         | 10/21/2020 | 9:00 AM  | ND                    | 9.16                  | ND                    | 17.65              | NA                     | NA                     |                                    |
|         | 11/4/2020  | 6:25 AM  | ND                    | 9.25                  | ND                    | 17.73              | NA                     | NA                     |                                    |
|         | 11/18/2020 | 9:35 AM  | ND                    | 9.41                  | ND                    | 18.19              | NA                     | NA                     |                                    |
|         | 11/4/2020  | 6:25 AM  | ND                    | 9.25                  | ND                    | 17.73              | NA                     | NA                     |                                    |
|         | 11/18/2020 | 9:35 AM  | ND                    | 9.41                  | ND                    | 18.19              | NA                     | NA                     |                                    |
|         | 12/1/2020  | 8:20 AM  | ND                    | 9.14                  | ND                    | 17.69              | NA                     | NA                     |                                    |
|         | 12/16/2020 | 8:15 AM  | ND                    | 9.53                  | ND                    | 17.57              | NA                     | NA                     |                                    |
|         | 12/29/2020 | 8:20 AM  | ND                    | 9.29                  | ND                    | 17.68              | NA                     | NA                     |                                    |
|         | 1/13/2021  | 7:25 AM  | ND                    | 9.55                  | ND                    | 17.96              | NA                     | NA                     |                                    |
|         | 1/27/2021  | 8:20 AM  | ND                    | 9.77                  | ND                    | 17.75              | NA                     | NA                     |                                    |
|         | 2/8/2021   | 9:05 AM  | NA                    | NA                    | NA                    | NA                 | NA                     | NA                     | Innaccessible due to snow coverage |
|         | 2/24/2021  | 8:15 AM  | NA                    | NA                    | NA                    | NA                 | NA                     | NA                     | Innaccessible due to snow coverage |
|         | 3/10/2021  | 8:50 AM  | NA                    | NA                    | NA                    | NA                 | NA                     | NA                     | Innaccessible due to snow coverage |
|         | 3/24/2021  | 8:19 AM  | ND                    | 9.45                  | ND                    | 17.60              | NA                     | NA                     |                                    |
|         | 4/7/2021   | 8:55 AM  | ND                    | 9.20                  | ND                    | 17.67              | NA                     | NA                     |                                    |
|         | 3/24/2021  | 8:19 AM  | ND                    | 9.45                  | ND                    | 17.60              | NA                     | NA                     | Innaccessible due to snow coverage |
|         | 4/7/2021   | 8:55 AM  | ND                    | 9.20                  | ND                    | 17.67              | NA                     | NA                     |                                    |
|         | 4/21/2021  | 8:55 AM  | ND                    | 9.08                  | ND                    | 17.65              | NA                     | NA                     |                                    |
|         | 5/5/2021   | 9:00 AM  | ND                    | 9.05                  | ND                    | 17.58              | NA                     | NA                     |                                    |
|         | 5/17/2021  | 8:55 AM  | ND                    | 9.51                  | ND                    | 17.58              | NA                     | NA                     |                                    |
|         | 6/2/2021   | 8:05 AM  | ND                    | 8.90                  | ND                    | 17.60              | NA                     | NA                     |                                    |
|         | 6/16/2021  | 8:00 AM  | ND                    | 9.02                  | ND                    | 17.69              | NA                     | NA                     |                                    |
|         | 6/30/2021  | 8:37 AM  | ND                    | 9.47                  | ND                    | 17.69              | NA                     | NA                     |                                    |
|         | 7/14/2021  | 8:05 AM  | ND                    | 8.69                  | ND                    | 17.65              | NA                     | NA                     |                                    |
|         | 7/27/2021  | 8:01 AM  | ND                    | 8.58                  | ND                    | 17.69              | NA                     | NA                     |                                    |
|         | 12/21/2021 | 8:27 AM  | ND                    | 10.86                 | ND                    | 17.70              | NA                     | NA                     |                                    |
| NW-1    | 10/7/2020  | 9:05 AM  | ND                    | 7.68                  | ND                    | 20.31              | NA                     | NA                     |                                    |
|         | 10/21/2020 | 9:05 AM  | ND                    | 7.77                  | ND                    | 20.42              | NA                     | NA                     |                                    |
|         | 11/4/2020  | 6:55 AM  | ND                    | 8.12                  | ND                    | 20.42              | NA                     | NA                     |                                    |
|         | 11/18/2020 | 10:20 AM | ND                    | 7.74                  | ND                    | 21.25              | NA                     | NA                     |                                    |
|         | 12/1/2020  | 9:30 AM  | ND                    | 5.02                  | ND                    | 20.28              | NA                     | NA                     |                                    |
|         | 12/16/2020 | 9:15 AM  | ND                    | 7.40                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 12/29/2020 | 9:15 AM  | ND                    | 6.81                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 1/13/2021  | 8:40 AM  | ND                    | 6.67                  | ND                    | 20.36              | NA                     | NA                     |                                    |
|         | 1/27/2021  | 9:05 AM  | ND                    | 6.02                  | ND                    | 20.39              | NA                     | NA                     |                                    |
|         | 2/8/2021   | 9:15 AM  | ND                    | 6.93                  | ND                    | 20.45              | NA                     | NA                     |                                    |
|         | 2/24/2021  | 9:15 AM  | ND                    | 6.81                  | ND                    | 26.47              | NA                     | NA                     |                                    |
|         | 3/10/2021  | 10:15 AM | ND                    | 7.19                  | ND                    | 26.39              | NA                     | NA                     |                                    |
|         | 3/24/2021  | 9:08 AM  | ND                    | 6.95                  | ND                    | 20.43              | NA                     | NA                     |                                    |
|         | 4/7/2021   | 9:00 AM  | ND                    | 6.34                  | ND                    | 20.33              | NA                     | NA                     |                                    |
|         | 4/21/2021  | 9:00 AM  | ND                    | 7.30                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 5/5/2021   | 9:45 AM  | ND                    | 6.70                  | ND                    | 20.33              | NA                     | NA                     |                                    |
|         | 5/17/2021  | 9:20 AM  | ND                    | 7.74                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 6/2/2021   | 9:19 AM  | ND                    | 7.43                  | ND                    | 20.31              | NA                     | NA                     |                                    |
|         | 6/16/2021  | 9:43 AM  | ND                    | 7.61                  | ND                    | 20.43              | NA                     | NA                     |                                    |
|         | 6/30/2021  | 9:00 AM  | ND                    | 7.89                  | ND                    | 20.40              | NA                     | NA                     |                                    |
|         | 7/14/2021  | 9:00 AM  | ND                    | 7.46                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 7/27/2021  | 8:43 AM  | ND                    | 7.40                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 8/11/2021  | 11:05 AM | ND                    | 6.75                  | ND                    | 20.42              | NA                     | NA                     |                                    |
|         | 8/23/2021  | 9:50 AM  | ND                    | 5.15                  | ND                    | 20.44              | NA                     | NA                     |                                    |
|         | 9/8/2021   | 8:37 AM  | ND                    | 6.95                  | ND                    | 20.43              | NA                     | NA                     |                                    |
|         | 9/21/2021  | 10:05 AM | ND                    | 5.93                  | ND                    | 20.48              | NA                     | NA                     |                                    |
|         | 10/7/2021  | 10:03 AM | ND                    | 5.66                  | ND                    | 20.36              | NA                     | NA                     |                                    |
|         | 10/20/2021 | 7:45 AM  | ND                    | 7.37                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 11/4/2021  | 10:20 AM | ND                    | 5.16                  | ND                    | 20.45              | NA                     | NA                     |                                    |
|         | 11/17/2021 | 7:45 AM  | ND                    | 6.53                  | ND                    | 20.47              | NA                     | NA                     |                                    |
|         | 12/1/2021  | 9:55 AM  | ND                    | 7.43                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 12/14/2021 | 8:20 AM  | ND                    | 7.90                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 12/28/2021 | 10:30 AM | ND                    | 7.21                  | ND                    | 20.40              | NA                     | NA                     |                                    |
|         | 1/13/2022  | 9:20 AM  | ND                    | 7.82                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 1/27/2022  | 9:30 AM  | ND                    | 7.77                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 2/7/2022   | 8:30 AM  | ND                    | 7.78                  | ND                    | 20.38              | NA                     | NA                     |                                    |
|         | 2/24/2022  | 8:15 AM  | ND                    | 7.65                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 3/17/2022  | 10:45 AM | ND                    | 6.08                  | ND                    | 20.38              | NA                     | NA                     |                                    |
|         | 3/28/2022  | 11:45 AM | ND                    | 7.65                  | ND                    | 20.35              | NA                     | NA                     |                                    |
|         | 4/13/2022  | 11:11 AM | ND                    | 7.10                  | ND                    | 20.47              | NA                     | NA                     |                                    |
|         | 4/29/2022  | 10:45 AM | ND                    | 8.02                  | ND                    | 21.40              | NA                     | NA                     |                                    |
|         | 5/12/2022  | 11:50 AM | ND                    | 7.15                  | ND                    | 20.41              | NA                     | NA                     |                                    |
|         | 5/25/2022  | 11:00 AM | ND                    | 7.21                  | ND                    | 20.34              | NA                     | NA                     |                                    |
|         | 6/9/2022   | 12:00 PM | ND                    | 7.32                  | ND                    | 20.35              | NA                     | NA                     |                                    |
|         | 6/23/2022  | 10:44 AM | ND                    | 7.28                  | ND                    | 20.65              | NA                     | NA                     |                                    |

# Attachment B. Historic Well Gauging Measurements

## Polychrome West Site

Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|----------|
| NW-3    | 10/7/2020  | 11:05 AM | ND                    | 7.46                  | ND                    | 33.05              | NA                     | NA                     |          |
|         | 10/21/2020 | 9:15 AM  | ND                    | 8.06                  | ND                    | 33.22              | NA                     | NA                     |          |
|         | 11/4/2020  | 7:05 AM  | ND                    | 8.42                  | ND                    | 33.15              | NA                     | NA                     |          |
|         | 11/18/2020 | 10:30 AM | ND                    | 7.94                  | ND                    | 34.24              | NA                     | NA                     |          |
|         | 12/1/2020  | 9:35 AM  | ND                    | 6.05                  | ND                    | 33.06              | NA                     | NA                     |          |
|         | 12/16/2020 | 9:20 AM  | ND                    | 7.66                  | ND                    | 32.98              | NA                     | NA                     |          |
|         | 12/29/2020 | 9:20 AM  | ND                    | 6.96                  | ND                    | 32.32              | NA                     | NA                     |          |
|         | 1/13/2021  | 8:45 AM  | ND                    | 6.99                  | ND                    | 33.30              | NA                     | NA                     |          |
|         | 1/27/2021  | 9:10 AM  | ND                    | 6.67                  | ND                    | 33.09              | NA                     | NA                     |          |
|         | 2/8/2021   | 9:25 AM  | ND                    | 7.09                  | ND                    | 33.11              | NA                     | NA                     |          |
|         | 2/24/2021  | 9:20 AM  | ND                    | 7.09                  | ND                    | 33.11              | NA                     | NA                     |          |
|         | 3/10/2021  | 10:20 AM | ND                    | 7.28                  | ND                    | 33.67              | NA                     | NA                     |          |
|         | 3/24/2021  | 9:13 AM  | ND                    | 7.01                  | ND                    | 32.98              | NA                     | NA                     |          |
|         | 4/7/2021   | 9:05 AM  | ND                    | 6.57                  | ND                    | 33.04              | NA                     | NA                     |          |
|         | 4/21/2021  | 9:10 AM  | ND                    | 7.20                  | ND                    | 33.05              | NA                     | NA                     |          |
|         | 5/5/2021   | 9:55 AM  | ND                    | 6.63                  | ND                    | 33.04              | NA                     | NA                     |          |
|         | 5/17/2021  | 9:25 AM  | ND                    | 7.99                  | ND                    | 33.00              | NA                     | NA                     |          |
|         | 6/2/2021   | 9:25 AM  | ND                    | 7.42                  | ND                    | 33.00              | NA                     | NA                     |          |
|         | 6/16/2021  | 9:48 AM  | ND                    | 7.73                  | ND                    | 32.96              | NA                     | NA                     |          |
|         | 6/30/2021  | 8:55 AM  | ND                    | 7.84                  | ND                    | 33.05              | NA                     | NA                     |          |
|         | 7/14/2021  | 9:05 AM  | ND                    | 7.74                  | ND                    | 33.03              | NA                     | NA                     |          |
|         | 7/27/2021  | 8:40 AM  | ND                    | 7.89                  | ND                    | 33.06              | NA                     | NA                     |          |
|         | 8/11/2021  | 11:10 AM | ND                    | 7.04                  | ND                    | 33.10              | NA                     | NA                     |          |
|         | 8/23/2021  | 9:55 AM  | ND                    | 5.97                  | ND                    | 33.04              | NA                     | NA                     |          |
|         | 9/8/2021   | 8:45 AM  | ND                    | 7.27                  | ND                    | 33.10              | NA                     | NA                     |          |
|         | 9/21/2021  | 10:09 AM | ND                    | 6.27                  | ND                    | 33.08              | NA                     | NA                     |          |
|         | 10/7/2021  | 10:09 AM | ND                    | 6.04                  | ND                    | 33.09              | NA                     | NA                     |          |
|         | 10/20/2021 | 10:20 AM | ND                    | 6.68                  | ND                    | 33.03              | NA                     | NA                     |          |
|         | 11/4/2021  | 10:25 AM | ND                    | 5.69                  | ND                    | 32.99              | NA                     | NA                     |          |
|         | 11/17/2021 | 7:50 AM  | ND                    | 6.63                  | ND                    | 33.05              | NA                     | NA                     |          |
|         | 12/1/2021  | 10:00 AM | ND                    | 7.45                  | ND                    | 33.04              | NA                     | NA                     |          |
|         | 12/14/2021 | 8:25 AM  | ND                    | 7.81                  | ND                    | 33.02              | NA                     | NA                     |          |
|         | 12/28/2021 | 10:45 AM | ND                    | 7.24                  | ND                    | 33.02              | NA                     | NA                     |          |
|         | 1/13/2022  | 9:25 AM  | ND                    | 7.79                  | ND                    | 33.01              | NA                     | NA                     |          |
|         | 1/27/2022  | 9:15 AM  | ND                    | 7.81                  | ND                    | 33.00              | NA                     | NA                     |          |
|         | 2/7/2022   | 8:45 AM  | ND                    | 7.96                  | ND                    | 32.99              | NA                     | NA                     |          |
|         | 2/24/2022  | 8:30 AM  | ND                    | 7.80                  | ND                    | 33.01              | NA                     | NA                     |          |
|         | 3/17/2022  | 10:50 AM | ND                    | 6.45                  | ND                    | 33.25              | NA                     | NA                     |          |
|         | 3/28/2022  | 11:50 AM | ND                    | 7.75                  | ND                    | 32.95              | NA                     | NA                     |          |
|         | 4/13/2022  | 11:20 AM | ND                    | 6.95                  | ND                    | 33.25              | NA                     | NA                     |          |
|         | 4/29/2022  | 11:10 AM | ND                    | 7.88                  | ND                    | 32.96              | NA                     | NA                     |          |
|         | 5/12/2022  | 11:55 AM | ND                    | 6.68                  | ND                    | 32.93              | NA                     | NA                     |          |
|         | 5/25/2022  | 11:05 AM | ND                    | 7.16                  | ND                    | 32.91              | NA                     | NA                     |          |
|         | 6/9/2022   | 12:10 PM | ND                    | 7.57                  | ND                    | 32.92              | NA                     | NA                     |          |
|         | 6/23/2022  | 10:47 AM | ND                    | 7.54                  | ND                    | 33.32              | NA                     | NA                     |          |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                     |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|----------------------------------------------|
| NW-4    | 10/7/2020  | 11:20 AM | ND                    | 8.73                  | Trace                 | 43.24       | NA                     | NA                     |                                              |
|         | 10/21/2020 | 9:45 AM  | ND                    | 8.85                  | ND                    | 43.21       | NA                     | NA                     |                                              |
|         | 11/4/2020  | 7:35 AM  | ND                    | 9.44                  | ND                    | 43.23       | NA                     | NA                     |                                              |
|         | 11/18/2020 | 10:40 AM | ND                    | 9.22                  | ND                    | 44.98       | NA                     | NA                     |                                              |
|         | 12/1/2020  | 10:20 AM | ND                    | 7.95                  | ND                    | 43.26       | NA                     | NA                     |                                              |
|         | 12/16/2020 | 9:40 AM  | ND                    | 9.16                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 12/29/2020 | 10:20 AM | ND                    | 8.84                  | ND                    | 42.23       | NA                     | NA                     |                                              |
|         | 1/13/2021  | 9:35 AM  | ND                    | 8.79                  | ND                    | 43.16       | NA                     | NA                     |                                              |
|         | 1/27/2021  | 9:40 AM  | ND                    | 8.74                  | ND                    | 43.22       | NA                     | NA                     |                                              |
|         | 2/8/2021   | 11:00 AM | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Inaccessible due to snow coverage            |
|         | 2/24/2021  | 9:45 AM  | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Inaccessible due to snow coverage            |
|         | 3/10/2021  | 10:30 AM | ND                    | 9.34                  | Trace                 | 43.55       | NA                     | NA                     |                                              |
|         | 3/24/2021  | 9:23 AM  | ND                    | 8.65                  | ND                    | 43.29       | NA                     | NA                     |                                              |
|         | 4/7/2021   | 9:10 AM  | ND                    | 8.66                  | ND                    | 43.16       | NA                     | NA                     |                                              |
|         | 4/21/2021  | 9:15 AM  | ND                    | 8.58                  | ND                    | 43.17       | NA                     | NA                     |                                              |
|         | 5/5/2021   | 9:58 AM  | ND                    | 8.43                  | ND                    | 43.20       | NA                     | NA                     |                                              |
|         | 5/17/2021  | 9:30 AM  | ND                    | 9.06                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 6/2/2021   | 9:30 AM  | ND                    | 8.81                  | ND                    | 43.11       | NA                     | NA                     |                                              |
|         | 6/16/2021  | 9:52 AM  | ND                    | 8.71                  | ND                    | 43.20       | NA                     | NA                     |                                              |
|         | 6/30/2021  | 9:35 AM  | ND                    | 8.96                  | ND                    | 43.24       | NA                     | NA                     |                                              |
|         | 7/14/2021  | 9:35 AM  | ND                    | 8.61                  | ND                    | 43.30       | NA                     | NA                     |                                              |
|         | 7/27/2021  | 9:15 AM  | ND                    | 8.63                  | ND                    | 43.17       | NA                     | NA                     |                                              |
|         | 8/11/2021  | 11:25 AM | ND                    | 8.73                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 8/23/2021  | 10:20 AM | ND                    | 8.03                  | ND                    | 43.13       | NA                     | NA                     |                                              |
|         | 9/8/2021   | 9:42 AM  | ND                    | 8.51                  | ND                    | 43.20       | NA                     | NA                     |                                              |
|         | 9/21/2021  | 11:20 AM | ND                    | 8.62                  | ND                    | 43.16       | NA                     | NA                     |                                              |
|         | 10/7/2021  | 10:15 AM | ND                    | 8.56                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 10/20/2021 | 10:30 AM | ND                    | 8.65                  | ND                    | 43.14       | NA                     | NA                     |                                              |
|         | 11/4/2021  | 12:45 PM | ND                    | 8.17                  | ND                    | 43.25       | NA                     | NA                     |                                              |
|         | 11/17/2021 | 8:50 AM  | ND                    | 8.90                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 12/1/2021  | 10:05 AM | ND                    | 9.00                  | ND                    | 43.22       | NA                     | NA                     |                                              |
|         | 12/14/2021 | 9:00 AM  | ND                    | 9.49                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 12/28/2021 | 11:00 AM | ND                    | 8.58                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 1/13/2022  | 9:30 AM  | ND                    | 9.32                  | ND                    | 43.21       | NA                     | NA                     |                                              |
|         | 1/27/2022  | 9:42 AM  | ND                    | 9.26                  | ND                    | 43.21       | NA                     | NA                     |                                              |
|         | 2/7/2022   | 9:00 AM  | ND                    | 9.09                  | ND                    | 43.19       | NA                     | NA                     |                                              |
|         | 2/24/2022  | 8:40 AM  | ND                    | 9.18                  | ND                    | 43.22       | NA                     | NA                     |                                              |
|         | 3/17/2022  | 10:57 AM | ND                    | 8.86                  | ND                    | 43.21       | NA                     | NA                     |                                              |
|         | 3/28/2022  | 11:55 AM | ND                    | 8.92                  | ND                    | 43.10       | NA                     | NA                     |                                              |
|         | 4/13/2022  | 11:30 AM | ND                    | 8.82                  | ND                    | 43.40       | NA                     | NA                     |                                              |
|         | 4/29/2022  | 11:55 AM | ND                    | 8.78                  | ND                    | 43.22       | NA                     | NA                     |                                              |
|         | 5/12/2022  | 12:00 PM | ND                    | 8.45                  | ND                    | 43.15       | NA                     | NA                     |                                              |
|         | 5/25/2022  | 11:10 AM | ND                    | 8.67                  | ND                    | 43.12       | NA                     | NA                     |                                              |
|         | 6/9/2022   | 12:20 PM | ND                    | 8.31                  | ND                    | 43.10       | NA                     | NA                     |                                              |
|         | 6/23/2022  | 10:51 AM | ND                    | 8.60                  | ND                    | 43.53       | NA                     | NA                     |                                              |
| NW-5    | 10/7/2020  | 12:20 PM | ND                    | 7.89                  | 29.62                 | 37.50       | NA                     | 7.88                   | Pre-pumping measurement                      |
|         | 10/14/2020 | 12:45 PM | ND                    | 8.90                  | ND                    | 37.63       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed  |
|         | 10/21/2020 | 11:00 AM | ND                    | 7.93                  | 30.12                 | 37.61       | NA                     | 7.49                   | Pre-pumping measurement                      |
|         | 10/21/2020 | 11:30 AM | ND                    | 7.93                  | ND                    | 38.12       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed |
|         | 11/4/2020  | 9:00 AM  | ND                    | 8.61                  | 30.48                 | 38.08       | NA                     | 7.60                   | Pre-pumping measurement                      |
|         | 11/5/2020  | 9:30 AM  | ND                    | 8.60                  | ND                    | 38.10       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed |
|         | 11/18/2020 | 11:40 AM | ND                    | 8.08                  | 29.99                 | 38.02       | NA                     | 8.03                   |                                              |
|         | 11/19/2020 | 9:30 AM  | ND                    | 8.06                  | 30.06                 | 38.02       | NA                     | 7.96                   | Pre-pumping measurement                      |
|         | 11/19/2020 | 10:00 AM | ND                    | 8.09                  | ND                    | 38.25       | NA                     | NA                     | Post-pumping measurement ~12 gallons removed |
|         | 12/1/2020  | 11:15 AM | ND                    | 6.62                  | 29.76                 | 38.01       | NA                     | 8.25                   | Pre-pumping measurement                      |
|         | 12/2/2020  | 9:35 AM  | ND                    | 6.60                  | ND                    | 38.10       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed |
|         | 12/16/2020 | 11:20 AM | ND                    | 7.79                  | 29.70                 | 38.10       | NA                     | 8.40                   | Pre-pumping measurement                      |
|         | 12/18/2020 | 10:30 AM | ND                    | 7.52                  | ND                    | 37.70       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed  |
|         | 12/29/2020 | 11:30 AM | ND                    | 7.97                  | 29.60                 | 38.21       | NA                     | 8.61                   |                                              |
|         | 12/30/2020 | 9:45 AM  | ND                    | 8.00                  | 29.57                 | 38.11       | NA                     | 8.54                   | Pre-pumping measurement                      |
|         | 12/30/2020 | 10:45 AM | ND                    | 8.01                  | ND                    | 38.22       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed |
|         | 1/13/2021  | 10:30 AM | ND                    | 7.49                  | 29.99                 | 38.21       | NA                     | 8.22                   |                                              |
|         | 1/14/2021  | 8:50 AM  | ND                    | 7.87                  | 29.98                 | 38.21       | NA                     | 8.23                   | Pre-pumping measurement                      |
|         | 1/14/2021  | 10:00 AM | ND                    | 8.02                  | ND                    | 38.21       | NA                     | NA                     | Post-pumping measurement ~15 gallons removed |
|         | 1/27/2021  | 10:55 AM | ND                    | 7.58                  | 29.90                 | 38.11       | NA                     | 8.21                   |                                              |
|         | 1/28/2021  | 9:00 AM  | ND                    | 7.60                  | 29.90                 | 38.11       | NA                     | 8.21                   | Pre-pumping measurement                      |
|         | 1/28/2021  | 9:30 AM  | ND                    | 7.70                  | ND                    | 38.11       | NA                     | NA                     | Post-pumping measurement ~13 gallons removed |
|         | 2/8/2021   | 11:40 AM | ND                    | 8.70                  | 30.00                 | 38.11       | NA                     | 8.11                   |                                              |
|         | 2/11/2021  | 10:30 AM | ND                    | 7.95                  | 30.00                 | 38.78       | NA                     | 8.78                   | Pre-pumping measurement                      |
|         | 2/11/2021  | 11:40 AM | ND                    | 7.97                  | ND                    | 38.78       | NA                     | NA                     | Post-pumping measurement ~15 gallons removed |
|         | 2/24/2021  | 10:30 AM | ND                    | 8.23                  | 29.80                 | 38.78       | NA                     | 8.98                   |                                              |
|         | 2/25/2021  | 8:40 AM  | ND                    | 8.23                  | 29.80                 | 38.76       | NA                     | 8.96                   | Pre-pumping measurement                      |
|         | 2/25/2021  | 10:25 AM | ND                    | 8.25                  | ND                    | 38.76       | NA                     | NA                     | Post-pumping measurement ~9 gallons removed  |
|         | 3/10/2021  | 11:50 AM | ND                    | 8.48                  | 29.79                 | 38.50       | NA                     | 8.71                   |                                              |
|         | 3/11/2021  | 9:15 AM  | ND                    | 8.14                  | 29.98                 | 38.50       | NA                     | 8.52                   | Pre-pumping measurement                      |
|         | 3/11/2021  | 11:15 AM | ND                    | 8.29                  | ND                    | 38.50       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed |
|         | 3/24/2021  | 10:04 AM | ND                    | 8.26                  | 30.46                 | 38.42       | NA                     | 7.96                   |                                              |
|         | 3/25/2021  | 8:58 AM  | ND                    | 7.92                  | 30.34                 | 38.42       | NA                     | 8.08                   | Pre-pumping measurement                      |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID      | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                                                                                                                                                    |
|--------------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NW-5 (con't) | 3/25/2021  | 11:20 AM | ND                    | 7.47                  | ND                    | 38.72       | NA                     | NA                     | Post-pumping measurement ~13 gallons removed                                                                                                                                |
|              | 4/7/2021   | 9:15 AM  | ND                    | 8.01                  | 30.30                 | 38.72       | NA                     | 8.42                   |                                                                                                                                                                             |
|              | 4/8/2021   | 8:15 AM  | ND                    | 7.66                  | 29.90                 | 38.00       | NA                     | 8.10                   | Pre-pumping measurement                                                                                                                                                     |
|              | 4/8/2021   | 11:20 AM |                       |                       |                       |             |                        |                        | No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot well sump.                  |
|              | 4/21/2021  | 9:20 AM  |                       |                       |                       |             |                        |                        | The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is replaced. |
|              | 5/5/2021   | 12:00 PM | ND                    | 8.20                  | 29.12                 | 37.88       | NA                     | 8.76                   |                                                                                                                                                                             |
|              | 5/6/2021   | 10:10 AM | ND                    | 7.81                  | 29.45                 | 37.88       | NA                     | 8.43                   | Pre-pumping measurement                                                                                                                                                     |
|              | 5/6/2021   | 11:40 AM | ND                    | 8.31                  | ND                    | 37.88       | NA                     | NA                     | Post-pumping measurement ~10 gallons removed                                                                                                                                |
|              | 5/17/2021  | 11:30 AM | ND                    | 8.67                  | 27.94                 | 37.94       | NA                     | 10.00                  |                                                                                                                                                                             |
|              | 5/20/2021  | 9:30 AM  | ND                    | 8.63                  | 27.90                 | 37.94       | NA                     | 10.04                  | Pre-pumping measurement                                                                                                                                                     |
|              | 5/20/2021  | 10:30 AM | ND                    | 8.67                  | ND                    | 37.94       | NA                     | NA                     | Post-pumping measurement ~13 gallons removed                                                                                                                                |
|              | 6/2/2021   | 10:55 AM | ND                    | 8.90                  | 30.20                 | 38.34       | NA                     | 8.14                   |                                                                                                                                                                             |
|              | 6/3/2021   | 9:00 AM  | ND                    | 8.90                  | 30.17                 | 38.31       | NA                     | 8.14                   | Pre-pumping measurement                                                                                                                                                     |
|              | 6/3/2021   | 9:45 AM  | ND                    | 8.93                  | ND                    | 38.40       | NA                     | NA                     | Post-pumping measurement ~13 gallons removed                                                                                                                                |
|              | 6/16/2021  | 10:52 AM | ND                    | 8.67                  | 29.71                 | 38.34       | NA                     | 8.63                   |                                                                                                                                                                             |
|              | 6/17/2021  | 8:25 AM  | ND                    | 8.66                  | 29.70                 | 38.34       | NA                     | 8.64                   | Pre-pumping measurement                                                                                                                                                     |
|              | 6/17/2021  | 9:55 AM  | ND                    | 8.70                  | ND                    | 38.34       | NA                     | NA                     | Post-pumping measurement ~17 gallons removed                                                                                                                                |
|              | 6/30/2021  | 11:00 AM | ND                    | 8.98                  | 29.98                 | 38.65       | NA                     | 8.67                   |                                                                                                                                                                             |
|              | 7/1/2021   | 8:15 AM  | ND                    | 8.80                  | 29.98                 | 38.65       | NA                     | 8.67                   | Pre-pumping measurement                                                                                                                                                     |
|              | 7/1/2021   | 8:35 AM  | ND                    | 8.82                  | ND                    | 38.65       | NA                     | NA                     | Post-pumping measurement ~4.7 gallons removed                                                                                                                               |
|              | 7/14/2021  | 10:45 AM | ND                    | 7.95                  | 29.90                 | 38.65       | NA                     | 8.75                   |                                                                                                                                                                             |
|              | 7/15/2021  | 9:15 AM  | ND                    | 8.75                  | 29.90                 | 38.65       | NA                     | 8.75                   | Pre-pumping measurement                                                                                                                                                     |
|              | 7/15/2021  | 9:55 AM  | ND                    | 8.80                  | ND                    | 38.65       | NA                     | NA                     | Post-pumping measurement ~5.95 gallons removed                                                                                                                              |
|              | 7/27/2021  | 3:36 AM  | ND                    | 7.59                  | 29.80                 | 38.19       | NA                     | 8.39                   |                                                                                                                                                                             |
|              | 7/29/2021  | 8:45 AM  | ND                    | 8.70                  | 29.80                 | 38.19       | NA                     | 8.39                   | Pre-pumping measurement                                                                                                                                                     |
|              | 7/29/2021  | 9:20 AM  | ND                    | 8.75                  | ND                    | 38.19       | NA                     | NA                     | Post-pumping measurement ~9.35 gallons removed                                                                                                                              |
|              | 8/11/2021  | 1:05 PM  | ND                    | 7.20                  | 30.30                 | 38.19       | NA                     | 7.89                   |                                                                                                                                                                             |
|              | 8/12/2021  | 8:35 AM  | ND                    | 8.95                  | 30.30                 | 38.19       | NA                     | 7.89                   | Pre-pumping measurement                                                                                                                                                     |
|              | 8/12/2021  | 9:45 AM  | ND                    | 8.97                  | ND                    | 38.19       | NA                     | NA                     | Post-pumping measurement ~5.95 gallons removed                                                                                                                              |
|              | 8/23/2021  | 12:45 PM | ND                    | 5.98                  | 29.60                 | 38.18       | NA                     | 8.58                   |                                                                                                                                                                             |
|              | 8/24/2021  | 8:10 AM  | ND                    | 7.81                  | 29.60                 | 38.18       | NA                     | 8.58                   | Pre-pumping measurement                                                                                                                                                     |
|              | 8/24/2021  | 8:35 AM  | ND                    | 7.82                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~6.8 gallons removed                                                                                                                               |
|              | 9/8/2021   | 11:35 AM | ND                    | 6.82                  | 30.00                 | 38.18       | NA                     | 8.18                   |                                                                                                                                                                             |
|              | 9/9/2021   | 8:50 AM  | ND                    | 6.81                  | 30.00                 | 38.18       | NA                     | 8.18                   | Pre-pumping measurement                                                                                                                                                     |
|              | 9/9/2021   | 9:05 AM  | ND                    | 6.82                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~6.8 gallons removed                                                                                                                               |
|              | 9/21/2021  | 12:15 PM | ND                    | 6.98                  | 29.90                 | 38.18       | NA                     | 8.28                   |                                                                                                                                                                             |
|              | 9/23/2021  | 8:25 AM  | ND                    | 8.00                  | 29.90                 | 38.18       | NA                     | 8.28                   | Pre-pumping measurement                                                                                                                                                     |
|              | 9/23/2021  | 8:45 AM  | ND                    | 8.01                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~11 gallons removed                                                                                                                                |
|              | 10/7/2021  | 12:45 PM | ND                    | 6.76                  | 30.11                 | 38.18       | NA                     | 8.07                   |                                                                                                                                                                             |
|              | 10/8/2021  | 8:50 AM  | ND                    | 7.81                  | 29.99                 | 38.18       | NA                     | 8.19                   | Pre-pumping measurement                                                                                                                                                     |
|              | 10/8/2021  | 9:25 AM  | ND                    | 7.61                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~6.75 gallons removed                                                                                                                              |
|              | 10/20/2021 | 11:30 AM | ND                    | 7.40                  | 29.80                 | 38.19       | NA                     | 8.39                   |                                                                                                                                                                             |
|              | 10/21/2021 | 8:30 AM  | ND                    | 7.70                  | 29.80                 | 38.19       | NA                     | 8.39                   | Pre-pumping measurement                                                                                                                                                     |
|              | 10/21/2021 | 9:05 AM  | ND                    | 7.75                  | ND                    | 38.19       | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                                                                                                                 |
|              | 11/4/2021  | 1:35 PM  | ND                    | 8.15                  | 29.50                 | 38.18       | NA                     | 8.68                   |                                                                                                                                                                             |
|              | 11/5/2021  | 8:50 AM  | ND                    | 7.05                  | 30.09                 | 38.19       | NA                     | 8.10                   | Pre-pumping measurement                                                                                                                                                     |
|              | 11/5/2021  | 9:15 AM  | ND                    | 7.12                  | ND                    | 38.19       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed                                                                                                                                 |
|              | 11/17/2021 | 12:25 PM | ND                    | 8.35                  | 29.50                 | 38.18       | NA                     | 8.68                   |                                                                                                                                                                             |
|              | 11/19/2021 | 10:45 AM | ND                    | 7.86                  | 29.50                 | 38.18       | NA                     | 8.68                   | Pre-pumping measurement                                                                                                                                                     |
|              | 11/19/2021 | 11:45 AM | ND                    | 7.87                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed                                                                                                                                 |
|              | 12/1/2021  | 12:00 PM | ND                    | 9.13                  | 28.86                 | 38.17       | NA                     | 9.31                   |                                                                                                                                                                             |
|              | 12/2/2021  | 9:05 AM  | ND                    | 7.38                  | 28.86                 | 38.17       | NA                     | 9.31                   | Pre-pumping measurement                                                                                                                                                     |
|              | 12/2/2021  | 9:40 AM  | ND                    | 7.39                  | ND                    | 38.17       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed                                                                                                                                 |
|              | 12/14/2021 | 12:20 PM | ND                    | 9.59                  | 29.20                 | 38.18       | NA                     | 8.98                   |                                                                                                                                                                             |
|              | 12/15/2021 | 9:30 AM  | ND                    | 8.98                  | 29.70                 | 38.18       | NA                     | 8.48                   | Pre-pumping measurement                                                                                                                                                     |
|              | 12/15/2021 | 10:10 AM | ND                    | 9.01                  | ND                    | 38.18       | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                                                                                                                 |
|              | 12/28/2021 | 11:15    | ND                    | 8.52                  | 29.70                 | 38.16       | NA                     | 8.46                   |                                                                                                                                                                             |
|              | 12/29/2021 | 8:00 AM  | ND                    | 7.32                  | 29.65                 | 38.15       | NA                     | 8.50                   | Pre-pumping measurement                                                                                                                                                     |
|              | 12/29/2021 | 8:50 AM  | ND                    | 9.06                  | ND                    | 38.17       | NA                     | NA                     | Post-pumping measurement ~445 gallons removed                                                                                                                               |
|              | 1/13/2022  | 11:30 AM | ND                    | 9.41                  | 28.16                 | 38.15       | NA                     | 9.99                   |                                                                                                                                                                             |
|              | 1/14/2022  | 8:30 AM  | ND                    | 9.41                  | 28.16                 | 38.15       | NA                     | 9.99                   | Pre-pumping measurement                                                                                                                                                     |
|              | 1/14/2022  | 9:10 AM  | ND                    | 9.32                  | ND                    | 38.15       | NA                     | NA                     | Post-pumping measurement ~15 gallons removed                                                                                                                                |
|              | 1/27/2022  | 11:30 AM | ND                    | 9.41                  | 28.14                 | 38.15       | NA                     | 10.01                  |                                                                                                                                                                             |
|              | 1/28/2022  | 9:00 AM  | ND                    | 7.71                  | 29.71                 | 38.15       | NA                     | 8.44                   | Pre-pumping measurement                                                                                                                                                     |
|              | 1/28/2022  | 9:30 AM  | ND                    | 9.32                  | ND                    | 38.15       | NA                     | NA                     | Post-pumping measurement ~15 gallons removed                                                                                                                                |
|              | 2/7/2022   | 9:15 AM  | ND                    | 8.48                  | 29.65                 | 38.15       | NA                     | 8.50                   |                                                                                                                                                                             |
|              | 2/9/2022   | 8:30 AM  | ND                    | 8.42                  | 29.29                 | 38.15       | NA                     | 8.86                   | Pre-pumping measurement                                                                                                                                                     |
|              | 2/9/2022   | 9:30 AM  | ND                    | 9.61                  | ND                    | 38.15       | NA                     | NA                     | Post-pumping measurement ~12 gallons removed                                                                                                                                |
|              | 2/24/2022  | 8:30 AM  | ND                    | 9.31                  | 29.97                 | 38.17       | NA                     | 8.20                   |                                                                                                                                                                             |
|              | 2/25/2022  | 9:30 AM  | ND                    | 9.31                  | 29.97                 | 38.17       | NA                     | 8.20                   | Pre-pumping measurement                                                                                                                                                     |
|              | 2/25/2022  | 10:15 AM | ND                    | 9.61                  | ND                    | 38.17       | NA                     | NA                     | Post-pumping measurement ~13 gallons removed                                                                                                                                |
|              | 3/17/2022  | 11:04 AM | ND                    | 7.65                  | 35.3                  | 37.50       | NA                     | 2.2                    |                                                                                                                                                                             |
|              | 3/18/2022  | 8:15 AM  | ND                    | 7.70                  | 29.6                  | 38.40       | NA                     | 8.8                    | Pre-pumping measurement                                                                                                                                                     |
|              | 3/18/2022  | 11:45 AM | ND                    | ND                    | 32.3                  | 37.50       | NA                     | 6.1                    | Post-pumping measurement ~4 gallons removed                                                                                                                                 |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID      | Date       | Time        | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                                                                |
|--------------|------------|-------------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|-----------------------------------------------------------------------------------------|
| NW-5 (cont.) | 3/28/2022  | 8:17 AM     | ND                    | 8.02                  | 29.69                 | 37.54              | NA                     | 7.75                   | Pre-pumping measurement                                                                 |
|              | 3/28/2022  | 3:00 PM     | ND                    | ND                    | 30.54                 | 37.54              | ND                     | 7.0                    | Post-pumping measurement ~10 gallons removed                                            |
|              | 4/13/2022  | 7:56 AM     | ND                    | 7.90                  | 29.7                  | 37.50              | NA                     | 7.8                    | Pre-pumping measurement                                                                 |
|              | 4/13/2022  | 2:40 PM     | ND                    | 7.90                  | 34.05                 | 37.50              | NA                     | 3.45                   | Post-pumping measurement ~21 gallons removed                                            |
|              | 4/28/2022  | 8:40 AM     | ND                    | 8.08                  | 29.71                 | 37.47              | ND                     | 7.76                   | Pre-pumping measurement                                                                 |
|              | 4/28/2022  | 3:00 PM     | ND                    | ND                    | 29.79                 | 37.54              | ND                     | 7.75                   | Post-pumping measurement ~3 gallons removed. Tubing on pump dislodged.                  |
|              | 5/12/2022  | 8:10 AM     | ND                    | 7.34                  | 30.44                 | 37.09              | ND                     | 6.65                   | Pre-pumping measurement                                                                 |
|              | 5/12/2022  | 14:50:00 PM | ND                    | ND                    | 32.3                  | 37.50              | NA                     | 5.2                    | Post-pumping measurement ~25 gallons removed                                            |
|              | 5/25/2022  | 8:25 AM     | ND                    | 7.62                  | 30.59                 | 37.08              | ND                     | 6.49                   | Pre-pumping measurement                                                                 |
|              | 5/25/2022  | 3:00 PM     | ND                    | ND                    | 30.61                 | 37.08              | ND                     | 6.47                   | Post-pumping measurement ~11 gallons removed. Minimal recovery due to pump difficulties |
|              | 6/9/2022   | 9:20 AM     | ND                    | 7.61                  | 29.63                 | 37.10              | ND                     | 7.47                   | Pre-pumping measurement                                                                 |
|              | 6/9/2022   | 2:50 PM     | ND                    | ND                    | 31.48                 | 37.10              | NA                     | 5.62                   | Post-pumping measurement ~17 gallons removed                                            |
|              | 6/23/2022  | 11:15 AM    | ND                    | 8.37                  | 29.62                 | 37.17              | ND                     | 7.55                   | Pre-pumping measurement                                                                 |
|              | 6/23/2022  | 11:25 AM    | ND                    | ND                    | 35.1                  | 37.17              | ND                     | 2.07                   | Post-pumping measurement ~25 gallons removed                                            |
| NW-6         | 10/7/2020  | 12:05 PM    | ND                    | 9.01                  | 33.26                 | 38.32              | NA                     | 5.06                   | Pre-pumping measurement                                                                 |
|              | 10/14/2020 | 8:45 AM     | ND                    | 8.55                  | ND                    | 37.20              | NA                     | ND                     | Post-pumping measurement ~6 gallons removed                                             |
|              | 10/21/2020 | 10:40 AM    | ND                    | 9.00                  | 33.37                 | 38.35              | NA                     | 4.98                   | Pre-pumping measurement                                                                 |
|              | 10/21/2020 | 12:00 PM    | ND                    | 9.00                  | ND                    | 38.38              | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                             |
|              | 11/4/2020  | 8:45 AM     | ND                    | 9.66                  | 32.28                 | 36.06              | NA                     | 3.78                   | Pre-pumping measurement                                                                 |
|              | 11/5/2020  | 10:00 AM    | ND                    | 9.64                  | ND                    | 38.31              | NA                     | NA                     | Post-pumping measurement ~10 gallons removed                                            |
|              | 11/18/2020 | 11:25 AM    | ND                    | 9.16                  | 33.39                 | 38.10              | NA                     | 4.71                   |                                                                                         |
|              | 11/19/2020 | 10:00 AM    | ND                    | 9.15                  | 33.43                 | 38.09              | NA                     | 4.66                   | Pre-pumping measurement                                                                 |
|              | 11/19/2020 | 10:15 AM    | ND                    | 9.16                  | ND                    | 38.14              | NA                     | NA                     | Post-pumping measurement ~3 gallons removed                                             |
|              | 12/1/2020  | 11:00 AM    | ND                    | 7.98                  | 34.41                 | 37.12              | NA                     | 2.71                   | Pre-pumping measurement                                                                 |
|              | 12/2/2020  | 10:05 AM    | ND                    | 8.01                  | ND                    | 37.12              | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                             |
|              | 12/16/2020 | 11:00 AM    | ND                    | 9.20                  | 33.20                 | 37.12              | NA                     | 3.92                   | Pre-pumping measurement                                                                 |
|              | 12/18/2020 | 12:00 PM    | ND                    | 8.70                  | ND                    | 38.35              | NA                     | NA                     | Post-pumping measurement ~6 gallons removed                                             |
|              | 12/29/2020 | 11:10 AM    | ND                    | 8.75                  | 33.35                 | 38.10              | NA                     | 4.75                   |                                                                                         |
|              | 12/30/2020 | 11:15 AM    | ND                    | 8.71                  | 33.33                 | 38.10              | NA                     | 4.77                   | Pre-pumping measurement                                                                 |
|              | 12/30/2020 | 11:45 AM    | ND                    | 8.73                  | ND                    | 38.12              | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                             |
|              | 1/13/2021  | 10:15 AM    | ND                    | 8.45                  | 33.44                 | 38.10              | NA                     | 4.66                   |                                                                                         |
|              | 1/14/2021  | 8:25 AM     | ND                    | 8.87                  | 33.31                 | 38.10              | NA                     | 4.79                   | Pre-pumping measurement                                                                 |
|              | 1/14/2021  | 8:40 AM     | ND                    | 8.92                  | ND                    | 38.10              | NA                     | NA                     | Post-pumping measurement ~10 gallons removed                                            |
|              | 1/27/2021  | 11:15 AM    | ND                    | 8.63                  | 34.00                 | 38.35              | NA                     | 4.35                   |                                                                                         |
|              | 1/28/2021  | 10:15 AM    | ND                    | 8.70                  | 34.00                 | 38.35              | NA                     | 4.35                   | Pre-pumping measurement                                                                 |
|              | 1/28/2021  | 10:40 AM    | ND                    | 8.73                  | ND                    | 38.37              | NA                     | NA                     | Post-pumping measurement ~13 gallons removed                                            |
|              | 2/8/2021   | 11:20 AM    | ND                    | 7.98                  | 33.95                 | 38.37              | NA                     | 4.42                   |                                                                                         |
|              | 2/11/2021  | 12:05 PM    | ND                    | 7.55                  | 33.90                 | 38.38              | NA                     | 4.48                   | Pre-pumping measurement                                                                 |
|              | 2/11/2021  | 12:20 PM    | ND                    | 7.54                  | ND                    | 38.36              | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                             |
|              | 2/24/2021  | 10:20 AM    | ND                    | 8.86                  | 33.10                 | 38.36              | NA                     | 5.26                   |                                                                                         |
|              | 2/25/2021  | 10:45 AM    | ND                    | 8.80                  | 33.10                 | 38.37              | NA                     | 5.27                   | Pre-pumping measurement                                                                 |
|              | 2/25/2021  | 10:55 AM    | ND                    | 8.82                  | ND                    | 38.37              | NA                     | NA                     | Post-pumping measurement ~5 gallons removed                                             |
|              | 3/10/2021  | 11:40 AM    | ND                    | 8.48                  | 33.60                 | 38.32              | NA                     | 4.72                   |                                                                                         |
|              | 3/11/2021  | 11:38 AM    | ND                    | 8.26                  | 32.80                 | 38.32              | NA                     | 5.52                   | Pre-pumping measurement                                                                 |
|              | 3/11/2021  | 11:50 AM    | ND                    | 9.04                  | ND                    | 38.35              | NA                     | NA                     | Post-pumping measurement ~6 gallons removed                                             |
|              | 3/24/2021  | 9:59 AM     | ND                    | 8.84                  | 33.04                 | 38.12              | NA                     | 5.08                   |                                                                                         |
|              | 3/25/2021  | 11:27 AM    | ND                    | 8.61                  | 32.98                 | 38.10              | NA                     | 5.12                   | Pre-pumping measurement                                                                 |
|              | 3/25/2021  | 11:43 AM    | ND                    | 9.41                  | ND                    | 38.14              | NA                     | NA                     | Post-pumping measurement ~7 gallons removed                                             |
|              | 4/7/2021   | 9:15 AM     | ND                    | 8.45                  | 33.25                 | 38.15              | NA                     | 4.90                   |                                                                                         |
|              | 4/8/2021   | 12:00 PM    | ND                    | 8.45                  | 33.29                 | 38.15              | NA                     | 4.86                   | Pre-pumping measurement                                                                 |
|              | 4/8/2021   | 12:20 PM    | ND                    | 8.54                  | ND                    | 38.35              | NA                     | NA                     | Post-pumping measurement ~20 gallons removed                                            |
|              | 4/21/2021  | 9:25 AM     | ND                    | 8.59                  | 33.22                 | 38.50              | NA                     | 5.28                   |                                                                                         |
|              | 4/22/2021  | 10:15 AM    | ND                    | 8.82                  | 33.01                 | 38.48              | NA                     | 5.47                   | Pre-pumping measurement                                                                 |
|              | 4/22/2021  | 10:45 AM    | ND                    | 8.87                  | ND                    | 38.45              | NA                     | NA                     | Post-pumping measurement ~15 gallons removed                                            |
|              | 5/5/2021   | 11:00 AM    | ND                    | 8.40                  | 33.41                 | 38.52              | NA                     | 5.11                   |                                                                                         |
|              | 5/6/2021   | 12:45 PM    | ND                    | 8.61                  | 33.45                 | 38.50              | NA                     | 5.05                   | No vacuum event performed at NW-6                                                       |
|              | 5/17/2021  | 11:00 AM    | ND                    | 9.10                  | 31.89                 | 37.99              | NA                     | 6.10                   |                                                                                         |
|              | 5/20/2021  | 10:45 AM    | ND                    | 9.11                  | 31.85                 | 38.00              | NA                     | 6.15                   | Pre-pumping measurement                                                                 |
|              | 5/20/2021  | 11:15 AM    | ND                    | 9.14                  | ND                    | 38.06              | NA                     | NA                     | Post-pumping measurement ~7 gallons removed                                             |
|              | 6/2/2021   | 10:35 AM    | ND                    | 8.75                  | 32.18                 | 38.49              | NA                     | 6.31                   |                                                                                         |
|              | 6/3/2021   | 10:00 AM    | ND                    | 8.74                  | 32.16                 | 38.49              | NA                     | 6.33                   | Pre-pumping measurement                                                                 |
|              | 6/3/2021   | 10:30 AM    | ND                    | 8.78                  | ND                    | 38.49              | NA                     | NA                     | Post-pumping measurement ~9 gallons removed                                             |
|              | 6/16/2021  | 10:34 AM    | ND                    | 8.84                  | 32.50                 | 38.03              | NA                     | 5.53                   |                                                                                         |
|              | 6/17/2021  | 10:10 AM    | ND                    | 8.83                  | 32.50                 | 38.00              | NA                     | 5.50                   | Pre-pumping measurement                                                                 |
|              | 6/17/2021  | 10:35 AM    | ND                    | 8.84                  | ND                    | 38.05              | NA                     | NA                     | Post-pumping measurement ~17.25 gallons removed                                         |
|              | 6/30/2021  | 10:35 AM    | ND                    | 9.11                  | 33.00                 | 38.10              | NA                     | 5.10                   |                                                                                         |
|              | 7/1/2021   | 8:50 AM     | ND                    | 9.18                  | 33.00                 | 38.10              | NA                     | 5.10                   | Pre-pumping measurement                                                                 |
|              | 7/1/2021   | 9:20 AM     | ND                    | 9.19                  | ND                    | 38.10              | NA                     | NA                     | Post-pumping measurement ~5.5 gallons removed                                           |
|              | 7/14/2021  | 10:25 AM    | ND                    | 8.45                  | 32.95                 | 37.70              | NA                     | 4.75                   |                                                                                         |
|              | 7/15/2021  | 10:35 AM    | ND                    | 8.65                  | 32.95                 | 37.70              | NA                     | 4.75                   | Pre-pumping measurement                                                                 |
|              | 7/15/2021  | 11:05 AM    | ND                    | 8.69                  | ND                    | 37.70              | NA                     | NA                     | Post-pumping measurement ~15.3 gallons removed                                          |
|              | 7/27/2021  | 11:05 AM    | ND                    | 8.36                  | 33.05                 | 36.78              | NA                     | 3.73                   |                                                                                         |
|              | 7/29/2021  | 9:45 AM     | ND                    | 9.02                  | 33.05                 | 36.78              | NA                     | 3.73                   | Pre-pumping measurement                                                                 |
|              | 7/29/2021  | 10:15 AM    | ND                    | 9.09                  | ND                    | 36.78              | NA                     | NA                     | Post-pumping measurement ~18.7 gallons removed                                          |
|              | 8/11/2021  | 12:50 PM    | ND                    | 8.32                  | 33.00                 | 36.77              | NA                     | 3.77                   |                                                                                         |
|              | 8/12/2021  | 11:15 AM    | ND                    | 8.70                  | 33.00                 | 37.40              | NA                     | 4.40                   | No pumping due to stinger maintenance                                                   |
|              | 8/23/2021  | 12:25 PM    | ND                    | 7.11                  | 31.55                 | 37.40              | NA                     | 5.85                   |                                                                                         |
|              | 8/24/2021  | 9:30 AM     | ND                    | 8.00                  | 31.55                 | 37.40              | NA                     | 5.85                   | Pre-pumping measurement                                                                 |
|              | 8/24/2021  | 9:45 AM     | ND                    | 8.01                  | ND                    | 37.40              | NA                     | NA                     | Post-pumping measurement ~17.9 gallons removed                                          |
|              | 9/8/2021   | 11:05 AM    | ND                    | 7.97                  | 31.80                 | 37.40              | NA                     | 5.60                   |                                                                                         |
|              | 9/9/2021   | 9:25 AM     | ND                    | 8.28                  | 31.80                 | 37.40              | NA                     | 5.60                   | Pre-pumping measurement                                                                 |
|              | 9/9/2021   | 9:35 AM     | ND                    | 8.31                  | ND                    | 37.40              | NA                     | NA                     | Post-pumping measurement ~2.6 gallons removed                                           |
|              | 9/21/2021  | 12:35 PM    | ND                    | 8.02                  | 31.70                 | 37.40              | NA                     | 5.70                   |                                                                                         |
|              | 9/23/2021  | 9:30 AM     | ND                    | 8.54                  | 31.70                 | 37.40              | NA                     | 5.70                   | Pre-pumping measurement                                                                 |
|              | 9/23/2021  | 9:40 AM     | ND                    | 8.55                  | ND                    | 37.40              | NA                     | NA                     | Post-pumping measurement ~20.4 gallons removed                                          |
|              | 10/7/2021  | 12:15 PM    | ND                    | 7.88                  | 32.01                 | 37.40              | NA                     | 5.39                   |                                                                                         |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID      | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                       |
|--------------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|------------------------------------------------|
| NW-6 (cont.) | 10/8/2021  | 10:06 AM | ND                    | 8.41                  | 31.90                 | 37.40       | NA                     | 5.50                   | Pre-pumping measurement                        |
|              | 10/8/2021  | 10:28 AM | ND                    | 8.85                  | ND                    | 37.60       | NA                     | NA                     | Post-pumping measurement ~22.5 gallons removed |
|              | 10/20/2021 | 12:10 PM | ND                    | 8.33                  | 32.50                 | 37.41       | NA                     | 4.91                   |                                                |
|              | 10/21/2021 | 10:00 AM | ND                    | 7.30                  | 32.50                 | 37.41       | NA                     | 4.91                   | Pre-pumping measurement                        |
|              | 10/21/2021 | 10:10 AM | ND                    | 7.33                  | ND                    | 37.41       | NA                     | NA                     | Post-pumping measurement ~8 gallons removed    |
|              | 11/4/2021  | 1:25 PM  | ND                    | 8.02                  | 32.00                 | 37.40       | NA                     | 5.40                   |                                                |
|              | 11/5/2021  | 9:25 AM  | ND                    | 8.75                  | 32.11                 | 37.41       | NA                     | 5.30                   | Pre-pumping measurement                        |
|              | 11/5/2021  | 10:10 AM | ND                    | 8.15                  | ND                    | 37.38       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|              | 11/17/2021 | 12:10 PM | ND                    | 8.52                  | 32.00                 | 37.40       | NA                     | 5.40                   |                                                |
|              | 11/19/2021 | 12:30 PM | ND                    | 7.78                  | 32.00                 | 37.40       | NA                     | 5.40                   | Pre-pumping measurement                        |
|              | 11/19/2021 | 12:45 PM | ND                    | 7.79                  | ND                    | 37.40       | NA                     | NA                     | Post-pumping measurement ~8 gallons removed    |
|              | 12/1/2021  | 11:39 AM | ND                    | 9.38                  | 31.98                 | 37.40       | NA                     | 5.42                   |                                                |
|              | 12/2/2021  | 10:10 AM | ND                    | 8.43                  | 31.98                 | 37.40       | NA                     | 5.42                   | Pre-pumping measurement                        |
|              | 12/2/2021  | 10:20 AM | ND                    | 8.44                  | ND                    | 37.40       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|              | 12/14/2021 | 12:40 PM | ND                    | 9.66                  | 32.20                 | 37.40       | NA                     | 5.20                   |                                                |
|              | 12/15/2021 | 11:00 AM | ND                    | 9.06                  | 32.20                 | 37.40       | NA                     | 5.20                   | Pre-pumping measurement                        |
|              | 12/15/2021 | 11:02 AM | ND                    | 9.08                  | ND                    | 37.40       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed    |
|              | 12/28/2021 | 11:30 AM | ND                    | 8.79                  | 32.35                 | 37.40       | NA                     | 5.05                   |                                                |
|              | 12/29/2021 | 9:10 AM  | ND                    | 8.35                  | 32.29                 | 37.38       | NA                     | 5.09                   | Pre-pumping measurement                        |
|              | 12/29/2021 | 10:05 AM | ND                    | 8.41                  | ND                    | 37.40       | NA                     | NA                     | Post-pumping measurement ~15 gallons removed   |
|              | 1/13/2022  | 10:55 AM | ND                    | 9.45                  | 33.42                 | 37.38       | NA                     | 3.96                   |                                                |
|              | 1/14/2022  | 10:00 AM | ND                    | 9.45                  | 33.42                 | 37.38       | NA                     | 3.96                   | Pre-pumping measurement                        |
|              | 1/14/2022  | 10:15 AM | ND                    | 9.36                  | ND                    | 37.38       | NA                     | NA                     | Post-pumping measurement ~5 gallons removed    |
|              | 1/27/2022  | 11:00 AM | ND                    | 9.41                  | 34.61                 | 37.38       | NA                     | 2.77                   |                                                |
|              | 1/28/2022  | 10:00 AM | ND                    | 9.42                  | 34.6                  | 37.38       | NA                     | 2.78                   | Pre-pumping measurement                        |
|              | 1/28/2022  | 10:30 AM | ND                    | 9.39                  | ND                    | 37.38       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|              | 2/7/2022   | 9:30 AM  | ND                    | 9.25                  | 33.31                 | 37.38       | NA                     | 4.07                   |                                                |
|              | 2/9/2022   | 11:00 AM | ND                    | 9.21                  | 33.01                 | 37.38       | NA                     | 4.37                   | Pre-pumping measurement                        |
|              | 2/9/2022   | 11:05 AM | ND                    | 9.82                  | ND                    | 37.38       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|              | 2/24/2022  | 8:45 AM  | ND                    | 9.33                  | 35.61                 | 37.36       | NA                     | 1.75                   |                                                |
|              | 2/25/2022  | 11:30 AM | ND                    | 9.33                  | 35.61                 | 37.36       | NA                     | 1.75                   | Pre-pumping measurement                        |
|              | 2/25/2022  | 12:00 PM | ND                    | 9.82                  | ND                    | 37.38       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed    |
|              | 3/17/2022  | 10:31 AM | ND                    | 8.70                  | 36.2                  | 37.40       | NA                     | 1.2                    | Pre-pumping measurement                        |
|              | 3/17/2022  | 2:30 PM  | ND                    | ND                    | 37.02                 | 37.40       | NA                     | 0.38                   | Post-pumping measurement ~2 gallons removed    |
|              | 3/28/2022  | 9:25 AM  | ND                    | 8.75                  | 30.9                  | 33.20       | NA                     | 2.3                    | Pre-pumping measurement                        |
|              | 3/28/2022  | 1:30 PM  | ND                    | ND                    | 32.2                  | 33.20       | NA                     | 1.0                    | Post-pumping measurement ~10 gallons removed   |
|              | 4/13/2022  | 10:50 AM | ND                    | 8.60                  | 30.55                 | 33.05       | NA                     | 2.5                    | Pre-pumping measurement                        |
|              | 4/14/2022  | 9:00 AM  | ND                    | ND                    | 33.01                 | 33.35       | NA                     | 0.34                   | Post pumping measurement ~16 gallons removed   |
|              | 4/28/2022  | 12:20 PM | ND                    | 8.91                  | 30.82                 | 38.33       | NA                     | 7.51                   | Pre-pumping measurement                        |
|              | 4/28/2022  | 1:30 PM  | ND                    | ND                    | 33.24                 | 38.33       | NA                     | 5.09                   | Post Pumping Measurement ~6 gallons removed    |
|              | 5/12/2022  | 11:40 AM | ND                    | 8.65                  | 31.25                 | 37.85       | NA                     | 6.6                    | Pre-pumping measurement                        |
|              | 5/13/2022  | 11:45 AM | ND                    | ND                    | 33.28                 | 37.86       | NA                     | 4.58                   | Post pumping measurement ~8.5 gallons removed  |
|              | 5/25/2022  | 10:40 AM | ND                    | 8.87                  | 30.98                 | 37.51       | NA                     | 6.53                   | Pre-pumping measurement                        |
|              | 5/25/2022  | 1:30 PM  | ND                    | ND                    | 33.38                 | 37.72       | NA                     | 4.34                   | Post Pumping Measurement ~6.5 gallons removed  |
|              | 6/9/2022   | 11:50 AM | ND                    | 8.62                  | 30.9                  | 37.50       | NA                     | 6.6                    | Pre-pumping measurement                        |
|              | 6/9/2022   | 12:45 PM | ND                    | ND                    | 33.12                 | 37.50       | NA                     | 4.38                   | Post pumping measurement ~6.5 gallons removed  |
|              | 6/23/2022  | 8:45 AM  | ND                    | 8.46                  | 31.0                  | 38.18       | NA                     | 7.18                   | Pre-pumping measurement                        |
|              | 6/23/2022  | 9:30 AM  | ND                    | 8.46                  | 34.86                 | 38.18       | NA                     | 3.32                   | Post Pumping Measurement ~8 gallons removed    |
| NW-7         | 10/7/2020  | 10:55 AM | ND                    | 9.24                  | ND                    | 22.85       | NA                     | NA                     |                                                |
|              | 10/21/2020 | 8:55 AM  | ND                    | 9.02                  | ND                    | 23.05       | NA                     | NA                     |                                                |
|              | 11/4/2020  | 7:15 AM  | ND                    | 9.15                  | ND                    | 22.97       | NA                     | NA                     |                                                |
|              | 11/18/2020 | 10:25 AM | ND                    | 9.37                  | ND                    | 23.82       | NA                     | NA                     |                                                |
|              | 12/1/2020  | 9:25 AM  | ND                    | 8.89                  | ND                    | 22.98       | NA                     | NA                     |                                                |
|              | 12/16/2020 | 9:10 AM  | ND                    | 9.41                  | ND                    | 22.84       | NA                     | NA                     |                                                |
|              | 12/29/2020 | 9:25 AM  | ND                    | 9.14                  | ND                    | 22.97       | NA                     | NA                     |                                                |
|              | 1/13/2021  | 8:35 AM  | ND                    | 9.51                  | ND                    | 22.92       | NA                     | NA                     |                                                |
|              | 1/27/2021  | 9:00 AM  | ND                    | 9.67                  | ND                    | 22.94       | NA                     | NA                     |                                                |
|              | 2/8/2021   | 9:10 AM  | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Inaccessible due to snow coverage              |
|              | 2/24/2021  | 8:15 AM  | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Inaccessible due to snow coverage              |
|              | 3/10/2021  | 10:10 AM | ND                    | 9.40                  | ND                    | 22.95       | NA                     | NA                     |                                                |
|              | 3/24/2021  | 9:32 AM  | ND                    | 9.27                  | ND                    | 22.96       | NA                     | NA                     |                                                |
|              | 4/7/2021   | 9:20 AM  | ND                    | 9.00                  | ND                    | 22.90       | NA                     | NA                     |                                                |
|              | 4/21/2021  | 9:30 AM  | ND                    | 8.90                  | ND                    | 22.89       | NA                     | NA                     |                                                |
|              | 5/5/2021   | 9:40 AM  | ND                    | 8.90                  | ND                    | 22.86       | NA                     | NA                     |                                                |
|              | 5/17/2021  | 9:35 AM  | ND                    | 9.33                  | ND                    | 22.89       | NA                     | NA                     |                                                |
|              | 6/2/2021   | 9:14 AM  | ND                    | 8.76                  | ND                    | 22.85       | NA                     | NA                     |                                                |
|              | 6/16/2021  | 9:40 AM  | ND                    | 8.85                  | ND                    | 22.97       | NA                     | NA                     |                                                |
|              | 6/30/2021  | 9:02 AM  | ND                    | 9.29                  | ND                    | 22.93       | NA                     | NA                     |                                                |
|              | 7/14/2021  | 8:55 AM  | ND                    | 8.55                  | ND                    | 22.89       | NA                     | NA                     |                                                |
|              | 7/27/2021  | 8:30 AM  | ND                    | 8.39                  | ND                    | 22.92       | NA                     | NA                     |                                                |
|              | 8/11/2021  | 11:00 AM | ND                    | 9.02                  | ND                    | 22.90       | NA                     | NA                     |                                                |
|              | 8/23/2021  | 9:40 AM  | ND                    | 7.70                  | ND                    | 22.90       | NA                     | NA                     |                                                |
|              | 9/8/2021   | 8:30 AM  | ND                    | 8.37                  | ND                    | 22.93       | NA                     | NA                     |                                                |
|              | 9/21/2021  | 9:57 AM  | ND                    | 8.97                  | ND                    | 22.95       | NA                     | NA                     |                                                |
|              | 10/7/2021  | 9:50 AM  | ND                    | 8.82                  | ND                    | 22.93       | NA                     | NA                     |                                                |
|              | 10/20/2021 | 7:40 AM  | ND                    | 8.83                  | ND                    | 22.94       | NA                     | NA                     |                                                |
|              | 11/4/2021  | 10:15 AM | ND                    | 8.55                  | ND                    | 22.91       | NA                     | NA                     |                                                |
|              | 11/17/2021 | 7:40 AM  | ND                    | 8.95                  | ND                    | 22.91       | NA                     | NA                     |                                                |
|              | 12/1/2021  | 9:40 AM  | ND                    | 9.51                  | ND                    | 22.92       | NA                     | NA                     |                                                |
|              | 12/14/2021 | 8:15 AM  | ND                    | 9.75                  | ND                    | 22.90       | NA                     | NA                     |                                                |
|              | 12/28/2021 | 11:40 AM | ND                    | 9.63                  | ND                    | 22.91       | NA                     | NA                     |                                                |
|              | 2/7/2022   | 9:45 AM  | ND                    | 9.19                  | ND                    | 22.90       | NA                     | NA                     |                                                |
|              | 2/24/2022  | 9:00 AM  | ND                    | 9.66                  | ND                    | 22.88       | NA                     | NA                     |                                                |
|              | 3/17/2022  | 10:15 AM | ND                    | 9.47                  | ND                    | 23.00       | NA                     | NA                     |                                                |
|              | 3/28/2022  | 11:30 AM | ND                    | 9.17                  | ND                    | 22.50       | NA                     | NA                     |                                                |
|              | 4/13/2022  | 9:35 AM  | ND                    | 8.95                  | ND                    | 22.95       | NA                     | NA                     |                                                |
|              | 4/29/2022  | 12:25 AM | ND                    | 9.28                  | ND                    | 22.58       | NA                     | NA                     |                                                |
|              | 5/12/2022  | 11:35 AM | ND                    | 8.87                  | ND                    | 22.80       | NA                     | NA                     |                                                |
|              | 5/25/2022  | 10:30 AM | ND                    | 9.13                  | ND                    | 22.77       | NA                     | NA                     |                                                |
|              | 6/9/2022   | 11:45 AM | ND                    | 8.58                  | ND                    | 22.75       | NA                     | NA                     |                                                |
|              | 6/23/2022  | 10:40 AM | ND                    | 9.22                  | ND                    | 23.22       | NA                     | NA                     |                                                |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                                 |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|----------------------------------------------------------|
| NW-8    | 10/7/2020  | 1:40 PM  | ND                    | 9.93                  | 35.24                 | 36.24              | NA                     | 1.00                   | Pre-pumping measurement                                  |
|         | 10/7/2020  | 2:30 PM  | ND                    | 9.93                  | ND                    | 36.24              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 10/21/2020 | 2:30 PM  | ND                    | 9.70                  | 35.33                 | 36.23              | NA                     | 0.90                   | Pre-pumping measurement                                  |
|         | 10/21/2020 | 2:45 PM  | ND                    | 9.70                  | ND                    | 36.25              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 11/4/2020  | 9:15 AM  | ND                    | 10.75                 | Trace                 | 38.14              | NA                     | NA                     |                                                          |
|         | 11/18/2020 | 12:50 PM | ND                    | 10.18                 | 35.49                 | 37.54              | NA                     | 2.05                   | Pre-pumping measurement                                  |
|         | 11/18/2020 | 12:50 PM | ND                    | 10.18                 | ND                    | 37.54              | NA                     | NA                     | Post-pumping measurement ~2 gallons removed              |
|         | 12/1/2020  | 11:55 AM | ND                    | 8.88                  | 35.04                 | 36.32              | NA                     | 1.28                   | Pre-pumping measurement                                  |
|         | 12/1/2020  | 12:30 PM | ND                    | 8.88                  | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 12/16/2020 | 12:45 PM | ND                    | 9.97                  | 35.15                 | 36.30              | NA                     | 1.15                   | Pre-pumping measurement                                  |
|         | 12/16/2020 | 1:15 PM  | ND                    | 9.97                  | ND                    | 36.30              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 12/29/2020 | 12:00 PM | ND                    | 10.26                 | 35.35                 | 36.28              | NA                     | 0.93                   | Pre-pumping measurement                                  |
|         | 12/29/2020 | 12:15 PM | ND                    | 10.26                 | ND                    | 36.28              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 1/13/2021  | 12:15 PM | ND                    | 9.80                  | 35.50                 | 36.28              | NA                     | 0.78                   | Pre-pumping measurement                                  |
|         | 1/13/2021  | 12:35 PM | ND                    | 9.82                  | ND                    | 36.28              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 1/27/2021  | 12:30 PM | ND                    | 10.01                 | 35.40                 | 36.28              | NA                     | 0.88                   | Pre-pumping measurement                                  |
|         | 1/27/2021  | 12:40 PM | ND                    | 9.92                  | ND                    | 36.28              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 2/8/2021   | 12:30 PM | ND                    | 10.80                 | 35.55                 | 36.27              | NA                     | 0.72                   | Pre-pumping measurement                                  |
|         | 2/8/2021   | 12:50 PM | ND                    | 10.80                 | ND                    | 36.27              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 2/24/2021  | 11:35 AM | ND                    | 10.50                 | 35.50                 | 36.33              | NA                     | 0.83                   | Pre-pumping measurement                                  |
|         | 2/24/2021  | 12:25 PM | ND                    | 10.52                 | ND                    | 36.33              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 3/10/2021  | 12:30 PM | ND                    | 10.62                 | 35.50                 | 36.28              | NA                     | 0.78                   | Pre-pumping measurement                                  |
|         | 3/10/2021  | 1:00 PM  | ND                    | 10.65                 | ND                    | 36.33              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 3/24/2021  | 12:32 PM | ND                    | 10.42                 | 35.42                 | 36.34              | NA                     | 0.92                   | Pre-pumping measurement                                  |
|         | 3/24/2021  | 1:15 PM  | ND                    | 10.52                 | ND                    | 36.36              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 4/7/2021   | 12:30 PM | ND                    | 10.19                 | 35.56                 | 36.23              | NA                     | 0.67                   | Pre-pumping measurement                                  |
|         | 4/7/2021   | 1:15 PM  | ND                    | 10.25                 | ND                    | 36.23              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 4/21/2021  | 12:55 PM | ND                    | 10.30                 | 35.74                 | 36.24              | NA                     | 0.50                   | Pre-pumping measurement                                  |
|         | 4/21/2021  | 1:30 PM  | ND                    | 10.31                 | ND                    | 36.29              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 5/5/2021   | 1:20 PM  | ND                    | 10.18                 | 35.81                 | 36.28              | NA                     | 0.47                   | Pre-pumping measurement                                  |
|         | 5/5/2021   | 1:45 PM  | ND                    | 10.20                 | ND                    | 36.26              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 5/17/2021  | 1:00 PM  | ND                    | 10.52                 | 35.39                 | 36.28              | NA                     | 0.89                   | Pre-pumping measurement                                  |
|         | 5/17/2021  | 1:45 PM  | ND                    | 10.44                 | ND                    | 36.28              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 6/2/2021   | 12:10 PM | ND                    | 10.51                 | 35.39                 | 36.28              | NA                     | 0.89                   | Pre-pumping measurement                                  |
|         | 6/2/2021   | 12:40 PM | ND                    | 10.53                 | ND                    | 36.30              | NA                     | NA                     | Post-pumping measurement ~0.75 gallon removed            |
|         | 6/16/2021  | 1:10 PM  | ND                    | 10.24                 | 35.56                 | 36.28              | NA                     | 0.72                   | Pre-pumping measurement                                  |
|         | 6/16/2021  | 1:35 PM  | ND                    | 10.19                 | ND                    | 36.33              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 6/30/2021  | 12:30 PM | ND                    | 10.65                 | 32.49                 | 35.64              | NA                     | 3.15                   | Pre-pumping measurement                                  |
|         | 6/30/2021  | 12:55 PM | ND                    | 10.66                 | ND                    | 35.67              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 7/14/2021  | 12:45 PM | ND                    | 9.77                  | 35.70                 | 36.32              | NA                     | 0.62                   | Pre-pumping measurement                                  |
|         | 7/14/2021  | 1:15 PM  | ND                    | 9.80                  | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 7/27/2021  | 1:10 PM  | ND                    | 9.41                  | 35.70                 | 36.32              | NA                     | 0.62                   | Pre-pumping measurement                                  |
|         | 7/27/2021  | 1:40 PM  | ND                    | 9.47                  | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 8/11/2021  | 1:30 PM  | ND                    | 9.55                  | 35.25                 | 36.35              | NA                     | 1.10                   | Pre-pumping measurement                                  |
|         | 8/11/2021  | 2:00 PM  | ND                    | 9.60                  | ND                    | 36.35              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 8/23/2021  | 1:15 PM  | ND                    | 8.50                  | 35.75                 | 36.32              | NA                     | 0.57                   | Pre-pumping measurement                                  |
|         | 8/23/2021  | 1:45 PM  | ND                    | 8.53                  | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 9/8/2021   | 1:20 PM  | ND                    | 9.06                  | 35.40                 | 36.37              | NA                     | 0.97                   | Pre-pumping measurement                                  |
|         | 9/8/2021   | 1:55 PM  | ND                    | 9.09                  | ND                    | 36.37              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 9/21/2021  | 2:15 PM  | ND                    | 9.63                  | 35.40                 | 36.33              | NA                     | 0.93                   | Pre-pumping measurement                                  |
|         | 9/21/2021  | 2:50 PM  | ND                    | 9.65                  | ND                    | 36.33              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 10/7/2021  | 1:45 PM  | ND                    | 9.32                  | 35.27                 | 36.37              | NA                     | 1.10                   | Pre-pumping measurement                                  |
|         | 10/7/2021  | 2:05 PM  | ND                    | 9.43                  | ND                    | 36.34              | NA                     | NA                     | Post-pumping measurement ~1.25 gallon removed            |
|         | 10/20/2021 | 1:30 PM  | ND                    | 9.92                  | 35.50                 | 36.27              | NA                     | 0.77                   | Pre-pumping measurement                                  |
|         | 10/20/2021 | 2:10 PM  | ND                    | 9.95                  | ND                    | 36.27              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 11/4/2021  | 5:00 PM  | ND                    | 10.18                 | 34.80                 | 36.37              | NA                     | 1.57                   | Pre-pumping measurement                                  |
|         | 11/4/2021  | 5:25 PM  | ND                    | 10.20                 | ND                    | 36.37              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 11/17/2021 | 2:00 PM  | ND                    | 10.28                 | 35.80                 | 36.27              | NA                     | 0.47                   |                                                          |
|         | 12/1/2021  | 1:30 PM  | ND                    | 10.34                 | 34.78                 | 36.32              | NA                     | 1.54                   | Pre-pumping measurement                                  |
|         | 12/1/2021  | 1:50 PM  | ND                    | 10.36                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~1.5 gallon removed             |
|         | 12/14/2021 | 2:15 PM  | ND                    | 11.36                 | 35.60                 | 36.33              | NA                     | 0.73                   | Pre-pumping measurement                                  |
|         | 12/14/2021 | 2:45 PM  | ND                    | 11.39                 | ND                    | 36.33              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 12/28/2021 | 1:00 PM  | ND                    | 10.34                 | 35.41                 | 36.32              | NA                     | 0.91                   | Pre-pumping measurement                                  |
|         | 12/28/2021 | 1:20 PM  | ND                    | 10.96                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~1.5 gallon removed             |
|         | 1/13/2022  | 11:05 AM | ND                    | 10.86                 | 35.29                 | 36.32              | NA                     | 1.03                   | Pre-pumping measurement                                  |
|         | 1/13/2022  | 2:00 PM  | ND                    | 10.96                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~1.5 gallon removed             |
|         | 1/27/2022  | 2:00 PM  | ND                    | 10.79                 | 35.79                 | 36.32              | NA                     | 0.53                   | Pre-pumping measurement                                  |
|         | 1/27/2022  | 2:30 PM  | ND                    | 10.88                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~1 gallon removed               |
|         | 2/7/2022   | 1:00 PM  | ND                    | 10.42                 | 35.82                 | 36.32              | NA                     | 0.50                   | Pre-pumping measurement                                  |
|         | 2/7/2022   | 1:30 PM  | ND                    | 10.87                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 2/24/2022  | 2:00 PM  | ND                    | 10.74                 | 36.05                 | 36.31              | NA                     | 0.26                   | Pre-pumping measurement                                  |
|         | 2/24/2022  | 2:30 PM  | ND                    | 10.87                 | ND                    | 36.32              | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed             |
|         | 3/18/2022  | 9:20 AM  | ND                    | 10.30                 | 34.4                  | 26.20              | NA                     |                        | Pre-pumping measurement                                  |
|         | 3/18/2022  | 1:00 PM  | ND                    | ND                    | 36.08                 | 26.20              | NA                     | 0.12                   | Post-pumping measurement ~2 gallon removed               |
|         | 3/28/2022  | 12:48 PM | ND                    | 10.80                 | 35.65                 | 26.30              | NA                     | 0.65                   | Pre-Pumping Measurement- Pumping not conducted 3/28/2022 |
|         | 4/1/2022   | 8:35 AM  | ND                    | 10.38                 | 35.57                 | 26.26              | NA                     | 0.69                   | Pre-pumping measurement                                  |
|         | 4/1/2022   | 10:40 AM | ND                    | 10.38                 | 36.21                 | 26.26              | NA                     | 0.05                   | Post-pumping measurement ~2 gallons removed              |
|         | 4/13/2022  | 10:35 AM | ND                    | 10.25                 | 35.6                  | 26.20              | NA                     | 0.6                    | Pre-pumping measurement                                  |
|         | 4/13/2022  | 11:45 AM | ND                    | ND                    | 36.17                 | 36.2               | NA                     | 0.03                   | Post-pumping measurement ~6 gallons removed              |
|         | 4/29/2022  | 9:15 AM  | ND                    | 10.52                 | 35.22                 | 36.18              | NA                     | 0.96                   | Pre-pumping measurement                                  |
|         | 4/29/2022  | 9:50 AM  | ND                    | ND                    | 36.03                 | 36.18              | NA                     | 0.15                   | Pre-pumping measurement ~7 gallons removed               |
|         | 5/12/2022  | 12:25 AM | ND                    | 10.15                 | 35.75                 | 36.30              | NA                     | 0.55                   | Pre-pumping measurement                                  |
|         | 5/13/2022  | 11:50 AM | ND                    | ND                    | 35.97                 | 36.29              | NA                     | 0.32                   | Post-pumping measurement ~3.6 gallons removed            |
|         | 5/25/2022  | 11:45 AM | ND                    | 10.25                 | 35.41                 | 36.22              | NA                     | 0.81                   | Pre-pumping measurement                                  |
|         | 5/25/2022  | 12:30 PM | ND                    | ND                    | 36.11                 | 36.23              | NA                     | 0.12                   | Pre-pumping measurement ~5.6 gallons removed             |
|         | 6/9/2022   | 12:50 PM | ND                    | 10.04                 | 35.49                 | 36.24              | NA                     | 0.75                   | Pre-pumping measurement                                  |
|         | 6/9/2022   | 1:50 PM  | ND                    | ND                    | 36.21                 | 36.25              | NA                     | 0.04                   | Post-pumping measurement ~2.2 gallons removed            |
|         | 6/23/2022  | 11:49 AM | ND                    | 10.34                 | 35.45                 | 36.25              | NA                     | 0.8                    |                                                          |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                       |
|---------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|------------------------------------------------|
| NW-9    | 10/7/2020  | NA       | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Parked vehicle obstructing access to well      |
|         | 10/14/2020 | NA       | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Parked vehicle obstructing access to well      |
|         | 10/21/2020 | 9:30 AM  | ND                    | 10.83                 | 32.96                 | 33.56       | NA                     | 0.60                   | Pre-pumping measurement                        |
|         | 10/21/2020 | 4:15 PM  | ND                    | 10.83                 | ND                    | 33.56       | NA                     | NA                     | Post-pumping measurement ~0.5 gallon removed   |
|         | 11/4/2020  | 8:15 AM  | ND                    | 11.27                 | Trace                 | 33.60       | NA                     | NA                     |                                                |
|         | 11/18/2020 | 10:50 AM | ND                    | 10.89                 | ND                    | 34.56       | NA                     | NA                     |                                                |
|         | 12/1/2020  | 10:10 AM | ND                    | 9.26                  | ND                    | 33.57       | NA                     | NA                     |                                                |
|         | 12/16/2020 | 9:55 AM  | ND                    | 10.66                 | ND                    | 33.47       | NA                     | NA                     |                                                |
|         | 12/29/2020 | 10:40 AM | ND                    | 10.39                 | ND                    | 33.63       | NA                     | NA                     |                                                |
|         | 1/13/2021  | 9:40 AM  | ND                    | 10.25                 | ND                    | 33.53       | NA                     | NA                     |                                                |
|         | 1/27/2021  | 9:50 AM  | ND                    | 10.09                 | 33.30                 | 33.58       | NA                     | 0.28                   | Pre-pumping measurement                        |
|         | 1/27/2021  | 11:50 AM | ND                    | 10.22                 | ND                    | 33.58       | NA                     | NA                     | Post-pumping measurement ~1 gallon removed     |
|         | 2/8/2021   | 12:20 PM | NA                    | NA                    | NA                    | NA          | NA                     | NA                     | Parked vehicle obstructing access to well      |
|         | 2/24/2021  | 9:40 AM  | ND                    | 10.49                 | ND                    | 33.72       | NA                     | NA                     |                                                |
|         | 3/10/2021  | 10:50 AM | ND                    | 10.78                 | Trace                 | 33.70       | NA                     | NA                     |                                                |
|         | 3/24/2021  | 9:05 AM  | ND                    | 10.45                 | Trace                 | 33.61       | NA                     | NA                     |                                                |
|         | 4/7/2021   | 9:25 AM  | ND                    | 10.01                 | Trace                 | 33.51       | NA                     | NA                     |                                                |
|         | 4/21/2021  | 9:35 AM  | ND                    | 10.30                 | ND                    | 33.52       | NA                     | NA                     |                                                |
|         | 5/5/2021   | 10:10 AM | ND                    | 9.92                  | ND                    | 33.52       | NA                     | NA                     |                                                |
|         | 5/17/2021  | 9:50 AM  | ND                    | 10.95                 | ND                    | 33.49       | NA                     | NA                     |                                                |
|         | 6/2/2021   | 11:10 AM | ND                    | 10.72                 | ND                    | 33.51       | NA                     | NA                     |                                                |
|         | 6/16/2021  | 10:30 AM | ND                    | 10.58                 | ND                    | 33.42       | NA                     | NA                     |                                                |
|         | 6/30/2021  | 9:45 AM  | ND                    | 10.95                 | ND                    | 33.52       | NA                     | NA                     |                                                |
|         | 7/14/2021  | 9:40 AM  | ND                    | 10.44                 | ND                    | 33.53       | NA                     | NA                     |                                                |
|         | 7/27/2021  | 9:30 AM  | ND                    | 10.36                 | ND                    | 33.53       | NA                     | NA                     |                                                |
|         | 8/11/2021  | 11:30 AM | ND                    | 10.16                 | ND                    | 33.53       | NA                     | NA                     |                                                |
|         | 8/23/2021  | 10:35 AM | ND                    | 8.97                  | ND                    | 33.48       | NA                     | NA                     |                                                |
|         | 9/8/2021   | 9:30 AM  | ND                    | 10.03                 | ND                    | 33.48       | NA                     | NA                     |                                                |
|         | 9/21/2021  | 11:05 AM | ND                    | 9.69                  | ND                    | 33.50       | NA                     | NA                     |                                                |
|         | 10/7/2021  | 10:35 AM | ND                    | 9.66                  | ND                    | 33.48       | NA                     | NA                     |                                                |
|         | 10/20/2021 | 10:40 AM | ND                    | 10.89                 | ND                    | 33.46       | NA                     | NA                     |                                                |
|         | 11/4/2021  | 12:50 PM | ND                    | 10.32                 | ND                    | 32.55       | NA                     | NA                     |                                                |
|         | 11/17/2021 | 9:00 AM  | ND                    | 10.27                 | ND                    | 33.48       | NA                     | NA                     |                                                |
|         | 12/1/2021  | 10:35 AM | ND                    | 10.74                 | ND                    | 33.51       | NA                     | NA                     |                                                |
|         | 12/14/2021 | 9:15 AM  | ND                    | 11.18                 | ND                    | 33.48       | NA                     | NA                     |                                                |
|         | 12/28/2021 | 11:50 AM | ND                    | 10.39                 | ND                    | 33.45       | NA                     | NA                     |                                                |
|         | 1/13/2022  | 9:45 AM  | ND                    | 11.14                 | ND                    | 33.97       | NA                     | NA                     |                                                |
|         | 1/27/2022  | 10:22 AM | ND                    | 11.11                 | ND                    | 33.49       | NA                     | NA                     |                                                |
|         | 2/7/2022   | 10:00 AM | ND                    | 11.01                 | ND                    | 33.49       | NA                     | NA                     |                                                |
|         | 2/24/2022  | 10:15 AM | ND                    | 11.01                 | ND                    | 33.49       | NA                     | NA                     |                                                |
|         | 3/18/2022  | 9:40 AM  | ND                    | 10.50                 | 33.08                 | 33.50       | NA                     | 0.42                   |                                                |
|         | 3/28/2022  | 12:25 PM | ND                    | 10.65                 | 33.05                 | 33.40       | NA                     | 0.35                   |                                                |
|         | 4/13/2022  | 10:35 AM | ND                    | 10.20                 | 32.88                 | 33.28       | NA                     | 0.4                    |                                                |
|         | 4/29/2022  | 9:00 AM  | ND                    | 10.65                 | 33.08                 | 33.50       | NA                     | 0.42                   |                                                |
|         | 5/12/2022  | 12:15 PM | ND                    | 10.19                 | 33.06                 | 33.51       | NA                     | 0.45                   |                                                |
|         | 5/25/2022  | 11:30 AM | ND                    | 10.35                 | 33.11                 | 33.55       | NA                     | 0.44                   |                                                |
|         | 6/9/2022   | 12:50 PM | ND                    | 10.24                 | 33.11                 | 33.56       | NA                     | 0.45                   |                                                |
|         | 6/23/2022  | 11:46 AM | ND                    | 10.52                 | ND                    | 34.06       | NA                     | NA                     |                                                |
| NW-10   | 10/7/2020  | 2:05 PM  | ND                    | 10.15                 | 27.23                 | 33.58       | NA                     | 6.35                   | Pre-pumping measurement                        |
|         | 10/7/2020  | 3:00 PM  | ND                    | 10.15                 | ND                    | 33.58       | NA                     | NA                     | Post-pumping measurement ~4.5 gallons removed  |
|         | 10/21/2020 | 2:50 PM  | ND                    | 9.92                  | 28.38                 | 33.57       | NA                     | 5.19                   | Pre-pumping measurement                        |
|         | 10/21/2020 | 3:45 PM  | ND                    | 9.92                  | ND                    | 33.57       | NA                     | NA                     | Post-pumping measurement ~4.75 gallons removed |
|         | 11/4/2020  | 9:45 AM  | ND                    | 11.08                 | 28.00                 | 33.74       | NA                     | 5.74                   | Pre-pumping measurement                        |
|         | 11/4/2020  | 10:00 AM | ND                    | 11.08                 | ND                    | 33.74       | NA                     | NA                     | Post-pumping measurement ~4.25 gallons removed |
|         | 11/18/2020 | 1:25 PM  | ND                    | 10.49                 | 27.14                 | 33.75       | NA                     | 6.61                   | Pre-pumping measurement                        |
|         | 11/18/2020 | 2:15 PM  | ND                    | 10.49                 | ND                    | 33.75       | NA                     | NA                     | Post-pumping measurement ~4.5 gallons removed  |
|         | 12/1/2020  | 12:35 PM | ND                    | 9.19                  | 28.83                 | 33.66       | NA                     | 4.83                   | Pre-pumping measurement                        |
|         | 12/1/2020  | 1:20 PM  | ND                    | 9.19                  | ND                    | 33.66       | NA                     | NA                     | Post-pumping measurement ~3.5 gallons removed  |
|         | 12/16/2020 | 11:30 AM | ND                    | 10.51                 | 27.80                 | 33.65       | NA                     | 5.85                   | Pre-pumping measurement                        |
|         | 12/16/2020 | 12:00 PM | ND                    | 10.51                 | ND                    | 33.65       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|         | 12/29/2020 | 12:30 PM | ND                    | 10.52                 | 30.90                 | 33.73       | NA                     | 2.83                   | Pre-pumping measurement                        |
|         | 12/29/2020 | 1:00 PM  | ND                    | 10.52                 | ND                    | 33.73       | NA                     | NA                     | Post-pumping measurement ~3.5 gallons removed  |
|         | 1/13/2021  | 11:20 AM | ND                    | 10.11                 | 28.28                 | 33.73       | NA                     | 5.45                   | Pre-pumping measurement                        |
|         | 1/13/2021  | 12:10 PM | ND                    | 10.15                 | ND                    | 33.73       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|         | 1/27/2021  | 1:10 PM  | ND                    | 10.30                 | 28.00                 | 33.64       | NA                     | 5.64                   | Pre-pumping measurement                        |
|         | 1/27/2021  | 1:25 PM  | ND                    | 10.44                 | ND                    | 33.64       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|         | 2/8/2021   | 1:00 PM  | ND                    | 10.97                 | 29.85                 | 33.65       | NA                     | 3.80                   | Pre-pumping measurement                        |
|         | 2/8/2021   | 1:30 PM  | ND                    | 11.00                 | ND                    | 33.65       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 2/24/2021  | 10:40 AM | ND                    | 10.56                 | 29.68                 | 33.64       | NA                     | 3.96                   | Pre-pumping measurement                        |
|         | 2/24/2021  | 11:30 AM | ND                    | 10.58                 | ND                    | 33.64       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 3/10/2021  | 1:30 PM  | ND                    | 10.90                 | 29.48                 | 33.73       | NA                     | 4.25                   | Pre-pumping measurement                        |
|         | 3/10/2021  | 2:00 PM  | ND                    | 10.94                 | ND                    | 33.73       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 3/24/2021  | 11:30 AM | ND                    | 10.56                 | 31.11                 | 33.54       | NA                     | 2.43                   | Pre-pumping measurement                        |
|         | 3/24/2021  | 12:15 PM | ND                    | 10.68                 | ND                    | 33.68       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|         | 4/7/2021   | 11:45 AM | ND                    | 10.24                 | 29.29                 | 33.70       | NA                     | 4.41                   | Pre-pumping measurement                        |
|         | 4/7/2021   | 12:15 PM | ND                    | 10.30                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|         | 4/21/2021  | 12:15 PM | ND                    | 10.49                 | 30.29                 | 33.59       | NA                     | 3.30                   | Pre-pumping measurement                        |
|         | 4/21/2021  | 12:45 PM | ND                    | 10.48                 | ND                    | 33.61       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 5/5/2021   | 12:30 PM | ND                    | 10.37                 | 30.42                 | 33.59       | NA                     | 3.17                   | Pre-pumping measurement                        |
|         | 5/5/2021   | 12:55 PM | ND                    | 9.69                  | ND                    | 33.60       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 5/17/2021  | 11:58 AM | ND                    | 10.95                 | 30.01                 | 33.59       | NA                     | 3.58                   | Pre-pumping measurement                        |
|         | 5/17/2021  | 12:45 PM | ND                    | 10.86                 | ND                    | 33.59       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|         | 6/2/2021   | 11:30 AM | ND                    | 10.76                 | 29.17                 | 33.59       | NA                     | 4.42                   | Pre-pumping measurement                        |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID          | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                       |
|------------------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|------------------------------------------------|
| NW-10<br>(con't) | 6/2/2021   | 12:00 PM | ND                    | 10.81                 | ND                    | 33.59       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|                  | 6/16/2021  | 11:55 AM | ND                    | 10.63                 | 29.81                 | 33.67       | NA                     | 3.86                   | Pre-pumping measurement                        |
|                  | 6/16/2021  | 12:55 PM | ND                    | 10.59                 | ND                    | 33.67       | NA                     | NA                     | Post-pumping measurement ~3.5 gallons removed  |
|                  | 6/30/2021  | 11:50 AM | ND                    | 10.98                 | 32.45                 | 33.64       | NA                     | 1.19                   | Pre-pumping measurement                        |
|                  | 6/30/2021  | 12:15 PM | ND                    | 11.01                 | ND                    | 33.65       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|                  | 7/14/2021  | 12:00 PM | ND                    | 10.19                 | 30.05                 | 33.69       | NA                     | 3.64                   | Pre-pumping measurement                        |
|                  | 7/14/2021  | 12:30 PM | ND                    | 10.22                 | ND                    | 33.69       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|                  | 7/27/2021  | 12:20 PM | ND                    | 9.90                  | 29.40                 | 33.79       | NA                     | 4.39                   | Pre-pumping measurement                        |
|                  | 7/27/2021  | 12:50 PM | ND                    | 10.20                 | ND                    | 33.79       | NA                     | NA                     | Post-pumping measurement ~3.5 gallons removed  |
|                  | 8/11/2021  | 2:30 PM  | ND                    | 9.96                  | 29.80                 | 33.73       | NA                     | 3.93                   | Pre-pumping measurement                        |
|                  | 8/11/2021  | 2:45 PM  | ND                    | 9.97                  | ND                    | 33.73       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|                  | 8/23/2021  | 2:15 PM  | ND                    | 8.80                  | 31.05                 | 33.70       | NA                     | 2.65                   | Pre-pumping measurement                        |
|                  | 8/23/2021  | 2:45 PM  | ND                    | 8.87                  | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 9/8/2021   | 12:15 PM | ND                    | 9.51                  | 28.50                 | 33.66       | NA                     | 5.16                   | Pre-pumping measurement                        |
|                  | 9/8/2021   | 12:55 PM | ND                    | 9.53                  | ND                    | 33.66       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed    |
|                  | 9/21/2021  | 1:10 PM  | ND                    | 9.64                  | 30.30                 | 33.62       | NA                     | 3.32                   | Pre-pumping measurement                        |
|                  | 9/21/2021  | 1:40 PM  | ND                    | 9.66                  | ND                    | 33.62       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed    |
|                  | 10/7/2021  | 1:00 PM  | ND                    | 9.45                  | 30.45                 | 33.64       | NA                     | 3.19                   | Pre-pumping measurement                        |
|                  | 10/7/2021  | 1:30 PM  | ND                    | 9.45                  | ND                    | 33.65       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 10/20/2021 | 12:30 PM | ND                    | 10.00                 | 30.10                 | 33.63       | NA                     | 3.53                   | Pre-pumping measurement                        |
|                  | 10/20/2021 | 1:10 PM  | ND                    | 10.03                 | ND                    | 33.63       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 11/4/2021  | 4:10 PM  | ND                    | 10.29                 | 30.45                 | 33.70       | NA                     | 3.25                   | Pre-pumping measurement                        |
|                  | 11/4/2021  | 4:45 PM  | ND                    | 9.45                  | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 11/17/2021 | 1:00 PM  | ND                    | 10.40                 | 30.30                 | 33.65       | NA                     | 3.35                   | Pre-pumping measurement                        |
|                  | 11/17/2021 | 1:45 PM  | ND                    | 10.41                 | ND                    | 33.65       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 12/1/2021  | 1:00 PM  | ND                    | 11.02                 | 29.81                 | 33.63       | NA                     | 3.82                   | Pre-pumping measurement                        |
|                  | 12/1/2021  | 1:20 PM  | ND                    | 11.06                 | ND                    | 33.63       | NA                     | NA                     | Post-pumping measurement ~2.75 gallons removed |
|                  | 12/14/2021 | 1:30 PM  | ND                    | 11.61                 | 31.20                 | 33.70       | NA                     | 2.50                   | Pre-pumping measurement                        |
|                  | 12/14/2021 | 2:00 PM  | ND                    | 11.62                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 12/28/2021 | 12:30 PM | ND                    | 10.49                 | 32.08                 | 33.70       | NA                     | 1.62                   | Pre-pumping measurement                        |
|                  | 12/28/2021 | 12:50 PM | ND                    | 10.82                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~2 gallons removed    |
|                  | 1/13/2022  | 11:15 AM | ND                    | 10.91                 | 31.65                 | 33.70       | NA                     | 2.05                   | Pre-pumping measurement                        |
|                  | 1/13/2022  | 1:20 PM  | ND                    | 10.82                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~2.5 gallons removed  |
|                  | 1/27/2022  | 1:00 PM  | ND                    | 10.83                 | 32.51                 | 33.70       | NA                     | 1.19                   | Pre-pumping measurement                        |
|                  | 1/27/2022  | 1:30 PM  | ND                    | 10.62                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~1.5 gallons removed  |
|                  | 2/7/2022   | 12:30 PM | ND                    | 10.62                 | 32.42                 | 33.70       | NA                     | 1.28                   | Pre-pumping measurement                        |
|                  | 2/7/2022   | 1:00 PM  | ND                    | 10.65                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~1 gallon removed     |
|                  | 2/24/2022  | 1:30 PM  | ND                    | 10.77                 | 32.91                 | 33.70       | NA                     | 0.79                   | Pre-pumping measurement                        |
|                  | 2/24/2022  | 2:00 PM  | ND                    | 10.65                 | ND                    | 33.70       | NA                     | NA                     | Post-pumping measurement ~1.5 gallon removed   |
|                  | 3/18/2022  | 10:00 AM | ND                    | 10.66                 | 30.06                 | 33.66       | NA                     | 3.6                    | Pre-pumping measurement                        |
|                  | 3/18/2022  | 1:20 PM  | ND                    | ND                    | 33.53                 | 33.66       | NA                     | 0.13                   | Post-pumping measurement ~4 gallons removed    |
|                  | 3/28/2022  | 12:15 PM | ND                    | 10.05                 | 32.05                 | 33.55       | NA                     | 1.5                    | Pre-pumping measurement                        |
|                  | 3/28/2022  | 2:45 PM  | ND                    | ND                    | 33.05                 | 33.55       | NA                     | 0.5                    | Post-pumping measurement ~8 gallons removed    |
|                  | 4/13/2022  | 10:15 AM | ND                    | 10.32                 | 31.05                 | 33.50       | NA                     | 2.45                   | Pre-pumping measurement                        |
|                  | 4/14/2022  | 10:30 AM | ND                    | ND                    | ND                    | 33.5        | NA                     | NA                     | Post-pumping measurement ~7 gallons removed    |
|                  | 4/29/2022  | 8:15 AM  | ND                    | 10.83                 | 31.97                 | 33.57       | NA                     | 1.6                    | Pre-pumping measurement                        |
|                  | 4/29/2022  | 9:00 PM  | ND                    | ND                    | 33.43                 | 33.57       | NA                     | 0.14                   | Post-pumping measurement ~4 gallons removed    |
|                  | 5/12/2022  | 12:15 PM | ND                    | 10.15                 | 32.51                 | 33.61       | NA                     | 1.1                    | Pre-pumping measurement                        |
|                  | 5/13/2022  | 10:30 AM | ND                    | ND                    | 33.54                 | 33.61       | NA                     | 0.07                   | Post-pumping measurement ~5.2 gallons removed  |
|                  | 5/25/2022  | 11:25 AM | ND                    | 10.37                 | 31.77                 | 33.57       | NA                     | 1.8                    | Pre-pumping measurement                        |
|                  | 5/25/2022  | 11:50 AM | ND                    | ND                    | 33.55                 | 33.57       | NA                     | 0.02                   | Post-pumping measurement ~4.75 gallons removed |
|                  | 6/9/2022   | 12:35 PM | ND                    | 10.18                 | 31.81                 | 33.58       | NA                     | 1.77                   | Pre-pumping measurement                        |
|                  | 6/9/2022   | 1:30 PM  | ND                    | ND                    | 33.57                 | 33.6        | NA                     | 0.03                   | Post-pumping measurement ~2.6 gallons removed  |
|                  | 6/23/2022  | 11:08 AM | ND                    | 10.49                 | 33.51                 | 34.56       | NA                     | 1.05                   | Pre-pumping measurement                        |
|                  | 6/23/2022  | 11:30 AM | ND                    | ND                    | 34.38                 | 34.56       | NA                     | 0.18                   | Post-pumping measurement ~2.19 gallons removed |
| NW-10S           | 10/7/2020  | 10:45 AM | ND                    | 10.50                 | ND                    | 18.00       | NA                     | NA                     |                                                |
|                  | 10/21/2020 | 9:25 AM  | ND                    | 10.49                 | ND                    | 18.02       | NA                     | NA                     |                                                |
|                  | 11/4/2020  | 7:25 AM  | ND                    | 10.33                 | ND                    | 18.04       | NA                     | NA                     |                                                |
|                  | 11/18/2020 | 10:35 AM | ND                    | 10.51                 | ND                    | 18.04       | NA                     | NA                     |                                                |
|                  | 12/1/2020  | 9:40 AM  | ND                    | 9.82                  | ND                    | 18.01       | NA                     | NA                     |                                                |
|                  | 12/16/2020 | 9:00 AM  | ND                    | 10.82                 | ND                    | 17.92       | NA                     | NA                     |                                                |
|                  | 12/29/2020 | 9:00 AM  | ND                    | 10.57                 | ND                    | 18.02       | NA                     | NA                     |                                                |
|                  | 1/13/2021  | 8:30 AM  | ND                    | 10.62                 | ND                    | 18.06       | NA                     | NA                     |                                                |
|                  | 1/27/2021  | 8:50 AM  | ND                    | 10.57                 | ND                    | 18.03       | NA                     | NA                     |                                                |
|                  | 2/8/2021   | 10:00 AM | ND                    | 10.50                 | ND                    | 17.98       | NA                     | NA                     |                                                |
|                  | 2/24/2021  | 9:20 AM  | ND                    | 9.55                  | ND                    | 18.07       | NA                     | NA                     |                                                |
|                  | 3/10/2021  | 10:00 AM | ND                    | 10.89                 | ND                    | 18.06       | NA                     | NA                     |                                                |
|                  | 3/24/2021  | 9:02 AM  | ND                    | 10.67                 | ND                    | 17.93       | NA                     | NA                     |                                                |
|                  | 4/7/2021   | 9:30 AM  | ND                    | 10.27                 | ND                    | 18.01       | NA                     | NA                     |                                                |
|                  | 4/21/2021  | 9:36 AM  | ND                    | 10.23                 | ND                    | 18.00       | NA                     | NA                     |                                                |
|                  | 5/5/2021   | 9:35 AM  | ND                    | 10.01                 | ND                    | 17.97       | NA                     | NA                     |                                                |
|                  | 5/17/2021  | 9:45 AM  | ND                    | 10.72                 | ND                    | 17.94       | NA                     | NA                     |                                                |
|                  | 6/2/2021   | 11:20 AM | ND                    | 10.46                 | ND                    | 17.96       | NA                     | NA                     |                                                |
|                  | 6/16/2021  | 9:45 AM  | ND                    | 10.41                 | ND                    | 18.04       | NA                     | NA                     |                                                |
|                  | 6/30/2021  | 9:10 AM  | ND                    | 10.63                 | ND                    | 18.02       | NA                     | NA                     |                                                |
|                  | 7/14/2021  | 8:50 AM  | ND                    | 10.03                 | ND                    | 17.98       | NA                     | NA                     |                                                |
|                  | 7/27/2021  | 8:23 AM  | ND                    | 9.94                  | ND                    | 18.07       | NA                     | NA                     |                                                |
|                  | 8/11/2021  | 11:20 AM | ND                    | 10.23                 | ND                    | 17.98       | NA                     | NA                     |                                                |
|                  | 8/23/2021  | 10:10 AM | ND                    | 9.20                  | ND                    | 18.07       | NA                     | NA                     |                                                |
|                  | 9/8/2021   | 8:55 AM  | ND                    | 10.89                 | ND                    | 18.04       | NA                     | NA                     |                                                |
|                  | 9/21/2021  | 10:30 AM | ND                    | 10.10                 | ND                    | 18.03       | NA                     | NA                     |                                                |
|                  | 10/7/2021  | 9:41 AM  | ND                    | 10.06                 | ND                    | 17.94       | NA                     | NA                     |                                                |
|                  | 10/20/2021 | 7:45 AM  | ND                    | 10.40                 | ND                    | 18.00       | NA                     | NA                     |                                                |
|                  | 11/4/2021  | 12:30 PM | ND                    | 9.92                  | ND                    | 18.00       | NA                     | NA                     |                                                |
|                  | 11/17/2021 | 8:00 AM  | ND                    | 10.39                 | ND                    | 18.02       | NA                     | NA                     |                                                |
|                  | 12/1/2021  | 9:20 AM  | ND                    | 10.64                 | ND                    | 17.99       | NA                     | NA                     |                                                |
|                  | 12/14/2021 | 8:05 AM  | ND                    | 11.10                 | ND                    | 18.01       | NA                     | NA                     |                                                |
|                  | 12/28/2021 | 12:05 PM | ND                    | 10.39                 | ND                    | 18.01       | NA                     | NA                     |                                                |

**Attachment B. Historic Well Gauging Measurements**  
**Polychrome West Site**  
Yonkers, New York

| Well ID        | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                                      |
|----------------|------------|----------|-----------------------|-----------------------|-----------------------|-------------|------------------------|------------------------|-----------------------------------------------|
| NW-105 (con't) | 1/13/2022  | 9:05 AM  | ND                    | 11.01                 | ND                    | 18.01       | NA                     | NA                     |                                               |
|                | 1/27/2022  | 9:10 AM  | ND                    | 11.00                 | ND                    | 18.01       | NA                     | NA                     |                                               |
|                | 2/7/2022   | 10:15 AM | ND                    | 10.89                 | ND                    | 18.00       | NA                     | NA                     |                                               |
|                | 2/24/2022  | 10:30 AM | ND                    | 10.96                 | ND                    | 18.00       | NA                     | NA                     |                                               |
|                | 3/18/2022  | 9:45 AM  | ND                    | 10.65                 | ND                    | 17.90       | NA                     | NA                     |                                               |
|                | 3/28/2022  | 12:20 PM | ND                    | 10.50                 | ND                    | 17.90       | NA                     | NA                     |                                               |
|                | 4/13/2022  | 10:20 AM | ND                    | 10.28                 | ND                    | 17.46       | NA                     | NA                     |                                               |
|                | 4/29/2022  | 8:43 AM  | ND                    | 10.61                 | ND                    | 18.00       | NA                     | NA                     |                                               |
|                | 5/12/2022  | 12:10 PM | ND                    | 10.04                 | ND                    | 18.00       | NA                     | NA                     |                                               |
|                | 5/25/2022  | 11:30 AM | ND                    | 10.24                 | ND                    | 17.91       | NA                     | NA                     |                                               |
|                | 6/9/2022   | 12:45 PM | ND                    | 10.02                 | ND                    | 18.00       | NA                     | NA                     |                                               |
|                | 6/23/2022  | 11:06 AM | ND                    | 10.22                 | ND                    | 18.36       | NA                     | NA                     |                                               |
|                | 10/7/2020  | 11:55 AM | ND                    | 4.13                  | 21.71                 | 22.80       | NA                     | 1.09                   | Pre-pumping measurement                       |
|                | 10/14/2020 | 8:30 AM  | ND                    | 5.70                  | ND                    | 22.90       | NA                     | ND                     | Post-pumping measurement ~3 gallons removed   |
| NW-11          | 10/21/2020 | 10:25 AM | ND                    | 4.12                  | ND                    | 22.87       | NA                     | NA                     |                                               |
|                | 11/4/2020  | 8:25 AM  | ND                    | 4.08                  | ND                    | 22.73       | NA                     | NA                     |                                               |
|                | 11/18/2020 | 11:15 AM | ND                    | 4.11                  | Trace                 | 23.36       | NA                     | NA                     |                                               |
|                | 12/1/2020  | 10:00 AM | ND                    | 3.95                  | Trace                 | 22.81       | NA                     | NA                     |                                               |
|                | 12/16/2020 | 10:15 AM | ND                    | 4.09                  | Trace                 | 22.85       | NA                     | NA                     |                                               |
|                | 12/29/2020 | 10:50 AM | ND                    | 4.01                  | ND                    | 22.79       | NA                     | NA                     |                                               |
|                | 1/13/2021  | 10:10 AM | ND                    | 4.13                  | 21.55                 | 22.79       | NA                     | 1.24                   |                                               |
|                | 1/14/2021  | 8:10 AM  | ND                    | 4.13                  | 21.44                 | 22.71       | NA                     | 1.27                   | Pre-pumping measurement                       |
|                | 1/14/2021  | 8:20 AM  | ND                    | 4.46                  | ND                    | 22.71       | NA                     | NA                     | Post-pumping measurement ~5 gallons removed   |
|                | 1/27/2021  | 10:50 AM | ND                    | 4.24                  | 22.70                 | 23.00       | NA                     | 0.30                   |                                               |
|                | 1/28/2021  | 8:45 AM  | ND                    | 4.36                  | 22.70                 | 23.00       | NA                     | 0.30                   | Pre-pumping measurement                       |
|                | 1/28/2021  | 8:55 AM  | ND                    | 4.38                  | ND                    | 23.00       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed   |
|                | 2/8/2021   | 10:55 AM | ND                    | 4.20                  | ND                    | 22.80       | NA                     | NA                     |                                               |
|                | 2/24/2021  | 9:50 AM  | ND                    | 4.09                  | 22.48                 | 22.98       | NA                     | 0.50                   |                                               |
|                | 2/25/2021  | 8:20 AM  | ND                    | 4.11                  | 22.45                 | 22.98       | NA                     | 0.53                   | Pre-pumping measurement                       |
|                | 2/25/2021  | 8:25 AM  | ND                    | 4.12                  | ND                    | 22.97       | NA                     | NA                     | Post-pumping measurement ~2 gallons removed   |
|                | 3/10/2021  | 11:30 AM | ND                    | 4.06                  | 22.48                 | 22.91       | NA                     | 0.43                   |                                               |
|                | 3/11/2021  | 8:40 AM  | ND                    | 4.08                  | 22.34                 | 22.91       | NA                     | 0.57                   | Pre-pumping measurement                       |
|                | 3/11/2021  | 8:50 AM  | ND                    | 6.51                  | ND                    | 22.96       | NA                     | NA                     | Post-pumping measurement ~2 gallons removed   |
|                | 3/24/2021  | 9:50 AM  | ND                    | 3.78                  | ND                    | 22.81       | NA                     | NA                     |                                               |
|                | 4/7/2021   | 9:35 AM  | ND                    | 3.41                  | 22.54                 | 22.90       | NA                     | 0.36                   |                                               |
|                | 4/8/2021   | 8:10 AM  | ND                    | 3.48                  | 22.65                 | 22.90       | NA                     | 0.25                   |                                               |
|                | 4/21/2021  | 9:45 AM  | ND                    | 3.88                  | 22.52                 | 22.88       | NA                     | 0.36                   |                                               |
|                | 4/22/2021  | 9:00 AM  | ND                    | 3.91                  | 22.49                 | 22.88       | NA                     | 0.39                   |                                               |
|                | 5/5/2021   | 10:55 AM | ND                    | 3.83                  | 22.25                 | 22.88       | NA                     | 0.63                   |                                               |
|                | 5/6/2021   | 7:16 AM  | ND                    | 3.84                  | 22.60                 | 22.88       | NA                     | 0.28                   |                                               |
|                | 5/17/2021  | 10:21 AM | ND                    | 3.82                  | ND                    | 22.86       | NA                     | NA                     |                                               |
|                | 6/2/2021   | 9:49 AM  | ND                    | 3.80                  | 21.84                 | 22.89       | NA                     | 1.05                   |                                               |
|                | 6/3/2021   | 8:40 AM  | ND                    | 3.82                  | 21.84                 | 22.89       | NA                     | 1.05                   | Pre-pumping measurement                       |
|                | 6/3/2021   | 8:50 AM  | ND                    | 3.85                  | ND                    | 22.91       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed   |
|                | 6/16/2021  | 10:25 AM | ND                    | 3.80                  | ND                    | 22.74       | NA                     | NA                     |                                               |
|                | 6/30/2021  | 10:07 AM | ND                    | 3.86                  | ND                    | 22.74       | NA                     | NA                     |                                               |
|                | 7/14/2021  | 9:20 AM  | ND                    | 3.77                  | ND                    | 22.96       | NA                     | NA                     |                                               |
|                | 7/27/2021  | 9:25 AM  | ND                    | 3.83                  | 21.83                 | 22.93       | NA                     | 1.10                   |                                               |
|                | 7/29/2021  | 8:10 AM  | ND                    | 3.84                  | 21.83                 | 22.93       | NA                     | 1.10                   | Pre-pumping measurement                       |
|                | 7/29/2021  | 8:25 AM  | ND                    | 8.25                  | ND                    | 22.93       | NA                     | NA                     | Post-pumping measurement ~5.1 gallons removed |
|                | 8/11/2021  | 11:40 AM | ND                    | 3.96                  | ND                    | 23.00       | NA                     | NA                     |                                               |
|                | 8/23/2021  | 10:55 AM | ND                    | 3.81                  | 22.65                 | 22.80       | NA                     | 0.15                   |                                               |
|                | 9/8/2021   | 9:52 AM  | ND                    | 3.80                  | 22.05                 | 22.95       | NA                     | 0.90                   |                                               |
|                | 9/9/2021   | 8:20 AM  | ND                    | 3.76                  | 22.05                 | 22.95       | NA                     | 0.90                   | Pre-pumping measurement                       |
|                | 9/9/2021   | 8:25 AM  | ND                    | 7.20                  | ND                    | 22.95       | NA                     | NA                     | Post-pumping measurement ~3.4 gallons removed |
|                | 9/21/2021  | 11:38 AM | ND                    | 3.83                  | ND                    | 23.00       | NA                     | NA                     |                                               |
|                | 10/7/2021  | 11:45 AM | ND                    | 3.72                  | 22.10                 | 22.96       | NA                     | 0.86                   |                                               |
|                | 10/8/2021  | 7:25 AM  | ND                    | 3.73                  | 22.06                 | 22.95       | NA                     | 0.89                   | Pre-pumping measurement                       |
|                | 10/8/2021  | 8:33 AM  | ND                    | 7.75                  | ND                    | 22.96       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed   |
|                | 10/20/2021 | 11:20 AM | ND                    | 3.75                  | ND                    | 22.90       | NA                     | NA                     |                                               |
|                | 11/4/2021  | 12:55 PM | ND                    | 3.82                  | 22.55                 | 22.82       | NA                     | 0.27                   |                                               |
|                | 11/17/2021 | 9:15 AM  | ND                    | 4.03                  | 22.20                 | 22.79       | NA                     | 0.59                   |                                               |
|                | 11/19/2021 | 10:05 AM | ND                    | 4.06                  | 22.20                 | 22.79       | NA                     | 0.59                   | Pre-pumping measurement                       |
|                | 11/19/2021 | 10:20 AM | ND                    | 4.07                  | ND                    | 22.79       | NA                     | NA                     | Post-pumping measurement ~6 gallons removed   |
|                | 12/1/2021  | 11:25 AM | ND                    | 4.21                  | ND                    | 22.97       | NA                     | NA                     |                                               |
|                | 12/14/2021 | 12:00 PM | ND                    | 4.51                  | 22.70                 | 23.00       | NA                     | 0.30                   |                                               |
|                | 12/28/2021 | 12:10 PM | ND                    | 4.51                  | 22.59                 | 23.01       | NA                     | 0.42                   |                                               |
|                | 1/13/2022  | 10:45 AM | ND                    | 4.41                  | ND                    | 22.99       | NA                     | NA                     |                                               |
|                | 1/27/2022  | 10:50 AM | ND                    | 4.41                  | 22.48                 | 22.99       | NA                     | 0.51                   |                                               |
|                | 1/28/2022  | 8:30 AM  | ND                    | 4.39                  | 22.44                 | 22.99       | NA                     | 0.55                   | Pre-pumping measurement                       |
|                | 1/28/2022  | 8:35 AM  | ND                    | 4.50                  | ND                    | 22.99       | NA                     | NA                     | Post-pumping measurement ~4 gallons removed   |
|                | 2/7/2022   | 10:40 AM | ND                    | 4.11                  | ND                    | 23.00       | NA                     | NA                     |                                               |
|                | 2/24/2022  | 11:00 AM | ND                    | 4.32                  | 22.68                 | 22.98       | NA                     | 0.30                   |                                               |
|                | 3/17/2022  | 10:04 AM | ND                    | 4.12                  | 22.60                 | 22.95       | NA                     | 0.35                   |                                               |
|                | 3/28/2022  | 11:15 PM | ND                    | 4.02                  | 22.56                 | 22.90       | NA                     | 0.34                   |                                               |
|                | 4/13/2022  | 9:27 AM  | ND                    | 3.85                  | 22.15                 | 22.85       | NA                     | 0.70                   | Pre-pumping measurement                       |
|                | 4/13/2022  | 1:57 PM  | ND                    | 5.10                  | ND                    | 22.90       | NA                     | NA                     | Post-pumping measurement ~3 gallons removed   |
|                | 4/29/2022  | 9:30 AM  | ND                    | 3.93                  | 22.44                 | 22.83       | NA                     | 0.39                   |                                               |
|                | 5/12/2022  | 11:20 PM | ND                    | 3.88                  | 22.60                 | 22.85       | NA                     | 0.25                   |                                               |
|                | 5/25/2022  | 10:30 AM | ND                    | 3.93                  | 22.39                 | 22.84       | NA                     | 0.45                   |                                               |
|                | 6/9/2022   | 11:20 PM | ND                    | 3.86                  | 21.93                 | 22.83       | NA                     | 0.90                   | Pre-pumping measurement                       |
|                | 6/9/2022   | 12:20 PM | ND                    | ND                    | 22.73                 | 22.83       | NA                     | 0.10                   | Post-pumping measurement ~2.5 gallons removed |
|                | 6/23/2022  | 11:59 AM | ND                    | 4.05                  | 22.31                 | 22.84       | NA                     | 0.53                   |                                               |
| NW-12          | 10/7/2020  | 11:15 AM | ND                    | 3.75                  | ND                    | 21.10       | NA                     | NA                     |                                               |
|                | 10/21/2020 | 8:50 AM  | ND                    | 3.76                  | ND                    | 21.25       | NA                     | NA                     |                                               |
|                | 11/4/2020  | 7:35 AM  | ND                    | 3.86                  | ND                    | 21.20       | NA                     | NA                     |                                               |
|                | 11/18/2020 | 10:20 AM | ND                    | 4.02                  | ND                    | 21.89       | NA                     | NA                     |                                               |
|                | 12/1/2020  | 9:20 AM  | ND                    | 3.70                  | ND                    | 21.29       | NA                     | NA                     |                                               |
|                | 12/16/2020 | 9:05 AM  | ND                    | 3.98                  | ND                    | 21.13       | NA                     | NA                     |                                               |

# Attachment B. Historic Well Gauging Measurements

## Polychrome West Site

Yonkers, New York

| Well ID       | Date       | Time     | Depth to LNAPL (feet) | Depth to Water (feet) | Depth to DNAPL (feet) | Total Depth (feet) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Comments                   |
|---------------|------------|----------|-----------------------|-----------------------|-----------------------|--------------------|------------------------|------------------------|----------------------------|
| NW-12 (con't) | 12/29/2020 | 9:05 AM  | ND                    | 3.92                  | ND                    | 21.14              | NA                     | NA                     |                            |
|               | 1/13/2021  | 9:45 AM  | ND                    | 4.00                  | ND                    | 21.55              | NA                     | NA                     |                            |
|               | 1/27/2021  | 8:55 AM  | ND                    | 4.10                  | ND                    | 21.25              | NA                     | NA                     |                            |
|               | 2/8/2021   | 10:15 AM | ND                    | 4.04                  | ND                    | NA                 | NA                     | NA                     | Bottom depth not measured. |
|               | 2/24/2021  | 9:10 AM  | ND                    | 3.89                  | ND                    | 21.18              | NA                     | NA                     |                            |
|               | 3/10/2021  | 10:40 AM | ND                    | 3.83                  | ND                    | 21.33              | NA                     | NA                     |                            |
|               | 3/24/2021  | 9:28 AM  | ND                    | 3.71                  | ND                    | 21.23              | NA                     | NA                     |                            |
|               | 4/7/2021   | 9:40 AM  | ND                    | 3.64                  | ND                    | 21.16              | NA                     | NA                     |                            |
|               | 4/21/2021  | 9:50 AM  | ND                    | 3.64                  | ND                    | 21.23              | NA                     | NA                     |                            |
|               | 5/5/2021   | 10:05    | ND                    | 3.61                  | ND                    | 21.17              | NA                     | NA                     |                            |
|               | 5/17/2021  | 9:55 AM  | ND                    | 3.71                  | ND                    | 21.15              | NA                     | NA                     |                            |
|               | 6/2/2021   | 9:39 AM  | ND                    | 3.55                  | ND                    | 21.21              | NA                     | NA                     |                            |
|               | 6/16/2021  | 9:35 AM  | ND                    | 3.65                  | ND                    | 21.14              | NA                     | NA                     |                            |
|               | 6/30/2021  | 9:05 AM  | ND                    | 3.69                  | ND                    | 21.16              | NA                     | NA                     |                            |
|               | 7/14/2021  | 9:15 AM  | ND                    | 3.53                  | ND                    | 21.19              | NA                     | NA                     |                            |
|               | 7/27/2021  | 8:38 AM  | ND                    | 3.54                  | ND                    | 21.11              | NA                     | NA                     |                            |
|               | 8/11/2021  | 11:15 AM | ND                    | 3.73                  | ND                    | 21.26              | NA                     | NA                     |                            |
|               | 8/23/2021  | 10:15 AM | ND                    | 3.49                  | ND                    | 21.12              | NA                     | NA                     |                            |
|               | 9/8/2021   | 9:18 AM  | ND                    | 3.36                  | ND                    | 21.26              | NA                     | NA                     |                            |
|               | 9/21/2021  | 10:17 AM | ND                    | 3.59                  | ND                    | 21.15              | NA                     | NA                     |                            |
|               | 10/7/2021  | 10:20 AM | ND                    | 3.46                  | ND                    | 21.11              | NA                     | NA                     |                            |
|               | 10/20/2021 | 7:35 AM  | ND                    | 3.58                  | ND                    | 22.17              | NA                     | NA                     |                            |
|               | 11/4/2021  | 10:30 AM | ND                    | 3.62                  | ND                    | 21.12              | NA                     | NA                     |                            |
|               | 11/17/2021 | 8:05 AM  | ND                    | 3.81                  | ND                    | 21.05              | NA                     | NA                     |                            |
|               | 12/1/2021  | 10:10 AM | ND                    | 4.07                  | ND                    | 21.04              | NA                     | NA                     |                            |
|               | 12/14/2021 | 8:30 AM  | ND                    | 4.24                  | ND                    | 21.09              | NA                     | NA                     |                            |
|               | 12/28/2021 | 12:15 PM | ND                    | 4.17                  | ND                    | 21.10              | NA                     | NA                     |                            |
|               | 1/13/2022  | 9:40 AM  | ND                    | 4.16                  | ND                    | 21.11              | NA                     | NA                     |                            |
|               | 1/27/2022  | 9:37 AM  | ND                    | 4.11                  | ND                    | 21.10              | NA                     | NA                     |                            |
|               | 2/7/2022   | 9:37 AM  | ND                    | 4.11                  | ND                    | 21.10              | NA                     | NA                     |                            |
|               | 2/24/2022  | 11:10 AM | ND                    | 4.07                  | ND                    | 21.11              | NA                     | NA                     |                            |
|               | 3/17/2022  | 10:10 AM | ND                    | 3.89                  | ND                    | 21.30              | NA                     | NA                     |                            |
|               | 3/28/2022  | 11:20 AM | ND                    | 3.92                  | ND                    | 21.20              | NA                     | NA                     |                            |
|               | 4/13/2022  | 9:20 AM  | ND                    | 3.70                  | ND                    | 21.02              | NA                     | NA                     |                            |
|               | 4/29/2022  | 11:00 AM | ND                    | 3.74                  | ND                    | 21.22              | NA                     | NA                     |                            |
|               | 5/12/2022  | 11:30 AM | ND                    | 3.75                  | ND                    | 20.92              | NA                     | NA                     |                            |
|               | 5/26/2022  | 10:25 AM | ND                    | 3.79                  | ND                    | 21.12              | NA                     | NA                     |                            |
|               | 6/9/2022   | 11:30 AM | ND                    | 3.52                  | ND                    | 21.12              | NA                     | NA                     |                            |
|               | 6/23/2022  | 10:35 AM | ND                    | 3.61                  | ND                    | 21.22              | NA                     | NA                     |                            |

### Notes:

Pre/post pumping event readings are bolded.

LNAPL - Light Non-Aqueous Phase Liquid

DNAPL - Dense Non-Aqueous Phase Liquid

\* - Estimated due to High Viscous DNAPL

NA - Not Applicable

NM - Not Measurable (High Viscosity)