



Consulting
Engineers and
Scientists

April 25, 2024
Project 2201010

Via email: justin.starr@dec.ny.gov

Mr. Justin Starr, Project Manager
NYSDEC
Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7016

Dear Mr. Starr:

**Re: Progress Report – First Quarter 2024
Polychrome West Site
City of Yonkers, Westchester County
NYSDEC BCP Site No. C360099**

This Progress Report has been prepared by GEI Consultants, Inc., P.C. (GEI), under contract with Consolidated Edison Company of New York (Con Edison) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the first quarter of 2024.

Site Activities

During the first quarter of 2024, DNAPL gauging was conducted at NW-5, NW-6, NW-8, NW-9, NW-10, and NW-11. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the Q4 monitoring events in NW-5, NW-6, NW-8, NW-10, and NW-11 as summarized in Table 1. DNAPL measurements from 2024 are provided in Table 2.

DNAPL was removed from recovery wells NW-8, NW-10, and NW-11 using a 2-inch submersible pump and dedicated tubing and from recovery wells NW-5 and NW-6 using submersible gas displacement pumps and dedicated tubing. DNAPL gauging and recovery amounts for the Q1 events are summarized in Table 1. The submersible gas displacement pump at NW-5 was removed from the well on November 6, 2023, and shipped to QED Environmental Systems for repairs. The controller used with the pump system malfunctioned on January 3, 2024, and was also shipped to QED for repairs. A buffalo submersible pump was subsequently utilized at NW-5 and NW-6 for NAPL recovery until the repairs were completed. On February 14, 2024, the submersible gas displacement pumps at NW-5 and NW-6 were reinstalled.

The recovered DNAPL was containerized in Department of Transportation (DOT)-approved 55-gallon drums, labeled as hazardous waste, and stored on-site in a drum storage area. On January 3, January 31, February 28, and March 27, 2024, the recovered DNAPL was picked up from the Site for off-site disposal at an appropriate receiving facility. Waste disposal manifests for Q1 are provided in Attachment A.

A total of approximately 143.50 gallons of DNAPL were recovered during the reporting period. Since the start of 2024, a total of 143.50 gallons of DNAPL have been removed. DNAPL recovery totals for 2024 are summarized in Table 3.

The current monitoring program was approved by NYSEC on March 3, 2023. DNAPL measurements at NW-9 remained below 6-inches for more than six months, therefore gauging at NW-9 was reduced to quarterly. DNAPL measurements at NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12 remained below 6-inches for more than one year, therefore gauging at these locations was reduced to annually.

The following work is planned for Q2 2024:

- Complete DNAPL gauging and removal in Q2 2024 using the same methods as described above at a frequency of once every two weeks for NW-5, NW-6, and NW-10, monthly for NW-8 and NW-11, and quarterly for NW-9, while long-term trends and alternate recovery methods are evaluated.
- Disposal, as needed, of recovered DNAPL and used personal protective equipment and field supplies.
- The next progress report will summarize work performed in Q2 2024.


If you have any questions or require any further information, please contact Melissa Abt at Con Edison at 718-204-4331 or via electronic mail at abtm@coned.com.

Sincerely,

GEI CONSULTANTS, INC., P.C.



Matt O'Neil, P.E.
Vice President, Program Manager



Melissa Felter, P.G.
Project Manager

MO/MF:ag

Attachments: Table 1. Q1 2024 DNAPL Summary
Table 2. 2024 Well Gauging Measurements
Table 3. 2024 DNAPL Recovery Totals
Fig. 1 Site Location Map
Fig. 2 Site Plan with Reference Grid
Fig. 3 NAPL Recovery & Groundwater Monitoring Well Location Plan
Attachment A. Waste Disposal Manifests
Attachment B. Historic Well Gauging Measurements

c: Glen Moran/ /Jon Vogel/Michael Simpson/ Chadwich Hinckley/Stephanie Lessick, AVB
Marc Godick/Steve Grens, AKRF
Mihir Chokshi/Melissa Abt, Con Edison

Tables

Table 1. Q1 2024 DNAPL Summary
Polychrome West Site
Yonkers, New York

Recovery Well ID	DNAPL Thickness (feet)							Total DNAPL Removed (Gallons)
	1/3/2024-1/4/2024	1/17/2023	1/31/2024	2/14/2024-2/15/2024	2/28/2024	3/13/2024-3/14/2024	3/27/2024	Q1 2024
NW-5	7.42	NA	7.80	6.67	7.48	7.90	6.29	56.5
NW-6	5.20	6.60	6.30	5.26	5.00	6.84	6.02	62.0
NW-8	0.80	NA	NA	NA	NA	1.60	NA	6.0
NW-9	0.30	NA	NA	NA	NA	NA	NA	NA
NW-10	0.55	1.50	0.70	0.75	1.02	1.90	1.50	16.0
NW-11	0.45	NA	NA	NA	NA	1.30	NA	3.0

Notes: Measured DNAPL thicknesses are estimated
NA - Not Applicable

Table 2. 2024 Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-1							
NW-3							
NW-4							
NW-5	1/4/2024	10:30 AM	6.60	29.86	37.28	7.42	Pre-pumping measurement ~20 gallons removed (buffalo pump)
	1/17/2024	NA	NA	NA	NA	NA	No more drum space, could not recover.
	1/31/2024	9:55 AM	7.54	29.50	37.30	7.80	Pre-pumping measurement ~20 gallons removed (buffalo pump)
	2/15/2024	12:00 PM	7.77	29.90	36.57	6.67	Pump malfunction, could not recover.
	2/28/2024	11:35 AM	8.49	29.70	37.18	7.48	Pre-pumping measurement ~5 gallons removed
	3/14/2024	11:30 AM	7.01	29.48	37.38	7.90	Pre-pumping measurement ~7.5 gallons removed
NW-6	3/27/2024	12:00 PM	7.21	29.97	37.18	6.29	Pre-pumping measurement ~4 gallons removed
	1/4/2024	9:00 AM	9.01	31.60	36.80	5.20	Pre-pumping measurement ~15 gallons removed (buffalo pump)
	1/17/2024	10:10 AM	8.97	31.70	36.80	5.10	Pre-pumping measurement ~15 gallons removed (buffalo pump)
	1/31/2024	1:45 PM	8.00	33.76	36.80	5.34	Pre-pumping measurement ~15 gallons removed (buffalo pump)
	2/14/2024	12:55 PM	8.68	31.40	36.66	5.26	Pre-pumping measurement ~5 gallons removed
	2/28/2024	9:40 AM	9.40	31.66	36.66	5.00	Pre-pumping measurement ~5 gallons removed
NW-7	3/14/2024	8:45 AM	8.75	29.96	36.80	6.84	Pre-pumping measurement ~2 gallons removed (metal pipe blocked air line)
	3/27/2024	9:15 AM	9.32	30.78	36.80	6.02	Pre-pumping measurement ~5 gallons removed
NW-8	1/3/2024	10:00 AM	10.36	35.35	36.15	0.80	Pre-pumping measurement ~2 gallons removed
NW-9	2/15/2024	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	9:15 AM	9.98	34.62	36.22	1.60	Pre-pumping measurement ~4 gallons removed
	1/3/2024	10:15 AM	10.40	33.06	33.36	0.30	
NW-10	1/3/2024	11:00 AM	10.46	33.07	33.62	0.55	Pre-pumping measurement ~1.5 gallons removed
	1/17/2024	9:10 AM	10.40	32.10	33.60	1.50	Pre-pumping measurement ~3 gallons removed
	1/31/2024	8:35 AM	10.82	32.82	33.62	0.70	Pump malfunction, could not recover.
	2/14/2024	9:30 AM	10.33	32.99	33.74	0.75	Pre-pumping measurement ~2 gallons removed
	2/28/2024	10:20 AM	11.05	32.71	33.73	1.02	Pre-pumping measurement ~2 gallons removed
	3/13/2024	10:20 AM	10.22	31.67	33.57	1.90	Pre-pumping measurement ~4.5 gallons removed
	3/27/2024	11:10 AM	9.81	32.01	33.51	1.50	Pre-pumping measurement ~3 gallons removed
NW-10S							
NW-11	1/3/2024	9:40 AM	3.80	22.38	22.83	0.45	
	2/15/2024	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	11:30 AM	3.75	21.51	22.81	1.30	Pre-pumping measurement ~3 gallons removed
NW-12							

Notes:



- Pre-pumping event readings are bolded
- DNAPL - Dense Non-Aqueous Phase Liquid
- NA - Not Applicable
- ND - Not Detected
- Recovery Wells NW-5, NW-6 and NW-10 are gauged every 2 weeks.
- Recovery Wells NW-8 and NW-11 are gauged monthly.
- Recovery Well NW-9 is gauged quarterly.
- Recovery Wells NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12 are gauged annually.

Table 3. 2024 DNAPL Recovery Totals
Polychrome West Site
 Yonkers, New York

	DNAPL Recovered Volume (gal)			
Recovery Event	Jan-24	Feb-24	Mar-24	Total DNAPL Recovered (Gallons)
NW-1	NA	NA	NA	0.00
NW-3	NA	NA	NA	0.00
NW-4	NA	NA	NA	0.00
NW-5	40.0	5.0	11.5	56.50
NW-6	45.0	10.0	7.0	62.00
NW-7	NA	NA	NA	0.00
NW-8	2.0	NA	4.0	6.00
NW-9	NA	NA	NA	0.00
NW-10	4.5	4.0	7.5	16.00
NW-11	NA	NA	3.0	3.00
NW-12	NA	NA	NA	0.00
Event Total	91.50	19.00	33.00	143.50
Date Generated	1/3/2024, 1/4/2024, 1/17/2024, 1/31/2024	2/14/2024, 2/15/2024, 2/28/2024	3/13/2024, 3/14/2024, 3/27/2024	
Off-Site Disposal Date	1/3/2024, 1/31/2024	2/28/2024	3/27/2024	
Disposal Location	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	

Notes:
 DNAPL - Dense Non-Aqueous Phase Liquid
 NA - Not Applicable

Figures



SOURCE:

USGS TOPOGRAPHIC QUADRANGLE, 7.5 MINUTE SERIES: YONKERS, NY, NJ, 2023
 NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88)
 10-FOOT CONTOUR INTERVAL

Quarterly Progress Report
 Polychrome West (PCW)
 Yonkers, New York

Consolidated Edison Company of New York, Inc.
 Long Island City, New York



Project 2201010

SITE LOCATION MAP


April 2024

Fig. 1



LEGEND

 PROJECT SITE BOUNDARY

 ALPHANUMERIC GRID

Aerial Source:
2014 New York Statewide Digital Orthoimagery.

Quarterly Progress Report
Polychrome West (PCW)
Yonkers, New York

Consolidated Edison Company of New York, Inc.
Long Island City, New York




Project 2201010

SITE PLAN WITH
REFERENCE GRID

April 2024

Fig. 2



Quarterly Progress Report
Polychrome West (PCW)
Yonkers, New York

Consolidated Edison Company of New York, Inc.
Long Island City, New York



Project 2201010

NAPL RECOVERY AND
GROUNDWATER
MONITORING WELLS

April 2024

Fig. 3

Attachment A

Waste Disposal Manifests

Please print or type.

2413395

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number 017995702 FLE			
5. Generator's Name and Mailing Address 212-580-8383 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105 Generator's Phone: <i>Att Melissa AB+</i>		5. Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80-94 Alexander St Yonkers, NY 10701						
6. Transporter 1 Company Name WV Transport Inc		U.S. EPA ID Number NJR906628162						
7. Transporter 2 Company Name		U.S. EPA ID Number						
8. Designated Facility Name and Site Address 9733444004 Clean Earth of North Jersey, Inc. 105 Jacobus Ave. Keamy NJ 07032 Facility's Phone:		U.S. EPA ID Number NJD891291105						
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	X	1. NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)		2 DM		200	P	D018
	X	2. NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)		2 DM		100	G	D018
		3.						
		4.						
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz. (2) ERG#171: 2230800135 - Purged NAPL and Groundwater-Haz. Order#: 2413395 - Note:								
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.								
Generator's/Officer's Printed/Typed Name <i>James Rivera</i>		Signature <i>James Rivera</i>		Month 1		Day 3		Year 24
TRANSPORTER INT'L	16. International Shipments ☐ Import to U.S. ☐ Export from U.S.		Port of entry/exit: Date leaving U.S.:					
	17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name <i>JASON Sykes</i> Signature <i>Jason Sykes</i> Month 1 Day 3 Year 24							
	Transporter 2 Printed/Typed Name Signature Month Day Year							
DESIGNATED FACILITY	18. Discrepancy 18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection Manifest Reference Number:							
	18b. Alternate Facility (or Generator)		U.S. EPA ID Number					
	Facility's Phone:		Received Handling Review Quality Control					
	18c. Signature of Alternate Facility (or Generator)		Month Day Year					
	19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1. H141 2. H141 3. 4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name <i>Peter Lange</i> Signature <i>Peter Lange</i> Month 1 Day 4 Year 24								

Please print or type.

Form Approved. OMB No. 2050-0039

2417814

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number 017996738 FLE
5. Generator's Name and Mailing Address Consolidated Edison of NY Inc-Alt. Melissa Rivera 212-680-8869 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105					
Generator's Phone: Alt Melissa A67					
6. Transporter 1 Company Name IVT Transport Inc				U.S. EPA ID Number NJR986628162	
7. Transporter 2 Company Name				U.S. EPA ID Number	
8. Designated Facility Name and Site Address Green Earth of North Jersey, Inc. 9733444004 105 Jacobus Ave. Kearny NJ 07032				U.S. EPA ID Number NJD991291105	
Facility's Phone:					
9a. HM	9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	Type	11. Total Quantity	12. Unit Wt./Vol.
X	1. NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)	14	DM	300	P
X	2. NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)	2	DM	110	G
	3.				
	4.				
13. Waste Codes					
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz. (2) ERG#171: 2230800135 - Purged NAPL and Groundwater-Haz. Order#: 2417814 - Note:					
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.					
Generator's/Offoror's Printed/Typed Name Jaime Rivera					
Signature <i>Jaime Rivera</i>					
Month Day Year 11 31 14					
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: Transporter signature (for exports only): Date leaving U.S.:					
17. Transporter Acknowledgment of Receipt of Materials					
Transporter 1 Printed/Typed Name Nelson Polanco					
Signature <i>Nelson Polanco</i>					
Month Day Year 11 31 14					
Transporter 2 Printed/Typed Name					
Signature					
Month Day Year					
18. Discrepancy					
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection					
Manifest Reference Number:					
18b. Alternate Facility (or Generator)					
Facility's Phone:					
18c. Signature of Alternate Facility (or Generator)					
Month Day Year					
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)					
1. H141		2. H141		3.	
				4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a					
Printed/Typed Name Peter Lang					
Signature <i>Peter Lang</i>					
Month Day Year 2 1 14					

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706		2. Page 1 of 1		3. Emergency Response Phone 8606089717		4. Manifest Tracking Number 017989042 FLE	
		5. Generator's Name and Mailing Address Consolidated Edison of NY Inc. Attn: Melissa Peller 31-01 20th Ave. Bldg 136 2nd fl Astoria, NY 11105		6. Transporter 1 Company Name IWT Transport Inc. CENJ		7. Transporter 2 Company Name		8. Designated Facility Name and Site Address Clean Earth of North Jersey, Inc. 105 Jacobus Ave. Keamy NJ 07032	
Generator's Phone: 212-580-8383		Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80-94 Alexander St Yonkers, NY 10701		U.S. EPA ID Number NJR986628162		U.S. EPA ID Number NJD991291105		U.S. EPA ID Number NJD991291105	
9a. HM		9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers No. Type		11. Total Quantity		12. Unit Wt./Vol.	
X		NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)		2 DM		150		P	
X		NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)		2 DM		110		G	
3.									
4.									
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz. (2) ERG#171: 2230800135 - Purged NAPL and Groundwater-Haz.									
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.									
Generator's/Officer's Printed/Typed Name Jaime Rivera									
Signature <i>Jaime Rivera</i>									
Month Day Year 2 28 24									
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____									
17. Transporter Acknowledgment of Receipt of Materials									
Transporter 1 Printed/Typed Name Adam Mella									
Signature <i>Adam Mella</i>									
Month Day Year 2 28 24									
Transporter 2 Printed/Typed Name									
Signature									
Month Day Year									
18. Discrepancy									
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection									
18b. Alternate Facility (or Generator) Manifest Reference Number: _____ U.S. EPA ID Number: _____									
Facility's Phone: _____									
18c. Signature of Alternate Facility (or Generator) Received Pending Manifest View/Quality Control Dept									
Month Day Year									
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) H141 H141									
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a									
Printed/Typed Name Peter Lange									
Signature <i>Peter Lange</i>									
Month Day Year 2 28 24									

DESIGNATED FACILITY TO EPA's e-MANIFEST SYSTEM

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number 017991639 FLE		
5. Generator's Name and Mailing Address 212-580-8383 Consolidated Edison of NY Inc. Attn: Melissa Felter 31-01 20th Ave. Bldg 136 2nd fl Astoria, NY 11105		Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80-94 Alexander St Yonkers, NY 10701					
Generator's Phone:							
6. Transporter 1 Company Name WAT Transport Inc.-CENJ		U.S. EPA ID Number NJR986628162					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address 9793444004 Clean Earth of North Jersey, Inc. 105 Jacobus Ave. Keamy NJ 07032		U.S. EPA ID Number NJD991291105					
Facility's Phone:							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
X	1. NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)	2	DM	200	P	D018	
X	2. NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)	2	DM	110	G	D018	
	3.						
	4.						
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz (2) ERG#171: 2230800135 - Purged NAPL and (2) 15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offoror's Printed/Typed Name James Rivera Jr		Signature James Rivera Jr		Month Day Year 13 07 24			
16. International Shipments ☐ Import to U.S. ☐ Export from U.S.		Port of entry/exit: Date leaving U.S.:					
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name CHARCITELL		Signature CH		Month Day Year 13 07 24			
Transporter 2 Printed/Typed Name		Signature		Month Day Year			
18. Discrepancy							
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection							
Manifest Reference Number:							
18b. Alternate Facility (or Generator) Facility's Phone:							
18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) H141 H141 3. 4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name Peter Lange Signature Peter Lange Month Day Year 13 08 24							

Attachment B

Historic Well Gauging Measurements

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-A				5.86	ND	11.16	NA	NA	
	1/7/1900	1:12 PM	42	5.96	ND	11.20	NA	NA	
	11/4/2020	4:19 AM	14.5	6.42	ND	11.21	NA	NA	
	1/0/1900	7:12 PM	2.2	5.82	ND	11.28	NA	NA	
	1/0/1900	ND	ND	3.20	ND	11.17	NA	NA	
	1/1/1900	1:12 AM	4.79	5.75	ND	11.19	NA	NA	
	1/0/1900	12:43 PM	2.5	4.96	ND	11.18	NA	NA	
	1/13/2021	7:30 AM	ND	5.18	ND	11.16	NA	NA	
	1/27/2021	8:15 AM	ND	4.25	ND	11.33	NA	NA	
	2/8/2021	9:00 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:10 AM	ND	4.91	ND	11.28	NA	NA	
	3/10/2021	8:15 AM	ND	5.28	ND	11.25	NA	NA	
	3/24/2021	8:02 AM	ND	4.91	ND	11.19	NA	NA	
	4/7/2021	8:30 AM	ND	4.27	ND	11.18	NA	NA	
	4/21/2021	9:10 AM	ND	5.17	ND	11.15	NA	NA	
	5/5/2021	8:30 AM	ND	4.40	ND	11.19	NA	NA	
	5/17/2021	8:30 AM	ND	5.92	ND	11.18	NA	NA	
	6/2/2021	8:09 AM	ND	5.39	ND	11.19	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
MW-B	10/7/2020	9:20 AM	ND	9.10	ND	12.68	NA	NA	
	10/21/2020	8:15 AM	ND	9.22	ND	12.70	NA	NA	
	11/4/2020	6:00 AM	ND	9.54	ND	12.89	NA	NA	
	11/18/2020	9:45 AM	ND	9.08	ND	13.03	NA	NA	
	12/1/2020	8:30 AM	ND	7.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	1/13/2021	7:35 AM	ND	8.17	ND	12.72	NA	NA	
	1/27/2021	8:10 AM	ND	7.98	ND	12.92	NA	NA	
	2/8/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:05 AM	ND	8.24	ND	12.81	NA	NA	
	3/10/2021	8:25 AM	ND	8.27	ND	12.82	NA	NA	
	3/24/2021	8:07 AM	ND	8.14	ND	12.74	NA	NA	
	4/7/2021	8:35 AM	ND	7.81	ND	12.77	NA	NA	
	4/21/2021	9:15 AM	ND	8.28	ND	12.76	NA	NA	
	5/5/2021	8:35 AM	ND	7.59	ND	12.72	NA	NA	
	5/17/2021	8:35 AM	ND	9.14	ND	12.72	NA	NA	
	6/2/2021	8:14 AM	ND	8.15	ND	12.73	NA	NA	
	6/16/2021	8:55 AM	ND	9.08	ND	12.85	NA	NA	
	6/30/2021	8:30 AM	ND	9.19	ND	12.81	NA	NA	
MW-C	10/7/2020	9:25 AM	ND	8.39	ND	12.83	NA	NA	
	10/21/2020	8:12 AM	ND	8.43	ND	12.47	NA	NA	
	11/4/2020	6:05 AM	ND	8.50	ND	12.59	NA	NA	
	11/18/2020	9:50 AM	ND	7.87	ND	12.35	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-C	12/1/2020	8:35 AM	ND	5.89	ND	12.37	NA	NA	
	12/16/2020	8:00 AM	ND	7.80	ND	12.31	NA	NA	
	12/29/2020	8:05 AM	ND	7.19	ND	12.42	NA	NA	
	1/13/2021	7:30 AM	ND	7.31	ND	12.49	NA	NA	
	1/27/2021	8:05 AM	ND	6.85	ND	12.54	NA	NA	
	2/8/2021	8:40 AM	ND	7.24	ND	12.50	NA	NA	
	2/24/2021	8:00 AM	ND	7.20	ND	12.45	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	4/7/2021	8:40 AM	ND	6.11	ND	12.36	NA	NA	
	4/21/2021	9:20 AM	ND	7.41	ND	12.36	NA	NA	
	5/5/2021	8:40 AM	ND	6.71	ND	12.36	NA	NA	
	5/17/2021	8:40 AM	ND	8.30	ND	12.30	NA	NA	
	6/2/2021	8:20 AM	ND	7.73	ND	12.31	NA	NA	
	6/16/2021	8:58 AM	ND	8.37	ND	12.56	NA	NA	
	6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA	
	7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA	
	6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA	
MW-D	7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA	
	7/27/2021	7:51 AM	ND	8.29	ND	12.64	NA	NA	
	12/21/2021	11:50 AM	ND	6.99	ND	12.55	NA	NA	
	10/7/2020	9:35 AM	ND	8.60	ND	15.95	NA	NA	
	10/21/2020	8:10 AM	ND	8.45	ND	15.83	NA	NA	
	11/4/2020	6:10 AM	ND	9.27	ND	16.02	NA	NA	
	11/18/2020	9:55 AM	ND	8.93	ND	16.18	NA	NA	
	12/1/2020	8:40 AM	ND	7.86	ND	15.94	NA	NA	
	12/16/2020	7:55 AM	ND	8.91	ND	15.86	NA	NA	
	12/29/2020	8:00 AM	ND	8.75	ND	15.91	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	2/8/2021	8:30 AM	ND	8.72	ND	15.92	NA	NA	
	2/24/2021	7:50 AM	ND	8.61	ND	15.93	NA	NA	
	3/10/2021	8:40 AM	ND	9.06	ND	15.96	NA	NA	
	3/24/2021	8:12 AM	ND	8.87	ND	15.92	NA	NA	
	4/7/2021	8:45 AM	ND	8.42	ND	15.90	NA	NA	
	4/21/2021	9:25 AM	ND	8.32	ND	15.87	NA	NA	
MW-E	5/5/2021	8:45 AM	ND	7.96	ND	15.83	NA	NA	
	5/17/2021	8:45 AM	ND	8.69	ND	15.83	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/30/2021	8:20 AM	ND	8.86	ND	15.96	NA	NA	
	7/14/2021	8:25 AM	ND	8.21	ND	15.91	NA	NA	
	7/27/2021	7:48 AM	ND	8.15	ND	15.98	NA	NA	
	12/23/2021	7:50 AM	ND	8.80	ND	16.30	NA	NA	
	10/7/2020	9:40 AM	ND	8.72	ND	12.70	NA	NA	
	10/21/2020	8:05 AM	ND	8.97	ND	12.75	NA	NA	
	11/4/2020	6:15 AM	ND	9.15	ND	12.63	NA	NA	
	11/18/2020	10:00 AM	ND	8.54	ND	12.59	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-E	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/29/2020	7:55 AM	ND	8.27	ND	12.53	NA	NA	
	1/13/2021	8:00 AM	ND	8.64	ND	12.72	NA	NA	
	1/27/2021	7:45 AM	ND	7.98	ND	12.67	NA	NA	
	2/8/2021	8:20 AM	ND	8.11	ND	12.53	NA	NA	
	2/24/2021	7:45 AM	ND	7.90	ND	12.57	NA	NA	
	3/10/2021	8:45 AM	ND	8.39	ND	12.57	NA	NA	
	3/24/2021	8:14 AM	ND	8.11	ND	12.71	NA	NA	
	4/7/2021	8:50 AM	ND	7.77	ND	12.51	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	5/17/2021	8:50 AM	ND	9.06	ND	12.70	NA	NA	
	6/2/2021	8:30 AM	ND	8.70	ND	12.63	NA	NA	
	6/16/2021	9:05 AM	ND	9.08	ND	12.59	NA	NA	
	6/30/2021	8:15 AM	ND	9.14	ND	12.70	NA	NA	
	7/14/2021	8:00 AM	ND	8.96	ND	12.55	NA	NA	
MW-F	10/7/2020	8:45 AM	ND	9.39	ND	17.61	NA	NA	
	10/21/2020	9:00 AM	ND	9.16	ND	17.65	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	12/1/2020	8:20 AM	ND	9.14	ND	17.69	NA	NA	
	12/16/2020	8:15 AM	ND	9.53	ND	17.57	NA	NA	
	12/29/2020	8:20 AM	ND	9.29	ND	17.68	NA	NA	
	1/13/2021	7:25 AM	ND	9.55	ND	17.96	NA	NA	
	1/27/2021	8:20 AM	ND	9.77	ND	17.75	NA	NA	
	2/8/2021	9:05 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	Innaccessible due to snow coverage
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	4/21/2021	8:55 AM	ND	9.08	ND	17.65	NA	NA	
	5/5/2021	9:00 AM	ND	9.05	ND	17.58	NA	NA	
NW-1	5/17/2021	8:55 AM	ND	9.51	ND	17.58	NA	NA	
	6/2/2021	8:05 AM	ND	8.90	ND	17.60	NA	NA	
	6/16/2021	8:00 AM	ND	9.02	ND	17.69	NA	NA	
	6/30/2021	8:37 AM	ND	9.47	ND	17.69	NA	NA	
	7/14/2021	8:05 AM	ND	8.69	ND	17.65	NA	NA	
	7/27/2021	8:01 AM	ND	8.58	ND	17.69	NA	NA	
	12/21/2021	8:27 AM	ND	10.86	ND	17.70	NA	NA	
	10/7/2020	9:05 AM	ND	7.68	ND	20.31	NA	NA	
	10/21/2020	9:05 AM	ND	7.77	ND	20.42	NA	NA	
	11/4/2020	6:55 AM	ND	8.12	ND	20.42	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-1	2/24/2021	9:15 AM	ND	6.81	ND	26.47	NA	NA	
	3/10/2021	10:15 AM	ND	7.19	ND	26.39	NA	NA	
	3/24/2021	9:08 AM	ND	6.95	ND	20.43	NA	NA	
	4/7/2021	9:00 AM	ND	6.34	ND	20.33	NA	NA	
	4/21/2021	9:00 AM	ND	7.30	ND	20.34	NA	NA	
	5/5/2021	9:45 AM	ND	6.70	ND	20.33	NA	NA	
	5/17/2021	9:20 AM	ND	7.74	ND	20.34	NA	NA	
	6/2/2021	9:19 AM	ND	7.43	ND	20.31	NA	NA	
	6/16/2021	9:43 AM	ND	7.61	ND	20.43	NA	NA	
	6/30/2021	9:00 AM	ND	7.89	ND	20.40	NA	NA	
	7/14/2021	9:00 AM	ND	7.46	ND	20.41	NA	NA	
	7/27/2021	8:43 AM	ND	7.40	ND	20.41	NA	NA	
	8/11/2021	11:05 AM	ND	6.75	ND	20.42	NA	NA	
	8/23/2021	9:50 AM	ND	5.15	ND	20.44	NA	NA	
	9/8/2021	8:37 AM	ND	6.95	ND	20.43	NA	NA	
	9/21/2021	10:05 AM	ND	5.93	ND	20.48	NA	NA	
	10/7/2021	10:03 AM	ND	5.66	ND	20.36	NA	NA	
	10/20/2021	7:45 AM	ND	7.37	ND	20.34	NA	NA	
	11/4/2021	10:20 AM	ND	5.16	ND	20.45	NA	NA	
	11/17/2021	7:45 AM	ND	6.53	ND	20.47	NA	NA	
	12/1/2021	9:55 AM	ND	7.43	ND	20.41	NA	NA	
	12/14/2021	8:20 AM	ND	7.90	ND	20.41	NA	NA	
	12/28/2021	10:30 AM	ND	7.21	ND	20.40	NA	NA	
	1/13/2022	9:20 AM	ND	7.82	ND	20.41	NA	NA	
	1/27/2022	9:30 AM	ND	7.77	ND	20.41	NA	NA	
	2/7/2022	8:30 AM	ND	7.78	ND	20.38	NA	NA	
	2/24/2022	8:15 AM	ND	7.65	ND	20.41	NA	NA	
	3/17/2022	10:45 AM	ND	6.08	ND	20.38	NA	NA	
	3/28/2022	11:45 AM	ND	7.65	ND	20.35	NA	NA	
	4/13/2022	11:11 AM	ND	7.10	ND	20.47	NA	NA	
	4/29/2022	10:45 AM	ND	8.02	ND	21.40	NA	NA	
	5/12/2022	11:50 AM	ND	7.15	ND	20.41	NA	NA	
	5/25/2022	11:00 AM	ND	7.21	ND	20.34	NA	NA	
	6/9/2022	12:00 PM	ND	7.32	ND	20.35	NA	NA	
	6/23/2022	10:44 AM	ND	7.28	ND	20.65	NA	NA	
	7/7/2022	1:58 PM	ND	7.40	ND	20.31	NA	NA	
	7/22/2022	9:22 AM	ND	7.28	ND	20.58	NA	NA	
	8/4/2022	11:07 AM	ND	7.69	ND	20.52	NA	NA	
	8/18/2022	11:35 AM	ND	7.48	ND	20.35	NA	NA	
	9/2/2022	11:35 AM	ND	6.52	ND	20.28	NA	NA	
	10/27/2022	10:30 AM	ND	6.63	ND	20.33	NA	NA	
	3/2/2023	12:25 PM	ND	6.83	ND	20.34	NA	NA	
	4/12/2023	2:15 PM	ND	7.58	ND	20.30	NA	NA	
NW-3	10/7/2020	11:05 AM	ND	7.46	ND	33.05	NA	NA	
	10/21/2020	9:15 AM	ND	8.06	ND	33.22	NA	NA	
	11/4/2020	7:05 AM	ND	8.42	ND	33.15	NA	NA	
	11/18/2020	10:30 AM	ND	7.94	ND	34.24	NA	NA	
	12/1/2020	9:35 AM	ND	6.05	ND	33.06	NA	NA	
	12/16/2020	9:20 AM	ND	7.66	ND	32.98	NA	NA	
	12/29/2020	9:20 AM	ND	6.96	ND	32.32	NA	NA	
	1/13/2021	8:45 AM	ND	6.99	ND	33.30	NA	NA	
	1/27/2021	9:10 AM	ND	6.67	ND	33.09	NA	NA	
	2/8/2021	9:25 AM	ND	7.09	ND	33.11	NA	NA	
	2/24/2021	9:20 AM	ND	7.09	ND	33.11	NA	NA	
	3/10/2021	10:20 AM	ND	7.28	ND	33.67	NA	NA	
	3/24/2021	9:13 AM	ND	7.01	ND	32.98	NA	NA	
	4/7/2021	9:05 AM	ND	6.57	ND	33.04	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-3	4/21/2021	9:10 AM	ND	7.20	ND	33.05	NA	NA	
	5/5/2021	9:55 AM	ND	6.63	ND	33.04	NA	NA	
	5/17/2021	9:25 AM	ND	7.99	ND	33.00	NA	NA	
	6/2/2021	9:25 AM	ND	7.42	ND	33.00	NA	NA	
	6/16/2021	9:48 AM	ND	7.73	ND	32.96	NA	NA	
	6/30/2021	8:55 AM	ND	7.84	ND	33.05	NA	NA	
	7/14/2021	9:05 AM	ND	7.74	ND	33.03	NA	NA	
	7/27/2021	8:40 AM	ND	7.89	ND	33.06	NA	NA	
	8/11/2021	11:10 AM	ND	7.04	ND	33.10	NA	NA	
	8/23/2021	9:55 AM	ND	5.97	ND	33.04	NA	NA	
	9/8/2021	8:45 AM	ND	7.27	ND	33.10	NA	NA	
	9/21/2021	10:09 AM	ND	6.27	ND	33.08	NA	NA	
	10/7/2021	10:09 AM	ND	6.04	ND	33.09	NA	NA	
	10/20/2021	10:20 AM	ND	6.68	ND	33.03	NA	NA	
	11/4/2021	10:25 AM	ND	5.69	ND	32.99	NA	NA	
	11/17/2021	7:50 AM	ND	6.63	ND	33.05	NA	NA	
	12/1/2021	10:00 AM	ND	7.45	ND	33.04	NA	NA	
	12/14/2021	8:25 AM	ND	7.81	ND	33.02	NA	NA	
	12/28/2021	10:45 AM	ND	7.24	ND	33.02	NA	NA	
	1/13/2022	9:25 AM	ND	7.79	ND	33.01	NA	NA	
	1/27/2022	9:15 AM	ND	7.81	ND	33.00	NA	NA	
	2/7/2022	8:45 AM	ND	7.96	ND	32.99	NA	NA	
	2/24/2022	8:30 AM	ND	7.80	ND	33.01	NA	NA	
	3/17/2022	10:50 AM	ND	6.45	ND	33.25	NA	NA	
	3/28/2022	11:50 AM	ND	7.75	ND	32.95	NA	NA	
	4/13/2022	11:20 AM	ND	6.95	ND	33.25	NA	NA	
	4/29/2022	11:10 AM	ND	7.88	ND	32.96	NA	NA	
	5/12/2022	11:55 AM	ND	6.68	ND	32.93	NA	NA	
	5/25/2022	11:05 AM	ND	7.16	ND	32.91	NA	NA	
	6/9/2022	12:10 PM	ND	7.57	ND	32.92	NA	NA	
	6/23/2022	10:47 AM	ND	7.54	ND	33.32	NA	NA	
	7/7/2022	2:01 PM	ND	7.50	ND	32.92	NA	NA	
	7/22/2022	9:25 AM	ND	7.37	ND	33.20	NA	NA	
	8/4/2022	11:26 AM	ND	8.09	ND	33.3	NA	NA	
	8/18/2022	11:40 AM	ND	7.8	ND	32.95	NA	NA	
	9/2/2022	11:50 AM	ND	7.1	ND	32.86	NA	NA	
	10/27/2022	10:45 AM	ND	6.85	ND	32.71	NA	NA	
	3/2/2023	12:30 AM	ND	6.52	ND	32.91	NA	NA	
	4/12/2023	2:05 PM	ND	8.56	ND	32.76	NA	NA	
NW-4	10/7/2020	11:20 AM	ND	8.73	Trace	43.24	NA	NA	
	10/21/2020	9:45 AM	ND	8.85	ND	43.21	NA	NA	
	11/4/2020	7:35 AM	ND	9.44	ND	43.23	NA	NA	
	11/18/2020	10:40 AM	ND	9.22	ND	44.98	NA	NA	
	12/1/2020	10:20 AM	ND	7.95	ND	43.26	NA	NA	
	12/16/2020	9:40 AM	ND	9.16	ND	43.19	NA	NA	
	12/29/2020	10:20 AM	ND	8.84	ND	42.23	NA	NA	
	1/13/2021	9:35 AM	ND	8.79	ND	43.16	NA	NA	
	1/27/2021	9:40 AM	ND	8.74	ND	43.22	NA	NA	
	2/8/2021	11:00 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	9:45 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	10:30 AM	ND	9.34	Trace	43.55	NA	NA	
	3/24/2021	9:23 AM	ND	8.65	ND	43.29	NA	NA	
	4/7/2021	9:10 AM	ND	8.66	ND	43.16	NA	NA	
	4/21/2021	9:15 AM	ND	8.58	ND	43.17	NA	NA	
	5/5/2021	9:58 AM	ND	8.43	ND	43.20	NA	NA	
	5/17/2021	9:30 AM	ND	9.06	ND	43.19	NA	NA	
	6/2/2021	9:30 AM	ND	8.81	ND	43.11	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-4	6/16/2021	9:52 AM	ND	8.71	ND	43.20	NA	NA	
	6/30/2021	9:35 AM	ND	8.96	ND	43.24	NA	NA	
	7/14/2021	9:35 AM	ND	8.61	ND	43.30	NA	NA	
	7/27/2021	9:15 AM	ND	8.63	ND	43.17	NA	NA	
	8/11/2021	11:25 AM	ND	8.73	ND	43.19	NA	NA	
	8/23/2021	10:20 AM	ND	8.03	ND	43.13	NA	NA	
	9/8/2021	9:42 AM	ND	8.51	ND	43.20	NA	NA	
	9/21/2021	11:20 AM	ND	8.62	ND	43.16	NA	NA	
	10/7/2021	10:15 AM	ND	8.56	ND	43.19	NA	NA	
	10/20/2021	10:30 AM	ND	8.65	ND	43.14	NA	NA	
	11/4/2021	12:45 PM	ND	8.17	ND	43.25	NA	NA	
	11/17/2021	8:50 AM	ND	8.90	ND	43.19	NA	NA	
	12/1/2021	10:05 AM	ND	9.00	ND	43.22	NA	NA	
	12/14/2021	9:00 AM	ND	9.49	ND	43.19	NA	NA	
	12/28/2021	11:00 AM	ND	8.58	ND	43.19	NA	NA	
	1/13/2022	9:30 AM	ND	9.32	ND	43.21	NA	NA	
	1/27/2022	9:42 AM	ND	9.26	ND	43.21	NA	NA	
	2/7/2022	9:00 AM	ND	9.09	ND	43.19	NA	NA	
	2/24/2022	8:40 AM	ND	9.18	ND	43.22	NA	NA	
	3/17/2022	10:57 AM	ND	8.86	ND	43.21	NA	NA	
	3/28/2022	11:55 AM	ND	8.92	ND	43.10	NA	NA	
	4/13/2022	11:30 AM	ND	8.82	ND	43.40	NA	NA	
	4/29/2022	11:55 AM	ND	8.78	ND	43.22	NA	NA	
	5/12/2022	12:00 PM	ND	8.45	ND	43.15	NA	NA	
	5/25/2022	11:10 AM	ND	8.67	ND	43.12	NA	NA	
	6/9/2022	12:20 PM	ND	8.31	ND	43.10	NA	NA	
	6/23/2022	10:51 AM	ND	8.60	ND	43.53	NA	NA	
	7/7/2022	2:05 PM	ND	8.96	ND	43.15	NA	NA	
	7/22/2022	9:30 AM	ND	8.60	ND	43.46	NA	NA	
	8/4/2022	11:37 AM	ND	8.85	ND	43.51	NA	NA	
	8/18/2022	11:50 AM	ND	8.62	43.39	43.44	NA	0.05	
	9/2/2022	11:55 AM	ND	9.02	ND	43.08	NA	Blebs on tape	
	10/27/2022	10:00 AM	ND	9.64	ND	44.54	NA	NA	
	3/2/2023	12:35 PM	ND	8.17	ND	43.19	NA	NA	
	4/12/2023	2:00 PM	ND	8.75	ND	43.15	NA	NA	
NW-5	10/7/2020	12:20 PM	ND	7.89	29.62	37.50	NA	7.88	Pre-pumping measurement
	10/14/2020	12:45 PM	ND	8.90	ND	37.63	NA	NA	Post-pumping measurment ~6 gallons removed
	10/21/2020	11:00 AM	ND	7.93	30.12	37.61	NA	7.49	Pre-pumping measurment
	10/21/2020	11:30 AM	ND	7.93	ND	38.12	NA	NA	Post-pumping measurement ~10 gallons removed
	11/4/2020	9:00 AM	ND	8.61	30.48	38.08	NA	7.60	Pre-pumping measurment
	11/5/2020	9:30 AM	ND	8.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:40 AM	ND	8.08	29.99	38.02	NA	8.03	
	11/19/2020	9:30 AM	ND	8.06	30.06	38.02	NA	7.96	Pre-pumping measurment
	11/19/2020	10:00 AM	ND	8.09	ND	38.25	NA	NA	Post-pumping measurement ~12 gallons removed
	12/1/2020	11:15 AM	ND	6.62	29.76	38.01	NA	8.25	Pre-pumping measurement
	12/2/2020	9:35 AM	ND	6.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	12/16/2020	11:20 AM	ND	7.79	29.70	38.10	NA	8.40	Pre-pumping measurement
	12/18/2020	10:30 AM	ND	7.52	ND	37.70	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:30 AM	ND	7.97	29.60	38.21	NA	8.61	
	12/30/2020	9:45 AM	ND	8.00	29.57	38.11	NA	8.54	Pre-pumping measurement
	12/30/2020	10:45 AM	ND	8.01	ND	38.22	NA	NA	Post-pumping measurement ~10 gallons removed
	1/13/2021	10:30 AM	ND	7.49	29.99	38.21	NA	8.22	
	1/14/2021	8:50 AM	ND	7.87	29.98	38.21	NA	8.23	Pre-pumping measurement
	1/14/2021	10:00 AM	ND	8.02	ND	38.21	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2021	10:55 AM	ND	7.58	29.90	38.11	NA	8.21	
	1/28/2021	9:00 AM	ND	7.60	29.90	38.11	NA	8.21	Pre-pumping measurement
	1/28/2021	9:30 AM	ND	7.70	ND	38.11	NA	NA	Post-pumping measurement ~13 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	2/8/2021	11:40 AM	ND	8.70	30.00	38.11	NA	8.11	
	2/11/2021	10:30 AM	ND	7.95	30.00	38.78	NA	8.78	Pre-pumping measurement
	2/11/2021	11:40 AM	ND	7.97	ND	38.78	NA	NA	Post-pumping measurement ~15 gallons removed
	2/24/2021	10:30 AM	ND	8.23	29.80	38.78	NA	8.98	
	2/25/2021	8:40 AM	ND	8.23	29.80	38.76	NA	8.96	Pre-pumping measurement
	2/25/2021	10:25 AM	ND	8.25	ND	38.76	NA	NA	Post-pumping measurement ~9 gallons removed
	3/10/2021	11:50 AM	ND	8.48	29.79	38.50	NA	8.71	
	3/11/2021	9:15 AM	ND	8.14	29.98	38.50	NA	8.52	Pre-pumping measurement
	3/11/2021	11:15 AM	ND	8.29	ND	38.50	NA	NA	Post-pumping measurement ~10 gallons removed
	3/24/2021	10:04 AM	ND	8.26	30.46	38.42	NA	7.96	
	3/25/2021	8:58 AM	ND	7.92	30.34	38.42	NA	8.08	Pre-pumping measurement
	3/25/2021	11:20 AM	ND	7.47	ND	38.72	NA	NA	Post-pumping measurement ~13 gallons removed
	4/7/2021	9:15 AM	ND	8.01	30.30	38.72	NA	8.42	
	4/8/2021	8:15 AM	ND	7.66	29.90	38.00	NA	8.10	Pre-pumping measurement
	4/8/2021	11:20 AM	NM	NM	NM	NM	NM	NM	No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot well sump.
	4/21/2021	9:20 AM	ND	8.35	29.80	38.72	NA	8.92	The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is replaced.
	5/5/2021	12:00 PM	ND	8.20	29.12	37.88	NA	8.76	
	5/6/2021	10:10 AM	ND	7.81	29.45	37.88	NA	8.43	Pre-pumping measurement
	5/6/2021	11:40 AM	ND	8.31	ND	37.88	NA	NA	Post-pumping measurement ~10 gallons removed
	5/17/2021	11:30 AM	ND	8.67	27.94	37.94	NA	10.00	
	5/20/2021	9:30 AM	ND	8.63	27.90	37.94	NA	10.04	Pre-pumping measurement
	5/20/2021	10:30 AM	ND	8.67	ND	37.94	NA	NA	Post-pumping measurement ~13 gallons removed
	6/2/2021	10:55 AM	ND	8.90	30.20	38.34	NA	8.14	
	6/3/2021	9:00 AM	ND	8.90	30.17	38.31	NA	8.14	Pre-pumping measurement
	6/3/2021	9:45 AM	ND	8.93	ND	38.40	NA	NA	Post-pumping measurement ~13 gallons removed
	6/16/2021	10:52 AM	ND	8.67	29.71	38.34	NA	8.63	
	6/17/2021	8:25 AM	ND	8.66	29.70	38.34	NA	8.64	Pre-pumping measurement
	6/17/2021	9:55 AM	ND	8.70	ND	38.34	NA	NA	Post-pumping measurement ~17 gallons removed
	6/30/2021	11:00 AM	ND	8.98	29.98	38.65	NA	8.67	
	7/1/2021	8:15 AM	ND	8.80	29.98	38.65	NA	8.67	Pre-pumping measurement
	7/1/2021	8:35 AM	ND	8.82	ND	38.65	NA	NA	Post-pumping measurement ~4.7 gallons removed
	7/14/2021	10:45 AM	ND	7.95	29.90	38.65	NA	8.75	
	7/15/2021	9:15 AM	ND	8.75	29.90	38.65	NA	8.75	Pre-pumping measurement
	7/15/2021	9:55 AM	ND	8.80	ND	38.65	NA	NA	Post-pumping measurement ~5.95 gallons removed
	7/27/2021	3:36 AM	ND	7.59	29.80	38.19	NA	8.39	
	7/29/2021	8:45 AM	ND	8.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	7/29/2021	9:20 AM	ND	8.75	ND	38.19	NA	NA	Post-pumping measurement ~9.35 gallons removed
	8/11/2021	1:05 PM	ND	7.20	30.30	38.19	NA	7.89	
	8/12/2021	8:35 AM	ND	8.95	30.30	38.19	NA	7.89	Pre-pumping measurement
	8/12/2021	9:45 AM	ND	8.97	ND	38.19	NA	NA	Post-pumping measurement ~5.95 gallons removed
	8/23/2021	12:45 PM	ND	5.98	29.60	38.18	NA	8.58	
	8/24/2021	8:10 AM	ND	7.81	29.60	38.18	NA	8.58	Pre-pumping measurement
	8/24/2021	8:35 AM	ND	7.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/8/2021	11:35 AM	ND	6.82	30.00	38.18	NA	8.18	
	9/9/2021	8:50 AM	ND	6.81	30.00	38.18	NA	8.18	Pre-pumping measurement
	9/9/2021	9:05 AM	ND	6.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/21/2021	12:15 PM	ND	6.98	29.90	38.18	NA	8.28	
	9/23/2021	8:25 AM	ND	8.00	29.90	38.18	NA	8.28	Pre-pumping measurement
	9/23/2021	8:45 AM	ND	8.01	ND	38.18	NA	NA	Post-pumping measurement ~11 gallons removed
	10/7/2021	12:45 PM	ND	6.76	30.11	38.18	NA	8.07	
	10/8/2021	8:50 AM	ND	7.81	29.99	38.18	NA	8.19	Pre-pumping measurement
	10/8/2021	9:25 AM	ND	7.61	ND	38.18	NA	NA	Post-pumping measurement ~6.75 gallons removed
	10/20/2021	11:30 AM	ND	7.40	29.80	38.19	NA	8.39	
	10/21/2021	8:30 AM	ND	7.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	10/21/2021	9:05 AM	ND	7.75	ND	38.19	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2021	1:35 PM	ND	8.15	29.50	38.18	NA	8.68	
	11/5/2021	8:50 AM	ND	7.05	30.09	38.19	NA	8.10	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	11/5/2021	9:15 AM	ND	7.12	ND	38.19	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:25 PM	ND	8.35	29.50	38.18	NA	8.68	
	11/19/2021	10:45 AM	ND	7.86	29.50	38.18	NA	8.68	Pre-pumping measurement
	11/19/2021	11:45 AM	ND	7.87	ND	38.18	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	12:00 PM	ND	9.13	28.86	38.17	NA	9.31	
	12/2/2021	9:05 AM	ND	7.38	28.86	38.17	NA	9.31	Pre-pumping measurement
	12/2/2021	9:40 AM	ND	7.39	ND	38.17	NA	NA	Post-pumping measurement ~3 gallons removed
	12/14/2021	12:20 PM	ND	9.59	29.20	38.18	NA	8.98	
	12/15/2021	9:30 AM	ND	8.98	29.70	38.18	NA	8.48	Pre-pumping measurement
	12/15/2021	10:10 AM	ND	9.01	ND	38.18	NA	NA	Post-pumping measurement ~5 gallons removed
	12/28/2021	11:15	ND	8.52	29.70	38.16	NA	8.46	
	12/29/2021	8:00 AM	ND	7.32	29.65	38.15	NA	8.50	Pre-pumping measurement
	12/29/2021	8:50 AM	ND	9.06	ND	38.17	NA	NA	Post-pumping measurement ~445 gallons removed
	1/13/2022	11:30 AM	ND	9.41	28.16	38.15	NA	9.99	
	1/14/2022	8:30 AM	ND	9.41	28.16	38.15	NA	9.99	Pre-pumping measurement
	1/14/2022	9:10 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	ND	9.41	28.14	38.15	NA	10.01	
	1/28/2022	9:00 AM	ND	7.71	29.71	38.15	NA	8.44	Pre-pumping measurement
	1/28/2022	9:30 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	2/7/2022	9:15 AM	ND	8.48	29.65	38.15	NA	8.50	
	2/9/2022	8:30 AM	ND	8.42	29.29	38.15	NA	8.86	Pre-pumping measurement
	2/9/2022	9:30 AM	ND	9.61	ND	38.15	NA	NA	Post-pumping measurement ~12 gallons removed
	2/24/2022	8:30 AM	ND	9.31	29.97	38.17	NA	8.20	
	2/25/2022	9:30 AM	ND	9.31	29.97	38.17	NA	8.20	Pre-pumping measurement
	2/25/2022	10:15 AM	ND	9.61	ND	38.17	NA	NA	Post-pumping measurement ~13 gallons removed
	3/17/2022	11:04 AM	ND	7.65	35.3	37.50	NA	2.2	
	3/18/2022	8:15 AM	ND	7.70	29.6	38.40	NA	8.8	Pre-pumping measurement
	3/18/2022	11:45 AM	ND	ND	32.3	37.50	NA	6.1	Post-pumping measurement ~4 gallons removed
	3/28/2022	8:17 AM	ND	8.02	29.69	37.54	NA	7.75	Pre-pumping measurement
	3/28/2022	3:00 PM	ND	ND	30.54	37.54	NA	7.0	Post-pumping measurement ~10 gallons removed
	4/13/2022	7:56 AM	ND	7.90	29.7	37.50	NA	7.8	Pre-pumping measurement
	4/13/2022	2:40 PM	ND	7.90	34.05	37.50	NA	3.45	Post-pumping measurement~21 gallons removed
	4/28/2022	8:40 AM	ND	8.08	29.71	37.47	NA	7.76	Pre-pumping measurement
	4/28/2022	3:00 PM	ND	ND	29.79	37.54	NA	7.75	Post-pumping measurement ~3 gallons removed. Tubing on pump dislodged.
	5/12/2022	8:10 AM	ND	7.34	30.44	37.09	NA	6.65	Pre-pumping measurement
	5/12/2022	14:50:00 PM	ND	ND	32.3	37.50	NA	5.2	Post-pumping measurement~25 gallons removed
	5/25/2022	8:25 AM	ND	7.62	30.59	37.08	NA	6.49	Pre-pumping measurement
	5/25/2022	3:00 PM	ND	ND	30.61	37.08	NA	6.47	Post-pumping measurement ~11 gallons removed. Minimal recovery due to pump difficulties
	6/9/2022	9:20 AM	ND	7.61	29.63	37.10	NA	7.47	Pre-pumping measurement
	6/9/2022	2:50 PM	ND	ND	31.48	37.10	NA	5.62	Post-pumping measurement ~17 gallons removed
	6/23/2022	11:15 AM	ND	8.37	29.62	37.17	NA	7.55	Pre-pumping measurement
	6/23/2022	11:25 AM	ND	ND	35.1	37.17	NA	2.07	Post-pumping measurement ~25 gallons removed
	7/8/2022	12:36 PM	ND	8.35	31.11	37.34	NA	6.23	Pre-pumping measurement- no pumping completed, equipment malfunction
	7/21/2022	8:35 AM	ND	8.12	30.0	37.30	NA	7.3	Pre-pumping measurement
	7/21/2022	12:25 AM	ND	ND	31.8	37.30	NA	5.50	Post-pumping measurement ~20 gallons removed
	8/4/2022	8:35 AM	ND	8.81	30.80	37.3	NA	6.50	Pre-pumping measurement
	8/5/2022	2:20 PM	ND	ND	30.87	37.3	NA	6.43	Post-pumping measurement ~20 gallons removed
	8/18/2022	8:30 AM	ND	8.34	30.27	37.2	NA	6.93	Pre-pumping measurement
	8/18/2022	2:30 PM	ND	ND	32.49	37.2	NA	4.71	Post-pumping measurement ~18 gallons removed
	9/2/2022	12:30 PM	ND	7.89	30.95	37.35	NA	6.4	Pre-pumping measurement
	9/2/2022	2:00 PM	ND	ND	32.15	37.35	NA	5.2	Post-pumping measurement ~5 gallons removed
	9/15/2022	8:25 AM	ND	8.62	29.52	37.37	NA	7.85	Pre-pumping measurement
	9/15/2022	10:45 AM	ND	ND	34.56	37.37	NA	2.81	Post-pumping measurement ~17 gallons removed
	9/29/2022	8:30 AM	ND	8.75	29.57	37.38	NA	7.81	Pre-pumping measurement
	9/29/2022	2:30 PM	ND	ND	33.34	37.38	NA	4.04	Post-pumping measurement ~12 gallons removed
	10/13/2022	9:29 AM	ND	7.82	28.77	35.57	NA	6.80	Pre-pumping measurement
	10/13/2022	10:33 AM	ND	ND	30.92	35.57	NA	4.65	Post-pumping measurement ~5 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	10/27/2022	7:40 AM	ND	8.47	29.93	37.34	NA	7.41	Pre-pumping measurement
	10/27/2022	1:15 PM	ND	ND	31.68	37.34	NA	5.66	Post-pumping measurement ~15 gallons removed
	11/10/2022	8:15 AM	ND	7.89	31.31	37.51	NA	6.20	Pre-pumping measurement
	11/10/2022	12:15 PM	ND	ND	32.94	37.51	NA	4.57	Post-pumping measurement ~8 gallons removed
	11/22/2022	10:05 AM	ND	8.26	30.78	37.12	NA	6.34	Pre-pumping measurement
	11/22/2022	11:00 AM	ND	ND	32.35	37.12	NA	4.77	Post-pumping measurement ~7 gallons removed
	12/8/2022	11:15 AM	ND	7.82	31.28	37.59	NA	6.31	Pre-pumping measurement
	12/8/2022	14:35 PM	ND	ND	31.41	37.59	NA	6.18	Post-pumping measurement ~7 gallons removed
	12/22/2022	11:45 AM	ND	7.78	31.89	37.89	NA	6.00	Pre-pumping measurement
	12/22/2022	14:00PM	ND	ND	31.99	37.89	NA	5.90	Post-pumping measurement ~5 gallons removed
	1/5/2023	8:30 AM	ND	8.21	30.8	37.4	NA	6.6	Pre-pumping measurement
	1/5/2023	8:40 AM	ND	ND	31.49	37.4	NA	5.91	Post-pumping measurement ~13 gallons removed
	1/18/2023	11:15 AM	ND	7.59	30.68	37.3	NA	6.62	Pre-pumping measurement
	1/18/2023	11:25 AM	ND	ND	30.79	37.3	NA	6.51	Post-pumping measurement ~12 gallons removed
	2/2/2023	10:05 AM	ND	7.32	30.13	37.22	NA	7.09	Pre-pumping measurement
	2/2/2023	10:15 AM	ND	ND	31.71	37.22	NA	5.51	Post-pumping measurement ~12 gallons removed
	2/15/2023	10:50 AM	ND	8.25	30.25	37.25	NA	7.00	Pre-pumping measurement
	2/15/2023	11:00 AM	ND	ND	31.28	37.25	NA	5.97	Post-pumping measurement ~15 gallons removed
	3/2/2023	12:00 PM	ND	7.81	29.55	37.3	NA	7.75	Pre-pumping measurement
	3/2/2023	1:35 PM	ND	ND	31.64	37.3	NA	5.66	Post-pumping measurement ~18.6 gallons removed
	3/15/2023	12:05 PM	ND	8.77	29.93	37.43	NA	7.50	Pre-pumping measurement- no pumping completed, equipment malfunction
	3/29/2023	10:00 AM	ND	8.36	30.05	37.28	NA	7.23	Pre-pumping measurement - gauging only
	4/12/2023	1:45 PM	ND	8.31	29.95	37.45	NA	7.50	Pre-pumping measurement - gauging only
	4/26/2023	10:30 AM	ND	8.2	30.70	37.45	NA	6.75	Pre-pumping measurement - gauging only
	5/10/2023	9:45 AM	ND	8.45	29.78	37.35	NA	7.57	Pre-pumping measurement
	5/11/2023	12:00 PM	ND	ND	29.85	37.35	NA	7.50	Post-pumping measurement ~0.5 gallons removed
	5/24/2023	8:50 AM	ND	8.19	29.71	37.31	NA	7.60	Pre-pumping measurement
	5/24/2023	1:15 PM	ND	ND	30.56	37.31	NA	6.75	Post-pumping measurement ~0.6 gallons removed
	6/7/2023	9:00 AM	ND	8.36	30.53	37.28	NA	6.75	Pre-pumping measurement
	6/7/2023	2:00 PM	ND	ND	32.78	37.28	NA	4.50	Post-pumping measurement ~3.7 gallons removed
	6/13/2023	9:15 AM	ND	7.81	30.00	37.25	NA	7.25	Pre-pumping measurement - gauging only
	6/21/2023	11:00 AM	ND	8.14	30.02	37.22	NA	7.20	Pre-pumping measurement
	6/21/2023	1:00 PM	ND	ND	31.41	37.22	NA	5.90	Post-pumping measurement ~2.5 gallons removed
	7/6/2023	9:50 AM	ND	8.20	29.84	37.25	NA	7.41	Pre-pumping measurement
	7/6/2023	12:30 PM	ND	ND	31.15	37.25	NA	6.10	Post-pumping measurement ~2.5 gallons removed
	7/19/2023	10:30 AM	ND	7.63	30.10	37.21	NA	7.11	Pre-pumping measurement
	7/19/2023	11:40 AM	ND	ND	30.21	37.21	NA	7.00	Post-pumping measurement ~0.5 gallons removed
	8/16/2023	11:00 AM	ND	6.62	29.83	37.21	NA	7.38	Pre-pumping measurement
	8/16/2023	1:30 PM	ND	ND	30.18	37.21	NA	7.03	Post-pumping measurement ~0.5 gallons removed
	8/30/2023	12:30 PM	ND	7.11	29.90	37.30	NA	7.40	Pre-pumping measurement - no pumping completed, equipment malfunction
	9/13/2023	9:30 AM	ND	6.98	29.52	37.31	NA	7.79	Pre-pumping measurement
	9/13/2023	1:00 PM	ND	ND	30.35	37.31	NA	6.96	Post-pumping measurement ~1.0 gallons removed
	9/27/2023	11:45 AM	ND	7.42	29.63	37.35	NA	7.72	Pre-pumping measurement
	9/27/2023	2:00 PM	ND	ND	NA	37.35	NA	NA	Post-pumping measurement ~10.0 gallons removed
	10/13/2023	10:40 AM	ND	6.82	29.63	37.31	NA	7.68	Pre-pumping measurement
	10/13/2023	12:50 PM	ND	ND	NA	37.31	NA	NA	Post-pumping measurement ~5.0 gallons removed
	11/7/2023	10:00 AM	ND	7.61	29.79	37.39	NA	7.60	Pre-pumping measurement
	11/7/2023	11:30 AM	ND	ND	NA	37.39	NA	NA	Post-pumping measurement ~10.0 gallons removed
	11/21/2023	11:00 AM	ND	8.58	29.6	37.40	NA	7.80	Pre-pumping measurement
	11/21/2023	11:45 AM	ND	ND	NA	37.40	NA	NA	Post-pumping measurement ~15.0 gallons removed
	12/7/2023	10:55 AM	ND	8.28	30.1	37.35	NA	7.25	Pre-pumping measurement
	12/7/2023	11:30 AM	ND	ND	NA	37.35	NA	NA	Post-pumping measurement ~10.0 gallons removed
	12/20/2023	11:15 AM	ND	8.62	29.9	37.40	NA	7.50	Pre-pumping measurement
	12/20/2023	12:15 AM	ND	ND	NA	37.40	NA	NA	Post-pumping measurement ~10.0 gallons removed
	1/4/2024	10:30 AM	ND	6.60	29.86	37.28	NA	7.42	Pre-pumping measurement
	1/4/2024	11:30 AM	ND	ND	NA	37.28	NA	NA	Post-pumping measurement ~20.0 gallons removed
	1/17/2024	NA	ND	ND	NA	37.28	NA	NA	No more drum space, could not recover.

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	1/31/2024	9:55 AM	ND	7.54	29.50	37.30	NA	7.80	Pre-pumping measurement
	1/31/2024	1:00 PM	ND	ND	NA	37.30	NA	NA	Post-pumping measurement ~20.0 gallons removed
	2/15/2024	12:00 PM	ND	7.77	29.90	36.57	NA	6.67	Pump malfunction, could not recover.
	2/28/2024	11:35 AM	ND	8.49	29.70	37.18	NA	7.48	Pre-pumping measurement
	2/28/2024	2:00 PM	ND	ND	29.70	37.18	NA	6.82	Post-pumping measurement ~5.0 gallons removed
	3/14/2024	11:30 AM	ND	7.01	29.48	37.38	NA	7.90	Pre-pumping measurement
	3/14/2024	14:30 PM	ND	ND	32.38	37.38	NA	5.00	Post-pumping measurement ~7.5 gallons removed
	3/27/2024	12:00 PM	ND	7.21	29.97	37.18	NA	6.29	Pre-pumping measurement
NW-6	3/27/2024	2:20 PM	ND	ND	31.61	37.18	NA	5.57	Post-pumping measurement ~4.0 gallons removed
	10/7/2020	12:05 PM	ND	9.01	33.26	38.32	NA	5.06	Pre-pumping measurement
	10/14/2020	8:45 AM	ND	8.55	ND	37.20	NA	ND	Post-pumping measurement ~6 gallons removed
	10/21/2020	10:40 AM	ND	9.00	33.37	38.35	NA	4.98	Pre-pumping measurement
	10/21/2020	12:00 PM	ND	9.00	ND	38.38	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2020	8:45 AM	ND	9.66	32.28	36.06	NA	3.78	Pre-pumping measurement
	11/5/2020	10:00 AM	ND	9.64	ND	38.31	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:25 AM	ND	9.16	33.39	38.10	NA	4.71	
	11/19/2020	10:00 AM	ND	9.15	33.43	38.09	NA	4.66	Pre-pumping measurement
	11/19/2020	10:15 AM	ND	9.16	ND	38.14	NA	NA	Post-pumping measurement ~3 gallons removed
	12/1/2020	11:00 AM	ND	7.98	34.41	37.12	NA	2.71	Pre-pumping measurement
	12/2/2020	10:05 AM	ND	8.01	ND	37.12	NA	NA	Post-pumping measurement ~5 gallons removed
	12/16/2020	11:00 AM	ND	9.20	33.20	37.12	NA	3.92	Pre-pumping measurement
	12/18/2020	12:00 PM	ND	8.70	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:10 AM	ND	8.75	33.35	38.10	NA	4.75	
	12/30/2020	11:15 AM	ND	8.71	33.33	38.10	NA	4.77	Pre-pumping measurement
	12/30/2020	11:45 AM	ND	8.73	ND	38.12	NA	NA	Post-pumping measurement ~5 gallons removed
	1/13/2021	10:15 AM	ND	8.45	33.44	38.10	NA	4.66	
	1/14/2021	8:25 AM	ND	8.87	33.31	38.10	NA	4.79	Pre-pumping measurement
	1/14/2021	8:40 AM	ND	8.92	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	1/27/2021	11:15 AM	ND	8.63	34.00	38.35	NA	4.35	
	1/28/2021	10:15 AM	ND	8.70	34.00	38.35	NA	4.35	Pre-pumping measurement
	1/28/2021	10:40 AM	ND	8.73	ND	38.37	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:20 AM	ND	7.98	33.95	38.37	NA	4.42	
	2/11/2021	12:05 PM	ND	7.55	33.90	38.38	NA	4.48	Pre-pumping measurement
	2/11/2021	12:20 PM	ND	7.54	ND	38.36	NA	NA	Post-pumping measurement ~5 gallons removed
	2/24/2021	10:20 AM	ND	8.86	33.10	38.36	NA	5.26	
	2/25/2021	10:45 AM	ND	8.80	33.10	38.37	NA	5.27	Pre-pumping measurement
	2/25/2021	10:55 AM	ND	8.82	ND	38.37	NA	NA	Post-pumping measurement ~5 gallons removed
	3/10/2021	11:40 AM	ND	8.48	33.60	38.32	NA	4.72	
	3/11/2021	11:38 AM	ND	8.26	32.80	38.32	NA	5.52	Pre-pumping measurement
	3/11/2021	11:50 AM	ND	9.04	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	3/24/2021	9:59 AM	ND	8.84	33.04	38.12	NA	5.08	
	3/25/2021	11:27 AM	ND	8.61	32.98	38.10	NA	5.12	Pre-pumping measurement
	3/25/2021	11:43 AM	ND	9.41	ND	38.14	NA	NA	Post-pumping measurement ~7 gallons removed
	4/7/2021	9:15 AM	ND	8.45	33.25	38.15	NA	4.90	
	4/8/2021	12:00 PM	ND	8.45	33.29	38.15	NA	4.86	Pre-pumping measurement
	4/8/2021	12:20 PM	ND	8.54	ND	38.35	NA	NA	Post-pumping measurement ~20 gallons removed
	4/21/2021	9:25 AM	ND	8.59	33.22	38.50	NA	5.28	
	4/22/2021	10:15 AM	ND	8.82	33.01	38.48	NA	5.47	Pre-pumping measurement
	4/22/2021	10:45 AM	ND	8.87	ND	38.45	NA	NA	Post-pumping measurement ~15 gallons removed
	5/5/2021	11:00 AM	ND	8.40	33.41	38.52	NA	5.11	
	5/6/2021	12:45 PM	ND	8.61	33.45	38.50	NA	5.05	No vacuum event performed at NW-6
	5/17/2021	11:00 AM	ND	9.10	31.89	37.99	NA	6.10	
	5/20/2021	10:45 AM	ND	9.11	31.85	38.00	NA	6.15	Pre-pumping measurement
	5/20/2021	11:15 AM	ND	9.14	ND	38.06	NA	NA	Post-pumping measurement ~7 gallons removed
	6/2/2021	10:35 AM	ND	8.75	32.18	38.49	NA	6.31	
	6/3/2021	10:00 AM	ND	8.74	32.16	38.49	NA	6.33	Pre-pumping measurement
	6/3/2021	10:30 AM	ND	8.78	ND	38.49	NA	NA	Post-pumping measurement ~9 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	6/16/2021	10:34 AM	ND	8.84	32.50	38.03	NA	5.53	
	6/17/2021	10:10 AM	ND	8.83	32.50	38.00	NA	5.50	Pre-pumping measurement
	6/17/2021	10:35 AM	ND	8.84	ND	38.05	NA	NA	Post-pumping measurement ~17.25 gallons removed
	6/30/2021	10:35 AM	ND	9.11	33.00	38.10	NA	5.10	
	7/1/2021	8:50 AM	ND	9.18	33.00	38.10	NA	5.10	Pre-pumping measurement
	7/1/2021	9:20 AM	ND	9.19	ND	38.10	NA	NA	Post-pumping measurement ~5.5 gallons removed
	7/14/2021	10:25 AM	ND	8.45	32.95	37.70	NA	4.75	
	7/15/2021	10:35 AM	ND	8.65	32.95	37.70	NA	4.75	Pre-pumping measurement
	7/15/2021	11:05 AM	ND	8.69	ND	37.70	NA	NA	Post-pumping measurement ~15.3 gallons removed
	7/27/2021	11:05 AM	ND	8.36	33.05	36.78	NA	3.73	
	7/29/2021	9:45 AM	ND	9.02	33.05	36.78	NA	3.73	Pre-pumping measurement
	7/29/2021	10:15 AM	ND	9.09	ND	36.78	NA	NA	Post-pumping measurement ~18.7 gallons removed
	8/11/2021	12:50 PM	ND	8.32	33.00	36.77	NA	3.77	
	8/12/2021	11:15 AM	ND	8.70	33.00	37.40	NA	4.40	No pumping due to stinger maintenance
	8/23/2021	12:25 PM	ND	7.11	31.55	37.40	NA	5.85	
	8/24/2021	9:30 AM	ND	8.00	31.55	37.40	NA	5.85	Pre-pumping measurement
	8/24/2021	9:45 AM	ND	8.01	ND	37.40	NA	NA	Post-pumping measurement ~17.9 gallons removed
	9/8/2021	11:05 AM	ND	7.97	31.80	37.40	NA	5.60	
	9/9/2021	9:25 AM	ND	8.28	31.80	37.40	NA	5.60	Pre-pumping measurement
	9/9/2021	9:35 AM	ND	8.31	ND	37.40	NA	NA	Post-pumping measurement ~2.6 gallons removed
	9/21/2021	12:35 PM	ND	8.02	31.70	37.40	NA	5.70	
	9/23/2021	9:30 AM	ND	8.54	31.70	37.40	NA	5.70	Pre-pumping measurement
	9/23/2021	9:40 AM	ND	8.55	ND	37.40	NA	NA	Post-pumping measurement ~20.4 gallons removed
	10/7/2021	12:15 PM	ND	7.88	32.01	37.40	NA	5.39	
	10/8/2021	10:06 AM	ND	8.41	31.90	37.40	NA	5.50	Pre-pumping measurement
	10/8/2021	10:28 AM	ND	8.85	ND	37.60	NA	NA	Post-pumping measurement ~22.5 gallons removed
	10/20/2021	12:10 PM	ND	8.33	32.50	37.41	NA	4.91	
	10/21/2021	10:00 AM	ND	7.30	32.50	37.41	NA	4.91	Pre-pumping measurement
	10/21/2021	10:10 AM	ND	7.33	ND	37.41	NA	NA	Post-pumping measurement ~8 gallons removed
	11/4/2021	1:25 PM	ND	8.02	32.00	37.40	NA	5.40	
	11/5/2021	9:25 AM	ND	8.75	32.11	37.41	NA	5.30	Pre-pumping measurement
	11/5/2021	10:10 AM	ND	8.15	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:10 PM	ND	8.52	32.00	37.40	NA	5.40	
	11/19/2021	12:30 PM	ND	7.78	32.00	37.40	NA	5.40	Pre-pumping measurement
	11/19/2021	12:45 PM	ND	7.79	ND	37.40	NA	NA	Post-pumping measurement ~8 gallons removed
	12/1/2021	11:39 AM	ND	9.38	31.98	37.40	NA	5.42	
	12/2/2021	10:10 AM	ND	8.43	31.98	37.40	NA	5.42	Pre-pumping measurement
	12/2/2021	10:20 AM	ND	8.44	ND	37.40	NA	NA	Post-pumping measurement ~4 gallons removed
	12/14/2021	12:40 PM	ND	9.66	32.20	37.40	NA	5.20	
	12/15/2021	11:00 AM	ND	9.06	32.20	37.40	NA	5.20	Pre-pumping measurement
	12/15/2021	11:02 AM	ND	9.08	ND	37.40	NA	NA	Post-pumping measurement ~6 gallons removed
	12/28/2021	11:30 AM	ND	8.79	32.35	37.40	NA	5.05	
	12/29/2021	9:10 AM	ND	8.35	32.29	37.38	NA	5.09	Pre-pumping measurement
	12/29/2021	10:05 AM	ND	8.41	ND	37.40	NA	NA	Post-pumping measurement ~15 gallons removed
	1/13/2022	10:55 AM	ND	9.45	33.42	37.38	NA	3.96	
	1/14/2022	10:00 AM	ND	9.45	33.42	37.38	NA	3.96	Pre-pumping measurement
	1/14/2022	10:15 AM	ND	9.36	ND	37.38	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2022	11:00 AM	ND	9.41	34.61	37.38	NA	2.77	
	1/28/2022	10:00 AM	ND	9.42	34.6	37.38	NA	2.78	Pre-pumping measurement
	1/28/2022	10:30 AM	ND	9.39	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	9:30 AM	ND	9.25	33.31	37.38	NA	4.07	
	2/9/2022	11:00 AM	ND	9.21	33.01	37.38	NA	4.37	Pre-pumping measurement
	2/9/2022	11:05 AM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/24/2022	8:45 AM	ND	9.33	35.61	37.36	NA	1.75	
	2/25/2022	11:30 AM	ND	9.33	35.61	37.36	NA	1.75	Pre-pumping measurement
	2/25/2022	12:00 PM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	ND	8.70	36.2	37.40	NA	1.2	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	3/17/2022	2:30 PM	ND	ND	37.02	37.40	NA	0.38	Post-pumping Measurment ~ 2 gallons removed
	3/28/2022	9:25 AM	ND	8.75	30.9	33.20	NA	2.3	Pre-pumping measurement
	3/28/2022	1:30 PM	ND	ND	32.2	33.20	NA	1.0	Post-pumping Measurment ~ 10 gallons removed
	4/13/2022	10:50 AM	ND	8.60	30.55	33.05	NA	2.5	Pre-pumping measurement
	4/14/2022	9:00 AM	ND	ND	33.01	33.35	NA	0.34	Post pumping measurment ~16 gallons removed
	4/28/2022	12:20 PM	ND	8.91	30.82	38.33	NA	7.51	Pre-pumping measurement
	4/28/2022	1:30 PM	ND	ND	33.24	38.33	NA	5.09	Post Pumping Measurment ~ 6 gallons removed
	5/12/2022	11:40 AM	ND	8.65	31.25	37.85	NA	6.6	Pre-pumping measurement
	5/13/2022	11:45 AM	ND	ND	33.28	37.86	NA	4.58	Post pumping measurment ~8.5 gallons removed
	5/25/2022	10:40 AM	ND	8.87	30.98	37.51	NA	6.53	Pre-pumping measurement
	5/25/2022	1:30 PM	ND	ND	33.38	37.72	NA	4.34	Post Pumping Measurment ~ 6.5 gallons removed
	6/9/2022	11:50 AM	ND	8.62	30.9	37.50	NA	6.6	Pre-pumping measurement
	6/9/2022	12:45 PM	ND	ND	33.12	37.50	NA	4.38	Post pumping measurment ~6.5 gallons removed
	6/23/2022	8:45 AM	ND	8.46	31.0	38.18	NA	7.18	Pre-pumping measurement
	6/23/2022	9:30 AM	ND	8.46	34.86	38.18	NA	3.32	Post Pumping Measurment ~8 gallons removed
	7/8/2022	10:35 AM	ND	8.83	30.74	36.96	NA	6.22	Pre-pumping measurement
	7/8/2022	11:05 AM	ND	ND	32.06	36.96	NA	4.9	Post pumping measurment ~2.0 gallons removed
	7/21/2022	8:25 AM	ND	8.36	31.0	37.60	NA	6.6	Pre-pumping measurement
	7/21/2022	9:30 AM	ND	ND	33.08	37.60	NA	4.52	Post Pumping Measurment ~3.0 gallons removed
	8/4/2022	10:40 AM	ND	8.34	29.92	33.35	NA	3.43	Pre-pumping measurement- pumping not completed
	8/5/2022	12:30 PM	ND	ND	30.14	33.35	NA	3.21	Post-pumping measurement- pumping not completed
	8/18/2022	11:25 AM	ND	8.64	30.82	37.22	NA	6.4	Pre-pumping measurement
	8/19/2022	9:30 AM	ND	ND	33.4	37.22	NA	3.82	Post Pumping Measurment ~21 gallons removed
	9/1/2022	10:00 AM	ND	ND	27.2	32.87	NA	5.65	Pre-pumping measurement
	9/1/2022	10:50 AM	ND	ND	28.13	32.87	NA	4.74	Post Pumping Measurment ~5 gallons removed
	9/15/2022	11:40 AM	ND	8.51	31.65	37.22	NA	5.57	Pre-pumping measurement
	9/15/2022	2:00 PM	ND	ND	32.9	37.22	NA	4.32	Post Pumping Measurment ~12 gallons removed
	9/30/2022	9:00 AM	ND	8.86	31.12	37.32	NA	6.2	Pre-pumping measurement
	9/30/2022	2:00 PM	ND	ND	33.07	37.32	NA	4.25	Post Pumping Measurment ~16 gallons removed
	10/12/2022	10:57 AM	ND	8.73	33.1	36.00	NA	2.9	Pre-pumping measurement
	10/12/2022	11:14 PM	ND	ND	33.8	36.00	NA	2.2	Post Pumping Measurment ~2 gallons removed
	10/26/2022	8:30 AM	ND	8.25	32.71	37.92	NA	5.21	Pre-pumping measurement
	10/26/2022	9:30 AM	ND	ND	34.01	37.92	NA	3.91	Post Pumping Measurment ~8 gallons removed
	11/9/2022	10:40 AM	ND	8.83	31.51	37.42	NA	5.91	Pre-pumping measurement
	11/9/2022	10:50 AM	ND	ND	32.67	37.42	NA	4.75	Post Pumping Measurment ~5 gallons removed
	11/22/2022	8:00 AM	ND	9.39	29.02	33.35	NA	4.33	Pre-pumping measurement
	11/22/2022	8:50 PM	ND	ND	30.08	33.35	NA	3.27	Post Pumping Measurment ~5 gallons removed
	12/8/2022	8:45 AM	ND	8.04	33.19	37.39	NA	4.2	Pre-pumping measurement
	12/8/2022	10:30 AM	ND	ND	34.27	37.39	NA	3.12	Post Pumping Measurment ~6 gallons removed
	12/22/2022	10:00 AM	ND	8.45	31.00	36.95	NA	5.95	Pre-pumping measurement
	12/22/2022	8:50 PM	ND	ND	31.45	36.95	NA	5.50	Post Pumping Measurment ~4 gallons removed
	1/4/2023	9:50 AM	ND	8.61	29.97	33.62	NA	3.65	Pre-pumping measurement
	1/4/2023	10:00 AM	ND	ND	33.58	33.62	NA	0.04	Post Pumping Measurment ~12 gallons removed
	1/18/2023	10:25 AM	ND	9.6	30.56	35.18	NA	4.62	Pre-pumping measurement
	1/18/2023	10:35 AM	ND	ND	32.69	35.18	NA	2.49	Post Pumping Measurment ~8 gallons removed
	2/2/2023	8:00 AM	ND	8.66	28.69	35.14	NA	6.45	Pre-pumping measurement
	2/2/2023	9:45 AM	ND	ND	32.25	35.14	NA	2.89	Post Pumping Measurment ~12 gallons removed
	2/15/2023	9:50 AM	ND	8.75	32.74	37.5	NA	4.76	Pre-pumping measurement
	2/15/2023	10:45 AM	ND	ND	34.86	37.5	NA	2.64	Post Pumping Measurment ~10 gallons removed
	3/1/2023	8:45 AM	ND	8.35	30.75	37.5	NA	6.75	Pre-pumping measurement
	3/1/2023	9:45 AM	ND	ND	35.48	37.5	NA	2.02	Post Pumping Measurment ~10 gallons removed
	3/15/2023	10:15 AM	ND	8.63	30.71	37.31	NA	6.6	Pre-pumping measurement
	3/15/2023	11:25 AM	ND	ND	31.71	37.31	NA	5.6	Post Pumping Measurment ~4.7 gallons removed
	3/29/2023	8:00 AM	ND	8.44	32.44	37.55	NA	5.11	Pre-pumping measurement - gauging only
	4/12/2023	10:00 AM	ND	8.50	31.15	37.15	NA	6.0	Pre-pumping measurement - gauging only
	4/26/2023	10:00 AM	ND	8.67	31.3	36.8	NA	5.5	Pre-pumping measurement - gauging only
	5/10/2023	9:30 AM	ND	8.79	30.98	37.83	NA	6.85	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	5/11/2023	9:30 AM	ND	ND	35.24	37.83	NA	2.59	Post Pumping Measurement ~4.8 gallons removed
	5/24/2023	8:30 AM	ND	8.98	30.83	37.45	NA	6.62	Pre-pumping measurement
	5/24/2023	10:20 AM	ND	ND	35.15	37.45	NA	2.30	Post Pumping Measurement ~2.8 gallons removed
	5/24/2023	2:30 PM	ND	8.98	34.23	37.45	NA	3.22	Pre-pumping measurement
	5/24/2023	3:00 PM	ND	ND	35.44	37.45	NA	2.01	Post Pumping Measurement ~0.8 gallons removed
	5/25/2023	10:00 AM	ND	9.26	32.79	37.59	NA	4.80	Pre-pumping measurement - gauging only
	6/13/2023	8:30 AM	ND	9.13	31.35	37.95	NA	6.60	Pre-pumping measurement
	6/13/2023	9:45 AM	ND	ND	33.45	37.95	NA	4.50	Post Pumping Measurement ~5.0 gallons removed
	6/21/2023	8:40 AM	ND	8.7	31.87	37.39	NA	5.52	Pre-pumping measurement
	6/21/2023	10:00 AM	ND	ND	33.17	37.39	NA	4.22	Post Pumping Measurement ~4.5 gallons removed
	7/6/2023	8:10 AM	ND	8.69	31.21	37.11	NA	5.90	Pre-pumping measurement
	7/6/2023	9:20 AM	ND	ND	32.05	37.11	NA	5.06	Post Pumping measurement ~4.5 gallons removed
	7/19/2023	9:30 AM	ND	8.39	30.74	36.58	NA	5.84	Pre-pumping measurement
	7/19/2023	10:00 AM	ND	ND	33.32	36.58	NA	3.26	Post Pumping measurement ~5.0 gallons removed
	8/3/2023	8:10 AM	ND	8.99	30.88	37.43	NA	6.55	Pre-pumping measurement - gauging only
	8/16/2023	9:00 AM	ND	8.53	31.19	37.24	NA	6.05	Pre-pumping measurement
	8/16/2023	9:45 AM	ND	ND	32.39	37.24	NA	4.85	Post Pumping Measurement ~5.0 gallons removed
	8/30/2023	10:30 AM	ND	8.17	30.95	37.15	NA	6.20	Pre-pumping measurement
	8/30/2023	11:30 AM	ND	ND	32.85	37.15	NA	4.30	Post Pumping Measurement ~6.0 gallons removed
	9/13/2023	1:30 PM	ND	8.31	31.60	37.70	NA	6.10	Pre-pumping measurement
	9/13/2023	2:00 PM	ND	ND	33.45	37.70	NA	4.25	Post Pumping Measurement ~5.5 gallons removed
	9/27/2023	10:30 AM	ND	8.12	31.77	37.84	NA	6.07	Pre-pumping measurement
	9/27/2023	11:30 AM	ND	ND	33.72	37.84	NA	4.12	Post Pumping Measurement ~5.5 gallons removed
	10/13/2023	8:40 AM	ND	5.68	30.32	36.8	NA	6.48	Pre-pumping measurement - no pumping completed, equipment malfunction
	11/6/2023	9:15 AM	ND	8.41	30.74	36.8	NA	6.06	Pre-pumping measurement
	11/6/2023	9:45 AM	ND	ND	32.59	36.8	NA	4.21	Post-pumping measurement ~5.5 gallons removed
	11/21/2023	9:45 AM	ND	8.78	31.16	36.8	NA	5.64	Pre-pumping measurement - no pumping completed, equipment malfunction
	12/7/2023	9:00 AM	ND	8.8	30.93	36.8	NA	5.87	Pre-pumping measurement
	12/7/2023	9:55 AM	ND	ND	32.13	36.8	NA	4.67	Post-pumping measurement ~5.0 gallons removed
	12/20/2023	9:45 AM	ND	9.77	30.96	36.8	NA	5.84	Pre-pumping measurement
	12/20/2023	10:45 AM	ND	ND	32.31	36.8	NA	4.49	Post-pumping measurement ~5.0 gallons removed
	1/4/2024	9:00 AM	ND	9.01	31.60	36.8	NA	5.20	Pre-pumping measurement
	1/4/2024	9:45 AM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	1/17/2024	10:10 AM	ND	8.97	31.7	36.8	NA	5.10	Pre-pumping measurement
	1/17/2024	11:00 AM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	1/31/2024	1:45 PM	ND	8.00	33.76	36.8	NA	5.34	Pre-pumping measurement
	1/31/2024	2:30 PM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	2/14/2024	12:55 PM	ND	8.68	31.40	36.66	NA	5.26	Pre-pumping measurement
	2/14/2024	2:00 PM	ND	ND	32.66	36.66	NA	4.00	Post-pumping measurement ~5.0 gallons removed
	2/28/2024	9:40 AM	ND	9.40	31.66	36.66	NA	5.00	Pre-pumping measurement
	2/28/2024	11:00 AM	ND	ND	32.66	36.66	NA	4.00	Post-pumping measurement ~5.0 gallons removed
	3/14/2024	8:45 AM	ND	8.75	29.96	36.8	NA	6.84	Pre-pumping measurement
	3/14/2024	11:00 AM	ND	ND	30.36	36.8	NA	6.44	Post-pumping measurement ~2.0 gallons removed
	3/27/2024	9:15 AM	ND	9.32	30.78	36.8	NA	6.02	Pre-pumping measurement
	3/27/2024	10:30 AM	ND	ND	33.24	36.8	NA	3.56	Post-pumping measurement ~5.0 gallons removed
NW-7	10/7/2020	10:55 AM	ND	9.24	ND	22.85	NA	NA	
	10/21/2020	8:55 AM	ND	9.02	ND	23.05	NA	NA	
	11/4/2020	7:15 AM	ND	9.15	ND	22.97	NA	NA	
	11/18/2020	10:25 AM	ND	9.37	ND	23.82	NA	NA	
	12/1/2020	9:25 AM	ND	8.89	ND	22.98	NA	NA	
	12/16/2020	9:10 AM	ND	9.41	ND	22.84	NA	NA	
	12/29/2020	9:25 AM	ND	9.14	ND	22.97	NA	NA	
	1/13/2021	8:35 AM	ND	9.51	ND	22.92	NA	NA	
	1/27/2021	9:00 AM	ND	9.67	ND	22.94	NA	NA	
	2/8/2021	9:10 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Innaccessible due to snow coverage
	3/10/2021	10:10 AM	ND	9.40	ND	22.95	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-7	3/24/2021	9:32 AM	ND	9.27	ND	22.96	NA	NA	
	4/7/2021	9:20 AM	ND	9.00	ND	22.90	NA	NA	
	4/21/2021	9:30 AM	ND	8.90	ND	22.89	NA	NA	
	5/5/2021	9:40 AM	ND	8.90	ND	22.86	NA	NA	
	5/17/2021	9:35 AM	ND	9.33	ND	22.89	NA	NA	
	6/2/2021	9:14 AM	ND	8.76	ND	22.85	NA	NA	
	6/16/2021	9:40 AM	ND	8.85	ND	22.97	NA	NA	
	6/30/2021	9:02 AM	ND	9.29	ND	22.93	NA	NA	
	7/14/2021	8:55 AM	ND	8.55	ND	22.89	NA	NA	
	7/27/2021	8:30 AM	ND	8.39	ND	22.92	NA	NA	
	8/11/2021	11:00 AM	ND	9.02	ND	22.90	NA	NA	
	8/23/2021	9:40 AM	ND	7.70	ND	22.90	NA	NA	
	9/8/2021	8:30 AM	ND	8.37	ND	22.93	NA	NA	
	9/21/2021	9:57 AM	ND	8.97	ND	22.95	NA	NA	
	10/7/2021	9:50 AM	ND	8.82	ND	22.93	NA	NA	
	10/20/2021	7:40 AM	ND	8.83	ND	22.94	NA	NA	
	11/4/2021	10:15 AM	ND	8.55	ND	22.91	NA	NA	
	11/17/2021	7:40 AM	ND	8.95	ND	22.91	NA	NA	
	12/1/2021	9:40 AM	ND	9.51	ND	22.92	NA	NA	
	12/14/2021	8:15 AM	ND	9.75	ND	22.90	NA	NA	
	12/28/2021	11:40 AM	ND	9.63	ND	22.91	NA	NA	
	2/7/2022	9:45 AM	ND	9.19	ND	22.90	NA	NA	
	2/24/2022	9:00 AM	ND	9.66	ND	22.88	NA	NA	
	3/17/2022	10:15 AM	ND	9.47	ND	23.00	NA	NA	
	3/28/2022	11:30 AM	ND	9.17	ND	22.50	NA	NA	
	4/13/2022	9:35 AM	ND	8.95	ND	22.95	NA	NA	
	4/29/2022	12:25 AM	ND	9.28	ND	22.58	NA	NA	
	5/12/2022	11:35 AM	ND	8.87	ND	22.80	NA	NA	
	5/25/2022	10:30 AM	ND	9.13	ND	22.77	NA	NA	
	6/9/2022	11:45 AM	ND	8.58	ND	22.75	NA	NA	
	6/23/2022	10:40 AM	ND	9.22	ND	23.22	NA	NA	
	7/7/2022	13:52: PM	ND	9.35	ND	22.47	NA	NA	
	7/22/2022	9:05 AM	ND	8.83	ND	23.15	NA	NA	
	8/4/2022	10:11 AM	ND	9.45	ND	17.63	NA	NA	
	8/18/2022	12:15 PM	ND	9.22	ND	22.82	NA	NA	
	9/1/2022	8:20 AM	ND	9.26	ND	22.72	NA	NA	
	10/27/2022	9:00 AM	ND	9.14	ND	22.78	NA	NA	
	3/2/2023	12:20 PM	ND	9.1	ND	22.81	NA	NA	
	4/12/2023	3:00 PM	ND	9.42	ND	22.91	NA	NA	
NW-8	10/7/2020	1:40 PM	ND	9.93	35.24	36.24	NA	1.00	Pre-pumping measurment
	10/7/2020	2:30 PM	ND	9.93	ND	36.24	NA	NA	Post-pumping measurement ~1 gallon removed
	10/21/2020	2:30 PM	ND	9.70	35.33	36.23	NA	0.90	Pre-pumping measurment
	10/21/2020	2:45 PM	ND	9.70	ND	36.25	NA	NA	Post-pumping measurement ~0.75 gallon removed
	11/4/2020	9:15 AM	ND	10.75	Trace	38.14	NA	NA	
	11/18/2020	12:50 PM	ND	10.18	35.49	37.54	NA	2.05	Pre-pumping measurment
	11/18/2020	12:50 PM	ND	10.18	ND	37.54	NA	NA	Post-pumping measurement ~2 gallons removed
	12/1/2020	11:55 AM	ND	8.88	35.04	36.32	NA	1.28	Pre-pumping measurment
	12/1/2020	12:30 PM	ND	8.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	12/16/2020	12:45 PM	ND	9.97	35.15	36.30	NA	1.15	Pre-pumping measurment
	12/16/2020	1:15 PM	ND	9.97	ND	36.30	NA	NA	Post-pumping measurement ~1 gallon removed
	12/29/2020	12:00 PM	ND	10.26	35.35	36.28	NA	0.93	Pre-pumping measurment
	12/29/2020	12:15 PM	ND	10.26	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	1/13/2021	12:15 PM	ND	9.80	35.50	36.28	NA	0.78	Pre-pumping measurment
	1/13/2021	12:35 PM	ND	9.82	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	1/27/2021	12:30 PM	ND	10.01	35.40	36.28	NA	0.88	Pre-pumping measurment
	1/27/2021	12:40 PM	ND	9.92	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2021	12:30 PM	ND	10.80	35.55	36.27	NA	0.72	Pre-pumping measurment

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-8	2/8/2021	12:50 PM	ND	10.80	ND	36.27	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2021	11:35 AM	ND	10.50	35.50	36.33	NA	0.83	Pre-pumping measurment
	2/24/2021	12:25 PM	ND	10.52	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/10/2021	12:30 PM	ND	10.62	35.50	36.28	NA	0.78	Pre-pumping measurement
	3/10/2021	1:00 PM	ND	10.65	ND	36.33	NA	NA	Post-pumping measurement ~0.75 gallon removed
	3/24/2021	12:32 PM	ND	10.42	35.42	36.34	NA	0.92	Pre-pumping measurement
	3/24/2021	1:15 PM	ND	10.52	ND	36.36	NA	NA	Post-pumping measurement ~0.75 gallon removed
	4/7/2021	12:30 PM	ND	10.19	35.56	36.23	NA	0.67	Pre-pumping measurement
	4/7/2021	1:15 PM	ND	10.25	ND	36.23	NA	NA	Post-pumping measurement ~1 gallon removed
	4/21/2021	12:55 PM	ND	10.30	35.74	36.24	NA	0.50	Pre-pumping measurement
	4/21/2021	1:20 PM	ND	10.31	ND	36.29	NA	NA	Post-pumping measurement ~1 gallon removed
	5/5/2021	1:20 PM	ND	10.18	35.81	36.28	NA	0.47	Pre-pumping measurement
	5/5/2021	1:45 PM	ND	10.20	ND	36.26	NA	NA	Post-pumping measurement ~1 gallon removed
	5/17/2021	1:00 PM	ND	10.52	35.39	36.28	NA	0.89	Pre-pumping measurement
	5/17/2021	1:45 PM	ND	10.44	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/2/2021	12:10 PM	ND	10.51	35.39	36.28	NA	0.89	Pre-pumping measurement
	6/2/2021	12:40 PM	ND	10.53	ND	36.30	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/16/2021	1:10 PM	ND	10.24	35.56	36.28	NA	0.72	Pre-pumping measurement
	6/16/2021	1:35 PM	ND	10.19	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	6/30/2021	12:30 PM	ND	10.65	32.49	35.64	NA	3.15	Pre-pumping measurement
	6/30/2021	12:55 PM	ND	10.66	ND	35.67	NA	NA	Post-pumping measurement ~1 gallon removed
	7/14/2021	12:45 PM	ND	9.77	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/14/2021	1:15 PM	ND	9.80	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	7/27/2021	1:10 PM	ND	9.41	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/27/2021	1:40 PM	ND	9.47	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	8/11/2021	1:30 PM	ND	9.55	35.25	36.35	NA	1.10	Pre-pumping measurement
	8/11/2021	2:00 PM	ND	9.60	ND	36.35	NA	NA	Post-pumping measurement ~1 gallon removed
	8/23/2021	1:15 PM	ND	8.50	35.75	36.32	NA	0.57	Pre-pumping measurement
	8/23/2021	1:45 PM	ND	8.53	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/8/2021	1:20 PM	ND	9.06	35.40	36.37	NA	0.97	Pre-pumping measurement
	9/8/2021	1:55 PM	ND	9.09	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/21/2021	2:15 PM	ND	9.63	35.40	36.33	NA	0.93	Pre-pumping measurement
	9/21/2021	2:50 PM	ND	9.65	ND	36.33	NA	NA	Post-pumping measurement ~1 gallon removed
	10/7/2021	1:45 PM	ND	9.32	35.27	36.37	NA	1.10	Pre-pumping measurement
	10/7/2021	2:05 PM	ND	9.43	ND	36.34	NA	NA	Post-pumping measurement ~1.25 gallon removed
	10/20/2021	1:30 PM	ND	9.92	35.50	36.27	NA	0.77	Pre-pumping measurement
	10/20/2021	2:10 PM	ND	9.95	ND	36.27	NA	NA	Post-pumping measurement ~1 gallon removed
	11/4/2021	5:00 PM	ND	10.18	34.80	36.37	NA	1.57	Pre-pumping measurement
	11/4/2021	5:25 PM	ND	10.20	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/17/2021	2:00 PM	ND	10.28	35.80	36.27	NA	0.47	
	12/1/2021	1:30 PM	ND	10.34	34.78	36.32	NA	1.54	Pre-pumping measurement
	12/1/2021	1:50 PM	ND	10.36	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	12/14/2021	2:15 PM	ND	11.36	35.60	36.33	NA	0.73	Pre-pumping measurement
	12/14/2021	2:45 PM	ND	11.39	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	12/28/2021	1:00 PM	ND	10.34	35.41	36.32	NA	0.91	Pre-pumping measurement
	12/28/2021	1:20 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/13/2022	11:05 AM	ND	10.86	35.29	36.32	NA	1.03	Pre-pumping measurement
	1/13/2022	2:00 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/27/2022	2:00 PM	ND	10.79	35.79	36.32	NA	0.53	Pre-pumping measurement
	1/27/2022	2:30 PM	ND	10.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	2/7/2022	1:00 PM	ND	10.42	35.82	36.32	NA	0.50	Pre-pumping measurement
	2/7/2022	1:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2022	2:00 PM	ND	10.74	36.05	36.31	NA	0.26	Pre-pumping measurement
	2/24/2022	2:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/18/2022	9:20 AM	ND	10.30	34.4	36.20	NA		Pre-pumping measurement
	3/18/2022	1:00 PM	ND	ND	36.08	36.20	NA	0.12	Post-pumping measurment ~2 gallon removed
	3/28/2022	12:48 PM	ND	10.80	35.65	36.30	NA	0.65	Pre-Pumping Measurement- Pumping not conducted

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-8	4/1/2022	8:35 AM	ND	10.38	35.57	36.26	NA	0.69	Pre-pumping measurement
	4/1/2022	10:40 AM	ND	10.38	36.21	36.26	NA	0.05	Post-pumping measurement ~2 gallons removed
	4/13/2022	10:35 AM	ND	10.25	35.6	36.20	NA	0.6	Pre-pumping measurement
	4/13/2022	11:45 AM	ND	ND	36.17	36.2	NA	0.03	Post-pumping measurement ~6 gallons removed
	4/29/2022	9:15 AM	ND	10.52	35.22	36.18	NA	0.96	Pre-pumping measurement
	4/29/2022	9:50 AM	ND	ND	36.03	36.18	NA	0.15	Pre-pumping measurement ~7 gallons removed
	5/12/2022	12:25 AM	ND	10.15	35.75	36.30	NA	0.55	Pre-pumping measurement
	5/13/2022	11:50 AM	ND	ND	35.97	36.29	NA	0.32	Post-pumping measurement ~3.6 gallons removed
	5/25/2022	11:45 AM	ND	10.25	35.41	36.22	NA	0.81	Pre-pumping measurement
	5/25/2022	12:30 PM	ND	ND	36.11	36.23	NA	0.12	Pre-pumping measurement ~5.6 gallons removed
	6/9/2022	12:50 PM	ND	10.04	35.49	36.24	NA	0.75	Pre-pumping measurement
	6/9/2022	1:50 PM	ND	ND	36.21	36.25	NA	0.04	Post-pumping measurement ~2.2 gallons removed
	6/23/2022	11:49 AM	ND	10.34	35.45	36.25	NA	0.8	
	7/7/2022	14:11:00 PM	ND	10.5	35.4	36.3	NA	0.9	
	7/21/2022	13:55:00 PM	ND	10.28	34.56	36.26	NA	1.7	Pre-pumping measurement
	7/21/2022	14:30:00 PM	ND	ND	36.21	36.26	NA	0.05	Post-pumping measurement ~3.5 gallons removed.
	8/4/2022	12:15 PM	ND	10.31	35.84	36.4	NA	0.56	Pre-pumping measurement.
	8/5/2022	2:15 PM	ND	ND	36.0	36.4	NA	0.4	Post-pumping measurement ~1.1 gallons removed
	8/18/2022	11:10 AM	ND	10.29	35.09	36.21	NA	1.12	
	9/1/2022	9:15 AM	ND	10.48	35.01	36.23	NA	1.22	
	10/12/2022	8:57 AM	ND	10.17	33.97	36.20	NA	2.23	not pumped - obstruction in well
	11/9/2022	10:15 AM	ND	10.03	33.03	36.23	NA	3.2	not pumped - obstruction in well
	12/8/2022	10:25 AM	ND	9.58	33.85	37.24	NA	3.39	Pre-pumping measurement.
	12/8/2022	11:50 AM	ND	ND	36.84	37.24	NA	0.4	Post-pumping measurement ~6 gallons removed
	1/4/2023	11:30 AM	ND	9.98	35.19	37.24	NA	2.05	Pre-pumping measurement.
	1/4/2023	11:40 AM	ND	ND	37.06	37.24	NA	0.18	Post-pumping measurement ~7 gallons removed
	2/1/2023	11:15 AM	ND	10.50	35.82	37.18	NA	1.36	Pre-pumping measurement.
	2/1/2023	12:00 PM	ND	ND	36.97	37.18	NA	0.21	Post-pumping measurement ~6 gallons removed
	3/2/2023	8:40 AM	ND	9.32	34.58	36.3	NA	1.72	Pre-pumping measurement.
	3/2/2023	9:25 AM	ND	ND	36.18	36.3	NA	0.12	Post-pumping measurement ~4.1 gallons removed
	4/12/2023	11:40 AM	ND	10.63	34.4	36.3	NA	1.9	Pre-pumping measurement- no pumping completed, equipment malfunction
	4/26/2023	9:15 AM	ND	9.94	34.37	36.27	NA	1.9	Pre-pumping measurement.
	4/26/2023	9:45 AM	ND	ND	36.25	36.27	NA	0.02	Post-pumping measurement ~6 gallons removed
	5/10/2023	1:00 PM	ND	9.77	35.89	36.26	NA	0.37	
	6/13/2023	11:30 AM	ND	10.26	34.79	36.3	NA	1.51	Pre-Pumping Measurement
	6/13/2023	12:15 PM	ND	ND	36.29	36.3	NA	0.01	Post-pumping measurement ~5.0 gallons removed
	7/5/2023	12:45 PM	ND	9.41	36.06	36.43	NA	0.37	
	8/2/2023	10:30 AM	ND	9.73	34.95	36.17	NA	1.22	Pre-Pumping Measurement
	8/2/2023	11:00 AM	ND	ND	36.15	36.17	NA	0.02	Post-pumping measurement ~4.5 gallons removed
	9/14/2023	11:45 AM	ND	9.51	34.76	36.21	NA	1.45	Pre-Pumping Measurement
	9/14/2023	12:20 PM	ND	ND	36.16	36.21	NA	0.05	Post-pumping measurement ~5.0 gallons removed
	10/12/2023	11:00 AM	ND	6.34	34.03	36.18	NA	2.15	Pre-Pumping Measurement
	10/12/2023	11:30 AM	ND	ND	36.16	36.18	NA	0.02	Post-pumping measurement ~6.0 gallons removed
	11/6/2023	10:10 AM	ND	10.03	34.58	36.23	NA	1.65	Pre-Pumping Measurement
	11/6/2023	10:35 AM	ND	ND	36.18	36.23	NA	0.05	Post-pumping measurement ~5.0 gallons removed
	12/6/2023	9:00 AM	ND	10.02	34.92	36.22	NA	1.3	Pre-Pumping Measurement
	12/6/2023	9:30 AM	ND	ND	36.19	36.22	NA	0.03	Post-pumping measurement ~4.5 gallons removed
	1/3/2024	10:00 AM	ND	10.36	35.35	36.15	NA	0.8	Pre-Pumping Measurement
	1/3/2024	11:00 AM	NA	ND	36.12	36.15	NA	0.03	Post-pumping measurement ~2.0 gallons removed
	2/15/2024	NA	NA	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	9:15 AM	NA	9.98	34.62	36.22	NA	1.60	Pre-Pumping Measurement
	3/13/2024	9:55 AM	NA	ND	36.21	36.22	NA	0.01	Post-pumping measurement ~4.0 gallons removed
NW-9	10/7/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/14/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/21/2020	9:30 AM							Pre-pumping measurment
	10/21/2020	4:15 PM	ND	10.83	32.96	33.56	NA	0.60	
	10/21/2020	4:15 PM	ND	10.83	ND	33.56	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/4/2020	8:15 AM	ND	11.27	Trace	33.60	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-9	11/18/2020	10:50 AM	ND	10.89	ND	34.56	NA	NA	
	12/1/2020	10:10 AM	ND	9.26	ND	33.57	NA	NA	
	12/16/2020	9:55 AM	ND	10.66	ND	33.47	NA	NA	
	12/29/2020	10:40 AM	ND	10.39	ND	33.63	NA	NA	
	1/13/2021	9:40 AM	ND	10.25	ND	33.53	NA	NA	
	1/27/2021	9:50 AM	ND	10.09	33.30	33.58	NA	0.28	Pre-pumping measurment
	1/27/2021	11:50 AM	ND	10.22	ND	33.58	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2020	12:20 PM	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	2/24/2021	9:40 AM	ND	10.49	ND	33.72	NA	NA	
	3/10/2021	10:50 AM	ND	10.78	Trace	33.70	NA	NA	
	3/24/2021	9:05 AM	ND	10.45	Trace	33.61	NA	NA	
	4/7/2021	9:25 AM	ND	10.01	Trace	33.51	NA	NA	
	4/21/2021	9:35 AM	ND	10.30	ND	33.52	NA	NA	
	5/5/2021	10:10 AM	ND	9.92	ND	33.52	NA	NA	
	5/17/2021	9:50 AM	ND	10.95	ND	33.49	NA	NA	
	6/2/2021	11:10 AM	ND	10.72	ND	33.51	NA	NA	
	6/16/2021	10:30 AM	ND	10.58	ND	33.42	NA	NA	
	6/30/2021	9:45 AM	ND	10.95	ND	33.52	NA	NA	
	7/14/2021	9:40 AM	ND	10.44	ND	33.53	NA	NA	
	7/27/2021	9:30 AM	ND	10.36	ND	33.53	NA	NA	
	8/11/2021	11:30 AM	ND	10.16	ND	33.53	NA	NA	
	8/23/2021	10:35 AM							
	8/23/2021	10:35 AM	ND	8.97	ND	33.48	NA	NA	
	9/8/2021	9:30 AM	ND	10.03	ND	33.48	NA	NA	
	9/21/2021	11:05 AM	ND	9.69	ND	33.50	NA	NA	
	10/7/2021	10:35 AM	ND	9.66	ND	33.48	NA	NA	
	10/20/2021	10:40 AM	ND	10.89	ND	33.46	NA	NA	
	11/4/2021	12:50 PM	ND	10.32	ND	32.55	NA	NA	
	11/17/2021	9:00 AM	ND	10.27	ND	33.48	NA	NA	
	12/1/2021	10:35 AM	ND	10.74	ND	33.51	NA	NA	
	12/14/2021	9:15 AM	ND	11.18	ND	33.48	NA	NA	
	12/28/2021	11:50 AM	ND	10.39	ND	33.45	NA	NA	
	1/13/2022	9:45 AM	ND	11.14	ND	33.97	NA	NA	
	1/27/2022	10:22 AM	ND	11.11	ND	33.49	NA	NA	
	2/7/2022	10:00 AM	ND	11.01	ND	33.49	NA	NA	
	2/24/2022	10:15 AM	ND	11.01	ND	33.49	NA	NA	
	3/18/2022	9:40 AM	ND	10.50	33.08	33.50	NA	0.42	
	3/28/2022	12:25 PM	ND	10.65	33.05	33.40	NA	0.35	
	4/13/2022	10:35 AM	ND	10.20	32.88	33.28	NA	0.4	
	4/29/2022	9:00 AM	ND	10.65	33.08	33.50	NA	0.42	
	5/12/2022	12:15 PM	ND	10.19	33.06	33.51	NA	0.45	
	5/25/2022	11:30 AM	ND	10.35	33.11	33.55	NA	0.44	
	6/9/2022	12:50 PM	ND	10.24	33.11	33.56	NA	0.45	
	6/23/2022	11:46 AM	ND	10.52	ND	34.06	NA	NA	
	7/7/2022	14:22:00 PM	ND	10.72	33.18	33.56	NA	0.47	
	7/21/2022	13:43:00 AM	ND	10.46	33.15	33.50	NA	0.35	
	8/4/2022	12:00 PM	ND	10.62	33.50	33.62	NA	0.12	
	8/18/2022	10:55 AM	ND	10.5	33.03	33.41	NA	0.38	
	9/1/2022	9:05 AM	ND	10.73	ND	33.31	NA	NA	
	10/12/2022	9:10 AM	ND	10.47	32.33	32.47	NA	0.14	
	11/9/2022	9:50 AM	ND	10.15	33.02	33.39	NA	0.37	
	12/22/2022	8:30 AM	ND	10.35	33.26	33.51	NA	0.25	
	1/4/2023	11:50 AM	ND	10.1	34.27	34.57	NA	0.30	
	2/1/2023	12:00 PM	ND	10.32	33.18	33.41	NA	0.23	
	3/2/2023	8:15 AM	ND	9.4	33.02	33.42	NA	0.40	
	4/12/2023	12:50 PM	ND	10.65	33.05	33.5	NA	0.45	
	7/5/2023	1:00 PM	ND	9.52	34.02	34.02	NA	Blebs	
	10/12/2023	10:30 AM	ND	9.39	33.06	33.35	NA	0.29	
	1/3/2024	10:15 AM	ND	10.4	33.06	33.36	NA	0.30	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	10/7/2020	2:05 PM	ND	10.15	27.23	33.58	NA	6.35	Pre-pumping measurement
	10/7/2020	3:00 PM	ND	10.15	ND	33.58	NA	NA	Post-pumping measurement ~4.5 gallons removed
	10/21/2020	2:50 PM	ND	9.92	28.38	33.57	NA	5.19	Pre-pumping measurement
	10/21/2020	3:45 PM	ND	9.92	ND	33.57	NA	NA	Post-pumping measurement ~4.75 gallons removed
	11/4/2020	9:45 AM	ND	11.08	28.00	33.74	NA	5.74	Pre-pumping measurement
	11/4/2020	10:00 AM	ND	11.08	ND	33.74	NA	NA	Post-pumping measurement ~4.25 gallons removed
	11/18/2020	1:25 PM	ND	10.49	27.14	33.75	NA	6.61	Pre-pumping measurement
	11/18/2020	2:15 PM	ND	10.49	ND	33.75	NA	NA	Post-pumping measurement ~4.5 gallons removed
	12/1/2020	12:35 PM	ND	9.19	28.83	33.66	NA	4.83	Pre-pumping measurement
	12/1/2020	1:20 PM	ND	9.19	ND	33.66	NA	NA	Post-pumping measurement ~3.5 gallons removed
	12/16/2020	11:30 AM	ND	10.51	27.80	33.65	NA	5.85	Pre-pumping measurement
	12/16/2020	12:00 PM	ND	10.51	ND	33.65	NA	NA	Post-pumping measurement ~4 gallons removed
	12/29/2020	12:30 PM	ND	10.52	30.90	33.73	NA	2.83	Pre-pumping measurement
	12/29/2020	1:00 PM	ND	10.52	ND	33.73	NA	NA	Post-pumping measurement ~3.5 gallons removed
	1/13/2021	11:20 AM	ND	10.11	28.28	33.73	NA	5.45	Pre-pumping measurement
	1/13/2021	12:10 PM	ND	10.15	ND	33.73	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2021	1:10 PM	ND	10.30	28.00	33.64	NA	5.64	Pre-pumping measurement
	1/27/2021	1:25 PM	ND	10.44	ND	33.64	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	1:00 PM	ND	10.97	29.85	33.65	NA	3.80	Pre-pumping measurement
	2/8/2021	1:30 PM	ND	11.00	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	2/24/2021	10:40 AM	ND	10.56	29.68	33.64	NA	3.96	Pre-pumping measurement
	2/24/2021	11:30 AM	ND	10.58	ND	33.64	NA	NA	Post-pumping measurement ~3 gallons removed
	3/10/2021	1:30 PM	ND	10.90	29.48	33.73	NA	4.25	Pre-pumping measurement
	3/10/2021	2:00 PM	ND	10.94	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	3/24/2021	11:30 AM	ND	10.56	31.11	33.54	NA	2.43	Pre-pumping measurement
	3/24/2021	12:15 PM	ND	10.68	ND	33.68	NA	NA	Post-pumping measurement ~4 gallons removed
	4/7/2021	11:45 AM	ND	10.24	29.29	33.70	NA	4.41	Pre-pumping measurement
	4/7/2021	12:15 PM	ND	10.30	ND	33.70	NA	NA	Post-pumping measurement ~4 gallons removed
	4/21/2021	12:15 PM	ND	10.49	30.29	33.59	NA	3.30	Pre-pumping measurement
	4/21/2021	12:45 PM	ND	10.48	ND	33.61	NA	NA	Post-pumping measurement ~3 gallons removed
	5/5/2021	12:30 PM	ND	10.37	30.42	33.59	NA	3.17	Pre-pumping measurement
	5/5/2021	12:55 PM	ND	9.69	ND	33.60	NA	NA	Post-pumping measurement ~3 gallons removed
	5/17/2021	11:58 AM	ND	10.95	30.01	33.59	NA	3.58	Pre-pumping measurement
	5/17/2021	12:45 PM	ND	10.86	ND	33.59	NA	NA	Post-pumping measurement ~3 gallons removed
	6/2/2021	11:30 AM	ND	10.76	29.17	33.59	NA	4.42	Pre-pumping measurement
	6/2/2021	12:00 PM	ND	10.81	ND	33.59	NA	NA	Post-pumping measurement ~4 gallons removed
	6/16/2021	11:55 AM	ND	10.63	29.81	33.67	NA	3.86	Pre-pumping measurement
	6/16/2021	12:55 PM	ND	10.59	ND	33.67	NA	NA	Post-pumping measurement ~3.5 gallons removed
	6/30/2021	11:50 AM	ND	10.98	32.45	33.64	NA	1.19	Pre-pumping measurement
	6/30/2021	12:15 PM	ND	11.01	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	7/14/2021	12:00 PM	ND	10.19	30.05	33.69	NA	3.64	Pre-pumping measurement
	7/14/2021	12:30 PM	ND	10.22	ND	33.69	NA	NA	Post-pumping measurement ~3 gallons removed
	7/27/2021	12:20 PM	ND	9.90	29.40	33.79	NA	4.39	Pre-pumping measurement
	7/27/2021	12:50 PM	ND	10.20	ND	33.79	NA	NA	Post-pumping measurement ~3.5 gallons removed
	8/11/2021	2:30 PM	ND	9.96	29.80	33.73	NA	3.93	Pre-pumping measurement
	8/11/2021	2:45 PM	ND	9.97	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	8/23/2021	2:15 PM	ND	8.80	31.05	33.70	NA	2.65	Pre-pumping measurement
	8/23/2021	2:45 PM	ND	8.87	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	9/8/2021	12:15 PM	ND	9.51	28.50	33.66	NA	5.16	Pre-pumping measurement
	9/8/2021	12:55 PM	ND	9.53	ND	33.66	NA	NA	Post-pumping measurement ~4 gallons removed
	9/21/2021	1:10 PM	ND	9.64	30.30	33.62	NA	3.32	Pre-pumping measurement
	9/21/2021	1:40 PM	ND	9.66	ND	33.62	NA	NA	Post-pumping measurement ~3 gallons removed
	10/7/2021	1:00 PM	ND	9.45	30.45	33.64	NA	3.19	Pre-pumping measurement
	10/7/2021	1:30 PM	ND	9.45	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	10/20/2021	12:30 PM	ND	10.00	30.10	33.63	NA	3.53	Pre-pumping measurement
	10/20/2021	1:10 PM	ND	10.03	ND	33.63	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/4/2021	4:10 PM	ND	10.29	30.45	33.70	NA	3.25	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	11/4/2021	4:45 PM	ND	9.45	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/17/2021	1:00 PM	ND	10.40	30.30	33.65	NA	3.35	Pre-pumping measurement
	11/17/2021	1:45 PM	ND	10.41	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/1/2021	1:00 PM	ND	11.02	29.81	33.63	NA	3.82	Pre-pumping measurement
	12/1/2021	1:20 PM	ND	11.06	ND	33.63	NA	NA	Post-pumping measurement ~2.75 gallons removed
	12/14/2021	1:30 PM	ND	11.61	31.20	33.70	NA	2.50	Pre-pumping measurement
	12/14/2021	2:00 PM	ND	11.62	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/28/2021	12:30 PM	ND	10.49	32.08	33.70	NA	1.62	Pre-pumping measurement
	12/28/2021	12:50 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2 gallons removed
	1/13/2022	11:15 AM	ND	10.91	31.65	33.70	NA	2.05	Pre-pumping measurement
	1/13/2022	1:20 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	ND	10.83	32.51	33.70	NA	1.19	Pre-pumping measurement
	1/27/2022	1:30 PM	ND	10.62	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30 PM	ND	10.62	32.42	33.70	NA	1.28	Pre-pumping measurement
	2/7/2022	1:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1 gallon removed
	2/24/2022	1:30 PM	ND	10.77	32.91	33.70	NA	0.79	Pre-pumping measurement
	2/24/2022	2:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallon removed
	3/18/2022	10:00 AM	ND	10.66	30.06	33.66	NA	3.6	Pre-pumping measurement
	3/18/2022	1:20 PM	ND	ND	33.53	33.66	NA	0.13	Post-pumping measurment ~4 gallons removed
	3/28/2022	12:15 PM	ND	10.05	32.05	33.55	NA	1.5	Pre-pumping measurement
	3/28/2022	2:45 PM	ND	ND	33.05	33.55	NA	0.5	Post-pumping measurment ~8 gallons removed
	4/13/2022	10:15 AM	ND	10.32	31.05	33.50	NA	2.45	Pre-pumping measurement
	4/14/2022	10:30 AM	ND	ND	ND	33.5	NA	NA	Post-pumping measurement ~7 gallons removed
	4/29/2022	8:15 AM	ND	10.83	31.97	33.57	NA	1.6	Pre-pumping measurement
	4/29/2022	9:00 PM	ND	ND	33.43	33.57	NA	0.14	Post-pumping measurment ~4 gallons removed
	5/12/2022	12:15 PM	ND	10.15	32.51	33.61	NA	1.1	Pre-pumping measurement
	5/13/2022	10:30 AM	ND	ND	33.54	33.61	NA	0.07	Post-pumping measurement ~5.2 gallons removed
	5/25/2022	11:25 AM	ND	10.37	31.77	33.57	NA	1.8	Pre-pumping measurement
	5/25/2022	11:50 AM	ND	ND	33.55	33.57	NA	0.02	Post-pumping measurment ~4.75 gallons removed
	6/9/2022	12:35 PM	ND	10.18	31.81	33.58	NA	1.77	Pre-pumping measurement
	6/9/2022	1:30 PM	ND	ND	33.57	33.6	NA	0.03	Post-pumping measurement ~2.6 gallons removed
	6/23/2022	11:08 AM	ND	10.49	33.51	34.56	NA	1.05	Pre-pumping measurement
	6/23/2022	11:30 AM	ND	ND	34.38	34.56	NA	0.18	Post-pumping measurment ~2.19 gallons removed
	7/7/2022	10:52 AM	ND	10.99	32.22	33.60	NA	1.38	Pre-pumping measurement
	7/7/2022	1:30 PM	ND	ND	33.55	33.6	NA	0.05	Post-pumping measurement ~2.0 gallons removed
	7/21/2022	1:10 PM	ND	10.54	31.48	33.58	NA	2.1	Pre-pumping measurement
	7/21/2022	2:00 PM	ND	ND	33.48	33.58	NA	0.1	Post-pumping measurment ~3.0 gallons removed
	8/4/2022	12:45 PM	ND	10.64	32.59	33.74	NA	1.15	Pre-pumping measurement
	8/5/2022	10:10 AM	ND	ND	33.43	33.74	NA	0.31	Post-pumping measurement ~20 gallons removed
	8/18/2022	10:40 AM	ND	10.50	31.32	33.58	NA	2.26	Pre-pumping measurement
	8/19/2022	14:00 PM	ND	ND	33.5	33.58	NA	0.08	Post-pumping measurment ~3.3 gallons removed
	9/1/2022	8:50 AM	ND	10.72	32.72	33.70	NA	0.98	Pre-pumping measurement
	9/2/2022	9:50 AM	ND	ND	33.47	33.70	NA	0.23	Post-pumping measurment ~3.0 gallons removed
	9/15/2022	11:00 AM	ND	10.45	32.13	33.61	NA	1.48	Pre-pumping measurement
	9/15/2022	11:30 AM	ND	ND	33.49	33.61	NA	0.12	Post-pumping measurement ~6 gallons removed
	9/29/2022	11:15 AM	ND	10.60	32.14	33.59	NA	1.45	Pre-pumping measurement
	9/29/2022	12:00 PM	ND	ND	33.55	33.59	NA	0.04	Post-pumping measurment ~5 gallons removed
	10/12/2022	9:17 AM	ND	10.53	32.05	33.58	NA	1.53	Pre-pumping measurement
	10/12/2022	9:34 AM	ND	ND	33.56	33.58	NA	0.02	Post-pumping measurement ~8 gallons removed
	10/26/2022	10:20 AM	ND	10.07	31.99	33.61	NA	1.62	Pre-pumping measurement
	10/26/2022	10:45 PM	ND	ND	33.4	33.61	NA	0.21	Post-pumping measurment ~10 gallons removed
	11/9/2022	9:40 AM	ND	10.42	32.32	33.67	NA	1.35	Pre-pumping measurement
	11/9/2022	10:25 AM	ND	ND	33.59	33.67	NA	0.08	Post-pumping measurement ~4 gallons removed
	11/22/2022	9:05 AM	ND	10.97	32.42	33.64	NA	1.22	Pre-pumping measurement
	11/22/022	9:35 AM	ND	ND	33.62	33.64	NA	0.02	Post-pumping measurment ~4 gallons removed
	12/8/2022	12:55 PM	ND	10.25	32.31	33.52	NA	1.21	Pre-pumping measurement
	12/8/2022	14:00:00 PM	ND	ND	33.43	33.52	NA	0.09	Post-pumping measurement ~4 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	12/22/2022	8:45 AM	ND	10.09	32.6	33.68	NA	1.08	Pre-pumping measurement
	12/22/2022	10:35 AM	ND	ND	33.53	33.68	NA	0.15	Post-pumping measurment ~4 gallons removed
	1/4/2023	12:10 PM	ND	10.25	31.52	33.52	NA	2.0	Pre-pumping measurement
	1/4/2023	12:20 PM	ND	ND	33.47	33.52	NA	0.05	Post-pumping measurment ~4 gallons removed
	1/19/2023	7:35 AM	ND	10.52	32.74	33.66	NA	0.92	Pre-pumping measurement
	1/19/2023	7:45 AM	ND	ND	33.66	33.66	NA	0.0	Post-pumping measurment ~3 gallons removed
	2/1/2023	9:35 AM	ND	10.2	32.22	33.57	NA	1.35	Pre-pumping measurement
	2/1/2023	10:50 AM	ND	ND	33.38	33.57	NA	0.19	Post-pumping measurment ~3 gallons removed
	2/15/2023	8:55 AM	ND	10.27	32.78	33.63	NA	0.85	Pre-pumping measurement
	2/15/2023	9:15 AM	ND	ND	33.61	33.63	NA	0.02	Post-pumping measurment ~3 gallons removed
	3/2/2023	8:05 AM	ND	9.57	31.44	32.59	NA	1.15	Pre-pumping measurement
	3/2/2023	8:35 AM	ND	ND	32.54	32.59	NA	0.05	Post-pumping measurment ~5.5 gallons removed
	3/15/2023	9:05 AM	ND	10.41	32.0	33.61	NA	1.61	Pre-pumping measurement
	3/15/2023	9:35 AM	ND	ND	33.31	33.61	NA	0.3	Post-pumping measurment ~4.2 gallons removed
	3/29/2023	9:00 AM	ND	10.18	32.12	33.64	NA	1.52	Pre-pumping measurement
	3/29/2023	9:15 AM	ND	ND	33.62	33.64	NA	0.02	Post-pumping measurment ~4 gallons removed
	4/12/2023	10:30 AM	ND	10.79	32.58	33.73	NA	1.15	Pre-pumping measurement
	4/12/2023	11:00 AM	ND	ND	33.33	33.73	NA	0.4	Post-pumping measurment ~4 gallons removed
	4/26/2023	8:20 AM	ND	10.15	32.80	33.60	NA	0.8	Pre-pumping measurement
	4/26/2023	8:50 AM	ND	ND	33.58	33.60	NA	0.02	Post-pumping measurment ~3.5 gallons removed
	5/10/2023	12:30 PM	ND	10.34	32.20	33.58	NA	1.38	Pre-pumping measurement
	5/10/2023	2:00 PM	ND	ND	33.51	33.58	NA	0.07	Post-pumping measurment ~4.1 gallons removed
	5/24/2023	10:45 AM	ND	10.52	32.24	33.53	NA	1.29	Pre-pumping measurement
	5/24/2023	11:15 AM	ND	ND	33.48	33.53	NA	0.05	Post-pumping measurment ~4.0 gallons removed
	6/13/2023	12:30 PM	ND	10.38	31.83	33.53	NA	1.70	Pre-pumping measurement
	6/13/2023	1:00 PM	ND	ND	31.83	33.53	NA	0.05	Post-pumping measurment ~4.0 gallons removed
	6/21/2023	10:30 AM	ND	10.36	33.06	33.47	NA	0.41	
	7/5/2023	9:50 AM	ND	10.10	32.58	33.70	NA	1.12	Pre-pumping measurement
	7/5/2023	10:15 AM	ND	ND	33.62	33.70	NA	0.08	Post-pumping measurment ~3.5 gallons removed
	7/19/2023	8:40 AM	ND	10.35	32.37	33.51	NA	1.14	Pre-pumping measurement
	7/19/2023	9:00 AM	ND	ND	33.49	33.51	NA	0.02	Post-pumping measurment ~4.0 gallons removed
	8/2/2023	11:15 AM	ND	9.92	32.53	33.48	NA	0.95	Pre-pumping measurement
	8/2/2023	11:45 AM	ND	ND	33.46	33.48	NA	0.02	Post-pumping measurment ~3.5 gallons removed
	8/16/2023	10:15 AM	ND	9.98	32.19	33.59	NA	1.40	Pre-pumping measurement
	8/16/2023	10:45 AM	ND	ND	33.54	33.59	NA	0.05	Post-pumping measurment ~4.0 gallons removed
	8/30/2023	8:50 AM	ND	9.85	32.11	33.50	NA	1.39	Pre-pumping measurement
	8/30/2023	9:30 AM	ND	ND	33.48	33.50	NA	0.02	Post-pumping measurment ~4.0 gallons removed
	9/14/2023	11:15 AM	ND	9.85	32.26	33.61	NA	1.35	Pre-pumping measurement
	9/14/2023	11:35 AM	ND	ND	33.58	33.61	NA	0.03	Post-pumping measurment ~4.0 gallons removed
	9/27/2023	8:45 AM	ND	10.06	32.78	33.67	NA	0.89	Pre-pumping measurement
	9/27/2023	10:10 AM	ND	ND	33.64	33.67	NA	0.03	Post-pumping measurment ~3.0 gallons removed
	10/12/2023	10:20 AM	ND	6.58	31.19	33.62	NA	2.43	Pre-pumping measurement
	10/12/2023	10:45 AM	ND	ND	33.57	33.62	NA	0.05	Post-pumping measurment ~6.0 gallons removed
	11/6/2023	10:55 AM	ND	10.23	31.79	33.67	NA	1.88	Pre-pumping measurement
	11/6/2023	11:15 AM	ND	ND	33.65	33.67	NA	0.02	Post-pumping measurment ~4.5 gallons removed
	11/21/2023	8:50 AM	ND	10.35	32.54	33.64	NA	1.10	Pre-pumping measurement
	11/21/2023	9:15 AM	ND	ND	33.52	33.64	NA	0.02	Post-pumping measurment ~3.5 gallons removed
	12/6/2023	9:50 AM	ND	10.21	32.23	33.63	NA	1.40	Pre-pumping measurement
	12/6/2023	10:10 AM	ND	ND	33.61	33.63	NA	0.02	Post-pumping measurment ~4.0 gallons removed
	12/20/2023	9:00 AM	ND	9.96	32.96	33.71	NA	0.75	Pre-pumping measurement
	12/20/2023	9:20 AM	ND	ND	33.7	33.71	NA	0.01	Post-pumping measurment ~2.0 gallons removed
	1/3/2024	11:00 AM	ND	10.46	33.07	33.62	NA	0.55	Pre-pumping measurement
	1/3/2024	11:20 AM	ND	ND	33.60	33.62	NA	0.02	Post-pumping measurment ~1.5 gallons removed
	1/17/2024	9:10 AM	ND	10.40	32.10	33.60	NA	1.50	Pre-pumping measurement
	1/17/2024	10:00 AM	ND	ND	33.59	33.60	NA	0.01	Post-pumping measurment ~3.0 gallons removed
	1/31/2024	8:35 AM	ND	10.82	32.92	33.62	NA	0.70	Pump malfunction, could not recover.
	2/14/2024	9:30 AM	ND	10.33	32.99	33.74	NA	0.75	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	2/14/2024	10:00 AM	ND	ND	33.73	33.74	NA	0.01	Post-pumping measurment ~2.0 gallons removed
	2/28/2024	10:20 AM	ND	32.71	32.71	33.73	NA	1.02	Pre-pumping measurement
	2/28/2024	11:00 AM	ND	ND	33.72	33.73	NA	0.01	Post-pumping measurment ~2.0 gallons removed
	3/13/2024	10:20 AM	ND	10.22	31.67	33.57	NA	1.90	Pre-pumping measurement
	3/13/2024	11:00 AM	ND	ND	33.55	33.57	NA	0.02	Post-pumping measurment ~4.5 gallons removed
	3/27/2024	11:10 AM	ND	9.81	32.01	33.51	NA	1.50	Pre-pumping measurement
	3/27/2024	12:00 PM	ND	ND	33.50	33.51	NA	0.01	Post-pumping measurment ~3.0 gallons removed
NW-10S	10/7/2020	10:45 AM	ND	10.50	ND	18.00	NA	NA	
	10/21/2020	9:25 AM	ND	10.49	ND	18.02	NA	NA	
	11/4/2020	7:25 AM	ND	10.33	ND	18.04	NA	NA	
	11/18/2020	10:35 AM	ND	10.51	ND	18.04	NA	NA	
	12/1/2020	9:40 AM	ND	9.82	ND	18.01	NA	NA	
	12/16/2020	9:00 AM	ND	10.82	ND	17.92	NA	NA	
	12/29/2020	9:00 AM	ND	10.57	ND	18.02	NA	NA	
	1/13/2021	8:30 AM	ND	10.62	ND	18.06	NA	NA	
	1/27/2021	8:50 AM	ND	10.57	ND	18.03	NA	NA	
	2/8/2021	10:00 AM	ND	10.50	ND	17.98	NA	NA	
	2/24/2021	9:20 AM	ND	9.55	ND	18.07	NA	NA	
	3/10/2021	10:00 AM	ND	10.89	ND	18.06	NA	NA	
	3/24/2021	9:02 AM	ND	10.67	ND	17.93	NA	NA	
	4/7/2021	9:30 AM	ND	10.27	ND	18.01	NA	NA	
	4/21/2021	9:36 AM	ND	10.23	ND	18.00	NA	NA	
	5/5/2021	9:35 AM	ND	10.01	ND	17.97	NA	NA	
	5/17/2021	9:45 AM	ND	10.72	ND	17.94	NA	NA	
	6/2/2021	11:20 AM	ND	10.46	ND	17.96	NA	NA	
	6/16/2021	9:45 AM	ND	10.41	ND	18.04	NA	NA	
	6/30/2021	9:10 AM	ND	10.63	ND	18.02	NA	NA	
	7/14/2021	8:50 AM	ND	10.03	ND	17.98	NA	NA	
	7/27/2021	8:23 AM	ND	9.94	ND	18.07	NA	NA	
	8/11/2021	11:20 AM	ND	10.23	ND	17.98	NA	NA	
	8/23/2021	10:10 AM	ND	9.20	ND	18.07	NA	NA	
	9/8/2021	8:55 AM	ND	10.89	ND	18.04	NA	NA	
	9/21/2021	10:30 AM	ND	10.10	ND	18.03	NA	NA	
	10/7/2021	9:41 AM	ND	10.06	ND	17.94	NA	NA	
	10/20/2021	7:45 AM	ND	10.40	ND	18.00	NA	NA	
	11/4/2021	12:30 PM	ND	9.92	ND	18.00	NA	NA	
	11/17/2021	8:00 AM	ND	10.39	ND	18.02	NA	NA	
	12/1/2021	9:20 AM	ND	10.64	ND	17.99	NA	NA	
	12/14/2021	8:05 AM	ND	11.10	ND	18.01	NA	NA	
	12/28/2021	12:05 PM	ND	10.39	ND	18.01	NA	NA	
	1/13/2022	9:05 AM	ND	11.01	ND	18.01	NA	NA	
	1/27/2022	9:10 AM	ND	11.00	ND	18.01	NA	NA	
	2/7/2022	10:15 AM	ND	10.89	ND	18.00	NA	NA	
	2/24/2022	10:30 AM	ND	10.96	ND	18.00	NA	NA	
	3/18/2022	9:45 AM	ND	10.65	ND	17.90	NA	NA	
	3/28/2022	12:20 PM	ND	10.50	ND	17.90	NA	NA	
	4/13/2022	10:20 AM	ND	10.28	ND	17.46	NA	NA	
	4/29/2022	8:43 AM	ND	10.61	ND	18.00	NA	NA	
	5/12/2022	12:10 PM	ND	10.04	ND	18.00	NA	NA	
	5/25/2022	11:30 AM	ND	10.24	ND	17.91	NA	NA	
	6/9/2022	12:45 PM	ND	10.02	ND	18.00	NA	NA	
	6/23/2022	11:06 AM	ND	10.22	ND	18.36	NA	NA	
	7/8/2022	9:15 AM	ND	10.56	ND	18.00	NA	NA	
	7/21/2022	13:38 PM	ND	10.21	ND	18.15	NA	NA	
	8/4/2022	12:33 PM	ND	10.52	ND	18.12	NA	NA	
	8/18/2022	10:50 AM	ND	10.24	ND	17.96	NA	NA	
	9/1/2022	8:55 AM	ND	10.33	ND	17.87	NA	NA	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10S	10/26/2022	11:45 AM	ND	9.93	ND	17.93	NA	NA	
	1/19/2023	7:40 AM	ND	10.58	ND	17.9	NA	NA	
	4/12/2023	1:25 PM	ND	10.51	ND	17.9	NA	Blebs on tape	
NW-11	10/7/2020	11:55 AM	ND	4.13	21.71	22.80	NA	1.09	Pre-pumping measurement
	10/14/2020	8:30 AM	ND	5.70	ND	22.90	NA	ND	Post-pumping measurement ~3 gallons removed
	10/21/2020	10:25 AM	ND	4.12	ND	22.87	NA	NA	
	11/4/2020	8:25 AM	ND	4.08	ND	22.73	NA	NA	
	11/18/2020	11:15 AM	ND	4.11	Trace	23.36	NA	NA	
	12/1/2020	10:00 AM	ND	3.95	Trace	22.81	NA	NA	
	12/16/2020	10:15 AM	ND	4.09	Trace	22.85	NA	NA	
	12/29/2020	10:50 AM	ND	4.01	ND	22.79	NA	NA	
	1/13/2021	10:10 AM	ND	4.13	21.55	22.79	NA	1.24	
	1/14/2021	8:10 AM	ND	4.13	21.44	22.71	NA	1.27	Pre-pumping measurement
	1/14/2021	8:20 AM	ND	4.46	ND	22.71	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2021	10:50 AM	ND	4.24	22.70	23.00	NA	0.30	
	1/28/2021	8:45 AM	ND	4.36	22.70	23.00	NA	0.30	Pre-pumping measurement
	1/28/2021	8:55 AM	ND	4.38	ND	23.00	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	10:55 AM	ND	4.20	ND	22.80	NA	NA	
	2/24/2021	9:50 AM	ND	4.09	22.48	22.98	NA	0.50	
	2/25/2021	8:20 AM	ND	4.11	22.45	22.98	NA	0.53	Pre-pumping measurement
	2/25/2021	8:25 AM	ND	4.12	ND	22.97	NA	NA	Post-pumping measurement ~2 gallons removed
	3/10/2021	11:30 AM	ND	4.06	22.48	22.91	NA	0.43	
	3/11/2021	8:40 AM	ND	4.08	22.34	22.91	NA	0.57	Pre-pumping measurement
	3/11/2021	8:50 AM	ND	6.51	ND	22.96	NA	NA	Post-pumping measurement ~2 gallons removed
	3/24/2021	9:50 AM	ND	3.78	ND	22.81	NA	NA	
	4/7/2021	9:35 AM	ND	3.41	22.54	22.90	NA	0.36	
	4/8/2021	8:10 AM	ND	3.48	22.65	22.90	NA	0.25	
	4/21/2021	9:45 AM	ND	3.88	22.52	22.88	NA	0.36	
	4/22/2021	9:00 AM	ND	3.91	22.49	22.88	NA	0.39	
	5/5/2021	10:55 AM	ND	3.83	22.25	22.88	NA	0.63	
	5/6/2021	7:16 AM	ND	3.84	22.60	22.88	NA	0.28	
	5/17/2021	10:21 AM	ND	3.82	ND	22.86	NA	NA	
	6/2/2021	9:49 AM	ND	3.80	21.84	22.89	NA	1.05	
	6/3/2021	8:40 AM	ND	3.82	21.84	22.89	NA	1.05	Pre-pumping measurement
	6/3/2021	8:50 AM	ND	3.85	ND	22.91	NA	NA	Post-pumping measurement ~3 gallons removed
	6/16/2021	10:25 AM	ND	3.80	ND	22.74	NA	NA	
	6/30/2021	10:07 AM	ND	3.86	ND	22.74	NA	NA	
	7/14/2021	9:20 AM	ND	3.77	ND	22.96	NA	NA	
	7/27/2021	9:25 AM	ND	3.83	21.83	22.93	NA	1.10	
	7/29/2021	8:10 AM	ND	3.84	21.83	22.93	NA	1.10	Pre-pumping measurement
	7/29/2021	8:25 AM	ND	8.25	ND	22.93	NA	NA	Post-pumping measurement ~5.1 gallons removed
	8/11/2021	11:40 AM	ND	3.96	ND	23.00	NA	NA	
	8/23/2021	10:55 AM	ND	3.81	22.65	22.80	NA	0.15	
	9/8/2021	9:52 AM	ND	3.80	22.05	22.95	NA	0.90	
	9/9/2021	8:20 AM	ND	3.76	22.05	22.95	NA	0.90	Pre-pumping measurement
	9/9/2021	8:25 AM	ND	7.20	ND	22.95	NA	NA	Post-pumping measurement ~3.4 gallons removed
	9/21/2021	11:38 AM	ND	3.83	ND	23.00	NA	NA	
	10/7/2021	11:45 AM	ND	3.72	22.10	22.96	NA	0.86	
	10/8/2021	7:25 AM	ND	3.73	22.06	22.95	NA	0.89	Pre-pumping measurement
	10/8/2021	8:33 AM	ND	7.75	ND	22.96	NA	NA	Post-pumping measurement ~4 gallons removed
	10/20/2021	11:20 AM	ND	3.75	ND	22.90	NA	NA	
	11/4/2021	12:55 PM	ND	3.82	22.55	22.82	NA	0.27	
	11/17/2021	9:15 AM	ND	4.03	22.20	22.79	NA	0.59	
	11/19/2021	10:05 AM	ND	4.06	22.20	22.79	NA	0.59	Pre-pumping measurement
	11/19/2021	10:20 AM	ND	4.07	ND	22.79	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	11:25 AM	ND	4.21	ND	22.97	NA	NA	
	12/14/2021	12:00 PM	ND	4.51	22.70	23.00	NA	0.30	

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-11	12/28/2021	12:10 PM	ND	4.51	22.59	23.01	NA	0.42	
	1/13/2022	10:45 AM	ND	4.41	ND	22.99	NA	NA	
	1/27/2022	10:50 AM	ND	4.41	22.48	22.99	NA	0.51	
	1/28/2022	8:30 AM	ND	4.39	22.44	22.99	NA	0.55	Pre-pumping measurement
	1/28/2022	8:35 AM	ND	4.50	ND	22.99	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	10:40 AM	ND	4.11	ND	23.00	NA	NA	
	2/24/2022	11:00 AM	ND	4.32	22.68	22.98	NA	0.30	
	3/17/2022	10:04 AM	ND	4.12	22.60	22.95	NA	0.35	
	3/28/2022	11:15 PM	ND	4.02	22.56	22.90	NA	0.34	
	4/13/2022	9:27 AM	ND	3.85	22.15	22.85	NA	0.70	Pre-pumping measurement
	4/13/2022	1:57 PM	ND	5.10	ND	22.90	NA	NA	Post-pumping measurement ~3 gallons removed
	4/29/2022	9:30 AM	ND	3.93	22.44	22.83	NA	0.39	
	5/12/2022	11:20 PM	ND	3.88	22.60	22.85	NA	0.25	
	5/25/2022	10:30 AM	ND	3.93	22.39	22.84	NA	0.45	
	6/9/2022	11:20 PM	ND	3.86	21.93	22.83	NA	0.90	Pre-pumping measurement
	6/9/2022	12:20 PM	ND	ND	22.73	22.83	NA	0.10	Post-pumping measurement ~2.5 gallons removed
	6/23/2022	11:59 AM	ND	4.05	22.31	22.84	NA	0.53	
	7/7/2022	13:33:00 PM	ND	4.28	21.97	22.87	NA	0.90	
	7/21/2022	11:45 AM	ND	4.07	22.97	22.87	NA	0.90	Pre-pumping measurement
	7/21/2022	12:15 PM	ND	ND	22.52	22.87	NA	0.35	Post-pumping measurement ~3.0 gallons removed
	8/4/2022	9:38 AM	ND	4.17	21.82	22.87	NA	1.05	Pre-pumping measurement
	8/5/2022	12:15 PM	ND	ND	22.40	22.87	NA	0.47	Post-pumping measurement ~9.50 gallons removed
	8/18/2022	12:25 PM	ND	4.32	22.54	22.84	NA	0.30	
	9/1/2022	8:25 AM	ND	4.42	ND	22.79	NA	NA	
	10/13/2022	11:20 AM	ND	4.15	22.43	22.91	NA	0.48	
	11/9/2022	9:25 AM	ND	4.41	22.27	22.87	NA	0.60	
	12/8/2022	9:45 AM	ND	4.20	22.03	22.78	NA	0.75	
	1/19/2023	10:00 AM	ND	4.02	21.21	21.96	NA	0.75	Pre-pumping measurement
	1/19/2023	10:10 AM	ND	ND	21.95	21.96	NA	0.01	Post-pumping measurement ~4 gallons removed
	3/1/2023	11:00 AM	ND	4.2	22.5	22.85	NA	0.35	
	4/12/2023	3:05 PM	ND	4.2	21.7	22.8	NA	1.1	Pre-pumping measurement, pump not working - no recovery
	5/10/2023	10:30 AM	ND	3.85	21.72	22.82	NA	1.1	Pre-pumping measurement
	5/10/2023	10:45 AM	ND	ND	22.8	22.82	NA	0.02	Post-pumping measurement ~4.25 gallons removed
	6/13/2023	11:30 AM	ND	4.14	21.89	22.81	NA	0.92	Pre-pumping measurement
	6/13/2023	11:45 AM	ND	ND	22.80	22.81	NA	0.01	Post-pumping measurement ~4.0 gallons removed
	7/5/2023	11:10 AM	ND	4.39	21.51	21.99	NA	0.48	
	8/2/2023	10:00 AM	ND	4.11	22.30	22.75	NA	0.45	
	9/14/2023	10:10 AM	ND	3.98	21.39	22.79	NA	1.40	Pre-pumping measurement
	9/14/2023	10:30 AM	ND	ND	22.78	22.79	NA	0.01	Post-pumping measurement ~5.5 gallons removed
	10/12/2023	10:00 AM	ND	3.85	22.47	22.89	NA	0.42	
	11/6/2023	11:30 AM	ND	3.91	21.64	22.86	NA	1.22	Pre-pumping measurement
	11/6/2023	11:50 AM	ND	3.91	22.85	22.86	NA	0.01	Post-pumping measurement ~4.5 gallons removed
	12/6/2023	10:45 AM	ND	4.03	22.51	22.86	NA	0.35	
	1/3/2024	9:40 AM	ND	3.80	22.38	22.83	NA	0.45	
	2/15/2024	NA	NA	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	11:30 AM	ND	3.75	21.51	22.81	NA	1.30	Pre-pumping measurement
	3/13/2024	11:50 AM	ND	ND	22.80	22.81	NA	0.01	Post-pumping measurement ~3 gallons removed
NW-12	10/7/2020	11:15 AM	ND	3.75	ND	21.10	NA	NA	
	10/21/2020	8:50 AM	ND	3.76	ND	21.25	NA	NA	
	11/4/2020	7:35 AM	ND	3.86	ND	21.20	NA	NA	
	11/18/2020	10:20 AM	ND	4.02	ND	21.89	NA	NA	
	12/1/2020	9:20 AM	ND	3.70	ND	21.29	NA	NA	
	12/16/2020	9:05 AM	ND	3.98	ND	21.13	NA	NA	
	12/29/2020	9:05 AM	ND	3.92	ND	21.14	NA	NA	
	1/13/2021	9:45 AM	ND	4.00	ND	21.55	NA	NA	
	1/27/2021	8:55 AM	ND	4.10	ND	21.25	NA	NA	
	2/8/2021	10:15 AM	ND	4.04	ND	NA	NA	NA	Bottom depth not measured.

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-12	2/24/2021	9:10 AM	ND	3.89	ND	21.18	NA	NA	
	3/10/2021	10:40 AM	ND	3.83	ND	21.33	NA	NA	
	3/24/2021	9:28 AM	ND	3.71	ND	21.23	NA	NA	
	4/7/2021	9:40 AM	ND	3.64	ND	21.16	NA	NA	
	4/21/2021	9:50 AM	ND	3.64	ND	21.23	NA	NA	
	5/5/2021	10:05	ND	3.61	ND	21.17	NA	NA	
	5/17/2021	9:55 AM	ND	3.71	ND	21.15	NA	NA	
	6/2/2021	9:39 AM	ND	3.55	ND	21.21	NA	NA	
	6/16/2021	9:35 AM	ND	3.65	ND	21.14	NA	NA	
	6/30/2021	9:05 AM	ND	3.69	ND	21.16	NA	NA	
	7/14/2021	9:15 AM	ND	3.53	ND	21.19	NA	NA	
	7/27/2021	8:38 AM	ND	3.54	ND	21.11	NA	NA	
	8/11/2021	11:15 AM	ND	3.73	ND	21.26	NA	NA	
	8/23/2021	10:15 AM	ND	3.49	ND	21.12	NA	NA	
	9/8/2021	9:18 AM	ND	3.36	ND	21.26	NA	NA	
	9/21/2021	10:17 AM	ND	3.59	ND	21.15	NA	NA	
	10/7/2021	10:20 AM	ND	3.46	ND	21.11	NA	NA	
	10/20/2021	7:35 AM	ND	3.58	ND	22.17	NA	NA	
	11/4/2021	10:30 AM	ND	3.62	ND	21.12	NA	NA	
	11/17/2021	8:05 AM	ND	3.81	ND	21.05	NA	NA	
	12/1/2021	10:10 AM	ND	4.07	ND	21.04	NA	NA	
	12/14/2021	8:30 AM	ND	4.24	ND	21.09	NA	NA	
	12/28/2021	12:15 PM	ND	4.17	ND	21.10	NA	NA	
	1/13/2022	9:40 AM	ND	4.16	ND	21.11	NA	NA	
	1/27/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/7/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/24/2022	11:10 AM	ND	4.07	ND	21.11	NA	NA	
	3/17/2022	10:10 AM	ND	3.89	ND	21.30	NA	NA	
	3/28/2022	11:20 AM	ND	3.92	ND	21.20	NA	NA	
	4/13/2022	9:20 AM	ND	3.70	ND	21.02	NA	NA	
	4/29/2022	11:00 AM	ND	3.74	ND	21.22	NA	NA	
	5/12/2022	11:30 AM	ND	3.75	ND	20.92	NA	NA	
	5/26/2022	10:25 AM	ND	3.79	ND	21.12	NA	NA	
	6/9/2022	11:30 AM	ND	3.52	ND	21.12	NA	NA	
	6/23/2022	10:35 AM	ND	3.61	ND	21.22	NA	NA	
	7/7/2022	13:35:00 PM	ND	3.97	ND	20.93	NA	NA	
	7/21/2022	11:35 AM	ND	3.78	ND	21.12	NA	NA	
	8/4/2022	9:35 AM	ND	3.94	ND	21.11	NA	NA	
	8/18/2022	12:30 PM	ND	3.98	ND	21.12	NA	NA	
	9/1/2022	8:35 AM	ND	NA	ND	21.19	NA	NA	
	10/27/2022	9:30 AM	ND	4.05	ND	21.43	NA	NA	
	1/19/2023	7:55 AM	ND	4.61	ND	21.57	NA	NA	
	4/12/2023	1:10 PM	ND	4.01	ND	21.03	NA	NA	

Notes:
Pre/post pumping event readings are bolded.
LNAPL - Light Non-Aqueous Phase Liquid
DNAPL - Dense Non-Aqueous Phase Liquid
* - Estimated due to High Viscous DNAPL
NA - Not Applicable
NM - Not Measurable (High Viscosity)