



Consulting July 17, 2024
Engineers and Project 2201010
Scientists

Via email: justin.starr@dec.ny.gov

Mr. Justin Starr, Project Manager
NYSDEC
Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7016

Dear Mr. Starr:

**Re: Progress Report – Second Quarter 2024
Polychrome West Site
City of Yonkers, Westchester County
NYSDEC BCP Site No. C360099**

This Progress Report has been prepared by GEI Consultants, Inc., P.C. (GEI), under contract with Consolidated Edison Company of New York (Con Edison) on behalf of Avalon Yonkers Sun Sites, LLC (AVB) to summarize the work performed at the Polychrome West site [Brownfield Cleanup Program (BCP) Site No. C360099] located at 137-145 Alexander Street, Yonkers, New York (the Site) during the second quarter of 2024.

Site Activities

During the second quarter of 2024, DNAPL gauging was conducted at NW-5, NW-6, NW-8, NW-9, NW-10, and NW-11. DNAPL recovery wells are equipped with 3-foot sumps. DNAPL was detected during the Q2 monitoring events in NW-5, NW-6, NW-8, NW-10, and NW-11 as summarized in Table 1. DNAPL measurements from 2024 are provided in Table 2.

DNAPL was removed from recovery wells NW-8, NW-10, and NW-11 using a 2-inch submersible pump and dedicated tubing and from recovery wells NW-5 and NW-6 using submersible gas displacement pumps and dedicated tubing. DNAPL gauging and recovery amounts for the Q2 events are summarized in Table 1.

The recovered DNAPL was containerized in Department of Transportation (DOT)-approved 55-gallon drums, labeled as hazardous waste, and stored on-site in a drum storage area. On April 24, May 9, and June 6, 2024, the recovered DNAPL was picked up from the Site for off-site disposal at an appropriate receiving facility. Waste disposal manifests for Q2 are provided in Attachment A.

A total of approximately 65.5 gallons of DNAPL were recovered during the reporting period. Since the start of 2024, a total of 209.0 gallons of DNAPL have been removed. DNAPL recovery totals for 2024 are summarized in Table 3.

The current monitoring program was approved by NYSEC on March 3, 2023. DNAPL measurements at NW-1, NW-3, NW-4, NW-7, NW-9, NW-10S, and NW-12 remained below 6-inches for more than one year, therefore gauging at these locations was reduced to annually.


The following work is planned for Q3 2024:

- Complete DNAPL gauging and removal in Q3 2024 using the same methods as described above at a frequency of once every two weeks for NW-5, NW-6, and NW-10, monthly for NW-8 and NW-11, and quarterly for NW-9.
- Disposal, as needed, of recovered DNAPL and used personal protective equipment and field supplies.
- The next progress report will summarize work performed in Q3 2024.


If you have any questions or require any further information, please contact Melissa Abt at Con Edison at 718-204-4331 or via electronic mail at abtm@coned.com.

Sincerely,

GEI CONSULTANTS, INC., P.C.



Matt O'Neil, P.E.
Vice President, Program Manager



Melissa Felten, P.G.
Project Manager

MO/MF:bdp

Attachments: Table 1. Q2 2024 DNAPL Summary
Table 2. 2024 Well Gauging Measurements
Table 3. 2024 DNAPL Recovery Totals
Fig. 1 Site Location Map
Fig. 2 NAPL Recovery & Groundwater Monitoring Well Location Plan
Attachment A. Waste Disposal Manifests
Attachment B. Historic Well Gauging Measurements

c: Glen Moran/ /Jon Vogel/Michael Simpson/ Chadwich Hinckley/Stephanie Lessick, AVB
Marc Godick/Steve Grens, AKRF
Mihir Chokshi/Melissa Abt, Con Edison

Tables

Table 1. Q2 2024 DNAPL Summary
Polychrome West Site
Yonkers, New York

Recovery Well ID	DNAPL Thickness (feet)					Total DNAPL Removed (Gallons) Q2 2024
	4/24/2024- 4/25/2024	5/8/2024- 5/9/2024	5/22/2024	6/5/2024- 6/6/2024	6/27/2024	
NW-5	8.50	7.75	7.80	6.25	7.60	27.0
NW-6	5.65	5.85	5.49	6.35	5.56	19.5
NW-8	1.25	0.38	NA	1.05	NA	5.5
NW-9	0.25	NA	NA	NA	NA	NA
NW-10	2.05	0.91	0.42	1.00	1.05	12.0
NW-11	0.40	0.55	NA	0.20	NA	1.5

Notes: Measured DNAPL thicknesses are estimated
NA - Not Applicable

Table 2. 2024 Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	DNAPL Thickness (feet)	Comments
NW-1	4/25/2024	11:00 AM	6.39	NA	20.35	NA	
NW-3	4/25/2024	11:15 AM	6.62	NA	32.98	NA	
NW-4	4/25/2024	11:30 AM	8.85	NA	43.20	NA	
	5/22/2024	12:00 PM	8.38	NA	43.30	NA	Gauged and bailed to verify LNAPL presence, none found
NW-5	1/4/2024	10:30 AM	6.60	29.86	37.28	7.42	Pre-pumping measurement ~20 gallons removed (buffalo pump)
	1/17/2024	NA	NA	NA	NA	NA	No more drum space, could not recover.
	1/31/2024	9:55 AM	7.54	29.50	37.30	7.80	Pre-pumping measurement ~20 gallons removed (buffalo pump)
	2/15/2024	12:00 PM	7.77	29.90	36.57	6.67	Pump malfunction, could not recover.
	2/28/2024	11:35 AM	8.49	29.70	37.18	7.48	Pre-pumping measurement ~5 gallons removed
	3/14/2024	11:30 AM	7.01	29.48	37.38	7.90	Pre-pumping measurement ~7.5 gallons removed
	3/27/2024	12:00 PM	7.21	29.97	37.18	6.29	Pre-pumping measurement ~4 gallons removed
	4/25/2024	9:00 AM	8.20	28.75	37.25	8.50	Pre-pumping measurement ~7.5 gallons removed
	5/9/2024	11:00 AM	8.30	29.48	37.23	7.75	Pre-pumping measurement ~5 gallons removed
	5/22/2024	11:00 AM	6.81	29.51	37.31	7.80	Pre-pumping measurement ~5 gallons removed
	6/5/2024	10:00 AM	7.47	31.06	37.31	6.25	Pre-pumping measurement ~4.5 gallons removed
	6/27/2024	11:15 AM	8.52	29.61	37.21	7.60	Pre-pumping measurement ~5 gallons removed
	1/4/2024	9:00 AM	9.01	31.60	36.80	5.20	Pre-pumping measurement ~15 gallons removed (buffalo pump)
	1/17/2024	10:10 AM	8.97	31.70	36.80	5.10	Pre-pumping measurement ~15 gallons removed (buffalo pump)
NW-6	1/31/2024	1:45 PM	8.00	33.76	36.80	5.34	Pre-pumping measurement ~15 gallons removed (buffalo pump)
	2/14/2024	12:55 PM	8.68	31.40	36.66	5.26	Pre-pumping measurement ~5 gallons removed
	2/28/2024	9:40 AM	9.40	31.66	36.66	5.00	Pre-pumping measurement ~5 gallons removed
	3/14/2024	8:45 AM	8.75	29.96	36.80	6.84	Pre-pumping measurement ~2 gallons removed (metal pipe blocked air line)
	3/27/2024	9:15 AM	9.32	30.78	36.80	6.02	Pre-pumping measurement ~5 gallons removed
	4/24/2024	8:45 AM	8.54	31.15	36.80	5.65	Tubing malfunction, could not recover.
	5/9/2024	9:00 AM	8.18	30.97	36.82	5.85	Pre-pumping measurement ~5 gallons removed
	5/22/2024	9:30 AM	8.65	31.31	36.80	5.49	Pre-pumping measurement ~4.5 gallons removed
	6/5/2024	9:00 AM	8.81	30.45	36.80	6.35	Pre-pumping measurement ~5.5 gallons removed
	6/27/2024	9:15 AM	9.00	31.24	36.80	5.56	Pre-pumping measurement ~4.5 gallons removed
NW-7	4/25/2024	10:35 AM	9.60	NA	22.87	NA	
NW-8	1/3/2024	10:00 AM	10.36	35.35	36.15	0.80	Pre-pumping measurement ~2 gallons removed
	2/15/2024	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	9:15 AM	9.98	34.62	36.22	1.60	Pre-pumping measurement ~4 gallons removed
	4/24/2024	12:30 PM	9.60	34.98	36.23	1.25	Pre-pumping measurement ~3 gallons removed
	5/9/2024	10:30 AM	9.74	35.85	36.23	0.38	
	6/6/2024	11:30 AM	9.54	35.17	36.22	1.05	Pre-pumping measurement ~2.5 gallons removed
NW-9	1/3/2024	10:15 AM	10.40	33.06	33.36	0.30	
	4/24/2024	12:45 PM	9.77	33.08	33.33	0.25	
NW-10	1/3/2024	11:00 AM	10.46	33.07	33.62	0.55	Pre-pumping measurement ~1.5 gallons removed
	1/17/2024	9:10 AM	10.40	32.10	33.60	1.50	Pre-pumping measurement ~3 gallons removed
	1/31/2024	8:35 AM	10.82	32.82	33.62	0.70	Pump malfunction, could not recover.
	2/14/2024	9:30 AM	10.33	32.99	33.74	0.75	Pre-pumping measurement ~2 gallons removed
	2/28/2024	10:20 AM	11.05	32.71	33.73	1.02	Pre-pumping measurement ~2 gallons removed
	3/13/2024	10:20 AM	10.22	31.67	33.57	1.90	Pre-pumping measurement ~4.5 gallons removed
	3/27/2024	11:10 AM	9.81	32.01	33.51	1.50	Pre-pumping measurement ~3 gallons removed
	4/24/2024	1:05 PM	9.50	31.55	33.60	2.05	Pre-pumping measurement ~6 gallons removed
	5/9/2024	10:00 AM	10.11	32.54	33.45	0.91	Pre-pumping measurement ~2 gallons removed
	5/22/2024	10:20 AM	9.91	33.10	33.52	0.42	
	6/6/2024	11:00 AM	9.94	32.62	33.62	1.00	Pre-pumping measurement ~2 gallons removed
	6/27/2024	10:45 AM	10.67	32.56	33.61	1.05	Pre-pumping measurement ~2 gallons removed
NW-10S	4/24/2024	1:15 PM	10.04	NA	17.85	NA	
NW-11	1/3/2024	9:40 AM	3.80	22.38	22.83	0.45	
	2/15/2024	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	11:30 AM	3.75	21.51	22.81	1.30	Pre-pumping measurement ~3 gallons removed
	4/24/2024	11:00 AM	3.90	22.44	22.84	0.40	
	5/8/2024	12:00 PM	4.11	22.07	22.62	0.55	Pre-pumping measurement ~1.5 gallons removed
	6/6/2024	9:00 AM	3.88	22.65	22.85	0.20	
NW-12	4/25/2024	10:20 AM	3.91	NA	21.11	NA	

Notes:

Pre-pumping event readings are bolded

DNAPL - Dense Non-Aqueous Phase Liquid

NA - Not Applicable

ND - Not Detected

Recovery Wells NW-5, NW-6 and NW-10 are gauged every 2 weeks.

Recovery Wells NW-8 and NW-11 are gauged monthly.

Recovery Well NW-9 is gauged quarterly.



Recovery Wells NW-1, NW-3, NW-4, NW-7, NW-10S, and NW-12 are gauged annually.

Table 3. 2024 DNAPL Recovery Totals
Polychrome West Site
Yonkers, New York

	DNAPL Recovered Volume (gal)												
Recovery Event	Jan-24	Feb-24	Mar-24	Apr-24	May-24	Jun-24	Jul-24	Aug-24	Sep-24	Oct-24	Nov-24	Dec-24	Total DNAPL Recovered (Gallons)
NW-1	NA	NA	NA	NA	NA	NA							0.00
NW-3	NA	NA	NA	NA	NA	NA							0.00
NW-4	NA	NA	NA	NA	NA	NA							0.00
NW-5	40.0	5.0	11.5	7.5	10.0	9.50							83.50
NW-6	45.0	10.0	7.0	NA	9.5	10.0							81.50
NW-7	NA	NA	NA	NA	NA	NA							0.00
NW-8	2.0	NA	4.0	3.0	NA	2.50							11.50
NW-9	NA	NA	NA	NA	NA	NA							0.00
NW-10	4.5	4.0	7.5	6.0	2.0	4.0							28.00
NW-11	NA	NA	3.0	NA	1.5	NA							4.50
NW-12	NA	NA	NA	NA	NA	NA							0.00
Event Total	91.50	19.00	33.00	16.50	23.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00	209.00
Date Generated	1/3/2024, 1/4/2024, 1/17/2024, 1/31/2024	2/14/2024, 2/15/2024, 2/28/2024	3/13/2024, 3/14/2024, 3/27/2024	4/24/2024, 4/25/2024	5/8/2024, 5/9/2024, 5/22/2024	6/5/2024, 6/6/2024, 6/27/2024							
Off-Site Disposal Date	1/3/2024, 1/31/2024	2/28/2024	3/27/2024	4/24/2024, 5/9/2024	5/9/2024, 6/6/2024	6/6/2024							
Disposal Location	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey	Clean Earth North Jersey							

Notes:
DNAPL - Dense Non-Aqueous Phase Liquid
NA - Not Applicable


Figures



SOURCE:

USGS TOPOGRAPHIC QUADRANGLE, 7.5 MINUTE SERIES: YONKERS, NY, NJ, 2023
 NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88)
 10-FOOT CONTOUR INTERVAL

Quarterly Progress Report Polychrome West (PCW) Yonkers, New York	GEI Consultants	SITE LOCATION MAP
Consolidated Edison Company of New York, Inc. Long Island City, New York	Project 2201010	July 2024 Fig. 1



Quarterly Progress Report
Polychrome West (PCW)
Yonkers, New York

Consolidated Edison Company of New York, Inc.
Long Island City, New York



Project 2201010

NAPL RECOVERY AND
GROUNDWATER
MONITORING WELLS

July 2024

Fig. 2



Attachment A

Waste Disposal Manifests

Please print or type.

2430682

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number 018014870 FLE		
5. Generator's Name and Mailing Address Consolidated Edison of NY Inc-Att. Melissa Felter 212-580-8389 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105		Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80- 94 Alexander St Yonkers, NY 10701					
Generator's Phone: 718-204-4100							
6. Transporter 1 Company Name WT Transport Inc- CENJ				U.S. EPA ID Number NJR986628162			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address Urban Earth of North Jersey, Inc 9733444004 105 Jacobus Ave. Kearny NJ 07032				U.S. EPA ID Number NJD991291105			
Facility's Phone:							
GENERATOR K X	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
		HA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)	2	DM	10	P	D018
		HA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)	2	DM	55	G	D018
		3.					
		4.					
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling ER Provider Melissa Felter Order#: 2430682 - Note: equipment-Haz. (2) ERG#171: 2230800135 - Purged NAPL and							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name George Baez				Signature 		Month Day Year 4 24 24	
INT'L	16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: _____ Transporter signature (for exports only): _____ Date leaving U.S.: _____						
	17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name CHRIS FELT Signature  Month Day Year 4 24 24 Transporter 2 Printed/Typed Name _____ Signature _____ Month Day Year _____						
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection						
	18b. Alternate Facility (or Generator) _____ Manifest Reference Number: _____ U.S. EPA ID Number _____						
	Facility's Phone: _____						
	18c. Signature of Alternate Facility (or Generator) _____ Month Day Year _____						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) H111 H111 3. _____ 4. _____							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name Peter Lange Signature  Month Day Year 4 26 24							

Please print or type.

2435085

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706		2. Page 1 of 1	3. Emergency Response Phone 8606080717		4. Manifest Tracking Number 018008442 FLE			
		5. Generator's Name and Mailing Address Consolidated Edison of NY Inc-Att: Melissa Felter 212-580-8383 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105								
6. Transporter 1 Company Name Yonkers, NY 10516							U.S. EPA ID Number			
7. Transporter 2 Company Name WCT Transport Inc							U.S. EPA ID Number NJ0986628182			
8. Designated Facility Name and Site Address Clean Earth of North Jersey, Inc. 9733444004 105 Jacobus Ave. Kearny NJ 07032							U.S. EPA ID Number NJD991291105			
Facility's Phone:										
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))				10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
X	1. NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III, RQ (D018)				11		DM	75	P	D018
X	2. NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III, RQ (D018)				11		DM	55	G	D018
	3.									
	4.									
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz. ER Provider Melissa Felter Order#: 2435085 - Note:										
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.										
Generator's/Offor's Printed/Typed Name Jaime River				Signature <i>Jaime River</i>				Month Day Year 5 9 24		
16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____										
17. Transporter Acknowledgment of Receipt of Materials										
Transporter 1 Printed/Typed Name Adam Mella				Signature <i>Adam Mella</i>				Month Day Year 5 9 24		
Transporter 2 Printed/Typed Name				Signature				Month Day Year		
18. Discrepancy										
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection										
Manifest Reference Number:										
18b. Alternate Facility (or Generator) U.S. EPA ID Number										
Facility's Phone:										
18c. Signature of Alternate Facility (or Generator)										
Received Pending Manifest Review/Quality Control Date										
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)										
1. H141		2. H141		3.		4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a										
Printed/Typed Name Peter Lange				Signature <i>Peter Lange</i>				Month Day Year 5 13 24		

2581636

Please print or type

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYR000254706	2. Page 1 of 1	3. Emergency Response Phone 8606089717	4. Manifest Tracking Number 018007942 FLE		
5. Generator's Name and Mailing Address 212-580-8383		Consolidated Edison of NY Inc-Att. Melissa Felter 31-01 20th Ave- Bldg 136 2nd fl Astoria, NY 11105		Generator's Site Address (if different than mailing address) Consolidated Edison of NY Inc 80- 94 Alexander St Yonkers, NY 10701			
Generator's Phone:					U.S. EPA ID Number NJR986628162		
6. Transporter 1 Company Name IWT Transport Inc.					U.S. EPA ID Number		
7. Transporter 2 Company Name					U.S. EPA ID Number		
8. Designated Facility Name and Site Address 9733444004		Clean Earth of North Jersey, Inc. 105 Jacobus Ave. Kearny NJ 07032		U.S. EPA ID Number NJD991291105			
Facility's Phone:							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
X	1. NA3077, Hazardous waste, solid, n.o.s. (Benzene), 9, PG-III,RQ (D018)	13	DM	250	P	D018	
X	2. NA3082, Hazardous waste, liquid, n.o.s., 9, PG-III,RQ(D018)	11	DM	55	G	D018	
	3.						
	4.						
14. Special Handling Instructions and Additional Information (1) ERG#171: 2230800134 - Used PPE and sampling equipment-Haz. (2) ERG#171: 2230800135 - Purged NAPL and							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name Jaine Rvera		Signature Jaine Rvera		Month Day Year 6 6 24			
16. International Shipments ☐ Import to U.S. Transporter signature (for exports only):		☐ Export from U.S. Port of entry/exit: Date leaving U.S.:					
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Adam Mella		Signature Adam Mella		Month Day Year 6 6 24			
Transporter 2 Printed/Typed Name		Signature		Month Day Year			
18. Discrepancy							
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection							
18b. Alternate Facility (or Generator) Facility's Phone: 18c. Signature of Alternate Facility (or Generator)							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1-1141 2-1141 3. 4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name [Signature]							
Signature [Signature] Month Day Year 6 6 24							

Attachment B

Historic Well Gauging Measurements

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-A				5.86	ND	11.16	NA	NA	
	1/7/1900	1:12 PM	42	5.96	ND	11.20	NA	NA	
	11/4/2020	4:19 AM	14.5	6.42	ND	11.21	NA	NA	
	1/0/1900	7:12 PM	2.2	5.82	ND	11.28	NA	NA	
	1/0/1900	ND	ND	3.20	ND	11.17	NA	NA	
	1/1/1900	1:12 AM	4.79	5.75	ND	11.19	NA	NA	
	1/0/1900	12:43 PM	2.5	4.96	ND	11.18	NA	NA	
	1/13/2021	7:30 AM	ND	5.18	ND	11.16	NA	NA	
	1/27/2021	8:15 AM	ND	4.25	ND	11.33	NA	NA	
	2/8/2021	9:00 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:10 AM	ND	4.91	ND	11.28	NA	NA	
	3/10/2021	8:15 AM	ND	5.28	ND	11.25	NA	NA	
	3/24/2021	8:02 AM	ND	4.91	ND	11.19	NA	NA	
	4/7/2021	8:30 AM	ND	4.27	ND	11.18	NA	NA	
	4/21/2021	9:10 AM	ND	5.17	ND	11.15	NA	NA	
	5/5/2021	8:30 AM	ND	4.40	ND	11.19	NA	NA	
	5/17/2021	8:30 AM	ND	5.92	ND	11.18	NA	NA	
	6/2/2021	8:09 AM	ND	5.39	ND	11.19	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	6/16/2021	8:50 AM	ND	5.79	ND	11.32	NA	NA	
	6/30/2021	8:33 AM	ND	5.95	ND	11.25	NA	NA	
	7/14/2021	8:10 AM	ND	5.72	ND	11.24	NA	NA	
	7/27/2021	7:57 AM	ND	5.67	ND	11.21	NA	NA	
	12/21/2021	10:00 AM	ND	4.74	ND	11.56	NA	NA	
MW-B	10/7/2020	9:20 AM	ND	9.10	ND	12.68	NA	NA	
	10/21/2020	8:15 AM	ND	9.22	ND	12.70	NA	NA	
	11/4/2020	6:00 AM	ND	9.54	ND	12.89	NA	NA	
	11/18/2020	9:45 AM	ND	9.08	ND	13.03	NA	NA	
	12/1/2020	8:30 AM	ND	7.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	12/16/2020	8:05 AM	ND	9.18	ND	12.75	NA	NA	
	12/29/2020	8:10 AM	ND	8.25	ND	12.78	NA	NA	
	1/13/2021	7:35 AM	ND	8.17	ND	12.72	NA	NA	
	1/27/2021	8:10 AM	ND	7.98	ND	12.92	NA	NA	
	2/8/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:05 AM	ND	8.24	ND	12.81	NA	NA	
	3/10/2021	8:25 AM	ND	8.27	ND	12.82	NA	NA	
	3/24/2021	8:07 AM	ND	8.14	ND	12.74	NA	NA	
	4/7/2021	8:35 AM	ND	7.81	ND	12.77	NA	NA	
	4/21/2021	9:15 AM	ND	8.28	ND	12.76	NA	NA	
	5/5/2021	8:35 AM	ND	7.59	ND	12.72	NA	NA	
	5/17/2021	8:35 AM	ND	9.14	ND	12.72	NA	NA	
	6/2/2021	8:14 AM	ND	8.15	ND	12.73	NA	NA	
	6/16/2021	8:55 AM	ND	9.08	ND	12.85	NA	NA	
	6/30/2021	8:30 AM	ND	9.19	ND	12.81	NA	NA	
	7/14/2021	8:15 AM	ND	9.13	ND	12.81	NA	NA	
	7/27/2021	7:54 AM	ND	9.17	ND	12.86	NA	NA	
	7/14/2021	8:15 AM	ND	9.13	ND	12.81	NA	NA	
	7/27/2021	7:54 AM	ND	9.17	ND	12.86	NA	NA	
	12/21/2021	10:33 AM	ND	8.05	ND	12.86	NA	NA	
MW-C	10/7/2020	9:25 AM	ND	8.39	ND	12.83	NA	NA	
	10/21/2020	8:12 AM	ND	8.43	ND	12.47	NA	NA	
	11/4/2020	6:05 AM	ND	8.50	ND	12.59	NA	NA	
	11/18/2020	9:50 AM	ND	7.87	ND	12.35	NA	NA	
	12/1/2020	8:35 AM	ND	5.89	ND	12.37	NA	NA	
	12/16/2020	8:00 AM	ND	7.80	ND	12.31	NA	NA	
	12/29/2020	8:05 AM	ND	7.19	ND	12.42	NA	NA	
	1/13/2021	7:30 AM	ND	7.31	ND	12.49	NA	NA	
	1/27/2021	8:05 AM	ND	6.85	ND	12.54	NA	NA	
	2/8/2021	8:40 AM	ND	7.24	ND	12.50	NA	NA	
	2/24/2021	8:00 AM	ND	7.20	ND	12.45	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	3/10/2021	8:30 AM	ND	7.31	ND	12.43	NA	NA	
	3/24/2021	8:10 AM	ND	7.21	ND	12.35	NA	NA	
	4/7/2021	8:40 AM	ND	6.11	ND	12.36	NA	NA	
	4/21/2021	9:20 AM	ND	7.41	ND	12.36	NA	NA	
	5/5/2021	8:40 AM	ND	6.71	ND	12.36	NA	NA	
	5/17/2021	8:40 AM	ND	8.30	ND	12.30	NA	NA	
	6/2/2021	8:20 AM	ND	7.73	ND	12.31	NA	NA	
	6/16/2021	8:58 AM	ND	8.37	ND	12.56	NA	NA	
	6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA	
	7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA	
	6/30/2021	8:25 AM	ND	7.40	ND	12.40	NA	NA	
	7/14/2021	8:20 AM	ND	8.10	ND	12.41	NA	NA	
	7/27/2021	7:51 AM	ND	8.29	ND	12.64	NA	NA	
	12/21/2021	11:50 AM	ND	6.99	ND	12.55	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
MW-D	10/7/2020	9:35 AM	ND	8.60	ND	15.95	NA	NA	
	10/21/2020	8:10 AM	ND	8.45	ND	15.83	NA	NA	
	11/4/2020	6:10 AM	ND	9.27	ND	16.02	NA	NA	
	11/18/2020	9:55 AM	ND	8.93	ND	16.18	NA	NA	
	12/1/2020	8:40 AM	ND	7.86	ND	15.94	NA	NA	
	12/16/2020	7:55 AM	ND	8.91	ND	15.86	NA	NA	
	12/29/2020	8:00 AM	ND	8.75	ND	15.91	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	1/27/2021	8:00 AM	ND	8.65	ND	16.02	NA	NA	
	1/13/2021	7:55 AM	ND	8.92	ND	15.96	NA	NA	
	2/8/2021	8:30 AM	ND	8.72	ND	15.92	NA	NA	
	2/24/2021	7:50 AM	ND	8.61	ND	15.93	NA	NA	
	3/10/2021	8:40 AM	ND	9.06	ND	15.96	NA	NA	
	3/24/2021	8:12 AM	ND	8.87	ND	15.92	NA	NA	
	4/7/2021	8:45 AM	ND	8.42	ND	15.90	NA	NA	
	4/21/2021	9:25 AM	ND	8.32	ND	15.87	NA	NA	
	5/5/2021	8:45 AM	ND	7.96	ND	15.83	NA	NA	
	5/17/2021	8:45 AM	ND	8.69	ND	15.83	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/2/2021	8:25 AM	ND	8.31	ND	15.84	NA	NA	
	6/16/2021	9:01 AM	ND	8.40	ND	16.01	NA	NA	
	6/30/2021	8:20 AM	ND	8.86	ND	15.96	NA	NA	
	7/14/2021	8:25 AM	ND	8.21	ND	15.91	NA	NA	
	7/27/2021	7:48 AM	ND	8.15	ND	15.98	NA	NA	
	12/23/2021	7:50 AM	ND	8.80	ND	16.30	NA	NA	
MW-E	10/7/2020	9:40 AM	ND	8.72	ND	12.70	NA	NA	
	10/21/2020	8:05 AM	ND	8.97	ND	12.75	NA	NA	
	11/4/2020	6:15 AM	ND	9.15	ND	12.63	NA	NA	
	11/18/2020	10:00 AM	ND	8.54	ND	12.59	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/1/2020	8:45 AM	ND	7.39	ND	12.67	NA	NA	
	12/16/2020	7:50 AM	ND	8.81	ND	12.51	NA	NA	
	12/29/2020	7:55 AM	ND	8.27	ND	12.53	NA	NA	
	1/13/2021	8:00 AM	ND	8.64	ND	12.72	NA	NA	
	1/27/2021	7:45 AM	ND	7.98	ND	12.67	NA	NA	
	2/8/2021	8:20 AM	ND	8.11	ND	12.53	NA	NA	
	2/24/2021	7:45 AM	ND	7.90	ND	12.57	NA	NA	
	3/10/2021	8:45 AM	ND	8.39	ND	12.57	NA	NA	
	3/24/2021	8:14 AM	ND	8.11	ND	12.71	NA	NA	
	4/7/2021	8:50 AM	ND	7.77	ND	12.51	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	4/21/2021	9:30 AM	ND	8.06	ND	12.51	NA	NA	
	5/5/2021	8:50 AM	ND	7.54	ND	12.68	NA	NA	
	5/17/2021	8:50 AM	ND	9.06	ND	12.70	NA	NA	
	6/2/2021	8:30 AM	ND	8.70	ND	12.63	NA	NA	
	6/16/2021	9:05 AM	ND	9.08	ND	12.59	NA	NA	
	6/30/2021	8:15 AM	ND	9.14	ND	12.70	NA	NA	
	7/14/2021	8:00 AM	ND	8.96	ND	12.55	NA	NA	
	7/27/2021	7:46 AM	ND	8.89	ND	12.72	NA	NA	
	12/23/2021	9:50 AM	ND	8.91	ND	12.78	NA	NA	
MW-F	10/7/2020	8:45 AM	ND	9.39	ND	17.61	NA	NA	
	10/21/2020	9:00 AM	ND	9.16	ND	17.65	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	11/4/2020	6:25 AM	ND	9.25	ND	17.73	NA	NA	
	11/18/2020	9:35 AM	ND	9.41	ND	18.19	NA	NA	
	12/1/2020	8:20 AM	ND	9.14	ND	17.69	NA	NA	
	12/16/2020	8:15 AM	ND	9.53	ND	17.57	NA	NA	
	12/29/2020	8:20 AM	ND	9.29	ND	17.68	NA	NA	
	1/13/2021	7:25 AM	ND	9.55	ND	17.96	NA	NA	
	1/27/2021	8:20 AM	ND	9.77	ND	17.75	NA	NA	
	2/8/2021	9:05 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	8:50 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	3/24/2021	8:19 AM	ND	9.45	ND	17.60	NA	NA	Inaccessible due to snow coverage
	4/7/2021	8:55 AM	ND	9.20	ND	17.67	NA	NA	
	4/21/2021	8:55 AM	ND	9.08	ND	17.65	NA	NA	
	5/5/2021	9:00 AM	ND	9.05	ND	17.58	NA	NA	
	5/17/2021	8:55 AM	ND	9.51	ND	17.58	NA	NA	
	6/2/2021	8:05 AM	ND	8.90	ND	17.60	NA	NA	
	6/16/2021	8:00 AM	ND	9.02	ND	17.69	NA	NA	
	6/30/2021	8:37 AM	ND	9.47	ND	17.69	NA	NA	
	7/14/2021	8:05 AM	ND	8.69	ND	17.65	NA	NA	
	7/27/2021	8:01 AM	ND	8.58	ND	17.69	NA	NA	
	12/21/2021	8:27 AM	ND	10.86	ND	17.70	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-1	10/7/2020	9:05 AM	ND	7.68	ND	20.31	NA	NA	
	10/21/2020	9:05 AM	ND	7.77	ND	20.42	NA	NA	
	11/4/2020	6:55 AM	ND	8.12	ND	20.42	NA	NA	
	11/18/2020	10:20 AM	ND	7.74	ND	21.25	NA	NA	
	12/1/2020	9:30 AM	ND	5.02	ND	20.28	NA	NA	
	12/16/2020	9:15 AM	ND	7.40	ND	20.34	NA	NA	
	12/29/2020	9:15 AM	ND	6.81	ND	20.34	NA	NA	
	1/13/2021	8:40 AM	ND	6.67	ND	20.36	NA	NA	
	1/27/2021	9:05 AM	ND	6.02	ND	20.39	NA	NA	
	2/8/2021	9:15 AM	ND	6.93	ND	20.45	NA	NA	
	2/24/2021	9:15 AM	ND	6.81	ND	26.47	NA	NA	
	3/10/2021	10:15 AM	ND	7.19	ND	26.39	NA	NA	
	3/24/2021	9:08 AM	ND	6.95	ND	20.43	NA	NA	
	4/7/2021	9:00 AM	ND	6.34	ND	20.33	NA	NA	
	4/21/2021	9:00 AM	ND	7.30	ND	20.34	NA	NA	
	5/5/2021	9:45 AM	ND	6.70	ND	20.33	NA	NA	
	5/17/2021	9:20 AM	ND	7.74	ND	20.34	NA	NA	
	6/2/2021	9:19 AM	ND	7.43	ND	20.31	NA	NA	
	6/16/2021	9:43 AM	ND	7.61	ND	20.43	NA	NA	
	6/30/2021	9:00 AM	ND	7.89	ND	20.40	NA	NA	
	7/14/2021	9:00 AM	ND	7.46	ND	20.41	NA	NA	
	7/27/2021	8:43 AM	ND	7.40	ND	20.41	NA	NA	
	8/11/2021	11:05 AM	ND	6.75	ND	20.42	NA	NA	
	8/23/2021	9:50 AM	ND	5.15	ND	20.44	NA	NA	
	9/8/2021	8:37 AM	ND	6.95	ND	20.43	NA	NA	
	9/21/2021	10:05 AM	ND	5.93	ND	20.48	NA	NA	
	10/7/2021	10:03 AM	ND	5.66	ND	20.36	NA	NA	
	10/20/2021	7:45 AM	ND	7.37	ND	20.34	NA	NA	
	11/4/2021	10:20 AM	ND	5.16	ND	20.45	NA	NA	
	11/17/2021	7:45 AM	ND	6.53	ND	20.47	NA	NA	
	12/1/2021	9:55 AM	ND	7.43	ND	20.41	NA	NA	
	12/14/2021	8:20 AM	ND	7.90	ND	20.41	NA	NA	
	12/28/2021	10:30 AM	ND	7.21	ND	20.40	NA	NA	
	1/13/2022	9:20 AM	ND	7.82	ND	20.41	NA	NA	
	1/27/2022	9:30 AM	ND	7.77	ND	20.41	NA	NA	
	2/7/2022	8:30 AM	ND	7.78	ND	20.38	NA	NA	
	2/24/2022	8:15 AM	ND	7.65	ND	20.41	NA	NA	
	3/17/2022	10:45 AM	ND	6.08	ND	20.38	NA	NA	
	3/28/2022	11:45 AM	ND	7.65	ND	20.35	NA	NA	
	4/13/2022	11:11 AM	ND	7.10	ND	20.47	NA	NA	
	4/29/2022	10:45 AM	ND	8.02	ND	21.40	NA	NA	
	5/12/2022	11:50 AM	ND	7.15	ND	20.41	NA	NA	
	5/25/2022	11:00 AM	ND	7.21	ND	20.34	NA	NA	
	6/9/2022	12:00 PM	ND	7.32	ND	20.35	NA	NA	
	6/23/2022	10:44 AM	ND	7.28	ND	20.65	NA	NA	
	7/7/2022	1:58 PM	ND	7.40	ND	20.31	NA	NA	
	7/22/2022	9:22 AM	ND	7.28	ND	20.58	NA	NA	
	8/4/2022	11:07 AM	ND	7.69	ND	20.52	NA	NA	
	8/18/2022	11:35 AM	ND	7.48	ND	20.35	NA	NA	
	9/2/2022	11:35 AM	ND	6.52	ND	20.28	NA	NA	
	10/27/2022	10:30 AM	ND	6.63	ND	20.33	NA	NA	
	3/2/2023	12:25 PM	ND	6.83	ND	20.34	NA	NA	
	4/12/2023	2:15 PM	ND	7.58	ND	20.30	NA	NA	
	4/25/2024	11:00 AM	ND	6.39	ND	20.35	NA	NA	
	10/7/2020	11:05 AM	ND	7.46	ND	33.05	NA	NA	
	10/21/2020	9:15 AM	ND	8.06	ND	33.22	NA	NA	
	11/4/2020	7:05 AM	ND	8.42	ND	33.15	NA	NA	
	11/18/2020	10:30 AM	ND	7.94	ND	34.24	NA	NA	
	12/1/2020	9:35 AM	ND	6.05	ND	33.06	NA	NA	
	12/16/2020	9:20 AM	ND	7.66	ND	32.98	NA	NA	
	12/29/2020	9:20 AM	ND	6.96	ND	32.32	NA	NA	
	1/13/2021	8:45 AM	ND	6.99	ND	33.30	NA	NA	
	1/27/2021	9:10 AM	ND	6.67	ND	33.09	NA	NA	
	2/8/2021	9:25 AM	ND	7.09	ND	33.11	NA	NA	
	2/24/2021	9:20 AM	ND	7.09	ND	33.11	NA	NA	
	3/10/2021	10:20 AM	ND	7.28	ND	33.67	NA	NA	
	3/24/2021	9:13 AM	ND	7.01	ND	32.98	NA	NA	
	4/7/2021	9:05 AM	ND	6.57	ND	33.04	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-3	4/21/2021	9:10 AM	ND	7.20	ND	33.05	NA	NA	
	5/5/2021	9:55 AM	ND	6.63	ND	33.04	NA	NA	
	5/17/2021	9:25 AM	ND	7.99	ND	33.00	NA	NA	
	6/2/2021	9:25 AM	ND	7.42	ND	33.00	NA	NA	
	6/16/2021	9:48 AM	ND	7.73	ND	32.96	NA	NA	
	6/30/2021	8:55 AM	ND	7.84	ND	33.05	NA	NA	
	7/14/2021	9:05 AM	ND	7.74	ND	33.03	NA	NA	
	7/27/2021	8:40 AM	ND	7.89	ND	33.06	NA	NA	
	8/11/2021	11:10 AM	ND	7.04	ND	33.10	NA	NA	
	8/23/2021	9:55 AM	ND	5.97	ND	33.04	NA	NA	
	9/8/2021	8:45 AM	ND	7.27	ND	33.10	NA	NA	
	9/21/2021	10:09 AM	ND	6.27	ND	33.08	NA	NA	
	10/7/2021	10:09 AM	ND	6.04	ND	33.09	NA	NA	
	10/20/2021	10:20 AM	ND	6.68	ND	33.03	NA	NA	
	11/4/2021	10:25 AM	ND	5.69	ND	32.99	NA	NA	
	11/17/2021	7:50 AM	ND	6.63	ND	33.05	NA	NA	
	12/1/2021	10:00 AM	ND	7.45	ND	33.04	NA	NA	
	12/14/2021	8:25 AM	ND	7.81	ND	33.02	NA	NA	
	12/28/2021	10:45 AM	ND	7.24	ND	33.02	NA	NA	
	1/13/2022	9:25 AM	ND	7.79	ND	33.01	NA	NA	
	1/27/2022	9:15 AM	ND	7.81	ND	33.00	NA	NA	
	2/7/2022	8:45 AM	ND	7.96	ND	32.99	NA	NA	
	2/24/2022	8:30 AM	ND	7.80	ND	33.01	NA	NA	
	3/17/2022	10:50 AM	ND	6.45	ND	33.25	NA	NA	
	3/28/2022	11:50 AM	ND	7.75	ND	32.95	NA	NA	
	4/13/2022	11:20 AM	ND	6.95	ND	33.25	NA	NA	
	4/29/2022	11:10 AM	ND	7.88	ND	32.96	NA	NA	
	5/12/2022	11:55 AM	ND	6.68	ND	32.93	NA	NA	
	5/25/2022	11:05 AM	ND	7.16	ND	32.91	NA	NA	
	6/9/2022	12:10 PM	ND	7.57	ND	32.92	NA	NA	
	6/23/2022	10:47 AM	ND	7.54	ND	33.32	NA	NA	
	7/7/2022	2:01 PM	ND	7.50	ND	32.92	NA	NA	
	7/22/2022	9:25 AM	ND	7.37	ND	33.20	NA	NA	
	8/4/2022	11:26 AM	ND	8.09	ND	33.3	NA	NA	
	8/18/2022	11:40 AM	ND	7.8	ND	32.95	NA	NA	
	9/2/2022	11:50 AM	ND	7.1	ND	32.86	NA	NA	
	10/27/2022	10:45 AM	ND	6.85	ND	32.71	NA	NA	
	3/2/2023	12:30 AM	ND	6.52	ND	32.91	NA	NA	
	4/12/2023	2:05 PM	ND	8.56	ND	32.76	NA	NA	
	4/25/2024	11:15 AM	ND	6.62	ND	32.98	NA	NA	
NW-4	10/7/2020	11:20 AM	ND	8.73	Trace	43.24	NA	NA	
	10/21/2020	9:45 AM	ND	8.85	ND	43.21	NA	NA	
	11/4/2020	7:35 AM	ND	9.44	ND	43.23	NA	NA	
	11/18/2020	10:40 AM	ND	9.22	ND	44.98	NA	NA	
	12/1/2020	10:20 AM	ND	7.95	ND	43.26	NA	NA	
	12/16/2020	9:40 AM	ND	9.16	ND	43.19	NA	NA	
	12/29/2020	10:20 AM	ND	8.84	ND	42.23	NA	NA	
	1/13/2021	9:35 AM	ND	8.79	ND	43.16	NA	NA	
	1/27/2021	9:40 AM	ND	8.74	ND	43.22	NA	NA	
	2/8/2021	11:00 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	2/24/2021	9:45 AM	NA	NA	NA	NA	NA	NA	Inaccessible due to snow coverage
	3/10/2021	10:30 AM	ND	9.34	Trace	43.55	NA	NA	
	3/24/2021	9:23 AM	ND	8.65	ND	43.29	NA	NA	
	4/7/2021	9:10 AM	ND	8.66	ND	43.16	NA	NA	
	4/21/2021	9:15 AM	ND	8.58	ND	43.17	NA	NA	
	5/5/2021	9:58 AM	ND	8.43	ND	43.20	NA	NA	
	5/17/2021	9:30 AM	ND	9.06	ND	43.19	NA	NA	
	6/2/2021	9:30 AM	ND	8.81	ND	43.11	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-4	6/16/2021	9:52 AM	ND	8.71	ND	43.20	NA	NA	
	6/30/2021	9:35 AM	ND	8.96	ND	43.24	NA	NA	
	7/14/2021	9:35 AM	ND	8.61	ND	43.30	NA	NA	
	7/27/2021	9:15 AM	ND	8.63	ND	43.17	NA	NA	
	8/11/2021	11:25 AM	ND	8.73	ND	43.19	NA	NA	
	8/23/2021	10:20 AM	ND	8.03	ND	43.13	NA	NA	
	9/8/2021	9:42 AM	ND	8.51	ND	43.20	NA	NA	
	9/21/2021	11:20 AM	ND	8.62	ND	43.16	NA	NA	
	10/7/2021	10:15 AM	ND	8.56	ND	43.19	NA	NA	
	10/20/2021	10:30 AM	ND	8.65	ND	43.14	NA	NA	
	11/4/2021	12:45 PM	ND	8.17	ND	43.25	NA	NA	
	11/17/2021	8:50 AM	ND	8.90	ND	43.19	NA	NA	
	12/1/2021	10:05 AM	ND	9.00	ND	43.22	NA	NA	
	12/14/2021	9:00 AM	ND	9.49	ND	43.19	NA	NA	
	12/28/2021	11:00 AM	ND	8.58	ND	43.19	NA	NA	
	1/13/2022	9:30 AM	ND	9.32	ND	43.21	NA	NA	
	1/27/2022	9:42 AM	ND	9.26	ND	43.21	NA	NA	
	2/7/2022	9:00 AM	ND	9.09	ND	43.19	NA	NA	
	2/24/2022	8:40 AM	ND	9.18	ND	43.22	NA	NA	
	3/17/2022	10:57 AM	ND	8.86	ND	43.21	NA	NA	
	3/28/2022	11:55 AM	ND	8.92	ND	43.10	NA	NA	
	4/13/2022	11:30 AM	ND	8.82	ND	43.40	NA	NA	
	4/29/2022	11:55 AM	ND	8.78	ND	43.22	NA	NA	
	5/12/2022	12:00 PM	ND	8.45	ND	43.15	NA	NA	
	5/25/2022	11:10 AM	ND	8.67	ND	43.12	NA	NA	
	6/9/2022	12:20 PM	ND	8.31	ND	43.10	NA	NA	
	6/23/2022	10:51 AM	ND	8.60	ND	43.53	NA	NA	
	7/7/2022	2:05 PM	ND	8.96	ND	43.15	NA	NA	
	7/22/2022	9:30 AM	ND	8.60	ND	43.46	NA	NA	
	8/4/2022	11:37 AM	ND	8.85	ND	43.51	NA	NA	
	8/18/2022	11:50 AM	ND	8.62	43.39	43.44	NA	0.05	
	9/2/2022	11:55 AM	ND	9.02	ND	43.08	NA	Blebs on tape	
	10/27/2022	10:00 AM	ND	9.64	ND	44.54	NA	NA	
	3/2/2023	12:35 PM	ND	8.17	ND	43.19	NA	NA	
	4/12/2023	2:00 PM	ND	8.75	ND	43.15	NA	NA	
	4/25/2024	11:30 AM	ND	8.85	ND	43.20	NA	NA	
	5/22/2024	12:00 PM	ND	8.38	ND	43.30	NA	NA	Gauged and bailed to verify LNAPL presence, none found
NW-5	10/7/2020	12:20 PM	ND	7.89	29.62	37.50	NA	7.88	Pre-pumping measurement
	10/14/2020	12:45 PM	ND	8.90	ND	37.63	NA	NA	Post-pumping measurement ~6 gallons removed
	10/21/2020	11:00 AM	ND	7.93	30.12	37.61	NA	7.49	Pre-pumping measurement
	10/21/2020	11:30 AM	ND	7.93	ND	38.12	NA	NA	Post-pumping measurement ~10 gallons removed
	11/4/2020	9:00 AM	ND	8.61	30.48	38.08	NA	7.60	Pre-pumping measurement
	11/5/2020	9:30 AM	ND	8.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:40 AM	ND	8.08	29.99	38.02	NA	8.03	
	11/19/2020	9:30 AM	ND	8.06	30.06	38.02	NA	7.96	Pre-pumping measurement
	11/19/2020	10:00 AM	ND	8.09	ND	38.25	NA	NA	Post-pumping measurement ~12 gallons removed
	12/1/2020	11:15 AM	ND	6.62	29.76	38.01	NA	8.25	Pre-pumping measurement
	12/2/2020	9:35 AM	ND	6.60	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	12/16/2020	11:20 AM	ND	7.79	29.70	38.10	NA	8.40	Pre-pumping measurement
	12/18/2020	10:30 AM	ND	7.52	ND	37.70	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:30 AM	ND	7.97	29.60	38.21	NA	8.61	
	12/30/2020	9:45 AM	ND	8.00	29.57	38.11	NA	8.54	Pre-pumping measurement
	12/30/2020	10:45 AM	ND	8.01	ND	38.22	NA	NA	Post-pumping measurement ~10 gallons removed
	1/13/2021	10:30 AM	ND	7.49	29.99	38.21	NA	8.22	
	1/14/2021	8:50 AM	ND	7.87	29.98	38.21	NA	8.23	Pre-pumping measurement
	1/14/2021	10:00 AM	ND	8.02	ND	38.21	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2021	10:55 AM	ND	7.58	29.90	38.11	NA	8.21	
	1/28/2021	9:00 AM	ND	7.60	29.90	38.11	NA	8.21	Pre-pumping measurement
	1/28/2021	9:30 AM	ND	7.70	ND	38.11	NA	NA	Post-pumping measurement ~13 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	2/8/2021	11:40 AM	ND	8.70	30.00	38.11	NA	8.11	
	2/11/2021	10:30 AM	ND	7.95	30.00	38.78	NA	8.78	Pre-pumping measurement
	2/11/2021	11:40 AM	ND	7.97	ND	38.78	NA	NA	Post-pumping measurement ~15 gallons removed
	2/24/2021	10:30 AM	ND	8.23	29.80	38.78	NA	8.98	
	2/25/2021	8:40 AM	ND	8.23	29.80	38.76	NA	8.96	Pre-pumping measurement
	2/25/2021	10:25 AM	ND	8.25	ND	38.76	NA	NA	Post-pumping measurement ~9 gallons removed
	3/10/2021	11:50 AM	ND	8.48	29.79	38.50	NA	8.71	
	3/11/2021	9:15 AM	ND	8.14	29.98	38.50	NA	8.52	Pre-pumping measurement
	3/11/2021	11:15 AM	ND	8.29	ND	38.50	NA	NA	Post-pumping measurement ~10 gallons removed
	3/24/2021	10:04 AM	ND	8.26	30.46	38.42	NA	7.96	
	3/25/2021	8:58 AM	ND	7.92	30.34	38.42	NA	8.08	Pre-pumping measurement
	3/25/2021	11:20 AM	ND	7.47	ND	38.72	NA	NA	Post-pumping measurement ~13 gallons removed
	4/7/2021	9:15 AM	ND	8.01	30.30	38.72	NA	8.42	
	4/8/2021	8:15 AM	ND	7.66	29.90	38.00	NA	8.10	Pre-pumping measurement
	4/8/2021	11:20 AM							No post-pumping measurement. ~330 gallons of water/DNAPL mixture removed, due to possible breaches in the 1-inch internal pipe above the 3-foot well sump.
	4/21/2021	9:20 AM	NM	NM	NM	NM	NM	NM	The 1" internal pipe was removed from NW-5 and holes were discovered on the pipe above the 3-foot well sump. No pumping at NW-5 until the 1-inch internal pipe is replaced.
	5/5/2021	12:00 PM	ND	8.20	29.12	37.88	NA	8.76	
	5/6/2021	10:10 AM	ND	7.81	29.45	37.88	NA	8.43	Pre-pumping measurement
	5/6/2021	11:40 AM	ND	8.31	ND	37.88	NA	NA	Post-pumping measurement ~10 gallons removed
	5/17/2021	11:30 AM	ND	8.67	27.94	37.94	NA	10.00	
	5/20/2021	9:30 AM	ND	8.63	27.90	37.94	NA	10.04	Pre-pumping measurement
	5/20/2021	10:30 AM	ND	8.67	ND	37.94	NA	NA	Post-pumping measurement ~13 gallons removed
	6/2/2021	10:55 AM	ND	8.90	30.20	38.34	NA	8.14	
	6/3/2021	9:00 AM	ND	8.90	30.17	38.31	NA	8.14	Pre-pumping measurement
	6/3/2021	9:45 AM	ND	8.93	ND	38.40	NA	NA	Post-pumping measurement ~13 gallons removed
	6/16/2021	10:52 AM	ND	8.67	29.71	38.34	NA	8.63	
	6/17/2021	8:25 AM	ND	8.66	29.70	38.34	NA	8.64	Pre-pumping measurement
	6/17/2021	9:55 AM	ND	8.70	ND	38.34	NA	NA	Post-pumping measurement ~17 gallons removed
	6/30/2021	11:00 AM	ND	8.98	29.98	38.65	NA	8.67	
	7/1/2021	8:15 AM	ND	8.80	29.98	38.65	NA	8.67	Pre-pumping measurement
	7/1/2021	8:35 AM	ND	8.82	ND	38.65	NA	NA	Post-pumping measurement ~4.7 gallons removed
	7/14/2021	10:45 AM	ND	7.95	29.90	38.65	NA	8.75	
	7/15/2021	9:15 AM	ND	8.75	29.90	38.65	NA	8.75	Pre-pumping measurement
	7/15/2021	9:55 AM	ND	8.80	ND	38.65	NA	NA	Post-pumping measurement ~5.95 gallons removed
	7/27/2021	3:36 AM	ND	7.59	29.80	38.19	NA	8.39	
	7/29/2021	8:45 AM	ND	8.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	7/29/2021	9:20 AM	ND	8.75	ND	38.19	NA	NA	Post-pumping measurement ~9.35 gallons removed
	8/11/2021	1:05 PM	ND	7.20	30.30	38.19	NA	7.89	
	8/12/2021	8:35 AM	ND	8.95	30.30	38.19	NA	7.89	Pre-pumping measurement
	8/12/2021	9:45 AM	ND	8.97	ND	38.19	NA	NA	Post-pumping measurement ~5.95 gallons removed
	8/23/2021	12:45 PM	ND	5.98	29.60	38.18	NA	8.58	
	8/24/2021	8:10 AM	ND	7.81	29.60	38.18	NA	8.58	Pre-pumping measurement
	8/24/2021	8:35 AM	ND	7.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/8/2021	11:35 AM	ND	6.82	30.00	38.18	NA	8.18	
	9/9/2021	8:50 AM	ND	6.81	30.00	38.18	NA	8.18	Pre-pumping measurement
	9/9/2021	9:05 AM	ND	6.82	ND	38.18	NA	NA	Post-pumping measurement ~6.8 gallons removed
	9/21/2021	12:15 PM	ND	6.98	29.90	38.18	NA	8.28	
	9/23/2021	8:25 AM	ND	8.00	29.90	38.18	NA	8.28	Pre-pumping measurement
	9/23/2021	8:45 AM	ND	8.01	ND	38.18	NA	NA	Post-pumping measurement ~11 gallons removed
	10/7/2021	12:45 PM	ND	6.76	30.11	38.18	NA	8.07	
	10/8/2021	8:50 AM	ND	7.81	29.99	38.18	NA	8.19	Pre-pumping measurement
	10/8/2021	9:25 AM	ND	7.61	ND	38.18	NA	NA	Post-pumping measurement ~6.75 gallons removed
	10/20/2021	11:30 AM	ND	7.40	29.80	38.19	NA	8.39	
	10/21/2021	8:30 AM	ND	7.70	29.80	38.19	NA	8.39	Pre-pumping measurement
	10/21/2021	9:05 AM	ND	7.75	ND	38.19	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2021	1:35 PM	ND	8.15	29.50	38.18	NA	8.68	
	11/5/2021	8:50 AM	ND	7.05	30.09	38.19	NA	8.10	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	11/5/2021	9:15 AM	ND	7.12	ND	38.19	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:25 PM	ND	8.35	29.50	38.18	NA	8.68	
	11/19/2021	10:45 AM	ND	7.86	29.50	38.18	NA	8.68	Pre-pumping measurement
	11/19/2021	11:45 AM	ND	7.87	ND	38.18	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	12:00 PM	ND	9.13	28.86	38.17	NA	9.31	
	12/2/2021	9:05 AM	ND	7.38	28.86	38.17	NA	9.31	Pre-pumping measurement
	12/2/2021	9:40 AM	ND	7.39	ND	38.17	NA	NA	Post-pumping measurement ~3 gallons removed
	12/14/2021	12:20 PM	ND	9.59	29.20	38.18	NA	8.98	
	12/15/2021	9:30 AM	ND	8.98	29.70	38.18	NA	8.48	Pre-pumping measurement
	12/15/2021	10:10 AM	ND	9.01	ND	38.18	NA	NA	Post-pumping measurement ~5 gallons removed
	12/28/2021	11:15	ND	8.52	29.70	38.16	NA	8.46	
	12/29/2021	8:00 AM	ND	7.32	29.65	38.15	NA	8.50	Pre-pumping measurement
	12/29/2021	8:50 AM	ND	9.06	ND	38.17	NA	NA	Post-pumping measurement ~445 gallons removed
	1/13/2022	11:30 AM	ND	9.41	28.16	38.15	NA	9.99	
	1/14/2022	8:30 AM	ND	9.41	28.16	38.15	NA	9.99	Pre-pumping measurement
	1/14/2022	9:10 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	1/27/2022	11:30 AM	ND	9.41	28.14	38.15	NA	10.01	
	1/28/2022	9:00 AM	ND	7.71	29.71	38.15	NA	8.44	Pre-pumping measurement
	1/28/2022	9:30 AM	ND	9.32	ND	38.15	NA	NA	Post-pumping measurement ~15 gallons removed
	2/7/2022	9:15 AM	ND	8.48	29.65	38.15	NA	8.50	
	2/9/2022	8:30 AM	ND	8.42	29.29	38.15	NA	8.86	Pre-pumping measurement
	2/9/2022	9:30 AM	ND	9.61	ND	38.15	NA	NA	Post-pumping measurement ~12 gallons removed
	2/24/2022	8:30 AM	ND	9.31	29.97	38.17	NA	8.20	
	2/25/2022	9:30 AM	ND	9.31	29.97	38.17	NA	8.20	Pre-pumping measurement
	2/25/2022	10:15 AM	ND	9.61	ND	38.17	NA	NA	Post-pumping measurement ~13 gallons removed
	3/17/2022	11:04 AM	ND	7.65	35.3	37.50	NA	2.2	
	3/18/2022	8:15 AM	ND	7.70	29.6	38.40	NA	8.8	Pre-pumping measurement
	3/18/2022	11:45 AM	ND	ND	32.3	37.50	NA	6.1	Post-pumping measurement ~4 gallons removed
	3/28/2022	8:17 AM	ND	8.02	29.69	37.54	NA	7.75	Pre-pumping measurement
	3/28/2022	3:00 PM	ND	ND	30.54	37.54	NA	7.0	Post-pumping measurement ~10 gallons removed
	4/13/2022	7:56 AM	ND	7.90	29.7	37.50	NA	7.8	Pre-pumping measurement
	4/13/2022	2:40 PM	ND	7.90	34.05	37.50	NA	3.45	Post-pumping measurement ~21 gallons removed
	4/28/2022	8:40 AM	ND	8.08	29.71	37.47	NA	7.76	Pre-pumping measurement
	4/28/2022	3:00 PM	ND	ND	29.79	37.54	NA	7.75	Post-pumping measurement ~3 gallons removed. Tubing on pump dislodged.
	5/12/2022	8:10 AM	ND	7.34	30.44	37.09	NA	6.65	Pre-pumping measurement
	5/12/2022	14:50:00 PM	ND	ND	32.3	37.50	NA	5.2	Post-pumping measurement ~25 gallons removed
	5/25/2022	8:25 AM	ND	7.62	30.59	37.08	NA	6.49	Pre-pumping measurement
	5/25/2022	3:00 PM	ND	ND	30.61	37.08	NA	6.47	Post-pumping measurement ~11 gallons removed. Minimal recovery due to pump difficulties
	6/9/2022	9:20 AM	ND	7.61	29.63	37.10	NA	7.47	Pre-pumping measurement
	6/9/2022	2:50 PM	ND	ND	31.48	37.10	NA	5.62	Post-pumping measurement ~17 gallons removed
	6/23/2022	11:15 AM	ND	8.37	29.62	37.17	NA	7.55	Pre-pumping measurement
	6/23/2022	11:25 AM	ND	ND	35.1	37.17	NA	2.07	Post-pumping measurement ~25 gallons removed
	7/8/2022	12:36 PM	ND	8.35	31.11	37.34	NA	6.23	Pre-pumping measurement- no pumping completed, equipment malfunction
	7/21/2022	8:35 AM	ND	8.12	30.0	37.30	NA	7.3	Pre-pumping measurement
	7/21/2022	12:25 AM	ND	ND	31.8	37.30	NA	5.50	Post-pumping measurement ~20 gallons removed
	8/4/2022	8:35 AM	ND	8.81	30.80	37.3	NA	6.50	Pre-pumping measurement
	8/5/2022	2:20 PM	ND	ND	30.87	37.3	NA	6.43	Post-pumping measurement ~20 gallons removed
	8/18/2022	8:30 AM	ND	8.34	30.27	37.2	NA	6.93	Pre-pumping measurement
	8/18/2022	2:30 PM	ND	ND	32.49	37.2	NA	4.71	Post-pumping measurement ~18 gallons removed
	9/2/2022	12:30 PM	ND	7.89	30.95	37.35	NA	6.4	Pre-pumping measurement
	9/2/2022	2:00 PM	ND	ND	32.15	37.35	NA	5.2	Post-pumping measurement ~5 gallons removed
	9/15/2022	8:25 AM	ND	8.62	29.52	37.37	NA	7.85	Pre-pumping measurement
	9/15/2022	10:45 AM	ND	ND	34.56	37.37	NA	2.81	Post-pumping measurement ~17 gallons removed
	9/29/2022	8:30 AM	ND	8.75	29.57	37.38	NA	7.81	Pre-pumping measurement
	9/29/2022	2:30 PM	ND	ND	33.34	37.38	NA	4.04	Post-pumping measurement ~12 gallons removed
	10/13/2022	9:29 AM	ND	7.82	28.77	35.57	NA	6.80	Pre-pumping measurement
	10/13/2022	10:33 AM	ND	ND	30.92	35.57	NA	4.65	Post-pumping measurement ~5 gallons removed

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	10/27/2022	7:40 AM	ND	8.47	29.93	37.34	NA	7.41	Pre-pumping measurement
	10/27/2022	1:15 PM	ND	ND	31.68	37.34	NA	5.66	Post-pumping measurement ~15 gallons removed
	11/10/2022	8:15 AM	ND	7.89	31.31	37.51	NA	6.20	Pre-pumping measurement
	11/10/2022	12:15 PM	ND	ND	32.94	37.51	NA	4.57	Post-pumping measurement ~8 gallons removed
	11/22/2022	10:05 AM	ND	8.26	30.78	37.12	NA	6.34	Pre-pumping measurement
	11/22/2022	11:00 AM	ND	ND	32.35	37.12	NA	4.77	Post-pumping measurement ~7 gallons removed
	12/8/2022	11:15 AM	ND	7.82	31.28	37.59	NA	6.31	Pre-pumping measurement
	12/8/2022	14:35 PM	ND	ND	31.41	37.59	NA	6.18	Post-pumping measurement ~7 gallons removed
	12/22/2022	11:45 AM	ND	7.78	31.89	37.89	NA	6.00	Pre-pumping measurement
	12/22/2022	14:00 PM	ND	ND	31.99	37.89	NA	5.90	Post-pumping measurement ~5 gallons removed
	1/5/2023	8:30 AM	ND	8.21	30.8	37.4	NA	6.6	Pre-pumping measurement
	1/5/2023	8:40 AM	ND	ND	31.49	37.4	NA	5.91	Post-pumping measurement ~13 gallons removed
	1/18/2023	11:15 AM	ND	7.59	30.68	37.3	NA	6.62	Pre-pumping measurement
	1/18/2023	11:25 AM	ND	ND	30.79	37.3	NA	6.51	Post-pumping measurement ~12 gallons removed
	2/2/2023	10:05 AM	ND	7.32	30.13	37.22	NA	7.09	Pre-pumping measurement
	2/2/2023	10:15 AM	ND	ND	31.71	37.22	NA	5.51	Post-pumping measurement ~12 gallons removed
	2/15/2023	10:50 AM	ND	8.25	30.25	37.25	NA	7.00	Pre-pumping measurement
	2/15/2023	11:00 AM	ND	ND	31.28	37.25	NA	5.97	Post-pumping measurement ~15 gallons removed
	3/2/2023	12:00 PM	ND	7.81	29.55	37.3	NA	7.75	Pre-pumping measurement
	3/2/2023	1:35 PM	ND	ND	31.64	37.3	NA	5.66	Post-pumping measurement ~18.6 gallons removed
	3/15/2023	12:05 PM	ND	8.77	29.93	37.43	NA	7.50	Pre-pumping measurement - no pumping completed, equipment malfunction
	3/29/2023	10:00 AM	ND	8.36	30.05	37.28	NA	7.23	Pre-pumping measurement - gauging only
	4/12/2023	1:45 PM	ND	8.31	29.95	37.45	NA	7.50	Pre-pumping measurement - gauging only
	4/26/2023	10:30 AM	ND	8.2	30.70	37.45	NA	6.75	Pre-pumping measurement - gauging only
	5/10/2023	9:45 AM	ND	8.45	29.78	37.35	NA	7.57	Pre-pumping measurement
	5/11/2023	12:00 PM	ND	ND	29.85	37.35	NA	7.50	Post-pumping measurement ~0.5 gallons removed
	5/24/2023	8:50 AM	ND	8.19	29.71	37.31	NA	7.60	Pre-pumping measurement
	5/24/2023	1:15 PM	ND	ND	30.56	37.31	NA	6.75	Post-pumping measurement ~0.6 gallons removed
	6/7/2023	9:00 AM	ND	8.36	30.53	37.28	NA	6.75	Pre-pumping measurement
	6/7/2023	2:00 PM	ND	ND	32.78	37.28	NA	4.50	Post-pumping measurement ~3.7 gallons removed
	6/13/2023	9:15 AM	ND	7.81	30.00	37.25	NA	7.25	Pre-pumping measurement - gauging only
	6/21/2023	11:00 AM	ND	8.14	30.02	37.22	NA	7.20	Pre-pumping measurement
	6/21/2023	1:00 PM	ND	ND	31.41	37.22	NA	5.90	Post-pumping measurement ~2.5 gallons removed
	7/6/2023	9:50 AM	ND	8.20	29.84	37.25	NA	7.41	Pre-pumping measurement
	7/6/2023	12:30 PM	ND	ND	31.15	37.25	NA	6.10	Post-pumping measurement ~2.5 gallons removed
	7/19/2023	10:30 AM	ND	7.63	30.10	37.21	NA	7.11	Pre-pumping measurement
	7/19/2023	11:40 AM	ND	ND	30.21	37.21	NA	7.00	Post-pumping measurement ~0.5 gallons removed
	8/16/2023	11:00 AM	ND	6.62	29.83	37.21	NA	7.38	Pre-pumping measurement
	8/16/2023	1:30 PM	ND	ND	30.18	37.21	NA	7.03	Post-pumping measurement ~0.5 gallons removed
	8/30/2023	12:30 PM	ND	7.11	29.90	37.30	NA	7.40	Pre-pumping measurement - no pumping completed, equipment malfunction
	9/13/2023	9:30 AM	ND	6.98	29.52	37.31	NA	7.79	Pre-pumping measurement
	9/13/2023	1:00 PM	ND	ND	30.35	37.31	NA	6.96	Post-pumping measurement ~1.0 gallons removed
	9/27/2023	11:45 AM	ND	7.42	29.63	37.35	NA	7.72	Pre-pumping measurement
	9/27/2023	2:00 PM	ND	ND	NA	37.35	NA	NA	Post-pumping measurement ~10.0 gallons removed
	10/13/2023	10:40 AM	ND	6.82	29.63	37.31	NA	7.68	Pre-pumping measurement
	10/13/2023	12:50 PM	ND	ND	NA	37.31	NA	NA	Post-pumping measurement ~5.0 gallons removed
	11/7/2023	10:00 AM	ND	7.61	29.79	37.39	NA	7.60	Pre-pumping measurement
	11/7/2023	11:30 AM	ND	ND	NA	37.39	NA	NA	Post-pumping measurement ~10.0 gallons removed
	11/21/2023	11:00 AM	ND	8.58	29.6	37.40	NA	7.80	Pre-pumping measurement
	11/21/2023	11:45 AM	ND	ND	NA	37.40	NA	NA	Post-pumping measurement ~15.0 gallons removed
	12/7/2023	10:55 AM	ND	8.28	30.1	37.35	NA	7.25	Pre-pumping measurement
	12/7/2023	11:30 AM	ND	ND	NA	37.35	NA	NA	Post-pumping measurement ~10.0 gallons removed
	12/20/2023	11:15 AM	ND	8.62	29.9	37.40	NA	7.50	Pre-pumping measurement
	12/20/2023	12:15 AM	ND	ND	NA	37.40	NA	NA	Post-pumping measurement ~10.0 gallons removed
	1/4/2024	10:30 AM	ND	6.60	29.86	37.28	NA	7.42	Pre-pumping measurement
	1/4/2024	11:30 AM	ND	ND	NA	37.28	NA	NA	Post-pumping measurement ~20.0 gallons removed
	1/17/2024	NA	ND	ND	NA	37.28	NA	NA	No more drum space, could not recover.

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-5	1/31/2024	9:55 AM	ND	7.54	29.50	37.30	NA	7.80	Pre-pumping measurement
	1/31/2024	1:00 PM	ND	ND	NA	37.30	NA	NA	Post-pumping measurement ~20.0 gallons removed
	2/15/2024	12:00 PM	ND	7.77	29.90	36.57	NA	6.67	Pump malfunction, could not recover.
	2/28/2024	11:35 AM	ND	8.49	29.70	37.18	NA	7.48	Pre-pumping measurement
	2/28/2024	2:00 PM	ND	ND	29.70	37.18	NA	6.82	Post-pumping measurement ~5.0 gallons removed
	3/14/2024	11:30 AM	ND	7.01	29.48	37.38	NA	7.90	Pre-pumping measurement
	3/14/2024	14:30 PM	ND	ND	32.38	37.38	NA	5.00	Post-pumping measurement ~7.5 gallons removed
	3/27/2024	12:00 PM	ND	7.21	29.97	37.18	NA	6.29	Pre-pumping measurement
	3/27/2024	2:20 PM	ND	ND	31.61	37.18	NA	5.57	Post-pumping measurement ~4.0 gallons removed
	4/25/2024	9:00 AM	ND	8.20	28.75	37.25	NA	8.50	Pre-pumping measurement
	4/25/2024	1:00 PM	ND	ND	31.75	37.25	NA	5.50	Post-pumping measurement ~7.5 gallons removed
	5/9/2024	11:00 AM	ND	8.3	29.48	37.23	NA	7.75	Pre-pumping measurement
	5/9/2024	2:00 PM	ND	ND	31.73	37.23	NA	5.50	Post-pumping measurement ~5 gallons removed
	5/22/2024	11:00 AM	ND	6.81	29.51	37.31	NA	7.80	Pre-pumping measurement
	5/22/2024	2:00 PM	ND	ND	31.81	37.31	NA	5.50	Post-pumping measurement ~5 gallons removed
	6/5/2024	10:00 AM	ND	7.47	31.06	37.31	NA	6.25	Pre-pumping measurement
	6/5/2024	12:30 PM	ND	ND	33.06	37.31	NA	4.25	Post-pumping measurement ~4.5 gallons removed
	6/27/2024	11:15 AM	ND	8.52	29.61	37.21	NA	7.60	Pre-pumping measurement
	6/27/2024	2:00 PM	ND	ND	32.11	37.21	NA	5.10	Post-pumping measurement ~5 gallons removed
NW-6	10/7/2020	12:05 PM	ND	9.01	33.26	38.32	NA	5.06	Pre-pumping measurement
	10/14/2020	8:45 AM	ND	8.55	ND	37.20	NA	ND	Post-pumping measurement ~6 gallons removed
	10/21/2020	10:40 AM	ND	9.00	33.37	38.35	NA	4.98	Pre-pumping measurement
	10/21/2020	12:00 PM	ND	9.00	ND	38.38	NA	NA	Post-pumping measurement ~5 gallons removed
	11/4/2020	8:45 AM	ND	9.66	32.28	36.06	NA	3.78	Pre-pumping measurement
	11/5/2020	10:00 AM	ND	9.64	ND	38.31	NA	NA	Post-pumping measurement ~10 gallons removed
	11/18/2020	11:25 AM	ND	9.16	33.39	38.10	NA	4.71	
	11/19/2020	10:00 AM	ND	9.15	33.43	38.09	NA	4.66	Pre-pumping measurement
	11/19/2020	10:15 AM	ND	9.16	ND	38.14	NA	NA	Post-pumping measurement ~3 gallons removed
	12/1/2020	11:00 AM	ND	7.98	34.41	37.12	NA	2.71	Pre-pumping measurement
	12/2/2020	10:05 AM	ND	8.01	ND	37.12	NA	NA	Post-pumping measurement ~5 gallons removed
	12/16/2020	11:00 AM	ND	9.20	33.20	37.12	NA	3.92	Pre-pumping measurement
	12/18/2020	12:00 PM	ND	8.70	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	12/29/2020	11:10 AM	ND	8.75	33.35	38.10	NA	4.75	
	12/30/2020	11:15 AM	ND	8.71	33.33	38.10	NA	4.77	Pre-pumping measurement
	12/30/2020	11:45 AM	ND	8.73	ND	38.12	NA	NA	Post-pumping measurement ~5 gallons removed
	1/13/2021	10:15 AM	ND	8.45	33.44	38.10	NA	4.66	
	1/14/2021	8:25 AM	ND	8.87	33.31	38.10	NA	4.79	Pre-pumping measurement
	1/14/2021	8:40 AM	ND	8.92	ND	38.10	NA	NA	Post-pumping measurement ~10 gallons removed
	1/27/2021	11:15 AM	ND	8.63	34.00	38.35	NA	4.35	
	1/28/2021	10:15 AM	ND	8.70	34.00	38.35	NA	4.35	Pre-pumping measurement
	1/28/2021	10:40 AM	ND	8.73	ND	38.37	NA	NA	Post-pumping measurement ~13 gallons removed
	2/8/2021	11:20 AM	ND	7.98	33.95	38.37	NA	4.42	
	2/11/2021	12:05 PM	ND	7.55	33.90	38.38	NA	4.48	Pre-pumping measurement
	2/11/2021	12:20 PM	ND	7.54	ND	38.36	NA	NA	Post-pumping measurement ~5 gallons removed
	2/24/2021	10:20 AM	ND	8.86	33.10	38.36	NA	5.26	
	2/25/2021	10:45 AM	ND	8.80	33.10	38.37	NA	5.27	Pre-pumping measurement
	2/25/2021	10:55 AM	ND	8.82	ND	38.37	NA	NA	Post-pumping measurement ~5 gallons removed
	3/10/2021	11:40 AM	ND	8.48	33.60	38.32	NA	4.72	
	3/11/2021	11:38 AM	ND	8.26	32.80	38.32	NA	5.52	Pre-pumping measurement
	3/11/2021	11:50 AM	ND	9.04	ND	38.35	NA	NA	Post-pumping measurement ~6 gallons removed
	3/24/2021	9:59 AM	ND	8.84	33.04	38.12	NA	5.08	
	3/25/2021	11:27 AM	ND	8.61	32.98	38.10	NA	5.12	Pre-pumping measurement
	3/25/2021	11:43 AM	ND	9.41	ND	38.14	NA	NA	Post-pumping measurement ~7 gallons removed
	4/7/2021	9:15 AM	ND	8.45	33.25	38.15	NA	4.90	
	4/8/2021	12:00 PM	ND	8.45	33.29	38.15	NA	4.86	Pre-pumping measurement
	4/8/2021	12:20 PM	ND	8.54	ND	38.35	NA	NA	Post-pumping measurement ~20 gallons removed
	4/21/2021	9:25 AM	ND	8.59	33.22	38.50	NA	5.28	
	4/22/2021	10:15 AM	ND	8.82	33.01	38.48	NA	5.47	Pre-pumping measurement
	4/22/2021	10:45 AM	ND	8.87	ND	38.45	NA	NA	Post-pumping measurement ~15 gallons removed
	5/5/2021	11:00 AM	ND	8.40	33.41	38.52	NA	5.11	
	5/6/2021	12:45 PM	ND	8.61	33.45	38.50	NA	5.05	No vacuum event performed at NW-6
	5/17/2021	11:00 AM	ND	9.10	31.89	37.99	NA	6.10	
	5/20/2021	10:45 AM	ND	9.11	31.85	38.00	NA	6.15	Pre-pumping measurement
	5/20/2021	11:15 AM	ND	9.14	ND	38.06	NA	NA	Post-pumping measurement ~7 gallons removed
	6/2/2021	10:35 AM	ND	8.75	32.18	38.49	NA	6.31	
	6/3/2021	10:00 AM	ND	8.74	32.16	38.49	NA	6.33	Pre-pumping measurement
	6/3/2021	10:30 AM	ND	8.78	ND	38.49	NA	NA	Post-pumping measurement ~9 gallons removed

Attachment B. Historic Well Gauging Measurements
Polychrome West Site
Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	6/16/2021	10:34 AM	ND	8.84	32.50	38.03	NA	5.53	
	6/17/2021	10:10 AM	ND	8.83	32.50	38.00	NA	5.50	Pre-pumping measurement
	6/17/2021	10:35 AM	ND	8.84	ND	38.05	NA	NA	Post-pumping measurement ~17.25 gallons removed
	6/30/2021	10:35 AM	ND	9.11	33.00	38.10	NA	5.10	
	7/1/2021	8:50 AM	ND	9.18	33.00	38.10	NA	5.10	Pre-pumping measurement
	7/1/2021	9:20 AM	ND	9.19	ND	38.10	NA	NA	Post-pumping measurement ~5.5 gallons removed
	7/14/2021	10:25 AM	ND	8.45	32.95	37.70	NA	4.75	
	7/15/2021	10:35 AM	ND	8.65	32.95	37.70	NA	4.75	Pre-pumping measurement
	7/15/2021	11:05 AM	ND	8.69	ND	37.70	NA	NA	Post-pumping measurement ~15.3 gallons removed
	7/27/2021	11:05 AM	ND	8.36	33.05	36.78	NA	3.73	
	7/29/2021	9:45 AM	ND	9.02	33.05	36.78	NA	3.73	Pre-pumping measurement
	7/29/2021	10:15 AM	ND	9.09	ND	36.78	NA	NA	Post-pumping measurement ~18.7 gallons removed
	8/11/2021	12:50 PM	ND	8.32	33.00	36.77	NA	3.77	
	8/12/2021	11:15 AM	ND	8.70	33.00	37.40	NA	4.40	No pumping due to stinger maintenance
	8/23/2021	12:25 PM	ND	7.11	31.55	37.40	NA	5.85	
	8/24/2021	9:30 AM	ND	8.00	31.55	37.40	NA	5.85	Pre-pumping measurement
	8/24/2021	9:45 AM	ND	8.01	ND	37.40	NA	NA	Post-pumping measurement ~17.9 gallons removed
	9/8/2021	11:05 AM	ND	7.97	31.80	37.40	NA	5.60	
	9/9/2021	9:25 AM	ND	8.28	31.80	37.40	NA	5.60	Pre-pumping measurement
	9/9/2021	9:35 AM	ND	8.31	ND	37.40	NA	NA	Post-pumping measurement ~2.6 gallons removed
	9/21/2021	12:35 PM	ND	8.02	31.70	37.40	NA	5.70	
	9/23/2021	9:30 AM	ND	8.54	31.70	37.40	NA	5.70	Pre-pumping measurement
	9/23/2021	9:40 AM	ND	8.55	ND	37.40	NA	NA	Post-pumping measurement ~20.4 gallons removed
	10/7/2021	12:15 PM	ND	7.88	32.01	37.40	NA	5.39	
	10/8/2021	10:06 AM	ND	8.41	31.90	37.40	NA	5.50	Pre-pumping measurement
	10/8/2021	10:28 AM	ND	8.85	ND	37.60	NA	NA	Post-pumping measurement ~22.5 gallons removed
	10/20/2021	12:10 PM	ND	8.33	32.50	37.41	NA	4.91	
	10/21/2021	10:00 AM	ND	7.30	32.50	37.41	NA	4.91	Pre-pumping measurement
	10/21/2021	10:10 AM	ND	7.33	ND	37.41	NA	NA	Post-pumping measurement ~8 gallons removed
	11/4/2021	1:25 PM	ND	8.02	32.00	37.40	NA	5.40	
	11/5/2021	9:25 AM	ND	8.75	32.11	37.41	NA	5.30	Pre-pumping measurement
	11/5/2021	10:10 AM	ND	8.15	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	11/17/2021	12:10 PM	ND	8.52	32.00	37.40	NA	5.40	
	11/19/2021	12:30 PM	ND	7.78	32.00	37.40	NA	5.40	Pre-pumping measurement
	11/19/2021	12:45 PM	ND	7.79	ND	37.40	NA	NA	Post-pumping measurement ~8 gallons removed
	12/1/2021	11:39 AM	ND	9.38	31.98	37.40	NA	5.42	
	12/2/2021	10:10 AM	ND	8.43	31.98	37.40	NA	5.42	Pre-pumping measurement
	12/2/2021	10:20 AM	ND	8.44	ND	37.40	NA	NA	Post-pumping measurement ~4 gallons removed
	12/14/2021	12:40 PM	ND	9.66	32.20	37.40	NA	5.20	
	12/15/2021	11:00 AM	ND	9.06	32.20	37.40	NA	5.20	Pre-pumping measurement
	12/15/2021	11:02 AM	ND	9.08	ND	37.40	NA	NA	Post-pumping measurement ~6 gallons removed
	12/28/2021	11:30 AM	ND	8.79	32.35	37.40	NA	5.05	
	12/29/2021	9:10 AM	ND	8.35	32.29	37.38	NA	5.09	Pre-pumping measurement
	12/29/2021	10:05 AM	ND	8.41	ND	37.40	NA	NA	Post-pumping measurement ~15 gallons removed
	1/13/2022	10:55 AM	ND	9.45	33.42	37.38	NA	3.96	
	1/14/2022	10:00 AM	ND	9.45	33.42	37.38	NA	3.96	Pre-pumping measurement
	1/14/2022	10:15 AM	ND	9.36	ND	37.38	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2022	11:00 AM	ND	9.41	34.61	37.38	NA	2.77	
	1/28/2022	10:00 AM	ND	9.42	34.6	37.38	NA	2.78	Pre-pumping measurement
	1/28/2022	10:30 AM	ND	9.39	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	9:30 AM	ND	9.25	33.31	37.38	NA	4.07	
	2/9/2022	11:00 AM	ND	9.21	33.01	37.38	NA	4.37	Pre-pumping measurement
	2/9/2022	11:05 AM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~4 gallons removed
	2/24/2022	8:45 AM	ND	9.33	35.61	37.36	NA	1.75	
	2/25/2022	11:30 AM	ND	9.33	35.61	37.36	NA	1.75	Pre-pumping measurement
	2/25/2022	12:00 PM	ND	9.82	ND	37.38	NA	NA	Post-pumping measurement ~6 gallons removed
	3/17/2022	10:31 AM	ND	8.70	36.2	37.40	NA	1.2	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	3/17/2022	2:30 PM	ND	ND	37.02	37.40	NA	0.38	Post-pumping Measurement ~ 2 gallons removed
	3/28/2022	9:25 AM	ND	8.75	30.9	33.20	NA	2.3	Pre-pumping measurement
	3/28/2022	1:30 PM	ND	ND	32.2	33.20	NA	1.0	Post-pumping Measurement ~ 10 gallons removed
	4/13/2022	10:50 AM	ND	8.60	30.55	33.05	NA	2.5	Pre-pumping measurement
	4/14/2022	9:00 AM	ND	ND	33.01	33.35	NA	0.34	Post pumping measurement ~16 gallons removed
	4/28/2022	12:20 PM	ND	8.91	30.82	38.33	NA	7.51	Pre-pumping measurement
	4/28/2022	1:30 PM	ND	ND	33.24	38.33	NA	5.09	Post Pumping Measurement ~ 6 gallons removed
	5/12/2022	11:40 AM	ND	8.65	31.25	37.85	NA	6.6	Pre-pumping measurement
	5/13/2022	11:45 AM	ND	ND	33.28	37.86	NA	4.58	Post pumping measurement ~8.5 gallons removed
	5/25/2022	10:40 AM	ND	8.87	30.98	37.51	NA	6.53	Pre-pumping measurement
	5/25/2022	1:30 PM	ND	ND	33.38	37.72	NA	4.34	Post Pumping Measurement ~ 6.5 gallons removed
	6/9/2022	11:50 AM	ND	8.62	30.9	37.50	NA	6.6	Pre-pumping measurement
	6/9/2022	12:45 PM	ND	ND	33.12	37.50	NA	4.38	Post pumping measurement ~6.5 gallons removed
	6/23/2022	8:45 AM	ND	8.46	31.0	38.18	NA	7.18	Pre-pumping measurement
	6/23/2022	9:30 AM	ND	8.46	34.86	38.18	NA	3.32	Post Pumping Measurement ~8 gallons removed
	7/8/2022	10:35 AM	ND	8.83	30.74	36.96	NA	6.22	Pre-pumping measurement
	7/8/2022	11:05 AM	ND	ND	32.06	36.96	NA	4.9	Post pumping measurement ~2.0 gallons removed
	7/21/2022	8:25 AM	ND	8.36	31.0	37.60	NA	6.6	Pre-pumping measurement
	7/21/2022	9:30 AM	ND	ND	33.08	37.60	NA	4.52	Post Pumping Measurement ~3.0 gallons removed
	8/4/2022	10:40 AM	ND	8.34	29.92	33.35	NA	3.43	Pre-pumping measurement- pumping not completed
	8/5/2022	12:30 PM	ND	ND	30.14	33.35	NA	3.21	Post-pumping measurement- pumping not completed
	8/18/2022	11:25 AM	ND	8.64	30.82	37.22	NA	6.4	Pre-pumping measurement
	8/19/2022	9:30 AM	ND	ND	33.4	37.22	NA	3.82	Post Pumping Measurement ~21 gallons removed
	9/1/2022	10:00 AM	ND	ND	27.2	32.87	NA	5.65	Pre-pumping measurement
	9/1/2022	10:50 AM	ND	ND	28.13	32.87	NA	4.74	Post Pumping Measurement ~5 gallons removed
	9/15/2022	11:40 AM	ND	8.51	31.65	37.22	NA	5.57	Pre-pumping measurement
	9/15/2022	2:00 PM	ND	ND	32.9	37.22	NA	4.32	Post Pumping Measurement ~12 gallons removed
	9/30/2022	9:00 AM	ND	8.86	31.12	37.32	NA	6.2	Pre-pumping measurement
	9/30/2022	2:00 PM	ND	ND	33.07	37.32	NA	4.25	Post Pumping Measurement ~16 gallons removed
	10/12/2022	10:57 AM	ND	8.73	33.1	36.00	NA	2.9	Pre-pumping measurement
	10/12/2022	11:14 PM	ND	ND	33.8	36.00	NA	2.2	Post Pumping Measurement ~2 gallons removed
	10/26/2022	8:30 AM	ND	8.25	32.71	37.92	NA	5.21	Pre-pumping measurement
	10/26/2022	9:30 AM	ND	ND	34.01	37.92	NA	3.91	Post Pumping Measurement ~8 gallons removed
	11/9/2022	10:40 AM	ND	8.83	31.51	37.42	NA	5.91	Pre-pumping measurement
	11/9/2022	10:50 AM	ND	ND	32.67	37.42	NA	4.75	Post Pumping Measurement ~5 gallons removed
	11/22/2022	8:00 AM	ND	9.39	29.02	33.35	NA	4.33	Pre-pumping measurement
	11/22/2022	8:50 PM	ND	ND	30.08	33.35	NA	3.27	Post Pumping Measurement ~5 gallons removed
	12/8/2022	8:45 AM	ND	8.04	33.19	37.39	NA	4.2	Pre-pumping measurement
	12/8/2022	10:30 AM	ND	ND	34.27	37.39	NA	3.12	Post Pumping Measurement ~6 gallons removed
	12/22/2022	10:00 AM	ND	8.45	31.00	36.95	NA	5.95	Pre-pumping measurement
	12/22/2022	8:50 PM	ND	ND	31.45	36.95	NA	5.50	Post Pumping Measurement ~4 gallons removed
	1/4/2023	9:50 AM	ND	8.61	29.97	33.62	NA	3.65	Pre-pumping measurement
	1/4/2023	10:00 AM	ND	ND	33.58	33.62	NA	0.04	Post Pumping Measurement ~12 gallons removed
	1/18/2023	10:25 AM	ND	9.6	30.56	35.18	NA	4.62	Pre-pumping measurement
	1/18/2023	10:35 AM	ND	ND	32.69	35.18	NA	2.49	Post Pumping Measurement ~8 gallons removed
	2/2/2023	8:00 AM	ND	8.66	28.69	35.14	NA	6.45	Pre-pumping measurement
	2/2/2023	9:45 AM	ND	ND	32.25	35.14	NA	2.89	Post Pumping Measurement ~12 gallons removed
	2/15/2023	9:50 AM	ND	8.75	32.74	37.5	NA	4.76	Pre-pumping measurement
	2/15/2023	10:45 AM	ND	ND	34.86	37.5	NA	2.64	Post Pumping Measurement ~10 gallons removed
	3/1/2023	8:45 AM	ND	8.35	30.75	37.5	NA	6.75	Pre-pumping measurement
	3/1/2023	9:45 AM	ND	ND	35.48	37.5	NA	2.02	Post Pumping Measurement ~10 gallons removed
	3/15/2023	10:15 AM	ND	8.63	30.71	37.31	NA	6.6	Pre-pumping measurement
	3/15/2023	11:25 AM	ND	ND	31.71	37.31	NA	5.6	Post Pumping Measurement ~4.7 gallons removed
	3/29/2023	8:00 AM	ND	8.44	32.44	37.55	NA	5.11	Pre-pumping measurement - gauging only
	4/12/2023	10:00 AM	ND	8.50	31.15	37.15	NA	6.0	Pre-pumping measurement - gauging only
	4/26/2023	10:00 AM	ND	8.67	31.3	36.8	NA	5.5	Pre-pumping measurement - gauging only
	5/10/2023	9:30 AM	ND	8.79	30.98	37.83	NA	6.85	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-6	5/11/2023	9:30 AM	ND	ND	35.24	37.83	NA	2.59	Post Pumping Measurement ~4.8 gallons removed
	5/24/2023	8:30 AM	ND	8.98	30.83	37.45	NA	6.62	Pre-pumping measurement
	5/24/2023	10:20 AM	ND	ND	35.15	37.45	NA	2.30	Post Pumping Measurement ~2.8 gallons removed
	5/24/2023	2:30 PM	ND	8.98	34.23	37.45	NA	3.22	Pre-pumping measurement
	5/24/2023	3:00 PM	ND	ND	35.44	37.45	NA	2.01	Post Pumping Measurement ~0.8 gallons removed
	5/25/2023	10:00 AM	ND	9.26	32.79	37.59	NA	4.80	Pre-pumping measurement - gauging only
	6/13/2023	8:30 AM	ND	9.13	31.35	37.95	NA	6.60	Pre-pumping measurement
	6/13/2023	9:45 AM	ND	ND	33.45	37.95	NA	4.50	Post Pumping Measurement ~5.0 gallons removed
	6/21/2023	8:40 AM	ND	8.7	31.87	37.39	NA	5.52	Pre-pumping measurement
	6/21/2023	10:00 AM	ND	ND	33.17	37.39	NA	4.22	Post Pumping Measurement ~4.5 gallons removed
	7/6/2023	8:10 AM	ND	8.69	31.21	37.11	NA	5.90	Pre-pumping measurement
	7/6/2023	9:20 AM	ND	ND	32.05	37.11	NA	5.06	Post Pumping measurement ~4.5 gallons removed
	7/19/2023	9:30 AM	ND	8.39	30.74	36.58	NA	5.84	Pre-pumping measurement
	7/19/2023	10:00 AM	ND	ND	33.32	36.58	NA	3.26	Post Pumping measurement ~5.0 gallons removed
	8/3/2023	8:10 AM	ND	8.99	30.88	37.43	NA	6.55	Pre-pumping measurement - gauging only
	8/16/2023	9:00 AM	ND	8.53	31.19	37.24	NA	6.05	Pre-pumping measurement
	8/16/2023	9:45 AM	ND	ND	32.39	37.24	NA	4.85	Post Pumping Measurement ~5.0 gallons removed
	8/30/2023	10:30 AM	ND	8.17	30.95	37.15	NA	6.20	Pre-pumping measurement
	8/30/2023	11:30 AM	ND	ND	32.85	37.15	NA	4.30	Post Pumping Measurement ~6.0 gallons removed
	9/13/2023	1:30 PM	ND	8.31	31.60	37.70	NA	6.10	Pre-pumping measurement
	9/13/2023	2:00 PM	ND	ND	33.45	37.70	NA	4.25	Post Pumping Measurement ~5.5 gallons removed
	9/27/2023	10:30 AM	ND	8.12	31.77	37.84	NA	6.07	Pre-pumping measurement
	9/27/2023	11:30 AM	ND	ND	33.72	37.84	NA	4.12	Post Pumping Measurement ~5.5 gallons removed
	10/13/2023	8:40 AM	ND	5.68	30.32	36.8	NA	6.48	Pre-pumping measurement - no pumping completed, equipment malfunction
	11/6/2023	9:15 AM	ND	8.41	30.74	36.8	NA	6.06	Pre-pumping measurement
	11/6/2023	9:45 AM	ND	ND	32.59	36.8	NA	4.21	Post-pumping measurement ~5.5 gallons removed
	11/21/2023	9:45 AM	ND	8.78	31.16	36.8	NA	5.64	Pre-pumping measurement - no pumping completed, equipment malfunction
	12/7/2023	9:00 AM	ND	8.8	30.93	36.8	NA	5.87	Pre-pumping measurement
	12/7/2023	9:55 AM	ND	ND	32.13	36.8	NA	4.67	Post-pumping measurement ~5.0 gallons removed
	12/20/2023	9:45 AM	ND	9.77	30.96	36.8	NA	5.84	Pre-pumping measurement
	12/20/2023	10:45 AM	ND	ND	32.31	36.8	NA	4.49	Post-pumping measurement ~5.0 gallons removed
	1/4/2024	9:00 AM	ND	9.01	31.60	36.8	NA	5.20	Pre-pumping measurement
	1/4/2024	9:45 AM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	1/17/2024	10:10 AM	ND	8.97	31.7	36.8	NA	5.10	Pre-pumping measurement
	1/17/2024	11:00 AM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	1/31/2024	1:45 PM	ND	8.00	33.76	36.8	NA	5.34	Pre-pumping measurement
	1/31/2024	2:30 PM	ND	ND	NA	36.8	NA	NA	Post-pumping measurement ~15.0 gallons removed
	2/14/2024	12:55 PM	ND	8.68	31.40	36.66	NA	5.26	Pre-pumping measurement
	2/14/2024	2:00 PM	ND	ND	32.66	36.66	NA	4.00	Post-pumping measurement ~5.0 gallons removed
	2/28/2024	9:40 AM	ND	9.40	31.66	36.66	NA	5.00	Pre-pumping measurement
	2/28/2024	11:00 AM	ND	ND	32.66	36.66	NA	4.00	Post-pumping measurement ~5.0 gallons removed
	3/14/2024	8:45 AM	ND	8.75	29.96	36.8	NA	6.84	Pre-pumping measurement
	3/14/2024	11:00 AM	ND	ND	30.36	36.8	NA	6.44	Post-pumping measurement ~2.0 gallons removed
	3/27/2024	9:15 AM	ND	9.32	30.78	36.8	NA	6.02	Pre-pumping measurement
	3/27/2024	10:30 AM	ND	ND	33.24	36.8	NA	3.56	Post-pumping measurement ~5.0 gallons removed
	4/24/2024	8:45 AM	ND	8.54	31.15	36.8	NA	5.65	Tubing malfunction, could not recover.
	5/9/2024	9:00 AM	ND	8.18	30.97	36.82	NA	5.85	Pre-pumping measurement
	5/9/2024	9:45 AM	ND	ND	33.42	36.82	NA	3.40	Post-pumping measurement ~5.0 gallons removed
	5/22/2024	9:30 AM	ND	8.65	31.31	36.8	NA	5.49	Pre-pumping measurement
	5/22/2024	10:00 AM	ND	ND	33.61	36.8	NA	3.19	Post-pumping measurement ~4.5 gallons removed
	6/5/2024	9:00 AM	ND	8.81	30.45	36.8	NA	6.35	Pre-pumping measurement
	6/5/2024	9:45 AM	ND	ND	33.60	36.8	NA	3.20	Post-pumping measurement ~5.5 gallons removed
	6/27/2024	9:15 AM	ND	9.00	31.24	36.8	NA	5.56	Pre-pumping measurement
	6/27/2024	10:00 AM	ND	ND	33.34	36.8	NA	3.46	Post-pumping measurement ~4.5 gallons removed

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-7	10/7/2020	10:55 AM	ND	9.24	ND	22.85	NA	NA	
	10/21/2020	8:55 AM	ND	9.02	ND	23.05	NA	NA	
	11/4/2020	7:15 AM	ND	9.15	ND	22.97	NA	NA	
	11/18/2020	10:25 AM	ND	9.37	ND	23.82	NA	NA	
	12/1/2020	9:25 AM	ND	8.89	ND	22.98	NA	NA	
	12/16/2020	9:10 AM	ND	9.41	ND	22.84	NA	NA	
	12/29/2020	9:25 AM	ND	9.14	ND	22.97	NA	NA	
	1/13/2021	8:35 AM	ND	9.51	ND	22.92	NA	NA	
	1/27/2021	9:00 AM	ND	9.67	ND	22.94	NA	NA	
	2/8/2021	9:10 AM	NA	NA	NA	NA	NA	NA	inaccessible due to snow coverage
	2/24/2021	8:15 AM	NA	NA	NA	NA	NA	NA	inaccessible due to snow coverage
	3/10/2021	10:10 AM	ND	9.40	ND	22.95	NA	NA	
	3/24/2021	9:32 AM	ND	9.27	ND	22.96	NA	NA	
	4/7/2021	9:20 AM	ND	9.00	ND	22.90	NA	NA	
	4/21/2021	9:30 AM	ND	8.90	ND	22.89	NA	NA	
	5/5/2021	9:40 AM	ND	8.90	ND	22.86	NA	NA	
	5/17/2021	9:35 AM	ND	9.33	ND	22.89	NA	NA	
	6/2/2021	9:14 AM	ND	8.76	ND	22.85	NA	NA	
	6/16/2021	9:40 AM	ND	8.85	ND	22.97	NA	NA	
	6/30/2021	9:02 AM	ND	9.29	ND	22.93	NA	NA	
	7/14/2021	8:55 AM	ND	8.55	ND	22.89	NA	NA	
	7/27/2021	8:30 AM	ND	8.39	ND	22.92	NA	NA	
	8/11/2021	11:00 AM	ND	9.02	ND	22.90	NA	NA	
	8/23/2021	9:40 AM	ND	7.70	ND	22.90	NA	NA	
	9/8/2021	8:30 AM	ND	8.37	ND	22.93	NA	NA	
	9/21/2021	9:57 AM	ND	8.97	ND	22.95	NA	NA	
	10/7/2021	9:50 AM	ND	8.82	ND	22.93	NA	NA	
	10/20/2021	7:40 AM	ND	8.83	ND	22.94	NA	NA	
	11/4/2021	10:15 AM	ND	8.55	ND	22.91	NA	NA	
	11/17/2021	7:40 AM	ND	8.95	ND	22.91	NA	NA	
	12/1/2021	9:40 AM	ND	9.51	ND	22.92	NA	NA	
	12/14/2021	8:15 AM	ND	9.75	ND	22.90	NA	NA	
	12/28/2021	11:40 AM	ND	9.63	ND	22.91	NA	NA	
	2/7/2022	9:45 AM	ND	9.19	ND	22.90	NA	NA	
	2/24/2022	9:00 AM	ND	9.66	ND	22.88	NA	NA	
	3/17/2022	10:15 AM	ND	9.47	ND	23.00	NA	NA	
	3/28/2022	11:30 AM	ND	9.17	ND	22.50	NA	NA	
	4/13/2022	9:35 AM	ND	8.95	ND	22.95	NA	NA	
	4/29/2022	12:25 AM	ND	9.28	ND	22.58	NA	NA	
	5/12/2022	11:35 AM	ND	8.87	ND	22.80	NA	NA	
	5/25/2022	10:30 AM	ND	9.13	ND	22.77	NA	NA	
	6/9/2022	11:45 AM	ND	8.58	ND	22.75	NA	NA	
	6/23/2022	10:40 AM	ND	9.22	ND	23.22	NA	NA	
	7/7/2022	13:52: PM	ND	9.35	ND	22.47	NA	NA	
	7/22/2022	9:05 AM	ND	8.83	ND	23.15	NA	NA	
	8/4/2022	10:11 AM	ND	9.45	ND	17.63	NA	NA	
	8/18/2022	12:15 PM	ND	9.22	ND	22.82	NA	NA	
	9/1/2022	8:20 AM	ND	9.26	ND	22.72	NA	NA	
	10/27/2022	9:00 AM	ND	9.14	ND	22.78	NA	NA	
	3/2/2023	12:20 PM	ND	9.1	ND	22.81	NA	NA	
	4/12/2023	3:00 PM	ND	9.42	ND	22.91	NA	NA	
	4/25/2024	10:35 AM	ND	9.6	ND	22.87	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-8	10/7/2020	1:40 PM	ND	9.93	35.24	36.24	NA	1.00	Pre-pumping measurement
	10/7/2020	2:30 PM	ND	9.93	ND	36.24	NA	NA	Post-pumping measurement ~1 gallon removed
	10/21/2020	2:30 PM	ND	9.70	35.33	36.23	NA	0.90	Pre-pumping measurement
	10/21/2020	2:45 PM	ND	9.70	ND	36.25	NA	NA	Post-pumping measurement ~0.75 gallon removed
	11/4/2020	9:15 AM	ND	10.75	Trace	38.14	NA	NA	
	11/18/2020	12:50 PM	ND	10.18	35.49	37.54	NA	2.05	Pre-pumping measurement
	11/18/2020	12:50 PM	ND	10.18	ND	37.54	NA	NA	Post-pumping measurement ~2 gallons removed
	12/1/2020	11:55 AM	ND	8.88	35.04	36.32	NA	1.28	Pre-pumping measurement
	12/1/2020	12:30 PM	ND	8.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	12/16/2020	12:45 PM	ND	9.97	35.15	36.30	NA	1.15	Pre-pumping measurement
	12/16/2020	1:15 PM	ND	9.97	ND	36.30	NA	NA	Post-pumping measurement ~1 gallon removed
	12/29/2020	12:00 PM	ND	10.26	35.35	36.28	NA	0.93	Pre-pumping measurement
	12/29/2020	12:15 PM	ND	10.26	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	1/13/2021	12:15 PM	ND	9.80	35.50	36.28	NA	0.78	Pre-pumping measurement
	1/13/2021	12:35 PM	ND	9.82	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	1/27/2021	12:30 PM	ND	10.01	35.40	36.28	NA	0.88	Pre-pumping measurement
	1/27/2021	12:40 PM	ND	9.92	ND	36.28	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2021	12:30 PM	ND	10.80	35.55	36.27	NA	0.72	Pre-pumping measurement
	2/8/2021	12:50 PM	ND	10.80	ND	36.27	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2021	11:35 AM	ND	10.50	35.50	36.33	NA	0.83	Pre-pumping measurement
	2/24/2021	12:25 PM	ND	10.52	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/10/2021	12:30 PM	ND	10.62	35.50	36.28	NA	0.78	Pre-pumping measurement
	3/10/2021	1:00 PM	ND	10.65	ND	36.33	NA	NA	Post-pumping measurement ~0.75 gallon removed
	3/24/2021	12:32 PM	ND	10.42	35.42	36.34	NA	0.92	Pre-pumping measurement
	3/24/2021	1:15 PM	ND	10.52	ND	36.36	NA	NA	Post-pumping measurement ~0.75 gallon removed
	4/7/2021	12:30 PM	ND	10.19	35.56	36.23	NA	0.67	Pre-pumping measurement
	4/7/2021	1:15 PM	ND	10.25	ND	36.23	NA	NA	Post-pumping measurement ~1 gallon removed
	4/21/2021	12:55 PM	ND	10.30	35.74	36.24	NA	0.50	Pre-pumping measurement
	4/21/2021	1:20 PM	ND	10.31	ND	36.29	NA	NA	Post-pumping measurement ~1 gallon removed
	5/5/2021	1:20 PM	ND	10.18	35.81	36.28	NA	0.47	Pre-pumping measurement
	5/5/2021	1:45 PM	ND	10.20	ND	36.26	NA	NA	Post-pumping measurement ~1 gallon removed
	5/17/2021	1:00 PM	ND	10.52	35.39	36.28	NA	0.89	Pre-pumping measurement
	5/17/2021	1:45 PM	ND	10.44	ND	36.28	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/2/2021	12:10 PM	ND	10.51	35.39	36.28	NA	0.89	Pre-pumping measurement
	6/2/2021	12:40 PM	ND	10.53	ND	36.30	NA	NA	Post-pumping measurement ~0.75 gallon removed
	6/16/2021	1:10 PM	ND	10.24	35.56	36.28	NA	0.72	Pre-pumping measurement
	6/16/2021	1:35 PM	ND	10.19	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	6/30/2021	12:30 PM	ND	10.65	32.49	35.64	NA	3.15	Pre-pumping measurement
	6/30/2021	12:55 PM	ND	10.66	ND	35.67	NA	NA	Post-pumping measurement ~1 gallon removed
	7/14/2021	12:45 PM	ND	9.77	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/14/2021	1:15 PM	ND	9.80	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	7/27/2021	1:10 PM	ND	9.41	35.70	36.32	NA	0.62	Pre-pumping measurement
	7/27/2021	1:40 PM	ND	9.47	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	8/11/2021	1:30 PM	ND	9.55	35.25	36.35	NA	1.10	Pre-pumping measurement
	8/11/2021	2:00 PM	ND	9.60	ND	36.35	NA	NA	Post-pumping measurement ~1 gallon removed
	8/23/2021	1:15 PM	ND	8.50	35.75	36.32	NA	0.57	Pre-pumping measurement
	8/23/2021	1:45 PM	ND	8.53	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/8/2021	1:20 PM	ND	9.06	35.40	36.37	NA	0.97	Pre-pumping measurement
	9/8/2021	1:55 PM	ND	9.09	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	9/21/2021	2:15 PM	ND	9.63	35.40	36.33	NA	0.93	Pre-pumping measurement
	9/21/2021	2:50 PM	ND	9.65	ND	36.33	NA	NA	Post-pumping measurement ~1 gallon removed
	10/7/2021	1:45 PM	ND	9.32	35.27	36.37	NA	1.10	Pre-pumping measurement
	10/7/2021	2:05 PM	ND	9.43	ND	36.34	NA	NA	Post-pumping measurement ~1.25 gallon removed
	10/20/2021	1:30 PM	ND	9.92	35.50	36.27	NA	0.77	Pre-pumping measurement
	10/20/2021	2:10 PM	ND	9.95	ND	36.27	NA	NA	Post-pumping measurement ~1 gallon removed
	11/4/2021	5:00 PM	ND	10.18	34.80	36.37	NA	1.57	Pre-pumping measurement
	11/4/2021	5:25 PM	ND	10.20	ND	36.37	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/17/2021	2:00 PM	ND	10.28	35.80	36.27	NA	0.47	
	12/1/2021	1:30 PM	ND	10.34	34.78	36.32	NA	1.54	Pre-pumping measurement
	12/1/2021	1:50 PM	ND	10.36	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	12/14/2021	2:15 PM	ND	11.36	35.60	36.33	NA	0.73	Pre-pumping measurement
	12/14/2021	2:45 PM	ND	11.39	ND	36.33	NA	NA	Post-pumping measurement ~0.5 gallon removed
	12/28/2021	1:00 PM	ND	10.34	35.41	36.32	NA	0.91	Pre-pumping measurement
	12/28/2021	1:20 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/13/2022	11:05 AM	ND	10.86	35.29	36.32	NA	1.03	Pre-pumping measurement
	1/13/2022	2:00 PM	ND	10.96	ND	36.32	NA	NA	Post-pumping measurement ~1.5 gallon removed
	1/27/2022	2:00 PM	ND	10.79	35.79	36.32	NA	0.53	Pre-pumping measurement
	1/27/2022	2:30 PM	ND	10.88	ND	36.32	NA	NA	Post-pumping measurement ~1 gallon removed
	2/7/2022	1:00 PM	ND	10.42	35.82	36.32	NA	0.50	Pre-pumping measurement
	2/7/2022	1:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	2/24/2022	2:00 PM	ND	10.74	36.05	36.31	NA	0.26	Pre-pumping measurement
	2/24/2022	2:30 PM	ND	10.87	ND	36.32	NA	NA	Post-pumping measurement ~0.5 gallon removed
	3/18/2022	9:20 AM	ND	10.30	34.4	36.20	NA		Pre-pumping measurement
	3/18/2022	1:00 PM	ND	ND	36.08	36.20	NA	0.12	Post-pumping measurement ~2 gallon removed
	3/28/2022	12:48 PM	ND	10.80	35.65	36.30	NA	0.65	Pre-Pumping Measurement- Pumping not conducted

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-8	4/1/2022	8:35 AM	ND	10.38	35.57	36.26	NA	0.69	Pre-pumping measurement
	4/1/2022	10:40 AM	ND	10.38	36.21	36.26	NA	0.05	Post-pumping measurement ~2 gallons removed
	4/13/2022	10:35 AM	ND	10.25	35.6	36.20	NA	0.6	Pre-pumping measurement
	4/13/2022	11:45 AM	ND	ND	36.17	36.2	NA	0.03	Post-pumping measurement ~6 gallons removed
	4/29/2022	9:15 AM	ND	10.52	35.22	36.18	NA	0.96	Pre-pumping measurement
	4/29/2022	9:50 AM	ND	ND	36.03	36.18	NA	0.15	Pre-pumping measurement ~7 gallons removed
	5/12/2022	12:25 AM	ND	10.15	35.75	36.30	NA	0.55	Pre-pumping measurement
	5/13/2022	11:50 AM	ND	ND	35.97	36.29	NA	0.32	Post-pumping measurement ~3.6 gallons removed
	5/25/2022	11:45 AM	ND	10.25	35.41	36.22	NA	0.81	Pre-pumping measurement
	5/25/2022	12:30 PM	ND	ND	36.11	36.23	NA	0.12	Pre-pumping measurement ~5.6 gallons removed
	6/9/2022	12:50 PM	ND	10.04	35.49	36.24	NA	0.75	Pre-pumping measurement
	6/9/2022	1:50 PM	ND	ND	36.21	36.25	NA	0.04	Post-pumping measurement ~2.2 gallons removed
	6/23/2022	11:49 AM	ND	10.34	35.45	36.25	NA	0.8	
	7/7/2022	14:11:00 PM	ND	10.5	35.4	36.3	NA	0.9	
	7/21/2022	13:55:00 PM	ND	10.28	34.56	36.26	NA	1.7	Pre-pumping measurement
	7/21/2022	14:30:00 PM	ND	ND	36.21	36.26	NA	0.05	Post-pumping measurement ~3.5 gallons removed.
	8/4/2022	12:15 PM	ND	10.31	35.84	36.4	NA	0.56	Pre-pumping measurement.
	8/5/2022	2:15 PM	ND	ND	36.0	36.4	NA	0.4	Post-pumping measurement ~1.1 gallons removed
	8/18/2022	11:10 AM	ND	10.29	35.09	36.21	NA	1.12	
	9/1/2022	9:15 AM	ND	10.48	35.01	36.23	NA	1.22	
	10/12/2022	8:57 AM	ND	10.17	33.97	36.20	NA	2.23	not pumped - obstruction in well
	11/9/2022	10:15 AM	ND	10.03	33.03	36.23	NA	3.2	not pumped - obstruction in well
	12/8/2022	10:25 AM	ND	9.58	33.85	37.24	NA	3.39	Pre-pumping measurement.
	12/8/2022	11:50 AM	ND	ND	36.84	37.24	NA	0.4	Post-pumping measurement ~6 gallons removed
	1/4/2023	11:30 AM	ND	9.98	35.19	37.24	NA	2.05	Pre-pumping measurement.
	1/4/2023	11:40 AM	ND	ND	37.06	37.24	NA	0.18	Post-pumping measurement ~7 gallons removed
	2/1/2023	11:15 AM	ND	10.50	35.82	37.18	NA	1.36	Pre-pumping measurement.
	2/1/2023	12:00 PM	ND	ND	36.97	37.18	NA	0.21	Post-pumping measurement ~6 gallons removed
	3/2/2023	8:40 AM	ND	9.32	34.58	36.3	NA	1.72	Pre-pumping measurement.
	3/2/2023	9:25 AM	ND	ND	36.18	36.3	NA	0.12	Post-pumping measurement ~4.1 gallons removed
	4/12/2023	11:40 AM	ND	10.63	34.4	36.3	NA	1.9	Pre-pumping measurement- no pumping completed, equipment malfunction
	4/26/2023	9:15 AM	ND	9.94	34.37	36.27	NA	1.9	Pre-pumping measurement.
	4/26/2023	9:45 AM	ND	ND	36.25	36.27	NA	0.02	Post-pumping measurement ~6 gallons removed
	5/10/2023	1:00 PM	ND	9.77	35.89	36.26	NA	0.37	
	6/13/2023	11:30 AM	ND	10.26	34.79	36.3	NA	1.51	Pre-Pumping Measurement
	6/13/2023	12:15 PM	ND	ND	36.29	36.3	NA	0.01	Post-pumping measurement ~5.0 gallons removed
	7/5/2023	12:45 PM	ND	9.41	36.06	36.43	NA	0.37	
	8/2/2023	10:30 AM	ND	9.73	34.95	36.17	NA	1.22	Pre-Pumping Measurement
	8/2/2023	11:00 AM	ND	ND	36.15	36.17	NA	0.02	Post-pumping measurement ~4.5 gallons removed
	9/14/2023	11:45 AM	ND	9.51	34.76	36.21	NA	1.45	Pre-Pumping Measurement
	9/14/2023	12:20 PM	ND	ND	36.16	36.21	NA	0.05	Post-pumping measurement ~5.0 gallons removed
	10/12/2023	11:00 AM	ND	6.34	34.03	36.18	NA	2.15	Pre-Pumping Measurement
	10/12/2023	11:30 AM	ND	ND	36.16	36.18	NA	0.02	Post-pumping measurement ~6.0 gallons removed
	11/6/2023	10:10 AM	ND	10.03	34.58	36.23	NA	1.65	Pre-Pumping Measurement
	11/6/2023	10:35 AM	ND	ND	36.18	36.23	NA	0.05	Post-pumping measurement ~5.0 gallons removed
	12/6/2023	9:00 AM	ND	10.02	34.92	36.22	NA	1.3	Pre-Pumping Measurement
	12/6/2023	9:30 AM	ND	ND	36.19	36.22	NA	0.03	Post-pumping measurement ~4.5 gallons removed
	1/3/2024	10:00 AM	ND	10.36	35.35	36.15	NA	0.8	Pre-Pumping Measurement
	1/3/2024	11:00 AM	ND	ND	36.12	36.15	NA	0.03	Post-pumping measurement ~2.0 gallons removed
	2/15/2024	NA	NA	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	9:15 AM	ND	9.98	34.62	36.22	NA	1.60	Pre-Pumping Measurement
	3/13/2024	9:55 AM	ND	ND	36.21	36.22	NA	0.01	Post-pumping measurement ~4.0 gallons removed
	4/24/2024	12:30 PM	ND	9.6	34.98	36.23	NA	1.25	Pre-pumping measurement
	4/24/2024	12:50 PM	ND	ND	36.22	36.23	NA	0.01	Post-pumping measurement ~3 gallons removed
	5/9/2024	10:30 AM	ND	9.74	35.85	36.23	NA	0.38	
	6/6/2024	11:30 AM	ND	9.54	35.17	36.22	NA	1.05	Pre-pumping measurement
	6/6/2024	12:00 PM	ND	ND	36.21	36.22	NA	0.01	Post-pumping measurement ~2.5 gallons removed

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-9	10/7/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/14/2020	NA	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	10/21/2020	9:30 AM	ND	10.83	32.96	33.56	NA	0.60	Pre-pumping measurement
	10/21/2020	4:15 PM	ND	10.83	ND	33.56	NA	NA	Post-pumping measurement ~0.5 gallon removed
	11/4/2020	8:15 AM	ND	11.27	Trace	33.60	NA	NA	
	11/18/2020	10:50 AM	ND	10.89	ND	34.56	NA	NA	
	12/1/2020	10:10 AM	ND	9.26	ND	33.57	NA	NA	
	12/16/2020	9:55 AM	ND	10.66	ND	33.47	NA	NA	
	12/29/2020	10:40 AM	ND	10.39	ND	33.63	NA	NA	
	1/13/2021	9:40 AM	ND	10.25	ND	33.53	NA	NA	
	1/27/2021	9:50 AM	ND	10.09	33.30	33.58	NA	0.28	Pre-pumping measurement
	1/27/2021	11:50 AM	ND	10.22	ND	33.58	NA	NA	Post-pumping measurement ~1 gallon removed
	2/8/2020	12:20 PM	NA	NA	NA	NA	NA	NA	Parked vehicle obstructing access to well
	2/24/2021	9:40 AM	ND	10.49	ND	33.72	NA	NA	
	3/10/2021	10:50 AM	ND	10.78	Trace	33.70	NA	NA	
	3/24/2021	9:05 AM	ND	10.45	Trace	33.61	NA	NA	
	4/7/2021	9:25 AM	ND	10.01	Trace	33.51	NA	NA	
	4/21/2021	9:35 AM	ND	10.30	ND	33.52	NA	NA	
	5/5/2021	10:10 AM	ND	9.92	ND	33.52	NA	NA	
	5/17/2021	9:50 AM	ND	10.95	ND	33.49	NA	NA	
	6/2/2021	11:10 AM	ND	10.72	ND	33.51	NA	NA	
	6/16/2021	10:30 AM	ND	10.58	ND	33.42	NA	NA	
	6/30/2021	9:45 AM	ND	10.95	ND	33.52	NA	NA	
	7/14/2021	9:40 AM	ND	10.44	ND	33.53	NA	NA	
	7/27/2021	9:30 AM	ND	10.36	ND	33.53	NA	NA	
	8/11/2021	11:30 AM	ND	10.16	ND	33.53	NA	NA	
	8/23/2021	10:35 AM	ND	8.97	ND	33.48	NA	NA	
	9/8/2021	9:30 AM	ND	10.03	ND	33.48	NA	NA	
	9/21/2021	11:05 AM	ND	9.69	ND	33.50	NA	NA	
	10/7/2021	10:35 AM	ND	9.66	ND	33.48	NA	NA	
	10/20/2021	10:40 AM	ND	10.89	ND	33.46	NA	NA	
	11/4/2021	12:50 PM	ND	10.32	ND	32.55	NA	NA	
	11/17/2021	9:00 AM	ND	10.27	ND	33.48	NA	NA	
	12/1/2021	10:35 AM	ND	10.74	ND	33.51	NA	NA	
	12/14/2021	9:15 AM	ND	11.18	ND	33.48	NA	NA	
	12/28/2021	11:50 AM	ND	10.39	ND	33.45	NA	NA	
	1/13/2022	9:45 AM	ND	11.14	ND	33.97	NA	NA	
	1/27/2022	10:22 AM	ND	11.11	ND	33.49	NA	NA	
	2/7/2022	10:00 AM	ND	11.01	ND	33.49	NA	NA	
	2/24/2022	10:15 AM	ND	11.01	ND	33.49	NA	NA	
	3/18/2022	9:40 AM	ND	10.50	33.08	33.50	NA	0.42	
	3/28/2022	12:25 PM	ND	10.65	33.05	33.40	NA	0.35	
	4/13/2022	10:35 AM	ND	10.20	32.88	33.28	NA	0.4	
	4/29/2022	9:00 AM	ND	10.65	33.08	33.50	NA	0.42	
	5/12/2022	12:15 PM	ND	10.19	33.06	33.51	NA	0.45	
	5/25/2022	11:30 AM	ND	10.35	33.11	33.55	NA	0.44	
	6/9/2022	12:50 PM	ND	10.24	33.11	33.56	NA	0.45	
	6/23/2022	11:46 AM	ND	10.52	ND	34.06	NA	NA	
	7/7/2022	14:22:00 PM	ND	10.72	33.18	33.56	NA	0.47	
	7/21/2022	13:43:00 AM	ND	10.46	33.15	33.50	NA	0.35	
	8/4/2022	12:00 PM	ND	10.62	33.50	33.62	NA	0.12	
	8/18/2022	10:55 AM	ND	10.5	33.03	33.41	NA	0.38	
	9/1/2022	9:05 AM	ND	10.73	ND	33.31	NA	NA	
	10/12/2022	9:10 AM	ND	10.47	32.33	32.47	NA	0.14	
	11/9/2022	9:50 AM	ND	10.15	33.02	33.39	NA	0.37	
	12/22/2022	8:30 AM	ND	10.35	33.26	33.51	NA	0.25	
	1/4/2023	11:50 AM	ND	10.1	34.27	34.57	NA	0.30	
	2/1/2023	12:00 PM	ND	10.32	33.18	33.41	NA	0.23	
	3/2/2023	8:15 AM	ND	9.4	33.02	33.42	NA	0.40	
	4/12/2023	12:50 PM	ND	10.65	33.05	33.5	NA	0.45	
	7/5/2023	1:00 PM	ND	9.52	34.02	34.02	NA	Blebs	
	10/12/2023	10:30 AM	ND	9.39	33.06	33.35	NA	0.29	
	1/3/2024	10:15 AM	ND	10.4	33.06	33.36	NA	0.30	
	4/24/2024	12:45 PM	ND	9.77	33.08	33.33	NA	0.25	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	10/7/2020	2:05 PM	ND	10.15	27.23	33.58	NA	6.35	Pre-pumping measurement
	10/7/2020	3:00 PM	ND	10.15	ND	33.58	NA	NA	Post-pumping measurement ~4.5 gallons removed
	10/21/2020	2:50 PM	ND	9.92	28.38	33.57	NA	5.19	Pre-pumping measurement
	10/21/2020	3:45 PM	ND	9.92	ND	33.57	NA	NA	Post-pumping measurement ~4.75 gallons removed
	11/4/2020	9:45 AM	ND	11.08	28.00	33.74	NA	5.74	Pre-pumping measurement
	11/4/2020	10:00 AM	ND	11.08	ND	33.74	NA	NA	Post-pumping measurement ~4.25 gallons removed
	11/18/2020	1:25 PM	ND	10.49	27.14	33.75	NA	6.61	Pre-pumping measurement
	11/18/2020	2:15 PM	ND	10.49	ND	33.75	NA	NA	Post-pumping measurement ~4.5 gallons removed
	12/1/2020	12:35 PM	ND	9.19	28.83	33.66	NA	4.83	Pre-pumping measurement
	12/1/2020	1:20 PM	ND	9.19	ND	33.66	NA	NA	Post-pumping measurement ~3.5 gallons removed
	12/16/2020	11:30 AM	ND	10.51	27.80	33.65	NA	5.85	Pre-pumping measurement
	12/16/2020	12:00 PM	ND	10.51	ND	33.65	NA	NA	Post-pumping measurement ~4 gallons removed
	12/29/2020	12:30 PM	ND	10.52	30.90	33.73	NA	2.83	Pre-pumping measurement
	12/29/2020	1:00 PM	ND	10.52	ND	33.73	NA	NA	Post-pumping measurement ~3.5 gallons removed
	1/13/2021	11:20 AM	ND	10.11	28.28	33.73	NA	5.45	Pre-pumping measurement
	1/13/2021	12:10 PM	ND	10.15	ND	33.73	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2021	1:10 PM	ND	10.30	28.00	33.64	NA	5.64	Pre-pumping measurement
	1/27/2021	1:25 PM	ND	10.44	ND	33.64	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	1:00 PM	ND	10.97	29.85	33.65	NA	3.80	Pre-pumping measurement
	2/8/2021	1:30 PM	ND	11.00	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	2/24/2021	10:40 AM	ND	10.56	29.68	33.64	NA	3.96	Pre-pumping measurement
	2/24/2021	11:30 AM	ND	10.58	ND	33.64	NA	NA	Post-pumping measurement ~3 gallons removed
	3/10/2021	1:30 PM	ND	10.90	29.48	33.73	NA	4.25	Pre-pumping measurement
	3/10/2021	2:00 PM	ND	10.94	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	3/24/2021	11:30 AM	ND	10.56	31.11	33.54	NA	2.43	Pre-pumping measurement
	3/24/2021	12:15 PM	ND	10.68	ND	33.68	NA	NA	Post-pumping measurement ~4 gallons removed
	4/7/2021	11:45 AM	ND	10.24	29.29	33.70	NA	4.41	Pre-pumping measurement
	4/7/2021	12:15 PM	ND	10.30	ND	33.70	NA	NA	Post-pumping measurement ~4 gallons removed
	4/21/2021	12:15 PM	ND	10.49	30.29	33.59	NA	3.30	Pre-pumping measurement
	4/21/2021	12:45 PM	ND	10.48	ND	33.61	NA	NA	Post-pumping measurement ~3 gallons removed
	5/5/2021	12:30 PM	ND	10.37	30.42	33.59	NA	3.17	Pre-pumping measurement
	5/5/2021	12:55 PM	ND	9.69	ND	33.60	NA	NA	Post-pumping measurement ~3 gallons removed
	5/17/2021	11:58 AM	ND	10.95	30.01	33.59	NA	3.58	Pre-pumping measurement
	5/17/2021	12:45 PM	ND	10.86	ND	33.59	NA	NA	Post-pumping measurement ~3 gallons removed
	6/2/2021	11:30 AM	ND	10.76	29.17	33.59	NA	4.42	Pre-pumping measurement
	6/2/2021	12:00 PM	ND	10.81	ND	33.59	NA	NA	Post-pumping measurement ~4 gallons removed
	6/16/2021	11:55 AM	ND	10.63	29.81	33.67	NA	3.86	Pre-pumping measurement
	6/16/2021	12:55 PM	ND	10.59	ND	33.67	NA	NA	Post-pumping measurement ~3.5 gallons removed
	6/30/2021	11:50 AM	ND	10.98	32.45	33.64	NA	1.19	Pre-pumping measurement
	6/30/2021	12:15 PM	ND	11.01	ND	33.65	NA	NA	Post-pumping measurement ~3 gallons removed
	7/14/2021	12:00 PM	ND	10.19	30.05	33.69	NA	3.64	Pre-pumping measurement
	7/14/2021	12:30 PM	ND	10.22	ND	33.69	NA	NA	Post-pumping measurement ~3 gallons removed
	7/27/2021	12:20 PM	ND	9.90	29.40	33.79	NA	4.39	Pre-pumping measurement
	7/27/2021	12:50 PM	ND	10.20	ND	33.79	NA	NA	Post-pumping measurement ~3.5 gallons removed
	8/11/2021	2:30 PM	ND	9.96	29.80	33.73	NA	3.93	Pre-pumping measurement
	8/11/2021	2:45 PM	ND	9.97	ND	33.73	NA	NA	Post-pumping measurement ~3 gallons removed
	8/23/2021	2:15 PM	ND	8.80	31.05	33.70	NA	2.65	Pre-pumping measurement
	8/23/2021	2:45 PM	ND	8.87	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	9/8/2021	12:15 PM	ND	9.51	28.50	33.66	NA	5.16	Pre-pumping measurement
	9/8/2021	12:55 PM	ND	9.53	ND	33.66	NA	NA	Post-pumping measurement ~4 gallons removed
	9/21/2021	1:10 PM	ND	9.64	30.30	33.62	NA	3.32	Pre-pumping measurement
	9/21/2021	1:40 PM	ND	9.66	ND	33.62	NA	NA	Post-pumping measurement ~3 gallons removed
	10/7/2021	1:00 PM	ND	9.45	30.45	33.64	NA	3.19	Pre-pumping measurement
	10/7/2021	1:30 PM	ND	9.45	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	10/20/2021	12:30 PM	ND	10.00	30.10	33.63	NA	3.53	Pre-pumping measurement
	10/20/2021	1:10 PM	ND	10.03	ND	33.63	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/4/2021	4:10 PM	ND	10.29	30.45	33.70	NA	3.25	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	11/4/2021	4:45 PM	ND	9.45	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	11/17/2021	1:00 PM	ND	10.40	30.30	33.65	NA	3.35	Pre-pumping measurement
	11/17/2021	1:45 PM	ND	10.41	ND	33.65	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/1/2021	1:00 PM	ND	11.02	29.81	33.63	NA	3.82	Pre-pumping measurement
	12/1/2021	1:20 PM	ND	11.06	ND	33.63	NA	NA	Post-pumping measurement ~2.75 gallons removed
	12/14/2021	1:30 PM	ND	11.61	31.20	33.70	NA	2.50	Pre-pumping measurement
	12/14/2021	2:00 PM	ND	11.62	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	12/28/2021	12:30 PM	ND	10.49	32.08	33.70	NA	1.62	Pre-pumping measurement
	12/28/2021	12:50 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2 gallons removed
	1/13/2022	11:15 AM	ND	10.91	31.65	33.70	NA	2.05	Pre-pumping measurement
	1/13/2022	1:20 PM	ND	10.82	ND	33.70	NA	NA	Post-pumping measurement ~2.5 gallons removed
	1/27/2022	1:00 PM	ND	10.83	32.51	33.70	NA	1.19	Pre-pumping measurement
	1/27/2022	1:30 PM	ND	10.62	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallons removed
	2/7/2022	12:30 PM	ND	10.62	32.42	33.70	NA	1.28	Pre-pumping measurement
	2/7/2022	1:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1 gallon removed
	2/24/2022	1:30 PM	ND	10.77	32.91	33.70	NA	0.79	Pre-pumping measurement
	2/24/2022	2:00 PM	ND	10.65	ND	33.70	NA	NA	Post-pumping measurement ~1.5 gallon removed
	3/18/2022	10:00 AM	ND	10.66	30.06	33.66	NA	3.6	Pre-pumping measurement
	3/18/2022	1:20 PM	ND	ND	33.53	33.66	NA	0.13	Post-pumping measurement ~4 gallons removed
	3/28/2022	12:15 PM	ND	10.05	32.05	33.55	NA	1.5	Pre-pumping measurement
	3/28/2022	2:45 PM	ND	ND	33.05	33.55	NA	0.5	Post-pumping measurement ~8 gallons removed
	4/13/2022	10:15 AM	ND	10.32	31.05	33.50	NA	2.45	Pre-pumping measurement
	4/14/2022	10:30 AM	ND	ND	ND	33.5	NA	NA	Post-pumping measurement ~7 gallons removed
	4/29/2022	8:15 AM	ND	10.83	31.97	33.57	NA	1.6	Pre-pumping measurement
	4/29/2022	9:00 PM	ND	ND	33.43	33.57	NA	0.14	Post-pumping measurement ~4 gallons removed
	5/12/2022	12:15 PM	ND	10.15	32.51	33.61	NA	1.1	Pre-pumping measurement
	5/13/2022	10:30 AM	ND	ND	33.54	33.61	NA	0.07	Post-pumping measurement ~5.2 gallons removed
	5/25/2022	11:25 AM	ND	10.37	31.77	33.57	NA	1.8	Pre-pumping measurement
	5/25/2022	11:50 AM	ND	ND	33.55	33.57	NA	0.02	Post-pumping measurement ~4.75 gallons removed
	6/9/2022	12:35 PM	ND	10.18	31.81	33.58	NA	1.77	Pre-pumping measurement
	6/9/2022	1:30 PM	ND	ND	33.57	33.6	NA	0.03	Post-pumping measurement ~2.6 gallons removed
	6/23/2022	11:08 AM	ND	10.49	33.51	34.56	NA	1.05	Pre-pumping measurement
	6/23/2022	11:30 AM	ND	ND	34.38	34.56	NA	0.18	Post-pumping measurement ~2.19 gallons removed
	7/7/2022	10:52 AM	ND	10.99	32.22	33.60	NA	1.38	Pre-pumping measurement
	7/7/2022	1:30 PM	ND	ND	33.55	33.6	NA	0.05	Post-pumping measurement ~2.0 gallons removed
	7/21/2022	1:10 PM	ND	10.54	31.48	33.58	NA	2.1	Pre-pumping measurement
	7/21/2022	2:00 PM	ND	ND	33.48	33.58	NA	0.1	Post-pumping measurement ~3.0 gallons removed
	8/4/2022	12:45 PM	ND	10.64	32.59	33.74	NA	1.15	Pre-pumping measurement
	8/5/2022	10:10 AM	ND	ND	33.43	33.74	NA	0.31	Post-pumping measurement ~20 gallons removed
	8/18/2022	10:40 AM	ND	10.50	31.32	33.58	NA	2.26	Pre-pumping measurement
	8/19/2022	14:00 PM	ND	ND	33.5	33.58	NA	0.08	Post-pumping measurement ~3.3 gallons removed
	9/1/2022	8:50 AM	ND	10.72	32.72	33.70	NA	0.98	Pre-pumping measurement
	9/2/2022	9:50 AM	ND	ND	33.47	33.70	NA	0.23	Post-pumping measurement ~3.0 gallons removed
	9/15/2022	11:00 AM	ND	10.45	32.13	33.61	NA	1.48	Pre-pumping measurement
	9/15/2022	11:30 AM	ND	ND	33.49	33.61	NA	0.12	Post-pumping measurement ~6 gallons removed
	9/29/2022	11:15 AM	ND	10.60	32.14	33.59	NA	1.45	Pre-pumping measurement
	9/29/2022	12:00 PM	ND	ND	33.55	33.59	NA	0.04	Post-pumping measurement ~5 gallons removed
	10/12/2022	9:17 AM	ND	10.53	32.05	33.58	NA	1.53	Pre-pumping measurement
	10/12/2022	9:34 AM	ND	ND	33.56	33.58	NA	0.02	Post-pumping measurement ~8 gallons removed
	10/26/2022	10:20 AM	ND	10.07	31.99	33.61	NA	1.62	Pre-pumping measurement
	10/26/2022	10:45 PM	ND	ND	33.4	33.61	NA	0.21	Post-pumping measurement ~10 gallons removed
	11/9/2022	9:40 AM	ND	10.42	32.32	33.67	NA	1.35	Pre-pumping measurement
	11/9/2022	10:25 AM	ND	ND	33.59	33.67	NA	0.08	Post-pumping measurement ~4 gallons removed
	11/22/2022	9:05 AM	ND	10.97	32.42	33.64	NA	1.22	Pre-pumping measurement
	11/22/2022	9:35 AM	ND	ND	33.62	33.64	NA	0.02	Post-pumping measurement ~4 gallons removed
	12/8/2022	12:55 PM	ND	10.25	32.31	33.52	NA	1.21	Pre-pumping measurement
	12/8/2022	14:00:00 PM	ND	ND	33.43	33.52	NA	0.09	Post-pumping measurement ~4 gallons removed

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	12/22/2022	8:45 AM	ND	10.09	32.6	33.68	NA	1.08	Pre-pumping measurement
	12/22/2022	10:35 AM	ND	ND	33.53	33.68	NA	0.15	Post-pumping measurement ~4 gallons removed
	1/4/2023	12:10 PM	ND	10.25	31.52	33.52	NA	2.0	Pre-pumping measurement
	1/4/2023	12:20 PM	ND	ND	33.47	33.52	NA	0.05	Post-pumping measurement ~4 gallons removed
	1/19/2023	7:35 AM	ND	10.52	32.74	33.66	NA	0.92	Pre-pumping measurement
	1/19/2023	7:45 AM	ND	ND	33.66	33.66	NA	0.0	Post-pumping measurement ~3 gallons removed
	2/1/2023	9:35 AM	ND	10.2	32.22	33.57	NA	1.35	Pre-pumping measurement
	2/1/2023	10:50 AM	ND	ND	33.38	33.57	NA	0.19	Post-pumping measurement ~3 gallons removed
	2/15/2023	8:55 AM	ND	10.27	32.78	33.63	NA	0.85	Pre-pumping measurement
	2/15/2023	9:15 AM	ND	ND	33.61	33.63	NA	0.02	Post-pumping measurement ~3 gallons removed
	3/2/2023	8:05 AM	ND	9.57	31.44	32.59	NA	1.15	Pre-pumping measurement
	3/2/2023	8:35 AM	ND	ND	32.54	32.59	NA	0.05	Post-pumping measurement ~5.5 gallons removed
	3/15/2023	9:05 AM	ND	10.41	32.0	33.61	NA	1.61	Pre-pumping measurement
	3/15/2023	9:35 AM	ND	ND	33.31	33.61	NA	0.3	Post-pumping measurement ~4.2 gallons removed
	3/29/2023	9:00 AM	ND	10.18	32.12	33.64	NA	1.52	Pre-pumping measurement
	3/29/2023	9:15 AM	ND	ND	33.62	33.64	NA	0.02	Post-pumping measurement ~4 gallons removed
	4/12/2023	10:30 AM	ND	10.79	32.58	33.73	NA	1.15	Pre-pumping measurement
	4/12/2023	11:00 AM	ND	ND	33.33	33.73	NA	0.4	Post-pumping measurement ~4 gallons removed
	4/26/2023	8:20 AM	ND	10.15	32.80	33.60	NA	0.8	Pre-pumping measurement
	4/26/2023	8:50 AM	ND	ND	33.58	33.60	NA	0.02	Post-pumping measurement ~3.5 gallons removed
	5/10/2023	12:30 PM	ND	10.34	32.20	33.58	NA	1.38	Pre-pumping measurement
	5/10/2023	2:00 PM	ND	ND	33.51	33.58	NA	0.07	Post-pumping measurement ~4.1 gallons removed
	5/24/2023	10:45 AM	ND	10.52	32.24	33.53	NA	1.29	Pre-pumping measurement
	5/24/2023	11:15 AM	ND	ND	33.48	33.53	NA	0.05	Post-pumping measurement ~4.0 gallons removed
	6/13/2023	12:30 PM	ND	10.38	31.83	33.53	NA	1.70	Pre-pumping measurement
	6/13/2023	1:00 PM	ND	ND	31.83	33.53	NA	0.05	Post-pumping measurement ~4.0 gallons removed
	6/21/2023	10:30 AM	ND	10.36	33.06	33.47	NA	0.41	
	7/5/2023	9:50 AM	ND	10.10	32.58	33.70	NA	1.12	Pre-pumping measurement
	7/5/2023	10:15 AM	ND	ND	33.62	33.70	NA	0.08	Post-pumping measurement ~3.5 gallons removed
	7/19/2023	8:40 AM	ND	10.35	32.37	33.51	NA	1.14	Pre-pumping measurement
	7/19/2023	9:00 AM	ND	ND	33.49	33.51	NA	0.02	Post-pumping measurement ~4.0 gallons removed
	8/2/2023	11:15 AM	ND	9.92	32.53	33.48	NA	0.95	Pre-pumping measurement
	8/2/2023	11:45 AM	ND	ND	33.46	33.48	NA	0.02	Post-pumping measurement ~3.5 gallons removed
	8/16/2023	10:15 AM	ND	9.98	32.19	33.59	NA	1.40	Pre-pumping measurement
	8/16/2023	10:45 AM	ND	ND	33.54	33.59	NA	0.05	Post-pumping measurement ~4.0 gallons removed
	8/30/2023	8:50 AM	ND	9.85	32.11	33.50	NA	1.39	Pre-pumping measurement
	8/30/2023	9:30 AM	ND	ND	33.48	33.50	NA	0.02	Post-pumping measurement ~4.0 gallons removed
	9/14/2023	11:15 AM	ND	9.85	32.26	33.61	NA	1.35	Pre-pumping measurement
	9/14/2023	11:35 AM	ND	ND	33.58	33.61	NA	0.03	Post-pumping measurement ~4.0 gallons removed
	9/27/2023	8:45 AM	ND	10.06	32.78	33.67	NA	0.89	Pre-pumping measurement
	9/27/2023	10:10 AM	ND	ND	33.64	33.67	NA	0.03	Post-pumping measurement ~3.0 gallons removed
	10/12/2023	10:20 AM	ND	6.58	31.19	33.62	NA	2.43	Pre-pumping measurement
	10/12/2023	10:45 AM	ND	ND	33.57	33.62	NA	0.05	Post-pumping measurement ~6.0 gallons removed
	11/6/2023	10:55 AM	ND	10.23	31.79	33.67	NA	1.88	Pre-pumping measurement
	11/6/2023	11:15 AM	ND	ND	33.65	33.67	NA	0.02	Post-pumping measurement ~4.5 gallons removed
	11/21/2023	8:50 AM	ND	10.35	32.54	33.64	NA	1.10	Pre-pumping measurement
	11/21/2023	9:15 AM	ND	ND	33.52	33.64	NA	0.02	Post-pumping measurement ~3.5 gallons removed
	12/6/2023	9:50 AM	ND	10.21	32.23	33.63	NA	1.40	Pre-pumping measurement
	12/6/2023	10:10 AM	ND	ND	33.61	33.63	NA	0.02	Post-pumping measurement ~4.0 gallons removed
	12/20/2023	9:00 AM	ND	9.96	32.96	33.71	NA	0.75	Pre-pumping measurement
	12/20/2023	9:20 AM	ND	ND	33.7	33.71	NA	0.01	Post-pumping measurement ~2.0 gallons removed
	1/3/2024	11:00 AM	ND	10.46	33.07	33.62	NA	0.55	Pre-pumping measurement
	1/3/2024	11:20 AM	ND	ND	33.60	33.62	NA	0.02	Post-pumping measurement ~1.5 gallons removed
	1/17/2024	9:10 AM	ND	10.40	32.10	33.60	NA	1.50	Pre-pumping measurement
	1/17/2024	10:00 AM	ND	ND	33.59	33.60	NA	0.01	Post-pumping measurement ~3.0 gallons removed
	1/31/2024	8:35 AM	ND	10.82	32.92	33.62	NA	0.70	Pump malfunction, could not recover.
	2/14/2024	9:30 AM	ND	10.33	32.99	33.74	NA	0.75	Pre-pumping measurement

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-10	2/14/2024	10:00 AM	ND	ND	33.73	33.74	NA	0.01	Post-pumping measurement ~2.0 gallons removed
	2/28/2024	10:20 AM	ND	32.71	32.71	33.73	NA	1.02	Pre-pumping measurement
	2/28/2024	11:00 AM	ND	ND	33.72	33.73	NA	0.01	Post-pumping measurement ~2.0 gallons removed
	3/13/2024	10:20 AM	ND	10.22	31.67	33.57	NA	1.90	Pre-pumping measurement
	3/13/2024	11:00 AM	ND	ND	33.55	33.57	NA	0.02	Post-pumping measurement ~4.5 gallons removed
	3/27/2024	11:10 AM	ND	9.81	32.01	33.51	NA	1.50	Pre-pumping measurement
	3/27/2024	12:00 PM	ND	ND	33.50	33.51	NA	0.01	Post-pumping measurement ~3.0 gallons removed
	4/24/2024	1:05 PM	ND	9.50	31.55	33.60	NA	2.05	Pre-pumping measurement
	4/24/2024	1:05 PM	ND	ND	33.59	33.60	NA	0.01	Post-pumping measurement ~6.0 gallons removed
	5/9/2024	10:00 AM	ND	10.11	32.54	33.45	NA	0.91	Pre-pumping measurement
	5/9/2024	10:20 AM	ND	ND	33.44	33.45	NA	0.01	Post-pumping measurement ~2.0 gallons removed
	5/22/2024	10:20 AM	ND	9.91	33.10	33.52	NA	0.42	
	6/6/2024	11:00 AM	ND	9.94	32.62	33.62	NA	1.00	Pre-pumping measurement
	6/6/2024	11:20 AM	ND	ND	33.61	33.62	NA	0.01	Post-pumping measurement ~2.0 gallons removed
	6/27/2024	10:45 AM	ND	10.67	32.56	33.61	NA	1.05	Pre-pumping measurement
	6/27/2024	11:00 AM	ND	ND	33.60	33.61	NA	0.01	Post-pumping measurement ~2.0 gallons removed
NW-10S	10/7/2020	10:45 AM	ND	10.50	ND	18.00	NA	NA	
	10/21/2020	9:25 AM	ND	10.49	ND	18.02	NA	NA	
	11/4/2020	7:25 AM	ND	10.33	ND	18.04	NA	NA	
	11/18/2020	10:35 AM	ND	10.51	ND	18.04	NA	NA	
	12/1/2020	9:40 AM	ND	9.82	ND	18.01	NA	NA	
	12/16/2020	9:00 AM	ND	10.82	ND	17.92	NA	NA	
	12/29/2020	9:00 AM	ND	10.57	ND	18.02	NA	NA	
	1/13/2021	8:30 AM	ND	10.62	ND	18.06	NA	NA	
	1/27/2021	8:50 AM	ND	10.57	ND	18.03	NA	NA	
	2/8/2021	10:00 AM	ND	10.50	ND	17.98	NA	NA	
	2/24/2021	9:20 AM	ND	9.55	ND	18.07	NA	NA	
	3/10/2021	10:00 AM	ND	10.89	ND	18.06	NA	NA	
	3/24/2021	9:02 AM	ND	10.67	ND	17.93	NA	NA	
	4/7/2021	9:30 AM	ND	10.27	ND	18.01	NA	NA	
	4/21/2021	9:36 AM	ND	10.23	ND	18.00	NA	NA	
	5/5/2021	9:35 AM	ND	10.01	ND	17.97	NA	NA	
	5/17/2021	9:45 AM	ND	10.72	ND	17.94	NA	NA	
	6/2/2021	11:20 AM	ND	10.46	ND	17.96	NA	NA	
	6/16/2021	9:45 AM	ND	10.41	ND	18.04	NA	NA	
	6/30/2021	9:10 AM	ND	10.63	ND	18.02	NA	NA	
	7/14/2021	8:50 AM	ND	10.03	ND	17.98	NA	NA	
	7/27/2021	8:23 AM	ND	9.94	ND	18.07	NA	NA	
	8/11/2021	11:20 AM	ND	10.23	ND	17.98	NA	NA	
	8/23/2021	10:10 AM	ND	9.20	ND	18.07	NA	NA	
	9/8/2021	8:55 AM	ND	10.89	ND	18.04	NA	NA	
	9/21/2021	10:30 AM	ND	10.10	ND	18.03	NA	NA	
	10/7/2021	9:41 AM	ND	10.06	ND	17.94	NA	NA	
	10/20/2021	7:45 AM	ND	10.40	ND	18.00	NA	NA	
	11/4/2021	12:30 PM	ND	9.92	ND	18.00	NA	NA	
	11/17/2021	8:00 AM	ND	10.39	ND	18.02	NA	NA	
	12/1/2021	9:20 AM	ND	10.64	ND	17.99	NA	NA	
	12/14/2021	8:05 AM	ND	11.10	ND	18.01	NA	NA	
	12/28/2021	12:05 PM	ND	10.39	ND	18.01	NA	NA	
	1/13/2022	9:05 AM	ND	11.01	ND	18.01	NA	NA	
	1/27/2022	9:10 AM	ND	11.00	ND	18.01	NA	NA	
	2/7/2022	10:15 AM	ND	10.89	ND	18.00	NA	NA	
	2/24/2022	10:30 AM	ND	10.96	ND	18.00	NA	NA	
	3/18/2022	9:45 AM	ND	10.65	ND	17.90	NA	NA	
	3/28/2022	12:20 PM	ND	10.50	ND	17.90	NA	NA	
	4/13/2022	10:20 AM	ND	10.28	ND	17.46	NA	NA	
	4/29/2022	8:43 AM	ND	10.61	ND	18.00	NA	NA	
	5/12/2022	12:10 PM	ND	10.04	ND	18.00	NA	NA	
	5/25/2022	11:30 AM	ND	10.24	ND	17.91	NA	NA	
	6/9/2022	12:45 PM	ND	10.02	ND	18.00	NA	NA	
	6/23/2022	11:06 AM	ND	10.22	ND	18.36	NA	NA	
	7/8/2022	9:15 AM	ND	10.56	ND	18.00	NA	NA	
	7/21/2022	13:38 PM	ND	10.21	ND	18.15	NA	NA	
	8/4/2022	12:33 PM	ND	10.52	ND	18.12	NA	NA	
	8/18/2022	10:50 AM	ND	10.24	ND	17.96	NA	NA	
	9/1/2022	8:55 AM	ND	10.33	ND	17.87	NA	NA	
	10/26/2022	11:45 AM	ND	9.93	ND	17.93	NA	NA	
	1/19/2023	7:40 AM	ND	10.58	ND	17.9	NA	NA	
	4/12/2023	1:25 PM	ND	10.51	ND	17.9	NA	Blebs on tape	
	4/24/2024	1:15 PM	ND	10.04	ND	17.85	NA	NA	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-11	10/7/2020	11:55 AM	ND	4.13	21.71	22.80	NA	1.09	Pre-pumping measurement
	10/14/2020	8:30 AM	ND	5.70	ND	22.90	NA	ND	Post-pumping measurement ~3 gallons removed
	10/21/2020	10:25 AM	ND	4.12	ND	22.87	NA	NA	
	11/4/2020	8:25 AM	ND	4.08	ND	22.73	NA	NA	
	11/18/2020	11:15 AM	ND	4.11	Trace	23.36	NA	NA	
	12/1/2020	10:00 AM	ND	3.95	Trace	22.81	NA	NA	
	12/16/2020	10:15 AM	ND	4.09	Trace	22.85	NA	NA	
	12/29/2020	10:50 AM	ND	4.01	ND	22.79	NA	NA	
	1/13/2021	10:10 AM	ND	4.13	21.55	22.79	NA	1.24	
	1/14/2021	8:10 AM	ND	4.13	21.44	22.71	NA	1.27	Pre-pumping measurement
	1/14/2021	8:20 AM	ND	4.46	ND	22.71	NA	NA	Post-pumping measurement ~5 gallons removed
	1/27/2021	10:50 AM	ND	4.24	22.70	23.00	NA	0.30	
	1/28/2021	8:45 AM	ND	4.36	22.70	23.00	NA	0.30	Pre-pumping measurement
	1/28/2021	8:55 AM	ND	4.38	ND	23.00	NA	NA	Post-pumping measurement ~4 gallons removed
	2/8/2021	10:55 AM	ND	4.20	ND	22.80	NA	NA	
	2/24/2021	9:50 AM	ND	4.09	22.48	22.98	NA	0.50	
	2/25/2021	8:20 AM	ND	4.11	22.45	22.98	NA	0.53	Pre-pumping measurement
	2/25/2021	8:25 AM	ND	4.12	ND	22.97	NA	NA	Post-pumping measurement ~2 gallons removed
	3/10/2021	11:30 AM	ND	4.06	22.48	22.91	NA	0.43	
	3/11/2021	8:40 AM	ND	4.08	22.34	22.91	NA	0.57	Pre-pumping measurement
	3/11/2021	8:50 AM	ND	6.51	ND	22.96	NA	NA	Post-pumping measurement ~2 gallons removed
	3/24/2021	9:50 AM	ND	3.78	ND	22.81	NA	NA	
	4/7/2021	9:35 AM	ND	3.41	22.54	22.90	NA	0.36	
	4/8/2021	8:10 AM	ND	3.48	22.65	22.90	NA	0.25	
	4/21/2021	9:45 AM	ND	3.88	22.52	22.88	NA	0.36	
	4/22/2021	9:00 AM	ND	3.91	22.49	22.88	NA	0.39	
	5/5/2021	10:55 AM	ND	3.83	22.25	22.88	NA	0.63	
	5/6/2021	7:16 AM	ND	3.84	22.60	22.88	NA	0.28	
	5/17/2021	10:21 AM	ND	3.82	ND	22.86	NA	NA	
	6/2/2021	9:49 AM	ND	3.80	21.84	22.89	NA	1.05	
	6/3/2021	8:40 AM	ND	3.82	21.84	22.89	NA	1.05	Pre-pumping measurement
	6/3/2021	8:50 AM	ND	3.85	ND	22.91	NA	NA	Post-pumping measurement ~3 gallons removed
	6/16/2021	10:25 AM	ND	3.80	ND	22.74	NA	NA	
	6/30/2021	10:07 AM							
			ND	3.86	ND	22.74	NA	NA	
	7/14/2021	9:20 AM	ND	3.77	ND	22.96	NA	NA	
	7/27/2021	9:25 AM	ND	3.83	21.83	22.93	NA	1.10	
	7/29/2021	8:10 AM	ND	3.84	21.83	22.93	NA	1.10	Pre-pumping measurement
	7/29/2021	8:25 AM	ND	8.25	ND	22.93	NA	NA	Post-pumping measurement ~5.1 gallons removed
	8/11/2021	11:40 AM	ND	3.96	ND	23.00	NA	NA	
	8/23/2021	10:55 AM	ND	3.81	22.65	22.80	NA	0.15	
	9/8/2021	9:52 AM	ND	3.80	22.05	22.95	NA	0.90	
	9/9/2021	8:20 AM	ND	3.76	22.05	22.95	NA	0.90	Pre-pumping measurement
	9/9/2021	8:25 AM	ND	7.20	ND	22.95	NA	NA	Post-pumping measurement ~3.4 gallons removed
	9/21/2021	11:38 AM	ND	3.83	ND	23.00	NA	NA	
	10/7/2021	11:45 AM	ND	3.72	22.10	22.96	NA	0.86	
	10/8/2021	7:25 AM	ND	3.73	22.06	22.95	NA	0.89	Pre-pumping measurement
	10/8/2021	8:33 AM	ND	7.75	ND	22.96	NA	NA	Post-pumping measurement ~4 gallons removed
	10/20/2021	11:20 AM	ND	3.75	ND	22.90	NA	NA	
	11/4/2021	12:55 PM	ND	3.82	22.55	22.82	NA	0.27	
	11/17/2021	9:15 AM	ND	4.03	22.20	22.79	NA	0.59	
	11/19/2021	10:05 AM	ND	4.06	22.20	22.79	NA	0.59	Pre-pumping measurement
	11/19/2021	10:20 AM	ND	4.07	ND	22.79	NA	NA	Post-pumping measurement ~6 gallons removed
	12/1/2021	11:25 AM	ND	4.21	ND	22.97	NA	NA	
	12/14/2021	12:00 PM	ND	4.51	22.70	23.00	NA	0.30	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-11	12/28/2021	12:10 PM	ND	4.51	22.59	23.01	NA	0.42	
	1/13/2022	10:45 AM	ND	4.41	ND	22.99	NA	NA	
	1/27/2022	10:50 AM	ND	4.41	22.48	22.99	NA	0.51	
	1/28/2022	8:30 AM	ND	4.39	22.44	22.99	NA	0.55	Pre-pumping measurement
	1/28/2022	8:35 AM	ND	4.50	ND	22.99	NA	NA	Post-pumping measurement ~4 gallons removed
	2/7/2022	10:40 AM	ND	4.11	ND	23.00	NA	NA	
	2/24/2022	11:00 AM	ND	4.32	22.68	22.98	NA	0.30	
	3/17/2022	10:04 AM							
			ND	4.12	22.60	22.95	NA	0.35	
	3/28/2022	11:15 PM	ND	4.02	22.56	22.90	NA	0.34	
	4/13/2022	9:27 AM	ND	3.85	22.15	22.85	NA	0.70	Pre-pumping measurement
	4/13/2022	1:57 PM	ND	5.10	ND	22.90	NA	NA	Post-pumping measurement ~3 gallons removed
	4/29/2022	9:30 AM	ND	3.93	22.44	22.83	NA	0.39	
	5/12/2022	11:20 PM	ND	3.88	22.60	22.85	NA	0.25	
	5/25/2022	10:30 AM	ND	3.93	22.39	22.84	NA	0.45	
	6/9/2022	11:20 PM	ND	3.86	21.93	22.83	NA	0.90	Pre-pumping measurement
	6/9/2022	12:20 PM	ND	ND	22.73	22.83	NA	0.10	Post-pumping measurement ~2.5 gallons removed
	6/23/2022	11:59 AM	ND	4.05	22.31	22.84	NA	0.53	
	7/7/2022	13:33:00 PM	ND	4.28	21.97	22.87	NA	0.90	
	7/21/2022	11:45 AM							
			ND	4.07	22.97	22.87	NA	0.90	Pre-pumping measurement
	7/21/2022	12:15 PM	ND	ND	22.52	22.87	NA	0.35	Post-pumping measurement ~3.0 gallons removed
	8/4/2022	9:38 AM	ND	4.17	21.82	22.87	NA	1.05	Pre-pumping measurement
	8/5/2022	12:15 PM	ND	ND	22.40	22.87	NA	0.47	Post-pumping measurement ~9.50 gallons removed
	8/18/2022	12:25 PM	ND	4.32	22.54	22.84	NA	0.30	
	9/1/2022	8:25 AM	ND	4.42	ND	22.79	NA	NA	
	10/13/2022	11:20 AM	ND	4.15	22.43	22.91	NA	0.48	
	11/9/2022	9:25 AM	ND	4.41	22.27	22.87	NA	0.60	
	12/8/2022	9:45 AM	ND	4.20	22.03	22.78	NA	0.75	
	1/19/2023	10:00 AM	ND	4.02	21.21	21.96	NA	0.75	Pre-pumping measurement
	1/19/2023	10:10 AM	ND	ND	21.95	21.96	NA	0.01	Post-pumping measurement ~4 gallons removed
	3/1/2023	11:00 AM	ND	4.2	22.5	22.85	NA	0.35	
	4/12/2023	3:05 PM	ND	4.2	21.7	22.8	NA	1.1	Pre-pumping measurement, pump not working - no recovery
	5/10/2023	10:30 AM	ND	3.85	21.72	22.82	NA	1.1	Pre-pumping measurement
	5/10/2023	10:45 AM	ND	ND	22.8	22.82	NA	0.02	Post-pumping measurement ~4.25 gallons removed
	6/13/2023	11:30 AM	ND	4.14	21.89	22.81	NA	0.92	Pre-pumping measurement
	6/13/2023	11:45 AM	ND	ND	22.80	22.81	NA	0.01	Post-pumping measurement ~4.0 gallons removed
	7/5/2023	11:10 AM	ND	4.39	21.51	21.99	NA	0.48	
	8/2/2023	10:00 AM	ND	4.11	22.30	22.75	NA	0.45	
	9/14/2023	10:10 AM	ND	3.98	21.39	22.79	NA	1.40	Pre-pumping measurement
	9/14/2023	10:30 AM	ND	ND	22.78	22.79	NA	0.01	Post-pumping measurement ~5.5 gallons removed
	10/12/2023	10:00 AM	ND	3.85	22.47	22.89	NA	0.42	
	11/6/2023	11:30 AM	ND	3.91	21.64	22.86	NA	1.22	Pre-pumping measurement
	11/6/2023	11:50 AM	ND	3.91	22.85	22.86	NA	0.01	Post-pumping measurement ~4.5 gallons removed
	12/6/2023	10:45 AM	ND	4.03	22.51	22.86	NA	0.35	
	1/3/2024	9:40 AM	ND	3.80	22.38	22.83	NA	0.45	
	2/15/2024	NA	NA	NA	NA	NA	NA	NA	Pump malfunction, could not recover.
	3/13/2024	11:30 AM	ND	3.75	21.51	22.81	NA	1.30	Pre-pumping measurement
	3/13/2024	11:50 AM	ND	ND	22.80	22.81	NA	0.01	Post-pumping measurement ~3 gallons removed
	4/24/2024	11:00 AM	ND	3.90	22.44	22.84	NA	0.4	
	5/8/2024	12:00 PM	ND	4.11	22.07	22.62	NA	0.55	Pre-pumping measurement
	5/8/2024	12:20 PM	ND	ND	22.61	22.62	NA	0.01	Post-pumping measurement ~1.5 gallons removed
	6/6/2024	9:00 AM	ND	3.88	22.65	22.85	NA	0.2	

Attachment B. Historic Well Gauging Measurements

Polychrome West Site

Yonkers, New York

Well ID	Date	Time	Depth to LNAPL (feet)	Depth to Water (feet)	Depth to DNAPL (feet)	Total Depth (feet)	LNAPL Thickness (feet)	DNAPL Thickness (feet)	Comments
NW-12	10/7/2020	11:15 AM	ND	3.75	ND	21.10	NA	NA	
	10/21/2020	8:50 AM	ND	3.76	ND	21.25	NA	NA	
	11/4/2020	7:35 AM	ND	3.86	ND	21.20	NA	NA	
	11/18/2020	10:20 AM	ND	4.02	ND	21.89	NA	NA	
	12/1/2020	9:20 AM	ND	3.70	ND	21.29	NA	NA	
	12/16/2020	9:05 AM	ND	3.98	ND	21.13	NA	NA	
	12/29/2020	9:05 AM	ND	3.92	ND	21.14	NA	NA	
	1/13/2021	9:45 AM	ND	4.00	ND	21.55	NA	NA	
	1/27/2021	8:55 AM	ND	4.10	ND	21.25	NA	NA	
	2/8/2021	10:15 AM	ND	4.04	ND	NA	NA	NA	Bottom depth not measured.
	2/24/2021	9:10 AM	ND	3.89	ND	21.18	NA	NA	
	3/10/2021	10:40 AM	ND	3.83	ND	21.33	NA	NA	
	3/24/2021	9:28 AM	ND	3.71	ND	21.23	NA	NA	
	4/7/2021	9:40 AM	ND	3.64	ND	21.16	NA	NA	
	4/21/2021	9:50 AM	ND	3.64	ND	21.23	NA	NA	
	5/5/2021	10:05	ND	3.61	ND	21.17	NA	NA	
	5/17/2021	9:55 AM	ND	3.71	ND	21.15	NA	NA	
	6/2/2021	9:39 AM	ND	3.55	ND	21.21	NA	NA	
	6/16/2021	9:35 AM	ND	3.65	ND	21.14	NA	NA	
	6/30/2021	9:05 AM	ND	3.69	ND	21.16	NA	NA	
	7/14/2021	9:15 AM	ND	3.53	ND	21.19	NA	NA	
	7/27/2021	8:38 AM	ND	3.54	ND	21.11	NA	NA	
	8/11/2021	11:15 AM	ND	3.73	ND	21.26	NA	NA	
	8/23/2021	10:15 AM	ND	3.49	ND	21.12	NA	NA	
	9/8/2021	9:18 AM	ND	3.36	ND	21.26	NA	NA	
	9/21/2021	10:17 AM	ND	3.59	ND	21.15	NA	NA	
	10/7/2021	10:20 AM	ND	3.46	ND	21.11	NA	NA	
	10/20/2021	7:35 AM	ND	3.58	ND	22.17	NA	NA	
	11/4/2021	10:30 AM	ND	3.62	ND	21.12	NA	NA	
	11/17/2021	8:05 AM	ND	3.81	ND	21.05	NA	NA	
	12/1/2021	10:10 AM	ND	4.07	ND	21.04	NA	NA	
	12/14/2021	8:30 AM	ND	4.24	ND	21.09	NA	NA	
	12/28/2021	12:15 PM	ND	4.17	ND	21.10	NA	NA	
	1/13/2022	9:40 AM	ND	4.16	ND	21.11	NA	NA	
	1/27/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/7/2022	9:37 AM	ND	4.11	ND	21.10	NA	NA	
	2/24/2022	11:10 AM	ND	4.07	ND	21.11	NA	NA	
	3/17/2022	10:10 AM	ND	3.89	ND	21.30	NA	NA	
	3/28/2022	11:20 AM	ND	3.92	ND	21.20	NA	NA	
	4/13/2022	9:20 AM	ND	3.70	ND	21.02	NA	NA	
	4/29/2022	11:00 AM	ND	3.74	ND	21.22	NA	NA	
	5/12/2022	11:30 AM	ND	3.75	ND	20.92	NA	NA	
	5/26/2022	10:25 AM	ND	3.79	ND	21.12	NA	NA	
	6/9/2022	11:30 AM	ND	3.52	ND	21.12	NA	NA	
	6/23/2022	10:35 AM	ND	3.61	ND	21.22	NA	NA	
	7/7/2022	13:35:00 PM	ND	3.97	ND	20.93	NA	NA	
	7/21/2022	11:35 AM	ND	3.78	ND	21.12	NA	NA	
	8/4/2022	9:35 AM	ND	3.94	ND	21.11	NA	NA	
	8/18/2022	12:30 PM	ND	3.98	ND	21.12	NA	NA	
	9/1/2022	8:35 AM	ND	NA	ND	21.19	NA	NA	
	10/27/2022	9:30 AM	ND	4.05	ND	21.43	NA	NA	
	1/19/2023	7:55 AM	ND	4.61	ND	21.57	NA	NA	
	4/12/2023	1:10 PM	ND	4.01	ND	21.03	NA	NA	
	4/25/2024	10:20 AM	ND	3.91	ND	21.11	NA	NA	

Notes:

Pre/post pumping event readings are bolded.

LNAPL - Light Non-Aqueous Phase Liquid

DNAPL - Dense Non-Aqueous Phase Liquid

* - Estimated due to High Viscous DNAPL

NA - Not Applicable

NM - Not Measurable (High Viscosity)