



July 22, 2014

Ms. Jamie Verrigni
New York State Department of Environmental Conservation
Region 3
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, New York 12233-7014

Re: Focused Supplemental Remedial Investigation Work Plan
Post Road Corridor – White Plains (Site)
77 West Post Road, White Plains, New York
NYSDEC Site C360129

Dear Ms. Verrigni:

Roux Associates, Inc., on behalf of Post Maple 77, LLC (Post Maple), has prepared this Focused Supplemental Remedial Investigation Work Plan (FSRIWP) to address data gaps identified during the Remedial Investigation (RI) recently completed at the above referenced Site (Site). The RI was completed in accordance with the New York State Department of Environmental Conservation (NYSDEC) approved Remedial Investigation Work Plan (RIWP), dated October 9, 2013.

Laboratory analytical results of soil and groundwater samples collected during the RI indicate that additional delineation is required in a limited number of areas. It is our opinion that additional delineation is required because: there may be petroleum hydrocarbon impacted groundwater migrating onsite from an upgradient source(s) and there are potentially unidentified sources of chlorinated hydrocarbon impacts in the soil at Parcel's D and J. Pertinent results of the RI are discussed below. Laboratory analytical data generated during the RI (all Parcels) is summarized on Tables 1 through 10. Note, independent validation of the analytical data collected during the RI is pending. As such, the data tables are considered to be in draft form. Compounds that were detected at concentrations above applicable standards are graphically depicted on Plates 1 through 3. Finally, proposed sample locations are shown on Plate 4.

Remedial Investigation Results

Groundwater Migration

Based on gauging and survey data generated during the RI, groundwater flow has been calculated to flow generally, in an east-northeast direction across the Site. A groundwater sample collected from the most upgradient monitoring well, SB-4/MW-3 (located in Parcel A), exhibited concentrations of multiple petroleum related volatile organic

compounds (VOCs) at concentrations above their respective Ambient Water Quality Standards and Guidance Values (AWQSGVs) including: benzene, ethylbenzene isopropylbenzene, m&p-xylenes, o-xylenes, and total xylenes.

Considering there is an automobile service station located immediately upgradient of the Site (opposite Rathbun Avenue) with a history of releases, there is the potential that the petroleum related VOCs observed in SB-4/MW-3 may have originated offsite. Offsite, upgradient monitoring wells are needed to assess the potential for onsite impacted groundwater migration.

Parcel D

Three soil borings were installed at Parcel D during the RI (RB-10, RB-11 and RW-3). One of the three soil borings was converted to a monitoring well (RW-3). A total of nine soil samples (three soil samples were collected from each boring) and one groundwater sample was collected and submitted for laboratory analysis of Target Compound List (TCL) VOCs, TCL semivolatile organic compounds (SVOCs) and Target Analyte List (TAL) metals. Additionally, in accordance with the RIWP, soil and groundwater samples collected from RW-3 were also analyzed for polychlorinated biphenyls (PCBs) and pesticides.

Soil sample analytical results indicate that chlorinated VOCs including trichloroethene (TCE) and tetrachloroethene (PCE) were detected in soil samples RB-10/1-3, RB-10/18-19 and RB-11/2-4 but at concentrations below NYSDEC Standards. Results of the laboratory analysis of the groundwater sample collected from RW-3 indicate that in addition to petroleum related hydrocarbons (benzene, ethylbenzene, isopropylbenzene, toluene, xylenes and naphthalene), chlorinated VOCs including cis-1,2-dichloroethene, tetrachloroethene (PCE) and vinyl chloride were detected at concentrations above their respective AWQSGVs (sodium and manganese were also detected at concentrations above the AWQSGVs; however, these metals are likely naturally occurring).

The potential source of the chlorinated VOCs identified in the groundwater sample collected from RW-3 has not been located. Note that available documentation indicates that Parcel D was formerly used as a drycleaner. As such, it is possible that the potential source of the chlorinated VOCs is located within Parcel D and additional soil borings are necessary.

Parcel J

As noted in the RIWP, Jade Environmental Inc. (Jade) previously reported that there is both a documented use of PCE and previously identified soil and groundwater impacts of PCE at Parcel J. PCE was previously observed in soil and groundwater samples collected at the former location of hydraulic lift HL-9. Upon discovery of the PCE impacts, Jade excavated an area 20-feet by 20-feet centered on HL-9. Jade then inoculated the excavation with a hydrogen releasing compound two separate times before backfilling the excavation.

Six soil borings were installed at Parcel J during the RI (RB-39 through RB-42, RW-16 and RW-17), two of which were converted to monitoring wells (RW-16 and RW-17). In total, seven soil samples and two groundwater samples were collected and submitted for laboratory analysis of TCL VOCs/SVOCs and TAL metals. Additionally, in accordance with the RIWP, soil samples collected from RB-40 and RW-17 as well as groundwater samples collected from both RW-16 and RW-17 were also analyzed for PCBs and pesticides.

Results of the laboratory analysis of groundwater samples collected from RW-16 and RW-17 indicate that multiple chlorinated VOCs are present above the AWQSGVs including cis-1,2-dichloroethene (RW-16 and RW-17), TCE (RW-16 and RW-17), PCE (RW-16 and RW-17), trans-1,2-dichloroethene (RW-17), and vinyl chloride (RW-17). Additionally, iron (RW-16), manganese (RW-16) and sodium (RW-16 and RW-17) were also detected at concentrations above their respective AWQSGVs (the metals are likely naturally occurring). Note, the groundwater sample collected from monitoring well RW-17 had the highest concentration of PCE in groundwater (2,600 micrograms per liter). Monitoring well RW-17 was installed in the vicinity of the former location of HL-9.

Results of the laboratory analysis of soil samples collected from Parcel J indicate that chlorinated VOCs including PCE (RB-39/1-3, RB-41/0-2 and RB-42/5-7, RW-16/3-5, RW-17/0-2, RW-17/2-4), TCE (RB-42/5-7, RW-17/2-4) and cis-1,2-dichloroethene (RB-42/5-7, RW-17/2-4) were detected in the soil but at concentrations that are below NYSDEC standards.

The fact that chlorinated VOCs exceeded standards in groundwater but not in soil indicates that there may be a unidentified source of the chlorinated VOCs. Based on the groundwater data and the documented use of PCE at Parcel J it appears possible that some chlorinated VOC impacted soil remains in the vicinity of RW-17. Additional borings are necessary to identify potential source of the chlorinated VOCs observed in the groundwater samples collected from Parcel J.

Scope of Work

Upgradient Monitoring Wells

Three monitoring wells (RW-21 through RW-23) will be installed in the sidewalk adjacent to the Site at the locations shown on Plate 4. The monitoring wells will be installed utilizing a Geoprobe® drill rig (or similar) equipped with hollow-stem augers. Each monitoring well will be constructed of two-inch diameter poly vinyl chloride (PVC) and consist of ten feet of 0.020-inch slot well screen that will intersect the water table at approximately three to four feet below the top of the screen. Following installation, each monitoring well will be developed using a submersible pump to ensure good hydraulic connection with the surrounding saturated deposits. Detailed procedures regarding monitoring well installation, construction and development can be found in the Field Sample Plan of the RIWP. Each of the monitoring wells will be surveyed to obtain horizontal and vertical survey coordinates. Soil samples from each monitoring well

borehole will be collected to determine lithology and will be field screened for impacts (visual, olfactory and/or photoionization detector (PID) response); however, since each of the three monitoring wells are located offsite – soil samples will not be submitted for laboratory analysis.

Parcel D

To identify whether there is a source of chlorinated VOCs observed in the groundwater sample collected at RW-3 three soil borings will be installed (RB-46 through RB-48) at the locations shown on Plate 4. Each soil boring will be advanced using a Geoprobe[®] drill rig (or similar). Soil samples will be collected continuously using either a four foot or five foot macro core sampler, depending on the model used from the land surface to the observed water table at a minimum. Detailed procedures regarding soil boring installation can be found in the Field Sample Plan of the RIWP.

At each of the borings, the soil sample that exhibits the highest evidence of contamination (i.e., visual, olfactory and/or highest PID response) will be selected for laboratory analysis of TCL VOCs. Additionally, to provide vertical delineation, a soil sample will be collected from the next clean interval below the interval that exhibits the highest evidence of contamination. In the absence of evidence of contamination, a soil sample will be collected from the two-foot interval above the water table interface.

Parcel J

Two soil borings will be installed at the locations shown on Plate 4 in an attempt to identify whether there is a source of the chlorinated VOCs observed in the groundwater samples collected at Parcel J. Soil borings RB-49 and RB-50 will be located upgradient of monitoring well RW-17 in an area outside the excavation completed by Jade. The borings will be installed in accordance with the RIWP and as noted above. Soil samples will be collected and analyzed for TCL VOCs as described above.

Additionally, since chlorinated VOCs are heavier than water, groundwater profile samples will be collected at the two locations shown on Plate 4 (RB-50 and RB-51). Groundwater vertical profiling samples will be collected as follows: one groundwater profile sample will be collected from the upper two (2) feet of each 10 foot interval beginning at the water table and continuing until the termination of the boring. All vertical groundwater profile samples will be collected using a stainless steel, retractable discrete groundwater sampling device. Groundwater vertical profile samples will be collected and submitted for laboratory analysis of TCL VOCs. The groundwater profile borings will terminate when drilling refusal is encountered or a depth of 40 ft bls is achieved, whichever occurs first; additional deeper groundwater profile borings or monitoring wells may be installed based on the sample results from the groundwater profile borings.

The actual sample locations shown on Plate 4 may vary slightly based on field conditions (i.e., access constraints, and/or utilities). If a sample location is proposed to be moved more than 10 feet from the location shown on Plate 4, the NYSDEC project manager will be consulted prior to installing the boring at the new location.

Ms. Jamie Verrigni

July 22, 2014

Page 5


During the investigation activities described herein, except where noted above, the procedures set forth in the Field Sampling Plan, the Quality Assurance Project Plan and the Health and Safety Plan included in of the RIWP will be adhered to.

The results of the FSRIWP will be included along with the results of the Remedial Investigation in one comprehensive Remedial Investigation Report.

Thank you for your consideration in this matter. Please do not hesitate to call if you have any questions or require further information.

Sincerely,

ROUX ASSOCIATES, INC.



Richard Maxwell
Project Geologist



Joseph D. Duminuco
Principal Hydrogeologist/
Vice President


Attachments

cc: James Candiloro, NYSDEC
Mark Sergott, NYSDOH
Scott Auster, Grid Properties Inc.
Jim Tuman, Grid Properties Inc.
Michael Bogin, Sive Paget & Riesel, P.C.

Certification Page

CERTIFICATION

I, Joseph D. Duminuco, certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Focused Supplemental Remedial Investigation Work Plan was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).



Signature

July 22, 2014

Date

TABLES

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12
1,1,1-Trichloroethane	680	100000	500000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
1,1,2,2-Tetrachloroethane	--	--	--		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
1,1,2-Trichloroethane	--	--	--		2.1 U	2.0 U	1800 UD	1.7 U	85 UD
1,1-Dichloroethane	270	26000	240000		2.1 U	2.0 U	1800 UD	1.7 U	85 UD
1,1-Dichloroethene	330	100000	500000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
1,2,3-Trichlorobenzene	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
1,2,4-Trichlorobenzene	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
1,2-Dibromoethane	--	--	--		5.5 U	5.4 U	4800 UD	4.4 U	230 UD
1,2-Dichlorobenzene	1100	100000	500000		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
1,2-Dichloroethane	20	3100	30000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
1,2-Dichloropropane	--	--	--		4.8 U	4.8 U	4200 UD	3.9 U	200 UD
1,3-Dichlorobenzene	2400	49000	280000		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
1,4-Dichlorobenzene	1800	13000	130000		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
1,4-Dioxane	100	13000	130000		140 U	140 U	120000 UD	110 U	5700 UD
2-Butanone (MEK)	120	100000	500000		6.2 J	14 U	12000 UD	11 U	570 UD
2-Hexanone	--	--	--		14 U	14 U	12000 UD	11 U	570 UD
4-Methyl-2-pentanone (MIBK)	--	--	--		14 U	14 U	12000 UD	11 U	570 UD
Acetone	50	100000	500000		30	14 U	12000 UD	5.2 J	570 UD
Benzene	60	4800	44000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Bromochloromethane	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
Bromodichloromethane	--	--	--		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Bromoform	--	--	--		5.5 U	5.4 U	4800 UD	4.4 U	230 UD
Bromomethane	--	--	--		2.8 U	2.7 U	2400 UD	2.2 U	31 JD
Carbon disulfide	--	--	--		14 U	14 U	12000 UD	11 U	570 UD
Carbon tetrachloride	760	2400	22000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Chlorobenzene	1100	100000	500000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Chloroethane	--	--	--		2.8 U	2.7 U	2400 UD	2.2 U	110 UD
Chloroform	370	49000	350000		2.1 U	2.0 U	1800 UD	1.7 U	85 UD
Chloromethane	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
cis-1,2-Dichloroethene	250	100000	500000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
cis-1,3-Dichloropropene	--	--	--		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Cyclohexane	--	--	--		28 U	27 U	12000 JD	22 U	1100 UD
Dibromochloromethane	--	--	--		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Dibromochloropropane	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
Dichlorodifluoromethane	--	--	--		14 U	14 U	12000 UD	11 U	570 UD

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12
Ethylbenzene	1000	41000	390000		1.4 U	1.4 U	18000 D	1.1 U	1400 D
Freon 113	--	--	--		28 U	27 U	24000 UD	22 U	1100 UD
Isopropylbenzene	--	--	--		1.4 U	1.4 U	3900 D	1.1 U	1300 D
m+p-Xylene	--	--	--		0.94 J	2.7 U	34000 D	2.2 U	2300 D
Methyl acetate	--	--	--		28 U	27 U	24000 UD	22 U	1100 UD
Methylcyclohexane	--	--	--		5.5 U	5.4 U	59000 D	4.4 U	12000 ED
Methylene chloride	50	100000	500000		14 U	14 U	12000 UD	11 U	570 UD
MTBE	930	100000	500000		2.8 U	2.7 U	2400 UD	2.2 U	110 UD
o-Xylene	--	--	--		0.73 J	2.7 U	1800 JD	2.2 U	110 UD
Styrene	--	--	--		2.8 U	2.7 U	2400 UD	2.2 U	110 UD
Tetrachloroethene	1300	19000	150000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Toluene	700	100000	500000		0.56 J	2.0 U	1800 UD	0.24 J	85 UD
trans-1,2-Dichloroethene	190	100000	500000		2.1 U	2.0 U	1800 UD	1.7 U	85 UD
trans-1,3-Dichloropropene	--	--	--		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Trichloroethene	470	21000	200000		1.4 U	1.4 U	1200 UD	1.1 U	57 UD
Trichlorofluoromethane	--	--	--		6.9 U	6.8 U	6000 UD	5.6 U	280 UD
Vinyl chloride	20	900	13000		2.8 U	2.7 U	2400 UD	2.2 U	110 UD
Xylenes (total)	1600	100000	500000		1.67	2.7 U	35800 JD	2.2 U	2300 D

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9
1,1,1-Trichloroethane	680	100000	500000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
1,1,2,2-Tetrachloroethane	--	--	--		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
1,1,2-Trichloroethane	--	--	--		92 UD	3.3 UD	1.7 U	1.7 U	1.7 U
1,1-Dichloroethane	270	26000	240000		92 UD	3.3 UD	1.7 U	1.7 U	1.7 U
1,1-Dichloroethene	330	100000	500000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
1,2,3-Trichlorobenzene	--	--	--		310 UD	11 UD	5.8 U	5.6 U	5.6 U
1,2,4-Trichlorobenzene	--	--	--		310 UD	11 UD	5.8 U	5.6 U	5.6 U
1,2-Dibromoethane	--	--	--		250 UD	8.9 UD	4.6 U	4.5 U	4.5 U
1,2-Dichlorobenzene	1100	100000	500000		310 UD	11 UD	5.8 U	5.6 U	5.6 U
1,2-Dichloroethane	20	3100	30000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
1,2-Dichloropropane	--	--	--		220 UD	7.8 UD	4.1 U	3.9 U	3.9 U
1,3-Dichlorobenzene	2400	49000	280000		310 UD	11 UD	5.8 U	5.6 U	5.6 U
1,4-Dichlorobenzene	1800	13000	130000		310 UD	11 UD	5.8 U	5.6 U	5.6 U
1,4-Dioxane	100	13000	130000		6200 UD	220 UD	120 U	110 U	110 U
2-Butanone (MEK)	120	100000	500000		620 UD	22 UD	12 U	11 U	11 U
2-Hexanone	--	--	--		620 UD	22 UD	12 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--	--		620 UD	22 UD	12 U	11 U	11 U
Acetone	50	100000	500000		290 JD	12 JD	15	55	34
Benzene	60	4800	44000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Bromochloromethane	--	--	--		310 UD	11 UD	5.8 U	5.6 U	5.6 U
Bromodichloromethane	--	--	--		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Bromoform	--	--	--		250 UD	8.9 UD	4.6 U	4.5 U	4.5 U
Bromomethane	--	--	--		33 JD	4.4 UD	2.3 U	2.2 U	2.2 U
Carbon disulfide	--	--	--		620 UD	22 UD	12 U	11 U	11 U
Carbon tetrachloride	760	2400	22000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Chlorobenzene	1100	100000	500000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Chloroethane	--	--	--		120 UD	4.4 UD	2.3 U	2.2 U	2.2 U
Chloroform	370	49000	350000		92 UD	3.3 UD	1.7 U	1.7 U	1.7 U
Chloromethane	--	--	--		49 JD	11 UD	5.8 U	5.6 U	5.6 U
cis-1,2-Dichloroethene	250	100000	500000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
cis-1,3-Dichloropropene	--	--	--		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Cyclohexane	--	--	--		1200 UD	44 UD	23 U	22 U	22 U
Dibromochloromethane	--	--	--		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Dibromochloropropane	--	--	--		310 UD	11 UD	5.8 U	5.6 U	5.6 U
Dichlorodifluoromethane	--	--	--		620 UD	22 UD	12 U	11 U	11 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9
Ethylbenzene	1000	41000	390000		42 JD	2.2 UD	1.2 U	1.1 U	1.1 U
Freon 113	--	--	--		1200 UD	44 UD	23 U	22 U	22 U
Isopropylbenzene	--	--	--		41 JD	1.1 JD	1.2 U	1.1 U	1.1 U
m+p-Xylene	--	--	--		66 JD	2.5 JD	2.3 U	2.2 U	2.2 U
Methyl acetate	--	--	--		1200 UD	44 UD	23 U	22 U	22 U
Methylcyclohexane	--	--	--		760 D	76 D	4.6 U	4.5 U	4.5 U
Methylene chloride	50	100000	500000		620 UD	22 UD	12 U	11 U	11 U
MTBE	930	100000	500000		120 UD	4.4 UD	2.3 U	2.2 U	2.2 U
o-Xylene	--	--	--		120 UD	4.4 UD	2.3 U	2.2 U	2.2 U
Styrene	--	--	--		120 UD	4.4 UD	2.3 U	2.2 U	2.2 U
Tetrachloroethene	1300	19000	150000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Toluene	700	100000	500000		18 JD	3.3 UD	0.23 J	0.23 J	1.7 U
trans-1,2-Dichloroethene	190	100000	500000		92 UD	3.3 UD	1.7 U	1.7 U	1.7 U
trans-1,3-Dichloropropene	--	--	--		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Trichloroethene	470	21000	200000		62 UD	2.2 UD	1.2 U	1.1 U	1.1 U
Trichlorofluoromethane	--	--	--		310 UD	11 UD	5.8 U	5.6 U	5.6 U
Vinyl chloride	20	900	13000		120 UD	4.4 UD	2.3 U	2.2 U	2.2 U
Xylenes (total)	1600	100000	500000		66 JD	2.5 JD	2.3 U	2.2 U	2.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13	RB-6 DUP 4/21/2014 11 - 13
1,1,1-Trichloroethane	680	100000	500000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
1,1,2-Trichloroethane	--	--	--		1.8 U	1.7 U	1.6 U	1.7 U	1.7 U
1,1-Dichloroethane	270	26000	240000		1.8 U	1.7 U	1.6 U	1.7 U	1.7 U
1,1-Dichloroethene	330	100000	500000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
1,2,3-Trichlorobenzene	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
1,2,4-Trichlorobenzene	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
1,2-Dibromoethane	--	--	--		4.7 U	4.6 U	4.4 U	4.6 U	4.5 U
1,2-Dichlorobenzene	1100	100000	500000		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
1,2-Dichloroethane	20	3100	30000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
1,2-Dichloropropane	--	--	--		4.1 U	4.0 U	3.8 U	4.0 U	4.0 U
1,3-Dichlorobenzene	2400	49000	280000		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
1,4-Dichlorobenzene	1800	13000	130000		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
1,4-Dioxane	100	13000	130000		120 U	120 U	110 U	110 U	110 U
2-Butanone (MEK)	120	100000	500000		12 U	1.4 J	11 U	11 U	11 U
2-Hexanone	--	--	--		12 U	12 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	12 U	11 U	11 U	11 U
Acetone	50	100000	500000		10 J	5.2 J	11 U	11 U	11 U
Benzene	60	4800	44000		1.2 U	0.35 J	1.1 U	1.1 U	1.1 U
Bromochloromethane	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
Bromodichloromethane	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Bromoform	--	--	--		4.7 U	4.6 U	4.4 U	4.6 U	4.5 U
Bromomethane	--	--	--		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Carbon disulfide	--	--	--		12 U	12 U	11 U	11 U	11 U
Carbon tetrachloride	760	2400	22000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Chlorobenzene	1100	100000	500000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Chloroethane	--	--	--		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Chloroform	370	49000	350000		1.8 U	1.7 U	1.6 U	1.7 U	1.7 U
Chloromethane	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Cyclohexane	--	--	--		23 U	1.4 J	22 U	23 U	22 U
Dibromochloromethane	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Dibromochloropropane	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
Dichlorodifluoromethane	--	--	--		12 U	12 U	11 U	11 U	11 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13	RB-6 DUP 4/21/2014 11 - 13
Ethylbenzene	1000	41000	390000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Freon 113	--	--	--		23 U	23 U	22 U	23 U	22 U
Isopropylbenzene	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
m+p-Xylene	--	--	--		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Methyl acetate	--	--	--		23 U	23 U	22 U	23 U	22 U
Methylcyclohexane	--	--	--		4.7 U	4.6 U	4.4 U	4.6 U	4.5 U
Methylene chloride	50	100000	500000		12 U	12 U	11 U	11 U	11 U
MTBE	930	100000	500000		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
o-Xylene	--	--	--		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Styrene	--	--	--		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Tetrachloroethene	1300	19000	150000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Toluene	700	100000	500000		1.8 U	0.26 J	0.23 J	0.24 J	0.24 J
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	1.7 U	1.6 U	1.7 U	1.7 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Trichloroethene	470	21000	200000		1.2 U	1.2 U	1.1 U	1.1 U	1.1 U
Trichlorofluoromethane	--	--	--		5.8 U	5.8 U	5.5 U	5.7 U	5.6 U
Vinyl chloride	20	900	13000		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U
Xylenes (total)	1600	100000	500000		2.3 U	2.3 U	2.2 U	2.3 U	2.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-8 4/7/2014 7 - 9	RB-8 DUP 4/7/2014 7-9
1,1,1-Trichloroethane	680	100000	500000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
1,1,2,2-Tetrachloroethane	--	--	--		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
1,1,2-Trichloroethane	--	--	--		180 UD	900 UD	3.4 UD	1.7 U	1.9 U
1,1-Dichloroethane	270	26000	240000		180 UD	900 UD	3.4 UD	1.7 U	1.9 U
1,1-Dichloroethene	330	100000	500000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
1,2,3-Trichlorobenzene	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
1,2,4-Trichlorobenzene	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
1,2-Dibromoethane	--	--	--		480 UD	2400 UD	8.9 UD	4.6 U	5.1 U
1,2-Dichlorobenzene	1100	100000	500000		590 UD	3000 UD	11 UD	5.8 U	6.4 U
1,2-Dichloroethane	20	3100	30000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
1,2-Dichloropropane	--	--	--		420 UD	2100 UD	7.8 UD	4.1 U	4.5 U
1,3-Dichlorobenzene	2400	49000	280000		590 UD	3000 UD	11 UD	5.8 U	6.4 U
1,4-Dichlorobenzene	1800	13000	130000		590 UD	3000 UD	11 UD	5.8 U	6.4 U
1,4-Dioxane	100	13000	130000		12000 UD	60000 UD	220 UD	120 U	130 U
2-Butanone (MEK)	120	100000	500000		1200 UD	6000 UD	23 D	12 U	13 U
2-Hexanone	--	--	--		1200 UD	6000 UD	22 UD	12 U	13 U
4-Methyl-2-pentanone (MIBK)	--	--	--		1200 UD	6000 UD	22 UD	12 U	13 U
Acetone	50	100000	500000		1200 UD	6000 UD	23 D	12 U	13 U
Benzene	60	4800	44000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Bromochloromethane	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
Bromodichloromethane	--	--	--		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Bromoform	--	--	--		480 UD	2400 UD	8.9 UD	4.6 U	5.1 U
Bromomethane	--	--	--		240 UD	1200 UD	4.5 UD	2.3 U	2.6 U
Carbon disulfide	--	--	--		1200 UD	6000 UD	22 UD	12 U	13 U
Carbon tetrachloride	760	2400	22000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Chlorobenzene	1100	100000	500000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Chloroethane	--	--	--		240 UD	1200 UD	4.5 UD	2.3 U	2.6 U
Chloroform	370	49000	350000		180 UD	900 UD	3.4 UD	1.7 U	1.9 U
Chloromethane	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
cis-1,2-Dichloroethene	250	100000	500000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
cis-1,3-Dichloropropene	--	--	--		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Cyclohexane	--	--	--		2400 UD	12000 UD	45 UD	23 U	26 U
Dibromochloromethane	--	--	--		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Dibromochloropropane	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
Dichlorodifluoromethane	--	--	--		1200 UD	6000 UD	22 UD	12 U	13 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-8 4/7/2014 7 - 9	RB-8 DUP 4/7/2014 7-9
Ethylbenzene	1000	41000	390000		400 D	2500 D	10 D	1.2 U	1.3 U
Freon 113	--	--	--		2400 UD	12000 UD	45 UD	23 U	26 U
Isopropylbenzene	--	--	--		110 JD	750 D	4.5 D	1.2 U	1.3 U
m+p-Xylene	--	--	--		340 D	1900 D	9.6 D	2.3 U	2.6 U
Methyl acetate	--	--	--		2400 UD	12000 UD	45 UD	23 U	26 U
Methylcyclohexane	--	--	--		2900 D	16000 D	15 D	4.6 U	5.1 U
Methylene chloride	50	100000	500000		1200 UD	6000 UD	22 UD	12 U	2.7 J
MTBE	930	100000	500000		240 UD	1200 UD	4.5 UD	2.3 U	2.6 U
o-Xylene	--	--	--		34 JD	220 JD	1.2 JD	2.3 U	2.6 U
Styrene	--	--	--		240 UD	1200 UD	4.5 UD	2.3 U	2.6 U
Tetrachloroethene	1300	19000	150000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Toluene	700	100000	500000		58 JD	280 JD	1.0 JD	0.51 J	0.56 J
trans-1,2-Dichloroethene	190	100000	500000		180 UD	900 UD	3.4 UD	1.7 U	1.9 U
trans-1,3-Dichloropropene	--	--	--		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Trichloroethene	470	21000	200000		120 UD	600 UD	2.2 UD	1.2 U	1.3 U
Trichlorofluoromethane	--	--	--		590 UD	3000 UD	11 UD	5.8 U	6.4 U
Vinyl chloride	20	900	13000		240 UD	1200 UD	4.5 UD	2.3 U	2.6 U
Xylenes (total)	1600	100000	500000		374 JD	2120 JD	10.8 JD	2.3 U	2.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 13 - 15	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19
1,1,1-Trichloroethane	680	100000	500000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
1,1,2-Trichloroethane	--	--	--		100 UD	87 UD	1.8 U	180 UD	4.8 UD	1.8 U
1,1-Dichloroethane	270	26000	240000		100 UD	87 UD	1.8 U	180 UD	4.8 UD	1.8 U
1,1-Dichloroethene	330	100000	500000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
1,2,3-Trichlorobenzene	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
1,2,4-Trichlorobenzene	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
1,2-Dibromoethane	--	--	--		270 UD	230 UD	4.7 U	480 UD	13 UD	4.8 U
1,2-Dichlorobenzene	1100	100000	500000		12 JD	290 UD	5.9 U	600 UD	16 UD	6.0 U
1,2-Dichloroethane	20	3100	30000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
1,2-Dichloropropane	--	--	--		240 UD	200 UD	4.2 U	420 UD	11 UD	4.2 U
1,3-Dichlorobenzene	2400	49000	280000		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
1,4-Dichlorobenzene	1800	13000	130000		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
1,4-Dioxane	100	13000	130000		6700 UD	5800 UD	120 U	12000 UD	320 UD	120 U
2-Butanone (MEK)	120	100000	500000		670 UD	580 UD	2.3 J	1200 UD	32 UD	12 U
2-Hexanone	--	--	--		670 UD	580 UD	12 U	1200 UD	32 UD	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		670 UD	580 UD	12 U	1200 UD	32 UD	12 U
Acetone	50	100000	500000		670 UD	580 UD	20	1200 UD	84 D	12 U
Benzene	60	4800	44000		67 UD	12 JD	1.2 U	79 JD	3.2 UD	1.2 U
Bromochloromethane	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
Bromodichloromethane	--	--	--		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Bromoform	--	--	--		270 UD	230 UD	4.7 U	480 UD	13 UD	4.8 U
Bromomethane	--	--	--		130 UD	120 UD	2.4 U	240 UD	6.4 UD	2.4 U
Carbon disulfide	--	--	--		670 UD	580 UD	12 U	1200 UD	32 UD	12 U
Carbon tetrachloride	760	2400	22000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Chlorobenzene	1100	100000	500000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Chloroethane	--	--	--		130 UD	120 UD	2.4 U	240 UD	6.4 UD	2.4 U
Chloroform	370	49000	350000		100 UD	87 UD	1.8 U	180 UD	4.8 UD	1.8 U
Chloromethane	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
cis-1,2-Dichloroethene	250	100000	500000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
cis-1,3-Dichloropropene	--	--	--		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Cyclohexane	--	--	--		1300 UD	1200 UD	24 U	3000 D	64 UD	24 U
Dibromochloromethane	--	--	--		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Dibromochloropropane	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
Dichlorodifluoromethane	--	--	--		670 UD	580 UD	12 U	1200 UD	32 UD	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 13 - 15	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19
Ethylbenzene	1000	41000	390000		520 D	220 D	1.2 U	2200 D	97 D	1.2 U
Freon 113	--	--	--		1300 UD	1200 UD	24 U	2400 UD	64 UD	24 U
Isopropylbenzene	--	--	--		160 D	210 D	1.2 U	560 D	35 D	1.2 U
m+p-Xylene	--	--	--		340 D	120 D	2.4 U	4600 D	190 D	2.4 U
Methyl acetate	--	--	--		160 JD	1200 UD	24 U	2400 UD	64 UD	24 U
Methylcyclohexane	--	--	--		340 D	860 D	4.7 U	7700 D	150 D	4.8 U
Methylene chloride	50	100000	500000		670 UD	580 UD	12 U	1200 UD	32 UD	12 U
MTBE	930	100000	500000		130 UD	120 UD	2.4 U	240 UD	6.4 UD	0.44 J
o-Xylene	--	--	--		570 D	29 JD	2.4 U	580 D	64 D	2.4 U
Styrene	--	--	--		130 UD	120 UD	2.4 U	240 UD	6.4 UD	2.4 U
Tetrachloroethene	1300	19000	150000		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2
Toluene	700	100000	500000		100 UD	87 UD	1.8 U	220 D	4.8 UD	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		100 UD	87 UD	1.8 U	180 UD	4.8 UD	1.8 U
trans-1,3-Dichloropropene	--	--	--		67 UD	58 UD	1.2 U	120 UD	3.2 UD	1.2 U
Trichloroethene	470	21000	200000		22 JD	38 JD	1.2 U	38 JD	3.2 UD	1.2 U
Trichlorofluoromethane	--	--	--		340 UD	290 UD	5.9 U	600 UD	16 UD	6.0 U
Vinyl chloride	20	900	13000		130 UD	120 UD	2.4 U	240 UD	6.4 UD	2.4 U
Xylenes (total)	1600	100000	500000		910 D	149 JD	2.4 U	5180 D	254 D	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-11 4/8/2014 2 - 4	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16	RB-12 4/9/2014 7 - 9	RB-13 4/8/2014 11 - 12
1,1,1-Trichloroethane	680	100000	500000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
1,1,2,2-Tetrachloroethane	--	--	--		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
1,1,2-Trichloroethane	--	--	--		8600 UD	460 UD	2.2 U	1.8 U	1.7 U
1,1-Dichloroethane	270	26000	240000		8600 UD	460 UD	2.2 U	1.8 U	1.7 U
1,1-Dichloroethene	330	100000	500000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
1,2,3-Trichlorobenzene	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
1,2,4-Trichlorobenzene	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
1,2-Dibromoethane	--	--	--		23000 UD	1200 UD	5.8 U	4.9 U	4.5 U
1,2-Dichlorobenzene	1100	100000	500000		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
1,2-Dichloroethane	20	3100	30000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
1,2-Dichloropropane	--	--	--		20000 UD	1100 UD	5.1 U	4.3 U	3.9 U
1,3-Dichlorobenzene	2400	49000	280000		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
1,4-Dichlorobenzene	1800	13000	130000		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
1,4-Dioxane	100	13000	130000		570000 UD	31000 UD	140 U	120 U	110 U
2-Butanone (MEK)	120	100000	500000		57000 UD	3100 UD	8.7 J	12 U	7.4 J
2-Hexanone	--	--	--		57000 UD	3100 UD	14 U	12 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--	--		57000 UD	3100 UD	14 U	12 U	11 U
Acetone	50	100000	500000		57000 UD	3100 UD	17	5.2 J	33
Benzene	60	4800	44000		3400 JD	500 D	1.4 U	1.2 U	1.1 U
Bromochloromethane	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
Bromodichloromethane	--	--	--		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Bromoform	--	--	--		23000 UD	1200 UD	5.8 U	4.9 U	4.5 U
Bromomethane	--	--	--		11000 UD	610 UD	2.9 U	2.5 U	2.2 U
Carbon disulfide	--	--	--		57000 UD	3100 UD	14 U	12 U	11 U
Carbon tetrachloride	760	2400	22000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Chlorobenzene	1100	100000	500000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Chloroethane	--	--	--		11000 UD	610 UD	2.9 U	2.5 U	2.2 U
Chloroform	370	49000	350000		8600 UD	460 UD	2.2 U	1.8 U	1.7 U
Chloromethane	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
cis-1,2-Dichloroethene	250	100000	500000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
cis-1,3-Dichloropropene	--	--	--		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Cyclohexane	--	--	--		80000 JD	5000 JD	29 U	25 U	22 U
Dibromochloromethane	--	--	--		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Dibromochloropropane	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
Dichlorodifluoromethane	--	--	--		57000 UD	3100 UD	14 U	12 U	11 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-11 4/8/2014 2 - 4	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16	RB-12 4/9/2014 7 - 9	RB-13 4/8/2014 11 - 12
Ethylbenzene	1000	41000	390000		100000 D	4700 D	0.61 J	1.2 U	1.1 U
Freon 113	--	--	--		110000 UD	6100 UD	29 U	25 U	22 U
Isopropylbenzene	--	--	--		19000 D	930 D	1.4 U	1.2 U	1.1 U
m+p-Xylene	--	--	--		310000 D	14000 D	1.6 J	2.5 U	2.2 U
Methyl acetate	--	--	--		110000 UD	6100 UD	29 U	25 U	22 U
Methylcyclohexane	--	--	--		170000 D	14000 D	5.8 U	4.9 U	4.5 U
Methylene chloride	50	100000	500000		57000 UD	3100 UD	14 U	12 U	11 U
MTBE	930	100000	500000		11000 UD	610 UD	0.57 J	2.5 U	2.2 U
o-Xylene	--	--	--		120000 D	5000 D	0.63 J	2.5 U	2.2 U
Styrene	--	--	--		11000 UD	610 UD	2.9 U	2.5 U	2.2 U
Tetrachloroethene	1300	19000	150000		1200 JD	310 UD	1.4 U	1.2 U	1.1 U
Toluene	700	100000	500000		37000 D	780 D	0.50 J	1.8 U	0.37 J
trans-1,2-Dichloroethene	190	100000	500000		8600 UD	460 UD	2.2 U	1.8 U	1.7 U
trans-1,3-Dichloropropene	--	--	--		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Trichloroethene	470	21000	200000		5700 UD	310 UD	1.4 U	1.2 U	1.1 U
Trichlorofluoromethane	--	--	--		29000 UD	1500 UD	7.2 U	6.2 U	5.6 U
Vinyl chloride	20	900	13000		11000 UD	610 UD	2.9 U	2.5 U	2.2 U
Xylenes (total)	1600	100000	500000		430000 D	19000 D	2.23 J	2.5 U	2.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-14 4/8/2014 11 - 12	RB-15 4/9/2014 7 - 9	RB-16 4/9/2014 6 - 8	RB-17 4/16/2014 6 - 8	RB-18 4/16/2014 5 - 7	RB-19 4/16/2014 5 - 7
1,1,1-Trichloroethane	680	100000	500000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
1,1,2-Trichloroethane	--	--	--		1.8 U	1.9 U	2.4 U	2.1 U	1.9 U	1.8 U
1,1-Dichloroethane	270	26000	240000		1.8 U	1.9 U	2.4 U	2.1 U	1.9 U	1.8 U
1,1-Dichloroethene	330	100000	500000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
1,2,4-Trichlorobenzene	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
1,2-Dibromoethane	--	--	--		4.9 U	5.2 U	6.3 U	5.6 U	5.1 U	4.7 U
1,2-Dichlorobenzene	1100	100000	500000		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
1,2-Dichloroethane	20	3100	30000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
1,2-Dichloropropane	--	--	--		4.3 U	4.5 U	5.5 U	4.9 U	4.5 U	4.1 U
1,3-Dichlorobenzene	2400	49000	280000		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
1,4-Dichlorobenzene	1800	13000	130000		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
1,4-Dioxane	100	13000	130000		120 U	130 U	160 U	140 U	130 U	120 U
2-Butanone (MEK)	120	100000	500000		15	12 J	27	16	13 U	12 U
2-Hexanone	--	--	--		12 U	13 U	16 U	14 U	13 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	13 U	16 U	14 U	13 U	12 U
Acetone	50	100000	500000		53	42	100	68	9.6 J	7.5 J
Benzene	60	4800	44000		0.29 J	1.3 U	1.6 U	0.58 J	1.3 U	1.2 U
Bromochloromethane	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
Bromodichloromethane	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Bromoform	--	--	--		4.9 U	5.2 U	6.3 U	5.6 U	5.1 U	4.7 U
Bromomethane	--	--	--		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Carbon disulfide	--	--	--		12 U	13 U	16 U	14 U	13 U	12 U
Carbon tetrachloride	760	2400	22000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Chlorobenzene	1100	100000	500000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Chloroethane	--	--	--		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Chloroform	370	49000	350000		1.8 U	1.9 U	2.4 U	2.1 U	1.9 U	1.8 U
Chloromethane	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	1.3 U	1.6 U	1.4 U	1.2 J	1.2 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Cyclohexane	--	--	--		25 U	26 U	31 U	2.0 J	26 U	23 U
Dibromochloromethane	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Dibromochloropropane	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
Dichlorodifluoromethane	--	--	--		12 U	13 U	16 U	14 U	13 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-14 4/8/2014 11 - 12	RB-15 4/9/2014 7 - 9	RB-16 4/9/2014 6 - 8	RB-17 4/16/2014 6 - 8	RB-18 4/16/2014 5 - 7	RB-19 4/16/2014 5 - 7
Ethylbenzene	1000	41000	390000		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Freon 113	--	--	--		25 U	26 U	31 U	28 U	26 U	23 U
Isopropylbenzene	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
m+p-Xylene	--	--	--		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Methyl acetate	--	--	--		25 U	26 U	31 U	28 U	26 U	23 U
Methylcyclohexane	--	--	--		4.9 U	5.2 U	6.3 U	5.6 U	5.1 U	4.7 U
Methylene chloride	50	100000	500000		12 U	13 U	16 U	14 U	13 U	2.6 J
MTBE	930	100000	500000		2.5 U	2.6 U	1.0 J	0.36 J	2.6 U	2.3 U
o-Xylene	--	--	--		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Styrene	--	--	--		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Tetrachloroethene	1300	19000	150000		1.2 U	1.3 U	1.6 U	1.4 U	1.5	1.2 U
Toluene	700	100000	500000		0.35 J	0.35 J	0.60 J	0.34 J	1.9 U	0.55 J
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	1.9 U	2.4 U	2.1 U	1.9 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	1.3 U	1.6 U	1.4 U	1.3 U	1.2 U
Trichloroethene	470	21000	200000		1.2 U	1.3 U	1.6 U	1.4 U	0.61 J	1.2 U
Trichlorofluoromethane	--	--	--		6.2 U	6.4 U	7.9 U	7.0 U	6.4 U	5.8 U
Vinyl chloride	20	900	13000		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U
Xylenes (total)	1600	100000	500000		2.5 U	2.6 U	3.1 U	2.8 U	2.6 U	2.3 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-20 4/16/2014 3 - 5	RB-20 4/16/2014 5 - 6.5	RB-21 4/16/2014 4 - 6	RB-22 4/16/2014 4 - 6	RB-23 4/16/2014 3 - 5
1,1,1-Trichloroethane	680	100000	500000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
1,1,2-Trichloroethane	--	--	--		1.8 U	2.0 U	1.9 U	2.0 U	2.0 U
1,1-Dichloroethane	270	26000	240000		1.8 U	2.0 U	1.9 U	2.0 U	2.0 U
1,1-Dichloroethene	330	100000	500000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
1,2,3-Trichlorobenzene	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
1,2,4-Trichlorobenzene	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
1,2-Dibromoethane	--	--	--		4.7 U	5.5 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	100000	500000		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
1,2-Dichloroethane	20	3100	30000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
1,2-Dichloropropane	--	--	--		4.1 U	4.8 U	4.5 U	4.6 U	4.6 U
1,3-Dichlorobenzene	2400	49000	280000		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
1,4-Dichlorobenzene	1800	13000	130000		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
1,4-Dioxane	100	13000	130000		120 U	140 U	130 U	130 U	130 U
2-Butanone (MEK)	120	100000	500000		3.2 J	14	13	5.3 J	12 J
2-Hexanone	--	--	--		12 U	14 U	13 U	13 U	13 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	14 U	13 U	13 U	13 U
Acetone	50	100000	500000		8.0 J	52	46	16	47
Benzene	60	4800	44000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Bromochloromethane	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
Bromodichloromethane	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Bromoform	--	--	--		4.7 U	5.5 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--	--		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Carbon disulfide	--	--	--		12 U	14 U	13 U	13 U	13 U
Carbon tetrachloride	760	2400	22000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Chlorobenzene	1100	100000	500000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Chloroethane	--	--	--		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Chloroform	370	49000	350000		1.8 U	2.0 U	1.9 U	2.0 U	2.0 U
Chloromethane	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	1.4 U	1.3 U	2	1.3 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Cyclohexane	--	--	--		24 U	27 U	26 U	26 U	26 U
Dibromochloromethane	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Dibromochloropropane	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
Dichlorodifluoromethane	--	--	--		12 U	14 U	13 U	13 U	13 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-20	RB-20	RB-21	RB-22	RB-23
				Sample Date:	4/16/2014	4/16/2014	4/16/2014	4/16/2014	4/16/2014
				Sample Depth (ft bls):	3 - 5	5 - 6.5	4 - 6	4 - 6	3 - 5
Ethylbenzene	1000	41000	390000		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Freon 113	--	--	--		24 U	27 U	26 U	26 U	26 U
Isopropylbenzene	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
m+p-Xylene	--	--	--		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Methyl acetate	--	--	--		24 U	27 U	26 U	26 U	26 U
Methylcyclohexane	--	--	--		4.7 U	5.5 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	100000	500000		12 U	14 U	13 U	13 U	13 U
MTBE	930	100000	500000		2.4 U	2.7 U	0.57 J	2.6 U	2.6 U
o-Xylene	--	--	--		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Styrene	--	--	--		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Tetrachloroethene	1300	19000	150000		1.2 U	1.4 U	1.3 U	10	1.3 U
Toluene	700	100000	500000		1.8 U	2.0 U	1.9 U	0.62 J	2.0 U
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	2.0 U	1.9 U	2.0 U	2.0 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	1.4 U	1.3 U	1.3 U	1.3 U
Trichloroethene	470	21000	200000		1.2 U	1.4 U	1.3 U	3.2	1.3 U
Trichlorofluoromethane	--	--	--		5.9 U	6.8 U	6.4 U	6.5 U	6.6 U
Vinyl chloride	20	900	13000		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U
Xylenes (total)	1600	100000	500000		2.4 U	2.7 U	2.6 U	2.6 U	2.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-24 4/9/2014 2 - 4	RB-24 4/9/2014 6 - 8	RB-25 4/9/2014 4 - 6	RB-25 4/9/2014 6 - 7.5	RB-26 4/11/2014 5 - 7	RB-27 4/11/2014 5 - 7
1,1,1-Trichloroethane	680	100000	500000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
1,1,2-Trichloroethane	--	--	--		1.7 U	2.1 U	1.6 U	1.9 U	1.8 U	1.8 U
1,1-Dichloroethane	270	26000	240000		1.7 U	2.1 U	1.6 U	1.9 U	1.8 U	1.8 U
1,1-Dichloroethene	330	100000	500000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
1,2,4-Trichlorobenzene	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
1,2-Dibromoethane	--	--	--		4.5 U	5.7 U	4.4 U	5.1 U	4.8 U	4.8 U
1,2-Dichlorobenzene	1100	100000	500000		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
1,2-Dichloroethane	20	3100	30000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
1,2-Dichloropropane	--	--	--		3.9 U	5.0 U	3.8 U	4.5 U	4.2 U	4.2 U
1,3-Dichlorobenzene	2400	49000	280000		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
1,4-Dichlorobenzene	1800	13000	130000		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
1,4-Dioxane	100	13000	130000		110 U	140 U	110 U	130 U	120 U	120 U
2-Butanone (MEK)	120	100000	500000		11 U	14 U	11 U	13 U	12 U	12 U
2-Hexanone	--	--	--		11 U	14 U	11 U	13 U	12 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		11 U	14 U	11 U	13 U	12 U	12 U
Acetone	50	100000	500000		11 U	4.8 J	3.9 J	13 U	10 J	12
Benzene	60	4800	44000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Bromochloromethane	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
Bromodichloromethane	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Bromoform	--	--	--		4.5 U	5.7 U	4.4 U	5.1 U	4.8 U	4.8 U
Bromomethane	--	--	--		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
Carbon disulfide	--	--	--		11 U	14 U	11 U	13 U	12 U	12 U
Carbon tetrachloride	760	2400	22000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Chlorobenzene	1100	100000	500000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Chloroethane	--	--	--		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
Chloroform	370	49000	350000		1.7 U	2.1 U	1.6 U	1.9 U	1.8 U	1.8 U
Chloromethane	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
cis-1,2-Dichloroethene	250	100000	500000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
cis-1,3-Dichloropropene	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Cyclohexane	--	--	--		22 U	28 U	22 U	26 U	24 U	24 U
Dibromochloromethane	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Dibromochloropropane	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
Dichlorodifluoromethane	--	--	--		11 U	14 U	11 U	13 U	12 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-24	RB-24	RB-25	RB-25	RB-26	RB-27
				Sample Date:	4/9/2014	4/9/2014	4/9/2014	4/9/2014	4/11/2014	4/11/2014
				Sample Depth (ft bls):	2 - 4	6 - 8	4 - 6	6 - 7.5	5 - 7	5 - 7
Ethylbenzene	1000	41000	390000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Freon 113	--	--	--		22 U	28 U	22 U	26 U	24 U	24 U
Isopropylbenzene	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
m+p-Xylene	--	--	--		2.2 U	0.54 J	2.2 U	2.6 U	2.4 U	2.4 U
Methyl acetate	--	--	--		22 U	28 U	22 U	26 U	24 U	24 U
Methylcyclohexane	--	--	--		4.5 U	5.7 U	4.4 U	5.1 U	4.8 U	4.8 U
Methylene chloride	50	100000	500000		11 U	14 U	11 U	13 U	12 U	12 U
MTBE	930	100000	500000		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
o-Xylene	--	--	--		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
Styrene	--	--	--		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
Tetrachloroethene	1300	19000	150000		1.1 U	1.4 U	1.1 U	0.70 J	1.2 U	1.2 U
Toluene	700	100000	500000		1.7 U	0.92 J	0.39 J	0.84 J	0.39 J	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		1.7 U	2.1 U	1.6 U	1.9 U	1.8 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Trichloroethene	470	21000	200000		1.1 U	1.4 U	1.1 U	1.3 U	1.2 U	1.2 U
Trichlorofluoromethane	--	--	--		5.6 U	7.1 U	5.4 U	6.4 U	6.0 U	6.0 U
Vinyl chloride	20	900	13000		2.2 U	2.8 U	2.2 U	2.6 U	2.4 U	2.4 U
Xylenes (total)	1600	100000	500000		2.2 U	0.54 J	2.2 U	2.6 U	2.4 U	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-28 4/10/2014 5 - 7	RB-28 4/10/2014 7 - 8	RB-29 4/10/2014 5 - 7	RB-30 4/10/2014 5 - 7	RB-31 4/10/2014 5 - 7
1,1,1-Trichloroethane	680	100000	500000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
1,1,2-Trichloroethane	--	--	--		1.8 U	3.6 UD	1.6 U	1.8 U	1.7 U
1,1-Dichloroethane	270	26000	240000		1.8 U	3.6 UD	1.6 U	1.8 U	1.7 U
1,1-Dichloroethene	330	100000	500000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
1,2,3-Trichlorobenzene	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
1,2,4-Trichlorobenzene	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
1,2-Dibromoethane	--	--	--		4.7 U	9.5 UD	4.4 U	4.8 U	4.5 U
1,2-Dichlorobenzene	1100	100000	500000		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
1,2-Dichloroethane	20	3100	30000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
1,2-Dichloropropane	--	--	--		4.1 U	8.3 UD	3.8 U	4.2 U	3.9 U
1,3-Dichlorobenzene	2400	49000	280000		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
1,4-Dichlorobenzene	1800	13000	130000		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
1,4-Dioxane	100	13000	130000		120 U	240 UD	110 U	120 U	110 U
2-Butanone (MEK)	120	100000	500000		1.5 J	24 UD	11 U	12 U	11 U
2-Hexanone	--	--	--		12 U	24 UD	11 U	12 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	24 UD	11 U	12 U	11 U
Acetone	50	100000	500000		38	55 D	30	62	77
Benzene	60	4800	44000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Bromochloromethane	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
Bromodichloromethane	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Bromoform	--	--	--		4.7 U	9.5 UD	4.4 U	4.8 U	4.5 U
Bromomethane	--	--	--		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
Carbon disulfide	--	--	--		12 U	24 UD	11 U	12 U	11 U
Carbon tetrachloride	760	2400	22000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Chlorobenzene	1100	100000	500000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Chloroethane	--	--	--		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
Chloroform	370	49000	350000		1.8 U	3.6 UD	1.6 U	1.8 U	1.7 U
Chloromethane	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Cyclohexane	--	--	--		24 U	47 UD	22 U	24 U	22 U
Dibromochloromethane	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Dibromochloropropane	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
Dichlorodifluoromethane	--	--	--		12 U	24 UD	11 U	12 U	11 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-28	RB-28	RB-29	RB-30	RB-31
				Sample Date:	4/10/2014	4/10/2014	4/10/2014	4/10/2014	4/10/2014
				Sample Depth (ft bls):	5 - 7	7 - 8	5 - 7	5 - 7	5 - 7
Ethylbenzene	1000	41000	390000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Freon 113	--	--	--		24 U	47 UD	22 U	24 U	22 U
Isopropylbenzene	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
m+p-Xylene	--	--	--		2.4 U	1.1 JD	2.2 U	2.4 U	2.2 U
Methyl acetate	--	--	--		24 U	47 UD	22 U	24 U	22 U
Methylcyclohexane	--	--	--		4.7 U	9.5 UD	4.4 U	4.8 U	4.5 U
Methylene chloride	50	100000	500000		12 U	24 UD	11 U	12 U	11 U
MTBE	930	100000	500000		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
o-Xylene	--	--	--		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
Styrene	--	--	--		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
Tetrachloroethene	1300	19000	150000		1.5	4.3 D	1.1 U	1.2 U	1.1 U
Toluene	700	100000	500000		0.96 J	2.0 JD	0.67 J	0.58 J	0.53 J
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	3.6 UD	1.6 U	1.8 U	1.7 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Trichloroethene	470	21000	200000		1.2 U	2.4 UD	1.1 U	1.2 U	1.1 U
Trichlorofluoromethane	--	--	--		5.9 U	12 UD	5.5 U	5.9 U	5.6 U
Vinyl chloride	20	900	13000		2.4 U	4.7 UD	2.2 U	2.4 U	2.2 U
Xylenes (total)	1600	100000	500000		2.4 U	1.1 JD	2.2 U	2.4 U	2.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-32 4/10/2014 5 - 7	RB-33 4/10/2014 4 - 6	RB-34 4/10/2014 4 - 6	RB-35 4/10/2014 3 - 5	RB-36 4/14/2014 2 - 4
1,1,1-Trichloroethane	680	100000	500000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
1,1,2-Trichloroethane	--	--	--		1.8 U	2.0 U	1.7 U	1.6 U	1.8 U
1,1-Dichloroethane	270	26000	240000		1.8 U	2.0 U	1.7 U	1.6 U	1.8 U
1,1-Dichloroethene	330	100000	500000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
1,2,4-Trichlorobenzene	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
1,2-Dibromoethane	--	--	--		4.9 U	5.3 U	4.6 U	4.4 U	4.7 U
1,2-Dichlorobenzene	1100	100000	500000		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
1,2-Dichloroethane	20	3100	30000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
1,2-Dichloropropane	--	--	--		4.3 U	4.6 U	4.0 U	3.8 U	4.1 U
1,3-Dichlorobenzene	2400	49000	280000		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
1,4-Dichlorobenzene	1800	13000	130000		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
1,4-Dioxane	100	13000	130000		120 U	130 U	110 U	110 U	120 U
2-Butanone (MEK)	120	100000	500000		12 U	13 U	11 U	11 U	12 U
2-Hexanone	--	--	--		12 U	13 U	11 U	11 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	13 U	11 U	11 U	12 U
Acetone	50	100000	500000		39	27	31	17	28
Benzene	60	4800	44000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Bromochloromethane	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
Bromodichloromethane	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Bromoform	--	--	--		4.9 U	5.3 U	4.6 U	4.4 U	4.7 U
Bromomethane	--	--	--		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Carbon disulfide	--	--	--		12 U	13 U	11 U	11 U	12 U
Carbon tetrachloride	760	2400	22000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Chlorobenzene	1100	100000	500000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Chloroethane	--	--	--		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Chloroform	370	49000	350000		1.8 U	2.0 U	1.7 U	1.6 U	1.8 U
Chloromethane	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Cyclohexane	--	--	--		25 U	26 U	23 U	22 U	24 U
Dibromochloromethane	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Dibromochloropropane	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
Dichlorodifluoromethane	--	--	--		12 U	13 U	11 U	11 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-32	RB-33	RB-34	RB-35	RB-36
				Sample Date:	4/10/2014	4/10/2014	4/10/2014	4/10/2014	4/14/2014
				Sample Depth (ft bls):	5 - 7	4 - 6	4 - 6	3 - 5	2 - 4
Ethylbenzene	1000	41000	390000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Freon 113	--	--	--		25 U	26 U	23 U	22 U	24 U
Isopropylbenzene	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
m+p-Xylene	--	--	--		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Methyl acetate	--	--	--		25 U	26 U	23 U	22 U	24 U
Methylcyclohexane	--	--	--		4.9 U	5.3 U	4.6 U	4.4 U	4.7 U
Methylene chloride	50	100000	500000		12 U	13 U	11 U	11 U	12 U
MTBE	930	100000	500000		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
o-Xylene	--	--	--		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Styrene	--	--	--		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Tetrachloroethene	1300	19000	150000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Toluene	700	100000	500000		0.67 J	0.61 J	0.53 J	0.28 J	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	2.0 U	1.7 U	1.6 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Trichloroethene	470	21000	200000		1.2 U	1.3 U	1.1 U	1.1 U	1.2 U
Trichlorofluoromethane	--	--	--		6.2 U	6.6 U	5.7 U	5.5 U	5.9 U
Vinyl chloride	20	900	13000		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U
Xylenes (total)	1600	100000	500000		2.5 U	2.6 U	2.3 U	2.2 U	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-37 4/14/2014 1 - 3	RB-38 4/11/2014 1 - 3	RB-39 4/11/2014 1 - 3	RB-40 4/14/2014 3 - 5	RB-41 4/14/2014 0 - 2
1,1,1-Trichloroethane	680	100000	500000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
1,1,2-Trichloroethane	--	--	--		1.6 U	1.7 U	1.7 U	1.8 U	1.8 U
1,1-Dichloroethane	270	26000	240000		1.6 U	1.7 U	1.7 U	1.8 U	1.8 U
1,1-Dichloroethene	330	100000	500000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
1,2,4-Trichlorobenzene	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
1,2-Dibromoethane	--	--	--		4.3 U	4.6 U	4.5 U	4.9 U	4.7 U
1,2-Dichlorobenzene	1100	100000	500000		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
1,2-Dichloroethane	20	3100	30000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
1,2-Dichloropropane	--	--	--		3.8 U	4.1 U	3.9 U	4.3 U	4.1 U
1,3-Dichlorobenzene	2400	49000	280000		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
1,4-Dichlorobenzene	1800	13000	130000		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
1,4-Dioxane	100	13000	130000		110 U	120 U	110 U	120 U	120 U
2-Butanone (MEK)	120	100000	500000		11 U	12 U	11 U	8.2 J	12 U
2-Hexanone	--	--	--		11 U	12 U	11 U	12 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		11 U	12 U	11 U	12 U	12 U
Acetone	50	100000	500000		5.3 J	12 U	14	61	3.9 J
Benzene	60	4800	44000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Bromochloromethane	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
Bromodichloromethane	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Bromoform	--	--	--		4.3 U	4.6 U	4.5 U	4.9 U	4.7 U
Bromomethane	--	--	--		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Carbon disulfide	--	--	--		11 U	12 U	11 U	12 U	12 U
Carbon tetrachloride	760	2400	22000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Chlorobenzene	1100	100000	500000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Chloroethane	--	--	--		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Chloroform	370	49000	350000		1.6 U	1.7 U	1.7 U	1.8 U	1.8 U
Chloromethane	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
cis-1,2-Dichloroethene	250	100000	500000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
cis-1,3-Dichloropropene	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Cyclohexane	--	--	--		21 U	23 U	22 U	24 U	24 U
Dibromochloromethane	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Dibromochloropropane	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
Dichlorodifluoromethane	--	--	--		11 U	12 U	11 U	12 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	NYSDEC						
	Part 375	Part 375	Part 375						
	Protection of	Restricted	Commercial	Sample Designation:	RB-37	RB-38	RB-39	RB-40	RB-41
	Groundwater	Residential	Use	Sample Date:	4/14/2014	4/11/2014	4/11/2014	4/14/2014	4/14/2014
				Sample Depth (ft bls):	1 - 3	1 - 3	1 - 3	3 - 5	0 - 2
Ethylbenzene	1000	41000	390000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Freon 113	--	--	--		21 U	23 U	22 U	24 U	24 U
Isopropylbenzene	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
m+p-Xylene	--	--	--		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Methyl acetate	--	--	--		21 U	23 U	22 U	24 U	24 U
Methylcyclohexane	--	--	--		4.3 U	4.6 U	4.5 U	4.9 U	4.7 U
Methylene chloride	50	100000	500000		11 U	12 U	11 U	12 U	12 U
MTBE	930	100000	500000		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
o-Xylene	--	--	--		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Styrene	--	--	--		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Tetrachloroethene	1300	19000	150000		1.1 U	1.2 U	1.3	1.2 U	0.70 J
Toluene	700	100000	500000		1.6 U	0.28 J	0.45 J	1.8 U	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		1.6 U	1.7 U	1.7 U	1.8 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Trichloroethene	470	21000	200000		1.1 U	1.2 U	1.1 U	1.2 U	1.2 U
Trichlorofluoromethane	--	--	--		5.4 U	5.8 U	5.6 U	6.1 U	5.9 U
Vinyl chloride	20	900	13000		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U
Xylenes (total)	1600	100000	500000		2.1 U	2.3 U	2.2 U	2.4 U	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-42 4/14/2014 5 - 7	RB-43 4/15/2014 5 - 7	RB-44 4/15/2014 5 - 7	RB-45 4/15/2014 10 - 12	RW-1 4/17/2014 8 - 10
1,1,1-Trichloroethane	680	100000	500000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
1,1,2-Trichloroethane	--	--	--		9.1 UD	1.9 U	1.9 U	1.7 U	1.8 U
1,1-Dichloroethane	270	26000	240000		9.1 UD	1.9 U	1.9 U	1.7 U	1.8 U
1,1-Dichloroethene	330	100000	500000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
1,2,4-Trichlorobenzene	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
1,2-Dibromoethane	--	--	--		24 UD	5.0 U	5.0 U	4.6 U	4.8 U
1,2-Dichlorobenzene	1100	100000	500000		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
1,2-Dichloroethane	20	3100	30000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
1,2-Dichloropropane	--	--	--		21 UD	4.4 U	4.3 U	4.1 U	4.2 U
1,3-Dichlorobenzene	2400	49000	280000		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
1,4-Dichlorobenzene	1800	13000	130000		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
1,4-Dioxane	100	13000	130000		600 UD	120 U	120 U	120 U	120 U
2-Butanone (MEK)	120	100000	500000		60 UD	12 U	1.3 J	2.6 J	12 U
2-Hexanone	--	--	--		60 UD	12 U	12 U	12 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		60 UD	12 U	12 U	12 U	12 U
Acetone	50	100000	500000		84 D	4.7 J	12 U	6.4 J	6.0 J
Benzene	60	4800	44000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Bromochloromethane	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
Bromodichloromethane	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Bromoform	--	--	--		24 UD	5.0 U	5.0 U	4.6 U	4.8 U
Bromomethane	--	--	--		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Carbon disulfide	--	--	--		60 UD	12 U	12 U	12 U	12 U
Carbon tetrachloride	760	2400	22000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Chlorobenzene	1100	100000	500000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Chloroethane	--	--	--		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Chloroform	370	49000	350000		9.1 UD	1.9 U	1.9 U	1.7 U	1.8 U
Chloromethane	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
cis-1,2-Dichloroethene	250	100000	500000		29 D	1.2 U	1.2 U	1.2 U	1.2 U
cis-1,3-Dichloropropene	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Cyclohexane	--	--	--		120 UD	25 U	25 U	23 U	24 U
Dibromochloromethane	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Dibromochloropropane	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
Dichlorodifluoromethane	--	--	--		60 UD	12 U	12 U	12 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-42	RB-43	RB-44	RB-45	RW-1
				Sample Date:	4/14/2014	4/15/2014	4/15/2014	4/15/2014	4/17/2014
				Sample Depth (ft bls):	5 - 7	5 - 7	5 - 7	10 - 12	8 - 10
Ethylbenzene	1000	41000	390000		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Freon 113	--	--	--		120 UD	25 U	25 U	23 U	24 U
Isopropylbenzene	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
m+p-Xylene	--	--	--		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Methyl acetate	--	--	--		120 UD	25 U	25 U	23 U	24 U
Methylcyclohexane	--	--	--		24 UD	5.0 U	5.0 U	4.6 U	4.8 U
Methylene chloride	50	100000	500000		60 UD	12 U	12 U	12 U	12 U
MTBE	930	100000	500000		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
o-Xylene	--	--	--		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Styrene	--	--	--		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Tetrachloroethene	1300	19000	150000		6.1 D	1.2 U	1.2 U	1.2 U	1.2 U
Toluene	700	100000	500000		9.1 UD	1.9 U	1.9 U	1.7 U	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		9.1 UD	1.9 U	1.9 U	1.7 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		6.0 UD	1.2 U	1.2 U	1.2 U	1.2 U
Trichloroethene	470	21000	200000		5.1 JD	1.2 U	1.2 U	1.2 U	1.2 U
Trichlorofluoromethane	--	--	--		30 UD	6.2 U	6.2 U	5.8 U	6.0 U
Vinyl chloride	20	900	13000		12 UD	2.5 U	2.5 U	2.3 U	2.4 U
Xylenes (total)	1600	100000	500000		12 UD	2.5 U	2.5 U	2.3 U	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-1 4/17/2014 13 - 15	RW-2 4/7/2014 13 - 15	RW-3 4/8/2014 1 - 3	RW-3 4/8/2014 3 - 5	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3
1,1,1-Trichloroethane	680	100000	500000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
1,1,2,2-Tetrachloroethane	--	--	--		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
1,1,2-Trichloroethane	--	--	--		160 UD	1.9 U	1.7 U	86 UD	1.8 U	960 UD
1,1-Dichloroethane	270	26000	240000		160 UD	1.9 U	1.7 U	86 UD	1.8 U	960 UD
1,1-Dichloroethene	330	100000	500000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
1,2,3-Trichlorobenzene	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
1,2,4-Trichlorobenzene	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
1,2-Dibromoethane	--	--	--		430 UD	5.1 U	4.6 U	230 UD	5.0 U	2600 UD
1,2-Dichlorobenzene	1100	100000	500000		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
1,2-Dichloroethane	20	3100	30000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
1,2-Dichloropropane	--	--	--		380 UD	4.4 U	4.1 U	200 UD	4.3 U	2200 UD
1,3-Dichlorobenzene	2400	49000	280000		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
1,4-Dichlorobenzene	1800	13000	130000		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
1,4-Dioxane	100	13000	130000		11000 UD	130 U	120 U	5800 UD	120 U	64000 UD
2-Butanone (MEK)	120	100000	500000		1100 UD	0.69 J	12 U	580 UD	6.4 J	6400 UD
2-Hexanone	--	--	--		1100 UD	13 U	12 U	580 UD	12 U	6400 UD
4-Methyl-2-pentanone (MIBK)	--	--	--		1100 UD	13 U	12 U	580 UD	12 U	6400 UD
Acetone	50	100000	500000	510 JD	8.3 J	12 U	580 UD	10 J	6400 UD	
Benzene	60	4800	44000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Bromochloromethane	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
Bromodichloromethane	--	--	--		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Bromoform	--	--	--		430 UD	5.1 U	4.6 U	230 UD	5.0 U	2600 UD
Bromomethane	--	--	--		47 JD	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
Carbon disulfide	--	--	--		1100 UD	13 U	12 U	580 UD	12 U	6400 UD
Carbon tetrachloride	760	2400	22000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Chlorobenzene	1100	100000	500000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Chloroethane	--	--	--		220 UD	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
Chloroform	370	49000	350000		160 UD	1.9 U	1.7 U	86 UD	1.8 U	960 UD
Chloromethane	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
cis-1,2-Dichloroethene	250	100000	500000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
cis-1,3-Dichloropropene	--	--	--		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Cyclohexane	--	--	--		2200 UD	25 U	23 U	1200 UD	25 U	13000 UD
Dibromochloromethane	--	--	--		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Dibromochloropropane	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
Dichlorodifluoromethane	--	--	--		1100 UD	13 U	12 U	580 UD	12 U	6400 UD

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-1 4/17/2014 13 - 15	RW-2 4/7/2014 13 - 15	RW-3 4/8/2014 1 - 3	RW-3 4/8/2014 3 - 5	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3
Ethylbenzene	1000	41000	390000		1100 D	1.3 U	1.2 U	180 D	0.55 J	2500 D
Freon 113	--	--	--		2200 UD	25 U	23 U	1200 UD	25 U	13000 UD
Isopropylbenzene	--	--	--		360 D	1.3 U	1.2 U	69 D	1.2 U	5500 D
m+p-Xylene	--	--	--		2700 D	2.5 U	2.3 U	130 D	2.5 U	300 JD
Methyl acetate	--	--	--		2200 UD	25 U	23 U	1200 UD	25 U	13000 UD
Methylcyclohexane	--	--	--		340 JD	5.1 U	4.6 U	640 D	5.0 U	17000 D
Methylene chloride	50	100000	500000		1100 UD	2.7 J	12 U	580 UD	12 U	6400 UD
MTBE	930	100000	500000		220 UD	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
o-Xylene	--	--	--		290 D	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
Styrene	--	--	--		220 UD	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
Tetrachloroethene	1300	19000	150000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Toluene	700	100000	500000		25 JD	0.60 J	1.7 U	18 JD	0.33 J	960 UD
trans-1,2-Dichloroethene	190	100000	500000		160 UD	1.9 U	1.7 U	86 UD	1.8 U	960 UD
trans-1,3-Dichloropropene	--	--	--		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Trichloroethene	470	21000	200000		110 UD	1.3 U	1.2 U	58 UD	1.2 U	640 UD
Trichlorofluoromethane	--	--	--		540 UD	6.3 U	5.8 U	290 UD	6.2 U	3200 UD
Vinyl chloride	20	900	13000		220 UD	2.5 U	2.3 U	120 UD	2.5 U	1300 UD
Xylenes (total)	1600	100000	500000		2990 D	2.5 U	2.3 U	130 D	2.5 U	300 JD

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17	RW-7 4/8/2014 10 - 12	RW-8 4/16/2014 5 - 7
1,1,1-Trichloroethane	680	100000	500000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
1,1,2,2-Tetrachloroethane	--	--	--		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
1,1,2-Trichloroethane	--	--	--		190 UD	1.7 U	1.8 U	2.1 U	1.9 U	2.1 U
1,1-Dichloroethane	270	26000	240000		190 UD	1.7 U	1.8 U	2.1 U	1.9 U	2.1 U
1,1-Dichloroethene	330	100000	500000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
1,2,3-Trichlorobenzene	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
1,2,4-Trichlorobenzene	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
1,2-Dibromoethane	--	--	--		510 UD	4.6 U	4.8 U	5.6 U	5.1 U	5.6 U
1,2-Dichlorobenzene	1100	100000	500000		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
1,2-Dichloroethane	20	3100	30000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
1,2-Dichloropropane	--	--	--		450 UD	4.0 U	4.2 U	4.9 U	4.5 U	4.9 U
1,3-Dichlorobenzene	2400	49000	280000		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
1,4-Dichlorobenzene	1800	13000	130000		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
1,4-Dioxane	100	13000	130000		13000 UD	110 U	120 U	140 U	130 U	140 U
2-Butanone (MEK)	120	100000	500000		1300 UD	7.6 J	12 U	6.5 J	17	8.8 J
2-Hexanone	--	--	--		1300 UD	11 U	12 U	14 U	13 U	14 U
4-Methyl-2-pentanone (MIBK)	--	--	--		1300 UD	11 U	12 U	14 U	13 U	14 U
Acetone	50	100000	500000		1300 UD	43	12 U	15	59	46
Benzene	60	4800	44000		130 UD	1.1 U	1.2 U	1.4 U	2	1.4 U
Bromochloromethane	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
Bromodichloromethane	--	--	--		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Bromoform	--	--	--		510 UD	4.6 U	4.8 U	5.6 U	5.1 U	5.6 U
Bromomethane	--	--	--		260 UD	2.3 U	2.4 U	2.8 U	2.6 U	2.8 U
Carbon disulfide	--	--	--		1300 UD	11 U	12 U	14 U	13 U	14 U
Carbon tetrachloride	760	2400	22000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Chlorobenzene	1100	100000	500000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Chloroethane	--	--	--		260 UD	2.3 U	2.4 U	2.8 U	2.6 U	2.8 U
Chloroform	370	49000	350000		190 UD	1.7 U	1.8 U	2.1 U	1.9 U	2.1 U
Chloromethane	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
cis-1,2-Dichloroethene	250	100000	500000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	0.68 J
cis-1,3-Dichloropropene	--	--	--		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Cyclohexane	--	--	--		1100 JD	23 U	24 U	28 U	3.1 J	28 U
Dibromochloromethane	--	--	--		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Dibromochloropropane	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
Dichlorodifluoromethane	--	--	--		1300 UD	11 U	12 U	14 U	13 U	14 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17	RW-7 4/8/2014 10 - 12	RW-8 4/16/2014 5 - 7
Ethylbenzene	1000	41000	390000		720 D	1.1 U	1.2 U	1.4 U	0.65 J	1.4 U
Freon 113	--	--	--		2600 UD	23 U	24 U	28 U	26 U	28 U
Isopropylbenzene	--	--	--		370 D	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
m+p-Xylene	--	--	--		960 D	2.3 U	2.4 U	2.8 U	0.89 J	2.8 U
Methyl acetate	--	--	--		2600 UD	23 U	24 U	28 U	26 U	28 U
Methylcyclohexane	--	--	--		6500 D	4.6 U	4.8 U	5.6 U	6	5.6 U
Methylene chloride	50	100000	500000		1300 UD	11 U	12 U	14 U	13 U	14 U
MTBE	930	100000	500000		260 UD	2.3 U	2.4 U	2.8 U	1.1 J	2.8 U
o-Xylene	--	--	--		260 UD	2.3 U	2.4 U	2.8 U	2.6 U	2.8 U
Styrene	--	--	--		260 UD	2.3 U	2.4 U	2.8 U	2.6 U	2.8 U
Tetrachloroethene	1300	19000	150000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Toluene	700	100000	500000		190 UD	0.34 J	1.8 U	0.45 J	0.76 J	2.1 U
trans-1,2-Dichloroethene	190	100000	500000		190 UD	1.7 U	1.8 U	2.1 U	1.9 U	2.1 U
trans-1,3-Dichloropropene	--	--	--		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Trichloroethene	470	21000	200000		130 UD	1.1 U	1.2 U	1.4 U	1.3 U	1.4 U
Trichlorofluoromethane	--	--	--		640 UD	5.7 U	6.0 U	7.1 U	6.4 U	7.1 U
Vinyl chloride	20	900	13000		260 UD	2.3 U	2.4 U	2.8 U	2.6 U	2.8 U
Xylenes (total)	1600	100000	500000		960 D	2.3 U	2.4 U	2.8 U	0.89 J	2.8 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8	RW-11 4/16/2014 4 - 6
1,1,1-Trichloroethane	680	100000	500000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
1,1,2,2-Tetrachloroethane	--	--	--		130 UD	260 UD	1.2 U	1.2 U	1.3 U
1,1,2-Trichloroethane	--	--	--		190 UD	400 UD	1.8 U	1.8 U	2.0 U
1,1-Dichloroethane	270	26000	240000		190 UD	400 UD	1.8 U	1.8 U	2.0 U
1,1-Dichloroethene	330	100000	500000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
1,2,3-Trichlorobenzene	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
1,2,4-Trichlorobenzene	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
1,2-Dibromoethane	--	--	--		500 UD	1000 UD	5.0 U	4.8 U	5.3 U
1,2-Dichlorobenzene	1100	100000	500000		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
1,2-Dichloroethane	20	3100	30000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
1,2-Dichloropropane	--	--	--		440 UD	920 UD	4.3 U	4.2 U	4.6 U
1,3-Dichlorobenzene	2400	49000	280000		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
1,4-Dichlorobenzene	1800	13000	130000		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
1,4-Dioxane	100	13000	130000		13000 UD	26000 UD	120 U	120 U	130 U
2-Butanone (MEK)	120	100000	500000		1300 UD	2600 UD	12 U	12 U	11 J
2-Hexanone	--	--	--		1300 UD	2600 UD	12 U	12 U	13 U
4-Methyl-2-pentanone (MIBK)	--	--	--		1300 UD	2600 UD	12 U	12 U	13 U
Acetone	50	100000	500000		1300 UD	2600 UD	4.9 J	12 U	44
Benzene	60	4800	44000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Bromochloromethane	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
Bromodichloromethane	--	--	--		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Bromoform	--	--	--		500 UD	1000 UD	5.0 U	4.8 U	5.3 U
Bromomethane	--	--	--		250 UD	530 UD	2.5 U	2.4 U	2.6 U
Carbon disulfide	--	--	--		1300 UD	2600 UD	12 U	12 U	13 U
Carbon tetrachloride	760	2400	22000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Chlorobenzene	1100	100000	500000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Chloroethane	--	--	--		250 UD	530 UD	2.5 U	2.4 U	2.6 U
Chloroform	370	49000	350000		190 UD	400 UD	1.8 U	1.8 U	2.0 U
Chloromethane	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
cis-1,2-Dichloroethene	250	100000	500000		130 UD	260 UD	1.2	1.2 U	1.3 U
cis-1,3-Dichloropropene	--	--	--		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Cyclohexane	--	--	--		2500 UD	5300 UD	25 U	24 U	26 U
Dibromochloromethane	--	--	--		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Dibromochloropropane	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
Dichlorodifluoromethane	--	--	--		1300 UD	2600 UD	12 U	12 U	13 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8	RW-11 4/16/2014 4 - 6
Ethylbenzene	1000	41000	390000		130 UD	780 D	1.2 U	1.2 U	1.3 U
Freon 113	--	--	--		2500 UD	5300 UD	25 U	24 U	26 U
Isopropylbenzene	--	--	--		270 D	1900 D	1.2 U	1.2 U	1.3 U
m+p-Xylene	--	--	--		97 JD	920 D	2.5 U	2.4 U	2.6 U
Methyl acetate	--	--	--		2500 UD	5300 UD	25 U	24 U	26 U
Methylcyclohexane	--	--	--		3000 D	6900 D	5.0 U	4.8 U	5.3 U
Methylene chloride	50	100000	500000		1300 UD	2600 UD	12 U	12 U	13 U
MTBE	930	100000	500000		250 UD	530 UD	0.62 J	2.4 U	2.6 U
o-Xylene	--	--	--		250 UD	530 UD	2.5 U	2.4 U	2.6 U
Styrene	--	--	--		250 UD	530 UD	2.5 U	2.4 U	2.6 U
Tetrachloroethene	1300	19000	150000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Toluene	700	100000	500000		80 JD	140 JD	1.8 U	0.65 J	0.28 J
trans-1,2-Dichloroethene	190	100000	500000		190 UD	400 UD	1.8 U	1.8 U	2.0 U
trans-1,3-Dichloropropene	--	--	--		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Trichloroethene	470	21000	200000		130 UD	260 UD	1.2 U	1.2 U	1.3 U
Trichlorofluoromethane	--	--	--		630 UD	1300 UD	6.2 U	6.0 U	6.6 U
Vinyl chloride	20	900	13000		250 UD	530 UD	2.5 U	2.4 U	2.6 U
Xylenes (total)	1600	100000	500000		97 JD	920 D	2.5 U	2.4 U	2.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-11 DUP 4/16/2014 4 - 6	RW-12 4/10/2014 5 - 7	RW-12 4/10/2014 7 - 8	RW-13 4/10/2014 5 - 7	RW-14 4/14/2014 3 - 5
1,1,1-Trichloroethane	680	100000	500000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
1,1,2,2-Tetrachloroethane	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
1,1,2-Trichloroethane	--	--	--		2.0 U	1.7 U	2.0 U	1.7 U	1.7 U
1,1-Dichloroethane	270	26000	240000		2.0 U	1.7 U	2.0 U	1.7 U	1.7 U
1,1-Dichloroethene	330	100000	500000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
1,2,3-Trichlorobenzene	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
1,2,4-Trichlorobenzene	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
1,2-Dibromoethane	--	--	--		5.4 U	4.5 U	5.3 U	4.5 U	4.5 U
1,2-Dichlorobenzene	1100	100000	500000		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
1,2-Dichloroethane	20	3100	30000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
1,2-Dichloropropane	--	--	--		4.7 U	4.0 U	4.6 U	3.9 U	3.9 U
1,3-Dichlorobenzene	2400	49000	280000		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
1,4-Dichlorobenzene	1800	13000	130000		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
1,4-Dioxane	100	13000	130000		130 U	110 U	130 U	110 U	110 U
2-Butanone (MEK)	120	100000	500000		10 J	11 U	13 U	11 U	8.9 J
2-Hexanone	--	--	--		13 U	11 U	13 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--	--		13 U	11 U	13 U	11 U	11 U
Acetone	50	100000	500000		45	5.0 J	22	11 U	68
Benzene	60	4800	44000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Bromochloromethane	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
Bromodichloromethane	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Bromoform	--	--	--		5.4 U	4.5 U	5.3 U	4.5 U	4.5 U
Bromomethane	--	--	--		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Carbon disulfide	--	--	--		13 U	11 U	13 U	11 U	11 U
Carbon tetrachloride	760	2400	22000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Chlorobenzene	1100	100000	500000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Chloroethane	--	--	--		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Chloroform	370	49000	350000		2.0 U	1.7 U	2.0 U	1.7 U	1.7 U
Chloromethane	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
cis-1,2-Dichloroethene	250	100000	500000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
cis-1,3-Dichloropropene	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Cyclohexane	--	--	--		27 U	22 U	26 U	22 U	22 U
Dibromochloromethane	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Dibromochloropropane	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
Dichlorodifluoromethane	--	--	--		13 U	11 U	13 U	11 U	11 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RW-11 DUP	RW-12	RW-12	RW-13	RW-14
				Sample Date:	4/16/2014	4/10/2014	4/10/2014	4/10/2014	4/14/2014
				Sample Depth (ft bls):	4 - 6	5 - 7	7 - 8	5 - 7	3 - 5
Ethylbenzene	1000	41000	390000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Freon 113	--	--	--		27 U	22 U	26 U	22 U	22 U
Isopropylbenzene	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
m+p-Xylene	--	--	--		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Methyl acetate	--	--	--		27 U	22 U	26 U	22 U	22 U
Methylcyclohexane	--	--	--		5.4 U	4.5 U	5.3 U	4.5 U	4.5 U
Methylene chloride	50	100000	500000		13 U	11 U	13 U	11 U	11 U
MTBE	930	100000	500000		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
o-Xylene	--	--	--		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Styrene	--	--	--		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Tetrachloroethene	1300	19000	150000		1.3 U	1.7	0.70 J	1.1 U	1.1 U
Toluene	700	100000	500000		0.30 J	0.71 J	0.82 J	0.49 J	1.7 U
trans-1,2-Dichloroethene	190	100000	500000		2.0 U	1.7 U	2.0 U	1.7 U	1.7 U
trans-1,3-Dichloropropene	--	--	--		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Trichloroethene	470	21000	200000		1.3 U	1.1 U	1.3 U	1.1 U	1.1 U
Trichlorofluoromethane	--	--	--		6.7 U	5.6 U	6.6 U	5.6 U	5.6 U
Vinyl chloride	20	900	13000		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U
Xylenes (total)	1600	100000	500000		2.7 U	2.2 U	2.6 U	2.2 U	2.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5	RW-17 4/11/2014 0 - 2	RW-17 4/11/2014 2 - 4
1,1,1-Trichloroethane	680	100000	500000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
1,1,2,2-Tetrachloroethane	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
1,1,2-Trichloroethane	--	--	--		1.7 U	1.7 U	1.8 U	1.7 U	1.8 U
1,1-Dichloroethane	270	26000	240000		1.7 U	1.7 U	1.8 U	1.7 U	1.8 U
1,1-Dichloroethene	330	100000	500000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
1,2,3-Trichlorobenzene	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
1,2,4-Trichlorobenzene	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
1,2-Dibromoethane	--	--	--		4.6 U	4.6 U	4.8 U	4.6 U	4.8 U
1,2-Dichlorobenzene	1100	100000	500000		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
1,2-Dichloroethane	20	3100	30000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
1,2-Dichloropropane	--	--	--		4.0 U	4.0 U	4.2 U	4.0 U	4.2 U
1,3-Dichlorobenzene	2400	49000	280000		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
1,4-Dichlorobenzene	1800	13000	130000		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
1,4-Dioxane	100	13000	130000		110 U	110 U	120 U	120 U	120 U
2-Butanone (MEK)	120	100000	500000		11 U	11 U	12 U	12 U	12 U
2-Hexanone	--	--	--		11 U	11 U	12 U	12 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--	--		11 U	11 U	12 U	12 U	12 U
Acetone	50	100000	500000		11 U	11 U	21	12 U	11 J
Benzene	60	4800	44000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Bromochloromethane	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
Bromodichloromethane	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Bromoform	--	--	--		4.6 U	4.6 U	4.8 U	4.6 U	4.8 U
Bromomethane	--	--	--		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Carbon disulfide	--	--	--		11 U	11 U	12 U	12 U	12 U
Carbon tetrachloride	760	2400	22000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Chlorobenzene	1100	100000	500000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Chloroethane	--	--	--		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Chloroform	370	49000	350000		1.7 U	1.7 U	1.8 U	1.7 U	1.8 U
Chloromethane	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
cis-1,2-Dichloroethene	250	100000	500000		1.1 U	1.1 U	1.2 U	1.2 U	1.1 J
cis-1,3-Dichloropropene	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Cyclohexane	--	--	--		23 U	23 U	24 U	23 U	24 U
Dibromochloromethane	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Dibromochloropropane	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
Dichlorodifluoromethane	--	--	--		11 U	11 U	12 U	12 U	12 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5	RW-17 4/11/2014 0 - 2	RW-17 4/11/2014 2 - 4
Ethylbenzene	1000	41000	390000		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Freon 113	--	--	--		23 U	23 U	24 U	23 U	24 U
Isopropylbenzene	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
m+p-Xylene	--	--	--		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Methyl acetate	--	--	--		23 U	23 U	24 U	23 U	24 U
Methylcyclohexane	--	--	--		4.6 U	4.6 U	4.8 U	4.6 U	4.8 U
Methylene chloride	50	100000	500000		11 U	11 U	12 U	12 U	12 U
MTBE	930	100000	500000		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
o-Xylene	--	--	--		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Styrene	--	--	--		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Tetrachloroethene	1300	19000	150000		1.1 U	1.1 U	1.5	4.1	9.7
Toluene	700	100000	500000		0.35 J	0.40 J	1.8 U	1.7 U	1.8 U
trans-1,2-Dichloroethene	190	100000	500000		1.7 U	1.7 U	1.8 U	1.7 U	1.8 U
trans-1,3-Dichloropropene	--	--	--		1.1 U	1.1 U	1.2 U	1.2 U	1.2 U
Trichloroethene	470	21000	200000		1.1 U	1.1 U	1.2 U	1.2 U	1.2
Trichlorofluoromethane	--	--	--		5.7 U	5.7 U	6.0 U	5.8 U	6.0 U
Vinyl chloride	20	900	13000		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U
Xylenes (total)	1600	100000	500000		2.3 U	2.3 U	2.4 U	2.3 U	2.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
1,1,1-Trichloroethane	680	100000	500000		1.2 U	1.1 U	1.3 U
1,1,2,2-Tetrachloroethane	--	--	--		1.2 U	1.1 U	1.3 U
1,1,2-Trichloroethane	--	--	--		1.8 U	1.7 U	1.9 U
1,1-Dichloroethane	270	26000	240000		1.8 U	1.7 U	1.9 U
1,1-Dichloroethene	330	100000	500000		1.2 U	1.1 U	1.3 U
1,2,3-Trichlorobenzene	--	--	--		6.2 U	5.7 U	6.3 U
1,2,4-Trichlorobenzene	--	--	--		6.2 U	5.7 U	6.3 U
1,2-Dibromoethane	--	--	--		4.9 U	4.6 U	5.1 U
1,2-Dichlorobenzene	1100	100000	500000		6.2 U	5.7 U	6.3 U
1,2-Dichloroethane	20	3100	30000		1.2 U	1.1 U	1.3 U
1,2-Dichloropropane	--	--	--		4.3 U	4.0 U	4.4 U
1,3-Dichlorobenzene	2400	49000	280000		6.2 U	5.7 U	6.3 U
1,4-Dichlorobenzene	1800	13000	130000		6.2 U	5.7 U	6.3 U
1,4-Dioxane	100	13000	130000		120 U	110 U	130 U
2-Butanone (MEK)	120	100000	500000		5.0 J	1.9 J	2.8 J
2-Hexanone	--	--	--		12 U	11 U	13 U
4-Methyl-2-pentanone (MIBK)	--	--	--		12 U	11 U	13 U
Acetone	50	100000	500000		23	6.2 J	21
Benzene	60	4800	44000		1.2 U	1.1 U	1.3 U
Bromochloromethane	--	--	--		6.2 U	5.7 U	6.3 U
Bromodichloromethane	--	--	--		1.2 U	1.1 U	1.3 U
Bromoform	--	--	--		4.9 U	4.6 U	5.1 U
Bromomethane	--	--	--		2.5 U	2.3 U	2.5 U
Carbon disulfide	--	--	--		12 U	11 U	13 U
Carbon tetrachloride	760	2400	22000		1.2 U	1.1 U	1.3 U
Chlorobenzene	1100	100000	500000		1.2 U	1.1 U	1.3 U
Chloroethane	--	--	--		2.5 U	2.3 U	2.5 U
Chloroform	370	49000	350000		1.8 U	1.7 U	1.9 U
Chloromethane	--	--	--		6.2 U	5.7 U	6.3 U
cis-1,2-Dichloroethene	250	100000	500000		1.2 U	1.1 U	1.3 U
cis-1,3-Dichloropropene	--	--	--		1.2 U	1.1 U	1.3 U
Cyclohexane	--	--	--		25 U	23 U	25 U
Dibromochloromethane	--	--	--		1.2 U	1.1 U	1.3 U
Dibromochloropropane	--	--	--		6.2 U	5.7 U	6.3 U
Dichlorodifluoromethane	--	--	--		12 U	11 U	13 U

Table 1. Summary of Volatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
Ethylbenzene	1000	41000	390000		1.2 U	1.1 U	1.3 U
Freon 113	--	--	--		25 U	23 U	25 U
Isopropylbenzene	--	--	--		1.2 U	1.1 U	1.3 U
m+p-Xylene	--	--	--		2.5 U	2.3 U	2.5 U
Methyl acetate	--	--	--		25 U	23 U	25 U
Methylcyclohexane	--	--	--		4.9 U	4.6 U	5.1 U
Methylene chloride	50	100000	500000		12 U	11 U	13 U
MTBE	930	100000	500000		2.5 U	2.3 U	2.5 U
o-Xylene	--	--	--		2.5 U	2.3 U	2.5 U
Styrene	--	--	--		2.5 U	2.3 U	2.5 U
Tetrachloroethene	1300	19000	150000		1.2 U	1.1 U	1.3 U
Toluene	700	100000	500000		1.8 U	1.7 U	1.9 U
trans-1,2-Dichloroethene	190	100000	500000		1.8 U	1.7 U	1.9 U
trans-1,3-Dichloropropene	--	--	--		1.2 U	1.1 U	1.3 U
Trichloroethene	470	21000	200000		1.2 U	1.1 U	1.3 U
Trichlorofluoromethane	--	--	--		6.2 U	5.7 U	6.3 U
Vinyl chloride	20	900	13000		2.5 U	2.3 U	2.5 U
Xylenes (total)	1600	100000	500000		2.5 U	2.3 U	2.5 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12
1,1'-Biphenyl	--	--	--		1000 U	510 U	450 U	410 U	430 U
1,2,4,5-Tetrachlorobenzene	--	--	--		450 U	220 U	200 U	180 U	190 U
2,2'-oxybis (1-chloropropane)	--	--	--		540 U	270 U	240 U	220 U	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		450 U	220 U	200 U	180 U	190 U
2,4,5-Trichlorophenol	--	--	--		450 U	220 U	200 U	180 U	190 U
2,4,6-Trichlorophenol	--	--	--		270 U	140 U	120 U	110 U	110 U
2,4-Dichlorophenol	--	--	--		410 U	200 U	180 U	160 U	170 U
2,4-Dimethylphenol	--	--	--		450 U	220 U	200 U	180 U	190 U
2,4-Dinitrophenol	--	--	--		2200 U	1100 U	940 U	870 U	900 U
2,4-Dinitrotoluene	--	--	--		450 U	220 U	200 U	180 U	190 U
2,6-Dinitrotoluene	--	--	--		450 U	220 U	200 U	180 U	190 U
2-Chloronaphthalene	--	--	--		450 U	220 U	200 U	180 U	190 U
2-Chlorophenol	--	--	--		450 U	220 U	200 U	180 U	190 U
2-Methylnaphthalene	--	--	--		200 J	270 U	980	220 U	1100
2-Methylphenol	330	100000	500000		450 U	220 U	200 U	180 U	190 U
2-Nitroaniline	--	--	--		450 U	220 U	200 U	180 U	190 U
2-Nitrophenol	--	--	--		980 U	490 U	420 U	390 U	400 U
3&4-Methylphenol	330	100000	500000		650 U	320 U	280 U	260 U	270 U
3,3'-Dichlorobenzidine	--	--	--		450 U	220 U	200 U	180 U	190 U
3-Nitroaniline	--	--	--		450 U	220 U	200 U	180 U	190 U
4,6-Dinitro-2-methylphenol	--	--	--		1200 U	580 U	510 U	470 U	490 U
4-Bromophenyl phenyl ether	--	--	--		450 U	220 U	200 U	180 U	190 U
4-Chloro-3-methylphenol	--	--	--		450 U	220 U	200 U	180 U	190 U
4-Chloroaniline	--	--	--		450 U	220 U	200 U	180 U	190 U
4-Chlorophenyl phenyl ether	--	--	--		450 U	220 U	200 U	180 U	190 U
4-Nitroaniline	--	--	--		450 U	220 U	200 U	180 U	190 U
4-Nitrophenol	--	--	--		640 U	320 U	270 U	250 U	260 U
Acenaphthene	98000	100000	500000		320 J	480	160 U	140 U	150 U
Acenaphthylene	107000	100000	500000		360 U	320	160 U	140 U	150 U
Acetophenone	--	--	--		450 U	220 U	200 U	180 U	190 U
Anthracene	1000000	100000	500000		720	1500	120 U	110 U	110 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12
Atrazine	--	--	--		360 U	180 U	160 U	140 U	150 U
Benzaldehyde	--	--	--		600 U	300 U	260 U	240 U	250 U
Benzo[a]anthracene	1000	1000	5600		1800	3200	120 U	110 U	110 U
Benzo[a]pyrene	22000	1000	1000		1600	2800	160 U	140 U	150 U
Benzo[b]fluoranthene	1700	1000	5600		2100	3700	120 U	110 U	110 U
Benzo[g,h,i]perylene	1000000	100000	500000		1000	1600	160 U	140 U	150 U
Benzo[k]fluoranthene	1700	3900	56000		770	1300	120 U	110 U	110 U
Bis(2-chloroethoxy)methane	--	--	--		490 U	240 U	210 U	200 U	200 U
Bis(2-chloroethyl) ether	--	--	--		410 U	200 U	180 U	160 U	170 U
Bis(2-ethylhexyl) phthalate	--	--	--		1200	220 U	200 U	180 U	190 U
Butylbenzyl phthalate	--	--	--		710	220 U	200 U	180 U	190 U
Caprolactam	--	--	--		450 U	220 U	200 U	180 U	190 U
Carbazole	--	--	--		390 J	480	200 U	180 U	190 U
Chrysene	1000	3900	56000		2000	3200	120 U	110 U	110 U
Dibenzo[a,h]anthracene	1000000	330	560		230 J	410	120 U	110 U	110 U
Dibenzofuran	210000	59000	350000		220 J	220	200 U	180 U	190 U
Diethyl phthalate	--	--	--		450 U	220 U	200 U	180 U	190 U
Dimethyl phthalate	--	--	--		450 U	220 U	200 U	180 U	190 U
Di-n-butyl phthalate	--	--	--		230 J	220 U	200 U	180 U	190 U
Di-n-octyl phthalate	--	--	--		450 U	220 U	200 U	180 U	190 U
Fluoranthene	1000000	100000	500000		4000	6400	120 U	110 U	110 U
Fluorene	386000	100000	500000		310 J	620	200 U	180 U	190 U
Hexachlorobenzene	3200	1200	6000		270 U	140 U	120 U	110 U	110 U
Hexachlorobutadiene	--	--	--		450 U	220 U	200 U	180 U	190 U
Hexachlorocyclopentadiene	--	--	--		1300 U	640 U	560 U	520 U	540 U
Hexachloroethane	--	--	--		360 U	180 U	160 U	140 U	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		1100	1900	160 U	140 U	150 U
Isophorone	--	--	--		410 U	200 U	180 U	160 U	170 U
Naphthalene	12000	100000	500000		180 J	220 U	2100	180 U	610
Nitrobenzene	--	--	--		410 U	200 U	180 U	160 U	170 U
n-Nitrosodi-n-propylamine	--	--	--		450 U	220 U	200 U	180 U	190 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12
n-Nitrosodiphenylamine	--	--	--		360 U	180 U	160 U	140 U	150 U
Pentachlorophenol	800	6700	6700		360 U	180 U	160 U	140 U	150 U
Phenanthrene	1000000	100000	500000		2900	4800	120 U	110 U	110 U
Phenol	330	100000	500000		450 U	220 U	200 U	180 U	190 U
Pyrene	1000000	100000	500000		3300	4900	120 U	110 U	110 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9
1,1'-Biphenyl	--	--	--		460 U	420 U	440 U	420 U	420 U
1,2,4,5-Tetrachlorobenzene	--	--	--		200 U	180 U	190 U	180 U	180 U
2,2'-oxybis (1-chloropropane)	--	--	--		240 U	220 U	230 U	220 U	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		200 U	180 U	190 U	180 U	180 U
2,4,5-Trichlorophenol	--	--	--		200 U	180 U	190 U	180 U	180 U
2,4,6-Trichlorophenol	--	--	--		120 U	110 U	120 U	110 U	110 U
2,4-Dichlorophenol	--	--	--		180 U	160 U	170 U	160 U	160 U
2,4-Dimethylphenol	--	--	--		200 U	180 U	190 U	180 U	180 U
2,4-Dinitrophenol	--	--	--		970 U	880 U	920 U	880 U	880 U
2,4-Dinitrotoluene	--	--	--		200 U	180 U	190 U	180 U	180 U
2,6-Dinitrotoluene	--	--	--		200 U	180 U	190 U	180 U	180 U
2-Chloronaphthalene	--	--	--		200 U	180 U	190 U	180 U	180 U
2-Chlorophenol	--	--	--		200 U	180 U	190 U	180 U	180 U
2-Methylnaphthalene	--	--	--		71 J	220 U	230 U	220 U	220 U
2-Methylphenol	330	100000	500000		200 U	180 U	190 U	180 U	180 U
2-Nitroaniline	--	--	--		200 U	180 U	190 U	180 U	180 U
2-Nitrophenol	--	--	--		440 U	400 U	410 U	400 U	400 U
3&4-Methylphenol	330	100000	500000		290 U	260 U	280 U	260 U	260 U
3,3'-Dichlorobenzidine	--	--	--		200 U	180 U	190 U	180 U	180 U
3-Nitroaniline	--	--	--		200 U	180 U	190 U	180 U	180 U
4,6-Dinitro-2-methylphenol	--	--	--		520 U	480 U	500 U	480 U	480 U
4-Bromophenyl phenyl ether	--	--	--		200 U	180 U	190 U	180 U	180 U
4-Chloro-3-methylphenol	--	--	--		200 U	180 U	190 U	180 U	180 U
4-Chloroaniline	--	--	--		200 U	180 U	190 U	180 U	180 U
4-Chlorophenyl phenyl ether	--	--	--		200 U	180 U	190 U	180 U	180 U
4-Nitroaniline	--	--	--		200 U	180 U	190 U	180 U	180 U
4-Nitrophenol	--	--	--		280 U	260 U	270 U	260 U	260 U
Acenaphthene	98000	100000	500000		160 U	150 U	150 U	150 U	150 U
Acenaphthylene	107000	100000	500000		160 U	150 U	150 U	150 U	150 U
Acetophenone	--	--	--		200 U	180 U	190 U	180 U	180 U
Anthracene	1000000	100000	500000		120 U	110 U	120 U	110 U	110 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9
Atrazine	--	--	--		160 U	150 U	150 U	150 U	150 U
Benzaldehyde	--	--	--		260 U	240 U	250 U	240 U	240 U
Benzo[a]anthracene	1000	1000	5600		120 U	110 U	120 U	110 U	110 U
Benzo[a]pyrene	22000	1000	1000		160 U	150 U	150 U	150 U	150 U
Benzo[b]fluoranthene	1700	1000	5600		120 U	110 U	120 U	110 U	110 U
Benzo[g,h,i]perylene	1000000	100000	500000		160 U	150 U	150 U	150 U	150 U
Benzo[k]fluoranthene	1700	3900	56000		120 U	110 U	120 U	110 U	110 U
Bis(2-chloroethoxy)methane	--	--	--		220 U	200 U	210 U	200 U	200 U
Bis(2-chloroethyl) ether	--	--	--		180 U	160 U	170 U	160 U	160 U
Bis(2-ethylhexyl) phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Butylbenzyl phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Caprolactam	--	--	--		200 U	180 U	190 U	180 U	180 U
Carbazole	--	--	--		200 U	180 U	190 U	180 U	180 U
Chrysene	1000	3900	56000		120 U	110 U	120 U	110 U	110 U
Dibenzo[a,h]anthracene	1000000	330	560		120 U	110 U	120 U	110 U	110 U
Dibenzofuran	210000	59000	350000		200 U	180 U	190 U	180 U	180 U
Diethyl phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Dimethyl phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Di-n-butyl phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Di-n-octyl phthalate	--	--	--		200 U	180 U	190 U	180 U	180 U
Fluoranthene	1000000	100000	500000		120 U	110 U	120 U	110 U	110 U
Fluorene	386000	100000	500000		200 U	180 U	190 U	180 U	180 U
Hexachlorobenzene	3200	1200	6000		120 U	110 U	120 U	110 U	110 U
Hexachlorobutadiene	--	--	--		200 U	180 U	190 U	180 U	180 U
Hexachlorocyclopentadiene	--	--	--		580 U	530 U	550 U	530 U	530 U
Hexachloroethane	--	--	--		160 U	150 U	150 U	150 U	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		160 U	150 U	150 U	150 U	150 U
Isophorone	--	--	--		180 U	160 U	170 U	160 U	160 U
Naphthalene	12000	100000	500000		96 J	180 U	190 U	180 U	180 U
Nitrobenzene	--	--	--		180 U	160 U	170 U	160 U	160 U
n-Nitrosodi-n-propylamine	--	--	--		200 U	180 U	190 U	180 U	180 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9
n-Nitrosodiphenylamine	--	--	--		160 U	150 U	150 U	150 U	150 U
Pentachlorophenol	800	6700	6700		160 U	150 U	150 U	150 U	150 U
Phenanthrene	1000000	100000	500000		120 U	110 U	120 U	110 U	110 U
Phenol	330	100000	500000		200 U	180 U	190 U	180 U	180 U
Pyrene	1000000	100000	500000		120 U	110 U	120 U	110 U	110 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13	RB- 6 DUP 4/21/2014 11 - 13
1,1'-Biphenyl	--	--	--		430 U	440 U	410 U	420 U	400 U
1,2,4,5-Tetrachlorobenzene	--	--	--		190 U	190 U	180 U	180 U	180 U
2,2'-oxybis (1-chloropropane)	--	--	--		230 U	230 U	210 U	220 U	210 U
2,3,4,6-Tetrachlorophenol	--	--	--		190 U	190 U	180 U	180 U	180 U
2,4,5-Trichlorophenol	--	--	--		190 U	190 U	180 U	180 U	180 U
2,4,6-Trichlorophenol	--	--	--		110 U	110 U	110 U	110 U	100 U
2,4-Dichlorophenol	--	--	--		170 U	170 U	160 U	170 U	160 U
2,4-Dimethylphenol	--	--	--		190 U	190 U	180 U	180 U	180 U
2,4-Dinitrophenol	--	--	--		910 U	920 U	860 U	890 U	850 U
2,4-Dinitrotoluene	--	--	--		190 U	190 U	180 U	180 U	180 U
2,6-Dinitrotoluene	--	--	--		190 U	190 U	180 U	180 U	180 U
2-Chloronaphthalene	--	--	--		190 U	190 U	180 U	180 U	180 U
2-Chlorophenol	--	--	--		190 U	190 U	180 U	180 U	180 U
2-Methylnaphthalene	--	--	--		230 U	230 U	210 U	220 U	210 U
2-Methylphenol	330	100000	500000		190 U	190 U	180 U	180 U	180 U
2-Nitroaniline	--	--	--		190 U	190 U	180 U	180 U	180 U
2-Nitrophenol	--	--	--		410 U	410 U	390 U	400 U	380 U
3&4-Methylphenol	330	100000	500000		270 U	280 U	260 U	260 U	250 U
3,3'-Dichlorobenzidine	--	--	--		190 U	190 U	180 U	180 U	180 U
3-Nitroaniline	--	--	--		190 U	190 U	180 U	180 U	180 U
4,6-Dinitro-2-methylphenol	--	--	--		490 U	500 U	460 U	480 U	460 U
4-Bromophenyl phenyl ether	--	--	--		190 U	190 U	180 U	180 U	180 U
4-Chloro-3-methylphenol	--	--	--		190 U	190 U	180 U	180 U	180 U
4-Chloroaniline	--	--	--		190 U	190 U	180 U	180 U	180 U
4-Chlorophenyl phenyl ether	--	--	--		190 U	190 U	180 U	180 U	180 U
4-Nitroaniline	--	--	--		190 U	190 U	180 U	180 U	180 U
4-Nitrophenol	--	--	--		260 U	270 U	250 U	260 U	250 U
Acenaphthene	98000	100000	500000		150 U	150 U	140 U	150 U	140 U
Acenaphthylene	107000	100000	500000		150 U	150 U	140 U	150 U	140 U
Acetophenone	--	--	--		190 U	190 U	180 U	180 U	180 U
Anthracene	1000000	100000	500000		110 U	110 U	110 U	110 U	100 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13	RB- 6 DUP 4/21/2014 11 - 13
Atrazine	--	--	--		150 U	150 U	140 U	150 U	140 U
Benzaldehyde	--	--	--		250 U	250 U	240 U	240 U	230 U
Benzo[a]anthracene	1000	1000	5600		110 U	110 U	110 U	110 U	50 J
Benzo[a]pyrene	22000	1000	1000		150 U	150 U	140 U	150 U	48 J
Benzo[b]fluoranthene	1700	1000	5600		110 U	110 U	110 U	110 U	57 J
Benzo[g,h,i]perylene	1000000	100000	500000		150 U	150 U	140 U	150 U	43 J
Benzo[k]fluoranthene	1700	3900	56000		110 U	110 U	110 U	110 U	45 J
Bis(2-chloroethoxy)methane	--	--	--		200 U	210 U	190 U	200 U	190 U
Bis(2-chloroethyl) ether	--	--	--		170 U	170 U	160 U	170 U	160 U
Bis(2-ethylhexyl) phthalate	--	--	--		190 U	190 U	180 U	180 U	56 J
Butylbenzyl phthalate	--	--	--		190 U	190 U	180 U	180 U	180 U
Caprolactam	--	--	--		190 U	190 U	180 U	180 U	180 U
Carbazole	--	--	--		190 U	190 U	180 U	180 U	180 U
Chrysene	1000	3900	56000		110 U	110 U	110 U	110 U	58 J
Dibenzo[a,h]anthracene	1000000	330	560		110 U	110 U	110 U	110 U	100 U
Dibenzofuran	210000	59000	350000		190 U	190 U	180 U	180 U	180 U
Diethyl phthalate	--	--	--		190 U	190 U	180 U	180 U	180 U
Dimethyl phthalate	--	--	--		190 U	190 U	180 U	180 U	180 U
Di-n-butyl phthalate	--	--	--		190 U	190 U	180 U	180 U	180 U
Di-n-octyl phthalate	--	--	--		190 U	190 U	180 U	180 U	180 U
Fluoranthene	1000000	100000	500000		110 U	110 U	110 U	42 J	130
Fluorene	386000	100000	500000		190 U	190 U	180 U	180 U	180 U
Hexachlorobenzene	3200	1200	6000		110 U	110 U	110 U	110 U	100 U
Hexachlorobutadiene	--	--	--		190 U	190 U	180 U	180 U	180 U
Hexachlorocyclopentadiene	--	--	--		540 U	550 U	510 U	530 U	510 U
Hexachloroethane	--	--	--		150 U	150 U	140 U	150 U	140 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		150 U	150 U	140 U	150 U	43 J
Isophorone	--	--	--		170 U	170 U	160 U	170 U	160 U
Naphthalene	12000	100000	500000		190 U	190 U	180 U	180 U	180 U
Nitrobenzene	--	--	--		170 U	170 U	160 U	170 U	160 U
n-Nitrosodi-n-propylamine	--	--	--		190 U	190 U	180 U	180 U	180 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13	RB- 6 DUP 4/21/2014 11 - 13
n-Nitrosodiphenylamine	--	--	--		150 U	150 U	140 U	150 U	140 U
Pentachlorophenol	800	6700	6700		150 U	150 U	140 U	150 U	140 U
Phenanthrene	1000000	100000	500000		110 U	110 U	110 U	110 U	66 J
Phenol	330	100000	500000		190 U	190 U	180 U	180 U	180 U
Pyrene	1000000	100000	500000		110 U	110 U	110 U	36 J	100

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-8 4/7/2014 7 - 9	RB-8 DUP 4/7/2014 7 - 9	RB-9 4/7/2014 13 - 15
1,1'-Biphenyl	--	--	--		440 U	440 U	420 U	440 U	480 U	2500 UD
1,2,4,5-Tetrachlorobenzene	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2,2'-oxybis (1-chloropropane)	--	--	--		230 U	230 U	220 U	230 U	250 U	1300 UD
2,3,4,6-Tetrachlorophenol	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2,4,5-Trichlorophenol	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2,4,6-Trichlorophenol	--	--	--		120 U	120 U	110 U	110 U	130 U	670 UD
2,4-Dichlorophenol	--	--	--		170 U	180 U	170 U	170 U	190 U	1000 UD
2,4-Dimethylphenol	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2,4-Dinitrophenol	--	--	--		930 U	940 U	890 U	920 U	1000 U	5300 UD
2,4-Dinitrotoluene	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2,6-Dinitrotoluene	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2-Chloronaphthalene	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2-Chlorophenol	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2-Methylnaphthalene	--	--	--		230 U	340	220 U	230 U	250 U	450 JD
2-Methylphenol	330	100000	500000		190 U	200 U	180 U	190 U	210 U	1100 UD
2-Nitroaniline	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
2-Nitrophenol	--	--	--		420 U	420 U	400 U	410 U	450 U	2400 UD
3&4-Methylphenol	330	100000	500000		280 U	280 U	270 U	280 U	300 U	1600 UD
3,3'-Dichlorobenzidine	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
3-Nitroaniline	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4,6-Dinitro-2-methylphenol	--	--	--		500 U	510 U	480 U	500 U	550 U	2900 UD
4-Bromophenyl phenyl ether	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4-Chloro-3-methylphenol	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4-Chloroaniline	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4-Chlorophenyl phenyl ether	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4-Nitroaniline	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
4-Nitrophenol	--	--	--		270 U	270 U	260 U	270 U	290 U	1600 UD
Acenaphthene	98000	100000	500000		150 U	160 U	150 U	150 U	170 U	890 UD
Acenaphthylene	107000	100000	500000		150 U	160 U	150 U	150 U	170 U	890 UD
Acetophenone	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Anthracene	1000000	100000	500000		120 U	120 U	110 U	110 U	130 U	670 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-8 4/7/2014 7 - 9	RB-8 DUP 4/7/2014 7 - 9	RB-9 4/7/2014 13 - 15
Atrazine	--	--	--		150 U	160 U	150 U	150 U	170 U	890 UD
Benzaldehyde	--	--	--		260 U	260 U	240 U	250 U	280 U	1500 UD
Benzo[a]anthracene	1000	1000	5600		120 U	120 U	110 U	110 U	130 U	230 JD
Benzo[a]pyrene	22000	1000	1000		150 U	160 U	150 U	150 U	170 U	890 UD
Benzo[b]fluoranthene	1700	1000	5600		120 U	120 U	110 U	110 U	130 U	670 UD
Benzo[g,h,i]perylene	1000000	100000	500000		150 U	160 U	150 U	150 U	170 U	890 UD
Benzo[k]fluoranthene	1700	3900	56000		120 U	120 U	110 U	110 U	130 U	670 UD
Bis(2-chloroethoxy)methane	--	--	--		210 U	210 U	200 U	210 U	230 U	1200 UD
Bis(2-chloroethyl) ether	--	--	--		170 U	180 U	170 U	170 U	190 U	1000 UD
Bis(2-ethylhexyl) phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1500 D
Butylbenzyl phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1200 D
Caprolactam	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Carbazole	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Chrysene	1000	3900	56000		120 U	120 U	110 U	110 U	130 U	670 UD
Dibenzo[a,h]anthracene	1000000	330	560		120 U	120 U	110 U	110 U	130 U	670 UD
Dibenzofuran	210000	59000	350000		190 U	200 U	180 U	190 U	210 U	1100 UD
Diethyl phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Dimethyl phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Di-n-butyl phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Di-n-octyl phthalate	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Fluoranthene	1000000	100000	500000		120 U	120 U	110 U	110 U	130 U	400 JD
Fluorene	386000	100000	500000		190 U	200 U	180 U	190 U	210 U	1100 UD
Hexachlorobenzene	3200	1200	6000		120 U	120 U	110 U	110 U	130 U	670 UD
Hexachlorobutadiene	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD
Hexachlorocyclopentadiene	--	--	--		560 U	560 U	530 U	550 U	600 U	3200 UD
Hexachloroethane	--	--	--		150 U	160 U	150 U	150 U	170 U	890 UD
Indeno[1,2,3-cd]pyrene	8200	500	5600		150 U	160 U	150 U	150 U	170 U	890 UD
Isophorone	--	--	--		170 U	180 U	170 U	170 U	190 U	1000 UD
Naphthalene	12000	100000	500000		190 U	220	180 U	190 U	210 U	1100 UD
Nitrobenzene	--	--	--		170 U	180 U	170 U	170 U	190 U	1000 UD
n-Nitrosodi-n-propylamine	--	--	--		190 U	200 U	180 U	190 U	210 U	1100 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-7	RB-7	RB-7	RB-8	RB-8 DUP	RB-9
				Sample Date:	4/7/2014	4/7/2014	4/7/2014	4/7/2014	4/7/2014	4/7/2014
				Sample Depth (ft bls):	13 - 15	15 - 17	20 - 21	7 - 9	7 - 9	13 - 15
n-Nitrosodiphenylamine	--	--	--		150 U	160 U	150 U	150 U	170 U	890 UD
Pentachlorophenol	800	6700	6700		150 U	160 U	150 U	150 U	170 U	890 UD
Phenanthrene	1000000	100000	500000		120 U	120 U	110 U	110 U	130 U	290 JD
Phenol	330	100000	500000		190 U	200 U	180 U	190 U	210 U	1100 UD
Pyrene	1000000	100000	500000		120 U	120 U	110 U	110 U	130 U	420 JD

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19	RB-11 4/8/2014 2 - 4
1,1'-Biphenyl	--	--	--		1700 UD	450 U	120 J	480 U	450 U	1200 JD
1,2,4,5-Tetrachlorobenzene	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2,2'-oxybis (1-chloropropane)	--	--	--		910 UD	240 U	240 U	250 U	240 U	1100 UD
2,3,4,6-Tetrachlorophenol	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2,4,5-Trichlorophenol	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2,4,6-Trichlorophenol	--	--	--		450 UD	120 U	120 U	130 U	120 U	570 UD
2,4-Dichlorophenol	--	--	--		680 UD	180 U	180 U	190 U	180 U	850 UD
2,4-Dimethylphenol	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2,4-Dinitrophenol	--	--	--		3600 UD	940 U	950 U	1000 U	950 U	4500 UD
2,4-Dinitrotoluene	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2,6-Dinitrotoluene	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2-Chloronaphthalene	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2-Chlorophenol	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2-Methylnaphthalene	--	--	--		910 UD	240 U	5400	88 J	240 U	29000 D
2-Methylphenol	330	100000	500000		760 UD	200 U	200 U	210 U	200 U	940 UD
2-Nitroaniline	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
2-Nitrophenol	--	--	--		1600 UD	420 U	430 U	460 U	430 U	2000 UD
3&4-Methylphenol	330	100000	500000		1100 UD	280 U	280 U	300 U	290 U	1400 UD
3,3'-Dichlorobenzidine	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
3-Nitroaniline	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4,6-Dinitro-2-methylphenol	--	--	--		2000 UD	510 U	510 U	550 U	520 U	2400 UD
4-Bromophenyl phenyl ether	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4-Chloro-3-methylphenol	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4-Chloroaniline	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4-Chlorophenyl phenyl ether	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4-Nitroaniline	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
4-Nitrophenol	--	--	--		1100 UD	280 U	280 U	300 U	280 U	1300 UD
Acenaphthene	98000	100000	500000		160 JD	160 U	160 U	170 U	160 U	760 UD
Acenaphthylene	107000	100000	500000		610 UD	160 U	160 U	170 U	160 U	760 UD
Acetophenone	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Anthracene	1000000	100000	500000		390 JD	120 U	120 U	130 U	40 J	570 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19	RB-11 4/8/2014 2 - 4
Atrazine	--	--	--		610 UD	160 U	160 U	170 U	160 U	760 UD
Benzaldehyde	--	--	--		1000 UD	260 U	260 U	280 U	260 U	1200 UD
Benzo[a]anthracene	1000	1000	5600		900 D	120 U	120 U	130 U	72 J	570 UD
Benzo[a]pyrene	22000	1000	1000		800 D	160 U	160 U	170 U	61 J	760 UD
Benzo[b]fluoranthene	1700	1000	5600		940 D	120 U	120 U	130 U	65 J	570 UD
Benzo[g,h,i]perylene	1000000	100000	500000		610 UD	160 U	160 U	170 U	160 U	760 UD
Benzo[k]fluoranthene	1700	3900	56000		410 JD	120 U	120 U	130 U	39 J	570 UD
Bis(2-chloroethoxy)methane	--	--	--		820 UD	210 U	210 U	230 U	210 U	1000 UD
Bis(2-chloroethyl) ether	--	--	--		680 UD	180 U	180 U	190 U	180 U	850 UD
Bis(2-ethylhexyl) phthalate	--	--	--		800 D	200 U	200 U	400	140 J	940 UD
Butylbenzyl phthalate	--	--	--		330 JD	200 U	200 U	210 U	200 U	940 UD
Caprolactam	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Carbazole	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Chrysene	1000	3900	56000		760 D	120 U	120 U	130 U	65 J	570 UD
Dibenzo[a,h]anthracene	1000000	330	560		450 UD	120 U	120 U	130 U	120 U	570 UD
Dibenzofuran	210000	59000	350000		760 UD	200 U	200 U	210 U	200 U	940 UD
Diethyl phthalate	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Dimethyl phthalate	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Di-n-butyl phthalate	--	--	--		1800 D	200 U	200 U	210 U	200 U	940 UD
Di-n-octyl phthalate	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Fluoranthene	1000000	100000	500000		1900 D	120 U	120 U	130 U	150	570 UD
Fluorene	386000	100000	500000		760 UD	200 U	200 U	210 U	200 U	940 UD
Hexachlorobenzene	3200	1200	6000		450 UD	120 U	120 U	130 U	120 U	570 UD
Hexachlorobutadiene	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD
Hexachlorocyclopentadiene	--	--	--		2200 UD	560 U	570 U	600 U	570 U	2700 UD
Hexachloroethane	--	--	--		610 UD	160 U	160 U	170 U	160 U	760 UD
Indeno[1,2,3-cd]pyrene	8200	500	5600		570 JD	160 U	160 U	170 U	160 U	760 UD
Isophorone	--	--	--		680 UD	180 U	180 U	190 U	180 U	850 UD
Naphthalene	12000	100000	500000		760 UD	200 U	5000	210 U	200 U	26000 D
Nitrobenzene	--	--	--		680 UD	180 U	180 U	190 U	180 U	850 UD
n-Nitrosodi-n-propylamine	--	--	--		760 UD	200 U	200 U	210 U	200 U	940 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19	RB-11 4/8/2014 2 - 4
n-Nitrosodiphenylamine	--	--	--		610 UD	160 U	160 U	170 U	160 U	760 UD
Pentachlorophenol	800	6700	6700		610 UD	160 U	160 U	170 U	160 U	760 UD
Phenanthrene	1000000	100000	500000		1200 D	120 U	120 U	130 U	120	970 D
Phenol	330	100000	500000		760 UD	200 U	200 U	210 U	200 U	940 UD
Pyrene	1000000	100000	500000		1400 D	120 U	120 U	130 U	120	570 UD

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16	RB-12 4/9/2014 7 - 9	RB-13 4/8/2014 11 - 12	RB-14 4/8/2014 11 - 12	RB-15 4/9/2014 7 - 9
1,1'-Biphenyl	--	--	--		180 J	540 U	460 U	1700 UD	460 U	490 U
1,2,4,5-Tetrachlorobenzene	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2,2'-oxybis (1-chloropropane)	--	--	--		240 U	290 U	240 U	890 UD	240 U	260 U
2,3,4,6-Tetrachlorophenol	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2,4,5-Trichlorophenol	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2,4,6-Trichlorophenol	--	--	--		120 U	140 U	120 U	440 UD	120 U	130 U
2,4-Dichlorophenol	--	--	--		180 U	220 U	180 U	670 UD	180 U	190 U
2,4-Dimethylphenol	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2,4-Dinitrophenol	--	--	--		970 U	1100 U	970 U	3600 UD	980 U	1000 U
2,4-Dinitrotoluene	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2,6-Dinitrotoluene	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2-Chloronaphthalene	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2-Chlorophenol	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2-Methylnaphthalene	--	--	--		4200	290 U	240 U	890 UD	240 U	260 U
2-Methylphenol	330	100000	500000		200 U	240 U	200 U	740 UD	200 U	210 U
2-Nitroaniline	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
2-Nitrophenol	--	--	--		430 U	520 U	440 U	1600 UD	440 U	460 U
3&4-Methylphenol	330	100000	500000		290 U	340 U	290 U	1100 UD	290 U	310 U
3,3'-Dichlorobenzidine	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
3-Nitroaniline	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4,6-Dinitro-2-methylphenol	--	--	--		520 U	620 U	520 U	1900 UD	530 U	560 U
4-Bromophenyl phenyl ether	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4-Chloro-3-methylphenol	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4-Chloroaniline	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4-Chlorophenyl phenyl ether	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4-Nitroaniline	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
4-Nitrophenol	--	--	--		280 U	340 U	280 U	1000 UD	280 U	300 U
Acenaphthene	98000	100000	500000		160 U	190 U	160 U	590 UD	120 J	170 U
Acenaphthylene	107000	100000	500000		160 U	190 U	160 U	590 UD	150 J	81 J
Acetophenone	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Anthracene	1000000	100000	500000		36 J	140 U	120 U	130 JD	360	110 J

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16	RB-12 4/9/2014 7 - 9	RB-13 4/8/2014 11 - 12	RB-14 4/8/2014 11 - 12	RB-15 4/9/2014 7 - 9
Atrazine	--	--	--		160 U	190 U	160 U	590 UD	160 U	170 U
Benzaldehyde	--	--	--		260 U	320 U	270 U	980 UD	270 U	280 U
Benzo[a]anthracene	1000	1000	5600		120 U	140 U	120 U	360 JD	1200	320
Benzo[a]pyrene	22000	1000	1000		160 U	190 U	160 U	370 JD	1300	350
Benzo[b]fluoranthene	1700	1000	5600		120 U	140 U	120 U	460 D	1400	360
Benzo[g,h,i]perylene	1000000	100000	500000		160 U	190 U	160 U	230 JD	700	200
Benzo[k]fluoranthene	1700	3900	56000		120 U	140 U	120 U	440 UD	540	180
Bis(2-chloroethoxy)methane	--	--	--		220 U	260 U	220 U	800 UD	220 U	230 U
Bis(2-chloroethyl) ether	--	--	--		180 U	220 U	180 U	670 UD	180 U	190 U
Bis(2-ethylhexyl) phthalate	--	--	--		200 U	140 J	200 U	740 UD	130 J	210 U
Butylbenzyl phthalate	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Caprolactam	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Carbazole	--	--	--		200 U	240 U	200 U	740 UD	82 J	210 U
Chrysene	1000	3900	56000		120 U	140 U	120 U	350 JD	1100	300
Dibenzo[a,h]anthracene	1000000	330	560		120 U	140 U	120 U	440 UD	160	52 J
Dibenzofuran	210000	59000	350000		200 U	240 U	200 U	740 UD	200 U	210 U
Diethyl phthalate	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Dimethyl phthalate	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Di-n-butyl phthalate	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Di-n-octyl phthalate	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Fluoranthene	1000000	100000	500000		66 J	140 U	120 U	550 D	2300	590
Fluorene	386000	100000	500000		97 J	240 U	200 U	740 UD	90 J	210 U
Hexachlorobenzene	3200	1200	6000		120 U	140 U	120 U	440 UD	120 U	130 U
Hexachlorobutadiene	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U
Hexachlorocyclopentadiene	--	--	--		580 U	690 U	580 U	2100 UD	580 U	610 U
Hexachloroethane	--	--	--		160 U	190 U	160 U	590 UD	160 U	170 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		160 U	190 U	160 U	190 JD	600	170
Isophorone	--	--	--		180 U	220 U	180 U	670 UD	180 U	190 U
Naphthalene	12000	100000	500000		4100	240 U	200 U	740 UD	200 U	210 U
Nitrobenzene	--	--	--		180 U	220 U	180 U	670 UD	180 U	190 U
n-Nitrosodi-n-propylamine	--	--	--		200 U	240 U	200 U	740 UD	200 U	210 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16	RB-12 4/9/2014 7 - 9	RB-13 4/8/2014 11 - 12	RB-14 4/8/2014 11 - 12	RB-15 4/9/2014 7 - 9
n-Nitrosodiphenylamine	--	--	--		160 U	190 U	160 U	590 UD	160 U	170 U
Pentachlorophenol	800	6700	6700		160 U	190 U	160 U	590 UD	160 U	170 U
Phenanthrene	1000000	100000	500000		230	140 U	120 U	330 JD	1100	280
Phenol	330	100000	500000		200 U	240 U	200 U	740 UD	200 U	210 U
Pyrene	1000000	100000	500000		72 J	140 U	120 U	550 D	2300	630

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-16 4/9/2014 6 - 8	RB-17 4/16/2014 6 - 8	RB-18 4/16/2014 5 - 7	RB-19 4/16/2014 5 - 7	RB-20 4/16/2014 3 - 5	RB-20 4/16/2014 5 - 6.5
1,1'-Biphenyl	--	--	--		590 U	530 U	470 U	4300 UD	430 U	510 U
1,2,4,5-Tetrachlorobenzene	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2,2'-oxybis (1-chloropropane)	--	--	--		310 U	280 U	250 U	2300 UD	230 U	270 U
2,3,4,6-Tetrachlorophenol	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2,4,5-Trichlorophenol	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2,4,6-Trichlorophenol	--	--	--		160 U	140 U	120 U	1100 UD	110 U	130 U
2,4-Dichlorophenol	--	--	--		230 U	210 U	180 U	1700 UD	170 U	200 U
2,4-Dimethylphenol	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2,4-Dinitrophenol	--	--	--		1200 U	1100 U	990 U	9100 UD	910 U	1100 U
2,4-Dinitrotoluene	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2,6-Dinitrotoluene	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2-Chloronaphthalene	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2-Chlorophenol	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2-Methylnaphthalene	--	--	--		310 U	280 U	250 U	2300 UD	230 U	270 U
2-Methylphenol	330	100000	500000		260 U	230 U	210 U	1900 UD	190 U	220 U
2-Nitroaniline	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
2-Nitrophenol	--	--	--		560 U	500 U	440 U	4100 UD	410 U	480 U
3&4-Methylphenol	330	100000	500000		380 U	330 U	300 U	2700 UD	270 U	320 U
3,3'-Dichlorobenzidine	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
3-Nitroaniline	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4,6-Dinitro-2-methylphenol	--	--	--		680 U	600 U	540 U	4900 UD	500 U	580 U
4-Bromophenyl phenyl ether	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4-Chloro-3-methylphenol	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4-Chloroaniline	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4-Chlorophenyl phenyl ether	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4-Nitroaniline	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
4-Nitrophenol	--	--	--		360 U	320 U	290 U	2700 UD	270 U	310 U
Acenaphthene	98000	100000	500000		210 U	180 U	160 U	640 JD	150 U	180 U
Acenaphthylene	107000	100000	500000		210 U	180 U	160 U	1500 UD	150 U	180 U
Acetophenone	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Anthracene	1000000	100000	500000		160 U	140 U	76 J	2100 D	110 U	130 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-16 4/9/2014 6 - 8	RB-17 4/16/2014 6 - 8	RB-18 4/16/2014 5 - 7	RB-19 4/16/2014 5 - 7	RB-20 4/16/2014 3 - 5	RB-20 4/16/2014 5 - 6.5
Atrazine	--	--	--		210 U	180 U	160 U	1500 UD	150 U	180 U
Benzaldehyde	--	--	--		340 U	300 U	270 U	2500 UD	250 U	300 U
Benzo[a]anthracene	1000	1000	5600		160 U	68 J	120	2600 D	39 J	130 U
Benzo[a]pyrene	22000	1000	1000		210 U	93 J	110 J	2200 D	50 J	180 U
Benzo[b]fluoranthene	1700	1000	5600		160 U	120 J	140	2700 D	45 J	130 U
Benzo[g,h,i]perylene	1000000	100000	500000		210 U	86 J	72 J	1200 JD	150 U	180 U
Benzo[k]fluoranthene	1700	3900	56000		160 U	140 U	45 J	1000 JD	110 U	130 U
Bis(2-chloroethoxy)methane	--	--	--		280 U	250 U	220 U	2000 UD	200 U	240 U
Bis(2-chloroethyl) ether	--	--	--		230 U	210 U	180 U	1700 UD	170 U	200 U
Bis(2-ethylhexyl) phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Butylbenzyl phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Caprolactam	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Carbazole	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Chrysene	1000	3900	56000		160 U	80 J	130	2500 D	37 J	130 U
Dibenzo[a,h]anthracene	1000000	330	560		160 U	140 U	120 U	1100 UD	110 U	130 U
Dibenzofuran	210000	59000	350000		260 U	230 U	210 U	1900 UD	190 U	220 U
Diethyl phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Dimethyl phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Di-n-butyl phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Di-n-octyl phthalate	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Fluoranthene	1000000	100000	500000		160 U	91 J	290	6100 D	57 J	130 U
Fluorene	386000	100000	500000		260 U	230 U	210 U	1100 JD	190 U	220 U
Hexachlorobenzene	3200	1200	6000		160 U	140 U	120 U	1100 UD	110 U	130 U
Hexachlorobutadiene	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U
Hexachlorocyclopentadiene	--	--	--		750 U	660 U	590 U	5400 UD	550 U	640 U
Hexachloroethane	--	--	--		210 U	180 U	160 U	1500 UD	150 U	180 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		210 U	87 J	79 J	1400 JD	150 U	180 U
Isophorone	--	--	--		230 U	210 U	180 U	1700 UD	170 U	200 U
Naphthalene	12000	100000	500000		260 U	230 U	210 U	1900 UD	190 U	220 U
Nitrobenzene	--	--	--		230 U	210 U	180 U	1700 UD	170 U	200 U
n-Nitrosodi-n-propylamine	--	--	--		260 U	230 U	210 U	1900 UD	190 U	220 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-16 4/9/2014 6 - 8	RB-17 4/16/2014 6 - 8	RB-18 4/16/2014 5 - 7	RB-19 4/16/2014 5 - 7	RB-20 4/16/2014 3 - 5	RB-20 4/16/2014 5 - 6.5
n-Nitrosodiphenylamine	--	--	--		210 U	180 U	160 U	1500 UD	150 U	180 U
Pentachlorophenol	800	6700	6700		210 U	180 U	160 U	1500 UD	150 U	180 U
Phenanthrene	1000000	100000	500000		160 U	140 U	220	5600 D	110 U	130 U
Phenol	330	100000	500000		260 U	230 U	210 U	1900 UD	190 U	220 U
Pyrene	1000000	100000	500000		160 U	85 J	240	4900 D	56 J	130 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-21 4/16/2014 4 - 6	RB-22 4/16/2014 4 - 6	RB-23 4/16/2014 3 - 5	RB-24 4/9/2014 2 - 4	RB-24 4/9/2014 6 - 8	RB-25 4/9/2014 4 - 6
1,1'-Biphenyl	--	--	--		470 U	490 U	490 U	420 U	540 U	810 UD
1,2,4,5-Tetrachlorobenzene	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2,2'-oxybis (1-chloropropane)	--	--	--		250 U	260 U	260 U	220 U	280 U	420 UD
2,3,4,6-Tetrachlorophenol	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2,4,5-Trichlorophenol	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2,4,6-Trichlorophenol	--	--	--		120 U	130 U	130 U	110 U	140 U	210 UD
2,4-Dichlorophenol	--	--	--		180 U	190 U	190 U	160 U	210 U	320 UD
2,4-Dimethylphenol	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2,4-Dinitrophenol	--	--	--		990 U	1000 U	1000 U	880 U	1100 U	1700 UD
2,4-Dinitrotoluene	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2,6-Dinitrotoluene	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2-Chloronaphthalene	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2-Chlorophenol	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2-Methylnaphthalene	--	--	--		250 U	260 U	260 U	220 U	280 U	420 UD
2-Methylphenol	330	100000	500000		200 U	210 U	220 U	180 U	230 U	350 UD
2-Nitroaniline	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
2-Nitrophenol	--	--	--		440 U	460 U	470 U	400 U	510 U	760 UD
3&4-Methylphenol	330	100000	500000		300 U	310 U	310 U	260 U	340 U	510 UD
3,3'-Dichlorobenzidine	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
3-Nitroaniline	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4,6-Dinitro-2-methylphenol	--	--	--		540 U	560 U	560 U	480 U	610 U	920 UD
4-Bromophenyl phenyl ether	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4-Chloro-3-methylphenol	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4-Chloroaniline	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4-Chlorophenyl phenyl ether	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4-Nitroaniline	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
4-Nitrophenol	--	--	--		290 U	300 U	300 U	260 U	330 U	490 UD
Acenaphthene	98000	100000	500000		160 U	81 J	170 U	150 U	190 U	280 UD
Acenaphthylene	107000	100000	500000		160 U	400	170 U	150 U	190 U	280 UD
Acetophenone	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Anthracene	1000000	100000	500000		120 U	880	130 U	110 U	140 U	210 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-21 4/16/2014 4 - 6	RB-22 4/16/2014 4 - 6	RB-23 4/16/2014 3 - 5	RB-24 4/9/2014 2 - 4	RB-24 4/9/2014 6 - 8	RB-25 4/9/2014 4 - 6
Atrazine	--	--	--		160 U	170 U	170 U	150 U	190 U	280 UD
Benzaldehyde	--	--	--		270 U	280 U	280 U	240 U	310 U	470 UD
Benzo[a]anthracene	1000	1000	5600		150	6200	130 U	110 U	140 U	210 UD
Benzo[a]pyrene	22000	1000	1000		140 J	6700	170 U	150 U	190 U	280 UD
Benzo[b]fluoranthene	1700	1000	5600		180	8400	130 U	110 U	140 U	210 UD
Benzo[g,h,i]perylene	1000000	100000	500000		100 J	4000	170 U	150 U	190 U	280 UD
Benzo[k]fluoranthene	1700	3900	56000		67 J	2400	130 U	110 U	140 U	210 UD
Bis(2-chloroethoxy)methane	--	--	--		220 U	230 U	230 U	200 U	250 U	380 UD
Bis(2-chloroethyl) ether	--	--	--		180 U	190 U	190 U	160 U	210 U	320 UD
Bis(2-ethylhexyl) phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Butylbenzyl phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Caprolactam	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Carbazole	--	--	--		200 U	450	220 U	180 U	230 U	350 UD
Chrysene	1000	3900	56000		160	6300	130 U	110 U	140 U	210 UD
Dibenzo[a,h]anthracene	1000000	330	560		120 U	870	130 U	110 U	140 U	210 UD
Dibenzofuran	210000	59000	350000		200 U	84 J	220 U	180 U	230 U	350 UD
Diethyl phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Dimethyl phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Di-n-butyl phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Di-n-octyl phthalate	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Fluoranthene	1000000	100000	500000		330	14000 E	130 U	110 U	140 U	210 UD
Fluorene	386000	100000	500000		200 U	120 J	220 U	180 U	230 U	350 UD
Hexachlorobenzene	3200	1200	6000		120 U	130 U	130 U	110 U	140 U	210 UD
Hexachlorobutadiene	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD
Hexachlorocyclopentadiene	--	--	--		590 U	610 U	620 U	520 U	670 U	1000 UD
Hexachloroethane	--	--	--		160 U	170 U	170 U	150 U	190 U	280 UD
Indeno[1,2,3-cd]pyrene	8200	500	5600		100 J	4500	170 U	150 U	190 U	280 UD
Isophorone	--	--	--		180 U	190 U	190 U	160 U	210 U	320 UD
Naphthalene	12000	100000	500000		200 U	160 J	220 U	180 U	230 U	350 UD
Nitrobenzene	--	--	--		180 U	190 U	190 U	160 U	210 U	320 UD
n-Nitrosodi-n-propylamine	--	--	--		200 U	210 U	220 U	180 U	230 U	350 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	NYSDEC							
	Part 375	Part 375	Part 375							
	Protection of	Restricted	Commercial							
	Groundwater	Residential	Use	Sample Designation:	RB-21	RB-22	RB-23	RB-24	RB-24	RB-25
				Sample Date:	4/16/2014	4/16/2014	4/16/2014	4/9/2014	4/9/2014	4/9/2014
				Sample Depth (ft bls):	4 - 6	4 - 6	3 - 5	2 - 4	6 - 8	4 - 6
n-Nitrosodiphenylamine	--	--	--		160 U	170 U	170 U	150 U	190 U	280 UD
Pentachlorophenol	800	6700	6700		160 U	170 U	170 U	150 U	190 U	280 UD
Phenanthrene	1000000	100000	500000		120	3000	130 U	110 U	140 U	210 UD
Phenol	330	100000	500000		200 U	210 U	220 U	180 U	230 U	350 UD
Pyrene	1000000	100000	500000		280	13000 D	130 U	110 U	140 U	210 UD

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-25 4/9/2014 6 - 7.5	RB-26 4/11/2014 5 - 7	RB-27 4/11/2014 5 - 7	RB-28 4/10/2014 5 - 7	RB-28 4/10/2014 7 - 8	RB-29 4/10/2014 5 - 7
1,1'-Biphenyl	--	--	--		470 U	890 UD	890 UD	2200 UD	2200 UD	410 U
1,2,4,5-Tetrachlorobenzene	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
2,2'-oxybis (1-chloropropane)	--	--	--		250 U	470 UD	470 UD	1100 UD	1200 UD	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
2,4,5-Trichlorophenol	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
2,4,6-Trichlorophenol	--	--	--		120 U	230 UD	230 UD	570 UD	590 UD	110 U
2,4-Dichlorophenol	--	--	--		190 U	350 UD	350 UD	860 UD	880 UD	160 U
2,4-Dimethylphenol	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
2,4-Dinitrophenol	--	--	--		1000 U	1900 UD	1900 UD	4600 UD	4700 UD	860 U
2,4-Dinitrotoluene	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
2,6-Dinitrotoluene	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
2-Chloronaphthalene	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
2-Chlorophenol	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
2-Methylnaphthalene	--	--	--		250 U	470 UD	470 UD	770 JD	1600 D	220 U
2-Methylphenol	330	100000	500000		210 U	390 UD	390 UD	950 UD	190 U	180 U
2-Nitroaniline	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
2-Nitrophenol	--	--	--		450 U	840 UD	840 UD	2000 UD	420 U	390 U
3&4-Methylphenol	330	100000	500000		300 U	560 UD	560 UD	1400 UD	1400 UD	260 U
3,3'-Dichlorobenzidine	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
3-Nitroaniline	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
4,6-Dinitro-2-methylphenol	--	--	--		540 U	1000 UD	1000 UD	2500 UD	510 U	460 U
4-Bromophenyl phenyl ether	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
4-Chloro-3-methylphenol	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
4-Chloroaniline	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
4-Chlorophenyl phenyl ether	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
4-Nitroaniline	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
4-Nitrophenol	--	--	--		290 U	550 UD	540 UD	1300 UD	270 U	250 U
Acenaphthene	98000	100000	500000		170 U	310 UD	310 UD	1700 D	2000	140 U
Acenaphthylene	107000	100000	500000		170 U	310 UD	310 UD	380 JD	210 JD	140 U
Acetophenone	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
Anthracene	1000000	100000	500000		120 U	230 UD	230 UD	4500 D	6500 D	110 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-25 4/9/2014 6 - 7.5	RB-26 4/11/2014 5 - 7	RB-27 4/11/2014 5 - 7	RB-28 4/10/2014 5 - 7	RB-28 4/10/2014 7 - 8	RB-29 4/10/2014 5 - 7
Atrazine	--	--	--		170 U	310 UD	310 UD	760 UD	780 UD	140 U
Benzaldehyde	--	--	--		270 U	520 UD	510 UD	1200 UD	260 U	240 U
Benzo[a]anthracene	1000	1000	5600		120 U	230 UD	230 UD	7400 D	8900 D	93 J
Benzo[a]pyrene	22000	1000	1000		170 U	310 UD	310 UD	6400 D	7000 D	77 J
Benzo[b]fluoranthene	1700	1000	5600		120 U	230 UD	230 UD	7200 D	8800 D	150
Benzo[g,h,i]perylene	1000000	100000	500000		170 U	310 UD	310 UD	3600 D	3300 D	55 J
Benzo[k]fluoranthene	1700	3900	56000		120 U	230 UD	230 UD	3700 D	3100 D	40 J
Bis(2-chloroethoxy)methane	--	--	--		220 U	420 UD	420 UD	1000 UD	1000 UD	190 U
Bis(2-chloroethyl) ether	--	--	--		190 U	350 UD	350 UD	860 UD	880 UD	160 U
Bis(2-ethylhexyl) phthalate	--	--	--		210 U	390 UD	390 UD	41000 ED	4200 D	62 J
Butylbenzyl phthalate	--	--	--		210 U	390 UD	390 UD	69000 ED	13000 E	180 U
Caprolactam	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
Carbazole	--	--	--		210 U	390 UD	390 UD	1600 D	1800	180 U
Chrysene	1000	3900	56000		120 U	230 UD	230 UD	7400 D	4100	93 J
Dibenzo[a,h]anthracene	1000000	330	560		120 U	230 UD	230 UD	2000 D	660	110 U
Dibenzofuran	210000	59000	350000		210 U	390 UD	390 UD	1400 D	2300 D	180 U
Diethyl phthalate	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
Dimethyl phthalate	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
Di-n-butyl phthalate	--	--	--		210 U	390 UD	390 UD	1400 D	980 UD	180 U
Di-n-octyl phthalate	--	--	--		210 U	390 UD	390 UD	950 UD	190 U	180 U
Fluoranthene	1000000	100000	500000		120 U	230 UD	230 UD	15000 D	21000 D	240
Fluorene	386000	100000	500000		210 U	390 UD	390 UD	1600 D	1700	180 U
Hexachlorobenzene	3200	1200	6000		120 U	230 UD	230 UD	570 UD	120 U	110 U
Hexachlorobutadiene	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U
Hexachlorocyclopentadiene	--	--	--		600 U	1100 UD	1100 UD	2700 UD	2800 UD	510 U
Hexachloroethane	--	--	--		170 U	310 UD	310 UD	760 UD	780 UD	140 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		170 U	310 UD	310 UD	3700 D	2700	49 J
Isophorone	--	--	--		190 U	350 UD	350 UD	860 UD	180 U	160 U
Naphthalene	12000	100000	500000		210 U	390 UD	390 UD	1400 D	2600	180 U
Nitrobenzene	--	--	--		190 U	350 UD	350 UD	860 UD	880 UD	160 U
n-Nitrosodi-n-propylamine	--	--	--		210 U	390 UD	390 UD	950 UD	980 UD	180 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-25 4/9/2014 6 - 7.5	RB-26 4/11/2014 5 - 7	RB-27 4/11/2014 5 - 7	RB-28 4/10/2014 5 - 7	RB-28 4/10/2014 7 - 8	RB-29 4/10/2014 5 - 7
n-Nitrosodiphenylamine	--	--	--		170 U	310 UD	310 UD	760 UD	780 UD	140 U
Pentachlorophenol	800	6700	6700		170 U	310 UD	310 UD	760 UD	780 UD	140 U
Phenanthrene	1000000	100000	500000		120 U	230 UD	230 UD	14000 D	11000 E	140
Phenol	330	100000	500000		210 U	390 UD	390 UD	950 UD	190 U	180 U
Pyrene	1000000	100000	500000		120 U	230 UD	230 UD	13000 D	8200 E	170

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-30 4/10/2014 5 - 7	RB-31 4/10/2014 5 - 7	RB-32 4/10/2014 5 - 7	RB-33 4/10/2014 4 - 6	RB-34 4/10/2014 4 - 6
1,1'-Biphenyl	--	--	--		880 UD	420 U	460 U	980 UD	420 U
1,2,4,5-Tetrachlorobenzene	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2,2'-oxybis (1-chloropropane)	--	--	--		460 UD	220 U	240 U	520 UD	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2,4,5-Trichlorophenol	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2,4,6-Trichlorophenol	--	--	--		230 UD	110 U	120 U	260 UD	110 U
2,4-Dichlorophenol	--	--	--		350 UD	160 U	180 U	390 UD	170 U
2,4-Dimethylphenol	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2,4-Dinitrophenol	--	--	--		1800 UD	880 U	980 U	2100 UD	890 U
2,4-Dinitrotoluene	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2,6-Dinitrotoluene	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2-Chloronaphthalene	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2-Chlorophenol	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2-Methylnaphthalene	--	--	--		460 UD	220 U	66 J	520 UD	220 U
2-Methylphenol	330	100000	500000		380 UD	180 U	200 U	430 UD	190 U
2-Nitroaniline	--	--	--		380 UD	180 U	200 U	430 UD	190 U
2-Nitrophenol	--	--	--		830 UD	400 U	440 U	930 UD	400 U
3&4-Methylphenol	330	100000	500000		560 UD	260 U	290 U	620 UD	270 U
3,3'-Dichlorobenzidine	--	--	--		380 UD	180 U	200 U	430 UD	190 U
3-Nitroaniline	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4,6-Dinitro-2-methylphenol	--	--	--		1000 UD	480 U	530 U	1100 UD	480 U
4-Bromophenyl phenyl ether	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4-Chloro-3-methylphenol	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4-Chloroaniline	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4-Chlorophenyl phenyl ether	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4-Nitroaniline	--	--	--		380 UD	180 U	200 U	430 UD	190 U
4-Nitrophenol	--	--	--		540 UD	260 U	280 U	600 UD	260 U
Acenaphthene	98000	100000	500000		310 UD	150 U	160 U	340 UD	95 J
Acenaphthylene	107000	100000	500000		130 JD	150 U	160 U	340 UD	570
Acetophenone	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Anthracene	1000000	100000	500000		380 D	110 U	120 U	260 D	850

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-30 4/10/2014 5 - 7	RB-31 4/10/2014 5 - 7	RB-32 4/10/2014 5 - 7	RB-33 4/10/2014 4 - 6	RB-34 4/10/2014 4 - 6
Atrazine	--	--	--		310 UD	150 U	160 U	340 UD	150 U
Benzaldehyde	--	--	--		510 UD	240 U	270 U	570 UD	240 U
Benzo[a]anthracene	1000	1000	5600		920 D	110 U	91 J	690 D	1600
Benzo[a]pyrene	22000	1000	1000		890 D	150 U	91 J	590 D	1600
Benzo[b]fluoranthene	1700	1000	5600		1000 D	46 J	120	690 D	1800
Benzo[g,h,i]perylene	1000000	100000	500000		590 D	38 J	74 J	340 D	950
Benzo[k]fluoranthene	1700	3900	56000		480 D	110 U	50 J	310 D	720
Bis(2-chloroethoxy)methane	--	--	--		420 UD	200 U	220 U	470 UD	200 U
Bis(2-chloroethyl) ether	--	--	--		350 UD	160 U	180 U	390 UD	170 U
Bis(2-ethylhexyl) phthalate	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Butylbenzyl phthalate	--	--	--		380 UD	180 U	54 J	430 UD	190 U
Caprolactam	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Carbazole	--	--	--		380 UD	180 U	200 U	430 UD	81 J
Chrysene	1000	3900	56000		970 D	40 J	110 J	660 D	1700
Dibenzo[a,h]anthracene	1000000	330	560		140 JD	110 U	120 U	94 JD	230
Dibenzofuran	210000	59000	350000		380 UD	180 U	200 U	430 UD	110 J
Diethyl phthalate	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Dimethyl phthalate	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Di-n-butyl phthalate	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Di-n-octyl phthalate	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Fluoranthene	1000000	100000	500000		2200 D	62 J	180	1400 D	3500
Fluorene	386000	100000	500000		380 UD	180 U	200 U	430 UD	320
Hexachlorobenzene	3200	1200	6000		230 UD	110 U	120 U	260 UD	110 U
Hexachlorobutadiene	--	--	--		380 UD	180 U	200 U	430 UD	190 U
Hexachlorocyclopentadiene	--	--	--		1100 UD	530 U	580 U	1200 UD	530 U
Hexachloroethane	--	--	--		310 UD	150 U	160 U	340 UD	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		640 D	150 U	75 J	370 D	1100
Isophorone	--	--	--		350 UD	160 U	180 U	390 UD	170 U
Naphthalene	12000	100000	500000		380 UD	180 U	200 U	430 UD	100 J
Nitrobenzene	--	--	--		350 UD	160 U	180 U	390 UD	170 U
n-Nitrosodi-n-propylamine	--	--	--		380 UD	180 U	200 U	430 UD	190 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-30 4/10/2014 5 - 7	RB-31 4/10/2014 5 - 7	RB-32 4/10/2014 5 - 7	RB-33 4/10/2014 4 - 6	RB-34 4/10/2014 4 - 6
n-Nitrosodiphenylamine	--	--	--		310 UD	150 U	160 U	340 UD	150 U
Pentachlorophenol	800	6700	6700		310 UD	150 U	160 U	340 UD	150 U
Phenanthrene	1000000	100000	500000		1100 D	39 J	110 J	830 D	2400
Phenol	330	100000	500000		380 UD	180 U	200 U	430 UD	190 U
Pyrene	1000000	100000	500000		1700 D	59 J	170	1000 D	3000

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-35 4/10/2014 3 - 5	RB-36 4/14/2014 2 - 4	RB-37 4/14/2014 1 - 3	RB-38 4/11/2014 1 - 3	RB-39 4/11/2014 1 - 3
1,1'-Biphenyl	--	--	--		410 U	450 U	400 U	430 U	420 U
1,2,4,5-Tetrachlorobenzene	--	--	--		180 U	200 U	170 U	190 U	180 U
2,2'-oxybis (1-chloropropane)	--	--	--		220 U	240 U	210 U	230 U	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		180 U	200 U	170 U	190 U	180 U
2,4,5-Trichlorophenol	--	--	--		180 U	200 U	170 U	190 U	180 U
2,4,6-Trichlorophenol	--	--	--		110 U	120 U	100 U	110 U	110 U
2,4-Dichlorophenol	--	--	--		160 U	180 U	160 U	170 U	160 U
2,4-Dimethylphenol	--	--	--		180 U	200 U	170 U	190 U	180 U
2,4-Dinitrophenol	--	--	--		870 U	940 U	840 U	910 U	880 U
2,4-Dinitrotoluene	--	--	--		180 U	200 U	170 U	190 U	180 U
2,6-Dinitrotoluene	--	--	--		180 U	200 U	170 U	190 U	180 U
2-Chloronaphthalene	--	--	--		180 U	200 U	170 U	190 U	180 U
2-Chlorophenol	--	--	--		180 U	200 U	170 U	190 U	180 U
2-Methylnaphthalene	--	--	--		220 U	240 U	210 U	230 U	220 U
2-Methylphenol	330	100000	500000		180 U	200 U	170 U	190 U	180 U
2-Nitroaniline	--	--	--		180 U	200 U	170 U	190 U	180 U
2-Nitrophenol	--	--	--		390 U	420 U	380 U	410 U	400 U
3&4-Methylphenol	330	100000	500000		260 U	280 U	250 U	270 U	260 U
3,3'-Dichlorobenzidine	--	--	--		180 U	200 U	170 U	190 U	180 U
3-Nitroaniline	--	--	--		180 U	200 U	170 U	190 U	180 U
4,6-Dinitro-2-methylphenol	--	--	--		470 U	510 U	450 U	490 U	480 U
4-Bromophenyl phenyl ether	--	--	--		180 U	200 U	170 U	190 U	180 U
4-Chloro-3-methylphenol	--	--	--		180 U	200 U	170 U	190 U	180 U
4-Chloroaniline	--	--	--		180 U	200 U	170 U	190 U	180 U
4-Chlorophenyl phenyl ether	--	--	--		180 U	200 U	170 U	190 U	180 U
4-Nitroaniline	--	--	--		180 U	200 U	170 U	190 U	180 U
4-Nitrophenol	--	--	--		250 U	270 U	240 U	270 U	260 U
Acenaphthene	98000	100000	500000		39 J	160 U	140 U	150 U	150 U
Acenaphthylene	107000	100000	500000		50 J	160	140 U	150 U	100 J
Acetophenone	--	--	--		180 U	200 U	170 U	190 U	180 U
Anthracene	1000000	100000	500000		100 J	100 J	100 U	110 U	140

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-35 4/10/2014 3 - 5	RB-36 4/14/2014 2 - 4	RB-37 4/14/2014 1 - 3	RB-38 4/11/2014 1 - 3	RB-39 4/11/2014 1 - 3
Atrazine	--	--	--		140 U	160 U	140 U	150 U	150 U
Benzaldehyde	--	--	--		240 U	260 U	230 U	250 U	240 U
Benzo[a]anthracene	1000	1000	5600		240	430	100 U	110 U	290
Benzo[a]pyrene	22000	1000	1000		250	520	140 U	150 U	300
Benzo[b]fluoranthene	1700	1000	5600		350	510	100 U	110 U	380
Benzo[g,h,i]perylene	1000000	100000	500000		200	420	140 U	150 U	290
Benzo[k]fluoranthene	1700	3900	56000		140	460	100 U	110 U	150
Bis(2-chloroethoxy)methane	--	--	--		200 U	210 U	190 U	200 U	200 U
Bis(2-chloroethyl) ether	--	--	--		160 U	180 U	160 U	170 U	160 U
Bis(2-ethylhexyl) phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Butylbenzyl phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Caprolactam	--	--	--		180 U	200 U	170 U	190 U	180 U
Carbazole	--	--	--		43 J	200 U	170 U	190 U	56 J
Chrysene	1000	3900	56000		300	540	49 J	110 U	320
Dibenzo[a,h]anthracene	1000000	330	560		50 J	180	100 U	110 U	60 J
Dibenzofuran	210000	59000	350000		180 U	200 U	170 U	190 U	180 U
Diethyl phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Dimethyl phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Di-n-butyl phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Di-n-octyl phthalate	--	--	--		180 U	200 U	170 U	190 U	180 U
Fluoranthene	1000000	100000	500000		600	820	100 U	110 U	620
Fluorene	386000	100000	500000		180 U	200 U	170 U	190 U	180 U
Hexachlorobenzene	3200	1200	6000		110 U	120 U	100 U	110 U	110 U
Hexachlorobutadiene	--	--	--		180 U	200 U	170 U	190 U	180 U
Hexachlorocyclopentadiene	--	--	--		520 U	560 U	500 U	540 U	520 U
Hexachloroethane	--	--	--		140 U	160 U	140 U	150 U	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		210	450	140 U	150 U	260
Isophorone	--	--	--		160 U	180 U	160 U	170 U	160 U
Naphthalene	12000	100000	500000		180 U	200 U	170 U	190 U	180 U
Nitrobenzene	--	--	--		160 U	180 U	160 U	170 U	160 U
n-Nitrosodi-n-propylamine	--	--	--		180 U	200 U	170 U	190 U	180 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-35 4/10/2014 3 - 5	RB-36 4/14/2014 2 - 4	RB-37 4/14/2014 1 - 3	RB-38 4/11/2014 1 - 3	RB-39 4/11/2014 1 - 3
n-Nitrosodiphenylamine	--	--	--		140 U	160 U	140 U	150 U	150 U
Pentachlorophenol	800	6700	6700		140 U	160 U	140 U	150 U	150 U
Phenanthrene	1000000	100000	500000		340	280	41 J	110 U	400
Phenol	330	100000	500000		180 U	200 U	170 U	190 U	180 U
Pyrene	1000000	100000	500000		490	690	100 U	110 U	520

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-40 4/14/2014 3 - 5	RB-41 4/14/2014 0 - 2	RB-42 4/14/2014 5 - 7	RB-43 4/15/2014 5 - 7	RB-44 4/15/2014 5 - 7
1,1'-Biphenyl	--	--	--		460 U	440 U	440 U	470 U	470 U
1,2,4,5-Tetrachlorobenzene	--	--	--		200 U	190 U	200 U	210 U	210 U
2,2'-oxybis (1-chloropropane)	--	--	--		240 U	230 U	230 U	250 U	250 U
2,3,4,6-Tetrachlorophenol	--	--	--		200 U	190 U	200 U	210 U	210 U
2,4,5-Trichlorophenol	--	--	--		200 U	190 U	200 U	210 U	210 U
2,4,6-Trichlorophenol	--	--	--		120 U	110 U	120 U	120 U	120 U
2,4-Dichlorophenol	--	--	--		180 U	170 U	180 U	190 U	180 U
2,4-Dimethylphenol	--	--	--		200 U	190 U	200 U	210 U	210 U
2,4-Dinitrophenol	--	--	--		960 U	920 U	940 U	990 U	990 U
2,4-Dinitrotoluene	--	--	--		200 U	190 U	200 U	210 U	210 U
2,6-Dinitrotoluene	--	--	--		200 U	190 U	200 U	210 U	210 U
2-Chloronaphthalene	--	--	--		200 U	190 U	200 U	210 U	210 U
2-Chlorophenol	--	--	--		200 U	190 U	200 U	210 U	210 U
2-Methylnaphthalene	--	--	--		240 U	230 U	230 U	250 U	250 U
2-Methylphenol	330	100000	500000		200 U	190 U	200 U	210 U	210 U
2-Nitroaniline	--	--	--		200 U	190 U	200 U	210 U	210 U
2-Nitrophenol	--	--	--		430 U	410 U	420 U	450 U	440 U
3&4-Methylphenol	330	100000	500000		290 U	280 U	280 U	300 U	300 U
3,3'-Dichlorobenzidine	--	--	--		200 U	190 U	200 U	210 U	210 U
3-Nitroaniline	--	--	--		200 U	190 U	200 U	210 U	210 U
4,6-Dinitro-2-methylphenol	--	--	--		520 U	500 U	510 U	540 U	540 U
4-Bromophenyl phenyl ether	--	--	--		200 U	190 U	200 U	210 U	210 U
4-Chloro-3-methylphenol	--	--	--		200 U	190 U	200 U	210 U	210 U
4-Chloroaniline	--	--	--		200 U	190 U	200 U	210 U	210 U
4-Chlorophenyl phenyl ether	--	--	--		200 U	190 U	200 U	210 U	210 U
4-Nitroaniline	--	--	--		200 U	190 U	200 U	210 U	210 U
4-Nitrophenol	--	--	--		280 U	270 U	270 U	290 U	290 U
Acenaphthene	98000	100000	500000		160 U	110 J	160 U	160 U	160 U
Acenaphthylene	107000	100000	500000		160 U	150 U	160 U	160 U	160 U
Acetophenone	--	--	--		200 U	190 U	200 U	210 U	210 U
Anthracene	1000000	100000	500000		120 U	280	120 U	120 U	120 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-40 4/14/2014 3 - 5	RB-41 4/14/2014 0 - 2	RB-42 4/14/2014 5 - 7	RB-43 4/15/2014 5 - 7	RB-44 4/15/2014 5 - 7
Atrazine	--	--	--		160 U	150 U	160 U	160 U	160 U
Benzaldehyde	--	--	--		260 U	250 U	260 U	270 U	270 U
Benzo[a]anthracene	1000	1000	5600		120 U	560	120 U	120 U	120 U
Benzo[a]pyrene	22000	1000	1000		160 U	440	160 U	160 U	160 U
Benzo[b]fluoranthene	1700	1000	5600		120 U	430	44 J	120 U	120 U
Benzo[g,h,i]perylene	1000000	100000	500000		160 U	270	160 U	160 U	160 U
Benzo[k]fluoranthene	1700	3900	56000		120 U	340	120 U	120 U	120 U
Bis(2-chloroethoxy)methane	--	--	--		220 U	210 U	210 U	220 U	220 U
Bis(2-chloroethyl) ether	--	--	--		180 U	170 U	180 U	190 U	180 U
Bis(2-ethylhexyl) phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Butylbenzyl phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Caprolactam	--	--	--		200 U	190 U	200 U	210 U	210 U
Carbazole	--	--	--		200 U	120 J	200 U	210 U	210 U
Chrysene	1000	3900	56000		120 U	540	46 J	120 U	120 U
Dibenzo[a,h]anthracene	1000000	330	560		120 U	88 J	120 U	120 U	120 U
Dibenzofuran	210000	59000	350000		200 U	77 J	200 U	210 U	210 U
Diethyl phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Dimethyl phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Di-n-butyl phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Di-n-octyl phthalate	--	--	--		200 U	190 U	200 U	210 U	210 U
Fluoranthene	1000000	100000	500000		120 U	1200	80 J	120 U	120 U
Fluorene	386000	100000	500000		200 U	100 J	200 U	210 U	210 U
Hexachlorobenzene	3200	1200	6000		120 U	110 U	120 U	120 U	120 U
Hexachlorobutadiene	--	--	--		200 U	190 U	200 U	210 U	210 U
Hexachlorocyclopentadiene	--	--	--		570 U	550 U	560 U	590 U	590 U
Hexachloroethane	--	--	--		160 U	150 U	160 U	160 U	160 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		160 U	300	160 U	160 U	160 U
Isophorone	--	--	--		180 U	170 U	180 U	190 U	180 U
Naphthalene	12000	100000	500000		200 U	74 J	200 U	210 U	210 U
Nitrobenzene	--	--	--		180 U	170 U	180 U	190 U	180 U
n-Nitrosodi-n-propylamine	--	--	--		200 U	190 U	200 U	210 U	210 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-40 4/14/2014 3 - 5	RB-41 4/14/2014 0 - 2	RB-42 4/14/2014 5 - 7	RB-43 4/15/2014 5 - 7	RB-44 4/15/2014 5 - 7
n-Nitrosodiphenylamine	--	--	--		160 U	150 U	160 U	160 U	160 U
Pentachlorophenol	800	6700	6700		160 U	150 U	160 U	160 U	160 U
Phenanthrene	1000000	100000	500000		120 U	1300	82 J	120 U	120 U
Phenol	330	100000	500000		200 U	190 U	200 U	210 U	210 U
Pyrene	1000000	100000	500000		120 U	1000	66 J	120 U	120 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-45 4/15/2014 10 - 12	RW1 4/17/2014 8 - 10	RW1 4/17/2014 13 - 15	RW-2 4/7/2014 13 - 15	RW-3 4/8/2014 1 - 3	RW-3 4/8/2014 3 - 5
1,1'-Biphenyl	--	--	--		420 U	460 U	410 U	470 U	440 U	440 U
1,2,4,5-Tetrachlorobenzene	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2,2'-oxybis (1-chloropropane)	--	--	--		220 U	240 U	210 U	250 U	230 U	230 U
2,3,4,6-Tetrachlorophenol	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2,4,5-Trichlorophenol	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2,4,6-Trichlorophenol	--	--	--		110 U	120 U	110 U	120 U	110 U	110 U
2,4-Dichlorophenol	--	--	--		160 U	180 U	160 U	190 U	170 U	170 U
2,4-Dimethylphenol	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2,4-Dinitrophenol	--	--	--		880 U	960 U	850 U	1000 U	920 U	920 U
2,4-Dinitrotoluene	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2,6-Dinitrotoluene	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2-Chloronaphthalene	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2-Chlorophenol	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2-Methylnaphthalene	--	--	--		220 U	240 U	380	250 U	230 U	68 J
2-Methylphenol	330	100000	500000		180 U	200 U	180 U	210 U	190 U	190 U
2-Nitroaniline	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
2-Nitrophenol	--	--	--		390 U	430 U	380 U	450 U	410 U	410 U
3&4-Methylphenol	330	100000	500000		260 U	290 U	260 U	300 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
3-Nitroaniline	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4,6-Dinitro-2-methylphenol	--	--	--		470 U	520 U	460 U	540 U	500 U	500 U
4-Bromophenyl phenyl ether	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4-Chloro-3-methylphenol	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4-Chloroaniline	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4-Chlorophenyl phenyl ether	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4-Nitroaniline	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
4-Nitrophenol	--	--	--		260 U	280 U	250 U	290 U	270 U	270 U
Acenaphthene	98000	100000	500000		150 U	160 U	140 U	170 U	150 U	150 U
Acenaphthylene	107000	100000	500000		150 U	160 U	140 U	170 U	150 U	150 U
Acetophenone	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Anthracene	1000000	100000	500000		110 U	120 U	110 U	120 U	110 U	110 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-45 4/15/2014 10 - 12	RW1 4/17/2014 8 - 10	RW1 4/17/2014 13 - 15	RW-2 4/7/2014 13 - 15	RW-3 4/8/2014 1 - 3	RW-3 4/8/2014 3 - 5
Atrazine	--	--	--		150 U	160 U	140 U	170 U	150 U	150 U
Benzaldehyde	--	--	--		240 U	260 U	240 U	270 U	250 U	250 U
Benzo[a]anthracene	1000	1000	5600		110 U	120 U	110 U	120 U	110 U	110 U
Benzo[a]pyrene	22000	1000	1000		150 U	160 U	140 U	170 U	150 U	150 U
Benzo[b]fluoranthene	1700	1000	5600		110 U	120 U	110 U	120 U	110 U	110 U
Benzo[g,h,i]perylene	1000000	100000	500000		150 U	160 U	140 U	170 U	150 U	150 U
Benzo[k]fluoranthene	1700	3900	56000		110 U	120 U	110 U	120 U	110 U	110 U
Bis(2-chloroethoxy)methane	--	--	--		200 U	220 U	190 U	220 U	210 U	210 U
Bis(2-chloroethyl) ether	--	--	--		160 U	180 U	160 U	190 U	170 U	170 U
Bis(2-ethylhexyl) phthalate	--	--	--		180 U	200 U	180 U	210 U	100 J	190 U
Butylbenzyl phthalate	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Caprolactam	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Carbazole	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Chrysene	1000	3900	56000		110 U	120 U	110 U	120 U	110 U	110 U
Dibenzo[a,h]anthracene	1000000	330	560		110 U	120 U	110 U	120 U	110 U	110 U
Dibenzofuran	210000	59000	350000		180 U	200 U	180 U	210 U	190 U	190 U
Diethyl phthalate	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Dimethyl phthalate	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Di-n-butyl phthalate	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Di-n-octyl phthalate	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Fluoranthene	1000000	100000	500000		110 U	120 U	110 U	120 U	110 U	110 U
Fluorene	386000	100000	500000		180 U	200 U	180 U	210 U	190 U	190 U
Hexachlorobenzene	3200	1200	6000		110 U	120 U	110 U	120 U	110 U	110 U
Hexachlorobutadiene	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U
Hexachlorocyclopentadiene	--	--	--		520 U	570 U	510 U	600 U	550 U	550 U
Hexachloroethane	--	--	--		150 U	160 U	140 U	170 U	150 U	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		150 U	160 U	140 U	170 U	150 U	150 U
Isophorone	--	--	--		160 U	180 U	160 U	190 U	170 U	170 U
Naphthalene	12000	100000	500000		180 U	200 U	340	210 U	190 U	190 U
Nitrobenzene	--	--	--		160 U	180 U	160 U	190 U	170 U	170 U
n-Nitrosodi-n-propylamine	--	--	--		180 U	200 U	180 U	210 U	190 U	190 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-45	RW1	RW1	RW-2	RW-3	RW-3
				Sample Date:	4/15/2014	4/17/2014	4/17/2014	4/7/2014	4/8/2014	4/8/2014
				Sample Depth (ft bls):	10 - 12	8 - 10	13 - 15	13 - 15	1 - 3	3 - 5
n-Nitrosodiphenylamine	--	--	--		150 U	160 U	140 U	170 U	150 U	150 U
Pentachlorophenol	800	6700	6700		150 U	160 U	140 U	170 U	150 U	150 U
Phenanthrene	1000000	100000	500000		110 U	120 U	110 U	120 U	110 U	110 U
Phenol	330	100000	500000		180 U	200 U	180 U	210 U	190 U	190 U
Pyrene	1000000	100000	500000		110 U	120 U	110 U	120 U	110 U	110 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17
1,1'-Biphenyl	--	--	--		470 U	4800 UD	480 U	430 U	450 U	530 U
1,2,4,5-Tetrachlorobenzene	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2,2'-oxybis (1-chloropropane)	--	--	--		250 U	2500 UD	250 U	220 U	240 U	280 U
2,3,4,6-Tetrachlorophenol	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2,4,5-Trichlorophenol	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2,4,6-Trichlorophenol	--	--	--		120 U	1300 UD	130 U	110 U	120 U	140 U
2,4-Dichlorophenol	--	--	--		180 U	1900 UD	190 U	170 U	180 U	210 U
2,4-Dimethylphenol	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2,4-Dinitrophenol	--	--	--		980 U	10000 UD	1000 U	900 U	960 U	1100 U
2,4-Dinitrotoluene	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2,6-Dinitrotoluene	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2-Chloronaphthalene	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2-Chlorophenol	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2-Methylnaphthalene	--	--	--		250 U	5900 D	320	220 U	240 U	280 U
2-Methylphenol	330	100000	500000		200 U	2100 UD	210 U	190 U	200 U	230 U
2-Nitroaniline	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
2-Nitrophenol	--	--	--		440 U	4500 UD	460 U	410 U	430 U	500 U
3&4-Methylphenol	330	100000	500000		300 U	3000 UD	300 U	270 U	290 U	330 U
3,3'-Dichlorobenzidine	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
3-Nitroaniline	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4,6-Dinitro-2-methylphenol	--	--	--		530 U	5500 UD	550 U	490 U	520 U	600 U
4-Bromophenyl phenyl ether	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4-Chloro-3-methylphenol	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4-Chloroaniline	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4-Chlorophenyl phenyl ether	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4-Nitroaniline	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
4-Nitrophenol	--	--	--		290 U	2900 UD	300 U	260 U	280 U	320 U
Acenaphthene	98000	100000	500000		160 U	1700 UD	170 U	150 U	160 U	190 U
Acenaphthylene	107000	100000	500000		160 U	1700 UD	170 U	150 U	160 U	190 U
Acetophenone	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Anthracene	1000000	100000	500000		120 U	1300 UD	130 U	110 U	120 U	140 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17
Atrazine	--	--	--		160 U	1700 UD	170 U	150 U	160 U	190 U
Benzaldehyde	--	--	--		270 U	2800 UD	280 U	250 U	260 U	310 U
Benzo[a]anthracene	1000	1000	5600		120 U	1300 UD	130 U	110 U	120 U	140 U
Benzo[a]pyrene	22000	1000	1000		160 U	1700 UD	170 U	150 U	160 U	190 U
Benzo[b]fluoranthene	1700	1000	5600		120 U	1300 UD	130 U	110 U	120 U	140 U
Benzo[g,h,i]perylene	1000000	100000	500000		160 U	1700 UD	170 U	150 U	160 U	190 U
Benzo[k]fluoranthene	1700	3900	56000		120 U	1300 UD	130 U	110 U	120 U	140 U
Bis(2-chloroethoxy)methane	--	--	--		220 U	2300 UD	230 U	200 U	220 U	250 U
Bis(2-chloroethyl) ether	--	--	--		180 U	1900 UD	190 U	170 U	180 U	210 U
Bis(2-ethylhexyl) phthalate	--	--	--		200 U	2100 UD	130 J	170 J	200 U	140 J
Butylbenzyl phthalate	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Caprolactam	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Carbazole	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Chrysene	1000	3900	56000		120 U	1300 UD	130 U	110 U	120 U	140 U
Dibenzo[a,h]anthracene	1000000	330	560		120 U	1300 UD	130 U	110 U	120 U	140 U
Dibenzofuran	210000	59000	350000		200 U	2100 UD	210 U	190 U	200 U	230 U
Diethyl phthalate	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Dimethyl phthalate	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Di-n-butyl phthalate	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Di-n-octyl phthalate	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Fluoranthene	1000000	100000	500000		120 U	1300 UD	130 U	110 U	120 U	140 U
Fluorene	386000	100000	500000		200 U	2100 UD	210 U	190 U	200 U	230 U
Hexachlorobenzene	3200	1200	6000		120 U	1300 UD	130 U	110 U	120 U	140 U
Hexachlorobutadiene	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U
Hexachlorocyclopentadiene	--	--	--		590 U	6000 UD	610 U	540 U	570 U	670 U
Hexachloroethane	--	--	--		160 U	1700 UD	170 U	150 U	160 U	190 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		160 U	1700 UD	170 U	150 U	160 U	190 U
Isophorone	--	--	--		180 U	1900 UD	190 U	170 U	180 U	210 U
Naphthalene	12000	100000	500000		200 U	2600 D	300	190 U	200 U	230 U
Nitrobenzene	--	--	--		180 U	1900 UD	190 U	170 U	180 U	210 U
n-Nitrosodi-n-propylamine	--	--	--		200 U	2100 UD	210 U	190 U	200 U	230 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17
n-Nitrosodiphenylamine	--	--	--		160 U	1700 UD	170 U	150 U	160 U	190 U
Pentachlorophenol	800	6700	6700		160 U	1700 UD	170 U	150 U	160 U	190 U
Phenanthrene	1000000	100000	500000		120 U	1300 UD	130 U	110 U	120 U	140 U
Phenol	330	100000	500000		200 U	2100 UD	210 U	190 U	200 U	230 U
Pyrene	1000000	100000	500000		120 U	1300 UD	130 U	110 U	120 U	140 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-7 4/8/2014 10 - 12	RW-8 4/16/2014 5 - 7	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8
1,1'-Biphenyl	--	--	--		960 UD	1000 UD	470 U	480 U	460 U	890 UD
1,2,4,5-Tetrachlorobenzene	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2,2'-oxybis (1-chloropropane)	--	--	--		510 UD	550 UD	240 U	250 U	240 U	470 UD
2,3,4,6-Tetrachlorophenol	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2,4,5-Trichlorophenol	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2,4,6-Trichlorophenol	--	--	--		250 UD	270 UD	120 U	120 U	120 U	230 UD
2,4-Dichlorophenol	--	--	--		380 UD	410 UD	180 U	190 U	180 U	350 UD
2,4-Dimethylphenol	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2,4-Dinitrophenol	--	--	--		2000 UD	2200 UD	980 U	1000 U	980 U	1900 UD
2,4-Dinitrotoluene	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2,6-Dinitrotoluene	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2-Chloronaphthalene	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2-Chlorophenol	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2-Methylnaphthalene	--	--	--		510 UD	150 JD	2800	360	240 U	470 UD
2-Methylphenol	330	100000	500000		420 UD	460 UD	200 U	210 U	200 U	390 UD
2-Nitroaniline	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
2-Nitrophenol	--	--	--		910 UD	980 UD	440 U	450 U	440 U	840 UD
3&4-Methylphenol	330	100000	500000		610 UD	660 UD	290 U	300 U	290 U	560 UD
3,3'-Dichlorobenzidine	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
3-Nitroaniline	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4,6-Dinitro-2-methylphenol	--	--	--		1100 UD	1200 UD	530 U	540 U	530 U	1000 UD
4-Bromophenyl phenyl ether	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4-Chloro-3-methylphenol	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4-Chloroaniline	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4-Chlorophenyl phenyl ether	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4-Nitroaniline	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
4-Nitrophenol	--	--	--		590 UD	640 UD	290 U	290 U	280 U	550 UD
Acenaphthene	98000	100000	500000		340 UD	310 JD	160 U	170 U	160 U	310 UD
Acenaphthylene	107000	100000	500000		220 JD	360 UD	160 U	170 U	160 U	310 UD
Acetophenone	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Anthracene	1000000	100000	500000		240 JD	800 D	120 U	120 U	120 U	89 JD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-7 4/8/2014 10 - 12	RW-8 4/16/2014 5 - 7	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8
Atrazine	--	--	--		340 UD	360 UD	160 U	170 U	160 U	310 UD
Benzaldehyde	--	--	--		560 UD	600 UD	270 U	280 U	270 U	520 UD
Benzo[a]anthracene	1000	1000	5600		670 D	1200 D	120 U	54 J	120 U	250 D
Benzo[a]pyrene	22000	1000	1000		720 D	970 D	160 U	170 U	160 U	270 JD
Benzo[b]fluoranthene	1700	1000	5600		860 D	1100 D	120 U	67 J	120 U	350 D
Benzo[g,h,i]perylene	1000000	100000	500000		380 D	570 D	160 U	53 J	160 U	280 JD
Benzo[k]fluoranthene	1700	3900	56000		320 D	480 D	120 U	63 J	120 U	120 JD
Bis(2-chloroethoxy)methane	--	--	--		460 UD	490 UD	220 U	230 U	220 U	420 UD
Bis(2-chloroethyl) ether	--	--	--		380 UD	410 UD	180 U	190 U	180 U	350 UD
Bis(2-ethylhexyl) phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Butylbenzyl phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Caprolactam	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Carbazole	--	--	--		420 UD	210 JD	200 U	210 U	200 U	390 UD
Chrysene	1000	3900	56000		700 D	1100 D	120 U	66 J	120 U	280 D
Dibenzo[a,h]anthracene	1000000	330	560		250 UD	120 JD	120 U	57 J	120 U	230 UD
Dibenzofuran	210000	59000	350000		420 UD	220 JD	200 U	210 U	200 U	390 UD
Diethyl phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Dimethyl phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Di-n-butyl phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Di-n-octyl phthalate	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Fluoranthene	1000000	100000	500000		1600 D	2700 D	120 U	50 J	120 U	550 D
Fluorene	386000	100000	500000		420 UD	460 D	200 U	210 U	200 U	390 UD
Hexachlorobenzene	3200	1200	6000		250 UD	270 UD	120 U	120 U	120 U	230 UD
Hexachlorobutadiene	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD
Hexachlorocyclopentadiene	--	--	--		1200 UD	1300 UD	590 U	600 U	580 U	1100 UD
Hexachloroethane	--	--	--		340 UD	360 UD	160 U	170 U	160 U	310 UD
Indeno[1,2,3-cd]pyrene	8200	500	5600		340 D	620 D	160 U	59 J	160 U	220 JD
Isophorone	--	--	--		380 UD	410 UD	180 U	190 U	180 U	350 UD
Naphthalene	12000	100000	500000		420 UD	150 JD	840	180 J	200 U	390 UD
Nitrobenzene	--	--	--		380 UD	410 UD	180 U	190 U	180 U	350 UD
n-Nitrosodi-n-propylamine	--	--	--		420 UD	460 UD	200 U	210 U	200 U	390 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-7 4/8/2014 10 - 12	RW-8 4/16/2014 5 - 7	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8
n-Nitrosodiphenylamine	--	--	--		340 UD	360 UD	160 U	170 U	160 U	310 UD
Pentachlorophenol	800	6700	6700		340 UD	360 UD	160 U	170 U	160 U	310 UD
Phenanthrene	1000000	100000	500000		810 D	2400 D	44 J	120 U	120 U	350 D
Phenol	330	100000	500000		420 UD	460 UD	200 U	210 U	200 U	390 UD
Pyrene	1000000	100000	500000		1300 D	2300 D	41 J	46 J	120 U	460 D

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-11 4/16/2014 4 - 6	RW-11 DUP 4/16/2014 4 - 6	RW-12 4/10/2014 5 - 7	RW-12 4/10/2014 7 - 8	RW-13 4/10/2014 5 - 7
1,1'-Biphenyl	--	--	--		480 U	500 U	4300 UD	990 UD	830 UD
1,2,4,5-Tetrachlorobenzene	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2,2'-oxybis (1-chloropropane)	--	--	--		260 U	260 U	2200 UD	520 UD	440 UD
2,3,4,6-Tetrachlorophenol	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2,4,5-Trichlorophenol	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2,4,6-Trichlorophenol	--	--	--		130 U	130 U	1100 UD	260 UD	220 UD
2,4-Dichlorophenol	--	--	--		190 U	200 U	1700 UD	390 UD	330 UD
2,4-Dimethylphenol	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2,4-Dinitrophenol	--	--	--		1000 U	1100 U	9000 UD	2100 UD	1800 UD
2,4-Dinitrotoluene	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2,6-Dinitrotoluene	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2-Chloronaphthalene	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2-Chlorophenol	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2-Methylnaphthalene	--	--	--		260 U	260 U	1200 JD	180 JD	440 UD
2-Methylphenol	330	100000	500000		210 U	220 U	1900 UD	440 UD	360 UD
2-Nitroaniline	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
2-Nitrophenol	--	--	--		460 U	480 U	4000 UD	940 UD	790 UD
3&4-Methylphenol	330	100000	500000		310 U	320 U	2700 UD	630 UD	520 UD
3,3'-Dichlorobenzidine	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
3-Nitroaniline	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4,6-Dinitro-2-methylphenol	--	--	--		550 U	580 U	4900 UD	1100 UD	950 UD
4-Bromophenyl phenyl ether	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4-Chloro-3-methylphenol	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4-Chloroaniline	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4-Chlorophenyl phenyl ether	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4-Nitroaniline	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
4-Nitrophenol	--	--	--		300 U	310 U	2600 UD	610 UD	510 UD
Acenaphthene	98000	100000	500000		170 U	180 U	2300 D	360 D	290 UD
Acenaphthylene	107000	100000	500000		170 U	180 U	450 JD	100 JD	290 UD
Acetophenone	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Anthracene	1000000	100000	500000		130 U	130 U	6000 D	1000 D	69 JD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-11 4/16/2014 4 - 6	RW-11 DUP 4/16/2014 4 - 6	RW-12 4/10/2014 5 - 7	RW-12 4/10/2014 7 - 8	RW-13 4/10/2014 5 - 7
Atrazine	--	--	--		170 U	180 U	1500 UD	350 UD	290 UD
Benzaldehyde	--	--	--		280 U	290 U	2500 UD	580 UD	480 UD
Benzo[a]anthracene	1000	1000	5600		180	140	7600 D	1600 D	180 JD
Benzo[a]pyrene	22000	1000	1000		200	150 J	6900 D	1500 D	180 JD
Benzo[b]fluoranthene	1700	1000	5600		260	180	8000 D	1900 D	210 JD
Benzo[g,h,i]perylene	1000000	100000	500000		140 J	96 J	4100 D	970 D	160 JD
Benzo[k]fluoranthene	1700	3900	56000		84 J	70 J	3300 D	740 D	86 JD
Bis(2-chloroethoxy)methane	--	--	--		230 U	240 U	2000 UD	470 UD	390 UD
Bis(2-chloroethyl) ether	--	--	--		190 U	200 U	1700 UD	390 UD	330 UD
Bis(2-ethylhexyl) phthalate	--	--	--		210 U	220 U	5000 D	3200 D	360 UD
Butylbenzyl phthalate	--	--	--		210 U	220 U	8600 D	3700 D	360 UD
Caprolactam	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Carbazole	--	--	--		210 U	220 U	1700 JD	290 JD	360 UD
Chrysene	1000	3900	56000		190	150	7600 D	1600 D	190 JD
Dibenzo[a,h]anthracene	1000000	330	560		130 U	130 U	1100 D	240 JD	220 UD
Dibenzofuran	210000	59000	350000		210 U	220 U	1700 JD	270 JD	360 UD
Diethyl phthalate	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Dimethyl phthalate	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Di-n-butyl phthalate	--	--	--		210 U	220 U	1900 UD	260 JD	170 JD
Di-n-octyl phthalate	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Fluoranthene	1000000	100000	500000		260	240	17000 D	3500 D	390 D
Fluorene	386000	100000	500000		210 U	220 U	2300 D	320 JD	360 UD
Hexachlorobenzene	3200	1200	6000		130 U	130 U	1100 UD	260 UD	220 UD
Hexachlorobutadiene	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD
Hexachlorocyclopentadiene	--	--	--		610 U	630 U	5400 UD	1200 UD	1000 UD
Hexachloroethane	--	--	--		170 U	180 U	1500 UD	350 UD	290 UD
Indeno[1,2,3-cd]pyrene	8200	500	5600		140 J	100 J	4600 D	1000 D	140 JD
Isophorone	--	--	--		190 U	200 U	1700 UD	390 UD	330 UD
Naphthalene	12000	100000	500000		210 U	220 U	2600 D	440 D	360 UD
Nitrobenzene	--	--	--		190 U	200 U	1700 UD	390 UD	330 UD
n-Nitrosodi-n-propylamine	--	--	--		210 U	220 U	1900 UD	440 UD	360 UD

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-11 4/16/2014 4 - 6	RW-11 DUP 4/16/2014 4 - 6	RW-12 4/10/2014 5 - 7	RW-12 4/10/2014 7 - 8	RW-13 4/10/2014 5 - 7
n-Nitrosodiphenylamine	--	--	--		170 U	180 U	1500 UD	350 UD	290 UD
Pentachlorophenol	800	6700	6700		170 U	180 U	1500 UD	350 UD	290 UD
Phenanthrene	1000000	100000	500000		100 J	110 J	17000 D	2900 D	260 D
Phenol	330	100000	500000		210 U	220 U	1900 UD	440 UD	360 UD
Pyrene	1000000	100000	500000		240	200	14000 D	2900 D	320 D

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-14 4/14/2014 3 - 5	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5	RW-17 4/11/2014 0 - 2
1,1'-Biphenyl	--	--	--		410 U	860 UD	860 UD	450 U	430 U
1,2,4,5-Tetrachlorobenzene	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2,2'-oxybis (1-chloropropane)	--	--	--		220 U	450 UD	450 UD	240 U	220 U
2,3,4,6-Tetrachlorophenol	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2,4,5-Trichlorophenol	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2,4,6-Trichlorophenol	--	--	--		110 U	230 UD	220 UD	120 U	110 U
2,4-Dichlorophenol	--	--	--		160 U	340 UD	340 UD	180 U	170 U
2,4-Dimethylphenol	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2,4-Dinitrophenol	--	--	--		860 U	1800 UD	1800 UD	960 U	900 U
2,4-Dinitrotoluene	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2,6-Dinitrotoluene	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2-Chloronaphthalene	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2-Chlorophenol	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2-Methylnaphthalene	--	--	--		220 U	450 UD	450 UD	240 U	220 U
2-Methylphenol	330	100000	500000		180 U	380 UD	380 UD	200 U	190 U
2-Nitroaniline	--	--	--		180 U	380 UD	380 UD	200 U	190 U
2-Nitrophenol	--	--	--		390 U	810 UD	810 UD	430 U	400 U
3&4-Methylphenol	330	100000	500000		260 U	540 UD	540 UD	290 U	270 U
3,3'-Dichlorobenzidine	--	--	--		180 U	380 UD	380 UD	200 U	190 U
3-Nitroaniline	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4,6-Dinitro-2-methylphenol	--	--	--		470 U	980 UD	980 UD	520 U	490 U
4-Bromophenyl phenyl ether	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4-Chloro-3-methylphenol	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4-Chloroaniline	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4-Chlorophenyl phenyl ether	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4-Nitroaniline	--	--	--		180 U	380 UD	380 UD	200 U	190 U
4-Nitrophenol	--	--	--		250 U	530 UD	520 UD	280 U	260 U
Acenaphthene	98000	100000	500000		140 U	300 UD	300 UD	160 U	150 U
Acenaphthylene	107000	100000	500000		140 U	300 UD	300 UD	160 U	77 J
Acetophenone	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Anthracene	1000000	100000	500000		110 U	230 UD	220 UD	120	66 J

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-14 4/14/2014 3 - 5	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5	RW-17 4/11/2014 0 - 2
Atrazine	--	--	--		140 U	300 UD	300 UD	160 U	150 U
Benzaldehyde	--	--	--		240 U	500 UD	500 UD	260 U	170 J
Benzo[a]anthracene	1000	1000	5600		75 J	230 UD	220 UD	440	240
Benzo[a]pyrene	22000	1000	1000		89 J	300 UD	300 UD	420	220
Benzo[b]fluoranthene	1700	1000	5600		65 J	230 UD	88 JD	500	340
Benzo[g,h,i]perylene	1000000	100000	500000		59 J	300 UD	300 UD	260	190
Benzo[k]fluoranthene	1700	3900	56000		93 J	230 UD	220 UD	250	140
Bis(2-chloroethoxy)methane	--	--	--		190 U	410 UD	400 UD	220 U	200 U
Bis(2-chloroethyl) ether	--	--	--		160 U	340 UD	340 UD	180 U	170 U
Bis(2-ethylhexyl) phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Butylbenzyl phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Caprolactam	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Carbazole	--	--	--		180 U	380 UD	380 UD	97 J	53 J
Chrysene	1000	3900	56000		96 J	98 JD	220 UD	490	270
Dibenzo[a,h]anthracene	1000000	330	560		110 U	230 UD	220 UD	110 J	51 J
Dibenzofuran	210000	59000	350000		180 U	380 UD	380 UD	200 U	190 U
Diethyl phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Dimethyl phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Di-n-butyl phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Di-n-octyl phthalate	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Fluoranthene	1000000	100000	500000		110	96 JD	86 JD	890	440
Fluorene	386000	100000	500000		180 U	380 UD	380 UD	200 U	190 U
Hexachlorobenzene	3200	1200	6000		110 U	230 UD	220 UD	120 U	110 U
Hexachlorobutadiene	--	--	--		180 U	380 UD	380 UD	200 U	190 U
Hexachlorocyclopentadiene	--	--	--		520 U	1100 UD	1100 UD	570 U	540 U
Hexachloroethane	--	--	--		140 U	300 UD	300 UD	160 U	150 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		57 J	300 UD	300 UD	290	220
Isophorone	--	--	--		160 U	340 UD	340 UD	180 U	170 U
Naphthalene	12000	100000	500000		180 U	380 UD	380 UD	200 U	190 U
Nitrobenzene	--	--	--		160 U	340 UD	340 UD	180 U	170 U
n-Nitrosodi-n-propylamine	--	--	--		180 U	380 UD	380 UD	200 U	190 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-14 4/14/2014 3 - 5	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5	RW-17 4/11/2014 0 - 2
n-Nitrosodiphenylamine	--	--	--		140 U	300 UD	300 UD	160 U	150 U
Pentachlorophenol	800	6700	6700		140 U	300 UD	300 UD	160 U	150 U
Phenanthrene	1000000	100000	500000		53 J	230 UD	220 UD	610	180
Phenol	330	100000	500000		180 U	380 UD	380 UD	200 U	190 U
Pyrene	1000000	100000	500000		110	91 JD	82 JD	690	370

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-17 4/11/2014 2 - 4	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
1,1'-Biphenyl	--	--	--		4500 UD	470 U	430 U	470 U
1,2,4,5-Tetrachlorobenzene	--	--	--		2000 UD	200 U	190 U	200 U
2,2'-oxybis (1-chloropropane)	--	--	--		2400 UD	240 U	220 U	250 U
2,3,4,6-Tetrachlorophenol	--	--	--		2000 UD	200 U	190 U	200 U
2,4,5-Trichlorophenol	--	--	--		2000 UD	200 U	190 U	200 U
2,4,6-Trichlorophenol	--	--	--		1200 UD	120 U	110 U	120 U
2,4-Dichlorophenol	--	--	--		1800 UD	180 U	170 U	180 U
2,4-Dimethylphenol	--	--	--		2000 UD	200 U	190 U	200 U
2,4-Dinitrophenol	--	--	--		9500 UD	980 U	900 U	990 U
2,4-Dinitrotoluene	--	--	--		2000 UD	200 U	190 U	200 U
2,6-Dinitrotoluene	--	--	--		2000 UD	200 U	190 U	200 U
2-Chloronaphthalene	--	--	--		2000 UD	200 U	190 U	200 U
2-Chlorophenol	--	--	--		2000 UD	200 U	190 U	200 U
2-Methylnaphthalene	--	--	--		2400 UD	240 U	220 U	250 U
2-Methylphenol	330	100000	500000		2000 UD	200 U	190 U	200 U
2-Nitroaniline	--	--	--		2000 UD	200 U	190 U	200 U
2-Nitrophenol	--	--	--		4300 UD	440 U	400 U	440 U
3&4-Methylphenol	330	100000	500000		2900 UD	290 U	270 U	300 U
3,3'-Dichlorobenzidine	--	--	--		2000 UD	200 U	190 U	200 U
3-Nitroaniline	--	--	--		2000 UD	200 U	190 U	200 U
4,6-Dinitro-2-methylphenol	--	--	--		5200 UD	530 U	490 U	530 U
4-Bromophenyl phenyl ether	--	--	--		2000 UD	200 U	190 U	200 U
4-Chloro-3-methylphenol	--	--	--		2000 UD	200 U	190 U	200 U
4-Chloroaniline	--	--	--		2000 UD	200 U	190 U	200 U
4-Chlorophenyl phenyl ether	--	--	--		2000 UD	200 U	190 U	200 U
4-Nitroaniline	--	--	--		2000 UD	200 U	190 U	200 U
4-Nitrophenol	--	--	--		2800 UD	290 U	260 U	290 U
Acenaphthene	98000	100000	500000		1600 UD	160 U	150 U	160 U
Acenaphthylene	107000	100000	500000		1600 UD	160 U	150 U	160 U
Acetophenone	--	--	--		2000 UD	200 U	190 U	200 U
Anthracene	1000000	100000	500000		1200 UD	120 U	110 U	120 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-17 4/11/2014 2 - 4	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
Atrazine	--	--	--		1600 UD	160 U	150 U	160 U
Benzaldehyde	--	--	--		2600 UD	270 U	250 U	270 U
Benzo[a]anthracene	1000	1000	5600		1200 UD	120 U	110 U	120 U
Benzo[a]pyrene	22000	1000	1000		1600 UD	160 U	150 U	160 U
Benzo[b]fluoranthene	1700	1000	5600		1200 UD	120 U	110 U	120 U
Benzo[g,h,i]perylene	1000000	100000	500000		1600 UD	160 U	150 U	160 U
Benzo[k]fluoranthene	1700	3900	56000		1200 UD	120 U	110 U	120 U
Bis(2-chloroethoxy)methane	--	--	--		2100 UD	220 U	200 U	220 U
Bis(2-chloroethyl) ether	--	--	--		1800 UD	180 U	170 U	180 U
Bis(2-ethylhexyl) phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Butylbenzyl phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Caprolactam	--	--	--		2000 UD	200 U	190 U	200 U
Carbazole	--	--	--		2000 UD	200 U	190 U	200 U
Chrysene	1000	3900	56000		1200 UD	120 U	110 U	120 U
Dibenzo[a,h]anthracene	1000000	330	560		1200 UD	120 U	110 U	120 U
Dibenzofuran	210000	59000	350000		2000 UD	200 U	190 U	200 U
Diethyl phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Dimethyl phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Di-n-butyl phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Di-n-octyl phthalate	--	--	--		2000 UD	200 U	190 U	200 U
Fluoranthene	1000000	100000	500000		1200 UD	120 U	110 U	120 U
Fluorene	386000	100000	500000		2000 UD	200 U	190 U	200 U
Hexachlorobenzene	3200	1200	6000		1200 UD	120 U	110 U	120 U
Hexachlorobutadiene	--	--	--		2000 UD	200 U	190 U	200 U
Hexachlorocyclopentadiene	--	--	--		5700 UD	590 U	540 U	590 U
Hexachloroethane	--	--	--		1600 UD	160 U	150 U	160 U
Indeno[1,2,3-cd]pyrene	8200	500	5600		1600 UD	160 U	150 U	160 U
Isophorone	--	--	--		1800 UD	180 U	170 U	180 U
Naphthalene	12000	100000	500000		2000 UD	200 U	190 U	200 U
Nitrobenzene	--	--	--		1800 UD	180 U	170 U	180 U
n-Nitrosodi-n-propylamine	--	--	--		2000 UD	200 U	190 U	200 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-17 4/11/2014 2 - 4	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
n-Nitrosodiphenylamine	--	--	--		1600 UD	160 U	150 U	160 U
Pentachlorophenol	800	6700	6700		1600 UD	160 U	150 U	160 U
Phenanthrene	1000000	100000	500000		1200 UD	120 U	110 U	120 U
Phenol	330	100000	500000		2000 UD	200 U	190 U	200 U
Pyrene	1000000	100000	500000		1200 UD	120 U	110 U	120 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-1 4/17/2014 10 - 12	RB-1 4/17/2014 13 - 15	RB-2 4/17/2014 10 - 12	RB-2 4/17/2014 19 - 20	RB-3 4/17/2014 10 - 12
Aluminum	--	--	--		7600	8700	23000	18000	17000	25000	6400
Antimony	--	--	--		5.4 U	5.1 U	4.5 U	4.4 U	4.4 U	4.6 U	4.2 U
Arsenic	16	16	16		6.1	5.2	4	2.1	3.4	5.7	2.3
Barium	820	400	400		67	150	260	160	150	340	62
Beryllium	47	72	590		0.19 J	0.36 J	0.62	0.54	0.30 J	4.8	0.14 J
Cadmium	7.5	4.3	9.3		1.1 U	0.80 J	0.89 U	0.87 U	0.87 U	0.93 U	0.84 U
Calcium	--	--	--		23000	16000	1800	3800	1600	1800	2400
Chromium	--	180	1500		14	16	44	29	36	48	16
Cobalt	--	--	--		6.5	5.2	14	14	9.6	17	5.1
Copper	1720	270	270		51	48	66	1.9	36	52	14
Iron	--	--	--		16000	14000	36000	28000	30000	52000	12000
Lead	450	400	1000		55	470	9.7	6.6	11	21	2.5 J
Magnesium	--	--	--		8000	3000	7700	6100	7800	7700	3400
Manganese	2000	2000	10000		220	140	380	450	330	980	140
Mercury	0.73	0.81	2.8		0.05 J	0.28	0.09 U	0.08 U	0.07 U	0.08 U	0.08 U
Nickel	130	310	310		12	13	21	24	16	28	10
Potassium	--	--	--		1300	1200	14000	11000	9600	16000	2400
Selenium	4	180	1500		2.2 U	2.0 U	0.69 J	1.7 U	0.33 J	1.9 U	1.7 U
Silver	8.3	180	1500		1.1 U	1.0 U	0.89 U	0.87 U	0.87 U	0.93 U	0.84 U
Sodium	--	--	--		220	180 J	350	940	380	170 J	520
Thallium	--	--	--		2.2 U	2.0 U	1.8 U	1.7 U	1.7 U	1.9 U	1.7 U
Vanadium	--	--	--		43	24	62	42	54	66	18
Zinc	2480	10000	10000		130	340	82	76	75	130	25

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-3 4/17/2014 18 - 20	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20	RB-5 4/21/2014 11 - 13	RB-6 4/21/2014 11 - 13
Aluminum	--	--	--		20000	22000	21000	15000	12000	5400	15000
Antimony	--	--	--		4.6 U	4.3 U	4.4 U	4.4 U	4.4 U	4.3 U	4.3 U
Arsenic	16	16	16		3.4	4	3.1	2.9	2.7	3.2	3.2
Barium	820	400	400		190	170	160	200	150	53	110
Beryllium	47	72	590		0.92	0.57	0.59	0.49	0.44	0.09 J	0.47
Cadmium	7.5	4.3	9.3		0.92 U	0.87 U	0.88 U	0.89 U	0.88 U	0.85 U	0.86 U
Calcium	--	--	--		3900	1200	1300	1600	3100	48000	2300
Chromium	--	180	1500		36	33	32	29	24	12	24
Cobalt	--	--	--		14	13	14	11	9.8	4.3	8.8
Copper	1720	270	270		8.1	20	20	30	22	12	41
Iron	--	--	--		34000	33000	34000	25000	22000	10000	24000
Lead	450	400	1000		11	7.6	8	6.1	4.9	1.8 J	260
Magnesium	--	--	--		6900	6500	6100	5500	5100	6100	4900
Manganese	2000	2000	10000		250	450	410	200	370	140	320
Mercury	0.73	0.81	2.8		0.08 U	0.09 U	0.08 U	0.09 U	0.09 U	0.08 U	0.07 U
Nickel	130	310	310		26	25	26	22	18	8.3	15
Potassium	--	--	--		13000	9000	9800	8700	7300	2000	5400
Selenium	4	180	1500		0.48 J	0.44 J	1.8 U	0.64 J	0.30 J	1.7 U	0.56 J
Silver	8.3	180	1500		0.92 U	0.87 U	0.88 U	0.89 U	0.88 U	0.85 U	0.86 U
Sodium	--	--	--		140 J	120 J	120 J	560	490	220	130 J
Thallium	--	--	--		1.8 U	1.7 U	1.8 U	1.8 U	1.8 U	1.7 U	1.7 U
Vanadium	--	--	--		45	48	49	40	32	18	35
Zinc	2480	10000	10000		90	72	76	63	57	21	110

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-6 DUP 4/21/2014 11 - 13	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-8 4/7/2014 7 - 9	RB-8 DUP 4/7/2014 7-9	RB-9 4/7/2014 13 - 15
Aluminum	--	--	--		15000	7200	8200	6400	14000	14000	9900
Antimony	--	--	--		4.4 U	4.4 U	4.8 U	4.3 U	4.5 U	4.9 U	5.2 U
Arsenic	16	16	16		5.6	2.6	3.6	2.1	3.1	2.4	8.2
Barium	820	400	400		110	58	58	59	86	85	89
Beryllium	47	72	590		0.43 J	0.18 J	0.19 J	0.16 J	0.33 J	0.35 J	0.24 J
Cadmium	7.5	4.3	9.3		0.88 U	0.89 U	0.95 U	0.87 U	0.90 U	0.98 U	1
Calcium	--	--	--		3500	24000	9600	32000	1800	1600	23000
Chromium	--	180	1500		23	12	15	13	21	22	18
Cobalt	--	--	--		9.3	5.6	6.2	5.4	8.8	9.4	8.4
Copper	1720	270	270		53	15	16	19	19	20	35
Iron	--	--	--		22000	14000	16000	13000	20000	21000	25000
Lead	450	400	1000		58	3.6 J	7.9	3.2 J	3.8 J	4.4 J	79
Magnesium	--	--	--		5600	12000	6500	12000	4800	5200	4900
Manganese	2000	2000	10000		320	250	210	260	580	430	250
Mercury	0.73	0.81	2.8		0.08 U	0.10 U	0.09 U	0.09 U	0.09 U	0.09 U	0.18
Nickel	130	310	310		16	11	12	11	16	17	18
Potassium	--	--	--		4800	2000	2200	2000	3800	4100	2200
Selenium	4	180	1500		1.8 U	1.8 U	1.9 U	1.7 U	1.8 U	2.0 U	0.50 J
Silver	8.3	180	1500		0.88 U	0.89 U	0.95 U	0.87 U	0.90 U	0.98 U	1.0 U
Sodium	--	--	--		120 J	210	210	180	340	230	270
Thallium	--	--	--		1.8 U	1.8 U	1.9 U	1.7 U	1.8 U	2.0 U	2.1 U
Vanadium	--	--	--		33	16	19	16	30	31	32
Zinc	2480	10000	10000		100	32	34	26	45	44	370

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-9 4/7/2014 11 - 13	RB-9 4/7/2014 20 - 21	RB-10 4/8/2014 1 - 3	RB-10 4/8/2014 10 - 12	RB-10 4/8/2014 18 - 19	RB-11 4/8/2014 2 - 4	RB-11 4/8/2014 5 - 7	RB-11 4/8/2014 15 - 16
Aluminum	--	--	--		11000	13000	15000	21000	27000	18000	13000	29000
Antimony	--	--	--		4.5 U	4.4 U	4.5 U	5.0 U	4.6 U	4.4 U	4.6 U	5.5 U
Arsenic	16	16	16		4.4	2.7	8.7	9.3	5.8	6.5	6	11
Barium	820	400	400		190	120	84	200	82	130	88	240
Beryllium	47	72	590		0.31 J	0.44 U	0.51	0.30 J	8	0.49	0.31 J	0.81
Cadmium	7.5	4.3	9.3		0.57 J	0.89 U	0.90 U	1.0 U	0.93 U	0.89 U	0.92 U	1.1 U
Calcium	--	--	--		36000	6400	4200	1300	6000	1800	2900	2900
Chromium	--	180	1500		20	27	24	38	27	25	23	53
Cobalt	--	--	--		8.2	9.2	7.6	19	21	10	8.4	28
Copper	1720	270	270		45	26	15	9.1	28	25	17	8.4
Iron	--	--	--		21000	22000	24000	35000	25000	21000	19000	44000
Lead	450	400	1000		120	5.4	7.6	2.3 J	6.2	9.2	6.3	11
Magnesium	--	--	--		9200	9300	5200	7600	39000	5700	5200	12000
Manganese	2000	2000	10000		220	260	170	160	850	160	200	220
Mercury	0.73	0.81	2.8		0.24	0.09 U	0.09 U	0.09 U	0.10 U	0.09 U	0.09 U	0.10 U
Nickel	130	310	310		16	20	15	32	36	18	15	52
Potassium	--	--	--		3800	6700	2900	14000	5200	3500	3600	18000
Selenium	4	180	1500		0.46 J	1.8 U	1.8 U	2.0 U	1.9 U	1.8 U	1.8 U	2.2 U
Silver	8.3	180	1500		0.90 U	0.89 U	0.90 U	0.40 J	0.93 U	0.89 U	0.92 U	0.42 J
Sodium	--	--	--		200	320	180	190 J	120 J	1900	920	560
Thallium	--	--	--		1.8 U	1.8 U	1.8 U	2.0 U	1.9 U	1.8 U	1.8 U	2.2 U
Vanadium	--	--	--		30	42	42	59	27	37	33	73
Zinc	2480	10000	10000		180	49	42	88	130	52	43	160

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-12	RB-13	RB-14	RB-15	RB-16	RB-17	RB-18
				Sample Date:	4/9/2014	4/8/2014	4/8/2014	4/9/2014	4/9/2014	4/16/2014	4/16/2014
				Sample Depth (ft bls):	7 - 9	11 - 12	11 - 12	7 - 9	6 - 8	6 - 8	5 - 7
Aluminum	--	--	--		13000	7900	12000	11000	12000	13000	5000
Antimony	--	--	--		4.8 U	4.2 U	4.8 U	4.9 U	6.0 U	0.93 J	4.8 U
Arsenic	16	16	16		6.8	5.6	8	7.1	12	6.1	3.1
Barium	820	400	400		53	130	120	110	95	100	46
Beryllium	47	72	590		0.31 J	0.17 J	0.25 J	0.30 J	0.43 J	0.44 J	0.13 J
Cadmium	7.5	4.3	9.3		0.95 U	0.08 J	0.21 J	0.17 J	1.2 U	1.1 U	0.96 U
Calcium	--	--	--		930	16000	2300	11000	3500	2000	11000
Chromium	--	180	1500		20	18	24	20	22	20	11
Cobalt	--	--	--		8.6	5.5	7.6	7	7.7	7.1	4
Copper	1720	270	270		18	28	29	42	20	23	15
Iron	--	--	--		19000	13000	17000	17000	19000	17000	8800
Lead	450	400	1000		5.9	110	160	79	56	67	17
Magnesium	--	--	--		4600	6300	3900	4400	3600	3600	4100
Manganese	2000	2000	10000		340	170	160	220	280	170	99
Mercury	0.73	0.81	2.8		0.10 U	0.18	0.33	0.1	0.23	0.19	0.09 U
Nickel	130	310	310		14	12	15	13	14	12	9.3
Potassium	--	--	--		1800	1800	2000	1600	740	1200	1300
Selenium	4	180	1500		1.9 U	1.7 U	0.40 J	0.37 J	2.7	2.2 U	1.9 U
Silver	8.3	180	1500		0.95 U	0.85 U	0.96 U	0.98 U	1.2 U	1.1 U	0.96 U
Sodium	--	--	--		120 J	140 J	91 J	220	460	160 J	150 J
Thallium	--	--	--		1.9 U	1.7 U	1.9 U	2.0 U	2.4 U	2.2 U	1.9 U
Vanadium	--	--	--		30	23	30	28	31	28	15
Zinc	2480	10000	10000		33	120	210	160	120	77	41

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-19 4/16/2014 5 - 7	RB-20 4/16/2014 3 - 5	RB-20 4/16/2014 5 - 6.5	RB-21 4/16/2014 4 - 6	RB-22 4/16/2014 4 - 6	RB-23 4/16/2014 3 - 5	RB-24 4/9/2014 2 - 4
Aluminum	--	--	--		9200	8800	11000	11000	14000	11000	12000
Antimony	--	--	--		0.79 J	4.6 U	5.4 U	0.94 J	0.81 J	1.3 J	4.4 U
Arsenic	16	16	16		5.1	6	6.1	16	7.1	7.8	6.2
Barium	820	400	400		70	69	76	100	120	140	77
Beryllium	47	72	590		0.26 J	0.28 J	0.34 J	0.42 J	0.56	0.43 J	0.28 J
Cadmium	7.5	4.3	9.3		0.88 U	0.93 U	1.1 U	0.31 J	0.11 J	1.4	0.88 U
Calcium	--	--	--		8800	12000	16000	3000	5300	2500	2300
Chromium	--	180	1500		22	17	18	19	21	19	21
Cobalt	--	--	--		6.6	6.4	6.1	5.9	8.4	6.5	7
Copper	1720	270	270		26	32	18	29	42	25	17
Iron	--	--	--		16000	14000	16000	15000	18000	16000	18000
Lead	450	400	1000		28	68	34	140	130	280	18
Magnesium	--	--	--		5700	3800	4600	3700	4200	3400	4300
Manganese	2000	2000	10000		220	330	170	160	190	170	340
Mercury	0.73	0.81	2.8		0.1	0.06 J	0.12	0.27	2.9	0.48	0.08 U
Nickel	130	310	310		18	14	12	13	14	12	13
Potassium	--	--	--		2400	1600	1400	1700	1500	1200	2200
Selenium	4	180	1500		1.8 U	1.8 U	2.2 U	0.70 J	2.0 U	0.30 J	1.8 U
Silver	8.3	180	1500		0.88 U	0.93 U	1.1 U	0.26 J	0.22 J	1.0 U	0.88 U
Sodium	--	--	--		140 J	160 J	190 J	330	290	170 J	340
Thallium	--	--	--		1.8 U	1.8 U	2.2 U	2.0 U	2.0 U	2.0 U	1.8 U
Vanadium	--	--	--		25	24	27	29	30	25	29
Zinc	2480	10000	10000		52	120	61	340	240	510	44

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-24 4/9/2014 6 - 8	RB-25 4/9/2014 4 - 6	RB-25 4/9/2014 6 - 7.5	RB-26 4/11/2014 5 - 7	RB-27 4/11/2014 5 - 7	RB-28 4/10/2014 5 - 7	RB-28 4/10/2014 7 - 8
Aluminum	--	--	--		16000	15000	19000	13000	11000	7600	6500
Antimony	--	--	--		5.4 U	4.2 U	4.9 U	4.6 U	4.5 U	4.5 U	4.6 U
Arsenic	16	16	16		8.8	8.4	11	12	8.7	18	8
Barium	820	400	400		120	93	140	490	96	94	74
Beryllium	47	72	590		0.47 J	0.34 J	0.45 J	0.34 J	0.25 J	0.09 J	0.14 J
Cadmium	7.5	4.3	9.3		1.1 U	0.84 U	0.98 U	0.31 J	0.90 U	0.90 U	0.93 U
Calcium	--	--	--		9600	1100	1800	23000	12000	56000	55000
Chromium	--	180	1500		25	30	46	21	19	19	11
Cobalt	--	--	--		9.6	9.2	12	5.9	6.6	5.3	3.5
Copper	1720	270	270		19	25	28	35	36	78	17
Iron	--	--	--		21000	22000	27000	16000	17000	23000	11000
Lead	450	400	1000		100	5.3	44	320	160	160	36
Magnesium	--	--	--		5100	6000	7100	6400	6900	6600	12000
Manganese	2000	2000	10000		430	220	350	200	350	240	150
Mercury	0.73	0.81	2.8		0.1	0.08 U	0.03 J	0.23	0.29	0.13	0.2
Nickel	130	310	310		16	18	22	12	14	30	11
Potassium	--	--	--		3000	2800	3200	1600	2300	1600	1700
Selenium	4	180	1500		2.2 U	1.7 U	2.0 U	1.8 U	1.8 U	1.8 U	1.8 U
Silver	8.3	180	1500		1.1 U	0.84 U	0.98 U	0.91 U	0.90 U	0.90 U	0.93 U
Sodium	--	--	--		310	720	820	230	180	340	260
Thallium	--	--	--		2.2 U	1.7 U	2.0 U	1.8 U	1.8 U	1.8 U	1.8 U
Vanadium	--	--	--		36	41	55	29	34	97	28
Zinc	2480	10000	10000		61	42	65	400	70	220	280

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-29 4/10/2014 5 - 7	RB-30 4/10/2014 5 - 7	RB-31 4/10/2014 5 - 7	RB-32 4/10/2014 5 - 7	RB-33 4/10/2014 4 - 6	RB-34 4/10/2014 4 - 6	RB-35 4/10/2014 3 - 5
Aluminum	--	--	--		7900	9100	10000	11000	10000	8000	7600
Antimony	--	--	--		4.3 U	4.6 U	4.4 U	4.6 U	5.2 U	4.3 U	4.2 U
Arsenic	16	16	16		7.3	8.4	8	10	12	10	8
Barium	820	400	400		53	120	94	140	110	56	93
Beryllium	47	72	590		0.23 J	0.26 J	0.19 J	0.34 J	0.32 J	0.16 J	0.18 J
Cadmium	7.5	4.3	9.3		0.86 U	0.11 J	0.88 U	0.17 J	1.0 U	0.86 U	0.84 U
Calcium	--	--	--		49000	6900	1800	5500	9500	5900	5700
Chromium	--	180	1500		11	16	26	24	18	16	15
Cobalt	--	--	--		3	6.1	6.6	7.6	6.6	6.9	6.3
Copper	1720	270	270		12	30	21	32	29	31	18
Iron	--	--	--		8400	16000	18000	19000	21000	18000	15000
Lead	450	400	1000		70	170	33	130	130	61	61
Magnesium	--	--	--		3200	3500	4000	4500	3800	3300	4000
Manganese	2000	2000	10000		180	250	250	330	370	290	180
Mercury	0.73	0.81	2.8		0.08 U	0.1	0.03 J	0.22	1.4	0.2	0.2
Nickel	130	310	310		7.4	13	14	17	12	11	12
Potassium	--	--	--		810	1300	2900	2200	1300	1100	2000
Selenium	4	180	1500		1.7 U	1.8 U	1.8 U	1.9 U	2.1 U	1.7 U	1.7 U
Silver	8.3	180	1500		0.86 U	0.93 U	0.88 U	0.93 U	1.0 U	0.86 U	0.84 U
Sodium	--	--	--		260	160 J	160 J	200	310	120 J	550
Thallium	--	--	--		1.7 U	1.8 U	1.8 U	1.9 U	2.1 U	1.7 U	1.7 U
Vanadium	--	--	--		14	23	31	31	26	29	24
Zinc	2480	10000	10000		64	140	54	180	120	66	62

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-36 4/14/2014 2 - 4	RB-37 4/14/2014 1 - 3	RB-38 4/11/2014 1 - 3	RB-39 4/11/2014 1 - 3	RB-40 4/14/2014 3 - 5	RB-41 4/14/2014 0 - 2	RB-42 4/14/2014 5 - 7
Aluminum	--	--	--		16000	12000	17000	12000	8500	12000	4500
Antimony	--	--	--		4.5 U	4.2 U	4.5 U	1.1 J	4.7 U	4.4 U	4.6 U
Arsenic	16	16	16		9.3	16	9.6	14	10	8.6	7
Barium	820	400	400		95	190	100	370	59	110	110
Beryllium	47	72	590		0.55	0.22 J	0.64	0.42 J	0.24 J	0.28 J	0.17 J
Cadmium	7.5	4.3	9.3		0.89 U	0.83 U	0.90 U	0.88 U	0.94 U	0.89 U	0.07 J
Calcium	--	--	--		3200	5500	3300	11000	2200	4900	27000
Chromium	--	180	1500		23	26	25	24	20	30	17
Cobalt	--	--	--		11	10	10	9.4	7	9.7	2.6
Copper	1720	270	270		45	28	24	97	12	28	9
Iron	--	--	--		20000	30000	22000	34000	22000	20000	10000
Lead	450	400	1000		120	68	5	130	4.6 J	43	12
Magnesium	--	--	--		4400	5000	6100	5100	3900	6400	3600
Manganese	2000	2000	10000		540	170	420	440	140	240	100
Mercury	0.73	0.81	2.8		0.19	0.05 J	0.08 U	0.2	0.08 U	0.03 J	0.08 U
Nickel	130	310	310		16	19	21	18	11	18	5.3
Potassium	--	--	--		1200	7800	3200	4400	1900	4100	1700
Selenium	4	180	1500		1.8 U	0.32 J	1.8 U	1.8 U	1.9 U	1.8 U	1.8 U
Silver	8.3	180	1500		0.89 U	0.83 U	0.90 U	0.88 U	0.94 U	0.89 U	0.92 U
Sodium	--	--	--		320	190	230	350	240	140 J	250
Thallium	--	--	--		1.8 U	1.7 U	1.8 U	1.8 U	1.9 U	1.8 U	1.8 U
Vanadium	--	--	--		32	37	35	30	25	37	16
Zinc	2480	10000	10000		100	53	51	110	33	120	51

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-43	RB-44	RB-45	RW-1	RW-1	RW-2	RW-3
				Sample Date:	4/15/2014	4/15/2014	4/15/2014	4/17/2014	4/17/2014	4/7/2014	4/8/2014
				Sample Depth (ft bls):	5 - 7	5 - 7	10 - 12	8 - 10	13 - 15	13 - 15	1 - 3
Aluminum	--	--	--		15000	12000	3600	24000	16000	13000	11000
Antimony	--	--	--		4.8 U	4.8 U	0.82 J	4.6 U	4.2 U	5.0 U	4.4 U
Arsenic	16	16	16		5.3	4.4	2.5	2	3.5	2	6
Barium	820	400	400		120	97	34	76	170	78	82
Beryllium	47	72	590		0.63	0.29 J	0.09 J	0.26 J	0.38 J	0.34 J	0.30 J
Cadmium	7.5	4.3	9.3		0.96 U	0.96 U	0.88 U	0.92 U	0.84 U	1.0 U	0.89 U
Calcium	--	--	--		2900	2200	4700	4500	2000	5300	2000
Chromium	--	180	1500		26	22	10	33	35	24	21
Cobalt	--	--	--		10	8.4	3.4	7	11	9.2	8.8
Copper	1720	270	270		24	10	11	13	22	18	16
Iron	--	--	--		22000	19000	9200	17000	26000	21000	19000
Lead	450	400	1000		13	7.9	1.7 J	7.1	5.9	4.5 J	4.4
Magnesium	--	--	--		7200	3800	3700	39000	6900	5400	4800
Manganese	2000	2000	10000		320	220	110	300	160	250	230
Mercury	0.73	0.81	2.8		0.09 U	0.09 U	0.08 U	0.08 U	0.07 U	0.10 U	0.09 U
Nickel	130	310	310		19	15	7	14	24	18	15
Potassium	--	--	--		4500	3700	1200	3600	9200	4100	3800
Selenium	4	180	1500		1.9 U	1.9 U	1.8 U	1.8 U	1.7 U	0.30 J	1.8 U
Silver	8.3	180	1500		0.96 U	0.96 U	0.88 U	0.92 U	0.84 U	1.0 U	0.89 U
Sodium	--	--	--		150 J	82 J	95 J	120 J	310	210	230
Thallium	--	--	--		1.9 U	1.9 U	1.8 U	1.8 U	1.7 U	2.0 U	1.8 U
Vanadium	--	--	--		36	32	13	38	39	31	30
Zinc	2480	10000	10000		54	49	15	41	60	46	45

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-3 4/8/2014 3 - 5	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3	RW-4 4/8/2014 7 - 9	RW-4 4/8/2014 13 - 14	RW-5 4/9/2014 9 - 11	RW-6 4/9/2014 15 - 17	RW-7 4/8/2014 10 - 12
Aluminum	--	--	--		12000	11000	12000	8300	20000	11000	7000	10000
Antimony	--	--	--		4.4 U	4.8 U	4.9 U	4.8 U	4.4 U	4.5 U	5.5 U	4.9 U
Arsenic	16	16	16		5.7	5.2	8	5	7.1	7.9	6.5	7
Barium	820	400	400		110	32	130	75	180	52	56	92
Beryllium	47	72	590		0.29 J	0.43 J	0.28 J	0.17 J	0.40 J	0.44 J	0.16 J	0.30 J
Cadmium	7.5	4.3	9.3		0.87 U	0.96 U	0.19 J	0.97 U	0.88 U	0.91 U	1.1 U	0.98 U
Calcium	--	--	--		1900	4400	23000	28000	1900	1400	46000	14000
Chromium	--	180	1500		19	21	19	18	40	18	15	20
Cobalt	--	--	--		8.3	6.1	8.4	7.2	12	8.2	5.7	7.5
Copper	1720	270	270		17	21	42	17	32	14	14	28
Iron	--	--	--		18000	18000	18000	15000	28000	16000	15000	15000
Lead	450	400	1000		3.9 J	2.0 J	150	4.2 J	4.3 J	7.5	3.5 J	200
Magnesium	--	--	--		4600	11000	6200	6200	9100	3000	5900	4700
Manganese	2000	2000	10000		160	100	190	990	240	280	150	190
Mercury	0.73	0.81	2.8		0.10 U	0.08 U	0.31	0.10 U	0.09 U	0.10 U	0.10 U	0.06 J
Nickel	130	310	310		17	11	13	14	23	11	11	14
Potassium	--	--	--		4000	770	2700	3600	13000	680	2600	1400
Selenium	4	180	1500		1.7 U	1.9 U	0.50 J	1.9 U	1.8 U	1.8 U	2.2 U	2.0 U
Silver	8.3	180	1500		0.87 U	0.96 U	0.98 U	0.97 U	0.26 J	0.91 U	1.1 U	0.98 U
Sodium	--	--	--		430	2100	680	180 J	270	320	220	120 J
Thallium	--	--	--		1.7 U	1.9 U	2.0 U	1.9 U	1.8 U	1.8 U	2.2 U	2.0 U
Vanadium	--	--	--		29	24	33	24	60	27	19	28
Zinc	2480	10000	10000		42	34	140	33	73	39	30	68

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-8 4/16/2014 5 - 7	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-10 4/9/2014 6 - 8	RW-11 4/16/2014 4 - 6	RW-11 DUP 4/16/2014 4 - 6
Aluminum	--	--	--		14000	14000	16000	12000	9900	10000	10000
Antimony	--	--	--		1.0 J	5.0 U	5.0 U	4.8 U	3.0 J	6.9	2.5 J
Arsenic	16	16	16		7.1	5.1	5.3	5.6	9.6	9.4	8.1
Barium	820	400	400		130	84	85	98	400	290	310
Beryllium	47	72	590		0.42 J	0.64	0.63	0.27 J	0.42 J	0.41 J	0.41 J
Cadmium	7.5	4.3	9.3		0.87 J	0.99 U	1.0 U	0.97 U	0.41 J	0.92 J	0.73 J
Calcium	--	--	--		8900	1900	2700	2200	12000	3700	4800
Chromium	--	180	1500		24	18	22	24	16	27	25
Cobalt	--	--	--		7.8	7	7.3	9.9	6.6	7.6	7.3
Copper	1720	270	270		37	15	17	20	35	91	62
Iron	--	--	--		19000	17000	18000	21000	14000	19000	17000
Lead	450	400	1000		170	60	46	3.4 J	1100	490	530
Magnesium	--	--	--		4800	3900	4500	6200	4700	3600	3800
Manganese	2000	2000	10000		210	190	180	250	290	200	190
Mercury	0.73	0.81	2.8		0.54	0.13	0.03 J	0.10 U	0.18	0.37	0.5
Nickel	130	310	310		15	14	14	20	13	21	16
Potassium	--	--	--		2200	1200	1500	4700	1500	1600	1700
Selenium	4	180	1500		2.1 U	2.0 U	2.0 U	1.9 U	1.9 U	0.43 J	0.30 J
Silver	8.3	180	1500		1.1 U	0.99 U	1.0 U	0.97 U	0.93 U	0.28 J	1.0 U
Sodium	--	--	--		340	94 J	120 J	440	980	370	180 J
Thallium	--	--	--		2.1 U	2.0 U	2.0 U	1.9 U	1.9 U	2.1 U	2.0 U
Vanadium	--	--	--		32	26	31	33	26	29	30
Zinc	2480	10000	10000		470	86	75	50	300	640	430

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-12 4/10/2014 5 - 7	RW-12 4/10/2014 7 - 8	RW-13 4/10/2014 5 - 7	RW-14 4/14/2014 3 - 5	RW-15 4/11/2014 1 - 3	RW-15 4/11/2014 1 - 3	RW-16 4/14/2014 3 - 5
Aluminum	--	--	--		6500	6500	6200	7200	15000	15000	13000
Antimony	--	--	--		4.4 U	5.1 U	4.2 U	4.4 U	4.4 U	4.4 U	1.1 J
Arsenic	16	16	16		16	14	8	6.9	8.6	8.5	9.9
Barium	820	400	400		83	62	97	90	120	120	120
Beryllium	47	72	590		0.44 U	0.13 J	0.20 J	0.16 J	0.46	0.41 J	0.34 J
Cadmium	7.5	4.3	9.3		0.09 J	1.0 U	0.09 J	0.88 U	0.88 U	0.88 U	0.90 U
Calcium	--	--	--		45000	39000	12000	13000	2600	2900	9100
Chromium	--	180	1500		16	16	12	14	23	23	23
Cobalt	--	--	--		6	5.1	4.8	6.2	10	10	7.9
Copper	1720	270	270		58	46	27	21	42	29	30
Iron	--	--	--		22000	20000	13000	14000	22000	22000	21000
Lead	450	400	1000		140	120	85	40	74	75	100
Magnesium	--	--	--		11000	3200	5600	7100	4300	4500	5600
Manganese	2000	2000	10000		230	200	190	200	270	280	250
Mercury	0.73	0.81	2.8		0.11	0.09 U	0.05 J	0.08 U	0.1	0.07 J	0.02 J
Nickel	130	310	310		31	21	11	10	18	18	15
Potassium	--	--	--		1300	940	1600	2600	5300	5800	2700
Selenium	4	180	1500		1.8 U	2.0 U	1.7 U	1.8 U	1.8 U	1.8 U	1.8 U
Silver	8.3	180	1500		0.88 U	1.0 U	0.85 U	0.88 U	0.88 U	0.88 U	0.90 U
Sodium	--	--	--		280	390	200	250	170 J	170 J	200
Thallium	--	--	--		1.8 U	2.0 U	1.7 U	1.8 U	1.8 U	1.8 U	1.8 U
Vanadium	--	--	--		81	55	20	24	34	35	32
Zinc	2480	10000	10000		150	130	120	42	80	86	110

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 3. Summary of Metals in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-17 4/11/2014 0 - 2	RW-17 4/11/2014 2 - 4	RW-18 4/15/2014 5 - 6	RW-19 4/15/2014 5.5 - 7.5	RW-20 4/15/2014 10 - 12
Aluminum	--	--	--		11000	10000	13000	16000	6800
Antimony	--	--	--		4.5 U	4.5 U	1.8 J	1.1 J	4.8 U
Arsenic	16	16	16		9.2	9.8	8	4.8	3.3
Barium	820	400	400		100	81	100	150	82
Beryllium	47	72	590		0.36 J	0.30 J	0.28 J	0.29 J	0.15 J
Cadmium	7.5	4.3	9.3		0.90 U	0.15 J	0.94 U	0.90 U	0.96 U
Calcium	--	--	--		31000	38000	2600	1200	1800
Chromium	--	180	1500		17	21	25	32	12
Cobalt	--	--	--		6.2	7.3	7.1	15	6.2
Copper	1720	270	270		22	32	30	5.1	13
Iron	--	--	--		19000	22000	29000	27000	13000
Lead	450	400	1000		40	68	240	12	11
Magnesium	--	--	--		5800	5900	5000	5200	3400
Manganese	2000	2000	10000		260	270	280	470	92
Mercury	0.73	0.81	2.8		0.07 J	0.06 J	0.02 J	0.09 U	0.1
Nickel	130	310	310		13	15	13	33	9.7
Potassium	--	--	--		2200	2600	3600	8600	2300
Selenium	4	180	1500		1.8 U	1.8 U	1.9 U	1.8 U	1.9 U
Silver	8.3	180	1500		0.90 U	0.90 U	0.94 U	0.90 U	0.96 U
Sodium	--	--	--		340	290	120 J	110 J	74 J
Thallium	--	--	--		1.8 U	1.8 U	1.9 U	1.8 U	1.9 U
Vanadium	--	--	--		25	28	35	43	19
Zinc	2480	10000	10000		100	180	140	81	67

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	CB2 4/18/2014 -	DW1 4/18/2014 4 - 6	RB-4 4/17/2014 7 - 9	RB-4 DUP 4/17/2014 7 - 9	RB-4 4/17/2014 10 - 12	RB-4 4/17/2014 18 - 20
Aroclor-1016	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1221	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1232	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1242	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1248	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1254	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1260	--	--	--		21.3 J	57.6	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1262	--	--	--		44.1 U	43.2 U	36.6 U	35.2 U	38.2 U	36.9 U
Aroclor-1268	--	--	--		44.1 U	27.6 J	36.6 U	35.2 U	38.2 U	36.9 U
PCBS, TOTAL	3200	1000	1000		21.3 J	85.2 J	36.6 U	35.2 U	38.2 U	36.9 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-6 4/21/2014 11 - 13	RB-6 DUP 4/21/2014 11 - 13	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-17 4/16/2014 6 - 8
Aroclor-1016	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1221	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1232	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1242	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1248	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1254	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1260	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1262	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
Aroclor-1268	--	--	--		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U
PCBS, TOTAL	3200	1000	1000		35.2 U	36.0 U	37.8 U	37.9 U	36.2 U	44.5 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-24	RB-24	RB-28	RB-28	RB-33	RB-40
				Sample Date:	4/9/2014	4/9/2014	4/10/2014	4/10/2014	4/10/2014	4/14/2014
				Sample Depth (ft bls):	2 - 4	6 - 8	5 - 7	7 - 8	4 - 6	3 - 5
Aroclor-1016	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1221	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1232	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1242	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1248	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1254	--	--	--		36.3 U	47.4 U	125	38.3 P	42.1 U	38.6 U
Aroclor-1260	--	--	--		36.3 U	47.4 U	21.5 J	37.0 U	28.8 J	38.6 U
Aroclor-1262	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
Aroclor-1268	--	--	--		36.3 U	47.4 U	38.1 U	37.0 U	42.1 U	38.6 U
PCBS, TOTAL	3200	1000	1000		36.3 U	47.4 U	146.5 J	38.3 P	28.8 J	38.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-45 4/15/2014 10 - 12	RW-2 4/7/2014 13 - 15	RW-3 4/8/2014 1 - 3	RW-3 4/8/2014 3 - 5	RW-3 4/8/2014 8 - 9	RW-4 4/8/2014 1 - 3	RW-4 4/8/2014 7 - 9
Aroclor-1016	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1221	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1232	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1242	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1248	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1254	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1260	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1262	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
Aroclor-1268	--	--	--		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U
PCBS, TOTAL	3200	1000	1000		37.8 U	41.8 U	37.5 U	36.3 U	40.5 U	42.2 U	41.8 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RW-4	RW-6	RW-9	RW-9	RW-9	RW-14
				Sample Date:	4/8/2014	4/9/2014	4/16/2014	4/16/2014	4/16/2014	4/14/2014
				Sample Depth (ft bls):	13 - 14	15 - 17	1.5 - 3	4 - 6	9 - 10	3 - 5
Aroclor-1016	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1221	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1232	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1242	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1248	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1254	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1260	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1262	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
Aroclor-1268	--	--	--		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U
PCBS, TOTAL	3200	1000	1000		35.9 U	46.1 U	40.4 U	42.5 U	39.7 U	36.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-17 4/11/2014 0 - 2	RW-17 4/11/2014 2 - 4	RW-19 4/15/2014 5.5 - 7.5
Aroclor-1016	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1221	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1232	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1242	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1248	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1254	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1260	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1262	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
Aroclor-1268	--	--	--		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U
PCBS, TOTAL	3200	1000	1000		36.7 U	36.5 U	37.7 U	38.1 U	36.4 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	CB2	DW1	RB-4	RB-4 DUP	RB-4	RB-4
				Sample Date:	4/18/2014	4/18/2014	4/17/2014	4/17/2014	4/17/2014	4/17/2014
				Sample Depth (ft bls):	-	4 - 6	7 - 9	7 - 9	10 - 12	18 - 20
4,4'-DDD	14000	13000	92000		10.7 UD	6.46	1.73 U	1.67 U	1.86 U	1.74 U
4,4'-DDE	17000	8900	62000		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
4,4'-DDT	136000	7900	47000		54.7 D	4.00 U	3.24 U	3.14 U	3.49 U	3.27 U
Aldrin	190	97	680		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
alpha-BHC	20	480	3400		4.45 UD	0.889 U	0.720 U	0.697 U	0.775 U	0.727 U
alpha-Chlordane	2900	4200	24000		13.3 UD	2.67 U	2.16 U	2.09 U	2.32 U	2.18 U
beta-BHC	90	360	3000		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
Chlordane	--	--	--		86.8 UD	17.3 U	14.0 U	13.6 U	15.1 U	14.2 U
delta-BHC	250	100000	500000		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
Dieldrin	100	200	1400		6.67 UD	1.33 U	1.08 U	1.05 U	1.16 U	1.09 U
Endosulfan I	102000	24000	200000		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
Endosulfan II	102000	24000	200000		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
Endosulfan sulfate	1000000	24000	200000		4.45 UD	0.889 U	0.720 U	0.697 U	0.775 U	0.727 U
Endrin ketone	--	--	--		10.7 UD	2.13 U	1.73 U	1.67 U	1.86 U	1.74 U
Endrin	60	11000	89000		4.45 UD	0.889 U	0.720 U	0.697 U	0.775 U	0.727 U
gamma-BHC (Lindane)	100	1300	9200		4.45 UD	0.889 U	0.720 U	0.697 U	0.775 U	0.727 U
gamma-Chlordane	--	--	--		13.3 UD	2.67 U	2.16 U	2.09 U	2.32 U	2.18 U
Heptachlor epoxide	--	--	--		20.0 UD	4.00 U	3.24 U	3.14 U	3.49 U	3.27 U
Heptachlor	380	2100	15000		5.34 UD	1.07 U	0.864 U	0.837 U	0.930 U	0.872 U
Methoxychlor	--	--	--		20.0 UD	4.00 U	3.24 U	3.14 U	3.49 U	3.27 U
Toxaphene	--	--	--		200 UD	40.0 U	32.4 U	31.4 U	34.9 U	32.7 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RB-6 4/21/2014 11 - 13	RB-6 DUP 4/21/2014 11 - 13	RB-7 4/7/2014 13 - 15	RB-7 4/7/2014 15 - 17	RB-7 4/7/2014 20 - 21	RB-17 4/16/2014 6 - 8
4,4'-DDD	14000	13000	92000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
4,4'-DDE	17000	8900	62000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
4,4'-DDT	136000	7900	47000		3.33 U	3.22 U	3.49 U	3.44 U	3.31 U	3.97 U
Aldrin	190	97	680		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
alpha-BHC	20	480	3400		0.739 U	0.716 U	0.775 U	0.766 U	0.736 U	0.883 U
alpha-Chlordane	2900	4200	24000		2.22 U	2.15 U	2.32 U	2.30 U	2.21 U	2.65 U
beta-BHC	90	360	3000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
Chlordane	--	--	--		14.4 U	14.0 U	15.1 U	14.9 U	14.4 U	17.2 U
delta-BHC	250	100000	500000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
Dieldrin	100	200	1400		1.11 U	1.07 U	1.16 U	1.15 U	1.10 U	1.32 U
Endosulfan I	102000	24000	200000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
Endosulfan II	102000	24000	200000		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
Endosulfan sulfate	1000000	24000	200000		0.739 U	0.716 U	0.775 U	0.766 U	0.736 U	0.883 U
Endrin ketone	--	--	--		1.77 U	1.72 U	1.86 U	1.84 U	1.77 U	2.12 U
Endrin	60	11000	89000		0.739 U	0.716 U	0.775 U	0.766 U	0.736 U	0.883 U
gamma-BHC (Lindane)	100	1300	9200		0.739 U	0.716 U	0.775 U	0.766 U	0.736 U	0.883 U
gamma-Chlordane	--	--	--		2.22 U	2.15 U	2.32 U	2.30 U	2.21 U	2.65 U
Heptachlor epoxide	--	--	--		3.33 U	3.22 U	3.49 U	3.44 U	3.31 U	3.97 U
Heptachlor	380	2100	15000		0.887 U	0.859 U	0.930 U	0.919 U	1.27	1.06 U
Methoxychlor	--	--	--		3.33 U	3.22 U	3.49 U	3.44 U	3.31 U	3.97 U
Toxaphene	--	--	--		33.3 U	32.2 U	34.9 U	34.4 U	33.1 U	39.7 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-24	RB-24	RB-28	RB-28	RB-33	RB-40
				Sample Date:	4/9/2014	4/9/2014	4/10/2014	4/10/2014	4/10/2014	4/14/2014
				Sample Depth (ft bls):	2 - 4	6 - 8	5 - 7	7 - 8	4 - 6	3 - 5
4,4'-DDD	14000	13000	92000		1.70 U	2.18 U	134	18.0 UD	2.02 U	1.87 U
4,4'-DDE	17000	8900	62000		0.955 J	2.18 U	437 D	51.9 D	2.02 U	1.87 U
4,4'-DDT	136000	7900	47000		1.55 J	4.08 U	1010 E	121 D	3.79 U	3.50 U
Aldrin	190	97	680		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
alpha-BHC	20	480	3400		0.708 U	0.907 U	0.772 U	7.51 UD	0.843 U	0.778 U
alpha-Chlordane	2900	4200	24000		2.12 U	2.72 U	50.4	22.5 UD	2.53 U	2.33 U
beta-BHC	90	360	3000		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
Chlordane	--	--	--		13.8 U	17.7 U	15.1 U	146 UD	16.4 U	15.2 U
delta-BHC	250	100000	500000		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
Dieldrin	100	200	1400		1.06 U	1.36 U	41.8 P	11.3 UD	1.26 U	1.17 U
Endosulfan I	102000	24000	200000		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
Endosulfan II	102000	24000	200000		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
Endosulfan sulfate	1000000	24000	200000		0.708 U	0.907 U	0.772 U	7.51 UD	0.843 U	0.778 U
Endrin ketone	--	--	--		1.70 U	2.18 U	1.85 U	18.0 UD	2.02 U	1.87 U
Endrin	60	11000	89000		0.708 U	0.907 U	0.772 U	7.51 UD	0.843 U	0.778 U
gamma-BHC (Lindane)	100	1300	9200		0.708 U	0.907 U	0.772 U	7.51 UD	0.843 U	0.778 U
gamma-Chlordane	--	--	--		2.12 U	2.72 U	45.3	22.5 UD	2.53 U	2.33 U
Heptachlor epoxide	--	--	--		3.18 U	4.08 U	5.21 PI	33.8 UD	3.79 U	3.50 U
Heptachlor	380	2100	15000		0.849 U	1.09 U	7.74	9.02 UD	1.01 U	0.933 U
Methoxychlor	--	--	--		3.18 U	4.08 U	3.48 U	33.8 UD	3.79 U	3.50 U
Toxaphene	--	--	--		31.8 U	40.8 U	34.8 U	338 UD	37.9 U	35.0 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation:	RB-45	RW-2	RW-3	RW-3	RW-3	RW-4	RW-4
				Sample Date:	4/15/2014	4/7/2014	4/8/2014	4/8/2014	4/8/2014	4/8/2014	4/8/2014
				Sample Depth (ft bls):	10 - 12	13 - 15	1 - 3	3 - 5	8 - 9	1 - 3	7 - 9
4,4'-DDD	14000	13000	92000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
4,4'-DDE	17000	8900	62000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
4,4'-DDT	136000	7900	47000		3.27 U	3.70 U	3.42 U	3.30 U	3.65 U	300 D	3.66 U
Aldrin	190	97	680		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
alpha-BHC	20	480	3400		0.726 U	0.822 U	0.760 U	0.733 U	0.812 U	16.7 UD	0.812 U
alpha-Chlordane	2900	4200	24000		2.18 U	2.47 U	2.28 U	2.20 U	2.44 U	50.2 UD	2.44 U
beta-BHC	90	360	3000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
Chlordane	--	--	--		14.2 U	16.0 U	14.8 U	14.3 U	15.8 U	326 UD	15.8 U
delta-BHC	250	100000	500000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
Dieldrin	100	200	1400		1.09 U	1.23 U	1.14 U	1.10 U	1.22 U	25.1 UD	1.22 U
Endosulfan I	102000	24000	200000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
Endosulfan II	102000	24000	200000		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
Endosulfan sulfate	1000000	24000	200000		0.726 U	0.822 U	0.760 U	0.733 U	0.812 U	16.7 UD	0.812 U
Endrin ketone	--	--	--		1.74 U	1.97 U	1.82 U	1.76 U	1.95 U	40.2 UD	1.95 U
Endrin	60	11000	89000		0.726 U	0.822 U	0.760 U	0.733 U	0.812 U	16.7 UD	0.812 U
gamma-BHC (Lindane)	100	1300	9200		0.726 U	0.822 U	0.760 U	0.733 U	0.812 U	16.7 UD	0.812 U
gamma-Chlordane	--	--	--		2.18 U	2.47 U	2.28 U	2.20 U	2.44 U	50.2 UD	2.44 U
Heptachlor epoxide	--	--	--		3.27 U	3.70 U	3.42 U	3.30 U	3.65 U	75.3 UD	3.66 U
Heptachlor	380	2100	15000		0.872 U	0.987 U	0.912 U	0.880 U	0.974 U	20.1 UD	0.975 U
Methoxychlor	--	--	--		3.27 U	3.70 U	3.42 U	3.30 U	3.65 U	75.3 UD	3.66 U
Toxaphene	--	--	--		32.7 U	37.0 U	34.2 U	33.0 U	36.5 U	753 UD	36.6 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-4 4/8/2014 13 - 14	RW-6 4/9/2014 15 - 17	RW-9 4/16/2014 1.5 - 3	RW-9 4/16/2014 4 - 6	RW-9 4/16/2014 9 - 10	RW-14 4/14/2014 3 - 5
4,4'-DDD	14000	13000	92000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
4,4'-DDE	17000	8900	62000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
4,4'-DDT	136000	7900	47000		3.24 U	4.19 U	36.9 UD	38.8 UD	3.58 U	3.21 U
Aldrin	190	97	680		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
alpha-BHC	20	480	3400		0.720 U	0.932 U	8.20 UD	8.63 UD	0.796 U	0.714 U
alpha-Chlordane	2900	4200	24000		2.16 U	2.80 U	24.6 UD	25.9 UD	2.39 U	2.14 U
beta-BHC	90	360	3000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
Chlordane	--	--	--		14.0 U	18.2 U	160 UD	168 UD	15.5 U	13.9 U
delta-BHC	250	100000	500000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
Dieldrin	100	200	1400		1.08 U	1.40 U	12.3 UD	12.9 UD	1.19 U	1.07 U
Endosulfan I	102000	24000	200000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
Endosulfan II	102000	24000	200000		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
Endosulfan sulfate	1000000	24000	200000		0.720 U	0.932 U	8.20 UD	8.63 UD	0.796 U	0.714 U
Endrin ketone	--	--	--		1.73 U	2.24 U	19.7 UD	20.7 UD	1.91 U	1.71 U
Endrin	60	11000	89000		0.720 U	0.932 U	8.20 UD	8.63 UD	0.796 U	0.714 U
gamma-BHC (Lindane)	100	1300	9200		0.720 U	0.932 U	8.20 UD	8.63 UD	0.796 U	0.714 U
gamma-Chlordane	--	--	--		2.16 U	2.80 U	24.6 UD	25.9 UD	2.39 U	2.14 U
Heptachlor epoxide	--	--	--		3.24 U	4.19 U	36.9 UD	38.8 UD	3.58 U	3.21 U
Heptachlor	380	2100	15000		0.864 U	1.12 U	9.84 UD	10.4 UD	0.956 U	0.857 U
Methoxychlor	--	--	--		3.24 U	4.19 U	36.9 UD	38.8 UD	3.58 U	3.21 U
Toxaphene	--	--	--		32.4 U	41.9 U	369 UD	388 UD	35.8 U	32.1 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 5. Summary of Pesticides in Soil, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Protection of Groundwater	NYSDEC Part 375 Restricted Residential	NYSDEC Part 375 Commercial Use	Sample Designation: Sample Date: Sample Depth (ft bls):	RW-15 4/11/2014 1 - 3	RW-15 DUP 4/11/2014 1 - 3	RW-17 4/11/2014 0 - 2	RW-17 4/11/2014 2 - 4	RW-19 4/15/2014 5.5 - 7.5
4,4'-DDD	14000	13000	92000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
4,4'-DDE	17000	8900	62000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
4,4'-DDT	136000	7900	47000		3.38 U	3.33 U	3.32 U	3.53 U	3.30 U
Aldrin	190	97	680		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
alpha-BHC	20	480	3400		0.752 U	0.739 U	0.737 U	0.785 U	0.733 U
alpha-Chlordane	2900	4200	24000		2.26 U	2.22 U	2.21 U	2.35 U	2.20 U
beta-BHC	90	360	3000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
Chlordane	--	--	--		14.7 U	14.4 U	14.4 U	15.3 U	14.3 U
delta-BHC	250	100000	500000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
Dieldrin	100	200	1400		1.13 U	1.11 U	1.11 U	1.18 U	1.10 U
Endosulfan I	102000	24000	200000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
Endosulfan II	102000	24000	200000		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
Endosulfan sulfate	1000000	24000	200000		0.752 U	0.739 U	0.737 U	0.785 U	0.733 U
Endrin ketone	--	--	--		1.80 U	1.77 U	1.77 U	1.88 U	1.76 U
Endrin	60	11000	89000		0.752 U	0.739 U	0.737 U	0.785 U	0.733 U
gamma-BHC (Lindane)	100	1300	9200		0.752 U	0.739 U	0.737 U	0.785 U	0.733 U
gamma-Chlordane	--	--	--		2.26 U	2.22 U	2.21 U	2.35 U	2.20 U
Heptachlor epoxide	--	--	--		3.38 U	3.33 U	3.32 U	3.53 U	3.30 U
Heptachlor	380	2100	15000		0.903 U	0.887 U	0.885 U	0.942 U	0.880 U
Methoxychlor	--	--	--		3.38 U	3.33 U	3.32 U	3.53 U	3.30 U
Toxaphene	--	--	--		33.8 U	33.3 U	33.2 U	35.3 U	33.0 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

D - a secondary analysis after dilution due to exceedance
of the calibration range in the original sample.

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375 Restricted Residential Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375 Protection of Groundwater Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375 Commercial Standards

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014
1,1,1-Trichloroethane	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,1,2,2-Tetrachloroethane	5		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
1,1,2-Trichloroethane	1		7.5 UD	1.5 U	1.5 U	7.5 UD	7.5 UD	1.5 U	1.5 U
1,1-Dichloroethane	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,1-Dichloroethene	5		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
1,2,3-Trichlorobenzene	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,2,4-Trichlorobenzene	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,2-Dibromoethane	--		10 UD	2.0 U	2.0 U	10 UD	10 UD	2.0 U	2.0 U
1,2-Dichlorobenzene	3		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,2-Dichloroethane	0.6		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
1,2-Dichloropropane	1		5.0 UD	1.0 U	1.0 U	5.0 UD	5.0 UD	1.0 U	1.0 U
1,3-Dichlorobenzene	3		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,4-Dichlorobenzene	3		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
1,4-Dioxane	--		1200 UD	250 U	250 U	1200 UD	1200 UD	250 U	250 U
2-Butanone (MEK)	50		25 UD	5.0 U	5.0 U	25 UD	25 UD	5.0 U	5.0 U
2-Hexanone	50		25 UD	5.0 U	5.0 U	25 UD	25 UD	5.0 U	5.0 U
4-Methyl-2-pentanone (MIBK)	--		25 UD	5.0 U	5.0 U	25 UD	25 UD	5.0 U	5.0 U
Acetone	50		25 UD	5.0 U	2.9 J	25 UD	25 UD	5.0 U	1.6 J
Benzene	1		1.8 JD	0.36 J	0.30 J	22 D	12 D	0.50 U	0.50 U
Bromochloromethane	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Bromodichloromethane	50		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
Bromoform	50		10 UD	2.0 U	2.0 U	10 UD	10 UD	2.0 U	2.0 U
Bromomethane	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Carbon disulfide	60		25 UD	5.0 U	5.0 U	25 UD	25 UD	5.0 U	5.0 U
Carbon tetrachloride	5		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
Chlorobenzene	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Chloroethane	5		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Chloroform	7		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Chloromethane	--		12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
cis-1,2-Dichloroethene	5		12 UD	2.5 U	2.5 U	8.6 JD	12 UD	2.5 U	2.5 U
cis-1,3-Dichloropropene	5		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
Cyclohexane	--		210 D	10 U	10 U	180 D	220 D	10 U	10 U
Dibromochloromethane	50		2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation:		RW-1	RW-2	RW-2 DUP	RW-3	RW-4	RW-5	RW-5 DUP
		Sample Date:		5/15/2014	5/15/2014	5/15/2014	5/16/2014	5/15/2014	5/14/2014	5/14/2014
Dibromochloropropane	--			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Dichlorodifluoromethane	5			25 UD	5.0 U	5.0 U	25 UD	25 UD	5.0 U	5.0 U
Ethylbenzene	5			570 D	2.5 U	0.72 J	950 D	200 D	2.5 U	2.5 U
Freon 113	--			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Isopropylbenzene	5			49 D	2.5 U	2.5 U	95 D	68 D	2.5 U	2.5 U
m+p-Xylene	5			760 D	2.5 U	2.5 U	920 D	160 D	2.5 U	2.5 U
Methyl acetate	--			10 UD	2.0 U	2.0 U	10 UD	10 UD	2.0 U	2.0 U
Methylcyclohexane	--			200 D	10 U	10 U	150 D	210 D	10 U	10 U
Methylene chloride	5			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
MTBE	10			12 UD	6.7	7.6	12 UD	12 UD	2.5 U	2.5 U
o-Xylene	5			54 D	2.5 U	2.5 U	140 D	5.6 JD	2.5 U	2.5 U
Styrene	5			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Tetrachloroethene	5			2.5 UD	0.50 U	0.50 U	6.6 D	2.5 UD	0.38 J	0.38 J
Toluene	5			19 D	2.5 U	2.5 U	41 D	12 UD	2.5 U	2.5 U
trans-1,2-Dichloroethene	5			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
trans-1,3-Dichloropropene	--			2.5 UD	0.50 U	0.50 U	2.5 UD	2.5 UD	0.50 U	0.50 U
Trichloroethene	5			2.5 UD	0.50 U	0.50 U	4.1 D	2.5 UD	0.50 U	0.50 U
Trichlorofluoromethane	5			12 UD	2.5 U	2.5 U	12 UD	12 UD	2.5 U	2.5 U
Vinyl chloride	2			5.0 UD	1.0 U	1.0 U	5.6 D	5.0 UD	1.0 U	1.0 U
Xylenes (total)	5			810 D	2.5 U	2.5 U	1100 D	170 JD	2.5 U	2.5 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

D - Secondary analysis after dilution due to exceedance

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-5D 5/16/2014	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014
1,1,1-Trichloroethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,1,2,2-Tetrachloroethane	5		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
1,1,2-Trichloroethane	1		3.8 UD	1.5 U	1.5 U	1.5 U	1.5 U	3.8 UD	1.5 U	1.5 U
1,1-Dichloroethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,1-Dichloroethene	5		0.51 JD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
1,2,3-Trichlorobenzene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,2,4-Trichlorobenzene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,2-Dibromoethane	--		5.0 UD	2.0 U	2.0 U	2.0 U	2.0 U	5.0 UD	2.0 U	2.0 U
1,2-Dichlorobenzene	3		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,2-Dichloroethane	0.6		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.53	0.50 U
1,2-Dichloropropane	1		2.5 UD	1.0 U	1.0 U	1.0 U	1.0 U	2.5 UD	1.0 U	1.0 U
1,3-Dichlorobenzene	3		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,4-Dichlorobenzene	3		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
1,4-Dioxane	--		620 UD	250 U	250 U	250 U	250 U	620 UD	250 U	250 U
2-Butanone (MEK)	50		3.1 JD	5.0 U	5.0 U	5.0 U	5.0 U	12 UD	5.0 U	5.0 U
2-Hexanone	50		12 UD	5.0 U	5.0 U	5.0 U	5.0 U	12 UD	5.0 U	5.0 U
4-Methyl-2-pentanone (MIBK)	--		12 UD	5.0 U	5.0 U	5.0 U	5.0 U	12 UD	5.0 U	5.0 U
Acetone	50		12 D	1.7 J	3.0 J	1.9 J	2.5 J	3.4 JD	5.0 U	11
Benzene	1		1.4 D	0.19 J	0.36 J	0.75	0.49 J	0.40 JD	3.4	0.50 U
Bromochloromethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Bromodichloromethane	50		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
Bromoform	50		5.0 UD	2.0 U	2.0 U	2.0 U	2.0 U	5.0 UD	2.0 U	2.0 U
Bromomethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Carbon disulfide	60		12 UD	5.0 U	5.0 U	5.0 U	5.0 U	12 UD	5.0 U	5.0 U
Carbon tetrachloride	5		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
Chlorobenzene	5		6.2 UD	2.5 U	2.5 U	2.5 U	0.81 J	6.2 UD	2.5 U	2.5 U
Chloroethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Chloroform	7		5.5 JD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Chloromethane	--		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
cis-1,2-Dichloroethene	5		220 D	2.5 U	2.5 U	4	63	180 D	36	2.5 U
cis-1,3-Dichloropropene	5		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
Cyclohexane	--		2.0 JD	10 U	1.2 J	1.4 J	3.8 J	25 UD	19	10 U
Dibromochloromethane	50		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-5D 5/16/2014	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014
Dibromochloropropane	--		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Dichlorodifluoromethane	5		12 UD	5.0 U	5.0 U	5.0 U	5.0 U	12 UD	5.0 U	5.0 U
Ethylbenzene	5		6.2 UD	2.5 U	2.5 U	2.5 U	5.6	6.2 UD	2.5 U	2.5 U
Freon 113	--		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Isopropylbenzene	5		6.2 UD	2.5 U	2.5 U	2.5 U	6.5	6.2 UD	2.5 U	2.5 U
m+p-Xylene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.9	6.2 UD	2.5 U	2.5 U
Methyl acetate	--		5.0 UD	2.0 U	2.0 U	2.0 U	2.0 U	5.0 UD	2.0 U	2.0 U
Methylcyclohexane	--		25 UD	10 U	1.4 J	3.7 J	6.0 J	25 UD	7.5 J	10 U
Methylene chloride	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
MTBE	10		24 D	2.5 U	0.72 J	50	14	10 D	120	2.5 U
o-Xylene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Styrene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Tetrachloroethene	5		52 D	0.50 U	0.50 U	0.50 U	9.8	120 D	0.50 U	0.50 U
Toluene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
trans-1,2-Dichloroethene	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
trans-1,3-Dichloropropene	--		1.2 UD	0.50 U	0.50 U	0.50 U	0.50 U	1.2 UD	0.50 U	0.50 U
Trichloroethene	5		42 D	0.50 U	0.50 U	0.50 U	7.2	54 D	0.50 U	0.50 U
Trichlorofluoromethane	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.5 U	6.2 UD	2.5 U	2.5 U
Vinyl chloride	2		2.4 JD	1.0 U	1.0 U	5.7	2.5	0.96 JD	21	1.0 U
Xylenes (total)	5		6.2 UD	2.5 U	2.5 U	2.5 U	2.9	6.2 UD	2.5 U	2.5 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

D - Secondary analysis after dilution due to exceedance

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: RW-13 RW-14 RW-15 RW-16 RW-17 RW-18 RW-19 RW-20								
		Sample Date: 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/15/2014 5/15/2014								
1,1,1-Trichloroethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,1,2,2-Tetrachloroethane	5	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
1,1,2-Trichloroethane	1	1.5 U	1.5 U	1.5 U	1.5 U	38 UD	1.5 U	1.5 U	1.5 U	
1,1-Dichloroethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,1-Dichloroethene	5	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
1,2,3-Trichlorobenzene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,2,4-Trichlorobenzene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,2-Dibromoethane	--	2.0 U	2.0 U	2.0 U	2.0 U	50 UD	2.0 U	2.0 U	2.0 U	
1,2-Dichlorobenzene	3	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,2-Dichloroethane	0.6	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
1,2-Dichloropropane	1	1.0 U	1.0 U	1.0 U	1.0 U	25 UD	1.0 U	1.0 U	1.0 U	
1,3-Dichlorobenzene	3	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,4-Dichlorobenzene	3	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
1,4-Dioxane	--	250 U	250 U	250 U	250 U	6200 UD	250 U	250 U	250 U	
2-Butanone (MEK)	50	5.0 U	5.0 U	5.0 U	5.0 U	120 UD	2.6 J	5.0 U	5.0 U	
2-Hexanone	50	5.0 U	5.0 U	5.0 U	5.0 U	120 UD	5.0 U	5.0 U	5.0 U	
4-Methyl-2-pentanone (MIBK)	--	5.0 U	5.0 U	5.0 U	5.0 U	120 UD	5.0 U	5.0 U	5.0 U	
Acetone	50	5.0 U	2.6 J	1.5 J	1.8 J	120 UD	24	3.3 J	2.0 J	
Benzene	1	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.21 J	0.50 U	0.50 U	
Bromochloromethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Bromodichloromethane	50	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
Bromoform	50	2.0 U	2.0 U	2.0 U	2.0 U	50 UD	2.0 U	2.0 U	2.0 U	
Bromomethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Carbon disulfide	60	5.0 U	5.0 U	5.0 U	5.0 U	120 UD	5.0 U	5.0 U	5.0 U	
Carbon tetrachloride	5	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
Chlorobenzene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Chloroethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Chloroform	7	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Chloromethane	--	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
cis-1,2-Dichloroethene	5	2.5 U	2.5 U	2.5 U	17	340 D	2.5 U	2.5 U	2.6	
cis-1,3-Dichloropropene	5	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
Cyclohexane	--	10 U	10 U	10 U	10 U	250 UD	10 U	10 U	10 U	
Dibromochloromethane	50	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: RW-13 RW-14 RW-15 RW-16 RW-17 RW-18 RW-19 RW-20								
		Sample Date: 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/16/2014 5/15/2014 5/15/2014								
Dibromochloropropane	--	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Dichlorodifluoromethane	5	5.0 U	5.0 U	5.0 U	5.0 U	120 UD	5.0 U	5.0 U	5.0 U	
Ethylbenzene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Freon 113	--	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Isopropylbenzene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
m+p-Xylene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Methyl acetate	--	2.0 U	2.0 U	2.0 U	2.0 U	50 UD	2.0 U	2.0 U	2.0 U	
Methylcyclohexane	--	10 U	10 U	10 U	10 U	250 UD	10 U	10 U	10 U	
Methylene chloride	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
MTBE	10	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	1.3 J	4.4	
o-Xylene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Styrene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Tetrachloroethene	5	0.50 U	0.50 U	0.50 U	16	2600 D	0.36 J	0.50 U	0.50 U	
Toluene	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
trans-1,2-Dichloroethene	5	2.5 U	2.5 U	2.5 U	2.5 U	18 JD	2.5 U	2.5 U	2.5 U	
trans-1,3-Dichloropropene	--	0.50 U	0.50 U	0.50 U	0.50 U	12 UD	0.50 U	0.50 U	0.50 U	
Trichloroethene	5	0.50 U	0.50 U	0.50 U	5.1	220 D	0.50 U	0.50 U	0.17 J	
Trichlorofluoromethane	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	49 D	1.0 U	1.0 U	1.0 U	
Xylenes (total)	5	2.5 U	2.5 U	2.5 U	2.5 U	62 UD	2.5 U	2.5 U	2.5 U	

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

D - Secondary analysis after dilution due to exceedance

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-2/MW-2 5/16/2014	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014	TRIP BLANK 5/14/2014
1,1,1-Trichloroethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,1,2,2-Tetrachloroethane	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
1,1,2-Trichloroethane	1		1.5 U	7.5 UD	1.5 U	1.5 U	1.5 U	1.5 U
1,1-Dichloroethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,1-Dichloroethene	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
1,2,3-Trichlorobenzene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,2,4-Trichlorobenzene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,2-Dibromoethane	--		2.0 U	10 UD	2.0 U	2.0 U	2.0 U	2.0 U
1,2-Dichlorobenzene	3		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,2-Dichloroethane	0.6		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichloropropane	1		1.0 U	5.0 UD	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	3		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,4-Dichlorobenzene	3		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
1,4-Dioxane	--		250 U	1200 UD	250 U	250 U	250 U	250 U
2-Butanone (MEK)	50		5.0 U	25 UD	5.0 U	5.0 U	5.0 U	5.0 U
2-Hexanone	50		5.0 U	25 UD	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone (MIBK)	--		5.0 U	25 UD	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	50		2.5 J	5.6 JD	1.3 J	2.4 J	3.5 J	5.0 U
Benzene	1		0.50 U	2.8 D	0.50 U	0.50 U	0.50 U	0.50 U
Bromochloromethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Bromodichloromethane	50		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Bromoform	50		2.0 U	10 UD	2.0 U	2.0 U	2.0 U	2.0 U
Bromomethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Carbon disulfide	60		5.0 U	25 UD	5.0 U	5.0 U	5.0 U	5.0 U
Carbon tetrachloride	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Chlorobenzene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Chloroethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Chloroform	7		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Chloromethane	--		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
cis-1,2-Dichloroethene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
cis-1,3-Dichloropropene	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Cyclohexane	--		10 U	240 D	10 U	10 U	10 U	10 U
Dibromochloromethane	50		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-2/MW-2 5/16/2014	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014	TRIP BLANK 5/14/2014
Dibromochloropropane	--		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Dichlorodifluoromethane	5		5.0 U	25 UD	5.0 U	5.0 U	5.0 U	5.0 U
Ethylbenzene	5		2.5 U	540 D	2.5 U	2.5 U	2.5 U	2.5 U
Freon 113	--		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Isopropylbenzene	5		2.5 U	76 D	2.5 U	2.5 U	2.5 U	2.5 U
m+p-Xylene	5		2.5 U	800 D	2.5 U	2.5 U	2.5 U	2.5 U
Methyl acetate	--		2.0 U	10 UD	2.0 U	2.0 U	2.0 U	2.0 U
Methylcyclohexane	--		10 U	220 D	10 U	10 U	10 U	10 U
Methylene chloride	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
MTBE	10		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
o-Xylene	5		2.5 U	19 D	2.5 U	2.5 U	2.5 U	2.5 U
Styrene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Tetrachloroethene	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	5		2.5 U	4.7 JD	2.5 U	2.5 U	2.5 U	2.5 U
trans-1,2-Dichloroethene	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
trans-1,3-Dichloropropene	--		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Trichloroethene	5		0.50 U	2.5 UD	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	5		2.5 U	12 UD	2.5 U	2.5 U	2.5 U	2.5 U
Vinyl chloride	2		1.0 U	5.0 UD	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes (total)	5		2.5 U	820 D	2.5 U	2.5 U	2.5 U	2.5 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

D - Secondary analysis after dilution due to exceedance

DUP - Duplicate

-- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	TRIP BLANK 5/15/2014	TRIP BLANK 5/16/2014
1,1,1-Trichloroethane	5		2.5 U	2.5 U
1,1,2,2-Tetrachloroethane	5		0.50 U	0.50 U
1,1,2-Trichloroethane	1		1.5 U	1.5 U
1,1-Dichloroethane	5		2.5 U	2.5 U
1,1-Dichloroethene	5		0.50 U	0.50 U
1,2,3-Trichlorobenzene	5		2.5 U	2.5 U
1,2,4-Trichlorobenzene	5		2.5 U	2.5 U
1,2-Dibromoethane	--		2.0 U	2.0 U
1,2-Dichlorobenzene	3		2.5 U	2.5 U
1,2-Dichloroethane	0.6		0.50 U	0.50 U
1,2-Dichloropropane	1		1.0 U	1.0 U
1,3-Dichlorobenzene	3		2.5 U	2.5 U
1,4-Dichlorobenzene	3		2.5 U	2.5 U
1,4-Dioxane	--		250 U	250 U
2-Butanone (MEK)	50		5.0 U	5.0 U
2-Hexanone	50		5.0 U	5.0 U
4-Methyl-2-pentanone (MIBK)	--		5.0 U	5.0 U
Acetone	50		5.0 U	5.0 U
Benzene	1		0.50 U	0.50 U
Bromochloromethane	5		2.5 U	2.5 U
Bromodichloromethane	50		0.50 U	0.50 U
Bromoform	50		2.0 U	2.0 U
Bromomethane	5		2.5 U	2.5 U
Carbon disulfide	60		5.0 U	5.0 U
Carbon tetrachloride	5		0.50 U	0.50 U
Chlorobenzene	5		2.5 U	2.5 U
Chloroethane	5		2.5 U	2.5 U
Chloroform	7		2.5 U	2.5 U
Chloromethane	--		2.5 U	2.5 U
cis-1,2-Dichloroethene	5		2.5 U	2.5 U
cis-1,3-Dichloropropene	5		0.50 U	0.50 U
Cyclohexane	--		10 U	10 U
Dibromochloromethane	50		0.50 U	0.50 U

Table 6. Summary of Volatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	TRIP BLANK 5/15/2014	TRIP BLANK 5/16/2014
Dibromochloropropane	--		2.5 U	2.5 U
Dichlorodifluoromethane	5		5.0 U	5.0 U
Ethylbenzene	5		2.5 U	2.5 U
Freon 113	--		2.5 U	2.5 U
Isopropylbenzene	5		2.5 U	2.5 U
m+p-Xylene	5		2.5 U	2.5 U
Methyl acetate	--		2.0 U	2.0 U
Methylcyclohexane	--		10 U	10 U
Methylene chloride	5		2.5 U	2.5 U
MTBE	10		2.5 U	2.5 U
o-Xylene	5		2.5 U	2.5 U
Styrene	5		2.5 U	2.5 U
Tetrachloroethene	5		0.50 U	0.50 U
Toluene	5		2.5 U	2.5 U
trans-1,2-Dichloroethene	5		2.5 U	2.5 U
trans-1,3-Dichloropropene	--		0.50 U	0.50 U
Trichloroethene	5		0.50 U	0.50 U
Trichlorofluoromethane	5		2.5 U	2.5 U
Vinyl chloride	2		1.0 U	1.0 U
Xylenes (total)	5		2.5 U	2.5 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

D - Secondary analysis after dilution due to exceedance

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014
1,1'-Biphenyl	--		2.0 U	2.0 U	2.0 U	1.0 J	2.0 U	2.0 U	2.0 U
1,2,4,5-Tetrachlorobenzene	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
2,2'-oxybis (1-chloropropane)	5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,3,4,6-Tetrachlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,5-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dimethylphenol	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dinitrophenol	10		20 U	20 U	20 U	20 U	20 U	20 U	20 U
2,4-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	10		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
2-Chlorophenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Methylnaphthalene	--		18 D	0.20 U	0.20 U	53 D	46 D	0.20 U	0.20 U
2-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
3&4-Methylphenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3,3'-Dichlorobenzidine	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4,6-Dinitro-2-methylphenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Bromophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Chlorophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acenaphthene	20		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Acenaphthylene	20		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Acetophenone	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Anthracene	50		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Atrazine	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzaldehyde	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014
Benzo[a]anthracene	0.002		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Benzo[a]pyrene	0		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Benzo[b]fluoranthene	0.002		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Benzo[g,h,i]perylene	--		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Benzo[k]fluoranthene	0.002		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Bis(2-chloroethoxy)methane	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Bis(2-chloroethyl) ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Bis(2-ethylhexyl) phthalate	5		3.0 U	3.0 U	3.0 U	1.8 J	3.0 U	3.0 U	3.0 U
Butylbenzyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Caprolactam	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U
Carbazole	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Chrysene	0.002		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Dibenzo[a,h]anthracene	--		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Dibenzofuran	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Diethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Dimethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-butyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-octyl phthalate	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Fluoranthene	50		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Fluorene	50		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Hexachlorobenzene	0.04		4.0 UD	0.80 U	0.80 U	8.0 UD	8.0 UD	0.80 U	0.80 U
Hexachlorobutadiene	0.5		2.5 UD	0.50 U	0.50 U	5.0 UD	5.0 UD	0.50 U	0.50 U
Hexachlorocyclopentadiene	5		20 U	20 U	20 U	20 U	20 U	20 U	20 U
Hexachloroethane	5		4.0 UD	0.80 U	0.80 U	8.0 UD	8.0 UD	0.80 U	0.80 U
Indeno[1,2,3-cd]pyrene	0.002		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U
Isophorone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Naphthalene	10		51 D	0.07 J	0.11 J	130 D	86 D	0.20 U	0.20 U
Nitrobenzene	0.4		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
n-Nitrosodi-n-propylamine	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
n-Nitrosodiphenylamine	50		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Pentachlorophenol	1		4.0 UD	0.80 U	0.80 U	8.0 UD	8.0 UD	0.80 U	0.80 U
Phenanthrene	50		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014
Phenol	1		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Pyrene	50		1.0 UD	0.20 U	0.20 U	2.0 UD	2.0 UD	0.20 U	0.20 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-5D 5/16/2014	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014
1,1'-Biphenyl	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,2,4,5-Tetrachlorobenzene	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2,2'-oxybis (1-chloropropane)	5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,3,4,6-Tetrachlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,5-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dimethylphenol	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dinitrophenol	10		20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2,4-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	10		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Chlorophenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Methylnaphthalene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.07 J	0.20 U	0.20 U	0.19 J
2-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
3&4-Methylphenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3,3'-Dichlorobenzidine	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4,6-Dinitro-2-methylphenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Bromophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Chlorophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acenaphthene	20		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.36
Acenaphthylene	20		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acetophenone	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Anthracene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.17 J	0.20 U	1.4
Atrazine	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzaldehyde	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-5D 5/16/2014	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014
Benzo[a]anthracene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[a]pyrene	0		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[b]fluoranthene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[g,h,i]perylene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[k]fluoranthene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Bis(2-chloroethoxy)methane	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Bis(2-chloroethyl) ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Bis(2-ethylhexyl) phthalate	5		3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	1.3 J	3.0 U
Butylbenzyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Caprolactam	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Carbazole	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Chrysene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo[a,h]anthracene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Diethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Dimethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-butyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-octyl phthalate	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Fluoranthene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.12 J
Fluorene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.16 J
Hexachlorobenzene	0.04		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U
Hexachlorobutadiene	0.5		0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Hexachlorocyclopentadiene	5		20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Hexachloroethane	5		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U
Indeno[1,2,3-cd]pyrene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Naphthalene	10		0.08 J	0.20 U	0.08 J	0.24	0.61	0.20 U	0.20 U	0.88
Nitrobenzene	0.4		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
n-Nitrosodi-n-propylamine	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
n-Nitrosodiphenylamine	50		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Pentachlorophenol	1		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	2
Phenanthrene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.08 J

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-5D 5/16/2014	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014
Phenol	1		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Pyrene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.11 J

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-13 5/16/2014	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014
1,1'-Biphenyl	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,2,4,5-Tetrachlorobenzene	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2,2'-oxybis (1-chloropropane)	5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,3,4,6-Tetrachlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,5-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dimethylphenol	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dinitrophenol	10		20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
2,4-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	10		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Chlorophenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Methylnaphthalene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
2-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
3&4-Methylphenol	--		2.8 J	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3,3'-Dichlorobenzidine	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4,6-Dinitro-2-methylphenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Bromophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Chlorophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acenaphthene	20		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.22	0.20 U	0.20 U
Acenaphthylene	20		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Acetophenone	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Anthracene	50		0.20 U	0.20 U	0.20 U	0.09 J	0.10 J	0.08 J	0.20 U	0.20 U
Atrazine	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Benzaldehyde	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-13 5/16/2014	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014
Benzo[a]anthracene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[a]pyrene	0		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[b]fluoranthene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[g,h,i]perylene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Benzo[k]fluoranthene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Bis(2-chloroethoxy)methane	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Bis(2-chloroethyl) ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Bis(2-ethylhexyl) phthalate	5		3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	1.0 J	3.0 U
Butylbenzyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Caprolactam	--		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Carbazole	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Chrysene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzo[a,h]anthracene	--		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Dibenzofuran	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Diethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Dimethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-butyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-octyl phthalate	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Fluoranthene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.10 J	0.20 U	0.20 U
Fluorene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.34	0.20 U	0.20 U
Hexachlorobenzene	0.04		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U
Hexachlorobutadiene	0.5		0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Hexachlorocyclopentadiene	5		20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
Hexachloroethane	5		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U
Indeno[1,2,3-cd]pyrene	0.002		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
Isophorone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Naphthalene	10		0.07 J	0.20 U	0.20 U	0.20 U	0.20 U	0.16 J	0.20 U	0.20 U
Nitrobenzene	0.4		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
n-Nitrosodi-n-propylamine	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
n-Nitrosodiphenylamine	50		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Pentachlorophenol	1		0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U	0.80 U
Phenanthrene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.15 J	0.20 U	0.20 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-13 5/16/2014	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014
Phenol	1		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Pyrene	50		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.09 J	0.20 U	0.20 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-2/MW-2 5/16/2014	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014
1,1'-Biphenyl	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,2,4,5-Tetrachlorobenzene	--		10 U	10 U	10 U	10 U	10 U
2,2'-oxybis (1-chloropropane)	5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2,3,4,6-Tetrachlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,5-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4,6-Trichlorophenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dichlorophenol	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dimethylphenol	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,4-Dinitrophenol	10		20 U	20 U	20 U	20 U	20 U
2,4-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2,6-Dinitrotoluene	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Chloronaphthalene	10		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
2-Chlorophenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
2-Methylnaphthalene	--		0.20 U	37 D	0.20 U	0.20 U	0.20 U
2-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U
3&4-Methylphenol	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3,3'-Dichlorobenzidine	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
3-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4,6-Dinitro-2-methylphenol	--		10 U	10 U	10 U	10 U	10 U
4-Bromophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloro-3-methylphenol	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Chloroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Chlorophenyl phenyl ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
4-Nitroaniline	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Nitrophenol	--		10 U	10 U	10 U	10 U	10 U
Acenaphthene	20		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Acenaphthylene	20		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Acetophenone	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Anthracene	50		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Atrazine	--		10 U	10 U	10 U	10 U	10 U
Benzaldehyde	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-2/MW-2 5/16/2014	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014
Benzo[a]anthracene	0.002		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Benzo[a]pyrene	0		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Benzo[b]fluoranthene	0.002		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Benzo[g,h,i]perylene	--		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Benzo[k]fluoranthene	0.002		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Bis(2-chloroethoxy)methane	5		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Bis(2-chloroethyl) ether	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Bis(2-ethylhexyl) phthalate	5		3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Butylbenzyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Caprolactam	--		10 U	10 U	10 U	10 U	10 U
Carbazole	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Chrysene	0.002		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Dibenzo[a,h]anthracene	--		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Dibenzofuran	--		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Diethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Dimethyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-butyl phthalate	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Di-n-octyl phthalate	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Fluoranthene	50		0.05 J	4.0 UD	0.20 U	0.20 U	0.20 U
Fluorene	50		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Hexachlorobenzene	0.04		0.80 U	16 UD	0.80 U	0.80 U	0.80 U
Hexachlorobutadiene	0.5		0.50 U	10 UD	0.50 U	0.50 U	0.50 U
Hexachlorocyclopentadiene	5		20 U	20 U	20 U	20 U	20 U
Hexachloroethane	5		0.80 U	16 UD	0.80 U	0.80 U	0.80 U
Indeno[1,2,3-cd]pyrene	0.002		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U
Isophorone	50		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Naphthalene	10		0.20 U	180 D	0.20 U	0.20 U	0.20 U
Nitrobenzene	0.4		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
n-Nitrosodi-n-propylamine	--		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
n-Nitrosodiphenylamine	50		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Pentachlorophenol	1		0.80 U	16 UD	0.80 U	0.80 U	0.80 U
Phenanthrene	50		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U

Table 7. Summary of Semivolatile Organic Compounds in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-2/MW-2 5/16/2014	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014
Phenol	1		5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Pyrene	50		0.20 U	4.0 UD	0.20 U	0.20 U	0.20 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 8. Summary of Metals in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014	RW-5D 5/16/2014
Aluminum	--		66.9	16.4	9.25 J	81.4	58.2	298	36.8	19200
Antimony	3		2.1	1.21	0.78 J	1.46	0.94 J	5.03	0.4 J	0.31 J
Arsenic	25		0.72	0.14 J	0.5 U	0.92	0.84	0.39 J	0.27 J	1.51
Barium	1000		220.4	76.09	79.08	250.4	294	174.7	185.3	307.5
Beryllium	3		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.82
Cadmium	5		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.07 J	0.08 J	0.2 U
Calcium	--		180000	73500	84400	113000	140000	74200	76000	180000
Chromium	50		0.74 J	0.61 J	0.7 J	0.65 J	1.21	0.97 J	0.83 J	37.81
Cobalt	--		2.81	0.75	0.79	0.9	0.83	2.69	2.78	15.5
Copper	200		0.35 J	1.21 J	0.88 J	0.29 J	0.59 J	1.18 J	0.71 J	21.92
Iron	300		19700	33.8 J	1000 U	820	10600	396	57.9	26700
Lead	25		2.4	1 U	1 U	0.38 J	0.58 J	0.36 J	1 U	10.19
Magnesium	--		41100	21600	21600	16600	36800	9220	9670	28600
Manganese	300		4306	226.7	216	3614	2816	2100	2094	4172
Mercury	0.7		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100		3.47	0.71	1.28	2.29	1.21	1.56	1.35	27.3
Potassium	--		7060	2990	3510	4590	7970	3670	3500	20400
Selenium	10		1.05 J	9.13	9.81	5 U	0.45 J	1.55 J	1.17 J	1.54 J
Silver	50		0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Sodium	20000		218000	43900	54000	583000	146000	546000	579000	527000
Thallium	0.5		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.4 J
Vanadium	--		0.4 J	0.23 J	0.28 J	0.29 J	0.26 J	1.17 J	0.51 J	49.64
Zinc	2000		11.13	15.98	16	4.9 J	6 J	5.42 J	3.9 J	89.82

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 8. Summary of Metals in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014	RW-13 5/16/2014
Aluminum	--		254	202	34.6	1630	11.5	346	77.4	593
Antimony	3		0.85 J	0.74 J	0.66 J	0.68 J	0.65 J	0.51 J	2.87	0.48 J
Arsenic	25		1.4	3.64	1.83	0.75	0.28 J	0.7	9.85	0.88
Barium	1000		121.5	294.3	233.3	224.8	152.6	253.7	61.35	169.5
Beryllium	3		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cadmium	5		0.2 U	0.2 U	0.2 U	0.17 J	0.22	0.2 U	0.08 J	0.2 U
Calcium	--		142000	166000	108000	188000	249000	130000	217000	94100
Chromium	50		0.99 J	1	0.59 J	3.19	0.57 J	1.4	1.39	2.05
Cobalt	--		2.41	1.45	0.3	10.51	6.7	0.4	1.69	0.89
Copper	200		2.2	0.79 J	1.5 U	4.73	1.63	0.97 J	15.74	2
Iron	300		1820	19700	4650	3060	48.8 J	7550	236	2090
Lead	25		1.61	0.61 J	0.37 J	2.53	1 U	2.08	2.33	1.57
Magnesium	--		22400	42800	36400	29700	40100	38000	13200	38000
Manganese	300		4426	4012	1501	4724	3456	444.7	329.4	164
Mercury	0.7		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.12 J	0.2 U
Nickel	100		1.27	1.02	0.58	7.96	5.49	0.98	9.57	2.03
Potassium	--		7500	16000	4520	6040	5220	6380	71500	9410
Selenium	10		5 U	0.38 J	5 U	0.38 J	1.08 J	5 U	1.43 J	5 U
Silver	50		0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Sodium	20000		77100	77800	127000	358000	527000	131000	143000	155000
Thallium	0.5		0.5 U	0.5 U	0.5 U	0.04 J	0.5 U	0.5 U	0.06 J	0.5 U
Vanadium	--		0.9 J	1.05 J	0.14 J	4.52 J	0.31 J	1.23 J	51.35	2.02 J
Zinc	2000		17.79	17.46	7.88 J	12.36	5.83 J	7.25 J	14.83	9.38 J

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 8. Summary of Metals in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014	SB-2/MW-2 5/16/2014
Aluminum	--		53.1	103	76.2	11.7	2580	14.9	7.85 J	474
Antimony	3		0.52 J	0.4 J	0.65 J	0.48 J	1.04	0.11 J	0.17 J	0.73 J
Arsenic	25		0.79	0.44 J	0.39 J	0.37 J	2.01	0.38 J	0.39 J	1.15
Barium	1000		229.8	227.2	47.15	86.34	144.3	45.48	51.65	105
Beryllium	3		0.5 U	0.5 U	0.5 U	0.5 U	0.11 J	0.5 U	0.5 U	0.5 U
Cadmium	5		0.11 J	0.2 U	0.26	0.2 U	0.12 J	0.2 U	0.14 J	0.15 J
Calcium	--		80200	98800	294000	142000	381000	263000	106000	95000
Chromium	50		0.69 J	0.72 J	0.65 J	0.62 J	6.01	0.63 J	0.71 J	1.47
Cobalt	--		1.55	1.27	2.05	1.13	4.37	1.91	1.03	1.7
Copper	200		3.81	1.32 J	2.4	1.54	8.69	1.33	1.32	6.25
Iron	300		258	191	414	38 J	3020	1000 U	1740	1470
Lead	25		0.48 J	1.22	0.63 J	1 U	21.9	0.29 J	1 U	22.18
Magnesium	--		25300	40400	23100	46800	83100	64200	22700	20400
Manganese	300		1489	264.2	1731	234	2418	1369	530.2	894.8
Mercury	0.7		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100		4	1.8	3.95	5.17	7.92	2.6	1.5	3.54
Potassium	--		5320	10400	15200	15200	10900	5560	5620	892
Selenium	10		0.49 J	5 U	0.58 J	0.54 J	2.38 J	1.28 J	0.58 J	2.32 J
Silver	50		0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U	0.4 U
Sodium	20000		32800	32600	172000	127000	20900	11400	11300	77000
Thallium	0.5		0.04 J	0.03 J	0.5 U	0.03 J	0.06 J	0.5 U	0.5 U	0.03 J
Vanadium	--		0.83 J	0.78 J	0.36 J	0.39 J	7.15	0.4 J	0.23 J	2.61 J
Zinc	2000		19.98	8.99 J	41.89	5.52 J	40.41	6.65 J	5.55 J	30.99

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 8. Summary of Metals in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014
Aluminum	--		6.77 J	7.81 J	3.93 J	2.21 J
Antimony	3		0.63 J	0.14 J	1 U	1 U
Arsenic	25		3.66	0.5 U	0.5 U	0.5 U
Barium	1000		282.9	0.44 J	0.5 U	0.5 U
Beryllium	3		0.5 U	0.5 U	0.5 U	0.5 U
Cadmium	5		0.2 U	0.2 U	0.2 U	0.2 U
Calcium	--		217000	65.7 J	100 U	100 U
Chromium	50		0.8 J	0.62 J	0.57 J	0.55 J
Cobalt	--		0.18 J	0.5 U	0.5 U	0.5 U
Copper	200		0.31 J	1.59	1 U	1 U
Iron	300		35500	14.8 J	50 U	50 U
Lead	25		5.23	0.3 J	1 U	1 U
Magnesium	--		36200	12.3 J	3.52 J	3.77 J
Manganese	300		6538	0.75 J	0.32 J	0.29 J
Mercury	0.7		0.2 U	0.2 U	0.2 U	0.2 U
Nickel	100		0.52	0.21 J	0.13 J	0.13 J
Potassium	--		6230	100 U	100 U	100 U
Selenium	10		0.31 J	5 U	5 U	5 U
Silver	50		0.4 U	0.4 U	0.4 U	0.4 U
Sodium	20000		77300	53.9 J	28.4 J	23.6 J
Thallium	0.5		0.5 U	0.5 U	0.5 U	0.5 U
Vanadium	--		0.93 J	0.1 J	5 U	5 U
Zinc	2000		4.83 J	9.08 J	4.99 J	4.37 J

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 9. Summary of Polychlorinated Biphenyls in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014	RW-5D 5/16/2014
Aroclor-1016	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1221	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1232	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1242	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1248	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1254	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1260	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1262	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1268	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
PCBS, TOTAL	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 9. Summary of Polychlorinated Biphenyls in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014	RW-13 5/16/2014
Aroclor-1016	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1221	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1232	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1242	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1248	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1254	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1260	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1262	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1268	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
PCBS, TOTAL	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 9. Summary of Polychlorinated Biphenyls in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014	SB-2/MW-2 5/16/2014
Aroclor-1016	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1221	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1232	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1242	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1248	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1254	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1260	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1262	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1268	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U
PCBS, TOTAL	--		0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U	0.083 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 9. Summary of Polychlorinated Biphenyls in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	SB-4/MW-3 5/15/2014	FB-051414 5/14/2014	FB-051514 5/15/2014	FB-051614 5/16/2014
Aroclor-1016	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1221	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1232	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1242	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1248	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1254	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1260	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1262	--		0.083 U	0.083 U	0.083 U	0.083 U
Aroclor-1268	--		0.083 U	0.083 U	0.083 U	0.083 U
PCBS, TOTAL	--		0.083 U	0.083 U	0.083 U	0.083 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 10. Summary of Pesticides in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-1 5/15/2014	RW-2 5/15/2014	RW-2 DUP 5/15/2014	RW-3 5/16/2014	RW-4 5/15/2014	RW-5 5/14/2014	RW-5 DUP 5/14/2014	RW-5D 5/16/2014
4,4'-DDD	0.3		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDE	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDT	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Aldrin	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-Chlordane	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
beta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Chlordane	0.05		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
delta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Dieldrin	0.004		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endosulfan I	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Endosulfan II	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endosulfan sulfate	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin ketone	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin	0		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
gamma-BHC (Lindane)	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
gamma-Chlordane	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor epoxide	0.03		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor	0.04		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Methoxychlor	35		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
Toxaphene	0.06		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 10. Summary of Pesticides in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-6 5/14/2014	RW-7 5/16/2014	RW-8 5/16/2014	RW-9 5/16/2014	RW-10 5/16/2014	RW-11 5/16/2014	RW-12 5/16/2014	RW-13 5/16/2014
4,4'-DDD	0.3		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDE	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDT	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Aldrin	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-Chlordane	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
beta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Chlordane	0.05		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
delta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Dieldrin	0.004		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.018 J	0.040 U
Endosulfan I	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Endosulfan II	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endosulfan sulfate	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin ketone	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin	0		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
gamma-BHC (Lindane)	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
gamma-Chlordane	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor epoxide	0.03		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor	0.04		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Methoxychlor	35		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
Toxaphene	0.06		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 10. Summary of Pesticides in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	RW-14 5/16/2014	RW-15 5/16/2014	RW-16 5/16/2014	RW-17 5/16/2014	RW-18 5/16/2014	RW-19 5/15/2014	RW-20 5/15/2014	SB-2/MW-2 5/16/2014
4,4'-DDD	0.3		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDE	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
4,4'-DDT	0.2		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Aldrin	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
alpha-Chlordane	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
beta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Chlordane	0.05		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
delta-BHC	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Dieldrin	0.004		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endosulfan I	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Endosulfan II	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endosulfan sulfate	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin ketone	--		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
Endrin	0		0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U	0.040 U
gamma-BHC (Lindane)	--		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
gamma-Chlordane	0		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor epoxide	0.03		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Heptachlor	0.04		0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U	0.020 U
Methoxychlor	35		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U
Toxaphene	0.06		0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U	0.200 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 10. Summary of Pesticides in Groundwater, Post Corridor - White Plains, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: SB-4/MW-3 FB-051414 FB-051514 FB-051614			
		Sample Date:	5/15/2014	5/14/2014	5/15/2014 5/16/2014
4,4'-DDD	0.3		0.040 U	0.040 U	0.040 U 0.040 U
4,4'-DDE	0.2		0.040 U	0.040 U	0.040 U 0.040 U
4,4'-DDT	0.2		0.040 U	0.040 U	0.040 U 0.040 U
Aldrin	0		0.020 U	0.020 U	0.020 U 0.020 U
alpha-BHC	--		0.020 U	0.020 U	0.020 U 0.020 U
alpha-Chlordane	--		0.020 U	0.020 U	0.020 U 0.020 U
beta-BHC	--		0.020 U	0.020 U	0.020 U 0.020 U
Chlordane	0.05		0.200 U	0.200 U	0.200 U 0.200 U
delta-BHC	--		0.020 U	0.020 U	0.020 U 0.020 U
Dieldrin	0.004		0.040 U	0.040 U	0.040 U 0.040 U
Endosulfan I	--		0.020 U	0.020 U	0.020 U 0.020 U
Endosulfan II	--		0.040 U	0.040 U	0.040 U 0.040 U
Endosulfan sulfate	--		0.040 U	0.040 U	0.040 U 0.040 U
Endrin ketone	--		0.040 U	0.040 U	0.040 U 0.040 U
Endrin	0		0.040 U	0.040 U	0.040 U 0.040 U
gamma-BHC (Lindane)	--		0.020 U	0.020 U	0.020 U 0.020 U
gamma-Chlordane	0		0.020 U	0.020 U	0.020 U 0.020 U
Heptachlor epoxide	0.03		0.020 U	0.020 U	0.020 U 0.020 U
Heptachlor	0.04		0.020 U	0.020 U	0.020 U 0.020 U
Methoxychlor	35		0.200 U	0.200 U	0.200 U 0.200 U
Toxaphene	0.06		0.200 U	0.200 U	0.200 U 0.200 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

-- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

PLATES

RW1	SOIL	GW
Sample Date	4/17/14	4/17/14
Depth (ft bsl)	8 - 10	13 - 15
VOCs		
Acetone	ND	510 D
Benzene	ND	ND
Ethylbenzene	ND	1.8 JD
Isopropylbenzene	ND	570 D
mmp-Xylene	ND	NE
o-Xylene	ND	NE
Toluene	ND	54 D
Xylenes (total)	ND	2990 D

RB-10	SOIL
Sample Date	4/8/14
Depth (ft bsl)	1 - 3
VOCs	
Acetone	ND
Benzene	ND
Ethylbenzene	ND
Isopropylbenzene	ND
mmp-Xylene	ND
o-Xylene	ND
Toluene	ND
Xylenes (total)	ND

RW-3	GW
Sample Date	5/16/14
VOCs	
Benzene	22 D
cis-1,2-Dichloroethene	8.6 JD
Ethylbenzene	950 D
Isopropylbenzene	95 D
mmp-Xylene	920 D
o-Xylene	140 D
Tetrachloroethene	6.6 D
Toluene	41 D
Trichloroethene	43 D
Vinyl chloride	2.4 JD
Xylenes (total)	1100 D

RW-5D	GW
Sample Date	5/16/14
VOCs	
Benzene	1.4 D
cis-1,2-Dichloroethene	220 D
MTBE	24 D
Tetrachloroethene	32 D
Trichloroethene	43 D
Vinyl chloride	2.4 JD

RB-17	SOIL
Sample Date	4/16/14
Depth (ft bsl)	8 - 8
VOCs	
Acetone	68

RW-10	GW
Sample Date	5/16/14
VOCs	
cis-1,2-Dichloroethene	180 D
Tetrachloroethene	120 D
Trichloroethene	54 D

RW-9	GW
Sample Date	5/16/14
VOCs	
cis-1,2-Dichloroethene	63
Ethylbenzene	5.6
Isopropylbenzene	6.5
MTBE	14
Tetrachloroethene	9.8
Trichloroethene	7.2
Vinyl chloride	2.5

RB-28	SOIL
Sample Date	4/10/14
Depth (ft bsl)	7 - 8
VOCs	
Acetone	55 D

RW-14	SOIL
Sample Date	4/14/14
Depth (ft bsl)	3 - 5
VOCs	
Acetone	68

RB-42	SOIL
Sample Date	4/14/14
Depth (ft bsl)	3 - 5
VOCs	
Acetone	84 D

RB-40	SOIL
Sample Date	4/14/14
Depth (ft bsl)	3 - 5
VOCs	
Acetone	61

RW-16	GW
Sample Date	5/16/14
VOCs	
cis-1,2-Dichloroethene	17
Tetrachloroethene	16
Trichloroethene	5.1

RW-17	GW
Sample Date	5/16/14
VOCs	
cis-1,2-Dichloroethene	340 D
Tetrachloroethene	2600 D
trans-1,2-Dichloroethene	18 JD
Trichloroethene	220 D
Vinyl chloride	49 D

RB-30	SOIL
Sample Date	4/10/14
Depth (ft bsl)	5 - 7
VOCs	
Acetone	62

RB-31	SOIL
Sample Date	4/10/14
Depth (ft bsl)	5 - 7
VOCs	
Acetone	77

RB1	SOIL
Sample Date	4/17/14
Depth (ft bsl)	10 - 12
VOCs	
Ethylbenzene	18000 D
Xylenes (total)	35800 JD

RB2	SOIL
Sample Date	4/17/14
Depth (ft bsl)	10 - 12
VOCs	
Acetone	ND
Ethylbenzene	1400 D
Xylenes (total)	2300 D

RB4	SOIL
Sample Date	4/17/14
Depth (ft bsl)	7 - 9
VOCs	
Acetone	65

SB-4/MW-3	GW
Sample Date	5/15/14
VOCs	
Benzene	2.8 D
Ethylbenzene	540 D
Isopropylbenzene	76 D
mmp-Xylene	800 D
o-Xylene	19 D
Xylenes (total)	820 D

RB-11	SOIL
Sample Date	4/8/14
Depth (ft bsl)	2 - 4
VOCs	
Benzene	3400 JD
Ethylbenzene	4700 D
Toluene	37000 D
Xylenes (total)	43000 D

RB-7	SOIL
Sample Date	4/7/14
Depth (ft bsl)	13 - 15
VOCs	
Ethylbenzene	NE
Xylenes (total)	NE

RW-4	SOIL	GW
Sample Date	4/8/14	5/15/14
Depth (ft bsl)	1 - 3	
VOCs		
Benzene	ND	12 D
Ethylbenzene	2500 D	200 D
Isopropylbenzene	NE	68 D
mmp-Xylene	NE	160 D
o-Xylene	NE	5.5 JD
Xylenes (total)	NE	170 JD

RB-14	SOIL
Sample Date	4/8/14
Depth (ft bsl)	11 - 12
VOCs	
Acetone	53


RW-7	SOIL	GW
Sample Date	4/8/14	5/16/14
Depth (ft bsl)	15 - 12	
VOCs		
Acetone	59	NE

RB-16	SOIL
Sample Date	4/8/14
Depth (ft bsl)	5 - 8
VOCs	
Acetone	100

RW-8	GW
Sample Date	5/16/14
VOCs	
MTBE	50
Vinyl chloride	5.7

RB-20	SOIL
Sample Date	4/16/14
Depth (ft bsl)	5 - 8.5
VOCs	
Acetone	52

RW-11	GW
Sample Date	5/16/14
VOCs	
Benzene	3.4
cis-1,2-Dichloroethene	36
MTBE	120
Vinyl chloride	21



Parameter	Standards* (µg/kg)	Standards** (µg/kg)	Standards*** (µg/kg)	Standards**** (µg/L)
VOCs				
Acetone	50	100000	500000	50
Benzene	60	4800	44000	1
cis-1,2-Dichloroethene	250	100000	500000	5
Ethylbenzene	1000	41000	390000	5
Isopropylbenzene	--	--	--	5
mmp-Xylene	--	--	--	5
MTBE	930	100000	500000	10
o-Xylene	--	--	--	5
Tetrachloroethene	1300	19000	150000	5
Toluene	700	100000	500000	5
trans-1,2-Dichloroethene	190	100000	500000	5
Trichloroethene	470	21000	200000	5
Vinyl chloride	20	900	13000	2
Xylenes (total)	1600	100000	500000	5

KEY

Parameter	Standards* (µg/kg)	Standards** (µg/kg)	Standards*** (µg/kg)	Standards**** (µg/L)
VOCs				
Acetone	50	100000	500000	50
Benzene	60	4800	44000	1
cis-1,2-Dichloroethene	250	100000	500000	5
Ethylbenzene	1000	41000	390000	5
Isopropylbenzene	--	--	--	5
mmp-Xylene	--	--	--	5
MTBE	930	100000	500000	10
o-Xylene	--	--	--	5
Tetrachloroethene	1300	19000	150000	5
Toluene	700	100000	500000	5
trans-1,2-Dichloroethene	190	100000	500000	5
Trichloroethene	470	21000	200000	5
Vinyl chloride	20	900	13000	2
Xylenes (total)	1600	100000	500000	5

µg/kg - MICROGRAMS PER KILOGRAM

µg/L - MICROGRAMS PER LITER

ft bsl - FEET BELOW LAND SURFACE

* - NYSDEC PART 375 PROTECTION OF GROUNDWATER STANDARDS

** - NYSDEC PART 375 RESTRICTED RESIDENTIAL STANDARDS

*** - NYSDEC PART 375 COMMERCIAL USE STANDARDS

**** - NYSDEC AMBIENT WATER-QUALITY STANDARDS AND GUIDANCE VALUES

NYSDEC - NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

- - NO NYSDEC PART 375 STANDARDS AVAILABLE

J - ESTIMATED VALUE

V - VALUE ALTERED OR QUALIFIER ADDED DURING DATA VALIDATION

D - A SECONDARY ANALYSIS AFTER DILUTION DUE TO EXCEEDANCE

E - CONCENTRATION OF ANALYTE EXCEEDS THE RANGE OF THE CALIBRATION CURVE AND/OR LINEAR RANGE OF THE

DUP - INSTRUMENT DUPLICATE SAMPLE

VOCs - VOLATILE ORGANIC COMPOUNDS

NE - NO EXCEEDANCE

ND - NO DETECTION

GW - GROUNDWATER

LEGEND

	SOIL BORING/MONITORING WELL, INSTALLED BY ROUX ASSOCIATES
	SOIL BORING, INSTALLED BY ROUX ASSOCIATES
	EXISTING SOIL BORING COMPLETED AS TEMPORARY WELL, INSTALLED BY OTHERS
	EXISTING BORING COMPLETED AS MONITORING WELL, INSTALLED BY OTHERS
	EXISTING SOIL BORING
	MANHOLE
	CATCH BASIN
	BELL TELE. MANHOLE
	DRAIN
	DRAIN
	ELECTRIC MANHOLE
	UTILITY POLE
	SEWER MANHOLE
	TREE PIT (TYP. 5' x 5' & 2" dia. TREES) ALONG THE NEW YORK POST RD.
	DROP CURB
	OVER HEAD WIRES

NOTES

- ELEVATIONS SHOWN HEREON REFER TO THE CITY OF WHITE PLAINS DATUM.
- ELEVATIONS AT AREAS OUTSIDE SHOWN EXCAVATIONS ARE NOT EXPECTED TO CHANGE.

Title: **EXCEEDANCES OF VOLATILE ORGANIC COMPOUNDS IN SOIL AND GROUNDWATER SAMPLES**

FOCUSED SUPPLEMENTAL RMEDIAL INVESTIGATION WORK PLAN
POST ROAD CORRIDOR - WHITE PLAINS
77 WEST POST ROAD, WHITE PLAINS, NY

Prepared For: **POST MAPLE 77, LLC**

Compiled by: R.M. Date: 02JUL14
 Prepared by: J.A.D. Scale: AS SHOWN
 Project Mgr: R.M. Project: 2195.0001Y
 File: 2195.0001Y118.02.DWG

PLATE **1**

V:\CAO\PROJECTS\2195\0001Y118\2195.0001Y118.02.DWG

RW1	GW
Sample Date	5/15/14
SVOCs	
Naphthalene	51 D

SB-4/MW-3	GW
Sample Date	5/15/14
SVOCs	
Naphthalene	180 D

RB-11	SOIL
Sample Date	4/8/14 4/8/14 4/8/14
Depth (ft bbs)	2 - 4 5 - 7 15 - 16
SVOCs	
Naphthalene	26000 D NE ND

RB-9	SOIL
Sample Date	4/7/14 4/7/14 4/7/14
Depth (ft bbs)	13 - 15 11 - 13 20 - 21
SVOCs	
Indeno(1,2,3-cd)pyrene	ND 570 JD ND

RW-4	GW
Sample Date	5/15/14
SVOCs	
Naphthalene	86 D

RB-14	SOIL
Sample Date	4/8/14
Depth (ft bbs)	11 - 12
SVOCs	
Benzo(a)anthracene	1200
Benzo(a)pyrene	1300
Benzo(b)fluoranthene	1400
Chrysene	1700
Indeno(1,2,3-cd)pyrene	600

RB-19	SOIL
Sample Date	4/16/14
Depth (ft bbs)	5 - 7
SVOCs	
Benzo(a)anthracene	2600 D
Benzo(a)pyrene	1300
Benzo(b)fluoranthene	2700 D
Chrysene	2800 D
Indeno(1,2,3-cd)pyrene	1400 JD

RW-8	SOIL
Sample Date	4/16/14
Depth (ft bbs)	5 - 7
SVOCs	
Benzo(a)anthracene	1200 D
Benzo(b)fluoranthene	1100 D
Chrysene	1100 D
Indeno(1,2,3-cd)pyrene	620 D

CB 2	SOIL
Sample Date	4/16/14
Depth (ft bbs)	-
SVOCs	
Benzo(a)anthracene	1600
Benzo(a)pyrene	1600
Benzo(b)fluoranthene	2100
Chrysene	2000
Indeno(1,2,3-cd)pyrene	1100

DW1	SOIL
Sample Date	4/16/14
Depth (ft bbs)	4 - 6
SVOCs	
Benzo(a)anthracene	3200
Benzo(a)pyrene	2800
Benzo(b)fluoranthene	3700
Chrysene	3200
Dibenz(a,h)anthracene	410
Indeno(1,2,3-cd)pyrene	1800



RB-34	SOIL
Sample Date	4/10/14
Depth (ft bbs)	4 - 6
SVOCs	
Benzo(a)anthracene	1600
Benzo(a)pyrene	1600
Benzo(b)fluoranthene	1600
Chrysene	1700
Indeno(1,2,3-cd)pyrene	1100

RB-30	SOIL
Sample Date	4/10/14
Depth (ft bbs)	5 - 7
SVOCs	
Indeno(1,2,3-cd)pyrene	640 D

RB-22	SOIL
Sample Date	4/10/14
Depth (ft bbs)	4 - 6
SVOCs	
Benzo(a)anthracene	4900 D
Benzo(a)pyrene	6700
Benzo(b)fluoranthene	8400
Chrysene	2400
Dibenz(a,h)anthracene	870
Indeno(1,2,3-cd)pyrene	4500

RW-12	SOIL	GW
Sample Date	4/10/14 4/10/14 5/16/14	
Depth (ft bbs)	5 - 7 7 - 8	
SVOCs		
Benzo(a)anthracene	7600 D 1600 D	ND
Benzo(a)pyrene	4900 D 1500 D	ND
Benzo(b)fluoranthene	8000 D 1900 D	ND
Chrysene	7600 D 1600 D	ND
Dibenz(a,h)anthracene	1100 D NE	ND
Indeno(1,2,3-cd)pyrene	4900 D 1000 D	ND
Pentachlorophenol	ND ND	2

RB-28	SOIL
Sample Date	4/10/14 4/10/14
Depth (ft bbs)	5 - 7 7 - 8
SVOCs	
Benzo(a)anthracene	7400 D 8900 D
Benzo(a)pyrene	6400 D 7000 D
Benzo(b)fluoranthene	7200 D 8800 D
Chrysene	7400 D 4100
Dibenz(a,h)anthracene	2000 D 600
Indeno(1,2,3-cd)pyrene	3700 D 2700



Parameter	Standards* (µg/kg)	Standards** (µg/kg)	Standards*** (µg/kg)	GROUNDWATER Standards**** (µg/L)
SVOCs				
Benzo(a)anthracene	1000	1000	5600	0.002
Benzo(a)pyrene	22000	1000	1000	0
Benzo(b)fluoranthene	1700	1000	5600	0.002
Benzo(k)fluoranthene	1700	3900	56000	0.002
Chrysene	1000	3900	56000	0.002
Dibenz(a,h)anthracene	10000000	330	560	-
Indeno(1,2,3-cd)pyrene	8200	500	5600	0.002
Naphthalene	12000	100000	500000	10
Peritachlorophenol	800	6700	6700	1

KEY

SAMPLE DESIGNATION

RW-12	SOIL	GW
Sample Date	4/10/14 4/10/14 5/16/14	
Depth (ft bbs)	5 - 7 7 - 8	
SVOCs		
Benzo(a)anthracene	7600 D 1600 D	ND
Benzo(a)pyrene	4900 D 1500 D	ND
Benzo(b)fluoranthene	8000 D 1900 D	ND
Chrysene	7600 D 1600 D	ND
Dibenz(a,h)anthracene	1100 D NE	ND
Indeno(1,2,3-cd)pyrene	4900 D 1000 D	ND

ANALYTE
CONCENTRATION IN MICROGRAMS PER KILOGRAM (SOIL)

CONCENTRATION IN MICROGRAMS PER LITER (GROUNDWATER)

µg/kg - MICROGRAMS PER KILOGRAM

µg/L - MICROGRAMS PER LITER

ft bbs - FEET BELOW LAND SURFACE

* - NYSDEC PART 375 PROTECTION OF GROUNDWATER STANDARDS

** - NYSDEC PART 375 RESTRICTED RESIDENTIAL STANDARDS

*** - NYSDEC PART 375 COMMERCIAL USE STANDARDS

**** - NYSDEC AMBIENT WATER-QUALITY STANDARDS AND GUIDANCE VALUES

NYSDEC - NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

- NO NYSDEC PART 375 STANDARDS AVAILABLE

J - ESTIMATED VALUE

V - VALUE ALTERED OR QUALIFIER ADDED DURING DATA VALIDATION

D - A SECONDARY ANALYSIS AFTER DILUTION DUE TO EXCEEDANCE

SVOCs - SEMIVOLATILE ORGANIC COMPOUNDS

NE - NO EXCEEDANCE

ND - NO DETECTION

GW - GROUNDWATER

LEGEND

- SOIL BORING/MONITORING WELL, INSTALLED BY ROUX ASSOCIATES
- SOIL BORING, INSTALLED BY ROUX ASSOCIATES
- EXISTING SOIL BORING COMPLETED AS TEMPORARY WELL, INSTALLED BY OTHERS
- EXISTING BORING COMPLETED AS MONITORING WELL, INSTALLED BY OTHERS
- EXISTING SOIL BORING
- MANHOLE
- CATCH BASIN
- BELL TELE. MANHOLE
- DRAIN
- DRAIN
- ELECTRIC MANHOLE
- UTILITY POLE
- SEWER MANHOLE
- TREE PIT (TYP. 5' x 5' & 2" dia. TREES) ALONG THE NEW YORK POST RD.
- DROP CURB
- OVER HEAD WIRES

NOTES

- ELEVATIONS SHOWN HEREON REFER TO THE CITY OF WHITE PLAINS DATUM.
- ELEVATIONS AT AREAS OUTSIDE SHOWN EXCAVATIONS ARE NOT EXPECTED TO CHANGE.

Title: **EXCEEDANCES OF SEMIVOLATILE ORGANIC COMPOUNDS IN SOIL AND GROUNDWATER SAMPLES**
FOCUSED SUPPLEMENTAL REMEDIAL INVESTIGATION WORK PLAN
POST ROAD CORRIDOR - WHITE PLAINS
77 WEST POST ROAD, WHITE PLAINS, NY

Prepared For: **POST MAPLE 77, LLC**

ROUX
ROUX ASSOCIATES, INC.
Environmental Consulting & Management

Compiled by: R.M. Date: 01JUL14
Prepared by: J.A.D. Scale: AS SHOWN
Project Mgr: R.M. Project: 2195.0001Y
File: 2195.0001Y118.02.DWG

PLATE
2

RW1		GW
Sample Date	5/15/14	
METALS		
Iron	19700	
Manganese	4300	
Sodium	218000	

RW-3		GW
Sample Date	5/16/14	
METALS		
Iron	3814	
Manganese	593000	
Sodium	820	

RW-6		GW
Sample Date	5/14/14	
METALS		
Iron	1820	
Manganese	4426	
Sodium	77100	

RW-5		GW
Sample Date	5/14/14	
METALS		
Iron	5,03	NE
Lead	306	NE
Manganese	2100	2094
Sodium	546000	579000

RW-5D		GW
Sample Date	5/14/14	
METALS		
Iron	26700	
Manganese	4172	
Sodium	527000	

RW-10		GW
Sample Date	4/9/14	5/16/14
Depth (ft bls)	6 - 8	
METALS		
Lead	1100	ND
Manganese	2094	3456
Sodium	NE	527000

RB-22		SOIL
Sample Date	4/16/14	
Depth (ft bls)	4 - 6	
METALS		
Mercury	2.9	

RB-26		SOIL
Sample Date	4/11/14	
Depth (ft bls)	5 - 7	
METALS		
Barium	490	

RW-12		GW
Sample Date	5/16/14	
METALS		
Manganese	329.4	
Sodium	143000	

RB-28		SOIL
Sample Date	4/10/14	4/10/14
Depth (ft bls)	5 - 7	7 - 8
METALS		
Arsenic	18	NE

RW-14		GW
Sample Date	5/16/14	
METALS		
Manganese	1489	
Sodium	32800	

RW-13		GW
Sample Date	5/16/14	
METALS		
Iron	2090	
Sodium	155000	

RW-16		GW
Sample Date	5/16/14	
METALS		
Iron	414	
Manganese	1731	
Sodium	172000	

RW-17		GW
Sample Date	5/16/14	
METALS		
Sodium	127000	

RB-33		SOIL
Sample Date	4/10/14	
Depth (ft bls)	4 - 6	
METALS		
Mercury	1.4	

RW-15		GW
Sample Date	5/16/14	
Depth (ft bls)	4 - 6	
METALS		
Sodium	32800	

RW-7		GW
Sample Date	5/16/14	
METALS		
Iron	19700	
Manganese	4012	
Sodium	77800	

RW-8		GW
Sample Date	5/16/14	
METALS		
Iron	4650	
Manganese	1501	
Sodium	127000	

DW1		SOIL
Sample Date	4/18/14	
Depth (ft bls)	4 - 6	
METALS		
Lead	470	

RW-9		GW
Sample Date	5/16/14	
METALS		
Iron	3060	
Manganese	4724	
Sodium	356000	

RW-11		SOIL
Sample Date	4/16/14	4/16/14
Depth (ft bls)	4 - 6	4 - 6 DUP
METALS		
Iron	NE	NE
Lead	490	530
Manganese	NE	NE
Sodium	NE	NE

SB-2/MW-2		GW
Sample Date	5/16/14	
METALS		
Iron	1470	
Manganese	894.8	
Sodium	77000	

RW-18		GW
Sample Date	5/16/14	
METALS		
Iron	3020	
Manganese	2418	
Sodium	20800	

RW-19		GW
Sample Date	5/15/14	
METALS		
Manganese	1369	

RW-20		GW
Sample Date	5/15/14	
METALS		
Iron	1740	
Manganese	530.2	

Parameter	Standards*	Standards**	Standards***	Groundwater Standards****
METALS				
Arsenic	16	16	16	25
Barium	820	400	400	1000
Iron	450	400	1000	35
Lead	2000	2000	10000	300
Mercury	0.73	0.61	2.8	0.7
Sodium	—	—	—	20000

KEY

Parameter	Standards*	Standards**	Standards***	Groundwater Standards****
METALS				
Iron	NE	NE	7500	
Lead	490	530	NE	
Manganese	NE	NE	444.7	
Sodium	NE	NE	131000	

ANALYTE

CONCENTRATION IN MICROGRAMS PER KILOGRAM (SOIL)

CONCENTRATION IN MICROGRAMS PER LITER (GROUNDWATER)

µg/kg - MICROGRAMS PER KILOGRAM

µg/L - MICROGRAMS PER LITER

ft bls - FEET BELOW LAND SURFACE

* - NYSDEC PART 375 PROTECTION OF GROUNDWATER STANDARDS

** - NYSDEC PART 375 RESTRICTED RESIDENTIAL STANDARDS

*** - NYSDEC PART 375 COMMERCIAL USE STANDARDS

**** - NYSDEC AMBIENT WATER-QUALITY STANDARDS AND GUIDANCE VALUES

NYSDEC - NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

- NO NYSDEC PART 375 STANDARDS AVAILABLE

DUP - INSTRUMENT DUPLICATE SAMPLE

NE - NO EXCEEDANCE

ND - NO DETECTION

GW - GROUNDWATER

LEGEND

- SOIL BORING/MONITORING WELL, INSTALLED BY ROUX ASSOCIATES
- SOIL BORING, INSTALLED BY ROUX ASSOCIATES
- EXISTING SOIL BORING COMPLETED AS TEMPORARY WELL, INSTALLED BY OTHERS
- EXISTING BORING COMPLETED AS MONITORING WELL, INSTALLED BY OTHERS
- EXISTING SOIL BORING
- MANHOLE
- CATCH BASIN
- BELL TELE. MANHOLE
- DRAIN
- DRAIN
- ELECTRIC MANHOLE
- UTILITY POLE
- SEWER MANHOLE
- TREE PIT (TYP. 5' x 5' & 2" DIA. TREES) ALONG THE NEW YORK POST RD.
- DROP CURB
- OVER HEAD WIRES

NOTES

- ELEVATIONS SHOWN HEREON REFER TO THE CITY OF WHITE PLAINS DATUM.
- ELEVATIONS AT AREAS OUTSIDE SHOWN EXCAVATIONS ARE NOT EXPECTED TO CHANGE.

EXCEEDANCES OF METALS IN SOIL AND GROUNDWATER SAMPLES

FOCUSED SUPPLEMENTAL REMEDIAL INVESTIGATION WORK PLAN
POST ROAD CORRIDOR - WHITE PLAINS
77 WEST POST ROAD, WHITE PLAINS, NY

Prepared For: POST MAPLE 77, LLC

Compiled by: R.M.	Date: 02JUL14	PLATE
Prepared by: J.A.D.	Scale: AS SHOWN	
Project Mgr: R.M.	Project: 2195.0001Y	
File: 2195.0001Y118.02.DWG		

